



EXECUTIVE OFFICER'S REPORT

Executive Officer,
Susana Arredondo

October 19, 2023

California Regional Water Quality Control Board
Los Angeles Region

320 W. 4th Street, Suite 200, Los Angeles, CA 90013

Our mission is

**to preserve, enhance, and restore the quality of California's water resources
and drinking water for the protection of the environment, public health, and all
beneficial uses for the benefit of present and future generations.**

Note: The Executive Officer's Report is not intended to be an exhaustive list of Los Angeles Water Board staff activities from the previous month, but rather provides highlights of these activities.

GROUNDWATER DIVISION

Hugh Marley, Assistant Executive Officer

Compliance and Enforcement Section – Russ Colby, Section Manager

Remediation Section I – Dr. Arthur Heath, Section Manager

Remediation Section II – Jillian Ly, Section Manager

Underground Storage Tanks Section – Dr. Yue Rong, Section Manager

SURFACE WATER DIVISION

Jenny Newman, Assistant Executive Officer

Groundwater Permitting & Land Disposal Section – Milasol Gaslan, Section Manager

Regional Programs Section – Dr. LB Nye, Section Manager

Watershed Regulatory Section – Dr. Jeong-Hee Lim, Section Manager

ADMINISTRATIVE SERVICES SECTION

Rosie Villar, Administrative Officer

PUBLIC PARTICIPATION

Susana Lagudis, Environmental Justice and Tribal Coordinator

Table of Contents

Groundwater Division.....	1
Compliance and Enforcement Section.....	1
Remediation Sections I and II	8
Underground Storage Tank Section.....	26
Surface Water Division.....	28
Groundwater Permitting & Land Disposal Section	28
Regional Programs Section.....	30
Watershed Regulatory Section (WRS)	32
Administrative Services Section	34

Groundwater Division

Compliance and Enforcement Section

The Enforcement Report for October 2023 includes data for August 2023 in the following tables:

Table No.	Title	Description
Tables 1 - 3	Enforcement Summary by Action	Enforcement actions taken by all Regional Water Board Programs
Table 4	EPLs Issued	Fifty (55) EPLs were issued for a total of \$812,302
Table 5	EPL Settled	Two (2) EPLs were settled for a total of \$24,000
Table 6	Violations subject to Mandatory Minimum Penalties (MMPs)	Fifty-two (52) cases with 167 violations subject to MMPs remain unresolved
Table 7	EPL Progress (NPDES)	\$36,000 in penalties collected in FY 23/24
Table 8	Industrial/Construction Stormwater Program Notices of Violation (NOVs)	NOVs issued in this reporting period and the status of compliance
Table 9	Notices of Non-Compliance (NNCs)	NNCs issued in this reporting period and the status of compliance
Table 10	Attorney General Referral Statuses	Cases referred to the Office of Attorney General and current statuses

- Tables 1 - 3 summarize enforcement actions taken by all programs.
- Tables 4 - 10 list enforcement actions taken by the Compliance and Enforcement Section.

Summary of Enforcement-Related Activities

Table 1 – Informal Enforcement Actions

Action	August 2023	FY 2023/2024
Notices of Violation	7	12
Notices of Non-Compliance	3	4
Total	10	16

Table 2 – Formal Enforcement Actions

Action	August 2023	FY 2023/2024
Administrative Civil Liability Complaints	0	0
Notices to Comply	0	0
Water Code §13267 Orders	16	16
Cleanup and Abatement Orders/Amendments	8	26
Underground Storage Tank H&S/13260 Directives	15	25
Total	39	67

Table 3 – Compliance Inspections

	August 2023	FY 2023/2024
NPDES (Major Permits)	0	0
NPDES (Minor Individual Permits)	0	0
NPDES (Minor General Permits)	3	3
Stormwater (Construction)	50	88
Stormwater (Industrial)	82	136
Stormwater (Municipal)	0	5
Total	135	232

Table 4– EPLs Issued (August 2023)

Owner/Facility	Date Issued	Type of Alleged Violation	Amount
F.F Gomez, INC.	08/23/23	Failure to Obtain Coverage Under the IGP	\$5,651
Ultrasonic Deburring	08/23/23	Failure to Obtain Coverage Under the IGP	\$5,651

Owner/Facility	Date Issued	Type of Alleged Violation	Amount
City of Burbank Public Works Maintenance Yard	08/02/23	Effluent	\$30,000
Pasadena Water and Power	08/02/23	Effluent	\$114,000
NASA Jet Propulsion Laboratory	08/02/23	Effluent	\$3,000
South Gate Transfer Station	08/02/23	Effluent	\$3,000
Certified Alloy Products, INC.	08/02/23	Effluent	\$18,000
Norman Fox and Company	08/02/23	Effluent	\$18,000
Owens Corning	08/02/23	Effluent	\$15,000
Interspace Battery	08/02/23	Effluent	\$3,000
Pharmavite, LLC	08/02/23	Effluent	\$24,000
Anheuser-Busch, LLC	08/02/23	Effluent	\$6,000
Angelus Western Paper Fibers	08/02/23	Effluent	\$9,000
LKQ Pick-A-Part	08/02/23	Effluent	\$9,000
Flowserve	08/02/23	Effluent	\$6,000
Continental Forge Company	08/02/23	Effluent	\$9,000
Ambrit Industries	08/02/23	Effluent	\$6,000
First Student, Inc.	08/02/23	Effluent	\$12,000
Shaw Industries, Inc.	08/02/23	Effluent	\$9,000
Polycoat Products	08/02/23	Effluent	\$9,000
PTM & W Industries	08/02/23	Effluent	\$3,000
BNSF Railway Company	08/02/23	Effluent	\$6,000
Consolidated Foundries, Inc.	08/02/23	Effluent	\$3,000
Senior Aerospace SSP	08/02/23	Effluent	\$6,000
Glendale Recycling Center	08/02/23	Effluent	\$6,000
FS Precision Tech, LLC	08/02/23	Effluent	\$6,000
Basic Fibres, Inc.	08/02/23	Effluent	\$3,000
Atlas Galvanizing, LLC	08/02/23	Effluent	\$3,000
Alpert & Alpert Iron & Metal, Inc.	08/02/23	Effluent	\$3,000
E/M Coating Services	08/02/23	Effluent	\$12,000
Trojan Battery Company	08/02/23	Effluent	\$6,000
P & T Metals, Inc.	08/02/23	Effluent	\$15,000
Smarkchem Industries	08/02/23	Effluent	\$3,000
Aero Wheel Brake Service	08/02/23	Effluent	\$6,000
Precision Wire Products	08/02/23	Effluent	\$6,000

Owner/Facility	Date Issued	Type of Alleged Violation	Amount
FMC Metals	08/02/23	Effluent	\$3,000
Estes Express	08/02/23	Effluent	\$6,000
Georgia Pacific Corrugated, LLC	08/02/23	Effluent	\$15,000
A1 Metal Products, Inc.	08/02/23	Effluent	\$3,000
AltAir Paramount Facility	08/02/23	Effluent	\$30,000
Compton Steel Company	08/02/23	Effluent	\$6,000
Trepanning Specialties, Inc.	08/02/23	Effluent	\$9,000
Sierracin Sylmar Corporation	08/02/23	Effluent	\$9,000
JRS Resources, Inc.	08/02/23	Effluent	\$3,000
First Transit, Inc. #55596	08/02/23	Effluent	\$3,000
Hawker Pacific Aerospace	08/02/23	Effluent	\$3,000
Bellflower Recycling Center	08/02/23	Effluent	\$6,000
KDC ONE Cosmetic Laboratories, Inc.	08/02/23	Effluent	\$3,000
Electro Tech Machining	08/02/23	Effluent	\$3,000
Northstar Chemical	08/02/23	Effluent	\$3,000
Los Angeles Turf Club/ Santa Anita Park	08/23/23	Effluent	\$15,000
Northrop Grumman Systems Corporation/ Puente Valley Operable Unit	08/23/23	Effluent	\$3,000
Beverly Capital Ventures, LLC, Beverly Atrium	08/09/23	Effluent	\$18,000
8833 Cynthia, LLC/ 8833 Cynthia Street Condominium	08/09/23	Effluent	\$18,000
Cf Alpha & Golf Propco LLC and Molina Healthcare, Inc./ Molina Center	08/09/23	Effluent	\$252,000
Total	---	---	\$812,302

Table 5 – EPLs Settled (August 2023)

Owner/Facility	Date Issued	Type of Alleged Violation	Date Stipulated Order Issued	Date Paid	Amount
The Kroger Co., Ralphs Store No. 289	05/17/23	Effluent	08/23/23	08/02/23	\$21,000
Los Angeles County Public Works/ Dominguez Gap Barrier Project	05/31/23	Effluent	08/09/23	07/24/23	\$3,000
Total	---	---	---	---	\$24,000

Table 6 – Violations Subject to MMPs (August 2023)

Status	No. of Facilities	No. of Violations
Pending	52	167

Table 7– EPL Progress (NPDES) August 2023

Action Type	Number of EPLs	Number of Violations	Cumulative Number of EPLs (FY23/24)	Cumulative Number of Violations (FY23/24)
EPLs Issued	55	269	55	269
EPLs Settled	2	8	4	12
EPLs Withdrawn	0	0	0	0
Amount Collected to Date	---	---	\$36,000	---

Table 8 – Notices of Violations (NOVs) Issued (August 2023)

Facility Name	Facility Address	Issue Date	Response Due Date	Permit Type	Violations	Status
Llamas	12970 Bradley Avenue, Sylmar	8/30/23	9/29/23	IGP	Failure to Develop a Complete SWPPP and Implement BMPs	Response not yet due
AVM Industries LLC	8245 Remmet Avenue, Canoga Park	8/30/23	9/29/23	IGP	Failure to Develop a Complete SWPPP	Response not yet due
A M Import Auto Dismantling	12317 Branford Street, Sun Valley	8/30/23	9/29/23	IGP	Failure to Develop a Complete SWPPP and Implement BMPs	Response not yet due
G W Surfaces	2432 Palma Drive, Ventura	8/30/23	9/23/23	IGP	Failure to Develop a Complete SWPPP	Response not yet due

Table 9 – Notices of Non-Compliance (NNCs) Issued (August 2023)

Facility Name	Facility Address	Issue Date	Response Due Date	Permit Type	Violations	Status
Lion Express	1827 West San Bernardino Road, West Covina	08/30/23	10/01/23	IGP	Failure to Obtain Coverage Under the IGP	Response not received
A & A Fabrication and Polishing Corporation	610 South Vail Avenue, Montebello	08/23/23	10/23/23	IGP	Failure to Obtain Coverage under IGP	Response not yet due
Cadillac King Auto Dismantling	12217 Montague St., Pacoima	08/30/23	10/30/23	IGP	Failure to Obtain Coverage Under the IGP	Response not yet due

Table 10 – Attorney General Referrals Statuses

Case	Status
City of South Pasadena	Litigation filed. A consent judgement was entered into by the City and the Region Water Board to address the City's failure to comply with the Sanitary Sewer System Waste Discharge Requirements (SSS WDRs) in January 2012. The City is currently addressing the requirements included in the consent judgement.
City of Alhambra	Litigation filed. A consent judgement was entered into by the City and the Region Water Board to address the City's failure to comply with the Sanitary Sewer System Waste Discharge Requirements (SSS WDRs) in January 2016. The City is currently addressing the requirements included in the consent judgement.
City of San Gabriel	Litigation filed. A consent judgement was entered into by the City and the Region Water Board to address the City's failure to comply with the Sanitary Sewer System Waste Discharge Requirements (SSS WDRs) in March 2016. The City is currently addressing the requirements included in the consent judgement.
City of Compton	Litigation filed. A consent judgement was entered into by the City and the Region Water Board to address the City's failure to comply with the Sanitary Sewer System Waste Discharge Requirements (SSS WDRs) in September 2016. The City is currently addressing the requirements included in the consent judgement.
City of Maywood	No Litigation filed to date: tolling agreement in effect. City working with Los Angeles County to annex the City's system to the Los Angeles County Sewer Maintenance District.
Rev973	Litigation filed to enforce CAOs; defense against Rev lawsuit challenging CAO
Coast United	Litigation filed; successful trial; Consent Judgement entered; remediation underway
Skypark Commercial Properties	The Regional Water Board adopted a resolution to refer enforcement of the CAO to the Office of the Attorney General in April 2023.
Former Waymire Drums Site	Litigation Filed. LA County Superior Court ordered Mitchell Investors, LLC (RP) to comply with the CAO in September 2021. RP subsequently filed an appeal. The Court of Appeal ruled in the Regional Water Board's favor on the appeal. A trial is set for November 2023. The Regional Water Board is seeking to enforce the preliminary injunction.
Garfield Express Site	No litigation filed to date; remediation underway

Remediation Sections I and II

Update on the Former Kast Property Tank Farm, Carousel Tract Residential Neighborhood, Carson

Activities related to site investigation and cleanup work performed in August 2023 include the following:

1. Cleanup of 285 (100%) out of 285 properties completed.
2. On August 11, 2023, the Los Angeles Water Board received a document titled *Second Quarter 2023 Remediation Progress Report* for the former Kast Property. The report summarizes activities related to the remediation conducted from April to June 2023, such as, monitoring of groundwater, light non-aqueous phase liquid recovery and sub-slab soil vapor probe sampling; the outreach conducted with residents in Cluster 24; the annual inspections of sub-slab depressurization systems; and the remediation activities related to the soil vapor extraction/bioventing system.
3. On August 31, 2023, the Los Angeles Water Board received documents titled *Sub-Slab Soil Vapor Monitoring Reports* for two properties located within the former Kast Property: 24727 Marbella Avenue and 24738 Neptune Avenue. The reports summarize sub-slab soil vapor monitoring of volatile organic compounds and fixed gases at the two properties in accordance with the 2014 Revised Remedial Action Plan.
4. The Soil Vapor Extraction/Bioventing system is fully operational.
5. Concrete work (sidewalk, curb & gutter, ADA ramps) throughout the Carousel Tract is in progress.

Former Athens Tank Farm / Ujima Village Apartments and Ervin Magic Johnson Regional Park (EMJRP), Los Angeles

Activities related to the environmental site investigation of the Former Athens Tank Farm conducted in August 2023 are summarized below:

1. Recent and ongoing activities for the former Athens Tank Farm site are as follows:
 - a. Phase I and Phase II Soil Vapor Extraction (SVE) Systems
 - i. SVE remediation wells SVE-04 and SVE-05 were inaccessible in the second quarter of 2023 since the area was fenced off by the Ujima Housing Corporation (UHC). Access negotiations with UHC are ongoing and the wells will be sampled during the next scheduled sampling event once access has been granted; and
 - ii. As of May 31, 2023 – cumulative removal to date is approximately 727,784 pounds of VOCs and 134,976 pounds of methane have been removed from

both Phase I and Phase II SVE systems.

b. Phase III NAPL Removal Systems

- i. Groundwater monitoring wells ATF-10A (shallow) and ATF-10B (deep) were still inaccessible during the second quarter of 2023 due to the placement of fencing by the Ujima Housing Corporation (UHC). Access to these wells is currently being negotiated with the UHC. These wells will be monitored and sampled during the next scheduled monitoring event following an access agreement.
- ii. The NAPL Recovery Trailer was non-operational during August 2023 due to a malfunctioning NAPL sensor probe. Clean Earth Technology's (CET's) NAPL sensor probe was repaired and shipped back to the Site. The probe was reinstalled on June 23, 2023. During subsequent startup activities, the probe was not working properly. CET was contacted and they requested the probe be returned for repairs.
- iii. Tiered NAPL Recovery Summary
 - a. NAPL Recovery Trailer was previously positioned on wells ATF-19B, ATF-21B; and
 - b. NAPL Trailer is currently positioned over well ATF-19B and ATF-21B and ATF-28B.
 - NAPL Tier I cumulative recovery as of May 31, 2023, using NAPL Recovery Trailer – 3,334 gallons; and
 - NAPL Tier II cumulative recovery as of May 31, 2023, using manual bailing – 290.55 gallons.
 - NAPL Tier III recovery (oleophilic absorbent socks) are currently deployed in 12 wells: ATF-5B, -10A, -13B, -22B, -26B, -28B, -29B; KLFOB-01, -02; and KLFSVE-01 through -03. A cumulative total of 108 absorbent socks have been replaced as of May 31, 2023.

c. Air/Bio-Sparge System

- i. The air/bio sparge system is operating and collecting system performance data. Approximately 250,842 pounds of VOCs have been removed by sparging as of May 31, 2023.

SITE CLEANUP PROGRAM ACTIVITIES

August 2023 Activities

Project Name	Status	Address	File No.	Regulatory Action	Issue Date	Title / Description	CalEnviroscreen 4.0 Percentile
1910-1914 Bay Street and 1901 Sacramento Street Properties	Open - Assessment & Interim Remedial Action	1910 Bay Street, Los Angeles	1412	Staff Letter	8/4/23	Technical Report Review	80-85%
201-205 Bryant Street	Open - Assessment & Interim Remedial Action	201 - 205 Bryant Street, Ojai	1584	Cost Recovery Agreement / N. Of Reimbursement	8/16/23	Cost Recovery Agreement	15-20%
21110, 21122 Nordhoff St & 9020, 9030, 9040 Eton Ave	Open - Assessment & Interim Remedial Action	21110 Nordhoff Street, Canoga Park	1515A	Staff Letter	8/16/23	Response to a Time Extension Request	70-75%
2H Construction	Open - Site Assessment	2150 Orange Avenue, Long Beach	1553	Deadline Extension	8/16/23	Response to a Time Extension Request	90-95%
5 Star Discount Homes LLC	Open - Site Assessment	255 East Century Boulevard, Los Angeles	1483, 900030325	Staff Letter	8/29/23	Workplan Approval	95-100%

Project Name	Status	Address	File No.	Regulatory Action	Issue Date	Title / Description	CalEnviroScreen 4.0 Percentile
6 Star Discount Homes LLC	Open - Site Assessment	255 East Century Boulevard, Los Angeles	1483, 900030325	Staff Letter	8/4/23	Request to Submit Additional Site Investigation Workplan	95-100%
Ahr Signs, Inc.	Open - Site Assessment	3400 North San Fernando Road, Los Angeles	1443	Assessment Order	8/31/23	Requirement for Additional Investigation	95-100%
Alondra Industrial Park	Open - Remediation	15524 Carmenita Road, Santa Fe Springs	255	Clean-Up And Abatement Order	8/24/23	Response to a Time Extension Request	NA
Arbco Facility (Former)	Open - Remediation	7820 Gloria Avenue, Van Nuys	750	Staff Letter	8/14/23	Offsite Access Request for Well Installation - 7753 Densmore	95-100%
Architectural Woodworking Company	Open - Remediation	576, 580, 582 Monterey Pass Road, Monterey Park	1296	Staff Letter	8/28/23	Review Response	55-60%
Boeing - Parcel 1	Open - Remediation	233 East Manville Street, Compton	462	Staff Letter	8/24/23	Approval of 135 East Stanley Street Work Plan Addendum	90-95%

Project Name	Status	Address	File No.	Regulatory Action	Issue Date	Title / Description	CalEnviroScreen 4.0 Percentile
Bonded Fiber Products, Inc.	Open - Site Assessment	2748 Tanager Avenue, Commerce	1362	Deadline Extension	8/28/23	Response to a Time Extension Request	95-100%
Broadway Cleaners (Former)	Open - Remediation	5423 North Rosemead Boulevard, San Gabriel	115.0005	Staff Letter	8/7/23	Technical Report Review	65-70%
Cal-Doran	Open - Assessment & Interim Remedial Action	2830 East Washington Boulevard, Los Angeles	0998B	Staff Letter	8/16/23	Response to a Time Extension Request	95-100%
Chevron Pipeline	Open - Site Assessment	2001 West Rosecrans Avenue, Gardena	1267	Staff Letter	8/21/23	Approval of Request to Cease LNAPL Bailing and Modification to LNAPL Recovery Method	95-100%
Chevron Terminal (Former)	Open - Assessment & Interim Remedial Action	7201 East Rosecrans Street, Paramount	799	Deadline Extension	8/14/2023	Response to a Time Extension Request	95-100%
CSHV Pen Factory LLC - Buildings I, Iii, & Iv Reuse	Open - Remediation	1681 26th Street, Santa Monica	0130I	Cost Recovery Agreement / N. Of Reimbursement	8/25/2023	Site Cleanup Program Oversight Cost Reimbursement Letter	80-85%

Project Name	Status	Address	File No.	Regulatory Action	Issue Date	Title / Description	CalEnviroScreen 4.0 Percentile
Davis Wire Corporation	Open - Site Assessment	5555 Irwindale Avenue, Irwindale	1510	Staff Letter	8/15/2023	Retention Basin Soil Assessment Report Review	80-85%
Die Cast Products	Open - Assessment & Interim Remedial Action	621 Rosecrans Avenue, Gardena	757	Technical Correspondence / Assistance / Other	8/10/2023	Approval of Indoor Air Sampling Location	95-100%
Dominguez Channel @ Carson Street	Open - Site Assessment	Carson Street, Carson	1264	Assessment Order	8/15/23	Workplan Approval	75-80%
Downey Business Center (Firestone Blvd)	Open - Assessment & Interim Remedial Action	9828 Firestone Boulevard, Downey	1513	Staff Letter	8/23/23	Workplan Approval	85-90%
Excello Plating Co., Inc	Open - Remediation	4057 Goodwin Avenue, Los Angeles	113.5243	Staff Letter	8/21/23	Workplan Approval	80-85%
Former Sweds Cleaners	Open - Assessment & Interim Remedial Action	8841 East Las Tunas Drive, Temple City	115.0563	Staff Letter	8/28/23	Response to a Time Extension Request	45-50%

Project Name	Status	Address	File No.	Regulatory Action	Issue Date	Title / Description	CalEnviroScreen 4.0 Percentile
Former Sweds Cleaners	Open - Assessment & Interim Remedial Action	8841 East Las Tunas Drive, Temple City	115.0563	Staff Letter	8/18/23	Technical Report Review	45-50%
Former 4th Avenue Drill Site	Open - Site Assessment	3300 West Washington Boulevard, Los Angeles	1489	Technical Correspondence / Assistance / Other	8/29/23	Comment on the Los Angeles Housing Department Fonsi Letter	90-95%
Former 4th Avenue Drill Site	Open - Site Assessment	3300 West Washington Boulevard, Los Angeles	1489	Technical Correspondence / Assistance / Other	8/29/23	Letter of Support for Thomas Safran & Associates' Intent to Apply for the DTSC Equitable Community Revitalization Grant Program	90-95%
Former All-Star Cleaners	Open - Site Assessment	8500 West Olympic Boulevard, Los Angeles	1452	Assessment Order	8/15/23	Response to a Time Extension Request	45-50%
Former Anadite South Gate Facility	Open - Assessment & Interim Remedial Action	10647 Garfield Avenue, South Gate	541	Clean-Up And Abatement Order	8/15/23	Technical Report Review	95-100%

Project Name	Status	Address	File No.	Regulatory Action	Issue Date	Title / Description	CalEnviroScreen 4.0 Percentile
Former Anadite South Gate Facility	Open - Assessment & Interim Remedial Action	10647 Garfield Avenue, South Gate	541	Clean-Up And Abatement Order	8/15/23	Response to a Time Extension Request	95-100%
Former Anadite South Gate Facility	Open - Assessment & Interim Remedial Action	10647 Garfield Avenue, South Gate	541	Clean-Up And Abatement Order	8/15/23	Technical Report Review	95-100%
Former Fan Steel Inc./Precision Sheet Metal	Open - Remediation	5235 West 104th Street, Los Angeles	759	Assessment Order	8/15/23	Response to a Time Extension Request	NA
Former Oberthur Technologies Facility	Open - Remediation	3150 East Ana Street, Compton	1408	Staff Letter	8/21/23	Response to a Time Extension Request	90-95%
Former Pneumo Abex Aerospace Facility	Open - Assessment & Interim Remedial Action	3151 West Fifth Street, Oxnard	0253A	Clean-Up And Abatement Order	8/29/23	Technical Report Review	65-70%
Gulton-Statham Transducer (Former)	Open - Remediation	2230 Statham Boulevard, Oxnard	398	Staff Letter	8/2/23	Work Plan Review	75-80%
Hermetic Seal Corp.	Open - Remediation	4232 Temple City Boulevard, Rosemead	103.0172	Staff Letter	8/18/23	Workplan Approval	70-75%

Project Name	Status	Address	File No.	Regulatory Action	Issue Date	Title / Description	CalEnviroScreen 4.0 Percentile
Ippolito Family Properties, LLC	Open - Site Assessment	1706 Standard Avenue, Glendale	109.0981	Assessment Order	8/8/23	Work Plan Review	95-100%
JFL Electric Co/United Chemical (Former)	Open - Site Assessment	8251-8257 Compton Avenue, Los Angeles	936	Clean-Up And Abatement Order	8/15/23	Technical Reports Review	95-100%
Kessler Property	Open - Site Assessment	1924 Doreen Avenue, South El Monte	107.0859	Assessment Order	8/15/23	Workplan Approval	95-100%
Laurel Canyon Boulevard & Osborne Street Property	Open - Assessment & Interim Remedial Action	9750-9772 and 9790-9796 Laurel Canyon Boulevard and 13141-13145 Osborne Street, Pacoima	1300AA	Staff Letter	8/8/23	Response to a Time Extension Request	85-90%
Lilly Industrial Coatings (Former)	Open - Remediation	9845 Miller Way, South Gate	1060	Staff Letter	8/2/23	Response to a Time Extension Request	95-100%

Project Name	Status	Address	File No.	Regulatory Action	Issue Date	Title / Description	CalEnviroscreen 4.0 Percentile
Litton Guidance & Control Systems	Open - Assessment & Interim Remedial Action	5500 Canoga Avenue, Woodland Hills	277	Deadline Extension	8/24/23	Response to a Time Extension Request	60-65%
Lockheed Plant B1	Open - Assessment & Interim Remedial Action	1705 Victory Place, Burbank	104.0676	Staff Letter	8/30/23	Workplan Approval	90-95%
M.C. Gill Corp	Open - Site Assessment	4056 Easy Street, El Monte	103.016	Assessment Order	8/15/23	Technical Report Review	70-75%
Marquis Cleaners	Open - Site Assessment	1334 North Moorpark Road, Thousand Oaks	1404	Staff Letter	8/2/23	Request for Workplan to Assess Soil, Soil Vapor, and Groundwater	25-30%
Marrs Fabulous Cleaners	Open - Site Assessment	3623 East Florence Avenue, Bell	1016	Assessment Order	8/15/23	Response to a Time Extension Request	95-100%
McDaniels Cleaners	Open - Site Assessment	14238 Ramona Boulevard, Baldwin Park	108.1479	Staff Letter	8/1/23	Technical Report Review	85-90%
Monarch Litho, Inc.	Open - Site Assessment	1501 Date Street, Montebello	1361	Notification - Proposition 65	8/24/23	Proposition 65 Notification	90-95%

Project Name	Status	Address	File No.	Regulatory Action	Issue Date	Title / Description	CalEnviroScreen 4.0 Percentile
Multi-Tenant Office-Warehouse Property	Open - Remediation	1500-1510 West 228th Street, Torrance	1294	Staff Letter	8/4/23	Technical Report Review	90-95%
Newlowe Properties	Open - Remediation	3332-3334, 3360-3380 San Fernando Road, Los Angeles	628	Staff Letter	8/9/23	Requirement for Revised Workplan for Off-Site Investigation	95-100%
Pacific Crest Bank	Open - Assessment & Interim Remedial Action	1800 West 220th Street, Torrance	889	Staff Letter	8/16/23	Requirement for Technical Report and Resume Indoor Air Sampling	65-70%
Pacific Crest Bank	Open - Assessment & Interim Remedial Action	1800 West 220th Street, Torrance	889	Assessment Order	8/8/23	Comments on Western Boundary Evaluation	65-70%
Paragon Cleaners	Open - Remediation	1310 Vine Street, Los Angeles	1186	Clean-Up And Abatement Order	8/8/23	Technical Report Review	90-95%
Pasadena Hope Center	Open - Remediation	1000 East Walnut Street, Pasadena	1521	Staff Letter	8/29/23	Technical Report Review	55-60%
Pinto Petroleum (Former)	Open - Site Assessment	1028 Front Street, Ventura	1215	Closure Denial Letter	8/1/23	Response to Case Closure Request	80-85%

Project Name	Status	Address	File No.	Regulatory Action	Issue Date	Title / Description	CalEnviroscreen 4.0 Percentile
Rohm And Hass Facility (Former Unocal La Mirada)	Open - Remediation	14445 East Alondra Boulevard, La Mirada	364	Staff Letter	8/28/23	Review of Rebound Report	70-75%
SFPP, L.P. Watson Station	Open - Site Assessment	20410 South Wilmington Avenue, Carson	1446	Technical Correspondence / Assistance / Other	8/25/23	Hazardous Material Spill Update	NA
Shell Los Angeles Refinery	Open - Remediation	2101 East Pacific Coast Highway, Wilmington	230	Clean-Up And Abatement Order	8/8/23	Response to a Time Extension Request	NA
Shield Chemicals Inc.	Open - Site Assessment	2026 Chico Avenue, South El Monte	107.0453	Assessment Order	8/15/23	Workplan Approval	95-100%
Siemens Family Trust	Open - Site Assessment	11910-11912 Jefferson Boulevard, Culver City	1375	Staff Letter	8/28/23	Response to a Time Extension Request	55-60%
Silver Oaks Cleaners (Former)	Open - Remediation	2772 Townsgate Road, Thousand Oaks	1098	Staff Letter	8/16/23	Work Plan Response	10-15%

Project Name	Status	Address	File No.	Regulatory Action	Issue Date	Title / Description	CalEnviroscreen 4.0 Percentile
Spring View	Open - Site Assessment	5261 West Imperial Highway, Los Angeles	1305	Staff Letter	8/24/23	Response to a Remedial Action Report and Request for Site Closure	NA
Tampa Plaza Shopping Center - Bell Cleaners	Open - Remediation	19311 Ventura Boulevard, Tarzana	1123	Staff Letter	8/9/23	Technical Report Review	50-55%
Tampa Plaza Shopping Center - Bell Cleaners	Open - Remediation	19311 Ventura Boulevard, Tarzana	1123	Staff Letter	8/11/23	Technical Report Review	50-55%
Ted Levine Drum – Alpaca / El Poche (Site 1)	Open - Assessment & Interim Remedial Action	9648, 9660 East El Poche & 9661 Al Paca Street, South El Monte	107.0445B	Staff Letter	8/11/23	Workplan Approval	95-100%
Ted Levine Drum – Alpaca / El Poche (Site 1)	Open - Assessment & Interim Remedial Action	9648, 9660 East El Poche & 9661 Al Paca Street, South El Monte	107.0445B	Staff Letter	8/11/23	Workplan Approval	95-100%

Project Name	Status	Address	File No.	Regulatory Action	Issue Date	Title / Description	CalEnviroScreen 4.0 Percentile
Ted Levine Drum – Alpaca / El Poche (Site 1)	Open - Assessment & Interim Remedial Action	9648, 9660 East El Poche & 9661 Al Paca Street, South El Monte	107.0445B	Technical Correspondence / Assistance / Other	8/11/23	Workplan Approval	95-100%
Teledyne Cast Parts	Open - Remediation	4200 Valley Boulevard, Pomona	101.035	Soil Management Plan	8/25/23	Approval for Asphalt Reuse	NA
Transnational Property	Open - Site Assessment	11124 Washington Boulevard, Culver City	910	Assessment Order	8/8/23	13267 Order	60-65%
TRW- Main Facility	Open - Verification Monitoring	1 Space Park Drive, Redondo Beach	732	Staff Letter	8/9/23	Technical Report Review	25-30%
TRW Space & Defense - Hawthorne	Open - Remediation	14520 Aviation Boulevard, Hawthorne	347	Staff Letter	8/2/23	Technical Report Review	60-65%
Union Pacific Railroad - Cornfield Yard	Open - Verification Monitoring	1245 North Spring Street, Los Angeles	891	Cost Recovery Agreement / N. Of Reimbursement	8/3/23	Cost Recovery Agreement - Lincoln Properties	95-100%
Ventura Muffler And Brake	Open - Site Assessment	150 West Main Street, Ventura	1329	Assessment Order	8/1/23	Workplan Approval	80-85%

Project Name	Status	Address	File No.	Regulatory Action	Issue Date	Title / Description	CalEnviroscreen 4.0 Percentile
Ventura Oil Field - Historical Sump Remediation	Open - Site Assessment	School Canyon Road, Ventura	1606	Staff Letter	8/1/23	Approval of RAP	30-35%
Vopak Terminal Long Beach	Open - Assessment & Interim Remedial Action	3601 Dock Street, San Pedro	494	Staff Letter	8/11/23	Request to Address Office of Environmental Health Hazard Assessment Comments on Human Health Risk Assessment	NA
Westlake Village Cleaners	Open - Remediation	2749 Agoura Road, Westlake Village	369	Staff Letter	8/16/23	Work Plan Response	10-15%
Whole Foods Refrigerated Distribution Facility (Fmr Angelus Sanitary Can Machine)	Open - Site Assessment	5000 Pacific Boulevard, Vernon	1310	Assessment Order	8/4/23	Requirement for Technical Report Pursuant to California Water Code Section 13267 Order	NA

Project Name	Status	Address	File No.	Regulatory Action	Issue Date	Title / Description	CalEnviroScreen 4.0 Percentile
Long Beach Naval Complex - Long Beach Naval Complex - 171 AOC Sites - AOC Site PCB 13	Completed - Case Closed	Skipjack Avenue, Long Beach	0283A, 16542 -- 250	Staff Letter	8/8/23	Concurrence With Final ESD	NA
Point Mugu Naws - Installation Restoration Program Site 1 (Landfill)	Open - Verification Monitoring	13Th Street at Pacific Road (Las Posas Road), Point Mugu	282	Staff Letter	8/18/23	Review of Draft Five-Year Review Report	55-60%
Point Mugu Naws - Installation Restoration Program Site 15 (San Nicolas Island Fire Training Area)	Open - Site Assessment	Between Monroe Drive and The San Nicolas Island Flight Line, San Nicolas Island		Technical Correspondence / Assistance / Other	8/8/23	Review of the Final Preliminary Assessment/Site Inspection Report For PFAS	NA
Point Mugu Naws - Installation Restoration Program Site 24 (Former UST Sites 23 And 55)	Open - Remediation	1 L Ave at Ronald Reagan Blvd (11Th St), Point Mugu	282	Staff Letter	8/18/23	Review of Draft Five-Year Review Report	55-60%

Project Name	Status	Address	File No.	Regulatory Action	Issue Date	Title / Description	CalEnviroScreen 4.0 Percentile
Point Mugu Naws - Installation Restoration Program Site 6 (Building 311 Yard)	Open - Remediation	311 11th Street (Ronald Reagan Boulevard) at South Mugu Road, Point Mugu	282	Staff Letter	8/18/23	Review of Draft Five-Year Review Report	55-60%
Point Mugu Naws - Installation Restoration Program Site 9 (Fire Fighter Training Area)	Open - Verification Monitoring	1 Casper Road at Perimeter Road, Point Mugu	282	Staff Letter	8/18/23	Review of Draft Five-Year Review Report	55-60%
Point Mugu Naws - Munitions Response Program Former Gas Mask Training Area (Uxo-0004)	Open - Site Assessment	Point Mugu	282	Staff Letter	8/18/23	Review of Draft Five-Year Review Report	55-60%
San Clemente Island NAF - IR Site 17 (Power Plant Building)	Open - Site Assessment	San Clemente Island	16545	Staff Letter	8/11/23	Workplan Review	NA
San Clemente Island NAF - Site Wide PFAS Investigation	Open - Site Assessment	0 San Clemente Island, San Clemente Island	16545	Staff Letter	8/21/23	Response to Comments	NA

Project Name	Status	Address	File No.	Regulatory Action	Issue Date	Title / Description	CalEnviroScreen 4.0 Percentile
Bowman Plating Co Inc	Informational Item / Review Complete	2631 East 126th Street, Compton		Closure/No Further Action Letter	8/8/23	Satisfaction of Order	95-100%
E M E Inc	Informational Item / Review Complete	431 East Oaks Street, Compton		Assessment Order	8/17/23	Satisfaction of Order	95-100%
Hamilton Test Systems/Occupant	Informational Item / Review Complete	2645 Stingle Avenue, Rosemead	107.1733	Notification - Site Designation	8/15/23	Non-Case Determination	85-90%
Irish Communication Co.	Informational Item / Review Complete	2649 Stingle Avenue, Rosemead	107.173	Notification - Site Designation	8/15/23	Non-Case Determination	85-90%
Lee Fletcher Enterprise Corporation	Pending Review	2449 East 56th Street, Huntington Park	1493	Staff Letter	8/28/23	Satisfaction of Order	95-100%
Morrell's Electro Plating, Inc	Informational Item / Review Complete	432 East Euclid Avenue, Compton		Closure/No Further Action Letter	8/8/23	Satisfaction Of Order	95-100%
Stabile Plating Co Inc	Pending Review	1150 East Edna Place, Covina		Assessment Order	8/17/23	Workplan Approval	60-65%

Underground Storage Tank Section

Completion of Corrective Action at Leaking Underground Fuel Storage Tank Site for the Reporting Period: August 1 through August 31, 2023

ARCO #1003, Long Beach Boulevard, Long Beach (914030334)

For the case closure site above, a total of 16,565 pounds of hydrocarbons were removed by soil vapor extraction systems and a total of 270 tons of impacted soil were also excavated and removed. In addition, 2,411 gallons of impacted groundwater and 11 gallons of free products were removed.

Corrective Action Plans for Leaking Underground Fuel Storage Tank Sites were received for the Reporting Period: August 1 through August 31, 2023:

PROJECT NAME	CITY	RB CASE #
Circle K #2211319/Former Exxon #7-3047	Long Beach	908030016
Former Mobil #11KKX	Los Angeles	I-09419B
Mobil #18-F18	La Mirada	I-06420
United Stations #39	Compton	R-25913
Unocal #4977	La Mirada	I-06009

Corrective Action Plans for Leaking Underground Fuel Storage Tank Sites were approved for the Reporting Period: August 1 through August 31, 2023:

Artesia Building, Inc., Artesia (R-01106)

Summaries of the Underground Storage Tank Section's performance and quantities of contamination removed through August 31, 2023, are listed in Tables 1 and 2.

Table 1 – Underground Storage Tank Program Performance Summary (2023)

Month	Case Closures	Directives & Orders	Workplan Approvals	Other Letters Issued	Total
January	4	8	10	33	55
February	6	11	4	27	48
March	0	14	15	32	61
April	2	10	11	27	50
May	4	11	15	22	52
June	0	9	13	26	48
July	20	9	10	35	74

Month	Case Closures	Directives & Orders	Workplan Approvals	Other Letters Issued	Total
August	1	8	11	32	52
Total	37	80	89	234	440

Table 2 – Contamination Removed

Month	Contaminated soil (tons)	TPH mass (lbs.)
January	83	0
February	953	37,467
March	-	-
April	0	5,986
May	3,220	59,741
June	-	-
July	31,879	203,916
August	270	16,565
Total	36,405	323,675

In-Person State Cleanup Summit

The State Water Resources Control Board hosted the first Cleanup Summit for the Underground Storage Tank (UST) Cleanup, Site Cleanup, and Department of Defense (DoD) Programs Program from September 5 to September 7, 2023. Site Cleanup and Underground Storage Tank (UST) Program staff participated in State Cleanup Summit in Southern California. The Cleanup Summit was intended to provide all Water Board Cleanup Staff with training and networking opportunities and promote collaboration and knowledge sharing between the programs. Topics discussed included training opportunities, accessing cleanup funds, legal perspectives, and updates on State Board Racial Equity activities. The Cleanup Summit was well attended by our staff who participated as panelists during panel discussions and presented several technical and informative displays during the poster session.

Surface Water Division

Groundwater Permitting & Land Disposal Section

Summary of Activities Associated with General Waste Discharge Requirements

General WDRs for Advanced Onsite Wastewater Treatment Systems (Order No. R4-2019-0024)

No.	Facility	Project Manager	Date of Coverage	Date of Revision	Date of Termination
1.	Sarkis and Angela Mehtemetian Residence/CI-10618	Ryan Nickerson	---	---	08/30/23

Summary of Enforcement Actions

No.	Date Issued	Permittee	Project Manager
1.	08/09/2023	Draft Cleanup and Abatement Order, Tierra Rejada Landfill/File No. 62-131	Enrique Casas

Summary of Inspections

No.	Date of Inspection	Inspection Type	Permittee	Project Manager
1.	08/02/2023	Complaint	Paradise Ranch WWTP/CI-5671	Ann Chang
2.	08/02/2023	B Type compliance	Hard Chrome Supplemental Remediation No. 1/CI-10306	Emily Wong
3.	08/02/2023	Follow-Up	Sunshine Canyon Landfill/File No. 58-076	Wen Yang
4.	08/10/2023	Pre-permitting	Olivia Corwin Residence/File No. 23-112	Woonhoe Kim
5.	08/24/2023	B Type compliance	Building A, Santiago Square/CI-7039	Woonhoe Kim
6.	08/25/2023	B Type compliance	Taylor Ranch - Burma Sump/CI-9798	Enrique Casas
7.	08/25/2023	B Type compliance	1941 Reservoir Site/File No. 72-104	Enrique Casas
8.	08/31/2023	Miscellaneous	Lang Mine - Tick Canyon/File No. 90-051	Enrique Casas

Summary of Regulatory Actions Associated with Review of Technical Documents, Permit Applications and Other Correspondence

No.	Date Issued	Permittee/Description	Project Manager
1.	08/08/2023	Notice of Incomplete Application - David Mayer and Jackyln Hirschfeld Residence/File No. 23-129	Woonhoe Kim

No.	Date Issued	Permittee/Description	Project Manager
2.	08/22/2023	Public Notice of Tentative WDR - Fillmore WWTP and Wastewater Recycling Plant/CI-1076	Woonhoe Kim
3.	08/22/2023	Notice of Incomplete Application - Delaram Fakhrai Residence/File No. 23-130	Woonhoe Kim
4.	08/28/2023	Notice of Incomplete Application - Leo Carrillo State Park (Septic System)/CI-9783	Emily Wong

Commercial, Industrial, and Institutional (CII) Stormwater Program Update

The due date for written comments on the tentative General National Pollutant Discharge Elimination System Permit and Waste Discharge Requirements for Commercial, Industrial, and Institutional (CII) Facilities in the Dominguez Channel/Greater Los Angeles and Long Beach Harbor Watershed and the Los Cerritos Channel/Alamitos Bay Watershed was October 24, 2022. The CII Unit received a total of thirty-three written comment letters representing various interests including environmental organizations, municipalities, watershed management groups, various commercial companies, industry coalitions and consulting firms. The CII Unit is working on responses to the written comments and a revised draft CII permit. Staff is coordinating with USEPA on the concurrent release of the response to comments and revised draft CII Permit with USEPA's revised preliminary designation memorandum.

The CII Unit continues to work on the Stormwater Multiple Application and Report Tracking System (SMARTS) development with the workgroup, which includes staff from the CII Unit, State Water Board Department of Water Quality (DWQ), Division of Information Technology (DIT) and DIT's contractors. The workgroup meets on a weekly basis to develop SMARTS and prepare the database to be functional upon the adoption of the CII permit.

SB1215 Program Update

The Senate Bill 1215 (SB 1215) Wastewater Consolidation (WWC) Program staff in the Groundwater Permitting Unit continue to work closely with the State Water Board Division of Financial Assistance (DFA), public sewer service providers (SSPs), and a Technical Assistance Provider (TAP), Rural Community Assistance Corporation (RCAC), to facilitate septic to sewer system conversion in priority disadvantaged/severely disadvantaged communities within the Los Angeles Region.

Staff worked with Ojai Valley Sanitary District (OVSD) to ensure proper completion and submittal of the Design and Planning application for the Casitas Springs, North and South Mira Monte communities, which was submitted to DFA on August 8, 2023.

Staff is also working with OVSD to support completion of the Design and Planning application for the Los Encinos, Arbolada, and Siete Robles communities. On August 16, 2023, staff submitted Technical Assistance Request forms to DFA for RCAC to conduct an income survey to reassess the DAC status of these three communities.

Staff continues coordination with stakeholders of DACs/SDACs in DFA's fundable list of communities within the region to facilitate funding agreements with DFA for wastewater consolidation.

Regional Programs Section

Section 401 Water Quality Certification and Wetlands Program

New applications for Section 401 Water Quality Certification (WQC) actions.

DATE OF APPLICATION	APPLICANT	PROJECT
8/03/2023	Ventura County Resource Conservation Project	Invasive plant removal and development of climate adapted restoration for the Santa Clara River (NOI)
8/04/2023	Southern California Edison	Southern California Edison Eagle Rock Substation Emergency Repair Project (RGP63)
8/07/2023	City of Santa Clarita	Sand Canyon Multi-Use Trail Bridges
8/21/2023	Long Beach Unified School District	Avalon K-12 School Culvert and Channel (NOI)
8/29/2023	Kinder Morgan Liquid Terminals LLC	Kinder Morgan Berths 118-119 Maintenance/Repair Project
8/30/2023	City of Santa Clarita	Soledad Canyon Rd. and AT&T Communication Line Emergency Protection Project (RGP63)
8/31/2023	Pacific Communities Builder, Inc	Pacific Arroyo Residential Project

New Section 401 Water Quality Certification (WQC) actions.

DATE OF ISSUANCE	APPLICANT	PROJECT	ACTION
8/15/2023	Grand Hills Development, LLC	Tentative Tract Map No. 53430	Signed WQC
8/17/2023	City of Avalon	Green Pleasure Pier	Signed Denial
8/30/2023	California Department of Transportation	VEN-118 Slope Repair Project at Long Canyon	Signed WQC
8/31/2023	Los Angeles County Flood Control District	Maintenance Clearing of Engineered Earth-Bottom Channels	Signed WQC

Certification project descriptions for applications currently being reviewed can be viewed on our website at the following link:

https://www.waterboards.ca.gov/losangeles/water_issues/programs/401_water_quality_certification/

TMDL

On September 19, 2023, California's Office of Administrative Law approved the TMDL for indicator bacteria in Los Cerritos Channel and Estuary, Alamito Bay, and Colorado Lagoon, and the suspension of recreational beneficial uses in Los Cerritos Channel during unsafe wet weather conditions which was adopted by the Los Angeles Water Board on March 10 2022, (Resolution No. R22-002). The TMDL will be in effect when USEPA approves the TMDL.

Watershed Regulatory Section (WRS)

Updates to the Region's Pretreatment Program

On August 31, 2023, the Sanitation Districts of Los Angeles County's Cross-Media Electronic Reporting Rule (CROMERR) application received U.S. EPA's acceptance. CROMERR allows entities to submit electronic reporting in lieu of paper reports containing wet signatures, while maintaining the authentication and security requirements. The District's CROMERR application is the first in the Region and only one of four within the State. The Los Angeles Water Board will conduct final review of the application to determine whether it satisfies the pretreatment modification requirements.

Summary of Individual Permit Activities

1. Inspections

No.	Date of Inspection	Permittee	Type of Inspection	Project Manager
1	8/17/23	Burbank Water Reclamation Plant (WRP)	Pre-Permitting Inspection	Veronica Cuevas

2. Adoption/Issuance/Termination

- a. Two tentative NPDES permits for the Burbank WRP and WRD's ARC AWTF were released for 30 days of public comment.
- b. The tentative WDRs/WRRs for the Hyperion AWPf was released for 30 days of public comment.
- c. One ROWD, Leo J. Vander Lans Water Recycling Facility-Alamitos Barrier project, was received, and one ROWD incomplete letter was issued to San Clemente Island Naval Base Coronado.

3. LA Sanitation and Environmental-Hyperion Water Reclamation Plant submitted its final emergency communications protocols (Protocol) after multiple revisions based on U.S. EPA and WRS staff input on August 24, 2023. The Protocol is currently in review. Prior to approval of the Protocol, the Executive Officer of the Los Angeles Water Board will brief the Board about the Protocol in a Board meeting.

Summary of General Permitting Unit Activities

General Construction & Project Dewatering NPDES Permit Activities July and August 2023				
No.	Discharger	Date of Coverage	Date of Revision	Date of Termination
1	City Of Oxnard, Hueneme Road Recycled Water Pipeline Project-Phase 2, Segment A, Along Hueneme Road (From Olds Road To Wood Road), Oxnard, California (CI-10278)	---	---	8/3/2023
2	United Water Conservation District, Pacific	8/29/2023	---	---

General Construction & Project Dewatering NPDES Permit Activities July and August 2023				
No.	Discharger	Date of Coverage	Date of Revision	Date of Termination
	Ocean Discharge Project, 106 N. 8th Street, Santa Paula, California (CI-10355)			
3	Ca 8070 Beverly, LLC, Future Senior Living Community, 8070 Beverly Boulevard, Los Angeles, California (CI-10683)	---	---	8/3/2023
4	North Interconnection Pipeline Of The LVMWD-CMWD Interconnection Project, Along Lindero Canyon Road, Between Blackbird Avenue And Kanan Road, Thousand Oaks, California (CI-10744)	8/23/2023	---	---
5	Private Residence, 295 Strada Corta Road, Los Angeles, California (CI-10751)	8/28/2023	---	---

Summary of General NPDES Permitting Inspections

	Date of Inspection	Permittee	Type of Inspection	Project Manager
1	08/11/2023	Linde Inc, El Segundo	Termination	NJ
2	8/14/2023	University of Southern California, Discovery & Translational Hub, 1500 Eastlake Avenue, Los Angeles, CI-10749	Pre-permitting	VBC
3	08/15/2023	Richard Holz, Inc., 295 Strada Corta Rd, Los Angeles, CI-10563	New Enrollment	NC

Administrative Services Section

Personnel Report Staffing Level

As of October 19, 2023 the Los Angeles Water Board staffing level is 161 staff, including 149 technical staff, 11 permanent analytical staff and 1 permanent clerical staff.