

**Appendix B. Special-Status Plants Occurring in Riparian, Freshwater Marsh, and Vegetated Lacustrine Habitats**

COMMON NAME SCIENTIFIC NAME	STATUS <sup>1</sup> (FED/STATE/ E/CNPS)	GENERAL HABITAT DESCRIPTION <sup>2</sup>	BLOOMING PERIOD
<b><i>Federal or State Listed Species</i></b>			
Sonoma alopecurus <i>Alopecurus aequalis</i> var. <i>sonomensis</i>	E/--/1B	Perennial herb in the grass family (Poaceae). Grows in marshes, swamps, and riparian scrub from 5-365 meters in elevation.	May – July
White sedge <i>Carex albida</i>	E/E/1B	Perennial herb in the sedge family (Cyperaceae). Grows in sphagnum bogs, marshes, and swamps at elevations up to 15-90 meters.	May – July
Pitkin Marsh Indian paintbrush <i>Castilleja uliginosa</i>	--/E/1A	Perennial hemiparasitic herb in the figwort family (Scrophulariaceae). Grows in marshes and swamps at 60 meters in elevation.	June – July
Geyser's dichantherium <i>Dichantherium lanuginosum</i> var. <i>thermale</i>	--/E/1B	Perennial herb in the grass family (Poaceae). Grows in closed-cone coniferous forest, riparian forest, and valley and foothill grassland at elevations 305-825 meters.	June – August
Pitkin Marsh lily <i>Lilium pardalinum</i> ssp. <i>pitkinense</i>	E/E/1B	Perennial herb in the lily family (Liliaceae). Grows in marshes, valley oak, and scrub from 35-60 meters in elevation.	June – July
Kenwood marsh checkerbloom <i>Sidalcea oregana</i> ssp. <i>valida</i>	E/E/1B	Perennial herb in the mallow family (Malvaceae). Grows in marshes and swamps at 115-150 meters in elevation.	June – September
<b><i>Other Special-Status Species</i></b>			
Thurber's reed grass <i>Calamagrostis crassiglumis</i>	--/--/2	Rhizomatous herb in the grass family (Poaceae). Grows in coastal scrub, marshes, and swamps at elevations of 10-45 meters.	May – July
Swamp harebell <i>Campanula californica</i>	--/--/1B	Rhizomatous herb in the bellflower family (Campanulaceae). Grows in bogs, fens, closed-cone coniferous forest, coastal prairie, meadows, seeps, marshes, swamps, and North Coast coniferous forest at elevations of up to 405 meters.	June – October

COMMON NAME SCIENTIFIC NAME	STATUS <sup>1</sup> (FED/STAT E/CNPS)	GENERAL HABITAT DESCRIPTION <sup>2</sup>	BLOOMING PERIOD
Bristly sedge <i>Carex comosa</i>	--/--/2	Rhizomatous herb in the sedge family (Cyperaceae). Grows in coastal prairie, marshes, swamps, and valley and foothill grassland at elevations up to 625 meters.	May – September
Pappose tarplant <i>Centromadia parryi</i> ssp. <i>parryi</i>	--/--/1B	Annual herb in the sunflower family (Asteraceae). Grows in chaparral, coastal prairie, meadows, seeps, marshes,	
Point Reyes bird's-beak <i>Cordylanthus maritimus</i> spp. <i>palustris</i>	--/--/1B	Annual hemiparasitic herb in the figwort family (Scrophulariaceae). Grows in marshes and swamps at elevations of up to 10 meters.	June – October
Western leatherwood <i>Dirca occidentalis</i>	--/--/1B	Deciduous shrub in the Thymelaeaceae family. Grows in broadleaved upland forest, closed-cone coniferous forest, chaparral, cismontane woodland, North Coast coniferous forest, riparian forest, and riparian woodland at elevations of 50-395 meters	January – March
Coast fawn lily <i>Erythronium revolutum</i>	--/--/2	Bulbiferous herb in the lily family (Liliaceae). Grows in bogs, fens, broadleaved forest, and North Coast coniferous forest at elevations of up to 1,325 meters.	March – July
Guggolz's harmonia <i>Harmonia guggolzi</i> orum	--/--/2	Rhizomatous herb in the grass family (Poaceae). Grows in bogs, fens, meadows, seeps, marshes, and swamps at elevations of 15-1,980 meters.	June – August
Baker's goldfields <i>Lasthenia macrantha</i> ssp. <i>bakeri</i>	--/--/1B	Perennial herb in the sunflower family (Asteraceae). Grows in closed-cone coniferous forest, coastal scrub, meadows, seeps, marshes, and swamps at 60-520 meters in elevation.	April – October
Baker's meadowfoam <i>Limnanthes bakeri</i>	--/R/1B	Annual herb in the meadowfoam family (Limnaceae). Grows in meadows, seeps, marshes, swamps, vernal pools, and valley and foothill grassland at elevations of 175-910 meters.	April – May
California beaked-rush <i>Rhynchospora californica</i>	--/--/1B	Rhizomatous herb in the cypress family. Grows in bogs, fens, meadows, seeps, marshes, swamps, and lower montane coniferous forest at 45-1,010 meters in elevation.	May – July

COMMON NAME SCIENTIFIC NAME	STATUS <sup>1</sup> (FED/STAT E/CNPS)	GENERAL HABITAT DESCRIPTION <sup>2</sup>	BLOOMING PERIOD
Brownish beaked-rush <i>Rhynchospora capitellata</i>	--/--/2	Perennial herb in the sedge family (Cyperaceae). Grows in meadows, seeps, marshes, swamps, and lower and upper montane coniferous forest at 455-2,000 meters in elevation.	July – August
Round-headed beaked-rush <i>Rhynchospora globularis</i> var. <i>globularis</i>	--/--/2	Rhizomatous herb in the sedge family (Cyperaceae). Grows in marshes and swamps at 45-60 meters in elevation.	July – August
Great burnet <i>Sanguisorba officinalis</i>	--/--/2	Rhizomatous herb in the rose family (Rosaceae). Grows in bogs, fens, broadleafed upland forest, meadows, seeps, marshes, swamps, North Coast coniferous forest, and riparian forest at elevations of 60-1,400 meters.	July – October
Point Reyes checkerbloom <i>Sidalcea calycosa</i> ssp. <i>rhizomata</i>	--/--/1B	Rhizomatous herb in the Malvaceae family. Grows in marshes and seeps at elevations of 3-75 meters.	April – September
Saline clover <i>Trifolium depauperatum</i> var. <i>hydrophilum</i>	--/--/1B	Annual herb in the legume family (Fabaceae). Grows in marshes, swamps, vernal pools, and valley and foothill grasslands at elevations of up to 300 meters.	April – June

1 Status Codes:

Federal and State Codes: E = Endangered; T = Threatened

CNPS Codes:

1B = Rare, threatened, or endangered in CA and elsewhere

1A = Presumed extinct

2 = Rare, threatened, or endangered in CA but common elsewhere

2 Habitat descriptions excerpted from CNPS Inventory of Rare and Endangered Plants (2006)

