

**CALIFORNIA REGIONAL WATER QUALITY CONTROL BOARD
COLORADO RIVER BASIN REGION**

ORDER NO. R7-2005-0058

RESCISSION OF WASTE DISCHARGE REQUIREMENTS

The California Regional Water Quality Control Board, Colorado River Basin Region, finds that:

1. For the reasons stated below, it is desirable to rescind said below-listed Board Order(s).
2. The Board forwarded timely notices by mail to persons responsible for the below-listed Board Order(s) explaining the Board's consideration of rescinding the particular Board Order(s), and requesting timely comments.
3. The Board, in a public meeting, heard and considered all comments pertaining to the proposed rescission of the below-listed Board Order(s).

IT IS HEREBY ORDERED, the following Board Order(s), containing Waste Discharge Requirements, be rescinded.

<u>Order</u>	<u>Name-Location</u>	<u>Date Adopted</u>
93-017	United States Gypsum Company Imperial County	May 13, 1993

The facility is now enrolled under Statewide General Permit No. 97-10-DWQ.

I, Robert Perdue, Executive Officer, do hereby certify the foregoing is a full, true and correct copy of a Board Order adopted by the California Regional Water Quality Control Board, Colorado River Basin Region, on March 10, 2005.

ROBERT PERDUE
Executive Officer