

**CALIFORNIA REGIONAL WATER QUALITY CONTROL BOARD  
COLORADO RIVER BASIN REGION**

ORDER NO. R7-2005-0114

**RESCISSION OF WASTE DISCHARGE REQUIREMENTS**

The California Regional Water Quality Control Board, Colorado River Basin Region, finds that:


1. For the reasons stated below, it is desirable to rescind said below-listed Board Order(s).
2. The Board forwarded timely notices by mail to persons responsible for the below-listed Board Order(s) explaining the Board's consideration of rescinding the particular Board Order(s), and requesting timely comments.
3. The Board, in a public meeting, heard and considered all comments pertaining to the proposed rescission of the below-listed Board Order(s).

IT IS HEREBY ORDERED, the following Board Order(s), containing Waste Discharge Requirements, be rescinded.

<u>Order</u>	<u>Name-Location</u>	<u>Date Adopted</u>
91-040	Bolthouse Farms Cooling Tower LLC Imperial County	September 18, 1991

Facility has been connected to the local municipal sewer.

I, Robert Perdue, Executive Officer, do hereby certify the foregoing is a full, true and correct copy of a Board Order adopted by the California Regional Water Quality Control Board, Colorado River Basin Region, on November 16, 2005.



ROBERT PERDUE  
Executive Officer