

CALIFORNIA REGIONAL WATER QUALITY CONTROL BOARD

320 W. 4th Street
Los Angeles, CA 90013
(213) 576-6600

Public Notice No. 13-039
Meeting: February 6, 2014

NOTICE OF PUBLIC HEARING AND BOARD MEETING
9:00 A.M., Thursday, February 6, 2014

Metropolitan Water District of Southern California
Board Room
700 North Alameda Street
Los Angeles, California 90071

Reconsideration of Table 4-zz of Resolution R4-2009-007 Amendment to the Water Quality Control Plan for the Coastal Watersheds of Ventura and Los Angeles Counties to Prohibit On-site Wastewater Disposal Systems in the Malibu Civic Center Area

NOTICE IS HEREBY GIVEN that the California Regional Water Quality Control Board, Los Angeles Region (Regional Board) will hold a public hearing on a reconsideration of Table 4-zz of Resolution R4-2009-007 Amendment to the Water Quality Control Plan for the Coastal Watersheds of Ventura and Los Angeles Counties (Basin Plan) to Prohibit On-site Wastewater Disposal Systems in the Malibu Civic Center Area. The Regional Board will take formal action on tentative resolution to reconsider Table 4-zz, which provides a temporary exemption to the Prohibition for listed properties. The staff report, tentative resolution, proposed Basin Plan amendment, and Notice of Hearing that explains the narrow scope of this hearing and establishes the hearing procedures are available on the Regional Board website at: http://www.waterboards.ca.gov/losangeles/board_decisions/tentative_orders/index.shtml

Public Comment: Persons wishing to comment on the tentative resolution and supporting documents may submit written comments to the Regional Board. Written comments must be received by the Regional Board no later than 5:00 p.m. on December 30, 2013. Failure to comply with these requirements is grounds for the Regional Board to refuse to admit the proposed written comment or exhibit into evidence (California Code of Regulations, Title 23, Section 649.4). Any person may present oral comments at the public hearing. Time limitations on oral comments will be imposed at the hearing.

Interested persons are encouraged to submit written comments electronically. Send comments by e-mail to: Dr. Don Tsai at Don.Tsai@waterboards.ca.gov. Please indicate in the subject line, "**Comment Letter – Table 4-zz.**" Written comments sent by mail should be addressed to:

California Regional Water Quality Control Board
Los Angeles Region
320 West Fourth Street, Suite 200
Los Angeles California, 90013
Attn: Dr. Don Tsai

Information regarding item continuances, deadline adjustments, and venue changes are available on the Regional Board website: <http://www.waterboards.ca.gov/losangeles/>. Board agendas are available ten days before the board hearing date. For additional information, contact Dr. Don Tsai at Don.Tsai@waterboards.ca.gov or (213) 620-2264.