

ATTACHMENT U-1  
LIST OF CONSTITUENTS FOR THE STORM WATER  
MONITORING PROGRAM AND ASSOCIATED MINIMUM LEVELS (MLs)<sup>1</sup>

CONSTITUENTS	MLs
<b>CONVENTIONAL POLLUTANTS</b>	<b>mg/L</b>
Oil and Grease	5
Total Phenols	0.1
Cyanide	0.005
pH	0 – 14
Temperature	None
Dissolved Oxygen	Sensitivity to 5 mg/L
<b>BACTERIA</b>	
Total Coliform	<20mpn/100ml
Fecal Coliform	<20mpn/100ml
Enterococcus (marine waters)	<20mpn/100ml
E. coli (fresh waters)	
<b>GENERAL</b>	<b>mg/L</b>
Dissolved Phosphorus	0.05
Total Phosphorus	0.05
Turbidity	0.1NTU
Total Suspended Solids	2
Total Dissolved Solids	2
Volatile Suspended Solids	2
Total Organic Carbon	1
Total Petroleum Hydrocarbon	5
Biochemical Oxygen Demand	2
Chemical Oxygen Demand	20-900
Total Ammonia-Nitrogen	0.1
Total Kjeldahl Nitrogen	0.1
Nitrate-Nitrite	0.1
Alkalinity	2
Specific Conductance	1umho/cm
Total Hardness	2
MBAS	0.5
Chloride	2
Fluoride	0.1
Methyl tertiary butyl ether (MTBE)	1

<sup>1</sup> For Priority Pollutants, the MLs represent the lowest value listed in Appendix 4 of SIP. MDLs must be lower than equal to the ML value. If a particular ML is not attainable in accordance with procedures set forth in 40 CFR 136, the lowest quantifiable concentration of the lowest calibration standard analyzed by a specific analytical procedure may be used instead.

<b>METALS</b>	<b>µg/L</b>
Aluminum	
Antimony	0.5
Arsenic	1
Beryllium	0.5
Cadmium	0.25
Chromium (total)	0.5
Copper	0.5
Hex. Chromium	5
Iron	100
Lead	0.5
Mercury	0.5
Nickel	1
Selenium	1
Silver	0.25
Thallium	1
Zinc	1
<b>SEMIVOLATILE ORGANIC COMPOUNDS</b>	
<b>Acids</b>	
2-Chlorophenol	2
2,4-Dichlorophenol	1
2,4-Dimethylphenol	2
2,4-Dinitrophenol	5
2-Nitrophenol	10
4-Nitrophenol	5
4-Chloro-3-methylphenol	1
Pentachlorophenol	2
Phenol	1
2,4,6-Trichlorophenol	10
<b>BASE/NEUTRAL</b>	
Acenaphthene	1
Acenaphthylene	2
Anthracene	2
Benzidine	5
1,2 Benznathracene	5
Benzo(a)pyrene	2
Benzo(g,h,i)perylene	5
3,4 Benzoflouranthene	10
Benzo(k)flouranthene	2
Bis(2-Chloroethoxy) methane	5
Bis(2-Chloroisopropyl) ether	2
Bis(2-Chloroethyl) ether	1
Bis(2-Ethylhexl) phthalate	5

4-Bromophenyl phenyl ether	5
Butyl benzyl phthalate	10
2-Chloroethyl vinyl ether	1
2-Chloronaphthalene	10
4-Chlorophenyl phenyl ether	5
Chrysene	5
Dibenzo(a,h)anthracene	0.1
1,3-Dichlorobenzene	1
1,4-Dichlorobenzene	1
1,2-Dichlorobenzene	1
3,3-Dichlorobenzidine	5
Diethyl phthalate	2
Dimethyl phthalate	2
di-n-Butyl phthalate	10
2,4-Dinitrotoluene	5
2,6-Dinitrotoluene	5
4,6 Dinitro-2-methylphenol	5
1,2-Diphenylhydrazine	1
di-n-Octyl phthalate	10
Fluoranthene	0.05
Fluorene	0.1
Hexachlorobenzene	1
Hexachlorobutadiene	1
Hexachloro-cyclopentadiene	5
Hexachloroethane	1
Indeno(1,2,3-cd)pyrene	0.05
Isophorone	1
Naphthalene	0.2
Nitrobenzene	1
N-Nitroso-dimethyl amine	5
N-Nitroso-diphenyl amine	1
N-Nitroso-di-n-propyl amine	5
Phenanthrene	0.05
Pyrene	0.05
1,2,4-Trichlorobenzene	1
<b>CHLORINATED PESTICIDES</b>	<b>µg/L</b>
Aldrin	0.005
alpha-BHC	0.01
beta-BHC	0.005
delta-BHC	0.005
gamma-BHC (lindane)	0.02
alpha-chlordane	0.1
gamma-chlordane	0.1
4,4'-DDD	0.05
4,4'-DDE	0.05
4,4'-DDT	0.01
Dieldrin	0.01
alpha-Endosulfan	0.02

beta Endosulfan	0.01
Endosulfan sulfate	0.05
Endrin	0.01
Endrin aldehyde	0.01
Heptachlor	0.01
Heptachlor Epoxide	0.01
Toxaphene	0.5
<b>Polychlorinated Biphenyls</b>	<b>µg/L</b>
Aroclor-1016	0.5
Aroclor-1221	0.5
Aroclor-1232	0.5
Aroclor-1242	0.5
Aroclor-1248	0.5
Aroclor-1254	0.5
Aroclor-1260	0.5
<b>ORGANOPHOSPHATE PESTICIDES</b>	<b>µg/L</b>
Chlorpyrifos	0.05
Diazinon	0.01
Prometryn	2
Atrazine	2
Simazine	2
Cyanazine	2
Malathion	1
<b>HERBICIDES</b>	<b>µg/L</b>
Glyphosate	5
2,4-D	0.02
2,4,5-TP-SILVEX	0.2