



Linda S. Adams
Secretary for
Environmental Protection

California Regional Water Quality Control Board San Diego Region

Over 50 Years Serving San Diego, Orange, and Riverside Counties

Recipient of the 2004 Environmental Award for Outstanding Achievement from USEPA



Arnold Schwarzenegger
Governor

9174 Sky Park Court, Suite 100, San Diego, California 92123-4353
(858) 467-2952 • Fax (858) 571-6972
<http://www.waterboards.ca.gov/sandiego>

January 29, 2007

In reply refer to:
NCRU:ebecker

TO : INTERESTED PARTIES (See Distribution List)

SUBJECT: **TENTATIVE ORDER NO. R9-2007-0022, AN ORDER RESCINDING ORDER NOS. 92-34, 94-133, 96-11, and 2000-0206.**

Enclosed is a copy of Tentative Order No. R9-2007-0022 that will be presented to the Regional Board for adoption at their regularly scheduled meeting on March 14, 2007. Copies of the enclosed document can also be obtained from our website as follows:
<http://www.waterboards.ca.gov/sandiego/>.

All discharges from the facilities listed below have been either terminated or were never started. Tentative Order No. R9-2007-0022 would, if adopted, rescind the following Waste Discharge Requirements:

1. Order No. 92-34, *Waste Discharge Requirements for Otay Water District, Hidden Valley Estates Reclamation Plant, Spring Valley.*
2. Order No. 94-133, *Waste Discharge Requirements for Simon Vander Woude Dairy, San Diego County*
3. Order No. 96-11, *Waste Discharge Requirements for the U.S. Marine Corps, Project P-552, San Diego County*
4. Order No. 2000-0206, NPDES No. CA0109321, *Waste Discharge Requirements for Jules Wesselink, Wesselink and Son Dairy, Riverside County*

The tentative Order will be presented to the Regional Board at their regularly scheduled meeting on Wednesday, March 14, 2007. The meeting will begin promptly at 9:00 AM and will be held at the following location:

Water Quality Control Board
Regional Board Meeting Room
9174 Sky Park Court, Suite 100
San Diego, California

California Environmental Protection Agency


January 29, 2007

Please review and comment on the tentative Order at your earliest convenience. It is recommended that written comments be submitted by March 1, 2007 to enable staff to amend the tentative Order, if necessary, and allow changes to the tentative Order to be fully reviewed by the Regional Board and interested parties. The final deadline for submittal of written comments, however, is 5:00 p.m. on March 7, 2007. Per Regional Board direction, written material submitted to the Regional Board office after the submittal deadline date will not be provided to the Regional Board. Also, it is not likely that written material will be accepted by the Regional Board on the day of the meeting.

The heading portion of this letter includes a Regional Board code number noted after "In reply refer to:" In order to assist us in the processing of your correspondence please include this code number in the heading or subject line portion of all correspondence and reports to the Regional Board pertaining to this matter.

If you have any questions regarding the above, please contact Mr. Eric Becker by e-mail at ebecker@waterboards.ca.gov or by phone at (858) 492-1785.

Respectfully,



JOHN H. ROBERTUS
Executive Officer
San Diego Regional Water Quality Control Board

Attachments (1): Tentative Order No. R9-2007-0022

Interested Parties:

John M. Stewart, President
Brookfield Homes
1522 Brookhollow Drive, Suite 1
Santa Ana, CA 92705

Simon Vander Woude
Vander Woude Trust
3292 Willow Run Drive
Merced, CA 95340-8317

Interested Parties
Rescission of Orders 92-34, 94-133, 96-11, and 2000-0206

- 3 -

January 29, 2007

Interested Parties (Continued):

A.C. Entingh, Assistant Chief of Staff
Environmental Security
U.S. Marine Corps- Camp Pendleton
Camp Pendleton, CA 92055

Henry Kampen
Kampen Brothers Dairy
32625 Holland Road
Winchester, CA 92596

Jules Wesselink
32625 Holland Road
Winchester, CA 92596

Otay Water District
2554 Sweetwater Springs Blvd.
Spring Valley, CA 91978-2096

Files: 01-0559.02, 08-209.02, 05-718.02, 08-239.02