



Linda S. Adams
Secretary for
Environmental Protection

California Regional Water Quality Control Board San Diego Region

Over 50 Years Serving San Diego, Orange, and Riverside Counties
Recipient of the 2004 Environmental Award for Outstanding Achievement from USEPA



Arnold Schwarzenegger
Governor

9174 Sky Park Court, Suite 100, San Diego, California 92123-4353
(858) 467-2952 • Fax (858) 571-6972
[http:// www.waterboards.ca.gov/sandiego](http://www.waterboards.ca.gov/sandiego)

April 13, 2009

CERTIFIED MAIL
7008 0150 0003 7457 8445

Joel Kloth
Department of Transportation
4050 Taylor Street
San Diego, CA 92110

In reply refer to:
642697:chenning

Dear Mr. Kloth:

SUBJECT: TENTATIVE ADDENDUM NO. 1 TO ORDER NO. R9-2007-0148

Enclosed is a copy of tentative Addendum No. 1 to Order No. R9-2007-0148, *An Addendum for Revision of Discharge Specifications and Groundwater and Effluent Monitoring for the California Department of Transportation, Tecate Truck Inspection Station*. The tentative Addendum, if adopted, will modify the Waste Discharge Requirements and Monitoring and Reporting Program for the discharge of domestic wastewater from a conventional septic tank and sump wastewater from a 3 cell clarifier and granulated activated carbon (filter) at the Tecate Truck Inspection Station. A copy of the tentative Addendum is available at:
http://www.waterboards.ca.gov/sandiego/board_decisions/tentative_orders/.

The tentative Addendum will be considered for adoption by the Regional Board at their scheduled meeting on Wednesday, May 13, 2009. The meeting will begin promptly at 9:00 AM and will be held at the following location:

California Regional Water Quality Control Board, San Diego Region
Regional Board Meeting Room
9174 Sky Park Court, Suite 100
San Diego, California 92123

If you wish to provide comments on the tentative Order, the final deadline for submittal of written comments is 5:00 p.m. on May 11, 2009. Per Regional Board direction, written material submitted to the Regional Board office after the submittal deadline date will not be provided to the Regional Board. Also, it is not likely that written material will be accepted by the Regional Board on the day of the meeting.

If you have any questions regarding the above, please contact Ms. Cathryn Henning at (858) 636-3161 or chenning@waterboards.ca.gov.

Sincerely,

Robert Marris

for

Julie Chan, P.G.
Supervising Engineering Geologist
Groundwater Basins Branch

JAC:rwm:clh

Enclosures:

Tentative Addendum No. 1 to Order No. R9-2007-0148