



California Regional Water Quality Control Board San Diego Region



Linda S. Adams
Secretary for
Environmental Protection

Over 50 Years Serving San Diego, Orange, and Riverside Counties
Recipient of the 2004 Environmental Award for Outstanding Achievement from USEPA

Arnold Schwarzenegger
Governor

9174 Sky Park Court, Suite 100, San Diego, California 92123-4353
(858) 467-2952 • Fax (858) 571-6972
[http:// www.waterboards.ca.gov/sandiego](http://www.waterboards.ca.gov/sandiego)

December 9, 2010

Via Email (mwanderson@ci.oceanside.ca.us)

Mark Anderson
Water Utilities Division Manager
City of Oceanside
300 North Coast Highway
Oceanside, CA 92054

In reply refer to:
WDID: 9 000000146:jcofrancesco

Dear: Mr. Anderson:

SUBJECT: Responses to Comments and Errata Sheet for Tentative Order No. R9-2010-0120, NPDES Permit No. CA0107433, Waste Discharge Requirements for the City of Oceanside San Luis Rey Water Reclamation Facility, La Salina Wastewater Treatment Plant, and Mission Basin Desalting Facility Discharges to the Pacific Ocean via the Oceanside Ocean Outfall

The San Diego Regional Water Quality Control Board (San Diego Water Board) has reviewed comments received regarding Tentative Order No. R9-2010-0120. Comments were received from the City of Oceanside (City) and the San Diego County Water Authority.

Enclosed are the San Diego Water Board's Response to Comments document and Errata Sheet for Tentative Order No. R9-2010-0120. The Errata Sheet incorporates minor modifications to the Tentative Order as a result of the comments submitted to clarify permit language and accommodate requested facility upgrades by the City that may occur during the 5-year life of the Order. The Response to Comment document and Errata Sheet cover all written comments received since the first draft of the Tentative Order was released on November 5, 2010. Full copies of comment letters will be available at the San Diego Water Board's website at:

http://www.waterboards.ca.gov/sandiego/board_info/agendas/2010/dec/Dec14.shtml

The comment letters, San Diego Water Board's Responses to Comments document, and Errata Sheet for the Tentative Order will be provided to the San Diego Water Board for consideration prior to the December 14, 2010 San Diego Water Board regularly scheduled meeting. San Diego Water Board staff will present the Tentative Order along with the Errata Sheet to the San Diego Water Board at the December 14, 2010

Mr. Anderson, City of Oceanside - 2 -
 Tentative Order No. R9-2010-0120
 Tentative Time Schedule Order No. R9-2010-0148

December 9, 2010

meeting. The meeting will begin promptly at 9:00 a.m. and will be held at the following location:

San Diego Regional Water Quality Control Board
 9174 Sky Park Court, Suite 100
 San Diego, CA 92123

In the subject line of any response, please include the requested "In reply refer to:" information located in the heading of this letter. For questions pertaining to the subject matter, please contact Joann Cofrancesco at 858-637-5589 or jcofrancesco@waterboards.ca.gov.

Respectfully,

Brian D. Kelley,
 for DAVID BARKER
 Supervising WRC Engineer

DTB:bdk:jlc

Enclosures: 1) San Diego Water Board Response to Comments document
 2) Errata Sheet, Tentative Order No. R9-2010-0120, NPDES No. CA0107433

cc (by email):

James Marincola, USEPA	Marincola.JamesPaul@epamail.epa.gov
Bob Hoffman, National Marine Fisheries Service	bob.hoffman@noaa.gov
Dan Connally, PG Environmental	dan.connally@pgenv.com
William Paznokas, CA Dept. of Fish and Game	WPaznokas@dfg.ca.gov
Mark Delaplaine, CA Coastal Commission	mdelaplaine@coastal.ca.gov
Sandy Vissman, Fish and Wildlife Service	sandy_vissman@fws.gov
David Smith, US EPA, Region 9	smith.davidw@epamail.epa.gov
Mark Hammond, City of Oceanside	mhammond@ci.oceanside.ca.us
Greg Blakely, City of Oceanside	gblakely@ci.oceanside.ca.us
Ken Weinberg, San Diego County Water Authority	kweinberg@sdcwa.org
Toby Roy, San Diego County Water Authority	TRoy@sdcwa.org