



California Regional Water Quality Control Board

San Diego Region



Matthew Rodriguez
Secretary for Environmental
Protection

Over 50 Years Serving San Diego, Orange, and Riverside Counties
Recipient of the 2004 Environmental Award for Outstanding Achievement from USEPA

Edmund G. Brown Jr.
Governor

9174 Sky Park Court, Suite 100, San Diego, California 92123-4353
(858) 467-2952 • Fax (858) 571-6972
[http:// www.waterboards.ca.gov/sandiego](http://www.waterboards.ca.gov/sandiego)

Sent via e-mail

December 19, 2011

Mr. Steve Wagner
President
Stone Brewing Co.
1999 Citracado Parkway
Escondido, CA 92029

In reply refer to:
Reg Measure ID 382281: MMATA
Place: 772583

Dear Mr. Wagner:

**SUBJECT: TENTATIVE ORDER NO. R9-2012-0006; NPDES PERMIT
NO.CA0109258; WASTE DISCHARGE REQUIREMENTS FOR LIQUID
STONE HOLDINGS, LLC, KOOCHEVAGNER'S BREWING COMPANY
DBA STONE BREWING CO., DISCHARGE TO THE PACIFIC OCEAN
VIA THE SAN ELIJO OCEAN OUTFALL**

Enclosed is a copy of Tentative Order No. R9-2012-0006, NPDES Permit No. CA0109258 (Tentative Order), including a monitoring and reporting program and fact sheet. The California Regional Water Quality Control Board, San Diego Region (San Diego Water Board) intends to consider adoption of the enclosed subject Tentative Order at a San Diego Water Board meeting on February 8, 2012.

If adopted, the Tentative Order would establish waste discharge requirements for the discharge of up to 0.07 million gallons per day of reverse osmosis brine wastewater from Stone Brewing Co. to the City of Escondido Industrial Brine Collection System.

The February 8, 2012 meeting will begin promptly at 9:00 a.m. and will be held at the following location:

Water Quality Control Board
Regional Board Meeting Room
9174 Sky Park Court
San Diego, CA 92123

Please review and comment on Tentative Order at your earliest convenience. It is recommended that written comments be submitted as soon possible to enable staff to amend the Tentative Order, if necessary, and to allow changes to the Tentative Order to be fully reviewed by the San Diego Water Board and interested persons. The deadline for submittal of written comments is Wednesday January 18, 2012. Written comments

California Environmental Protection Agency

Mr. Steve Wagner
Tentative Order No. R9-2012-0006

- 2 -

December 19, 2011

comments received after this date will not be provided to the San Diego Water Board members prior to the hearing. Written testimony must be mailed, faxed, or delivered to the San Diego Water Board's office. Alternatively, comments that do not exceed five printed pages (inclusive of attachments) may be submitted by e-mail subject to the above time deadlines. E-mail comments must be timely submitted to: RB9agenda@waterboards.ca.gov to ensure consideration by the Regional Water Board. Insert the word "Agenda" in the subject line.

Please bring this Tentative Order to the attention of any person known to you who would be interested in this matter.

In the subject line of any response, please include the requested "**In reply refer to:**" information located in the header of this letter. If you have any questions or comments, please contact Michelle Mata at (858) 467-2981 or via email at mmata@waterboards.ca.gov.

Respectfully,

Robert Morris

for

David T. Barker
Supervising Engineer

DTB:rwm:mm

Enclosure: Tentative Order No. R9-2012-0006, NPDES Permit No. CA0109258

Order No.	R9-2012-0006
NPDES No.	CA0109258
CIWQS Place ID	772583
WDID	9 000002380
Reg. Measure No.	382281