

**Item Number 4**

**Supporting Document 1**

**Tentative Order No. R9-2020-0138**

**September 9, 2020**

**CALIFORNIA REGIONAL WATER QUALITY CONTROL BOARD  
SAN DIEGO REGION**

**TENTATIVE ORDER NO. R9-2020-0138**

**AN ORDER RESCINDING ORDER NO. 88-50, WASTE DISCHARGE REQUIREMENTS  
FOR REGAL RESORTS CAMELOT CAMPGROUND, SAN DIEGO COUNTY**

The California Regional Water Quality Control Board, San Diego Region (hereinafter San Diego Water Board) finds that:

1. Order No. 88-50, *Waste Discharge Requirements for Regal Resorts Camelot Campground, San Diego County* (Order No. 88-50), established requirements for the discharge of domestic wastewater from an onsite wastewater treatment system (OWTS), which consists of four septic tanks and three oxidation/percolation ponds. The Regal Resorts Camelot Campground currently operates as the Ramona Canyon Recreational Vehicle (R.V.) Park. Domestic wastewater from the Ramona Canyon R.V. Park OWTS is collected from 129 mobile home units. The Ramona Canyon R.V. Park OWTS is located at 24340 Highway 78, Ramona, California. The San Diego Water Board adopted Order No. 88-50 on April 25, 1988.
2. Order No. 88-50 must be replaced to ensure that the discharge is regulated consistent with current State policy and requirements. Discharges from small package treatment plants and OWTS such as the Ramona Canyon R.V. Park OWTS described above have certain common characteristics, such as similar constituents, concentrations of constituents, disposal techniques and flow ranges, and they require the same or similar treatment standards. The State Water Resources Control Board issued Order WQ 2014-0153-DWQ, *General Waste Discharge Requirements for Small Domestic Wastewater Treatment Systems* (General Order) to regulate these types of discharges consistently throughout the State.
3. The discharge from the Ramona Canyon R.V. Park OWTS is eligible for enrollment in the General Order based on information provided in monitoring reports and information obtained during a compliance inspection conducted by San Diego Water Board staff on February 3, 2020. As such, the discharge from the Ramona Canyon R.V. Park OWTS is more appropriately regulated under the General Order than individual waste discharge requirements (WDRs).
4. The San Diego Water Board will issue a Notice of Applicability (NOA) to the Ramona Canyon R.V. Park OWTS for enrollment in the General Order prior to the board meeting on September 9, 2020. The NOA's effective date of enrollment in the General Order coincides with the adoption date of this rescission Order.

5. Adoption of Order No. R9-2020-0138 is exempt from the California Environmental Quality Act (CEQA) pursuant to California Code of Regulations, title 14, section 15061(b)(3) because it can be seen with certainty that there is no possibility that rescission of the WDR for the Ramona Canyon R.V. Park OWTS may have a significant effect on the environment and is therefore not subject to CEQA. In addition, adoption of this Order is exempt from CEQA pursuant to categorical exemptions at title 14, section 15301 (ongoing or existing projects). Finally, activities at the Ramona Canyon R.V. Park OWTS will be covered under the General Order which was adopted in compliance with CEQA.
6. The San Diego Water Board heard and considered all comments pertaining to the adoption of Order No. R9-2020-0138 in a public meeting.

**IT IS HEREBY ORDERED** that Order No. R9-2020-0138 is adopted.

*I, David W. Gibson, Executive Officer, do hereby certify the foregoing is a full, true, and correct copy of an Order adopted by the California Regional Water Quality Control Board, San Diego Region, on September 9, 2020.*

**TENTATIVE**

---

David W. Gibson, Executive Officer