

| Critical or Dry Water Year Type | | | |
|---------------------------------|----------------------------|----------------------------------|----------------------------|
| Month | Existing Flow Requirement* | Cannabis Policy Flow Requirement | Effective Flow Requirement |
| November | 10 cfs | 2 cfs | 10 cfs |
| December | 10 cfs | 2 cfs | 10 cfs |
| January | 10 cfs | 5 cfs | 10 cfs |
| February | 10 cfs | 8 cfs | 10 cfs |
| March | 10 cfs | 7 cfs | 10 cfs |

| Normal or Above Normal Water Year Type | | | |
|--|----------------------------|----------------------------------|----------------------------|
| Month | Existing Flow Requirement* | Cannabis Policy Flow Requirement | Effective Flow Requirement |
| November | 15 cfs | 2 cfs | 15 cfs |
| December | 10 cfs | 2 cfs | 10 cfs |
| January | 10 cfs | 5 cfs | 10 cfs |
| February | 10 cfs | 8 cfs | 10 cfs |
| March | 10 cfs | 7 cfs | 10 cfs |

| Wet Water Year Type | | | |
|---------------------|----------------------------|----------------------------------|----------------------------|
| Month | Existing Flow Requirement* | Cannabis Policy Flow Requirement | Effective Flow Requirement |
| November | 15 cfs | 2 cfs | 15 cfs |
| December | 15 cfs | 2 cfs | 15 cfs |
| January | 15 cfs | 5 cfs | 15 cfs |
| February | 15 cfs | 8 cfs | 15 cfs |
| March | 15 cfs | 7 cfs | 15 cfs |

*State Water Resources Control Board has adopted an Order in the matter of the Pacific Gas and Electric Company's Spring Gap-Stanislaus Hydroelectric Project, which asserts minimum instream flow requirement at USGS Gage 11296500 as summarized in the above table.

Web Link to Water Right Order:

[Water Right Order #2009-0039 for the Spring Gap-Stanislaus Hydroelectric Project](#)