

**STAFF REPORT  
VOLUME III**

**REVISION OF THE CLEAN WATER ACT SECTION 303(d)  
LIST OF WATER QUALITY LIMITED SEGMENTS**

**WATER BODY FACT SHEETS SUPPORTING  
THE SECTION 303(d) RECOMMENDATIONS**



**FEBRUARY 2003**

**DIVISION OF WATER QUALITY  
STATE WATER RESOURCES CONTROL BOARD  
CALIFORNIA ENVIRONMENTAL PROTECTION AGENCY**



**STATE OF CALIFORNIA**

*Gray Davis, Governor*

**CALIFORNIA ENVIRONMENTAL PROTECTION AGENCY**

*Winston H. Hickox, Secretary*

**STATE WATER RESOURCES  
CONTROL BOARD**

*P.O. Box 100*

*Sacramento, CA 95812-0100*

*(916) 341-5250*

*Homepage: <http://www.swrcb.ca.gov>*

*Arthur G. Baggett, Jr., Chair*

*Peter S. Silva, Vice Chair*

*Richard Katz, Member*

*Gary M. Carlton, Member*

*Celeste Cantú, Executive Director*

*Harry M. Schueller, Chief Deputy Director*

*Thomas Howard, Deputy Director*

*Dale Claypoole, Deputy Director*

STATE WATER RESOURCES CONTROL BOARD  
DIVISION OF WATER QUALITY

STAFF REPORT

REVISION OF THE CLEAN WATER ACT SECTION 303(d)  
LIST OF WATER QUALITY LIMITED SEGMENTS

WATER BODY FACT SHEETS SUPPORTING  
THE SECTION 303(d) RECOMMENDATIONS

VOLUME III

February 2003  
FINAL



Staff Report by the  
Division of Water Quality  
State Water Resources Control Board

***REVISION OF THE CLEAN WATER ACT SECTION 303(d)  
LIST OF WATER QUALITY LIMITED SEGMENTS***

***Water Body Fact Sheets Supporting the Section 303(d) Recommendations***

***Volume III***

This Staff Report supporting the revision of the Clean Water Act Section 303(d) list of water quality limited segments has four parts: (1) Volume I contains the listing methodology and a summary of the additions, deletions, changes, and priorities; (2) Volume II contains summaries of the proposals for the North Coast, San Francisco Bay, Central Coast, and Los Angeles Regional Water Quality Control Boards (RWQCBs); (3) Volume III contains summaries of the proposals for the Central Valley, Lahontan, Colorado River Basin, Santa Ana, and San Diego RWQCBs, and (4) Volume IV contains the responses to comments received.

This document is Volume III of the Staff Report. Changes to the section 303(d) list are included for the following RWQCBs:

- Central Valley (Region 5)
- Lahontan (Region 6)
- Colorado River Basin (Region 7)
- Santa Ana (Region 8)
- San Diego (Region 9)

Each RWQCB section in this volume is divided into the following parts:

- Water Body Fact Sheets
- List of the data and information used

All data and information submitted after May 15, 2001 is included in the submittals presented in Volume IV.

Page left blank intentionally.

# Regional Water Quality Control Board

## CENTRAL VALLEY REGION (5)



### SECTION 303 (d) LIST PROPOSALS

Page left blank intentionally.



## Region 5: American River, Lower Group A Pesticides

---

<b>Water Body</b>	American River, Lower
<b>Stressor/Media/Beneficial Use</b>	Group A Pesticides/Tissue/Aquatic Life
<b>Data quality assessment. Extent to which data quality requirements met.</b>	Generally limited consideration to those organizations that conduct monitoring using documented QA/QC procedures.
<b>Linkage between measurement endpoint and beneficial use or standard</b>	Group A Pesticides are linked to Aquatic Life.
<b>Utility of measure for judging if standards or uses are not attained</b>	Basin Plan, WQO for pesticides and toxicity for Group A pesticides. NAS/USFDA tissue criteria.
<b>Water Body-specific Information</b>	Data = 11 years (1979-1990) and 2 years later (1997-1999), Data measured at the site, Species or Indicator present at site, Environmental Conditions considered at site.
<b>Data used to assess water quality</b>	The American River was originally placed on the 303(d) List for Group A Pesticide Concentrations based on fish tissue data reported by the TSMP. The TSMP analysis included all the group A pesticide for 15 fish tissue samples. 3 out of those 15 samples were above 100 ppb. The 15 samples had an average concentration of 56.2 ppb. exceeding the criteria of NAS and USFDA. When only considering Dieldrin and Chlordane concentration the weighted average changes to 55.7 ppb. Therefore Dieldrin and Chlordane account for almost all of the Group A pesticides historically found in fish in the River. Recently fish tissue collected for SRWP, 7 tissue samples were examined for Dieldrin and Chlordane. None of the samples analyzed exceeded the criteria for NAS and USFDA. The WQO is being attained. A direct comparison of the earlier TSMP study and the SRWP study can be made, the recent data show the criteria are not being exceeded.
<b>Spatial representation</b>	In the TSMP studies, fish were collected from the River at Highway 160 and downstream of Watt Ave. In the SRWP studies the fish were collected from the river at Discovery park and J St. The spatial coverage from the two studies overlaps sufficiently so that fish tissue concentration are comparable.
<b>Temporal representation</b>	The data were collected for the TSMP study from 1979-1990, and the SRWP study sampled from 1997-1999.
<b>Data type</b>	Numerical Data.
<b>Use of standard method</b>	TSMP and SRWP methods.
<b>Potential Source(s) of Pollutant</b>	Urban Runoff/ Storm Sewers.
<b>Alternative Enforceable Program</b>	
<b>RWQCB Recommendation</b>	Delist.
<b>SWRCB Staff Recommendation</b>	After reviewing the available data and information and the RWQCB documentation for this recommendation, SWRCB staff conclude that the

## Region 5: American River, Lower Group A Pesticides

---

water body should be removed from the section 303(d) list because applicable water quality standards are not exceeded.

This conclusion is based on the staff findings that:

1. The data is considered to be of adequate quality.
2. The data exhibited sufficient spatial and temporal coverage.
3. Beneficial uses have been established.
4. Water quality standard used is applicable.
5. Data are numerical.
6. Standard methods were used.
7. Other water body- or site-specific information including the age of the data were considered.

The new data show that the NAS and USFDA criteria are not being exceeded. The WQO for Group A pesticides for toxicity and pesticides are being attained and no longer needs to be listed on the 303(d) List for Group A Pesticide, WQO exceedance. Remove the entire length of the lower American River, Nimbus Dam to the Sacramento River attains WQO for Group A pesticides.

## Region 5: Arcade Creek Copper

---

<b>Water Body</b>	Arcade Creek
<b>Stressor/Media/Beneficial Use</b>	Copper/Water/Aquatic Life
<b>Data quality assessment. Extent to which data quality requirements met.</b>	Generally limited consideration to those organizations that conduct monitoring using documented QA/QC procedures.
<b>Linkage between measurement endpoint and beneficial use or standard</b>	Copper linked to Aquatic Life Beneficial Use.
<b>Utility of measure for judging if standards or uses are not attained</b>	USEPA CTR Freshwater Aquatic Life Criteria for Dissolved Copper, WQO.
<b>Water Body-specific Information</b>	Data = 4 years (2/96-5/00), Data measured at the site, Species or Indicator present at site, Environmental Conditions considered at site.
<b>Data used to assess water quality</b>	Copper Concentration Data = 40 samples, 8 exceeded the CCC and 3 exceeded the CMC. They used the USEPA CTR criteria for dissolved copper.
<b>Spatial representation</b>	The USGS and the SWRP combined collected 40 samples from Arcade Creek.
<b>Temporal representation</b>	Data collected by USGS and SWRP from 2/1996 to 5/2000.
<b>Data type</b>	Numerical data.
<b>Use of standard method</b>	USGS and City of Sacramento methods.
<b>Potential Source(s) of Pollutant</b>	Urban Runoff/Storm Sewers.
<b>Alternative Enforceable Program</b>	
<b>RWQCB Recommendation</b>	List.
<b>SWRCB Staff Recommendation</b>	<p>After reviewing the available data and information and the RWQCB documentation for this recommendation, SWRCB staff conclude that the water body should be placed on the section 303(d) list because applicable water quality standards are exceeded and a pollutant contributes to or causes the problem.</p> <p>This conclusion is based on the staff findings that:</p> <ol style="list-style-type: none"> <li>1. The data is considered to be of adequate quality.</li> <li>2. The data exhibited sufficient spatial and temporal coverage.</li> <li>3. Beneficial uses apply to the water body.</li> <li>4. Water quality standard used is applicable.</li> <li>5. Data are numerical.</li> <li>6. Standard methods were used.</li> <li>7. Other water body- or site-specific information including the age of the data were considered.</li> </ol> <p>An adequate number of the water quality measurements exceeded the water quality standard. The staff confidence that standards were exceeded is</p>

## Region 5: Arcade Creek Copper

---

high. List the entire reach of Arcade Creek from it's headwaters to the Natomas East Main drainage Canal.

## Region 5: Avena Drain

### Pathogens

---

<b>Water Body</b>	Avena Drain
<b>Stressor/Media/Beneficial Use</b>	Pathogens/Water/REC-1
<b>Data quality assessment. Extent to which data quality requirements met.</b>	Generally limited consideration to those organizations that conduct monitoring using documented QA/QC procedures.
<b>Linkage between measurement endpoint and beneficial use or standard</b>	Pathogens linked to REC-1 Beneficial Uses.
<b>Utility of measure for judging if standards or uses are not attained</b>	WQO for toxicity, USEPA Criterion.
<b>Water Body-specific Information</b>	Data = 4 months (10/2000-1/2001), Data measured at the site, Species or Indicator present at site, Environmental Conditions considered at site.
<b>Data used to assess water quality</b>	E.coli Data = 14 samples collected from six locations, three locations have Geometric Means, and they all exceeded USEPA criterion for E. coli. 13 of the 14 samples collected exceed the USEPA single sample criterion for E. coli levels.
<b>Spatial representation</b>	Data collected from six locations on Avena Drain.
<b>Temporal representation</b>	Data collected on 5 dates between 10/2000 and 1/2001.
<b>Data type</b>	Numerical data.
<b>Use of standard method</b>	Delta Keeper Bacteria Data.
<b>Potential Source(s) of Pollutant</b>	Agriculture/Dairies (manure carried in wastewater to Avena Drain).
<b>Alternative Enforceable Program</b>	
<b>RWQCB Recommendation</b>	List.
<b>SWRCB Staff Recommendation</b>	<p>After reviewing the available data and information and the RWQCB documentation for this recommendation, SWRCB staff conclude that the water body should be placed on the section 303(d) list because applicable water quality standards are exceeded and a pollutant contributes to or causes the problem.</p> <p>This conclusion is based on the staff findings that:</p> <ol style="list-style-type: none"> <li>1. The data is considered to be of adequate quality.</li> <li>2. The data exhibited sufficient spatial and temporal coverage.</li> <li>3. Beneficial uses apply to the water body.</li> <li>4. Water quality standard used is applicable.</li> <li>5. The evaluation guideline used to interpret narrative water quality standards is adequate.</li> <li>6. Data are numerical.</li> <li>7. Standard methods were used.</li> <li>8. Other water body- or site-specific information including the age of the data were considered.</li> </ol> <p>Most of the water quality measurements exceeded the water quality</p>

## Region 5: Avena Drain Pathogens

---

standard. The staff confidence that standards were exceeded is high. List for Pathogens, the drain begins on a dairy farm east of Brennan Ave. The upper 6.5 miles of Avena Drain has E. coli. levels in exceedance of USEPA criterion.

## Region 5: Avena Drain Ammonia

---

<b>Water Body</b>	Avena Drain
<b>Stressor/Media/Beneficial Use</b>	Ammonia/Water/Aquatic Life
<b>Data quality assessment. Extent to which data quality requirements met.</b>	Generally limited consideration to those organizations that conduct monitoring using documented QA/QC procedures.
<b>Linkage between measurement endpoint and beneficial use or standard</b>	Ammonia linked to Aquatic Life.
<b>Utility of measure for judging if standards or uses are not attained</b>	CDFG criteria for ammonia levels, WQO.
<b>Water Body-specific Information</b>	Data =10 years (1991- 2001), Data measured at the site, Species or Indicator present at site, Environmental Conditions considered at site.
<b>Data used to assess water quality</b>	Ammonia Data = Over a period of 10 years, all of the samples contained undissociated ammonia levels above CDFG criterion, and all of the samples exceed some to most of the LC50s for various freshwater species.
<b>Spatial representation</b>	The Avena Drain, (at Van Allen Rd. and Brennan Avenue), 10 of the 12 Dairies located along the drain are located on the upper 6.5 miles.
<b>Temporal representation</b>	Data collected over a period of 10 years, during known discharges of wastewater.
<b>Data type</b>	Numerical data.
<b>Use of standard method</b>	CDFG methods.
<b>Potential Source(s) of Pollutant</b>	Agriculture/Dairies (manure carried in wastewater to Avena Drain).
<b>Alternative Enforceable Program</b>	
<b>RWQCB Recommendation</b>	List.
<b>SWRCB Staff Recommendation</b>	<p>After reviewing the available data and information and the RWQCB documentation for this recommendation, SWRCB staff conclude that the water body should be placed on the section 303(d) list because applicable water quality standards are exceeded and a pollutant contributes to or causes the problem.</p> <p>This conclusion is based on the staff findings that:</p> <ol style="list-style-type: none"> <li>1. The data is considered to be of adequate quality.</li> <li>2. The data exhibited sufficient spatial and temporal coverage.</li> <li>3. Beneficial uses apply to the water body.</li> <li>4. Water quality standard used is applicable.</li> <li>5. The evaluation guideline used to interpret standards is adequate.</li> <li>6. Data are numerical.</li> <li>7. Standard methods were used.</li> <li>8. Other water body- or site-specific information including the age of the data were considered.</li> </ol> <p>All of the water quality measurements exceeded the water quality standard.</p>

## Region 5: Avena Drain Ammonia

---

The staff confidence that standards were exceeded is high. List for Ammonia, the drain begins on a dairy farm east of Brennan Ave. The upper 6.5 miles of Avena Drain has disassociated ammonia levels in exceedance of CDFG criterion, WQO for Toxicity is being exceeded.



## Region 5: Bear Creek

### Mercury

---

<b>Water Body</b>	Bear Creek
<b>Stressor/Media/Beneficial Use</b>	Mercury/Tissue/Fish Consumption
<b>Data quality assessment. Extent to which data quality requirements met.</b>	Generally limited consideration to those organizations that conduct monitoring using documented QA/QC procedures.
<b>Linkage between measurement endpoint and beneficial use or standard</b>	Mercury linked to Fish Consumption.
<b>Utility of measure for judging if standards or uses are not attained</b>	USEPA CTR for Mercury, WQO.
<b>Water Body-specific Information</b>	Data = 13 days over two years (4/96 to 2/98), Data measured at the site, Species or Indicator present at site, Environmental Conditions considered at site.
<b>Data used to assess water quality</b>	Water quality data = 19 samples total, 13 samples out of the 19 had concentrations of mercury above USEPA criterion (50 ng/L).
<b>Spatial representation</b>	Four separate locations were sampled along the creek.
<b>Temporal representation</b>	Data collected on thirteen days between April 1996 and February 1998.
<b>Data type</b>	Numerical data.
<b>Use of standard method</b>	
<b>Potential Source(s) of Pollutant</b>	Extraction/Abandoned Mines.
<b>Alternative Enforceable Program</b>	
<b>RWQCB Recommendation</b>	List.
<b>SWRCB Staff Recommendation</b>	<p>After reviewing the available data and information and the RWQCB documentation for this recommendation, SWRCB staff conclude that the water body should be placed on the section 303(d) list because applicable water quality standards are exceeded and a pollutant contributes to or causes the problem.</p> <p>This conclusion is based on the staff findings that:</p> <ol style="list-style-type: none"> <li>1. The data is considered to be of adequate quality.</li> <li>2. The data exhibited sufficient spatial and temporal coverage.</li> <li>3. Beneficial uses apply to the water body.</li> <li>4. Water quality standard used is applicable.</li> <li>5. Data are numerical.</li> <li>6. Standard methods were used.</li> <li>7. Other water body- or site-specific information including the age of the data were considered.</li> </ol>

Most of the water quality measurements exceeded the water quality standard. The staff confidence that standards were exceeded is high. List

## Region 5: Bear Creek Mercury

---

for Mercury in Bear Creek from it's confluence with the unnamed creek that flows along Rathburn Mercury Mine to it's confluence with Cache Creek.

## Region 5: Bear River, Lower Diazinon

---

<b>Water Body</b>	Bear River, Lower
<b>Stressor/Media/Beneficial Use</b>	Diazinon/Water/Aquatic Life
<b>Data quality assessment. Extent to which data quality requirements met.</b>	Generally limited consideration to those organizations that conduct monitoring using documented QA/QC procedures.
<b>Linkage between measurement endpoint and beneficial use or standard</b>	Diazinon linked to Aquatic Life.
<b>Utility of measure for judging if standards or uses are not attained</b>	CDFG criteria for Diazinon levels(acute and chronic), WQO.
<b>Water Body-specific Information</b>	Data = 2 years (1994 and 2000), Data measured at the site, Species or Indicator present at site, Environmental Conditions considered at site.
<b>Data used to assess water quality</b>	Diazinon Data = 14 samples total, 3 samples exceeded the CDFG criteria.
<b>Spatial representation</b>	The Data was collected from Berry Road along the River.
<b>Temporal representation</b>	Data was collected over 14 days, 14 times during two years (1994 and 2000).
<b>Data type</b>	Numerical data.
<b>Use of standard method</b>	CDFG methods.
<b>Potential Source(s) of Pollutant</b>	Agriculture (Diazinon Spray used on dormant almond and stonefruit crops).
<b>Alternative Enforceable Program</b>	
<b>RWQCB Recommendation</b>	List.
<b>SWRCB Staff Recommendation</b>	<p>After reviewing the available data and information and the RWQCB documentation for this recommendation, SWRCB staff conclude that the water body should be placed on the section 303(d) list because applicable water quality standards are exceeded and a pollutant contributes to or causes the problem.</p> <p>This conclusion is based on the staff findings that:</p> <ol style="list-style-type: none"> <li>1. The data is considered to be of adequate quality.</li> <li>2. The data exhibited sufficient spatial and temporal coverage.</li> <li>3. Beneficial uses apply to the water body.</li> <li>4. Water quality standard used is applicable.</li> <li>5. The evaluation guideline used to interpret narrative water quality standards is adequate.</li> <li>6. Data are numerical.</li> <li>7. Standard methods were used.</li> <li>8. Other water body- or site-specific information including the age of the data were considered.</li> </ol> <p>An adequate number of the water quality measurements exceeded the water quality standard. The staff confidence that standards were exceeded is moderate. List Lower Bear River, Diazinon was shown to be in exceedance</p>

Region 5: Bear River, Lower  
Diazinon

---

of the objectives by using CDFG criteria to determine criterion exceedance.

## Region 5: Bear River, Upper Mercury

---

<b>Water Body</b>	Bear River, Upper
<b>Stressor/Media/Beneficial Use</b>	Mercury/Tissue/Fish Consumption
<b>Data quality assessment. Extent to which data quality requirements met.</b>	Generally limited consideration to those organizations that conduct monitoring using documented QA/QC procedures.
<b>Linkage between measurement endpoint and beneficial use or standard</b>	Mercury linked to Fish Consumption.
<b>Utility of measure for judging if standards or uses are not attained</b>	USEPA criteria for Mercury, Human Consumption Levels.
<b>Water Body-specific Information</b>	Data = 3 fish in 1 day, Data measured at the site, Species or Indicator present at site, Environmental conditions considered at site.
<b>Data used to assess water quality</b>	Mercury Data. Three fish were collected from the River by USGS, tissue had concentrations of 0.38 to 0.43 ppm, all of them exceeding the USEPA mercury criteria of 0.3 ppm. This criteria is used to determine attainment of the narrative toxicity objective.
<b>Spatial representation</b>	All the trophic level 3 fish were collected in the river at Dog Bar Road.
<b>Temporal representation</b>	All the fish were collected on Sept. 23, 1999.
<b>Data type</b>	Numerical data.
<b>Use of standard method</b>	USGS methods.
<b>Potential Source(s) of Pollutant</b>	Resource Extraction (abandoned mines).
<b>Alternative Enforceable Program</b>	
<b>RWQCB Recommendation</b>	List.
<b>SWRCB Staff Recommendation</b>	<p>After reviewing the available data and information and the RWQCB documentation for this recommendation, SWRCB staff conclude that the water body should be placed on the section 303(d) list because applicable water quality standards are exceeded and a pollutant contributes to or causes the problem.</p> <p>This conclusion is based on the staff findings that:</p> <ol style="list-style-type: none"> <li>1. The data is considered to be of adequate quality.</li> <li>2. The data exhibited sufficient spatial and temporal coverage.</li> <li>3. Beneficial uses have been established for the water body.</li> <li>4. Water quality standard used is applicable.</li> <li>5. The evaluation guideline used to interpret narrative water quality standards is adequate.</li> <li>6. Data are numerical.</li> <li>7. Standard methods were used.</li> <li>8. Other water body- or site-specific information including the age of the data were considered.</li> </ol> <p>All of the water quality measurements exceeded the water quality standard.</p>

## Region 5: Bear River, Upper Mercury

---

The staff confidence that standards were exceeded is high. List for Mercury in the Upper Bear River from the Rollins reservoir to Lake Combie. Data shows the WQO is not being attained.

## Region 5: Black Butte Reservoir

### Mercury

---

<b>Water Body</b>	Black Butte Reservoir
<b>Stressor/Media/Beneficial Use</b>	Mercury/Tissue/Fish Consumption
<b>Data quality assessment. Extent to which data quality requirements met.</b>	Generally limited consideration to those organizations that conduct monitoring using documented QA/QC procedures.
<b>Linkage between measurement endpoint and beneficial use or standard</b>	Mercury linked to Fish consumption.
<b>Utility of measure for judging if standards or uses are not attained</b>	USEPA criteria for Mercury, Human Consumption Levels.
<b>Water Body-specific Information</b>	Data = 3 days over 1year, Data measured at the site, Species or Indicator present at site, Environmental conditions considered at site.
<b>Data used to assess water quality</b>	Data = There were 65 fish sampled total. 38 composite samples of trophic level 3 fish, 27 composite samples of trophic level 4 fish, all of the samples were at or above USEPA mercury criteria, this criteria is used to determine attainment of the narrative toxicity objective.
<b>Spatial representation</b>	Fish collected from three regions of the reservoir, Burris Creek arm, Stony Creek Arm and Angler's cove.
<b>Temporal representation</b>	The samples of 65 fish were collected on 11/25/97, and 12/4-5/97.
<b>Data type</b>	Numerical data.
<b>Use of standard method</b>	OEHHA methods.
<b>Potential Source(s) of Pollutant</b>	Resource Extraction (abandoned mines).
<b>Alternative Enforceable Program</b>	
<b>RWQCB Recommendation</b>	List.
<b>SWRCB Staff Recommendation</b>	<p>After reviewing the available data and information and the RWQCB documentation for this recommendation, SWRCB staff conclude that the water body should be placed on the section 303(d) list because applicable water quality standards are exceeded and a pollutant contributes to or causes the problem.</p> <p>This conclusion is based on the staff findings that:</p> <ol style="list-style-type: none"> <li>1. The data is considered to be of adequate quality.</li> <li>2. The data exhibited sufficient spatial and temporal coverage.</li> <li>3. Beneficial uses have been established.</li> <li>4. Water quality standard used is applicable.</li> <li>5. The evaluation guideline used to interpret narrative water quality standards is adequate.</li> <li>6. Data are numerical.</li> <li>7. Standard methods were used.</li> <li>8. Other water body- or site-specific information including the age of the data were considered.</li> </ol>

## Region 5: Black Butte Reservoir

### Mercury

---

List for Mercury in all of Black Butte Reservoir. All of the composite samples were at or above USEPA criterion, used to determine that the objective is not being attained.



## Region 5: Butte Slough

### Molinate

---

<b>Water Body</b>	Butte Slough
<b>Stressor/Media/Beneficial Use</b>	Molinate/Water/Aquatic Life
<b>Data quality assessment. Extent to which data quality requirements met.</b>	Generally limited consideration to those organizations that conduct monitoring using documented QA/QC procedures.
<b>Linkage between measurement endpoint and beneficial use or standard</b>	Molinate linked to Aquatic Life.
<b>Utility of measure for judging if standards or uses are not attained</b>	CDFG criteria for Molinate levels, WQO.
<b>Water Body-specific Information</b>	Data = 6 years (1994-2000), Data measured at the site, Species or indicator present at site, Environmental conditions considered at the site.
<b>Data used to assess water quality</b>	Molinate Data = 99 samples were collected and over six years 7 samples exceeded the CDFG criterion for Molinate. The CDFG criteria was used to determine that the narrative objectives for pesticide and toxicity are not being attained. An inadequate number of samples exceeded the evaluation criteria value. All the data used in this assessment were collected during the period of application of molinate to rice (generally may and June). The data reviewed show that the evaluation values was exceeded five times in 1996 and two times in 1997. The magnitude of the observed concentrations were very close to the 13 ug/L evaluation value; in 1996 and 1997 the highest values observed were 15.7 ug/L and 16.42 ug/L. The evaluation value was not exceeded in data from 1994, 1995, 1998, 1999, and 2000. Given the circumstances in this particular situation, Butte Slough should not be listed for molinate. There is a low confidence in 5% of the samples exceeding the objective.
<b>Spatial representation</b>	Samples were collected at one site only, Lower pass road.
<b>Temporal representation</b>	99 samples were collected during 1994 to 2000 during May and June.
<b>Data type</b>	Numerical data.
<b>Use of standard method</b>	CDPR and Regional Board study method.
<b>Potential Source(s) of Pollutant</b>	Agriculture (Molinate Aerial Spray used on rice fields).
<b>Alternative Enforceable Program</b>	
<b>RWQCB Recommendation</b>	List.
<b>SWRCB Staff Recommendation</b>	After reviewing the available data and information and the RWQCB documentation for this recommendation, SWRCB staff conclude that the water body should be placed on the Monitoring List because an inadequate number of measurements exceed water quality standards.

## Region 5: Butte Slough

### Diazinon

---

<b>Water Body</b>	Butte Slough
<b>Stressor/Media/Beneficial Use</b>	Diazinon/Water/Aquatic Life
<b>Data quality assessment. Extent to which data quality requirements met.</b>	Generally limited consideration to those organizations that conduct monitoring using documented QA/QC procedures.
<b>Linkage between measurement endpoint and beneficial use or standard</b>	Diazinon linked to Aquatic Life.
<b>Utility of measure for judging if standards or uses are not attained</b>	CDFG criteria for Diazinon levels (acute and chronic), WQO.
<b>Water Body-specific Information</b>	Data = 2 years (1994 and 2000), Data measured at the site, Species or Indicator present at site, Environmental Conditions considered at site.
<b>Data used to assess water quality</b>	Diazinon Data = 38 samples total, 20 samples exceeded the chronic CDFG criteria and 18 samples exceeded the acute CDFG criteria.
<b>Spatial representation</b>	Samples were collected at one site only, Lower pass road.
<b>Temporal representation</b>	Samples were collected during two years, 1994 and 2000 during January and February.
<b>Data type</b>	Numerical data.
<b>Use of standard method</b>	Regional board and USGS study methods.
<b>Potential Source(s) of Pollutant</b>	Agriculture (Diazinon Spray used on dormant almond and stonefruit crops).
<b>Alternative Enforceable Program</b>	
<b>RWQCB Recommendation</b>	List.
<b>SWRCB Staff Recommendation</b>	<p>After reviewing the available data and information and the RWQCB documentation for this recommendation, SWRCB staff conclude that the water body should be placed on the section 303(d) list because applicable water quality standards are exceeded and a pollutant contributes to or causes the problem.</p> <p>This conclusion is based on the staff findings that:</p> <ol style="list-style-type: none"> <li>1. The data is considered to be of adequate quality.</li> <li>2. The data exhibited sufficient spatial and temporal coverage.</li> <li>3. Beneficial uses have been established.</li> <li>4. Water quality standard used is applicable.</li> <li>5. The evaluation guideline used to interpret narrative water quality standards is adequate.</li> <li>6. Data are numerical.</li> <li>7. Standard methods were used.</li> <li>8. Other water body- or site-specific information including the age of the data were considered.</li> </ol>

## Region 5: Butte Slough Diazinon

---

Most of the water quality measurements exceeded the water quality standard. The staff confidence that standards were exceeded is high.

## Region 5: Cache Creek, Lower Mercury and Unknown Toxicity

---

<b>Water Body</b>	Cache Creek, Lower
<b>Stressor/Media/Beneficial Use</b>	Mercury and Unknown Toxicity
<b>Data quality assessment. Extent to which data quality requirements met.</b>	N/A
<b>Linkage between measurement endpoint and beneficial use or standard</b>	N/A
<b>Utility of measure for judging if standards or uses are not attained</b>	N/A
<b>Water Body-specific Information</b>	
<b>Data used to assess water quality</b>	The total size and size affected were reassessed by SWRCB staff and RWQCB staff, subsequent to the RWQCB's first change recommendation. This waterbody has been remapped and the revised extent impacted is 96 miles. The new extent is calculated by the Geospatial Water Body System (GeoWBS), using staff's best estimate of the extent to which water quality standards are not met.
<b>Spatial representation</b>	
<b>Temporal representation</b>	
<b>Data type</b>	
<b>Use of standard method</b>	
<b>Potential Source(s) of Pollutant</b>	
<b>Alternative Enforceable Program</b>	
<b>RWQCB Recommendation</b>	Change in Total Size and Size Affected. Change listing from the total length of 60 miles to 81 miles. Extent of impairment to be changed from 35 miles to 81 miles. Foe and Croyle (1998) indicated that the total length of Cache creek is 81 miles.
<b>SWRCB Staff Recommendation</b>	Change in Total Size and Size Affected. The area extent is from Clear Lake Dam to Cache Creek Settling basin near the Yolo Bypass. RWQCB staff worked with SWRCB staff and this area was remapped. It was agreed that the new extent impacted is 96 miles.

## Region 5: Calaveras River, Lower Pathogens

---

<b>Water Body</b>	Calaveras River, Lower
<b>Stressor/Media/Beneficial Use</b>	Pathogens/Water/REC-1
<b>Data quality assessment. Extent to which data quality requirements met.</b>	Generally limited consideration to those organizations that conduct monitoring using documented QA/QC procedures.
<b>Linkage between measurement endpoint and beneficial use or standard</b>	Pathogens linked to REC-1 Beneficial uses.
<b>Utility of measure for judging if standards or uses are not attained</b>	WQO, USEPA Criterion.
<b>Water Body-specific Information</b>	Data = 2 years (2000- 2001), Data measured at the site, Species or Indicator present at site, Environmental Conditions considered at site.
<b>Data used to assess water quality</b>	E. coli Data = 37 samples collected from two locations, 26 samples from an upstream location have a Geometric Mean, and they all exceeded USEPA criterion for E. coli. The 11 samples collected from the downstream location have a Geometric that doesn't exceed the USEPA criterion for E.coli. However some of the downstream samples individually exceed the CDHS 'single' sample criterion for E. coli levels. The USEPA criteria is used to translate the narrative WQO, and it has been shown that it has been exceeded.
<b>Spatial representation</b>	Two sampling locations exist. One Sampling location is near the mouth of the river and the other is 4 miles upstream.
<b>Temporal representation</b>	The upstream location samples were collected over 10 months, 2000-2001. The downstream location was sampled over 7 months in 2000.
<b>Data type</b>	Numerical data.
<b>Use of standard method</b>	Delta Keeper data.
<b>Potential Source(s) of Pollutant</b>	Urban Runoff/Recreation.
<b>Alternative Enforceable Program</b>	
<b>RWQCB Recommendation</b>	List.
<b>SWRCB Staff Recommendation</b>	<p>After reviewing the available data and information and the RWQCB documentation for this recommendation, SWRCB staff conclude that the water body should be placed on the section 303(d) list because applicable water quality standards are exceeded and a pollutant contributes to or causes the problem.</p> <p>This conclusion is based on the staff findings that:</p> <ol style="list-style-type: none"> <li>1. The data is considered to be of adequate quality.</li> <li>2. The data exhibited sufficient spatial and temporal coverage.</li> <li>3. Beneficial uses apply to the water body.</li> <li>4. Water quality standard used is applicable.</li> <li>5. The evaluation guideline used to interpret narrative water quality standards is adequate.</li> </ol>

## Region 5: Calaveras River, Lower Pathogens

---

6. Data are numerical.
7. Standard methods were used.
8. Other water body- or site-specific information including the age of the data were considered.

Most of the water quality measurements exceeded the water quality standard. The staff confidence that standards were exceeded is high. Both sampling locations are within the urban Stockton Area. The lower 5 miles of Lower Calaveras River are in exceedance of USEPA criterion, WQO is exceeded.

## Region 5: Calaveras River, Lower Diazinon

---

<b>Water Body</b>	Calaveras River, Lower
<b>Stressor/Media/Beneficial Use</b>	Diazinon/Water/Aquatic Life
<b>Data quality assessment. Extent to which data quality requirements met.</b>	Generally limited consideration to those organizations that conduct monitoring using documented QA/QC procedures.
<b>Linkage between measurement endpoint and beneficial use or standard</b>	Diazinon linked to Aquatic Life.
<b>Utility of measure for judging if standards or uses are not attained</b>	CDFG criteria for Diazinon levels(acute and chronic), WQO.
<b>Water Body-specific Information</b>	Data = 2 years (1994 and 1996), Data measured at the site, Species or Indicator present at site, Environmental Conditions considered at site.
<b>Data used to assess water quality</b>	<p>Available data summarized by Lee and Jones-Lee (2001) and data reported in the Department of Pesticide Regulation's Surface Water Database (SWDB-2000) were reviewed. Diazinon data summarized by Lee and Jones-Lee were taken in conjunction with toxicity testing. All four samples collected in 1994 had diazinon levels above CDFG criteria (199 ng/L to 450 ug/L). The samples collected in 1996 had a diazinon concentration of 36 ug/L.</p> <p>The data used from the SWDB were from a report prepared for the city of Stockton's storm water program. Three of six samples collected in 1996 had samples greater than CDFG criteria (130 ng/L, 1,300 ng/L and 1,700 ng/L). Two of the samples (1,300 ng/L and 1,700 ng/L) were taken at two different sites on the same day.</p> <p>Out of a total of 11 data points available, 7 are above CDFG criteria.</p>
<b>Spatial representation</b>	Samples collected from Lower Calaveras River, including two sites in the Stockton urban area.
<b>Temporal representation</b>	11 Samples total, collected during 1994 and 1996.
<b>Data type</b>	Numerical Data.
<b>Use of standard method</b>	CDFG methods.
<b>Potential Source(s) of Pollutant</b>	Urban Runoff/Storm Sewers.
<b>Alternative Enforceable Program</b>	N/A
<b>RWQCB Recommendation</b>	List the Lower Calaveras River, between the Stockton Diversion Canal and the San Joaquin River.
<b>SWRCB Staff Recommendation</b>	After reviewing the available data and information and the RWQCB documentation for this recommendation, SWRCB staff conclude that the water body should be placed on the section 303(d) list because applicable water quality standards are exceeded and a pollutant contributes to or causes the problem.

## Region 5: Calaveras River, Lower Diazinon

---

This conclusion is based on the staff findings that:

1. The data is considered to be of adequate quality.
2. The data exhibited sufficient spatial and temporal coverage.
3. Beneficial uses apply to the water body.
4. Water quality standard used is applicable.
5. The evaluation guideline used to interpret narrative water quality standards is adequate.
6. Data are numerical.
7. Standard methods were used.
8. Other water body- or site-specific information including the age of the data were considered.

Most of the water quality measurements exceeded the water quality standard. The staff confidence that standards were exceeded is high. List the Lower Calaveras River, between the Stockton Diversion Canal and the San Joaquin River.



## Region 5: Calaveras River, Lower

### Organic Enrichment-Low Dissolved Oxygen

---

<b>Water Body</b>	Calaveras River, Lower
<b>Stressor/Media/Beneficial Use</b>	Organic Enrichment-Low Dissolved Oxygen/Water/Aquatic Life
<b>Data quality assessment. Extent to which data quality requirements met.</b>	Generally limited consideration to those organizations that conduct monitoring using documented QA/QC procedures.
<b>Linkage between measurement endpoint and beneficial use or standard</b>	Low Dissolved Oxygen linked to Aquatic Life.
<b>Utility of measure for judging if standards or uses are not attained</b>	Basin Plan WQO for Dissolved Oxygen.
<b>Water Body-specific Information</b>	Data = 2 Years (1996 and 1999-2000), Data measured at the site, Species or Indicator present at site, Environmental Conditions considered at site.
<b>Data used to assess water quality</b>	Dissolved Oxygen Data = 44 samples were collected, and of those samples 18 were below the Objective (5.0 mg/L), showing that the WQO is not being attained.
<b>Spatial representation</b>	Samples were collected at one site in the middle of the Stockton Urban area.
<b>Temporal representation</b>	44 samples were collected over a 2 year period. Samples were taken Oct./Nov. 1996 and from Nov. 1999 -Feb. 2000.
<b>Data type</b>	Numerical data.
<b>Use of standard method</b>	Delta Keeper data.
<b>Potential Source(s) of Pollutant</b>	Urban Runoff/Storm Sewers. It is likely this problem is due to pollutants such as nutrients or pollution (low flow or channel morphology of the water body).
<b>Alternative Enforceable Program</b>	
<b>RWQCB Recommendation</b>	List.
<b>SWRCB Staff Recommendation</b>	<p>After reviewing the available data and information and the RWQCB documentation for this recommendation, SWRCB staff conclude that the water body should be placed on the section 303(d) list because applicable water quality standards are exceeded and a pollutant contributes to or causes the problem.</p> <p>This conclusion is based on the staff findings that:</p> <ol style="list-style-type: none"> <li>1. The data is considered to be of adequate quality.</li> <li>2. The data exhibited sufficient spatial and temporal coverage.</li> <li>3. Beneficial uses apply to the water body.</li> <li>4. Water quality standard used is applicable.</li> <li>5. Data are numerical.</li> <li>6. Standard methods were used.</li> <li>7. Other water body- or site-specific information including the age of the data were considered.</li> </ol>

## Region 5: Calaveras River, Lower Organic Enrichment-Low Dissolved Oxygen

---

An adequate number of the water quality measurements exceeded the water quality standard. The staff confidence that standards were exceeded is high. List for Low Dissolved Oxygen in the Lower Calaveras River between Stockton Diversion Channel and the San Joaquin River.

## Region 5: Camanche Reservoir

### Aluminum

---

<b>Water Body</b>	Camanche Reservoir
<b>Stressor/Media/Beneficial Use</b>	Aluminum/Water/Aquatic Life
<b>Data quality assessment. Extent to which data quality requirements met.</b>	Generally limited consideration to those organizations that conduct monitoring using documented QA/QC procedures.
<b>Linkage between measurement endpoint and beneficial use or standard</b>	Aluminum linked to Aquatic Life uses.
<b>Utility of measure for judging if standards or uses are not attained</b>	WQO, USEPA NWRAQ criteria for aluminum.
<b>Water Body-specific Information</b>	Data = 7 Years, Data measured at the site, Species or Indicator present at site, Environmental Conditions considered at site.
<b>Data used to assess water quality</b>	There were 260 samples taken over seven years. Of those samples 18 exceeded the NWRAQ criterion. The NWRAQ was used to determine the narrative objective for toxicity. In 1995 data had unusually high TSS values based on the EBMUD data set. Three of 18 the exceedances were during storm events. Since storm events that resulted in the highest observed aluminum levels it is unlikely that the aluminum criteria will be exceeded. There exists a low confidence in 5.7% of the samples exceeding the objective.
<b>Spatial representation</b>	Data collected from 8 locations on Camanche Reservoir.
<b>Temporal representation</b>	Data were collected over 7 years (1993-2000).
<b>Data type</b>	Numerical data.
<b>Use of standard method</b>	EBMUD methods for sampling.
<b>Potential Source(s) of Pollutant</b>	Resource Extraction (abandoned mines).
<b>Alternative Enforceable Program</b>	
<b>RWQCB Recommendation</b>	List.
<b>SWRCB Staff Recommendation</b>	After reviewing the available data and information and the RWQCB documentation for this recommendation, SWRCB staff conclude that the water body should be placed on the Monitoring List because an inadequate number of measurements exceed water quality standards .

## Region 5: Camanche Reservoir

### Zinc

---

<b>Water Body</b>	Camanche Reservoir
<b>Stressor/Media/Beneficial Use</b>	Zinc
<b>Data quality assessment. Extent to which data quality requirements met.</b>	N/A
<b>Linkage between measurement endpoint and beneficial use or standard</b>	N/A
<b>Utility of measure for judging if standards or uses are not attained</b>	N/A
<b>Water Body-specific Information</b>	Camanche Reservoir was included in the 1998 303(d) list as part of the lower Mokelumne River listing for Zinc. RB wants to list the Camanche Reservoir separate from the Mokelumne River, as a listing for Zinc.
<b>Data used to assess water quality</b>	The entire lake was originally listed in 1992, Camanche Reservoir is listed for Zinc as part of the Mokelumne. RB feels that it should now be listed separate from the original Mokelumne River listing because, it is more appropriate to list reservoirs separate from their downstream drainages, from a watershed management strategy perspective. Rivers and reservoirs have different management strategies.
<b>Spatial representation</b>	
<b>Temporal representation</b>	
<b>Data type</b>	
<b>Use of standard method</b>	
<b>Potential Source(s) of Pollutant</b>	Resource Extraction/Abandoned Mines.
<b>Alternative Enforceable Program</b>	
<b>RWQCB Recommendation</b>	Change in listing to include reservoir on list separate from the river.
<b>SWRCB Staff Recommendation</b>	Change in listing to include reservoir on list separate from the river.

## Region 5: Camanche Reservoir Copper

---

<b>Water Body</b>	Camanche Reservoir
<b>Stressor/Media/Beneficial Use</b>	Copper
<b>Data quality assessment. Extent to which data quality requirements met.</b>	N/A
<b>Linkage between measurement endpoint and beneficial use or standard</b>	N/A
<b>Utility of measure for judging if standards or uses are not attained</b>	N/A
<b>Water Body-specific Information</b>	Camanche Reservoir was included in the 1998 303(d) list as part of the lower Mokelumne River listing for Copper. RB wants to list the Camanche Reservoir separate from the Mokelumne River, as a listing for Copper.
<b>Data used to assess water quality</b>	The entire lake was originally listed in 1992, Camanche Reservoir is listed for Zinc as part of the Mokelumne. RB feels that it should now be listed separate from the original Mokelumne River listing because, it is more appropriate to list reservoirs separate from their downstream drainages, from a watershed management strategy perspective. Rivers and reservoirs have different management strategies.
<b>Spatial representation</b>	
<b>Temporal representation</b>	
<b>Data type</b>	
<b>Use of standard method</b>	
<b>Potential Source(s) of Pollutant</b>	Resource Extraction/Abandoned Mines.
<b>Alternative Enforceable Program</b>	
<b>RWQCB Recommendation</b>	Change in listing to include reservoir on list separate from the river.
<b>SWRCB Staff Recommendation</b>	Change in listing to include reservoir on list separate from the river.

## Region 5: Camp Far West Reservoir

### Mercury

---

<b>Water Body</b>	Camp Far West Reservoir
<b>Stressor/Media/Beneficial Use</b>	Mercury/Tissue/Fish Consumption
<b>Data quality assessment. Extent to which data quality requirements met.</b>	Generally limited consideration to those organizations that conduct monitoring using documented QA/QC procedures.
<b>Linkage between measurement endpoint and beneficial use or standard</b>	Mercury linked to fish consumption.
<b>Utility of measure for judging if standards or uses are not attained</b>	Basin Plan WQO, USEPA criterion for human health consumption levels of mercury.
<b>Water Body-specific Information</b>	Data = 12 years (1987 to 1999), Data measured at the site, Species or Indicator present at site, Environmental Conditions considered at site.
<b>Data used to assess water quality</b>	Data = 36 sampled fish from Trophic level 4. The fish had an average level of mercury of 0.69 ppm, more than double the concentration level criteria of the USEPA which is 0.3 ppm. OEHHA is in the process of developing a state advisory for Placer, Yuba and Nevada Counties, based on this USGS data.
<b>Spatial representation</b>	Sampled 4 targeted areas of the Reservoir.
<b>Temporal representation</b>	Samples were collected during twelve years, 1987 to 1999.
<b>Data type</b>	Numerical data.
<b>Use of standard method</b>	USGS and TSMP sampling methods.
<b>Potential Source(s) of Pollutant</b>	Resource Extraction (abandoned mines).
<b>Alternative Enforceable Program</b>	
<b>RWQCB Recommendation</b>	List.
<b>SWRCB Staff Recommendation</b>	<p>After reviewing the available data and information and the RWQCB documentation for this recommendation, SWRCB staff conclude that the water body should be placed on the section 303(d) list because applicable water quality standards are exceeded and a pollutant contributes to or causes the problem.</p> <p>This conclusion is based on the staff findings that:</p> <ol style="list-style-type: none"> <li>1. The data is considered to be of adequate quality.</li> <li>2. The data exhibited sufficient spatial and temporal coverage.</li> <li>3. Beneficial uses apply to the waterbody.</li> <li>4. Water quality standard used is applicable.</li> <li>5. The evaluation guideline used to interpret narrative water quality standards is adequate.</li> <li>6. Data are numerical.</li> <li>7. Standard methods were used.</li> <li>8. Other water body- or site-specific information including the age of the</li> </ol>

## Region 5: Camp Far West Reservoir Mercury

---

data were considered.

List all of Camp Far West Reservoir (2,002 acres) for Mercury.

## Region 5: Clover Creek

### Fecal Coliform

---

<b>Water Body</b>	Clover Creek
<b>Stressor/Media/Beneficial Use</b>	Fecal Coliform/Water/REC-1
<b>Data quality assessment. Extent to which data quality requirements met.</b>	Generally limited consideration to those organizations that conduct monitoring using documented QA/QC procedures.
<b>Linkage between measurement endpoint and beneficial use or standard</b>	Fecal coliform linked to (REC-1) WQO for Bacteria.
<b>Utility of measure for judging if standards or uses are not attained</b>	WQO for bacteria, REC-1 objective.
<b>Water Body-specific Information</b>	Data = 5 months (June - October 1999), Data measured at the site, Species or Indicator present at site, Environmental Conditions considered at site.
<b>Data used to assess water quality</b>	Data was collected and the average levels were above 300 MPN/100ml, exceeding the WQO Geometric Mean levels of 200 MPN/100ml for at least 5 months. The WQO has been exceeded. Many of the samples were above the 30 day basin plan criteria of 400 MPN/100ml.
<b>Spatial representation</b>	Data were collected from the lower reach of Clover Creek (10.5 miles).
<b>Temporal representation</b>	5 Months from 6/1999- 10/1999.
<b>Data type</b>	Numerical data.
<b>Use of standard method</b>	Hannaford and North State Institute for Sustainable Communities, sampling methods.
<b>Potential Source(s) of Pollutant</b>	Human and/or Livestock Sources.
<b>Alternative Enforceable Program</b>	
<b>RWQCB Recommendation</b>	List.
<b>SWRCB Staff Recommendation</b>	<p>After reviewing the available data and information and the RWQCB documentation for this recommendation, SWRCB staff conclude that the water body should be placed on the section 303(d) list because applicable water quality standards are exceeded and a pollutant contributes to or causes the problem.</p> <p>This conclusion is based on the staff findings that:</p> <ol style="list-style-type: none"> <li>1. The data is considered to be of adequate quality.</li> <li>2. The data exhibited sufficient spatial and temporal coverage.</li> <li>3. Beneficial uses apply to the water body.</li> <li>4. Water quality standard used is applicable.</li> <li>5. Data are numerical.</li> <li>6. Standard methods were used.</li> <li>7. Other water body- or site-specific information including the age of the data were considered.</li> </ol> <p>An adequate number of the water quality measurements exceeded the water quality standard. The staff confidence that standards were exceeded is</p>



## Region 5: Clover Creek

### Fecal Coliform

---

high. The data have shown that using the WQO criteria there exist exceedances of the WQO for bacteria for REC-1, list the lower 10.5 miles of Clover creek.

## Region 5: Colusa Basin Drain

### Azinphos-methyl

---

<b>Water Body</b>	Colusa Basin Drain
<b>Stressor/Media/Beneficial Use</b>	Azinphos-methyl/Water/Aquatic Life
<b>Data quality assessment. Extent to which data quality requirements met.</b>	Generally limited consideration to those organizations that conduct monitoring using documented QA/QC procedures.
<b>Linkage between measurement endpoint and beneficial use or standard</b>	Azinphos-methyl linked to Aquatic Life.
<b>Utility of measure for judging if standards or uses are not attained</b>	WQO, USEPA criteria for azinphos-methyl.
<b>Water Body-specific Information</b>	Data = 3 years (1996-1998), Data measured at the site, Species or Indicator present at site, Environmental conditions considered at site.
<b>Data used to assess water quality</b>	Data = 21 samples were analyzed, out of those 6 (28%) of the samples were equal or above the USEPA criteria used to determine the narrative objectives attainment. The majority of the data (15 of 21 sample dates) occurred in 1997. The samples dates in 1997 likely spanned a more representative period than the 1996 (two sample dates) and 1998 (4 sample dates) periods and indicated a significant frequency of exceedance (40% in 1997, 28% over all three years).
<b>Spatial representation</b>	Data were collected at Road 99E, along the Colusa Basin Drain.
<b>Temporal representation</b>	Data were collected over 3 years (1996-1998), at least once a month.
<b>Data type</b>	Numerical data.
<b>Use of standard method</b>	CDPR method.
<b>Potential Source(s) of Pollutant</b>	Agriculture (Used to control insects on almonds, walnuts and other crops).
<b>Alternative Enforceable Program</b>	
<b>RWQCB Recommendation</b>	List.
<b>SWRCB Staff Recommendation</b>	<p>After reviewing the available data and information and the RWQCB documentation for this recommendation, SWRCB staff conclude that the water body should be placed on the section 303(d) list because applicable water quality standards are exceeded and a pollutant contributes to or causes the problem.</p> <p>This conclusion is based on the staff findings that:</p> <ol style="list-style-type: none"> <li>1. The data is considered to be of adequate quality.</li> <li>2. The data exhibited sufficient spatial and temporal coverage.</li> <li>3. Beneficial uses have been established.</li> <li>4. Water quality standard used is applicable.</li> <li>5. The evaluation guideline used to interpret narrative water quality standards is adequate.</li> <li>6. Data are numerical.</li> <li>7. Standard methods were used.</li> </ol>

## Region 5: Colusa Basin Drain

### Azinphos-methyl

---

8. Other water body- or site-specific information including the age of the data were considered.

An adequate number of the water quality measurements exceeded the water quality standard. The staff confidence that standards were exceeded is high. RWQCB staff worked with SWRCB staff and this area was remapped. It was agreed that the new extent impacted is 49 miles.

## Region 5: Colusa Basin Drain

### Diazinon

---

<b>Water Body</b>	Colusa Basin Drain
<b>Stressor/Media/Beneficial Use</b>	Diazinon/Water/Aquatic Life.
<b>Data quality assessment. Extent to which data quality requirements met.</b>	Generally limited consideration to those organizations that conduct monitoring using documented QA/QC procedures.
<b>Linkage between measurement endpoint and beneficial use or standard</b>	Diazinon linked to Aquatic Life.
<b>Utility of measure for judging if standards or uses are not attained</b>	WQO, CDFG criteria for Diazinon.
<b>Water Body-specific Information</b>	Data = 5 years (1994-2000), Data measured at the site, Species or indicator present at site, Environmental conditions considered at the site.
<b>Data used to assess water quality</b>	Data = 56 samples were analyzed for Diazinon, out of those 14 (25%) exceeded the chronic CDFG criterion, and 10 (18%) samples exceeded the CDFG Acute Criterion for Diazinon. The CDFG criterion was used to determine whether the WQO was being attained.
<b>Spatial representation</b>	Data were collected at Road 99E, along the Colusa Basin Drain.
<b>Temporal representation</b>	Data were collected for 5 years from 1994-2000.
<b>Data type</b>	Numerical data.
<b>Use of standard method</b>	CDFG methods.
<b>Potential Source(s) of Pollutant</b>	Agriculture.
<b>Alternative Enforceable Program</b>	
<b>RWQCB Recommendation</b>	List.
<b>SWRCB Staff Recommendation</b>	<p>After reviewing the available data and information and the RWQCB documentation for this recommendation, SWRCB staff conclude that the water body should be placed on the section 303(d) list because applicable water quality standards are exceeded and a pollutant contributes to or causes the problem.</p> <p>This conclusion is based on the staff findings that:</p> <ol style="list-style-type: none"> <li>1. The data is considered to be of adequate quality.</li> <li>2. The data exhibited sufficient spatial and temporal coverage.</li> <li>3. Beneficial uses have been established.</li> <li>4. Water quality standard used is applicable.</li> <li>5. The evaluation guideline used to interpret narrative water quality standards is adequate.</li> <li>6. Data are numerical.</li> <li>7. Standard methods were used.</li> <li>8. Other water body- or site-specific information including the age of the data were considered.</li> </ol> <p>An adequate number of the water quality measurements exceeded the water</p>

## Region 5: Colusa Basin Drain

### Diazinon

---

quality standard. The staff confidence that standards were exceeded is high. List the entire Colusa Basin drain. The levels of Diazinon are in exceedance of the WQO. RWQCB staff worked with SWRCB staff and this area was remapped. It was agreed that the new extent impacted is 49 miles.

## Region 5: Colusa Basin Drain

### Molinate

---

<b>Water Body</b>	Colusa Basin Drain
<b>Stressor/Media/Beneficial Use</b>	Molinate/Water/Aquatic Life
<b>Data quality assessment. Extent to which data quality requirements met.</b>	Generally limited consideration to those organizations that conduct monitoring using documented QA/QC procedures.
<b>Linkage between measurement endpoint and beneficial use or standard</b>	Molinate linked to Aquatic Life.
<b>Utility of measure for judging if standards or uses are not attained</b>	CDFG criteria for Molinate levels, WQO.
<b>Water Body-specific Information</b>	Data = 6 years (1994-2000), Data measured at the site, Species or indicator present at site, Environmental conditions considered at the site.
<b>Data used to assess water quality</b>	Data = 133 samples, of those 42 (32%) samples were equal or above the CDFG criterion used to determine if the WQO was being exceeded.
<b>Spatial representation</b>	Data were collected in the Colusa Basin Drain.
<b>Temporal representation</b>	Data were collected over 6 years (1994-2000).
<b>Data type</b>	Numerical data.
<b>Use of standard method</b>	CDPR methods.
<b>Potential Source(s) of Pollutant</b>	Agriculture (Molinate Aerial Spray used on rice fields).
<b>Alternative Enforceable Program</b>	
<b>RWQCB Recommendation</b>	List.
<b>SWRCB Staff Recommendation</b>	<p>After reviewing the available data and information and the RWQCB documentation for this recommendation, SWRCB staff conclude that the water body should be placed on the section 303(d) list because applicable water quality standards are exceeded and a pollutant contributes to or causes the problem.</p> <p>This conclusion is based on the staff findings that:</p> <ol style="list-style-type: none"> <li>1. The data is considered to be of adequate quality.</li> <li>2. The data exhibited sufficient spatial and temporal coverage.</li> <li>3. Beneficial uses have been established.</li> <li>4. Water quality standard used is applicable.</li> <li>5. The evaluation guideline used to interpret narrative water quality standards is adequate.</li> <li>6. Data are numerical.</li> <li>7. Standard methods were used.</li> <li>8. Other water body- or site-specific information including the age of the data were considered.</li> </ol> <p>An adequate number of the water quality measurements exceeded the water quality standard. The staff confidence that standards were exceeded is</p>

## Region 5: Colusa Basin Drain Molinate

---

high. RWQCB staff worked with SWRCB staff and this area was remapped. It was agreed that the new extent impacted is 49 miles.

## Region 5: Deer Creek (Yuba River)

### pH

---

<b>Water Body</b>	Deer Creek (Yuba River)
<b>Stressor/Media/Beneficial Use</b>	pH/Water/Aquatic Life
<b>Data quality assessment. Extent to which data quality requirements met.</b>	Generally limited consideration to those organizations that conduct monitoring using documented QA/QC procedures. Friends of Deer Creek QAPP provided adequate assurance that data were of acceptable quality.
<b>Linkage between measurement endpoint and beneficial use or standard</b>	pH linked to Aquatic Life beneficial use.
<b>Utility of measure for judging if standards or uses are not attained</b>	Basin Plan Water Quality Objective. Numeric Objective for pH.
<b>Water Body-specific Information</b>	Data =1 year and 5 months. Data measured at site, indicator present at Site, environmental conditions considered at site.
<b>Data used to assess water quality</b>	<p>pH measured monthly (up to 18 measurements) between December 2000 and May 2002. A diurnal study was performed at two sites: a control site upstream of Lake Wildwood and an experimental site downstream of Lake Wildwood. pH and other parameters were measured at 6-hour intervals during four days within a one-week period. Temperatures at the control site ranged from 9.20°C to 14.55°C and pH during the same period ranged from 6.53 to 7.13. The pH measurements at the control site generally increased or decreased as the temperature increased or decreased. Temperatures at the experimental site were generally higher than at the control site and ranged from 20.22°C to 29.88°C. pH measurements at the experimental site during the same period were generally higher and ranged more widely from 7.2 to 9.9. The pH measurements at the experimental site fluctuated more widely to temperature diurnal variations than at the control site.</p> <p>pH levels exceeded the Basin Plan numeric criteria (6.5 to 8.5) and were greater than 8.5 at several sites downstream from the Lake Wildwood Dam between May and October 2001.</p>
<b>Spatial representation</b>	The data were collected at six sites upstream from Lake Wildwood and at four sites downstream of Lake Wildwood.
<b>Temporal representation</b>	Data were collected monthly between December 2000 and May 2002.
<b>Data type</b>	Numerical data.
<b>Use of standard method</b>	Standard methods are presented in the QAPP.
<b>Potential Source(s) of Pollutant</b>	Algal respiration and probably nutrients downstream from Lake Wildwood.
<b>Alternative Enforceable Program</b>	N/A
<b>RWQCB Recommendation</b>	List.
<b>SWRCB Staff Recommendation</b>	After reviewing the available data and information and the RWQCB documentation for this recommendation, SWRCB staff conclude that the water body should be placed on the section 303(d) list because applicable



## Region 5: Deer Creek (Yuba River)

### pH

---

water quality standards are exceeded and a pollutant contributes to or causes the problem.

This conclusion is based on the staff findings that:

1. The data exhibited sufficient spatial and temporal coverage.
2. Beneficial uses have been established.
3. Water quality standard used is applicable.
4. Data are numerical.
5. Standard methods were used.
6. Other water body- or site-specific information including the effects of season and age of the data were considered.

Most of the water quality measurements exceeded the water quality standard. Data has shown that the pH values exceeded the WQO for pH. The staff confidence that standards were exceeded is high. List for high pH for approximately four miles of Deer Creek, from below the Lake Wildwood Dam to the confluence with the Yuba River.

## Region 5: Del Puerto Creek

### Diazinon

---

<b>Water Body</b>	Del Puerto Creek
<b>Stressor/Media/Beneficial Use</b>	Diazinon/Water/Aquatic Life
<b>Data quality assessment. Extent to which data quality requirements met.</b>	Generally limited consideration to those organizations that conduct monitoring using documented QA/QC procedures.
<b>Linkage between measurement endpoint and beneficial use or standard</b>	Diazinon linked to Aquatic Life.
<b>Utility of measure for judging if standards or uses are not attained</b>	Narrative WQO for Toxicity and pesticides, CDFG criterion for Diazinon.
<b>Water Body-specific Information</b>	Data = 3 Years (1991-1993), Data measured at the site, Species or Indicator present at site, Environmental conditions considered at site.
<b>Data used to assess water quality</b>	Data = 30 Samples, of those 10 samples (33%) exceeded the chronic criteria, and 9 of those samples (30%) exceeded the acute criteria of the CDFG. These criteria were used to show exceedance of the WQO.
<b>Spatial representation</b>	Data were collected for the lower section (5 miles) of the creek.
<b>Temporal representation</b>	Data were collected for 3 years from 1991-1993.
<b>Data type</b>	Numerical data.
<b>Use of standard method</b>	CDPR methods.
<b>Potential Source(s) of Pollutant</b>	Agriculture.
<b>Alternative Enforceable Program</b>	
<b>RWQCB Recommendation</b>	List.
<b>SWRCB Staff Recommendation</b>	<p>After reviewing the available data and information and the RWQCB documentation for this recommendation, SWRCB staff conclude that the water body should be placed on the section 303(d) list because applicable water quality standards are exceeded and a pollutant contributes to or causes the problem.</p> <p>This conclusion is based on the staff findings that:</p> <ol style="list-style-type: none"> <li>1. The data is considered to be of adequate quality.</li> <li>2. The data exhibited sufficient spatial and temporal coverage.</li> <li>3. Beneficial uses apply to the water body.</li> <li>4. Water quality standard used is applicable.</li> <li>5. The evaluation guideline used to interpret narrative water quality standards is adequate.</li> <li>6. Data are numerical.</li> <li>7. Standard methods were used.</li> <li>8. Other water body- or site-specific information including the age of the data were considered.</li> </ol>

## Region 5: Del Puerto Creek Diazinon

---

An adequate number of the water quality measurements exceeded the water quality standard. The staff confidence that standards were exceeded is high. List the lower 5 miles between I-5 and the San Joaquin River.

## Region 5: Del Puerto Creek

### Chlorpyrifos

---

<b>Water Body</b>	Del Puerto Creek
<b>Stressor/Media/Beneficial Use</b>	Chlorpyrifos/Water/Aquatic Life
<b>Data quality assessment. Extent to which data quality requirements met.</b>	Generally limited consideration to those organizations that conduct monitoring using documented QA/QC procedures.
<b>Linkage between measurement endpoint and beneficial use or standard</b>	Chlorpyrifos linked to Aquatic life.
<b>Utility of measure for judging if standards or uses are not attained</b>	CDFG criterion Chlorpyrifos levels, WQO.
<b>Water Body-specific Information</b>	Data = 3 Years (1991-1993), Data measured at the site, Species or Indicator present at site, Environmental conditions considered at site.
<b>Data used to assess water quality</b>	Data = 30 Samples, of those 10 samples (33%) exceeded the chronic criterion, and 10 of those samples (33%) exceeded the acute criterion of CDFG. These criterion were used to show exceedance of the WQO.
<b>Spatial representation</b>	Data were collected for the lower section (5 miles) of the creek.
<b>Temporal representation</b>	Data were collected for 3 years from 1991-1993.
<b>Data type</b>	Numerical data.
<b>Use of standard method</b>	CDPR methods.
<b>Potential Source(s) of Pollutant</b>	Agriculture (application on orchards and field crops).
<b>Alternative Enforceable Program</b>	
<b>RWQCB Recommendation</b>	List.
<b>SWRCB Staff Recommendation</b>	<p>After reviewing the available data and information and the RWQCB documentation for this recommendation, SWRCB staff conclude that the water body should be placed on the section 303(d) list because applicable water quality standards are exceeded and a pollutant contributes to or causes the problem.</p> <p>This conclusion is based on the staff findings that:</p> <ol style="list-style-type: none"> <li>1. The data is considered to be of adequate quality.</li> <li>2. The data exhibited sufficient spatial and temporal coverage.</li> <li>3. Beneficial uses apply to the water body.</li> <li>4. Water quality standard used is applicable.</li> <li>5. The evaluation guideline used to interpret narrative water quality standards is adequate.</li> <li>6. Data are numerical.</li> <li>7. Standard methods were used.</li> <li>8. Other water body- or site-specific information including the age of the data were considered.</li> </ol>

## Region 5: Del Puerto Creek Chlorpyrifos

---

An adequate number of the water quality measurements exceeded the water quality standard. The staff confidence that standards were exceeded is high. List for Chlorpyrifos, the lower 5 miles between I-5 and the San Joaquin River.

## Region 5: Delta Waterways (Eastern Portion)

### Chlorpyrifos, DDT, Diazinon, Group A pesticides, Mercury, Unknown Toxi +

---

<b>Water Body</b>	Delta Waterways (Eastern Portion)
<b>Stressor/Media/Beneficial Use</b>	Chlorpyrifos, DDT, Diazinon, Group A pesticides, Mercury, Unknown Toxicity.
<b>Data quality assessment. Extent to which data quality requirements met.</b>	N/A
<b>Linkage between measurement endpoint and beneficial use or standard</b>	N/A
<b>Utility of measure for judging if standards or uses are not attained</b>	N/A
<b>Water Body-specific Information</b>	
<b>Data used to assess water quality</b>	The total size and size affected were reassessed by SWRCB staff and RWQCB staff, subsequent to the RWQCB's first change recommendation. This waterbody has been remapped and the revised extent impacted is 22,904 acres. The new extent is calculated by the Geospatial Water Body System (GeoWBS), using staff's best estimate of the extent to which water quality standards are not met.
<b>Spatial representation</b>	
<b>Temporal representation</b>	
<b>Data type</b>	
<b>Use of standard method</b>	
<b>Potential Source(s) of Pollutant</b>	
<b>Alternative Enforceable Program</b>	
<b>RWQCB Recommendation</b>	Change in Total Size and Size Affected. Change listing from the total size of 480,000 acres to 48,000 acres. The total size of the Delta is 48,000 acres, a misprint occurred in the final 1998 303(d) list. The size should be changed from 480,000 acres to 48,000 acres for Chlorpyrifos, DDT, Diazinon, Group A pesticides, Mercury, and Unknown Toxicity. Electrical Conductivity is impaired for 16,000 acres.
<b>SWRCB Staff Recommendation</b>	Change in Total Size and Size Affected. RWQCB staff worked with SWRCB staff and this area was remapped. It was agreed that the new extent impacted is 22,904 acres. A distinct "water only" eastern portion of the Delta has been created and the name has been revised to reflect this change.

## Region 5: Delta Waterways (Stockton Ship Channel)

### Low Dissolved Oxygen, Organic Enrichment

---

<b>Water Body</b>	Delta Waterways (Stockton Ship Channel)
<b>Stressor/Media/Beneficial Use</b>	Low Dissolved Oxygen, Organic Enrichment/Water/Aquatic Life
<b>Data quality assessment. Extent to which data quality requirements met.</b>	N/A
<b>Linkage between measurement endpoint and beneficial use or standard</b>	N/A
<b>Utility of measure for judging if standards or uses are not attained</b>	N/A
<b>Water Body-specific Information</b>	
<b>Data used to assess water quality</b>	The total size and size affected were reassessed by SWRCB staff and RWQCB staff, subsequent to the RWQCB's first change recommendation. This waterbody has been remapped and the revised extent impacted is 952 acres. The new extent is calculated by the Geospatial Water Body System (GeoWBS), using staff's best estimate of the extent to which water quality standards are not met.
<b>Spatial representation</b>	
<b>Temporal representation</b>	
<b>Data type</b>	
<b>Use of standard method</b>	
<b>Potential Source(s) of Pollutant</b>	It is likely this problem is due to pollutants such as nutrients or pollution (low flow or channel morphology of the water body).
<b>Alternative Enforceable Program</b>	
<b>RWQCB Recommendation</b>	Change in Total Size and Size Affected. Change listing from the total size of 480,000 acres to 48,000 acres. Extent of affected area to be changed from a size affected of 75 acres to 1,461 acres. The total size of the Delta is 48,000 acres, a misprint occurred in the final 1998 303(d) list. The size should be changed to the true size. The area of the Delta affected by Low Dissolved Oxygen is an area of 1,461 acres. Therefore the total size of the Delta should be changed for Low D.O listing.
<b>SWRCB Staff Recommendation</b>	Change in Total Size and Size Affected. RWQCB staff worked with SWRCB staff and this area was remapped. It was agreed that the new extent impacted is 952 acres. A distinct "water only" Stockton Ship Channel portion of the Delta has been created and the name has been revised to reflect this change.

## Region 5: Delta Waterways (Western Portion)

### Chlorpyrifos, DDT, Diazinon, Group A pesticides, Mercury, and EC , Unk +

---

<b>Water Body</b>	Delta Waterways (Western Portion)
<b>Stressor/Media/Beneficial Use</b>	Chlorpyrifos, DDT, Diazinon, Group A pesticides, Mercury, and EC, Unknown Toxicity.
<b>Data quality assessment. Extent to which data quality requirements met.</b>	N/A
<b>Linkage between measurement endpoint and beneficial use or standard</b>	N/A
<b>Utility of measure for judging if standards or uses are not attained</b>	N/A
<b>Water Body-specific Information</b>	
<b>Data used to assess water quality</b>	The total size and size affected were reassessed by SWRCB staff and RWQCB staff, subsequent to the RWQCB's first change recommendation. This waterbody has been remapped and the revised extent impacted is for Electrical Conductivity is 22,904 acres. The extent impacted for the other pollutants was agreed to be 22,904 Acres. The new extent is calculated by the Geospatial Water Body System (GeoWBS), using staff's best estimate of the extent to which water quality standards are not met.
<b>Spatial representation</b>	
<b>Temporal representation</b>	
<b>Data type</b>	
<b>Use of standard method</b>	
<b>Potential Source(s) of Pollutant</b>	
<b>Alternative Enforceable Program</b>	
<b>RWQCB Recommendation</b>	Change in Total Size and Size Affected. Change listing from the total size of 480,000 acres to 48,000 acres. The total size of the Delta is 48,000 acres, a misprint occurred in the final 1998 303(d) list. The size should be changed from 480,000 acres to 48,000 acres for Chlorpyrifos, DDT, Diazinon, Group A pesticides, Mercury, and Unknown Toxicity. Electrical Conductivity is impaired for 16,000 acres.
<b>SWRCB Staff Recommendation</b>	Change in Total Size and Size Affected. RWQCB staff worked with SWRCB staff and this area was remapped. It was agreed that the new extent impacted for Electrical Conductivity is 22,904 acres. The extent impacted for the other pollutants was agreed to be 22,904 Acres. A distinct " water only" western portion of the Delta has been created and the name has been revised to reflect this change.



## Region 5: Delta-Mendota Canal (DMC)

### Selenium

---

<b>Water Body</b>	Delta-Mendota Canal (DMC)
<b>Stressor/Media/Beneficial Use</b>	Selenium/Water/Aquatic life
<b>Data quality assessment. Extent to which data quality requirements met.</b>	Limited consideration to those organizations that conduct monitoring using documented QA/QC procedures.
<b>Linkage between measurement endpoint and beneficial use or standard</b>	Selenium linked to WARM (warm fresh water habitat) beneficial use.
<b>Utility of measure for judging if standards or uses are not attained</b>	Selenium California Toxics Rule criterion of 5 ppb as a four-day average applies to waters of the U.S. with aquatic life beneficial uses.
<b>Water Body-specific Information</b>	Four years of data from two sites.
<b>Data used to assess water quality</b>	92 data points from sites in the DMC upstream and downstream of agricultural tile drainage sumps. 19 samples were above the criterion.
<b>Spatial representation</b>	Data collected upstream of tile drainage sumps represents DMC from O'Neil Forebay to mile post 100.85. Downstream site represents reach to Mendota Pool.
<b>Temporal representation</b>	Four years of data reviewed.
<b>Data type</b>	Numerical data.
<b>Use of standard method</b>	
<b>Potential Source(s) of Pollutant</b>	Ground water inflow and tile drainage discharge.
<b>Alternative Enforceable Program</b>	N/A
<b>RWQCB Recommendation</b>	List.
<b>SWRCB Staff Recommendation</b>	On February 4, 2003 the SWRCB removed the Delta Mendota Canal from the 303(d) List and placed it onto the Monitoring List in response to comments about the recent achievement of the water quality standard.

## Region 5: Don Pedro Lake

### Mercury

---

<b>Water Body</b>	Don Pedro Lake
<b>Stressor/Media/Beneficial Use</b>	Mercury/Water/Fish Consumption
<b>Data quality assessment. Extent to which data quality requirements met.</b>	Generally limited consideration to those organizations that conduct monitoring using documented QA/QC procedures.
<b>Linkage between measurement endpoint and beneficial use or standard</b>	Mercury linked to Fish Consumption.
<b>Utility of measure for judging if standards or uses are not attained</b>	Basin Plan WQO, USEPA criterion for human health consumption levels of mercury.
<b>Water Body-specific Information</b>	Data = 6 Years (1981-1987), Data measured at the site, Species or Indicator present at site, Environmental conditions considered at site.
<b>Data used to assess water quality</b>	Data = 32 Trophic Level 4 fish, the fish sampled had an average 0.54ppm concentration of mercury, clearly exceeding the USEPA criteria of 0.3 ppm. The USEPA criterion was used to determine that the narrative WQO was being exceeded.
<b>Spatial representation</b>	Data were collected from the northern most arms of Don Pedro Lake, (12,960 acres).
<b>Temporal representation</b>	Data were collected from 1981-1987 (6 years).
<b>Data type</b>	Numerical data.
<b>Use of standard method</b>	TSMP methods.
<b>Potential Source(s) of Pollutant</b>	Resource Extraction (abandoned mines).
<b>Alternative Enforceable Program</b>	
<b>RWQCB Recommendation</b>	List.
<b>SWRCB Staff Recommendation</b>	<p>After reviewing the available data and information and the RWQCB documentation for this recommendation, SWRCB staff conclude that the water body should be placed on the section 303(d) list because applicable water quality standards are exceeded and a pollutant contributes to or causes the problem.</p> <p>This conclusion is based on the staff findings that:</p> <ol style="list-style-type: none"> <li>1. The data is considered to be of adequate quality.</li> <li>2. The data exhibited sufficient spatial and temporal coverage.</li> <li>3. Beneficial uses apply to the water body.</li> <li>4. Water quality standard used is applicable.</li> <li>5. The evaluation guideline used to interpret narrative water quality standards is adequate.</li> <li>6. Data are numerical.</li> <li>7. Standard methods were used.</li> <li>8. Other water body- or site-specific information including the age of the data were considered.</li> </ol>

## Region 5: Don Pedro Lake Mercury

---

All of the water quality measurements exceeded the water quality standard.  
The staff confidence that standards were exceeded is high.

## Region 5: Dunn Creek

### Mercury and Metals

---

<b>Water Body</b>	Dunn Creek
<b>Stressor/Media/Beneficial Use</b>	Mercury and Metals/Water/Aquatic Life
<b>Data quality assessment. Extent to which data quality requirements met.</b>	N/A
<b>Linkage between measurement endpoint and beneficial use or standard</b>	N/A
<b>Utility of measure for judging if standards or uses are not attained</b>	N/A
<b>Water Body-specific Information</b>	
<b>Data used to assess water quality</b>	The total size and size affected were reassessed by SWRCB staff and RWQCB staff, subsequent to the RWQCB's first change recommendation. This waterbody has been remapped and the revised extent impacted is 0.7 miles. The new extent is calculated by the Geospatial Water Body System (GeoWBS), using staff's best estimate of the extent to which water quality standards are not met.
<b>Spatial representation</b>	
<b>Temporal representation</b>	
<b>Data type</b>	
<b>Use of standard method</b>	
<b>Potential Source(s) of Pollutant</b>	Resource Extraction/Abandoned Mines.
<b>Alternative Enforceable Program</b>	
<b>RWQCB Recommendation</b>	Change in Total Size and Size Affected. Change listing from the total length of 9 miles to 3 miles. Extent of affected area to be changed from 9 miles to 1 mile. The impaired extent is from below Mt. Diablo Mine to Marsh Creek. Stotton et al. (1996a) and Lovenitti et al. (1989) indicate that the total length of the creek is 3 miles.
<b>SWRCB Staff Recommendation</b>	Change in Total Size and Size Affected. RWQCB staff worked with SWRCB staff and this area was remapped. It was agreed that the new extent impacted is 0.7 miles. The extent is below Mt. Diablo Mine to Marsh Creek.

## Region 5: Englebright Lake

### Mercury

---

<b>Water Body</b>	Englebright Lake
<b>Stressor/Media/Beneficial Use</b>	Mercury/Tissue/Fish Consumption
<b>Data quality assessment. Extent to which data quality requirements met.</b>	Generally limited consideration to those organizations that conduct monitoring using documented QA/QC procedures.
<b>Linkage between measurement endpoint and beneficial use or standard</b>	Mercury linked to Fish Consumption.
<b>Utility of measure for judging if standards or uses are not attained</b>	Basin Plan WQO for Toxicity for Mercury, USEPA criterion for human health consumption levels of mercury.
<b>Water Body-specific Information</b>	Data = 4 Years (1996-1999), Data measured at the site, Species or Indicator present at site, Environmental conditions considered at site.
<b>Data used to assess water quality</b>	USGS and UC Davis Data = 21 trophic level 4 fish and 9 trophic level 3 fish. The level 4 and level 3 fish had an average mercury concentration of 0.55 ppm and 0.51ppm respectively, exceeding the 0.3 ppm USEPA criteria. OEHHA is in the process of developing a state advisory for Nevada County based on this Data.
<b>Spatial representation</b>	Data was collected for fish tissue at three locations on the lake.
<b>Temporal representation</b>	Data was collected between 1994 and 2000.
<b>Data type</b>	Numerical data.
<b>Use of standard method</b>	USGS and UC Davis methods.
<b>Potential Source(s) of Pollutant</b>	Resource Extraction ( all from abandoned mines).
<b>Alternative Enforceable Program</b>	
<b>RWQCB Recommendation</b>	List.
<b>SWRCB Staff Recommendation</b>	<p>After reviewing the available data and information and the RWQCB documentation for this recommendation, SWRCB staff conclude that the water body should be placed on the section 303(d) list because applicable water quality standards are exceeded and a pollutant contributes to or causes the problem.</p> <p>This conclusion is based on the staff findings that:</p> <ol style="list-style-type: none"> <li>1. The data is considered to be of adequate quality.</li> <li>2. The data exhibited sufficient spatial and temporal coverage.</li> <li>3. Beneficial uses apply to the water body.</li> <li>4. Water quality standard used is applicable.</li> <li>5. The evaluation guideline used to interpret narrative water quality standards is adequate.</li> <li>6. Data are numerical.</li> <li>7. Standard methods were used.</li> <li>8. Other water body- or site-specific information including the age of the data were considered.</li> </ol>

## Region 5: Englebright Lake Mercury

---

All of the water quality measurements exceeded the water quality standard.  
The staff confidence that standards were exceeded is high.

## Region 5: Fall River Sedimentation and Siltation

---

<b>Water Body</b>	Fall River
<b>Stressor/Media/Beneficial Use</b>	Sedimentation and Siltation/Water/Aquatic Life
<b>Data quality assessment. Extent to which data quality requirements met.</b>	N/A
<b>Linkage between measurement endpoint and beneficial use or standard</b>	N/A
<b>Utility of measure for judging if standards or uses are not attained</b>	N/A
<b>Water Body-specific Information</b>	
<b>Data used to assess water quality</b>	The total size and size affected were reassessed by SWRCB staff and RWQCB staff, subsequent to the RWQCB's first change recommendation. This waterbody has been remapped and the revised extent impacted is 9.5 miles. The new extent is calculated by the Geospatial Water Body System (GeoWBS), using staff's best estimate of the extent to which water quality standards are not met.
<b>Spatial representation</b>	
<b>Temporal representation</b>	
<b>Data type</b>	
<b>Use of standard method</b>	
<b>Potential Source(s) of Pollutant</b>	
<b>Alternative Enforceable Program</b>	
<b>RWQCB Recommendation</b>	Change in size affected. Change listing from the impaired length of 25 miles to 9.5 miles. Evidence suggests that the upper Fall River is impaired relative to lower Fall River. CRWQCB-CVR 1982, CDWR 1998, NSR and T. Holmes 1997, Tetra Tech 1998, USDA 1983.
<b>SWRCB Staff Recommendation</b>	Change in total size affected. RWQCB staff worked with SWRCB staff and this area was remapped. It was agreed that the new extent impacted is 9.5 miles.

Region 5: Feather River, Lower  
 Diazinon, Group A pesticides, mercury, unknown toxicity

---

<b>Water Body</b>	Feather River, Lower
<b>Stressor/Media/Beneficial Use</b>	Diazinon, Group A pesticides, mercury, unknown toxicity
<b>Data quality assessment. Extent to which data quality requirements met.</b>	N/A
<b>Linkage between measurement endpoint and beneficial use or standard</b>	N/A
<b>Utility of measure for judging if standards or uses are not attained</b>	N/A
<b>Water Body-specific Information</b>	
<b>Data used to assess water quality</b>	The total size and size affected were reassessed by SWRCB staff and RWQCB staff, subsequent to the RWQCB's first change recommendation. This waterbody has been remapped and the revised extent impacted is 42 miles. The new extent is calculated by the Geospatial Water Body System (GeoWBS), using staff's best estimate of the extent to which water quality standards are not met.
<b>Spatial representation</b>	
<b>Temporal representation</b>	
<b>Data type</b>	
<b>Use of standard method</b>	
<b>Potential Source(s) of Pollutant</b>	
<b>Alternative Enforceable Program</b>	
<b>RWQCB Recommendation</b>	Change in total size affected. The impaired extent is from Lake Orville Dam to the confluence with the Sacramento River. The mapped impaired extent was changed from 86 miles to 42 miles.
<b>SWRCB Staff Recommendation</b>	Change in total size affected. RWQCB staff worked with SWRCB staff and this area was remapped. It was agreed that the new extent impacted is 42 miles.



## Region 5: Five Mile Slough

### Pathogens

---

<b>Water Body</b>	Five Mile Slough
<b>Stressor/Media/Beneficial Use</b>	Pathogens/Water/REC-1
<b>Data quality assessment. Extent to which data quality requirements met.</b>	Generally limited consideration to those organizations that conduct monitoring using documented QA/QC procedures.
<b>Linkage between measurement endpoint and beneficial use or standard</b>	Pathogens linked to REC-1 Beneficial uses.
<b>Utility of measure for judging if standards or uses are not attained</b>	Basin Plan WQO.
<b>Water Body-specific Information</b>	Data = 10 Months (2000-2001), Data measured at the site, Species or Indicator present at site, Environmental conditions considered at site.
<b>Data used to assess water quality</b>	Data = 29 samples were collected and the average levels were above the USEPA bacterial criteria, exceeding the WQO. Some of the Geometric Mean levels also exceeded the single day USEPA criterion.
<b>Spatial representation</b>	Data were collected at two locations, one upstream and one downstream. A total of 29 samples were collected.
<b>Temporal representation</b>	The samples were collected during 10 months, 2000-2001. The upstream location was sampled once each month in April, August 2000 and February 2001.
<b>Data type</b>	Numerical data.
<b>Use of standard method</b>	DeltaKeeper methods.
<b>Potential Source(s) of Pollutant</b>	Urban Runoff/Recreation.
<b>Alternative Enforceable Program</b>	
<b>RWQCB Recommendation</b>	List.
<b>SWRCB Staff Recommendation</b>	<p>After reviewing the available data and information and the RWQCB documentation for this recommendation, SWRCB staff conclude that the water body should be placed on the section 303(d) list because applicable water quality standards are exceeded and a pollutant contributes to or causes the problem.</p> <p>This conclusion is based on the staff findings that:</p> <ol style="list-style-type: none"> <li>1. The data is considered to be of adequate quality.</li> <li>2. The data exhibited sufficient spatial and temporal coverage.</li> <li>3. Beneficial uses apply to the water body.</li> <li>4. Water quality standard used is applicable.</li> <li>5. The evaluation guideline used to interpret narrative water quality standards is adequate.</li> <li>6. Data are numerical.</li> <li>7. Standard methods were used.</li> <li>8. Other water body- or site-specific information including the age of the data were considered.</li> </ol>

## Region 5: Five Mile Slough Pathogens

---

All of the water quality measurements exceeded the water quality standard. The staff confidence that standards were exceeded is high. The bacteria data have shown exceedance for the USEPA criterion and the WQO has been exceeded. List the Five Mile Slough from Alexandria Place to the confluence with Fourteen Mile Slough. RWQCB staff worked with SWRCB staff and this area was remapped. It was agreed that the new extent impacted is 1.6 miles.

## Region 5: Five Mile Slough

### Organic Enrichment-Low Dissolved Oxygen

---

<b>Water Body</b>	Five Mile Slough
<b>Stressor/Media/Beneficial Use</b>	Organic Enrichment-Low Dissolved Oxygen/Water/Aquatic Life
<b>Data quality assessment. Extent to which data quality requirements met.</b>	Generally limited consideration to those organizations that conduct monitoring using documented QA/QC procedures.
<b>Linkage between measurement endpoint and beneficial use or standard</b>	Dissolved Oxygen linked to Aquatic Life.
<b>Utility of measure for judging if standards or uses are not attained</b>	Basin Plan WQO for Dissolved Oxygen.
<b>Water Body-specific Information</b>	Data = 2 Years (1999-2000 and 1996), Data measured at the site, Species or Indicator present at site, Environmental conditions considered at site.
<b>Data used to assess water quality</b>	Data = 41 samples of Dissolved Oxygen values, with 24 of those samples falling below the WQO of 5 mg/L .
<b>Spatial representation</b>	Data were collected in the Five Mile Slough.
<b>Temporal representation</b>	The Data were collected over 2 years, from 11/99-2/00 and also from 10/96- 11/96.
<b>Data type</b>	Numerical data.
<b>Use of standard method</b>	DeltaKeeper methods.
<b>Potential Source(s) of Pollutant</b>	Urban Runoff/Storm Sewers. It is likely this problem is due to pollutants such as nutrients or pollution (low flow or channel morphology of the water body).
<b>Alternative Enforceable Program</b>	
<b>RWQCB Recommendation</b>	List.
<b>SWRCB Staff Recommendation</b>	<p>After reviewing the available data and information and the RWQCB documentation for this recommendation, SWRCB staff conclude that the water body should be placed on the section 303(d) list because applicable water quality standards are exceeded and a pollutant contributes to or causes the problem.</p> <p>This conclusion is based on the staff findings that:</p> <ol style="list-style-type: none"> <li>1. The data is considered to be of adequate quality.</li> <li>2. The data exhibited sufficient spatial and temporal coverage.</li> <li>3. Beneficial uses apply to the water body.</li> <li>4. Water quality standard used is applicable.</li> <li>5. Data are numerical.</li> <li>6. Standard methods were used.</li> <li>7. Other water body- or site-specific information including the age of the data were considered.</li> </ol> <p>An adequate of the water quality measurements exceeded the water quality standard. The staff confidence that standards were exceeded is high. List</p>

## Region 5: Five Mile Slough

### Organic Enrichment-Low Dissolved Oxygen

---

for dissolved oxygen in Five Mile Slough from Alexandria Place to the confluence with Fourteen Mile Slough. RWQCB staff worked with SWRCB staff and this area was remapped. It was agreed that the new extent impacted is 1.6 miles.

## Region 5: French Ravine

### Bacteria

---

<b>Water Body</b>	French Ravine
<b>Stressor/Media/Beneficial Use</b>	Bacteria
<b>Data quality assessment. Extent to which data quality requirements met.</b>	N/A
<b>Linkage between measurement endpoint and beneficial use or standard</b>	N/A
<b>Utility of measure for judging if standards or uses are not attained</b>	N/A
<b>Water Body-specific Information</b>	
<b>Data used to assess water quality</b>	The total size and size affected were reassessed by SWRCB staff and RWQCB staff, subsequent to the RWQCB's first change recommendation. This waterbody has been remapped and the revised extent impacted is 4 miles. The new extent is calculated by the Geospatial Water Body System (GeoWBS), using staff's best estimate of the extent to which water quality standards are not met.
<b>Spatial representation</b>	
<b>Temporal representation</b>	
<b>Data type</b>	
<b>Use of standard method</b>	
<b>Potential Source(s) of Pollutant</b>	
<b>Alternative Enforceable Program</b>	
<b>RWQCB Recommendation</b>	Change in Total Size and Size Affected. Change listing from the total length of 1 mile to 4 miles. French Revine has a length of 4 miles from it's headwaters to it's confluence with Wolf Creek. Horizons Technology, Inc. 1997.
<b>SWRCB Staff Recommendation</b>	Change in total size affected. RWQCB staff worked with SWRCB staff and this area was remapped. It was agreed that the new extent impacted is 4 miles.

## Region 5: Harding Drain

### Ammonia, chlorpyrifos, diazinon, unknown toxicity

---

<b>Water Body</b>	Harding Drain
<b>Stressor/Media/Beneficial Use</b>	Ammonia, chlorpyrifos, diazinon, unknown toxicity
<b>Data quality assessment. Extent to which data quality requirements met.</b>	N/A
<b>Linkage between measurement endpoint and beneficial use or standard</b>	N/A
<b>Utility of measure for judging if standards or uses are not attained</b>	N/A
<b>Water Body-specific Information</b>	Spelled out the abbreviated words in the water body name to read Harding Drain (Turlock Irrigation District Lateral #5). Size change: The mapped impaired extent was changed from 16 miles to 8.3 miles.
<b>Data used to assess water quality</b>	The total size and size affected were reassessed by SWRCB staff and RWQCB staff, subsequent to the RWQCB's first change recommendation. This waterbody has been remapped and the revised extent impacted is 8.3 miles. The new extent is calculated by the Geospatial Water Body System (GeoWBS), using staff's best estimate of the extent to which water quality standards are not met.
<b>Spatial representation</b>	
<b>Temporal representation</b>	
<b>Data type</b>	
<b>Use of standard method</b>	
<b>Potential Source(s) of Pollutant</b>	
<b>Alternative Enforceable Program</b>	
<b>RWQCB Recommendation</b>	Change in total size affected.
<b>SWRCB Staff Recommendation</b>	Change in total size affected. RWQCB staff worked with SWRCB staff and this area was remapped. It was agreed that the new extent impacted is 8.3 miles.

## Region 5: Horse Creek

### All metals (Cadmium, Copper, Lead, Zinc)

---

<b>Water Body</b>	Horse Creek
<b>Stressor/Media/Beneficial Use</b>	All metals (Cadmium, Copper, Lead, Zinc)
<b>Data quality assessment. Extent to which data quality requirements met.</b>	N/A
<b>Linkage between measurement endpoint and beneficial use or standard</b>	N/A
<b>Utility of measure for judging if standards or uses are not attained</b>	N/A
<b>Water Body-specific Information</b>	
<b>Data used to assess water quality</b>	The total size and size affected were reassessed by SWRCB staff and RWQCB staff, subsequent to the RWQCB's first change recommendation. This waterbody has been remapped and the revised extent impacted is 0.52 miles. The new extent is calculated by the Geospatial Water Body System (GeoWBS), using staff's best estimate of the extent to which water quality standards are not met.
<b>Spatial representation</b>	
<b>Temporal representation</b>	
<b>Data type</b>	
<b>Use of standard method</b>	
<b>Potential Source(s) of Pollutant</b>	
<b>Alternative Enforceable Program</b>	
<b>RWQCB Recommendation</b>	Change in size affected. Change listing from the impaired length of 2 miles to 1 mile. Water Quality data indicate that metals affect Horse Creek downstream from rising star mine, which is located 1 mile downstream of the headwater. Montoya and Pan (1992) indicate that Horse creek is 2 miles. The listing should start at the mine which is 1 mile downstream. Total size of listing for metals should be 1 mile, not 2.
<b>SWRCB Staff Recommendation</b>	Change in size affected. RWQCB staff worked with SWRCB staff and this area was remapped. The extent is from Rising Star Mine to Shasta Lake. It was agreed that the new extent impacted is 0.52 miles.

## Region 5: Humbug Creek

### Sedimentation and Siltation, Mercury, Copper, and Zinc.

---

<b>Water Body</b>	Humbug Creek
<b>Stressor/Media/Beneficial Use</b>	Sedimentation and Siltation, Mercury, Copper, and Zinc.
<b>Data quality assessment. Extent to which data quality requirements met.</b>	N/A
<b>Linkage between measurement endpoint and beneficial use or standard</b>	N/A
<b>Utility of measure for judging if standards or uses are not attained</b>	N/A
<b>Water Body-specific Information</b>	
<b>Data used to assess water quality</b>	The total size and size affected were reassessed by SWRCB staff and RWQCB staff, subsequent to the RWQCB's first change recommendation. This waterbody has been remapped and the revised extent impacted is 3 miles. The new extent is calculated by the Geospatial Water Body System (GeoWBS), using staff's best estimate of the extent to which water quality standards are not met.
<b>Spatial representation</b>	
<b>Temporal representation</b>	
<b>Data type</b>	
<b>Use of standard method</b>	
<b>Potential Source(s) of Pollutant</b>	Resource Extraction/Abandoned mines.
<b>Alternative Enforceable Program</b>	
<b>RWQCB Recommendation</b>	Change in size affected. Change listing extent of impairment from 9 miles to 3 miles. Montoya and Pan (1992) indicate that Humbug creek is 9 miles. The listing should start at the Malakoff Diggins mine which is 3 miles upstream of the confluence with the Yuba River. Total size of listing for metals should be in Humbug creek downstream of Malakoff Diggins mine 3 miles, not 9.
<b>SWRCB Staff Recommendation</b>	Change in size affected. RWQCB staff worked with SWRCB staff and this area was remapped. It was agreed that the new extent impacted is 3 miles.



## Region 5: Ingram/Hospital Creek

### Diazinon

---

<b>Water Body</b>	Ingram/Hospital Creek
<b>Stressor/Media/Beneficial Use</b>	Diazinon/Water/Aquatic Life
<b>Data quality assessment. Extent to which data quality requirements met.</b>	Generally limited consideration to those organizations that conduct monitoring using documented QA/QC procedures.
<b>Linkage between measurement endpoint and beneficial use or standard</b>	Diazinon linked to Aquatic Life.
<b>Utility of measure for judging if standards or uses are not attained</b>	WQO, CDFG criteria for Diazinon.
<b>Water Body-specific Information</b>	Data = 3 years (1991-1993), Data measured at the site, Species or Indicator present at site, Environmental conditions considered at site.
<b>Data used to assess water quality</b>	Data = 32 samples, out of those 16 samples exceeded the chronic criterion and 11 samples exceeded the acute criteria. The criterion used are the CDFG criterion used to determine if the WQO has been exceeded.
<b>Spatial representation</b>	The samples were collected from the Ingram/Hospital Creek.
<b>Temporal representation</b>	The samples were collected over 3 years, with 32 samples total.
<b>Data type</b>	Numerical data.
<b>Use of standard method</b>	CDFG methods.
<b>Potential Source(s) of Pollutant</b>	Agriculture.
<b>Alternative Enforceable Program</b>	
<b>RWQCB Recommendation</b>	List.
<b>SWRCB Staff Recommendation</b>	<p>After reviewing the available data and information and the RWQCB documentation for this recommendation, SWRCB staff conclude that the water body should be placed on the section 303(d) list because applicable water quality standards are exceeded and a pollutant contributes to or causes the problem.</p> <p>This conclusion is based on the staff findings that:</p> <ol style="list-style-type: none"> <li>1. The data is considered to be of adequate quality.</li> <li>2. The data exhibited sufficient spatial and temporal coverage.</li> <li>3. Beneficial uses apply to the water body.</li> <li>4. Water quality standard used is applicable.</li> <li>5. The evaluation guideline used to interpret narrative water quality standards is adequate.</li> <li>6. Data are numerical.</li> <li>7. Standard methods were used.</li> <li>8. Other water body- or site-specific information including the age of the data were considered.</li> </ol> <p>An adequate number of the water quality measurements exceeded the water quality standard. The staff confidence that standards were exceeded is</p>

## Region 5: Ingram/Hospital Creek Diazinon

---

high. The data have shown exceedance for the CDFG criterion and the WQO has been exceeded. List the Ingram/Hospital Creek from their confluence east of Dairy Rd. to the San Joaquin River.

## Region 5: Ingram/Hospital Creek

### Chlorpyrifos

---

<b>Water Body</b>	Ingram/Hospital Creek
<b>Stressor/Media/Beneficial Use</b>	Chlorpyrifos/Water/Aquatic Life
<b>Data quality assessment. Extent to which data quality requirements met.</b>	Generally limited consideration to those organizations that conduct monitoring using documented QA/QC procedures.
<b>Linkage between measurement endpoint and beneficial use or standard</b>	Chlorpyrifos linked to Aquatic Life.
<b>Utility of measure for judging if standards or uses are not attained</b>	CDFG criteria Chlorpyrifos levels, WQO.
<b>Water Body-specific Information</b>	Data = 3 years (1991-93), Data measured at the site, Species or Indicator present at site, Environmental conditions considered at site.
<b>Data used to assess water quality</b>	Data = 26 samples, out of those 7 samples exceeded the chronic criteria and 7 samples exceeded the acute criterion. The criteria used are the CDFG criterion used to determine if the WQO has been exceeded.
<b>Spatial representation</b>	The samples were collected from the Ingram/Hospital Creek.
<b>Temporal representation</b>	The samples were collected from December to June, for three years.
<b>Data type</b>	Numerical data.
<b>Use of standard method</b>	CDFG methods.
<b>Potential Source(s) of Pollutant</b>	Agriculture.
<b>Alternative Enforceable Program</b>	
<b>RWQCB Recommendation</b>	List.
<b>SWRCB Staff Recommendation</b>	<p>After reviewing the available data and information and the RWQCB documentation for this recommendation, SWRCB staff conclude that the water body should be placed on the section 303(d) list because applicable water quality standards are exceeded and a pollutant contributes to or causes the problem.</p> <p>This conclusion is based on the staff findings that:</p> <ol style="list-style-type: none"> <li>1. The data is considered to be of adequate quality.</li> <li>2. The data exhibited sufficient spatial and temporal coverage.</li> <li>3. Beneficial uses apply to the water body.</li> <li>4. Water quality standard used is applicable.</li> <li>5. The evaluation guideline used to interpret narrative water quality standards is adequate.</li> <li>6. Data are numerical.</li> <li>7. Standard methods were used.</li> <li>8. Other water body- or site-specific information including the age of the data were considered.</li> </ol> <p>An adequate number of the water quality measurements exceeded the water quality standard. The staff confidence that standards were exceeded is</p>

## Region 5: Ingram/Hospital Creek Chlorpyrifos

---

high. The data have shown exceedance for the CDFG criterion and hence the WQO has been exceeded. List the Ingram/Hospital Creek from their confluence east of Dairy Rd. to the San Joaquin River.

## Region 5: Jack Slough

### Diazinon

---

<b>Water Body</b>	Jack Slough
<b>Stressor/Media/Beneficial Use</b>	Diazinon/Water/Aquatic Life
<b>Data quality assessment. Extent to which data quality requirements met.</b>	Generally limited consideration to those organizations that conduct monitoring using documented QA/QC procedures.
<b>Linkage between measurement endpoint and beneficial use or standard</b>	Diazinon linked to Aquatic Life.
<b>Utility of measure for judging if standards or uses are not attained</b>	WQO, CDFG criteria for Diazinon.
<b>Water Body-specific Information</b>	Data = 2 years (1994 and 2000), Data measured at the site, Species or Indicator present at site, Environmental conditions considered at site.
<b>Data used to assess water quality</b>	Data = 19 samples, out of those 19 samples exceeded the chronic criterion and the acute criterion, 19 total of 19 (100%). The criterion used are the CDFG criterion used to determine if the WQO has been exceeded. Some of the samples were 16 times the chronic levels of CDFG water quality criterion.
<b>Spatial representation</b>	The samples were collected from the slough during rain events.
<b>Temporal representation</b>	The samples were collected over 2 years (1994 and 2000), during January and February.
<b>Data type</b>	Numerical data.
<b>Use of standard method</b>	Regional board and USGS study methods.
<b>Potential Source(s) of Pollutant</b>	Agriculture (application on orchards and field crops).
<b>Alternative Enforceable Program</b>	
<b>RWQCB Recommendation</b>	List.
<b>SWRCB Staff Recommendation</b>	<p>After reviewing the available data and information and the RWQCB documentation for this recommendation, SWRCB staff conclude that the water body should be placed on the section 303(d) list because applicable water quality standards are exceeded and a pollutant contributes to or causes the problem.</p> <p>This conclusion is based on the staff findings that:</p> <ol style="list-style-type: none"> <li>1. The data is considered to be of adequate quality.</li> <li>2. The data exhibited sufficient spatial and temporal coverage.</li> <li>3. Beneficial uses apply to the water body.</li> <li>4. Water quality standard used is applicable.</li> <li>5. The evaluation guideline used to interpret narrative water quality standards is adequate.</li> <li>6. Data are numerical.</li> <li>7. Standard methods were used.</li> <li>8. Other water body- or site-specific information including the effects of</li> </ol>

## Region 5: Jack Slough Diazinon

---

season and age of the data were considered.

All of the water quality measurements exceeded the water quality standard.  
The staff confidence that standards were exceeded is high.

## Region 5: James Creek Nickel and Mercury

---

<b>Water Body</b>	James Creek
<b>Stressor/Media/Beneficial Use</b>	Nickel and Mercury
<b>Data quality assessment. Extent to which data quality requirements met.</b>	N/A
<b>Linkage between measurement endpoint and beneficial use or standard</b>	N/A
<b>Utility of measure for judging if standards or uses are not attained</b>	N/A
<b>Water Body-specific Information</b>	
<b>Data used to assess water quality</b>	The total size and size affected were reassessed by SWRCB staff and RWQCB staff, subsequent to the RWQCB's first change recommendation. This waterbody has been remapped and the revised extent impacted is 8.5 miles. The new extent is calculated by the Geospatial Water Body System (GeoWBS), using staff's best estimate of the extent to which water quality standards are not met.
<b>Spatial representation</b>	
<b>Temporal representation</b>	
<b>Data type</b>	
<b>Use of standard method</b>	
<b>Potential Source(s) of Pollutant</b>	Resource Extraction/Abandoned mines.
<b>Alternative Enforceable Program</b>	
<b>RWQCB Recommendation</b>	Change in Total Size and Size Affected. Change listing from the total length of 6 miles to 9 miles. Extent of affected area to be changed from 6 miles to 8.5 mile. Buer et al. (1979), Montoya and Pan (1992), USGS (1980, 1987a, 1987b, 1997), indicate that the total length of James Creek is 9 miles. The inflow mine drainage starts 0.5 miles downstream, hence 8.5 miles affected size.
<b>SWRCB Staff Recommendation</b>	Change in total size and size affected. RWQCB staff worked with SWRCB staff and this area was remapped. It was agreed that the new extent impacted is 8.5 miles. Total length is 9 miles.

## Region 5: Keswick Reservoir

### Cadmium, copper, zinc

---

<b>Water Body</b>	Keswick Reservoir
<b>Stressor/Media/Beneficial Use</b>	Cadmium, copper, zinc
<b>Data quality assessment. Extent to which data quality requirements met.</b>	N/A
<b>Linkage between measurement endpoint and beneficial use or standard</b>	N/A
<b>Utility of measure for judging if standards or uses are not attained</b>	N/A
<b>Water Body-specific Information</b>	
<b>Data used to assess water quality</b>	The total size and size affected were reassessed by SWRCB staff and RWQCB staff, subsequent to the RWQCB's first change recommendation. This waterbody has been remapped and the revised extent impacted is 135 acres. The new extent is calculated by the Geospatial Water Body System (GeoWBS), using staff's best estimate of the extent to which water quality standards are not met.
<b>Spatial representation</b>	
<b>Temporal representation</b>	
<b>Data type</b>	
<b>Use of standard method</b>	
<b>Potential Source(s) of Pollutant</b>	
<b>Alternative Enforceable Program</b>	
<b>RWQCB Recommendation</b>	Change in total size affected. The impaired extent is the portion downstream from Spring Creek. Size change: The mapped impaired extent changed from 555 acres to 135 acres.
<b>SWRCB Staff Recommendation</b>	Change in total size affected. RWQCB staff worked with SWRCB staff and this area was remapped. It was agreed that the new extent impacted is 135 acres.



## Region 5: Kings River, Lower

### Electrical conductivity, molybdenum, toxaphene

---

<b>Water Body</b>	Kings River, Lower
<b>Stressor/Media/Beneficial Use</b>	Electrical conductivity, molybdenum, toxaphene
<b>Data quality assessment. Extent to which data quality requirements met.</b>	N/A
<b>Linkage between measurement endpoint and beneficial use or standard</b>	N/A
<b>Utility of measure for judging if standards or uses are not attained</b>	N/A
<b>Water Body-specific Information</b>	
<b>Data used to assess water quality</b>	The total size and size affected were reassessed by SWRCB staff and RWQCB staff, subsequent to the RWQCB's first change recommendation. This waterbody has been remapped and the revised extent impacted is 36 miles. The new extent is calculated by the Geospatial Water Body System (GeoWBS), using staff's best estimate of the extent to which water quality standards are not met.
<b>Spatial representation</b>	
<b>Temporal representation</b>	
<b>Data type</b>	
<b>Use of standard method</b>	
<b>Potential Source(s) of Pollutant</b>	
<b>Alternative Enforceable Program</b>	
<b>RWQCB Recommendation</b>	Change in total size affected. The impaired extent is from Island Weir to Stinson and Empire Weirs. Size change: The mapped impaired extent changed from 52 to 36 miles
<b>SWRCB Staff Recommendation</b>	Change in total size affected. RWQCB staff worked with SWRCB staff and this area was remapped. It was agreed that the new extent impacted is 36 miles.

## Region 5: Lake Combie

### Mercury

---

<b>Water Body</b>	Lake Combie
<b>Stressor/Media/Beneficial Use</b>	Mercury/Tissue/Fish Consumption
<b>Data quality assessment. Extent to which data quality requirements met.</b>	Generally limited consideration to those organizations that conduct monitoring using documented QA/QC procedures.
<b>Linkage between measurement endpoint and beneficial use or standard</b>	Mercury linked to Fish Consumption.
<b>Utility of measure for judging if standards or uses are not attained</b>	Basin Plan WQO, USEPA criterion for human health consumption levels of mercury.
<b>Water Body-specific Information</b>	Data = 1 Year (1999), Data measured at the site, Species or Indicator present at site, Environmental conditions considered at site.
<b>Data used to assess water quality</b>	USGS Data = 9 trophic level 4 fish. They had an average mercury concentration of 0.91ppm, exceeding the 0.3 ppm USEPA criteria. OEHHA is in the process of developing a state advisory for Nevada County based on this data.
<b>Spatial representation</b>	Data was collected from Lake Combie (360 acres).
<b>Temporal representation</b>	The data was collected during one year, 1999.
<b>Data type</b>	Numerical data.
<b>Use of standard method</b>	USGS methods.
<b>Potential Source(s) of Pollutant</b>	Resource Extraction (Abandoned mines).
<b>Alternative Enforceable Program</b>	
<b>RWQCB Recommendation</b>	List.
<b>SWRCB Staff Recommendation</b>	<p>After reviewing the available data and information and the RWQCB documentation for this recommendation, SWRCB staff conclude that the water body should be placed on the section 303(d) list because applicable water quality standards are exceeded and a pollutant contributes to or causes the problem.</p> <p>This conclusion is based on the staff findings that:</p> <ol style="list-style-type: none"> <li>1. The data is considered to be of adequate quality.</li> <li>2. The data exhibited sufficient spatial and temporal coverage.</li> <li>3. Beneficial uses apply to the water body.</li> <li>4. Water quality standard used is applicable.</li> <li>5. The evaluation guideline used to interpret narrative water quality standards is adequate.</li> <li>6. Data are numerical.</li> <li>7. Standard methods were used.</li> <li>8. Other water body- or site-specific information including the age of the data were considered.</li> </ol>

## Region 5: Lake Combie

### Mercury

---

All of the water quality measurements exceeded the water quality standard.  
The staff confidence that standards were exceeded is high.

## Region 5: Little Cow Creek

### Cadmium, copper, zinc

---

<b>Water Body</b>	Little Cow Creek
<b>Stressor/Media/Beneficial Use</b>	Cadmium, copper, zinc
<b>Data quality assessment. Extent to which data quality requirements met.</b>	N/A
<b>Linkage between measurement endpoint and beneficial use or standard</b>	N/A
<b>Utility of measure for judging if standards or uses are not attained</b>	N/A
<b>Water Body-specific Information</b>	
<b>Data used to assess water quality</b>	The total size and size affected were reassessed by SWRCB staff and RWQCB staff, subsequent to the RWQCB's first change recommendation. This waterbody has been remapped and the revised extent impacted is 1.1 miles. The new extent is calculated by the Geospatial Water Body System (GeoWBS), using staff's best estimate of the extent to which water quality standards are not met.
<b>Spatial representation</b>	
<b>Temporal representation</b>	
<b>Data type</b>	
<b>Use of standard method</b>	
<b>Potential Source(s) of Pollutant</b>	
<b>Alternative Enforceable Program</b>	
<b>RWQCB Recommendation</b>	Change in total size affected. The impaired extent is downstream from the Afterthought Mine. Size change: The mapped impaired extent changed from 2.7 miles to 1.1 miles.
<b>SWRCB Staff Recommendation</b>	Change in total size affected. RWQCB staff worked with SWRCB staff and this area was remapped. It was agreed that the new extent impacted is 1.1 miles.

## Region 5: Little Deer Creek

### Mercury

---

<b>Water Body</b>	Little Deer Creek
<b>Stressor/Media/Beneficial Use</b>	Mercury/Tissue/Fish consumption
<b>Data quality assessment. Extent to which data quality requirements met.</b>	Generally limited consideration to those organizations that conduct monitoring using documented QA/QC procedures.
<b>Linkage between measurement endpoint and beneficial use or standard</b>	Mercury linked to Fish Consumption.
<b>Utility of measure for judging if standards or uses are not attained</b>	Basin Plan WQO for Toxicity for Mercury, USEPA criterion for human health consumption levels of mercury.
<b>Water Body-specific Information</b>	Data = 1 Year (1999), Data measured at the site, Species or Indicator present at site, Environmental conditions considered at site.
<b>Data used to assess water quality</b>	USGS and UC Davis Data = 6 trophic level 3 fish. They had an average mercury concentration of 0.32 ppm, exceeding the 0.3 ppm USEPA criterion. OEHHA is in the process of developing a state advisory for Nevada County based on this data.
<b>Spatial representation</b>	Samples collected in Little Deer Creek at Pioneer Park.
<b>Temporal representation</b>	Samples were collected on October 6th, 1999.
<b>Data type</b>	Numerical data.
<b>Use of standard method</b>	USGS methods.
<b>Potential Source(s) of Pollutant</b>	Resource Extraction (abandoned mines).
<b>Alternative Enforceable Program</b>	
<b>RWQCB Recommendation</b>	List.
<b>SWRCB Staff Recommendation</b>	<p>After reviewing the available data and information and the RWQCB documentation for this recommendation, SWRCB staff conclude that the water body should be placed on the section 303(d) list because applicable water quality standards are exceeded and a pollutant contributes to or causes the problem.</p> <p>This conclusion is based on the staff findings that:</p> <ol style="list-style-type: none"> <li>1. The data is considered to be of adequate quality.</li> <li>2. The data exhibited sufficient spatial and temporal coverage.</li> <li>3. Beneficial uses apply to the water body.</li> <li>4. Water quality standard used is applicable.</li> <li>5. The evaluation guideline used to interpret narrative water quality standards is adequate.</li> <li>6. Data are numerical.</li> <li>7. Standard methods were used.</li> <li>8. Other water body- or site-specific information including the age of the data were considered.</li> </ol>

## Region 5: Little Deer Creek Mercury

---

All of the water quality measurements exceeded the water quality standard.  
The staff confidence that standards were exceeded is high.

## Region 5: Lone Tree Creek

### Ammonia, BOD, Electrical Conductivity

---

<b>Water Body</b>	Lone Tree Creek
<b>Stressor/Media/Beneficial Use</b>	Ammonia, BOD, Electrical Conductivity
<b>Data quality assessment. Extent to which data quality requirements met.</b>	N/A
<b>Linkage between measurement endpoint and beneficial use or standard</b>	N/A
<b>Utility of measure for judging if standards or uses are not attained</b>	N/A
<b>Water Body-specific Information</b>	
<b>Data used to assess water quality</b>	The total size and size affected were reassessed by SWRCB staff and RWQCB staff, subsequent to the RWQCB's first change recommendation. This waterbody has been remapped and the revised extent impacted is 15 miles. The new extent is calculated by the Geospatial Water Body System (GeoWBS), using staff's best estimate of the extent to which water quality standards are not met.
<b>Spatial representation</b>	
<b>Temporal representation</b>	
<b>Data type</b>	
<b>Use of standard method</b>	
<b>Potential Source(s) of Pollutant</b>	
<b>Alternative Enforceable Program</b>	
<b>RWQCB Recommendation</b>	Change in total size affected. The mapped impaired extent changed from 25 miles to 15 miles.
<b>SWRCB Staff Recommendation</b>	Change in total size affected. RWQCB staff worked with SWRCB staff and this area was remapped. It was agreed that the new extent impacted is 15 miles.

## Region 5: Marsh Creek Metals

---

<b>Water Body</b>	Marsh Creek
<b>Stressor/Media/Beneficial Use</b>	Metals
<b>Data quality assessment. Extent to which data quality requirements met.</b>	N/A
<b>Linkage between measurement endpoint and beneficial use or standard</b>	N/A
<b>Utility of measure for judging if standards or uses are not attained</b>	N/A
<b>Water Body-specific Information</b>	
<b>Data used to assess water quality</b>	The total size and size affected were reassessed by SWRCB staff and RWQCB staff, subsequent to the RWQCB's first change recommendation. This waterbody has been remapped and the revised extent impacted is 10 mile section and a second 11 mile section. The new extent is calculated by the Geospatial Water Body System (GeoWBS), using staff's best estimate of the extent to which water quality standards are not met.
<b>Spatial representation</b>	
<b>Temporal representation</b>	
<b>Data type</b>	
<b>Use of standard method</b>	
<b>Potential Source(s) of Pollutant</b>	
<b>Alternative Enforceable Program</b>	
<b>RWQCB Recommendation</b>	Change in Total Size and Size Affected. Change listing from the total length of 24 miles to 8.5 miles. Extent of affected area to be changed from all of Marsh Creek to Marsh Creek from Dunn Creek to Marsh Creek Reservoir. The affected length of Marsh Creek for this listing is only the 8.5 miles from Dunn Creek to the Marsh Creek Reservoir.
<b>SWRCB Staff Recommendation</b>	Change in Total Size and Size Affected. RWQCB staff worked with SWRCB staff and this area was remapped. This area was split into a ten mile section from Marsh Creek Reservoir to the San Joaquin River for mercury and metals and a second 11 mile section from Dunn Creek to Marsh Creek Reservoir for metals only.



## Region 5: Marsh Creek

### Mercury

---

<b>Water Body</b>	Marsh Creek
<b>Stressor/Media/Beneficial Use</b>	Mercury
<b>Data quality assessment. Extent to which data quality requirements met.</b>	N/A
<b>Linkage between measurement endpoint and beneficial use or standard</b>	N/A
<b>Utility of measure for judging if standards or uses are not attained</b>	N/A
<b>Water Body-specific Information</b>	
<b>Data used to assess water quality</b>	The total size and size affected were reassessed by SWRCB staff and RWQCB staff, subsequent to the RWQCB's first change recommendation. This waterbody has been remapped and the revised extent impacted is 10 mile section and a second 11 mile section. The new extent is calculated by the Geospatial Water Body System (GeoWBS), using staff's best estimate of the extent to which water quality standards are not met.
<b>Spatial representation</b>	
<b>Temporal representation</b>	
<b>Data type</b>	
<b>Use of standard method</b>	
<b>Potential Source(s) of Pollutant</b>	
<b>Alternative Enforceable Program</b>	
<b>RWQCB Recommendation</b>	Change in Total Size and Size Affected. Change listing from the total length of 24 miles to 16.5 miles. Extent of affected area to be changed from all of Marsh Creek, to Marsh Creek from Dunn Creek to Marsh Creek Reservoir. The affected length of Marsh Creek for this listing is only the 16.5 miles from Dunn Creek to the Marsh Creek Reservoir.
<b>SWRCB Staff Recommendation</b>	Change in Total Size and Size Affected. RWQCB staff worked with SWRCB staff and this area was remapped. This area was split into a ten mile section from Marsh Creek Reservoir to the San Joaquin River for mercury and metals and a second 11 mile section from Dunn Creek to Marsh Creek Reservoir for metals only. The new extent impacted for Marsh Creek Reservoir for mercury is 728 acres.

## Region 5: Mendota Pool Selenium

---

<b>Water Body</b>	Mendota Pool
<b>Stressor/Media/Beneficial Use</b>	Selenium/Water/WILD
<b>Data quality assessment. Extent to which data quality requirements met.</b>	Limited consideration to those organizations that conduct monitoring using documented QA/QC procedures.
<b>Linkage between measurement endpoint and beneficial use or standard</b>	Selenium linked to WILD (wildlife) beneficial use.
<b>Utility of measure for judging if standards or uses are not attained</b>	Selenium objective (2 ppb monthly mean) applicable to nearby wetlands used to evaluate impact to wetland habitat associated with Mendota Pool.
<b>Water Body-specific Information</b>	The Mendota Pool includes the San Joaquin River 3 miles upstream of the Mendota Dam and Fresno Slough 8 miles upstream of the Mendota Dam.
<b>Data used to assess water quality</b>	Data from 3 years from the Mendota Pool and 2 years just downstream of the Mendota Pool. Seven of 26 samples from the Mendota Pool and 4 of 20 just downstream of the Pool were greater than 2 ppb.
<b>Spatial representation</b>	Data analyzed is from one site within the Mendota Pool and one site just downstream of the Mendota Pool.
<b>Temporal representation</b>	Samples were collected over a several year period.
<b>Data type</b>	Numeric water column concentration data.
<b>Use of standard method</b>	RWQCB sample collection and analytical protocols for selenium were used.
<b>Potential Source(s) of Pollutant</b>	Ground water pumping into the pool and the source water (Delta-Mendota Canal).
<b>Alternative Enforceable Program</b>	N/A
<b>RWQCB Recommendation</b>	List.
<b>SWRCB Staff Recommendation</b>	<p>After reviewing the available data and information and the RWQCB documentation for this recommendation, SWRCB staff conclude that the water body should be placed on the section 303(d) list because applicable water quality standards are exceeded and a pollutant contributes to or causes the problem.</p> <p>This conclusion is based on the staff findings that:</p> <ol style="list-style-type: none"> <li>1. The data is considered to be of adequate quality.</li> <li>2. The data exhibited sufficient spatial and temporal coverage.</li> <li>3. Beneficial uses have been established for the water body.</li> <li>4. Water quality standard used is applicable.</li> <li>5. Data are numerical.</li> <li>6. Standard methods were used.</li> <li>7. Other water body- or site-specific information including the age of the data were considered.</li> </ol>

## Region 5: Mendota Pool Selenium

---

An adequate number of the water quality measurements exceeded the water quality standard. The staff confidence that standards were exceeded is high.

## Region 5: Merced River, Lower Chlorpyrifos, diazinon, Group A pesticides

---

<b>Water Body</b>	Merced River, Lower
<b>Stressor/Media/Beneficial Use</b>	Chlorpyrifos, diazinon, Group A pesticides
<b>Data quality assessment. Extent to which data quality requirements met.</b>	N/A
<b>Linkage between measurement endpoint and beneficial use or standard</b>	N/A
<b>Utility of measure for judging if standards or uses are not attained</b>	N/A
<b>Water Body-specific Information</b>	
<b>Data used to assess water quality</b>	The total size and size affected were reassessed by SWRCB staff and RWQCB staff, subsequent to the RWQCB's first change recommendation. This waterbody has been remapped and the revised extent impacted is 50 miles. The new extent is calculated by the Geospatial Water Body System (GeoWBS), using staff's best estimate of the extent to which water quality standards are not met.
<b>Spatial representation</b>	
<b>Temporal representation</b>	
<b>Data type</b>	
<b>Use of standard method</b>	
<b>Potential Source(s) of Pollutant</b>	
<b>Alternative Enforceable Program</b>	
<b>RWQCB Recommendation</b>	Change in total size affected. The impaired extent is from McSwain Reservoir to the San Joaquin River. Size change: The mapped impaired extent was changed from 51 miles to 50 miles.
<b>SWRCB Staff Recommendation</b>	Change in total size affected. RWQCB staff worked with SWRCB staff and this area was remapped. It was agreed that the new extent impacted is 50 miles.

## Region 5: Middle River

### Low Dissolved Oxygen

---

<b>Water Body</b>	Middle River
<b>Stressor/Media/Beneficial Use</b>	Low Dissolved Oxygen/Water/Aquatic Life
<b>Data quality assessment. Extent to which data quality requirements met.</b>	Data comes from real-time sensors operated by the California Department of Water Resources as part of the Interagency Ecological Program.
<b>Linkage between measurement endpoint and beneficial use or standard</b>	Dissolved oxygen linked to various aquatic life uses (WARM/COLD/MIGR/SPWN).
<b>Utility of measure for judging if standards or uses are not attained</b>	RWQCB dissolved oxygen water quality objective.
<b>Water Body-specific Information</b>	10 months of data from one site. (January 2001-October 2001).
<b>Data used to assess water quality</b>	22,000 data points. DO analyzed about every 15 minutes. Range 2.7 mg/L to saturation. 4.5 % of samples below 5.0 mg/L. More frequent violations in June & July.
<b>Spatial representation</b>	Data collected from the approximate mid-point of the identified impaired reach. No major inflows in the reach identified.
<b>Temporal representation</b>	One year of 15-minute interval data available for the critical time period (June/July).
<b>Data type</b>	Numerical data.
<b>Use of standard method</b>	
<b>Potential Source(s) of Pollutant</b>	Unknown. It is likely this problem is due to pollutants such as nutrients or pollution (low flow or channel morphology of the water body).
<b>Alternative Enforceable Program</b>	N/A
<b>RWQCB Recommendation</b>	List Middle River from the San Joaquin River to the Victoria Canal.
<b>SWRCB Staff Recommendation</b>	<p>After reviewing the available data and information and the RWQCB documentation for this recommendation, SWRCB staff conclude that the water body should be placed on the section 303(d) list because applicable water quality standards are exceeded and a pollutant contributes to or causes the problem.</p> <p>This conclusion is based on the staff findings that:</p> <ol style="list-style-type: none"> <li>1. The data is considered to be of adequate quality.</li> <li>2. The data exhibited sufficient temporal coverage.</li> <li>3. Beneficial uses apply to the water body.</li> <li>4. Water quality standard used is applicable.</li> <li>5. Data are numerical.</li> <li>6. Standard methods were used.</li> <li>7. Other water body- or site-specific information including the effects of season and age of the data were considered.</li> </ol> <p>An adequate number of the water quality measurements exceeded the water</p>

## Region 5: Middle River Low Dissolved Oxygen

---

quality standard. The staff confidence that standards were exceeded is high. List Middle River from the San Joaquin River to the Victoria Canal.

## Region 5: Mokelumne River, Lower Aluminum

---

<b>Water Body</b>	Mokelumne River, Lower
<b>Stressor/Media/Beneficial Use</b>	Aluminum/Water/Aquatic Life
<b>Data quality assessment. Extent to which data quality requirements met.</b>	Generally limited consideration to those organizations that conduct monitoring using documented QA/QC procedures.
<b>Linkage between measurement endpoint and beneficial use or standard</b>	Aluminum linked to WQO for Toxicity and chemical constituents.
<b>Utility of measure for judging if standards or uses are not attained</b>	WQO , USEPA NWRAQ and MCL criteria for aluminum.
<b>Water Body-specific Information</b>	<p>The older U.S. Fish and Wildlife Service Data = 257 samples collected between 1988 and 1992. 35 samples exceeded the NRWAQ Maximum Criterion, and 24 exceeded the MCL criterion. Regional Board staff evaluated this data in lieu of the older U.S. Fish and Wildlife Service data that was collected prior to the remediation at Penn Mine.</p> <p>Two of the 76 samples were above USEPA national acute criteria for the protection of aquatic life (750 ug/L). The two samples were also above the MCL (1,000 ug/L). The two samples were collected in January 1997 and February 1997 respectively. No samples taken from 1994 to that time or after have been above the aquatic life or MCL criteria. The average concentration of all samples taken since 1994 is 250 ug/L (see EBMUD comment letter).</p>
<b>Data used to assess water quality</b>	<p>The issue addressed is whether the two samples collected were truly outliers (unlikely to occur) or whether the two samples were representative of conditions that may occur again. The significant rainfall that fell during December and January likely triggered the high aluminum levels observed in January and February of 1997. The high and frequent rainfall likely resulted in higher than normal amounts of erosion. In addition, the retention time for water in upstream reservoirs would have been decreased, since higher than normal releases would have been required. The decreased retention time would give less time for suspended sediment, which would be the source of most of the aluminum, to settle.</p> <p>Precipitation data from Camp Pardee, which is located upstream of the Camanche reservoir and the lower Mokelumne River were reviewed. The highest rainfall recorded at Camp Pardee in the last 50 years occurred on January 2, 1997. The frequency of rain-days in December and January 1997 was higher than average (it rained over 51% of the days versus a historic average of 32%) (UC IPM, 2002).</p> <p>Flow records for the Mokelumne River below Camanche Dam were reviewed. The U.S. Geological Survey's historic monthly mean daily flow records (USGS, 2002) indicate that the monthly mean daily flow in January and February 1997 were the highest and third highest, respectively, on record. (97 years).</p> <p>Since the storm events that resulted in the high observed aluminum levels are the most severe on record, it is unlikely that the aluminum criteria will be exceeded. The data set consists of 76 samples from the Camanche</p>

## Region 5: Mokelume River, Lower Aluminum

---

	reservoir, just downstream of the Camanche reservoir since 1994.
<b>Spatial representation</b>	The samples were collected at three locations along the river.
<b>Temporal representation</b>	The samples were collected over 4 years (1988-1992).
<b>Data type</b>	Numerical data.
<b>Use of standard method</b>	EBMUD methods for sampling.
<b>Potential Source(s) of Pollutant</b>	Resource Extraction (abandoned mines).
<b>Alternative Enforceable Program</b>	
<b>RWQCB Recommendation</b>	Exclude from Listing.
<b>SWRCB Staff Recommendation</b>	Exclude from listing. In the review of the available data and information and the RWQCB documentation for this recommendation, SWRCB staff conclude that the water body should not be placed on the section 303(d) list because applicable water quality standards are not exceeded.



## Region 5: Mokelumne River, Lower Zinc

---

<b>Water Body</b>	Mokelumne River, Lower
<b>Stressor/Media/Beneficial Use</b>	Zinc
<b>Data quality assessment. Extent to which data quality requirements met.</b>	N/A
<b>Linkage between measurement endpoint and beneficial use or standard</b>	N/A
<b>Utility of measure for judging if standards or uses are not attained</b>	N/A
<b>Water Body-specific Information</b>	Mokelumne River was included in the 1998 303(d) list as all of the lower Mokelumne River listing for Zinc. RB wants to list the Mokelumne from the Camanche Dam to the Delta, as a listing for Zinc.
<b>Data used to assess water quality</b>	The original listing was in 1992, all of lower Mokelumne River was listed for Zinc as part of the Mokelumne. RB feels that it should now be listed as Lower Mokelumne River listing from Camanche Dam to Delta because, it is more appropriate to list reservoirs separate from their downstream drainages, from a watershed management strategy perspective. Rivers and reservoirs have different management strategies.
<b>Spatial representation</b>	
<b>Temporal representation</b>	
<b>Data type</b>	
<b>Use of standard method</b>	
<b>Potential Source(s) of Pollutant</b>	Resource Extraction/Abandoned mines.
<b>Alternative Enforceable Program</b>	
<b>RWQCB Recommendation</b>	Change in areal extent.
<b>SWRCB Staff Recommendation</b>	Change in areal extent.

## Region 5: Mokelumne River, Lower Copper

---

<b>Water Body</b>	Mokelumne River, Lower
<b>Stressor/Media/Beneficial Use</b>	Copper
<b>Data quality assessment. Extent to which data quality requirements met.</b>	N/A
<b>Linkage between measurement endpoint and beneficial use or standard</b>	N/A
<b>Utility of measure for judging if standards or uses are not attained</b>	N/A
<b>Water Body-specific Information</b>	Mokelumne River was included in the 1998 303(d) list as all of the lower Mokelumne River listing for Copper. RB wants to list the Mokelumne from the Camanche Dam to the Delta, as a listing for Copper.
<b>Data used to assess water quality</b>	The original listing was in 1992, all of lower Mokelumne River was listed for Copper as part of the Mokelumne. RB feels that it should now be listed as Lower Mokelumne River listing from Camanche Dam to Delta because, it is more appropriate to list reservoirs separate from their downstream drainages, from a watershed management strategy perspective. Rivers and reservoirs have different management strategies.
<b>Spatial representation</b>	
<b>Temporal representation</b>	
<b>Data type</b>	
<b>Use of standard method</b>	
<b>Potential Source(s) of Pollutant</b>	Resource Extraction/Abandoned mines.
<b>Alternative Enforceable Program</b>	
<b>RWQCB Recommendation</b>	Change in areal extent.
<b>SWRCB Staff Recommendation</b>	Change in areal extent.

## Region 5: Mormon Slough

### Organic Enrichment-Low Dissolved Oxygen

---

<b>Water Body</b>	Mormon Slough
<b>Stressor/Media/Beneficial Use</b>	Organic Enrichment-Low Dissolved Oxygen/Water/Aquatic Life
<b>Data quality assessment. Extent to which data quality requirements met.</b>	Generally limited consideration to those organizations that conduct monitoring using documented QA/QC procedures.
<b>Linkage between measurement endpoint and beneficial use or standard</b>	Low Dissolved Oxygen linked to Aquatic Life.
<b>Utility of measure for judging if standards or uses are not attained</b>	Basin Plan WQO for Dissolved Oxygen.
<b>Water Body-specific Information</b>	Data = 2 Years (1999- 2000), Data measured at the site, Species or Indicator present at site, Environmental Conditions considered at site.
<b>Data used to assess water quality</b>	Data = 30 samples with 27 of those samples falling below the WQO of 5 mg/L.
<b>Spatial representation</b>	The data were collected from Mormon Slough.
<b>Temporal representation</b>	The data were collected over 2 years, from 11/99-2/00.
<b>Data type</b>	Numerical data.
<b>Use of standard method</b>	DeltaKeeper methods.
<b>Potential Source(s) of Pollutant</b>	Urban Runoff/Storm Sewers. It is likely this problem is due to pollutants such as nutrients or pollution (low flow or channel morphology of the water body).
<b>Alternative Enforceable Program</b>	
<b>RWQCB Recommendation</b>	List.
<b>SWRCB Staff Recommendation</b>	<p>After reviewing the available data and information and the RWQCB documentation for this recommendation, SWRCB staff conclude that the water body should be placed on the section 303(d) list because applicable water quality standards are exceeded and a pollutant contributes to or causes the problem.</p> <p>This conclusion is based on the staff findings that:</p> <ol style="list-style-type: none"> <li>1. The data is considered to be of adequate quality.</li> <li>2. The data exhibited sufficient spatial and temporal coverage.</li> <li>3. Beneficial uses apply to the water body.</li> <li>4. Water quality standard used is applicable.</li> <li>5. Data are numerical.</li> <li>6. Standard methods were used.</li> <li>7. Other water body- or site-specific information including the age of the data were considered.</li> </ol> <p>Most of the water quality measurements exceeded the water quality standard. The staff confidence that standards were exceeded is high. RWQCB staff worked with SWRCB staff and this area was remapped. It</p>

## Region 5: Mormon Slough

### Organic Enrichment-Low Dissolved Oxygen

---

was agreed to split Mormon Slough into a 0.93 mile section from Commerce Street to Stockton Deep Water Channel for organic enrichment/low dissolved oxygen and pathogens and a second 5.2 mile section from Stockton Diverting Canal to Commerce Street for pathogens only.

## Region 5: Mormon Slough

### Pathogens

---

<b>Water Body</b>	Mormon Slough
<b>Stressor/Media/Beneficial Use</b>	Pathogens/Water/REC-1
<b>Data quality assessment. Extent to which data quality requirements met.</b>	Generally limited consideration to those organizations that conduct monitoring using documented QA/QC procedures.
<b>Linkage between measurement endpoint and beneficial use or standard</b>	Pathogens linked to REC-1 beneficial uses.
<b>Utility of measure for judging if standards or uses are not attained</b>	CDHS and USEPA criteria.
<b>Water Body-specific Information</b>	Data = 10 Months (2000-2001), Data measured at the site, Species or Indicator present at site, Environmental conditions considered at site.
<b>Data used to assess water quality</b>	Data =31 samples with a calculated Geometric mean. The Geometric mean = 1,272 MPN per 100ml, exceeding the 126 per 100 ml USEPA criterion. The WQO has been exceeded.
<b>Spatial representation</b>	The data were collected from Mormon Slough at one sampling location.
<b>Temporal representation</b>	The data were sampled from one location over a ten month period of time (2000-2001).
<b>Data type</b>	Numerical data.
<b>Use of standard method</b>	DeltaKeeper methods.
<b>Potential Source(s) of Pollutant</b>	Urban Runoff/Recreation.
<b>Alternative Enforceable Program</b>	
<b>RWQCB Recommendation</b>	List.
<b>SWRCB Staff Recommendation</b>	<p>After reviewing the available data and information and the RWQCB documentation for this recommendation, SWRCB staff conclude that the water body should be placed on the section 303(d) list because applicable water quality standards are exceeded and a pollutant contributes to or causes the problem.</p> <p>This conclusion is based on the staff findings that:</p> <ol style="list-style-type: none"> <li>1. The data is considered to be of adequate quality.</li> <li>2. The data exhibited sufficient spatial and temporal coverage.</li> <li>3. Beneficial uses apply to the water body.</li> <li>4. Water quality standard used is applicable.</li> <li>5. The evaluation guideline used to interpret narrative water quality standards is adequate.</li> <li>6. Data are numerical.</li> <li>7. Standard methods were used.</li> <li>8. Other water body- or site-specific information including the effects of natural sources, season, storm events, and age of the data were considered.</li> </ol> <p>All of the water quality measurements exceeded the water quality standard.</p>

## Region 5: Mormon Slough Pathogens

---

The staff confidence that standards were exceeded is high. RWQCB staff worked with SWRCB staff and this area was remapped. It was agreed to split Mormon Slough into a 0.93 mile section from Commerce Street to Stockton Deep Water Channel for organic enrichment/low dissolved oxygen and pathogens and a second 5.2 mile section from Stockton Diverting Canal to Commerce Street for pathogens only.

## Region 5: Mosher Slough Diazinon and Chlorpyrifos

---

<b>Water Body</b>	Mosher Slough
<b>Stressor/Media/Beneficial Use</b>	Diazinon and Chlorpyrifos
<b>Data quality assessment. Extent to which data quality requirements met.</b>	N/A
<b>Linkage between measurement endpoint and beneficial use or standard</b>	N/A
<b>Utility of measure for judging if standards or uses are not attained</b>	N/A
<b>Water Body-specific Information</b>	
<b>Data used to assess water quality</b>	The total size and size affected were reassessed by SWRCB staff and RWQCB staff, subsequent to the RWQCB's first change recommendation. This waterbody has been remapped and the revised extent impacted is a 1.3 mile section and a second 3.5 mile section. The new extent is calculated by the Geospatial Water Body System (GeoWBS), using staff's best estimate of the extent to which water quality standards are not met.
<b>Spatial representation</b>	
<b>Temporal representation</b>	
<b>Data type</b>	
<b>Use of standard method</b>	
<b>Potential Source(s) of Pollutant</b>	
<b>Alternative Enforceable Program</b>	
<b>RWQCB Recommendation</b>	Change in Total size affected. Change listing from the total length of 3 miles to 5 miles. Mosher Slough is 5 miles in length. Horizons Technology, Inc. 1997, DeLorme 1998.
<b>SWRCB Staff Recommendation</b>	Change in Total size affected. RWQCB staff worked with SWRCB staff and this area was remapped. It was agreed to split Mosher Slough into a 1.3 mile section downstream of I-5 for chlorpyrifos, diazinon, organic enrichment/low dissolved oxygen impacts and a second 3.5 mile section upstream of I-5 for pathogen impacts.

## Region 5: Mosher Slough

### Pathogens

---

<b>Water Body</b>	Mosher Slough
<b>Stressor/Media/Beneficial Use</b>	Pathogens/Water/REC-1
<b>Data quality assessment. Extent to which data quality requirements met.</b>	Generally limited consideration to those organizations that conduct monitoring using documented QA/QC procedures.
<b>Linkage between measurement endpoint and beneficial use or standard</b>	Pathogens linked to REC-1 Beneficial uses.
<b>Utility of measure for judging if standards or uses are not attained</b>	CDHS and USEPA Bacteria criteria.
<b>Water Body-specific Information</b>	Data = 10 months (in 2000- 2001), Data measured at the site, Species or Indicator present at site, Environmental conditions considered at site.
<b>Data used to assess water quality</b>	Data = 31 samples, 29 of which exceeded the CDHS 30 day criterion for E. coli.
<b>Spatial representation</b>	The data were collected in Mosher Slough.
<b>Temporal representation</b>	The data were collected from May 2000 - February 2001.
<b>Data type</b>	Numerical data.
<b>Use of standard method</b>	DeltaKeeper methods.
<b>Potential Source(s) of Pollutant</b>	Urban Runoff/Storm Sewers.
<b>Alternative Enforceable Program</b>	
<b>RWQCB Recommendation</b>	List.
<b>SWRCB Staff Recommendation</b>	<p>After reviewing the available data and information and the RWQCB documentation for this recommendation, SWRCB staff conclude that the water body should be placed on the section 303(d) list because applicable water quality standards are exceeded and a pollutant contributes to or causes the problem.</p> <p>This conclusion is based on the staff findings that:</p> <ol style="list-style-type: none"> <li>1. The data is considered to be of adequate quality.</li> <li>2. The data exhibited sufficient spatial and temporal coverage.</li> <li>3. Beneficial uses apply to the water body.</li> <li>4. Water quality standard used is applicable.</li> <li>5. The evaluation guideline used to interpret narrative water quality standards is adequate.</li> <li>6. Data are numerical.</li> <li>7. Standard methods were used.</li> <li>8. Other water body- or site-specific information including the age of the data were considered.</li> </ol> <p>Most of the water quality measurements exceeded the water quality</p>



## Region 5: Mosher Slough Pathogens

---

standard. The staff confidence that standards were exceeded is high. The bacterial data show the WQO is exceeded (REC-1). RWQCB staff worked with SWRCB staff and this area was remapped. It was agreed to split Mosher Slough into a 1.3 mile section downstream of I-5 for chlorpyrifos, diazinon, organic enrichment/low dissolved oxygen impacts and a second 3.5 mile section upstream of I-5 for pathogen impacts.

## Region 5: Mosher Slough

### Low Dissolved Oxygen

---

<b>Water Body</b>	Mosher Slough
<b>Stressor/Media/Beneficial Use</b>	Low Dissolved Oxygen/Water/Aquatic Life
<b>Data quality assessment. Extent to which data quality requirements met.</b>	Generally limited consideration to those organizations that conduct monitoring using documented QA/QC procedures.
<b>Linkage between measurement endpoint and beneficial use or standard</b>	Low Dissolved Oxygen linked to Aquatic Life.
<b>Utility of measure for judging if standards or uses are not attained</b>	Basin Plan WQO for Dissolved Oxygen.
<b>Water Body-specific Information</b>	Data = 2 Years (1996 and 1999- 2000), Data measured at the site, Species or Indicator present at site, Environmental Conditions considered at site.
<b>Data used to assess water quality</b>	Data = 43 samples of Dissolved Oxygen values, with 19 (44%) of those samples falling below the WQO of 5 mg/L.
<b>Spatial representation</b>	The Dissolved Oxygen data were collected in Mosher Slough.
<b>Temporal representation</b>	The data were collected 11/99 and 2/00, and also in 11/96 and 10/96.
<b>Data type</b>	Numerical data.
<b>Use of standard method</b>	DeltaKeeper methods.
<b>Potential Source(s) of Pollutant</b>	Urban Runoff/Storm Drains. It is likely this problem is due to pollutants such as nutrients or pollution (low flow or channel morphology of the water body).
<b>Alternative Enforceable Program</b>	
<b>RWQCB Recommendation</b>	List.
<b>SWRCB Staff Recommendation</b>	<p>After reviewing the available data and information and the RWQCB documentation for this recommendation, SWRCB staff conclude that the water body should be placed on the section 303(d) list because applicable water quality standards are exceeded and a pollutant contributes to or causes the problem.</p> <p>This conclusion is based on the staff findings that:</p> <ol style="list-style-type: none"> <li>1. The data is considered to be of adequate quality.</li> <li>2. The data exhibited sufficient spatial and temporal coverage.</li> <li>3. Beneficial uses apply to the water body.</li> <li>4. Water quality standard used is applicable.</li> <li>5. Data are numerical.</li> <li>6. Standard methods were used.</li> <li>7. Other water body- or site-specific information including the age of the data were considered.</li> </ol> <p>An adequate number of the water quality measurements exceeded the water</p>

## Region 5: Mosher Slough

### Low Dissolved Oxygen

---

quality standard. The staff confidence that standards were exceeded is high. RWQCB staff worked with SWRCB staff and this area was remapped. It was agreed to split Mosher Slough into a 1.3 mile section downstream of I-5 for chlorpyrifos, diazinon, organic enrichment/low dissolved oxygen impacts and a second 3.5 mile section upstream of I-5 for pathogen impacts.

## Region 5: Natomas East Main Drainage Canal, Upper Diazinon, PCBs

---

<b>Water Body</b>	Natomas East Main Drainage Canal, Upper
<b>Stressor/Media/Beneficial Use</b>	Diazinon, PCBs
<b>Data quality assessment. Extent to which data quality requirements met.</b>	N/A
<b>Linkage between measurement endpoint and beneficial use or standard</b>	N/A
<b>Utility of measure for judging if standards or uses are not attained</b>	N/A
<b>Water Body-specific Information</b>	
<b>Data used to assess water quality</b>	The total size and size affected were reassessed by SWRCB staff and RWQCB staff, subsequent to the RWQCB's first change recommendation. This waterbody has been remapped and the revised extent impacted is a 3.5 mile section and a second 12 mile section. The new extent is calculated by the Geospatial Water Body System (GeoWBS), using staff's best estimate of the extent to which water quality standards are not met.
<b>Spatial representation</b>	
<b>Temporal representation</b>	
<b>Data type</b>	
<b>Use of standard method</b>	
<b>Potential Source(s) of Pollutant</b>	
<b>Alternative Enforceable Program</b>	
<b>RWQCB Recommendation</b>	Change in total size affected. Split Natomas East Main Drainage Canal into a 3.5 mile section downstream of the confluence with Arcade Creek for Diazinon and PCBs and a second 12 mile section upstream of the confluence with Arcade Creek for PCBs.
<b>SWRCB Staff Recommendation</b>	Change in total size affected. RWQCB staff worked with SWRCB staff and this area was remapped. It was split into 3.5 mile downstream and 12 mile upstream sections.

## Region 5: Newman Wasteway

### Chlorpyrifos

---

<b>Water Body</b>	Newman Wasteway
<b>Stressor/Media/Beneficial Use</b>	Chlorpyrifos/Water/Aquatic Life
<b>Data quality assessment. Extent to which data quality requirements met.</b>	Generally limited consideration to those organizations that conduct monitoring using documented QA/QC procedures.
<b>Linkage between measurement endpoint and beneficial use or standard</b>	Chlorpyrifos linked to Aquatic life.
<b>Utility of measure for judging if standards or uses are not attained</b>	CDFG criteria Chlorpyrifos levels, WQO.
<b>Water Body-specific Information</b>	Data = 3 years (1991-1993), Data measured at the site, Species or Indicator present at site, Environmental conditions considered at site.
<b>Data used to assess water quality</b>	Data =10 samples, out of those, 2 samples exceeded the chronic criteria and 2 samples exceeded the acute criteria. Data ranged to up to 15 times the criteria levels.
<b>Spatial representation</b>	The data were collected from the Newman Wasteway.
<b>Temporal representation</b>	Data were collected for 3 years from 1991-1993. Sampling between January and April.
<b>Data type</b>	Numerical data.
<b>Use of standard method</b>	CDFG methods.
<b>Potential Source(s) of Pollutant</b>	Agriculture.
<b>Alternative Enforceable Program</b>	
<b>RWQCB Recommendation</b>	List.
<b>SWRCB Staff Recommendation</b>	<p>After reviewing the available data and information and the RWQCB documentation for this recommendation, SWRCB staff conclude that the water body should be placed on the section 303(d) list because applicable water quality standards are exceeded and a pollutant contributes to or causes the problem.</p> <p>This conclusion is based on the staff findings that:</p> <ol style="list-style-type: none"> <li>1. The data is considered to be of adequate quality.</li> <li>2. The data exhibited sufficient spatial and temporal coverage.</li> <li>3. Beneficial uses apply to the water body.</li> <li>4. Water quality standard used is applicable.</li> <li>5. The evaluation guideline used to interpret narrative water quality standards is adequate.</li> <li>6. Data are numerical.</li> <li>7. Standard methods were used.</li> <li>8. Other water body- or site-specific information including the age of the data were considered.</li> </ol> <p>An adequate number of the water quality measurements exceeded the water</p>

## Region 5: Newman Wasteway Chlorpyrifos

---

quality standard. The staff confidence that standards were exceeded is moderate. List the entire Wasteway. The data have shown exceedance of the WQO, using CDFG criteria.

## Region 5: Newman Wasteway

### Diazinon

---

<b>Water Body</b>	Newman Wasteway
<b>Stressor/Media/Beneficial Use</b>	Diazinon/Water/Aquatic Life
<b>Data quality assessment. Extent to which data quality requirements met.</b>	Generally limited consideration to those organizations that conduct monitoring using documented QA/QC procedures.
<b>Linkage between measurement endpoint and beneficial use or standard</b>	Diazinon linked to Aquatic Life.
<b>Utility of measure for judging if standards or uses are not attained</b>	WQO for Toxicity and Pesticides, CDFG criteria for Diazinon.
<b>Water Body-specific Information</b>	Data = 3 years (1991-1993), Data measured at the site, Species or Indicator present at site, Environmental conditions considered at site.
<b>Data used to assess water quality</b>	Data =10 samples, out of those, 4 samples exceeded the chronic criteria and 3 samples exceeded the acute criteria. Data ranged to up to 700 times the criteria levels.
<b>Spatial representation</b>	The data were collected from the Newman Wasteway.
<b>Temporal representation</b>	Data were collected for 3 years (1991-93).
<b>Data type</b>	Numerical data.
<b>Use of standard method</b>	CDFG methods.
<b>Potential Source(s) of Pollutant</b>	Agriculture (Used on nut and fruit orchards in winter months).
<b>Alternative Enforceable Program</b>	
<b>RWQCB Recommendation</b>	List.
<b>SWRCB Staff Recommendation</b>	<p>After reviewing the available data and information and the RWQCB documentation for this recommendation, SWRCB staff conclude that the water body should be placed on the section 303(d) list because applicable water quality standards are exceeded and a pollutant contributes to or causes the problem.</p> <p>This conclusion is based on the staff findings that:</p> <ol style="list-style-type: none"> <li>1. The data is considered to be of adequate quality.</li> <li>2. The data exhibited sufficient spatial and temporal coverage.</li> <li>3. Beneficial uses apply to the water body.</li> <li>4. Water quality standard used is applicable.</li> <li>5. The evaluation guideline used to interpret narrative water quality standards is adequate.</li> <li>6. Data are numerical.</li> <li>7. Standard methods were used.</li> <li>8. Other water body- or site-specific information including the age of the data were considered.</li> </ol> <p>An adequate number of the water quality measurements exceeded the water quality standard. The staff confidence that standards were exceeded is</p>

## Region 5: Newman Wasteway Diazinon

---

high. List the entire Wasteway. The data have shown exceedance of the WQO, using CDFG criteria.



## Region 5: Oak Run Creek

### Fecal Coliform

---

<b>Water Body</b>	Oak Run Creek
<b>Stressor/Media/Beneficial Use</b>	Fecal Coliform/Water/REC-1
<b>Data quality assessment. Extent to which data quality requirements met.</b>	Generally limited consideration to those organizations that conduct monitoring using documented QA/QC procedures.
<b>Linkage between measurement endpoint and beneficial use or standard</b>	Fecal coliform linked to REC-1 WQO for Bacteria.
<b>Utility of measure for judging if standards or uses are not attained</b>	WQO for bacteria, REC-1.
<b>Water Body-specific Information</b>	Data = 5 months (June - October 1999), Data measured at the site, Species or Indicator present at site, Environmental Conditions considered at site.
<b>Data used to assess water quality</b>	Data was collected and the average levels were 400 MPN/100ml, exceeding the WQO Geometric Mean levels of 200 MPN/100ml for at least 5 months. The WQO has been exceeded. Many of the samples were above the 30 day basin plan criteria of 400 MPN/100ml.
<b>Spatial representation</b>	Data were collected from the middle reach of Oak Creek.
<b>Temporal representation</b>	Data were collected between June and October of 1999.
<b>Data type</b>	Numerical data.
<b>Use of standard method</b>	Hannaford and North State Institute for Sustainable Communities, sampling methods.
<b>Potential Source(s) of Pollutant</b>	Human and/or Livestock Sources.
<b>Alternative Enforceable Program</b>	
<b>RWQCB Recommendation</b>	List.
<b>SWRCB Staff Recommendation</b>	<p>After reviewing the available data and information and the RWQCB documentation for this recommendation, SWRCB staff conclude that the water body should be placed on the section 303(d) list because applicable water quality standards are exceeded and a pollutant contributes to or causes the problem.</p> <p>This conclusion is based on the staff findings that:</p> <ol style="list-style-type: none"> <li>1. The data is considered to be of adequate quality.</li> <li>2. The data exhibited sufficient spatial and temporal coverage.</li> <li>3. Beneficial uses apply to the water body.</li> <li>4. Water quality standard used is applicable.</li> <li>5. Data are numerical.</li> <li>6. Standard methods were used.</li> <li>7. Other water body- or site-specific information including the age of the data were considered.</li> </ol>

## Region 5: Oak Run Creek

### Fecal Coliform

---

All of the water quality measurements exceeded the water quality standard. The staff confidence that standards were exceeded is high. List the middle reach, 4.5 miles of Oak run creek. From 16.5 miles before the confluence to 12 miles from the confluence.

## Region 5: Old River

### Low Dissolved Oxygen

---

<b>Water Body</b>	Old River
<b>Stressor/Media/Beneficial Use</b>	Low Dissolved Oxygen/Water/Aquatic Life
<b>Data quality assessment. Extent to which data quality requirements met.</b>	Data comes from real-time sensors operated by the California Department of Water Resources as part of the Interagency Ecological Program.
<b>Linkage between measurement endpoint and beneficial use or standard</b>	Dissolved oxygen linked to various aquatic life uses (WARM/COLD/MIGR/SPWN).
<b>Utility of measure for judging if standards or uses are not attained</b>	RWQCB dissolved oxygen water quality objective.
<b>Water Body-specific Information</b>	10 months of data from three sites. (January 2001-October 2001).
<b>Data used to assess water quality</b>	55,000 data points. DO analyzed about every 15 minutes. Range 1.0 mg/L to saturation. 13 % of samples below 5.0 mg/L. More frequent violations during June-September.
<b>Spatial representation</b>	Data collected from the near to San Joaquin River to near the Delta-Mendota Canal and midway between.
<b>Temporal representation</b>	Two years of data available for the critical time period (June-September).
<b>Data type</b>	Numerical data.
<b>Use of standard method</b>	
<b>Potential Source(s) of Pollutant</b>	Unknown. It is likely this problem is due to pollutants such as nutrients or pollution (low flow or channel morphology of the water body).
<b>Alternative Enforceable Program</b>	N/A
<b>RWQCB Recommendation</b>	List Old River from the San Joaquin River to the Delta-Mendota Canal.
<b>SWRCB Staff Recommendation</b>	<p>After reviewing the available data and information and the RWQCB documentation for this recommendation, SWRCB staff conclude that the water body should be placed on the section 303(d) list because applicable water quality standards are exceeded and a pollutant contributes to or causes the problem.</p> <p>This conclusion is based on the staff findings that:</p> <ol style="list-style-type: none"> <li>1. The data is considered to be of adequate quality.</li> <li>2. The data exhibited sufficient spatial and temporal coverage.</li> <li>3. Beneficial uses apply to the water body.</li> <li>4. Water quality standard used is applicable.</li> <li>5. Data are numerical.</li> <li>6. Standard methods were used.</li> <li>7. Other water body- or site-specific information including the age of the data were considered.</li> </ol>

## Region 5: Old River Low Dissolved Oxygen

---

An adequate number of the water quality measurements exceeded the water quality standard. The staff confidence that standards were exceeded is high. List Old River from the San Joaquin River to the Delta-Mendota Canal.

## Region 5: Orestimba Creek

### Azinphos-methyl

---

<b>Water Body</b>	Orestimba Creek
<b>Stressor/Media/Beneficial Use</b>	Azinphos-methyl/Water/Aquatic Life
<b>Data quality assessment. Extent to which data quality requirements met.</b>	Generally limited consideration to those organizations that conduct monitoring using documented QA/QC procedures.
<b>Linkage between measurement endpoint and beneficial use or standard</b>	Azinphos-methyl linked to Aquatic Life.
<b>Utility of measure for judging if standards or uses are not attained</b>	WQO, USEPA criteria for azinphos-methyl.
<b>Water Body-specific Information</b>	Data = 2 years (1992-1993), Data measured at the site, Species or Indicator present at site, Environmental conditions considered at site.
<b>Data used to assess water quality</b>	Data = 46 samples, 9 of which are above the USEPA criteria levels.
<b>Spatial representation</b>	Data were collected from the Creek at River Road.
<b>Temporal representation</b>	Data were collected from 1992-1993 from Feb. 1992- November 1993.
<b>Data type</b>	Numerical data.
<b>Use of standard method</b>	USEPA methods.
<b>Potential Source(s) of Pollutant</b>	Agriculture (Used to control insects on almonds, walnuts and other crops).
<b>Alternative Enforceable Program</b>	
<b>RWQCB Recommendation</b>	List.
<b>SWRCB Staff Recommendation</b>	<p>After reviewing the available data and information and the RWQCB documentation for this recommendation, SWRCB staff conclude that the water body should be placed on the section 303(d) list because applicable water quality standards are exceeded and a pollutant contributes to or causes the problem.</p> <p>This conclusion is based on the staff findings that:</p> <ol style="list-style-type: none"> <li>1. The data is considered to be of adequate quality.</li> <li>2. The data exhibited sufficient spatial and temporal coverage.</li> <li>3. Beneficial uses apply to the water body.</li> <li>4. Water quality standard used is applicable.</li> <li>5. The evaluation guideline used to interpret narrative water quality standards is adequate.</li> <li>6. Data are numerical.</li> <li>7. Standard methods were used.</li> <li>8. Other water body- or site-specific information including the age of the data were considered.</li> </ol> <p>An adequate number of the water quality measurements exceeded the water quality standard. The staff confidence that standards were exceeded is high. RWQCB staff worked with SWRCB staff and this area was remapped. It was agreed to split Orestimba Creek into a 9.1 mile section</p>

## Region 5: Orestimba Creek

### Azinphos-methyl

---

above Kilburn Road for azinphos-methyl, chlorpyrifos, DDE, and diazinon impacts and a second 2.7 mile section below Kilburn Road for azinphos-methyl, chlorpyrifos, DDE, diazinon, and unknown toxicity.

## Region 5: Orestimba Creek DDE

---

<b>Water Body</b>	Orestimba Creek
<b>Stressor/Media/Beneficial Use</b>	DDE/Tissue & Water/Fish Consumption and Drinking Water
<b>Data quality assessment. Extent to which data quality requirements met.</b>	Generally limited consideration to those organizations that conduct monitoring using documented QA/QC procedures.
<b>Linkage between measurement endpoint and beneficial use or standard</b>	DDE linked to Fish Consumption and Drinking Water for the protection of Human health.
<b>Utility of measure for judging if standards or uses are not attained</b>	USEPA - CTR for DDE, WQO.
<b>Water Body-specific Information</b>	Data = 1 year (1993), Data measured at the site, Species or Indicator present at site, Environmental conditions considered at site.
<b>Data used to assess water quality</b>	Data =40 samples, 15 of which exceed the USEPA criterion for DDE, exceeding the WQO.
<b>Spatial representation</b>	Data were collected by USGS from the Creek at River Road.
<b>Temporal representation</b>	Data were collected in 1993, primarily in Jan. and March, with additional sampling May- June, and minimal sampling during the rest of the year.
<b>Data type</b>	Numerical data.
<b>Use of standard method</b>	USGS methods.
<b>Potential Source(s) of Pollutant</b>	Historical Agriculture (prior to being banned in 1972).
<b>Alternative Enforceable Program</b>	
<b>RWQCB Recommendation</b>	List.
<b>SWRCB Staff Recommendation</b>	<p>After reviewing the available data and information and the RWQCB documentation for this recommendation, SWRCB staff conclude that the water body should be placed on the section 303(d) list because applicable water quality standards are exceeded and a pollutant contributes to or causes the problem.</p> <p>This conclusion is based on the staff findings that:</p> <ol style="list-style-type: none"> <li>1. The data is considered to be of adequate quality.</li> <li>2. The data exhibited sufficient spatial and temporal coverage.</li> <li>3. Beneficial uses apply to the water body.</li> <li>4. Water quality standard used is applicable.</li> <li>5. The evaluation guideline used to interpret narrative water quality standards is adequate.</li> <li>6. Data are numerical.</li> <li>7. Standard methods were used.</li> <li>8. Other water body- or site-specific information including the age of the data were considered.</li> </ol> <p>An adequate number of the water quality measurements exceeded the water</p>

## Region 5: Orestimba Creek DDE

---

quality standard. The staff confidence that standards were exceeded is high. RWQCB staff worked with SWRCB staff and this area was remapped. It was agreed to split Orestimba Creek into a 9.1 mile section above Kilburn Road for azinphos-methyl, chlorpyrifos, DDE, and diazinon impacts and a second 2.7 mile section below Kilburn Road for azinphos-methyl, chlorpyrifos, DDE, diazinon, and unknown toxicity.



## Region 5: Panoche Creek

### Mercury, sedimentation/siltation, selenium

---

<b>Water Body</b>	Panoche Creek
<b>Stressor/Media/Beneficial Use</b>	Mercury, sedimentation/siltation, selenium
<b>Data quality assessment. Extent to which data quality requirements met.</b>	N/A
<b>Linkage between measurement endpoint and beneficial use or standard</b>	N/A
<b>Utility of measure for judging if standards or uses are not attained</b>	N/A
<b>Water Body-specific Information</b>	
<b>Data used to assess water quality</b>	The total size and size affected were reassessed by SWRCB staff and RWQCB staff, subsequent to the RWQCB's first change recommendation. This waterbody has been remapped and the revised extent impacted is 18 miles. The new extent is calculated by the Geospatial Water Body System (GeoWBS), using staff's best estimate of the extent to which water quality standards are not met.
<b>Spatial representation</b>	
<b>Temporal representation</b>	
<b>Data type</b>	
<b>Use of standard method</b>	
<b>Potential Source(s) of Pollutant</b>	
<b>Alternative Enforceable Program</b>	
<b>RWQCB Recommendation</b>	Change in total size affected. The impaired extent is from Silver Creek to Belmont Avenue. Size change: The mapped impaired extent changed from 46 miles to 18 miles.
<b>SWRCB Staff Recommendation</b>	Change in total size affected. RWQCB staff worked with SWRCB staff and this area was remapped. It was agreed that the new extent impacted is 18 miles.

## Region 5: Putah Creek, Lower Mercury

---

<b>Water Body</b>	Putah Creek, Lower
<b>Stressor/Media/Beneficial Use</b>	Mercury/Tissue/Fish Consumption
<b>Data quality assessment. Extent to which data quality requirements met.</b>	Generally limited consideration to those organizations that conduct monitoring using documented QA/QC procedures.
<b>Linkage between measurement endpoint and beneficial use or standard</b>	Mercury linked to Fish Consumption.
<b>Utility of measure for judging if standards or uses are not attained</b>	Basin Plan WQO, USEPA criterion for human health consumption levels of mercury.
<b>Water Body-specific Information</b>	Data = 2 Years (1997-1998), Data measured at the site, Species or Indicator present at site, Environmental conditions considered at site.
<b>Data used to assess water quality</b>	USDHHS-ATSDR and UC Davis Data = 67 trophic level 4 fish and 204 trophic level 3 fish. The level 4 fish had 39 fish in exceedance of the criteria levels above 0.3 ppm. Four of Seven Trophic Level 4 fish species had mean mercury concentrations exceeding the 0.3 ppm USEPA criteria.
<b>Spatial representation</b>	Data was collected from Lower Putah creek between Lake Berryessa and Putah Creek.
<b>Temporal representation</b>	Data was collected in 1997 and 1998.
<b>Data type</b>	Numerical data.
<b>Use of standard method</b>	USDHHS-ATSDR and UCD methods.
<b>Potential Source(s) of Pollutant</b>	Mining, unknown source.
<b>Alternative Enforceable Program</b>	
<b>RWQCB Recommendation</b>	List.
<b>SWRCB Staff Recommendation</b>	<p>After reviewing the available data and information and the RWQCB documentation for this recommendation, SWRCB staff conclude that the water body should be placed on the section 303(d) list because applicable water quality standards are exceeded and a pollutant contributes to or causes the problem.</p> <p>This conclusion is based on the staff findings that:</p> <ol style="list-style-type: none"> <li>1. The data is considered to be of adequate quality.</li> <li>2. The data exhibited sufficient spatial and temporal coverage.</li> <li>3. Beneficial uses apply to the water body.</li> <li>4. Water quality standard used is applicable.</li> <li>5. The evaluation guideline used to interpret narrative water quality standards is adequate.</li> <li>6. Data are numerical.</li> <li>7. Standard methods were used.</li> <li>8. Other water body- or site-specific information including the age of the data were considered.</li> </ol>

## Region 5: Putah Creek, Lower Mercury

---

Most of the water quality measurements exceeded the water quality standard. The staff confidence that standards were exceeded is high. List the Lower Putah Creek from Lake Solano to Putah Creek for Mercury. The data show exceedance of the WQO using USEPA criteria for mercury.

## Region 5: Putah Creek, Lower Unknown Toxicity

---

<b>Water Body</b>	Putah Creek, Lower
<b>Stressor/Media/Beneficial Use</b>	Unknown Toxicity/Water/Aquatic Life
<b>Data quality assessment. Extent to which data quality requirements met.</b>	Generally limited consideration to those organizations that conduct monitoring using documented QA/QC procedures.
<b>Linkage between measurement endpoint and beneficial use or standard</b>	Toxicity linked to Aquatic Life.
<b>Utility of measure for judging if standards or uses are not attained</b>	Basin plan WQO for toxicity and comparing toxicity data results to Lab control results.
<b>Water Body-specific Information</b>	Data = 2 Years (1998-1999), Data measured at the site, Environmental conditions considered at site.
<b>Data used to assess water quality</b>	Toxicity Data was collected monthly and during rain events as well (at least 24 samples). 16 of the samples resulted in impaired growth, impaired reproduction and/or mortality. Further TIE test were run and the tests failed to pinpoint the cause while ammonia and pathogenicity were eliminated as causes because no toxicity was observed.
<b>Spatial representation</b>	Routine monthly samples and samples during rain events were collected. Water quality analysis, toxicity tests and TIEs were conducted on water samples collected in lower Putah Creek.
<b>Temporal representation</b>	The water samples were collected during 1998 and 1999, routine monthly sampling and sampling rain events.
<b>Data type</b>	Toxicity, TIE, and Numerical data for diuron, ammonia, and pathogens.
<b>Use of standard method</b>	Laboratory Methods conducting TIEs.
<b>Potential Source(s) of Pollutant</b>	Unknown.
<b>Alternative Enforceable Program</b>	
<b>RWQCB Recommendation</b>	List.
<b>SWRCB Staff Recommendation</b>	After reviewing the available data and information and the RWQCB documentation for this recommendation, SWRCB staff conclude that the water body should be placed on the Monitoring List for unknown toxicity, the toxicity is transient and because a pollutant or pollution that contributes or causes any standards exceedance has not been identified.

## Region 5: Putah Creek, Upper

### Unknown Toxicity

---

<b>Water Body</b>	Putah Creek, Upper
<b>Stressor/Media/Beneficial Use</b>	Unknown Toxicity/Water/Aquatic Life
<b>Data quality assessment. Extent to which data quality requirements met.</b>	Generally limited consideration to those organizations that conduct monitoring using documented QA/QC procedures.
<b>Linkage between measurement endpoint and beneficial use or standard</b>	Toxicity linked to Aquatic Life.
<b>Utility of measure for judging if standards or uses are not attained</b>	Basin plan WQO for toxicity and comparing toxicity data results to Lab control results.
<b>Water Body-specific Information</b>	Data = 2 Years (1998-1999), Data measured at the site, Environmental conditions considered at site.
<b>Data used to assess water quality</b>	On four of the sampling dates the water caused reproductive impairments to Ceriodaphnia They were analyzed using TIE. The results indicate an unknown toxicant that suggests that a non-polar, organic chemical caused the impairments. A July 1999 sample showed impairment to growth to Selenastrum, toxicity unknown. Overall 5 out of 12 (42%) of the samples resulted in toxicity. Follow-up toxicity tests showed not toxicity. Studies did show that non-polar chemicals when increased to three times the concentration ambient waters did cause toxicity. These higher concentrations do not represent ambient water concentrations and could not be linked to the originally observed toxicity.
<b>Spatial representation</b>	Data were collected just upstream from Lake Berryessa on Upper Putah Creek.
<b>Temporal representation</b>	Data were collected from the Upper Putah Creek between 1998-1999 and were collected once a month.
<b>Data type</b>	Toxicity, TIE data, and Numerical Data for metals.
<b>Use of standard method</b>	Laboratory Methods conducting TIEs.
<b>Potential Source(s) of Pollutant</b>	Unknown.
<b>Alternative Enforceable Program</b>	
<b>RWQCB Recommendation</b>	List.
<b>SWRCB Staff Recommendation</b>	After reviewing the available data and information and the RWQCB documentation for this recommendation, SWRCB staff conclude that the water body should be placed on the Monitoring List for unknown toxicity because of the transient observed toxicity and because a pollutant that contributes or causes any standards exceedance has not been identified.

## Region 5: Rollins Reservoir

### Mercury

---

<b>Water Body</b>	Rollins Reservoir
<b>Stressor/Media/Beneficial Use</b>	Mercury/Tissue/Fish Consumption
<b>Data quality assessment. Extent to which data quality requirements met.</b>	Generally limited consideration to those organizations that conduct monitoring using documented QA/QC procedures.
<b>Linkage between measurement endpoint and beneficial use or standard</b>	Mercury linked to Fish Consumption.
<b>Utility of measure for judging if standards or uses are not attained</b>	Basin Plan WQO, USEPA criterion for human health consumption levels of mercury.
<b>Water Body-specific Information</b>	Data = 15 Years (1984-1999), Data measured at the site, Species or Indicator present at site, Environmental conditions considered at site.
<b>Data used to assess water quality</b>	USGS and TSMP Data = 50 trophic level 4 fish. The level 4 fish had an average mercury concentration of 0.32 ppm exceeding the 0.3 ppm USEPA criteria used to determine attainment of the WQO. The WQO has been exceeded. OEHHA is in the process of developing a state advisory for Nevada County based on this Data.
<b>Spatial representation</b>	50 Fish were collected from Rollins Reservoir from the midsection, Bear River Arm and the Greenhorn Creek Arm.
<b>Temporal representation</b>	50 fish were collected from Rollins reservoir between 1984 and 1999, over 15 years.
<b>Data type</b>	Numerical data.
<b>Use of standard method</b>	USGS and TSMP sampling methods.
<b>Potential Source(s) of Pollutant</b>	Resource Extraction.
<b>Alternative Enforceable Program</b>	
<b>RWQCB Recommendation</b>	List.
<b>SWRCB Staff Recommendation</b>	<p>After reviewing the available data and information and the RWQCB documentation for this recommendation, SWRCB staff conclude that the water body should be placed on the section 303(d) list because applicable water quality standards are exceeded and a pollutant contributes to or causes the problem.</p> <p>This conclusion is based on the staff findings that:</p> <ol style="list-style-type: none"> <li>1. The data is considered to be of adequate quality.</li> <li>2. The data exhibited sufficient spatial and temporal coverage.</li> <li>3. Beneficial uses apply to the water body.</li> <li>4. Water quality standard used is applicable.</li> <li>5. The evaluation guideline used to interpret narrative water quality standards is adequate.</li> <li>6. Data are numerical.</li> <li>7. Standard methods were used.</li> </ol>

## Region 5: Rollins Reservoir Mercury

---

8. Other water body- or site-specific information including the age of the data were considered.

All of the water quality measurements exceeded the water quality standard. The staff confidence that standards were exceeded is high. List all of Rollins Reservoir for Mercury. The data show exceedance of the WQO using USEPA criteria for mercury.

## Region 5: Sacramento River (Red Bluff to Delta)

### Diazinon, mercury, unknown toxicity

---

<b>Water Body</b>	Sacramento River (Red Bluff to Delta)
<b>Stressor/Media/Beneficial Use</b>	Diazinon, mercury, unknown toxicity
<b>Data quality assessment. Extent to which data quality requirements met.</b>	N/A
<b>Linkage between measurement endpoint and beneficial use or standard</b>	N/A
<b>Utility of measure for judging if standards or uses are not attained</b>	N/A
<b>Water Body-specific Information</b>	
<b>Data used to assess water quality</b>	The total size and size affected were reassessed by SWRCB staff and RWQCB staff, subsequent to the RWQCB's first change recommendation. This waterbody has been remapped and the revised extent impacted is an 82 mile section and a second 16 mile section. The new extent is calculated by the Geospatial Water Body System (GeoWBS), using staff's best estimate of the extent to which water quality standards are not met.
<b>Spatial representation</b>	
<b>Temporal representation</b>	
<b>Data type</b>	
<b>Use of standard method</b>	
<b>Potential Source(s) of Pollutant</b>	
<b>Alternative Enforceable Program</b>	
<b>RWQCB Recommendation</b>	Change in total size affected. Split Sacramento River (Red Bluff to Delta) into an 82 mile section from Red Bluff to Knights Landing for unknown toxicity and a second 16 mile section from Knights Landing to the Delta for diazinon, mercury, and unknown toxicity.
<b>SWRCB Staff Recommendation</b>	Change in total size affected. RWQCB staff worked with SWRCB staff and this area was remapped. It was split into two sections, an 82 mile section and a second 16 mile section.



## Region 5: Sacramento River (Shasta Dam to Red Bluff)

### Zinc

<b>Water Body</b>	Sacramento River (Shasta Dam to Red Bluff)
<b>Stressor/Media/Beneficial Use</b>	Zinc/Water/Aquatic Life
<b>Data quality assessment. Extent to which data quality requirements met.</b>	N/A
<b>Linkage between measurement endpoint and beneficial use or standard</b>	N/A
<b>Utility of measure for judging if standards or uses are not attained</b>	N/A
<b>Water Body-specific Information</b>	N/A
<b>Data used to assess water quality</b>	N/A
<b>Spatial representation</b>	N/A
<b>Temporal representation</b>	N/A
<b>Data type</b>	N/A
<b>Use of standard method</b>	N/A
<b>Potential Source(s) of Pollutant</b>	N/A
<b>Alternative Enforceable Program</b>	N/A
<b>RWQCB Recommendation</b>	TMDL Completed.
<b>SWRCB Staff Recommendation</b>	After reviewing the available data and information and the RWQCB documentation for this recommendation, SWRCB staff conclude that the water body should be placed on the TMDLs Completed List because a TMDL has been developed for the water body-pollutant combination. The TMDL has been approved by USEPA.

## Region 5: Sacramento River (Shasta Dam to Red Bluff)

### Unknown toxicity

---

<b>Water Body</b>	Sacramento River (Shasta Dam to Red Bluff)
<b>Stressor/Media/Beneficial Use</b>	Unknown toxicity
<b>Data quality assessment. Extent to which data quality requirements met.</b>	N/A
<b>Linkage between measurement endpoint and beneficial use or standard</b>	N/A
<b>Utility of measure for judging if standards or uses are not attained</b>	N/A
<b>Water Body-specific Information</b>	
<b>Data used to assess water quality</b>	The total size and size affected were reassessed by SWRCB staff and RWQCB staff, subsequent to the RWQCB's first change recommendation. This waterbody has been remapped and the revised extent impacted is a 15 mile section and a 16 mile section. The new extent is calculated by the Geospatial Water Body System (GeoWBS), using staff's best estimate of the extent to which water quality standards are not met.
<b>Spatial representation</b>	
<b>Temporal representation</b>	
<b>Data type</b>	
<b>Use of standard method</b>	
<b>Potential Source(s) of Pollutant</b>	
<b>Alternative Enforceable Program</b>	
<b>RWQCB Recommendation</b>	Change in total size affected. Split Sacramento River (Shasta Dam to Red Bluff) into a 16 mile section from Cottonwood Creek to Red Bluff for unknown toxicity and a second 15 mile section from Keswick Dam to Cottonwood for unknown toxicity and cadmium, copper, and zinc on the TMDL Completed List.
<b>SWRCB Staff Recommendation</b>	Change in total size affected. RWQCB staff worked with SWRCB staff and this area was remapped. It was split into two sections, a 15 mile section and a second 16 mile section.

## Region 5: Sacramento River (Shasta Dam to Red Bluff)

### Copper

---

<b>Water Body</b>	Sacramento River (Shasta Dam to Red Bluff)
<b>Stressor/Media/Beneficial Use</b>	Copper/Water/Aquatic Life
<b>Data quality assessment. Extent to which data quality requirements met.</b>	N/A
<b>Linkage between measurement endpoint and beneficial use or standard</b>	N/A
<b>Utility of measure for judging if standards or uses are not attained</b>	N/A
<b>Water Body-specific Information</b>	N/A
<b>Data used to assess water quality</b>	N/A
<b>Spatial representation</b>	N/A
<b>Temporal representation</b>	N/A
<b>Data type</b>	N/A
<b>Use of standard method</b>	N/A
<b>Potential Source(s) of Pollutant</b>	N/A
<b>Alternative Enforceable Program</b>	N/A
<b>RWQCB Recommendation</b>	TMDL Completed.
<b>SWRCB Staff Recommendation</b>	After reviewing the available data and information and the RWQCB documentation for this recommendation, SWRCB staff conclude that the water body should be placed on the TMDLs Completed List because a TMDL has been developed for the water body-pollutant combination. The TMDL has been approved by USEPA.

## Region 5: Sacramento River (Shasta Dam to Red Bluff)

### Cadmium

---

<b>Water Body</b>	Sacramento River (Shasta Dam to Red Bluff)
<b>Stressor/Media/Beneficial Use</b>	Cadmium/Water/Aquatic Life
<b>Data quality assessment. Extent to which data quality requirements met.</b>	N/A
<b>Linkage between measurement endpoint and beneficial use or standard</b>	N/A
<b>Utility of measure for judging if standards or uses are not attained</b>	N/A
<b>Water Body-specific Information</b>	N/A
<b>Data used to assess water quality</b>	N/A
<b>Spatial representation</b>	N/A
<b>Temporal representation</b>	N/A
<b>Data type</b>	N/A
<b>Use of standard method</b>	N/A
<b>Potential Source(s) of Pollutant</b>	N/A
<b>Alternative Enforceable Program</b>	N/A
<b>RWQCB Recommendation</b>	TMDL Completed.
<b>SWRCB Staff Recommendation</b>	After reviewing the available data and information and the RWQCB documentation for this recommendation, SWRCB staff conclude that the water body should be placed on the TMDLs Completed List because a TMDL has been developed for the water body-pollutant combination. The TMDL has been approved by USEPA.

## Region 5: Salt Slough

Boron, chlorpyrifos, diazinon, Electrical Conductivity, unknown toxicity +

---

<b>Water Body</b>	Salt Slough
<b>Stressor/Media/Beneficial Use</b>	Boron, chlorpyrifos, diazinon, EC, unknown toxicity
<b>Data quality assessment. Extent to which data quality requirements met.</b>	N/A
<b>Linkage between measurement endpoint and beneficial use or standard</b>	N/A
<b>Utility of measure for judging if standards or uses are not attained</b>	N/A
<b>Water Body-specific Information</b>	
<b>Data used to assess water quality</b>	The total size and size affected were reassessed by SWRCB staff and RWQCB staff, subsequent to the RWQCB's first change recommendation. This waterbody has been remapped and the revised extent impacted is 17 miles. The new extent is calculated by the Geospatial Water Body System (GeoWBS), using staff's best estimate of the extent to which water quality standards are not met.
<b>Spatial representation</b>	
<b>Temporal representation</b>	
<b>Data type</b>	
<b>Use of standard method</b>	
<b>Potential Source(s) of Pollutant</b>	
<b>Alternative Enforceable Program</b>	
<b>RWQCB Recommendation</b>	Change in total size affected. The impaired extent is upstream from the confluence with the San Joaquin River. Size change: The mapped impaired extent changed from 33 miles to 17 miles
<b>SWRCB Staff Recommendation</b>	Change in total size affected. RWQCB staff worked with SWRCB staff and this area was remapped. It was agreed that the new extent impacted is 17miles.

## Region 5: Salt Slough Selenium

---

<b>Water Body</b>	Salt Slough
<b>Stressor/Media/Beneficial Use</b>	Selenium/Water/Aquatic Life
<b>Data quality assessment. Extent to which data quality requirements met.</b>	N/A
<b>Linkage between measurement endpoint and beneficial use or standard</b>	N/A
<b>Utility of measure for judging if standards or uses are not attained</b>	N/A
<b>Water Body-specific Information</b>	N/A
<b>Data used to assess water quality</b>	N/A
<b>Spatial representation</b>	N/A
<b>Temporal representation</b>	N/A
<b>Data type</b>	N/A
<b>Use of standard method</b>	N/A
<b>Potential Source(s) of Pollutant</b>	N/A
<b>Alternative Enforceable Program</b>	N/A
<b>RWQCB Recommendation</b>	TMDL Completed.
<b>SWRCB Staff Recommendation</b>	After reviewing the available data and information and the RWQCB documentation for this recommendation, SWRCB staff conclude that the water body should be placed on the TMDLs Completed List because a TMDL has been developed for the water body-pollutant combination. The TMDL has been approved by USEPA.

## Region 5: San Carlos Creek

### Mercury

---

<b>Water Body</b>	San Carlos Creek
<b>Stressor/Media/Beneficial Use</b>	Mercury
<b>Data quality assessment. Extent to which data quality requirements met.</b>	N/A
<b>Linkage between measurement endpoint and beneficial use or standard</b>	N/A
<b>Utility of measure for judging if standards or uses are not attained</b>	N/A
<b>Water Body-specific Information</b>	
<b>Data used to assess water quality</b>	The total size and size affected were reassessed by SWRCB staff and RWQCB staff, subsequent to the RWQCB's first change recommendation. This waterbody has been remapped and the revised extent impacted is 5.1 miles. The new extent is calculated by the Geospatial Water Body System (GeoWBS), using staff's best estimate of the extent to which water quality standards are not met.
<b>Spatial representation</b>	
<b>Temporal representation</b>	
<b>Data type</b>	
<b>Use of standard method</b>	
<b>Potential Source(s) of Pollutant</b>	Add a new pollutant source: Acid Mine Drainage.
<b>Alternative Enforceable Program</b>	
<b>RWQCB Recommendation</b>	Change in Total Size and Size Affected. Change listing from the total length of 1 mile to 9 miles. Extent of affected area to be changed from 1 mile to 4 miles. San Carlos Creek has a length of 9 miles, from its headwaters at San Benito Mountain to its confluence with Silver Creek. CRWQCB-CVR 1995, USGS 1958-2000.
<b>SWRCB Staff Recommendation</b>	Change in Total Size and Size Affected and add "Acid Mine Drainage" as a pollutant source. RWQCB staff worked with SWRCB staff and this area was remapped. It was agreed that the new extent impacted is 5.1 miles. The impaired extent is downstream from the New Idria Mine. The mapped impacted extent was changed from 8.5 miles to 5.1 miles. Acid mine drainage has been added to the pollutant source, along with Resource Extraction.

## Region 5: San Joaquin River, Lower Mercury

---

<b>Water Body</b>	San Joaquin River, Lower
<b>Stressor/Media/Beneficial Use</b>	Mercury/Tissue/Fish Consumption
<b>Data quality assessment. Extent to which data quality requirements met.</b>	Generally limited consideration to those organizations that conduct monitoring using documented QA/QC procedures.
<b>Linkage between measurement endpoint and beneficial use or standard</b>	Mercury linked to fish consumption.
<b>Utility of measure for judging if standards or uses are not attained</b>	Basin Plan WQO, USEPA criterion for human health consumption levels of mercury.
<b>Water Body-specific Information</b>	Data = 20 Years (1979-1999), Data measured at the site, Species or Indicator present at site, Environmental conditions considered at site.
<b>Data used to assess water quality</b>	TSMP and SFEI Data = 264 trophic level 4 fish. The level 4 fish had an average mercury concentration of 0.45 ppm exceeding the 0.3 ppm USEPA criteria used to determine attainment of the WQO. The WQO has been exceeded.
<b>Spatial representation</b>	Data were collected in the San Joaquin River.
<b>Temporal representation</b>	Fish were collected in the San Joaquin River between 1979 and 1999, over a 20 year period.
<b>Data type</b>	Numerical data.
<b>Use of standard method</b>	TSMP and SFEI methods.
<b>Potential Source(s) of Pollutant</b>	Resource Extraction (abandoned mines).
<b>Alternative Enforceable Program</b>	
<b>RWQCB Recommendation</b>	List.
<b>SWRCB Staff Recommendation</b>	<p>After reviewing the available data and information and the RWQCB documentation for this recommendation, SWRCB staff conclude that the water body should be placed on the section 303(d) list because applicable water quality standards are exceeded and a pollutant contributes to or causes the problem.</p> <p>This conclusion is based on the staff findings that:</p> <ol style="list-style-type: none"> <li>1. The data is considered to be of adequate quality.</li> <li>2. The data exhibited sufficient spatial and temporal coverage.</li> <li>3. Beneficial uses apply to the water body.</li> <li>4. Water quality standard used is applicable.</li> <li>5. The evaluation guideline used to interpret narrative water quality standards is adequate.</li> <li>6. Data are numerical.</li> <li>7. Standard methods were used.</li> <li>8. Other water body- or site-specific information including the age of the data were considered.</li> </ol>



## Region 5: San Joaquin River, Lower Mercury

---

All of the water quality measurements exceeded the water quality standard. The staff confidence that standards were exceeded is high. List Lower San Joaquin River for Mercury from its confluence with Bear Creek to Vernalis. The data show exceedance of the WQO using USEPA criteria for mercury.

## Region 5: San Joaquin River, Merced River to the South Delta Boundary Selenium

---

<b>Water Body</b>	San Joaquin River, Merced River to the South Delta Boundary
<b>Stressor/Media/Beneficial Use</b>	Selenium/Water/Aquatic Life
<b>Data quality assessment. Extent to which data quality requirements met.</b>	N/A
<b>Linkage between measurement endpoint and beneficial use or standard</b>	N/A
<b>Utility of measure for judging if standards or uses are not attained</b>	N/A
<b>Water Body-specific Information</b>	N/A
<b>Data used to assess water quality</b>	N/A
<b>Spatial representation</b>	N/A
<b>Temporal representation</b>	N/A
<b>Data type</b>	N/A
<b>Use of standard method</b>	N/A
<b>Potential Source(s) of Pollutant</b>	N/A
<b>Alternative Enforceable Program</b>	N/A
<b>RWQCB Recommendation</b>	TMDL Completed.
<b>SWRCB Staff Recommendation</b>	<p>After reviewing the available data and information and the RWQCB documentation for this recommendation, SWRCB staff conclude that the water body should be placed on the TMDLs Completed List because a TMDL has been developed for the water body-pollutant combination. The TMDL has been approved by USEPA.</p> <p>The San Joaquin River from Mud Slough to the confluence with the Merced River should continue to be listed as not attaining water quality standards for selenium. This reach is approximately 3 river miles long.</p>

## Region 5: Scotts Flat Reservoir

### Mercury

---

<b>Water Body</b>	Scotts Flat Reservoir
<b>Stressor/Media/Beneficial Use</b>	Mercury/Tissue/Fish Consumption
<b>Data quality assessment. Extent to which data quality requirements met.</b>	Generally limited consideration to those organizations that conduct monitoring using documented QA/QC procedures.
<b>Linkage between measurement endpoint and beneficial use or standard</b>	Mercury linked to fish consumption.
<b>Utility of measure for judging if standards or uses are not attained</b>	Basin Plan WQO, USEPA criterion for human health consumption levels of mercury.
<b>Water Body-specific Information</b>	Data = 2 Days (9/1999), Data measured at the site, Species or Indicator present at site, Environmental conditions considered at site.
<b>Data used to assess water quality</b>	USGS Data = 7 trophic level 4 fish. The level 4 fish had an average mercury concentration of 0.38 ppm exceeding the 0.3 ppm USEPA criteria used to determine attainment of the WQO. The WQO has been exceeded.
<b>Spatial representation</b>	Data were collected from Scotts reservoir.
<b>Temporal representation</b>	7 fish were collected on September 7 and 8th, 1999.
<b>Data type</b>	Numerical data.
<b>Use of standard method</b>	USGS sampling methods.
<b>Potential Source(s) of Pollutant</b>	Resource Extraction (abandoned mines).
<b>Alternative Enforceable Program</b>	
<b>RWQCB Recommendation</b>	List.
<b>SWRCB Staff Recommendation</b>	<p>After reviewing the available data and information and the RWQCB documentation for this recommendation, SWRCB staff conclude that the water body should be placed on the section 303(d) list because applicable water quality standards are exceeded and a pollutant contributes to or causes the problem.</p> <p>This conclusion is based on the staff findings that:</p> <ol style="list-style-type: none"> <li>1. The data is considered to be of adequate quality.</li> <li>2. The data exhibited sufficient spatial and temporal coverage.</li> <li>3. Beneficial uses apply to the water body.</li> <li>4. Water quality standard used is applicable.</li> <li>5. The evaluation guideline used to interpret narrative water quality standards is adequate.</li> <li>6. Data are numerical.</li> <li>7. Standard methods were used.</li> <li>8. Other water body- or site-specific information including the age of the data were considered.</li> </ol>

## Region 5: Scotts Flat Reservoir

### Mercury

---

All of the water quality measurements exceeded the water quality standard. The staff confidence that standards were exceeded is high. List all of Scotts Flat Reservoir for Mercury. The data show exceedance of the WQO using USEPA criteria for mercury.

## Region 5: Shasta Lake

### Cadmium, copper, zinc

---

<b>Water Body</b>	Shasta Lake
<b>Stressor/Media/Beneficial Use</b>	Cadmium, copper, zinc
<b>Data quality assessment. Extent to which data quality requirements met.</b>	N/A
<b>Linkage between measurement endpoint and beneficial use or standard</b>	N/A
<b>Utility of measure for judging if standards or uses are not attained</b>	N/A
<b>Water Body-specific Information</b>	
<b>Data used to assess water quality</b>	The total size and size affected were reassessed by SWRCB staff and RWQCB staff, subsequent to the RWQCB's first change recommendation. This waterbody has been remapped and the revised extent impacted is 20 acres. The new extent is calculated by the Geospatial Water Body System (GeoWBS), using staff's best estimate of the extent to which water quality standards are not met.
<b>Spatial representation</b>	
<b>Temporal representation</b>	
<b>Data type</b>	
<b>Use of standard method</b>	
<b>Potential Source(s) of Pollutant</b>	
<b>Alternative Enforceable Program</b>	
<b>RWQCB Recommendation</b>	Change in total size affected. The impaired extent is only approximately 20 acres of the lake, where West Squaw Creek enters. Size change: The mapped impaired extent changed from 27,335 acres to 20 acres.
<b>SWRCB Staff Recommendation</b>	Change in total size affected. RWQCB staff worked with SWRCB staff and this area was remapped. It was agreed that the new extent impacted is 20 acres.

## Region 5: Smith Canal

### Pathogens

---

<b>Water Body</b>	Smith Canal
<b>Stressor/Media/Beneficial Use</b>	Pathogens/Water/REC-1
<b>Data quality assessment. Extent to which data quality requirements met.</b>	Generally limited consideration to those organizations that conduct monitoring using documented QA/QC procedures.
<b>Linkage between measurement endpoint and beneficial use or standard</b>	Pathogens linked to narrative WQO for toxicity.
<b>Utility of measure for judging if standards or uses are not attained</b>	Basin Plan WQO for toxicity.
<b>Water Body-specific Information</b>	Data = 10 months (May 2000- Feb. 2001), Data measured at the site, Species or Indicator present at site, Environmental conditions considered at site.
<b>Data used to assess water quality</b>	Data = A Geometric Mean has been calculated for samples at three separate locations along the canal. Two of the three locations all exceeded the USEPA criteria for E. coli. Two of the locations exceeded the criteria up to 50 times the criteria level, and the other location has exceeded the USEPA single sample bacterial criterion. Using the USEPA criteria the WQO is exceeded.
<b>Spatial representation</b>	The data were collected at three separate locations. Yosemite Lake canal, one quarter mile downstream in the canal, and near the mouth of the canal.
<b>Temporal representation</b>	The data were collected during 10 months ( May 2000 to Feb. 2001).
<b>Data type</b>	Numerical data.
<b>Use of standard method</b>	DeltaKeeper methods.
<b>Potential Source(s) of Pollutant</b>	Urban Runoff/Recreation.
<b>Alternative Enforceable Program</b>	
<b>RWQCB Recommendation</b>	List.
<b>SWRCB Staff Recommendation</b>	<p>After reviewing the available data and information and the RWQCB documentation for this recommendation, SWRCB staff conclude that the water body should be placed on the section 303(d) list because applicable water quality standards are exceeded and a pollutant contributes to or causes the problem.</p> <p>This conclusion is based on the staff findings that:</p> <ol style="list-style-type: none"> <li>1. The data is considered to be of adequate quality.</li> <li>2. The data exhibited sufficient spatial and temporal coverage.</li> <li>3. Beneficial uses apply to the water body.</li> <li>4. Water quality standard used is applicable.</li> <li>5. The evaluation guideline used to interpret narrative water quality standards is adequate.</li> <li>6. Data are numerical.</li> <li>7. Standard methods were used.</li> </ol>

## Region 5: Smith Canal Pathogens

---

8. Other water body- or site-specific information including the age of the data were considered.

All of the water quality measurements exceeded the water quality standard. The staff confidence that standards were exceeded is high. List Smith Canal from Yosemite Lake to the confluence with the San Joaquin River for Pathogens. The data show an exceedance of the WQO.

## Region 5: Smith Canal

### Organophosphorus Pesticides

---

<b>Water Body</b>	Smith Canal
<b>Stressor/Media/Beneficial Use</b>	Organophosphorus Pesticides/Water/Aquatic Life
<b>Data quality assessment. Extent to which data quality requirements met.</b>	Generally limited consideration to those organizations that conduct monitoring using documented QA/QC procedures.
<b>Linkage between measurement endpoint and beneficial use or standard</b>	Pesticides linked to WQO for pesticides.
<b>Utility of measure for judging if standards or uses are not attained</b>	WQO, USEPA criteria for Organophosphorus Pesticides.
<b>Water Body-specific Information</b>	Data = 5 Years (1994 - 98), Data measured at the site, Species or Indicator present at site, Environmental Conditions considered at site.
<b>Data used to assess water quality</b>	Data = OP pesticides were tested from 8 water samples between 1994-98. TIE , toxicity tests and TUs of the OP pesticides were run and calculated. 4/8 samples showed survival impairment as indicated by 100% mortality to Ceriodaphnia within 7 days. Data indicate that the OP pesticide caused the toxicity, Diazinon and Chlorpyrifos were present but did not account for all organo-phosphorus pesticide toxicity. The OP concentrations are all above the chronic and acute CDFG criteria. Using the CDFG criteria the WQO has been exceeded.
<b>Spatial representation</b>	Data were collected from one location in the Smith Canal.
<b>Temporal representation</b>	Data were collected between 1994 and 1998.
<b>Data type</b>	Numerical data.
<b>Use of standard method</b>	CDFG methods.
<b>Potential Source(s) of Pollutant</b>	Urban Runoff.
<b>Alternative Enforceable Program</b>	
<b>RWQCB Recommendation</b>	List.
<b>SWRCB Staff Recommendation</b>	<p>After reviewing the available data and information and the RWQCB documentation for this recommendation, SWRCB staff conclude that the water body should be placed on the section 303(d) list because applicable water quality standards are exceeded and a pollutant contributes to or causes the problem.</p> <p>This conclusion is based on the staff findings that:</p> <ol style="list-style-type: none"> <li>1. The data is considered to be of adequate quality.</li> <li>2. The data exhibited sufficient spatial and temporal coverage.</li> <li>3. Beneficial uses apply to the water body.</li> <li>4. Water quality standard used is applicable.</li> <li>5. The evaluation guideline used to interpret narrative water quality standards is adequate.</li> <li>6. Data are numerical.</li> <li>7. Standard methods were used.</li> </ol>



## Region 5: Smith Canal

### Organophosphorus Pesticides

---

8. Other water body- or site-specific information including the age of the data were considered.

Most of the water quality measurements exceeded the water quality standard. The staff confidence that standards were exceeded is high. List the Smith Canal from the Yosemite Lake to the confluence with the San Joaquin River for OP pesticides. The data show exceedance of the WQO.

## Region 5: Smith Canal

### Low Dissolved Oxygen

---

<b>Water Body</b>	Smith Canal
<b>Stressor/Media/Beneficial Use</b>	Low Dissolved Oxygen/Water/Aquatic Life
<b>Data quality assessment. Extent to which data quality requirements met.</b>	Generally limited consideration to those organizations that conduct monitoring using documented QA/QC procedures.
<b>Linkage between measurement endpoint and beneficial use or standard</b>	Low Dissolved Oxygen linked to Aquatic Life.
<b>Utility of measure for judging if standards or uses are not attained</b>	Basin Plan WQO for Dissolved Oxygen.
<b>Water Body-specific Information</b>	Data = 5 Years (1994 - 98), Data measured at the site, Species or Indicator present at site, Environmental Conditions considered at site.
<b>Data used to assess water quality</b>	RB/Delta Keeper Data = 41 samples of Dissolved Oxygen values, with 31 (75%) of those samples falling below the WQO of 5 mg/L. Other data was considered from resident observation of fish kills in 1994 to DeltaKeeper Data collected over the years. The WQO for Dissolved Oxygen has not been attained.
<b>Spatial representation</b>	Data were collected from Smith Canal by the RB and others.
<b>Temporal representation</b>	The data were collected from Smith Canal over a period of 5 years, during dry seasons and rain seasons, yearly.
<b>Data type</b>	Numerical data.
<b>Use of standard method</b>	RWQCB, DeltaKeeper, City of Stockton methods.
<b>Potential Source(s) of Pollutant</b>	Urban Runoff/Storm Sewers. It is likely this problem is due to pollutants such as nutrients or pollution (low flow or channel morphology of the water body).
<b>Alternative Enforceable Program</b>	
<b>RWQCB Recommendation</b>	List.
<b>SWRCB Staff Recommendation</b>	<p>After reviewing the available data and information and the RWQCB documentation for this recommendation, SWRCB staff conclude that the water body should be placed on the section 303(d) list because applicable water quality standards are exceeded and a pollutant contributes to or causes the problem.</p> <p>This conclusion is based on the staff findings that:</p> <ol style="list-style-type: none"> <li>1. The data is considered to be of adequate quality.</li> <li>2. The data exhibited sufficient spatial and temporal coverage.</li> <li>3. Beneficial uses apply to the water body.</li> <li>4. Water quality standard used is applicable.</li> <li>5. Data are numerical.</li> <li>6. Standard methods were used.</li> <li>7. Other water body- or site-specific information including the age of the data were considered.</li> </ol>

## Region 5: Smith Canal Low Dissolved Oxygen

---

Most of the water quality measurements exceeded the water quality standard. The staff confidence that standards were exceeded is high. List Smith Canal from Yosemite lake to the confluence with the San Joaquin River for Dissolved Oxygen. The data have shown that the WQO for Dissolved Oxygen is not being attained.

## Region 5: South Cow Creek

### Fecal Coliform

---

<b>Water Body</b>	South Cow Creek
<b>Stressor/Media/Beneficial Use</b>	Fecal Coliform/Water/REC-1
<b>Data quality assessment. Extent to which data quality requirements met.</b>	Generally limited consideration to those organizations that conduct monitoring using documented QA/QC procedures.
<b>Linkage between measurement endpoint and beneficial use or standard</b>	Fecal coliform linked to REC-1 Beneficial Use and WQO for Bacteria.
<b>Utility of measure for judging if standards or uses are not attained</b>	WQO for bacteria, REC-1.
<b>Water Body-specific Information</b>	Data = 5 months (June - October 1999), Data measured at the site, Species or Indicator present at site, Environmental Conditions considered at site.
<b>Data used to assess water quality</b>	Data was collected and the average levels were approx. 800 MPN/100ml, exceeding the WQO Geometric Mean levels of 200 MPN/100ml, at this level for at least 5 months in 1999. The WQO has been exceeded. Many of the samples were above the 30 day basin plan criteria of 400 MPN/100ml.
<b>Spatial representation</b>	Waters were sampled from the middle reach of the creek.
<b>Temporal representation</b>	The samples were taken over 5 months, between June and October of 1999.
<b>Data type</b>	Numerical data.
<b>Use of standard method</b>	Hannaford and North State Institute for Sustainable Communities, sampling methods.
<b>Potential Source(s) of Pollutant</b>	Human and/or Livestock Sources.
<b>Alternative Enforceable Program</b>	
<b>RWQCB Recommendation</b>	List.
<b>SWRCB Staff Recommendation</b>	<p>After reviewing the available data and information and the RWQCB documentation for this recommendation, SWRCB staff conclude that the water body should be placed on the section 303(d) list because applicable water quality standards are exceeded and a pollutant contributes to or causes the problem.</p> <p>This conclusion is based on the staff findings that:</p> <ol style="list-style-type: none"> <li>1. The data is considered to be of adequate quality.</li> <li>2. The data exhibited sufficient spatial and temporal coverage.</li> <li>3. Beneficial uses apply to the water body.</li> <li>4. Water quality standard used is applicable.</li> <li>5. Data are numerical.</li> <li>6. Standard methods were used.</li> <li>7. Other water body- or site-specific information including the age of the data were considered.</li> </ol> <p>All of the water quality measurements exceeded the water quality standard. The data show an average that is clearly in exceedance of the WQO for</p>

## Region 5: South Cow Creek Fecal Coliform

---

Bacteria, REC-1. The staff confidence that standards were exceeded is high. The RWQCB recommendation was to list South Cow Creek 14 miles from the confluence to 7 miles before the confluence for Fecal Coliform. The total size and size affected were reassessed by SWRCB staff and RWQCB staff, subsequent to the RWQCB's first change recommendation. This waterbody has been remapped and the new revised extent impacted is from 3.8 miles to 7.9 miles. The new extent is calculated by the Geospatial Water Body System (GeoWBS), using staff's best estimate of the extent to which water quality standards are not met.

## Region 5: Spring Creek, Lower

### Acid mine drainage, cadmium, copper, zinc

---

<b>Water Body</b>	Spring Creek, Lower
<b>Stressor/Media/Beneficial Use</b>	Acid mine drainage, cadmium, copper, zinc
<b>Data quality assessment. Extent to which data quality requirements met.</b>	N/A
<b>Linkage between measurement endpoint and beneficial use or standard</b>	N/A
<b>Utility of measure for judging if standards or uses are not attained</b>	N/A
<b>Water Body-specific Information</b>	The impaired extent is from Iron Mountain Mine to Keswick Reservoir. Comment change: Removed comments describing impaired extent because they are now part of the water body name.
<b>Data used to assess water quality</b>	
<b>Spatial representation</b>	
<b>Temporal representation</b>	
<b>Data type</b>	
<b>Use of standard method</b>	
<b>Potential Source(s) of Pollutant</b>	
<b>Alternative Enforceable Program</b>	
<b>RWQCB Recommendation</b>	Change in total size affected.
<b>SWRCB Staff Recommendation</b>	Change in total size affected. RWQCB staff worked with SWRCB staff and this area was remapped. The impaired extent is from Iron Mountain Mine to Keswick Reservoir.

Region 5: Stanislaus River, Lower  
 Diazinon, Group A Pesticides, Unknown toxicity

---

<b>Water Body</b>	Stanislaus River, Lower
<b>Stressor/Media/Beneficial Use</b>	Diazinon, Group A Pesticides, Unknown toxicity
<b>Data quality assessment. Extent to which data quality requirements met.</b>	N/A
<b>Linkage between measurement endpoint and beneficial use or standard</b>	N/A
<b>Utility of measure for judging if standards or uses are not attained</b>	N/A
<b>Water Body-specific Information</b>	Change listing from the total length of 48 miles to 58 miles. Extent of affected area to be changed from 48 miles to 58 miles.
<b>Data used to assess water quality</b>	USGS topographic maps indicate that the total length of the River is 58 miles. (USGS 1958-2000)
<b>Spatial representation</b>	
<b>Temporal representation</b>	
<b>Data type</b>	
<b>Use of standard method</b>	
<b>Potential Source(s) of Pollutant</b>	
<b>Alternative Enforceable Program</b>	
<b>RWQCB Recommendation</b>	Change in Total Size and Size Affected.
<b>SWRCB Staff Recommendation</b>	Change in Total Size and Size Affected.

## Region 5: Stanislaus River, Lower Mercury

---

<b>Water Body</b>	Stanislaus River, Lower
<b>Stressor/Media/Beneficial Use</b>	Mercury/Tissue/Fish Consumption
<b>Data quality assessment. Extent to which data quality requirements met.</b>	Generally limited consideration to those organizations that conduct monitoring using documented QA/QC procedures.
<b>Linkage between measurement endpoint and beneficial use or standard</b>	Mercury linked to Fish Consumption.
<b>Utility of measure for judging if standards or uses are not attained</b>	Basin Plan WQO, USEPA criterion for human health consumption levels of mercury.
<b>Water Body-specific Information</b>	Data = 20 Years (1978-1998), Data measured at the site, Species or Indicator present at site, Environmental conditions considered at site.
<b>Data used to assess water quality</b>	TSMP and SFEI Data = 45 trophic level 4 fish. The level 4 fish had an average mercury concentration of 0.53 ppm exceeding the 0.3 ppm USEPA criteria used to determine attainment of the WQO. The WQO has been exceeded.
<b>Spatial representation</b>	The data were collected from the Lower Stanislaus River.
<b>Temporal representation</b>	The data were collected over 20 years from 1978-1998.
<b>Data type</b>	Numerical data.
<b>Use of standard method</b>	TSMP and SFEI methods.
<b>Potential Source(s) of Pollutant</b>	Resource Extraction (abandoned mines).
<b>Alternative Enforceable Program</b>	
<b>RWQCB Recommendation</b>	List.
<b>SWRCB Staff Recommendation</b>	<p>After reviewing the available data and information and the RWQCB documentation for this recommendation, SWRCB staff conclude that the water body should be placed on the section 303(d) list because applicable water quality standards are exceeded and a pollutant contributes to or causes the problem.</p> <p>This conclusion is based on the staff findings that:</p> <ol style="list-style-type: none"> <li>1. The data is considered to be of adequate quality.</li> <li>2. The data exhibited sufficient spatial and temporal coverage.</li> <li>3. Beneficial uses apply to the water body.</li> <li>4. Water quality standard used is applicable.</li> <li>5. The evaluation guideline used to interpret narrative water quality standards is adequate.</li> <li>6. Data are numerical.</li> <li>7. Standard methods were used.</li> <li>8. Other water body- or site-specific information including the age of the data were considered.</li> </ol>



## Region 5: Stanislaus River, Lower Mercury

---

All of the water quality measurements exceeded the water quality standard.  
The staff confidence that standards were exceeded is high.

## Region 5: Stockton Deep Water Channel

### Pathogens

---

<b>Water Body</b>	Stockton Deep Water Channel
<b>Stressor/Media/Beneficial Use</b>	Pathogens/Water/REC-1
<b>Data quality assessment. Extent to which data quality requirements met.</b>	Generally limited consideration to those organizations that conduct monitoring using documented QA/QC procedures.
<b>Linkage between measurement endpoint and beneficial use or standard</b>	Pathogens linked REC-1 beneficial uses.
<b>Utility of measure for judging if standards or uses are not attained</b>	Basin Plan for WQO for bacteria (REC-1).
<b>Water Body-specific Information</b>	Data = 6 months (2000), Data measured at the site, Species or Indicator present at site, Environmental conditions considered at site.
<b>Data used to assess water quality</b>	Data = A Geometric Mean has been calculated for 28 samples at 14 each at two separate locations along the canal. Both the locations have exceeded the USEPA criteria for E. coli. Using the USEPA bacterial criteria the WQO is exceeded.
<b>Spatial representation</b>	The data were collected from two separate sampling, locations. One at McLeod Lake and the other one mile upstream at Morelli Park.
<b>Temporal representation</b>	The data were collected over six months in 2000, with 14 samples at two different locations, 28 samples total.
<b>Data type</b>	Numerical data.
<b>Use of standard method</b>	DeltaKeeper methods.
<b>Potential Source(s) of Pollutant</b>	Urban Runoff/Recreation.
<b>Alternative Enforceable Program</b>	
<b>RWQCB Recommendation</b>	List.
<b>SWRCB Staff Recommendation</b>	<p>After reviewing the available data and information and the RWQCB documentation for this recommendation, SWRCB staff conclude that the water body should be placed on the section 303(d) list because applicable water quality standards are exceeded and a pollutant contributes to or causes the problem.</p> <p>This conclusion is based on the staff findings that:</p> <ol style="list-style-type: none"> <li>1. The data is considered to be of adequate quality.</li> <li>2. The data exhibited sufficient spatial and temporal coverage.</li> <li>3. Beneficial uses apply to the water body.</li> <li>4. Water quality standard used is applicable.</li> <li>5. Data are numerical.</li> <li>6. Standard methods were used.</li> <li>7. Other water body- or site-specific information including the age of the data were considered.</li> </ol> <p>All of the water quality measurements exceeded the water quality standard.</p>

## Region 5: Stockton Deep Water Channel Pathogens

---

The staff confidence that standards were exceeded is high. List all of the Stockton Deep Water Channel for Pathogens. The WQO has been exceeded.

## Region 5: Sulphur Creek

### Mercury

---

<b>Water Body</b>	Sulphur Creek
<b>Stressor/Media/Beneficial Use</b>	Mercury
<b>Data quality assessment. Extent to which data quality requirements met.</b>	N/A
<b>Linkage between measurement endpoint and beneficial use or standard</b>	N/A
<b>Utility of measure for judging if standards or uses are not attained</b>	N/A
<b>Water Body-specific Information</b>	The wrong Sulphur Creek (different county) had been mapped. The creek was re-mapped to be the Sulphur Creek in Colusa County. Size change: Re-mapping the water body created a size change. The mapped impaired extent was changed from 2.1 miles to 14 miles.
<b>Data used to assess water quality</b>	The total size and size affected were reassessed by SWRCB staff and RWQCB staff, subsequent to the RWQCB's first change recommendation. This waterbody has been remapped and the revised extent impacted is 14 miles . The new extent is calculated by the Geospatial Water Body System (GeoWBS), using staff's best estimate of the extent to which water quality standards are not met.
<b>Spatial representation</b>	
<b>Temporal representation</b>	
<b>Data type</b>	
<b>Use of standard method</b>	
<b>Potential Source(s) of Pollutant</b>	
<b>Alternative Enforceable Program</b>	
<b>RWQCB Recommendation</b>	Change in total size affected.
<b>SWRCB Staff Recommendation</b>	Change in total size affected. RWQCB staff worked with SWRCB staff and this area was remapped. The extent of the impacted area is 14 miles.

## Region 5: Sutter Bypass

### Diazinon

---

<b>Water Body</b>	Sutter Bypass
<b>Stressor/Media/Beneficial Use</b>	Diazinon/Water/Aquatic Life
<b>Data quality assessment. Extent to which data quality requirements met.</b>	Generally limited consideration to those organizations that conduct monitoring using documented QA/QC procedures.
<b>Linkage between measurement endpoint and beneficial use or standard</b>	Diazinon linked to Aquatic Life.
<b>Utility of measure for judging if standards or uses are not attained</b>	WQO, CDFG criteria for Diazinon.
<b>Water Body-specific Information</b>	Data = 4 years (1996-2000), Data measured at the site, Species or Indicator present at site, Environmental conditions considered at site.
<b>Data used to assess water quality</b>	Data = 78 samples, out of those, 18 samples exceeded the chronic criteria and 6 samples exceeded the acute criteria. The criteria used are the CDFG criteria used to determine if the WQO has been exceeded.
<b>Spatial representation</b>	The data were collected from the Sutter Bypass.
<b>Temporal representation</b>	The data were sampled 78 times between December and March, the winter orchard dormant season.
<b>Data type</b>	Numerical data.
<b>Use of standard method</b>	CDFG methods.
<b>Potential Source(s) of Pollutant</b>	Agriculture.
<b>Alternative Enforceable Program</b>	
<b>RWQCB Recommendation</b>	List
<b>SWRCB Staff Recommendation</b>	<p>After reviewing the available data and information and the RWQCB documentation for this recommendation, SWRCB staff conclude that the water body should be placed on the section 303(d) list because applicable water quality standards are exceeded and a pollutant contributes to or causes the problem.</p> <p>This conclusion is based on the staff findings that:</p> <ol style="list-style-type: none"> <li>1. The data is considered to be of adequate quality.</li> <li>2. The data exhibited sufficient spatial and temporal coverage.</li> <li>3. Beneficial uses apply to the water body.</li> <li>4. Water quality standard used is applicable.</li> <li>5. The evaluation guideline used to interpret narrative water quality standards is adequate.</li> <li>6. Data are numerical.</li> <li>7. Standard methods were used.</li> <li>8. Other water body- or site-specific information including the age of the data were considered.</li> </ol> <p>An adequate number of the water quality measurements exceeded the</p>

## Region 5: Sutter Bypass Diazinon

---

water quality standard. The staff confidence that standards were exceeded is high. List the entire length of Sutter Bypass for Diazinon. The data show an exceedance of the WQO.

## Region 5: Tuolumne River, Lower

### Group A Pesticides, Unknown Toxicity

---

<b>Water Body</b>	Tuolumne River, Lower
<b>Stressor/Media/Beneficial Use</b>	Group A Pesticides, Unknown Toxicity
<b>Data quality assessment. Extent to which data quality requirements met.</b>	N/A
<b>Linkage between measurement endpoint and beneficial use or standard</b>	N/A
<b>Utility of measure for judging if standards or uses are not attained</b>	N/A
<b>Water Body-specific Information</b>	Change listing from the total length of 32 miles to 54 miles. Extent of affected area to be changed from 32 miles to 54 miles.
<b>Data used to assess water quality</b>	USGS topographic maps indicate that the total length of the River is 54 miles. (USGS 1958-2000) Chemical analysis indicate the entire length is affected by Group A pesticides.
<b>Spatial representation</b>	
<b>Temporal representation</b>	
<b>Data type</b>	
<b>Use of standard method</b>	
<b>Potential Source(s) of Pollutant</b>	
<b>Alternative Enforceable Program</b>	
<b>RWQCB Recommendation</b>	Change in Total Size and Size Affected.
<b>SWRCB Staff Recommendation</b>	Change in Total Size and Size Affected. The impaired extent is from Don Pedro Reservoir to the San Joaquin River.

## Region 5: Tuolumne River, Lower Diazinon

---

<b>Water Body</b>	Tuolumne River, Lower
<b>Stressor/Media/Beneficial Use</b>	Diazinon
<b>Data quality assessment. Extent to which data quality requirements met.</b>	N/A
<b>Linkage between measurement endpoint and beneficial use or standard</b>	N/A
<b>Utility of measure for judging if standards or uses are not attained</b>	N/A
<b>Water Body-specific Information</b>	Change listing from the total length of 32 miles to 54 miles. Extent of affected area to be changed from 32 miles to 42 miles.
<b>Data used to assess water quality</b>	USGS topographic maps indicate that the total length of the River is 54 miles. (USGS 1958-2000) Chemical analysis indicate the length affected by Diazinon is 42 miles.
<b>Spatial representation</b>	
<b>Temporal representation</b>	
<b>Data type</b>	
<b>Use of standard method</b>	
<b>Potential Source(s) of Pollutant</b>	
<b>Alternative Enforceable Program</b>	
<b>RWQCB Recommendation</b>	Change in Total Size and Size Affected.
<b>SWRCB Staff Recommendation</b>	Change in Total Size and Size Affected. The impaired extent is from Don Pedro Reservoir to the San Joaquin River.



## Region 5: Walker Slough

### Pathogens

---

<b>Water Body</b>	Walker Slough
<b>Stressor/Media/Beneficial Use</b>	Pathogens/Water/REC-1
<b>Data quality assessment. Extent to which data quality requirements met.</b>	Generally limited consideration to those organizations that conduct monitoring using documented QA/QC procedures.
<b>Linkage between measurement endpoint and beneficial use or standard</b>	Pathogens linked REC-1 Beneficial uses.
<b>Utility of measure for judging if standards or uses are not attained</b>	Basin Plan for WQO for bacteria (REC-1).
<b>Water Body-specific Information</b>	Data = 6 months (2000-2001), Data measured at the site, Species or Indicator present at site, Environmental conditions considered at site.
<b>Data used to assess water quality</b>	Data = A Geometric Mean has been calculated for 28 samples at 14 each at two separate locations along the canal. Both the locations have greatly exceeded the USEPA criteria for E. coli. The geometric mean was 4-8 times higher than the criteria level. Using the USEPA criteria the WQO is exceeded.
<b>Spatial representation</b>	The data were collected from two locations, one upstream and one downstream.
<b>Temporal representation</b>	The data were collected during six months over 2000-2001, and 14 samples were taken at two separate locations, for a total of 28 samples.
<b>Data type</b>	Numerical data.
<b>Use of standard method</b>	DeltaKeeper methods.
<b>Potential Source(s) of Pollutant</b>	Urban Runoff/Recreation.
<b>Alternative Enforceable Program</b>	
<b>RWQCB Recommendation</b>	List.
<b>SWRCB Staff Recommendation</b>	<p>After reviewing the available data and information and the RWQCB documentation for this recommendation, SWRCB staff conclude that the water body should be placed on the section 303(d) list because applicable water quality standards are exceeded and a pollutant contributes to or causes the problem.</p> <p>This conclusion is based on the staff findings that:</p> <ol style="list-style-type: none"> <li>1. The data is considered to be of adequate quality.</li> <li>2. The data exhibited sufficient spatial and temporal coverage.</li> <li>3. Beneficial uses have been established for the water body.</li> <li>4. Water quality standard used is applicable.</li> <li>5. Data are numerical.</li> <li>6. Standard methods were used.</li> <li>7. Other water body- or site-specific information including the age of the data were considered.</li> </ol>

## Region 5: Walker Slough Pathogens

---

All of the water quality measurements exceeded the water quality standard. The staff confidence that standards were exceeded is high. List all of Walker Slough for Pathogens. The WQO has been exceeded, using the USEPA criterion.

## Region 5: West Squaw Creek, Upper and Lower Cadmium, copper, lead, and zinc

---

<b>Water Body</b>	West Squaw Creek, Upper and Lower
<b>Stressor/Media/Beneficial Use</b>	Cadmium, copper, lead, and zinc
<b>Data quality assessment. Extent to which data quality requirements met.</b>	N/A
<b>Linkage between measurement endpoint and beneficial use or standard</b>	N/A
<b>Utility of measure for judging if standards or uses are not attained</b>	N/A
<b>Water Body-specific Information</b>	Upper and Lower West Squaw Creek were combined to be one segment/water body and the impaired extent begins below the Balaklala Mine. Name change: Inserted a clarifying description to the water body name that the impaired extent is below Balaklala Mine. Comment change: Comments on lower squaw creek were deleted because they are now part of the water body name. Size change: The mapped impaired extent was changed from 1.3 miles to 2.0 miles.
<b>Data used to assess water quality</b>	The total size and size affected were reassessed by SWRCB staff and RWQCB staff, subsequent to the RWQCB's first change recommendation. This waterbody has been remapped and the revised extent impacted is 2.0miles. The new extent is calculated by the Geospatial Water Body System (GeoWBS), using staff's best estimate of the extent to which water quality standards are not met.
<b>Spatial representation</b>	
<b>Temporal representation</b>	
<b>Data type</b>	
<b>Use of standard method</b>	
<b>Potential Source(s) of Pollutant</b>	
<b>Alternative Enforceable Program</b>	
<b>RWQCB Recommendation</b>	Change in total size affected. Size change: The mapped impaired extent changed from 1.3 miles to 2.0 miles.
<b>SWRCB Staff Recommendation</b>	Change in total size affected. RWQCB staff worked with SWRCB staff and this area was remapped. The extent of the impacted area is 2.0 miles.

## Region 5: Whiskeytown Reservoir

### High coliform count

---

<b>Water Body</b>	Whiskeytown Reservoir
<b>Stressor/Media/Beneficial Use</b>	High coliform count
<b>Data quality assessment. Extent to which data quality requirements met.</b>	N/A
<b>Linkage between measurement endpoint and beneficial use or standard</b>	N/A
<b>Utility of measure for judging if standards or uses are not attained</b>	N/A
<b>Water Body-specific Information</b>	
<b>Data used to assess water quality</b>	The total size and size affected were reassessed by SWRCB staff and RWQCB staff, subsequent to the RWQCB's first change recommendation. This waterbody has been remapped and the revised extent impacted is 98 acres. The new extent is calculated by the Geospatial Water Body System (GeoWBS), using staff's best estimate of the extent to which water quality standards are not met.
<b>Spatial representation</b>	
<b>Temporal representation</b>	
<b>Data type</b>	
<b>Use of standard method</b>	
<b>Potential Source(s) of Pollutant</b>	
<b>Alternative Enforceable Program</b>	
<b>RWQCB Recommendation</b>	Change in total size affected. The impaired extent is only for the areas near Oak Bottom, Brandy Creek Campgrounds and Whiskeytown. Size change: The mapped impaired extent changed 3,116 acres to 98 acres.
<b>SWRCB Staff Recommendation</b>	Change in total size affected. RWQCB staff worked with SWRCB staff and this area was remapped. The extent of the impacted area is 98 acres.

## Region 5: Willow Creek (Shasta County)

### Acid mine drainage, copper, zinc

---

<b>Water Body</b>	Willow Creek (Shasta County)
<b>Stressor/Media/Beneficial Use</b>	Acid mine drainage, copper, zinc
<b>Data quality assessment. Extent to which data quality requirements met.</b>	N/A
<b>Linkage between measurement endpoint and beneficial use or standard</b>	N/A
<b>Utility of measure for judging if standards or uses are not attained</b>	N/A
<b>Water Body-specific Information</b>	Inserted a clarifying description to the water body name that the impaired extent is from below the Greenhorn Mine to Clear Creek and that the creek is in Shasta County. "Whiskeytown" was deleted and Shasta County was added to better reflect the location of the creek. Size change: The mapped impaired extent was changed from 6.9 miles to 4.0 miles.
<b>Data used to assess water quality</b>	The total size and size affected were reassessed by SWRCB staff and RWQCB staff, subsequent to the RWQCB's first change recommendation. This waterbody has been remapped and the revised extent impacted is 4.0 miles. The new extent is calculated by the Geospatial Water Body System (GeoWBS), using staff's best estimate of the extent to which water quality standards are not met.
<b>Spatial representation</b>	
<b>Temporal representation</b>	
<b>Data type</b>	
<b>Use of standard method</b>	
<b>Potential Source(s) of Pollutant</b>	
<b>Alternative Enforceable Program</b>	
<b>RWQCB Recommendation</b>	Change in total size affected. Size change: The mapped impaired extent was changed from 6.9 miles to 4.0 miles.
<b>SWRCB Staff Recommendation</b>	Change in total size affected. RWQCB staff worked with SWRCB staff and this area was remapped. "Whiskeytown" was deleted and Shasta County was added to better reflect the location of the creek. The waterbody now is shown as Willow Creek (Shasta County). The extent of the impacted area is 4.0 miles.

## Region 5: Wolf Creek

### Fecal Coliform

---

<b>Water Body</b>	Wolf Creek
<b>Stressor/Media/Beneficial Use</b>	Fecal Coliform/Water/REC-1
<b>Data quality assessment. Extent to which data quality requirements met.</b>	Generally limited consideration to those organizations that conduct monitoring using documented QA/QC procedures.
<b>Linkage between measurement endpoint and beneficial use or standard</b>	Fecal coliform linked to REC-1 WQO for Bacteria.
<b>Utility of measure for judging if standards or uses are not attained</b>	WQO for bacteria, REC-1.
<b>Water Body-specific Information</b>	Data = 2 years (2000-2001), Data measured at the site, Species or Indicator present at site, Environmental Conditions considered at site.
<b>Data used to assess water quality</b>	Data was collected upstream and downstream of the GVVWTP and the calculated Geometric Mean was 1491 MPN/100ml for the Total coliform, exceeding the WQO Geometric Mean levels of 200 MPN/100ml,. Downstream of the GVVWTP the Geometric Mean was 1000MPN/100ml for the total coliform, exceeding the WQO Geometric Mean levels of 200 MPN/100ml.The WQO has been exceeded. Both the upstream and downstream calculated Geometric Means for Fecal Coliform were in exceedance as well. Some of them reached 2300MPN/100ml, in February 2000.
<b>Spatial representation</b>	The data were collected upstream and downstream of the GVVWTP.
<b>Temporal representation</b>	The data were collected over two years, 2000-2001.
<b>Data type</b>	Numerical data.
<b>Use of standard method</b>	Waste Discharge Reports GVVWTP, and Regional Board methods.
<b>Potential Source(s) of Pollutant</b>	Urban Runoff/Recreation/Agriculture.
<b>Alternative Enforceable Program</b>	
<b>RWQCB Recommendation</b>	List.
<b>SWRCB Staff Recommendation</b>	<p>After reviewing the available data and information and the RWQCB documentation for this recommendation, SWRCB staff conclude that the water body should be placed on the section 303(d) list because applicable water quality standards are exceeded and a pollutant contributes to or causes the problem.</p> <p>This conclusion is based on the staff findings that:</p> <ol style="list-style-type: none"> <li>1. The data is considered to be of adequate quality.</li> <li>2. The data exhibited sufficient spatial and temporal coverage.</li> <li>3. Beneficial uses apply to the water body.</li> <li>4. Water quality standard used is applicable.</li> <li>5. Data are numerical.</li> <li>6. Standard methods were used.</li> <li>7. Other water body- or site-specific information including the age of the</li> </ol>

## Region 5: Wolf Creek Fecal Coliform

---

data were considered.

All of the water quality measurements exceeded the water quality standard. The staff confidence that standards were exceeded is high. List all of Wolf Creek for Fecal Coliform.

Page left blank intentionally.



---

# Water Bodies Proposed for the Monitoring List in Region 5

---

Water Body	Pollutant/Stressor	Rationale
American River, Lower	Pathogens	Based on a single beach closure (in 2000) and occasional high fecal coliform bacteria measurements. The fecal coliform objectives specifically allow the maximum (400 MPN/ml) to be exceeded 10% of the time. The available data indicates that the fecal coliform number is not exceeded more than 10% of the time. Other pathogen measurements, including E. coli, Cryptosporidium, giardia, and virus measurements, indicate that these indicators are below applicable guidelines. The lower river has a high recreation value and with increased urbanization and increasing use should be monitored to ensure that the pathogen levels in the river do not rise above standards.
Arcade Creek	Malathion	A USGS NAWQA study conducted from 1996 and 1998 analyzed 31 ambient water samples in Arcade Creek. Of the 31 samples collected and analyzed, 3 out of 31 (about 10%) exceeded the USEPA recommended criterion of 0.1ug/l. Samples collected in 4/97, 5/97, and 6/97 had concentrations of 0.634, 0.144, and 0.135 ug/l, respectively. The study did not include sampling during April through June in 1996 or 1998. Further assessment is needed to confirm that the exceedances recur.
Butte Slough	Malathion	Between 1995 and 1998, a total of 70 ambient water samples collected in the Butte Slough were analyzed for malathion. Overall, 2 of 70 samples contained malathion concentrations above the USEPA recommended criterion of 0.1 ug/l. These two samples above the criteria have the same sample date, as reported in the Department of Pesticide Regulation's Surface Water Database. The samples are, therefore, likely duplicates. Since only one sample date indicates malathion levels above the criterion, there is no indication that elevated levels of malathion are recurring in Butte Slough.
	Molinate	Molinate Data = 99 samples were collected and over six years 7 samples exceeded the CDFG criterion for Molinate. The CDFG criteria was used to determine that the narrative objectives for pesticide and toxicity are not being attained. An inadequate number of samples exceeded the evaluation criteria value. All the data used in this assessment were collected during the period of application of molinate to rice (generally may and June). The data reviewed show that the evaluation values was exceeded five times in 1996 and two times in 1997. The magnitude of the observed concentrations were very close to the 13 ug/L evaluation value; in 1996 and 1997 the highest values observed were 15.7 ug/L and 16.42 ug/L. The evaluation value was not exceeded in data from 1994, 1995, 1998, 1999, and 2000. Given the circumstances in this particular situation, Butte Slough should not be listed for molinate. There is a low confidence in 5% of the samples exceeding the objective.
	Thiobencarb	Between 1995 and 1998, a total of 77 ambient water samples collected in the Butte Slough were analyzed for thiobencarb. Overall, 1 of 77 samples contained thiobencarb concentrations above the CDFG recommended criterion of 3.1 ug/l. Since only one sample was above the criterion, there is no indication that elevated levels of thiobencarb are recurring in Butte Slough.
Camanche Reservoir	Aluminum	There were 260 samples taken over seven years. Of those samples 18 exceeded the NWRAQ criterion. The NWRAQ was used to determine the narrative objective for toxicity. In 1995 data had unusually high TSS values based on the EBMUD data set. Three of 18 the exceedances were during storm events. Since storm events that resulted in the highest observed aluminum levels it is unlikely that the aluminum criteria will be exceeded. There exists a low confidence in 5.7% of the samples exceeding the objective.

<b>Water Body</b>	<b>Pollutant/Stressor</b>	<b>Rationale</b>
<b>Colusa Basin Drain</b>		
	Chlorpyrifos	Between 1994 and 1998, multiple studies analyzed a total of 24 ambient water samples collected in the CBD for chlorpyrifos. Overall, 3 of 24 samples contained chlorpyrifos concentrations at or above CDFG chronic (4-day average) water quality criterion of 0.014 ug/l and 0 of 24 samples exceeded CDFG acute water quality criterion of 0.02 ug/l. The 3 sample dates on which chlorpyrifos concentrations were above the chronic criteria were relatively minor exceedances (0.019, 0.0164, 0.0149 ug/l). In addition, there was no evidence that the 4-day average concentration would have been above 0.014 ug/l. Further assessment of chlorpyrifos levels in Colusa Basin Drain is needed.
	Dicamba	Between 1992 and 1998, multiple studies analyzed a total of 38 ambient water samples collected in the CBD for dicamba. Two of 38 samples exceeded the Canadian Environmental Quality Guidelines of 0.006 ug/l. The two samples that were above the Canadian guidelines were collected in 1992. Samples analyzed from 1996-1998 did not have detectable levels of dicamba, so there is no indication that current levels of dicamba are above applicable guidelines.
<b>Del Puerto Creek</b>		
	Malathion	Between 1991 and 1993, a total of 33 ambient water samples collected in Del Puerto Creek were analyzed for malathion. Overall, 2 of 33 samples contained malathion concentrations above the USEPA recommended criterion of 0.1ug/l. An apparent duplicate of one of the samples above the criterion had non-detectable levels of malathion. When the duplicates are averaged, the concentration for that day is below the criterion. Since only one sample date had malathion concentrations above the criterion, there is no indication that current levels of malathion are above applicable guidelines.
<b>Delta Waterways (Eastern Portion)</b>		
	Pathogens	Data was available from the DeltaKeeper for a large number of sites throughout the Delta. The data was generally limited in time, with a relatively few sampling events. None of the sites appeared to exceed the Department of Health Services 30 day log mean E. coli guidelines. A few sites had a single exceedance of E. coli single sample guidelines. Due to the limited number of sampling events, it was difficult to determine whether the few observed exceedances of Department of Health Services E. coli guidelines are due to a chronic condition of pollution (likely to occur again) or an acute condition (not likely to occur again). More data, both temporal and spatial, is needed before determining whether or not the Delta is attaining water quality standards with respect to pathogens.
<b>Delta Waterways (Stockton Ship Channel)</b>		
	Pathogens	Data was available from the DeltaKeeper for a large number of sites throughout the Delta. The data was generally limited in time, with a relatively few sampling events. None of the sites appeared to exceed the Department of Health Services 30 day log mean E. coli guidelines. A few sites had a single exceedance of E. coli single sample guidelines. Due to the limited number of sampling events, it was difficult to determine whether the few observed exceedances of Department of Health Services E. coli guidelines are due to a chronic condition of pollution (likely to occur again) or an acute condition (not likely to occur again). More data, both temporal and spatial, is needed before determining whether or not the Delta is attaining water quality standards with respect to pathogens.
<b>Feather River</b>		
	Group A Pesticides	The Delta waterways are currently on the 303(d) list for DDT and Group A pesticides. The Feather River is currently on the 303(d) list for Group A pesticides. Fish tissue data from earlier studies (1980's and early 1990's) had indicated that National Academy of Sciences and/or U.S. Food and Drug Administration guidelines were not being met. More recent studies had indicated substantial reductions in these contaminants in fish tissue. The sampling design and fish collected in the earlier and later studies were not directly comparable (especially in terms of percent lipid content). Additional fish tissue samples should be collected and analyzed to determine whether applicable criteria and guidelines are currently being met.

<b>Water Body</b>	<b>Pollutant/Stressor</b>	<b>Rationale</b>
French Camp Slough	Pathogens	There was limited data for French Camp Slough (4 data points over 2 months from a single sample location). Two out of four samples (one each month) were above the single sample value. The geometric mean for the four data points is well below the guidelines. The extremely limited sample set made it difficult to determine whether the elevated E. coli levels are likely to be observed again. Further assessment of French Camp Slough is recommended.
Fresno River	Nutrients/Pathogens	Further assessment is needed based on largely anecdotal information on the water quality in these streams and lakes. RWQCB staff has been made aware of algae die offs, which could be a result of nutrient water quality problems. RWQCB staff has been made aware of cattle in or near these streams and lakes, which could result in pathogen water quality problems. RWQCB staff has at most one or two water quality data points from these streams and lakes. The data and information available indicates a potential water quality problem, but is not sufficient to determine whether applicable standards are being attained or not. RWQCB staff will try to pursue funding to monitor these waters to determine whether nutrient and or pathogen related water quality problems exist.
Hensley Lake	Nutrients/Pathogens	Further assessment is needed based on largely anecdotal information on the water quality in these streams and lakes. RWQCB staff has been made aware of algae die offs, which could be a result of nutrient water quality problems. RWQCB staff has been made aware of cattle in or near these streams and lakes, which could result in pathogen water quality problems. RWQCB staff has at most one or two water quality data points from these streams and lakes. The data and information available indicates a potential water quality problem, but is not sufficient to determine whether applicable standards are being attained or not. RWQCB staff will try to pursue funding to monitor these waters to determine whether nutrient and or pathogen related water quality problems exist.
Ingram/Hospital Creek	Carbaryl	Between 1991 and 1993, a total of 26 ambient water samples collected in Ingram/Hospital Creek were analyzed for carbaryl. Two of the 26 samples contained carbaryl concentrations above the CDFG criterion of 2.53ug/l. Those two samples were collected in May 1991 (8.4 ug/l) and May 1992 (2.8 ug/l) respectively. The data indicates that carbaryl may be a problem in May. Since the data was collected about a decade ago and the elevated levels only occurred in one month, further assessment is needed to determine whether carbaryl levels are currently elevated.
Kaweah River	Nutrients/Pathogens	Further assessment is needed based on largely anecdotal information on the water quality in these streams and lakes. RWQCB staff has been made aware of algae die offs, which could be a result of nutrient water quality problems. RWQCB staff has been made aware of cattle in or near these streams and lakes, which could result in pathogen water quality problems. RWQCB staff has at most one or two water quality data points from these streams and lakes. The data and information available indicates a potential water quality problem, but is not sufficient to determine whether applicable standards are being attained or not. RWQCB staff will try to pursue funding to monitor these waters to determine whether nutrient and or pathogen related water quality problems exist.

<b>Water Body</b>	<b>Pollutant/Stressor</b>	<b>Rationale</b>
Kern River	Nutrients/Pathogens	Further assessment is needed based on largely anecdotal information on the water quality in these streams and lakes. RWQCB staff has been made aware of algae die offs, which could be a result of nutrient water quality problems. RWQCB staff has been made aware of cattle in or near these streams and lakes, which could result in pathogen water quality problems. RWQCB staff has at most one or two water quality data points from these streams and lakes. The data and information available indicates a potential water quality problem, but is not sufficient to determine whether applicable standards are being attained or not. RWQCB staff will try to pursue funding to monitor these waters to determine whether nutrient and or pathogen related water quality problems exist.
Lake Isabella	Nutrients/Pathogens	Further assessment is needed based on largely anecdotal information on the water quality in these streams and lakes. RWQCB staff has been made aware of algae die offs, which could be a result of nutrient water quality problems. RWQCB staff has been made aware of cattle in or near these streams and lakes, which could result in pathogen water quality problems. RWQCB staff has at most one or two water quality data points from these streams and lakes. The data and information available indicates a potential water quality problem, but is not sufficient to determine whether applicable standards are being attained or not. RWQCB staff will try to pursue funding to monitor these waters to determine whether nutrient and or pathogen related water quality problems exist.
Lake Kaweah	Nutrients/Pathogens	Further assessment is needed based on largely anecdotal information on the water quality in these streams and lakes. RWQCB staff has been made aware of algae die offs, which could be a result of nutrient water quality problems. RWQCB staff has been made aware of cattle in or near these streams and lakes, which could result in pathogen water quality problems. RWQCB staff has at most one or two water quality data points from these streams and lakes. The data and information available indicates a potential water quality problem, but is not sufficient to determine whether applicable standards are being attained or not. RWQCB staff will try to pursue funding to monitor these waters to determine whether nutrient and or pathogen related water quality problems exist.
Lake Success	Nutrients/Pathogens	Further assessment is needed based on largely anecdotal information on the water quality in these streams and lakes. RWQCB staff has been made aware of algae die offs, which could be a result of nutrient water quality problems. RWQCB staff has been made aware of cattle in or near these streams and lakes, which could result in pathogen water quality problems. RWQCB staff has at most one or two water quality data points from these streams and lakes. The data and information available to RWQCB staff indicates a potential water quality problem, but is not sufficient to determine whether applicable standards are being attained or not. RWQCB staff will try to pursue funding to monitor these waters to determine whether nutrient and or pathogen related water quality problems exist.

Water Body	Pollutant/Stressor	Rationale
Merced River	Mercury	<p>Further assessment is needed because:</p> <ol style="list-style-type: none"> <li>1. The weighted-average Trophic Level 4 (TL4) fish tissue mercury concentration for each waterbody closely approached the USEPA criterion of 0.3 ppm.</li> <li>2. The weighted-average mercury concentrations for the bass and white catfish samples from both water bodies exceeded USEPA criterion.</li> <li>3. The channel catfish concentrations were consistently lower than the other TL4 species. For widespread comparisons between water bodies throughout the Central Valley, staff considered channel catfish to be a trophic level 4 species because usually channel catfish fish measuring more than 300-380 mm in length are piscivorous (Moyle, 2002). However, staff observed that channel catfish from several water bodies have average mercury concentrations that are lower than mercury concentrations in white catfish and bass samples. Additional information about which fish species humans are catching and eating from the Merced and Tuolumne Rivers is needed. Staff can then calculate the average fish tissue concentration based on distribution of species being caught by humans, rather than basing the calculation on species sampled.</li> </ol>
Mormon Slough	Diazinon	<p>In February 1994 toxicity tests were performed on two ambient water samples collected from Mormon Slough. The samples were collected on consecutive days. Diazinon levels were analyzed for both samples. Both samples were above the CDFG acute and chronic criteria of 0.08 ug/l and 0.05 ug/l, respectively. Both of the samples caused toxicity to <i>Ceriodaphnia dubia</i>. The addition of PBO to the samples eliminated the toxicity ( data as reported in Lee and Jones-Lee, 2001). Further assessment of diazinon levels in Mormon Slough is needed, since the current data set only includes two data points from samples collected on consecutive days. The available data set is not sufficient to determine that elevated diazinon levels recur in Mormon Slough.</p>
Oristimba Creek	Methodathion	<p>Between 1996 and 2000, multiple studies analyzed a total of 1050 ambient water samples collected in Orestimba Creek for methodathion. Two of 1050 (about 0.2%) exceeded the USEPA Integrated IRIS Reference Dose of 0.7 ug/l. The two samples were collected in 1993 (2.14 ug/l) and 2000 (1.74 ug/l). Since only 2 out of 1050 samples were above the reference dose and there were seven years between detections of elevated levels, the frequency of occurrence of elevated levels of methodathion is relatively low. In addition, IRIS reference doses are for the protection of human health from consumption of drinking water. RWQCB staff is not aware of any drinking water intakes within Orestimba Creek. The low frequency of exceedance of the IRIS reference dose combined with the low likelihood of exposure suggests that water quality objectives relevant to methodathion are being met</p>
Putah Creek, Lower	Unknown Toxicity	<p>Toxicity Data was collected monthly and during rain events as well (at least 24 samples). 16 of the samples resulted in impaired growth, impaired reproduction and/or mortality. Further TIE test were run and the tests failed to pinpoint the cause while ammonia and pathogenicity were eliminated as causes because no toxicity was observed.</p>
Putah Creek, Upper	Unknown Toxicity	<p>On four of the sampling dates the water caused reproductive impairments to <i>Ceriodaphnia</i>. They were analyzed using TIE. The results indicate an unknown toxicant that suggests that a non-polar, organic chemical caused the impairments. A July 1999 sample showed impairment to growth to <i>Selenastrum</i>, toxicity unknown. Overall 5 out of 12 (42%) of the samples resulted in toxicity. Follow-up toxicity tests showed not toxicity. Studies did show that non-polar chemicals when increased to three times the concentration ambient waters did cause toxicity. These higher concentrations do not represent ambient water concentrations and could not be linked to the originally observed toxicity.</p>

Water Body	Pollutant/Stressor	Rationale
Salt Slough	Malathion	<p>Between 1991 and 1993, a total of 46 ambient water samples collected in Salt Slough were analyzed for malathion. Overall, 2 of 46 samples contained malathion concentrations above the USEPA recommended criterion of 0.1 ug/l. The two samples above the criterion were collected in March 1992 (0.16 ug/l) and March 1993 (0.39 ug/l). Since the data was collected about a decade ago and the elevated levels only occurred in one month, further assessment is needed to determine whether malathion levels are currently elevated.</p>
San Luis Reservoir	Copper	<p>Data was received from the California Department of Water Resources (CDWR) on levels of copper in the San Luis Reservoir as part of the initial solicitation. Some of the data submitted was received after the initial May 15, 2001 deadline. The data now available indicates that copper levels exceeded California Toxics Rule criteria frequently from October 1999 to September 2000 (7 out of 10 samples exceeded the chronic criteria, 3 out of 10 exceeded the acute). Since there was only one minor exceedance (0.1 ppb above the criteria) prior to October 1999 and no exceedances since September 2000, the exceedances may have been due to conditions unique to the October 1999- September 2000 time period. Regional Board staff received data from CDWR that included copper results through June 2002 (CDWR, 2002). All samples collected since September 2000 have copper levels well below the CTR criteria.</p> <p>RWQCB staff has discussed with CDWR staff the time period in which CTR criteria were exceeded and it is not clear why those exceedances occurred at that time and not before or since. RWQCB staff reviewed data available on CDWR's web site (<a href="http://www.womwq.water.ca.gov/wqmon.html">http://www.womwq.water.ca.gov/wqmon.html</a>) to determine whether sites upstream and downstream of the San Luis Reservoir showed elevated levels of copper. A review of data on copper levels at the pumping plants in the Delta, in the Delta-Mendota Canal, and in the O'Neil Forebay, indicates that copper levels were well below CTR criteria even when the observed exceedances in the San Luis Reservoir occurred.</p> <p>Staff does not recommend listing the San Luis Reservoir for non-attainment of copper standards at this time. The combination of the finite time period of the excursions, the relatively low levels of copper since the excursions occurred, and the lack of elevated levels downstream and upstream of the reservoir indicate that the excursions may not occur again (i.e. the evidence suggests that standards are currently attained).</p> <p>Sampling and analysis for copper should continue and that factors that could affect copper analytical results be carefully tracked (e.g. timing of application of copper based pesticides, sampling location, reservoir levels, etc.).</p>
Ten Mile River (South fork Kings River)	Nutrients/Pathogens	<p>Further assessment is needed based on largely anecdotal information on the water quality in these streams and lakes. RWQCB staff has been made aware of algae die offs, which could be a result of nutrient water quality problems. RWQCB staff has been made aware of cattle in or near these streams and lakes, which could result in pathogen water quality problems. RWQCB staff has at most one or two water quality data points from these streams and lakes. The data and information available indicates a potential water quality problem, but is not sufficient to determine whether applicable standards are being attained or not. Regional Board staff will try to pursue funding to monitor these waters to determine whether nutrient and or pathogen related water quality problems exist.</p>

Water Body	Pollutant/Stressor	Rationale
Tule River	Nutrients/ Pathogens	<p>Further assessment is needed based on largely anecdotal information on the water quality in these streams and lakes. RWQCB staff has been made aware of algae die offs, which could be a result of nutrient water quality problems. RWQCB staff has been made aware of cattle in or near these streams and lakes, which could result in pathogen water quality problems. RWQCB staff has at most one or two water quality data points from these streams and lakes. The data and information available to indicates a potential water quality problem, but is not sufficient to determine whether applicable standards are being attained or not. RWQCB staff will try to pursue funding to monitor these waters to determine whether nutrient and or pathogen related water quality problems exist.</p>
Tuolumne River	Mercury	<p>Further assessment is needed because:</p> <ol style="list-style-type: none"> <li>1. The weighted-average TL4 fish tissue mercury concentration for each waterbody closely approached the USEPA criterion of 0.3 ppm.</li> <li>2. The weighted-average mercury concentrations for the bass and white catfish samples from both water bodies exceeded USEPA criterion.</li> <li>3. The channel catfish concentrations were consistently lower than the other TL4 species. For widespread comparisons between water bodies throughout the Central Valley, staff considered channel catfish to be a trophic level 4 species because usually channel catfish fish measuring more than 300-380 mm in length are piscivorous (Moyle, 2002). However, staff observed that channel catfish from several water bodies have average mercury concentrations that are lower than mercury concentrations in white catfish and bass samples. Staff believes that additional information about which fish species humans are catching and eating from the Merced and Tuolumne Rivers is needed. Staff can then calculate the average fish tissue concentration based on distribution of species being caught by humans, rather than basing the calculation on species sampled.</li> </ol>
Walker Slough	Diazinon	<p>Between 1994 and 1998, 6 samples were collected from Walker Slough and toxicity tests were performed on them (as summarized in Lee and Jones-Lee, 2001). Diazinon levels were measured in three of those samples. Most of these samples were collected during wet weather events in the winter. Of the 6 samples, 2 resulted in 100% mortality within 7 days to <i>Ceriodaphnia dubia</i>. The two samples exhibiting 100% mortality had diazinon concentrations of 0.273 ug/l and 0.170 ug/l. PBO was added to one of the toxic samples and eliminated the toxicity. Further assessment is needed of diazinon levels in Walker Slough due to the limited data set currently available.</p>
Yuba River	Pathogens	<p>The Yuba River received much press coverage last summer concerning high levels of bacteria in the river and for beach closures. There has been ongoing concern with possible interference in test methods used at the river. The river was tested for both <i>E. coli</i> and enterococci. The <i>E. coli</i> levels remained low while the enterococci levels were high. Additionally, the county and a citizens monitoring group have been attempting to determine if the sampling indicates impairment or if it was due to a single, non-recurring incident of pollution. Confirmation sampling and method evaluation for the Yuba River is being conducted this summer. Due to the contradictory information regarding the pathogen indicators, further assessment is necessary to determine if water quality standards are attained with respect to pathogens.</p>

Page left blank intentionally.



# Reference List for Region 5

## **Staff Report**

California Regional Water Quality Control Board. Central Valley Region. 2001. Draft Staff Report on Recommended Changes to California's Clean Water Act Section 303(d) List. September 27, 2001.

## **Technical References**

Alpers, C.N. and M.P. Hunerlach. 2000. *Mercury Contamination from Historic Gold Mining in California*. U.S. Geological Survey. Fact Sheet FS-061-00. May 2000.

Bailey, H.C., L. Deanovic, E. Reyes, T. Kimball, K. Larsen, K. Cortright, V. Connor, and D. Hinton. 2000. *Diazinon and Chlorpyrifos in Urban Waterways in Northern California*. USA. Environmental Toxicology and Chemistry (19) 82-87.

Bailey, H.C., J.L. Miller, M.J. Miller, L.C. Wiborg, L. Deanovic, and T. Shed. 1997. *Joint Acute Toxicity of Diazinon and Chlorpyrifos to Ceriodaphnia dubia*. Environmental Toxicology and Chemistry (16) 2304-2308.

Brodberg, R. K. and G.A. Pollock. 1999. *Prevalence of Selected Target Chemical Contaminants in Sport Fish from Two California Lakes: Public Health Designed Screening Study*. California Environmental Protection Agency, Office of Environmental Health Hazard Assessment.

Buer, S.M., S.R. Phillippe, and T.R. Pinkos. 1979. *Inventory and Assessment of Water Quality Problems related to Abandoned and Inactive Mines in the Central Valley Region of California*. CRWQCB-CVR (California Regional Water Quality Control Board, Central Valley Region).

California Rice Commission. 2001. *CA Rice*. [www.calrice.org/environment/balance-cheet/chap3.html](http://www.calrice.org/environment/balance-cheet/chap3.html)

CCME (Canadian Council of Ministers of the Environment). 1991. Appendix IX- A protocol for the derivation of water quality guidelines for the protection of aquatic life (April 1991). In: Canadian water quality guidelines, Canadian Council of Resource and Environment Ministers, 1987. Prepared by the Task Force on Water Quality Guidelines. [Updated and reprinted with minor revisions and editorial changes in Canadian environmental quality guidelines, Chapter 4, Canadian Council of Ministers of the Environment, 1999, Winnipeg.]

CDM (Camp Dresser & McKee Inc). 1999. *Assessment of Water Quality Data from Smith Canal*. July 27, 1999. (Appendix B-2 to City of Stockton & San Joaquin County Storm Water Management Program).

CCR (California Code of Regulations). Title 17 §7958 *Bacteriological Standards*.

CDFG (California Department of Fish and Game). 1991. *Lower Mokelumne River Fisheries Plan*. The Resources Agency, Department of Fish and Game, Streamflow Requirements Program. November 1991. CDHS (California Department of Health Services). 2000. *Draft Guidance for Fresh Water Beaches*. July 27, 2000.

CDPR (California Department of Pesticide Regulation). 1997. *Information on Rice Pesticides-Submitted to the California Regional Water Quality Control Board*. California Environmental Protection Agency, Department of Pesticide Regulation. Environmental Monitoring and Pest Management Branch. Environmental Hazards Assessment Program. December 23 1997.

CDPR (California Department of Pesticide Regulation). 2000a. *Surface Water Database (SWDB)*, as of July 15, 2000.

CDPR (California Department of Pesticide Regulation). 2000b. *Pesticide Use Report (PUR) Database*. Preliminary 2000 Pesticide Use Data.

CDWR (California Department of Water Resources). 1993. *Dams within Jurisdiction of the State of California*. DWR Bulletin 17. As presented by the Berkeley Digital Library Project. Accessed on August 23, 2001. Accessed: (<http://elib.cs.berkeley.edu/dams/about.html>).

CDWR (California Department of Water Resources). 1998. *Aquatic Monitoring and Assessment for the Upper Fall River, Memorandum Report*. May 1998.

Chen C. and W. Tsai. 1999. *Application of Stockton's Water Quality Model to Evaluate Stormwater Impact on Smith Canal*. February 23, 1999. (Attachment to March 17, 1999 letter from City of Stockton, G. Birdzell).

- Chilcott, J. 1992. *Agenda Item #11 for Meeting of California Regional Water Quality Control Board, Central Valley Region*. September 25, 1992. Fresno, CA. Staff Report on Consideration of Water Body Designations to Comply with Provisions of the Water Quality Control Plan for Inland Surface Waters of California. Appendix B.
- CH2MHILL. 2000a. *Closure Report: Penn Mine Environmental Restoration Project*. Prepared for: East Bay Municipal Utility District and Regional Water Quality Control Board-Central Valley Region. Oakland, California. December 2000.
- CH2MHILL. 2000b. (Draft) *Post-Restoration Final Effectiveness Report: Penn Mine Environmental Restoration Project*. Prepared for: East Bay Municipal Utility District and Regional Water Quality Control Board-Central Valley Region. Oakland, California. September 2000.
- City of Grass Valley. 2000. *Discharger self-monitoring reports (DSMRs) for Grass Valley Waste Water Treatment Plant*.
- City of Grass Valley. 2001. *Discharger self-monitoring reports (DSMRs) for Grass Valley Waste Water Treatment Plant*.
- Cortright, K., L. Deanovic, H. Bailey, and D. Hinton. 1995. *Stockton Urban Runoff April 1995-June 1995 Report- Prepared for: Central Valley Regional Water Quality Control Board*.
- CRWQCB-CVR (California Regional Water Quality Control Board, Central Valley Region). 1978. *Waste Discharge Requirements for Mount Diablo Quicksilver Mine, Contra Costa County*. Sacramento, Ca: CRWQCB.
- CRWQCB-CVR (California Regional Water Quality Control Board, Central Valley Region). 1982. *Fall River Water Quality Monitoring*.
- CRWQCB-CVR (California Regional Water Quality Control Board, Central Valley Region). 1995. *Futures Foundation, New Idria Mine File*. 1971-1995 Electronic database of all water sampling results for San Carlos Creek and New Idria Mine drainage. Mercury data for water samples collected June 1971 to December 1995.
- CRWQCB-CVR (California Regional Water Quality Control Board, Central Valley Region). 1998. *The Water Quality Control Plan (Basin Plan) for the California Regional Water Quality Control Board, Central Valley Region — The Sacramento River Basin and the San Joaquin River Basin*. Fourth Edition. CRWQCB-CVR, Sacramento, Ca. <http://www.swrcb.ca.gov/~rwqcb5/bsnplnab.pdf>
- CRWQCB-CVR (California Regional Water Quality Control Board, Central Valley Region). 1999a. (Enclosure 5) *Waste Discharge Requirements (WDRs) Order No. 99-052, Madera County Maintenance District 22A, Oakhurst Wastewater Treatment Facility, Madera County*, (with Supporting Data and Analyses). 30 April 1999 (Rescinded on 17 April 2000).
- CRWQCB-CVR (California Regional Water Quality Control Board, Central Valley Region). 1999b. (Enclosure 6), January 1996-January 2000, *Fresno River Water Quality Data from Self-Monitoring Reports, Madera County Maintenance District 22A, Oakhurst Wastewater Treatment Facility, Madera County*.
- CRWQCB-CVR (California Regional Water Quality Control Board, Central Valley Region). 2001a. *Avena Drain File*. File Containing Regional Board Staff Field notes and lab results from Avena Drain and surrounding dairies.
- CRWQCB-CVR (California Regional Water Quality Control Board, Central Valley Region). 2001b. *Public Solicitation of Water Quality Information* letter. Sacramento, California. 21 February 2001.
- CRWQCB-SFB (California Regional Water Quality Control Board, San Francisco Bay Region), State Water Resources Control Board, and California Department of Fish and Game. 1995. *Contaminant Levels in Fish Tissue from San Francisco Bay: Final Report*. CRWQCB-SFB, Oakland, CA. Davis, J.A., M.D. May, G. Ichikawa, and D. Crane. 2000. *Contaminant Concentrations in Fish from the Sacramento-San Joaquin Delta and Lower San Joaquin River – 1998*. San Francisco Estuary Institute report. Richmond, California. September 2000.
- DeLorme. 1998. *Northern California Atlas and Gazetteer- Detailed Topographic Maps*. 1:150,000 Scale. Fourth Edition. (<http://www.delorme.com>.)
- Dileanis, P.D., J.L. Domagalski, and K.P. Bennett. 2000. *Occurrence and Transport of Diazinon in the Sacramento River and its Tributaries During Three Winter Storms, January-February 2000*. U.S. Geological Survey Water Resources Investigations draft report. Sacramento, CA. As presented in *Water Quality Management Strategy for Diazinon in the Sacramento and Feather Rivers*. Sacramento River Watershed Program. Organophosphate Focus Group. March 30, 2000.
- Domagalski, J.L. 2000. *Pesticide Monitoring in the Sacramento River Basin for the USGS National Water Quality Assessment Program*. Report in prep. USGS. As presented in CDPR, 2000a. Domagalski, J.L., 2001. Telephone conversation between Joe Domagalski (Sacramento River Basin NAWQA Study Unit, Chief, U.S. Geological Survey) and Joe Karkoski (Sacramento River Watershed TMDL Unit, Chief, California Regional Water Quality Control Board, Central Valley Region) on 4 September 2001, regarding sampling sites included in NAWQA studies.

- EBMUD (East Bay Municipal Utility District). 2000. *All About EBMUD*. EBMUD Public Affairs Office publication. [http://www.ebmud.com/pubs/annual/allaboutebmud\\_2000.pdf](http://www.ebmud.com/pubs/annual/allaboutebmud_2000.pdf). Last accessed: August 2, 2001.
- EBMUD (East Bay Municipal Utility District). 2001. Unpublished dissolved copper concentration data for the lower Mokelumne River downstream of Camanche Dam, generated as part of EBMUD's NPDES requirements. Provided electronically by Alexander R. Coate (Manger of Regulatory Compliance, EBMUD) to Michelle L. Wood (Environmental Specialist, Central Valley Regional Water Quality Control Board) on August 2, 2001.
- EDAW, Inc. 1992. *Draft EIS/EIR for the Updated Water Supply Management Program, Volume III, Technical Appendices B1 and B2*. Prepared for: East Bay Municipal Utility District. Oakland, California. December 1992.
- Foe, C. 1995. *Insecticide Concentrations and Invertebrate Bioassay Mortality in Agricultural Return Water from the San Joaquin Basin*. Central Valley Regional Water Quality Control Board. Sacramento, CA December 1995.
- Foe, C. and W. Croyle. 1998. *Mercury Concentrations and Loads from the Sacramento River and from Cache Creek to the Sacramento-San Joaquin Delta Estuary*. California Regional Water Quality Control Board, Central Valley Region Report. Sacramento, Ca. June 1998.
- Fujimura, R. 1991a. *Chemical and Toxicity Test Results from the San Joaquin River at Three Sites from July 2 to September 13, 1991*. Memorandum to Lisa Ross, Department of Pesticide Regulation. Sacramento, CA. November 6, 1991. As presented in CDPR, 2000a.
- Fujimura, R. 1991b. *Chemical and Toxicity Test Results from the San Joaquin River and Tributaries During March 4 to April 26, 1991*. Memorandum to Lisa Ross, Department of Pesticide Regulation. Sacramento, CA. November 6, 1991. As presented in CDPR, 2000a.
- Fujimura, R. 1993a. *Chemical Analyses and Bioassay Test Results for Samples Collected from December 29 to February 25, 1993*. Memorandum to Brian Finlayson, Pesticide Investigations Unit, California Department of Fish and Game. Rancho Cordova, CA. March 26, 1993. As presented in CDPR, 2000a.
- Fujimura, R. 1993b. *Chemical Analyses and Bioassay Test Results for Samples Collected from July 9 to September 9, 1992*. Memorandum to Brian Finlayson, Pesticide Investigations Unit, California Department of Fish and Game. Rancho Cordova, CA. March 23, 1993. As presented in CDPR, 2000a.
- Fujimura, R. 1993c. *Chemical Analyses and Bioassay Test Results for Samples Collected from March 16 to April 30, 1992*. Memorandum to Brian Finlayson, Pesticide Investigations Unit, California Department of Fish and Game. Rancho Cordova, CA. March 22, 1993. As presented in CDPR, 2000a.
- Fujimura, R. 1993d. *Chemical Analyses and Bioassay Test Results for Samples Collected from December 23, 1991 to February 27, 1992*. Memorandum to Brian Finlayson, Pesticide Investigations Unit, California Department of Fish and Game. Rancho Cordova, CA. February 23, 1993. As presented in CDPR, 2000a.
- Gorder, N.K.N. and J.M. Lee. 1995. *Information on rice pesticides submitted to the California Regional Water Quality Control Board Central Valley Region*. Environmental Monitoring and Pest Management Branch, Department of Pesticide Regulation, Sacramento, CA. December 28, 1995.
- Gorder, N.K.N. and J.M. Lee. 1997. *Information on rice pesticides submitted to the California Regional Water Quality Control Board Central Valley Region*. Environmental Monitoring and Pest Management Branch, Department of Pesticide Regulation, Sacramento, CA. December 23, 1997.
- Gorder, N.K.N., J.M. Lee, and K. Newhart. 1996. *Information on rice pesticides submitted to the California Regional Water Quality Control Board Central Valley Region*. Environmental Monitoring and Pest Management Branch, Department of Pesticide Regulation, Sacramento, CA.
- Gorder, N.K.N. and K. Newhart. 1998. *Information on rice pesticides submitted to the California Regional Water Quality Control Board Central Valley Region*. Environmental Monitoring and Pest Management Branch, Department of Pesticide Regulation, Sacramento, CA. December 31, 1998.
- Hannaford, M.J., and North State Institute for Sustainable Communities. 2000. Preliminary Water Quality Assessment of Cow Creek Tributaries. Department of Fish and Game. May 15, 2000. (<http://www.delta.dfg.ca.gov/afpr/documents/cowcrk.rpt.pdf>).
- Harrington, J.M. 1990. *Hazard Assessment of the Rice Insecticides Molinate and Thiobencarb to Aquatic Life in the Sacramento River System*. California Department of Fish and Game. Environmental Services Division. Administrative Report 90-1. Sacramento, CA

- Holmes, R., C. Foe, and V. de Vlaming. 2000. *Sources and Concentrations of Diazinon in the Sacramento Watershed During the 1994 Orchard Dormant Spray Season*. California Regional Water Quality Control Board – Central Valley Region. Sacramento, CA. As presented in CDPR, 2000a.
- Horizons Technology, Inc. 1997. Sure! MAPS® RASTER Map Sets (U.S. Geological Survey 7.5' Topographic Quadrangles), Version 2.1.2.
- Iovenitti, J.L., Weiss Associates, and J. Wessman. 1989. *Mount Diablo Mine: Surface Impoundment Technical Report*. Pleasant Hill, Ca.
- Jennings, B. 2001. *Letter from Bill Jennings (DeltaKeeper A Project of San Francisco BayKeeper) to Mr. Jerry Bruns and Mr. Joe Karkoski (California Regional Water Quality Control Board, Central Valley Region) dated May 14, 2001, regarding DeltaKeeper comments on section 303(d) list update*. May 14, 2001.
- Larry Walker Associates. 2001a. SRWP 99-00 Database. Unpublished Data.
- Larry Walker Associates. 2001b. *Sacramento River Watershed Program Annual Monitoring Report: 1999-2000*. Prepared for the Sacramento River Watershed Program by Larry Walker Associates, Davis, California.
- Larsen, K., K.A. Cortright., P.Young, V. Connor, L.A.Deanovic, D.E. Hinton. 1998. *Stockton Fish Kills Associated With Urban Storm Runoff: The Role of Low Dissolved Oxygen*. CRWQCB-CVR. June 1998.
- Larsen, K., M. McGraw, V. Connor, L. Deanovic, T. Kimball, and D. Hinton. 2000. *Cache Creek and Smith Canal Watersheds Toxicity Monitoring Results: 1998-1999* Final Report. November 2000.
- Lee, G.F. and A. Jones-Lee. 2000a. *Dissolved Oxygen Depletion in the Stockton Sloughs*. August 2000. (Prepared for DeltaKeeper).
- Lee, G.F. and A. Jones-Lee. 2000b. *Issues in Developing the San Joaquin River Deep Water Ship Channel DO TMDL*. Report to San Joaquin River Dissolved Oxygen Total Maximum Daily Load Steering Committee and the CRWQCB-CVR. August 17, 2000.
- Lee, G.F. and A. Jones-Lee. 2001a. *Review of the City of Stockton Urban Stormwater Runoff Aquatic Life Toxicity Studies Conducted by the Central Valley Regional Water Quality Control Board, DeltaKeeper, and the University of California, Davis, Aquatic Toxicology Laboratory between 1994 and 1999*. Draft Report. April 2001. G. Fred Lee & Associates. El Macero, CA. (Prepared for DeltaKeeper).
- Lee, G.F. and A. Jones-Lee. 2001b. *Review of the City of Stockton Urban Stormwater Runoff Aquatic Life Toxicity Studies Conducted by the Central Valley Regional Water Quality Control Board, DeltaKeeper, and the University of California, Davis, Aquatic Toxicology Laboratory between 1994 and 1999*. Final Report. November 2001. G. Fred Lee & Associates. El Macero, CA. (Prepared for DeltaKeeper).
- Marshack, J.B. 2000. *A Compilation of Water Quality Goals*. California Regional Water Quality Control Board, Central Valley Region Report. August 2000, updated October 11, 2000; December 5, 2000; February 8, 2001; April 18, 2001; and July 26, 2001.
- May, J.T., R.L. Hothem, C.N. Alpers, and M.A. Law. 2000. *Mercury Bioaccumulation in Fish in a Region Affected by Historic Gold Mining: The South Yuba River, Deer Creek, and Bear River Watersheds, California, 1999*. U.S. Geological Survey. Sacramento, CA. 2000.
- McKee and Wolf. 1971. *Water Quality Criteria*. Publication 3-A. California State Water Control Board. Sacramento, California.
- Menconi, M. and S. Gray. 1992. *Hazard Assessment of the Insecticide Carbofuran to Aquatic Organisms in the Sacramento River System*. California Department of Fish and Game, Environmental Services Division. Administrative Report 92-3. Sacramento, CA.
- Menconi, M. and J.M. Harrington. 1992. *Hazard Assessment of the Insecticide Methyl Parathion to Aquatic Life in the Sacramento River System*. California Department of Fish and Game. Environmental Services Division. Administrative Report 92-1. Sacramento, CA.
- Montoya, B. and X. Pan. 1992. *Inactive Mine Drainage in the Sacramento Valley, California*. California Regional Water Quality Control Board, Central Valley Region Report. July 1992.
- NAS (National Academy of Science). 1973. *A Report of the Committee on Water Quality: Water Quality Criteria, 1972*. U.S. Environmental Protection Agency, National Academy of Science-National Academy of Engineers (NAS). EPA R3-



- 73-033.NCWA (Northern California Water Association). 2001. *The Lower Butte Creek Project*. ([http://norcalwater.org/lower\\_butte\\_creek\\_project.htm](http://norcalwater.org/lower_butte_creek_project.htm)). Last updated 4 September 2001.
- Nevada County. 2000. *Press Release, Three County Environmental Health Agencies Issue Interim Public Health Notification on Mercury in Fish*. Nevada County, Department of Environmental Health. ([http://www.co.nevada.ca.us/ehealth/hg/press\\_release\\_10-03-00.htm](http://www.co.nevada.ca.us/ehealth/hg/press_release_10-03-00.htm)).
- Newhart, K. and K. Bennett. 1999. *Information on Rice Pesticides-Submitted to the California Regional Water Quality Control Board*. California Environmental Protection Agency, Department of Pesticide Regulation. Environmental Monitoring and Pest Management Branch. Environmental Hazards Assessment Program. December 31, 1999.
- Newhart, K., D. Jones, and S. Ceesay. 2000. *Information on Rice Pesticides-Submitted to the California Regional Water Quality Control Board*. California Environmental Protection Agency, Department of Pesticide Regulation. Environmental Monitoring and Pest Management Branch. Environmental Hazards Assessment Program. December 31, 2000.
- Nichols, J., S. Bradbury, and J. Swartout. 1999. *Derivation of wildlife values for mercury in Journal of Toxicology and Environmental Health*: 325-355.
- Nordmark, C. 1998. *Preliminary Results of Acute and Chronic Toxicity Testing of Surface Water Monitored in the Sacramento River Watershed, Winter 1997-98*. Memorandum to Don Weaver, Environmental Monitoring and Pest Management, Department of Pesticide Regulation. Sacramento, CA. July 31, 1998. As presented in CDPR, 2000a.
- Nordmark, C. 1999. *Preliminary Results of Acute and Chronic Toxicity Testing of Surface Water Monitored in the Sacramento River Watershed, Winter 1998-99*. Memorandum to Don Weaver, Environmental Monitoring and Pest Management, Department of Pesticide Regulation, Sacramento, CA. May 26, 1999. As presented in CDPR, 2000a.
- Nordmark, C. 2000. In prep. *Preliminary Results of Acute and Chronic Toxicity Testing of Surface Water Monitored in the Sacramento River Watershed, Winter 1999-00*. Memorandum to Don Weaver, Environmental Monitoring and Pest Management, Department of Pesticide Regulation. Sacramento, CA. As presented in CDPR, 2000a.
- Nordmark, C.E., K.P. Bennett, H. Feng, J. Hernandez, and P. Lee. 1998. *Occurrence of aquatic toxicity and dormant spray pesticide detections in the Sacramento River watershed*. Winter 1996-97. Environmental Hazards Assessment Program, Environmental Monitoring and Pest Management Branch. Department of Pesticide Regulation. Sacramento, CA. Report EH98-01. February, 1998. As presented in CDPR, 2000a.
- North State Resources and T. Holmes (prepared for the Fall River Resource Conservation District). *A study of the Habitat Characteristics of the Aquatic Vegetation of the Upper Fall River: Final Report*. Redding, Ca. December 8, 1997.
- OEHHA (Office of Environmental Health Hazard Assessment). 1987. *Methyl Mercury In Northern Coastal Mountain Lakes: Guidelines for Sport Fish Consumption For Clear Lake ( Lake County), Lake Berryessa (Napa County), And Lake Herman (Solano County)*. James W. Stratton, Daniel Smith, Anna M. Fan, and Steven Book. Hazard Evaluation Section and the Epidemiological Studies and Surveillance Section, Berkeley, California.
- OEHHA (Office of Environmental Health Hazard Assessment). 1999. *Health Risk Categories and Cancer Risk. Values for Chemicals without California Public Health Goals: molinate*. [www.oehha.ca.gov/risk/ChemicalDB/withoutPHG.asp?name=molinate&number=221267](http://www.oehha.ca.gov/risk/ChemicalDB/withoutPHG.asp?name=molinate&number=221267)
- OEHHA (Office of Environmental Health Hazard Assessment). 2000. *Draft Evaluation of Potential Health Effects of Eating Fish From Black Butte Reservoir (Glenn and Tehama Counties): Guidelines for Sport Fish Consumption*, Pesticide and Environmental Toxicology Section, California Environmental Protection Agency, Office of Environmental Health Hazard Assessment.
- OMR (Office of Mine Reclamation). 2000. *California's Abandoned Mines – A Report on the Magnitude and Scope of the Issue in the State*. California Department of Conservation, Office of Mine Reclamation, Abandoned Mine Lands Unit (OMR). Sacramento, CA. June 2000.
- PANNA (Pesticide Action Network, North America). 2000. *DPR surface water database with exceedances indicated*. 9/24/00. PANNA
- Panshin, S.Y., N.M. Dubrovsky, J.M. Gronberg and J.L. Domagalski. 1998. *Occurrence and distribution of dissolved pesticides in the San Joaquin River Basin, California*. U.S. Geological Survey. Water Resources Investigations Report 98-4032. National Water Quality Assessment Program. As presented in CDPR, 2000a.
- Ross, L. 1992. *Preliminary Results of the San Joaquin River Study; Summer, 1991*. Memorandum to Kean Goh. Environmental Hazards Assessment Program, Environmental Monitoring and Pest Management Branch. California Department of Pesticide Regulation. Sacramento, CA. May 21, 1992.

- Ross, L. 1993. *Preliminary Results of the San Joaquin River Study; Summer, 1992*. Memorandum to Kean Goh. Environmental Hazards Assessment Program, Environmental Monitoring and Pest Management Branch. California Department of Pesticide Regulation. Sacramento, CA. September 22, 1993. As presented in C DPR, 2000a.
- Ross, L., J. Stein, J. Hsu, J. White, and K. Hefner. 1996. *Distribution and Mass Loading of Insecticides in the San Joaquin River, California: Winter 1991-92 and 1992-93*. Environmental Hazards Assessment Program, Environmental Monitoring and Pest Management Branch. California Department of Pesticide Regulation. Sacramento, CA. Report EH 96-02. November, 1996. As presented in C DPR, 2000a.
- Ross, L., J. Stein, J. Hsu, J. White, and K. Hefner. 1999. *Distribution and Mass Loading of Insecticides in the San Joaquin River, California: Spring 1991 and 1992*. Environmental Hazards Assessment Program, Environmental Monitoring and Pest Management Branch. California Department of Pesticide Regulation. Sacramento, CA. Report EH 99-01. April, 1999. As presented in C DPR, 2000a.
- Russick, K. 2001. *Characterization of OP Pesticides in Sacramento Urban Runoff and Receiving Waters*. Unpublished Draft CALFED Repot. Russik Environmental Consultant, Elk Grove, California.
- SCH EIR. 1996. *Draft EIR for The Penn Mine Site, Long-Term Solution Project*. Prepared for: East Bay Municipal Utility District and Regional Water Quality Control Board-Central Valley Region. SCH EIR No. 95103036. May 1996.
- Siepmann, S. and B.J. Finlayson. 2000. *Water Quality Criteria for Diazinon and Chlorpyrifos*. California Department of Fish and Game. Office of Spill Prevention and Response. Administrative Report 00-3. Sacramento, CA.
- Siepmann, S. and M.J. Jones. 1998a. *Hazard Assessment of the Insecticide Carbaryl to Aquatic Life in the Sacramento-San Joaquin River System*. California Department of Fish and Game. Office of Spill Prevention and Response. Administrative Report 98-1. Sacramento, CA.
- Siepmann, S. and S.B. Slater. 1998b. *Hazard Assessment of the Insecticide Malathion to Aquatic Life in the Sacramento-San Joaquin River System*. California Department of Fish and Game. Office of Spill Prevention and Response. Administrative Report 98-2. Sacramento, CA.
- Slotton, D.G., S.M. Ayers, and J.E. Reuter. 1996a. *Marsh Creek Watershed: 1995 Mercury Assessment Project—Final Report March 1996*. Report Prepared for Contra Costa County, March 1996.
- Slotton, D.G., S.M. Ayers, J.E. Reuter, and C.R. Goldman. 1995. *Gold Mining Impacts on Food Chain Mercury in Northwestern Sierra Nevada Streams*. Technical Completion Report for the University of California Resources Center, Project W-816. University of California, Davis, Division of Environmental Studies. August 1995.
- Slotton, D.G., S.M. Ayers, J.E. Reuter, and C.R. Goldman. 1996b. *Gold Mining Impacts on Food Chain Mercury in Northwestern Sierra Nevada Streams (1996 Revision)*. University of California, Davis, Division of Environmental Studies. December 1996.
- Slotton, D.G., S.M. Ayers, J.E. Reuter, and C.R. Goldman. 1997. *Cache Creek Watershed Preliminary Mercury Assessment, Using Benthic Macro-Invertebrates – Final Report, June 1997*. University of California, Davis, Division of Environmental Studies, June 1997.
- Slotton, D.G., S.M. Ayers, J.E. Reuter, C.R. Goldman. 1999. *Lower Putah Creek 1997-1998 Mercury Biological Distribution Study. February 1999*. Dept. of Environmental Science and Policy, University of California, Davis. February 1999.
- Slotton, D.G., T.H. Suchanek, and S.M. Ayers. 2000. *Delta Wetlands Restoration and the Mercury Question: Year 2 Findings of the CALFED UC Davis Mercury Study. IEP Newsletter. 13(4): 34-44*.
- SWRCB (State Water Resources Control Board). 1990. *Water Quality Problems Associated with Operation of Pardee and Camanche Reservoir*. State Water Resources Control Board, Division of Water Quality staff report.
- SWRCB (State Water Resources Control Board). 1995. *Toxic Substances Monitoring Program: Freshwater Bioaccumulation Monitoring Program: Data Base*. As presented in TSMP database (Metals\_Wet). SWRCB (State Water Resources Control Board). 1999. *1998 California 303(d) List and Priority Schedule*. Approved by U.S. Environmental Protection Agency, Region 9. May 12, 1999. (<http://www.swrcb.ca.gov/tmdl/docs/303d98.pdf>).
- SWRCB (State Water Resources Control Board). 2001. Undated memorandum from Stan Martinson, Chief, Division of Water Quality. *Solicitation of Water Quality Information*. E-mail sent 14 February 2001.
- Tetra Tech, Inc (for the Fall River Resource Conservation District). 1998. *Analysis of Sedimentation and Action Plan Development for the Upper Fall River, Shasta County, California*. San Francisco, Ca. May 20, 1998.

- USBR (U.S. Bureau of Reclamation). 2001. *U.S. Bureau of Reclamation DataWeb: Power Plants, Dams & Reservoirs*. Accessed on August 22, 2001 (<http://dataweb.usbr.gov/>).
- USDA (U.S. Department of Agriculture), River Basin Planning Staff, in cooperation with Fall River Resource Conservation District. 1983. *Fall River Watershed Area Study, Summary Report*. Davis, Ca. June 1983.
- USDHHS-ATSDR (U.S. Department of Health and Human Services, Agency for Toxic Substances and Disease Registry). 1994. *Public Health Statement for DDT, DDE, and DDD*. May 1994. (<http://www.atsdr.cdc.gov/ToxProfiles/phs8908.html>)
- USDHHS-ATSDR (U.S. Department of Health and Human Services, Agency for Toxic Substances and Disease Registry). 1995. *ToxFAQs - DDT, DDE, and DDD*. September 1995. (<http://www.atsdr.cdc.gov/tfacts35.html>)
- USDHHS-ATSDR (U.S. Department of Health and Human Services, Agency for Toxic Substances and Disease Registry). 1997. *Fish Sampling in Putah Creek, 1996, Laboratory for Energy Related Health Research, Davis, Yolo County California, Cerclis No. CA2890190000*. Agency for Toxic Substance and Disease Registry (ATSDR). April 1997.
- USDHHS-ATSDR (U.S. Department of Health and Human Services, Agency for Toxic Substances and Disease Registry). 1998. *Health Consolation, Fish Sampling in Putah Creek (Phase II), Laboratory for Energy Related Health Research, Davis, Yolo County California, Cerclis No. CA2890190000*. Agency for Toxic Substance and Disease Registry. September 1998.
- USEPA (U.S. Environmental Protection Agency). 1976. *Quality Criteria for Water (The Red Book)*.
- USEPA (U.S. Environmental Protection Agency). 1986a. *Ambient Water Quality Criteria for Bacteria*. EPA # 44015-84-002.
- USEPA (U.S. Environmental Protection Agency). 1995. *Great Lakes Water Quality Initiative Technical Support Document for Wildlife Criteria*. EPA-820-B-95-009. U.S. Environmental Protection Agency, Office of Water. March 1995.
- USEPA (U.S. Environmental Protection Agency). 1997a. *Mercury Study Report to Congress, Vol. 6. An Ecological Assessment for Anthropogenic Mercury Emissions in the United States*. U.S. Environmental Protection Agency, Office of Air Quality Planning & Standards and Office of Research and Development. Washington, DC.
- USEPA (U.S. Environmental Protection Agency). 1997b. *National Clarifying Guidance For 1998 State and Territory Clean Water Act Section 303(d) Listing Decisions*. USEPA Office of Water. August 17, 1997. (<http://www.epa.gov/owow/tmdl/lisgid.html>)
- USEPA (U.S. Environmental Protection Agency). 1998. *Bacterial Water Quality Standards Status Report*. EPA-823-R-98-003. U.S. Environmental Protection Agency, Office of Water Report. May 1998.
- USEPA (U.S. Environmental Protection Agency). 1999. *National Recommended Water Quality Criteria – Correction*. EPA 822-Z-99-001. April 1999. U.S. Environmental Protection Agency, Office of Water. Washington, DC. (<http://www.epa.gov/ost/pc/revcom.pdf>).
- USEPA (U.S. Environmental Protection Agency). 2000a. *Water Quality Standards; Establishment of Numeric Criteria for Priority Toxic Pollutants for the State of California; Rule*. U.S. Environmental Protection Agency, 40 CFR, Part 131, in Federal Register, Volume 65, No. 97. Thursday, May 18, 2000.
- USEPA (U.S. Environmental Protection Agency). 2000b. *Guidance for Assessing Chemical Contaminant Data for Use in Fish Advisories. Volume 1, Fish Sampling and Analysis, Third Edition*. U.S. Environmental Protection Agency, Office of Water. EPA 823-B-00-007. November, 2000.
- USEPA (U.S. Environmental Protection Agency). 2001a. *Protocol for Developing Pathogen TMDLs*. EPA 841-R-00-002. Office of Water Report (4503F). U.S. Environmental Protection Agency. Washington, DC. January 2001.
- USEPA (U.S. Environmental Protection Agency). 2001b. *Water Quality Criterion for Protection of Human Health: Methylmercury*. EPA-823-R-01-001. U.S. Environmental Protection Agency, Office of Science and Technology. January 2001.
- USFDA (U.S. Food and Drug Administration). 1984. *Shellfish Sanitation Interpretation: Action Levels for Chemical and Poisonous Substances*. USFDA, Shellfish Sanitation Branch. Washington, DC. June 1984.
- USFDA (U.S. Food and Drug Administration). 1995. *Mercury in Fish: Cause for Concern?*. In *FDA Consumer* magazine, September 1994, with revisions made in May 1995. Washington, DC. As found at <http://www.fda.gov/fdac/reprints/mercury.html>. November, 2001.

- USFWS (U.S. Fish & Wildlife Service). 1992. *Before the State Water Resources Control: In the Matter of the Water Rights Hearing for the Lower Mokelumne River – Closing Statement, Enclosure 2 (EBMUD Data – Aluminum, Cadmium, Zinc, Iron and Zinc)*. Prepared by J.W. Burke, III (Regional Solicitor, USFWS Pacific Southwest Region) and Lynn Cox (Assistant Regional Solicitor, USFWS Pacific Southwest Region).
- USGS (U.S. Geological Survey). 1958-2000. California 7.5' Topographic Quadrangle, as presented by TopoZone.com (© 2000 Maps a la carte, Inc.). Accessed on March 13, 2001 (<http://www.topozone.com/default.asp>) *Ciervo Mountain* (1969), *Idria* (1969), *San Benito Mountain* (1981), and *Tumey Hills* (1971), *La Grange* (1987), *Westley* (1991), and *Brush Lake* (1969), *Chiles Valley*(1980), *Aetna Springs* (1987), *Walter Springs* (1987b.), *Desert Reservoir* (1997).
- USGS (U.S. Geological Survey). 2001. *National Water Information System*. <http://water.usgs.gov/nwis/> (August 28, 2001).
- Westcot, D.W., C.A. Enos, and P.A. Lowry. 1991. Preliminary Estimate of Salt and Trace Element Loading to the San Joaquin River by Ephemeral Streams Draining the Eastern Slope of the Coast Range (Diablo Range). CRWQCB-CVR. Sacramento, Ca.
- WHO (World Health Organization). 1993. *Guidelines for Drinking Water Quality*, 2<sup>nd</sup> edition. Geneva, WHO. [www.who.int/water sanitation health/GDWQ/Chemicals/molinatesum.htm](http://www.who.int/water_sanitation_health/GDWQ/Chemicals/molinatesum.htm).
- Woodward-Clyde. 1992. *Source Identification and Control Report, December 1, 1992*. Report prepared for the Santa Clara Valley Nonpoint Source Pollution Control Program by Woodward-Clyde Consultants, Oakland, California.
- Young, K.D. and E.L. Thackston. 1999. *Housing density and bacterial loading in urban streams*. *Journal of Environment*



# Regional Water Quality Control Board

## LAHONTAN REGION (6)



SECTION 303 (d) LIST PROPOSALS

Page left blank intentionally.

## Region 6: Alkali Lake, upper Salinity, TDS, Chlorides

---

<b>Water Body</b>	Alkali Lake, upper
<b>Stressor/Media/Beneficial Use</b>	Salinity, TDS, Chlorides/Water/Drinking
<b>Data quality assessment. Extent to which data quality requirements met.</b>	N/A
<b>Linkage between measurement endpoint and beneficial use or standard</b>	N/A
<b>Utility of measure for judging if standards or uses are not attained</b>	N/A
<b>Water Body-specific Information</b>	N/A
<b>Data used to assess water quality</b>	N/A
<b>Spatial representation</b>	N/A
<b>Temporal representation</b>	N/A
<b>Data type</b>	N/A
<b>Use of standard method</b>	N/A
<b>Potential Source(s) of Pollutant</b>	Input from geothermal springs and concentration by evaporation over geologic timescale.
<b>Alternative Enforceable Program</b>	
<b>RWQCB Recommendation</b>	Delist because exceedence of standards is due to natural causes. TMDL is not applicable.
<b>SWRCB Staff Recommendation</b>	After reviewing the available data and information and the RWQCB documentation for this recommendation, SWRCB staff concludes that the water body should be removed from the section 303(d) list because the source of impacts to water quality standards is entirely natural. Implementation of a TMDL is not appropriate.

## Region 6: Big Meadow Creek (Tributary to Lake Tahoe)

### Pathogens

---

<b>Water Body</b>	Big Meadow Creek (Tributary to Lake Tahoe)
<b>Stressor/Media/Beneficial Use</b>	Pathogens/Water/Human health
<b>Data quality assessment. Extent to which data quality requirements met.</b>	QA procedures used.
<b>Linkage between measurement endpoint and beneficial use or standard</b>	Pathogens are linked to Human Health.
<b>Utility of measure for judging if standards or uses are not attained</b>	Measurement can be directly compared to WQO.
<b>Water Body-specific Information</b>	Data collected from 1999-2000.
<b>Data used to assess water quality</b>	Violations of standard (20/100ml log mean during any 30-day period or not more than 10% of samples to exceed 40/100 ml in any 30-day period) were common (50-70% of samples) during grazing season. They were less common (0-9% of samples) during non-grazing season.
<b>Spatial representation</b>	Targeted in water body.
<b>Temporal representation</b>	Data collected in 1999-2000. WQO is log mean not to exceed 20/100 ml during any 30-day period, or not more than 10% of samples to exceed 40/100 ml in any 30-day period.
<b>Data type</b>	WQO and fecal coliform counts are numeric information.
<b>Use of standard method</b>	
<b>Potential Source(s) of Pollutant</b>	Waste from livestock grazing believed to be primary source.
<b>Alternative Enforceable Program</b>	USFS Grazing management plan.
<b>RWQCB Recommendation</b>	List.
<b>SWRCB Staff Recommendation</b>	<p>After reviewing the available data and information and the RWQCB documentation for this recommendation, SWRCB staff concludes that the water body should be placed on the section 303(d) list because applicable water quality standards are exceeded and a pollutant contributes to or causes the problem.</p> <p>This conclusion is based on the staff findings that:</p> <ol style="list-style-type: none"> <li>1. The data is considered to be of adequate quality.</li> <li>2. The data exhibited sufficient spatial and temporal coverage.</li> <li>3. Beneficial uses have been established for and apply to the water body.</li> <li>4. Water quality standard used is applicable.</li> <li>5. Data are numerical.</li> <li>6. Standard methods were used.</li> <li>7. Other water body- or site-specific information including the age of the data were considered.</li> </ol> <p>An adequate number of the water quality measurements exceeded the water quality standard. The staff confidence that standards were exceeded is high.</p>

## Region 6: Big Springs

### Arsenic

---

<b>Water Body</b>	Big Springs
<b>Stressor/Media/Beneficial Use</b>	Arsenic/Water/Drinking
<b>Data quality assessment. Extent to which data quality requirements met.</b>	N/A
<b>Linkage between measurement endpoint and beneficial use or standard</b>	N/A
<b>Utility of measure for judging if standards or uses are not attained</b>	N/A
<b>Water Body-specific Information</b>	N/A
<b>Data used to assess water quality</b>	N/A
<b>Spatial representation</b>	N/A
<b>Temporal representation</b>	N/A
<b>Data type</b>	N/A
<b>Use of standard method</b>	N/A
<b>Potential Source(s) of Pollutant</b>	Source is of volcanic origin, with no sources of industrial or agricultural discharges.
<b>Alternative Enforceable Program</b>	N/A
<b>RWQCB Recommendation</b>	De-list due to natural causes. Beneficial use is drinking water supply for City of Los Angeles. Arsenic is removed from this water supply before delivery for use.
<b>SWRCB Staff Recommendation</b>	After reviewing the available data and information and the RWQCB documentation for this recommendation, SWRCB staff concludes that the water body should be removed from the section 303(d) list because applicable water quality standards are exceeded but the source of the pollutant is entirely natural (i.e., volcanic).

## Region 6: Blackwood Creek (Tributary to Lake Tahoe)

### Nitrogen

---

<b>Water Body</b>	Blackwood Creek (Tributary to Lake Tahoe)
<b>Stressor/Media/Beneficial Use</b>	Nitrogen/Water/Aquatic Life
<b>Data quality assessment. Extent to which data quality requirements met.</b>	QA procedures used.
<b>Linkage between measurement endpoint and beneficial use or standard</b>	Nitrogen is linked to Aquatic Life.
<b>Utility of measure for judging if standards or uses are not attained</b>	Measurement can be compared to WQO directly.
<b>Water Body-specific Information</b>	Samples collected from creek mouth between 1989-1996 by Lake Tahoe Interagency Monitoring Program.
<b>Data used to assess water quality</b>	Violations of WQO for total Nitrogen (0.19 mg/L annual mean) in 6 of 8 water years.
<b>Spatial representation</b>	Samples collected from creek mouth.
<b>Temporal representation</b>	Samples collected between 1989-1996.
<b>Data type</b>	WQO and water column chemistry data are numeric values.
<b>Use of standard method</b>	
<b>Potential Source(s) of Pollutant</b>	Sources are atmospheric deposition, erosion, stormwater.
<b>Alternative Enforceable Program</b>	
<b>RWQCB Recommendation</b>	List.
<b>SWRCB Staff Recommendation</b>	<p>After reviewing the available data and information and the RWQCB documentation for this recommendation, SWRCB staff concludes that the water body should be placed on the section 303(d) list because applicable water quality standards are exceeded and a pollutant contributes to or causes the problem.</p> <p>This conclusion is based on the staff findings that:</p> <ol style="list-style-type: none"> <li>1. The data is considered to be of adequate quality.</li> <li>2. The data exhibited sufficient spatial and temporal coverage.</li> <li>3. Beneficial uses have been established for and apply to the water body.</li> <li>4. Water quality standard used is applicable.</li> <li>5. Data are numerical.</li> <li>6. Standard methods were used.</li> <li>7. Other water body- or site-specific information including the effects of natural sources, season, storm events, and age of the data were considered.</li> </ol> <p>An adequate number of the water quality measurements exceeded the water quality standard. The staff confidence that standards were exceeded is high.</p>

## Region 6: Blackwood Creek (Tributary to Lake Tahoe)

### Phosphorus

---

<b>Water Body</b>	Blackwood Creek (Tributary to Lake Tahoe)
<b>Stressor/Media/Beneficial Use</b>	Phosphorus/Water/Aquatic Life
<b>Data quality assessment. Extent to which data quality requirements met.</b>	QA procedures used.
<b>Linkage between measurement endpoint and beneficial use or standard</b>	Phosphorous is linked to Aquatic Life.
<b>Utility of measure for judging if standards or uses are not attained</b>	Measurement can be compared to WQO directly.
<b>Water Body-specific Information</b>	Samples collected from creek mouth between 1989-1996 by Lake Tahoe Interagency Monitoring Program.
<b>Data used to assess water quality</b>	Violations of WQO for total Phosphorus in 15 of 17 water years from 1980-1996.
<b>Spatial representation</b>	Samples collected from creek mouth.
<b>Temporal representation</b>	Samples collected between 1989-1996.
<b>Data type</b>	WQO and water column chemistry data are numeric values.
<b>Use of standard method</b>	
<b>Potential Source(s) of Pollutant</b>	Erosion from severely disturbed areas (logging, gravel mining), atmospheric, deposition, stormwater, forest fire.
<b>Alternative Enforceable Program</b>	
<b>RWQCB Recommendation</b>	List.
<b>SWRCB Staff Recommendation</b>	<p>After reviewing the available data and information and the RWQCB documentation for this recommendation, SWRCB staff concludes that the water body should be placed on the section 303(d) list because applicable water quality standards are exceeded and a pollutant contributes to or causes the problem.</p> <p>This conclusion is based on the staff findings that:</p> <ol style="list-style-type: none"> <li>1. The data is considered to be of adequate quality.</li> <li>2. The data exhibited sufficient spatial and temporal coverage.</li> <li>3. Beneficial uses have been established for and apply to the water body.</li> <li>4. Water quality standard used is applicable.</li> <li>5. Data are numerical.</li> <li>6. Standard methods were used.</li> <li>7. Other water body- or site-specific information including the effects of natural sources, season, storm events, and age of the data were considered.</li> </ol> <p>An adequate number of the water quality measurements exceeded the water quality standard. The staff confidence that standards were exceeded is high.</p>

## Region 6: Blackwood Creek (Tributary to Lake Tahoe)

### Iron (plant nutrient)

---

<b>Water Body</b>	Blackwood Creek (Tributary to Lake Tahoe)
<b>Stressor/Media/Beneficial Use</b>	Iron (plant nutrient)/Water/Aquatic Life
<b>Data quality assessment. Extent to which data quality requirements met.</b>	QA procedures used.
<b>Linkage between measurement endpoint and beneficial use or standard</b>	Iron is linked to Aquatic Life.
<b>Utility of measure for judging if standards or uses are not attained</b>	Measurement can be compared to WQO directly.
<b>Water Body-specific Information</b>	Samples collected from creek mouth between 1989-1996 by Lake Tahoe Interagency Monitoring Program.
<b>Data used to assess water quality</b>	Violations of WQO for total iron in 8 of 8 water years, from 1989-1996.
<b>Spatial representation</b>	Samples collected from creek mouth.
<b>Temporal representation</b>	Samples collected between 1989-1996.
<b>Data type</b>	WQO and water column chemistry data are numeric values.
<b>Use of standard method</b>	Yes
<b>Potential Source(s) of Pollutant</b>	Erosion from severely disturbed areas (logging, gravel mining).
<b>Alternative Enforceable Program</b>	
<b>RWQCB Recommendation</b>	List.
<b>SWRCB Staff Recommendation</b>	<p>After reviewing the available data and information and the RWQCB documentation for this recommendation, SWRCB staff concludes that the water body should be placed on the section 303(d) list because applicable water quality standards are exceeded and a pollutant contributes to or causes the problem.</p> <p>This conclusion is based on the staff findings that:</p> <ol style="list-style-type: none"> <li>1. The data is considered to be of adequate quality.</li> <li>2. The data exhibited sufficient spatial and temporal coverage.</li> <li>3. Beneficial uses have been established for and apply to the water body.</li> <li>4. Water quality standard used is applicable.</li> <li>5. Data are numerical.</li> <li>6. Standard methods were used.</li> <li>7. Other water body- or site-specific information including the effects of natural sources, season, storm events, and age of the data were considered.</li> </ol> <p>An adequate number of the water quality measurements exceeded the water quality standard. The staff confidence that standards were exceeded is high.</p>



## Region 6: Bridgeport Reservoir, Crowley Lake, Lake Tahoe Nitrogen, Phosphorus

---

<b>Water Body</b>	Bridgeport Reservoir, Crowley Lake, Lake Tahoe
<b>Stressor/Media/Beneficial Use</b>	Nitrogen, Phosphorus/Water/Aquatic life
<b>Data quality assessment. Extent to which data quality requirements met.</b>	N/A
<b>Linkage between measurement endpoint and beneficial use or standard</b>	N/A
<b>Utility of measure for judging if standards or uses are not attained</b>	N/A
<b>Water Body-specific Information</b>	N/A
<b>Data used to assess water quality</b>	N/A
<b>Spatial representation</b>	N/A
<b>Temporal representation</b>	N/A
<b>Data type</b>	N/A
<b>Use of standard method</b>	N/A
<b>Potential Source(s) of Pollutant</b>	Stormwater runoff, erosion, atmospheric deposition.
<b>Alternative Enforceable Program</b>	N/A
<b>RWQCB Recommendation</b>	Clarify previous listings for nutrients. Replace nutrient listings with separate listings for nitrogen and phosphorus.
<b>SWRCB Staff Recommendation</b>	Clarify previous listings for nutrients. Replace nutrient listings with separate listings for nitrogen and phosphorus.

## Region 6: Buckeye Creek

### Pathogens

---

<b>Water Body</b>	Buckeye Creek
<b>Stressor/Media/Beneficial Use</b>	Pathogens/Water/Human health
<b>Data quality assessment. Extent to which data quality requirements met.</b>	QA procedures used.
<b>Linkage between measurement endpoint and beneficial use or standard</b>	Pathogens are linked to Human Health.
<b>Utility of measure for judging if standards or uses are not attained</b>	Measurement can be directly compared to WQO.
<b>Water Body-specific Information</b>	Data collected from April 2000-June 2001.
<b>Data used to assess water quality</b>	At least 5 of 10 (50%), and at least 6 of 14 samples (43%) exceeded the 40/100 ml WQO.
<b>Spatial representation</b>	Targeted in water body.
<b>Temporal representation</b>	Data collected from April 2000 - June 2001.
<b>Data type</b>	Fecal coliform counts are numeric information.
<b>Use of standard method</b>	
<b>Potential Source(s) of Pollutant</b>	High bacterial counts coincide with months when livestock are present. Natural sources of bacteria may also occur.
<b>Alternative Enforceable Program</b>	
<b>RWQCB Recommendation</b>	List.
<b>SWRCB Staff Recommendation</b>	<p>After reviewing the available data and information and the RWQCB documentation for this recommendation, SWRCB staff concludes that the water body should be placed on the section 303(d) list because applicable water quality standards are exceeded and a pollutant contributes to or causes the problem.</p> <p>This conclusion is based on the staff findings that:</p> <ol style="list-style-type: none"> <li>1. The data is considered to be of adequate quality.</li> <li>2. The data exhibited sufficient spatial and temporal coverage.</li> <li>3. Beneficial uses have been established for and apply to the water body.</li> <li>4. Water quality standard used is applicable.</li> <li>5. Data are numerical.</li> <li>6. Standard methods were used.</li> <li>7. Other water body- or site-specific information including the effects of natural sources, season, storm events, and age of the data were considered.</li> </ol> <p>An adequate number of the water quality measurements exceeded the water quality standard. The staff confidence that standards were exceeded is high.</p>

## Region 6: Carson River, East Fork (was East Fork Carson River)

### Nutrients

---

<b>Water Body</b>	Carson River, East Fork (was East Fork Carson River)
<b>Stressor/Media/Beneficial Use</b>	Nutrients/Water/Aquatic life
<b>Data quality assessment. Extent to which data quality requirements met.</b>	QA procedures used for pH analysis.
<b>Linkage between measurement endpoint and beneficial use or standard</b>	Nutrients can be linked to Aquatic Life.
<b>Utility of measure for judging if standards or uses are not attained</b>	Increases in pH can results from algal blooms, which result from high nutrient levels
<b>Water Body-specific Information</b>	pH data collected in Nevada, 12-13 miles downstream of state boundary.
<b>Data used to assess water quality</b>	24 laboratory measurements of pH taken between 1997-2001 showed no violations of the WQO for pH. 5 of 26 field measurements were slightly outside the WQO for pH. These deviations are not enough to affect beneficial uses.
<b>Spatial representation</b>	pH data collected in Nevada, 12-13 miles downstream of state boundary.
<b>Temporal representation</b>	24 laboratory measurements of pH taken between 1997-2001.
<b>Data type</b>	pH values are numeric.
<b>Use of standard method</b>	
<b>Potential Source(s) of Pollutant</b>	N/A
<b>Alternative Enforceable Program</b>	N/A
<b>RWQCB Recommendation</b>	Delist based on faulty data used in original listing, and current data that shows that no impairment of beneficial uses.
<b>SWRCB Staff Recommendation</b>	<p>After reviewing the available data and information and the RWQCB documentation for this recommendation, SWRCB staff concludes that the water body should be removed from the section 303(d) list because of faulty data used in original listing, and because current data that shows that standards are not exceeded.</p> <p>This conclusion is based on the staff findings that:</p> <ol style="list-style-type: none"> <li>1. The data is considered to be of inadequate quality.</li> <li>2. The data exhibited insufficient spatial and temporal coverage.</li> </ol> <p>An inadequate amount of the water quality measurements exceeded the water quality standard. The staff confidence that standards were exceeded is extremely low.</p>

## Region 6: Carson River, West Fork (headwaters to Woodfords) (was West + Nitrogen)

---

<b>Water Body</b>	Carson River, West Fork (headwaters to Woodfords) (was West Fork Carson River, Headwaters to Woodfords)
<b>Stressor/Media/Beneficial Use</b>	Nitrogen/Water/Aquatic Life
<b>Data quality assessment. Extent to which data quality requirements met.</b>	QA procedures used.
<b>Linkage between measurement endpoint and beneficial use or standard</b>	Nitrogen is linked to Aquatic Life.
<b>Utility of measure for judging if standards or uses are not attained</b>	Measurement can be directly compared to WQO.
<b>Water Body-specific Information</b>	Data collected between 1981-2000.
<b>Data used to assess water quality</b>	Data exceeded the objectives for total Kjeldahl nitrogen (0.13 mg/L mean of monthly means), nitrate ( 0.02 mg/L mean of monthly means), and total nitrogen (0.15 mg/L mean of monthly means).
<b>Spatial representation</b>	Targeted in water body.
<b>Temporal representation</b>	Mean of monthly means.
<b>Data type</b>	WQO and water column chemistry data are numeric values.
<b>Use of standard method</b>	
<b>Potential Source(s) of Pollutant</b>	Sources may be septic systems, erosion, stormwater, historic livestock grazing, and natural nitrogen fixation.
<b>Alternative Enforceable Program</b>	None.
<b>RWQCB Recommendation</b>	List.
<b>SWRCB Staff Recommendation</b>	<p>After reviewing the available data and information and the RWQCB documentation for this recommendation, SWRCB staff concludes that the water body should be placed on the section 303(d) list because applicable water quality standards are exceeded and a pollutant contributes to or causes the problem.</p> <p>This conclusion is based on the staff findings that:</p> <ol style="list-style-type: none"> <li>1. The data is considered to be of adequate quality.</li> <li>2. The data exhibited sufficient spatial and temporal coverage.</li> <li>3. Beneficial uses have been established for the water body.</li> <li>4. Water quality standard used is applicable.</li> <li>5. Data are numerical, not numerical, both numerical and not numerical.</li> <li>6. Standard methods were used.</li> <li>7. Other water body- or site-specific information including the age of the data were considered.</li> </ol> <p>Most of the water quality measurements exceeded the water quality standard. The staff confidence that standards were exceeded is moderate.</p>

## Region 6: Carson River, West Fork (headwaters to Woodfords) (was West + Phosphorus)

---

<b>Water Body</b>	Carson River, West Fork (headwaters to Woodfords) (was West Fork Carson River, Headwaters to Woodfords)
<b>Stressor/Media/Beneficial Use</b>	Phosphorus/Water/Aquatic Life
<b>Data quality assessment. Extent to which data quality requirements met.</b>	QA procedures used.
<b>Linkage between measurement endpoint and beneficial use or standard</b>	Phosphorus is linked to Aquatic Life.
<b>Utility of measure for judging if standards or uses are not attained</b>	Measurement can be directly compared to WQO
<b>Water Body-specific Information</b>	Data collected between 1997-2001
<b>Data used to assess water quality</b>	The WQO is 0.02 mg/L (annual mean of monthly means). Data collected between 1997-2001 showed the following values: 1997=0.09 mg/L; 1998=0.03 mg/L; 1999=0.02 mg/L; 2000=0.03 mg/L
<b>Spatial representation</b>	Targeted in water body.
<b>Temporal representation</b>	Annual mean of monthly means
<b>Data type</b>	WQO and water column chemistry data are numeric values
<b>Use of standard method</b>	
<b>Potential Source(s) of Pollutant</b>	Sources are erosion, stormwater, atmospheric, deposition.
<b>Alternative Enforceable Program</b>	
<b>RWQCB Recommendation</b>	List.
<b>SWRCB Staff Recommendation</b>	<p>After reviewing the available data and information and the RWQCB documentation for this recommendation, SWRCB staff concludes that the water body should be placed on the section 303(d) list because applicable water quality standards are exceeded and a pollutant contributes to or causes the problem.</p> <p>This conclusion is based on the staff findings that:</p> <ol style="list-style-type: none"> <li>1. The data is considered to be of adequate quality.</li> <li>2. The data exhibited sufficient spatial and temporal coverage.</li> <li>3. Beneficial uses have been established for the water body.</li> <li>4. Water quality standard used is applicable.</li> <li>5. Data are numerical, not numerical, both numerical and not numerical.</li> <li>6. Standard methods were used.</li> <li>7. Other water body- or site-specific information including the age of the data were considered.</li> </ol> <p>Most of the water quality measurements exceeded the water quality standard. The staff confidence that standards were exceeded is moderate.</p>

## Region 6: Carson River, West Fork (headwaters to Woodfords) (was West + Percent sodium)

---

<b>Water Body</b>	Carson River, West Fork (headwaters to Woodfords) (was West Fork Carson River, Headwaters to Woodfords)
<b>Stressor/Media/Beneficial Use</b>	Percent sodium/Water/Crop protection
<b>Data quality assessment. Extent to which data quality requirements met.</b>	QA procedures used.
<b>Linkage between measurement endpoint and beneficial use or standard</b>	Percent sodium is linked to agricultural beneficial uses.
<b>Utility of measure for judging if standards or uses are not attained</b>	Measurement can be directly compared to WQO.
<b>Water Body-specific Information</b>	Data collected in 2000.
<b>Data used to assess water quality</b>	The WQO is 20% expressed as a mean of monthly means. Data collected in 2000 showed a mean of monthly means of 21.7%.
<b>Spatial representation</b>	Targeted in water body. Locations unknown.
<b>Temporal representation</b>	Mean of monthly means.
<b>Data type</b>	WQO and water column chemistry data are numeric values.
<b>Use of standard method</b>	Yes.
<b>Potential Source(s) of Pollutant</b>	Road salt, septic systems, natural.
<b>Alternative Enforceable Program</b>	
<b>RWQCB Recommendation</b>	List.
<b>SWRCB Staff Recommendation</b>	<p>After reviewing the available data and information and the RWQCB documentation for this recommendation, SWRCB staff concludes that the water body should be placed on the section 303(d) list because applicable water quality standards are exceeded and a pollutant contributes to or causes the problem.</p> <p>This conclusion is based on the staff findings that:</p> <ol style="list-style-type: none"> <li>1. The data is considered to be of adequate quality.</li> <li>2. The data exhibited sufficient spatial and temporal coverage.</li> <li>3. Beneficial uses have been established for the water body.</li> <li>4. Water quality standard used is applicable.</li> <li>5. Data are numerical, not numerical, both numerical and not numerical.</li> <li>6. Standard methods were used.</li> <li>7. Other water body- or site-specific information including the age of the data were considered.</li> </ol> <p>Most of the water quality measurements exceeded the water quality standard. The staff confidence that standards were exceeded is high.</p>

## Region 6: Carson River, West Fork (Woodfords to Paynesville) (was Wes + Nitrogen)

---

<b>Water Body</b>	Carson River, West Fork (Woodfords to Paynesville) (was West Fork Carson River, Woodfords to Paynesville)
<b>Stressor/Media/Beneficial Use</b>	Nitrogen/Water/Aquatic Life
<b>Data quality assessment. Extent to which data quality requirements met.</b>	QA procedures used.
<b>Linkage between measurement endpoint and beneficial use or standard</b>	Nitrogen is linked to Aquatic Life.
<b>Utility of measure for judging if standards or uses are not attained</b>	Measurement can be directly compared to WQO.
<b>Water Body-specific Information</b>	Data collected between 1981-2000.
<b>Data used to assess water quality</b>	Data exceeded the objectives for total nitrogen (0.25 mg/L mean of monthly means), and nitrate ( 0.03 mg/L mean of monthly means).
<b>Spatial representation</b>	Targeted in water body.
<b>Temporal representation</b>	Mean of monthly means.
<b>Data type</b>	WQO and water column chemistry data are numeric values.
<b>Use of standard method</b>	
<b>Potential Source(s) of Pollutant</b>	Pasture runoff, stormwater, erosion, atmospheric deposition.
<b>Alternative Enforceable Program</b>	None.
<b>RWQCB Recommendation</b>	List.
<b>SWRCB Staff Recommendation</b>	<p>After reviewing the available data and information and the RWQCB documentation for this recommendation, SWRCB staff concludes that the water body should be placed on the section 303(d) list because applicable water quality standards are exceeded and a pollutant contributes to or causes the problem.</p> <p>This conclusion is based on the staff findings that:</p> <ol style="list-style-type: none"> <li>1. The data is considered to be of adequate quality.</li> <li>2. The data exhibited sufficient spatial and temporal coverage.</li> <li>3. Beneficial uses have been established for the water body.</li> <li>4. Water quality standard used is applicable.</li> <li>5. Data are numerical, not numerical, both numerical and not numerical.</li> <li>6. Standard methods were used.</li> <li>7. Other water body- or site-specific information including the age of the data were considered.</li> </ol> <p>Most of the water quality measurements exceeded the water quality standard. The staff confidence that standards were exceeded is moderate.</p>

## Region 6: Carson River, West Fork (Woodfords to Paynesville, Paynesvi + Percent sodium

---

<b>Water Body</b>	Carson River, West Fork (Woodfords to Paynesville, Paynesville to State Line) (was West Fork Carson River, Woodfords to Paynesville)
<b>Stressor/Media/Beneficial Use</b>	Percent sodium/Water/Crop Protection
<b>Data quality assessment. Extent to which data quality requirements met.</b>	QA procedures used.
<b>Linkage between measurement endpoint and beneficial use or standard</b>	Sodium is linked to Agriculture and Crop Protection.
<b>Utility of measure for judging if standards or uses are not attained</b>	Measurement can be directly compared to WQO.
<b>Water Body-specific Information</b>	Data collected in 2000.
<b>Data used to assess water quality</b>	The WQO is 20% expressed as a mean of monthly means. Data collected in 2000 showed a mean of monthly means of 23%.
<b>Spatial representation</b>	Targeted in water body.
<b>Temporal representation</b>	Mean of monthly means.
<b>Data type</b>	WQO and water column chemistry data are numeric values.
<b>Use of standard method</b>	
<b>Potential Source(s) of Pollutant</b>	Road salt, septic systems, natural.
<b>Alternative Enforceable Program</b>	
<b>RWQCB Recommendation</b>	List.
<b>SWRCB Staff Recommendation</b>	<p>After reviewing the available data and information and the RWQCB documentation for this recommendation, SWRCB staff concludes that the water body should be placed on the section 303(d) list because applicable water quality standards are exceeded and a pollutant contributes to or causes the problem.</p> <p>This conclusion is based on the staff findings that:</p> <ol style="list-style-type: none"> <li>1. The data is considered to be of adequate quality.</li> <li>2. The data exhibited sufficient spatial and temporal coverage.</li> <li>3. Beneficial uses have been established for the water body.</li> <li>4. Water quality standard used is applicable.</li> <li>5. Data are numerical.</li> <li>6. Standard methods were used.</li> <li>7. Other water body- or site-specific information including the age of the data were considered.</li> </ol> <p>Most of the water quality measurements exceeded the water quality standard. The staff confidence that standards were exceeded is moderate.</p>



## Region 6: Carson River, West Fork (Woodfords to Paynesville, Paynesvi + Pathogens)

---

<b>Water Body</b>	Carson River, West Fork (Woodfords to Paynesville, Paynesville to State Line) (was West Fork Carson River, Woodfords to State Line)
<b>Stressor/Media/Beneficial Use</b>	Pathogens/Water/Human health
<b>Data quality assessment. Extent to which data quality requirements met.</b>	QA procedures used.
<b>Linkage between measurement endpoint and beneficial use or standard</b>	Pathogens are linked to Human Health.
<b>Utility of measure for judging if standards or uses are not attained</b>	Measurement can be directly compared to WQO.
<b>Water Body-specific Information</b>	Data collected from 2000-2001.
<b>Data used to assess water quality</b>	Data indicated violation of the fecal coliform WQO in four of ten months sampled. Numbers of total and fecal coliform bacteria were higher during the summer grazing season.
<b>Spatial representation</b>	Targeted in water body.
<b>Temporal representation</b>	Ten months sampled.
<b>Data type</b>	Fecal coliform counts are numeric information.
<b>Use of standard method</b>	
<b>Potential Source(s) of Pollutant</b>	Partially natural sources (i.e. wildlife). Primary source is believed to be livestock waste.
<b>Alternative Enforceable Program</b>	
<b>RWQCB Recommendation</b>	List.
<b>SWRCB Staff Recommendation</b>	<p>After reviewing the available data and information and the RWQCB documentation for this recommendation, SWRCB staff concludes that the water body should be placed on the section 303(d) list because applicable water quality standards are exceeded and a pollutant contributes to or causes the problem.</p> <p>This conclusion is based on the staff findings that:</p> <ol style="list-style-type: none"> <li>1. The data is considered to be of adequate quality.</li> <li>2. The data exhibited sufficient spatial and temporal coverage.</li> <li>3. Beneficial uses have been established for the water body.</li> <li>4. Water quality standard used is applicable.</li> <li>5. Data are numerical, not numerical, both numerical and not numerical.</li> <li>6. Standard methods were used.</li> <li>7. Other water body- or site-specific information including the age of the data were considered.</li> </ol> <p>Most of the water quality measurements exceeded the water quality standard. The staff confidence that standards were exceeded is high.</p>

## Region 6: Crowley Lake

### Arsenic

---

<b>Water Body</b>	Crowley Lake
<b>Stressor/Media/Beneficial Use</b>	Arsenic/Water/Drinking
<b>Data quality assessment. Extent to which data quality requirements met.</b>	N/A
<b>Linkage between measurement endpoint and beneficial use or standard</b>	N/A
<b>Utility of measure for judging if standards or uses are not attained</b>	N/A
<b>Water Body-specific Information</b>	N/A
<b>Data used to assess water quality</b>	N/A
<b>Spatial representation</b>	N/A
<b>Temporal representation</b>	N/A
<b>Data type</b>	N/A
<b>Use of standard method</b>	N/A
<b>Potential Source(s) of Pollutant</b>	Source is of volcanic origin, with no sources of industrial or agricultural discharges.
<b>Alternative Enforceable Program</b>	N/A
<b>RWQCB Recommendation</b>	Delist due to natural causes. Beneficial use is drinking water supply for City of Los Angeles. Arsenic is removed from this water supply before delivery for use.
<b>SWRCB Staff Recommendation</b>	<p>After reviewing the available data and information and the RWQCB documentation for this recommendation, SWRCB staff concludes that the water body should be removed from the section 303(d) list because applicable water quality standards are exceeded but the source of the pollutant is entirely natural (volcanic).</p> <p>Beneficial use is drinking water supply for City of Los Angeles. Arsenic is removed from this water supply before delivery for use.</p>

## Region 6: Donner Lake

### Priority Organics (including PCBs, chlordanes)

---

<b>Water Body</b>	Donner Lake
<b>Stressor/Media/Beneficial Use</b>	Priority Organics (including PCBs, chlordanes)/Water/Human health
<b>Data quality assessment. Extent to which data quality requirements met.</b>	TSMP uses QAPP
<b>Linkage between measurement endpoint and beneficial use or standard</b>	Priority organics are linked to Human Health.
<b>Utility of measure for judging if standards or uses are not attained</b>	Measurement can be directly compared to MTRL.
<b>Water Body-specific Information</b>	Fish collected in Lake. Most recent TSMP data from 1991, 1993.
<b>Data used to assess water quality</b>	Two composite fish tissue samples (1991, 1993) showed PCB concentrations of 165 ppb and 102 ppb. The MTRL for PCBs is 5.3 ppb. MTRL for chlordanes is 8.0 ppb. One fish tissue sample from 1991 showed a chlordanes concentration of 26.2 ppb.
<b>Spatial representation</b>	Two composite fish tissue samples of 6-7 fish each.
<b>Temporal representation</b>	Data collected at various times since 1978. Most recently in 1991 and 1993.
<b>Data type</b>	Numerical fish tissue data.
<b>Use of standard method</b>	
<b>Potential Source(s) of Pollutant</b>	Unknown.
<b>Alternative Enforceable Program</b>	
<b>RWQCB Recommendation</b>	Delist based on limited data used to list. No OEHHA advisory in effect. No recent data available.
<b>SWRCB Staff Recommendation</b>	<p>After reviewing the available data and information and the RWQCB documentation for this recommendation, SWRCB staff concludes that the water body should not be removed from the section 303(d) list because applicable water quality standards are exceeded and a pollutant contributes to or causes the problem.</p> <p>This conclusion is based on the staff findings that:</p> <ol style="list-style-type: none"> <li>1. The data is considered to be of adequate quality.</li> <li>2. The data exhibited sufficient spatial and temporal coverage.</li> <li>3. Beneficial uses have been established for and apply to the water body.</li> <li>4. Water quality standard used is applicable.</li> <li>5. Data are numerical.</li> <li>6. Standard methods were used.</li> </ol> <p>An adequate number of the water quality measurements exceeded the water quality standard. The staff confidence that standards were exceeded is moderate.</p>

## Region 6: Donner Lake

### Priority Organics (including PCBs, chlordanes)

---

TSMP data is sufficient (two composite samples of 13 fish), and exceedances of WQO are large enough to maintain listing. PCB concentrations were 165 and 102 ppb. (MTRL is 5.3 ppb). Chlordane result was 26.2 ppb. MTLR is 8.0 ppb. RWQCB may request TSMP to schedule additional monitoring before next listing cycle.

## Region 6: Eagle Lake

### Nitrogen, Phosphorus (was Low Dissolved Oxygen)

---

<b>Water Body</b>	Eagle Lake
<b>Stressor/Media/Beneficial Use</b>	Nitrogen, Phosphorus (was Low Dissolved Oxygen)
<b>Data quality assessment. Extent to which data quality requirements met.</b>	N/A
<b>Linkage between measurement endpoint and beneficial use or standard</b>	N/A
<b>Utility of measure for judging if standards or uses are not attained</b>	N/A
<b>Water Body-specific Information</b>	N/A
<b>Data used to assess water quality</b>	N/A
<b>Spatial representation</b>	N/A
<b>Temporal representation</b>	N/A
<b>Data type</b>	N/A
<b>Use of standard method</b>	N/A
<b>Potential Source(s) of Pollutant</b>	N/A
<b>Alternative Enforceable Program</b>	N/A
<b>RWQCB Recommendation</b>	Change listing from low dissolved oxygen to separate listings for nitrogen and phosphorus.
<b>SWRCB Staff Recommendation</b>	Clarify by changing listing from low dissolved oxygen to separate listings for nitrogen and phosphorus.

## Region 6: East Walker River Metals

---

<b>Water Body</b>	East Walker River
<b>Stressor/Media/Beneficial Use</b>	Metals/Tissue/Human health
<b>Data quality assessment. Extent to which data quality requirements met.</b>	N/A
<b>Linkage between measurement endpoint and beneficial use or standard</b>	N/A
<b>Utility of measure for judging if standards or uses are not attained</b>	N/A
<b>Water Body-specific Information</b>	N/A
<b>Data used to assess water quality</b>	N/A
<b>Spatial representation</b>	N/A
<b>Temporal representation</b>	N/A
<b>Data type</b>	N/A
<b>Use of standard method</b>	N/A
<b>Potential Source(s) of Pollutant</b>	N/A
<b>Alternative Enforceable Program</b>	N/A
<b>RWQCB Recommendation</b>	Delist because original listing was based on inappropriate use of EDLs as WQOs. EDLs are Elevated Data Levels that are the 85th and 95th percentiles of all data collected, and are not WQOs.
<b>SWRCB Staff Recommendation</b>	<p>After reviewing the available data and information and the RWQCB documentation for this recommendation, SWRCB staff concludes that the water body should be removed from the section 303(d) list because of faulty criteria used in original listing. Elevated Data Levels (EDLs) were used as a basis for concluding that water quality standards were not being met. This is inappropriate. EDLs are the 85th and 95th percentiles of all data collected, and are not appropriate guidelines.</p> <p>The staff confidence that standards were exceeded is extremely low.</p>

## Region 6: East Walker River above Bridgeport Reservoir

### Pathogens

---

<b>Water Body</b>	East Walker River above Bridgeport Reservoir
<b>Stressor/Media/Beneficial Use</b>	Pathogens/Water/Human health
<b>Data quality assessment. Extent to which data quality requirements met.</b>	QA procedures used.
<b>Linkage between measurement endpoint and beneficial use or standard</b>	Pathogens are linked to Human Health.
<b>Utility of measure for judging if standards or uses are not attained</b>	Measurement can be directly compared to WQO.
<b>Water Body-specific Information</b>	Samples collected from 2000-2001.
<b>Data used to assess water quality</b>	At least 8 of 17 samples (47%) exceeded 40 colonies/100 ml.. The WQO requires that no more than 10% of samples exceed 40 colonies/100 ml.
<b>Spatial representation</b>	Targeted in water body.
<b>Temporal representation</b>	Samples collected 2000-2001.
<b>Data type</b>	Fecal coliform counts are numeric information.
<b>Use of standard method</b>	
<b>Potential Source(s) of Pollutant</b>	Fecal coliform counts were highest during grazing season.
<b>Alternative Enforceable Program</b>	
<b>RWQCB Recommendation</b>	List.
<b>SWRCB Staff Recommendation</b>	<p>After reviewing the available data and information and the RWQCB documentation for this recommendation, SWRCB staff concludes that the water body should be placed on the section 303(d) list because applicable water quality standards are exceeded and a pollutant contributes to or causes the problem.</p> <p>This conclusion is based on the staff findings that:</p> <ol style="list-style-type: none"> <li>1. The data is considered to be of adequate quality.</li> <li>2. The data exhibited sufficient spatial and temporal coverage.</li> <li>3. Beneficial uses have been established for and apply to the water body.</li> <li>4. Water quality standard used is applicable.</li> <li>5. Data are numerical.</li> <li>6. Standard methods were used.</li> <li>7. Other water body- or site-specific information including the effects of natural sources, season, storm events, and age of the data were considered.</li> </ol> <p>An adequate number of the water quality measurements exceeded the water quality standard. The staff confidence that standards were exceeded is high.</p>

## Region 6: East Walker River below Bridgeport Reservoir Nitrogen

---

<b>Water Body</b>	East Walker River below Bridgeport Reservoir
<b>Stressor/Media/Beneficial Use</b>	Nitrogen/Water/Aquatic Life
<b>Data quality assessment. Extent to which data quality requirements met.</b>	QA procedures used.
<b>Linkage between measurement endpoint and beneficial use or standard</b>	Nitrogen is linked to Aquatic Life.
<b>Utility of measure for judging if standards or uses are not attained</b>	Measurement can be directly compared to WQO.
<b>Water Body-specific Information</b>	Samples collected from April 2000 - February 2001 by USGS.
<b>Data used to assess water quality</b>	The mean of 9 samples was 0.64 mg/L. This exceeds the WQO (0.50 mg/L annual mean). Three of 9 samples (33%) exceeded the 90th percentile value of 0.80 mg/L. The WQO requires that no more than 10% of samples exceed the 90th percentile value.
<b>Spatial representation</b>	Targeted in water body.
<b>Temporal representation</b>	Samples collected April 2000 - February 2001.
<b>Data type</b>	WQO and water column chemistry data are numeric values.
<b>Use of standard method</b>	
<b>Potential Source(s) of Pollutant</b>	Reservoir releases, stormwater, erosion.
<b>Alternative Enforceable Program</b>	
<b>RWQCB Recommendation</b>	List.
<b>SWRCB Staff Recommendation</b>	<p>After reviewing the available data and information and the RWQCB documentation for this recommendation, SWRCB staff concludes that the water body should be placed on the section 303(d) list because applicable water quality standards are exceeded and a pollutant contributes to or causes the problem.</p> <p>This conclusion is based on the staff findings that:</p> <ol style="list-style-type: none"> <li>1. The data is considered to be of adequate quality.</li> <li>2. The data exhibited sufficient spatial and temporal coverage.</li> <li>3. Beneficial uses have been established for and apply to the water body.</li> <li>4. Water quality standard used is applicable.</li> <li>5. Data are numerical.</li> <li>6. Standard methods were used.</li> <li>7. Other water body- or site-specific information including the effects of natural sources, season, storm events, and age of the data were considered.</li> </ol> <p>An adequate number of the water quality measurements exceeded the water quality standard. The staff confidence that standards were exceeded is moderate.</p>



## Region 6: East Walker River below Bridgeport Reservoir

### Phosphorus

---

<b>Water Body</b>	East Walker River below Bridgeport Reservoir
<b>Stressor/Media/Beneficial Use</b>	Phosphorus/Water/Aquatic Life
<b>Data quality assessment. Extent to which data quality requirements met.</b>	QA procedures used.
<b>Linkage between measurement endpoint and beneficial use or standard</b>	Phosphorus is linked to Aquatic Life.
<b>Utility of measure for judging if standards or uses are not attained</b>	Measurement can be directly compared to WQO.
<b>Water Body-specific Information</b>	Samples collected by USGS between April 2000-February 2001.
<b>Data used to assess water quality</b>	The mean of 11 samples was 0.083 mg/L. This exceeds the WQO of 0.06 mg/L (annual mean). Four of nine samples exceeded the 90th percentile value of 0.10 mg/L.
<b>Spatial representation</b>	Targeted in water body.
<b>Temporal representation</b>	Annual mean.
<b>Data type</b>	WQO and water column chemistry data are numeric values.
<b>Use of standard method</b>	
<b>Potential Source(s) of Pollutant</b>	Release from Bridgeport Reservoir.
<b>Alternative Enforceable Program</b>	
<b>RWQCB Recommendation</b>	List.
<b>SWRCB Staff Recommendation</b>	<p>After reviewing the available data and information and the RWQCB documentation for this recommendation, SWRCB staff concludes that the water body should be placed on the section 303(d) list because applicable water quality standards are exceeded and a pollutant contributes to or causes the problem.</p> <p>This conclusion is based on the staff findings that:</p> <ol style="list-style-type: none"> <li>1. The data is considered to be of adequate quality.</li> <li>2. The data exhibited sufficient spatial and temporal coverage.</li> <li>3. Beneficial uses have been established for and apply to the water body.</li> <li>4. Water quality standard used is applicable.</li> <li>5. Data are numerical.</li> <li>6. Standard methods were used.</li> <li>7. Other water body- or site-specific information including the effects of natural sources, season, storm events, and age of the data were considered.</li> </ol> <p>An adequate number of the water quality measurements exceeded the water quality standard. The staff confidence that standards were exceeded is moderate.</p>

## Region 6: General Creek (Tributary to Lake Tahoe) Phosphorus

---

<b>Water Body</b>	General Creek (Tributary to Lake Tahoe)
<b>Stressor/Media/Beneficial Use</b>	Phosphorus/Water/Aquatic Life
<b>Data quality assessment. Extent to which data quality requirements met.</b>	QA procedures used.
<b>Linkage between measurement endpoint and beneficial use or standard</b>	Phosphorus is linked to Aquatic Life.
<b>Utility of measure for judging if standards or uses are not attained</b>	Measurement can be directly compared to WQO.
<b>Water Body-specific Information</b>	Data collected from 1981-96.
<b>Data used to assess water quality</b>	Annual means for 12 of 16 water years exceed the WQO (0.015 mg/L annual mean)
<b>Spatial representation</b>	Targeted in water body.
<b>Temporal representation</b>	Annual means for 12 of 16 water years.
<b>Data type</b>	WQO and water column chemistry data are numeric values.
<b>Use of standard method</b>	
<b>Potential Source(s) of Pollutant</b>	Major sources from erosion, atmospheric deposition, stormwater.
<b>Alternative Enforceable Program</b>	
<b>RWQCB Recommendation</b>	List.
<b>SWRCB Staff Recommendation</b>	<p>After reviewing the available data and information and the RWQCB documentation for this recommendation, SWRCB staff concludes that the water body should be placed on the section 303(d) list because applicable water quality standards are exceeded and a pollutant contributes to or causes the problem.</p> <p>This conclusion is based on the staff findings that:</p> <ol style="list-style-type: none"> <li>1. The data is considered to be of adequate quality.</li> <li>2. The data exhibited sufficient spatial and temporal coverage.</li> <li>3. Beneficial uses have been established for and apply to the water body.</li> <li>4. Water quality standard used is applicable.</li> <li>5. Data are numerical.</li> <li>6. Standard methods were used.</li> <li>7. Other water body- or site-specific information including the effects of natural sources, season, storm events, and age of the data were considered.</li> </ol> <p>An adequate number of the water quality measurements exceeded the water quality standard. The staff confidence that standards were exceeded is high.</p>

## Region 6: General Creek (Tributary to Lake Tahoe)

### Iron (plant nutrient)

---

<b>Water Body</b>	General Creek (Tributary to Lake Tahoe)
<b>Stressor/Media/Beneficial Use</b>	Iron (plant nutrient)/Water/Aquatic Life
<b>Data quality assessment. Extent to which data quality requirements met.</b>	QA procedures used.
<b>Linkage between measurement endpoint and beneficial use or standard</b>	Iron is linked to Aquatic Life.
<b>Utility of measure for judging if standards or uses are not attained</b>	Measurement can be directly compared to WQO.
<b>Water Body-specific Information</b>	Data collected from 1989-96.
<b>Data used to assess water quality</b>	Annual means for 8 of 8 water years exceed the WQO (0.03 mg/L annual mean).
<b>Spatial representation</b>	Targeted in water body.
<b>Temporal representation</b>	Annual means for 8 of 8 water years
<b>Data type</b>	WQO and water column chemistry data are numeric values.
<b>Use of standard method</b>	
<b>Potential Source(s) of Pollutant</b>	Major sources from erosion, stormwater.
<b>Alternative Enforceable Program</b>	
<b>RWQCB Recommendation</b>	List.
<b>SWRCB Staff Recommendation</b>	<p>After reviewing the available data and information and the RWQCB documentation for this recommendation, SWRCB staff concludes that the water body should be placed on the section 303(d) list because applicable water quality standards are exceeded and a pollutant contributes to or causes the problem.</p> <p>This conclusion is based on the staff findings that:</p> <ol style="list-style-type: none"> <li>1. The data is considered to be of adequate quality.</li> <li>2. The data exhibited sufficient spatial and temporal coverage.</li> <li>3. Beneficial uses have been established for and apply to the water body.</li> <li>4. Water quality standard used is applicable.</li> <li>5. Data are numerical.</li> <li>6. Standard methods were used.</li> <li>7. Other water body- or site-specific information including the effects of natural sources, season, storm events, and age of the data were considered.</li> </ol> <p>An adequate number of the water quality measurements exceeded the water quality standard. The staff confidence that standards were exceeded is high.</p>

## Region 6: Grant Lake

### Arsenic

---

<b>Water Body</b>	Grant Lake
<b>Stressor/Media/Beneficial Use</b>	Arsenic/Water, Tissue/Drinking, Human health
<b>Data quality assessment. Extent to which data quality requirements met.</b>	N/A
<b>Linkage between measurement endpoint and beneficial use or standard</b>	N/A
<b>Utility of measure for judging if standards or uses are not attained</b>	N/A
<b>Water Body-specific Information</b>	Beneficial uses are drinking water supply for City of Los Angeles and fish consumption. Water is blended in order to meet current drinking water standard at the tap. 1991 TSMP data showed no exceedences of fish consumption criteria.
<b>Data used to assess water quality</b>	N/A
<b>Spatial representation</b>	N/A
<b>Temporal representation</b>	N/A
<b>Data type</b>	N/A
<b>Use of standard method</b>	N/A
<b>Potential Source(s) of Pollutant</b>	Source is of volcanic origin, with no sources of industrial or agricultural discharges.
<b>Alternative Enforceable Program</b>	
<b>RWQCB Recommendation</b>	Delist due to natural causes. Beneficial uses are drinking water supply for City of Los Angeles and fish consumption. Water is blended in order to meet current drinking water standard at the tap. 1991 TSMP data showed no exceedences of fish consumption criteria.
<b>SWRCB Staff Recommendation</b>	After reviewing the available data and information and the RWQCB documentation for this recommendation, SWRCB staff concludes that the water body should be removed from the section 303(d) list because applicable water quality standards are exceeded but the source of the pollutant is entirely natural.

## Region 6: Haiwee Reservoir

### Copper

---

<b>Water Body</b>	Haiwee Reservoir
<b>Stressor/Media/Beneficial Use</b>	Copper/water/MUN, REC-1, REC-2, COLD, WILD, RARE, SPWN
<b>Data quality assessment. Extent to which data quality requirements met.</b>	
<b>Linkage between measurement endpoint and beneficial use or standard</b>	
<b>Utility of measure for judging if standards or uses are not attained</b>	
<b>Water Body-specific Information</b>	
<b>Data used to assess water quality</b>	
<b>Spatial representation</b>	
<b>Temporal representation</b>	
<b>Data type</b>	
<b>Use of standard method</b>	
<b>Potential Source(s) of Pollutant</b>	City of Los Angeles applies copper-based algaecide in order to satisfy drinking water requirements (for color, odor).
<b>Alternative Enforceable Program</b>	
<b>RWQCB Recommendation</b>	Existing 1998 listing.
<b>SWRCB Staff Recommendation</b>	The comment below will be added to the list and fact sheet indicating, where relevant, that the question of whether Haiwee Reservoir, a water-quality-limited segment, is a water of the United States was raised, but that listing is not a determination of that question.  <hr/> <small>* A determination of whether or not this water body is a "water of the United States" will be made by the Regional Water Quality Control Board.</small>

## Region 6: Heavenly Valley Creek, source to USFS boundary (was Heavenl + Sediment

---

<b>Water Body</b>	Heavenly Valley Creek, source to USFS boundary (was Heavenly Valley Creek between USFS boundary and confluence with Trout Creek)
<b>Stressor/Media/Beneficial Use</b>	Sediment/Water/Aquatic Life
<b>Data quality assessment. Extent to which data quality requirements met.</b>	
<b>Linkage between measurement endpoint and beneficial use or standard</b>	Sedimentation is linked to Aquatic Life.
<b>Utility of measure for judging if standards or uses are not attained</b>	There is a numerical suspended sediment objective (60 mg/L as an annual 90th percentile) that applies to all tributaries of Lake Tahoe.
<b>Water Body-specific Information</b>	A TMDL has been developed for the water body-pollutant combination. The TMDL has been approved by USEPA.
<b>Data used to assess water quality</b>	
<b>Spatial representation</b>	
<b>Temporal representation</b>	
<b>Data type</b>	
<b>Use of standard method</b>	
<b>Potential Source(s) of Pollutant</b>	Source is erosion from upstream developments, local streambank erosion, stormwater from Pioneer Trail, and other nonpoint sources.
<b>Alternative Enforceable Program</b>	A TMDL has been completed
<b>RWQCB Recommendation</b>	Place on TMDL Completed List.
<b>SWRCB Staff Recommendation</b>	After reviewing the available data and information and the RWQCB documentation for this recommendation, SWRCB staff conclude that the water body should be placed on the TMDLs Completed List because a TMDL has been developed for the water body-pollutant combination. The TMDL has been approved by USEPA.

## Region 6: Heavenly Valley Creek, source to USFS boundary (was Heavenl + Phosphorus

---

<b>Water Body</b>	Heavenly Valley Creek, source to USFS boundary (was Heavenly Valley Creek, within USFS boundary)
<b>Stressor/Media/Beneficial Use</b>	Phosphorus/Water/Aquatic Life
<b>Data quality assessment. Extent to which data quality requirements met.</b>	QA procedures used.
<b>Linkage between measurement endpoint and beneficial use or standard</b>	Phosphorus is linked to Aquatic Life.
<b>Utility of measure for judging if standards or uses are not attained</b>	Measurement can be directly compared to WQO.
<b>Water Body-specific Information</b>	Data collected between 1997-2001 by USFS.
<b>Data used to assess water quality</b>	Annual means of samples collected from 6 sites all exceeded standard, 0.015 mg/L annual mean.
<b>Spatial representation</b>	Data collected from 6 sites.
<b>Temporal representation</b>	Annual means of samples.
<b>Data type</b>	WQO and water column chemistry data are numeric values.
<b>Use of standard method</b>	
<b>Potential Source(s) of Pollutant</b>	Sources may be atmospheric, deposition, erosion from disturbed areas, and natural.
<b>Alternative Enforceable Program</b>	Coordination with TMDL for Trout Creek.
<b>RWQCB Recommendation</b>	List.
<b>SWRCB Staff Recommendation</b>	<p>After reviewing the available data and information and the RWQCB documentation for this recommendation, SWRCB staff concludes that the water body should be placed on the section 303(d) list because applicable water quality standards are exceeded and a pollutant contributes to or causes the problem.</p> <p>This conclusion is based on the staff findings that:</p> <ol style="list-style-type: none"> <li>1. The data is considered to be of adequate quality.</li> <li>2. The data exhibited sufficient spatial and temporal coverage.</li> <li>3. Beneficial uses have been established for the water body.</li> <li>4. Water quality standard used is applicable.</li> <li>5. Data are numerical.</li> <li>6. Standard methods were used.</li> <li>7. Other water body- or site-specific information including the effects of natural sources, season, storm events, and age of the data were considered.</li> </ol> <p>An adequate number of the water quality measurements exceeded the water quality standard. The staff confidence that standards were exceeded is moderate.</p>

## Region 6: Heavenly Valley Creek, source to USFS boundary and USFS bou + Chloride

---

<b>Water Body</b>	Heavenly Valley Creek, source to USFS boundary and USFS boundary to Trout Creek (was Heavenly Valley Creek)
<b>Stressor/Media/Beneficial Use</b>	Chloride/Water/Aquatic Life
<b>Data quality assessment. Extent to which data quality requirements met.</b>	QA procedures used.
<b>Linkage between measurement endpoint and beneficial use or standard</b>	Chloride is linked to Aquatic Life.
<b>Utility of measure for judging if standards or uses are not attained</b>	Measurement can be compared to WQO directly.
<b>Water Body-specific Information</b>	Data collected between 1997-2001 by USFS.
<b>Data used to assess water quality</b>	Annual means of samples collected from 6 sites all exceeded standard, 0.15 mg/L annual mean'.
<b>Spatial representation</b>	Samples collected from 6 sites.
<b>Temporal representation</b>	Annual means of samples.
<b>Data type</b>	WQO and water column chemistry data are numeric values.
<b>Use of standard method</b>	
<b>Potential Source(s) of Pollutant</b>	Sources may be road salt, atmospheric deposition, and some natural sources.
<b>Alternative Enforceable Program</b>	
<b>RWQCB Recommendation</b>	List.
<b>SWRCB Staff Recommendation</b>	<p>After reviewing the available data and information and the RWQCB documentation for this recommendation, SWRCB staff concludes that the water body should be placed on the section 303(d) list because applicable water quality standards are exceeded and a pollutant contributes to or causes the problem.</p> <p>This conclusion is based on the staff findings that:</p> <ol style="list-style-type: none"> <li>1. The data is considered to be of adequate quality.</li> <li>2. The data exhibited sufficient spatial and temporal coverage.</li> <li>3. Beneficial uses have been established for the water body.</li> <li>4. Water quality standard used is applicable.</li> <li>5. Data are numerical.</li> <li>6. Standard methods were used.</li> <li>7. Other water body- or site-specific information including the effects of natural sources, season, storm events, and age of the data were considered.</li> </ol> <p>An adequate number of the water quality measurements exceeded the water quality standard. The staff confidence that standards were exceeded is high.</p>



## Region 6: Heavenly Valley Creek, USFS boundary to Trout Creek) (was H + Sediment

---

<b>Water Body</b>	Heavenly Valley Creek, USFS boundary to Trout Creek) (was Heavenly Valley Creek)
<b>Stressor/Media/Beneficial Use</b>	Sediment/Water/Aquatic Life
<b>Data quality assessment. Extent to which data quality requirements met.</b>	
<b>Linkage between measurement endpoint and beneficial use or standard</b>	
<b>Utility of measure for judging if standards or uses are not attained</b>	
<b>Water Body-specific Information</b>	
<b>Data used to assess water quality</b>	
<b>Spatial representation</b>	
<b>Temporal representation</b>	
<b>Data type</b>	
<b>Use of standard method</b>	
<b>Potential Source(s) of Pollutant</b>	
<b>Alternative Enforceable Program</b>	
<b>RWQCB Recommendation</b>	Continue to list the lower two portions of Heavenly Valley Creek for sediment.
<b>SWRCB Staff Recommendation</b>	Due to completion of a TMDL for Heavenly Valley Creek--source to USFS boundary, the entire Creek should no longer be on the 303(d) list. Instead, the lower portion, USFS boundary to Trout Creek, should be specifically identified as remaining on the list.

## Region 6: Hot Creek Metals

---

<b>Water Body</b>	Hot Creek
<b>Stressor/Media/Beneficial Use</b>	Metals/Water/Drinking
<b>Data quality assessment. Extent to which data quality requirements met.</b>	N/A
<b>Linkage between measurement endpoint and beneficial use or standard</b>	N/A
<b>Utility of measure for judging if standards or uses are not attained</b>	N/A
<b>Water Body-specific Information</b>	N/A
<b>Data used to assess water quality</b>	N/A
<b>Spatial representation</b>	N/A
<b>Temporal representation</b>	N/A
<b>Data type</b>	N/A
<b>Use of standard method</b>	N/A
<b>Potential Source(s) of Pollutant</b>	Metals (arsenic and others) come from natural geothermal and volcanic sources.
<b>Alternative Enforceable Program</b>	N/A
<b>RWQCB Recommendation</b>	Delist due to natural sources of metals.
<b>SWRCB Staff Recommendation</b>	After reviewing the available data and information and the RWQCB documentation for this recommendation, SWRCB staff concludes that the water body should be removed from the section 303(d) list because the sources are entirely natural.

## Region 6: Indian Creek Pathogens

---

<b>Water Body</b>	Indian Creek
<b>Stressor/Media/Beneficial Use</b>	Pathogens/Water/Human health
<b>Data quality assessment. Extent to which data quality requirements met.</b>	QA procedures used.
<b>Linkage between measurement endpoint and beneficial use or standard</b>	Pathogens are linked to Human Health.
<b>Utility of measure for judging if standards or uses are not attained</b>	Measurement can be directly compared to WQO.
<b>Water Body-specific Information</b>	Samples collected between June 2000- May 2001.
<b>Data used to assess water quality</b>	13 of 30 samples (43%) exceeded the WQO. The WQO requires that no more than 10% of samples exceed 40 colonies/100 ml.
<b>Spatial representation</b>	Targeted in water body.
<b>Temporal representation</b>	June 2000- May 2001.
<b>Data type</b>	WQO and water column chemistry data are numeric values.
<b>Use of standard method</b>	
<b>Potential Source(s) of Pollutant</b>	Fecal coliform counts were highest during grazing season.
<b>Alternative Enforceable Program</b>	
<b>RWQCB Recommendation</b>	List.
<b>SWRCB Staff Recommendation</b>	<p>After reviewing the available data and information and the RWQCB documentation for this recommendation, SWRCB staff concludes that the water body should be placed on the section 303(d) list because applicable water quality standards are exceeded and a pollutant contributes to or causes the problem.</p> <p>This conclusion is based on the staff findings that:</p> <ol style="list-style-type: none"> <li>1. The data is considered to be of adequate quality.</li> <li>2. The data exhibited sufficient spatial and temporal coverage.</li> <li>3. Beneficial uses have been established for the water body.</li> <li>4. Water quality standard used is applicable.</li> <li>5. Data are numerical.</li> <li>6. Standard methods were used.</li> <li>7. Other water body- or site-specific information including the effects of natural sources, season, storm events, and age of the data were considered.</li> </ol> <p>An adequate number of the water quality measurements exceeded the water quality standard. The staff confidence that standards were exceeded is high.</p>

## Region 6: Lower Alkali Lake

### Salinity, TDS, Chlorides

---

<b>Water Body</b>	Lower Alkali Lake
<b>Stressor/Media/Beneficial Use</b>	Salinity, TDS, Chlorides/Water/Drinking
<b>Data quality assessment. Extent to which data quality requirements met.</b>	N/A
<b>Linkage between measurement endpoint and beneficial use or standard</b>	N/A
<b>Utility of measure for judging if standards or uses are not attained</b>	N/A
<b>Water Body-specific Information</b>	N/A
<b>Data used to assess water quality</b>	N/A
<b>Spatial representation</b>	N/A
<b>Temporal representation</b>	N/A
<b>Data type</b>	N/A
<b>Use of standard method</b>	N/A
<b>Potential Source(s) of Pollutant</b>	Input from geothermal springs and concentration by evaporation over geologic timescale.
<b>Alternative Enforceable Program</b>	
<b>RWQCB Recommendation</b>	Delist because exceedence of standards is due to natural causes. TMDL is not applicable.
<b>SWRCB Staff Recommendation</b>	After reviewing the available data and information and the RWQCB documentation for this recommendation, SWRCB staff concludes that the water body should be removed from the section 303(d) list because the sources of salinity, TDS and chlorides are natural.

## Region 6: Middle Alkali Lake

### Salinity, TDS, Chlorides

---

<b>Water Body</b>	Middle Alkali Lake
<b>Stressor/Media/Beneficial Use</b>	Salinity, TDS, Chlorides/Water/Drinking
<b>Data quality assessment. Extent to which data quality requirements met.</b>	N/A
<b>Linkage between measurement endpoint and beneficial use or standard</b>	N/A
<b>Utility of measure for judging if standards or uses are not attained</b>	N/A
<b>Water Body-specific Information</b>	N/A
<b>Data used to assess water quality</b>	N/A
<b>Spatial representation</b>	N/A
<b>Temporal representation</b>	N/A
<b>Data type</b>	N/A
<b>Use of standard method</b>	N/A
<b>Potential Source(s) of Pollutant</b>	Input from geothermal springs and concentration by evaporation over geologic timescale.
<b>Alternative Enforceable Program</b>	
<b>RWQCB Recommendation</b>	Delist because exceedence of standards is due to natural causes. TMDL is not applicable.
<b>SWRCB Staff Recommendation</b>	After reviewing the available data and information and the RWQCB documentation for this recommendation, SWRCB staff concludes that the water body should be removed from the section 303(d) list because the sources of salinity, TDS and Chlorides are natural.

## Region 6: Mojave River Priority Organics

---

<b>Water Body</b>	Mojave River
<b>Stressor/Media/Beneficial Use</b>	Priority Organics/Water/Human health
<b>Data quality assessment. Extent to which data quality requirements met.</b>	QA procedures used.
<b>Linkage between measurement endpoint and beneficial use or standard</b>	N/A
<b>Utility of measure for judging if standards or uses are not attained</b>	N/A
<b>Water Body-specific Information</b>	Also a 1991 USGS study showed that priority pollutants are no longer present in concentrations of concern in the area affected by the groundwater plume.
<b>Data used to assess water quality</b>	N/A
<b>Spatial representation</b>	N/A
<b>Temporal representation</b>	N/A
<b>Data type</b>	N/A
<b>Use of standard method</b>	N/A
<b>Potential Source(s) of Pollutant</b>	"Barstow Slug" of subsurface pollutants.
<b>Alternative Enforceable Program</b>	
<b>RWQCB Recommendation</b>	Delist because pollutants were present in groundwater portion of this intermittent stream, and listings are limited to surface waters. Also a 1991 USGS study showed that priority pollutants are no longer present in concentrations of concern in the area affected by the groundwater plume.
<b>SWRCB Staff Recommendation</b>	<p>After reviewing the available data and information and the RWQCB documentation for this recommendation, SWRCB staff concludes that the water body should be removed from the section 303(d) list because while pollutants were present in groundwater portion of this intermittent stream, listings are limited to surface waters.</p> <p>The staff confidence that surface water quality standards were exceeded is low. A TMDL is not applicable.</p>

## Region 6: Monitor Creek Sulfate

---

<b>Water Body</b>	Monitor Creek
<b>Stressor/Media/Beneficial Use</b>	Sulfate/Water/Drinking
<b>Data quality assessment. Extent to which data quality requirements met.</b>	Unknown.
<b>Linkage between measurement endpoint and beneficial use or standard</b>	Sulfate is linked to Drinking Water Beneficial Use.
<b>Utility of measure for judging if standards or uses are not attained</b>	Measurement can be directly compared to WQO.
<b>Water Body-specific Information</b>	Data collected from 1990-1991.
<b>Data used to assess water quality</b>	Data indicated an annual mean that exceeded 100 mg/L with maximum values of 700- 800 mg/L. The WQO for sulfate is 4.0 mg/L as an annual mean.
<b>Spatial representation</b>	Targeted in water body.
<b>Temporal representation</b>	Applicable Basin Plan objectives (East Fork of Carson River watershed) are in the form of an annual mean and a 90th percentile number.
<b>Data type</b>	WQO and water column chemistry data are numeric values.
<b>Use of standard method</b>	Standard methods of analysis were used.
<b>Potential Source(s) of Pollutant</b>	Acid mine drainage.
<b>Alternative Enforceable Program</b>	No alternative program is currently available.
<b>RWQCB Recommendation</b>	List.
<b>SWRCB Staff Recommendation</b>	<p>After reviewing the available data and information and the RWQCB documentation for this recommendation, SWRCB staff concludes that the water body should be placed on the section 303(d) list because applicable water quality standards are exceeded and a pollutant contributes to or causes the problem.</p> <p>This conclusion is based on the staff findings that:</p> <ol style="list-style-type: none"> <li>1. The data is considered to be of adequate quality.</li> <li>2. The data exhibited sufficient spatial and temporal coverage.</li> <li>3. Beneficial uses have been established for the water body.</li> <li>4. Water quality standard used is applicable.</li> <li>5. Data are numerical.</li> <li>6. Standard methods were used.</li> <li>7. Other water body- or site-specific information including the effects of natural sources, season, storm events, and age of the data were considered.</li> </ol> <p>An adequate number of the water quality measurements exceeded the water quality standard. The staff confidence that standards were exceeded is moderate.</p>

## Region 6: Monitor Creek TDS

---

<b>Water Body</b>	Monitor Creek
<b>Stressor/Media/Beneficial Use</b>	TDS/Water/Drinking
<b>Data quality assessment. Extent to which data quality requirements met.</b>	Unknown.
<b>Linkage between measurement endpoint and beneficial use or standard</b>	TDS is linked to Drinking Water Beneficial Use.
<b>Utility of measure for judging if standards or uses are not attained</b>	Measurement can be directly compared to WQO.
<b>Water Body-specific Information</b>	Data collected from 1990-1991.
<b>Data used to assess water quality</b>	Data indicated an annual mean that exceeded 500mg/L at 4 of 7 sampling locations, with maximum values of 1000 mg/L at locations below mine tailings. The WQO for TDS is 80 mg/L as an annual mean.
<b>Spatial representation</b>	Targeted in water body.
<b>Temporal representation</b>	Annual mean.
<b>Data type</b>	WQO and water column chemistry data are numeric values.
<b>Use of standard method</b>	
<b>Potential Source(s) of Pollutant</b>	Acid mine drainage.
<b>Alternative Enforceable Program</b>	
<b>RWQCB Recommendation</b>	List.
<b>SWRCB Staff Recommendation</b>	<p>After reviewing the available data and information and the RWQCB documentation for this recommendation, SWRCB staff concludes that the water body should be placed on the section 303(d) list because applicable water quality standards are exceeded and a pollutant contributes to or causes the problem.</p> <p>This conclusion is based on the staff findings that:</p> <ol style="list-style-type: none"> <li>1. The data is considered to be of adequate quality.</li> <li>2. The data exhibited sufficient spatial and temporal coverage.</li> <li>3. Beneficial uses have been established for the water body.</li> <li>4. Water quality standard used is applicable.</li> <li>5. Data are numerical.</li> <li>6. Standard methods were used.</li> <li>7. Other water body- or site-specific information including the effects of natural sources, season, storm events, and age of the data were considered.</li> </ol> <p>An adequate number of the water quality measurements exceeded the water quality standard. The staff confidence that standards were exceeded is moderate.</p>



Region 6: Monitor Creek  
 Iron, silver, aluminum, manganese (was "metals")

---

<b>Water Body</b>	Monitor Creek
<b>Stressor/Media/Beneficial Use</b>	Iron, silver, aluminum, manganese/Water/Aquatic life
<b>Data quality assessment. Extent to which data quality requirements met.</b>	N/A
<b>Linkage between measurement endpoint and beneficial use or standard</b>	N/A
<b>Utility of measure for judging if standards or uses are not attained</b>	N/A
<b>Water Body-specific Information</b>	N/A
<b>Data used to assess water quality</b>	N/A
<b>Spatial representation</b>	N/A
<b>Temporal representation</b>	N/A
<b>Data type</b>	N/A
<b>Use of standard method</b>	N/A
<b>Potential Source(s) of Pollutant</b>	Acid mine drainage. Specific metals identified during a Section 205(j)-funded study of the chemistry and biology of Monitor Creek.
<b>Alternative Enforceable Program</b>	N/A
<b>RWQCB Recommendation</b>	Clarify metals listing. Replace metals listing with listings for 4 specific metals- iron, silver, aluminum, manganese.
<b>SWRCB Staff Recommendation</b>	Clarify metals listing. Replace metals listing with listings for 4 specific metals - iron, silver, aluminum, manganese.

## Region 6: Mono Lake Salinity, TDS, Chlorides

---

<b>Water Body</b>	Mono Lake
<b>Stressor/Media/Beneficial Use</b>	Salinity, TDS, Chlorides/Water/Aquatic life, Wildlife
<b>Data quality assessment. Extent to which data quality requirements met.</b>	N/A
<b>Linkage between measurement endpoint and beneficial use or standard</b>	N/A
<b>Utility of measure for judging if standards or uses are not attained</b>	N/A
<b>Water Body-specific Information</b>	N/A
<b>Data used to assess water quality</b>	N/A
<b>Spatial representation</b>	N/A
<b>Temporal representation</b>	N/A
<b>Data type</b>	N/A
<b>Use of standard method</b>	N/A
<b>Potential Source(s) of Pollutant</b>	Water diversion. Natural causes.
<b>Alternative Enforceable Program</b>	SWRCB Water Rights Decision 1631.
<b>RWQCB Recommendation</b>	Delist because high concentrations of salts and trace elements are from natural sources. SWRCB Decision 1631 establishes conditions to control lake level and salt concentrations.
<b>SWRCB Staff Recommendation</b>	After reviewing the available data and information and the RWQCB documentation for this recommendation, SWRCB staff concludes that the water body should be removed from the section 303(d) list and placed on the Enforceable Program List because while applicable water quality standards are exceeded, another program will address the problem. SWRCB Decision 1631 establishes conditions to control lake level and salt concentrations. Salt concentrations are not solely due to natural causes. Fifty years of water diversions caused a 45 foot drop in lake level, which caused increases in salt concentrations above those caused by natural sources. SWRCB Decision 1631 established a restored lake level of 6391 feet to meet water quality standards.

## Region 6: Owens Lake Salinity, TDS, Chlorides

---

<b>Water Body</b>	Owens Lake
<b>Stressor/Media/Beneficial Use</b>	Salinity, TDS, Chlorides/Water/Drinking, Aquatic life
<b>Data quality assessment. Extent to which data quality requirements met.</b>	N/A
<b>Linkage between measurement endpoint and beneficial use or standard</b>	N/A
<b>Utility of measure for judging if standards or uses are not attained</b>	N/A
<b>Water Body-specific Information</b>	N/A
<b>Data used to assess water quality</b>	N/A
<b>Spatial representation</b>	N/A
<b>Temporal representation</b>	N/A
<b>Data type</b>	N/A
<b>Use of standard method</b>	N/A
<b>Potential Source(s) of Pollutant</b>	Owens Lake has accumulated salts and trace elements from volcanic and geothermal sources and from concentration caused by water diversions in a closed basin over geologic time.
<b>Alternative Enforceable Program</b>	Windblown dust control agreement by LADWP and Great Basin Unified Air Pollution Control District.
<b>RWQCB Recommendation</b>	Delist.
<b>SWRCB Staff Recommendation</b>	After reviewing the available data and information and the RWQCB documentation for this recommendation, SWRCB staff concludes that the water body should be removed from the section 303(d) list because impairment is due to natural sources of salts and trace elements. Except for a few inches of water used to wet the dry lakebed to reduce particulate air pollution, no water remains. The Lake is not a drinking water supply.

## Region 6: Owens River Arsenic

---

<b>Water Body</b>	Owens River
<b>Stressor/Media/Beneficial Use</b>	Arsenic/Water/Drinking
<b>Data quality assessment. Extent to which data quality requirements met.</b>	N/A
<b>Linkage between measurement endpoint and beneficial use or standard</b>	N/A
<b>Utility of measure for judging if standards or uses are not attained</b>	N/A
<b>Water Body-specific Information</b>	N/A
<b>Data used to assess water quality</b>	N/A
<b>Spatial representation</b>	N/A
<b>Temporal representation</b>	N/A
<b>Data type</b>	N/A
<b>Use of standard method</b>	N/A
<b>Potential Source(s) of Pollutant</b>	Source is of volcanic origin, with no sources of industrial or agricultural discharges.
<b>Alternative Enforceable Program</b>	N/A
<b>RWQCB Recommendation</b>	Delist.
<b>SWRCB Staff Recommendation</b>	After reviewing the available data and information and the RWQCB documentation for this recommendation, SWRCB staff concludes that the water body should be removed from the section 303(d) list because impairment is from natural causes. The beneficial use is drinking water supply for City of Los Angeles. Arsenic is removed from this water supply before delivery for use.

## Region 6: Robinson Creek

### Pathogens

---

<b>Water Body</b>	Robinson Creek
<b>Stressor/Media/Beneficial Use</b>	Pathogens/Water/Human health
<b>Data quality assessment. Extent to which data quality requirements met.</b>	QA procedures used.
<b>Linkage between measurement endpoint and beneficial use or standard</b>	Pathogens are linked to Human Health.
<b>Utility of measure for judging if standards or uses are not attained</b>	Measurement can be directly compared to WQO.
<b>Water Body-specific Information</b>	Data collected between April 2000- June 2001.
<b>Data used to assess water quality</b>	At least 5 of 6 fecal coliform samples (83%) exceeded the WQO (no more than 10% of samples collected in any 30-day period shall exceed 40/100 ml).
<b>Spatial representation</b>	Targeted in water body.
<b>Temporal representation</b>	No more than 10% of samples collected in any 30-day period shall exceed 40/100 ml.
<b>Data type</b>	Fecal coliform counts are numeric information.
<b>Use of standard method</b>	
<b>Potential Source(s) of Pollutant</b>	High coliform counts coincide with months when livestock are present.
<b>Alternative Enforceable Program</b>	
<b>RWQCB Recommendation</b>	List.
<b>SWRCB Staff Recommendation</b>	<p>After reviewing the available data and information and the RWQCB documentation for this recommendation, SWRCB staff concludes that the water body should be placed on the Monitoring List because the data are inadequate to determine if applicable water quality standards are exceeded.</p> <p>An inadequate amount number of water quality measurements exceeded the water quality standard. The staff confidence that standards were exceeded is currently low. Nonetheless, there is some evidence of impacts to beneficial uses. Therefore, this water body should be monitored more extensively before the next listing cycle.</p>

## Region 6: Searles Lake Salinity, TDS, Chlorides

---

<b>Water Body</b>	Searles Lake
<b>Stressor/Media/Beneficial Use</b>	Salinity, TDS, Chlorides/Water/WILD, REC-1, REC-2, SAL
<b>Data quality assessment. Extent to which data quality requirements met.</b>	N/A
<b>Linkage between measurement endpoint and beneficial use or standard</b>	N/A
<b>Utility of measure for judging if standards or uses are not attained</b>	N/A
<b>Water Body-specific Information</b>	N/A
<b>Data used to assess water quality</b>	Department of Fish and Game (DFG) believes that wastewater ponds created at Searles Lake are an on-going threat to wildlife. DFG has documented hundreds of bird deaths, primarily from salt toxicosis and salt encrustation (documentation enclosed). Historically, the dry lakebed offered little or no open water to migrating waterfowl. Hence birds did not stop and mortality was minimal. That is in contrast to current conditions, where effluent from salt-extraction operations have created a lethal attraction for migrating birds.
<b>Spatial representation</b>	N/A
<b>Temporal representation</b>	N/A
<b>Data type</b>	N/A
<b>Use of standard method</b>	N/A
<b>Potential Source(s) of Pollutant</b>	Some natural sources, possible discharges of brine from IMCC. Waste Discharge Requirements Cleanup and Abatement Orders.
<b>Alternative Enforceable Program</b>	The RWQCB has issued Cleanup and Abatement Orders to address this pollutant problem in Searles Lake (Cleanup and Abatement Order Nos. 6-00-64 and 6-00-64A1). These orders require the company to (1) describe methods implemented to significantly reduce the number of waterfowl deaths, (2) eliminate ongoing sources of contaminant concentrations to the Lake, (3) implement any additional methods that are necessary to correct the problems, (4) eliminate all visible petroleum hydrocarbons from surface waters of the Lake, (5) remove or remediate to non-detect levels, all visible petroleum hydrocarbon contaminated surface soils and sediments, and (6) to periodically report on the effectiveness of remediation efforts.
<b>RWQCB Recommendation</b>	Delist because impairment resulting from salinity/TDS/chlorides is from natural sources, and the lake is supporting aquatic life uses to the extent possible under extreme environmental conditions.
<b>SWRCB Staff Recommendation</b>	After reviewing the available data and information and the RWQCB documentation for this recommendation, SWRCB staff concludes that Searles Lake should be removed from the section 303(d) list for salinity, TDS, and chlorides and placed on the Enforceable Program List because

## Region 6: Searles Lake Salinity, TDS, Chlorides

---

applicable water quality standards are exceeded but other programs will better address the problem.\*

This conclusion is based on the staff findings that:

1. The data is considered to be of adequate quality.
2. The data exhibited sufficient spatial and temporal coverage.
3. Beneficial uses have been established for the water body.
4. Standard methods were used.
5. Other water body- or site-specific information including the effects of natural sources and age of the data were considered.

An adequate amount of the measurements exceeded the water quality standard. The staff confidence that standards were exceeded is high.

---

\* A determination of whether or not this water body is a "water of the United States" will be made by the Regional Water Quality Control Board.

## Region 6: Searles Lake Petroleum Hydrocarbons

---

<b>Water Body</b>	Searles Lake
<b>Stressor/Media/Beneficial Use</b>	Petroleum Hydrocarbons/Water/WILD, REC-1, REC-2, SAL
<b>Data quality assessment. Extent to which data quality requirements met.</b>	QA procedures used.
<b>Linkage between measurement endpoint and beneficial use or standard</b>	Petroleum Hydrocarbons are linked to Beneficial Uses.
<b>Utility of measure for judging if standards or uses are not attained</b>	Measurement can be compared to WQO directly.
<b>Water Body-specific Information</b>	13 site inspections by Regional Board staff between February and June, 2000.
<b>Data used to assess water quality</b>	<p>Numerous (at least 13) observations of visible oil on Lake waters, banks, channels and ponds. Over 150 dead waterfowl collected by CDFG. Waterfowl encrusted with brine and oil. Oil found in internal organs of waterfowl. Visible oil observed. Sample collected showed 156,000 ppm TPH.</p> <p>DFG believes that wastewater ponds created at Searles Lake are an on-going threat to wildlife. DFG has documented hundreds of bird deaths, primarily from salt toxicosis and salt encrustation (documentation enclosed). Historically, the dry lakebed offered little or no open water to migrating waterfowl. Hence birds did not stop and mortality was minimal. That is in contrast to current conditions, where effluent from salt-extraction operations have created a lethal attraction for migrating birds.</p>
<b>Spatial representation</b>	Visible oil observed at numerous locations.
<b>Temporal representation</b>	Visible oil observed on more than 13 occasions during a 5-month period.
<b>Data type</b>	13 site inspections by Regional Board staff between February and June, 2000. Visible oil observed. Sample collected showed 156,000 ppm TPH.
<b>Use of standard method</b>	
<b>Potential Source(s) of Pollutant</b>	Source is IMCC Chemical mineral extraction operation. Waste Discharge Requirements, Cleanup and Abatement Orders.
<b>Alternative Enforceable Program</b>	The RWQCB has issued Cleanup and Abatement Orders to address this pollutant problem in Searles Lake (Cleanup and Abatement Order Nos. 6-00-64 and 6-00-64A1). These orders require the company to (1) describe methods implemented to significantly reduce the number of waterfowl deaths, (2) eliminate ongoing sources of contaminant concentrations to the Lake, (3) implement any additional methods that are necessary to correct the problems, (4) eliminate all visible petroleum hydrocarbons from surface waters of the Lake, (5) remove or remediate to non-detect levels, all visible petroleum hydrocarbon contaminated surface soils and sediments, and (6) to periodically report on the effectiveness of remediation efforts.
<b>RWQCB Recommendation</b>	List.



## Region 6: Searles Lake Petroleum Hydrocarbons

---

### **SWRCB Staff Recommendation**

After reviewing the available data and information and the RWQCB documentation for this recommendation, SWRCB staff concludes that Searles Lake should be removed from the section 303(d) list and placed on the Enforceable Program List because applicable water quality standards are exceeded but other programs will better address the problem.\*

This conclusion is based on the staff findings that:

1. The data is considered to be of adequate quality.
2. The data exhibited sufficient spatial and temporal coverage.
3. Beneficial uses have been established for the water body.
4. The evaluation guideline used to interpret narrative water quality standards is adequate.
5. Data are numerical, not numerical, both numerical and not numerical.
6. Standard methods were used.
7. Other water body- or site-specific information including the effects of natural sources and age of the data were considered.

An adequate number of the water quality measurements exceeded the water quality standard. The staff confidence that standards were exceeded is moderate.

---

\* A determination of whether or not this water body is a "water of the United States" will be made by the Regional Water Quality Control Board.

## Region 6: Snow Creek Habitat Alterations

---

<b>Water Body</b>	Snow Creek
<b>Stressor/Media/Beneficial Use</b>	Habitat Alterations/Habitat/Aquatic life
<b>Data quality assessment. Extent to which data quality requirements met.</b>	N/A
<b>Linkage between measurement endpoint and beneficial use or standard</b>	N/A
<b>Utility of measure for judging if standards or uses are not attained</b>	N/A
<b>Water Body-specific Information</b>	N/A
<b>Data used to assess water quality</b>	N/A
<b>Spatial representation</b>	N/A
<b>Temporal representation</b>	N/A
<b>Data type</b>	N/A
<b>Use of standard method</b>	N/A
<b>Potential Source(s) of Pollutant</b>	N/A
<b>Alternative Enforceable Program</b>	
<b>RWQCB Recommendation</b>	Delist due to implementation of a wetland/riparian restoration program that included removal of fill material, restoration of the stream channel, revegetation, and installation of culverts to allow fish passage and reduce highway flooding.
<b>SWRCB Staff Recommendation</b>	After reviewing the available data and information and the RWQCB documentation for this recommendation, SWRCB staff concludes that the water body should be removed from the section 303(d) list because although applicable water quality standards were exceeded, the problem is not due to a pollutant and another program addressed the problem--i.e., implementation of a wetland/riparian restoration program that included removal of fill material, restoration of the stream channel, revegetation, and installation of culverts to allow fish passage and reduce highway flooding.

## Region 6: Swauger Creek

### Pathogens

---

<b>Water Body</b>	Swauger Creek
<b>Stressor/Media/Beneficial Use</b>	Pathogens/Water/Human health
<b>Data quality assessment. Extent to which data quality requirements met.</b>	QA procedures used.
<b>Linkage between measurement endpoint and beneficial use or standard</b>	Pathogens are linked to Human Health.
<b>Utility of measure for judging if standards or uses are not attained</b>	Measurement can be directly compared to WQO.
<b>Water Body-specific Information</b>	Data collected from March 2000- June 2001.
<b>Data used to assess water quality</b>	Data exceeded the WQO (40/100 ml) in at least 5 of 16 samples (31%). The WQO allows no more than 10% of samples to exceed the 40/100 ml.
<b>Spatial representation</b>	Targeted in water body.
<b>Temporal representation</b>	Data collected from March 2000- June 2001.
<b>Data type</b>	Fecal coliform counts are numeric information.
<b>Use of standard method</b>	
<b>Potential Source(s) of Pollutant</b>	Livestock, wildlife, septic systems, human recreational users.
<b>Alternative Enforceable Program</b>	
<b>RWQCB Recommendation</b>	List.
<b>SWRCB Staff Recommendation</b>	<p>After reviewing the available data and information and the RWQCB documentation for this recommendation, SWRCB staff concludes that the water body should be placed on the section 303(d) list because applicable water quality standards are exceeded and a pollutant contributes to or causes the problem.</p> <p>This conclusion is based on the staff findings that:</p> <ol style="list-style-type: none"> <li>1. The data is considered to be of adequate quality.</li> <li>2. The data exhibited sufficient spatial and temporal coverage.</li> <li>3. Beneficial uses have been established for and apply to the water body.</li> <li>4. Water quality standard used is applicable.</li> <li>5. Data are numerical.</li> <li>6. Standard methods were used.</li> <li>7. Other water body- or site-specific information including the effects of natural sources, season, storm events, and age of the data were considered.</li> </ol> <p>An adequate number of the water quality measurements exceeded the water quality standard. The staff confidence that standards were exceeded is moderate.</p>

## Region 6: Swauger Creek

### Phosphorus

---

<b>Water Body</b>	Swauger Creek
<b>Stressor/Media/Beneficial Use</b>	Phosphorus/Water/Aquatic life
<b>Data quality assessment. Extent to which data quality requirements met.</b>	QA procedures used.
<b>Linkage between measurement endpoint and beneficial use or standard</b>	Phosphorus is linked to Aquatic Life.
<b>Utility of measure for judging if standards or uses are not attained</b>	Measurement can be directly compared to WQO.
<b>Water Body-specific Information</b>	Data collected from 2000-2001.
<b>Data used to assess water quality</b>	Data showed violations of the WQO (0.06 mg/L as an annual mean) in both years.
<b>Spatial representation</b>	Targeted in water body.
<b>Temporal representation</b>	Annual mean.
<b>Data type</b>	WQO and water column chemistry data are numeric values.
<b>Use of standard method</b>	
<b>Potential Source(s) of Pollutant</b>	Partially natural sources.
<b>Alternative Enforceable Program</b>	
<b>RWQCB Recommendation</b>	List.
<b>SWRCB Staff Recommendation</b>	<p>After reviewing the available data and information and the RWQCB documentation for this recommendation, SWRCB staff concludes that the water body should be placed on the section 303(d) list because applicable water quality standards are exceeded and a pollutant contributes to or causes the problem.</p> <p>This conclusion is based on the staff findings that:</p> <ol style="list-style-type: none"> <li>1. The data is considered to be of adequate quality.</li> <li>2. The data exhibited sufficient spatial and temporal coverage.</li> <li>3. Beneficial uses have been established for and apply to the water body.</li> <li>4. Water quality standard used is applicable.</li> <li>5. Data are numerical.</li> <li>6. Standard methods were used.</li> <li>7. Other water body- or site-specific information including the effects of natural sources, season, storm events, and age of the data were considered.</li> </ol> <p>An adequate number of the water quality measurements exceeded the water quality standard. The staff confidence that standards were exceeded is moderate.</p>

## Region 6: Tallac Creek (Tributary To Lake Tahoe)

### Pathogens

---

<b>Water Body</b>	Tallac Creek (Tributary To Lake Tahoe)
<b>Stressor/Media/Beneficial Use</b>	Pathogens/Water/Human Health
<b>Data quality assessment. Extent to which data quality requirements met.</b>	QA procedures used.
<b>Linkage between measurement endpoint and beneficial use or standard</b>	Pathogens are linked to Human Health.
<b>Utility of measure for judging if standards or uses are not attained</b>	Measurement can be directly compared to WQO.
<b>Water Body-specific Information</b>	Data collected in 2001.
<b>Data used to assess water quality</b>	Data collected in 2001 from 2 sampling stations showed 4 violations of the WQO at the downstream station.
<b>Spatial representation</b>	2 sampling stations.
<b>Temporal representation</b>	Data collected in 2001.
<b>Data type</b>	Fecal coliform counts are numeric information.
<b>Use of standard method</b>	
<b>Potential Source(s) of Pollutant</b>	Livestock wastes are primary source.
<b>Alternative Enforceable Program</b>	
<b>RWQCB Recommendation</b>	List.
<b>SWRCB Staff Recommendation</b>	<p>After reviewing the available data and information and the RWQCB documentation for this recommendation, SWRCB staff concludes that the water body should be placed on the section 303(d) list because applicable water quality standards are exceeded and a pollutant contributes to or causes the problem.</p> <p>This conclusion is based on the staff findings that:</p> <ol style="list-style-type: none"> <li>1. The data is considered to be of adequate quality.</li> <li>2. The data exhibited sufficient spatial and temporal coverage.</li> <li>3. Beneficial uses have been established for and apply to the water body.</li> <li>4. Water quality standard used is applicable.</li> <li>5. Data are numerical.</li> <li>6. Standard methods were used.</li> <li>7. Other water body- or site-specific information including the age of the data were considered.</li> </ol> <p>An adequate number of the water quality measurements exceeded the water quality standard. The staff confidence that standards were exceeded is moderate.</p>

## Region 6: Tinemaha Reservoir

### Arsenic

---

<b>Water Body</b>	Tinemaha Reservoir
<b>Stressor/Media/Beneficial Use</b>	Arsenic/Water/Drinking
<b>Data quality assessment. Extent to which data quality requirements met.</b>	N/A
<b>Linkage between measurement endpoint and beneficial use or standard</b>	N/A
<b>Utility of measure for judging if standards or uses are not attained</b>	N/A
<b>Water Body-specific Information</b>	N/A
<b>Data used to assess water quality</b>	N/A
<b>Spatial representation</b>	N/A
<b>Temporal representation</b>	N/A
<b>Data type</b>	N/A
<b>Use of standard method</b>	N/A
<b>Potential Source(s) of Pollutant</b>	Source is of volcanic origin, with no sources of industrial or agricultural discharges.
<b>Alternative Enforceable Program</b>	N/A
<b>RWQCB Recommendation</b>	Delist due to natural causes. Beneficial use is drinking water supply for City of Los Angeles. Arsenic is removed from this water supply before delivery for use.
<b>SWRCB Staff Recommendation</b>	After reviewing the available data and information and the RWQCB documentation for this recommendation, SWRCB staff concludes that the water body should be removed from the section 303(d) list because the source is entirely natural. The beneficial use is drinking water supply for City of Los Angeles. Arsenic is removed from this water supply before delivery for use.

## Region 6: Top Spring Radiation

---

<b>Water Body</b>	Top Spring
<b>Stressor/Media/Beneficial Use</b>	Radiation/Water/Human health
<b>Data quality assessment. Extent to which data quality requirements met.</b>	N/A
<b>Linkage between measurement endpoint and beneficial use or standard</b>	N/A
<b>Utility of measure for judging if standards or uses are not attained</b>	N/A
<b>Water Body-specific Information</b>	N/A
<b>Data used to assess water quality</b>	N/A
<b>Spatial representation</b>	N/A
<b>Temporal representation</b>	N/A
<b>Data type</b>	N/A
<b>Use of standard method</b>	N/A
<b>Potential Source(s) of Pollutant</b>	Natural source of radioactivity. Spring is contained within a pipe and is not used as a water supply.
<b>Alternative Enforceable Program</b>	
<b>RWQCB Recommendation</b>	Delist because exceedence of standards is due to natural causes. TMDL is not applicable.
<b>SWRCB Staff Recommendation</b>	After reviewing the available data and information and the RWQCB documentation for this recommendation, SWRCB staff concludes that the water body should be removed from the section 303(d) list because the sources are entirely natural.

## Region 6: Trout Creek (above Hwy 50, below Hwy 50) (was Trout Creek [ + Pathogens

---

<b>Water Body</b>	Trout Creek (above Hwy 50, below Hwy 50) (was Trout Creek [above and below Hwy 50] [Tributary to Lake Tahoe])
<b>Stressor/Media/Beneficial Use</b>	Pathogens/Water/Human health
<b>Data quality assessment. Extent to which data quality requirements met.</b>	QA procedures used.
<b>Linkage between measurement endpoint and beneficial use or standard</b>	Pathogens are linked to Human Health.
<b>Utility of measure for judging if standards or uses are not attained</b>	Measurement can be directly compared to WQO.
<b>Water Body-specific Information</b>	Data collected between June-Sept, 2001.
<b>Data used to assess water quality</b>	Data showed frequent violations of WQOs for fecal coliform bacteria.
<b>Spatial representation</b>	Targeted in water body.
<b>Temporal representation</b>	Data collected between June-Sept, 2001.
<b>Data type</b>	Fecal coliform counts are numeric information.
<b>Use of standard method</b>	
<b>Potential Source(s) of Pollutant</b>	Livestock wastes are primary source.
<b>Alternative Enforceable Program</b>	
<b>RWQCB Recommendation</b>	List.
<b>SWRCB Staff Recommendation</b>	<p>After reviewing the available data and information and the RWQCB documentation for this recommendation, SWRCB staff concludes that the water body should be placed on the section 303(d) list because applicable water quality standards are exceeded and a pollutant contributes to or causes the problem.</p> <p>This conclusion is based on the staff findings that:</p> <ol style="list-style-type: none"> <li>1. The data is considered to be of adequate quality.</li> <li>2. The data exhibited sufficient spatial and temporal coverage.</li> <li>3. Beneficial uses have been established for and apply to the water body.</li> <li>4. Water quality standard used is applicable.</li> <li>5. Data are numerical.</li> <li>6. Standard methods were used.</li> <li>7. Other water body- or site-specific information including the age of the data were considered.</li> </ol> <p>An adequate number of the water quality measurements exceeded the water quality standard. The staff confidence that standards were exceeded is high.</p>



## Region 6: Trout Creek (above Hwy 50, below Hwy 50) (was Trout Creek [ + Phosphorus

---

<b>Water Body</b>	Trout Creek (above Hwy 50, below Hwy 50) (was Trout Creek [Tributary to Lake Tahoe])
<b>Stressor/Media/Beneficial Use</b>	Phosphorus/Water/Aquatic Life
<b>Data quality assessment. Extent to which data quality requirements met.</b>	Phosphorus is linked to Aquatic Life.
<b>Linkage between measurement endpoint and beneficial use or standard</b>	Yes.
<b>Utility of measure for judging if standards or uses are not attained</b>	Measurement can be directly compared to WQO.
<b>Water Body-specific Information</b>	Data collected between 1980-1996.
<b>Data used to assess water quality</b>	Annual means for 14 of 14 water years exceed the WQO (0.015 mg/L annual mean).
<b>Spatial representation</b>	Targeted in water body.
<b>Temporal representation</b>	Annual means for 14 of 14 water years.
<b>Data type</b>	WQO and water column chemistry data are numeric values.
<b>Use of standard method</b>	
<b>Potential Source(s) of Pollutant</b>	Sources are erosion, stormwater, atmospheric, Deposition due to wetland and riparian disturbance.
<b>Alternative Enforceable Program</b>	
<b>RWQCB Recommendation</b>	List.
<b>SWRCB Staff Recommendation</b>	<p>After reviewing the available data and information and the RWQCB documentation for this recommendation, SWRCB staff concludes that the water body should be placed on the section 303(d) list because applicable water quality standards are exceeded and a pollutant contributes to or causes the problem.</p> <p>This conclusion is based on the staff findings that:</p> <ol style="list-style-type: none"> <li>1. The data is considered to be of adequate quality.</li> <li>2. The data exhibited sufficient spatial and temporal coverage.</li> <li>3. Beneficial uses have been established for and apply to the water body.</li> <li>4. Water quality standard used is applicable.</li> <li>5. Data are numerical.</li> <li>6. Standard methods were used.</li> <li>7. Other water body- or site-specific information including the effects of natural sources, season, storm events, and age of the data were considered.</li> </ol> <p>An adequate number of the water quality measurements exceeded the water quality standard. The staff confidence that standards were exceeded is high.</p>

## Region 6: Trout Creek (above Hwy 50, below Hwy 50) (was Trout Creek [ + Nitrogen

---

<b>Water Body</b>	Trout Creek (above Hwy 50, below Hwy 50) (was Trout Creek [Tributary to Lake Tahoe])
<b>Stressor/Media/Beneficial Use</b>	Nitrogen/Water/Aquatic Life
<b>Data quality assessment. Extent to which data quality requirements met.</b>	QA procedures used.
<b>Linkage between measurement endpoint and beneficial use or standard</b>	Nitrogen is linked to Aquatic Life.
<b>Utility of measure for judging if standards or uses are not attained</b>	Measurement can be directly compared to WQO.
<b>Water Body-specific Information</b>	Data collected between 1989-1996.
<b>Data used to assess water quality</b>	Annual means for 6 of 8 water years exceed the WQO (0.19 mg/L annual mean)
<b>Spatial representation</b>	Targeted in water body.
<b>Temporal representation</b>	Annual means for 6 of 8 water years.
<b>Data type</b>	WQO and water column chemistry data are numeric values.
<b>Use of standard method</b>	
<b>Potential Source(s) of Pollutant</b>	Source are natural as well as anthropogenic, including atmospheric deposition, stormwater, fertilizer use, livestock grazing, septic systems, wastewater disposal to land.
<b>Alternative Enforceable Program</b>	
<b>RWQCB Recommendation</b>	List.
<b>SWRCB Staff Recommendation</b>	<p>After reviewing the available data and information and the RWQCB documentation for this recommendation, SWRCB staff concludes that the water body should be placed on the section 303(d) list because applicable water quality standards are exceeded and a pollutant contributes to or causes the problem.</p> <p>This conclusion is based on the staff findings that:</p> <ol style="list-style-type: none"> <li>1. The data is considered to be of adequate quality.</li> <li>2. The data exhibited sufficient spatial and temporal coverage.</li> <li>3. Beneficial uses have been established for and apply to the water body.</li> <li>4. Water quality standard used is applicable.</li> <li>5. Data are numerical.</li> <li>6. Standard methods were used.</li> <li>7. Other water body- or site-specific information including the age of the data were considered.</li> </ol> <p>An adequate number of the water quality measurements exceeded the water quality standard. The staff confidence that standards were exceeded is high.</p>

## Region 6: Trout Creek (above Hwy 50, below Hwy 50) (was Trout Creek [ + Iron (plant nutrient)

---

<b>Water Body</b>	Trout Creek (above Hwy 50, below Hwy 50) (was Trout Creek [Tributary to Lake Tahoe])
<b>Stressor/Media/Beneficial Use</b>	Iron (plant nutrient)/Water/Aquatic Life
<b>Data quality assessment. Extent to which data quality requirements met.</b>	QA procedures used.
<b>Linkage between measurement endpoint and beneficial use or standard</b>	Iron is linked to Aquatic Life.
<b>Utility of measure for judging if standards or uses are not attained</b>	Measurement can be directly compared to WQO.
<b>Water Body-specific Information</b>	Data collected between 1989-1996.
<b>Data used to assess water quality</b>	Annual means for 8 of 8 water years exceed the WQO (0.03 mg/L annual mean).
<b>Spatial representation</b>	Targeted in water body.
<b>Temporal representation</b>	Annual means for 8 of 8 water years.
<b>Data type</b>	WQO and water column chemistry data are numeric values.
<b>Use of standard method</b>	
<b>Potential Source(s) of Pollutant</b>	Natural loading has increased due to increased erosion and stormwater runoff due to land disturbance.
<b>Alternative Enforceable Program</b>	
<b>RWQCB Recommendation</b>	List.
<b>SWRCB Staff Recommendation</b>	<p>After reviewing the available data and information and the RWQCB documentation for this recommendation, SWRCB staff concludes that the water body should be placed on the section 303(d) list because applicable water quality standards are exceeded and a pollutant contributes to or causes the problem.</p> <p>This conclusion is based on the staff findings that:</p> <ol style="list-style-type: none"> <li>1. The data is considered to be of adequate quality.</li> <li>2. The data exhibited sufficient spatial and temporal coverage.</li> <li>3. Beneficial uses have been established for and apply to the water body.</li> <li>4. Water quality standard used is applicable.</li> <li>5. Data are numerical.</li> <li>6. Standard methods were used.</li> <li>7. Other water body- or site-specific information including the age of the data were considered.</li> </ol> <p>An adequate number of the water quality measurements exceeded the water quality standard. The staff confidence that standards were exceeded is high.</p>

## Region 6: Truckee River, upper (above and below Christmas Valley) (wa + Phosphorus)

---

<b>Water Body</b>	Truckee River, upper (above and below Christmas Valley) (was Upper Truckee River [Tributary to Lake Tahoe])
<b>Stressor/Media/Beneficial Use</b>	Phosphorus/Water/Aquatic Life
<b>Data quality assessment. Extent to which data quality requirements met.</b>	QA procedures used.
<b>Linkage between measurement endpoint and beneficial use or standard</b>	Phosphorus is linked to Aquatic Life.
<b>Utility of measure for judging if standards or uses are not attained</b>	Measurement can be directly compared to WQO.
<b>Water Body-specific Information</b>	Data collected from 1980-1996.
<b>Data used to assess water quality</b>	Annual means for 17 of 17 water years exceed the WQO (0.015 mg/L annual mean).
<b>Spatial representation</b>	Targeted in water body.
<b>Temporal representation</b>	Annual means for 17 of 17 water years.
<b>Data type</b>	WQO and water column chemistry data are numeric values.
<b>Use of standard method</b>	
<b>Potential Source(s) of Pollutant</b>	Erosion, fertilizer use, stormwater.
<b>Alternative Enforceable Program</b>	
<b>RWQCB Recommendation</b>	List.
<b>SWRCB Staff Recommendation</b>	<p>After reviewing the available data and information and the RWQCB documentation for this recommendation, SWRCB staff concludes that the water body should be placed on the section 303(d) list because applicable water quality standards are exceeded and a pollutant contributes to or causes the problem.</p> <p>This conclusion is based on the staff findings that:</p> <ol style="list-style-type: none"> <li>1. The data is considered to be of adequate quality.</li> <li>2. The data exhibited sufficient spatial and temporal coverage.</li> <li>3. Beneficial uses have been established for and apply to the water body.</li> <li>4. Water quality standard used is applicable.</li> <li>5. Data are numerical.</li> <li>6. Standard methods were used.</li> <li>7. Other water body- or site-specific information including the age of the data were considered.</li> </ol> <p>An adequate number of the water quality measurements exceeded the water quality standard. The staff confidence that standards were exceeded is high.</p>

## Region 6: Truckee River, upper (above and below Christmas Valley) (wa + Iron (plant nutrient))

---

<b>Water Body</b>	Truckee River, upper (above and below Christmas Valley) (was Upper Truckee River [Tributary to Lake Tahoe])
<b>Stressor/Media/Beneficial Use</b>	Iron (plant nutrient)/Water/Aquatic Life
<b>Data quality assessment. Extent to which data quality requirements met.</b>	QA procedures used.
<b>Linkage between measurement endpoint and beneficial use or standard</b>	Iron is linked to Aquatic Life.
<b>Utility of measure for judging if standards or uses are not attained</b>	Measurement can be directly compared to WQO.
<b>Water Body-specific Information</b>	Data collected from 1989-1996.
<b>Data used to assess water quality</b>	Annual means for 8 of 8 water years exceed the WQO (0.03 mg/L annual mean).
<b>Spatial representation</b>	Targeted in water body.
<b>Temporal representation</b>	Annual means for 8 of 8 water years.
<b>Data type</b>	WQO and water column chemistry data are numeric values.
<b>Use of standard method</b>	
<b>Potential Source(s) of Pollutant</b>	Natural background, increased loading due to land disturbance, stormwater.
<b>Alternative Enforceable Program</b>	
<b>RWQCB Recommendation</b>	List
<b>SWRCB Staff Recommendation</b>	<p>After reviewing the available data and information and the RWQCB documentation for this recommendation, SWRCB staff concludes that the water body should be placed on the section 303(d) list because applicable water quality standards are exceeded and a pollutant contributes to or causes the problem.</p> <p>This conclusion is based on the staff findings that:</p> <ol style="list-style-type: none"> <li>1. The data is considered to be of adequate quality.</li> <li>2. The data exhibited sufficient spatial and temporal coverage.</li> <li>3. Beneficial uses have been established for and apply to the water body.</li> <li>4. Water quality standard used is applicable.</li> <li>5. Data are numerical.</li> <li>6. Standard methods were used.</li> <li>7. Other water body- or site-specific information including the age of the data were considered.</li> </ol> <p>An adequate number of the water quality measurements exceeded the water quality standard. The staff confidence that standards were exceeded is high.</p>

## Region 6: Truckee River, upper (above Christmas Valley) (was Upper Tr + Pathogens)

---

<b>Water Body</b>	Truckee River, upper (above Christmas Valley) (was Upper Truckee River [Tributary to Lake Tahoe])
<b>Stressor/Media/Beneficial Use</b>	Pathogens/Water/Human Health
<b>Data quality assessment. Extent to which data quality requirements met.</b>	QA procedures used.
<b>Linkage between measurement endpoint and beneficial use or standard</b>	Pathogens are linked to Human Health.
<b>Utility of measure for judging if standards or uses are not attained</b>	Measurement can be directly compared to WQO.
<b>Water Body-specific Information</b>	Data collected from 1999-2001.
<b>Data used to assess water quality</b>	Violations of WQO observed in July, August and Sept. 2001, during grazing season. (WQO = 20/100ml log mean during any 30-day period or not more than 10% of samples to exceed 40/100 ml in any 30-day period).
<b>Spatial representation</b>	Violations of WQO observed at 2 stations in 2000 at end of grazing season.
<b>Temporal representation</b>	Violations of WQO observed in July, August and Sept. 2001, during grazing season.
<b>Data type</b>	WQO and fecal coliform counts are numeric information.
<b>Use of standard method</b>	
<b>Potential Source(s) of Pollutant</b>	Waste from livestock grazing believed to be primary source.
<b>Alternative Enforceable Program</b>	USFS Grazing management plan.
<b>RWQCB Recommendation</b>	List.
<b>SWRCB Staff Recommendation</b>	<p>After reviewing the available data and information and the RWQCB documentation for this recommendation, SWRCB staff concludes that the water body should be placed on the section 303(d) list because applicable water quality standards are exceeded and a pollutant contributes to or causes the problem.</p> <p>This conclusion is based on the staff findings that:</p> <ol style="list-style-type: none"> <li>1. The data is considered to be of adequate quality.</li> <li>2. The data exhibited sufficient spatial and temporal coverage.</li> <li>3. Beneficial uses have been established for and apply to the water body.</li> <li>4. Water quality standard used is applicable.</li> <li>5. Data are numerical.</li> <li>6. Standard methods were used.</li> <li>7. Other water body- or site-specific information including the age of the data were considered.</li> </ol> <p>An adequate number of the water quality measurements exceeded the water quality standard. The staff confidence that standards were exceeded is high.</p>

## Region 6: Virginia Creek Pathogens

---

<b>Water Body</b>	Virginia Creek
<b>Stressor/Media/Beneficial Use</b>	Pathogens/Water/Human health
<b>Data quality assessment. Extent to which data quality requirements met.</b>	QA procedures used.
<b>Linkage between measurement endpoint and beneficial use or standard</b>	Pathogens are linked to Human Health.
<b>Utility of measure for judging if standards or uses are not attained</b>	Measurement can be directly compared to WQO.
<b>Water Body-specific Information</b>	Data collected between April 2000- June 2001.
<b>Data used to assess water quality</b>	1 of 15 fecal coliform samples (7%) exceeded the WQO of 40/100 ml. WQO requires that no more than 10% of samples collected in any 30-day period shall exceed 40/100 ml. Standard is being met.
<b>Spatial representation</b>	Targeted in water body.
<b>Temporal representation</b>	No more than 10% of samples collected in any 30-day period shall exceed 40/100 ml.
<b>Data type</b>	Fecal coliform counts are numeric information.
<b>Use of standard method</b>	
<b>Potential Source(s) of Pollutant</b>	
<b>Alternative Enforceable Program</b>	
<b>RWQCB Recommendation</b>	Do not list.
<b>SWRCB Staff Recommendation</b>	<p>After reviewing the available data and information and the RWQCB documentation for this recommendation, SWRCB staff concludes that the water body should not be placed on the section 303(d) list because applicable water quality standards are not exceeded.</p> <p>An inadequate amount of the water quality measurements exceeded the water quality standard. The staff confidence that standards were not exceeded is moderate.</p>

## Region 6: Ward Creek (Tributary To Lake Tahoe)

### Nitrogen

---

<b>Water Body</b>	Ward Creek (Tributary To Lake Tahoe)
<b>Stressor/Media/Beneficial Use</b>	Nitrogen/Water/Aquatic Life
<b>Data quality assessment. Extent to which data quality requirements met.</b>	QA procedures used.
<b>Linkage between measurement endpoint and beneficial use or standard</b>	Nitrogen is linked to Aquatic Life.
<b>Utility of measure for judging if standards or uses are not attained</b>	Measurement can be directly compared to WQO.
<b>Water Body-specific Information</b>	Data collected from 1989-1996.
<b>Data used to assess water quality</b>	Data exceeded WQO in 7 of 8 years.
<b>Spatial representation</b>	Targeted in water body.
<b>Temporal representation</b>	Data collected over 8 year period.
<b>Data type</b>	Fecal coliform counts are numeric information.
<b>Use of standard method</b>	
<b>Potential Source(s) of Pollutant</b>	Natural (nitrogen fixation) and anthropogenic (atmospheric, deposition, erosion, stormwater).
<b>Alternative Enforceable Program</b>	
<b>RWQCB Recommendation</b>	List.
<b>SWRCB Staff Recommendation</b>	<p>After reviewing the available data and information and the RWQCB documentation for this recommendation, SWRCB staff concludes that the water body should be placed on the section 303(d) list because applicable water quality standards are exceeded and a pollutant contributes to or causes the problem.</p> <p>This conclusion is based on the staff findings that:</p> <ol style="list-style-type: none"> <li>1. The data is considered to be of adequate quality.</li> <li>2. The data exhibited sufficient spatial and temporal coverage.</li> <li>3. Beneficial uses have been established for and apply to the water body.</li> <li>4. Water quality standard used is applicable.</li> <li>5. Data are numerical.</li> <li>6. Standard methods were used.</li> <li>7. Other water body- or site-specific information including the age of the data were considered.</li> </ol> <p>An adequate number of the water quality measurements exceeded the water quality standard. The staff confidence that standards were exceeded is high.</p>



## Region 6: Ward Creek (Tributary To Lake Tahoe)

### Phosphorus

---

<b>Water Body</b>	Ward Creek (Tributary To Lake Tahoe)
<b>Stressor/Media/Beneficial Use</b>	Phosphorus/Water/Aquatic Life
<b>Data quality assessment. Extent to which data quality requirements met.</b>	QA procedures used.
<b>Linkage between measurement endpoint and beneficial use or standard</b>	Phosphorous is linked to Aquatic Life.
<b>Utility of measure for judging if standards or uses are not attained</b>	Measurement can be directly compared to WQO.
<b>Water Body-specific Information</b>	Data collected from 1980-1996.
<b>Data used to assess water quality</b>	Annual means for 15 of 17 water years exceed the WQO (0.015 mg/L annual mean).
<b>Spatial representation</b>	Targeted in water body. Locations unknown.
<b>Temporal representation</b>	Annual means for 17 water years.
<b>Data type</b>	WQO and water column chemistry data are numeric values.
<b>Use of standard method</b>	
<b>Potential Source(s) of Pollutant</b>	Erosion, stormwater, atmospheric deposition.
<b>Alternative Enforceable Program</b>	
<b>RWQCB Recommendation</b>	List.
<b>SWRCB Staff Recommendation</b>	<p>After reviewing the available data and information and the RWQCB documentation for this recommendation, SWRCB staff concludes that the water body should be placed on the section 303(d) list because applicable water quality standards are exceeded and a pollutant contributes to or causes the problem.</p> <p>This conclusion is based on the staff findings that:</p> <ol style="list-style-type: none"> <li>1. The data is considered to be of adequate quality.</li> <li>2. The data exhibited sufficient spatial and temporal coverage.</li> <li>3. Beneficial uses have been established for and apply to the water body.</li> <li>4. Water quality standard used is applicable.</li> <li>5. Data are numerical.</li> <li>6. Standard methods were used.</li> <li>7. Other water body- or site-specific information including the age of the data were considered.</li> </ol> <p>An adequate number of the water quality measurements exceeded the water quality standard. The staff confidence that standards were exceeded is high.</p>

## Region 6: Ward Creek (Tributary to Lake Tahoe)

### Iron (plant nutrient)

---

<b>Water Body</b>	Ward Creek (Tributary to Lake Tahoe)
<b>Stressor/Media/Beneficial Use</b>	Iron (plant nutrient)/Water/Aquatic Life
<b>Data quality assessment. Extent to which data quality requirements met.</b>	QA procedures used.
<b>Linkage between measurement endpoint and beneficial use or standard</b>	Iron is linked to Aquatic Life.
<b>Utility of measure for judging if standards or uses are not attained</b>	Measurement can be directly compared to WQO.
<b>Water Body-specific Information</b>	Data collected from 1989-1996.
<b>Data used to assess water quality</b>	Annual means for 8 of 8 water years exceed the WQO (0.03 mg/L annual mean).
<b>Spatial representation</b>	Targeted in water body.
<b>Temporal representation</b>	Annual means for 8 water years.
<b>Data type</b>	WQO and water column chemistry data are numeric values.
<b>Use of standard method</b>	
<b>Potential Source(s) of Pollutant</b>	Iron is naturally present in soil, but loading has increased due to erosion from land disturbance.
<b>Alternative Enforceable Program</b>	
<b>RWQCB Recommendation</b>	List.
<b>SWRCB Staff Recommendation</b>	<p>After reviewing the available data and information and the RWQCB documentation for this recommendation, SWRCB staff concludes that the water body should be placed on the section 303(d) list because applicable water quality standards are exceeded and a pollutant contributes to or causes the problem.</p> <p>This conclusion is based on the staff findings that:</p> <ol style="list-style-type: none"> <li>1. The data is considered to be of adequate quality.</li> <li>2. The data exhibited sufficient spatial and temporal coverage.</li> <li>3. Beneficial uses have been established for and apply to the water body.</li> <li>4. Water quality standard used is applicable.</li> <li>5. Data are numerical.</li> <li>6. Standard methods were used.</li> <li>7. Other water body- or site-specific information including the age of the data were considered.</li> </ol> <p>An adequate number of the water quality measurements exceeded the water quality standard. The staff confidence that standards were exceeded is high.</p>

## Region 6: Wendel Hot Springs, Amedee Hot Springs, Hot Creek, Fales Ho + Salinity, metals, arsenic

---

<b>Water Body</b>	Wendel Hot Springs, Amedee Hot Springs, Hot Creek, Fales Hot Springs, Little Hot Creek, Little Alkali Lake, Deep Springs Lake, Keogh Hot Springs, Amaragosa River
<b>Stressor/Media/Beneficial Use</b>	Salinity, metals, arsenic
<b>Data quality assessment. Extent to which data quality requirements met.</b>	N/A
<b>Linkage between measurement endpoint and beneficial use or standard</b>	N/A
<b>Utility of measure for judging if standards or uses are not attained</b>	N/A
<b>Water Body-specific Information</b>	N/A
<b>Data used to assess water quality</b>	N/A
<b>Spatial representation</b>	N/A
<b>Temporal representation</b>	N/A
<b>Data type</b>	N/A
<b>Use of standard method</b>	N/A
<b>Potential Source(s) of Pollutant</b>	Natural causes.
<b>Alternative Enforceable Program</b>	
<b>RWQCB Recommendation</b>	Delist due to natural causes of impairments. Basin Plan amendments for 9 waters to remove MUN use have been approved by SWRCB. Use attainability analysis has been prepared by RWQCB.
<b>SWRCB Staff Recommendation</b>	After reviewing the available data and information and the RWQCB documentation for this recommendation, SWRCB staff concludes that the water body should be removed from the section 303(d) list because the source of impacts to water quality standards is natural. Basin Plan amendments for nine water bodies to remove the MUN use have been approved by SWRCB. A Use Attainability Analysis has been prepared by RWQCB.

Page left blank intentionally.

# Water Bodies Proposed for the Monitoring List in Region 6

Water Body	Pollutant/Stressor	Rationale
Angora Lake, upper	Pesticides (16 different compounds)	USGS study showed detectable levels of pesticides (in violation of RWQCB narrative objective). However, data quantity was considered insufficient to warrant listing. Additional monitoring is necessary to confirm impacts to beneficial uses.
Arrowhead, Lake (was Lake Arrowhead)	Boat fuel constituents (Petroleum Products), nutrients	For boat fuel constituents: The Lake is used extensively for boating. Based on sampling elsewhere in Region 6, boat fuel constituents may be impacting water quality and aquatic life uses. Additional monitoring is necessary to establish this likelihood.  For nutrients: The watershed is heavily developed and the Lake is almost certainly impacted by stormwater discharges and atmospheric nutrient deposition. Additional monitoring is necessary to confirm these likelihoods.
Asa Lake	Nutrients	This water body was identified as "threatened" or "intermediate" in earlier Section 305(b) assessments due to high nutrient concentrations. These conditions likely persist, but no recent data is available in order to assess the current level and extent of threats to beneficial uses.
Aurora Canyon Creek	Total dissolved solids, nitrogen, phosphorus, mercury	For nitrogen, phosphorus, and total dissolved solids: A study sponsored by the North Mono Resource Conservation District showed some violations of water quality objectives, but quality assurance/quality control information was not provided for the RWQCB review.  For mercury: There is an abandoned mercury ore mill in the watershed. It is the subject of a currently inactive CERCLA project. Testing in 1980s showed mercury in soil and sediment exceeding certain criteria used in the CERCLA process. However, there is no recent data available. Up-to-date monitoring is necessary to confirm likely impacts to beneficial uses.
Barney Lake	Nitrogen	Study sponsored by North Mono RCD showed the possibility for water quality problems, but quality assurance/quality control information was not provided for the RWQCB review. Additional monitoring is necessary.
Blackwood Creek	Pesticides (4 different compounds)	USGS study showed detectable levels of pesticides. However, data quantity was considered insufficient to evaluate compliance. Additional monitoring is necessary.
Blue Lake	Nitrogen	Study sponsored by North Mono RCD showed the potential for impacts on water quality, but quality assurance/quality control information was not provided for the RWQCB review. Additional monitoring is necessary.
Bonnie Lake	Nitrogen	Study sponsored by North Mono RCD showed the potential for water quality problems, but quality assurance/quality control information was not provided for the RWQCB review. Additional monitoring is necessary.

<b>Water Body</b>	<b>Pollutant/Stressor</b>	<b>Rationale</b>
Buckeye Creek	Phosphorus	While the water quality objective is not exceeded, it is probably set at a level too high to protect beneficial uses. In other words, existing beneficial uses are probably being deleteriously impacted. Additional monitoring is necessary to confirm this and to allow revision of the inappropriate objective.
	Total dissolved solids	Study sponsored by North Mono RCD shows the potential for a water quality problem, but quality assurance/quality control information was not provided for the RWQCB listing effort. More monitoring is necessary.
Carson River, West Fork (headwaters to Woodfords, Woodfords to Paynesville, Paynesville to State Line) (was West Fork Carson River)	sulfate, boron	The RWQCB objectives are exceeded, but insufficient data were available to determine whether the constituent causing the problem were pollutants or from natural sources. Additional study is needed to determine this information.
Chain o Lakes	Nitrogen	Study sponsored by North Mono RCD showed the potential for a water quality problem, but quality assurance/quality control information was not provided for the RWQCB review. Additional monitoring is necessary.
Cold Stream	Sediment	The degree of attainment of water quality standards cannot be determined for this water body. Additional monitoring and assessment is required in order to determine more accurately the need for development of a TMDL.
Cooney Lake	Nitrogen	Study sponsored by North Mono RCD showed some violations of objectives, but quality assurance/quality control information was not provided for the RWQCB review. Additional monitoring is necessary to confirm likely existing impacts to beneficial uses.
Crown Lake	Nitrogen	Study sponsored by North Mono RCD showed some violations of objectives, but quality assurance/quality control information was not provided for the RWQCB review. Additional monitoring is necessary to confirm likely existing impacts to beneficial uses.
Deep Creek	Total dissolved solids, sulfate, fluoride	Prior monitoring showed some violations of water quality objectives. However, data quantity was insufficient to warrant listing. Also, quality assurance/quality control information was not available. Further study is necessary to gather appropriate data.
Desert Creek	Sulfate, acid mine drainage	An inactive mine in California discharges into this water body. Monitoring downstream in Nevada shows high sulfate levels. Monitoring in California is needed to confirm impacts to beneficial uses.
Diaz Lake	Nutrients	Lake was identified as "threatened" or "intermediate" in an earlier Section 305(b) assessment. RWQCB staff observations strongly suggest that beneficial uses are being impacted. However, there is no recent data available.
Donner Creek	Sediment	RWQCB staff have observed streambank erosion downstream of Donner Lake. The Creek is affected by releases from lake and was impacted by a 1997 flood. Water quality monitoring is required to confirm impacts to beneficial uses.

<b>Water Body</b>	<b>Pollutant/Stressor</b>	<b>Rationale</b>
Donner Lake	Boat Fuel Constituents (Petroleum Products)	A U.C. Davis study shows increases in petroleum hydrocarbons following peak boating weekends. The results of the ongoing Lake Tahoe study of PAH-effects on aquatic life are needed (but currently unavailable) in order to determine whether beneficial uses at Donner Lake are impacted.
	Pathogens	The (surface water) drinking water system at the Lake was recently upgraded due to reports of illness; further source water monitoring is necessary to confirm likely impacts to beneficial uses.
Eagle Creek	Nitrogen, phosphorus	Study sponsored by North Mono RCD showed some violations of objectives, but quality assurance/quality control information was not provided for the RWQCB review. Additional monitoring is necessary to confirm likely existing impacts to beneficial uses.
Eagle Lake	Mercury	Limited amounts of Department of Water Resources data show violations of criteria in water, sediment and fish tissue. (The source is probably natural.) Additional data are needed to confirm impairment.
East Lake	Nitrogen	Study sponsored by North Mono RCD showed some violations of objectives, but quality assurance/quality control information was not provided for the RWQCB review. Additional monitoring is necessary to confirm likely existing impacts to beneficial uses.
East Walker River above Bridgeport Reservoir	Phosphorus, nickel	The RWQCB water quality objective is not exceeded, but is probably set at a level too high to protect beneficial uses. In other words, existing beneficial uses are probably being deleteriously impacted. Additional monitoring is necessary to confirm this and to allow revision of the inappropriate objective.
East Walker River below Bridgeport Reservoir	Fuel oil (spill), mercury, nickel and other metals	For mercury, nickel, and other metals: There is an abandoned mercury ore mill in the watershed. There have been elevated metal levels (including mercury) in Toxic Substances Monitoring Program fish tissue samples. Additional sampling is necessary to establish exactly to what extent water quality standards are being impacted. (The entire East Walker River is proposed to be removed from the 303(d) list due to metals.)  For Fuel oil (spill): Results of monitoring associated with cleanup activities were not available to RWQCB 303(d) assessment staff. Long term monitoring is necessary to document beneficial use recovery.
Echo Lake, Lower (was Lower Echo Lake)	Nutrients	The watershed is affected by gray water discharges from summer homes and human waste from heavy backcountry recreational use. Limited monitoring by the Tahoe Regional Planning Agency shows higher nitrogen concentrations than in oligotrophic Fallen Leaf Lake. Additional monitoring is necessary to help protect beneficial uses of this important water body.
Echo Lake, upper	Nitrogen	The watershed is significantly affected by human wastes from heavy backcountry recreational use. Limited monitoring by the Tahoe Regional Planning Agency shows higher nitrogen concentration levels than in oligotrophic Fallen Leaf Lake. More monitoring is required to help accurately determine the nature and extent of impacts to water quality standards at the Lake.

<b>Water Body</b>	<b>Pollutant/Stressor</b>	<b>Rationale</b>
Emerson Creek	Sediment	Streams on east slope of Warner Mountains were "blown out" by January 1997 flood; no quantitative data is currently available to determine beneficial use impacts, but ongoing impacts are likely.
Fallen Leaf Lake	Nutrients	A 1990s U.C. Davis study indicated that the Lake is oligotrophic, but the study did not document the reason for the 1980s taste and odor problems (associated with algae blooms). Periodic monitoring as part of the overall Tahoe Basin monitoring program is necessary.
Fredericksburg Canyon Creek	Sediment	RWQCB staff analysis for earlier Section 305(b) assessment pointed to erosion, from area affected by wildfire, as a significant cause of water quality degradation. However, there is no recent data/information to determine the extent and nature of present-day impacts to beneficial uses.
Fremont Lake	Nitrogen	Study sponsored by North Mono RCD showed some violations of objectives, but quality assurance/quality control information was not provided for the RWQCB review. Additional monitoring is necessary to confirm likely existing impacts to beneficial uses.
Frog Lake	Nitrogen	Study sponsored by North Mono RCD showed some violations of objectives, but quality assurance/quality control information was not provided for the RWQCB review. Additional monitoring is necessary to confirm likely existing impacts to beneficial uses.
General Creek	Pesticides (5 different compounds)	USGS study showed detectable levels of pesticides. However, data quantity was considered insufficient to warrant listing. Additional monitoring is necessary to confirm impacts to beneficial uses.
George, Lake (was Lake George)	Metals	Lake George was identified as "threatened" or "intermediate" in a prior Section 305(b) assessment based on limited STORET data. Beneficial uses may be impacted. However, no recent data are available.
Gilman Lake	Nitrogen	Study sponsored by North Mono RCD showed some violations of objectives, but quality assurance/quality control information was not provided for the RWQCB review. Additional monitoring is necessary to confirm likely existing impacts to beneficial uses.
Grass Lake Wetlands	Road salt	This is a USFS Significant Natural Area (sphagnum bog). Agency concern has been expressed about road salt impacts but no monitoring data were available for review. Monitoring is necessary to establish likely impacts to water quality standards.
Green Creek	Nitrogen	USGS data provided included a number of estimated values and one violation of objective. Additional data is needed to determine without a doubt whether the water quality objective is being violated.
Green Creek, above Green Lake	Nitrogen	Study sponsored by North Mono RCD showed some violations of objectives, but quality assurance/quality control information was not provided for the RWQCB review. Additional monitoring is necessary to confirm likely existing impacts to beneficial uses.



<b>Water Body</b>	<b>Pollutant/Stressor</b>	<b>Rationale</b>
Green Lake	Nitrogen	Study sponsored by North Mono RCD showed some violations of objectives, but quality assurance/quality control information was not provided for the RWQCB review. Additional monitoring is necessary to confirm likely existing impacts to beneficial uses.
Griff Creek	Sediment	An erosion control project was implemented in early 1980s. However, there is no recent monitoring data available. Observations suggest problems, but up-to-date sampling is necessary to confirm impacts to water quality standards.
Gull Lake	Nitrogen	The June Lakes watershed is significantly affected by stormwater discharges from recent development. Additional monitoring is necessary to document the types and extents of impacts to beneficial uses.
Harriet Lake	Nitrogen	Study sponsored by North Mono RCD showed some violations of objectives, but quality assurance/quality control information was not provided for the RWQCB review. Additional monitoring is necessary to confirm likely existing impacts to beneficial uses.
Heavenly Valley Creek, source to USFS boundary and USFS boundary to Trout Creek (was Heavenly Valley Creek)	Nitrogen	The RWQCB objective was possibly violated in the lower reach of the Creek, which is affected by a former wastewater disposal area and by urban runoff. However, data quantity was considered insufficient to warrant listing in 2002.
Heenan Reservoir	Nitrogen	Fish kills have occurred here due to dissolved oxygen depletion. The Department of Fish and Game maintains aerators there. The Reservoir is observed to have high levels of algae. However, there was no nutrient information available at the time of listing. Additional monitoring is necessary to confirm likely impacts to beneficial uses.
Helen Lake	Nitrogen	Study sponsored by North Mono RCD showed some violations of objectives, but quality assurance/quality control information was not provided for the RWQCB review. Additional monitoring is necessary to confirm likely existing impacts to beneficial uses.
Hidden Valley Creek (was Unnamed creek [aka Hidden Valley Creek])	Chloride	After reviewing the available data and information and the RWQCB documentation for this recommendation, SWRCB staff concludes that the water body should be placed on the Monitoring List because the major source of pollutants is natural.
	Phosphorus	After reviewing the available data and information and the RWQCB documentation for this recommendation, SWRCB staff concludes that the water body should be placed on the Monitoring List because the major source of pollutants is natural.
Hoover Lake	Nitrogen	Study sponsored by North Mono RCD showed some violations of objectives, but quality assurance/quality control information was not provided for the RWQCB review. Additional monitoring is necessary to confirm likely existing impacts to beneficial uses.
Horse Creek	Nitrogen	Study sponsored by North Mono RCD showed some violations of objectives, but quality assurance/quality control information was not provided for the RWQCB review. Additional monitoring is necessary to confirm likely existing impacts to beneficial uses.

<b>Water Body</b>	<b>Pollutant/Stressor</b>	<b>Rationale</b>
Independence Creek	Mercury	Mercury levels in Toxic Substances Monitoring Program fish tissue sample exceeded the MTRL guidance level. Additional sampling is needed to verify the extent and nature of impacts to beneficial uses.
Indian Creek	Phosphorus, nitrogen	Prior (RWQCB) sampling showed high phosphorus and nitrogen levels but Creek has no site specific phosphorus/nitrogen objectives. Additional monitoring is required in order to confirm likely impacts to existing beneficial uses.
Ivanpah Dry Lake	Radioactive elements (lanthanides)	Ongoing cleanup action has been implemented for spills from Molycorp mining/ore processing facilities and past waste-disposal onto the Lake bed. More data is needed to assess impacts of lanthanides on beneficial uses of ephemeral Lake waters.
June Lake	Nutrients, mercury	For nutrients: The June Lakes watershed is significantly affected by stormwater from development. Additional monitoring is necessary to establish the exact level of impacts to water quality standards.  For mercury: A Toxic Substances Monitoring Program fish tissue sample exceeded MTRL criterion. The source is probably natural (volcanic). Further monitoring is needed to determine whether impacts to beneficial uses exist.
Koenig Lake	Nutrients	Study sponsored by North Mono RCD shows some violations of water quality objectives, but quality assurance/quality control information was not provided for the RWQCB listing effort. Monitoring is required in order to determine if beneficial uses are truly being impacted.
Lassen Creek	Sediment	RWQCB staff has on numerous occasions noted visual evidence of likely harmful impacts to beneficial uses from existing sediment loads. However, appropriate water quality sampling is needed to confirm this observations.
Lily Lake	Nutrients	From the 1970s, data and RWQCB staff observations indicate lake is eutrophic (probably natural marsh development). However, there is no recent nutrient data. Monitoring is necessary to confirm impacts to beneficial uses.
Little Truckee River	Sediment	DFG comments during earlier list update-cycle identified sediment problems associated with diversion to Sierra Valley (Feather River) watershed. However, appropriate water quality sampling is necessary to confirm these observations.
Little Walker River	Sediment, total dissolved solids, nitrogen	Study sponsored by North Mono RCD shows some violations of water quality objectives, but quality assurance/quality control information was not provided for the RWQCB listing effort. Monitoring is required in order to determine if beneficial uses are truly being impacted.
Littlerock Reservoir	Sediment, iron, manganese	For sediment: The Palmdale Water District is planning a large-scale sediment removal project. However, there is no data available on impacts of sediment on aquatic life uses. Monitoring is needed to determine the exact nature of likely impacts to beneficial uses.  For iron and manganese: Palmdale Water District customer reports show source water concentrations exceeding the applicable MCL guideline (and therefore the RWQCB "Chemical Constituents" objective). More monitoring is necessary to pin down the nature and extent of impacts to beneficial uses.

<b>Water Body</b>	<b>Pollutant/Stressor</b>	<b>Rationale</b>
Lonely Gulch Creek	Sediment	Severe impacts resulted to the Creek in the 1960s-1970s from subdivision development. Up-to-date monitoring is necessary confirm problems/improvements from recent watershed restoration projects.
Long Lake (Lower)	Nitrogen	Study sponsored by North Mono RCD showed some violations of objectives, but quality assurance/quality control information was not provided for the RWQCB review. Additional monitoring is necessary to confirm likely existing impacts to beneficial uses.
Long Lake (Upper)	Nitrogen	Study sponsored by North Mono RCD showed some violations of objectives, but quality assurance/quality control information was not provided for the RWQCB review. Additional monitoring is necessary to confirm likely existing impacts to beneficial uses.
Long Valley Creek	Sediment	RWQCB staff has on numerous occasions noted visual evidence of likely harmful impacts to beneficial uses from existing sediment loads. However, appropriate water quality sampling is necessary to confirm these observations. The Creek is affected by grazing and gravel quarrying.
Los Angeles Aqueduct	Copper	High levels of copper have been found in the Los Angeles aqueduct/reservoir system from copper-based algaecide applications. The RWQCB is concerned about beneficial use impacts. More monitoring is required.
Lundy Lake	Mine drainage (Acid Mine Drainage)	An inactive mine affects the watershed. Toxic Substances Monitoring Program results show elevated metals in fish tissue. However, more monitoring is needed closer to the mine in order to confirm likelihood of impacts to beneficial uses.
Madden Creek	Sediment	The Creek was classified as "Marginal" fish habitat in the 1996 Tahoe Regional Planning agency report. Up-to-date monitoring needed to document recovery and impacts to beneficial uses.
Markeeville Creek	Nitrogen, phosphorus, total dissolved solids, chloride	Monitoring shows some violations of applicable objective. But data quantity was insufficient to warrant listing. Additional monitoring is necessary to establish whether water quality standards are truly being impacted.
Martis Creek	Nutrients	The Creek is impacted by wastewater discharges to land. Concerns were recently expressed by stakeholders about algae blooms in Martis Creek Reservoir and nutrient discharges from golf courses and other development upstream. Additional monitoring is needed.
Mary, Lake (was Lake Mary)	Boat fuel constituents, including MTBE (Petroleum Products)	Comments on 303(d) list recommendations by former member of Mammoth County Water District Board discussed detectable MTBE in Lake waters. There is no current substantiation, however. Monitoring is necessary to determine the nature and extent of possible impacts to beneficial uses.
McGee Creek	Mine drainage (Acid Mine Drainage)	An inactive mine affects the watershed. Toxic Substances Monitoring Program results show elevated metals in fish tissue. However, more monitoring is needed closer to the mine in order to confirm likelihood of impacts to beneficial uses.

<b>Water Body</b>	<b>Pollutant/Stressor</b>	<b>Rationale</b>
McKinney Creek		
	Sediment	There appear to be significant sediment impacts from road operations/maintenance. Creek restoration is ongoing as a result of Regional Board enforcement actions. The Creek was classified as "Marginal" fish habitat in the 1996 Tahoe Regional Planning agency report. Up-to-date monitoring needed to document recovery and impacts to beneficial uses.
Meeks Creek		
	Sediment	The lower reach of this Creek is affected by stormwater discharges from campgrounds and development activities. There have been recent fires in the watershed, to the detriment of water quality. However, there is no recent sediment sampling data on which to base a listing.
Meiss Lake		
	Nutrients	The Lake appears to be naturally eutrophic (marshy) and may, as such, be particularly affected by wastes from livestock and recreational users. Unfortunately, there is no quantitative data available at this time, prompting the need for additional monitoring.
Mill Creek		
	Nitrogen	Study sponsored by North Mono RCD shows some violations of water quality objectives, but quality assurance/quality control information was not provided for the RWQCB listing effort. Monitoring is required in order to determine if beneficial uses are truly being impacted.
Mojave River at Dam Forks		
	Sulfate	Prior monitoring showed some violations of water quality objective. However, data quantity was insufficient to warrant listing. Further study is required to accurately determine the extent and nature of impacts to beneficial uses.
Mojave River at Lower Narrows		
	Nutrients	Prior monitoring showed some violations of water quality objective. However, data quantity was insufficient to warrant listing. Further study is required to accurately determine the extent and nature of impacts to beneficial uses.
Mojave River between Upper and Lower Narrows		
	Chloride	Prior monitoring showed some violations of water quality objective. However, the RWQCB determined that data quantity was insufficient to warrant listing. Further study is required to accurately determine the extent and nature of impacts to beneficial uses.
	PCE and TCE (organic solvents)	The subsurface flow of the River is affected by PCE/TCE contamination in the groundwater beneath the City of Victorville. However, only one surface water sample is available. More monitoring is needed to determine the nature and extent of impacts to beneficial uses.
	Sulfate	Prior monitoring showed some violations of water quality objective. However, the RWQCB determined that data quantity was insufficient to warrant listing. Further study is required to accurately determine the extent and nature of impacts to beneficial uses.
	TDS	Prior monitoring showed some violations of water quality objective. However, the RWQCB determined that data quantity was insufficient to warrant listing. Further study is required to accurately determine the extent and nature of impacts to beneficial uses.
Mojave River, Barstow to Waterman Fault		
	Nitrogen, total dissolved solids	Samples collected where (subsurface) flow of river reaches the surface show high levels of nitrogen and TDS, but there are no site-specific nitrogen or TDS objectives for this reach. Nonetheless, beneficial uses are likely being impacted. Further monitoring is needed to confirm this.

<b>Water Body</b>	<b>Pollutant/Stressor</b>	<b>Rationale</b>
Mojave River, West Fork (was West Fork Mojave River)	Nitrogen	Prior monitoring showed some violations of water quality objective. However, data quantity was insufficient to warrant listing. Further study is required to accurately determine the extent and nature of impacts to beneficial uses.
Monitor Creek	Nitrogen, phosphorus	The limited data available indicate nutrient releases from Heenan Reservoir as a possible source of water quality problems. Additional monitoring is necessary to establish the level and extent of present-day impacts.
Peeler Lake	Nitrogen	Study sponsored by North Mono RCD showed some violations of objectives, but quality assurance/quality control information was not provided for the RWQCB review. Additional monitoring is necessary to confirm likely existing impacts to beneficial uses.
Pine Creek	Mine/tailings drainage, sediment	An inactive mine affects the watershed. Toxic Substances Monitoring Program results show elevated metals in fish tissue. However, more monitoring is needed closer to the mine in order to confirm likelihood of impacts to beneficial uses.
	Nutrients (nitrogen, phosphorus)	Limited data from early 1990s indicate some grounds for concern; Creek is largest tributary to mesotrophic Eagle Lake and nutrient monitoring will be necessary for development of Lake TMDL.
Raider Creek	Sediment	Streams on east slope of Warner Mountains were "blown out" by January 1997 flood; no quantitative data is currently available to determine beneficial use impacts, but ongoing impacts are likely.
Red Lake Creek	Sulfate, acid mine drainage	An inactive mine affects the watershed. Toxic Substances Monitoring Program results show elevated metals in fish tissue. Carson River monitoring shows relatively high sulfate. However, more monitoring is needed closer to the mine in order to confirm likelihood of impacts to beneficial uses.
Reversed Creek	Sediment, nutrients	The June Lakes watershed is significantly affected by stormwater from development. Additional monitoring is necessary to establish the exact level of impacts to water quality standards.
Robinson Creek	Total dissolved solids, phosphorus	For TDS: Study sponsored by North Mono RCD shows some violations of water quality objectives, but quality assurance/quality control information was not provided for the RWQCB listing effort. Monitoring is required in order to determine if beneficial uses are truly being impacted.  For phosphorus: Water quality objective is not exceeded, but is probably set at a level too high to protect beneficial uses. In other words, existing beneficial uses are probably being deleteriously impacted. Additional monitoring is necessary to confirm this and to allow revision of the inappropriate objective.
Robinson Creek above Barney Lake	Nitrogen	Study sponsored by North Mono RCD shows some violations of water quality objectives, but quality assurance/quality control information was not provided for the RWQCB listing effort. Monitoring is required in order to determine if beneficial uses are truly being impacted.

<b>Water Body</b>	<b>Pollutant/Stressor</b>	<b>Rationale</b>
Robinson Creek, Barney Lake to Twin Lakes	Nitrogen	Study sponsored by North Mono RCD shows some violations of water quality objectives, but quality assurance/quality control information was not provided for the RWQCB listing effort. Monitoring is required in order to determine if beneficial uses are truly being impacted.
Robinson Creek, Hwy 395 to Bridgeport Reservoir	Nitrogen	Study sponsored by North Mono RCD shows some violations of water quality objectives, but quality assurance/quality control information was not provided for the RWQCB listing effort. Monitoring is required in order to determine if beneficial uses are truly being impacted.
Robinson Lake (Lower)	Nitrogen	Study sponsored by North Mono RCD showed some violations of objectives, but quality assurance/quality control information was not provided for the RWQCB review. Additional monitoring is necessary to confirm likely existing impacts to beneficial uses.
Robinson Lake (Upper)	Nitrogen	Study sponsored by North Mono RCD showed some violations of objectives, but quality assurance/quality control information was not provided for the RWQCB review. Additional monitoring is necessary to confirm likely existing impacts to beneficial uses.
Roosevelt Lake	Nitrogen	Study sponsored by North Mono RCD showed some violations of objectives, but quality assurance/quality control information was not provided for the RWQCB review. Additional monitoring is necessary to confirm likely existing impacts to beneficial uses.
Ruth Lake	Nitrogen	Study sponsored by North Mono RCD showed some violations of objectives, but quality assurance/quality control information was not provided for the RWQCB review. Additional monitoring is necessary to confirm likely existing impacts to beneficial uses.
Sawmill Pond	Sediment	The Pond received a threatened/intermediate rating in an earlier Section 305(b) assessment due to construction-related problems. There is no recent data. It is likely that there are significant impacts to beneficial uses. More up-to-date monitoring is required to verify this.
Scotts Lake	Sediment	RWQCB staff observations made for an earlier Section 305(b) assessment suggested that this water body is significantly impacted. Impacts to existing beneficial uses probably continue. However, there is no recent data/information to determine the extent and nature of present-day impacts to beneficial uses.
Shake Creek	Total dissolved solids, nitrate, sulfate, boron, fluoride, landfill leachate constituents	Monitoring associated with landfill maintenance shows exceedances of objectives. However, data quantity was insufficient to warrant listing at that time. Additional monitoring is necessary to confirm likely impacts to beneficial uses.
Sherwin Creek	Sediment, nutrients	Agency concern exists about the impacts of erosion and stormwater discharges from urban and ski resort development. Deleterious effects on beneficial uses are likely. However, no recent data are available.

<b>Water Body</b>	<b>Pollutant/Stressor</b>	<b>Rationale</b>
Silver Creek	Metals/acid mine drainage	An inactive mine affects the watershed. Toxic Substances Monitoring Program results show elevated metals in fish tissue. More monitoring is needed closer to the mine in order to confirm likelihood of impacts to beneficial uses.
Silver Lake	Nutrients	The June Lakes watershed is significantly affected by stormwater discharges from recent development. Additional monitoring is necessary to document the types and extents of impacts to beneficial uses.
Silverwood Lake	Salts, trace elements from imported water (Salinity)	Elevated metal levels were found in Toxic Substances Monitoring Program fish tissue samples. A concern was expressed by stakeholders about impacts of imported water on local drinking water supplies. Additional sampling is needed to establish the level and extent of impacts to beneficial uses.
Snow Lake	Nitrogen	Study sponsored by North Mono RCD showed some violations of objectives, but quality assurance/quality control information was not provided for the RWQCB review. Additional monitoring is necessary to confirm likely existing impacts to beneficial uses.
Spring Valley Lake	Sediment	The Lake was identified as "threatened" or "intermediate" in an earlier Section 305(b) assessment. RWQCB staff observations suggest the strong possibility of impacts to beneficial uses, but there is no recent data to confirm this.
Squaw Creek Meadow Wetlands	Pesticides	A golf course was developed within the meadow, whose wetland values were damaged by the 1960 Olympics development activities. Pesticide impacts on Squaw Creek are monitored but no data is available on wetland impacts. Further data must be collected in order to appropriately confirm the level and extent of impacts to beneficial uses.
Stampede Reservoir	Chlordane	After reviewing the available data and information and the RWQCB documentation for this recommendation, SWRCB staff concludes that the water body should be placed on the Monitoring List because the data are inadequate to determine if applicable water quality standards are exceeded.  An inadequate amount number of water quality measurements exceeded the water quality standard. The staff confidence that standards were exceeded is currently extremely low. Nonetheless, there is some evidence of impacts to beneficial uses. Therefore, this water body should be monitored more extensively before the next listing cycle.
	Pesticides (lindane)	Only one data point was available during 1989 listing. WQO for lindane is 2.5 ug/kg and original sample result was 2.6 ug/kg.  Periodic re-sampling through Toxic Substances Monitoring Program should be done to confirm lack of impacts to water quality standards.
Stella Lake	Nitrogen	Study sponsored by North Mono RCD showed some violations of objectives, but quality assurance/quality control information was not provided for the RWQCB review. Additional monitoring is necessary to confirm likely existing impacts to beneficial uses.
Summers Creek	Nitrogen, total dissolved solids	Study sponsored by North Mono RCD shows some violations of water quality objectives, but quality assurance/quality control information was not provided for the RWQCB listing effort. Monitoring is required in order to determine if beneficial uses are truly being impacted.

<b>Water Body</b>	<b>Pollutant/Stressor</b>	<b>Rationale</b>
Summit Creek	Petroleum products	Aquatic life is impacted by spills from a petroleum pipeline, but monitoring results were not available for review during the 2001-2002 list update. Long term monitoring is necessary to document recovery of instream uses.
Summitt Lake	Nitrogen	Study sponsored by North Mono RCD showed some violations of objectives, but quality assurance/quality control information was not provided for the RWQCB review. Additional monitoring is necessary to confirm likely existing impacts to beneficial uses.
Susan River downstream of Susanville	Mercury	Elevated Mercury was found in Toxic Substances Monitoring Program fish tissue sample. Additional monitoring is needed to confirm impairment.
	Nickel	
	PCBs	Elevated PCBs were found in Toxic Substances Monitoring Program fish tissue sample. Additional monitoring is needed to confirm impairment.
Susan River upstream of Susanville	Mercury	A Toxic Substances Monitoring Program sample exceeded Maximum Tissue Residue Level criterion. OEHHA was considering, but has not yet issued, a fishing advisory. Additional monitoring is needed to confirm likely impacts to beneficial uses.
	Nickel	
Swauger Creek	Total dissolved solids, nitrogen	For TDS: Study sponsored by North Mono RCD shows some possible violations of water quality objectives, but quality assurance/quality control information was not provided for the RWQCB listing effort. Monitoring is required in order to determine if beneficial uses are truly being impacted.  For nitrogen: Water quality objective is not exceeded, but is probably set at a level too high to protect beneficial uses. In other words, existing beneficial uses are probably being deleteriously impacted. Additional monitoring is necessary to confirm this and to allow revision of the inappropriate objective.
Tahoe Keys Sailing Lagoon	PCBs	Elevated Toxic Substances Monitoring Program fish tissue concentrations have been found here. Additional monitoring is needed to confirm impacts to beneficial uses.
	Toxaphene	Elevated Toxic Substances Monitoring Program fish tissue concentrations have been found here. Additional monitoring is needed to confirm impacts to beneficial uses.
Tahoe, Lake (was Lake Tahoe)	Boat fuel constituents (Petroleum Products)	Past studies show increases of petroleum hydrocarbons in areas with heavy motorboat use; results of ongoing study of PAH impacts on aquatic life is needed to determine whether beneficial uses are impacted.
	Iron	After reviewing the available data and information and the RWQCB documentation for this recommendation, SWRCB staff concludes that the water body should be placed on the Monitoring List because the data are inadequate to determine if applicable water quality standards are exceeded.  Iron is a micronutrient of concern in eutrophication of Lake Tahoe. Several tributaries exceed their iron objectives and are recommended for listing. Continued monitoring of iron in the Lake is needed to judge whether listing for iron is necessary.  An inadequate amount number of water quality measurements exceeded the water quality standard. The staff confidence that standards were exceeded is currently low. Nonetheless, there is some evidence of impacts to beneficial uses. Therefore, this water body should be monitored more extensively before the next listing cycle.



<b>Water Body</b>	<b>Pollutant/Stressor</b>	<b>Rationale</b>
Taylor Creek	Lead in sediment	A U.C. Davis sediment study shows increased concentration (presumably from atmospheric deposition) since European settlement began. More monitoring is needed to determine whether to list based on antidegradation considerations.
	Mercury in sediment	A U.C. Davis sediment study shows increased concentration (presumably from atmospheric deposition) since European settlement began. More monitoring is needed to determine whether to list based on antidegradation considerations.
	Pesticides (40 different compounds)	USGS study shows detectable pesticides (in violation of RWQCB narrative objective). However, the data quantity was considered insufficient to warrant 303(d) listing. Further monitoring is warranted.
Tower Lake	Pesticides (8 different compounds)	USGS study showed detectable levels of pesticides (in violation of RWQCB narrative objective). However, data quantity was considered insufficient to warrant listing. Additional monitoring is necessary to confirm impacts to beneficial uses.
Truckee River	Nitrogen	Study sponsored by North Mono RCD showed some violations of objectives, but quality assurance/quality control information was not provided for the RWQCB review. Additional monitoring is necessary to confirm likely existing impacts to beneficial uses.
	Chloride	Monitoring by Tahoe Truckee Sanitation Agency wastewater treatment plant indicates that road salt applications upstream of Truckee are contributing high levels salt to the River. Additional monitoring is needed to track sources and assess impacts on beneficial uses.
Truckee River, upper (above and below Christmas Valley) (was Upper Truckee River)	TDS	After reviewing the available data and information and the RWQCB documentation for this recommendation, SWRCB staff concludes that the water body should be placed on the Monitoring List because the data are inadequate to determine if applicable water quality standards are exceeded.  Monitoring by Tahoe Truckee Sanitation Agency wastewater treatment plant indicates that road salt applications upstream of Truckee are contributing high levels salt to the River. Additional monitoring is needed to track sources and assess impacts on beneficial uses.
	Pesticides (7 different compounds), nitrogen	USGS study showed detectable levels of pesticides (in violation of RWQCB narrative objective). However, data quantity was considered insufficient to warrant listing. Monitoring is required to determine impacts to beneficial uses.
Trumball Lake	Nitrogen	Study sponsored by North Mono RCD showed some violations of objectives, but quality assurance/quality control information was not provided for the RWQCB review. Additional monitoring is necessary to confirm likely existing impacts to beneficial uses.
Twin Lake, Lower (was Lower Twin Lake)	Nutrients	Studies in 1970s-1980s indicated that the Upper and Lower Twin Lakes are mesotrophic. However, no recent data are available to confirm likely existing impacts to beneficial uses.
Twin Lake, Upper (was Upper Twin Lake)	Nutrients	Studies in 1970s-1980s indicated that the Upper and Lower Twin Lakes are mesotrophic. However, no recent data are available to confirm likely existing impacts to beneficial uses.

<b>Water Body</b>	<b>Pollutant/Stressor</b>	<b>Rationale</b>
Virginia Creek	Nitrogen, phosphorus, sediment, total dissolved solids	<p>For total dissolved solids, phosphorus: Study sponsored by North Mono RCD showed some violations of objectives, but quality assurance/quality control information was not provided for the RWQCB review. Additional monitoring is necessary to confirm likely existing impacts to beneficial uses.</p> <p>For sediment: Creek was identified as "threatened" or "intermediate" in an earlier Section 305(b) assessment. RWQCB staff observations strongly suggest that water quality standards are impacted, but there is no recent data.</p> <p>For nitrogen: The RWQCB water quality objective was not exceeded but is probably set at a level too high to protect beneficial uses. Existing beneficial uses are probably impacted, but additional monitoring is necessary to confirm this and to allow proper revision of the objective.</p>
Virginia Lake (Upper)	Nitrogen	<p>Study sponsored by North Mono RCD showed some violations of objectives, but quality assurance/quality control information was not provided for the RWQCB review. Additional monitoring is necessary to confirm likely existing impacts to beneficial uses.</p>
Watson Creek	Sediment	<p>A 1996 Tahoe Regional Planning Agency report identified the needs for streambank and channel stabilization and improvement of stream morphology. There is no recent quantitative sediment data.</p>
West Walker River	Total dissolved solids, nitrogen	<p>Study sponsored by North Mono RCD shows some violations of water quality objectives, but quality assurance/quality control information was not provided for the RWQCB listing effort. Monitoring is required in order to determine if beneficial uses are truly being impacted.</p>

# Reference List for Region 6

## **Staff Report**

California Regional Water Quality Control Board. Lahontan Region. 2001. Staff Report on Recommended Changes to Lahontan Region's Section 303(d) List of Impaired Surface Water Bodies. November, 2001.

## **Watch List References**

Allen, B.C. and J.E. Reuter, 2001. Changes in MTBE and BTEX Concentrations in Lake Tahoe, California-Nevada Following Implementation of a Ban on Selected 2-Stroke Marine Engines. University of California Davis Tahoe Research Group Annual Report. Available on the Internet: <http://trg.ucdavis.edu/research/annualreport/contents/lake/article8.html>

Associated Press., 1997. "Pollution at Donner Lake Linked to Motorboat Use." San Francisco Chronicle, October 7, 1997.

Brown and Root Environmental, 1996. Draft Final Site Inspection Report, Aurora Canyon Millsite, Bakersfield District [USBLM], California.

California Department of Water Resources, 2001. Correspondence from Jerry Boles to Tom Suk of Regional Board staff regarding mercury sampling at Eagle Lake, May 24, 2001.

California Office of Health Hazard Assessment, 2001. Public Health Goals for Chemicals in Drinking Water.

California Office of Health Hazard Assessment, 2001. Email correspondence between Margy Gassel and Judith Unsicker of Regional Board staff regarding mercury in Susan River TSMP samples.

California Regional Water Quality Control Board, Central Valley Region, 2000. A Compilation of Water Quality Goals.

California Regional Water Quality Control Board, Lahontan Region, 1995. Water Quality Control Plan for the Lahontan Region.

California Regional Water Quality Control Board, Lahontan Region, 1998. Cleanup and Abatement Order No. 6-98-19, Molycorp, Inc. Mountain Pass Mine and Mill, San Bernardino County.

California Regional Water Quality Control Board, Lahontan Region, 2000. Use Attainability Analysis for Nine "Naturally Impaired" Waters of the Lahontan Region.

California Regional Water Quality Control Board, Lahontan Region, 2001. Water quality monitoring data for the Mojave River.

California State Water Resources Control Board, 1999. 1998 California 303(d) List and Priority Schedule, Approved by USEPA 12-May-99.

California State Water Resources Control Board, 1999. 1998 California Water Quality Assessment Report. August 1999 Staff Report.

CH2M-Hill, 1996. Truckee River Loading Study, 205(j) Program. Final Report prepared for the Lahontan Regional Water Quality Control Board.

CH2M-Hill, 1997. Compilation of water quality data for the Truckee River collected by the Tahoe Truckee Sanitation Agency.

Colasurda, C., 2000. Mammoth's perilous magma- no short answers to earth-shaking questions at Long Valley Caldera. California Wild, Fall 2000. Available on the Internet: <[http://www.calacademy.org/calwild/fall2000/mammoth\\_lake.html](http://www.calacademy.org/calwild/fall2000/mammoth_lake.html)>

Datta, S. and 4 other authors, 1998. Evidence for Atmospheric Transport and Deposition for Polychlorinated biphenyls to the Lake Tahoe Basin, California-Nevada. Available on the Internet: [www.nal.usda.gov/ttic/tektran/data/000009/25/0000092538.html](http://www.nal.usda.gov/ttic/tektran/data/000009/25/0000092538.html)

DeLong, J., 1999. "Tahoe gas pollution plunging." Reno Gazette-Journal, November 23, 1999.

Heyvaert, A.C. and 3 other authors, 2001. Atmospheric Lead and Mercury Deposition at Lake Tahoe. University of California Davis Tahoe Research Group Annual Report, available on the Internet: <<http://trg.ucdavis.edu/research/annualreport/contents/lake/article11.html>>

Lico, M.B. and N. Pennington, 1999. Concentrations and Distributions of Manmade Organic Compounds in the Lake Tahoe Basin, Nevada and California, 1997-99. U.S. Geological Survey Water-Resources Investigations Report 99-4218. Markleeville Public Utility District, data from Discharger Self Monitoring Files (Lahontan Regional Board, South Lake Tahoe Office).

Maxwell, C.R., 2000. A Watershed Management Approach to Assessment of Water Quality and Development of Revised Water Quality Standards for the Ground Waters of the Mojave River Floodplain. Paper presented at National Water Quality Monitoring Council Conference, April 25-27, 2000, Austin TX.

McConnell, L.L. and 3 other authors, 1998. Wet Deposition of Current-Use Pesticides in the Sierra Nevada Mountain Range. Available on the Internet: [www.nal.usda.gov/ttic/tektran/data/000008/48/0000084801.html](http://www.nal.usda.gov/ttic/tektran/data/000008/48/0000084801.html)

Murphy, D.M. and C.M. Knopp, editors, 2000. Lake Tahoe Watershed Assessment. Gen. Tech. Rep. PSW-GTR-176, USDA Forest Service, Pacific Southwest Research Station, Albany, CA, Vols. I and II.

Nevada Division of Environmental Protection, Bureau of Water Quality Planning. Grab/Surface Water Samples, Provisional Records, and watershed descriptions for Surface Water Monitoring Network. Available on the Internet: <[http://ndep.state.nv.us/bwqp/mon\\_w5.htm](http://ndep.state.nv.us/bwqp/mon_w5.htm)>

Olde, D., 2000. "Questions about Illness Reporting at Donner Lake." Sierra Sun, September 28, 2000.

Palmdale Water District, 1998. 1998 Annual Water Quality Consumer Confidence Report.

Palmdale Water District, 2001. Water News, Spring 2001. Available on the Internet: <<http://www.palmdalewater.org/TOC/Newsletter/Archive/spring01.htm>>

Silva, A., 1999. "Firm claims 2,620 spills." San Bernardino County Sun, February 6, 1999.

South Tahoe Public Utility District, data from Discharger Self Monitoring Files (Lahontan Regional Board, South Lake Tahoe Office).

Tahoe Regional Planning Agency, 1999. Annual Water Quality Report.

Tahoe-Truckee Sanitation Agency, data from Discharger Self Monitoring Files (Lahontan Regional Board, South Lake Tahoe Office).

Thompson, M. 2001. "Weather halts Walker River cleanup." Reno Gazette-Journal, January 19, 2001.

Topozone.com, <http://www.topozone.com>. [Searches of this webpage were used to determine latitudes and longitudes of most water bodies for use in Fact Sheets.]

U.S. Environmental Protection Agency, 1997. Establishing Site Specific Aquatic Life Criteria Equal to Natural Background. Memorandum dated November 5, 1997 from Tudor T. Davies, Director, Office of Science and Technology, USEPA Office of Water.

U.S. Geological Survey, 1999. U.S. Geological Survey Volcano Hazards Program, Long Valley Observatory: Carbon Dioxide and Helium Discharge from Mammoth Mountain. Available on the Internet: <<http://lvo.wr.usgs.gov/CO2.html>>

U.S. Geological Survey, Water Quality Samples for California. UGS 10356500 Susan R. @ Susanville CA (NWIS database).

Vance, L. 2000. Report on the Upper Walker River Water Quality Study, 1999. Prepared for Mono County Resource Conservation District.

Vance, L., 2001. Upper Walker River study data collected in 2000.

White, P. 2001. "Anglers "invade" Heenan Lake on fishing opener." Reno Gazette-Journal, September 5, 2001.

White, P., 2001. "Oil spill on Walker River will hurt fish, aquatic life." Reno Gazette-Journal, January 31, 2001.

## ***References (Listings, Delistings and Changes)***

Bourelle, A. 1999. Regulations may force cattle out. *Tahoe Daily Tribune*, November 23, 1999.

Brown and Root Environmental, 1996. *Draft Final Site Inspection Report, Aurora Canyon Millsite, Bakersfield District, California*. Contract No. 1422-N651-C4-3049, January 19, 1996.

California Department of Fish and Game, 1995. Endangered Species Act Prelisting Proposal.

California Department of Fish and Game, 1997. *A Fisheries Management Plan for Crowley Lake and Tributaries, Mono County, California*.

California Department of Water Resources, 1960. *Water Quality Investigation, Surprise Valley*.

California Department of Water Resources, 1963. *Northeastern Counties Ground Water Investigation*, Volume I, Bulletin No. 98.

California Department of Water Resources, 1970. Arsenic in Wells in Northeastern California. Memorandum from Bruce Wormald dated December 11, 1970.

California Department of Water Resources, 1993. Dams Within the Jurisdiction of the State of California. Bulletin 17. Available on the Internet: <http://elib.cs.berkeley.edu/kopec/b17/html/home.html>.

California Office of Environmental Health Hazard Assessment, 1999. Fish consumption advisories statewide and General Information. Available on the Internet: <http://www.oehha.ca.gov/general/99fish.html>.

California Office of Health Hazard Assessment, 2001. *Public Health Goals for Chemicals in Drinking Water: Uranium, 2001*.

California Office of Health Hazard Assessment, 2001. Public Health Goal for Tetrachloroethylene in Drinking Water, August 2001. Available on the Internet at: <http://www.oehha.ca.gov/water/phg/pdf/PDEAug2001.pdf>

California Regional Water Quality Control Board, 1998. Letter from Ranjit S. Gill to Ralf Koehne, U.S. Forest Service, Plumas National Forest. Request for Water Quality Information on "Top Spring" for Use in Development of Total Maximum Daily Loads.

California Regional Water Quality Control Board, Central Valley Region, 2000. *A Compilation of Water Quality Goals, 2000*.

California Regional Water Quality Control Board, Lahontan Region 2001. Internal Memo from John Steude and Alan Miller to Judith Unsicker, *Summary of water quality analysis for potential CWA listing of the lower [sic] of the West Fork of the Carson River, Alpine County.*

California Regional Water Quality Control Board, Lahontan Region and U.S. Forest Service, Lake Tahoe Basin Management Unit, 2000-2001. Unpublished fecal coliform data for the Upper Truckee River.

California Regional Water Quality Control Board, Lahontan Region and U.S. Forest Service, Lake Tahoe Basin Management Unit, 2000-2001. Unpublished fecal coliform data for Tallac Creek

California Regional Water Quality Control Board, Lahontan Region, 1983. *West Fork Carson River and Indian Creek Watersheds Water Quality Control Plan Update: 1983.*

California Regional Water Quality Control Board, Lahontan Region, 1994. Water Body Fact Sheet for “Eagle Lake (2).”

California Regional Water Quality Control Board, Lahontan Region, 1995. *Draft Functional Equivalent Document and Staff Report for Proposed Amendments to the Water Quality Control Plan for the Lahontan Region: Appendix C. Use Attainability Analysis for Owens Lake, Inyo County, California.* September 1995.

California Regional Water Quality Control Board, Lahontan Region, 1995. *Water Quality Control Plan for the Lahontan Region.*

California Regional Water Quality Control Board, Lahontan Region, 2000. *Use Attainability Analysis for Nine “Naturally Impaired” Waters of the Lahontan Region,* April 2000.

California Regional Water Quality Control Board, Lahontan Region, 2000. *Staff Report/Draft Environmental Document for Proposed Amendments to the Water Quality Control Plan for the Lahontan Region (Basin Plan), State Clearinghouse Number 98092052,* April 2000.

California Regional Water Quality Control Board, Lahontan Region, 2000. *Analysis of the Beneficial Uses REC-1, REC-2, SAL, and WILD with Respect to Searles Dry Lake, IMC Chemicals, Inc., Trona, San Bernardino County, and Response to IMCC Comments made during the July 2000 Regional Board meeting.*

California Regional Water Quality Control Board, Lahontan Region, 2000. Amended Cleanup and Abatement Order No. 6-00-64A1, WDID Nos.: 6B368020001, 6B368905004, and 6B368905005, Requiring IMC Chemicals and the U.S. Department of the Interior, Bureau of Land Management, To Clean Up and Abate the Effects of Waste Discharges to Searles Lake From the Trona, Argus, and Westend Facilities, San Bernardino County.

California Regional Water Quality Control Board, Lahontan Region, 2000. Amended Cease and Desist Order No. 6-00-61A1, WDID: 6B368020001/6B368905004-Consideration of an Amended Cease and Desist Order-IMC Chemicals, Inc. and the U.S. Department of Interior, Bureau of Land Management, Trona and Argus Operations, Searles Lake.

California Regional Water Quality Control Board, Lahontan Region, 2001. *Staff Report on Recommended Changes to Lahontan Region’s Section 303(d) List of Impaired Surface Water Bodies.*

California Regional Water Quality Control Board, Lahontan Region, 2001. Email from Jason Churchill to Judith Unsicker, Monitor Creek 303(d) Listing, October 12, 2001.

California Regional Water Quality Control Board, Lahontan Region, and U.S. Forest Service, Lake Tahoe Basin Management Unit, 2000-2001. Unpublished fecal coliform data for Big Meadow Creek.

California Regional Water Quality Control Board, Lahontan Region, 2000-2001. Unpublished fecal coliform data for Trout Creek

California Regional Water Quality Control Board, Lahontan Region. Mojave River and D Street data.

California State Water Resources Control Board, 1988. Resolution 88-63, Sources of Drinking Water Policy.

California State Water Resources Control Board, 1991. *California Inland Surface Waters Plan: Water Quality Control Plan for Inland Surface Waters of California,* 91-12 WQ, April 1991.

California State Water Resources Control Board, 1994. Decision 1631, "Decision and Order Amending Water Right Licenses to Establish Fishery Protection Flows in Streams."

California State Water Resources Control Board, 1995. *Toxic Substances Monitoring Program (TSMP), Freshwater Bioaccumulation Monitoring Program, Data Base Description.* Revised September 1995.

California State Water Resources Control Board, 1998. Order WR 98-05 In the Matter of Stream and Waterfowl Habitat Restoration Plans and Grant Lake Operations and Management Plan Submitted by the Los Angeles Department of Water and Power Pursuant to the Requirements of Water Right Decision 1631 (Water Rights Licenses 10191 and 10192, Applications 8042 and 8043).

California State Water Resources Control Board, 2001. Toxic Substances Monitoring Program database printout for Walker River watershed, March 2001.

California State Water Resources Control Board, Toxic Substances Monitoring Program database.

CEPIS, no date. Ground-Water Pollution, In: Seminar Publication: Protection of public water supplies from ground-water contamination, Environmental Protection Agency. Available on the Internet: <<http://www.cepis.ops-oms.org/muwwww/fulltext/repind46/ground/ground.html>>

Cone, M. 1998. "L.A. Strikes Deal with Owens Valley to End Dust Woes." *Los Angeles Times*,

Datta, S. and 4 other authors, 1998. *Evidence for Atmospheric Transport and Deposition for Polychlorinated Biphenyls to the Lake Tahoe Basin, California-Nevada*. Available on the Internet: <http://www.nal.usda.gov/ttic/tektran/data/000009/25/0000092538.html>

Erlich, Robert, Lahontan Regional Board staff, personal communication, October 2001.

February 23, 2001, from Lauri Kemper, Chief, Lake Tahoe Watershed Unit, to Maribeth Gustafson, Forest Supervisor, Lake Tahoe Basin Management Unit, "Summary of Fecal Coliform Statistics on Meiss Grazing Allotment—1999 and 2000 Seasons, and Recommendations for 2001 Season."

Great Basin Unified Air Pollution Control District, 1997. *Owens Valley PM<sub>10</sub> Planning Area, Demonstration of Attainment, State Implementation Plan* (Executive Summary).

Hinrich, R.L., 1986. Summaries of telephone calls regarding samples at Laufman Ranger Station. (California Dept. of Health Services, Office of Drinking Water, Redding).

Honeywell, P.D., 2001. Email from Paul Honeywell of U.S. Geological Survey to Kim Gorman of Regional Board staff, dated 3/13/01, "Re: Bridgeport Data." Email explains error codes

Honeywell, P.D., 2001. Email from Paul Honeywell, U.S. Geological Survey to Kim Gorman of Regional Board staff, dated 3/13/01 "Re: Bridgeport Data." Email explains error codes

Jones & Stokes Associates, Inc., 1993. *Draft Environmental Impact Report*.

Koehne, R., 1998. Memo to Ranjit S. Gill and Peter Fischer, Top Springs Water Reports. U.S.D.A. Forest Service, Plumas National Forest, March 31, 1998.

Letter to Joyce Coakley, Lassen National forest from Richard L. Elliott, California Department of Fish and Game, dated March 30, 1995.

Liu, M.S., J.E. Reuter, and C.R. Goldman, 2001. *Seasonal Significance of Atmospheric Deposition of Phosphorus and the Sources of Deposition for Lake Tahoe, CA-NV*. Abstract of paper presented at meeting of American Society of Limnology and Oceanography, Albuquerque NM, February 2001.

Los Angeles Department of Water and Power, 2001. *The Los Angeles Department of Water and Power Water Quality Report for 2000*.

Los Angeles Department of Water and Power, unpublished water quality data.

MacDonald, C.D. and A. Lutz, 2000. Staff Report on Recommendation to Remove Pine Creek from the 303(d) List, California Regional Water Quality Control Board, Lahontan Region, April 14, 2000.

Maxwell, C.R. 2000. A Watershed Management Approach to Assessment of Water Quality and Development of Revised Water Quality Standards for the Ground Waters of the Mojave River Floodplain. Paper presented at National Water Quality Monitoring Council Conference, April 25-27, 2000, Austin TX.

Menon, A.S., 2001. *Shellfish Safety: Bacterial Indicators on [sic] Shellfish Water Quality. Canadian Shellfish Quality Resource*. Available on the Internet: <<http://www.shellfishquality.ca/indicators.htm>>.

*Mono Basin Water Rights of the City of Los Angeles*. Prepared for California State Water Resources Control Board. May, 1993.

Mono Lake and to Protect Public Trust Resources At Mono Lake and In the Mono Lake Basin,"

- Murphy, D.M., and C.M. Knopp, editors, 2000. *Lake Tahoe Watershed Assessment*. Gen. Tech. Rep. PSW-GTR-176, USDA Forest Service, Pacific Southwest Research Station, Albany, CA, Vols. I and II.
- National Academy of Sciences, 1987. *The Mono Basin Ecosystem: Effects of Changing Lake Level*.
- Nevada Division of Environmental Protection, Bureau of Water Quality Planning, 1998. Nevada's 1998 303(d) List. Available on the Internet: <http://ndep.state.nv.us/bwqp/riv303d98.pdf>.
- Nevada Division of Environmental Protection, Bureau of Water Quality Planning. State of Nevada Surface Water Monitoring Network, Walker River Basin, 1997-98 data for East Fork at Stateline. Available on the Internet: [http://ndep.state.nv.us/bwqp/mon\\_w5.htm](http://ndep.state.nv.us/bwqp/mon_w5.htm).
- Nevada Division of Environmental Protection, Bureau of Water Quality Planning, 2001. State of Nevada Surface Water Monitoring Network, Carson River Basin. Available on the Internet: <http://ndep.state.nv.us/bwqp/C9.html>.
- Nevada Division of Water Planning, no date. *The Flood of 1997, Final Report*. Available on the Internet: <http://www.state.nv.us/cnr/ndwp/flood-97/floodana.htm>
- North Mono County Resource Conservation District, 2000. *Report on the Upper Walker River Water Quality Study, 1999*.
- Patterson, D.W. and S.L. Jacobson, 1984. *1983 Surprise Valley Ground Water Recharge Field Study Report*. U.S. Soil Conservation Service, Red Bluff, CA.
- Peter J. Fischer to Judith Unsicker, "top springs," February 22, 2000.
- Rowe, T.G., 1998. *Loads and Yields of Sediment and Nutrients for Selected Watersheds in the Lake Tahoe Basin, California and Nevada*. U.S. Geological Survey, paper presented at Water Quality Monitoring Council 1998 Conference. Available on the Internet: <http://204.87.241.11/98proceedings/Papers/50-ROWE.html>.
- Rowe, T.G., 2001. Loads and Yields of Suspended Sediment for Selected Watersheds in the Lake Tahoe Basin, California and Nevada. *Proceedings of the Seventh Federal Interagency Sedimentation Conference*, March 25 to 29, 2001, Reno Nevada.
- Rowe, T.G., and K.K. Allander, 2000. *Surface- and Ground-Water Characteristics in the Upper Truckee River and Trout Creek Watersheds, South Lake Tahoe, California and Nevada, July-December 1996*. U.S. Geological Survey Water-Resources Investigations Report 00-4001. Available on the Internet: <<http://water.usgs.gov/pubs/wri/wri004001/>>
- South Tahoe Public Utility District, 2000-2001. Monitoring Data for Heavenly Valley Creek (in Regional Board files).
- South Tahoe Public Utility District. Unpublished water quality data.
- Tahoe Regional Planning Agency, 1996. *Draft 1996 Evaluation Report: Environmental Threshold Carrying Capacities and the Regional Plan Package for the Lake Tahoe Region*, December 1996.
- Tahoe Regional Planning Agency, 1998. *Environmental Improvement Program for the Lake Tahoe Region*. Draft for Initial Adoption
- Tahoe Regional Planning Agency, 1999. *Annual Water Quality Report*.
- U.S. Department of the Interior, Fish and Wildlife Service, 1995. 5 CFR Part 17: Endangered and Threatened Wildlife and Plants.: 90-Day Finding for a Petition to List the Eagle Lake Rainbow Trout and Designate Critical Habitat.
- U.S. Environmental Protection Agency, 1997. Establishing Site Specific Aquatic Life Criteria Equal to Natural Background. Memorandum dated November 5, 1997 from Tudor T. Davies, Director, Office of Science and Technology, USEPA Office of Water.
- U.S. Environmental Protection Agency, 2001. EPA to Implement 10ppb [sic] Standard for Arsenic in Drinking Water. USEPA Office of Water, EPA 815-F-01-010, October 2001. Available on the Internet: <http://www.epa.gov/safewater/ars/ars-oct-factsheet.html>
- U.S. Forest Service, Lake Tahoe Basin Management Unit, 1998. *Heavenly Ski Resort 1997 Environmental Monitoring Report*.
- U.S. Forest Service, Lake Tahoe Basin Management Unit, 1999. *Heavenly Ski Resort 1998 Environmental Monitoring Report*.
- U.S. Forest Service, Lake Tahoe Basin Management Unit, 2001. Wildlife/Range Management. Available on the Internet: [www.r5.fs.fed.us/ltbmu/management/wildlife/range](http://www.r5.fs.fed.us/ltbmu/management/wildlife/range)



- U.S. Geological Survey, 1976. *Sources of Arsenic in Streams Tributary to Lake Crowley, California*, Water-Resources Investigations 76-36.
- U.S. Geological Survey, 2001. Unpublished water quality data provided via FTP.
- U.S. Geological Survey, 2001. Unpublished water quality data.
- U.S. Geological Survey, 2001. Water Quality Samples for California, USGS 10336610 Upper Truckee River at South Lake Tahoe Calif. NWIS Database; <<http://www.usgs.gov/ca/nwis>>
- USDA Forest Service, Eagle Lake Ranger District, Lassen National Forest, 1995. Decision Notice and Finding of No Significant Impact for : Pine Creek Riparian and Fish Passage Improvement Project, June 9, 1995.
- Vinyard, G.L, and R.W. Watts, 1992. *Wasteload Allocation Study, Monitor Creek, East Fork Carson River Hydrologic Unit*. Aquatic Ecology Laboratory, University of Nevada, Reno.
- Zonge, L. and S. Swanson, 1996. Changes in Streambanks in the Sierra Nevada Mountains: Perspectives from a Dry and a Wet Year. *Restoration Ecology* 4(2): 192-199.

Page left blank intentionally.

Regional Water Quality Control Board

COLORADO RIVER BASIN REGION (7)



SECTION 303 (d) LIST PROPOSALS

Page left blank intentionally.

## Region 7: Alamo River Sedimentation/Siltation

---

<b>Water Body</b>	Alamo River
<b>Stressor/Media/Beneficial Use</b>	Sedimentation-Siltation/Water/Aquatic Life
<b>Data quality assessment. Extent to which data quality requirements met.</b>	N/A
<b>Linkage between measurement endpoint and beneficial use or standard</b>	N/A
<b>Utility of measure for judging if standards or uses are not attained</b>	N/A
<b>Water Body-specific Information</b>	N/A
<b>Data used to assess water quality</b>	N/A
<b>Spatial representation</b>	N/A
<b>Temporal representation</b>	N/A
<b>Data type</b>	N/A
<b>Use of standard method</b>	N/A
<b>Potential Source(s) of Pollutant</b>	N/A
<b>Alternative Enforceable Program</b>	N/A
<b>RWQCB Recommendation</b>	TMDL Completed.
<b>SWRCB Staff Recommendation</b>	After reviewing the available data and information and the RWQCB documentation for this recommendation, SWRCB staff conclude that the water body should be placed on the TMDLs Completed List because a TMDL has been developed for the water body-pollutant combination. The TMDL has been approved by USEPA.

## Region 7: Coachella Valley Stormwater Channel

### Pathogens (was bacteria)

---

<b>Water Body</b>	Coachella Valley Stormwater Channel
<b>Stressor/Media/Beneficial Use</b>	Pathogens (was bacteria)
<b>Data quality assessment. Extent to which data quality requirements met.</b>	N/A
<b>Linkage between measurement endpoint and beneficial use or standard</b>	N/A
<b>Utility of measure for judging if standards or uses are not attained</b>	N/A
<b>Water Body-specific Information</b>	N/A
<b>Data used to assess water quality</b>	N/A
<b>Spatial representation</b>	N/A
<b>Temporal representation</b>	N/A
<b>Data type</b>	N/A
<b>Use of standard method</b>	N/A
<b>Potential Source(s) of Pollutant</b>	Unknown
<b>Alternative Enforceable Program</b>	
<b>RWQCB Recommendation</b>	Clarification.
<b>SWRCB Staff Recommendation</b>	Change pollutant description and source, and Alternative program description in Fact Sheet.

## Region 7: New River Nutrients

---

<b>Water Body</b>	New River
<b>Stressor/Media/Beneficial Use</b>	Nutrients/Water/Aquatic Life
<b>Data quality assessment. Extent to which data quality requirements met.</b>	No data available.
<b>Linkage between measurement endpoint and beneficial use or standard</b>	The RWQCB monitors the New River for nutrients. Monitoring data shows that the New River carries nutrients in "relatively high concentrations."
<b>Utility of measure for judging if standards or uses are not attained</b>	
<b>Water Body-specific Information</b>	No data available.
<b>Data used to assess water quality</b>	The Region 7 Basin Plan contains a narrative water quality objective for biostimulatory substances (including nutrients). This objective applies to the New River. The RWQCB staff has documented "objectionable odors," and low dissolved oxygen conditions in the New River. Both these conditions may be indicative of harmful impact to beneficial uses due to nutrient loads. (The RWQCB staff instead points as a cause to raw sewage from Mexico.)
<b>Spatial representation</b>	No data available.
<b>Temporal representation</b>	No data available.
<b>Data type</b>	No data available.
<b>Use of standard method</b>	No data available.
<b>Potential Source(s) of Pollutant</b>	Phosphates from Mexico and Imperial Valley.
<b>Alternative Enforceable Program</b>	Mexican-American Water Treaty.
<b>RWQCB Recommendation</b>	De-list.
<b>SWRCB Staff Recommendation</b>	Maintain Listing. There is no data available on which to base delisting. Staff report states that, RWQCB has no data showing that nutrients are violating water quality standards in the New River, however the River carries large amounts of nitrogen and phosphate which are causing eutrophic conditions and fish die-offs in the Salton Sea. Water quality conditions in the New River will need to be incorporated into TMDL for Salton Sea, so listing should be retained.

## Region 7: New River

### Dissolved oxygen

---

<b>Water Body</b>	New River
<b>Stressor/Media/Beneficial Use</b>	Dissolved oxygen (Dissolved Oxygen) Water WARM, REC-1, REC-2
<b>Data quality assessment. Extent to which data quality requirements met.</b>	QA used by RWQCB staff.
<b>Linkage between measurement endpoint and beneficial use or standard</b>	Results compared directly to WQO.
<b>Utility of measure for judging if standards or uses are not attained</b>	Basin Plan numeric WQO used.
<b>Water Body-specific Information</b>	Water body-specific data collected monthly from 1996-2001 by Regional Board staff pursuant to an agreement between the United States Environmental Protection Agency and the State Water Resources Control Board.
<b>Data used to assess water quality</b>	Numerous violations (see "trigger" below) of the Basin Plan objectives for various impacts were observed throughout the monitoring, and continue to this day. All data is available for review at: <a href="http://www.swrcb.ca.gov/rwqcb7/newriver/dataindex.html">http://www.swrcb.ca.gov/rwqcb7/newriver/dataindex.html</a> .  Violations of WQO--waters of the New River at the International Boundary shall be free of domestic and industrial waste waters.
<b>Spatial representation</b>	Water body-specific monitoring performed by RWQCB at US-Mexico border.
<b>Temporal representation</b>	Monthly for over 5 years.
<b>Data type</b>	Numeric data.
<b>Use of standard method</b>	Standard lab method.
<b>Potential Source(s) of Pollutant</b>	5-20 million gallons per day of raw sewage from Mexico discharged to New River.
<b>Alternative Enforceable Program</b>	Mexican-American Water Treaty
<b>RWQCB Recommendation</b>	List for dissolved organic matter.
<b>SWRCB Staff Recommendation</b>	After reviewing the available data and information and the RWQCB documentation for this recommendation, SWRCB staff concludes that the water body should be placed on the section 303(d) list because applicable water quality standards are exceeded, a pollutant contributes to or causes the problem, and there is no other known program that can effectively address the problem at this time.  This conclusion is based on the staff findings that:  <ol style="list-style-type: none"> <li>1. The data is considered to be of adequate quality.</li> <li>2. The data exhibited sufficient spatial and temporal coverage.</li> <li>3. Beneficial uses have been established for and apply to the water body.</li> <li>4. Water quality standard used is applicable.</li> </ol>



## Region 7: New River Dissolved oxygen

---

5. Data are both numerical and non-numerical.
6. Standard methods were used.
7. Other water body- or site-specific information including the age of the data were considered.

An adequate number of the water quality measurements exceeded the water quality standard. The staff confidence that standards were exceeded is moderate.

## Region 7: New River Trash

---

<b>Water Body</b>	New River
<b>Stressor/Media/Beneficial Use</b>	Trash/Water/WARM, WILD, REC-1, REC-2
<b>Data quality assessment. Extent to which data quality requirements met.</b>	Numerous observations by RWQCB staff of trash in river. Quarterly removal of approximately 200 cubic yards of trash by county.
<b>Linkage between measurement endpoint and beneficial use or standard</b>	Direct observations of trash accumulation in River. Linked to aesthetics-related beneficial use.
<b>Utility of measure for judging if standards or uses are not attained</b>	Observed violation of US-Mexico treaty. Beneficial uses are directly impacted. Photographs can indicate gross impacts on beneficial uses and whether standards have been exceeded. Measurements of the amounts of trash can provide a relative measure of the potential for nuisance.
<b>Water Body-specific Information</b>	Numerous observations by RWQCB staff of trash in river. Quarterly removal of approximately 200 cubic yards of trash by county.
<b>Data used to assess water quality</b>	Numerous violations (see "trigger" below) of the Basin Plan objectives for various chemicals were observed throughout the monitoring, and continue to this day. All data is available for review at: <a href="http://www.swrcb.ca.gov/rwqcb7/newriver/dataindex.html">http://www.swrcb.ca.gov/rwqcb7/newriver/dataindex.html</a>  Numerous observations by RWQCB staff of trash in river. Quarterly removal of approximately 200 cubic yards of trash by county.
<b>Spatial representation</b>	Water body-specific observations made at US/Mexico border and a few miles north.
<b>Temporal representation</b>	Monthly 8-hour and quarterly 24-hour observations made.
<b>Data type</b>	Observations, trash removal.
<b>Use of standard method</b>	N/A
<b>Potential Source(s) of Pollutant</b>	Anthropogenic sources.
<b>Alternative Enforceable Program</b>	Mexican American Water Treaty.
<b>RWQCB Recommendation</b>	List.
<b>SWRCB Staff Recommendation</b>	After reviewing the available data and information and the RWQCB documentation for this recommendation, SWRCB staff conclude that the water body should be placed on the section 303(d) list because applicable water quality standards are exceeded, a pollutant contributes to or causes the problem, and there is no other known program that can effectively address the problem at this time.  This conclusion is based on the staff findings that:  1. The data is considered to be of adequate quality. 2. The data exhibited sufficient spatial and temporal coverage.

## Region 7: New River Trash

---

3. Beneficial uses have been established for and apply to the water body.
4. Water quality standard used is applicable.
5. Data are both numerical and non-numerical.
6. Standard methods were used.
7. Other water body- or site-specific information including the effects of natural sources, season, storm events, and age of the data were considered.

An adequate number of the water quality measurements exceeded the water quality standard. The staff confidence that standards were exceeded is high.

## Region 7: New River p-DCB

---

<b>Water Body</b>	New River
<b>Stressor/Media/Beneficial Use</b>	p-DCB/Water/MUN
<b>Data quality assessment. Extent to which data quality requirements met.</b>	QA used by RWQCB staff.
<b>Linkage between measurement endpoint and beneficial use or standard</b>	Results compared directly to narrative standards. No numeric guideline is available.
<b>Utility of measure for judging if standards or uses are not attained</b>	Basin Plan quantitative and qualitative standards from Minute Number 264 of the Mexican-American Water Treaty. The water quality objectives are: (1) The waters of the River shall be free of untreated domestic and industrial waste, and (2) The waters shall be free from substances that may be discharged into the River as a result of human activity in concentrations which are toxic or harmful to human, animal or aquatic life or which may significantly impair the beneficial uses of such waters.
<b>Water Body-specific Information</b>	Water body-specific data collected 5 to 12 times per year from 1995-2001 by Regional Board staff pursuant to an agreement between the United States Environmental Protection Agency and the State Water Resources Control Board.
<b>Data used to assess water quality</b>	This substance is detected in the River. None of the measurements in 19 data sets exceed the water quality criterion. All data is available for review at: <a href="http://www.swrcb.ca.gov/rwqcb7/newriver/dataindex.html">http://www.swrcb.ca.gov/rwqcb7/newriver/dataindex.html</a> .
<b>Spatial representation</b>	Water body-specific monitoring performed by RWQCB at US-Mexico border.
<b>Temporal representation</b>	1995-2001.
<b>Data type</b>	Numeric data.
<b>Use of standard method</b>	Standard lab method.
<b>Potential Source(s) of Pollutant</b>	Untreated and improperly treated industrial waste discharges from Mexico.
<b>Alternative Enforceable Program</b>	Mexican-American Water Treaty.
<b>RWQCB Recommendation</b>	List.
<b>SWRCB Staff Recommendation</b>	<p>After reviewing the available data and information and the RWQCB documentation for this recommendation, SWRCB staff conclude that the water body should be placed on the section 303(d) list because applicable water quality standards are exceeded.</p> <p>This conclusion is based on the staff findings that:</p> <ol style="list-style-type: none"> <li>1. The data is considered to be of adequate quality.</li> <li>2. The data exhibited sufficient spatial and temporal coverage.</li> <li>3. Beneficial uses apply.</li> <li>4. Water quality standard used is applicable.</li> <li>5. The evaluation guideline used to interpret narrative water quality</li> </ol>

## Region 7: New River p-DCB

---

standards is adequate.

6. Data are numerical.

7. Standard methods were used.

Detections of this substance exceeded the water quality standard. The staff confidence that standards were exceeded is moderate.

## Region 7: New River o-Xylenes

---

<b>Water Body</b>	New River
<b>Stressor/Media/Beneficial Use</b>	o-Xylenes/Water/MUN
<b>Data quality assessment. Extent to which data quality requirements met.</b>	QA used by RWQCB staff.
<b>Linkage between measurement endpoint and beneficial use or standard</b>	Results compared directly to narrative standards. No numeric guideline is available.
<b>Utility of measure for judging if standards or uses are not attained</b>	Basin Plan quantitative and qualitative standards from Minute Number 264 of the Mexican-American Water Treaty. The water quality objectives are: (1) The waters of the River shall be free of untreated domestic and industrial waste, and (2) The waters shall be free from substances that may be discharged into the River as a result of human activity in concentrations which are toxic or harmful to human, animal or aquatic life or which may significantly impair the beneficial uses of such waters.
<b>Water Body-specific Information</b>	Water body-specific data collected 2 to 11 times per year from 1996 - 2001 by Regional Board staff pursuant to an agreement between the United States Environmental Protection Agency and the State Water Resources Control Board.
<b>Data used to assess water quality</b>	o-Xylenes are detected frequently in the New River. All data is available for review at: <a href="http://www.swrcb.ca.gov/rwqcb7/newriver/dataindex.html">http://www.swrcb.ca.gov/rwqcb7/newriver/dataindex.html</a> .
<b>Spatial representation</b>	Water body-specific monitoring performed by RWQCB at US-Mexico border.
<b>Temporal representation</b>	1996-2001.
<b>Data type</b>	Numeric data.
<b>Use of standard method</b>	Standard lab method.
<b>Potential Source(s) of Pollutant</b>	Untreated and improperly treated industrial waste discharges from Mexico.
<b>Alternative Enforceable Program</b>	Mexican-American Water Treaty.
<b>RWQCB Recommendation</b>	List.
<b>SWRCB Staff Recommendation</b>	<p>After reviewing the available data and information and the RWQCB documentation for this recommendation, SWRCB staff conclude that the water body should be placed on the section 303(d) list because applicable water quality standards are exceeded.</p> <p>This conclusion is based on the staff findings that:</p> <ol style="list-style-type: none"> <li>1. The data is considered to be of adequate quality.</li> <li>2. The data exhibited sufficient spatial and temporal coverage.</li> <li>3. Beneficial uses apply.</li> <li>4. Water quality standard used is applicable.</li> <li>5. The evaluation guideline used to interpret narrative water quality standards is adequate.</li> </ol>

## Region 7: New River o-Xylenes

---

- 6. Data are numerical.
- 7. Standard methods were used.

Detections of this substance exceeded the water quality standard. The staff confidence that standards were exceeded is moderate.

## Region 7: New River m,p,-Xylenes

---

<b>Water Body</b>	New River
<b>Stressor/Media/Beneficial Use</b>	m,p,-Xylenes/Water/MUN
<b>Data quality assessment. Extent to which data quality requirements met.</b>	QA used by RWQCB staff.
<b>Linkage between measurement endpoint and beneficial use or standard</b>	Results compared directly to the narrative standard. An evaluation guideline is not available to assess if the numeric standards in achieved.
<b>Utility of measure for judging if standards or uses are not attained</b>	Basin Plan quantitative and qualitative standards from Minute Number 264 of the Mexican-American Water Treaty. The water quality objectives are: (1) The waters of the River shall be free of untreated domestic and industrial waste, and (2) The waters shall be free from substances that may be discharged into the River as a result of human activity in concentrations which are toxic or harmful to human, animal or aquatic life or which may significantly impair the beneficial uses of such waters.
<b>Water Body-specific Information</b>	Water body-specific data collected 2 to 12 times per year from 1995-2001 by Regional Board staff pursuant to an agreement between the United States Environmental Protection Agency and the State Water Resources Control Board.
<b>Data used to assess water quality</b>	Xylenes are detected frequently in the New River. All data is available for review at: <a href="http://www.swrcb.ca.gov/rwqcb7/newriver/dataindex.html">http://www.swrcb.ca.gov/rwqcb7/newriver/dataindex.html</a> .
<b>Spatial representation</b>	Water body-specific monitoring performed by RWQCB at US-Mexico border.
<b>Temporal representation</b>	1995-2001.
<b>Data type</b>	Numeric data.
<b>Use of standard method</b>	Standard lab method.
<b>Potential Source(s) of Pollutant</b>	Untreated and improperly treated industrial waste discharges from Mexico.
<b>Alternative Enforceable Program</b>	Mexican-American Water Treaty.
<b>RWQCB Recommendation</b>	List.
<b>SWRCB Staff Recommendation</b>	<p>After reviewing the available data and information and the RWQCB documentation for this recommendation, SWRCB staff conclude that the water body should be placed on the section 303(d) list because applicable water quality standards are exceeded.</p> <p>This conclusion is based on the staff findings that:</p> <ol style="list-style-type: none"> <li>1. The data is considered to be of adequate quality.</li> <li>2. The data exhibited sufficient spatial and temporal coverage.</li> <li>3. Beneficial uses apply.</li> <li>4. Water quality standard used is applicable.</li> <li>5. The evaluation guideline used to interpret narrative water quality standards is adequate.</li> </ol>



## Region 7: New River m,p,-Xylenes

---

6. Data are numerical.
7. Standard methods were used.

Detections of this substance exceeded the water quality standard. The staff confidence that standards were exceeded is moderate.

## Region 7: New River

### 1,2,4-trimethylbenzene

---

<b>Water Body</b>	New River
<b>Stressor/Media/Beneficial Use</b>	1,2,4-trimethylbenzene/Water/MUN
<b>Data quality assessment. Extent to which data quality requirements met.</b>	QA used by RWQCB staff.
<b>Linkage between measurement endpoint and beneficial use or standard</b>	Results compared directly to standards. An evaluation guideline is not available to assess if the numeric standards in achieved.
<b>Utility of measure for judging if standards or uses are not attained</b>	Basin Plan quantitative and qualitative standards from Minute Number 264 of the Mexican-American Water Treaty. The water quality objectives are: (1) The waters of the River shall be free of untreated domestic and industrial waste, and (2) The waters shall be free from substances that may be discharged into the River as a result of human activity in concentrations which are toxic or harmful to human, animal or aquatic life or which may significantly impair the beneficial uses of such waters.
<b>Water Body-specific Information</b>	Water body-specific data collected 1 to 4 times per year from 1998-2001 by Regional Board staff pursuant to an agreement between the United States Environmental Protection Agency and the State Water Resources Control Board.
<b>Data used to assess water quality</b>	1,2,4-trimethylbenzene is detected frequently in the New River. All data is available for review at: <a href="http://www.swrcb.ca.gov/rwqcb7/newriver/dataindex.html">http://www.swrcb.ca.gov/rwqcb7/newriver/dataindex.html</a> .
<b>Spatial representation</b>	Water body-specific monitoring performed by RWQCB at US-Mexico border.
<b>Temporal representation</b>	1998-2001.
<b>Data type</b>	Numeric data.
<b>Use of standard method</b>	Standard lab method.
<b>Potential Source(s) of Pollutant</b>	Untreated and improperly treated industrial waste discharges from Mexico.
<b>Alternative Enforceable Program</b>	Mexican-American Water Treaty.
<b>RWQCB Recommendation</b>	List.
<b>SWRCB Staff Recommendation</b>	<p>After reviewing the available data and information and the RWQCB documentation for this recommendation, SWRCB staff conclude that the water body should be placed on the section 303(d) list because applicable water quality standards are exceeded.</p> <p>This conclusion is based on the staff findings that:</p> <ol style="list-style-type: none"> <li>1. The data is considered to be of adequate quality.</li> <li>2. The data exhibited sufficient spatial and temporal coverage.</li> <li>3. Beneficial uses apply.</li> <li>4. Water quality standard used is applicable.</li> <li>5. The evaluation guideline used to interpret narrative water quality</li> </ol>

## Region 7: New River 1,2,4-trimethylbenzene

---

standards is adequate.

6. Data are numerical.

7. Standard methods were used.

Detections of this substance exceeded the water quality standard. The staff confidence that standards were exceeded is moderate.

## Region 7: New River p-Cymene

---

<b>Water Body</b>	New River
<b>Stressor/Media/Beneficial Use</b>	p-Cymene/Water/MUN
<b>Data quality assessment. Extent to which data quality requirements met.</b>	QA used by RWQCB staff.
<b>Linkage between measurement endpoint and beneficial use or standard</b>	Results compared directly to narrative standards. An evaluation guideline is not available to assess if the numeric standards in achieved.
<b>Utility of measure for judging if standards or uses are not attained</b>	Basin Plan quantitative and qualitative standards from Minute Number 264 of the Mexican-American Water Treaty. The water quality objectives are: (1) The waters of the River shall be free of untreated domestic and industrial waste, and (2) The waters shall be free from substances that may be discharged into the River as a result of human activity in concentrations which are toxic or harmful to human, animal or aquatic life or which may significantly impair the beneficial uses of such waters.
<b>Water Body-specific Information</b>	Water body-specific data collected 1 to 6 times per year from 1995 to 2001 by Regional Board staff pursuant to an agreement between the United States Environmental Protection Agency and the State Water Resources Control Board.
<b>Data used to assess water quality</b>	p-Cymene (p-isopropyltoluene) is detected frequently in the New River. All data is available for review at: <a href="http://www.swrcb.ca.gov/rwqcb7/newriver/dataindex.html">http://www.swrcb.ca.gov/rwqcb7/newriver/dataindex.html</a> .
<b>Spatial representation</b>	Water body-specific monitoring performed by RWQCB at US-Mexico border.
<b>Temporal representation</b>	1995-2001.
<b>Data type</b>	Numeric data.
<b>Use of standard method</b>	Standard lab method.
<b>Potential Source(s) of Pollutant</b>	Untreated and improperly treated industrial waste discharges from Mexico.
<b>Alternative Enforceable Program</b>	Mexican-American Water Treaty.
<b>RWQCB Recommendation</b>	List.
<b>SWRCB Staff Recommendation</b>	<p>After reviewing the available data and information and the RWQCB documentation for this recommendation, SWRCB staff conclude that the water body should be placed on the section 303(d) list because applicable water quality standards are exceeded.</p> <p>This conclusion is based on the staff findings that:</p> <ol style="list-style-type: none"> <li>1. The data is considered to be of adequate quality.</li> <li>2. The data exhibited sufficient spatial and temporal coverage.</li> <li>3. Beneficial uses apply.</li> <li>4. Water quality standard used is applicable.</li> <li>5. The evaluation guideline used to interpret narrative water quality</li> </ol>

## Region 7: New River p-Cymene

---

standards is adequate.

6. Data are numerical.

7. Standard methods were used.

Detections of this substance exceeded the water quality standard. The staff confidence that standards were exceeded is moderate.

## Region 7: New River Toluene

---

<b>Water Body</b>	New River
<b>Stressor/Media/Beneficial Use</b>	Toluene/Water/MUN
<b>Data quality assessment. Extent to which data quality requirements met.</b>	QA used by RWQCB staff.
<b>Linkage between measurement endpoint and beneficial use or standard</b>	Results compared directly to narrative standards. An evaluation guideline is not available to assess if the numeric standards in achieved.
<b>Utility of measure for judging if standards or uses are not attained</b>	Basin Plan quantitative and qualitative standards from Minute Number 264 of the Mexican-American Water Treaty. The water quality objectives are: (1) The waters of the River shall be free of untreated domestic and industrial waste, and (2) The waters shall be free from substances that may be discharged into the River as a result of human activity in concentrations which are toxic or harmful to human, animal or aquatic life or which may significantly impair the beneficial uses of such waters.
<b>Water Body-specific Information</b>	Water body-specific data collected approximately monthly from 1995-2001 by Regional Board staff pursuant to an agreement between the United States Environmental Protection Agency and the State Water Resources Control Board.
<b>Data used to assess water quality</b>	Toluene is detected in the New River. All data is available for review at: <a href="http://www.swrcb.ca.gov/rwqcb7/newriver/dataindex.html">http://www.swrcb.ca.gov/rwqcb7/newriver/dataindex.html</a> .
<b>Spatial representation</b>	Water body-specific monitoring performed by RWQCB at US-Mexico border.
<b>Temporal representation</b>	1995-2001.
<b>Data type</b>	Numeric data.
<b>Use of standard method</b>	Standard lab method.
<b>Potential Source(s) of Pollutant</b>	Untreated and improperly treated industrial waste discharges from Mexico.
<b>Alternative Enforceable Program</b>	Mexican-American Water Treaty.
<b>RWQCB Recommendation</b>	List.
<b>SWRCB Staff Recommendation</b>	<p>After reviewing the available data and information and the RWQCB documentation for this recommendation, SWRCB staff conclude that the water body should be placed on the section 303(d) list because applicable water quality standards are exceeded.</p> <p>This conclusion is based on the staff findings that:</p> <ol style="list-style-type: none"> <li>1. The data is considered to be of adequate quality.</li> <li>2. The data exhibited sufficient spatial and temporal coverage.</li> <li>3. Beneficial uses apply.</li> <li>4. Water quality standard used is applicable.</li> <li>5. The evaluation guideline used to interpret narrative water quality standards is adequate.</li> </ol>

## Region 7: New River Toluene

---

- 6. Data are numerical.
- 7. Standard methods were used.

Detections of this substance exceeded the water quality standard. The staff confidence that standards were exceeded is moderate.

## Region 7: New River Chloroform

---

<b>Water Body</b>	New River
<b>Stressor/Media/Beneficial Use</b>	Chloroform/Water/MUN
<b>Data quality assessment. Extent to which data quality requirements met.</b>	QA used by RWQCB staff.
<b>Linkage between measurement endpoint and beneficial use or standard</b>	Results compared directly to narrative standards.
<b>Utility of measure for judging if standards or uses are not attained</b>	Basin Plan quantitative and qualitative standards from Minute Number 264 of the Mexican-American Water Treaty. The water quality objectives are: (1) The waters of the River shall be free of untreated domestic and industrial waste, and (2) The waters shall be free from substances that may be discharged into the River as a result of human activity in concentrations which are toxic or harmful to human, animal or aquatic life or which may significantly impair the beneficial uses of such waters.
<b>Water Body-specific Information</b>	Water body-specific data collected 6 times per year from 1996-2001 by Regional Board staff pursuant to an agreement between the United States Environmental Protection Agency and the State Water Resources Control Board.
<b>Data used to assess water quality</b>	Toluene is detected in the New River. None of the measurements in 19 data sets exceeded the water quality criterion. All data is available for review at: <a href="http://www.swrcb.ca.gov/rwqcb7/newriver/dataindex.html">http://www.swrcb.ca.gov/rwqcb7/newriver/dataindex.html</a> .
<b>Spatial representation</b>	Water body-specific monitoring performed by RWQCB at US-Mexico border.
<b>Temporal representation</b>	1996-2001.
<b>Data type</b>	Numeric data.
<b>Use of standard method</b>	Standard lab method.
<b>Potential Source(s) of Pollutant</b>	Untreated and improperly treated industrial waste discharges from Mexico.
<b>Alternative Enforceable Program</b>	Mexican-American Water Treaty.
<b>RWQCB Recommendation</b>	List.
<b>SWRCB Staff Recommendation</b>	<p>After reviewing the available data and information and the RWQCB documentation for this recommendation, SWRCB staff conclude that the water body should be placed on the section 303(d) list because applicable water quality standards are exceeded.</p> <p>This conclusion is based on the staff findings that:</p> <ol style="list-style-type: none"> <li>1. The data is considered to be of adequate quality.</li> <li>2. The data exhibited sufficient spatial and temporal coverage.</li> <li>3. Beneficial uses apply.</li> <li>4. Water quality standard used is applicable.</li> <li>5. The evaluation guideline used to interpret narrative water quality standards is adequate.</li> </ol>



## Region 7: New River Chloroform

---

6. Data are numerical.
7. Standard methods were used.

Detections of this substance exceeded the water quality standard. The staff confidence that standards were exceeded is moderate.

## Region 7: New River Bacteria

---

<b>Water Body</b>	New River
<b>Stressor/Media/Beneficial Use</b>	Bacteria/Water/REC-1
<b>Data quality assessment. Extent to which data quality requirements met.</b>	N/A
<b>Linkage between measurement endpoint and beneficial use or standard</b>	N/A
<b>Utility of measure for judging if standards or uses are not attained</b>	N/A
<b>Water Body-specific Information</b>	N/A
<b>Data used to assess water quality</b>	N/A
<b>Spatial representation</b>	N/A
<b>Temporal representation</b>	N/A
<b>Data type</b>	N/A
<b>Use of standard method</b>	N/A
<b>Potential Source(s) of Pollutant</b>	N/A
<b>Alternative Enforceable Program</b>	N/A
<b>RWQCB Recommendation</b>	TMDL Completed.
<b>SWRCB Staff Recommendation</b>	After reviewing the available data and information and the RWQCB documentation for this recommendation, SWRCB staff conclude that the water body should be placed on the TMDLs Completed List because a TMDL has been developed for the water body-pollutant combination. The TMDL has been approved by USEPA.

## Region 7: New River Volatile Organics/VOCs

---

<b>Water Body</b>	New River
<b>Stressor/Media/Beneficial Use</b>	Volatile Organics-VOCs/Water/MUN
<b>Data quality assessment. Extent to which data quality requirements met.</b>	N/A
<b>Linkage between measurement endpoint and beneficial use or standard</b>	N/A
<b>Utility of measure for judging if standards or uses are not attained</b>	N/A
<b>Water Body-specific Information</b>	N/A
<b>Data used to assess water quality</b>	Several specific VOCs have been recommended for the section 303(d) list. The general listing for VOCs is no longer necessary.
<b>Spatial representation</b>	N/A
<b>Temporal representation</b>	N/A
<b>Data type</b>	N/A
<b>Use of standard method</b>	N/A
<b>Potential Source(s) of Pollutant</b>	N/A
<b>Alternative Enforceable Program</b>	N/A
<b>RWQCB Recommendation</b>	Remove from the list.
<b>SWRCB Staff Recommendation</b>	Volatile Organics/VOCs should be removed from the section 303(d) list because several specific VOCs are proposed for the section 303(d) list.

## Region 7: Palo Verde Outfall Drain

### Pathogens (was bacteria)

---

<b>Water Body</b>	Palo Verde Outfall Drain
<b>Stressor/Media/Beneficial Use</b>	Pathogens (was bacteria)
<b>Data quality assessment. Extent to which data quality requirements met.</b>	N/A
<b>Linkage between measurement endpoint and beneficial use or standard</b>	N/A
<b>Utility of measure for judging if standards or uses are not attained</b>	N/A
<b>Water Body-specific Information</b>	N/A
<b>Data used to assess water quality</b>	N/A
<b>Spatial representation</b>	N/A
<b>Temporal representation</b>	N/A
<b>Data type</b>	N/A
<b>Use of standard method</b>	N/A
<b>Potential Source(s) of Pollutant</b>	Unknown.
<b>Alternative Enforceable Program</b>	
<b>RWQCB Recommendation</b>	Clarification.
<b>SWRCB Staff Recommendation</b>	Change pollutant description and source, and Alternative program description in Fact Sheet.

## Reference List for Region 7

### **Staff Report**

California Regional Water Quality Control Board. Colorado River Basin Region. 2001. Staff Report on the Proposed Update of Clean Water Act 303(d) List of Impaired Water Bodies within the Colorado River Basin Region. October 16, 2001.

### **Public Input**

In a letter dated February 28, 2001, the Regional Board staff solicited information from the public for updating its 303(d) List (see Attachment Two). The following agencies and persons submitted data in response to the letter:

U.S. Bureau of Reclamation (USBOR). Fax and E-mails with water quality data on the Colorado River above Imperial Dam and on the Brawley Wetlands Projects.

US Geological Survey. A hard copy from the USGS “Water Resources Data, Arizona, Water Year 1999” regarding water quality data on the Colorado River and tributaries to the Colorado River.

California Department of Pesticide Regulation. Letter referring the Regional Board staff to the Department’s Internet Databases that include water quality data on the region’s surface waters.

US Department of Agriculture, Forest Service. Letter reporting that Department is updating its water quality records

Big Bear Regional Wastewater Agency . Letter reporting water quality data on Big Bear Lake.

Metropolitan Water District of Southern California . Letter reporting water quality data on Lake Havasu.

George Bernath at EarthLink. E-mail reporting water quality data on the Piute Spring.

Page left blank intentionally.

# Regional Water Quality Control Board

## SANTA ANA REGION (8)



### SECTION 303 (d) LIST PROPOSALS

Page left blank intentionally.



## Region 8: Anaheim Bay

### Metals and Pesticides

---

<b>Water Body</b>	Anaheim Bay
<b>Stressor/Media/Beneficial Use</b>	Metals and organics/Tissue and Water/Fish Consumption, Human Health
<b>Data quality assessment. Extent to which data quality requirements met.</b>	QA used by CFCP, County.
<b>Linkage between measurement endpoint and beneficial use or standard</b>	MTRs from CFCP. WQOs for bacteria.
<b>Utility of measure for judging if standards or uses are not attained</b>	Measurement can be compared to numerical standard directly.
<b>Water Body-specific Information</b>	Data age = 1-4 Years.
<b>Data used to assess water quality</b>	Reviewed data from Coastal Fish Contamination Program (CFCP), Orange County PFRD. No exceedances for metals, endosulfans, 4 exceedances for pesticides. Concern was raised by RWQCB staff that because sample sizes are so small that these measurements do not represent water quality conditions in the Bay. While summarized in the record the actual data cannot be assessed to determine the spatial or temporal representation of the data.
<b>Spatial representation</b>	Targeted in waterbody. Locations unknown. The observations are few in number and, in this specific situation, the number of samples do not represent Bay conditions.
<b>Temporal representation</b>	1997-2001.
<b>Data type</b>	MTRs, WQOs are numeric.
<b>Use of standard method</b>	Standard analytical methods.
<b>Potential Source(s) of Pollutant</b>	Unknown.
<b>Alternative Enforceable Program</b>	None.
<b>RWQCB Recommendation</b>	More monitoring needed. Water Quality assessment underway.
<b>SWRCB Staff Recommendation</b>	<p>After reviewing the available data and information and the RWQCB documentation for this recommendation, SWRCB staff conclude that the water body should be placed on the Monitoring List because the data are inadequate to determine if applicable water quality standards are exceeded.</p> <p>This conclusion is based on the staff findings that:</p> <ol style="list-style-type: none"> <li>1. The data is considered to be of adequate quality.</li> <li>2. The data exhibited insufficient spatial and temporal coverage.</li> <li>3. Water quality standard used is applicable.</li> <li>4. The evaluation guideline used to interpret narrative water quality standards is adequate.</li> <li>5. Standard methods were used.</li> <li>6. Other water body- or site-specific information including the age of the data were considered.</li> </ol> <p>An inadequate number of the water quality measurements exceeded the</p>

## Region 8: Anaheim Bay Metals and Pesticides

---

water quality standard. The staff confidence that standards were exceeded is low.

## Region 8: Bolsa Chica Metals

---

<b>Water Body</b>	Bolsa Chica
<b>Stressor/Media/Beneficial Use</b>	Metals/Water/MAR, EST, REC-1
<b>Data quality assessment. Extent to which data quality requirements met.</b>	QA used for metals analyses by county.
<b>Linkage between measurement endpoint and beneficial use or standard</b>	WQOs for metals.
<b>Utility of measure for judging if standards or uses are not attained</b>	Measurement can be compared to numerical standard directly.
<b>Water Body-specific Information</b>	Not enough information is available.
<b>Data used to assess water quality</b>	<p>Orange County PFRD data for metals. For this assessment, it cannot be determined if standards are attained.</p> <p>Cadmium: 4 samples with 0 exceeding standards.            Chromium: 4 samples with 0 exceeding standards.            Copper: 4 samples with 4 exceeding standards.            Lead: 4 samples with 0 exceeding standards.            Nickel: 4 samples with 4 exceeding standards.            Zinc: 4 samples with 0 exceeding standards.</p> <p>Concern was raised by RWQCB staff that because sample sizes are so small that these measurements do not represent water quality conditions in Bolsa Chica. While summarized in the record the actual data cannot be assessed to determine the spatial or temporal representation of the data.</p> <p>Bolsa Chica State Beach Life Guard Station posted one time in three years. Other Bolsa Chica beaches not posted in the last three years.</p>
<b>Spatial representation</b>	Unknown.
<b>Temporal representation</b>	Unknown.
<b>Data type</b>	Data values are numeric.
<b>Use of standard method</b>	Standard analytical methods.
<b>Potential Source(s) of Pollutant</b>	Unknown.
<b>Alternative Enforceable Program</b>	None.
<b>RWQCB Recommendation</b>	More monitoring needed.
<b>SWRCB Staff Recommendation</b>	<p>After reviewing the available data and information and the RWQCB documentation for this recommendation, SWRCB staff conclude that the water body should be placed on the Monitoring List because the data are inadequate to determine if applicable water quality standards are exceeded.</p> <p>This conclusion is based on the staff findings that:</p> <ol style="list-style-type: none"> <li>1. The data is considered to be of adequate quality.</li> <li>2. The data exhibited insufficient spatial and temporal coverage.</li> </ol>

## Region 8: Bolsa Chica Metals

---

3. Water quality standards are applicable.
4. Data are numerical.
5. Standard methods were used.

An inadequate amount of water quality measurements are available to determine if water quality standards are exceeded.

## Region 8: Buck Gully Creek

### Total and Fecal coliform

---

<b>Water Body</b>	Buck Gully Creek
<b>Stressor/Media/Beneficial Use</b>	Total and Fecal coliform/Water/Beneficial uses not established in the Basin Plan for this water body but there are existing REC-1 and REC-2 beneficial uses downstream of Pacific Coast Highway.
<b>Data quality assessment. Extent to which data quality requirements met.</b>	QA used by county health agency.
<b>Linkage between measurement endpoint and beneficial use or standard</b>	No water quality standards established in the Basin Plan specifically for this water body. The guideline used by the RWQCB is appropriate for this type of water body.
<b>Utility of measure for judging if standards or uses are not attained</b>	Measurement can be compared to numerical guidelines or standards established for other water bodies.
<b>Water Body-specific Information</b>	Data age = 1-4 Years.
<b>Data used to assess water quality</b>	Violations of fecal coliform in 18/56 samples for guidelines related to REC-2 and 13/56 samples for guidelines related to REC-1.
<b>Spatial representation</b>	All samples collected from creek, unknown number of sites, 239 samples
<b>Temporal representation</b>	Data were collected between 1997 and 2001.
<b>Data type</b>	Numerical data.
<b>Use of standard method</b>	Standard bacteriological methods.
<b>Potential Source(s) of Pollutant</b>	Unknown.
<b>Alternative Enforceable Program</b>	None.
<b>RWQCB Recommendation</b>	List for total and fecal coliform.
<b>SWRCB Staff Recommendation</b>	<p>After reviewing the available data and information and the RWQCB documentation for this recommendation, SWRCB staff conclude that the water body should be placed on the section 303(d) list because an existing beneficial use is impacted and a pollutant contributes to or causes the problem. The water body should be listed for total and fecal coliform on the portion of the Creek downstream of Pacific Coast Highway.</p> <p>This conclusion is based on the staff findings that:</p> <ol style="list-style-type: none"> <li>1. The data is considered to be of adequate quality.</li> <li>2. The data exhibited sufficient temporal coverage.</li> <li>3. Beneficial uses have not been established but there is an existing use downstream of Pacific Coast Highway.</li> <li>4. The evaluation guideline is adequate.</li> <li>5. Data are numerical.</li> <li>6. Standard methods were used.</li> <li>7. Other water body- or site-specific information including the age of the data were considered.</li> </ol>

## Region 8: Buck Gully Creek

### Total and Fecal coliform

---

An adequate number of the water quality measurements showed impacts on an existing beneficial use. The staff confidence is high.

## Region 8: Canyon Lake-East Bay

### Sediment

---

<b>Water Body</b>	Canyon Lake-East Bay
<b>Stressor/Media/Beneficial Use</b>	Sediment/sediment/WARM/REC-1, REC-2
<b>Data quality assessment. Extent to which data quality requirements met.</b>	Suitt and Assoc. Report :QA used only for 1986 data, using standard geological methods for estimating water depth and sediment depth. 1997 information collected by non-standard method (fishfinder used by local resident) with no QA. UC Riverside 2nd Quarterly Report, 2001: QA used.
<b>Linkage between measurement endpoint and beneficial use or standard</b>	Unknown.
<b>Utility of measure for judging if standards or uses are not attained</b>	Unknown.
<b>Water Body-specific Information</b>	Water depth, water elevation and lake bottom elevation data collected in 1986. Water depth collected in 1997. Sediment traps used in 2001 study by UCR.
<b>Data used to assess water quality</b>	Unknown for data reported in Suitt and Assoc., due to use of non-standard method for collecting data used to estimate sediment accumulation. Sediment trap results from UCR 2001 quarterly report provide more quantitative information.
<b>Spatial representation</b>	5 sample locations.
<b>Temporal representation</b>	Calculations from Suitt and Assoc. 1986 and 1997. Study by UC Riverside in 2001.
<b>Data type</b>	Estimates of sedimentation rate.
<b>Use of standard method</b>	Suitt and Assoc. report: 1986 data only. UCR Report: quantitative sedimentation rates.
<b>Potential Source(s) of Pollutant</b>	Unknown.
<b>Alternative Enforceable Program</b>	Unknown.
<b>RWQCB Recommendation</b>	List for impairment of REC-1, REC-2, and WARM beneficial uses.
<b>SWRCB Staff Recommendation</b>	<p>After reviewing the available data and information and the RWQCB documentation for this recommendation, SWRCB staff conclude that the water body should not be placed on the section 303(d) list because applicable water quality standards are not exceeded.</p> <p>This conclusion is based on the staff findings that:</p> <ol style="list-style-type: none"> <li>1. The data is considered to be of adequate quality.</li> <li>2. The data exhibited sufficient spatial and temporal coverage.</li> <li>3. Water quality standard used is applicable.</li> <li>4. The evaluation guideline used to interpret narrative water quality standards is adequate.</li> <li>5. Data are numerical.</li> <li>6. Non-standard methods were used.</li> </ol>

## Region 8: Canyon Lake-East Bay Sediment

---

An adequate amount of the water quality measurements shows that the water quality standard is not exceeded.

Do not list for sedimentation. More recent data from UCR 2001 study indicates sedimentation rates not as large as estimated by earlier study. UCR analysis indicates that algae are the largest source of particulates. Canyon Lake is already listed for nutrients and studies for TMDL are underway.



## Region 8: Chino Creek, Reach 1 and Reach 2 Metals

---

<b>Water Body</b>	Chino Creek, Reach 1 and Reach 2
<b>Stressor/Media/Beneficial Use</b>	Metals/Water/REC-1, REC-2, WARM, WILD
<b>Data quality assessment. Extent to which data quality requirements met.</b>	QA used by county.
<b>Linkage between measurement endpoint and beneficial use or standard</b>	WQOs.
<b>Utility of measure for judging if standards or uses are not attained</b>	Measurement can be compared to numerical standard directly.
<b>Water Body-specific Information</b>	Insufficient data to make a determination.
<b>Data used to assess water quality</b>	Reviewed water quality data from Orange County Water District. The was insufficient data to make a determination that standards were exceeded. Of the 6 measurements of arsenic, copper, lead, and nickel, none exceeded any numerical standard.
<b>Spatial representation</b>	Insufficient data to make a determination.
<b>Temporal representation</b>	1997-2001.
<b>Data type</b>	Data are numeric values.
<b>Use of standard method</b>	Standard analytical methods.
<b>Potential Source(s) of Pollutant</b>	Unknown.
<b>Alternative Enforceable Program</b>	None.
<b>RWQCB Recommendation</b>	Insufficient data to make a determination. More monitoring needed.
<b>SWRCB Staff Recommendation</b>	<p>After reviewing the available data and information and the RWQCB documentation for this recommendation, SWRCB staff conclude that the water body should be placed on the Monitoring List because the data are inadequate to determine if applicable water quality standards are exceeded.</p> <p>This conclusion is based on the staff findings that:</p> <ol style="list-style-type: none"> <li>1. The data is considered to be of adequate quality.</li> <li>2. The data exhibited insufficient spatial and temporal coverage.</li> <li>3. Water quality standards are applicable.</li> <li>4. Data are numerical.</li> <li>5. Standard methods were used.</li> </ol> <p>An inadequate amount of water quality measurements are available to determine if water quality standards are exceeded.</p>

## Region 8: Cucamonga Creek, Mountain Reach Metals

---

<b>Water Body</b>	Cucamonga Creek, Mountain Reach
<b>Stressor/Media/Beneficial Use</b>	Metals/Water/MUN, REC-1, REC-2, WILD, COLD
<b>Data quality assessment. Extent to which data quality requirements met.</b>	QA used by county.
<b>Linkage between measurement endpoint and beneficial use or standard</b>	WQOs.
<b>Utility of measure for judging if standards or uses are not attained</b>	Measurement can be compared to numerical standard directly
<b>Water Body-specific Information</b>	Insufficient data to make a determination.
<b>Data used to assess water quality</b>	Reviewed water quality data from Orange County Water District. There were insufficient data to make a determination of water quality standards attainment. There were single measurements of cadmium, copper, lead, nickel, selenium, and zinc. No standards were exceeded in any of these measurements.
<b>Spatial representation</b>	Insufficient data to make a determination.
<b>Temporal representation</b>	1997-2001.
<b>Data type</b>	Data are numeric values.
<b>Use of standard method</b>	Standard analytical methods.
<b>Potential Source(s) of Pollutant</b>	Unknown.
<b>Alternative Enforceable Program</b>	None.
<b>RWQCB Recommendation</b>	Insufficient data to make a determination. More monitoring needed.
<b>SWRCB Staff Recommendation</b>	<p>After reviewing the available data and information and the RWQCB documentation for this recommendation, SWRCB staff conclude that the water body should be placed on the Monitoring List because the data are inadequate to determine if applicable water quality standards are exceeded.</p> <p>This conclusion is based on the staff findings that:</p> <ol style="list-style-type: none"> <li>1. The data is considered to be of adequate quality.</li> <li>2. The data exhibited insufficient spatial and temporal coverage.</li> <li>3. Water quality standards are applicable.</li> <li>4. Data are numerical.</li> <li>5. Standard methods were used.</li> </ol> <p>An inadequate amount of water quality measurements are available to determine if water quality standards are exceeded.</p>

## Region 8: Huntington Beach at Magnolia Street

### Enterococcus

---

<b>Water Body</b>	Huntington Beach at Magnolia Street
<b>Stressor/Media/Beneficial Use</b>	Enterococcus/Water/REC-1
<b>Data quality assessment. Extent to which data quality requirements met.</b>	QA used by county health agency.
<b>Linkage between measurement endpoint and beneficial use or standard</b>	Exceedances of single sample AB 411 standards may result in beach postings by Orange Count Health Care Agency. Bacterial water quality standards are linked to REC-1 beneficial use attainment.
<b>Utility of measure for judging if standards or uses are not attained</b>	Data can be compared directly to standards.
<b>Water Body-specific Information</b>	Data age = 1-4 Years. Data were collected during both wet and dry seasons.
<b>Data used to assess water quality</b>	109 samples exceeded standard out of a total of 712 samples.
<b>Spatial representation</b>	1 station. Sampling location represents 50 yards on either side of the sampling location.
<b>Temporal representation</b>	Data were collected between 1999 and August 2002.
<b>Data type</b>	Numerical data.
<b>Use of standard method</b>	Standard bacteriological methods.
<b>Potential Source(s) of Pollutant</b>	Unknown.
<b>Alternative Enforceable Program</b>	None.
<b>RWQCB Recommendation</b>	List for enterococcus.
<b>SWRCB Staff Recommendation</b>	<p>After reviewing the available data and information and the RWQCB documentation for this recommendation, SWRCB staff conclude that the water body should be placed on the section 303(d) list because applicable water quality standards are exceeded and a pollutant contributes to or causes the problem.</p> <p>This conclusion is based on the staff findings that:</p> <ol style="list-style-type: none"> <li>1. The data is considered to be of adequate quality.</li> <li>2. The data exhibited sufficient spatial and temporal coverage.</li> <li>3. Beneficial uses apply to the water body.</li> <li>4. Water quality standard used is applicable.</li> <li>5. Data are numerical.</li> <li>6. Standard methods were used.</li> <li>7. Other water body- or site-specific information including season and the age of the data were considered.</li> </ol> <p>An adequate number of the water quality measurements exceeded the water quality standard. The staff confidence that standards were exceeded is high.</p>

## Region 8: Huntington Harbour

### Metals and pesticides

---

<b>Water Body</b>	Huntington Harbour
<b>Stressor/Media/Beneficial Use</b>	Metals and pesticides/Water and Tissue/Fish consumption
<b>Data quality assessment. Extent to which data quality requirements met.</b>	QA used by county, Mussel Watch.
<b>Linkage between measurement endpoint and beneficial use or standard</b>	MTRs, WQOs.
<b>Utility of measure for judging if standards or uses are not attained</b>	Measurement can be compared to numerical guideline directly.
<b>Water Body-specific Information</b>	Data age = 1-4 Years.
<b>Data used to assess water quality</b>	<p>Reviewed the Orange County PFRD and State Mussel Watch Program.</p> <p>For this type of assessment, it cannot be determined if standards are attained. No exceedances for SMW data except dieldrin. Huntington Harbor already listed for pesticides. There were 4 measurements each of cadmium, chromium, copper, lead, nickel, and zinc. None of these measurements exceeded applicable standards except nickel. The sample size was considered by RWQCB staff to be too small to be representative of water quality conditions in the Harbour.</p>
<b>Spatial representation</b>	Targeted in waterbody.
<b>Temporal representation</b>	Data were collected between 1997 and 2001.
<b>Data type</b>	MTRs, WQOs are numeric.
<b>Use of standard method</b>	Standard analytical methods.
<b>Potential Source(s) of Pollutant</b>	Unknown.
<b>Alternative Enforceable Program</b>	None.
<b>RWQCB Recommendation</b>	More monitoring needed.
<b>SWRCB Staff Recommendation</b>	<p>After reviewing the available data and information and the RWQCB documentation for this recommendation, SWRCB staff conclude that the water body should be placed on the Monitoring List because the data are inadequate to determine if applicable water quality standards are exceeded.</p> <p>This conclusion is based on the staff findings that:</p> <ol style="list-style-type: none"> <li>1. The data is considered to be of adequate quality.</li> <li>2. The data exhibited insufficient spatial coverage.</li> <li>3. Water quality standards are applicable.</li> <li>4. Data are numerical.</li> <li>5. Standard methods were used.</li> </ol> <p>An inadequate amount of water quality measurements are available to determine if water quality standards are exceeded.</p>

## Region 8: Huntington Harbour

### Caulerpa taxifolia

---

<b>Water Body</b>	Huntington Harbour
<b>Stressor/Media/Beneficial Use</b>	Caulerpa taxifolia (an invasive marine algae)/Water/Aquatic Life
<b>Data quality assessment. Extent to which data quality requirements met.</b>	The information used to develop this listing is taken from two summary documents developed by the National Marine Fisheries Service.
<b>Linkage between measurement endpoint and beneficial use or standard</b>	The Basin Plan contains narrative water quality objectives for the protection of bay and estuarine communities and populations of vertebrate, invertebrate, and plant species.
<b>Utility of measure for judging if standards or uses are not attained</b>	In areas where the Caulerpa has become well established, it has caused ecological and economic devastation by overgrowing and eliminating native seaweeds, seagrasses, and other communities. In the Mediterranean, it is reported to have harmed tourism and pleasure boating, devastated recreational diving, and had a costly impact on commercial fishing both by altering the distribution of fish as well as creating a considerable impediment to net fisheries. The dense carpet that this species can form on the bottom could inhibit the establishment of juveniles of many reef species, and its establishment offshore could seriously impact sport and commercial fisheries and navigation through quarantine restrictions to prevent the spread of this species.
<b>Water Body-specific Information</b>	This algae poses a substantial threat to marine ecosystems to Southern California, particularly to the extensive eelgrass meadows and other benthic environments that make coastal waters such a rich and productive environment for fish and birds. The eelgrass beds and other coastal resources that could be directly impacted by an invasion of Caulerpa are part of a food web that is critical to the survival of numerous native marine species including the commercially and recreationally important spiny lobster, California halibut, and sand basses.
<b>Data used to assess water quality</b>	The discovery of this species in southern California, recently reported in the journal Nature to be genetically identical to the strain in the Mediterranean, confirms that it nevertheless continues to invade marine ecosystems, such as the ecologically rich eelgrass beds that thrive in many of our coastal lagoons. It is likely that the algae was released from an aquarium at the locations in California where it has been discovered, a practice banned under California law. As of September 24, 2001 when Governor Gray Davis signed into law Assembly Bill 1334, it is now unlawful to sell, import, transport, transfer, or possess C. taxifolia and a number of look-alike species and other invasive Caulerpa species.
<b>Spatial representation</b>	The infestation of Huntington Harbour and Agua Hedionda are the first know infestations along the Pacific Coast of North America.
<b>Temporal representation</b>	Caulerpa was found in Huntington Harbour in August 2000. It is probable that Caulerpa has been present since 1996.
<b>Data type</b>	The information used was not numerical.
<b>Use of standard method</b>	N/A

## Region 8: Huntington Harbour Caulerpa taxifolia

---

<b>Potential Source(s) of Pollutant</b>	It is likely that the algae was released from an aquarium near the Harbour. This practice is now banned by State law (AB 1334 (2001)).
<b>Alternative Enforceable Program</b>	RWQCB staff is coordinating efforts to define the spatial extent of the infestation, working with other agencies and interested parties to confine the infestation, examining available technologies for Caulerpa removal potential and educating the public as to its source and impact to the harbor.
<b>RWQCB Recommendation</b>	Use existing activities to prevent and eradicate Caulerpa taxifolia.
<b>SWRCB Staff Recommendation</b>	After reviewing the available data and information and the RWQCB documentation for this recommendation, SWRCB staff conclude that the water body should not be placed on the section 303(d) list because a pollutant does not contribute to or causes the problem.

## Region 8: Lake Forest

### Temperature, clarity, and dissolved oxygen

---

<b>Water Body</b>	Lake Forest
<b>Stressor/Media/Beneficial Use</b>	Temperature, clarity, and dissolved oxygen/Water/There are existing aquatic life beneficial uses.
<b>Data quality assessment. Extent to which data quality requirements met.</b>	The information provided for this water body was narrative descriptions of the types of water quality factors that can impact water quality (such as water clarity, aquatic vegetation growth, and fish kills).
<b>Linkage between measurement endpoint and beneficial use or standard</b>	No water quality standards are established for this water body.
<b>Utility of measure for judging if standards or uses are not attained</b>	No measurements or observations were provided.
<b>Water Body-specific Information</b>	A description of the Lake and the characteristics of the Lake that could be influenced by runoff or other sources of pollutants is provided.
<b>Data used to assess water quality</b>	No data or visual observations from the Lake were provided. The information provided is a descriptive summary of the characteristics
<b>Spatial representation</b>	No water quality measurements provided.
<b>Temporal representation</b>	No water quality measurements provided.
<b>Data type</b>	Non-numerical information.
<b>Use of standard method</b>	N/A
<b>Potential Source(s) of Pollutant</b>	Runoff.
<b>Alternative Enforceable Program</b>	
<b>RWQCB Recommendation</b>	Basin Plan water quality objectives are met. Do not list.
<b>SWRCB Staff Recommendation</b>	After reviewing the available data and information and the RWQCB documentation for this recommendation, SWRCB staff conclude that the water body should not be placed on the section 303(d) list because applicable water quality standards are not exceeded. No data were provided that indicate standards are not met or existing beneficial uses are impacted.

## Region 8: Little Corona Beach

### Bacteria

---

<b>Water Body</b>	Little Corona Beach																									
<b>Stressor/Media/Beneficial Use</b>	Bacteria/Water/MUN, REC-1, REC-2																									
<b>Data quality assessment. Extent to which data quality requirements met.</b>	QA used by county health agency.																									
<b>Linkage between measurement endpoint and beneficial use or standard</b>	3 WQOs for total coliform (MUN) and fecal coliform (REC-1, REC-2).																									
<b>Utility of measure for judging if standards or uses are not attained</b>	Measurement can be compared to numerical AB 411 standards directly.																									
<b>Water Body-specific Information</b>																										
<b>Data used to assess water quality</b>	The following is a summary of the single sample exceedances for total coliform, fecal coliform, and enterococcus.																									
	<table border="0"> <tr> <td></td> <td colspan="4" style="text-align: center;">Measurements exceeding/total measurements</td> </tr> <tr> <td>Year</td> <td style="text-align: center;">1999</td> <td style="text-align: center;">2000</td> <td style="text-align: center;">2001</td> <td style="text-align: center;">2002</td> </tr> <tr> <td>Total</td> <td style="text-align: center;">0/40</td> <td style="text-align: center;">0/40</td> <td style="text-align: center;">1/53</td> <td style="text-align: center;">2/33</td> </tr> <tr> <td>Fecal</td> <td style="text-align: center;">1/40</td> <td style="text-align: center;">1/40</td> <td style="text-align: center;">1/53</td> <td style="text-align: center;">2/33</td> </tr> <tr> <td>Enterococcus</td> <td style="text-align: center;">3/40</td> <td style="text-align: center;">3/40</td> <td style="text-align: center;">6/53</td> <td style="text-align: center;">4/33</td> </tr> </table>		Measurements exceeding/total measurements				Year	1999	2000	2001	2002	Total	0/40	0/40	1/53	2/33	Fecal	1/40	1/40	1/53	2/33	Enterococcus	3/40	3/40	6/53	4/33
	Measurements exceeding/total measurements																									
Year	1999	2000	2001	2002																						
Total	0/40	0/40	1/53	2/33																						
Fecal	1/40	1/40	1/53	2/33																						
Enterococcus	3/40	3/40	6/53	4/33																						
<b>Spatial representation</b>	One site.																									
<b>Temporal representation</b>	Data were collected between 10/27/1999 and 7/4/2001.																									
<b>Data type</b>	3 WQOs for total coliform, fecal coliform, and enterococcus for MUN, REC-1, REC-2																									
<b>Use of standard method</b>	Standard bacteriological methods.																									
<b>Potential Source(s) of Pollutant</b>	Unknown.																									
<b>Alternative Enforceable Program</b>	None.																									
<b>RWQCB Recommendation</b>	Insufficient data to make a determination. Place on high priority for monitoring.																									
<b>SWRCB Staff Recommendation</b>	<p>After reviewing the available data and information and the RWQCB documentation for this recommendation, SWRCB staff conclude that the water body should not be placed on the section 303(d) list because applicable water quality standards are not exceeded. The water body will be removed from the Monitoring List.</p> <p>This conclusion is based on the staff findings that:</p> <ol style="list-style-type: none"> <li>1. The data is considered to be of adequate quality.</li> <li>2. The data exhibited sufficient spatial and temporal coverage.</li> <li>3. Beneficial uses apply to the water body.</li> <li>4. Water quality standard used is applicable.</li> <li>5. Data are numerical.</li> <li>6. Standard methods were used.</li> </ol> <p>An adequate number of the water quality measurements exceeded the water</p>																									



## Region 8: Little Corona Beach Bacteria

---

quality standard. The staff confidence that standards were exceeded is extremely moderate.

## Region 8: Los Trancos Creek

### Total and Fecal coliform

---

<b>Water Body</b>	Los Trancos Creek
<b>Stressor/Media/Beneficial Use</b>	Total and Fecal coliform/Water/Beneficial uses not established in the Basin Plan for this water body but there are existing REC-1 and REC-2 beneficial uses downstream of Pacific Coast Highway.
<b>Data quality assessment. Extent to which data quality requirements met.</b>	QA used by county health agency.
<b>Linkage between measurement endpoint and beneficial use or standard</b>	No water quality standards established in the Basin Plan specifically for this water body. The guideline used by the RWQCB is appropriate for this type of water body.
<b>Utility of measure for judging if standards or uses are not attained</b>	Measurement can be compared to numerical guidelines or standards established for other water bodies.
<b>Water Body-specific Information</b>	Data age = 1-4 Years.
<b>Data used to assess water quality</b>	Over 450 violations of guidelines for total and fecal coliform.
<b>Spatial representation</b>	All samples collected from creek, at least 4 sample sites, approximately 500 samples.
<b>Temporal representation</b>	The data were collected between 1997 and 2001.
<b>Data type</b>	Numerical data.
<b>Use of standard method</b>	Standard bacteriological methods.
<b>Potential Source(s) of Pollutant</b>	Unknown.
<b>Alternative Enforceable Program</b>	The Irvine Company is committed to diverting dry weather flows of the Creek. The problem is likely to only exist during the wet season.
<b>RWQCB Recommendation</b>	List for total and fecal coliform.
<b>SWRCB Staff Recommendation</b>	<p>After reviewing the available data and information and the RWQCB documentation for this recommendation, SWRCB staff conclude that the water body should be placed on the section 303(d) list because an existing beneficial use is impacted and a pollutant contributes to or causes the problem. List for total and fecal coliform on the portion of the Creek downstream of Pacific Coast Highway during the wet season.</p> <p>This conclusion is based on the staff findings that:</p> <ol style="list-style-type: none"> <li>1. The data is considered to be of adequate quality.</li> <li>2. The data exhibited sufficient spatial and temporal coverage.</li> <li>3. Beneficial uses have not been established for the water body but there is an existing beneficial use downstream of the Pacific Coast Highway .</li> <li>4. A water quality standard is not established.</li> <li>5. The evaluation guideline used is adequate.</li> <li>6. Data are numerical.</li> <li>7. Standard methods were used.</li> <li>8. Other water body- or site-specific information including the season and</li> </ol>

## Region 8: Los Trancos Creek

### Total and Fecal coliform

---

age of the data were considered.

Most of the water quality measurements indicate the beneficial use is impacted. The staff confidence is high.

## Region 8: Mill Creek (Prado Area)

### Metals

---

<b>Water Body</b>	Mill Creek (Prado Area)
<b>Stressor/Media/Beneficial Use</b>	Metals/Water/various beneficial uses
<b>Data quality assessment. Extent to which data quality requirements met.</b>	Reviewed water quality data from Orange County Water District. QA used by county.
<b>Linkage between measurement endpoint and beneficial use or standard</b>	WQOs.
<b>Utility of measure for judging if standards or uses are not attained</b>	Measurement can be compared to numerical standard directly.
<b>Water Body-specific Information</b>	
<b>Data used to assess water quality</b>	Antimony: 8 samples, with 0 exceeding. Copper: 8 samples with 0 exceeding. Mercury: 8 samples with 0 exceeding. Nickel: 8 samples with 0 exceeding.
<b>Spatial representation</b>	Insufficient data to make a determination.
<b>Temporal representation</b>	1997-2001.
<b>Data type</b>	Data are numeric values.
<b>Use of standard method</b>	Standard analytical methods.
<b>Potential Source(s) of Pollutant</b>	Unknown.
<b>Alternative Enforceable Program</b>	
<b>RWQCB Recommendation</b>	Insufficient data to make a determination. More monitoring needed.
<b>SWRCB Staff Recommendation</b>	<p>After reviewing the available data and information and the RWQCB documentation for this recommendation, SWRCB staff conclude that the water body should be placed on the Monitoring List because the data are inadequate to determine if applicable water quality standards are exceeded.</p> <p>This conclusion is based on the staff findings that:</p> <ol style="list-style-type: none"><li>1. The data is considered to be of adequate, inadequate quality.</li><li>2. The data exhibited insufficient spatial and temporal coverage.</li></ol> <p>An inadequate amount of the water quality measurements were available to assess if the water quality standard was exceeded.</p>

## Region 8: Muddy Creek

### Total and Fecal coliform

---

<b>Water Body</b>	Muddy Creek
<b>Stressor/Media/Beneficial Use</b>	Total and Fecal coliform/Water/Beneficial uses are not established in the Basin Plan for this water body.
<b>Data quality assessment. Extent to which data quality requirements met.</b>	QA used by county health agency.
<b>Linkage between measurement endpoint and beneficial use or standard</b>	No water quality objectives are established in the Basin Plan specifically for this water body.
<b>Utility of measure for judging if standards or uses are not attained</b>	Measurement can be compared to numerical guidelines or standards established for other water bodies.
<b>Water Body-specific Information</b>	Data age = 1-4 Years.
<b>Data used to assess water quality</b>	77/110 samples exceeded the total coliform guideline related to MUN. 16/53 samples exceeded the fecal coliform guideline related to REC-2. 11/54 samples exceeded the fecal coliform guideline related to REC-1.
<b>Spatial representation</b>	Samples collected in creek or creek mouth.
<b>Temporal representation</b>	Data were collected between 1997 and 2001.
<b>Data type</b>	Numerical data.
<b>Use of standard method</b>	Standard bacteriological methods.
<b>Potential Source(s) of Pollutant</b>	Unknown.
<b>Alternative Enforceable Program</b>	None.
<b>RWQCB Recommendation</b>	List for total and fecal coliform.
<b>SWRCB Staff Recommendation</b>	<p>After reviewing the available data and information and the RWQCB documentation for this recommendation, SWRCB staff conclude that the water body should not be placed on the section 303(d) list because there are no applicable beneficial uses and water quality standards. There is also no evidence of an existing beneficial use.</p> <p>This conclusion is based on the staff findings that:</p> <ol style="list-style-type: none"> <li>1. Beneficial uses have not been established and do not apply to the water body.</li> <li>2. Water quality standards are not established.</li> </ol> <p>RWQCB should consider adoption of beneficial uses and water quality objectives for this water body.</p>

## Region 8: Newport Bay

### DDT, Mercury and endosulfans

---

<b>Water Body</b>	Newport Bay
<b>Stressor/Media/Beneficial Use</b>	DDT, Mercury and endosulfans/tissue/Fish consumption
<b>Data quality assessment. Extent to which data quality requirements met.</b>	QA used by CFCP.
<b>Linkage between measurement endpoint and beneficial use or standard</b>	MTRLS.
<b>Utility of measure for judging if standards or uses are not attained</b>	Measurement can be compared to numerical standard directly.
<b>Water Body-specific Information</b>	Data age = 1-4 Years.
<b>Data used to assess water quality</b>	Reviewed data from Coastal Fish Contamination Program. No exceedances for mercury, endosulfan. 11/19 fish tissue samples exceeded MTRL for DDT. Already listed for pesticides.
<b>Spatial representation</b>	5 sampling locations.
<b>Temporal representation</b>	1997-2001.
<b>Data type</b>	MTRLS are numeric.
<b>Use of standard method</b>	Standard analytical methods.
<b>Potential Source(s) of Pollutant</b>	Unknown.
<b>Alternative Enforceable Program</b>	None.
<b>RWQCB Recommendation</b>	More monitoring needed.
<b>SWRCB Staff Recommendation</b>	<p>After reviewing the available data and information and the RWQCB documentation for this recommendation, SWRCB staff conclude that the water body is already on the section 303(d) list because applicable water quality standards are exceeded and a pollutant contributes to or causes the problem.</p> <p>This conclusion is based on the staff findings that:</p> <ol style="list-style-type: none"> <li>1. The data is considered to be of adequate quality.</li> <li>2. The data exhibited sufficient spatial and temporal coverage.</li> <li>3. The evaluation guideline used to interpret narrative water quality standards is adequate.</li> <li>4. Data are numerical.</li> <li>5. Standard methods were used.</li> <li>6. Other water body- or site-specific information including the age of the data were considered.</li> </ol> <p>Most of the water quality measurements exceeded the water quality standard, but the water body is already listed for pesticides. The staff confidence that standards were exceeded is high.</p>

## Region 8: Newport Bay, Lower (was Lower Newport Bay)

### Fecal coliform

---

<b>Water Body</b>	Newport Bay, Lower (was Lower Newport Bay)
<b>Stressor/Media/Beneficial Use</b>	Fecal coliform/Water/MUN, REC-1, REC-2.
<b>Data quality assessment. Extent to which data quality requirements met.</b>	N/A
<b>Linkage between measurement endpoint and beneficial use or standard</b>	N/A
<b>Utility of measure for judging if standards or uses are not attained</b>	N/A
<b>Water Body-specific Information</b>	N/A
<b>Data used to assess water quality</b>	N/A
<b>Spatial representation</b>	N/A
<b>Temporal representation</b>	N/A
<b>Data type</b>	N/A
<b>Use of standard method</b>	N/A
<b>Potential Source(s) of Pollutant</b>	N/A
<b>Alternative Enforceable Program</b>	N/A
<b>RWQCB Recommendation</b>	Delist because TMDL has been incorporated into Basin plan, and has been approved by USEPA.
<b>SWRCB Staff Recommendation</b>	<p>After reviewing the available data and information and the RWQCB documentation for this recommendation, SWRCB staff conclude that the water body should be placed on the TMDLs Completed List because a TMDL has been developed for the water body-pollutant combination.</p> <p>This conclusion is based on the staff findings that the TMDL has been completed, has been incorporated into Basin Plan, and has been approved by USEPA.</p>

## Region 8: Newport Bay, Lower (was Lower Newport Bay)

### Siltation

---

<b>Water Body</b>	Newport Bay, Lower (was Lower Newport Bay)
<b>Stressor/Media/Beneficial Use</b>	Siltation/Water/Aquatic Life
<b>Data quality assessment. Extent to which data quality requirements met.</b>	N/A
<b>Linkage between measurement endpoint and beneficial use or standard</b>	N/A
<b>Utility of measure for judging if standards or uses are not attained</b>	N/A
<b>Water Body-specific Information</b>	N/A
<b>Data used to assess water quality</b>	N/A
<b>Spatial representation</b>	N/A
<b>Temporal representation</b>	N/A
<b>Data type</b>	N/A
<b>Use of standard method</b>	N/A
<b>Potential Source(s) of Pollutant</b>	N/A
<b>Alternative Enforceable Program</b>	N/A
<b>RWQCB Recommendation</b>	Delist because TMDL has been incorporated into Basin plan, and has been approved by USEPA.
<b>SWRCB Staff Recommendation</b>	<p>After reviewing the available data and information and the RWQCB documentation for this recommendation, SWRCB staff conclude that the water body should be placed on the TMDLs Completed List because a TMDL has been developed for the water body-pollutant combination.</p> <p>This conclusion is based on the staff findings that the TMDL has been completed, has been incorporated into Basin Plan, and has been approved by USEPA.</p>



## Region 8: Newport Bay, Lower (was Lower Newport Bay) Priority Organics

---

<b>Water Body</b>	Newport Bay, Lower (was Lower Newport Bay)
<b>Stressor/Media/Beneficial Use</b>	Priority Organics/Water/Aquatic Life
<b>Data quality assessment. Extent to which data quality requirements met.</b>	N/A
<b>Linkage between measurement endpoint and beneficial use or standard</b>	N/A
<b>Utility of measure for judging if standards or uses are not attained</b>	N/A
<b>Water Body-specific Information</b>	USEPA has approved a TMDL for this water body-pollutant combination.
<b>Data used to assess water quality</b>	N/A
<b>Spatial representation</b>	N/A
<b>Temporal representation</b>	N/A
<b>Data type</b>	N/A
<b>Use of standard method</b>	N/A
<b>Potential Source(s) of Pollutant</b>	N/A
<b>Alternative Enforceable Program</b>	N/A
<b>RWQCB Recommendation</b>	None.
<b>SWRCB Staff Recommendation</b>	After reviewing the available data and information and the RWQCB documentation for this recommendation, SWRCB staff conclude that the water body should not be placed on the TMDLs Completed List because a plan to implement the TMDL has not been adopted or approved even though the TMDL has been approved by USEPA.

## Region 8: Newport Bay, Lower (was Lower Newport Bay) Metals

---

<b>Water Body</b>	Newport Bay, Lower (was Lower Newport Bay)
<b>Stressor/Media/Beneficial Use</b>	Metals/Water/Aquatic Life
<b>Data quality assessment. Extent to which data quality requirements met.</b>	N/A
<b>Linkage between measurement endpoint and beneficial use or standard</b>	N/A
<b>Utility of measure for judging if standards or uses are not attained</b>	N/A
<b>Water Body-specific Information</b>	USEPA has approved a TMDL for this water body-pollutant combination.
<b>Data used to assess water quality</b>	N/A
<b>Spatial representation</b>	N/A
<b>Temporal representation</b>	N/A
<b>Data type</b>	N/A
<b>Use of standard method</b>	N/A
<b>Potential Source(s) of Pollutant</b>	N/A
<b>Alternative Enforceable Program</b>	N/A
<b>RWQCB Recommendation</b>	None.
<b>SWRCB Staff Recommendation</b>	After reviewing the available data and information and the RWQCB documentation for this recommendation, SWRCB staff conclude that the water body should not be placed on the TMDLs Completed List because a plan to implement the TMDL has not been adopted or approved even though the TMDL has been approved by USEPA.

## Region 8: Newport Bay, Lower (was Lower Newport Bay) Nutrients

---

<b>Water Body</b>	Newport Bay, Lower (was Lower Newport Bay)
<b>Stressor/Media/Beneficial Use</b>	Nutrients/Water/Aquatic Life
<b>Data quality assessment. Extent to which data quality requirements met.</b>	N/A
<b>Linkage between measurement endpoint and beneficial use or standard</b>	N/A
<b>Utility of measure for judging if standards or uses are not attained</b>	N/A
<b>Water Body-specific Information</b>	N/A
<b>Data used to assess water quality</b>	N/A
<b>Spatial representation</b>	N/A
<b>Temporal representation</b>	N/A
<b>Data type</b>	N/A
<b>Use of standard method</b>	N/A
<b>Potential Source(s) of Pollutant</b>	N/A
<b>Alternative Enforceable Program</b>	N/A
<b>RWQCB Recommendation</b>	Delist because TMDL has been incorporated into Basin plan, and has been approved by USEPA.
<b>SWRCB Staff Recommendation</b>	<p>After reviewing the available data and information and the RWQCB documentation for this recommendation, SWRCB staff conclude that the water body should be placed on the TMDLs Completed List because a TMDL has been developed for the water body-pollutant combination.</p> <p>This conclusion is based on the staff findings that the TMDL has been completed, has been incorporated into Basin Plan, and has been approved by USEPA.</p>

## Region 8: Newport Bay, Lower (was Lower Newport Bay) Pesticides

---

<b>Water Body</b>	Newport Bay, Lower (was Lower Newport Bay)
<b>Stressor/Media/Beneficial Use</b>	Pesticides/Water/Aquatic Life
<b>Data quality assessment. Extent to which data quality requirements met.</b>	N/A
<b>Linkage between measurement endpoint and beneficial use or standard</b>	N/A
<b>Utility of measure for judging if standards or uses are not attained</b>	N/A
<b>Water Body-specific Information</b>	USEPA has approved a TMDL for this water body-pollutant combination.
<b>Data used to assess water quality</b>	N/A
<b>Spatial representation</b>	N/A
<b>Temporal representation</b>	N/A
<b>Data type</b>	N/A
<b>Use of standard method</b>	N/A
<b>Potential Source(s) of Pollutant</b>	N/A
<b>Alternative Enforceable Program</b>	N/A
<b>RWQCB Recommendation</b>	None.
<b>SWRCB Staff Recommendation</b>	After reviewing the available data and information and the RWQCB documentation for this recommendation, SWRCB staff conclude that the water body should not be placed on the TMDLs Completed List because a plan to implement the TMDL has not been adopted or approved even though the TMDL has been approved by USEPA.

Region 8: Newport Bay, Upper (was Upper Newport Bay)  
 Fecal coliform

---

<b>Water Body</b>	Newport Bay, Upper (was Upper Newport Bay)
<b>Stressor/Media/Beneficial Use</b>	Fecal coliform/Water/REC-1, REC-2
<b>Data quality assessment. Extent to which data quality requirements met.</b>	N/A
<b>Linkage between measurement endpoint and beneficial use or standard</b>	N/A
<b>Utility of measure for judging if standards or uses are not attained</b>	N/A
<b>Water Body-specific Information</b>	N/A
<b>Data used to assess water quality</b>	N/A
<b>Spatial representation</b>	N/A
<b>Temporal representation</b>	N/A
<b>Data type</b>	N/A
<b>Use of standard method</b>	N/A
<b>Potential Source(s) of Pollutant</b>	N/A
<b>Alternative Enforceable Program</b>	N/A
<b>RWQCB Recommendation</b>	Delist because TMDL has been incorporated into Basin plan, and has been approved by USEPA.
<b>SWRCB Staff Recommendation</b>	After reviewing the available data and information and the RWQCB documentation for this recommendation, SWRCB staff conclude that the water body should be placed on the TMDLs Completed List because a TMDL has been developed for the water body-pollutant combination. The TMDL has been incorporated into Basin Plan and has been approved by USEPA.

## Region 8: Newport Bay, Upper (was Upper Newport Bay)

### Siltation

---

<b>Water Body</b>	Newport Bay, Upper (was Upper Newport Bay)
<b>Stressor/Media/Beneficial Use</b>	Siltation/Water/Aquatic Life
<b>Data quality assessment. Extent to which data quality requirements met.</b>	N/A
<b>Linkage between measurement endpoint and beneficial use or standard</b>	N/A
<b>Utility of measure for judging if standards or uses are not attained</b>	N/A
<b>Water Body-specific Information</b>	N/A
<b>Data used to assess water quality</b>	N/A
<b>Spatial representation</b>	N/A
<b>Temporal representation</b>	N/A
<b>Data type</b>	N/A
<b>Use of standard method</b>	N/A
<b>Potential Source(s) of Pollutant</b>	N/A
<b>Alternative Enforceable Program</b>	N/A
<b>RWQCB Recommendation</b>	Delist because TMDL has been incorporated into Basin Plan, and has been approved by USEPA.
<b>SWRCB Staff Recommendation</b>	After reviewing the available data and information and the RWQCB documentation for this recommendation, SWRCB staff conclude that the water body should be placed on the TMDLs Completed List because a TMDL has been developed for the water body-pollutant combination. The TMDL has been incorporated into Basin Plan and has been approved by USEPA.

## Region 8: Newport Bay, Upper (was Upper Newport Bay) Nutrients

---

<b>Water Body</b>	Newport Bay, Upper (was Upper Newport Bay)
<b>Stressor/Media/Beneficial Use</b>	Nutrients/Water/Aquatic Life
<b>Data quality assessment. Extent to which data quality requirements met.</b>	N/A
<b>Linkage between measurement endpoint and beneficial use or standard</b>	N/A
<b>Utility of measure for judging if standards or uses are not attained</b>	N/A
<b>Water Body-specific Information</b>	N/A
<b>Data used to assess water quality</b>	N/A
<b>Spatial representation</b>	N/A
<b>Temporal representation</b>	N/A
<b>Data type</b>	N/A
<b>Use of standard method</b>	N/A
<b>Potential Source(s) of Pollutant</b>	N/A
<b>Alternative Enforceable Program</b>	N/A
<b>RWQCB Recommendation</b>	Delist because TMDL has been incorporated into Basin plan, and has been approved by USEPA.
<b>SWRCB Staff Recommendation</b>	After reviewing the available data and information and the RWQCB documentation for this recommendation, SWRCB staff conclude that the water body should be placed on the TMDLs Completed List because a TMDL has been developed for the water body-pollutant combination. The TMDL has been incorporated into Basin Plan and has been approved by USEPA.

## Region 8: Newport Bay, Upper (was Upper Newport Bay)

### Trash

---

<b>Water Body</b>	Newport Bay, Upper (was Upper Newport Bay)								
<b>Stressor/Media/Beneficial Use</b>	Trash/Water/Human-related: REC-2; Aquatic Life: WILD, RARE, EST, MAR								
<b>Data quality assessment. Extent to which data quality requirements met.</b>	No quality assurance information was provided.								
<b>Linkage between measurement endpoint and beneficial use or standard</b>	The narrative water quality objectives to prevent solids from causing nuisance or adversely affecting beneficial uses.								
<b>Utility of measure for judging if standards or uses are not attained</b>	Photographs can indicate gross impacts on beneficial uses and whether standards have been exceeded. Measurements of the amounts of trash can provide a relative measure of the potential for nuisance.								
<b>Water Body-specific Information</b>	Photographs appear to be taken on at least one occasion.								
<b>Data used to assess water quality</b>	<p>Cleanup crews have documented trash in Newport Bay. Large amounts of trash were collected in Upper Newport Bay as follows:</p> <table><thead><tr><th>Year</th><th>Amount (pounds)</th></tr></thead><tbody><tr><td>1999</td><td>53,500</td></tr><tr><td>2000</td><td>46,500</td></tr><tr><td>2001</td><td>42,900</td></tr></tbody></table> <p>Twelve photographs were submitted depicting several locations in Newport Bay with trash scattered in several intertidal locations. The trash included plastic bottles, styrofoam cups, paper wrappers, wood debris, aluminum cans, plastic pipes, personal floatation device, and other unidentifiable debris.</p>	Year	Amount (pounds)	1999	53,500	2000	46,500	2001	42,900
Year	Amount (pounds)								
1999	53,500								
2000	46,500								
2001	42,900								
<b>Spatial representation</b>	The photographs were taken at 11 locations in Upper Newport Bay. The locations cover a number of widely scattered stations.								
<b>Temporal representation</b>	It cannot be determined when the photographs were taken.								
<b>Data type</b>	The photographs are qualitative information. Data on trash collections from the Upper Newport Bay are numerical.								
<b>Use of standard method</b>	Documentation methods are not described.								
<b>Potential Source(s) of Pollutant</b>	Trash can enter the Bay from urban runoff or by being blown directly into the water body.								
<b>Alternative Enforceable Program</b>	The North/Central Orange County Areawide Urban Stormwater Runoff Permit, Order No. R8-2002-0010 issued to Orange County and its incorporated cities has enforceable provisions in place to address litter, debris and trash in this water body.								
<b>RWQCB Recommendation</b>	Use the provisions of the storm water permit to correct the trash problem in Upper Newport Bay.								
<b>SWRCB Staff Recommendation</b>	After reviewing the available data and information and the RWQCB								



## Region 8: Newport Bay, Upper (was Upper Newport Bay) Trash

---

documentation for this recommendation, SWRCB staff conclude that the water body should be placed on the Monitoring List because the data are inadequate to determine if applicable water quality standards are exceeded.

This conclusion is based on the staff findings that:

1. The data is considered to be of unknown quality.
2. The data exhibited sufficient spatial and unknown temporal coverage.
3. Water quality standard used is applicable.
4. Data are both numerical and not numerical.
5. Cannot tell if standard methods were used.
6. Other water body- or site-specific information including the effects of season, storm events, and age of the data were not considered.

An inadequate amount of the measurements exceeded the water quality standard. The staff confidence that standards were exceeded is low.

## Region 8: Newport Bay, Upper Ecological Reserve (was Upper Newport Bay + Pesticides)

---

<b>Water Body</b>	Newport Bay, Upper Ecological Reserve (was Upper Newport Bay Ecological Reserve)
<b>Stressor/Media/Beneficial Use</b>	Pesticides/Water/Aquatic Life
<b>Data quality assessment. Extent to which data quality requirements met.</b>	N/A
<b>Linkage between measurement endpoint and beneficial use or standard</b>	N/A
<b>Utility of measure for judging if standards or uses are not attained</b>	N/A
<b>Water Body-specific Information</b>	USEPA has approved a TMDL for this water body-pollutant combination.
<b>Data used to assess water quality</b>	N/A
<b>Spatial representation</b>	N/A
<b>Temporal representation</b>	N/A
<b>Data type</b>	N/A
<b>Use of standard method</b>	N/A
<b>Potential Source(s) of Pollutant</b>	N/A
<b>Alternative Enforceable Program</b>	N/A
<b>RWQCB Recommendation</b>	None.
<b>SWRCB Staff Recommendation</b>	After reviewing the available data and information and the RWQCB documentation for this recommendation, SWRCB staff conclude that the water body should not be placed on the TMDLs Completed List because a plan to implement the TMDL has not been adopted or approved even though the TMDL has been approved by USEPA.

## Region 8: Newport Bay, Upper Ecological Reserve (was Upper Newport Bay + Metals)

---

<b>Water Body</b>	Newport Bay, Upper Ecological Reserve (was Upper Newport Bay Ecological Reserve)
<b>Stressor/Media/Beneficial Use</b>	Metals/Water/Aquatic Life
<b>Data quality assessment. Extent to which data quality requirements met.</b>	N/A
<b>Linkage between measurement endpoint and beneficial use or standard</b>	N/A
<b>Utility of measure for judging if standards or uses are not attained</b>	N/A
<b>Water Body-specific Information</b>	USEPA has approved a TMDL for this water body-pollutant combination.
<b>Data used to assess water quality</b>	N/A
<b>Spatial representation</b>	N/A
<b>Temporal representation</b>	N/A
<b>Data type</b>	N/A
<b>Use of standard method</b>	N/A
<b>Potential Source(s) of Pollutant</b>	N/A
<b>Alternative Enforceable Program</b>	N/A
<b>RWQCB Recommendation</b>	None.
<b>SWRCB Staff Recommendation</b>	After reviewing the available data and information and the RWQCB documentation for this recommendation, SWRCB staff conclude that the water body should not be placed on the TMDLs Completed List because a plan to implement the TMDL has not been adopted or approved even though the TMDL has been approved by USEPA.

## Region 8: Orange County Coastline

### Trash

---

<b>Water Body</b>	Orange County Coastline
<b>Stressor/Media/Beneficial Use</b>	Trash/Water/REC-2, Aquatic Life
<b>Data quality assessment. Extent to which data quality requirements met.</b>	The sampling procedures, collection approach, data analysis, and estimation procedures are described (Moore et al., 2000. Composition and distribution of beach debris in Orange County, California).
<b>Linkage between measurement endpoint and beneficial use or standard</b>	<p>The California Ocean Plan designates the beneficial uses of the ocean waters of the State that shall be protected including water contact and non-contact recreation, including aesthetic enjoyment and marine habitat. The California Ocean Plan has applicable narrative water quality objectives as follows:</p> <ul style="list-style-type: none"><li>- Floating particulates and grease and oil shall not be visible.</li><li>- The discharge of waste shall not cause aesthetically undesirable discoloration of the ocean surface.</li><li>- The rate of deposition of inert solids and the characteristics of inert solids in ocean sediments shall not be changed such that benthic communities are degraded.</li></ul>
<b>Utility of measure for judging if standards or uses are not attained</b>	The measures used in the study were abundance of trash particles and the weight of trash along the coastline. These data were compared to California Coastal Cleanup Day collection data.
<b>Water Body-specific Information</b>	<p>Estimates were made of the percent of shoreline affected, types of habitat affected (sandy beach and rocky shore), Trash type (including plastics, cigarette butts, paper, wood metal glass rubber, pet and bird droppings, cloth, and other trash).</p> <p>Even though the study measured the amounts of trash on the beaches for the water's edge to the first pavement or rocky cliff, this listing only applies to the portion of the beach regularly in contact with ocean water.</p>
<b>Data used to assess water quality</b>	<p>Estimated total abundance of trash was 106 million items weighing 13 tons. Pre-production plastic pellets, foamed plastics and hard plastics made up 99% of the total abundance and 51% of the total weight. Cigarette butts were fourth in total abundance and accounted for less than 1% of the abundance and weight.</p> <p>Data collected by volunteers during the annual California Coastal Cleanup Day (1998) was 50 times lower than the data collected in the trash survey.</p> <p>Information contained in the fact sheets for Santa Ana River, Reach 1; Upper Newport Bay; and the San Gabriel River provide additional information. Trash carried down the Santa Ana River generally finds its way onto beaches in the cities of Huntington Beach and Newport Beach. After storms, 929 tons of trash and debris were collected in 1999 along Huntington Beach city beaches. During the same period, approximately 970 tons of trash and debris were collected on Newport Beach city beaches.</p>

## Region 8: Orange County Coastline

### Trash

---

Cleanup crews have documented trash in Newport Bay. Large amounts of trash were collected in Upper Newport Bay as follows:

Year	Amount (pounds)
1999	53,500
2000	46,500
2001	42,900

Cleanup crews have documented trash removal on beaches near the mouth of the San Gabriel River as follows:

January-December 2001	572.43 tons
January-June 2002	16 tons

Based on the photographs of trash in the Santa Ana River, Newport Bay, and the San Gabriel River it is probable that some of the trash comes from water-related sources like urban runoff.

#### **Spatial representation**

Beach debris was surveyed and collected at 43 sites from Seal Beach to San Clemente on the Orange County coast. The data were collected using a stratified random design, stratified by shoreline type.

Each sample site was delineated as an area 25 yards in length and extending from the water's edge to the first pavement or rocky cliff. This may include areas outside of 303(d) program jurisdiction.

The study assessed trash on beaches in both Region 8 and Region 9. The proposed listing is only for the water-associated portion of these beaches.

#### **Temporal representation**

Data were collected between August 2 and September 18, 1998. Additional monitoring is required in order to confirm impacts to beneficial uses from trash.

#### **Data type**

Numerical data.

#### **Use of standard method**

See Quality Assurance section above. Data were collected using approaches from other debris studies outside the U.S.

#### **Potential Source(s) of Pollutant**

Four sources were identified: (1) littering by beachgoers, (2) wind currents from upland sources, (3) runoff from land-based activities, and (4) overboard disposal from boating activities (including accidental spills). The data suggest that water-based sources (runoff and overboard disposal) were more important than direct littering or wind.

#### **Alternative Enforceable Program**

The North/Central Orange County Areawide Urban Stormwater Runoff Permit, Order No. R8-2002-0010 issued to Orange County and its incorporated cities has enforceable provisions in place to address litter, debris and trash in this water body.

During FY 2001-02, twenty-two permittee municipalities installed catch basin filters, six installed catch basin inlet screens to prevent trash and debris from entering the storm drain system, and eight installed in-line treatment systems to remove trash/debris from the storm drain system. Over 1,500 tons of trash and debris were removed from county maintained

## Region 8: Orange County Coastline

### Trash

---

booms. Regular street sweeping programs throughout Orange County reported removing over 41,000 tons of material during the last year, an increase of over 25% from the previous year.

The storm water permit addresses three of the four sources of trash identified above. Overboard disposal from boaters and shipping is beyond the scope of the program.

While significant progress is being made to address trash, it can not be determined when or if the currently installed best management practices will fully address the trash problem.

**RWQCB Recommendation**

None.

**SWRCB Staff Recommendation**

On February 4, 2003 the SWRCB placed this water body segment on the Monitoring List. The study used had limited temporal coverage and additional monitoring is needed.

## Region 8: Pelican Hill Waterfall

### Total and Fecal coliform

---

<b>Water Body</b>	Pelican Hill Waterfall
<b>Stressor/Media/Beneficial Use</b>	Total and Fecal coliform/Water/beneficial uses are not established in the Basin Plan for this water body.
<b>Data quality assessment. Extent to which data quality requirements met.</b>	QA used by county health agency.
<b>Linkage between measurement endpoint and beneficial use or standard</b>	No water quality objectives are established in the Basin Plan specifically for this water body.
<b>Utility of measure for judging if standards or uses are not attained</b>	Measurement can be compared to numerical guidelines directly.
<b>Water Body-specific Information</b>	Data age = 1-4 Years.
<b>Data used to assess water quality</b>	14/64 exceedances of fecal coliform WQO for REC-2. 208/220 exceedances of total coliform WQO. 11/56 exceedances of fecal coliform WQO for REC-1.
<b>Spatial representation</b>	Targeted in waterbody.
<b>Temporal representation</b>	Data were collected between 1997 and 2001.
<b>Data type</b>	Numerical data.
<b>Use of standard method</b>	Standard bacteriological methods.
<b>Potential Source(s) of Pollutant</b>	Unknown.
<b>Alternative Enforceable Program</b>	None.
<b>RWQCB Recommendation</b>	List for total and fecal coliform.
<b>SWRCB Staff Recommendation</b>	<p>After reviewing the available data and information and the RWQCB documentation for this recommendation, SWRCB staff conclude that the water body should not be placed on the section 303(d) list because there are no applicable beneficial uses or water quality standards. There is no evidence in the record that there is an existing beneficial use. RWQCB should consider adoption of beneficial uses and water quality objectives for this water body.</p> <p>This conclusion is based on the staff findings that:</p> <ol style="list-style-type: none"> <li>1. Beneficial uses have not been established and do not apply to the water body.</li> <li>2. Water quality standards have not been established.</li> </ol>

## Region 8: Pelican Point Creek

### Total and Fecal coliform

---

<b>Water Body</b>	Pelican Point Creek
<b>Stressor/Media/Beneficial Use</b>	Total and Fecal coliform/Water/Beneficial uses have not been established in the Basin Plan for this water body.
<b>Data quality assessment. Extent to which data quality requirements met.</b>	QA used by county health agency.
<b>Linkage between measurement endpoint and beneficial use or standard</b>	No water quality objectives are established in the Basin Plan specifically for this water body.
<b>Utility of measure for judging if standards or uses are not attained</b>	Measurement can be compared to numerical guidelines directly.
<b>Water Body-specific Information</b>	Data age = 1-4 Years.
<b>Data used to assess water quality</b>	225/230 exceedances of total coliform guideline. 31/55 exceedances of fecal coliform guideline for REC-2. 48/56 exceedances of fecal coliform guideline for REC-1.
<b>Spatial representation</b>	Targeted in waterbody.
<b>Temporal representation</b>	Data collected between 1997 and 2001.
<b>Data type</b>	3 WQOs for total and fecal coliform for MUN, REC-1, REC-2.
<b>Use of standard method</b>	Standard bacteriological methods.
<b>Potential Source(s) of Pollutant</b>	Unknown.
<b>Alternative Enforceable Program</b>	None.
<b>RWQCB Recommendation</b>	List for total and fecal coliform.
<b>SWRCB Staff Recommendation</b>	<p>After reviewing the available data and information and the RWQCB documentation for this recommendation, SWRCB staff conclude that the water body should not be placed on the section 303(d) list because there are no applicable beneficial uses or water quality standards. There is no evidence in the record that there is an existing beneficial use. RWQCB should consider adoption of beneficial uses and water quality objectives for this water body.</p> <p>This conclusion is based on the staff findings that:</p> <ol style="list-style-type: none"> <li>1. Beneficial uses have not been established and do not apply to the water body.</li> <li>2. Water quality standards have not been established.</li> </ol>



## Region 8: Pelican Point Middle Creek

### Total and Fecal coliform

---

<b>Water Body</b>	Pelican Point Middle Creek
<b>Stressor/Media/Beneficial Use</b>	Total and Fecal coliform/Water/Beneficial uses are not established in the Basin Plan for this water body.
<b>Data quality assessment. Extent to which data quality requirements met.</b>	QA used by county health agency.
<b>Linkage between measurement endpoint and beneficial use or standard</b>	No water quality objectives are established in the Basin Plan specifically for this water body.
<b>Utility of measure for judging if standards or uses are not attained</b>	Measurement can be compared to numerical guidelines directly.
<b>Water Body-specific Information</b>	Data age = 1-4 Years.
<b>Data used to assess water quality</b>	126/133 exceedances of total coliform guideline. 12/50 exceedances of fecal coliform WQO for REC-1 guideline. 11/50 exceedances of fecal coliform guideline for REC-2.
<b>Spatial representation</b>	Targeted in waterbody.
<b>Temporal representation</b>	Data were collected between 1997 and 2001.
<b>Data type</b>	Numerical data.
<b>Use of standard method</b>	Standard bacteriological methods.
<b>Potential Source(s) of Pollutant</b>	Unknown.
<b>Alternative Enforceable Program</b>	None.
<b>RWQCB Recommendation</b>	List for total and fecal coliform.
<b>SWRCB Staff Recommendation</b>	<p>After reviewing the available data and information and the RWQCB documentation for this recommendation, SWRCB staff conclude that the water body should not be placed on the section 303(d) list because there are no applicable beneficial uses or water quality standards. There is no evidence in the record that there is an existing beneficial use. RWQCB should consider adoption of beneficial uses and water quality objectives for this water body.</p> <p>This conclusion is based on the staff findings that:</p> <ol style="list-style-type: none"> <li>1. Beneficial uses have not been established and do not apply to the water body.</li> <li>2. Water quality standards have not been established.</li> </ol>

## Region 8: San Diego Creek, Reach 1

### Nutrients

---

<b>Water Body</b>	San Diego Creek, Reach 1
<b>Stressor/Media/Beneficial Use</b>	Nutrients/Water/Aquatic Life
<b>Data quality assessment. Extent to which data quality requirements met.</b>	N/A
<b>Linkage between measurement endpoint and beneficial use or standard</b>	N/A
<b>Utility of measure for judging if standards or uses are not attained</b>	N/A
<b>Water Body-specific Information</b>	N/A
<b>Data used to assess water quality</b>	N/A
<b>Spatial representation</b>	N/A
<b>Temporal representation</b>	N/A
<b>Data type</b>	N/A
<b>Use of standard method</b>	N/A
<b>Potential Source(s) of Pollutant</b>	N/A
<b>Alternative Enforceable Program</b>	N/A
<b>RWQCB Recommendation</b>	Delist because TMDL has been incorporated into Basin plan, and has been approved by USEPA.
<b>SWRCB Staff Recommendation</b>	After reviewing the available data and information and the RWQCB documentation for this recommendation, SWRCB staff conclude that the water body should be placed on the TMDLs Completed List because a TMDL has been developed for the water body-pollutant combination. The TMDL has been incorporated into Basin Plan and has been approved by USEPA.

## Region 8: San Diego Creek, Reach 1

### Siltation

---

<b>Water Body</b>	San Diego Creek, Reach 1
<b>Stressor/Media/Beneficial Use</b>	Siltation/Water/Aquatic Life
<b>Data quality assessment. Extent to which data quality requirements met.</b>	N/A
<b>Linkage between measurement endpoint and beneficial use or standard</b>	N/A
<b>Utility of measure for judging if standards or uses are not attained</b>	N/A
<b>Water Body-specific Information</b>	N/A
<b>Data used to assess water quality</b>	N/A
<b>Spatial representation</b>	N/A
<b>Temporal representation</b>	N/A
<b>Data type</b>	N/A
<b>Use of standard method</b>	N/A
<b>Potential Source(s) of Pollutant</b>	N/A
<b>Alternative Enforceable Program</b>	N/A
<b>RWQCB Recommendation</b>	Delist because TMDL has been incorporated into Basin plan, and has been approved by USEPA
<b>SWRCB Staff Recommendation</b>	After reviewing the available data and information and the RWQCB documentation for this recommendation, SWRCB staff conclude that the water body should be placed on the TMDLs Completed List because a TMDL has been developed for the water body-pollutant combination. The TMDL has been incorporated into Basin Plan and has been approved by USEPA.

## Region 8: San Diego Creek, Reach 1 Metals

---

<b>Water Body</b>	San Diego Creek, Reach 1
<b>Stressor/Media/Beneficial Use</b>	Metals/Water/Aquatic Life
<b>Data quality assessment. Extent to which data quality requirements met.</b>	N/A
<b>Linkage between measurement endpoint and beneficial use or standard</b>	N/A
<b>Utility of measure for judging if standards or uses are not attained</b>	N/A
<b>Water Body-specific Information</b>	USEPA has approved a TMDL for this water body-pollutant combination.
<b>Data used to assess water quality</b>	N/A
<b>Spatial representation</b>	N/A
<b>Temporal representation</b>	N/A
<b>Data type</b>	N/A
<b>Use of standard method</b>	N/A
<b>Potential Source(s) of Pollutant</b>	N/A
<b>Alternative Enforceable Program</b>	N/A
<b>RWQCB Recommendation</b>	None.
<b>SWRCB Staff Recommendation</b>	After reviewing the available data and information, SWRCB staff conclude that the water body should be placed on the TMDLs Completed List because a TMDL has been established for this water body-pollutant combination by USEPA.

## Region 8: San Diego Creek, Reach 1 Pesticides

---

<b>Water Body</b>	San Diego Creek, Reach 1
<b>Stressor/Media/Beneficial Use</b>	Pesticides/Water/Aquatic Life
<b>Data quality assessment. Extent to which data quality requirements met.</b>	N/A
<b>Linkage between measurement endpoint and beneficial use or standard</b>	N/A
<b>Utility of measure for judging if standards or uses are not attained</b>	N/A
<b>Water Body-specific Information</b>	USEPA has approved a TMDL for this water body-pollutant combination.
<b>Data used to assess water quality</b>	N/A
<b>Spatial representation</b>	N/A
<b>Temporal representation</b>	N/A
<b>Data type</b>	N/A
<b>Use of standard method</b>	N/A
<b>Potential Source(s) of Pollutant</b>	N/A
<b>Alternative Enforceable Program</b>	N/A
<b>RWQCB Recommendation</b>	None.
<b>SWRCB Staff Recommendation</b>	After reviewing the available data and information and the RWQCB documentation for this recommendation, SWRCB staff conclude that the water body should not be placed on the TMDLs Completed List because a plan to implement the TMDL has not been adopted or approved even though the TMDL has been approved by USEPA.

## Region 8: San Diego Creek, Reach 1

### Fecal coliform

---

<b>Water Body</b>	San Diego Creek, Reach 1
<b>Stressor/Media/Beneficial Use</b>	Fecal coliform/Water/REC-1, REC-2
<b>Data quality assessment. Extent to which data quality requirements met.</b>	QA used by county health agency.
<b>Linkage between measurement endpoint and beneficial use or standard</b>	3 WQOs for total coliform (MUN) and fecal coliform (REC-1, REC-2).
<b>Utility of measure for judging if standards or uses are not attained</b>	Measurement can be compared to numerical standard directly.
<b>Water Body-specific Information</b>	Data age = 1-4 Years.
<b>Data used to assess water quality</b>	22/22 exceedances of total and fecal coliform WQOs.
<b>Spatial representation</b>	Targeted in waterbody.
<b>Temporal representation</b>	1997-2001.
<b>Data type</b>	3 WQOs for total and fecal coliform for MUN, REC-1, REC-2
<b>Use of standard method</b>	Standard bacteriological methods.
<b>Potential Source(s) of Pollutant</b>	Unknown.
<b>Alternative Enforceable Program</b>	None.
<b>RWQCB Recommendation</b>	List for total and fecal coliform
<b>SWRCB Staff Recommendation</b>	<p>After reviewing the available data and information and the RWQCB documentation for this recommendation, SWRCB staff conclude that the water body should be placed on the section 303(d) list because applicable water quality standards are exceeded and a pollutant contributes to or causes the problem.</p> <p>This conclusion is based on the staff findings that:</p> <ol style="list-style-type: none"> <li>1. The data is considered to be of adequate quality.</li> <li>2. The data exhibited sufficient spatial and temporal coverage.</li> <li>3. Beneficial uses apply to the water body.</li> <li>4. Water quality standard used is applicable.</li> <li>5. Data are numerical.</li> <li>6. Standard methods were used.</li> <li>7. Other water body- or site-specific information including the age of the data were considered.</li> </ol> <p>All of the water quality measurements exceeded the water quality standard. The staff confidence that standards were exceeded is high.</p>

## Region 8: San Diego Creek, Reach 2

### Metals

---

<b>Water Body</b>	San Diego Creek, Reach 2
<b>Stressor/Media/Beneficial Use</b>	Metals/Water/Aquatic Life
<b>Data quality assessment. Extent to which data quality requirements met.</b>	N/A
<b>Linkage between measurement endpoint and beneficial use or standard</b>	N/A
<b>Utility of measure for judging if standards or uses are not attained</b>	N/A
<b>Water Body-specific Information</b>	USEPA has approved a TMDL for this water body-pollutant combination.
<b>Data used to assess water quality</b>	N/A
<b>Spatial representation</b>	N/A
<b>Temporal representation</b>	N/A
<b>Data type</b>	N/A
<b>Use of standard method</b>	N/A
<b>Potential Source(s) of Pollutant</b>	N/A
<b>Alternative Enforceable Program</b>	N/A
<b>RWQCB Recommendation</b>	None.
<b>SWRCB Staff Recommendation</b>	After reviewing the available data and information and the RWQCB documentation for this recommendation, SWRCB staff conclude that the water body should not be placed on the TMDLs Completed List because a plan to implement the TMDL has not been adopted or approved even though the TMDL has been approved by USEPA.

## Region 8: San Diego Creek, Reach 2

### Siltation

---

<b>Water Body</b>	San Diego Creek, Reach 2
<b>Stressor/Media/Beneficial Use</b>	Siltation/Water/Aquatic Life
<b>Data quality assessment. Extent to which data quality requirements met.</b>	N/A
<b>Linkage between measurement endpoint and beneficial use or standard</b>	N/A
<b>Utility of measure for judging if standards or uses are not attained</b>	N/A
<b>Water Body-specific Information</b>	N/A
<b>Data used to assess water quality</b>	N/A
<b>Spatial representation</b>	N/A
<b>Temporal representation</b>	N/A
<b>Data type</b>	N/A
<b>Use of standard method</b>	N/A
<b>Potential Source(s) of Pollutant</b>	N/A
<b>Alternative Enforceable Program</b>	N/A
<b>RWQCB Recommendation</b>	Delist because TMDL has been incorporated into Basin plan, and has been approved by USEPA.
<b>SWRCB Staff Recommendation</b>	After reviewing the available data and information and the RWQCB documentation for this recommendation, SWRCB staff conclude that the water body should be placed on the TMDLs Completed List because a TMDL has been developed for the water body-pollutant combination. The TMDL has been incorporated into Basin Plan and has been approved by USEPA.



## Region 8: San Diego Creek, Reach 2

### Nutrients

---

<b>Water Body</b>	San Diego Creek, Reach 2
<b>Stressor/Media/Beneficial Use</b>	Nutrients/Water/Aquatic Life
<b>Data quality assessment. Extent to which data quality requirements met.</b>	N/A
<b>Linkage between measurement endpoint and beneficial use or standard</b>	N/A
<b>Utility of measure for judging if standards or uses are not attained</b>	N/A
<b>Water Body-specific Information</b>	N/A
<b>Data used to assess water quality</b>	N/A
<b>Spatial representation</b>	N/A
<b>Temporal representation</b>	N/A
<b>Data type</b>	N/A
<b>Use of standard method</b>	N/A
<b>Potential Source(s) of Pollutant</b>	N/A
<b>Alternative Enforceable Program</b>	N/A
<b>RWQCB Recommendation</b>	Delist because TMDL has been incorporated into Basin plan, and has been approved by USEPA.
<b>SWRCB Staff Recommendation</b>	After reviewing the available data and information and the RWQCB documentation for this recommendation, SWRCB staff conclude that the water body should be placed on the TMDLs Completed List because a TMDL has been developed for the water body-pollutant combination. The TMDL has been incorporated into Basin Plan and has been approved by USEPA.

## Region 8: San Jacinto River North Fork (Reach 7)

### Metals

---

<b>Water Body</b>	San Jacinto River North Fork (Reach 7)
<b>Stressor/Media/Beneficial Use</b>	Metals/Water/MUN
<b>Data quality assessment. Extent to which data quality requirements met.</b>	Reviewed water quality data from Lake Hemet Municipal Water District. QA used by water district.
<b>Linkage between measurement endpoint and beneficial use or standard</b>	WQOs.
<b>Utility of measure for judging if standards or uses are not attained</b>	Measurement can be compared to numerical standard directly.
<b>Water Body-specific Information</b>	
<b>Data used to assess water quality</b>	Aluminum: 4 samples with 1 exceeding MCL. Antimony: 4 samples with 0 exceeding MCL. Arsenic: 4 samples with 0 exceeding MCL. Barium: 4 samples with 0 exceeding MCL. Beryllium: 4 samples with 0 exceeding MCL. Cadmium: 4 samples with 0 exceeding MCL. Iron: 4 samples with 0 exceeding MCL.
<b>Spatial representation</b>	Insufficient data to make a determination.
<b>Temporal representation</b>	1997-2001.
<b>Data type</b>	Data are numeric values.
<b>Use of standard method</b>	Standard analytical methods.
<b>Potential Source(s) of Pollutant</b>	Unknown.
<b>Alternative Enforceable Program</b>	None
<b>RWQCB Recommendation</b>	Insufficient data to make a determination. More monitoring needed.
<b>SWRCB Staff Recommendation</b>	<p>After reviewing the available data and information and the RWQCB documentation for this recommendation, SWRCB staff conclude that the water body should be placed on the Monitoring List because the data are inadequate to determine if applicable water quality standards are exceeded.</p> <p>This conclusion is based on the staff findings that:</p> <ol style="list-style-type: none"> <li>1. The data is considered to be of adequate quality.</li> <li>2. The data exhibited insufficient spatial and temporal coverage.</li> <li>3. Water quality standard used is applicable.</li> </ol> <p>The staff confidence that standards were exceeded is low.</p>

## Region 8: San Jacinto River South Fork (Reach 7)

### Salinity, Total Dissolved Solids

---

<b>Water Body</b>	San Jacinto River South Fork (Reach 7)
<b>Stressor/Media/Beneficial Use</b>	Salinity, Total Dissolved Solids/Water/MUN
<b>Data quality assessment. Extent to which data quality requirements met.</b>	Reviewed water quality data from Lake Hemet Municipal Water District. QA used by water district.
<b>Linkage between measurement endpoint and beneficial use or standard</b>	WQOs.
<b>Utility of measure for judging if standards or uses are not attained</b>	Measurement can be compared to numerical standard directly.
<b>Water Body-specific Information</b>	
<b>Data used to assess water quality</b>	Primary and secondary MCL: 4 samples with 0 exceeding. Sodium: 4 samples with 4 Basin Plan Objective. Sulfate: 4 samples with 0 exceeding BP Objective. Chloride: 4 samples with 3 exceeding BP Objective. TDS: 4 samples with 4 exceeding BP objective.
<b>Spatial representation</b>	Insufficient data to make a determination.
<b>Temporal representation</b>	1997-2001.
<b>Data type</b>	Data are numeric values.
<b>Use of standard method</b>	Standard analytical methods.
<b>Potential Source(s) of Pollutant</b>	Unknown.
<b>Alternative Enforceable Program</b>	None.
<b>RWQCB Recommendation</b>	Insufficient data to make a determination. More monitoring needed.
<b>SWRCB Staff Recommendation</b>	<p>After reviewing the available data and information and the RWQCB documentation for this recommendation, SWRCB staff conclude that the water body should be placed on the Monitoring List because the data are inadequate to determine if applicable water quality standards are exceeded.</p> <p>This conclusion is based on the staff findings that:</p> <ol style="list-style-type: none"> <li>1. The data is considered to be of adequate quality.</li> <li>2. The data exhibited insufficient spatial and temporal coverage.</li> <li>3. Water quality standard used is applicable.</li> </ol> <p>The staff confidence that standards were exceeded is low.</p>

## Region 8: Santa Ana Delhi Channel

### Fecal coliform

---

<b>Water Body</b>	Santa Ana Delhi Channel
<b>Stressor/Media/Beneficial Use</b>	Fecal coliform/Water/Beneficial uses are not established in the basin Plan for this water body.
<b>Data quality assessment. Extent to which data quality requirements met.</b>	QA used by county health agency.
<b>Linkage between measurement endpoint and beneficial use or standard</b>	No water quality standards are established in the Basin Plan specifically for this water body.
<b>Utility of measure for judging if standards or uses are not attained</b>	Measurement can be compared to numerical guidelines directly.
<b>Water Body-specific Information</b>	Data age = 1-4 Years.
<b>Data used to assess water quality</b>	11/11 exceedances of total coliform guidelines. 22/22 exceedances of total and fecal guidelines.
<b>Spatial representation</b>	Targeted in waterbody.
<b>Temporal representation</b>	Data collected between 1997 and 2001.
<b>Data type</b>	Numerical data.
<b>Use of standard method</b>	Standard bacteriological methods.
<b>Potential Source(s) of Pollutant</b>	Unknown.
<b>Alternative Enforceable Program</b>	None.
<b>RWQCB Recommendation</b>	List for total and fecal coliform.
<b>SWRCB Staff Recommendation</b>	<p>After reviewing the available data and information and the RWQCB documentation for this recommendation, SWRCB staff conclude that the water body should not be placed on the section 303(d) list because there are no applicable beneficial uses or water quality standards. There is no evidence in the record that there is an existing beneficial use. RWQCB should consider adoption of beneficial uses and water quality objectives for this water body.</p> <p>This conclusion is based on the staff findings that:</p> <ol style="list-style-type: none"> <li>1. Beneficial uses have not been established and do not apply to the water body.</li> <li>2. Water quality standards have not been established.</li> </ol>

## Region 8: Santa Ana River (Reaches 4 and 5)

### Metals

---

<b>Water Body</b>	Santa Ana River (Reaches 4 and 5)
<b>Stressor/Media/Beneficial Use</b>	Metals/Water/WARM, WILD, RARE
<b>Data quality assessment. Extent to which data quality requirements met.</b>	QA used by county.
<b>Linkage between measurement endpoint and beneficial use or standard</b>	WQOs.
<b>Utility of measure for judging if standards or uses are not attained</b>	Measurement can be compared to numerical standard directly.
<b>Water Body-specific Information</b>	Insufficient data to make a determination.
<b>Data used to assess water quality</b>	<p>Reviewed water quality data from Orange County Water District.</p> <p>Reach 4: Arsenic: 1 sample with 0 exceeding standard.            Reach 4: Copper: 1 sample with 0 exceeding standard.            Reach 4: Nickel: 1 sample with 0 exceeding standard.            Reach 5: Copper: 3 sample with 0 exceeding standard.            Reach 5: Lead: 1 sample with 0 exceeding standard.            Reach 5: Nickel: 1 sample with 0 exceeding standard.</p>
<b>Spatial representation</b>	Insufficient data to make a determination.
<b>Temporal representation</b>	1997-2001.
<b>Data type</b>	Data are numeric values.
<b>Use of standard method</b>	Standard analytical methods.
<b>Potential Source(s) of Pollutant</b>	Unknown.
<b>Alternative Enforceable Program</b>	None.
<b>RWQCB Recommendation</b>	Insufficient data to make a determination. More monitoring needed.
<b>SWRCB Staff Recommendation</b>	<p>After reviewing the available data and information and the RWQCB documentation for this recommendation, SWRCB staff conclude that the water body should be placed on the Monitoring List because the data are inadequate to determine if applicable water quality standards are exceeded.</p> <p>This conclusion is based on the staff findings that:</p> <ol style="list-style-type: none"> <li>1. The data is considered to be of adequate quality.</li> <li>2. The data exhibited insufficient spatial and temporal coverage.</li> </ol>

## Region 8: Santa Ana River, Reach 1

### Trash

---

<b>Water Body</b>	Santa Ana River, Reach 1
<b>Stressor/Media/Beneficial Use</b>	Trash/Water/Human-related: REC-2; Aquatic Life: WARM, WILD, RARE
<b>Data quality assessment. Extent to which data quality requirements met.</b>	No quality assurance information was provided.
<b>Linkage between measurement endpoint and beneficial use or standard</b>	The narrative water quality objectives to prevent floatables from causing nuisance or adversely affecting beneficial uses.
<b>Utility of measure for judging if standards or uses are not attained</b>	Photographs can indicate gross impacts on beneficial uses and whether standards have been exceeded. Measurements of the amounts of trash can provide a relative measure of the potential for nuisance.
<b>Water Body-specific Information</b>	Photographs appear to be taken on at least two occasions. The data for trash collection is for beaches in the cities of Newport Beach and Huntington Beach.
<b>Data used to assess water quality</b>	<p>Trash carried down the Santa Ana River generally finds its way onto beaches in the cities of Huntington Beach and Newport Beach. After storms, 929 tons of trash and debris were collected in 1999 along Huntington Beach city beaches. During the same period, approximately 970 tons of trash and debris were collected on Newport Beach city beaches.</p> <p>Fifteen photographs were submitted depicting several locations in along the Santa Ana River with trash scattered in several locations. The trash included plastic bottles, styrofoam and paper cups, paper wrappers, plastic bags, a shopping cart, and other unidentifiable debris.</p>
<b>Spatial representation</b>	The photographs were taken at seven locations along the Santa Ana River from McFadden to McAurthur Blvd.
<b>Temporal representation</b>	The date the photographs were taken is unknown but it is apparent from the time stamp on some of the photographs that they were taken on two different days.
<b>Data type</b>	The photographs are qualitative information. Data on trash collections from the Newport Beach and Huntington Beach city beaches are numerical.
<b>Use of standard method</b>	Documentation methods are not described.
<b>Potential Source(s) of Pollutant</b>	Trash can enter the River from urban runoff or by being blown directly into the water body.
<b>Alternative Enforceable Program</b>	The North/Central Orange County Areawide Urban Stormwater Runoff Permit, Order No. R8-2002-0010 issued to Orange County and its incorporated cities has enforceable provisions in place to address litter, debris and trash in this water body.
<b>RWQCB Recommendation</b>	Use the provisions of the storm water permit to correct the trash problem in Upper Newport Bay.
<b>SWRCB Staff Recommendation</b>	After reviewing the available data and information and the RWQCB

## Region 8: Santa Ana River, Reach 1

### Trash

---

documentation for this recommendation, SWRCB staff conclude that the water body should be placed on the Monitoring List because the data are inadequate to determine if applicable water quality standards are exceeded.

This conclusion is based on the staff findings that:

1. The data is considered to be of unknown quality.
2. The data exhibited sufficient spatial and unknown temporal coverage.
3. Water quality standard used is applicable.
4. Data are both numerical and not numerical.
5. Cannot tell if standard methods were used.

An inadequate amount of the measurements exceeded the water quality standard. The staff confidence that standards were exceeded is low.

## Region 8: Santa Ana River, Reach 3

### Total Dissolved Solids

---

<b>Water Body</b>	Santa Ana River, Reach 3
<b>Stressor/Media/Beneficial Use</b>	Total Dissolved Solids/Water/MUN
<b>Data quality assessment. Extent to which data quality requirements met.</b>	QA used by Regional Board.
<b>Linkage between measurement endpoint and beneficial use or standard</b>	WQO is 700 mg/L.
<b>Utility of measure for judging if standards or uses are not attained</b>	Measurement can be compared to numerical standard directly.
<b>Water Body-specific Information</b>	Data age = 1-4 Years.
<b>Data used to assess water quality</b>	17/18 samples did not exceed WQO (700 mg/L).
<b>Spatial representation</b>	Targeted in waterbody. Locations unknown.
<b>Temporal representation</b>	1997-2001.
<b>Data type</b>	Data values are numeric.
<b>Use of standard method</b>	Standard analytical methods used.
<b>Potential Source(s) of Pollutant</b>	None.
<b>Alternative Enforceable Program</b>	None.
<b>RWQCB Recommendation</b>	Delist because recent data indicate WQO is being met.
<b>SWRCB Staff Recommendation</b>	<p>After reviewing the available data and information and the RWQCB documentation for this recommendation, SWRCB staff conclude that the water body should not be placed on the section 303(d) list because applicable water quality standards are not exceeded.</p> <p>This conclusion is based on the staff findings that:</p> <ol style="list-style-type: none"> <li>1. The data is considered to be of adequate quality.</li> <li>2. The data exhibited sufficient temporal coverage.</li> <li>3. Beneficial uses apply to the water body.</li> <li>4. Water quality standard used is applicable.</li> <li>5. Data are numerical.</li> <li>6. Standard methods were used.</li> <li>7. Other water body- or site-specific information including age of the data were considered.</li> </ol> <p>Most of the water quality measurements did not exceed the water quality standard. The staff confidence that standards were not exceeded is high.</p>



## Region 8: Santa Ana River, Reach 3

### Nitrogen

---

<b>Water Body</b>	Santa Ana River, Reach 3
<b>Stressor/Media/Beneficial Use</b>	Nitrogen/Water/Aquatic Life
<b>Data quality assessment. Extent to which data quality requirements met.</b>	QA used by Regional Board.
<b>Linkage between measurement endpoint and beneficial use or standard</b>	WQO is 10 mg/L.
<b>Utility of measure for judging if standards or uses are not attained</b>	Measurement can be compared to numerical standard directly.
<b>Water Body-specific Information</b>	Data age = 1-4 Years.
<b>Data used to assess water quality</b>	54/55 samples did not exceed the WQO (10 mg/L).
<b>Spatial representation</b>	Targeted in waterbody.
<b>Temporal representation</b>	1997-2001.
<b>Data type</b>	Data values are numeric.
<b>Use of standard method</b>	Standard analytical methods.
<b>Potential Source(s) of Pollutant</b>	None.
<b>Alternative Enforceable Program</b>	None.
<b>RWQCB Recommendation</b>	Delist because recent data indicate WQO is being met.
<b>SWRCB Staff Recommendation</b>	<p>After reviewing the available data and information and the RWQCB documentation for this recommendation, SWRCB staff conclude that the water body should not be placed on the section 303(d) list because applicable water quality standards are not exceeded.</p> <p>This conclusion is based on the staff findings that:</p> <ol style="list-style-type: none"> <li>1. The data is considered to be of adequate quality.</li> <li>2. The data exhibited sufficient temporal coverage.</li> <li>3. Beneficial uses apply to the water body.</li> <li>4. Water quality standard used is applicable.</li> <li>5. Data are numerical.</li> <li>6. Standard methods were used.</li> <li>7. Other water body- or site-specific information including age of the data were considered.</li> </ol> <p>Most of the water quality measurements did not exceed the water quality standard. The staff confidence that standards were not exceeded is high.</p>

## Region 8: Seal Beach, Projection of First Street Enterococcus

---

<b>Water Body</b>	Seal Beach, Projection of First Street
<b>Stressor/Media/Beneficial Use</b>	Enterococcus/Water/REC-1, REC-2
<b>Data quality assessment. Extent to which data quality requirements met.</b>	QA used by county health agency.
<b>Linkage between measurement endpoint and beneficial use or standard</b>	Exceedances of single sample AB 411 standards may result in beach postings by Orange Count Health Care Agency. Bacterial water quality standards are linked to REC-1 beneficial use attainment.
<b>Utility of measure for judging if standards or uses are not attained</b>	Measurement can be compared to numerical standard directly.
<b>Water Body-specific Information</b>	Data age = 1-4 Years. Data were collected during both wet and dry seasons.
<b>Data used to assess water quality</b>	25 samples exceeded standard out of a total of 150 samples.
<b>Spatial representation</b>	1 station. Sampling location represents 50 yards on either side of the sampling location.
<b>Temporal representation</b>	Data collected between 1999 and August 2002.
<b>Data type</b>	Numerical data.
<b>Use of standard method</b>	Standard bacteriological methods.
<b>Potential Source(s) of Pollutant</b>	Unknown.
<b>Alternative Enforceable Program</b>	None.
<b>RWQCB Recommendation</b>	List for enterococcus.
<b>SWRCB Staff Recommendation</b>	<p>After reviewing the available data and information and the RWQCB documentation for this recommendation, SWRCB staff conclude that the water body should be placed on the section 303(d) list because applicable water quality standards are exceeded and a pollutant contributes to or causes the problem.</p> <p>This conclusion is based on the staff findings that:</p> <ol style="list-style-type: none"> <li>1. The data is considered to be of adequate quality.</li> <li>2. The data exhibited sufficient spatial and temporal coverage.</li> <li>3. Beneficial uses apply to the water body.</li> <li>4. Water quality standard used is applicable.</li> <li>5. Data are numerical.</li> <li>6. Standard methods were used.</li> <li>7. Other water body- or site-specific information including season and the age of the data were considered.</li> </ol> <p>An adequate number of water quality measurements exceeded the water quality standard. The staff confidence that standards were exceeded is high. List for total and fecal coliform</p>

## Region 8: Strawberry Creek

### Salinity, total dissolved solids

---

<b>Water Body</b>	Strawberry Creek
<b>Stressor/Media/Beneficial Use</b>	Salinity, total dissolved solids/Water/MUN, COLD WILD
<b>Data quality assessment. Extent to which data quality requirements met.</b>	Reviewed water quality data from Lake Hemet Municipal Water District. QA used by water district.
<b>Linkage between measurement endpoint and beneficial use or standard</b>	WQOs.
<b>Utility of measure for judging if standards or uses are not attained</b>	Measurement can be compared to numerical standard directly.
<b>Water Body-specific Information</b>	Insufficient data to make a determination.
<b>Data used to assess water quality</b>	Reviewed water quality data from Lake Hemet Municipal Water District.  Hardness: 4 samples with 0 exceeding the standard. Sodium: 4 samples with 4 exceeding the standard. Sulfate: 4 samples with 0 exceeding the standard. Chloride: 4 samples with 3 exceeding the standard. Total dissolved solids: 4 samples with 3 exceeding the standard.
<b>Spatial representation</b>	Insufficient data to make a determination.
<b>Temporal representation</b>	1997-2001.
<b>Data type</b>	Data are numeric values.
<b>Use of standard method</b>	Standard analytical methods.
<b>Potential Source(s) of Pollutant</b>	Unknown.
<b>Alternative Enforceable Program</b>	None.
<b>RWQCB Recommendation</b>	Insufficient data to make a determination. More monitoring needed.
<b>SWRCB Staff Recommendation</b>	After reviewing the available data and information and the RWQCB documentation for this recommendation, SWRCB staff conclude that the water body should be placed on the Monitoring List because the data are inadequate to determine if applicable water quality standards are exceeded.  This conclusion is based on the staff findings that: 1. The data is considered to be of adequate quality. 2. The data exhibited insufficient spatial and temporal coverage.  An inadequate amount of the water quality measurements are available to determine if the water quality standards are exceeded.

## Region 8: Temescal Creek Metals

---

<b>Water Body</b>	Temescal Creek
<b>Stressor/Media/Beneficial Use</b>	Metals/Water/WARM, WILD, RARE
<b>Data quality assessment. Extent to which data quality requirements met.</b>	Reviewed water quality data from Orange County Water District. QA used by county.
<b>Linkage between measurement endpoint and beneficial use or standard</b>	WQOs.
<b>Utility of measure for judging if standards or uses are not attained</b>	Measurement can be compared to numerical standard directly.
<b>Water Body-specific Information</b>	Measurements were compared to hardness-adjusted standards.
<b>Data used to assess water quality</b>	Reviewed water quality data from Orange County Water District.  Arsenic: 4 sample with 0 exceeding standard. Cadmium: 4 samples with 0 exceeding standard. Copper: 4 samples with 0 exceeding standard. Lead: 4 samples with 0 exceeding standard. Nickel: 4 samples with 0 exceeding standard. Selenium: 4 samples with 0 exceeding standard. Zinc: 4 samples with 0 exceeding standard.
<b>Spatial representation</b>	Insufficient data to make a determination.
<b>Temporal representation</b>	1997-2000.
<b>Data type</b>	Data are numeric values.
<b>Use of standard method</b>	Standard analytical methods.
<b>Potential Source(s) of Pollutant</b>	Unknown.
<b>Alternative Enforceable Program</b>	None.
<b>RWQCB Recommendation</b>	Insufficient data to make a determination. More monitoring needed.
<b>SWRCB Staff Recommendation</b>	After reviewing the available data and information and the RWQCB documentation for this recommendation, SWRCB staff conclude that the water body should be placed on the Monitoring List because the data are inadequate to determine if applicable water quality standards are exceeded.  This conclusion is based on the staff findings that: 1. The data is considered to be of adequate quality. 2. The data exhibited insufficient spatial and temporal coverage.  An inadequate amount of the water quality measurements are available to determine if the water quality standards are exceeded.

# Reference List for Region 8

## **Staff Report**

California Regional Water Quality Control Board. Santa Ana Region. 2001. Staff Report on the Update of the Clean Water Act Section 303(d) List of Impaired Waterbodies within the Santa Ana Region. December 19, 2001.

## **Data Sources**

Big Bear Lake Municipal Water District, Water Column Chemistry, Big Bear Lake, 2000. Wet & Dry.

Big Bear Lake Municipal Water District, Water Column Chemistry, Boulder Creek, 2000. Wet & Dry.

Big Bear Lake Municipal Water District, Water Column Chemistry, Grout Creek, 2000. Wet & Dry.

Big Bear Lake Municipal Water District, Water Column Chemistry, Knickerbocker Creek, 2000. Wet & Dry.

Big Bear Lake Municipal Water District, Water Column Chemistry, Metcalf Creek, 2000. Wet & Dry.

Big Bear Lake Municipal Water District, Water Column Chemistry, Rathbun Creek, 2000. Wet & Dry.

City of Canyon Lake, Sediment, Canyon Lake, 1986-1997. Season not applicable.

Lake Hemet Municipal Water District, Water Column Chemistry, San Jacinto Creek, 1998-2001. Wet Only.

Lake Hemet Municipal Water District, Water Column Chemistry, Strawberry Creek, 1998-2001. Wet Only.

NPDES/WDR discharger monitoring data , Water Column Chemistry , Varies throughout the Region, 1998-2000. Wet & Dry.

Orange County Health Care Agency , Water Column Chemistry, Buck Gully Creek, 1997- 2001. Wet & Dry.

Orange County Health Care Agency, Water Column Chemistry, Huntington Beach State Park, Wet & Dry.

Orange County Health Care Agency, The Irvine Company , Water Column Chemistry, Los Trancos Creek, 1997-2001. Wet & Dry.

Orange County Health Care Agency, The Irvine Company, Water Column Chemistry, Muddy Creek, 1997-2001. Wet & Dry.

Orange County Health Care Agency, Water Column Chemistry, Newport Beaches, 1999-2001. Wet Only.

Orange County Health Care Agency, Water Column Chemistry, Pelican Point Creek, 1997-2001. Wet & Dry.

Orange County Health Care Agency, Water Column Chemistry, Pelican Point Middle Creek, 1997-2001. Wet & Dry.

Orange County Health Care Agency, Water Column Chemistry, Pelican Hill Waterfall, 1997-2001. Wet & Dry.

Orange County Health Care Agency, RWQCB 8 Nov 24, 1998 Newport Bay TMDL Problem Statement, Water Column Chemistry, Santa Ana Delhi Channel, 1997,1998. Wet & Dry.

Orange County Health Care Agency, Water Column Chemistry , Seal Beach, 1999-2001. Wet & Dry.

Orange County Public Facilities Resource Dept, Water Column Chemistry, Anaheim Bay, 1999, 2000. Wet & Dry.

Orange County Public Facilities Resource Dept, Water Column Chemistry, Bolsa Chica, 1999, 2000. Wet & Dry.

Orange County Public Facilities Resource Dept, Water Column Chemistry , Huntington Harbour, 1999, 2000. Wet & Dry.

Orange County Water District, Water Column Chemistry, Cucamonga Creek, 1998,2000,2001. Wet Only

Orange County Water District, Water Column Chemistry, Chino Creek, 1997-2000. Wet & Dry.

Orange County Water District, Water Column Chemistry, *Mill Creek*, 1997-2000. Wet & Dry.

Orange County Water District, RWQCB 8 Monitoring data, Water Column Chemistry, Santa Ana River Reaches 2, 3, 4, 5, 1997-2000. Wet & Dry.

Orange County Water District, Water Column Chemistry, Temescal Creek, 1997-2000. Dry Only

RWQCB 8 Nov 24, 1998 Newport Bay TMDL Problem Statement, Water Column Chemistry, San Diego Creek, 1997,1998. Wet & Dry.

State Water Resources Control Board, Coastal Fish Contamination Program, Fish Tissue, *Anaheim Bay*, 1999, 2000. Season not applicable.

State Water Resources Control Board, Coastal Fish Contamination Program , Fish Tissue, Huntington Beach State Park, 1999, 2000. Season not applicable.

State Water Resources Control Board, Coastal Fish Contamination Program, Fish Tissue, Newport Bay, 1999, 2000. Season not applicable.

State Water Resources Control Board, Coastal Fish Contamination Program , Fish Tissue , Newport Beaches, 1999, 2000. Season not applicable.

State Water Resources Control Board, Coastal Fish Contamination Program , Fish Tissue, Ocean Waters (oil platforms), 1999, 2000. Season not applicable.

State Water Resources Control Board, Coastal Fish Contamination Program , Fish Tissue, Seal Beach, 1999,2000. Season not applicable.

State Water Resources Control Board, Mussel Watch, Mussel Tissue , Huntington Harbour, 1998-2000. Season not applicable.

Yucaipa Valley Municipal Water District, No ambient data received only outfall data, San Timoteo Creek, Not applicable.

Regional Water Quality Control Board

SAN DIEGO REGION (9)



SECTION 303 (d) LIST PROPOSALS

Page left blank intentionally.



## Region 9: Agua Hedionda Creek

### Total Dissolved Solids

---

<b>Water Body</b>	Agua Hedionda Creek
<b>Stressor/Media/Beneficial Use</b>	Total Dissolved Solids/Water/MUN, AGR
<b>Data quality assessment. Extent to which data quality requirements met.</b>	NPDES permit monitoring.
<b>Linkage between measurement endpoint and beneficial use or standard</b>	Pollutant can have a direct impact on beneficial uses.
<b>Utility of measure for judging if standards or uses are not attained</b>	WQO (Basin Plan) (500 mg/L) used.
<b>Water Body-specific Information</b>	Data age = 1-3 years.
<b>Data used to assess water quality</b>	City of San Diego sampling showed exceedance of the Basin Plan objective for more than 10% of the time during a one-year period. At station AH1 from June 1998 to March 1999, 4 of 4 samples (100%) exceeded the objective, with a mean of 1268.0 mg/L and a median of 1251.5 mg/L. From January 2000 to March 2000, 1 of 3 samples (33%) exceeded the objective, with a mean of 684.3 mg/L and a median of 362.0 mg/L. One other station also demonstrated a TDS concentration to exceed the objective in June of 1998. The concentration at AHC-SA was 1372 mg/L. All non-detects were treated as 0.0 mg/L for statistical purposes. Regional Board TDS sampling in June of 1998 also show Agua Hedionda Creek to have concentrations above the Basin Plan objective. The concentration at Sycamore Avenue was 1372 mg/L, at El Camino Real the concentration was 1716 mg/L and 1624 mg/L.
<b>Spatial representation</b>	Two sample sites (top and bottom of reach).
<b>Temporal representation</b>	November 1998 to March 2000.
<b>Data type</b>	Numerical data.
<b>Use of standard method</b>	
<b>Potential Source(s) of Pollutant</b>	Anthropogenic sources, imported water, evaporation, and natural salt sources. Also, urban runoff, agriculture runoff, other point sources, and nonpoint sources.
<b>Alternative Enforceable Program</b>	Unknown.
<b>RWQCB Recommendation</b>	List.
<b>SWRCB Staff Recommendation</b>	After reviewing the available data and information and the RWQCB documentation for this recommendation, SWRCB staff concludes that the water body should be placed on the section 303(d) list because applicable water quality standards are exceeded and a pollutant contributes to or causes the problem.  This conclusion is based on the staff findings that: 1. The data is considered to be of adequate quality. 2. The data exhibited sufficient spatial and temporal coverage.

## Region 9: Agua Hedionda Creek

### Total Dissolved Solids

---

3. Beneficial uses have been established for and apply to the water body.
4. Water quality standard used is applicable.
5. Data are numerical.
6. Standard methods were used.
7. Other water body- or site-specific information including the effects of season and age of the data were considered.

An adequate number of the water quality measurements exceeded the water quality standard. The staff confidence that standards were exceeded is moderate.

## Region 9: Agua Hedionda Lagoon

### Caulerpa taxifolia

---

<b>Water Body</b>	Agua Hedionda Lagoon
<b>Stressor/Media/Beneficial Use</b>	Caulerpa taxifolia (an invasive marine algae)/Water/Aquatic Life
<b>Data quality assessment. Extent to which data quality requirements met.</b>	The information used to develop this listing is taken from two summary documents developed by the National Marine Fisheries Service.
<b>Linkage between measurement endpoint and beneficial use or standard</b>	The Basin Plan contains narrative water quality objectives for the protection of bay and estuarine communities and populations of vertebrate, invertebrate, and plant species.
<b>Utility of measure for judging if standards or uses are not attained</b>	In areas where the Caulerpa has become well established, it has caused ecological and economic devastation by overgrowing and eliminating native seaweeds, seagrasses, and other communities. In the Mediterranean, it is reported to have harmed tourism and pleasure boating, devastated recreational diving, and had a costly impact on commercial fishing both by altering the distribution of fish as well as creating a considerable impediment to net fisheries. The dense carpet that this species can form on the bottom could inhibit the establishment of juveniles of many reef species, and its establishment offshore could seriously impact sport and commercial fisheries and navigation through quarantine restrictions to prevent the spread of this species.
<b>Water Body-specific Information</b>	This algae poses a substantial threat to marine ecosystems in Southern California, particularly to the extensive eelgrass meadows and other benthic environments that make coastal waters such a rich and productive environment for fish and birds. The eelgrass beds and other coastal resources that could be directly impacted by an invasion of Caulerpa are part of a food web that is critical to the survival of numerous native marine species including the commercially and recreationally important spiny lobster, California halibut, and sand basses.
<b>Data used to assess water quality</b>	The discovery of this species in southern California, recently reported in the journal Nature to be genetically identical to the strain in the Mediterranean, confirms that it nevertheless continues to invade marine ecosystems, such as the ecologically rich eelgrass beds that thrive in many of our coastal lagoons. It is likely that the alga was released from an aquarium at the locations in California where it has been discovered, a practice banned under California law. As of September 24, 2001 when Governor Gray Davis signed into law Assembly Bill 1334, it is now unlawful to sell, import, transport, transfer, or possess C. taxifolia and a number of look-alike species and other invasive Caulerpa species.
<b>Spatial representation</b>	The infestation of Huntington Harbour and Agua Hedionda are the first known infestations along the Pacific Coast of North America.
<b>Temporal representation</b>	Caulerpa was found in Agua Hedionda Lagoon in June 2000. It is probable that Caulerpa has been present since 1996.
<b>Data type</b>	The information used was not numerical.
<b>Use of standard method</b>	N/A

## Region 9: Agua Hedionda Lagoon

### Caulerpa taxifolia

---

<b>Potential Source(s) of Pollutant</b>	It is likely that the alga was released from an aquarium near the Lagoon. This practice is now banned by State law (AB 1334 (2001)).
<b>Alternative Enforceable Program</b>	RWQCB staff is coordinating efforts to define the spatial extent of the infestation, working with other agencies and interested parties to confine the infestation, examining available technologies for Caulerpa removal potential and educating the public as to its source and impact to the harbor.
<b>RWQCB Recommendation</b>	Do not add Agua Hedionda Lagoon to the 303(d) list for Caulerpa taxifolia.
<b>SWRCB Staff Recommendation</b>	After reviewing the available data and information and the RWQCB documentation for this recommendation, SWRCB staff conclude that the water body should not be placed on the section 303(d) list because a pollutant does not contribute to or cause the problem.

## Region 9: Agua Hedionda Lagoon Bacterial Indicators (was "high coliform count")

---

<b>Water Body</b>	Agua Hedionda Lagoon
<b>Stressor/Media/Beneficial Use</b>	Bacterial Indicators (was "high coliform count")
<b>Data quality assessment. Extent to which data quality requirements met.</b>	
<b>Linkage between measurement endpoint and beneficial use or standard</b>	
<b>Utility of measure for judging if standards or uses are not attained</b>	
<b>Water Body-specific Information</b>	
<b>Data used to assess water quality</b>	
<b>Spatial representation</b>	
<b>Temporal representation</b>	
<b>Data type</b>	
<b>Use of standard method</b>	
<b>Potential Source(s) of Pollutant</b>	
<b>Alternative Enforceable Program</b>	
<b>RWQCB Recommendation</b>	All previous (1998) listings for "High Coliform Count" should be changed to "Bacterial Indicators." This will ensure consistency between the 1998 List and the 2002 Updated List. For 1998 listings, "Bacterial Indicators" implies that the water quality problem was due to fecal coliform, total coliform, or both. For the 2002 update, "Bacterial Indicators" implies fecal coliform, total coliform, enterococci or a combination of any of the three. In the San Diego Region, enterococci measurements commenced in 1999.
<b>SWRCB Staff Recommendation</b>	Change pollutant designation from "high coliform count" to "Bacterial Indicators."

## Region 9: Aliso Creek

### Enterococci

---

<b>Water Body</b>	Aliso Creek
<b>Stressor/Media/Beneficial Use</b>	Enterococci/Water/REC-1
<b>Data quality assessment. Extent to which data quality requirements met.</b>	205(j) Planning Study used.
<b>Linkage between measurement endpoint and beneficial use or standard</b>	Pollutant can have a direct impact on beneficial uses.
<b>Utility of measure for judging if standards or uses are not attained</b>	WQO (Basin Plan) (>108 colonies/100 mL), for lightly/moderately used areas.
<b>Water Body-specific Information</b>	Data age = 2 years.
<b>Data used to assess water quality</b>	Aliso Creek Water Quality Planning Study (6-8/99), dry weather: Cooks Corner (44% exceedences [>108 coliform forming units/100 mL]), downstream of English Canyon Creek (33%), downstream of Dairy Fork Creek (78%), downstream of Sulphur Creek (44%) and at Pacific Coast Highway (33%). (6-8/99) tributaries, dry weather: English Canyon Creek (56%), Dairy Fork Creek (78%), Aliso Hills Channel (100%), Sulphur Creek (33%) and Wood Canyon Creek (22%).
<b>Spatial representation</b>	9 samples at each of 10 stations (Aliso Creek and tributaries combined) entire reach sampled.
<b>Temporal representation</b>	Sampling occurred in dry weather from June-August 1999.
<b>Data type</b>	Numerical data.
<b>Use of standard method</b>	
<b>Potential Source(s) of Pollutant</b>	Urban runoff, other point sources and nonpoint sources.
<b>Alternative Enforceable Program</b>	Unknown.
<b>RWQCB Recommendation</b>	List.
<b>SWRCB Staff Recommendation</b>	<p>After reviewing the available data and information and the RWQCB documentation for this recommendation, SWRCB staff concludes that the water body should be placed on the section 303(d) list because applicable water quality standards are exceeded and a pollutant contributes to or causes the problem. Place on section 303(d) list as "Bacterial Indicators."</p> <p>This conclusion is based on the staff findings that:</p> <ol style="list-style-type: none"> <li>1. The data is considered to be of adequate quality.</li> <li>2. The data exhibited sufficient spatial and temporal coverage.</li> <li>3. Beneficial uses have been established for and apply to the water body.</li> <li>4. Water quality standard used is applicable.</li> <li>5. The evaluation guideline used to interpret narrative water quality standards is adequate.</li> <li>6. Data are numerical.</li> <li>7. Standard methods were used.</li> </ol>

## Region 9: Aliso Creek Enterococci

---

8. Other water body- or site-specific information including the effects of age of the data were considered.

An adequate number of the water quality measurements exceeded the water quality standard. The staff confidence that standards were exceeded is moderate.

## Region 9: Aliso Creek

### Escherichia coli

---

<b>Water Body</b>	Aliso Creek
<b>Stressor/Media/Beneficial Use</b>	E. coli/Water/REC-1
<b>Data quality assessment. Extent to which data quality requirements met.</b>	205(j) Planning Study used.
<b>Linkage between measurement endpoint and beneficial use or standard</b>	Pollutant can have a direct impact on beneficial uses.
<b>Utility of measure for judging if standards or uses are not attained</b>	WQO (Basin Plan) (>406 colonies/100 mL), for lightly/moderately used areas.
<b>Water Body-specific Information</b>	Data age = 2 years.
<b>Data used to assess water quality</b>	Aliso Creek Water Quality Planning Study (6-8/99), dry weather: Cooks Corner (22% exceedences [>406 colonies/100 mL]), downstream of English Canyon Creek (56%), downstream of Dairy Fork Creek (89%), and downstream of Sulphur Creek (33%). (6-8/99) tributaries, dry weather: English Canyon Creek (44%), Dairy Fork Creek (78%), Aliso Hills Channel (67%), Sulphur Creek (22%) and Wood Canyon Creek (33%).
<b>Spatial representation</b>	9 samples at each of the 10 stations (Aliso Creek and tributaries combined) entire reach sampled.
<b>Temporal representation</b>	Sampling from June-August 1999.
<b>Data type</b>	Numerical data.
<b>Use of standard method</b>	
<b>Potential Source(s) of Pollutant</b>	Urban runoff, other point sources and nonpoint sources.
<b>Alternative Enforceable Program</b>	Unknown.
<b>RWQCB Recommendation</b>	List.
<b>SWRCB Staff Recommendation</b>	<p>After reviewing the available data and information and the RWQCB documentation for this recommendation, SWRCB staff concludes that the water body should be placed on the section 303(d) list because applicable water quality standards are exceeded and a pollutant contributes to or causes the problem. Place on section 303(d) list as "Bacterial Indicators."</p> <p>This conclusion is based on the staff findings that:</p> <ol style="list-style-type: none"> <li>1. The data is considered to be of adequate quality.</li> <li>2. The data exhibited sufficient spatial and temporal coverage.</li> <li>3. Beneficial uses have been established for and apply to the water body.</li> <li>4. Water quality standard used is applicable.</li> <li>5. Data are numerical.</li> <li>6. Standard methods were used.</li> <li>7. Other water body- or site-specific information including the effects of age of the data were considered.</li> </ol>



## Region 9: Aliso Creek

### Escherichia coli

---

An adequate number of the water quality measurements exceeded the water quality standard. The staff confidence that standards were exceeded is moderate.

## Region 9: Aliso Creek

### Fecal Coliform

---

<b>Water Body</b>	Aliso Creek
<b>Stressor/Media/Beneficial Use</b>	Fecal Coliform/Water/REC-1
<b>Data quality assessment. Extent to which data quality requirements met.</b>	205(j) Planning Study used.
<b>Linkage between measurement endpoint and beneficial use or standard</b>	Pollutant can have a direct impact on beneficial uses.
<b>Utility of measure for judging if standards or uses are not attained</b>	WQO (Basin Plan) (for 5 samples or more, any 30-day period, log mean not >200 colonies/100 mL; no more than 10% total samples >400 colonies/100 mL) used.
<b>Water Body-specific Information</b>	Data age = 3 years.
<b>Data used to assess water quality</b>	Aliso Creek Water Quality Planning Study (10/98): 4 locations w/log mean concentrations >>WQO for 30-day log mean objective (200 colonies/100 mL). Locations: downstream of English Canyon Creek (1074 Most Probable Number (MPN)/100 mL), downstream of Dairy Fork Creek (4308 MPN/100 mL), downstream of Sulphur Creek (1410 MPN/100 mL) and at Pacific Coast Highway (3178 MPN/100 mL). (5 samples in a 30-day period)
<b>Spatial representation</b>	5 samples; lower 1 mile of Creek sampled.
<b>Temporal representation</b>	Samples collected in a 30-day period in October 1998.
<b>Data type</b>	Numerical data.
<b>Use of standard method</b>	
<b>Potential Source(s) of Pollutant</b>	Urban runoff, other point sources and nonpoint sources.
<b>Alternative Enforceable Program</b>	Unknown.
<b>RWQCB Recommendation</b>	List.
<b>SWRCB Staff Recommendation</b>	<p>After reviewing the available data and information and the RWQCB documentation for this recommendation, SWRCB staff concludes that the water body should be placed on the section 303(d) list because applicable water quality standards are exceeded and a pollutant contributes to or causes the problem. Place on section 303(d) list as "Bacterial Indicators."</p> <p>This conclusion is based on the staff findings that:</p> <ol style="list-style-type: none"> <li>1. The data is considered to be of adequate quality.</li> <li>2. The data exhibited sufficient spatial and temporal coverage.</li> <li>3. Beneficial uses have been established for and apply to the water body.</li> <li>4. Water quality standard used is applicable.</li> <li>5. Data are numerical.</li> <li>6. Standard methods were used.</li> <li>7. Other water body- or site-specific information including the effects of season, and age of the data were considered.</li> </ol>

## Region 9: Aliso Creek Fecal Coliform

---

An adequate number of the water quality measurements exceeded the water quality standard. The staff confidence that standards were exceeded is moderate.

## Region 9: Aliso Creek

### Phosphorus

---

<b>Water Body</b>	Aliso Creek
<b>Stressor/Media/Beneficial Use</b>	Phosphorus/Water/WARM, WILD
<b>Data quality assessment. Extent to which data quality requirements met.</b>	NPDES permit monitoring.
<b>Linkage between measurement endpoint and beneficial use or standard</b>	Pollutant can have a direct impact on beneficial uses.
<b>Utility of measure for judging if standards or uses are not attained</b>	WQO (Basin Plan), narrative objective, also (biostimulatory objective = 0.1 mg/L) not to be exceeded >10% of the time.
<b>Water Body-specific Information</b>	Data age = 1-4 years.
<b>Data used to assess water quality</b>	Orange County NPDES Annual Progress Report (7/97 and 7/00): (data converted from PO4 to equivalent phosphorus value). 7/97-6/98: 5/5 (100%) > WQO, mean = 0.23 mg/L. 9/98-8/99: 20/22 (91%) > WQO, mean=0.26 mg/L. 10/99-6/00: 13/13 (100%) > WQO, mean=0.304 mg/L.
<b>Spatial representation</b>	40 samples; data good for lower 4 miles of the creek.
<b>Temporal representation</b>	Over 4 years (1997-2000).
<b>Data type</b>	Numerical data.
<b>Use of standard method</b>	
<b>Potential Source(s) of Pollutant</b>	Urban runoff, other point sources and nonpoint sources.
<b>Alternative Enforceable Program</b>	Unknown.
<b>RWQCB Recommendation</b>	List.
<b>SWRCB Staff Recommendation</b>	<p>After reviewing the available data and information and the RWQCB documentation for this recommendation, SWRCB staff concludes that the water body should be placed on the section 303(d) list because applicable water quality standards are exceeded and a pollutant contributes to or causes the problem.</p> <p>This conclusion is based on the staff findings that:</p> <ol style="list-style-type: none"> <li>1. The data is considered to be of adequate quality.</li> <li>2. The data exhibited sufficient spatial and temporal coverage.</li> <li>3. Beneficial uses have been established for and apply to the water body.</li> <li>4. Water quality standard used is applicable.</li> <li>5. The evaluation guideline used to interpret narrative water quality standards is adequate.</li> <li>6. Data are numerical.</li> <li>7. Standard methods were used.</li> <li>8. Other water body- or site-specific information including the effects of season and age of the data were considered.</li> </ol> <p>An adequate number of the water quality measurements exceeded the water</p>

## Region 9: Aliso Creek Phosphorus

---

quality standard. The staff confidence that standards were exceeded is moderate.

## Region 9: Aliso Creek

### Toxicity (likely due to organophosphate pesticides)

---

<b>Water Body</b>	Aliso Creek
<b>Stressor/Media/Beneficial Use</b>	Organophosphate pesticides/Water/WARM, WILD
<b>Data quality assessment. Extent to which data quality requirements met.</b>	205(j) Planning Study used.
<b>Linkage between measurement endpoint and beneficial use or standard</b>	Pollutant can have a direct impact on beneficial uses.
<b>Utility of measure for judging if standards or uses are not attained</b>	WQO (Basin Plan) (narrative objective) used.
<b>Water Body-specific Information</b>	Data age = 2-3 years.
<b>Data used to assess water quality</b>	Aliso Creek Water Quality Planning Study: 9/98--no toxicity (low flow); 11/98 and 01/99--toxicity to juvenile fathead minnows and Ceriodaphnia dubia (flood events). For 11/20 toxicity tests, survival rates for both species <70%; for 10/11 of these survival <50%. Average survival rate (juvenile fathead minnows) = 79%. Average survival rate (Ceriodaphnia dubia) =22%.
<b>Spatial representation</b>	20 samples, 5 stations over entire reach (7.2 miles) covered
<b>Temporal representation</b>	Samples collected from 1998-1999.
<b>Data type</b>	Numerical data.
<b>Use of standard method</b>	
<b>Potential Source(s) of Pollutant</b>	Organophosphate pesticides are a significant component of the aquatic toxicity in storm water samples. Organophosphate pesticides are found in urban and agricultural run-off.
<b>Alternative Enforceable Program</b>	Unknown.
<b>RWQCB Recommendation</b>	List.
<b>SWRCB Staff Recommendation</b>	<p>After reviewing the available data and information and the RWQCB documentation for this recommendation, SWRCB staff concludes that the water body should be placed on the section 303(d) list because applicable water quality standards are exceeded and a pollutant contributes to or causes the problem.</p> <p>This conclusion is based on the staff findings that:</p> <ol style="list-style-type: none"> <li>1. The data is considered to be of adequate quality.</li> <li>2. The data exhibited sufficient spatial and temporal coverage.</li> <li>3. Beneficial uses have been established for and apply to the water body.</li> <li>4. Water quality standard used is applicable.</li> <li>5. The evaluation guideline used to interpret narrative water quality standards is adequate.</li> <li>6. Data are numerical.</li> <li>7. Standard methods were used.</li> <li>8. Other water body- or site-specific information including the effects of age of the data were considered.</li> </ol>

Region 9: Aliso Creek  
Toxicity (likely due to organophosphate pesticides)

---

An adequate number of the water quality measurements exceeded the water quality standard. The staff confidence that standards were exceeded is moderate.

## Region 9: Aliso Creek (mouth) (was Aliso Creek Mouth of Orange) Bacterial Indicators (was "high coliform count")

---

**Water Body** Aliso Creek (mouth) (was Aliso Creek Mouth of Orange)

**Stressor/Media/Beneficial Use** Bacterial Indicators (was "high coliform count")

**Data quality assessment. Extent to which data quality requirements met.**

**Linkage between measurement endpoint and beneficial use or standard**

**Utility of measure for judging if standards or uses are not attained**

**Water Body-specific Information**

**Data used to assess water quality**

**Spatial representation**

**Temporal representation**

**Data type**

**Use of standard method**

**Potential Source(s) of Pollutant**

**Alternative Enforceable Program**

**RWQCB Recommendation**

All previous (1998) listings for "High Coliform Count" should be changed to "Bacterial Indicators." This will ensure consistency between the 1998 List and the 2002 Updated List. For 1998 listings, "Bacterial Indicators" implies that impairment was due to fecal coliform, total coliform, or both. For the 2002 update, "Bacterial Indicators" implies impairment was due to fecal coliform, total coliform, enterococci or a combination of any of the three. In the San Diego Region, enterococci measurements commenced in 1999.

**SWRCB Staff Recommendation**

Change pollutant designation from "high coliform count" to "bacterial indicators."



## Region 9: Buena Vista Lagoon

### Bacterial Indicators (was "high coliform count")

---

**Water Body** Buena Vista Lagoon

**Stressor/Media/Beneficial Use** Bacterial Indicators (was "high coliform count")

**Data quality assessment. Extent to which data quality requirements met.**

**Linkage between measurement endpoint and beneficial use or standard**

**Utility of measure for judging if standards or uses are not attained**

**Water Body-specific Information**

**Data used to assess water quality**

**Spatial representation**

**Temporal representation**

**Data type**

**Use of standard method**

**Potential Source(s) of Pollutant**

**Alternative Enforceable Program**

**RWQCB Recommendation**

All previous (1998) listings for "High Coliform Count" should be changed to "Bacterial Indicators." This will ensure consistency between the 1998 List and the 2002 Updated List. For 1998 listings, "Bacterial Indicators" implies that impairment was due to fecal coliform, total coliform, or both. For the 2002 update, "Bacterial Indicators" implies impairment was due to fecal coliform, total coliform, enterococci or a combination of any of the three. In the San Diego Region, enterococci measurements commenced in 1999.

**SWRCB Staff Recommendation**

Change pollutant designation from "high coliform count" to "Bacterial indicators."

## Region 9: Chollas Creek

### Bacterial Indicators (was "high coliform count")

---

**Water Body** Chollas Creek

**Stressor/Media/Beneficial Use** Bacterial Indicators (was "high coliform count")

**Data quality assessment. Extent to which data quality requirements met.**

**Linkage between measurement endpoint and beneficial use or standard**

**Utility of measure for judging if standards or uses are not attained**

**Water Body-specific Information**

**Data used to assess water quality**

**Spatial representation**

**Temporal representation**

**Data type**

**Use of standard method**

**Potential Source(s) of Pollutant**

**Alternative Enforceable Program**

**RWQCB Recommendation**

All previous (1998) listings for "High Coliform Count" should be changed to "Bacterial Indicators." This will ensure consistency between the 1998 List and the 2002 Updated List. For 1998 listings, "Bacterial Indicators" implies that impairment was due to fecal coliform, total coliform, or both. For the 2002 update, "Bacterial Indicators" implies impairment was due to fecal coliform, total coliform, enterococci or a combination of any of the three. In the San Diego Region, enterococci measurements commenced in 1999.

**SWRCB Staff Recommendation**

Change pollutant designation from "high coliform count" to "Bacterial indicators."

## Region 9: Cloverdale Creek

### Phosphorus

---

<b>Water Body</b>	Cloverdale Creek
<b>Stressor/Media/Beneficial Use</b>	Phosphorus/Water/MUN, REC-1, REC-2, WARM, COLD, WILD, RARE
<b>Data quality assessment. Extent to which data quality requirements met.</b>	City of San Diego WQ Laboratory.
<b>Linkage between measurement endpoint and beneficial use or standard</b>	Pollutant can have a direct impact on beneficial uses.
<b>Utility of measure for judging if standards or uses are not attained</b>	WQO (Basin Plan), narrative objective, also (biostimulatory objective = 0.1 mg/L) not to be exceeded >10% of the time.
<b>Water Body-specific Information</b>	Data age = 2 years.
<b>Data used to assess water quality</b>	Sampling by the City of San Diego at station CDC4 showed the Basin Plan objective for phosphorus to be exceeded for more than 10% of the time during the year. Eight of 8 samples exceeded the objective, with an average concentration was 0.45 mg/L and a median concentration was 0.34 mg/L.
<b>Spatial representation</b>	One sample site, 1/2 mile of Creek.
<b>Temporal representation</b>	Samples collected April 1999-March 2000.
<b>Data type</b>	Numerical data.
<b>Use of standard method</b>	NPDES procedures.
<b>Potential Source(s) of Pollutant</b>	Urban runoff, other point sources and nonpoint sources.
<b>Alternative Enforceable Program</b>	Unknown.
<b>RWQCB Recommendation</b>	List.
<b>SWRCB Staff Recommendation</b>	<p>After reviewing the available data and information and the RWQCB documentation for this recommendation, SWRCB staff concludes that the water body should be placed on the section 303(d) list because applicable water quality standards are exceeded and a pollutant contributes to or causes the problem.</p> <p>This conclusion is based on the staff findings that:</p> <ol style="list-style-type: none"> <li>1. The data is considered to be of adequate quality.</li> <li>2. The data exhibited sufficient spatial and temporal coverage.</li> <li>3. Beneficial uses have been established for and apply to the water body.</li> <li>4. Water quality standard used is applicable.</li> <li>5. Data are numerical.</li> <li>6. Standard methods were used.</li> <li>7. Other water body- or site-specific information including the effects of season and age of the data were considered.</li> </ol> <p>An adequate number of the water quality measurements exceeded the water quality standard. The staff confidence that standards were exceeded is high.</p>

## Region 9: Cloverdale Creek

### Total Dissolved Solids

---

<b>Water Body</b>	Cloverdale Creek
<b>Stressor/Media/Beneficial Use</b>	Total Dissolved Solids/Water/MUN, AGR
<b>Data quality assessment. Extent to which data quality requirements met.</b>	City of San Diego WQ Laboratory.
<b>Linkage between measurement endpoint and beneficial use or standard</b>	Pollutant can have a direct impact on beneficial uses.
<b>Utility of measure for judging if standards or uses are not attained</b>	WQO (Basin Plan) (500 mg/L) used.
<b>Water Body-specific Information</b>	Data age = 1-2 years.
<b>Data used to assess water quality</b>	Sampling by the City of San Diego at station CDC4 showed the Basin Plan objective for TDS to be exceeded for more than 10% of the time during the year. Eight of 8 samples exceeded the objective, with an average concentration of 1443.4 mg/L and a median concentration of 1500.0 mg/L.
<b>Spatial representation</b>	One sample site, 1/2 mile of Creek.
<b>Temporal representation</b>	Samples collected April 1999-March 2000.
<b>Data type</b>	Numerical data.
<b>Use of standard method</b>	NPDES procedures.
<b>Potential Source(s) of Pollutant</b>	Anthropogenic sources, imported water, evaporation, and natural salt sources. Also, urban runoff, agriculture runoff, other point sources, and nonpoint sources.
<b>Alternative Enforceable Program</b>	Unknown.
<b>RWQCB Recommendation</b>	List.
<b>SWRCB Staff Recommendation</b>	<p>After reviewing the available data and information and the RWQCB documentation for this recommendation, SWRCB staff concludes that the water body should be placed on the section 303(d) list because applicable water quality standards are exceeded and a pollutant contributes to or causes the problem.</p> <p>This conclusion is based on the staff findings that:</p> <ol style="list-style-type: none"> <li>1. The data is considered to be of adequate quality.</li> <li>2. The data exhibited sufficient spatial and temporal coverage.</li> <li>3. Beneficial uses have been established for and apply to the water body.</li> <li>4. Water quality standard used is applicable.</li> <li>5. Data are numerical.</li> <li>6. Standard methods were used.</li> <li>7. Other water body- or site-specific information including the effects of season and age of the data were considered.</li> </ol> <p>An adequate number of the water quality measurements exceeded the water</p>

## Region 9: Cloverdale Creek

### Total Dissolved Solids

---

quality standard. The staff confidence that standards were exceeded is moderate.

## Region 9: Dana Point Harbor

### Dissolved Copper

---

<b>Water Body</b>	Dana Point Harbor
<b>Stressor/Media/Beneficial Use</b>	Dissolved Copper/Water and sediment/WILD, RARE, MAR, MIGR, SPWN
<b>Data quality assessment. Extent to which data quality requirements met.</b>	<p>The County of Orange's contracted lab used USEPA Method 200.8, an ICP/MS method commonly used for the detection of dissolved copper in drinking water. This method directs the analyst to correct for problems known to occur due to salt matrix interference. The contracted laboratory, however, did not remove salt matrices prior to testing for dissolved copper. It is therefore likely that the data reported in the RWQCB Fact Sheet (Table 1) are incorrect.</p> <p>USEPA (Region 9) performed intercalibration with Orange County's contracted lab to test accuracy and the recovery of metals within seawater/estuarine samples. Standard reference samples came from the National Research Council of Canada (NRCC).</p> <p>Intercalibration results demonstrated that Orange County's contracted lab reported much higher concentrations of copper than the NRCC reference contained when salt matrices are not removed.</p> <p>While this quality assurance check is preliminary, it suggests the Orange County contracted lab cannot produce a reliable dissolved copper result in seawater. The Dana Point Harbor data from the contracted lab must therefore be viewed with caution.</p>
<b>Linkage between measurement endpoint and beneficial use or standard</b>	Pollutant can have a direct impact on beneficial uses.
<b>Utility of measure for judging if standards or uses are not attained</b>	Water: CTR criteria used. Sediment: Effects Range Low, Effects Range Median (ERM).
<b>Water Body-specific Information</b>	Data age = 1-10 years.
<b>Data used to assess water quality</b>	Water chemistry data: 15/45 (33%) samples > CMC but data are suspect. Sediment data: 200-2001: 25/25 (100%) > ERL, 14/25 (56%) > ERM; all years ('99-'01): 37/62 (60%) > ERL, 18/62 (29%) > ERM. Summary: Limited direct evidence of elevated dissolved copper concentrations in Dana Point Harbor. One storm event resulted in all the direct evidence of exceedances and there is limited evidence that the data may not be valid due to analytical errors at the contracted laboratory. However, during the one storm event, 100% of the samples exceeded the CMC by a large margin. Considering all three-storm events, one-third of the samples exceeded the CMC. In addition, total copper concentrations are now above the ERM at over half the stations sampled and exceed the ERL at all the stations. Sediment toxicity data was not reported by the RWQCB staff.
<b>Spatial representation</b>	Five stations sampled within Harbor and just outside Harbor mouth.
<b>Temporal representation</b>	Two storm events sampled per year. No dry-weather, dissolved copper data was used.

## Region 9: Dana Point Harbor

### Dissolved Copper

---

<b>Data type</b>	Numerical data.
<b>Use of standard method</b>	RWQCB staff found that the lab used a non-standard method and that the data is probably unreliable.
<b>Potential Source(s) of Pollutant</b>	RWQCB staff has knowledge of antifouling (Cu-containing) paint use in Dana Point Harbor.
<b>Alternative Enforceable Program</b>	Unknown.
<b>RWQCB Recommendation</b>	List.
<b>SWRCB Staff Recommendation</b>	<p>After reviewing the available data and information and the RWQCB documentation for this recommendation, SWRCB staff concludes that the water body should not be placed on the section 303(d) list because existing data are inadequate to determine if applicable water quality standards are not exceeded.</p> <p>This conclusion is based on the staff findings that:</p> <ol style="list-style-type: none"><li>1. The data is considered to be of inadequate quality.</li><li>2. Non-standard methods were used.</li></ol> <p>An inadequate number of the water quality measurements were scientifically valid or exceeded the water quality standard. The staff confidence that standards were exceeded is low.</p>

## Region 9: Dana Point Harbor (was Dana Point Harbor at Baby Beach [was + Bacterial Indicators (total/fecal coliform, enterococci)

---

<b>Water Body</b>	Dana Point Harbor (was Dana Point Harbor at Baby Beach [was "Dana Point Harbor"])
<b>Stressor/Media/Beneficial Use</b>	Bacterial Indicators (total/fecal coliform, enterococci)/Water/REC-1, SHELL
<b>Data quality assessment. Extent to which data quality requirements met.</b>	Orange County Environmental Health Care Agency.
<b>Linkage between measurement endpoint and beneficial use or standard</b>	Pollutant can have a direct impact on beneficial uses.
<b>Utility of measure for judging if standards or uses are not attained</b>	WQO (Basin Plan/Ocean Plan), via beach closures used. See entry for Pacific Ocean Shoreline (Ocean Beach).
<b>Water Body-specific Information</b>	Data age = 1 yr.
<b>Data used to assess water quality</b>	<p>Re-analysis of applicable year-round 1999 through 2002 data by the RWQCB staff showed 39 usable exceedence days out of 153 usable samples, 32 exceedences out of 153 samples, 47 exceedences out of 153 samples, and 36 exceedences out of 153 samples at four separate locations (the West End, Buoy Line, Swim Area, and East End). (The "p" value used was 0.1.) The final RWQCB staff recommendation was to list the Dana Point Harbor at Baby Beach.</p> <p>The hydrologic sub-area 901.14 (Dana Point HSA) includes the entire Dana Point Harbor as well as the Beach segment. Dana Point Harbor is recommended to be listed for dissolved copper.</p>
<b>Spatial representation</b>	Sampled within 400 yards (0.2 miles) of discharge point.
<b>Temporal representation</b>	
<b>Data type</b>	Numerical data.
<b>Use of standard method</b>	Orange County Environmental Health Care Agency.
<b>Potential Source(s) of Pollutant</b>	Sewage spills/leaks, urban runoff, other point sources, nonpoint sources, and domestic/wild animals.
<b>Alternative Enforceable Program</b>	Unknown.
<b>RWQCB Recommendation</b>	List.
<b>SWRCB Staff Recommendation</b>	<p>A. After reviewing the available data and information and the RWQCB documentation for this recommendation, SWRCB staff concludes that this water body should be added (as recommended by the RWQCB) to the section 303(d) list because applicable water quality standards are exceeded a significant amount of the time.</p> <p>The reason is that an adequate amount of the water quality measurements exceeded the water quality standard. The staff confidence that standards were exceeded is high.</p>



## Region 9: Dana Point Harbor (was Dana Point Harbor at Baby Beach [was + Bacterial Indicators (total/fecal coliform, enterococci)

---

This conclusion is based on the staff findings that:

1. The data is considered to be of adequate quality.
2. The data exhibited sufficient spatial and temporal coverage.
3. Beneficial uses have been established for and apply to the water body.
4. Water quality standard used is applicable.
5. The evaluation guideline used to interpret narrative water quality standards is adequate.
6. Data are numerical.
7. Standard methods were used.
8. Other water body- or site-specific information including the effects of natural sources, season, storm events, and age of the data were considered.

B. Change name (to agree with RWQCB staff's "Table 4" entry for hydrologic descriptor 901.14.

## Region 9: Felicita Creek

### Total Dissolved Solids

---

<b>Water Body</b>	Felicita Creek
<b>Stressor/Media/Beneficial Use</b>	Total Dissolved Solids/Water/MUN, AGR
<b>Data quality assessment. Extent to which data quality requirements met.</b>	City of San Diego WQ Laboratory
<b>Linkage between measurement endpoint and beneficial use or standard</b>	Pollutant can have a direct impact on beneficial uses.
<b>Utility of measure for judging if standards or uses are not attained</b>	WQO (Basin Plan) (500 mg/L) used.
<b>Water Body-specific Information</b>	Data age = 2 years.
<b>Data used to assess water quality</b>	Sampling by the City of San Diego showed the Basin Plan objective to be exceeded for more than 10% of the time during a one year period. Near Quiet Hills Farm Road, from April to June 1999, 3 of 3 samples (100%) exceeded the objective, with a mean of 1343.3 mg/L and a median of 1340.0 mg/L. Near East Mission Road, from April 1999 to April 2000, 10 of 11 samples (91%) exceeded the objective, with a mean of 1088.3 mg/L and a median of 1330.0 mg/L. From January 2001 to July 2001, 10 of 10 samples (100%) exceeded the objective, with a mean of 1308.1 mg/L and a median of 1365.0 mg/L. The data indicate TDS concentrations to be increasing over this time period, but the data represent only a short temporal span.
<b>Spatial representation</b>	Two stations; 2 miles of Creek covered.
<b>Temporal representation</b>	Sampling occurred between April 1999 and May 2001.
<b>Data type</b>	Numerical data.
<b>Use of standard method</b>	
<b>Potential Source(s) of Pollutant</b>	Anthropogenic sources, imported water, evaporation, and natural salt sources. Also, urban runoff, agriculture runoff, other point sources, and nonpoint sources.
<b>Alternative Enforceable Program</b>	Unknown.
<b>RWQCB Recommendation</b>	List.
<b>SWRCB Staff Recommendation</b>	<p>After reviewing the available data and information and the RWQCB documentation for this recommendation, SWRCB staff concludes that the water body should be placed on the section 303(d) list because applicable water quality standards are exceeded and a pollutant contributes to or causes the problem.</p> <p>This conclusion is based on the staff findings that:</p> <ol style="list-style-type: none"> <li>1. The data is considered to be of adequate quality.</li> <li>2. The data exhibited sufficient spatial and temporal coverage.</li> <li>3. Beneficial uses have been established for and apply to the water body.</li> <li>4. Water quality standard used is applicable.</li> <li>5. Data are numerical.</li> </ol>

## Region 9: Felicita Creek

### Total Dissolved Solids

---

6. Standard methods were used.

7. Other water body- or site-specific information including the effects of natural sources, season, storm events, and age of the data were considered.

An adequate number of the water quality measurements exceeded the water quality standard. The staff confidence that standards were exceeded is high.

## Region 9: Forester Creek (was "Forrester Creek")

### pH

---

<b>Water Body</b>	Forester Creek (was "Forrester Creek")
<b>Stressor/Media/Beneficial Use</b>	pH/Water/WARM, COLD, WILD
<b>Data quality assessment. Extent to which data quality requirements met.</b>	NPDES monitoring; City spill reports.
<b>Linkage between measurement endpoint and beneficial use or standard</b>	Pollutant can have a direct impact on beneficial uses.
<b>Utility of measure for judging if standards or uses are not attained</b>	WQO (Basin Plan) (6.5-8.5) used.
<b>Water Body-specific Information</b>	Data age = 1-4 years.
<b>Data used to assess water quality</b>	Data collected by the City of El Cajon show that 28 of 34 pH samples (82%) exceeded the Basin Plan objective. The average pH value was 9.0 and the median value was 8.9. In addition, spill reports from the City of El Cajon record a spill of approximately 1000 gallons of sodium hydroxide into Forrester Creek in July 2000. Measurements of pH were high before and after this reported spill. Existing regulatory actions may not be sufficient to protect Forrester Creek from high pH.
<b>Spatial representation</b>	Six drainage areas.
<b>Temporal representation</b>	Samples were collected between September 1994 and January 2001.
<b>Data type</b>	Numerical data.
<b>Use of standard method</b>	NPDES procedures.
<b>Potential Source(s) of Pollutant</b>	Industrial spills, urban runoff, other point sources, nonpoint sources, lack of shade cover, light penetration, (solar) heating of the water, increased photosynthesis, leached concrete components.
<b>Alternative Enforceable Program</b>	Unknown.
<b>RWQCB Recommendation</b>	List.
<b>SWRCB Staff Recommendation</b>	<p>A. After reviewing the available data and information and the RWQCB documentation for this recommendation, SWRCB staff concludes that the water body should be placed on the section 303(d) list because applicable water quality standards are exceeded and a pollutant contributes to or causes the problem.</p> <p>This conclusion is based on the staff findings that:</p> <ol style="list-style-type: none"> <li>1. The data is considered to be of adequate quality.</li> <li>2. The data exhibited sufficient spatial and temporal coverage.</li> <li>3. Beneficial uses have been established for and apply to the water body.</li> <li>4. Water quality standard used is applicable.</li> <li>5. Data are numerical.</li> <li>6. Standard methods were used.</li> <li>7. Other water body- or site-specific information including the effects of season and age of the data were considered.</li> </ol>

## Region 9: Forester Creek (was "Forrester Creek") pH

---

An adequate number of the water quality measurements exceeded the water quality standard. The staff confidence that standards were exceeded is high.

B. Change name from "Forrester" to "Forester Creek" (correct spelling).

## Region 9: Forester Creek (was "Forrester Creek") Fecal Coliform

---

<b>Water Body</b>	Forester Creek (was "Forrester Creek")
<b>Stressor/Media/Beneficial Use</b>	Fecal Coliform/Water/REC-1
<b>Data quality assessment. Extent to which data quality requirements met.</b>	Padre Dam Municipal Water District Receiving Water Sampling/analysis
<b>Linkage between measurement endpoint and beneficial use or standard</b>	Pollutant can have a direct impact on beneficial uses.
<b>Utility of measure for judging if standards or uses are not attained</b>	WQO (Basin Plan): For single samples, the Basin Plan1 objective states that no more than 10% of the total samples during any 30-day period shall exceed 400 colonies/100 mL.
<b>Water Body-specific Information</b>	Data age = 3 years.
<b>Data used to assess water quality</b>	Sampling was done by the Padre Dam Municipal Wastewater District intermittently. Data was taken once a month for October-March and twice a month for April-October. The data shows that 14 of 38 samples (37%) in both wet and dry weather had levels of fecal coliform in excess of 400 Most Probable Number (MPN)/mL.
<b>Spatial representation</b>	One monitoring site.
<b>Temporal representation</b>	Samples were collected between October 1997 and September 2000.
<b>Data type</b>	Numerical data.
<b>Use of standard method</b>	
<b>Potential Source(s) of Pollutant</b>	Urban runoff, other point sources, nonpoint sources, and sewage spills.
<b>Alternative Enforceable Program</b>	Unknown.
<b>RWQCB Recommendation</b>	List.
<b>SWRCB Staff Recommendation</b>	<p>A. After reviewing the available data and information and the RWQCB documentation for this recommendation, SWRCB staff concludes that the water body should be placed on the section 303(d) list because applicable water quality standards are exceeded and a pollutant contributes to or causes the problem.</p> <p>This conclusion is based on the staff findings that:</p> <ol style="list-style-type: none"> <li>1. The data is considered to be of adequate quality.</li> <li>2. The data exhibited sufficient spatial and temporal coverage.</li> <li>3. Beneficial uses have been established for and apply to the water body.</li> <li>4. Water quality standard used is applicable.</li> <li>5. Data are numerical.</li> <li>6. Standard methods were used.</li> <li>7. Other water body- or site-specific information including the effects of season, storm events, and age of the data were considered.</li> </ol> <p>An adequate number of the water quality measurements exceeded the water quality standard. The staff confidence that standards were exceeded is high.</p>

Region 9: Forester Creek (was "Forrester Creek")  
Fecal Coliform

---

B. Change name from "Forrester" to "Forester Creek" (correct spelling).

## Region 9: Forester Creek (was "Forrester Creek")

### Total Dissolved Solids

---

<b>Water Body</b>	Forester Creek (was "Forrester Creek")
<b>Stressor/Media/Beneficial Use</b>	Total Dissolved Solids/Water/MUN
<b>Data quality assessment. Extent to which data quality requirements met.</b>	Padre Dam Municipal Water District Receiving Water Sampling/analysis.
<b>Linkage between measurement endpoint and beneficial use or standard</b>	Pollutant can have a direct impact on beneficial uses.
<b>Utility of measure for judging if standards or uses are not attained</b>	The Basin Plan1 objective for surface waters in the lower portion of hydrologic unit sub area 907.12 is 1500 mg/L. This objective is not to be exceeded more than 10% of the time during any one-year period.
<b>Water Body-specific Information</b>	Data age = 1-4 years.
<b>Data used to assess water quality</b>	Basin Plan objective was exceeded for more than 10% of the time during a one-year period from September 1997 to September 1998. 17 of 18 samples (94%) exceeded the objective, with a mean of 1667.3 mg/L and a median of 1738.0 mg/L (15.9% above the objective). From October 1998 to October 1999, 16 of 20 samples (80%) exceeded the objective, with a mean of 1647.6 mg/L and a median of 1706.0 mg/L (13.7% above the objective). From November 1999 to December 2000, 19 of 21 samples (95%) exceeded the objective, with a mean of 1589.7 mg/L and a median of 1656.0 mg/L (10.4% above the objective).
<b>Spatial representation</b>	One sample site.
<b>Temporal representation</b>	Samples were collected between September 1997 and December 2000.
<b>Data type</b>	Numerical data.
<b>Use of standard method</b>	
<b>Potential Source(s) of Pollutant</b>	Anthropogenic sources, imported water, evaporation, and natural salt sources. Also, urban runoff, agriculture runoff, other point sources, and nonpoint sources.
<b>Alternative Enforceable Program</b>	Unknown.
<b>RWQCB Recommendation</b>	List.
<b>SWRCB Staff Recommendation</b>	<p>A. After reviewing the available data and information and the RWQCB documentation for this recommendation, SWRCB staff concludes that the water body should be placed on the section 303(d) list because applicable water quality standards are exceeded and a pollutant contributes to or causes the problem.</p> <p>This conclusion is based on the staff findings that:</p> <ol style="list-style-type: none"> <li>1. The data is considered to be of adequate quality.</li> <li>2. The data exhibited sufficient spatial and temporal coverage.</li> <li>3. Beneficial uses have been established for and apply to the water body.</li> <li>4. Water quality standard used is applicable.</li> <li>5. Data are numerical.</li> </ol>



## Region 9: Forester Creek (was "Forrester Creek")

### Total Dissolved Solids

---

6. Standard methods were used.
7. Other water body- or site-specific information including the age of the data were considered.

An adequate number of the water quality measurements exceeded the water quality standard. The staff confidence that standards were exceeded is moderately high.

- B. Change name from "Forrester" to "Forester Creek" (correct spelling).

## Region 9: Green Valley Creek Sulfate

---

<b>Water Body</b>	Green Valley Creek
<b>Stressor/Media/Beneficial Use</b>	Sulfate/Water/MUN
<b>Data quality assessment. Extent to which data quality requirements met.</b>	City of San Diego WQ Laboratory.
<b>Linkage between measurement endpoint and beneficial use or standard</b>	Pollutant can have a direct impact on beneficial uses.
<b>Utility of measure for judging if standards or uses are not attained</b>	WQO (Basin Plan) (250 mg/L) used.
<b>Water Body-specific Information</b>	Data age = 1-2 years.
<b>Data used to assess water quality</b>	Data from the City of San Diego Water Quality Lab from April 1999 to July 2001 show the Basin Plan objective to be exceeded for more than 10% of the time during a one-year period. From April 1999 to April 2000, 8 of 13 samples (62%) exceeded the objective, with a mean of 305.1 mg/L and a median of 313.0 mg/L. From January 2001 to July 2001, 6 of 10 samples (60%) exceeded the objective, with a mean of 355.7 mg/L and a median of 447.0 mg/L.
<b>Spatial representation</b>	Only one station.
<b>Temporal representation</b>	Samples collected between April 1999 and July 2001. It should be noted that the majority of the sampling occurred during the months of January, February, March and April. This is generally considered to be the rainy season in San Diego.
<b>Data type</b>	Numerical data.
<b>Use of standard method</b>	NPDES procedures.
<b>Potential Source(s) of Pollutant</b>	Urban runoff, other point sources, nonpoint sources, and natural sources.
<b>Alternative Enforceable Program</b>	Unknown.
<b>RWQCB Recommendation</b>	List.
<b>SWRCB Staff Recommendation</b>	<p>After reviewing the available data and information and the RWQCB documentation for this recommendation, SWRCB staff concludes that the water body should be placed on the section 303(d) list because applicable water quality standards are exceeded and a pollutant contributes to or causes the problem.</p> <p>This conclusion is based on the staff findings that:</p> <ol style="list-style-type: none"> <li>1. The data is considered to be of adequate quality.</li> <li>2. The data exhibited sufficient spatial and temporal coverage.</li> <li>3. Beneficial uses have been established for and apply to the water body.</li> <li>4. Water quality standard used is applicable.</li> <li>5. Data are numerical.</li> <li>6. Standard methods were used.</li> <li>7. Other water body- or site-specific information including the effects of natural sources, season, storm events, and age of the data were considered.</li> </ol>

## Region 9: Green Valley Creek Sulfate

---

An adequate number of the water quality measurements exceeded the water quality standard. The staff confidence that standards were exceeded is high.

## Region 9: Hodges, Lake (was Lake Hodges [was Hodges Reservoir])

### Total Dissolved Solids

---

<b>Water Body</b>	Hodges, Lake (was Lake Hodges [was Hodges Reservoir])
<b>Stressor/Media/Beneficial Use</b>	Total Dissolved Solids/Water/AGR
<b>Data quality assessment. Extent to which data quality requirements met.</b>	City of San Diego WQ Laboratory.
<b>Linkage between measurement endpoint and beneficial use or standard</b>	Pollutant can have a direct impact on beneficial uses.
<b>Utility of measure for judging if standards or uses are not attained</b>	WQO (Basin Plan) (500 mg/L) used.
<b>Water Body-specific Information</b>	Data age = 4 years.
<b>Data used to assess water quality</b>	Data from the City of San Diego Water Quality Lab from September 1998 to December 2000 show the Basin Plan objective to be exceeded for more than 10% of time during a one-year period. From September 98 to September 99, 5 of 5 samples (100%) exceeded the objective, with a mean of 653.6 mg/L and a median of 659.0 mg/L. From December 99 to December 00, 5 of 5 samples (100%) exceeded the objective, with a mean of 770.2 mg/L and a median of 754.0 mg/L.
<b>Spatial representation</b>	Two representative sampling stations.
<b>Temporal representation</b>	September 1998-December 2000.
<b>Data type</b>	Numerical data.
<b>Use of standard method</b>	City of San Diego WQ Laboratory.
<b>Potential Source(s) of Pollutant</b>	Anthropogenic sources, imported water, evaporation, and natural salt sources. Also, urban runoff, agriculture runoff, other point sources, and nonpoint sources.
<b>Alternative Enforceable Program</b>	Unknown.
<b>RWQCB Recommendation</b>	List.
<b>SWRCB Staff Recommendation</b>	<p>After reviewing the available data and information and the RWQCB documentation for this recommendation, SWRCB staff concludes that the water body should be placed on the section 303(d) list because applicable water quality standards are exceeded and a pollutant contributes to or causes the problem.</p> <p>This conclusion is based on the staff findings that:</p> <ol style="list-style-type: none"> <li>1. The data is considered to be of adequate quality.</li> <li>2. The data exhibited sufficient spatial and temporal coverage.</li> <li>3. Beneficial uses have been established for and apply to the water body.</li> <li>4. Water quality standard used is applicable.</li> <li>5. Data are numerical.</li> <li>6. Standard methods were used.</li> <li>7. Other water body- or site-specific information including the effects of natural sources, season, storm events, and age of the data were considered.</li> </ol>

## Region 9: Hodges, Lake (was Lake Hodges [was Hodges Reservoir])

### Total Dissolved Solids

---

An adequate number of the water quality measurements exceeded the water quality standard. The staff confidence that standards were exceeded is moderate.

## Region 9: Hodges, Lake (was Lake Hodges [was Hodges Reservoir]) Phosphorus

---

<b>Water Body</b>	Hodges, Lake (was Lake Hodges [was Hodges Reservoir])
<b>Stressor/Media/Beneficial Use</b>	Phosphorus/Water/WARM, COLD, WILD, RARE, MUN, IND, PROC, AGR, REC-1, REC-2
<b>Data quality assessment. Extent to which data quality requirements met.</b>	City of San Diego WQ Laboratory, (narrative) descriptions by SDWD.
<b>Linkage between measurement endpoint and beneficial use or standard</b>	Pollutant can have a direct impact on beneficial uses.
<b>Utility of measure for judging if standards or uses are not attained</b>	WQO (Basin Plan) used.
<b>Water Body-specific Information</b>	Data age = 4 years.
<b>Data used to assess water quality</b>	Data from the City of San Diego Water Quality Lab from July 1997-May 2001 show that 5 locations exceeded the Basin Plan objective for more than 10% of the time during a one-year period. A total of 60 exceedences were recorded for 97 samples collected at the five locations in 1997 through 2001 (62%).
<b>Spatial representation</b>	The first sampling location is near the boat launch ramp. The rest of the sampling points are located at various depths at Station A, which is in front of the reservoir dam and outfall structure to the flume delivering water to Badger Filtration Plant.
<b>Temporal representation</b>	July 1997-May 2001.
<b>Data type</b>	Numerical data.
<b>Use of standard method</b>	
<b>Potential Source(s) of Pollutant</b>	Urban runoff, local dairies, agriculture, orchards, other point sources and nonpoint sources.
<b>Alternative Enforceable Program</b>	Unknown.
<b>RWQCB Recommendation</b>	List.
<b>SWRCB Staff Recommendation</b>	<p>After reviewing the available data and information and the RWQCB documentation for this recommendation, SWRCB staff concludes that the water body should be placed on the section 303(d) list because applicable water quality standards are exceeded and a pollutant contributes to or causes the problem.</p> <p>This conclusion is based on the staff findings that:</p> <ol style="list-style-type: none"> <li>1. The data is considered to be of adequate quality.</li> <li>2. The data exhibited sufficient spatial and temporal coverage.</li> <li>3. Beneficial uses have been established for and apply to the water body.</li> <li>4. Water quality standard used is applicable.</li> <li>5. Data are numerical.</li> <li>6. Standard methods were used.</li> <li>7. Other water body- or site-specific information including the effects of natural sources, season, storm events, and age of the data were considered.</li> </ol>

## Region 9: Hodges, Lake (was Lake Hodges [was Hodges Reservoir]) Phosphorus

---

An adequate number of the water quality measurements exceeded the water quality standard. The staff confidence that standards were exceeded is high.

## Region 9: Hodges, Lake (was Lake Hodges [was Hodges Reservoir]) Nitrogen

---

<b>Water Body</b>	Hodges, Lake (was Lake Hodges [was Hodges Reservoir])
<b>Stressor/Media/Beneficial Use</b>	Nitrogen/Water/WARM, COLD, WILD, RARE, MUN, IND, PROC, AGR, REC-1, REC-2
<b>Data quality assessment. Extent to which data quality requirements met.</b>	City of San Diego WQ Laboratory, (narrative) descriptions by SDWD.
<b>Linkage between measurement endpoint and beneficial use or standard</b>	Pollutant can have a direct impact on beneficial uses.
<b>Utility of measure for judging if standards or uses are not attained</b>	Measurements are related to the Basin Plan WQO.
<b>Water Body-specific Information</b>	Data age = 4 years.
<b>Data used to assess water quality</b>	Data from the City of San Diego Water Quality Lab from July 1997-May 2001 show that 5 locations exceeded the Basin Plan objective for more than 10% of the time during a one-year period.
<b>Spatial representation</b>	The first sampling location is near the boat launch ramp. The rest of the sampling points are located at various depths at Station A, which is in front of the reservoir dam and outfall structure to the flume delivering water to Badger Filtration Plant.
<b>Temporal representation</b>	July 1997-May 2001.
<b>Data type</b>	Numerical data.
<b>Use of standard method</b>	City of San Diego WQ Laboratory, (narrative) descriptions by SDWD.
<b>Potential Source(s) of Pollutant</b>	Urban runoff, local dairies, agriculture, orchards, other point sources and nonpoint sources.
<b>Alternative Enforceable Program</b>	Unknown.
<b>RWQCB Recommendation</b>	List.
<b>SWRCB Staff Recommendation</b>	<p>After reviewing the available data and information and the RWQCB documentation for this recommendation, SWRCB staff concludes that the water body should be placed on the section 303(d) list because applicable water quality standards are exceeded and a pollutant contributes to or causes the problem.</p> <p>This conclusion is based on the staff findings that:</p> <ol style="list-style-type: none"> <li>1. The data is considered to be of adequate quality.</li> <li>2. The data exhibited sufficient spatial and temporal coverage.</li> <li>3. Beneficial uses have been established for and apply to the water body.</li> <li>4. Water quality standard used is applicable.</li> <li>5. Data are numerical.</li> <li>6. Standard methods were used.</li> <li>7. Other water body- or site-specific information including the effects of natural sources, season, storm events, and age of the data were considered.</li> </ol> <p>An adequate number of the water quality measurements exceeded the water</p>



Region 9: Hodges, Lake (was Lake Hodges [was Hodges Reservoir])  
Nitrogen

---

quality standard. The staff confidence that standards were exceeded is high.

## Region 9: Hodges, Lake (was Lake Hodges [was Hodges Reservoir]) Color

---

<b>Water Body</b>	Hodges, Lake (was Lake Hodges [was Hodges Reservoir])
<b>Stressor/Media/Beneficial Use</b>	Color/Water/MUN, REC-2
<b>Data quality assessment. Extent to which data quality requirements met.</b>	City of San Diego WQ Laboratory.
<b>Linkage between measurement endpoint and beneficial use or standard</b>	Pollutant can have a direct impact on beneficial uses.
<b>Utility of measure for judging if standards or uses are not attained</b>	WQO (Basin Plan) (15 color units) used.
<b>Water Body-specific Information</b>	Data age = 4 years.
<b>Data used to assess water quality</b>	Data from the City of San Diego Water Quality Lab from September 1997 to December 2000 show the Basin Plan objective to be exceeded for more than 10% of the time during a one-year period. From March 1998 to March 1999, 4 of 4 samples (100%) exceeded the objective, with a mean of 53.6 color units and a median of 37.3 color units. From June 1999 to June 2000, 5 of 5 samples (100%) exceeded the objective, with a mean of 65.8 color units and a median of 78.0 color units. In September and December of 2000, 2 of 2 samples (100%) exceeded the objective, with a mean and median of 64.0 color units.
<b>Spatial representation</b>	One station.
<b>Temporal representation</b>	Samples collected between September 1997 and December 2000.
<b>Data type</b>	Numerical data.
<b>Use of standard method</b>	
<b>Potential Source(s) of Pollutant</b>	Urban runoff, other point sources and nonpoint sources.
<b>Alternative Enforceable Program</b>	Unknown.
<b>RWQCB Recommendation</b>	List.
<b>SWRCB Staff Recommendation</b>	<p>After reviewing the available data and information and the RWQCB documentation for this recommendation, SWRCB staff concludes that the water body should be placed on the section 303(d) list because applicable water quality standards are exceeded and a pollutant contributes to or causes the problem.</p> <p>This conclusion is based on the staff findings that:</p> <ol style="list-style-type: none"> <li>1. The data is considered to be of adequate quality.</li> <li>2. The data exhibited sufficient spatial and temporal coverage.</li> <li>3. Beneficial uses have been established for and apply to the water body.</li> <li>4. Water quality standard used is applicable.</li> <li>5. Data are numerical.</li> <li>6. Standard methods were used.</li> <li>7. Other water body- or site-specific information including the effects of natural sources, season, storm events, and age of the data were considered.</li> </ol>

## Region 9: Hodges, Lake (was Lake Hodges [was Hodges Reservoir]) Color

---

An adequate number of the water quality measurements exceeded the water quality standard. The staff confidence that standards were exceeded is moderate.

## Region 9: Kit Carson Creek

### Total Dissolved Solids

---

<b>Water Body</b>	Kit Carson Creek
<b>Stressor/Media/Beneficial Use</b>	Total Dissolved Solids/Water/AGR
<b>Data quality assessment. Extent to which data quality requirements met.</b>	City of San Diego WQ Laboratory.
<b>Linkage between measurement endpoint and beneficial use or standard</b>	Pollutant can have a direct impact on beneficial uses.
<b>Utility of measure for judging if standards or uses are not attained</b>	WQO (Basin Plan) (500 mg/L) used.
<b>Water Body-specific Information</b>	Data age = 3 years.
<b>Data used to assess water quality</b>	Data from the City of San Diego Water Quality Lab from April 1999 to May 2001 show the Basin Plan objective to be exceeded for more than 10% of the time during a one-year period. From April 1999 to April 2000, 10 of 11 samples (91%) exceeded the objective, with a mean of 990.5 mg/L and a median of 1200.0 mg/L. From January 2001 to July 2001, 10 of 10 samples (100%) exceeded the objective, with a mean of 1170.9 mg/L and a median of 1300.0 mg/L.
<b>Spatial representation</b>	One sampling station, 1/2 mile of Creek.
<b>Temporal representation</b>	Samples collected between April 1999 and May 2001. It should be noted that the majority of the sampling occurred during the months of January, February, March and April. This is generally considered to be the rainy season in San Diego.
<b>Data type</b>	Numerical data.
<b>Use of standard method</b>	NPDES procedures.
<b>Potential Source(s) of Pollutant</b>	Anthropogenic sources, imported water, evaporation, and natural salt sources. Also, urban runoff, agriculture runoff, other point sources, and nonpoint sources.
<b>Alternative Enforceable Program</b>	Unknown.
<b>RWQCB Recommendation</b>	List.
<b>SWRCB Staff Recommendation</b>	<p>After reviewing the available data and information and the RWQCB documentation for this recommendation, SWRCB staff concludes that the water body should be placed on the section 303(d) list because applicable water quality standards are exceeded and a pollutant contributes to or causes the problem.</p> <p>This conclusion is based on the staff findings that:</p> <ol style="list-style-type: none"> <li>1. The data is considered to be of adequate quality.</li> <li>2. The data exhibited sufficient spatial and temporal coverage.</li> <li>3. Beneficial uses have been established for and apply to the water body.</li> <li>4. Water quality standard used is applicable.</li> <li>5. Data are numerical.</li> <li>6. Standard methods were used.</li> </ol>

## Region 9: Kit Carson Creek

### Total Dissolved Solids

---

7. Other water body- or site-specific information including the effects of season, storm events, and age of the data were considered.

An adequate number of the water quality measurements exceeded the water quality standard. The staff confidence that standards were exceeded is high.

## Region 9: Loma Alta Slough

### Bacterial Indicators (was "high coliform count")

---

<b>Water Body</b>	Loma Alta Slough
<b>Stressor/Media/Beneficial Use</b>	Bacterial Indicators (was "high coliform count")
<b>Data quality assessment. Extent to which data quality requirements met.</b>	
<b>Linkage between measurement endpoint and beneficial use or standard</b>	
<b>Utility of measure for judging if standards or uses are not attained</b>	
<b>Water Body-specific Information</b>	
<b>Data used to assess water quality</b>	
<b>Spatial representation</b>	
<b>Temporal representation</b>	
<b>Data type</b>	
<b>Use of standard method</b>	
<b>Potential Source(s) of Pollutant</b>	
<b>Alternative Enforceable Program</b>	
<b>RWQCB Recommendation</b>	All previous (1998) listings for "High Coliform Count" should be changed to "Bacterial Indicators." This will ensure consistency between the 1998 List and the 2002 Updated List. For 1998 listings, "Bacterial Indicators" implies that impairment was due to fecal coliform, total coliform, or both. For the 2002 update, "Bacterial Indicators" implies impairment was due to fecal coliform, total coliform, enterococci or a combination of any of the three. In the San Diego Region, enterococci measurements commenced in 1999.
<b>SWRCB Staff Recommendation</b>	Change pollutant designation from "high coliform count" to "Bacterial indicators."

## Region 9: Mission Bay Shoreline (was Mission Bay, at Rose Creek Mouth + Eutrophic (no change), Lead (no change), Bacterial Indicators (was hig +

---

<b>Water Body</b>	Mission Bay Shoreline (was Mission Bay, at Rose Creek Mouth and Tecolote Creek Mouth)
<b>Stressor/Media/Beneficial Use</b>	Eutrophic (no change), Lead (no change), Bacterial Indicators (was high coliform count)
<b>Data quality assessment. Extent to which data quality requirements met.</b>	
<b>Linkage between measurement endpoint and beneficial use or standard</b>	
<b>Utility of measure for judging if standards or uses are not attained</b>	
<b>Water Body-specific Information</b>	
<b>Data used to assess water quality</b>	
<b>Spatial representation</b>	
<b>Temporal representation</b>	
<b>Data type</b>	
<b>Use of standard method</b>	
<b>Potential Source(s) of Pollutant</b>	
<b>Alternative Enforceable Program</b>	
<b>RWQCB Recommendation</b>	<p>A. The specific locations of impacts to water quality due to lead and eutrophication in Mission Bay should be specified as "Rose and Tecolote Creek Mouths." Each location accounts for one-half of the one acre listed as impacted. These specifications come from interpretation of the 1996 Section 303(d) Fact Sheet in support of that years' listing of Mission Bay.</p> <p>B. All previous (1998) listings for "High Coliform Count" should be changed to "Bacterial Indicators." This will ensure consistency between the 1998 List and the 2002 Updated List. For 1998 listings, "Bacterial Indicators" implies that impairment was due to fecal coliform, total coliform, or both. For the 2002 update, "Bacterial Indicators" implies impairment was due to fecal coliform, total coliform, enterococci or a combination of any of the three. In the San Diego Region, enterococci measurements commenced in 1999.</p>
<b>SWRCB Staff Recommendation</b>	<p>A. Change name from "Mission Bay" to "Mission Bay, at Rose Creek Mouth and Tecolote Creek Mouth."</p> <p>B. Change pollutant designation from "high coliform count" to "bacterial indicators."</p>

## Region 9: Murrieta Creek

### Phosphorus

---

<b>Water Body</b>	Murrieta Creek
<b>Stressor/Media/Beneficial Use</b>	Phosphorus/Water/REC-1, REC-2, WARM, COLD
<b>Data quality assessment. Extent to which data quality requirements met.</b>	Final WQ Studies and Proposed Watershed Monitoring Program Report, SDRWQCB Monitoring data.
<b>Linkage between measurement endpoint and beneficial use or standard</b>	Pollutant can have a direct impact on beneficial uses.
<b>Utility of measure for judging if standards or uses are not attained</b>	WQO (Basin Plan) (biostimulatory objective = 0.1 mg/ml) used.
<b>Water Body-specific Information</b>	Data age = 2 years.
<b>Data used to assess water quality</b>	12/97-11/98: 4/5 (80%) exceedences, mean=0.28 mg/ml; 02 and 05/99: 2/2 (100%) violations, mean=0.21 mg/ml.
<b>Spatial representation</b>	Samples at start and finish of reach.
<b>Temporal representation</b>	Sampling from November 1997 to May 1999.
<b>Data type</b>	Numerical data.
<b>Use of standard method</b>	
<b>Potential Source(s) of Pollutant</b>	Urban runoff, other point sources and nonpoint sources.
<b>Alternative Enforceable Program</b>	Unknown.
<b>RWQCB Recommendation</b>	List.
<b>SWRCB Staff Recommendation</b>	<p>After reviewing the available data and information and the RWQCB documentation for this recommendation, SWRCB staff concludes that the water body should be placed on the section 303(d) list because applicable water quality standards are exceeded and a pollutant contributes to or causes the problem.</p> <p>This conclusion is based on the staff findings that:</p> <ol style="list-style-type: none"> <li>1. The data is considered to be of adequate quality.</li> <li>2. The data exhibited sufficient spatial and temporal coverage.</li> <li>3. Beneficial uses have been established for and apply to the water body.</li> <li>4. Water quality standard used is applicable.</li> <li>5. Data are numerical.</li> <li>6. Standard methods were used.</li> <li>7. Other water body- or site-specific information including the effects of season and age of the data were considered.</li> </ol> <p>An adequate number of the water quality measurements exceeded the water quality standard. The staff confidence that standards were exceeded is moderate.</p>



## Region 9: Orange County Coastline

### Trash

---

<b>Water Body</b>	Orange County Coastline
<b>Stressor/Media/Beneficial Use</b>	Trash/Water/REC-2, Aquatic Life
<b>Data quality assessment. Extent to which data quality requirements met.</b>	The sampling procedures, collection approach, data analysis, and estimation procedures are described (Moore et al., 2000. Composition and distribution of beach debris in Orange County, California).
<b>Linkage between measurement endpoint and beneficial use or standard</b>	<p>The California Ocean Plan designates the beneficial uses of the ocean waters of the State that shall be protected including water contact and non-contact recreation, including aesthetic enjoyment; and marine habitat. The California Ocean Plan has applicable narrative water quality objectives as follows:</p> <ul style="list-style-type: none"><li>- Floating particulates and grease and oil shall not be visible.</li><li>- The discharge of waste shall not cause aesthetically undesirable discoloration of the ocean surface.</li><li>- The rate of deposition of inert solids and the characteristics of inert solids in ocean sediments shall not be changed such that benthic communities are degraded.</li></ul>
<b>Utility of measure for judging if standards or uses are not attained</b>	The measures used in the study were abundance of trash particles and the weight of trash along the coastline. These data were compared to California Coastal Cleanup Day collection data.
<b>Water Body-specific Information</b>	<p>Estimates were made of the percent of shoreline affected, types of habitat affected (sandy beach and rocky shore), Trash type (including plastics, cigarette butts, paper, wood metal glass rubber, pet and bird droppings, cloth, and other trash).</p> <p>Even though the study measured the amounts of trash on the beaches for the water's edge to the first pavement or rocky cliff, this listing only applies to the portion of the beach regularly in contact with ocean water.</p>
<b>Data used to assess water quality</b>	Estimated total abundance of trash was 106 million items weighing 13 tons. Pre-production plastic pellets, foamed plastics and hard plastics made up 99% of the total abundance and 51% of the total weight. Cigarette butts were fourth in total abundance and accounted for less than 1% of the abundance and weight.
<b>Spatial representation</b>	<p>Beach debris was surveyed and collected at 43 sites from Seal Beach to San Clemente on the Orange County coast. The data were collected using a stratified random design, stratified by shoreline type.</p> <p>Each sample site was delineated as an area 25 yards in length and extending from the water's edge to the first pavement or rocky cliff. This may include areas outside of 303(d) program jurisdiction.</p> <p>The study assessed trash on beaches in both Region 8 and Region 9. The proposed listing is only for the water-associated portion of these beaches.</p>

## Region 9: Orange County Coastline

### Trash

---

<b>Temporal representation</b>	Data were collected between August 2 and September 18, 1998. Additional monitoring is required in order to confirm impacts to beneficial uses from trash.
<b>Data type</b>	Numerical data.
<b>Use of standard method</b>	See Quality Assurance section above. Data were collected using approaches from other debris studies outside the U.S.
<b>Potential Source(s) of Pollutant</b>	Four sources were identified: (1) littering by beachgoers, (2) wind currents from upland sources, (3) runoff from land-based activities, and (4) overboard disposal from boating activities (including accidental spills). The data suggest that water-based sources (runoff and overboard disposal) were more important than direct littering or wind.
<b>Alternative Enforceable Program</b>	The Orange County Areawide Urban Stormwater Runoff Permit, Order No. R9-2002-0001 issued to Orange County and its incorporated cities does not have enforceable provisions in place to address litter, debris, and trash in this water body. The permit contains no specific provisions addressing trash, except trash is mentioned as a pollutant and the permit requires the permittee to clean storm water controls of trash before the rainy season.
<b>RWQCB Recommendation</b>	Do not list.
<b>SWRCB Staff Recommendation</b>	On February 4, 2003 the SWRCB placed this water body segment on the Monitoring List. The study used had limited temporal coverage and additional monitoring is needed.

## Region 9: Pacific Ocean Shoreline, Aliso HSA (was Pacific Ocean, Aliso + Bacterial Indicators (was "high coliform count")).

---

**Water Body** Pacific Ocean Shoreline, Aliso HSA (was Pacific Ocean, Aliso HSA 901.13)

**Stressor/Media/Beneficial Use** Bacterial Indicators (was "high coliform count").

**Data quality assessment. Extent to which data quality requirements met.**

**Linkage between measurement endpoint and beneficial use or standard**

**Utility of measure for judging if standards or uses are not attained**

**Water Body-specific Information**

**Data used to assess water quality**

**Spatial representation**

**Temporal representation**

**Data type**

**Use of standard method**

**Potential Source(s) of Pollutant**

**Alternative Enforceable Program**

**RWQCB Recommendation**

All previous (1998) listings for "High Coliform Count" should be changed to "Bacterial Indicators." This will ensure consistency between the 1998 List and the 2002 Updated List. For 1998 listings, "Bacterial Indicators" implies that impairment was due to fecal coliform, total coliform, or both. For the 2002 update, "Bacterial Indicators" implies impairment was due to fecal coliform, total coliform, enterococci or a combination of any of the three. In the San Diego Region, enterococci measurements commenced in 1999.

**SWRCB Staff Recommendation**

Change pollutant designation from "high coliform count" to "Bacterial indicators."

## Region 9: Pacific Ocean Shoreline, Buena Vista (Creek) HA (was Pacific + Bacterial Indicators (was "high coliform count"))

---

**Water Body** Pacific Ocean Shoreline, Buena Vista (Creek) HA (was Pacific Ocean, Buena Vista HA 901.20)

**Stressor/Media/Beneficial Use** Bacterial Indicators (was "high coliform count")

**Data quality assessment. Extent to which data quality requirements met.**

**Linkage between measurement endpoint and beneficial use or standard**

**Utility of measure for judging if standards or uses are not attained**

**Water Body-specific Information**

**Data used to assess water quality**

**Spatial representation**

**Temporal representation**

**Data type**

**Use of standard method**

**Potential Source(s) of Pollutant**

**Alternative Enforceable Program**

**RWQCB Recommendation** All previous (1998) listings for "High Coliform Count" should be changed to "Bacterial Indicators." This will ensure consistency between the 1998 List and the 2002 Updated List. For 1998 listings, "Bacterial Indicators" implies that impairment was due to fecal coliform, total coliform, or both. For the 2002 update, "Bacterial Indicators" implies impairment was due to fecal coliform, total coliform, enterococci or a combination of any of the three. In the San Diego Region, enterococci measurements commenced in 1999.

**SWRCB Staff Recommendation** Change pollutant designation from "high coliform count" to "Bacterial indicators."

## Region 9: Pacific Ocean Shoreline, Coronado (Beach)

### Bacterial Indicators (was "high coliform count")

---

<b>Water Body</b>	Pacific Ocean Shoreline, Coronado (Beach)
<b>Stressor/Media/Beneficial Use</b>	Bacterial Indicators (was "high coliform count")/Water/REC-1, REC-2
<b>Data quality assessment. Extent to which data quality requirements met.</b>	City of Coronado NPDES monitoring.
<b>Linkage between measurement endpoint and beneficial use or standard</b>	Pollutant can have a direct impact on beneficial uses.
<b>Utility of measure for judging if standards or uses are not attained</b>	Bacterial standards are linked to REC-1 beneficial use.
<b>Water Body-specific Information</b>	Data age = 2 years.
<b>Data used to assess water quality</b>	Cease-and-Desist Orders 97-69 and 98-74 issued to City of Coronado. City implemented wet/dry weather diversion systems and ultra-violet (UV) treatment to reduce sewage discharge problems. City began semi-annual WDRs reporting based on weekly monitoring at four Coronado Beach sites. Surf Zone C (1/13/00-1/2/01): 7/153 (5%) possible exceedences. Surf Zone A (5/26/99-12/28/00): 7/249 (3%) possible exceedences. Central Beach (11/1/99-1/2/01): 7/183 (4%) possible exceedences. Ave. del Sol (4/3/00-1/2/01): 6/120 (5%) possible exceedences. Total: 27/705 (4%) possible exceedences.
<b>Spatial representation</b>	Four sample sites covering the extent of the to-be-delisted area.
<b>Temporal representation</b>	Weekly samples.
<b>Data type</b>	Numerical data.
<b>Use of standard method</b>	City of Coronado NPDES monitoring.
<b>Potential Source(s) of Pollutant</b>	Sewage spills/leaks, urban runoff, other point sources, nonpoint sources, and domestic/wild animals.
<b>Alternative Enforceable Program</b>	Cease-and-Desist Orders led to WDRs and appropriate steps to reduce pollution. City has taken appropriate initial steps.
<b>RWQCB Recommendation</b>	Delist.
<b>SWRCB Staff Recommendation</b>	<p>After reviewing the available data and information and the RWQCB documentation for this recommendation, SWRCB staff conclude that the water body should not be placed on the section 303(d) list because applicable water quality standards are not exceeded.</p> <p>This conclusion is based on the staff findings that:</p> <ol style="list-style-type: none"> <li>1. The data is considered to be of adequate quality.</li> <li>2. The data exhibited sufficient spatial and temporal coverage.</li> <li>3. Water quality standard used is applicable.</li> <li>4. Data are numerical.</li> <li>5. Standard methods were used.</li> <li>6. Other water body- or site-specific information including the effects of season and age of the data were considered.</li> </ol>

## Region 9: Pacific Ocean Shoreline, Coronado (Beach) Bacterial Indicators (was "high coliform count")

---

An inadequate number of the water quality measurements exceeded the water quality standard. The staff confidence that standards were not exceeded is high.

## Region 9: Pacific Ocean Shoreline, Dana Point HSA (was Pacific Ocean, + Bacterial Indicators (was "high coliform count"))

---

<b>Water Body</b>	Pacific Ocean Shoreline, Dana Point HSA (was Pacific Ocean, Dana Point HSA 901.14)
<b>Stressor/Media/Beneficial Use</b>	Bacterial Indicators (was "high coliform count")
<b>Data quality assessment. Extent to which data quality requirements met.</b>	
<b>Linkage between measurement endpoint and beneficial use or standard</b>	
<b>Utility of measure for judging if standards or uses are not attained</b>	
<b>Water Body-specific Information</b>	
<b>Data used to assess water quality</b>	
<b>Spatial representation</b>	
<b>Temporal representation</b>	
<b>Data type</b>	
<b>Use of standard method</b>	
<b>Potential Source(s) of Pollutant</b>	
<b>Alternative Enforceable Program</b>	
<b>RWQCB Recommendation</b>	All previous (1998) listings for "High Coliform Count" should be changed to "Bacterial Indicators." This will ensure consistency between the 1998 List and the 2002 Updated List. For 1998 listings, "Bacterial Indicators" implies that impairment was due to fecal coliform, total coliform, or both. For the 2002 update, "Bacterial Indicators" implies impairment was due to fecal coliform, total coliform, enterococci or a combination of any of the three. In the San Diego Region, enterococci measurements commenced in 1999.
<b>SWRCB Staff Recommendation</b>	Change pollutant designation from "high coliform count" to "Bacterial indicators."

## Region 9: Pacific Ocean Shoreline, Escondido Creek HSA (was Pacific O + Bacterial Indicators (was "high coliform count"))

---

**Water Body** Pacific Ocean Shoreline, Escondido Creek HSA (was Pacific Ocean, Escondido HSA 904.60)

**Stressor/Media/Beneficial Use** Bacterial Indicators (was "high coliform count")

**Data quality assessment. Extent to which data quality requirements met.**

**Linkage between measurement endpoint and beneficial use or standard**

**Utility of measure for judging if standards or uses are not attained**

**Water Body-specific Information**

**Data used to assess water quality**

**Spatial representation**

**Temporal representation**

**Data type**

**Use of standard method**

**Potential Source(s) of Pollutant**

**Alternative Enforceable Program**

**RWQCB Recommendation** All previous (1998) listings for "High Coliform Count" should be changed to "Bacterial Indicators." This will ensure consistency between the 1998 List and the 2002 Updated List. For 1998 listings, "Bacterial Indicators" implies that impairment was due to fecal coliform, total coliform, or both. For the 2002 update, "Bacterial Indicators" implies impairment was due to fecal coliform, total coliform, enterococci or a combination of any of the three. In the San Diego Region, enterococci measurements commenced in 1999.

**SWRCB Staff Recommendation** Change pollutant designation from "high coliform count" to "Bacterial indicators."



## Region 9: Pacific Ocean Shoreline, Laguna Beach HSA (was Pacific Ocea + Bacterial Indicators (originally high coliform count))

---

<b>Water Body</b>	Pacific Ocean Shoreline, Laguna Beach HSA (was Pacific Ocean Shoreline, Laguna Beach and San Joaquin Hills [was Pacific Ocean, Laguna Beach HSA])
<b>Stressor/Media/Beneficial Use</b>	Bacterial Indicators (originally high coliform count)
<b>Data quality assessment. Extent to which data quality requirements met.</b>	
<b>Linkage between measurement endpoint and beneficial use or standard</b>	
<b>Utility of measure for judging if standards or uses are not attained</b>	
<b>Water Body-specific Information</b>	
<b>Data used to assess water quality</b>	
<b>Spatial representation</b>	
<b>Temporal representation</b>	
<b>Data type</b>	
<b>Use of standard method</b>	
<b>Potential Source(s) of Pollutant</b>	
<b>Alternative Enforceable Program</b>	
<b>RWQCB Recommendation</b>	<p>A. Specific segments described in the 1998 list were inadvertently placed within incorrect hydrologic boundaries. The RWQCB recommends that these individual segments be placed into the correct hydrologic boundaries, correcting the extents of impairment for several coastal bacterial listings.</p> <p>Specifically, the "Pacific Ocean, Laguna Beach HSA" listing should be renamed the "Pacific Ocean, Laguna Beach and San Joaquin Hills HSAs." This change will correctly define the hydrologic sub-area where the impairment was found.</p> <p>B. All previous (1998) listings of "High Coliform Count" should be changed to "Bacterial Indicators" in order to ensure consistency between the 1998 List and the 2002 Updated List. In 1998 listings, "bacterial indicators" implies that impairment was due to fecal coliform, total coliform, or both. For the 2002 update, "bacterial indicators" implies impairment was due to fecal coliform, total coliform, enterococci or a combination of any of the three. In the San Diego Region, enterococci measurements commenced in 1999.</p>
<b>SWRCB Staff Recommendation</b>	<p>A. Rename water body from "Pacific Ocean, Laguna Beach HSA" and "Pacific Ocean Shoreline, Laguna Beach and San Joaquin Hills" to "Pacific Ocean Shoreline, Laguna Beach HSA."</p> <p>B. Change "pollutant" designation from "high coliform count" to "Bacterial Indicators."</p>

## Region 9: Pacific Ocean Shoreline, Loma Alta HA (was Pacific Ocean, L + Bacterial Indicators (was "high coliform count"))

---

**Water Body** Pacific Ocean Shoreline, Loma Alta HA (was Pacific Ocean, Loma Alta HSA 904.10)

**Stressor/Media/Beneficial Use** Bacterial Indicators (was "high coliform count")

**Data quality assessment. Extent to which data quality requirements met.**

**Linkage between measurement endpoint and beneficial use or standard**

**Utility of measure for judging if standards or uses are not attained**

**Water Body-specific Information**

**Data used to assess water quality**

**Spatial representation**

**Temporal representation**

**Data type**

**Use of standard method**

**Potential Source(s) of Pollutant**

**Alternative Enforceable Program**

**RWQCB Recommendation** All previous (1998) listings for "High Coliform Count" should be changed to "Bacterial Indicators." This will ensure consistency between the 1998 List and the 2002 Updated List. For 1998 listings, "Bacterial Indicators" implies that impairment was due to fecal coliform, total coliform, or both. For the 2002 update, "Bacterial Indicators" implies impairment was due to fecal coliform, total coliform, enterococci or a combination of any of the three. In the San Diego Region, enterococci measurements commenced in 1999.

**SWRCB Staff Recommendation** Change pollutant designation from "high coliform count" to "Bacterial indicators."

## Region 9: Pacific Ocean Shoreline, Lower San Juan HSA (was Pacific Oc + Bacterial Indicators (was "high coliform count"))

---

<b>Water Body</b>	Pacific Ocean Shoreline, Lower San Juan HSA (was Pacific Ocean, Lower San Juan HSA)
<b>Stressor/Media/Beneficial Use</b>	Bacterial Indicators (was "high coliform count")
<b>Data quality assessment. Extent to which data quality requirements met.</b>	
<b>Linkage between measurement endpoint and beneficial use or standard</b>	
<b>Utility of measure for judging if standards or uses are not attained</b>	
<b>Water Body-specific Information</b>	
<b>Data used to assess water quality</b>	
<b>Spatial representation</b>	
<b>Temporal representation</b>	
<b>Data type</b>	
<b>Use of standard method</b>	
<b>Potential Source(s) of Pollutant</b>	
<b>Alternative Enforceable Program</b>	
<b>RWQCB Recommendation</b>	All previous (1998) listings for "High Coliform Count" should be changed to "Bacterial Indicators." This will ensure consistency between the 1998 List and the 2002 Updated List. For 1998 listings, "Bacterial Indicators" implies that impairment was due to fecal coliform, total coliform, or both. For the 2002 update, "Bacterial Indicators" implies impairment was due to fecal coliform, total coliform, enterococci or a combination of any of the three. In the San Diego Region, enterococci measurements commenced in 1999.
<b>SWRCB Staff Recommendation</b>	Change pollutant designation from "high coliform count" to "Bacterial indicators."

## Region 9: Pacific Ocean Shoreline, Miramar Reservoir HA (was Pacific + Bacterial Indicators

---

<b>Water Body</b>	Pacific Ocean Shoreline, Miramar Reservoir HA (was Pacific Ocean Shoreline, Torrey Pines State Beach at Los Penasquitos Lagoon outlet)
<b>Stressor/Media/Beneficial Use</b>	Bacterial Indicators/Water/REC-1, REC-2
<b>Data quality assessment. Extent to which data quality requirements met.</b>	San Diego County Department of Environmental Health.
<b>Linkage between measurement endpoint and beneficial use or standard</b>	Pollutant can have a direct impact on beneficial uses.
<b>Utility of measure for judging if standards or uses are not attained</b>	Bacterial standards are linked to REC-1 beneficial use.
<b>Water Body-specific Information</b>	Data age = 1 year.
<b>Data used to assess water quality</b>	<p>Analysis of applicable 2000, 2001, and 2002 data by the RWQCB staff showed 10 exceedence days out of 89 samples, 0 exceedences out of 34 samples, and 1 exceedence out of 21 samples, from dry season and year-round sampling events. (The "p" values used were 0.04 and 0.1.) The final RWQCB staff recommendation is not to list the Pacific Ocean Shoreline, Torrey Pines State Beach at Los Penasquitos Lagoon outlet.</p> <p>Hydrologic Sub-area 906.10, which includes the Pacific Ocean Shoreline, Torrey Pines State Beach at Los Penasquitos Lagoon outlet, is a portion of the larger area "Los Penasquitos Lagoon" This larger area was not listed for bacterial problems in 1998, but was listed for sedimentation/siltation.</p> <p>Not specifically listing the Pacific Ocean Shoreline, Torrey Pines State Beach at Los Penasquitos Lagoon outlet, is not intended to negate or otherwise affect the prior listing of the Los Penasquitos Lagoon for sedimentation/siltation.</p>
<b>Spatial representation</b>	Sampled within 400 yards (0.2 miles) of discharge point.
<b>Temporal representation</b>	32 days of closures/advisories.
<b>Data type</b>	Numerical data.
<b>Use of standard method</b>	
<b>Potential Source(s) of Pollutant</b>	Sewage spills/leaks, urban runoff, other point sources, nonpoint sources, and domestic/wild animals.
<b>Alternative Enforceable Program</b>	Unknown.
<b>RWQCB Recommendation</b>	This is a correction of an earlier RWQCB recommendation. Torrey Pines State Beach at Del Mar (Anderson Canyon) was incorrectly placed in 905.00 HU. It belongs in the 906.10 HA. This is not a new recommendation.
<b>SWRCB Staff Recommendation</b>	<p>Rename "Pacific Ocean Shoreline, Torrey Pines State Beach at Los Penasquitos Lagoon outlet" entry (a prior RWQCB recommendation).</p> <p>After reviewing the available data and information and the RWQCB</p>

## Region 9: Pacific Ocean Shoreline, Miramar Reservoir HA (was Pacific + Bacterial Indicators)

---

documentation for this recommendation, SWRCB staff concludes that the water body should be placed on the section 303(d) list because applicable water quality standards are exceeded and a pollutant contributes to or causes the problem.

This conclusion is based on the staff findings that:

1. The data is considered to be of adequate quality.
2. The data exhibited sufficient spatial and temporal coverage.
3. Beneficial uses have been established for and apply to the water body.
4. Water quality standard used is applicable.
5. The evaluation guideline used to interpret narrative water quality standards is adequate.
6. Data are numerical.
7. Standard methods were used.
8. Other water body- or site-specific information including the effects of natural sources, season, storm events, and age of the data were considered.

An adequate number of water quality measurements exceeded the water quality standard. The staff confidence that standards were exceeded is moderate.

## Region 9: Pacific Ocean Shoreline, Ocean Beach at Bermuda Avenue Bacterial Indicators

---

<b>Water Body</b>	Pacific Ocean Shoreline, Ocean Beach at Bermuda Avenue
<b>Stressor/Media/Beneficial Use</b>	Bacterial Indicators/Water/REC-1, REC-2
<b>Data quality assessment. Extent to which data quality requirements met.</b>	San Diego County Department of Environmental Health.
<b>Linkage between measurement endpoint and beneficial use or standard</b>	Pollutant can have a direct impact on beneficial uses.
<b>Utility of measure for judging if standards or uses are not attained</b>	Bacterial standards are linked to REC-1 beneficial use.
<b>Water Body-specific Information</b>	Data collected in 1999, 2000, and 2001.
<b>Data used to assess water quality</b>	<p>Analysis of applicable 1999, 2000, and 2001 data by the RWQCB staff showed 1 usable exceedence day out of 13 usable samples, 3 exceedences out of 21 samples, 1 exceedence out of 21 samples (all from dry season sampling events), and 7 out of 7 exceedences during wet months. (The "p" values used were 0.04 and 0.1.) The final RWQCB staff recommendation is not to list the Pacific Ocean Shoreline at Ocean Beach.</p> <p>Hydrologic Sub-area 907.11, which includes the Pacific Ocean Shoreline, Ocean Beach at Bermuda Avenue, also encompasses the Lower San Diego River, which discharges near Ocean Beach. This area is also called San Diego River mouth, a.k.a. Dog Beach (907.11). The San Diego River (lower) is recommended for listing for bacterial indicators. The San Diego River mouth a.k.a. Dog Beach (907.11) was listed, albeit titled "Pacific Ocean, San Diego HU 907.00) in 1998.</p> <p>Excluding the Pacific Ocean Shoreline at Ocean Beach from the 2002 303(d) list does not negate or otherwise affect the decision to list the San Diego River (lower) or the previous (1998) listing of the San Diego River mouth at Dog Beach (907.11)/Pacific Ocean, San Diego HU 907.00.</p>
<b>Spatial representation</b>	Sampled within 400 yards (0.2 miles) of discharge point.
<b>Temporal representation</b>	1999 - 2001 data.
<b>Data type</b>	Numerical data.
<b>Use of standard method</b>	
<b>Potential Source(s) of Pollutant</b>	Sewage spills/leaks, urban runoff, other point sources, nonpoint sources, and domestic/wild animals.
<b>Alternative Enforceable Program</b>	Unknown.
<b>RWQCB Recommendation</b>	Do Not List.
<b>SWRCB Staff Recommendation</b>	After reviewing the available data and information and the RWQCB documentation for this recommendation, SWRCB staff concludes that this water body should not be specifically added (as originally recommended) to the section 303(d) list because applicable water quality standards are not exceeded a significant amount of the time. This determination does NOT

## Region 9: Pacific Ocean Shoreline, Ocean Beach at Bermuda Avenue Bacterial Indicators

---

eliminate the decision to list the lower San Diego River, which shares the same hydrologic sub-area number (907.11), for bacterial indicators.

This conclusion is based on the staff findings that:

1. The data is considered to be of adequate quality.
2. Too few samples exceeded the water quality standard.

The reason is that an inadequate amount of the water quality measurements exceeded the water quality standard (see information under "data used"). The staff confidence that standards were exceeded is extremely low.

## Region 9: Pacific Ocean Shoreline, San Clemente HA (was Pacific Ocean + Bacterial Indicators (originally high coliform count))

---

**Water Body** Pacific Ocean Shoreline, San Clemente HA (was Pacific Ocean Shoreline, San Clemente, San Mateo Canyon, and San Onofre [was "Pacific Ocean, San Clemente HA 901.30"])

**Stressor/Media/Beneficial Use** Bacterial Indicators (originally high coliform count)

**Data quality assessment. Extent to which data quality requirements met.**

**Linkage between measurement endpoint and beneficial use or standard**

**Utility of measure for judging if standards or uses are not attained**

**Water Body-specific Information**

**Data used to assess water quality**

**Spatial representation**

**Temporal representation**

**Data type**

**Use of standard method**

**Potential Source(s) of Pollutant**

**Alternative Enforceable Program**

**RWQCB Recommendation**

A. Specific segments described in the 1998 list were inadvertently placed within incorrect hydrologic boundaries. The RWQCB recommends that these individual segments be placed into the correct Hydrologic boundaries, correcting the extents of impairment for several coastal bacterial listings.

Specifically, the "Pacific Ocean, San Clemente HA" listing should be renamed the "Pacific Ocean, San Clemente, San Mateo and San Onofre HSA." This change will correctly define the hydrologic sub-area where the impairment was found.

B. All previous (1998) listings of "High Coliform Count" should be changed to "Bacterial Indicators" in order to ensure consistency between the 1998 List and the 2002 Updated List. In 1998 listings, "bacterial indicators" implies that impairment was due to fecal coliform, total coliform, or both. For the 2002 update, "bacterial indicators" implies impairment was due to fecal coliform, total coliform, enterococci or a combination of any of the three. In the San Diego Region, enterococci measurements commenced in 1999.

**SWRCB Staff Recommendation**

A. Rename water body from "Pacific Ocean, San Clemente HA 901.30" to "Pacific Ocean Shoreline, San Clemente, San Mateo Canyon, and San Onofre."

B. Change "pollutant" designation from "high coliform count" to



Region 9: Pacific Ocean Shoreline, San Clemente HA (was Pacific Ocean +  
Bacterial Indicators (originally high coliform count))

---

"bacterial indicators."

## Region 9: Pacific Ocean Shoreline, San Diego HU (was Pacific Ocean, S + Bacterial Indicators (was "high coliform count"))

---

**Water Body** Pacific Ocean Shoreline, San Diego HU (was Pacific Ocean, San Diego HU 907.00)

**Stressor/Media/Beneficial Use** Bacterial Indicators (was "high coliform count")

**Data quality assessment. Extent to which data quality requirements met.**

**Linkage between measurement endpoint and beneficial use or standard**

**Utility of measure for judging if standards or uses are not attained**

**Water Body-specific Information**

**Data used to assess water quality**

**Spatial representation**

**Temporal representation**

**Data type**

**Use of standard method**

**Potential Source(s) of Pollutant**

**Alternative Enforceable Program**

**RWQCB Recommendation** All previous (1998) listings for "High Coliform Count" should be changed to "Bacterial Indicators." This will ensure consistency between the 1998 List and the 2002 Updated List. For 1998 listings, "Bacterial Indicators" implies that impairment was due to fecal coliform, total coliform, or both. For the 2002 update, "Bacterial Indicators" implies impairment was due to fecal coliform, total coliform, enterococci or a combination of any of the three. In the San Diego Region, enterococci measurements commenced in 1999.

**SWRCB Staff Recommendation** Change pollutant designation from "high coliform count" to "Bacterial indicators."

## Region 9: Pacific Ocean Shoreline, San Dieguito HU (was Pacific Ocean + Bacterial Indicators (was "high coliform count"))

---

<b>Water Body</b>	Pacific Ocean Shoreline, San Dieguito HU (was Pacific Ocean, San Dieguito HU 905.00)
<b>Stressor/Media/Beneficial Use</b>	Bacterial Indicators (was "high coliform count")
<b>Data quality assessment. Extent to which data quality requirements met.</b>	
<b>Linkage between measurement endpoint and beneficial use or standard</b>	
<b>Utility of measure for judging if standards or uses are not attained</b>	
<b>Water Body-specific Information</b>	
<b>Data used to assess water quality</b>	
<b>Spatial representation</b>	
<b>Temporal representation</b>	
<b>Data type</b>	
<b>Use of standard method</b>	
<b>Potential Source(s) of Pollutant</b>	
<b>Alternative Enforceable Program</b>	
<b>RWQCB Recommendation</b>	All previous (1998) listings for "High Coliform Count" should be changed to "Bacterial Indicators." This will ensure consistency between the 1998 List and the 2002 Updated List. For 1998 listings, "Bacterial Indicators" implies that impairment was due to fecal coliform, total coliform, or both. For the 2002 update, "Bacterial Indicators" implies impairment was due to fecal coliform, total coliform, enterococci or a combination of any of the three. In the San Diego Region, enterococci measurements commenced in 1999.
<b>SWRCB Staff Recommendation</b>	Change pollutant designation from "high coliform count" to "Bacterial indicators."

## Region 9: Pacific Ocean Shoreline, San Joaquin Hills HSA (was Pacific + Bacterial Indicators)

---

<b>Water Body</b>	Pacific Ocean Shoreline, San Joaquin Hills HSA (was Pacific Ocean Shoreline, Laguna Beach and San Joaquin Hills [was Pacific Ocean, Laguna Beach HSA])
<b>Stressor/Media/Beneficial Use</b>	Bacterial Indicators/Water/REC-1, REC-2
<b>Data quality assessment. Extent to which data quality requirements met.</b>	
<b>Linkage between measurement endpoint and beneficial use or standard</b>	Pollutant can have a direct impact on beneficial uses.
<b>Utility of measure for judging if standards or uses are not attained</b>	Measurements can be compared to bacterial standards directly.
<b>Water Body-specific Information</b>	
<b>Data used to assess water quality</b>	
<b>Spatial representation</b>	
<b>Temporal representation</b>	
<b>Data type</b>	
<b>Use of standard method</b>	
<b>Potential Source(s) of Pollutant</b>	Sewage spills/leaks, urban runoff, other point sources, nonpoint sources, and domestic/wild animals.
<b>Alternative Enforceable Program</b>	Unknown.
<b>RWQCB Recommendation</b>	Split existing, 1998, listing into two in order to more precisely indicate extent/location of impact of pollution.
<b>SWRCB Staff Recommendation</b>	Per RWQCB recommendation, split existing, 1998, listing into two in order to more precisely indicate extent/location of impact of pollution.

## Region 9: Pacific Ocean Shoreline, San Luis Rey HU (was Pacific Ocean + Bacterial Indicators (was "high coliform count"))

---

<b>Water Body</b>	Pacific Ocean Shoreline, San Luis Rey HU (was Pacific Ocean, San Luis Rey HU 903.00)
<b>Stressor/Media/Beneficial Use</b>	Bacterial Indicators (was "high coliform count")
<b>Data quality assessment. Extent to which data quality requirements met.</b>	
<b>Linkage between measurement endpoint and beneficial use or standard</b>	
<b>Utility of measure for judging if standards or uses are not attained</b>	
<b>Water Body-specific Information</b>	
<b>Data used to assess water quality</b>	
<b>Spatial representation</b>	
<b>Temporal representation</b>	
<b>Data type</b>	
<b>Use of standard method</b>	
<b>Potential Source(s) of Pollutant</b>	
<b>Alternative Enforceable Program</b>	
<b>RWQCB Recommendation</b>	All previous (1998) listings for "High Coliform Count" should be changed to "Bacterial Indicators." This will ensure consistency between the 1998 List and the 2002 Updated List. For 1998 listings, "Bacterial Indicators" implies that impairment was due to fecal coliform, total coliform, or both. For the 2002 update, "Bacterial Indicators" implies impairment was due to fecal coliform, total coliform, enterococci or a combination of any of the three. In the San Diego Region, enterococci measurements commenced in 1999.
<b>SWRCB Staff Recommendation</b>	Change pollutant designation from "high coliform count" to "Bacterial indicators."

## Region 9: Pacific Ocean Shoreline, San Marcos HA (was Pacific Ocean, + Bacterial Indicators (was "high coliform count"))

---

<b>Water Body</b>	Pacific Ocean Shoreline, San Marcos HA (was Pacific Ocean, San Marcos HA 904.50)
<b>Stressor/Media/Beneficial Use</b>	Bacterial Indicators (was "high coliform count")
<b>Data quality assessment. Extent to which data quality requirements met.</b>	
<b>Linkage between measurement endpoint and beneficial use or standard</b>	
<b>Utility of measure for judging if standards or uses are not attained</b>	
<b>Water Body-specific Information</b>	
<b>Data used to assess water quality</b>	
<b>Spatial representation</b>	
<b>Temporal representation</b>	
<b>Data type</b>	
<b>Use of standard method</b>	
<b>Potential Source(s) of Pollutant</b>	
<b>Alternative Enforceable Program</b>	
<b>RWQCB Recommendation</b>	All previous (1998) listings for "High Coliform Count" should be changed to "Bacterial Indicators." This will ensure consistency between the 1998 List and the 2002 Updated List. For 1998 listings, "Bacterial Indicators" implies that impairment was due to fecal coliform, total coliform, or both. For the 2002 update, "Bacterial Indicators" implies impairment was due to fecal coliform, total coliform, enterococci or a combination of any of the three. In the San Diego Region, enterococci measurements commenced in 1999.
<b>SWRCB Staff Recommendation</b>	Change pollutant designation from "high coliform count" to "Bacterial indicators."

## Region 9: Pacific Ocean Shoreline, San Onofre State Beach/San Mateo C + Bacterial Indicators

---

<b>Water Body</b>	Pacific Ocean Shoreline, San Onofre State Beach/San Mateo Creek Outlet
<b>Stressor/Media/Beneficial Use</b>	Bacterial Indicators/Water/REC-1, REC-2
<b>Data quality assessment. Extent to which data quality requirements met.</b>	San Diego County Department of Environmental Health.
<b>Linkage between measurement endpoint and beneficial use or standard</b>	Pollutant can have a direct impact on beneficial uses.
<b>Utility of measure for judging if standards or uses are not attained</b>	Measurements can be compared to bacterial standards directly.
<b>Water Body-specific Information</b>	Data age = 1 year.
<b>Data used to assess water quality</b>	<p>Analysis of applicable 1999, 2000, and 2001 data by the RWQCB staff showed 0 usable exceedence days out of 10 usable samples, 2 exceedences out of 36 samples, and 0 exceedences out of 24 samples, all from dry or mostly dry season sampling events. (The "p" value used was 0.04.)</p> <p>Hydrologic Sub-area 901.51, which includes the Pacific Ocean Shoreline, San Onofre State Beach/San Mateo Creek Outlet, is a portion of the larger area "San Clemente HA (901.30), San Mateo Canyon HA (901.40) and San Onofre HA (901.50)." This larger area was listed for bacterial problems in 1998 under the title "Pacific Ocean Shoreline, San Clemente HA 901.30." The RWQCB requested that the name be changed/expanded to correctly include the "San Mateo Canyon" and "San Onofre" portions.</p> <p>Not specifically listing the Pacific Ocean Shoreline at San Onofre State Beach, is not intended to negate or otherwise affect the prior listing of the Pacific Ocean Shoreline, San Clemente, San Mateo Canyon, and San Onofre (i.e., Pacific Ocean Shoreline, San Clemente).</p>
<b>Spatial representation</b>	Sampled within 400 yards (0.2 miles) of discharge point.
<b>Temporal representation</b>	1999-2001 data.
<b>Data type</b>	Numerical data.
<b>Use of standard method</b>	
<b>Potential Source(s) of Pollutant</b>	Sewage spills/leaks, urban runoff, other point sources, nonpoint sources, and domestic/wild animals.
<b>Alternative Enforceable Program</b>	Unknown.
<b>RWQCB Recommendation</b>	Do Not List.
<b>SWRCB Staff Recommendation</b>	After reviewing the available data and information and the RWQCB documentation for this recommendation, SWRCB staff concludes that this water body should not be specifically added to the section 303(d) list because applicable water quality standards are not exceeded a significant amount of the time. This determination is NOT intended to affect or change any other water body segment of sub-area numbers 901.51, 901.40, or 901.30.

## Region 9: Pacific Ocean Shoreline, San Onofre State Beach/San Mateo C + Bacterial Indicators

---

This conclusion is based on the staff findings that:

1. The data is considered to be of adequate quality.
2. Too few samples exceeded the water quality standard.

The reason is that an inadequate amount of the water quality measurements exceeded the water quality standard (see information under "data used").  
The staff confidence that standards were exceeded is extremely low.



## Region 9: Pacific Ocean Shoreline, Scripps HA (was Pacific Ocean, Scr + Bacterial Indicators (was "high coliform count"))

---

<b>Water Body</b>	Pacific Ocean Shoreline, Scripps HA (was Pacific Ocean, Scripps HA 906.30)
<b>Stressor/Media/Beneficial Use</b>	Bacterial Indicators (was "high coliform count")
<b>Data quality assessment. Extent to which data quality requirements met.</b>	
<b>Linkage between measurement endpoint and beneficial use or standard</b>	
<b>Utility of measure for judging if standards or uses are not attained</b>	
<b>Water Body-specific Information</b>	
<b>Data used to assess water quality</b>	
<b>Spatial representation</b>	
<b>Temporal representation</b>	
<b>Data type</b>	
<b>Use of standard method</b>	
<b>Potential Source(s) of Pollutant</b>	
<b>Alternative Enforceable Program</b>	
<b>RWQCB Recommendation</b>	All previous (1998) listings for "High Coliform Count" should be changed to "Bacterial Indicators." This will ensure consistency between the 1998 List and the 2002 Updated List. For 1998 listings, "Bacterial Indicators" implies that impairment was due to fecal coliform, total coliform, or both. For the 2002 update, "Bacterial Indicators" implies impairment was due to fecal coliform, total coliform, enterococci or a combination of any of the three. In the San Diego Region, enterococci measurements commenced in 1999.
<b>SWRCB Staff Recommendation</b>	Change pollutant designation from "high coliform count" to "Bacterial indicators."

## Region 9: Pacific Ocean Shoreline, South Capistrano Beach at Beach Road + NA

---

<b>Water Body</b>	Pacific Ocean Shoreline, South Capistrano Beach at Beach Road
<b>Stressor/Media/Beneficial Use</b>	NA
<b>Data quality assessment. Extent to which data quality requirements met.</b>	NA
<b>Linkage between measurement endpoint and beneficial use or standard</b>	NA
<b>Utility of measure for judging if standards or uses are not attained</b>	NA
<b>Water Body-specific Information</b>	NA
<b>Data used to assess water quality</b>	NA
<b>Spatial representation</b>	NA
<b>Temporal representation</b>	NA
<b>Data type</b>	NA
<b>Use of standard method</b>	NA
<b>Potential Source(s) of Pollutant</b>	NA
<b>Alternative Enforceable Program</b>	NA
<b>RWQCB Recommendation</b>	The hydrologic sub-area 901.27 (Lower San Juan HSA) was previously listed in 1998. Reference to the specific segment of South Capistrano Beach at Beach Road (also HSA 901.27) should be added to increase in the extent of impairment of the previously listed water body.
<b>SWRCB Staff Recommendation</b>	Previous listing of this water body by the SWRCB resulted from a misunderstanding. Per the actual RWQCB recommendation, do not add this water body as a separate listing. Instead, reference it in a note within the listing for "Pacific Ocean Shoreline, Lower San Juan HSA."

## Region 9: Pacific Ocean Shoreline, Tijuana HU (was Pacific Ocean, Tij + Bacterial Indicators (was "high coliform count"))

---

**Water Body** Pacific Ocean Shoreline, Tijuana HU (was Pacific Ocean, Tijuana HU 911.00)

**Stressor/Media/Beneficial Use** Bacterial Indicators (was "high coliform count")

**Data quality assessment. Extent to which data quality requirements met.**

**Linkage between measurement endpoint and beneficial use or standard**

**Utility of measure for judging if standards or uses are not attained**

**Water Body-specific Information**

**Data used to assess water quality**

**Spatial representation**

**Temporal representation**

**Data type**

**Use of standard method**

**Potential Source(s) of Pollutant**

**Alternative Enforceable Program**

**RWQCB Recommendation** All previous (1998) listings for "High Coliform Count" should be changed to "Bacterial Indicators." This will ensure consistency between the 1998 List and the 2002 Updated List. For 1998 listings, "Bacterial Indicators" implies that impairment was due to fecal coliform, total coliform, or both. For the 2002 update, "Bacterial Indicators" implies impairment was due to fecal coliform, total coliform, enterococci or a combination of any of the three. In the San Diego Region, enterococci measurements commenced in 1999.

**SWRCB Staff Recommendation** Change pollutant designation from "high coliform count" to "Bacterial indicators."

## Region 9: Pine Valley Creek (Upper)

### Enterococci

---

<b>Water Body</b>	Pine Valley Creek (Upper)
<b>Stressor/Media/Beneficial Use</b>	Enterococci/Water/REC-1
<b>Data quality assessment. Extent to which data quality requirements met.</b>	SR: USDA Forest Service, FS: City of San Diego Water Dept.
<b>Linkage between measurement endpoint and beneficial use or standard</b>	Pollutant can have a direct impact on beneficial uses.
<b>Utility of measure for judging if standards or uses are not attained</b>	WQO (Basin Plan) (108 colonies/100 mL) for lightly-moderately used areas.
<b>Water Body-specific Information</b>	Data age = 3 years.
<b>Data used to assess water quality</b>	6/11 (55%) violations of Basin Plan objective, log mean = 223 coliform-forming units.
<b>Spatial representation</b>	Five sampling locations along Creek.
<b>Temporal representation</b>	Unknown.
<b>Data type</b>	Numerical data.
<b>Use of standard method</b>	
<b>Potential Source(s) of Pollutant</b>	From horse stables, cattle grazing in and near the creek, and human encampments.
<b>Alternative Enforceable Program</b>	Unknown.
<b>RWQCB Recommendation</b>	List.
<b>SWRCB Staff Recommendation</b>	<p>After reviewing the available data and information and the RWQCB documentation for this recommendation, SWRCB staff concludes that the water body should be placed on the section 303(d) list because applicable water quality standards are exceeded and a pollutant contributes to or causes the problem.</p> <p>This conclusion is based on the staff findings that:</p> <ol style="list-style-type: none"> <li>1. The data is considered to be of adequate quality.</li> <li>2. The data exhibited sufficient spatial and temporal coverage.</li> <li>3. Beneficial uses have been established for and apply to the water body.</li> <li>4. Water quality standard used is applicable.</li> <li>5. The evaluation guideline used to interpret narrative water quality standards is adequate.</li> <li>6. Data are numerical.</li> <li>7. Standard methods were used.</li> <li>8. Other water body- or site-specific information including the effects of the age of the data was considered.</li> </ol> <p>An adequate number of the water quality measurements exceeded the water quality standard. The staff confidence that standards were exceeded is moderate.</p>

## Region 9: Prima Deshecha Creek

### Phosphorus

---

<b>Water Body</b>	Prima Deshecha Creek
<b>Stressor/Media/Beneficial Use</b>	Phosphorus/Water/REC-1, REC-2, WARM, WILD
<b>Data quality assessment. Extent to which data quality requirements met.</b>	NPDES permit monitoring.
<b>Linkage between measurement endpoint and beneficial use or standard</b>	Pollutant can have a direct impact on beneficial uses.
<b>Utility of measure for judging if standards or uses are not attained</b>	WQO (Basin Plan) (biostimulatory substance index = 0.1 mg/L) used.
<b>Water Body-specific Information</b>	Data age = 1-4 years.
<b>Data used to assess water quality</b>	7/97-6/98: 13/16 (81%) exceedences, mean=1.01 mg/mL; 8/98-7/99: 24/29 (83%) exceedences, mean=0.69 mg/mL; 10/99-6/00: 9/9 (100%) exceedences, mean=1.37 mg/mL, all from wet months.
<b>Spatial representation</b>	One sample site.
<b>Temporal representation</b>	July 1997 to June 2000 during wet weather months.
<b>Data type</b>	Numerical data.
<b>Use of standard method</b>	NPDES permit monitoring.
<b>Potential Source(s) of Pollutant</b>	Urban runoff, other point sources and nonpoint sources.
<b>Alternative Enforceable Program</b>	Unknown.
<b>RWQCB Recommendation</b>	List.
<b>SWRCB Staff Recommendation</b>	<p>After reviewing the available data and information and the RWQCB documentation for this recommendation, SWRCB staff concludes that the water body should be placed on the section 303(d) list because applicable water quality standards are exceeded and a pollutant contributes to or causes the problem.</p> <p>This conclusion is based on the staff findings that:</p> <ol style="list-style-type: none"> <li>1. The data is considered to be of adequate quality.</li> <li>2. The data exhibited sufficient spatial and temporal coverage.</li> <li>3. Beneficial uses have been established for and apply to the water body.</li> <li>4. Water quality standard used is applicable.</li> <li>5. Data are numerical.</li> <li>6. Standard methods were used.</li> <li>7. Other water body- or site-specific information including the effects of natural sources, season, storm events, and age of the data were considered.</li> </ol> <p>An adequate number of the water quality measurements exceeded the water quality standard. The staff confidence that standards were exceeded is moderate.</p>

## Region 9: Prima Deshecha Creek

### Turbidity

---

<b>Water Body</b>	Prima Deshecha Creek
<b>Stressor/Media/Beneficial Use</b>	Turbidity/Water/WARM, WILD
<b>Data quality assessment. Extent to which data quality requirements met.</b>	NPDES permit monitoring.
<b>Linkage between measurement endpoint and beneficial use or standard</b>	Pollutant can have a direct impact on beneficial uses.
<b>Utility of measure for judging if standards or uses are not attained</b>	WQO (Basin Plan) (20 Nephelometric Turbidity Units [NTU]) used.
<b>Water Body-specific Information</b>	Data age = 4 years.
<b>Data used to assess water quality</b>	7/97-6/98: 14/16 (88%) exceedences, mean=553.3 NTU; 8/98-7/99: 18/29 (62%) exceedences, mean=268.3 NTU; 10/99-6/00: 9/9 (100%) exceedences, mean=962.4 NTU, all from wet months.
<b>Spatial representation</b>	One sample site.
<b>Temporal representation</b>	Sampling from July 1997 to June 2000.
<b>Data type</b>	Numerical data.
<b>Use of standard method</b>	NPDES permit monitoring.
<b>Potential Source(s) of Pollutant</b>	Channelization, increased water velocity, undercutting of banks; increased turbidity; current/historic construction.
<b>Alternative Enforceable Program</b>	Unknown.
<b>RWQCB Recommendation</b>	List.
<b>SWRCB Staff Recommendation</b>	<p>After reviewing the available data and information and the RWQCB documentation for this recommendation, SWRCB staff concludes that the water body should be placed on the section 303(d) list because applicable water quality standards are exceeded and a pollutant contributes to or causes the problem.</p> <p>This conclusion is based on the staff findings that:</p> <ol style="list-style-type: none"> <li>1. The data is considered to be of adequate quality.</li> <li>2. The data exhibited sufficient spatial and temporal coverage.</li> <li>3. Beneficial uses have been established for and apply to the water body.</li> <li>4. Water quality standard used is applicable.</li> <li>5. Data are numerical.</li> <li>6. Standard methods were used.</li> <li>7. Other water body- or site-specific information including age of the data were considered.</li> </ol> <p>An adequate number of the water quality measurements exceeded the water quality standard. The staff confidence that standards were exceeded is moderate.</p>

## Region 9: Rainbow Creek

### Nitrate, Phosphorus (was "eutrophic")

---

<b>Water Body</b>	Rainbow Creek
<b>Stressor/Media/Beneficial Use</b>	Nitrate, Phosphorus (was "eutrophic")/water/MUN, AGR, IND, REC-1, REC-2, WARM, COLD, WILD
<b>Data quality assessment. Extent to which data quality requirements met.</b>	Data was properly collected and analyzed as part of the Final Report of Water Quality Studies & Proposed Watershed Monitoring Program for Portions of San Mateo & Santa Margarita River Watershed. Marine Corps Base, Camp Pendleton, CA. Contract No. N68711-95-D-7573, D.O. 0021.
<b>Linkage between measurement endpoint and beneficial use or standard</b>	Measurements are directly related to Region 9's Basin Plan water quality objectives.
<b>Utility of measure for judging if standards or uses are not attained</b>	RWQCB (Region 9) basin plan water quality objectives for nitrogen, phosphorus: The Basin Plan states that Inland surface waters "shall not contain biostimulatory substances in concentrations that promote aquatic growth to the extent that such growths cause nuisance or adversely affect beneficial uses." Additionally, threshold phosphorus levels shall not exceed 0.1 mg/L in flowing surface waters. <sup>1</sup> Analogous threshold values for nitrogen compounds have not been set, however; it is stated that a ratio of N:P=10:1 shall be used. In the case of flowing surface waters, the threshold nitrogen level is therefore set at 1.0 mg/L. These objectives are not to be exceeded more than 10% of the time during any one-year period.
<b>Water Body-specific Information</b>	Data from Creek sampled and analyzed in 2000.
<b>Data used to assess water quality</b>	<p>Nitrogen: Sampling and analysis conducted in 2000 and as compiled in the draft Total Maximum Daily Load (TMDL) for Rainbow Creek showed frequent exceedances of the Basin Plan Water Quality Objective. At Jubilee Way, 4 of 4 samples (100%) exceeded the Basin Plan objective, with a mean of 6.0 mg/L and a median of 5.9 mg/L. At Hines Nursery, 1 of 1 samples (100%) exceeded the Basin Plan objective, with a mean and median of 22.0 mg/L. At Oak Crest, 9 of 9 samples (100%) exceeded the Basin Plan objective, with a mean of 11.0 mg/L and a median of 12.0 mg/L. At Willow Glen, 25 of 25 samples exceeded the Basin Plan objective, with a mean of 9.7 mg/L and a median of 9.4 mg/L. At Riverhouse, 25 of 25 samples exceeded the Basin Plan objective, with a mean of 14.5 mg/L and a median of 15.0 mg/L. At Stage Coach, 9 of 9 samples exceeded the Basin Plan objective, with a mean of 13.7 mg/L and a median of 14.0 mg/L.</p> <p>Phosphorus: Sampling and analysis conducted in 2000 and as compiled in the draft TMDL for Rainbow Creek showed frequent exceedances of the Basin Plan Water Quality Objective. At Jubilee Way, 0 of 4 samples exceeded the Basin Plan objective. At Hines Nursery, 1 of 1 samples (100%) exceeded the Basin Plan objective, with a mean and median of 1.7 mg/L. At Oak Crest, 9 of 9 samples (100%) exceeded the Basin Plan objective, with a mean of 1.13 mg/L and a median of 0.99 mg/L. At Willow Glen, 25 of 25 samples exceeded the Basin Plan objective, with a mean of 0.43 mg/L and a median of 0.43 mg/L. At Riverhouse, 25 of 25 samples exceeded the Basin Plan objective, with a mean of 0.28 mg/L and a median of 0.25 mg/L. At Stage Coach, 9 of 9 samples exceeded the</p>

## Region 9: Rainbow Creek

### Nitrate, Phosphorus (was "eutrophic")

---

Basin Plan objective, with a mean of 0.30 mg/L and a median of 0.20 mg/L.

**Spatial representation**

The stations monitored in 2000 extend from just above the confluence with the Santa Margarita River (Stagecoach) to approximately 1.5 miles downstream of the headwaters (Jubilee Way). Therefore, the entire reach of the stream is proposed for listing for both nitrate and phosphorus.

**Temporal representation**

One year of sampling.

**Data type**

Numerical data was used.

**Use of standard method**

Standard collection and sampling procedures were used as part of the Final Report of Water Quality Studies & Proposed Watershed Monitoring Program for Portions of San Mateo & Santa Margarita River Watershed. Marine Corps Base, Camp Pendleton, CA. Contract No. N68711-95-D-7573, D.O. 0021.

**Potential Source(s) of Pollutant**

Sources include agriculture runoff, septic system discharges, nursery discharges, other urban runoff, and other point and non-point sources.

**Alternative Enforceable Program**

None.

**RWQCB Recommendation**

The specific impairment for Rainbow Creek should be changed from "eutrophic" to "nitrate" and "phosphorus." The original designation was based upon a faulty assumption that eutrophic conditions existed because of the elevated levels of nutrients. Data collected for development of the TMDL has revealed that eutrophic conditions do not exist, but concentrations of nitrate and phosphorus in excess of Basin Plan objectives do exist.

**SWRCB Staff Recommendation**

Change pollutant designation from "eutrophic" to "nitrate" and "phosphorus." After reviewing the available data and information and the RWQCB documentation for this recommendation, SWRCB staff concludes that the water body should remain on the section 303(d) list under the new pollutant designations--"Nitrate" and "phosphorus"--because applicable water quality standards are exceeded and pollutants contributes to or causes the problem.

This conclusion is based on the staff findings that:

1. The data is considered to be of adequate quality.
2. The data exhibited sufficient spatial and temporal coverage.
3. Beneficial uses have been established for and apply to the water body.
4. Water quality standard used is applicable.
5. Data are numerical.
6. Standard methods were used.
7. Other water body- or site-specific information including the effects of natural sources, season, storm events, and age of the data were considered.

An adequate number of the water quality measurements exceeded the water quality standard. The staff confidence that standards were exceeded is high.



## Region 9: San Diego Bay Shoreline, 32nd St San Diego Naval Station (w + Benthic Community Effects, Sediment Toxicity)

---

<b>Water Body</b>	San Diego Bay Shoreline, 32nd St San Diego Naval Station (was San Diego Bay, San Diego Naval Station)
<b>Stressor/Media/Beneficial Use</b>	Benthic Community Effects, Sediment Toxicity/MAR, WILD, BIOL, EST, RARE, MIGR, and SHELL
<b>Data quality assessment. Extent to which data quality requirements met.</b>	NA
<b>Linkage between measurement endpoint and beneficial use or standard</b>	NA
<b>Utility of measure for judging if standards or uses are not attained</b>	NA
<b>Water Body-specific Information</b>	NA
<b>Data used to assess water quality</b>	NA
<b>Spatial representation</b>	NA
<b>Temporal representation</b>	NA
<b>Data type</b>	NA
<b>Use of standard method</b>	NA
<b>Potential Source(s) of Pollutant</b>	NA
<b>Alternative Enforceable Program</b>	NA
<b>RWQCB Recommendation</b>	Revise name of previous, 1998, listing: San Diego Bay, San Diego Naval Station.
<b>SWRCB Staff Recommendation</b>	Per RWQCB recommendation, revise name of existing, 1998, listing. This is not a new listing (but does identify specific location within larger, general 1998 listing for all of San Diego Bay).

## Region 9: San Diego Bay Shoreline, at B Street Pier (was San Diego Bay + Lindane)

---

<b>Water Body</b>	San Diego Bay Shoreline, at B Street Pier (was San Diego Bay at B Street Pier)
<b>Stressor/Media/Beneficial Use</b>	Lindane
<b>Data quality assessment. Extent to which data quality requirements met.</b>	
<b>Linkage between measurement endpoint and beneficial use or standard</b>	
<b>Utility of measure for judging if standards or uses are not attained</b>	
<b>Water Body-specific Information</b>	
<b>Data used to assess water quality</b>	
<b>Spatial representation</b>	
<b>Temporal representation</b>	
<b>Data type</b>	
<b>Use of standard method</b>	
<b>Potential Source(s) of Pollutant</b>	
<b>Alternative Enforceable Program</b>	
<b>RWQCB Recommendation</b>	Remove entire listing from Watch List because "at B Street Pier" was erroneously listed in the original RWQCB Staff report table.
<b>SWRCB Staff Recommendation</b>	After reviewing the available data and information and the RWQCB documentation for this recommendation, SWRCB staff concludes that the water body should not be placed on any 303(d)-related list because the original recommendation referenced the water body in error.

## Region 9: San Diego Bay Shoreline, at Kellogg Street Beach (Pueblo Sa + Bacterial Indicators

---

<b>Water Body</b>	San Diego Bay Shoreline, at Kellogg Street Beach (Pueblo San Diego HU [908.00] and Sweetwater HU [909.00])
<b>Stressor/Media/Beneficial Use</b>	Bacterial Indicators/Water/REC-1, REC-2
<b>Data quality assessment. Extent to which data quality requirements met.</b>	San Diego County Department of Environmental Health.
<b>Linkage between measurement endpoint and beneficial use or standard</b>	Pollutant can have a direct impact on beneficial uses.
<b>Utility of measure for judging if standards or uses are not attained</b>	Closures a measure of impacts on beneficial use. Listing recommendation: >10 days/year beach closures or advisories.
<b>Water Body-specific Information</b>	Data age = 1 year.
<b>Data used to assess water quality</b>	Analysis of applicable 1999, 2000, and 2001 data by the RWQCB staff showed 1 usable exceedence day out of 17 usable samples, 1 exceedence out of 33 samples, 3 exceedences out of 31 samples (all from dry season sampling events), (The "p" value used was 0.04.).
<b>Spatial representation</b>	Sampled within 400 yards (0.2 miles) of discharge point.
<b>Temporal representation</b>	1999, 2000, and 2001 data.
<b>Data type</b>	Numerical data.
<b>Use of standard method</b>	San Diego County Department of Environmental Health procedures followed.
<b>Potential Source(s) of Pollutant</b>	Sewage spills/leaks, urban runoff, other point sources, nonpoint sources, and domestic/wild animals.
<b>Alternative Enforceable Program</b>	Unknown
<b>RWQCB Recommendation</b>	Do not list.
<b>SWRCB Staff Recommendation</b>	After reviewing the available data and information and the RWQCB documentation for this recommendation, SWRCB staff concludes that this water body should not be specifically added to the section 303(d) list, and should be specifically de-listed from the 303(d) list, because applicable water quality standards are not exceeded a significant amount of the time. This determination is NOT meant to affect other San Diego Bay areas for bacterial indicators.

This conclusion is based on the staff findings that:

1. The data is considered to be of adequate quality. However,
2. Too few samples exceeded the water quality objective.

The reason is that an inadequate amount of the water quality measurements exceeded the water quality standard. The staff confidence that standards were exceeded is extremely low.

## Region 9: San Diego Bay Shoreline, at Kellogg Street Beach (Pueblo Sa + Bacterial Indicators

---

Hydrologic Sub-area 908.10, the San Diego Shoreline at Point Loma, also encompasses the San Diego Bay Shoreline, at Kellogg Street Beach. Not specifically listing the San Diego Bay Shoreline, at Kellogg Street Beach is not intended to affect other waters in this sub-area, unless stated elsewhere.

## Region 9: San Diego Bay Shoreline, at South Bay Power Plant (was San + Turbidity

---

<b>Water Body</b>	San Diego Bay Shoreline, at South Bay Power Plant (was San Diego Bay at South Bay Power Plant)
<b>Stressor/Media/Beneficial Use</b>	Turbidity/water/IND, NAV, REC-1, REC-2, COMM, BIOL, EST, WILD, RARE, MAR, MIGR, SHELL
<b>Data quality assessment. Extent to which data quality requirements met.</b>	A report submitted by concerned citizens, "Deadly Power," sites NPDES monitoring data, personal and agency communications, SWRCB and RWQCB orders, refereed journal articles, agency reports, and contractual studies. However, most information is non-numeric and the level of quality control/assurance is unknown.
<b>Linkage between measurement endpoint and beneficial use or standard</b>	The information cited in the "Deadly Power" report directly relates to aquatic beneficial uses (e.g., SPWN) of the south San Diego Bay.
<b>Utility of measure for judging if standards or uses are not attained</b>	Numeric and narrative Basin Plan water quality objectives apply to the Plant's discharge.
<b>Water Body-specific Information</b>	The Information cited in the "Deadly Power" report relates directly to south San Diego Bay waters.
<b>Data used to assess water quality</b>	Available information in citizen-supplied reports is for the most part non-numeric. The report contains general descriptions of the potential impact of the power plant discharge, temperature effects, loss of wetlands, impacts on entrained and impinged organisms, possible impacts on sea turtles and halibut, the use of chlorine and the possible impacts, the loading of copper and zinc, and possible impacts on increased turbidity on eelgrass beds. Further study is required to verify conclusions reached.
<b>Spatial representation</b>	The water body area of concern is adequately covered by the information provided.
<b>Temporal representation</b>	Studies from the 1960s through 2000 are discussed. No dates of sample collection is provided.
<b>Data type</b>	Narrative information is cited.
<b>Use of standard method</b>	For the most part no information is report on the methods used.
<b>Potential Source(s) of Pollutant</b>	N/A
<b>Alternative Enforceable Program</b>	<p>The South Bay Power Plant facility is subject to an NPDES permit.</p> <p>Prompted by citizen complaints, Duke Power, manager of the South Bay Power Plant, is actively considering bolstering its monitoring program. For example:</p> <ul style="list-style-type: none"> <li>- Modifications to sampling locations to eliminate compensation for selected pollutants.</li> <li>- Monitoring for dissolved oxygen and metals (copper, zinc, nickel, etc.).</li> <li>- Total chlorine residual monitoring on a daily level, perhaps at the time of day when the plant is operating at highest capacity.</li> </ul>

## Region 9: San Diego Bay Shoreline, at South Bay Power Plant (was San + Turbidity)

---

- An increase in the number of monitoring stations (from 11).

Changes to the monitoring program are scheduled to begin in the summer of 2003. Quarterly progress reports will start May of 2003. The final reports are due in February 2004.

### **RWQCB Recommendation**

RWQCB staff recommends placing South Bay on the watch list.

### **SWRCB Staff Recommendation**

After reviewing the available data and information and the RWQCB documentation for this recommendation, SWRCB staff concludes that the water body should be placed on the Monitoring List because the volume of supporting data are inadequate to determine if applicable water quality standards are truly exceeded. Further study, including monitoring, is necessary to confirm the possibility of impacts to beneficial uses caused by discharges from the South Bay Power Plant.

## Region 9: San Diego Bay Shoreline, at South Bay Power Plant (was San + Thermal Warming

---

<b>Water Body</b>	San Diego Bay Shoreline, at South Bay Power Plant (was San Diego Bay at South Bay Power Plant)
<b>Stressor/Media/Beneficial Use</b>	Thermal Warming/water/IND, NAV, REC-1, REC-2, COMM, BIOL, EST, WILD, RARE, MAR, MIGR, SHELL
<b>Data quality assessment. Extent to which data quality requirements met.</b>	A report submitted by concerned citizens, "Deadly Power," sites NPDES monitoring data, personal and agency communications, SWRCB and RWQCB orders, refereed journal articles, agency reports, and contractual studies. However, most information is non-numeric and the level of quality control/assurance is unknown.
<b>Linkage between measurement endpoint and beneficial use or standard</b>	The information cited in the "Deadly Power" report directly relates to aquatic beneficial uses (e.g., SPWN) of the south San Diego Bay.
<b>Utility of measure for judging if standards or uses are not attained</b>	Numeric and narrative Basin Plan water quality objectives apply to the Plant's discharge.
<b>Water Body-specific Information</b>	The Information cited in the "Deadly Power" report relates directly to south San Diego Bay waters.
<b>Data used to assess water quality</b>	Available information in citizen-supplied reports is for the most part non-numeric. The report contains general descriptions of the potential impact of the power plant discharge, temperature effects, loss of wetlands, impacts on entrained and impinged organisms, possible impacts on sea turtles and halibut, the use of chlorine and the possible impacts, the loading of copper and zinc, and possible impacts on increased turbidity on eelgrass beds. Further study is required to verify conclusions reached.
<b>Spatial representation</b>	The water body area of concern is adequately covered by the information provided.
<b>Temporal representation</b>	Studies from the 1960s through 2000 are discussed. No dates of sample collection is provided.
<b>Data type</b>	Narrative information is cited.
<b>Use of standard method</b>	For the most part no information is report on the methods used.
<b>Potential Source(s) of Pollutant</b>	N/A
<b>Alternative Enforceable Program</b>	<p>The South Bay Power Plant facility is subject to an NPDES permit. Prompted by citizen complaints, Duke Power, manager of the South Bay Power Plant, is considering bolstering its monitoring program. For example:</p> <ul style="list-style-type: none"> <li>- Modifications to sampling locations to eliminate compensation for selected pollutants.</li> <li>- Monitoring for dissolved oxygen and metals (copper, zinc, nickel, etc.).</li> <li>- Total chlorine residual monitoring on a daily level, perhaps at the time of day when the plant is operating at highest capacity.</li> <li>- An increase in the number of monitoring stations (from 11).</li> </ul>

## Region 9: San Diego Bay Shoreline, at South Bay Power Plant (was San + Thermal Warming)

---

Changes to the monitoring program are scheduled to begin in the summer of 2003. Quarterly progress reports will start May of 2003. The final reports are due in February 2004.

### **RWQCB Recommendation**

RWQCB staff recommends placing South Bay on the watch list.

### **SWRCB Staff Recommendation**

After reviewing the available data and information and the RWQCB documentation for this recommendation, SWRCB staff concludes that the water body should be placed on the Monitoring List because the volume of supporting data are inadequate to determine if applicable water quality standards are truly exceeded. Further study, including monitoring, is necessary to confirm the possibility of impacts to beneficial uses caused by discharges from the South Bay Power Plant.



## Region 9: San Diego Bay Shoreline, at South Bay Power Plant (was San + Chlorine, Copper, Zinc

---

<b>Water Body</b>	San Diego Bay Shoreline, at South Bay Power Plant (was San Diego Bay at South Bay Power Plant)
<b>Stressor/Media/Beneficial Use</b>	Chlorine/Water/IND, NAV, REC-1, REC-2, COMM, BIOL, EST, WILD, RARE, MAR, MIGR, SHELL
<b>Data quality assessment. Extent to which data quality requirements met.</b>	A report submitted by concerned citizens, "Deadly Power," sites NPDES monitoring data, personal and agency communications, SWRCB and RWQCB orders, refereed journal articles, agency reports, and contractual studies. However, most information is non-numeric and the level of quality control/assurance is unknown.
<b>Linkage between measurement endpoint and beneficial use or standard</b>	The information cited in the "Deadly Power" report directly relates to aquatic beneficial uses of the south San Diego Bay. Most of the reported information is difficult to relate to existing water quality objectives.
<b>Utility of measure for judging if standards or uses are not attained</b>	Numeric and narrative Basin Plan water quality objectives apply to these San Diego Bay waters.
<b>Water Body-specific Information</b>	The Information cited in the "Deadly Power" report relates to south San Diego Bay waters. Many of the studies cited are from the scientific literature describe the general impacts of metals, electric generating facility discharge, etc.
<b>Data used to assess water quality</b>	Available information in citizen-supplied reports is for the most part non-numeric. The report contains general descriptions of the potential impact of the power plant discharge, temperature effects, loss of wetlands, impacts on entrained and impinged organisms, possible impacts on sea turtles and halibut, the use of chlorine and the possible impacts, the loading of copper and zinc, and possible impacts on increased turbidity on eelgrass beds. Further study is required to verify conclusions reached.
<b>Spatial representation</b>	The water body area of concern is adequately covered by the information provided. No station or sampling data is provided.
<b>Temporal representation</b>	Studies from the 1960s through 2000 are discussed. No dates of sample collection is provided.
<b>Data type</b>	Narrative information is cited.
<b>Use of standard method</b>	For the most part no information is available on the methods used.
<b>Potential Source(s) of Pollutant</b>	N/A
<b>Alternative Enforceable Program</b>	<p>The South Bay Power Plant facility is subject to an NPDES permit. Prompted by citizen complaints, Duke Power, manager of the South Bay Power Plant, is considering bolstering its monitoring program. For example:</p> <ul style="list-style-type: none"> <li>- Modifications to sampling locations to eliminate compensation for selected pollutants.</li> <li>- Monitoring for dissolved oxygen and metals (copper, zinc, nickel, etc.).</li> </ul>

## Region 9: San Diego Bay Shoreline, at South Bay Power Plant (was San + Chlorine, Copper, Zinc)

---

- Total chlorine residual monitoring on a daily level, perhaps at the time of day when the plant is operating at highest capacity.
- An increase in the number of monitoring stations (from 11).

Changes to the monitoring program are scheduled to begin in the summer of 2003. Quarterly progress reports will start May of 2003. The final reports are due in February 2004.

### **RWQCB Recommendation**

RWQCB staff recommends placing South Bay on the Monitoring ("watch") List.

### **SWRCB Staff Recommendation**

After reviewing the available data and information and the RWQCB documentation for this recommendation, SWRCB staff concludes that the water body should be placed on the Monitoring List because the volume of supporting data are inadequate to determine if applicable water quality standards are truly exceeded. Further study, including monitoring, is necessary to confirm the possibility of impacts to beneficial uses caused by discharges from the South Bay Power Plant.

## Region 9: San Diego Bay Shoreline, between Sampson and 28th Streets

### Copper

---

<b>Water Body</b>	San Diego Bay Shoreline, between Sampson and 28th Streets
<b>Stressor/Media/Beneficial Use</b>	Copper/Sediment/MAR, WILD, BIOL, EST, RARE, MIGR, SHELL
<b>Data quality assessment. Extent to which data quality requirements met.</b>	High quality for sediment data (See BPTCP report and NASSCO/SWM Technical Memorandum 1.
<b>Linkage between measurement endpoint and beneficial use or standard</b>	Degraded benthic community and toxicity may be associated to pollutant concentration (no toxics in toxic amounts).
<b>Utility of measure for judging if standards or uses are not attained</b>	Use of the "Triad Approach" (i.e., sediment chemistry, toxicity, and benthic community) is a well-established weight of evidence approach that provides an integrated assessment of the sediment.
<b>Water Body-specific Information</b>	BPTCP regional monitoring program conducted by SWRCB (1992-1994). Sediment quality investigation conducted by NASSCO and SWM shipyards (August 2001).
<b>Data used to assess water quality</b>	<p>- BPTCP Sediment Chemistry: Station &gt;4x ERM or &gt;5.9x PEL = 93211. Stations &gt; 0.85 ERMq or &gt;1.29 PELq = 93210, 93211, 90030, and 93181. Copper is one of several contaminants used to calculate the quotient values.</p> <p>- NASSCO/SWM Sediment Chemistry: Stations &gt;4x ERM or &gt; 5.9x PEL = NA17, SW01, SW02, SW04, SW08, SW09, and SW13.</p> <p>- BPTCP Toxicity: Stations &lt; 48% amphipod survival rate = 93210, 93181, and 90030.  Stations that exhibited toxicity to the sea urchin = 93210, and 93211.</p> <p>- BPTCP Benthic Community Structure: Stations with a degraded benthic community = 93210, 93211, and 90021.</p> <p>- BPTCP Station 93210 had synoptic "hits" on all three components of the Triad Approach.</p> <p>- BPTCP Stations 93211 and 90030 had synoptic "hits" on two of three components of the Triad Approach.</p>
<b>Spatial representation</b>	Spatial representation provides adequate coverage of the area of concern. BPTCP sampled 9 stations within the area of concern. NASSCO/SWM study sampled 35 stations within the area of concern.
<b>Temporal representation</b>	2 sampling periods (1993 by BPTCP and 2001 by NASSCO/SWM).
<b>Data type</b>	Numerical sediment chemistry, toxicity, and benthic community data.
<b>Use of standard method</b>	Standard Methods were used for data analysis.
<b>Potential Source(s) of Pollutant</b>	Point and non-point sources.

## Region 9: San Diego Bay Shoreline, between Sampson and 28th Streets Copper

---

**Alternative Enforceable Program**

NPDES program.

**RWQCB Recommendation**

List. The weight of evidence from the samples collected from the area of concern indicates that the benthic community is being adversely affected in San Diego Bay between Sampson and 28th Streets. This level of benthic degradation, sediment toxicity, and sediment chemistry is direct evidence of impairment of the following beneficial uses: BIOL, EST, WILD, RARE, MAR, MIGR, and SHELL.

**SWRCB Staff Recommendation**

After reviewing the available data and information and the RWQCB documentation for this recommendation, SWRCB staff concludes that the water body should be placed on the section 303(d) list because applicable water quality standards are exceeded and a pollutant contributes to or causes the problem.

This conclusion is based on the staff findings that:

1. The data is considered to be of adequate quality.
2. The data exhibited sufficient spatial and temporal coverage.
3. Beneficial uses have been established for and apply to the water body.
4. Water quality standard used is applicable.
5. The evaluation guideline used to interpret narrative water quality standards is adequate.
6. Data are numerical.
7. Standard methods were used.
8. Other water body- or site-specific information including the age of the data were considered.

An adequate number of the water quality measurements exceeded the water quality standard. The staff confidence that standards were exceeded is high.

## Region 9: San Diego Bay Shoreline, between Sampson and 28th Streets

### Mercury

---

<b>Water Body</b>	San Diego Bay Shoreline, between Sampson and 28th Streets
<b>Stressor/Media/Beneficial Use</b>	Mercury/Sediment/MAR, WILD, BIOL, EST, RARE, MIGR, SHELL
<b>Data quality assessment. Extent to which data quality requirements met.</b>	High quality for sediment data (See BPTCP report and NASSCO/SWM Technical Memorandum 1.
<b>Linkage between measurement endpoint and beneficial use or standard</b>	Degraded benthic community and toxicity may be associated to pollutant concentration (no toxics in toxic amounts).
<b>Utility of measure for judging if standards or uses are not attained</b>	Use of the "Triad Approach" (i.e., sediment chemistry, toxicity, and benthic community) is a well-established weight of evidence approach that provides an integrated assessment of the sediment.
<b>Water Body-specific Information</b>	BPTCP regional monitoring program conducted by SWRCB (1992-1994). Sediment quality investigation conducted by NASSCO and SWM shipyards (August 2001).
<b>Data used to assess water quality</b>	<p>- BPTCP Sediment Chemistry: Station &gt;4x ERM or &gt;5.9x PEL = None. Stations &gt; 0.85 ERMq or &gt;1.29 PELq = 93210, 93211, 90030, and 93181. Mercury is one of several contaminants used to calculate the quotient values.</p> <p>- NASSCO/SWM Sediment Chemistry: Stations &gt;4x ERM or &gt; 5.9x PEL = NA06 and SW02.</p> <p>- BPTCP Toxicity: Stations &lt; 48% amphipod survival rate = 93210, 93181, and 90030.  Stations that exhibited toxicity to the sea urchin = 93210, and 93211.</p> <p>- BPTCP Benthic Community Structure: Stations with a degraded benthic community = 93210, 93211, and 90021.</p> <p>- BPTCP Station 93210 had synoptic "hits" on all three components of the Triad Approach.</p> <p>- BPTCP Stations 93211 and 90030 had synoptic "hits" on two of three components of the Triad Approach.</p>
<b>Spatial representation</b>	Spatial representation provides adequate coverage of the area of concern. BPTCP sampled 9 stations within the area of concern. NASSCO/SWM study sampled 35 stations within the area of concern.
<b>Temporal representation</b>	2 sampling periods (1993 by BPTCP and 2001 by NASSCO/SWM).
<b>Data type</b>	Numerical sediment chemistry, toxicity, and benthic community data.
<b>Use of standard method</b>	Standard methods were used for data analysis.
<b>Potential Source(s) of Pollutant</b>	Point and non-point sources.

## Region 9: San Diego Bay Shoreline, between Sampson and 28th Streets

### Mercury

---

**Alternative Enforceable Program**

NPDES program.

**RWQCB Recommendation**

List. The weight of evidence from the samples collected from the area of concern indicates that the benthic community is being adversely affected in San Diego Bay between Sampson and 28th Streets. This level of benthic degradation, sediment toxicity, and sediment chemistry is direct evidence of impairment of the following beneficial uses: BIOL, EST, WILD, RARE, MAR, MIGR, and SHELL.

**SWRCB Staff Recommendation**

After reviewing the available data and information and the RWQCB documentation for this recommendation, SWRCB staff concludes that the water body should be placed on the section 303(d) list because applicable water quality standards are exceeded and a pollutant contributes to or causes the problem.

This conclusion is based on the staff findings that:

1. The data is considered to be of adequate quality.
2. The data exhibited sufficient spatial and temporal coverage.
3. Beneficial uses have been established for and apply to the water body.
4. Water quality standard used is applicable.
5. The evaluation guideline used to interpret narrative water quality standards is adequate.
6. Data are numerical.
7. Standard methods were used.
8. Other water body- or site-specific information including the age of the data were considered.

An adequate number of the water quality measurements exceeded the water quality standard. The staff confidence that standards were exceeded is high.

## Region 9: San Diego Bay Shoreline, between Sampson and 28th Streets

### Total PAHs

---

<b>Water Body</b>	San Diego Bay Shoreline, between Sampson and 28th Streets
<b>Stressor/Media/Beneficial Use</b>	Total PAHs/Sediment/MAR, WILD, BIOL, EST, RARE, MIGR, and SHELL
<b>Data quality assessment. Extent to which data quality requirements met.</b>	High quality for sediment data (See BPTCP report and NASSCO/SWM Technical Memorandum 1.
<b>Linkage between measurement endpoint and beneficial use or standard</b>	Degraded benthic community and toxicity may be associated to pollutant concentration (no toxics in toxic amounts).
<b>Utility of measure for judging if standards or uses are not attained</b>	Use of the "Triad Approach" (i.e., sediment chemistry, toxicity, and benthic community) is a well-established weight of evidence approach that provides an integrated assessment of the sediment.
<b>Water Body-specific Information</b>	BPTCP regional monitoring program conducted by SWRCB (1992-1994). Sediment quality investigation conducted by NASSCO and SWM shipyards (August 2001).
<b>Data used to assess water quality</b>	<p>- BPTCP Sediment Chemistry: Station &gt;4x ERM or &gt;5.9x PEL = 90030. Stations &gt; 0.85 ERMq or &gt;1.29 PELq = 93210, 93211, 90030, and 93181. Total PAHs is one of several contaminants used to calculate the quotient values.</p> <p>- NASSCO/SWM Sediment Chemistry: Stations &gt;4x ERM or &gt; 5.9x PEL = None.</p> <p>- BPTCP Toxicity: Stations &lt; 48% amphipod survival rate = 93210, 93181, and 90030.  Stations that exhibited toxicity to the sea urchin = 93210, and 93211.</p> <p>- BPTCP Benthic Community Structure: Stations with a degraded benthic community = 93210, 93211, and 90021.</p> <p>- BPTCP Station 93210 had synoptic "hits" on all three components of the Triad Approach.</p> <p>- BPTCP Stations 93211 and 90030 had synoptic "hits" on two of three components of the Triad Approach.</p>
<b>Spatial representation</b>	Spatial representation provides adequate coverage of the area of concern. BPTCP sampled 9 stations within the area of concern. NASSCO/SWM study sampled 35 stations within the area of concern.
<b>Temporal representation</b>	2 sampling periods (1993 by BPTCP and 2001 by NASSCO/SWM).
<b>Data type</b>	Numerical sediment chemistry, toxicity, and benthic community data.
<b>Use of standard method</b>	Standard methods were used for data analysis.

## Region 9: San Diego Bay Shoreline, between Sampson and 28th Streets

### Total PAHs

<b>Potential Source(s) of Pollutant</b>	Point and non-point.
<b>Alternative Enforceable Program</b>	NPDES program.
<b>RWQCB Recommendation</b>	List. The weight of evidence from the samples collected from the area of concern indicates that the benthic community is being adversely affected in San Diego Bay between Sampson and 28th Streets. This level of benthic degradation, sediment toxicity, and sediment chemistry is direct evidence of impairment of the following beneficial uses: BIOL, EST, WILD, RARE, MAR, MIGR, and SHELL.
<b>SWRCB Staff Recommendation</b>	<p>After reviewing the available data and information and the RWQCB documentation for this recommendation, SWRCB staff concludes that the water body should be placed on the section 303(d) list because applicable water quality standards are exceeded and a pollutant contributes to or causes the problem.</p> <p>This conclusion is based on the staff findings that:</p> <ol style="list-style-type: none"> <li>1. The data is considered to be of adequate quality.</li> <li>2. The data exhibited sufficient spatial and temporal coverage.</li> <li>3. Beneficial uses have been established for and apply to the water body.</li> <li>4. Water quality standard used is applicable.</li> <li>5. The evaluation guideline used to interpret narrative water quality standards is adequate.</li> <li>6. Data are numerical.</li> <li>7. Standard methods were used.</li> <li>8. Other water body- or site-specific information including the age of the data were considered.</li> </ol> <p>An adequate number of the water quality measurements exceeded the water quality standard. The staff confidence that standards were exceeded is high.</p>



## Region 9: San Diego Bay Shoreline, between Sampson and 28th Streets

### Zinc

---

<b>Water Body</b>	San Diego Bay Shoreline, between Sampson and 28th Streets
<b>Stressor/Media/Beneficial Use</b>	Zinc/Sediment/MAR, WILD, BIOL, EST, RARE, MIGR, and SHELL
<b>Data quality assessment. Extent to which data quality requirements met.</b>	High quality for sediment data (See BPTCP report and NASSCO/SWM Technical Memorandum 1.
<b>Linkage between measurement endpoint and beneficial use or standard</b>	Degraded benthic community and toxicity may be associated to pollutant concentration (no toxics in toxic amounts).
<b>Utility of measure for judging if standards or uses are not attained</b>	Use of the "Triad Approach" (i.e., sediment chemistry, toxicity, and benthic community) is a well-established weight of evidence approach that provides an integrated assessment of the sediment.
<b>Water Body-specific Information</b>	BPTCP regional monitoring program conducted by SWRCB (1992-1994). Sediment quality investigation conducted by NASSCO and SWM shipyards (August 2001).
<b>Data used to assess water quality</b>	<p>- BPTCP Sediment Chemistry: Station &gt;4x ERM or &gt;5.9x PEL = None. Stations &gt; 0.85 ERMq or &gt;1.29 PELq = 93210, 93211, 90030, and 93181. Zinc is one of several contaminants used to calculate the quotient values.</p> <p>- NASSCO/SWM Sediment Chemistry: Stations &gt;4x ERM or &gt; 5.9x PEL = SW04.</p> <p>- BPTCP Toxicity: Stations &lt; 48% amphipod survival rate = 93210, 93181, and 90030.  Stations that exhibited toxicity to the sea urchin = 93210, and 93211.</p> <p>- BPTCP Benthic Community Structure: Stations with a degraded benthic community = 93210, 93211, and 90021.</p> <p>- BPTCP Station 93210 had synoptic "hits" on all three components of the Triad Approach.</p> <p>- BPTCP Stations 93211 and 90030 had synoptic "hits" on two of three components of the Triad Approach.</p>
<b>Spatial representation</b>	Spatial representation provides adequate coverage of the area of concern. BPTCP sampled 9 stations within the area of concern. NASSCO/SWM study sampled 35 stations within the area of concern.
<b>Temporal representation</b>	2 sampling periods (1993 by BPTCP and 2001 by NASSCO/SWM).
<b>Data type</b>	Numerical sediment chemistry, toxicity, and benthic community data.
<b>Use of standard method</b>	Standard methods were used for data analysis.
<b>Potential Source(s) of Pollutant</b>	Point and non-point sources.

## Region 9: San Diego Bay Shoreline, between Sampson and 28th Streets

### Zinc

---

**Alternative Enforceable Program**

NPDES program.

**RWQCB Recommendation**

List. The weight of evidence from the samples collected from the area of concern indicates that the benthic community is being adversely affected in San Diego Bay between Sampson and 28th Streets. This level of benthic degradation, sediment toxicity, and sediment chemistry is direct evidence of impairment of the following beneficial uses: BIOL, EST, WILD, RARE, MAR, MIGR, and SHELL.

**SWRCB Staff Recommendation**

After reviewing the available data and information and the RWQCB documentation for this recommendation, SWRCB staff concludes that the water body should be placed on the section 303(d) list because applicable water quality standards are exceeded and a pollutant contributes to or causes the problem.

This conclusion is based on the staff findings that:

1. The data is considered to be of adequate quality.
2. The data exhibited sufficient spatial and temporal coverage.
3. Beneficial uses have been established for and apply to the water body.
4. Water quality standard used is applicable.
5. The evaluation guideline used to interpret narrative water quality standards is adequate.
6. Data are numerical.
7. Standard methods were used.
8. Other water body- or site-specific information including the effects of age of the data were considered.

An adequate number of the water quality measurements exceeded the water quality standard. The staff confidence that standards were exceeded is high.

## Region 9: San Diego Bay Shoreline, between Sampson and 28th Streets

### Total PCBs

---

<b>Water Body</b>	San Diego Bay Shoreline, between Sampson and 28th Streets
<b>Stressor/Media/Beneficial Use</b>	Total PCBs/Sediment/MAR, WILD, BIOL, EST, RARE, MIGR, and SHELL
<b>Data quality assessment. Extent to which data quality requirements met.</b>	High quality for sediment data (See BPTCP report and NASSCO/SWM Technical Memorandum 1.
<b>Linkage between measurement endpoint and beneficial use or standard</b>	Degraded benthic community and toxicity may be associated to pollutant concentration (no toxics in toxic amounts).
<b>Utility of measure for judging if standards or uses are not attained</b>	Use of the "Triad Approach" (i.e., sediment chemistry, toxicity, and benthic community) is a well-established weight of evidence approach that provides an integrated assessment of the sediment.
<b>Water Body-specific Information</b>	BPTCP regional monitoring program conducted by SWRCB (1992-1994). Sediment quality investigation conducted by NASSCO and SWM shipyards (August 2001).
<b>Data used to assess water quality</b>	<p>- BPTCP Sediment Chemistry: Station &gt;4x ERM or &gt;5.9x PEL = 93211. Stations &gt; 0.85 ERMq or &gt;1.29 PELq = 93210, 93211, 90030, and 93181. Total PCBs is one of several contaminants used to calculate the quotient values.</p> <p>- NASSCO/SWM Sediment Chemistry: Stations &gt;4x ERM or &gt; 5.9x PEL = SW01, SW02, SW04, SW05, SW08, SW20, SW21, and SW28.</p> <p>- BPTCP Toxicity: Stations &lt; 48% amphipod survival rate = 93210, 93181, and 90030.</p> <p>Stations that exhibited toxicity to the sea urchin = 93210, and 93211.</p> <p>- BPTCP Benthic Community Structure: Stations with a degraded benthic community = 93210, 93211, and 90021.</p> <p>- BPTCP Station 93210 had synoptic "hits" on all three components of the Triad Approach.</p> <p>- BPTCP Stations 93211 and 90030 had synoptic "hits" on two of three components of the Triad Approach.</p>
<b>Spatial representation</b>	Spatial representation provides adequate coverage of the area of concern. BPTCP sampled 9 stations within the area of concern. NASSCO/SWM study sampled 35 stations within the area of concern.
<b>Temporal representation</b>	2 sampling periods (1993 by BPTCP and 2001 by NASSCO/SWM).
<b>Data type</b>	Numerical sediment chemistry, toxicity, and benthic community data.
<b>Use of standard method</b>	Standard methods were used for data analysis.

## Region 9: San Diego Bay Shoreline, between Sampson and 28th Streets Total PCBs

---

<b>Potential Source(s) of Pollutant</b>	Point and non-point sources.
<b>Alternative Enforceable Program</b>	NPDES program.
<b>RWQCB Recommendation</b>	List. The weight of evidence from the samples collected from the area of concern indicates that the benthic community is being adversely affected in San Diego Bay between Sampson and 28th Streets. This level of benthic degradation, sediment toxicity, and sediment chemistry is direct evidence of impairment of the following beneficial uses: BIOL, EST, WILD, RARE, MAR, MIGR, and SHELL.
<b>SWRCB Staff Recommendation</b>	<p>After reviewing the available data and information and the RWQCB documentation for this recommendation, SWRCB staff concludes that the water body should be placed on the section 303(d) list because applicable water quality standards are exceeded and a pollutant contributes to or causes the problem.</p> <p>This conclusion is based on the staff findings that:</p> <ol style="list-style-type: none"><li>1. The data is considered to be of adequate quality.</li><li>2. The data exhibited sufficient spatial and temporal coverage.</li><li>3. Beneficial uses have been established for and apply to the water body.</li><li>4. Water quality standard used is applicable.</li><li>5. The evaluation guideline used to interpret narrative water quality standards is adequate.</li><li>6. Data are numerical.</li><li>7. Standard methods were used.</li><li>8. Other water body- or site-specific information including the age of the data were considered.</li></ol> <p>An adequate number of the water quality measurements exceeded the water quality standard. The staff confidence that standards were exceeded is high.</p>

## Region 9: San Diego Bay Shoreline, Chula Vista Marina (was San Diego + Bacterial Indicators (was "high coliform count"))

---

<b>Water Body</b>	San Diego Bay Shoreline, Chula Vista Marina (was San Diego Bay Shoreline, Telegraph HSA 909.11)
<b>Stressor/Media/Beneficial Use</b>	Bacterial Indicators (was "high coliform count")/MAR, WILD, BIOL, EST, RARE, MIGR, and SHELL
<b>Data quality assessment. Extent to which data quality requirements met.</b>	NA
<b>Linkage between measurement endpoint and beneficial use or standard</b>	NA
<b>Utility of measure for judging if standards or uses are not attained</b>	NA
<b>Water Body-specific Information</b>	NA
<b>Data used to assess water quality</b>	NA
<b>Spatial representation</b>	NA
<b>Temporal representation</b>	NA
<b>Data type</b>	NA
<b>Use of standard method</b>	NA
<b>Potential Source(s) of Pollutant</b>	NA
<b>Alternative Enforceable Program</b>	NA
<b>RWQCB Recommendation</b>	A. Revise name. B. Change "high coliform count: to "bacterial indicators."
<b>SWRCB Staff Recommendation</b>	Per RWQCB recommendation, (A) revise name, and (B) change pollutant to "bacterial indicators." This is not a new listing.

## Region 9: San Diego Bay Shoreline, Downtown Anchorage (was San Diego + Benthic Community Effects, Sediment Toxicity)

---

<b>Water Body</b>	San Diego Bay Shoreline, Downtown Anchorage (was San Diego Bay, Downtown Anchorage [was "San Diego Bay, near grape Street"])
<b>Stressor/Media/Beneficial Use</b>	Benthic Community Effects, Sediment Toxicity/sediment/MAR, WILD, BIOL, EST, RARE, MIGR, and SHELL
<b>Data quality assessment. Extent to which data quality requirements met.</b>	N/A
<b>Linkage between measurement endpoint and beneficial use or standard</b>	N/A
<b>Utility of measure for judging if standards or uses are not attained</b>	N/A
<b>Water Body-specific Information</b>	N/A
<b>Data used to assess water quality</b>	N/A
<b>Spatial representation</b>	N/A
<b>Temporal representation</b>	N/A
<b>Data type</b>	N/A
<b>Use of standard method</b>	N/A
<b>Potential Source(s) of Pollutant</b>	N/A
<b>Alternative Enforceable Program</b>	N/A
<b>RWQCB Recommendation</b>	Existing listing (from 1998 303(d) List). (Was included within "San Diego Bay" listing (HU 900.00).  RWQCB staff request for name change is made to provide a more accurate descriptive name, avoid confusion, and to name the segment consistent with the name used in previous reports. This segment is referred to in a SWRCB et. al report as "Downtown Anchorage." The segment is not near Grape Street and the descriptive name "Grape Street" is being applied to a different site in the SWRCB report.
<b>SWRCB Staff Recommendation</b>	Change name from "San Diego Bay, near Grape Street" to "San Diego Bay Shoreline, Downtown Anchorage."

## Region 9: San Diego Bay Shoreline, G Street Pier (was, in part, San D + Bacterial Indicators (was "high coliform count"))

---

<b>Water Body</b>	San Diego Bay Shoreline, G Street Pier (was, in part, San Diego Bay Shoreline, Lindbergh HSA 908.21.)
<b>Stressor/Media/Beneficial Use</b>	Bacterial Indicators (was "high coliform count")/MAR, WILD, BIOL, EST, RARE, MIGR, and SHELL
<b>Data quality assessment. Extent to which data quality requirements met.</b>	NA
<b>Linkage between measurement endpoint and beneficial use or standard</b>	NA
<b>Utility of measure for judging if standards or uses are not attained</b>	NA
<b>Water Body-specific Information</b>	NA
<b>Data used to assess water quality</b>	NA
<b>Spatial representation</b>	NA
<b>Temporal representation</b>	NA
<b>Data type</b>	NA
<b>Use of standard method</b>	NA
<b>Potential Source(s) of Pollutant</b>	NA
<b>Alternative Enforceable Program</b>	NA
<b>RWQCB Recommendation</b>	<p>A. Revise 1998 list to more correctly identify specific water body segments affected by pollution. Split up the "San Diego Bay Shoreline, Lindbergh HSA 908.21" water body, which is not entirely polluted, into specific segments, which are polluted.</p> <p>B. All previous (1998) listings for "High Coliform Count" should be changed to "Bacterial Indicators." This will ensure consistency between the 1998 List and the 2002 Updated List. For 1998 listings, "Bacterial Indicators" implies that impairment was due to fecal coliform, total coliform, or both. For the 2002 update, "Bacterial Indicators" implies impairment was due to fecal coliform, total coliform, enterococci or a combination of any of the three. In the San Diego Region, enterococci measurements commenced in 1999.</p>
<b>SWRCB Staff Recommendation</b>	<p>A. The original 1998 listing was titled "San Diego Bay, Lindbergh HSA 908.21." However, not all of that water body is impacted by pollution. For 2002, the RWQCB recommended that 1998 titles be refined to identify those water body segments specifically affected by pollution. For example, the Lindbergh HSA includes the "San Diego Bay Shoreline, G Street Pier" area. (Other segments, such as "San Diego Bay Shoreline, vicinity of B Street and Broadway Piers," have been identified separately.) This is not a new listing. The original pollution-impacted segments, that were included within the Lindbergh listing, remain on the list, albeit with new, more specific titles.</p>

Region 9: San Diego Bay Shoreline, G Street Pier (was, in part, San D +  
Bacterial Indicators (was "high coliform count"))

---

B. Change pollutant designation from "high coliform count" to "Bacterial indicators."



## Region 9: San Diego Bay Shoreline, near Chollas Creek (was San Diego + Benthic Community Effects, Sediment Toxicity)

---

<b>Water Body</b>	San Diego Bay Shoreline, near Chollas Creek (was San Diego Bay, near Chollas Creek)
<b>Stressor/Media/Beneficial Use</b>	Benthic Community Effects, Sediment Toxicity/MAR, WILD, BIOL, EST, RARE, MIGR, and SHELL
<b>Data quality assessment. Extent to which data quality requirements met.</b>	NA
<b>Linkage between measurement endpoint and beneficial use or standard</b>	NA
<b>Utility of measure for judging if standards or uses are not attained</b>	NA
<b>Water Body-specific Information</b>	NA
<b>Data used to assess water quality</b>	NA
<b>Spatial representation</b>	NA
<b>Temporal representation</b>	NA
<b>Data type</b>	NA
<b>Use of standard method</b>	NA
<b>Potential Source(s) of Pollutant</b>	NA
<b>Alternative Enforceable Program</b>	NA
<b>RWQCB Recommendation</b>	Revise name of previous, 1998, listing: San Diego Bay, near Chollas Creek.
<b>SWRCB Staff Recommendation</b>	Per RWQCB recommendation, revise name of existing, 1998, listing. This is not a new listing (but does identify specific location within larger, general 1998 listing for all of San Diego Bay).

## Region 9: San Diego Bay Shoreline, near Coronado Bridge (was San Diego Bay) + Benthic Community Effects, Sediment Toxicity

---

<b>Water Body</b>	San Diego Bay Shoreline, near Coronado Bridge (was San Diego Bay, near Coronado Bridge)
<b>Stressor/Media/Beneficial Use</b>	Benthic Community Effects, Sediment Toxicity/MAR, WILD, BIOL, EST, RARE, MIGR, and SHELL
<b>Data quality assessment. Extent to which data quality requirements met.</b>	NA
<b>Linkage between measurement endpoint and beneficial use or standard</b>	NA
<b>Utility of measure for judging if standards or uses are not attained</b>	NA
<b>Water Body-specific Information</b>	NA
<b>Data used to assess water quality</b>	NA
<b>Spatial representation</b>	NA
<b>Temporal representation</b>	NA
<b>Data type</b>	NA
<b>Use of standard method</b>	NA
<b>Potential Source(s) of Pollutant</b>	NA
<b>Alternative Enforceable Program</b>	NA
<b>RWQCB Recommendation</b>	Revise name of previous, 1998, listing: San Diego Bay, near Coronado Bridge.
<b>SWRCB Staff Recommendation</b>	Per RWQCB recommendation, revise name of existing, 1998, listing. This is not a new listing (but does identify specific location within larger, general 1998 listing for all of San Diego Bay).

## Region 9: San Diego Bay Shoreline, near Crosby Street (Cesar Chavez) + Sediment Toxicity

---

<b>Water Body</b>	San Diego Bay Shoreline, near Crosby Street (Cesar Chavez) Park (will become part of the "San Diego Bay Shoreline, near Coronado Bridge" listing)
<b>Stressor/Media/Beneficial Use</b>	Sediment Toxicity
<b>Data quality assessment. Extent to which data quality requirements met.</b>	BPTCP methodology (for some data).
<b>Linkage between measurement endpoint and beneficial use or standard</b>	The 1998 Section 303(d) Listing Criteria developed by the RWQCB for BPTCP data in San Diego Bay required both elevated chemical levels and evidence of a degraded benthic community. Elevated sediment chemistry had to be higher than the Effects Range Median (ERM) Summary Quotient, the Probable Effects Limit (PEL) Summary Quotient, or individual chemistry elevated to 4xERM or 5.9xPEL.
<b>Utility of measure for judging if standards or uses are not attained</b>	RWQCB water quality objective (toxicity).
<b>Water Body-specific Information</b>	While data are not available at this specific location, concern has been raised that the Crosby Street location is impacted like nearby locations. It is likely that impacts at this location will be better assessed in the development of the TMDL.
<b>Data used to assess water quality</b>	<p>Samples from site 93177 did contain a chemical constituent above the criteria as developed in 1998: low Molecular Weight (MW) Polyaromatic Hydrocarbons (PAHs) concentrations were greater than the "5.9xPEL" criteria.</p> <p>However, the site 93177 was given low priority by the BPTCP Study and did not receive analysis of its benthic community. Therefore, it does not qualify for inclusion on the Section 303(d) list based on the criteria developed in 1998 by the RWQCB.</p> <p>Two new sources of information were provided: a sediment data collected in 1988, and written testimonials on the value and condition of this area of the Bay. Nine sediment cores were taken and two were analyzed for bioaccumulative metals and chemicals in 1988. None of the results would qualify this site for the Section 303(d) list under the criteria as developed by the RWQCB for the 1998 listing.</p> <p>Sixty-nine community members sent in support for listing San Diego Bay near Crosby Street Park. The commenters want clean water for fishing and swimming, believe (sediments under) the area to be contaminated, and report a foul odor. However, no data is presented and these comments must be considered as unsubstantiated opinion.</p>
<b>Spatial representation</b>	Two sites from the BPTCP Study (90018 and 93177) are adjacent to Crosby Park, but only site 93177 had analysis of sediment chemistry performed.
<b>Temporal representation</b>	Unknown.
<b>Data type</b>	Numeric data and narrative information.

## Region 9: San Diego Bay Shoreline, near Crosby Street (Cesar Chavez) + Sediment Toxicity

---

**Use of standard method** BPTCP procedures used (for some data). Unknown for Woodward-Clyde samples, but SWRCB staff assume that standard procedures were used.

**Potential Source(s) of Pollutant** Sediment-containing pollutants probably originated with prior industrial and maritime activities along the shoreline, and from nearby urban discharges.

**Alternative Enforceable Program** None.

**RWQCB Recommendation** Watch List.

Bay Protection and Toxic Cleanup Program data for this site does not meet the RWQCB's specific 1998 criteria for listing contaminated sediment bay sites. Although close, the sample data failed to trigger the need for a benthic community analysis. Elevated chemical levels and a degraded benthic community are both needed in order to list. Several other bay sites were also "close" and not listed. These criteria has been rigidly and consistently applied in the past.

New data (submitted during the extended acceptance period in 2002 also does not meet the RWQCB's 1998 criteria. Although there are high public interest, extensive recreational use, and environmental justice concerns, RWQCB staff feels that there is not adequate data to support 303(d) listing of this site. RWQCB staff recommends placing this site on the watch list.

**SWRCB Staff Recommendation** After reviewing the available data and information and the RWQCB documentation for this recommendation, SWRCB staff concludes that the water body should be included within an already (1998) listed water body on the section 303(d) list because the evidence suggests that water quality standards are not being achieved and protected at the site.

This conclusion is based on the staff findings that:

1. Beneficial uses have been established for and apply to the water body.
2. Water quality standard used is applicable.
3. Other water body- or site-specific information including the effects of season, and age of the data were considered.

The beneficial uses at the site exist and are of such importance as to justify including this water body within the area covered by the San Diego Bay Shoreline, Coronado Bridge listing. The confidence SWRCB staff have that beneficial uses at the site are being harmed is moderate.

## Region 9: San Diego Bay Shoreline, near Sub Base (was San Diego Bay, + Benthic Community Effects, Sediment Toxicity

---

<b>Water Body</b>	San Diego Bay Shoreline, near Sub Base (was San Diego Bay, near Sub Base)
<b>Stressor/Media/Beneficial Use</b>	Benthic Community Effects, Sediment Toxicity/MAR, WILD, BIOL, EST, RARE, MIGR, and SHELL
<b>Data quality assessment. Extent to which data quality requirements met.</b>	NA
<b>Linkage between measurement endpoint and beneficial use or standard</b>	NA
<b>Utility of measure for judging if standards or uses are not attained</b>	NA
<b>Water Body-specific Information</b>	NA
<b>Data used to assess water quality</b>	NA
<b>Spatial representation</b>	NA
<b>Temporal representation</b>	NA
<b>Data type</b>	NA
<b>Use of standard method</b>	NA
<b>Potential Source(s) of Pollutant</b>	NA
<b>Alternative Enforceable Program</b>	NA
<b>RWQCB Recommendation</b>	Revise name of previous, 1998, listing: San Diego Bay, near Sub Base.
<b>SWRCB Staff Recommendation</b>	Per RWQCB recommendation, revise name of existing 1998 listing. This is not a new listing (but does identify specific location within larger, general 1998 listing for all of San Diego Bay).

## Region 9: San Diego Bay Shoreline, near Switzer Creek (was San Diego + Chlordane, Lindane, PAHs)

---

<b>Water Body</b>	San Diego Bay Shoreline, near Switzer Creek (was San Diego Bay at Mouth of Switzer Creek)
<b>Stressor/Media/Beneficial Use</b>	Chlordane, Lindane, PAHs/sediment/BIOL, EST, WILD, RARE, MAR, MIGR, SHELL
<b>Data quality assessment. Extent to which data quality requirements met.</b>	<p>The Bay Protection and Toxic Cleanup Program (BPTCP) employed appropriate quality control/quality assurance procedures. Department of Fish and Game staff and analytical laboratories performed sampling and analyses. Quality control was tested using National Research Council of Canada Marine Sediment Reference Materials at the start and end of each sample analysis set. Quality assurance was monitored by re-calibration of analytical instruments every 20 samples and by analyses of (unknown) standards.</p> <p>Solid-phase and sediment-water interface toxicity was assessed using USEPA 1994 sediment toxicity test guidelines. Negative and positive control testing was employed.</p>
<b>Linkage between measurement endpoint and beneficial use or standard</b>	Pollutants have a direct impact on aquatic life beneficial uses.
<b>Utility of measure for judging if standards or uses are not attained</b>	Sediment chemistry sample results were compared against appropriate Probable Effects Levels and Threshold Effects Levels. Toxicity tests used narrative Basin Plan objective.
<b>Water Body-specific Information</b>	Data came specifically from San Diego Bay directly at the Mouth of Switzer Creek. Data age = 6 years.
<b>Data used to assess water quality</b>	<p>High levels of high molecular weight PAHs (6676-56,500 ppb), low molecular weight PAHs (1442-27,200 ppb), total PCBs (21-188 ppb), and total chlordane (5-160 ppb) were found in sampled sediment.</p> <p>Toxicity tests found less than 48% survival of amphipods. A relative benthic community test index calculated for the site indicated a "degraded" condition.</p>
<b>Spatial representation</b>	BPTCP sampling occurred at specific sites. The Mouth of Switzer Creek was sampled so as to be fully representative of the local area (at the mouth of the Creek as it emptied into San Diego Bay).
<b>Temporal representation</b>	BPTCP sediment data was collected a limited number of times. However, results were not expected to vary greatly over a season.
<b>Data type</b>	Numeric data used.
<b>Use of standard method</b>	Standard BPTCP methods used.
<b>Potential Source(s) of Pollutant</b>	Elevated concentrations of chlordane, lindane, DDT, polynuclear aromatic hydrocarbons (PAHs), and polychlorinated biphenyls (PCBs), current/historic shipyard activity, historic PAH and garbage dumping, urban runoff, other point sources, and nonpoint sources.

## Region 9: San Diego Bay Shoreline, near Switzer Creek (was San Diego + Chlordane, Lindane, PAHs)

---

### **Alternative Enforceable Program**

No alternate program is available at this time. Standard RWQCB procedure when developing a TMDL is to first perform a TIE (investigation for cause/source of toxicity) to accurately confirm the source and extent of the toxicity at a site.

### **RWQCB Recommendation**

List separately for "toxicity" and "degraded benthos."

### **SWRCB Staff Recommendation**

After reviewing the available data and information and the RWQCB documentation for this recommendation, SWRCB staff concludes that the water body should be placed on the section 303(d) list because applicable water quality standards are exceeded and a pollutant contributes to or causes the problem.

This conclusion is based on the staff findings that:

1. The data is considered to be of adequate quality.
2. The data exhibited sufficient spatial and temporal coverage.
3. Beneficial uses have been established for and apply to the water body.
4. Water quality standard used is applicable.
5. The evaluation guideline used to interpret narrative water quality standards is adequate.
6. Data are numerical.
7. Standard methods were used.
8. Other water body- or site-specific information including the effects of age of the data were considered.

An adequate number of the water quality measurements exceeded the water quality standard. The staff confidence that standards were exceeded is high.

## Region 9: San Diego Bay Shoreline, near Switzer Creek (was San Diego + Toxicity)

---

<b>Water Body</b>	San Diego Bay Shoreline, near Switzer Creek (was San Diego Bay at Mouth of Switzer Creek)
<b>Stressor/Media/Beneficial Use</b>	Toxicity/sediment/BIOL, EST, WILD, RARE, MAR, MIGR, SHELL
<b>Data quality assessment. Extent to which data quality requirements met.</b>	BPTCP; 1998 Addendum.
<b>Linkage between measurement endpoint and beneficial use or standard</b>	Pollutant can have a direct impact on beneficial uses.
<b>Utility of measure for judging if standards or uses are not attained</b>	Toxicity tests used narrative Basin Plan objective.
<b>Water Body-specific Information</b>	Data age = 5 years.
<b>Data used to assess water quality</b>	<48% amphipod survival.
<b>Spatial representation</b>	1 sample, 5 replicates; sampled at outlet of the Creek.
<b>Temporal representation</b>	Unknown.
<b>Data type</b>	Numerical data.
<b>Use of standard method</b>	BPTCP methods used
<b>Potential Source(s) of Pollutant</b>	Elevated concentrations of chlordane, lindane, polynuclear aromatic hydrocarbons (PAHs), and polychlorinated biphenyls (PCBs), current/historic shipyard activity, historic PAH and garbage dumping, urban runoff, other point sources, and nonpoint sources.
<b>Alternative Enforceable Program</b>	Unknown.
<b>RWQCB Recommendation</b>	List.
<b>SWRCB Staff Recommendation</b>	This water body/pollutant combination is now listed under "San Diego Bay Shoreline, near Switzer Creek" for "Chlordane, Lindane, PAHs, and Other Unknown Pollutants Causing Sediment Toxicity and Degraded Benthic Conditions."



## Region 9: San Diego Bay Shoreline, near Switzer Creek (was San Diego + Degraded Benthos)

---

<b>Water Body</b>	San Diego Bay Shoreline, near Switzer Creek (was San Diego Bay at Mouth of Switzer Creek)
<b>Stressor/Media/Beneficial Use</b>	Degraded Benthos/Sediment/BIOL, EST, WILD, RARE, MAR, MIGR, SHELL
<b>Data quality assessment. Extent to which data quality requirements met.</b>	BPTCP; 1998 Addendum.
<b>Linkage between measurement endpoint and beneficial use or standard</b>	Pollutant can have a direct impact on beneficial uses.
<b>Utility of measure for judging if standards or uses are not attained</b>	Narrative Basin Plan objective used. Indicator organisms, species diversity, population density, growth anomalies, bioassays, and other information used.
<b>Water Body-specific Information</b>	Data age = 5 years.
<b>Data used to assess water quality</b>	RBI = 0.02 (75 samples); Chemical concentrations >4 times the ERM and 5.9 times the PEL
<b>Spatial representation</b>	1 Core, sampled 3 times compared against 75 cores from all of SD Bay; sampled at outlet of the Creek.
<b>Temporal representation</b>	Unknown.
<b>Data type</b>	Numerical data.
<b>Use of standard method</b>	BPTCP methods used.
<b>Potential Source(s) of Pollutant</b>	Elevated concentrations of chlordane, lindane, polynuclear aromatic hydrocarbons (PAHs), and polychlorinated biphenyls (PCBs), current/historic shipyard activity, historic PAH and garbage dumping, urban runoff, other point sources, and nonpoint sources.
<b>Alternative Enforceable Program</b>	Unknown.
<b>RWQCB Recommendation</b>	List.
<b>SWRCB Staff Recommendation</b>	This water body/pollutant combination is now listed under "San Diego Bay Shoreline, near Switzer Creek" for "Chlordane, Lindane, PAHs, and Other Unknown Pollutants Causing Sediment Toxicity and Degraded Benthic Conditions."

## Region 9: San Diego Bay Shoreline, near Switzer Creek (was San Diego + Lindane)

---

<b>Water Body</b>	San Diego Bay Shoreline, near Switzer Creek (was San Diego Bay at Mouth of Switzer Creek)
<b>Stressor/Media/Beneficial Use</b>	Lindane
<b>Data quality assessment. Extent to which data quality requirements met.</b>	
<b>Linkage between measurement endpoint and beneficial use or standard</b>	
<b>Utility of measure for judging if standards or uses are not attained</b>	
<b>Water Body-specific Information</b>	
<b>Data used to assess water quality</b>	
<b>Spatial representation</b>	
<b>Temporal representation</b>	
<b>Data type</b>	
<b>Use of standard method</b>	
<b>Potential Source(s) of Pollutant</b>	
<b>Alternative Enforceable Program</b>	
<b>RWQCB Recommendation</b>	Remove entire listing from Watch List. Switzer Creek constituents will be investigated further as part of the "San Diego Bay, Mouth of Switzer Creek" TMDL development.
<b>SWRCB Staff Recommendation</b>	This water body/pollutant combination is now listed under "San Diego Bay Shoreline, near Switzer Creek" for "Chlordane, Lindane, PAHs, and Other Unknown Pollutants Causing Sediment Toxicity and Degraded Benthic Conditions."

## Region 9: San Diego Bay Shoreline, near Switzer Creek (was San Diego + PAH)

---

<b>Water Body</b>	San Diego Bay Shoreline, near Switzer Creek (was San Diego Bay at Mouth of Switzer Creek)
<b>Stressor/Media/Beneficial Use</b>	PAH
<b>Data quality assessment. Extent to which data quality requirements met.</b>	
<b>Linkage between measurement endpoint and beneficial use or standard</b>	
<b>Utility of measure for judging if standards or uses are not attained</b>	
<b>Water Body-specific Information</b>	
<b>Data used to assess water quality</b>	
<b>Spatial representation</b>	
<b>Temporal representation</b>	
<b>Data type</b>	
<b>Use of standard method</b>	
<b>Potential Source(s) of Pollutant</b>	
<b>Alternative Enforceable Program</b>	
<b>RWQCB Recommendation</b>	Remove entire listing from Watch List. Switzer Creek constituents will be investigated further as part of the "San Diego Bay, Mouth of Switzer Creek" TMDL development.
<b>SWRCB Staff Recommendation</b>	This water body/pollutant combination is now listed under "San Diego Bay Shoreline, near Switzer Creek" for "Chlordane, Lindane, PAHs, and Other Unknown Pollutants Causing Sediment Toxicity and Degraded Benthic Conditions."

## Region 9: San Diego Bay Shoreline, near Switzer Creek (was San Diego + Chlordane)

---

<b>Water Body</b>	San Diego Bay Shoreline, near Switzer Creek (was San Diego Bay at Mouth of Switzer Creek)
<b>Stressor/Media/Beneficial Use</b>	Chlordane
<b>Data quality assessment. Extent to which data quality requirements met.</b>	
<b>Linkage between measurement endpoint and beneficial use or standard</b>	
<b>Utility of measure for judging if standards or uses are not attained</b>	
<b>Water Body-specific Information</b>	
<b>Data used to assess water quality</b>	
<b>Spatial representation</b>	
<b>Temporal representation</b>	
<b>Data type</b>	
<b>Use of standard method</b>	
<b>Potential Source(s) of Pollutant</b>	
<b>Alternative Enforceable Program</b>	
<b>RWQCB Recommendation</b>	Remove entire listing from Watch List. Switzer Creek constituents will be investigated further as part of the "San Diego Bay, Mouth of Switzer Creek" TMDL development.
<b>SWRCB Staff Recommendation</b>	This water body/pollutant combination is now listed under "San Diego Bay Shoreline, near Switzer Creek" for "Chlordane, Lindane, PAHs, and Other Unknown Pollutants Causing Sediment Toxicity and Degraded Benthic Conditions."

## Region 9: San Diego Bay Shoreline, north of 24th Street Marine Terminal + Benthic Community Effects, Sediment Toxicity

---

<b>Water Body</b>	San Diego Bay Shoreline, north of 24th Street Marine Terminal (was San Diego Bay, north of 24th Street Marine Terminal)
<b>Stressor/Media/Beneficial Use</b>	Benthic Community Effects, Sediment Toxicity/MAR, WILD, BIOL, EST, RARE, MIGR, and SHELL
<b>Data quality assessment. Extent to which data quality requirements met.</b>	NA
<b>Linkage between measurement endpoint and beneficial use or standard</b>	NA
<b>Utility of measure for judging if standards or uses are not attained</b>	NA
<b>Water Body-specific Information</b>	NA
<b>Data used to assess water quality</b>	NA
<b>Spatial representation</b>	NA
<b>Temporal representation</b>	NA
<b>Data type</b>	NA
<b>Use of standard method</b>	NA
<b>Potential Source(s) of Pollutant</b>	NA
<b>Alternative Enforceable Program</b>	NA
<b>RWQCB Recommendation</b>	Revise name of previous, 1998, listing: San Diego Bay, north of 24th Street Marine Terminal.
<b>SWRCB Staff Recommendation</b>	Per RWQCB recommendation, revise name of existing 1998 listing. This is not a new listing (but does identify specific location within larger, general 1998 listing for all of San Diego Bay).

## Region 9: San Diego Bay Shoreline, Seventh Street Channel (was San D + Benthic Community Effects, Sediment Toxicity

---

<b>Water Body</b>	San Diego Bay Shoreline, Seventh Street Channel (was San Diego Bay, Seventh Street Channel)
<b>Stressor/Media/Beneficial Use</b>	Benthic Community Effects, Sediment Toxicity
<b>Data quality assessment. Extent to which data quality requirements met.</b>	NA
<b>Linkage between measurement endpoint and beneficial use or standard</b>	NA
<b>Utility of measure for judging if standards or uses are not attained</b>	NA
<b>Water Body-specific Information</b>	NA
<b>Data used to assess water quality</b>	NA
<b>Spatial representation</b>	NA
<b>Temporal representation</b>	NA
<b>Data type</b>	NA
<b>Use of standard method</b>	NA
<b>Potential Source(s) of Pollutant</b>	NA
<b>Alternative Enforceable Program</b>	NA
<b>RWQCB Recommendation</b>	Revise name of previous, 1998, listing: San Diego Bay, Seventh Street Channel
<b>SWRCB Staff Recommendation</b>	Per RWQCB recommendation, revise name of existing 1998 listing. This is not a new listing (but does identify specific location within larger, general 1998 listing for all of San Diego Bay).

## Region 9: San Diego Bay Shoreline, Shelter Island Shoreline Park (Pue + Bacterial Indicators (was "high coliform count"))

---

<b>Water Body</b>	San Diego Bay Shoreline, Shelter Island Shoreline Park (Pueblo San Diego 908.00 and Sweetwater)
<b>Stressor/Media/Beneficial Use</b>	Bacterial Indicators (was "high coliform count")/Water/REC-1, REC-2
<b>Data quality assessment. Extent to which data quality requirements met.</b>	San Diego County Department of Environmental Health.
<b>Linkage between measurement endpoint and beneficial use or standard</b>	Pollutant can have a direct impact on beneficial uses.
<b>Utility of measure for judging if standards or uses are not attained</b>	Closures a measure of impacts on beneficial use. Listing recommendation: >10 days/year beach closures or advisories.
<b>Water Body-specific Information</b>	Data age = 1 year.
<b>Data used to assess water quality</b>	Analysis of applicable 1999 through 2002 data by the RWQCB staff showed 2 usable exceedence day out of 18 usable samples, 6 exceedences out of 34 samples, and 23 exceedences out of 72 samples, from dry-season and year-round samples (The "p" values used were 0.04 and 0.1.).
<b>Spatial representation</b>	Sampled within 400 yards (0.2 miles) of discharge point.
<b>Temporal representation</b>	1999-2002 data.
<b>Data type</b>	Numerical data.
<b>Use of standard method</b>	
<b>Potential Source(s) of Pollutant</b>	Sewage spills/leaks, urban runoff, other point sources, nonpoint sources, and domestic/wild animals.
<b>Alternative Enforceable Program</b>	Unknown.
<b>RWQCB Recommendation</b>	A. Add specific location (not new HA) to 1998 listing. B. Change "high coliform count: to "bacterial indicators."
<b>SWRCB Staff Recommendation</b>	A. After reviewing the available data and information and the RWQCB documentation for this recommendation, SWRCB staff concludes that the water body should be specifically recognized (and remain) on the section 303(d) list because applicable water quality standards are exceeded and a pollutant contributes to or causes the problem.  This conclusion is based on the staff findings that: 1. The data is considered to be of adequate quality. 2. The data exhibited sufficient spatial and temporal coverage. 3. Beneficial uses have been established to the water body. 4. Water quality standard used is applicable. 5. Data are numerical. 6. Standard methods were used. 7. Other water body- or site-specific information including the age of the data were considered.  An adequate amount of the water quality measurements exceeded the water

## Region 9: San Diego Bay Shoreline, Shelter Island Shoreline Park (Pue + Bacterial Indicators (was "high coliform count"))

---

quality standard. The staff confidence that standards were exceeded is high.

The hydrologic sub-area 908.10 (Point Loma HA) includes other San Diego Bay segments (i.e., Near Sub Base, at Shelter Island Yacht Basin) listed for other pollutants in 1998, and one segment (at Kellogg Street) recommended for not listing in 2002. Continuing to list San Diego Bay Shoreline, at Shelter Island Shoreline Park (Pueblo San Diego 908.00 and Sweetwater) is not intended to affect in any way other water body segments.

B. Change pollutant designation from "high coliform count: to "bacterial indicators."



## Region 9: San Diego Bay Shoreline, Tidelands Park Bacterial Indicators (was "high coliform count")

---

<b>Water Body</b>	San Diego Bay Shoreline, Tidelands Park
<b>Stressor/Media/Beneficial Use</b>	Bacterial Indicators (was "high coliform count")/Water/REC-1, REC-2
<b>Data quality assessment. Extent to which data quality requirements met.</b>	San Diego County Department of Environmental Health.
<b>Linkage between measurement endpoint and beneficial use or standard</b>	Pollutant can have a direct impact on beneficial uses.
<b>Utility of measure for judging if standards or uses are not attained</b>	Closures a measure of impacts on beneficial use. Listing recommendation: >10 days/year beach closures or advisories.
<b>Water Body-specific Information</b>	Data age = 1 year.
<b>Data used to assess water quality</b>	Analysis of applicable 1999 through 2002 data by the RWQCB staff showed 1 usable exceedence day out of 16 usable samples, 6 exceedences out of 33 samples, 7 exceedences out of 33 samples, and 2 exceedences out of 16 samples, all from dry seasons. (The "p" value used was 0.04.)
<b>Spatial representation</b>	Sampled within 400 yards (0.2 miles) of discharge point.
<b>Temporal representation</b>	1999-2002 data.
<b>Data type</b>	Numerical data
<b>Use of standard method</b>	
<b>Potential Source(s) of Pollutant</b>	Sewage spills/leaks, urban runoff, other point sources, nonpoint sources, and domestic/wild animals.
<b>Alternative Enforceable Program</b>	
<b>RWQCB Recommendation</b>	A. Add specific location (not new HA) to 1998 Listing B. Change "high coliform count: to "bacterial indicators"
<b>SWRCB Staff Recommendation</b>	A. After reviewing the available data and information and the RWQCB documentation for this recommendation, SWRCB staff concludes that the water body should be specifically recognized (and remain) on the section 303(d) list because applicable water quality standards are exceeded and a pollutant contributes to or causes the problem.  This conclusion is based on the staff findings that:  <ol style="list-style-type: none"> <li>1. The data is considered to be of adequate quality.</li> <li>2. The data exhibited sufficient spatial and temporal coverage.</li> <li>3. Beneficial uses have been established to the water body.</li> <li>4. Water quality standard used is applicable.</li> <li>5. Data are numerical.</li> <li>6. Standard methods were used.</li> <li>7. Other water body- or site-specific information including the age of the data were considered.</li> </ol> An adequate amount of the water quality measurements exceeded the water

## Region 9: San Diego Bay Shoreline, Tidelands Park Bacterial Indicators (was "high coliform count")

---

quality standard. The staff confidence that standards were exceeded is high.

The hydrologic sub-area 910.10 (Coronado HA) was previously listed in 1998. However, the segment San Diego Bay Shoreline, at Tidelands Park (also HSA 910.10) was not specifically mentioned.

B. Change pollutant designation from "high coliform count: to "bacterial indicators."

## Region 9: San Diego Bay Shoreline, Vicinity of B Street and Broadway + Benthic Community Effects, Sediment Toxicity (no change)

---

<b>Water Body</b>	San Diego Bay Shoreline, Vicinity of B Street and Broadway Piers (was San Diego Bay, Vicinity of B Street and Broadway Piers [was "San Diego Bay, Downtown Piers 10 acres"])
<b>Stressor/Media/Beneficial Use</b>	Benthic Community Effects, Sediment Toxicity (no change)/MAR, WILD, BIOL, EST, RARE, MIGR, and SHELL
<b>Data quality assessment. Extent to which data quality requirements met.</b>	NA
<b>Linkage between measurement endpoint and beneficial use or standard</b>	NA
<b>Utility of measure for judging if standards or uses are not attained</b>	NA
<b>Water Body-specific Information</b>	NA
<b>Data used to assess water quality</b>	NA
<b>Spatial representation</b>	NA
<b>Temporal representation</b>	NA
<b>Data type</b>	NA
<b>Use of standard method</b>	NA
<b>Potential Source(s) of Pollutant</b>	NA
<b>Alternative Enforceable Program</b>	NA
<b>RWQCB Recommendation</b>	The 1998 "San Diego Bay, Downtown Piers" listing should be changed to "San Diego Bay, Vicinity of B Street and Broadway Piers." This change adds clarification to the location of impairment as evidenced by degraded benthic communities and sediment toxicity.
<b>SWRCB Staff Recommendation</b>	Change existing ('98) water body name from "San Diego Bay, Downtown Piers 10 acres" to "San Diego Bay, Vicinity of B Street and Broadway Piers."

## Region 9: San Diego River (lower)

### Fecal Coliform

---

<b>Water Body</b>	San Diego River (lower)
<b>Stressor/Media/Beneficial Use</b>	Fecal Coliform/Water/REC-1
<b>Data quality assessment. Extent to which data quality requirements met.</b>	Padre Dam Municipal Water District Receiving Water Sampling/analysis.
<b>Linkage between measurement endpoint and beneficial use or standard</b>	Pollutant can have a direct impact on beneficial uses.
<b>Utility of measure for judging if standards or uses are not attained</b>	WQO (Basin Plan): For single samples, the Basin Plan objective states that no more than 10% of the total samples during any 30-day period shall exceed 400 colonies/100 ml.
<b>Water Body-specific Information</b>	Data age = 1 year.
<b>Data used to assess water quality</b>	Sampling was done by the Padre Dam Municipal Wastewater District intermittently from November 1998 to September 2000. Data was taken once a month for October-March and twice a month for April-October. The data shows that 11 of 18 samples (61%) in both wet and dry weather had levels of fecal coliform in excess of 400 Most Probable Number (MPN)/ml.
<b>Spatial representation</b>	6 miles of River sampled.
<b>Temporal representation</b>	Sampling completed between November 1998 and September 2000.
<b>Data type</b>	Numerical data.
<b>Use of standard method</b>	
<b>Potential Source(s) of Pollutant</b>	Urban runoff, other point sources, nonpoint sources, and sewage.
<b>Alternative Enforceable Program</b>	Unknown.
<b>RWQCB Recommendation</b>	List.
<b>SWRCB Staff Recommendation</b>	<p>After reviewing the available data and information and the RWQCB documentation for this recommendation, SWRCB staff concludes that the water body should be placed on the section 303(d) list because applicable water quality standards are exceeded and a pollutant contributes to or causes the problem.</p> <p>This conclusion is based on the staff findings that:</p> <ol style="list-style-type: none"> <li>1. The data is considered to be of adequate quality.</li> <li>2. The data exhibited sufficient spatial and temporal coverage.</li> <li>3. Beneficial uses have been established for and apply to the water body.</li> <li>4. Water quality standard used is applicable.</li> <li>5. Data are numerical.</li> <li>6. Standard methods were used.</li> <li>7. Other water body- or site-specific information including the effects of season, and age of the data were considered.</li> </ol> <p>An adequate number of the water quality measurements exceeded the water</p>

Region 9: San Diego River (lower)  
Fecal Coliform

---

quality standard. The staff confidence that standards were exceeded is high.

## Region 9: San Diego River (lower)

### Total Dissolved Solids

---

<b>Water Body</b>	San Diego River (lower)
<b>Stressor/Media/Beneficial Use</b>	Total Dissolved Solids/Water/AGR
<b>Data quality assessment. Extent to which data quality requirements met.</b>	Padre Dam Municipal Water District Receiving Water Sampling/analysis.
<b>Linkage between measurement endpoint and beneficial use or standard</b>	Pollutant can have a direct impact on beneficial uses.
<b>Utility of measure for judging if standards or uses are not attained</b>	WQO (Basin Plan) (1500 mg/L) used; This objective is not to be exceeded more than 10% of the time during any one-year period.
<b>Water Body-specific Information</b>	Data age = 4 years.
<b>Data used to assess water quality</b>	Sampling between September 1997 and December 2000 by the Padre Dam Municipal Water District shows three locations along the San Diego River to exceed the Basin Plan TDS objective for more than 10% of the time during a one-year period. From 1997 to 1998, 3 out of 16 samples and 2/5 samples exceeded the water quality objective (at two locations). From 1998 to 1999, 3/20, 11/20, and 10/19 samples (at 3 locations) exceeded the objective. And from 1999 to 2000, 9/21, 14/21, and 15/21 samples (at 3 locations) exceeded the basin plan objective. The total number of exceedences was 67 out of 153 samples (44%). All 3 locations show a seasonal and an increasing trend over the 3 years reviewed.
<b>Spatial representation</b>	Three sample sites (15 miles of River).
<b>Temporal representation</b>	September 1997 to December 2000.
<b>Data type</b>	Numerical data.
<b>Use of standard method</b>	
<b>Potential Source(s) of Pollutant</b>	Anthropogenic sources, imported water, evaporation, and natural salt sources. Also, urban runoff, agriculture runoff, other point sources, and nonpoint sources.
<b>Alternative Enforceable Program</b>	Unknown.
<b>RWQCB Recommendation</b>	List.
<b>SWRCB Staff Recommendation</b>	<p>After reviewing the available data and information and the RWQCB documentation for this recommendation, SWRCB staff concludes that the water body should be placed on the section 303(d) list because applicable water quality standards are exceeded and a pollutant contributes to or causes the problem.</p> <p>This conclusion is based on the staff findings that:</p> <ol style="list-style-type: none"> <li>1. The data is considered to be of adequate quality.</li> <li>2. The data exhibited sufficient spatial and temporal coverage.</li> <li>3. Beneficial uses have been established for and apply to the water body.</li> </ol>

## Region 9: San Diego River (lower)

### Total Dissolved Solids

---

4. Water quality standard used is applicable.
5. Data are numerical.
6. Standard methods were used.
7. Other water body- or site-specific information including the effects of season and age of the data were considered.

An adequate number of the water quality measurements exceeded the water quality standard. The staff confidence that standards were exceeded is moderately high.

## Region 9: San Diego River (lower)

### Dissolved Oxygen

---

<b>Water Body</b>	San Diego River (lower)
<b>Stressor/Media/Beneficial Use</b>	Dissolved Oxygen/Water/WARM, COLD, WILD
<b>Data quality assessment. Extent to which data quality requirements met.</b>	Padre Dam Municipal Water District Receiving Water Sampling/analysis.
<b>Linkage between measurement endpoint and beneficial use or standard</b>	Pollutant can have a direct impact on beneficial uses.
<b>Utility of measure for judging if standards or uses are not attained</b>	WQO (Basin Plan) (6.0 mg/L) used; annual mean concentration not to be <7 mg/L more than 10% of the time.
<b>Water Body-specific Information</b>	Data age = 4 years.
<b>Data used to assess water quality</b>	Sampling in September 1997 and from April to December 2000 by the Padre Dam Municipal Wastewater District showed dissolved oxygen concentrations to be below the Basin Plan Objective of 6.0 mg/L in 76 of 84 samples (90%). Concentrations below the objective were measured at all 5 sampling points along the river. The average measured concentration was 4.87 mg/L and the median concentration was 4.48 mg/L. In addition, during the year 2000, all 5 stations were below the annual Basin Plan Objective of 7.0 mg/L for more than 10% of the time.
<b>Spatial representation</b>	20 miles of River sampled.
<b>Temporal representation</b>	Sampling completed between September 1997 and December 2000.
<b>Data type</b>	Numerical data.
<b>Use of standard method</b>	
<b>Potential Source(s) of Pollutant</b>	Bacterial loading, subsequent decomposition of organic matter, urban runoff, other point sources, and nonpoint sources.
<b>Alternative Enforceable Program</b>	Unknown.
<b>RWQCB Recommendation</b>	List.
<b>SWRCB Staff Recommendation</b>	<p>After reviewing the available data and information and the RWQCB documentation for this recommendation, SWRCB staff concludes that the water body should be placed on the section 303(d) list because applicable water quality standards are exceeded and a pollutant contributes to or causes the problem.</p> <p>This conclusion is based on the staff findings that:</p> <ol style="list-style-type: none"> <li>1. The data is considered to be of adequate quality.</li> <li>2. The data exhibited sufficient spatial and temporal coverage.</li> <li>3. Beneficial uses have been established for and apply to the water body.</li> <li>4. Water quality standard used is applicable.</li> <li>5. Data are numerical.</li> <li>6. Standard methods were used.</li> </ol>



## Region 9: San Diego River (lower)

### Dissolved Oxygen

---

7. Other water body- or site-specific information including the effects of season and age of the data were considered.

An adequate number of the water quality measurements exceeded the water quality standard. The staff confidence that standards were exceeded is high.

## Region 9: San Diego River (lower)

### Phosphorus

---

<b>Water Body</b>	San Diego River (lower)
<b>Stressor/Media/Beneficial Use</b>	Phosphorus/Water/REC-1, REC-2, WARM, COLD
<b>Data quality assessment. Extent to which data quality requirements met.</b>	Padre Dam Municipal Water District Receiving Water Sampling/analysis.
<b>Linkage between measurement endpoint and beneficial use or standard</b>	Pollutant can have a direct impact on beneficial uses.
<b>Utility of measure for judging if standards or uses are not attained</b>	WQO (Basin Plan) (biostimulatory substances objective) (0.1 mg/L) used.
<b>Water Body-specific Information</b>	Data age = 4 years.
<b>Data used to assess water quality</b>	Sampling in September 1997 and from April to December 2000 by the Padre Dam Municipal Wastewater District showed phosphorus concentrations to exceed the Basin Plan Objective for more than 10% of the time during a one-year period. Numbers of exceedences per samples were found to be 2 out of 5, 5/5, 3/3, 2/2, 2/2, 3/19, 16/19, 19/19, 18/19, and 17/19 at 10 locations in 1997 and 2000. A total of 87 exceedences were recorded for 112 samples (78%).
<b>Spatial representation</b>	5 sample sites (20 miles of River).
<b>Temporal representation</b>	September 1997 to December 2000.
<b>Data type</b>	Numerical data.
<b>Use of standard method</b>	
<b>Potential Source(s) of Pollutant</b>	Urban runoff, other point sources, and nonpoint sources.
<b>Alternative Enforceable Program</b>	Unknown.
<b>RWQCB Recommendation</b>	List.
<b>SWRCB Staff Recommendation</b>	<p>After reviewing the available data and information and the RWQCB documentation for this recommendation, SWRCB staff concludes that the water body should be placed on the section 303(d) list because applicable water quality standards are exceeded and a pollutant contributes to or causes the problem.</p> <p>This conclusion is based on the staff findings that:</p> <ol style="list-style-type: none"> <li>1. The data is considered to be of adequate quality.</li> <li>2. The data exhibited sufficient spatial and temporal coverage.</li> <li>3. Beneficial uses have been established for and apply to the water body.</li> <li>4. Water quality standard used is applicable.</li> <li>5. Data are numerical.</li> <li>6. Standard methods were used.</li> <li>7. Other water body- or site-specific information including the effects of season, and age of the data were considered.</li> </ol> <p>An adequate number of the water quality measurements exceeded the water</p>

## Region 9: San Diego River (lower) Phosphorus

---

quality standard. The staff confidence that standards were exceeded is moderate.

## Region 9: San Elijo Lagoon

### Bacterial Indicators (was "high coliform count")

---

**Water Body** San Elijo Lagoon

**Stressor/Media/Beneficial Use** Bacterial Indicators (was "high coliform count")

**Data quality assessment. Extent to which data quality requirements met.**

**Linkage between measurement endpoint and beneficial use or standard**

**Utility of measure for judging if standards or uses are not attained**

**Water Body-specific Information**

**Data used to assess water quality**

**Spatial representation**

**Temporal representation**

**Data type**

**Use of standard method**

**Potential Source(s) of Pollutant**

**Alternative Enforceable Program**

**RWQCB Recommendation** All previous (1998) listings for "High Coliform Count" should be changed to "Bacterial Indicators." This will ensure consistency between the 1998 List and the 2002 Updated List. For 1998 listings, "Bacterial Indicators" implies that impairment was due to fecal coliform, total coliform, or both. For the 2002 update, "Bacterial Indicators" implies impairment was due to fecal coliform, total coliform, enterococci or a combination of any of the three. In the San Diego Region, enterococci measurements commenced in 1999.

**SWRCB Staff Recommendation** Change pollutant designation from "high coliform count" to "Bacterial indicators."

## Region 9: San Juan Creek

### Bacterial Indicators (was "high coliform count")

---

<b>Water Body</b>	San Juan Creek
<b>Stressor/Media/Beneficial Use</b>	Bacterial Indicators (was "high coliform count")
<b>Data quality assessment. Extent to which data quality requirements met.</b>	
<b>Linkage between measurement endpoint and beneficial use or standard</b>	
<b>Utility of measure for judging if standards or uses are not attained</b>	
<b>Water Body-specific Information</b>	
<b>Data used to assess water quality</b>	
<b>Spatial representation</b>	
<b>Temporal representation</b>	
<b>Data type</b>	
<b>Use of standard method</b>	
<b>Potential Source(s) of Pollutant</b>	
<b>Alternative Enforceable Program</b>	
<b>RWQCB Recommendation</b>	All previous (1998) listings for "High Coliform Count" should be changed to "Bacterial Indicators." This will ensure consistency between the 1998 List and the 2002 Updated List. For 1998 listings, "Bacterial Indicators" implies that impairment was due to fecal coliform, total coliform, or both. For the 2002 update, "Bacterial Indicators" implies impairment was due to fecal coliform, total coliform, enterococci or a combination of any of the three. In the San Diego Region, enterococci measurements commenced in 1999.
<b>SWRCB Staff Recommendation</b>	Change pollutant designation from "high coliform count" to "Bacterial indicators."

## Region 9: San Juan Creek (mouth) Bacterial Indicators (was "high coliform count")

---

**Water Body** San Juan Creek (mouth)  
**Stressor/Media/Beneficial Use** Bacterial Indicators (was "high coliform count")

**Data quality assessment. Extent to which data quality requirements met.**

**Linkage between measurement endpoint and beneficial use or standard**

**Utility of measure for judging if standards or uses are not attained**

**Water Body-specific Information**

**Data used to assess water quality**

**Spatial representation**

**Temporal representation**

**Data type**

**Use of standard method**

**Potential Source(s) of Pollutant**

**Alternative Enforceable Program**

**RWQCB Recommendation**

All previous (1998) listings for "High Coliform Count" should be changed to "Bacterial Indicators." This will ensure consistency between the 1998 List and the 2002 Updated List. For 1998 listings, "Bacterial Indicators" implies that impairment was due to fecal coliform, total coliform, or both. For the 2002 update, "Bacterial Indicators" implies impairment was due to fecal coliform, total coliform, enterococci or a combination of any of the three. In the San Diego Region, enterococci measurements commenced in 1999.

**SWRCB Staff Recommendation**

Change pollutant designation from "high coliform count" to "Bacterial indicators."

## Region 9: San Luis Rey River

### Calcium

---

<b>Water Body</b>	San Luis Rey River
<b>Stressor/Media/Beneficial Use</b>	Calcium
<b>Data quality assessment. Extent to which data quality requirements met.</b>	
<b>Linkage between measurement endpoint and beneficial use or standard</b>	
<b>Utility of measure for judging if standards or uses are not attained</b>	
<b>Water Body-specific Information</b>	
<b>Data used to assess water quality</b>	
<b>Spatial representation</b>	
<b>Temporal representation</b>	
<b>Data type</b>	
<b>Use of standard method</b>	
<b>Potential Source(s) of Pollutant</b>	
<b>Alternative Enforceable Program</b>	
<b>RWQCB Recommendation</b>	Remove from Watch List. No exceedance of appropriate objectives found.
<b>SWRCB Staff Recommendation</b>	After reviewing the available data and information and the RWQCB documentation for this recommendation, SWRCB staff concludes that the water body should not be placed on any 303(d)-related list because the data are inadequate to determine if applicable water quality standards are or may be exceeded.

## Region 9: San Luis Rey River Chloride

---

<b>Water Body</b>	San Luis Rey River
<b>Stressor/Media/Beneficial Use</b>	Chloride/Water/IND, WARM, WILD, RARE
<b>Data quality assessment. Extent to which data quality requirements met.</b>	City of Oceanside Water Utilities Laboratory.
<b>Linkage between measurement endpoint and beneficial use or standard</b>	Pollutant can have a direct impact on beneficial uses.
<b>Utility of measure for judging if standards or uses are not attained</b>	WQO (Basin Plan) (250 mg/L) used.
<b>Water Body-specific Information</b>	Data age = 4 years.
<b>Data used to assess water quality</b>	Bonsall Bridge: 11/97-06/98: 1/3 (33%) exceedences, mean=281.0 mg/l; 09/98-09/99:3/3 (100%) exceedences, mean=321.0 mg/l; 12/99-11/00: 4/5 (80%) exceedences, mean=314.0 mg/l. Douglas Bridge: 11/97-09/98: 2/4 (50%) exceedences, mean=272.5 mg/l; 03/99-09/99:2/2 (100%) exceedences, mean=310.5 mg/l; 04/00-11/00: 3/4 (75%) exceedences, mean=312.5 mg/l. Benet Road: 11/97-09/98: 2/4 (50%) exceedences, mean=401.5 mg/l; 03 and 12/99: 2/2 (100%) exceedences, mean=444.5 mg/l; 04/00-11/00: 4/4 (100%) exceedences, mean=410.0 mg/l.
<b>Spatial representation</b>	Lower 13 miles of River, nearest City of Oceanside, was sampled at three locations.
<b>Temporal representation</b>	November 1997 to November 2000.
<b>Data type</b>	Numerical data.
<b>Use of standard method</b>	
<b>Potential Source(s) of Pollutant</b>	Urban runoff, other point sources and nonpoint sources.
<b>Alternative Enforceable Program</b>	Unknown.
<b>RWQCB Recommendation</b>	List.
<b>SWRCB Staff Recommendation</b>	<p>After reviewing the available data and information and the RWQCB documentation for this recommendation, SWRCB staff concludes that the water body should be placed on the section 303(d) list because applicable water quality standards are exceeded and a pollutant contributes to or causes the problem.</p> <p>This conclusion is based on the staff findings that:</p> <ol style="list-style-type: none"> <li>1. The data is considered to be of adequate quality.</li> <li>2. The data exhibited sufficient spatial and temporal coverage.</li> <li>3. Beneficial uses have been established for and apply to the water body.</li> <li>4. Water quality standard used is applicable.</li> <li>5. Data are numerical.</li> <li>6. Standard methods were used.</li> <li>7. Other water body- or site-specific information including the effects of season, and age of the data were considered.</li> </ol>



## Region 9: San Luis Rey River Chloride

---

An adequate number of the water quality measurements exceeded the water quality standard. The staff confidence that standards were exceeded is high.

## Region 9: San Luis Rey River

### Total Dissolved Solids

---

<b>Water Body</b>	San Luis Rey River
<b>Stressor/Media/Beneficial Use</b>	Total Dissolved Solids/Water/AGR
<b>Data quality assessment. Extent to which data quality requirements met.</b>	City of Oceanside Water Utilities Laboratory.
<b>Linkage between measurement endpoint and beneficial use or standard</b>	Pollutant can have a direct impact on beneficial uses.
<b>Utility of measure for judging if standards or uses are not attained</b>	WQO (Basin Plan) (500 mg/L) used.
<b>Water Body-specific Information</b>	Data age = 1-4 years.
<b>Data used to assess water quality</b>	City of Oceanside sampling: Bonsall Bridge: 11/97-06/98: 3/3 (100%) exceedences, mean=1577 mg/l; 09/98-09/99: 3/3 (100%) exceedences, mean=1512.7 mg/l; 12/99-11/00: 5/5 (100%) exceedences, mean=1694 mg/l. Douglas Bridge: 11/97-09/98: 4/4 (100%) exceedences, mean=1328 mg/l; 03/99-09/99: 2/2 (100%) exceedences, mean=1466 mg/l; 04/00-11/00: 4/4 (100%) exceedences, mean=1613 mg/l. Benet Road: 11/97-09/98: 4/4 (100%) exceedences, mean=1572 mg/l; 03/99-12/99: 2/2 (100%) exceedences, mean=1695 mg/l; 04/00-11/00: 4/4 (100%) exceedences, mean=1835 mg/l. RWQCB sampling: samples of 395 and 850 mg/l.
<b>Spatial representation</b>	Lower 13 miles of River, nearest City of Oceanside, was sampled at three locations. Two additional samples were also taken another 4 miles upstream.
<b>Temporal representation</b>	November 1997 to November 2000.
<b>Data type</b>	Numerical data.
<b>Use of standard method</b>	NPDES procedures.
<b>Potential Source(s) of Pollutant</b>	Anthropogenic sources, imported water, evaporation, and natural salt sources. Also, urban runoff, agriculture runoff, other point sources, and nonpoint sources.
<b>Alternative Enforceable Program</b>	Unknown.
<b>RWQCB Recommendation</b>	List.
<b>SWRCB Staff Recommendation</b>	<p>After reviewing the available data and information and the RWQCB documentation for this recommendation, SWRCB staff concludes that the water body should be placed on the section 303(d) list because applicable water quality standards are exceeded and a pollutant contributes to or causes the problem.</p> <p>This conclusion is based on the staff findings that:</p> <ol style="list-style-type: none"> <li>1. The data is considered to be of adequate quality.</li> <li>2. The data exhibited sufficient spatial and temporal coverage.</li> <li>3. Beneficial uses have been established for and apply to the water body.</li> </ol>

## Region 9: San Luis Rey River

### Total Dissolved Solids

---

4. Water quality standard used is applicable.
5. Data are numerical.
6. Standard methods were used.
7. Other water body- or site-specific information including the effects of season and age of the data were considered.

An adequate number of the water quality measurements exceeded the water quality standard. The staff confidence that standards were exceeded is high.

## Region 9: Sandia Creek (was Sandia Canyon)

### Total Dissolved Solids

---

<b>Water Body</b>	Sandia Creek (was Sandia Canyon)
<b>Stressor/Media/Beneficial Use</b>	Total Dissolved Solids/Water/MUN, AGR
<b>Data quality assessment. Extent to which data quality requirements met.</b>	WQ Studies and Proposed Watershed Monitoring Program Report, SDRWQCB Monitoring data.
<b>Linkage between measurement endpoint and beneficial use or standard</b>	Pollutant can have a direct impact on beneficial uses.
<b>Utility of measure for judging if standards or uses are not attained</b>	WQO (Basin Plan) (750 mg/L) used.
<b>Water Body-specific Information</b>	Data age = 1-4 years.
<b>Data used to assess water quality</b>	11/11 (100%) violations of WQO, average = 917.7 mg/L.
<b>Spatial representation</b>	Two samples, at top and bottom of Reach.
<b>Temporal representation</b>	Unknown.
<b>Data type</b>	Numerical data.
<b>Use of standard method</b>	
<b>Potential Source(s) of Pollutant</b>	Anthropogenic sources, imported water, evaporation, and natural salt sources. Also, urban runoff, agriculture runoff, other point sources, and nonpoint sources.
<b>Alternative Enforceable Program</b>	
<b>RWQCB Recommendation</b>	List.
<b>SWRCB Staff Recommendation</b>	<p>After reviewing the available data and information and the RWQCB documentation for this recommendation, SWRCB staff concludes that the water body should be placed on the section 303(d) list because applicable water quality standards are exceeded and a pollutant contributes to or causes the problem.</p> <p>This conclusion is based on the staff findings that:</p> <ol style="list-style-type: none"> <li>1. The data is considered to be of adequate quality.</li> <li>2. The data exhibited sufficient spatial and temporal coverage.</li> <li>3. Beneficial uses have been established for and apply to the water body.</li> <li>4. Water quality standard used is applicable.</li> <li>5. Data are numerical.</li> <li>6. Standard methods were used.</li> <li>7. Other water body- or site-specific information including the effects of season and age of the data were considered.</li> </ol> <p>An adequate number of the water quality measurements exceeded the water quality standard. The staff confidence that standards were exceeded is moderate.</p>

## Region 9: Santa Margarita River (Upper)

### Phosphorus

---

<b>Water Body</b>	Santa Margarita River (Upper)
<b>Stressor/Media/Beneficial Use</b>	Phosphorus/Water/MUN, REC-1, REC-2, WARM, COLD, WILD, RARE
<b>Data quality assessment. Extent to which data quality requirements met.</b>	Final WQ Studies and Proposed Watershed Monitoring Program Report, SDRWQCB Monitoring data, RCWD Annual Receiving Water Monitoring Report (2000).
<b>Linkage between measurement endpoint and beneficial use or standard</b>	Pollutant can have a direct impact on beneficial uses.
<b>Utility of measure for judging if standards or uses are not attained</b>	WQO (Basin Plan) (biostimulatory substance index = 0.1 mg/L) used.
<b>Water Body-specific Information</b>	Data age = 4 years.
<b>Data used to assess water quality</b>	Camp Pendleton sampling: (near Temecula) 12/97-11/98: 4/5 (80%) violations, average = 0.24 mg/L; 02/99 and 05/99: 1/2 (50%) violations, mean=0.17 mg/mL. (near Fallbrook) 12/97-11/98: 4/5 (80%) violations, mean=0.25 mg/m; 02/99 and 05/99: 1/2 (50%) violations, mean = 0.12 mg/mL. RWQCB sampling: 1/1 (100%) and 1/1 (100%); 0.62 mg/L (at Willow Glen Road). RCWD sampling: 1/8 (13%) > WQO, (near Willow Glen Road) 1/8 (13%) violations, mean = 0.029 mg/L; (near De Luz Road) 1/6 (17%) violations, mean = 0.043 mg/L.
<b>Spatial representation</b>	32 total samples at 4 stations along segment.
<b>Temporal representation</b>	December 1997 to November 1998.
<b>Data type</b>	Numerical data.
<b>Use of standard method</b>	
<b>Potential Source(s) of Pollutant</b>	Urban runoff, other point sources and nonpoint sources.
<b>Alternative Enforceable Program</b>	
<b>RWQCB Recommendation</b>	List.
<b>SWRCB Staff Recommendation</b>	<p>After reviewing the available data and information and the RWQCB documentation for this recommendation, SWRCB staff concludes that the water body should be placed on the section 303(d) list because applicable water quality standards are exceeded and a pollutant contributes to or causes the problem.</p> <p>This conclusion is based on the staff findings that:</p> <ol style="list-style-type: none"> <li>1. The data is considered to be of adequate quality.</li> <li>2. The data exhibited sufficient spatial and temporal coverage.</li> <li>3. Beneficial uses have been established for and apply to the water body.</li> <li>4. Water quality standard used is applicable.</li> <li>5. Data are numerical.</li> <li>6. Standard methods were used.</li> <li>7. Other water body- or site-specific information including the effects of season and age of the data were considered.</li> </ol>

## Region 9: Santa Margarita River (Upper)

### Phosphorus

---

An adequate number of the water quality measurements exceeded the water quality standard. The staff confidence that standards were exceeded is moderate.

## Region 9: Segunda Deshecha Creek

### Phosphorus

---

<b>Water Body</b>	Segunda Deshecha Creek
<b>Stressor/Media/Beneficial Use</b>	Phosphorus/Water/REC-1, REC-2, WARM, WILD
<b>Data quality assessment. Extent to which data quality requirements met.</b>	NPDES permit monitoring.
<b>Linkage between measurement endpoint and beneficial use or standard</b>	Pollutant can have a direct impact on beneficial uses.
<b>Utility of measure for judging if standards or uses are not attained</b>	WQO (Basin Plan) (biostimulatory substance index = 0.1 mg/L) used.
<b>Water Body-specific Information</b>	Data age = 4 years.
<b>Data used to assess water quality</b>	7/97-6/98: 13/16 (81%) exceedences, mean=0.73 mg/mL; 8/98-7/99: 15/20 (75%) exceedences, mean=0.25 mg/mL; 10/99-6/00: 6/7 (86%) exceedences, mean=0.37 mg/mL, all from wet months.
<b>Spatial representation</b>	One sample site.
<b>Temporal representation</b>	July 1997 to June 1998.
<b>Data type</b>	Numerical data.
<b>Use of standard method</b>	
<b>Potential Source(s) of Pollutant</b>	Urban runoff, other point sources and nonpoint sources.
<b>Alternative Enforceable Program</b>	
<b>RWQCB Recommendation</b>	List.
<b>SWRCB Staff Recommendation</b>	<p>After reviewing the available data and information and the RWQCB documentation for this recommendation, SWRCB staff concludes that the water body should be placed on the section 303(d) list because applicable water quality standards are exceeded and a pollutant contributes to or causes the problem.</p> <p>This conclusion is based on the staff findings that:</p> <ol style="list-style-type: none"> <li>1. The data is considered to be of adequate quality.</li> <li>2. The data exhibited sufficient spatial and temporal coverage.</li> <li>3. Beneficial uses have been established for and apply to the water body.</li> <li>4. Water quality standard used is applicable.</li> <li>5. Data are numerical.</li> <li>6. Standard methods were used.</li> <li>7. Other water body- or site-specific information including the effects of season and age of the data were considered.</li> </ol> <p>An adequate number of the water quality measurements exceeded the water quality standard. The staff confidence that standards were exceeded is high.</p>

## Region 9: Segunda Deshecha Creek

### Turbidity

---

<b>Water Body</b>	Segunda Deshecha Creek
<b>Stressor/Media/Beneficial Use</b>	Turbidity/Water/WARM, WILD
<b>Data quality assessment. Extent to which data quality requirements met.</b>	NPDES permit monitoring.
<b>Linkage between measurement endpoint and beneficial use or standard</b>	Pollutant can have a direct impact on beneficial uses.
<b>Utility of measure for judging if standards or uses are not attained</b>	WQO (Basin Plan) (20 Nephelometric Turbidity Units [NTU]) used.
<b>Water Body-specific Information</b>	Data age = 1-4 years.
<b>Data used to assess water quality</b>	7/97-6/98: 9/16 (56%) exceedences, mean=295.2 NTU; 8/98-7/99: 10/20 (50%) exceedences, mean=43.4 NTU; 10/99-6/00: 2/7 (100%) exceedences, mean=14.0 NTU, all from wet months.
<b>Spatial representation</b>	One sample site.
<b>Temporal representation</b>	July 1997 to June 2000.
<b>Data type</b>	Numerical data.
<b>Use of standard method</b>	
<b>Potential Source(s) of Pollutant</b>	Channelization, increased water velocity, undercutting of banks; increased turbidity, current/historic construction.
<b>Alternative Enforceable Program</b>	
<b>RWQCB Recommendation</b>	List.
<b>SWRCB Staff Recommendation</b>	<p>After reviewing the available data and information and the RWQCB documentation for this recommendation, SWRCB staff concludes that the water body should be placed on the section 303(d) list because applicable water quality standards are exceeded and a pollutant contributes to or causes the problem.</p> <p>This conclusion is based on the staff findings that:</p> <ol style="list-style-type: none"> <li>1. The data is considered to be of adequate quality.</li> <li>2. The data exhibited sufficient spatial and temporal coverage.</li> <li>3. Beneficial uses have been established for and apply to the water body.</li> <li>4. Water quality standard used is applicable.</li> <li>5. Data are numerical.</li> <li>6. Standard methods were used.</li> <li>7. Other water body- or site-specific information including the effects of natural sources, season, storm events, and age of the data were considered.</li> </ol> <p>An adequate number of the water quality measurements exceeded the water quality standard. The staff confidence that standards were exceeded is high.</p>



## Region 9: Sutherland Reservoir (was Lake Sutherland)

### Color

---

<b>Water Body</b>	Sutherland Reservoir (was Lake Sutherland)
<b>Stressor/Media/Beneficial Use</b>	Color/Water/MUN, REC-2
<b>Data quality assessment. Extent to which data quality requirements met.</b>	City of San Diego WQ Laboratory, (narrative) descriptions by SDWD.
<b>Linkage between measurement endpoint and beneficial use or standard</b>	Pollutant can have a direct impact on beneficial uses.
<b>Utility of measure for judging if standards or uses are not attained</b>	WQO (Basin Plan) (15 color units) used.
<b>Water Body-specific Information</b>	Data age = 1-5 years.
<b>Data used to assess water quality</b>	Data from the City of San Diego Water Quality Lab from March 1997 to June 2000 show the Basin Plan objective to be exceeded for more than 10% of the time during a one-year period. From March 1998 to March 1999, 3 of 3 samples (100%) exceeded the objective, with a mean of 33.7 color units and a median of 34.0 color units. From June 1999 to June 2000, 5 of 5 samples exceeded the objective, with a mean of 25.2 color units and a median of 26.0 color units. From September 2000 to December 2000, 3 of 3 samples exceeded the objective, with a mean of 22.3 color units and a median of 28.0 color units. In addition, staff at the San Diego Water Department have noticed a persistent odor problem as well as excessive algae growth at the reservoir. Odor, color, and excessive algae growth in the reservoir are typically due to excessive nutrients (nitrogen and phosphorous). However, actual concentrations of nitrogen and phosphorous do not currently exceed Basin Plan objectives. This may be due to the fact that the algae are using a majority of the available nutrients. Nutrient data from City of San Diego Water Quality Lab from March 1997 to July 2001 showed only 1 of 17 samples (6%) to have a detectable concentration of phosphate or nitrate.
<b>Spatial representation</b>	3 to 5 samples were used, indicative of the entire reservoir.
<b>Temporal representation</b>	March 1997 to July 2001.
<b>Data type</b>	Numerical data.
<b>Use of standard method</b>	City of San Diego WQ Laboratory, (narrative) descriptions by SDWD.
<b>Potential Source(s) of Pollutant</b>	Excessive algae growth, urban runoff, other point sources, and nonpoint sources.
<b>Alternative Enforceable Program</b>	
<b>RWQCB Recommendation</b>	List.
<b>SWRCB Staff Recommendation</b>	After reviewing the available data and information and the RWQCB documentation for this recommendation, SWRCB staff concludes that the water body should be placed on the section 303(d) list because applicable water quality standards are exceeded and a pollutant contributes to or causes the problem.

## Region 9: Sutherland Reservoir (was Lake Sutherland) Color

---

This conclusion is based on the staff findings that:

1. The data is considered to be of adequate quality.
2. The data exhibited sufficient spatial and temporal coverage.
3. Beneficial uses have been established for and apply to the water body.
4. Water quality standard used is applicable.
5. Data are numerical.
6. Standard methods were used.
7. Other water body- or site-specific information including the effects of natural sources, season, storm events, and age of the data were considered.

An adequate number of the water quality measurements exceeded the water quality standard. The staff confidence that standards were exceeded is moderate.

## Region 9: Tecolote Creek

### Bacterial Indicators (was "high coliform count")

---

**Water Body** Tecolote Creek

**Stressor/Media/Beneficial Use** Bacterial Indicators (was "high coliform count")

**Data quality assessment. Extent to which data quality requirements met.**

**Linkage between measurement endpoint and beneficial use or standard**

**Utility of measure for judging if standards or uses are not attained**

**Water Body-specific Information**

**Data used to assess water quality**

**Spatial representation**

**Temporal representation**

**Data type**

**Use of standard method**

**Potential Source(s) of Pollutant**

**Alternative Enforceable Program**

**RWQCB Recommendation** All previous (1998) listings for "High Coliform Count" should be changed to "Bacterial Indicators." This will ensure consistency between the 1998 List and the 2002 Updated List. For 1998 listings, "Bacterial Indicators" implies that impairment was due to fecal coliform, total coliform, or both. For the 2002 update, "Bacterial Indicators" implies impairment was due to fecal coliform, total coliform, enterococci or a combination of any of the three. In the San Diego Region, enterococci measurements commenced in 1999.

**SWRCB Staff Recommendation** Change pollutant designation from "high coliform count" to "Bacterial indicators."

## Region 9: Tijuana River Bacterial Indicators (was "high coliform count")

---

<b>Water Body</b>	Tijuana River
<b>Stressor/Media/Beneficial Use</b>	Bacterial Indicators (was "high coliform count")
<b>Data quality assessment. Extent to which data quality requirements met.</b>	
<b>Linkage between measurement endpoint and beneficial use or standard</b>	
<b>Utility of measure for judging if standards or uses are not attained</b>	
<b>Water Body-specific Information</b>	
<b>Data used to assess water quality</b>	
<b>Spatial representation</b>	
<b>Temporal representation</b>	
<b>Data type</b>	
<b>Use of standard method</b>	
<b>Potential Source(s) of Pollutant</b>	
<b>Alternative Enforceable Program</b>	
<b>RWQCB Recommendation</b>	All previous (1998) listings for "High Coliform Count" should be changed to "Bacterial Indicators." This will ensure consistency between the 1998 List and the 2002 Updated List. For 1998 listings, "Bacterial Indicators" implies that impairment was due to fecal coliform, total coliform, or both. For the 2002 update, "Bacterial Indicators" implies impairment was due to fecal coliform, total coliform, enterococci or a combination of any of the three. In the San Diego Region, enterococci measurements commenced in 1999.
<b>SWRCB Staff Recommendation</b>	Change pollutant designation from "high coliform count" to "Bacterial indicators."

## Region 9: Tijuana River Estuary

### Bacterial Indicators (was "high coliform count")

---

**Water Body** Tijuana River Estuary

**Stressor/Media/Beneficial Use** Bacterial Indicators (was "high coliform count")

**Data quality assessment. Extent to which data quality requirements met.**

**Linkage between measurement endpoint and beneficial use or standard**

**Utility of measure for judging if standards or uses are not attained**

**Water Body-specific Information**

**Data used to assess water quality**

**Spatial representation**

**Temporal representation**

**Data type**

**Use of standard method**

**Potential Source(s) of Pollutant**

**Alternative Enforceable Program**

**RWQCB Recommendation**

All previous (1998) listings for "High Coliform Count" should be changed to "Bacterial Indicators." This will ensure consistency between the 1998 List and the 2002 Updated List. For 1998 listings, "Bacterial Indicators" implies that impairment was due to fecal coliform, total coliform, or both. For the 2002 update, "Bacterial Indicators" implies impairment was due to fecal coliform, total coliform, enterococci or a combination of any of the three. In the San Diego Region, enterococci measurements commenced in 1999.

**SWRCB Staff Recommendation**

Change pollutant designation from "high coliform count" to "Bacterial indicators."

## Region 9: Tijuana River Estuary

### Dissolved Oxygen

---

<b>Water Body</b>	Tijuana River Estuary
<b>Stressor/Media/Beneficial Use</b>	Dissolved Oxygen/Water/COMM, BIOL, EST, WILD, RARE, MAR, MIGR
<b>Data quality assessment. Extent to which data quality requirements met.</b>	Tijuana Estuary monitoring.
<b>Linkage between measurement endpoint and beneficial use or standard</b>	Pollutant can have a direct impact on beneficial uses.
<b>Utility of measure for judging if standards or uses are not attained</b>	Basin Plan objective, dissolved oxygen concentration: 5.0 mg/L, any waterbody designated with MAR beneficial use. In addition, Basin Plan sets an annual objective of 7mg/L that shall not be exceeded more than 10% of the time during a one-year period.
<b>Water Body-specific Information</b>	Data age = 3-4 years.
<b>Data used to assess water quality</b>	<p>Dissolved oxygen concentration (DO) measurements were collected every 30 minutes for the entire years of 1997 and 1998. 1997 data followed trends similar to those in 1998, summarized below.</p> <p>DO was generally below the objective between 10 p.m. and 8 a.m. almost every day of the month. Although it is typical for DO to decrease at night, DO declines in the Estuary were excessive (concentrations generally below 3 mg/L).</p> <p>The median concentrations for 6 of the 12 months (50%) were below 5 mg/L and the median concentrations for 7 of 12 months (58%) were below 7.0 mg/L. This high percentage of median concentrations below 7.0 mg/L is considered as evidence of violation of the annual Basin Plan objective for dissolved oxygen. These low DO conditions are expected to impair the COMM, BIOL, EST, WILD, RARE, MAR and MIGR beneficial uses.</p>
<b>Spatial representation</b>	One sample station used. RWQCB staff found it to be representative of entire estuary.
<b>Temporal representation</b>	Sampled every 30 minutes for two years.
<b>Data type</b>	Numerical data.
<b>Use of standard method</b>	Tijuana Estuary monitoring procedures used.
<b>Potential Source(s) of Pollutant</b>	Massive bacterial loading from raw sewage flows cause oxygen depletion, decaying organic matter, urban runoff, other point sources, and nonpoint sources.
<b>Alternative Enforceable Program</b>	
<b>RWQCB Recommendation</b>	List.
<b>SWRCB Staff Recommendation</b>	After reviewing the available data and information and the RWQCB documentation for this recommendation, SWRCB staff concludes that the water body should be placed on the section 303(d) list because applicable

## Region 9: Tijuana River Estuary

### Dissolved Oxygen

---

water quality standards are exceeded and a pollutant contributes to or causes the problem.

This conclusion is based on the staff findings that:

1. The data is considered to be of adequate quality.
2. The data exhibited sufficient spatial and temporal coverage.
3. Beneficial uses have been established for and apply to the water body.
4. Water quality standard used is applicable.
5. Data are numerical.
6. Standard methods were used.
7. Other water body- or site-specific information including the effects of season, storm events, and age of the data were considered.

An adequate number of the water quality measurements exceeded the water quality standard. The staff confidence that standards were exceeded is moderate.

Page left blank intentionally.



---

# Water Bodies Proposed for the Monitoring List in Region 9

---

Water Body	Pollutant/Stressor	Rationale
Agua Hedionda Creek		
	Benthic Community Degradation	Through direct observation, RWQCB staff believes that a water quality problem exists because of prior experience with the watershed/water body, but data were unavailable to support a Section 303(d) listing. Additional monitoring is required to confirm the possible extent of impacts to beneficial uses.
	Diazinon	Information, new since the original 2001 submittal, revealed poor quality assurance (QA) for the original data. The reported values are estimates that fall outside of the calibration range. Additionally, four of the positive detections had significant differences between the primary and confirmatory columns. Of the six data points used in the original assessment, only the sample collected on January 25, 2000 does not have significant QA concerns. This sample is reported to have a concentration of <0.50 ug/L and therefore, cannot be assessed against the water quality criteria of 0.05 ug/L.
	Eutrophication	Through direct observation, RWQCB staff believes that a water quality problem exists because of prior experience with the watershed/water body, but data were unavailable to support a Section 303(d) listing. Additional monitoring is required to confirm the possible extent of impacts to beneficial uses.
	Incised Channel	RWQCB staff believes that a significant water quality problem exists because of prior experience with, and personal observations in, the watershed/water body. However, no data was readily available to support a Section 303(d) listing during the 2002 listing review process.
Agua Hedionda Lagoon		
	Copper (dissolved)	Data from "Report of Waste Discharge Agua Hedionda Lagoon and Fish Hatchery" from the year 2000 indicate possible exceedance of the "CTR Enclosed Bays and Estuaries Saltwater Aquatic Life Protection CMC and CCC" as found in "A Compilation of Water Quality Goals" by J. B. Marshack, 2000. Additional monitoring is necessary to confirm this possibility.
	Selenium	Data from "Report of Waste Discharge Agua Hedionda Lagoon and Fish Hatchery" from the year 2000 indicate possible exceedance of the "CTR Enclosed Bays and Estuaries Saltwater Aquatic Life Protection CCC" as found in "A Compilation of Water Quality Goals" by J.B. Marshack, 2000. Additional monitoring is necessary to confirm this possibility.
Aliso Creek		
	Chlordane	Toxic Substances Monitoring Program data indicated a possible exceedance of the USEPA Screening value for Subsistence Fishers, but too few data were collected for validity.
	Dieldrin	Toxic Substances Monitoring Program data indicated a possible exceedance of the USEPA Screening value, but too few data were collected for validity.
	Heptachlorepoide	Toxic Substances Monitoring Program data indicated a possible exceedance of the USEPA Screening value, but too few data were collected for validity.
	PCBs	Toxic Substances Monitoring Program data indicated a possible exceedance of the USEPA Screening value for Recreational Fishers, but too few data were collected for validity.
Alvarado Creek		
	Benthic Community Degradation	Through direct observation, RWQCB staff believes that a water quality problem exists because of prior experience with the watershed/water body, but data were unavailable to support a Section 303(d) listing. Additional monitoring is required to confirm the possible extent of impacts to beneficial uses.

<b>Water Body</b>	<b>Pollutant/Stressor</b>	<b>Rationale</b>
	Eutrophication	Through direct observation, RWQCB staff believes that a water quality problem exists because of prior experience with the watershed/water body, but data were unavailable to support a Section 303(d) listing. Additional monitoring is required to confirm the possible extent of impacts to beneficial uses.
	Sedimentation/Siltation	RWQCB staff believes that a significant water quality problem exists because of prior experience with, and personal observations in, the watershed/water body, but no data was readily available to support a Section 303(d) listing.
	Trash	RWQCB staff believes that a significant water quality problem exists because of prior experience with, and personal observations in, the watershed/water body, but no data was readily available to support a Section 303(d) listing.
<b>Beach and Bay Shorelines displaying a permanent health risk sign</b>	Unknown constituents that may effect human health	Underlying data/information exists to warrant warnings posted by health care agencies. However, additional monitoring/research is necessary to verify the presence and extent of impacts to water quality standards.
<b>Boulder Creek</b>	Exotic Vegetation (Tamarisk sp.)	RWQCB staff believes that a significant water quality problem exists because of prior experience with, and personal observations in, the watershed/waterbody, but no data was readily available to support a Section 303(d) listing.
	Hydromodification (scour from reservoir release)	RWQCB staff believes that a significant water quality problem exists because of prior experience with, and personal observations in, the watershed/water body, but no data was readily available to support a Section 303(d) listing.
<b>Buena Vista Creek</b>	Benthic Community Degradation	Through direct observation, RWQCB staff believes that a water quality problem exists because of prior experience with the watershed/water body, but data were unavailable to support a Section 303(d) listing. Additional monitoring is required to confirm the possible extent of impacts to beneficial uses.
	Eutrophication	Through direct observation, RWQCB staff believes that a water quality problem exists because of prior experience with the watershed/water body, but data were unavailable to support a Section 303(d) listing. Additional monitoring is required to confirm the possible extent of impacts to beneficial uses.
<b>Chocolate Creek</b>	Eutrophication	Through direct observation, RWQCB staff believes that a water quality problem exists because of prior experience with the watershed/water body, but data were unavailable to support a Section 303(d) listing. Additional monitoring is required to confirm the possible extent of impacts to beneficial uses.
	Sedimentation/Siltation	RWQCB staff believes that a significant water quality problem exists because of prior experience with, and personal observations in, the watershed/water body, but no data was readily available to support a Section 303(d) listing.
<b>Chollas Creek</b>	Total Chlordane	Toxic Substances Monitoring Program data indicated a possible exceedance of the USEPA Screening value for Subsistence Fishers, but too few data were collected for validity.
	Total PCBs	Toxic Substances Monitoring Program data indicated a possible exceedance of the USEPA Screening value for Subsistence Fishers, but too few data were collected for validity.
	Trash	Photographs of trash collected at a U.S. Navy boom show a significant amounts of trash following wet weather events. RWQCB staff observed large amounts of trash during dry weather in June 2002. Further monitoring and quantification of trash amounts is necessary.

<b>Water Body</b>	<b>Pollutant/Stressor</b>	<b>Rationale</b>
Cloverdale Creek	Turbidity	Sampling by the City of San Diego from 1997 to 2000 indicated possible exceedance of the Basin Plan Objective. Additional monitoring is required to verify this possibility.
	Eutrophication	Through direct observation, RWQCB staff believes that a water quality problem exists because of prior experience with the watershed/water body, but data were unavailable to support a Section 303(d) listing. Additional monitoring is required to confirm the possible extent of impacts to beneficial uses.
	Sedimentation/Siltation	RWQCB staff believes that a significant water quality problem exists because of prior experience with, and personal observations in, the watershed/water body, but no data was readily available to support a Section 303(d) listing.
Cottonwood Creek	Diazinon	RWQCB staff believes that a significant water quality problem exists because of prior experience with, and personal observations in, the watershed/water body, but no data was readily available to support a Section 303(d) listing.
	Eutrophication	RWQCB staff believes that a significant water quality problem exists because of prior experience with, and personal observations in, the watershed/water body, but no data was readily available to support a Section 303(d) listing.
	Exotic Vegetation (Tamarisk sp.)	RWQCB staff believes that a significant water quality problem exists because of prior experience with, and personal observations in, the watershed/water body, but no data was readily available to support a Section 303(d) listing.
	Hydromodification (scour from reservoir release)	RWQCB staff believes that a significant water quality problem exists because of prior experience with, and personal observations in, the watershed/water body, but no data was readily available to support a Section 303(d) listing.
Deluz Creek	Sulfate	Quarterly sampling by Camp Pendleton from 1997 to 2000 indicated possible exceedance of the Basin Plan Objective. Additional monitoring is required to confirm this possibility.
	Total Dissolved Solids	Quarterly sampling by Camp Pendleton from 1997 to 2000 indicated possible exceedance of the Basin Plan Objective. Additional monitoring is required to confirm this possibility.
Delzura Creek	Erosion, Incised Channel	RWQCB staff believes that a significant water quality problem exists because of prior experience with, and personal observations in, the watershed/water body, but no data was readily available to support a Section 303(d) listing.
	Eutrophication	Through direct observation, RWQCB staff believes that a water quality problem exists because of prior experience with the watershed/water body, but data were unavailable to support a Section 303(d) listing. Additional monitoring is required to confirm the possible extent of impacts to beneficial uses.
	Sedimentation/Siltation	RWQCB staff believes that a significant water quality problem exists because of prior experience with, and personal observations in, the watershed/water body, but no data was readily available to support a Section 303(d) listing.
Encinitas Creek	Diazinon	Data from the City of Encinitas Municipal Storm Water Permit Compliance Report indicated possible exceedance of both the chronic and acute California Department of Fish and Game Water Quality Criteria in 2000. Further monitoring is necessary to confirm this possibility.
	Eutrophication	Through direct observation, RWQCB staff believes that a water quality problem exists because of prior experience with the watershed/water body, but data were unavailable to support a Section 303(d) listing. Additional monitoring is required to confirm the possible extent of impacts to beneficial uses.

<b>Water Body</b>	<b>Pollutant/Stressor</b>	<b>Rationale</b>
	Malathion	Data from the City of Encinitas Municipal Storm Water Permit Compliance Report indicated possible exceedance of both the chronic and acute California Department of Fish and Game Water Quality Criteria in 2000. Further monitoring is necessary to confirm this possibility.
<b>Escondido Creek</b>		
	Benthic Community Degradation	Through direct observation, RWQCB staff believes that a water quality problem exists because of prior experience with the watershed/water body, but data were unavailable to support a Section 303(d) listing. Additional monitoring is required to confirm the possible extent of impacts to beneficial uses.
	Diazinon	Data from the City of Encinitas Municipal Storm Water Permit Compliance Report indicated possible exceedance of both the chronic and acute California Department of Fish and Game Water Quality Criteria in 2000. Further monitoring is necessary to confirm this possibility.
	Eutrophication	Through direct observation, RWQCB staff believes that a water quality problem exists because of prior experience with the watershed/water body, but data were unavailable to support a Section 303(d) listing. Additional monitoring is required to confirm the possible extent of impacts to beneficial uses.
	Sulfate	Sampling by the Department of Water Resources from 1999 to 2000 indicated possible exceedance of the Basin Plan Objective. Further monitoring is necessary to confirm this possibility.
	Total Dissolved Solids	Sampling by the Department of Water Resources from 1999 to 2000 indicated possible exceedance of the Basin Plan Objective. Further monitoring is necessary to confirm this possibility.
<b>Fallbrook Creek</b>		
	Iron	Quarterly sampling by Camp Pendleton from 1997 to 2000 indicated possible exceedance of the Basin Plan Objective. Additional monitoring is required to confirm this possibility.
	Manganese	Quarterly sampling by Camp Pendleton from 1997 to 2000 indicated possible exceedance of the Basin Plan Objective. Additional monitoring is required to confirm this possibility.
	Phosphorus	Quarterly sampling by Camp Pendleton from 1997 to 2000 indicated possible exceedance of the Basin Plan Objective. Additional monitoring is required to confirm this possibility.
<b>Famosa Slough and Channel (was Famosa Slough)</b>		
	Dieldrin	Toxic Substances Monitoring Program data indicated a possible exceedance of the USEPA Screening value for Recreational Fishers, but too few data were collected for validity.
	Total Chlordane	Toxic Substances Monitoring Program data indicated a possible exceedance of the USEPA Screening value for Subsistence Fishers, but too few data were collected for validity.
	Total DDT	Toxic Substances Monitoring Program data indicated a possible exceedance of the USEPA Screening value for Subsistence Fishers, but too few data were collected for validity.
	Total PCB	Toxic Substances Monitoring Program data indicated a possible exceedance of the USEPA Screening value for Recreational Fishers, but too few data were collected for validity.
<b>Forester Creek (was "Forrester Creek")</b>		
	Eutrophication	Photographic evidence was submitted by a concerned citizen suggesting that water quality standards could not be met. Further study is necessary to confirm this possibility.

<b>Water Body</b>	<b>Pollutant/Stressor</b>	<b>Rationale</b>
	Trash	Photographic evidence was submitted by a concerned citizen suggesting that water quality standards could not be met. Further study is necessary to confirm this possibility.
<b>Green Valley Creek</b>		
	Benthic Community Degradation	Through direct observation, RWQCB staff believes that a water quality problem exists because of prior experience with the watershed/water body, but data were unavailable to support a Section 303(d) listing. Additional monitoring is required to confirm the possible extent of impacts to beneficial uses.
	Eutrophication	Through direct observation, RWQCB staff believes that a water quality problem exists because of prior experience with the watershed/water body, but data were unavailable to support a Section 303(d) listing. Additional monitoring is required to confirm the possible extent of impacts to beneficial uses.
	Phosphorus	Sampling by the City of San Diego from 1999 to 2000 indicated possible exceedance of the Basin Plan Objective for Biostimulatory Substances. Additional monitoring is required to verify this possibility.
	Sedimentation/Siltation	RWQCB staff believes that a significant water quality problem exists because of prior experience with, and personal observations in, the watershed/water body, but no data was readily available to support a Section 303(d) listing.
	Trash	RWQCB staff believes that a significant water quality problem exists because of prior experience with, and personal observations in, the watershed/water body, but no data was readily available to support a Section 303(d) listing.
<b>Hatfield Creek</b>		
	Eutrophication	Through direct observation, RWQCB staff believes that a water quality problem exists because of prior experience with the watershed/water body, but data were unavailable to support a Section 303(d) listing. Additional monitoring is required to confirm the possible extent of impacts to beneficial uses.
	Incised Channel	RWQCB staff believes that a significant water quality problem exists because of prior experience with, and personal observations in, the watershed/water body, but no data was readily available to support a Section 303(d) listing.
<b>Hodges, Lake (was Lake Hodges [was Hodges Reservoir])</b>		
	MTBE	Sampling by the City of San Diego from 1997 to 2001 indicated possible exceedances of the "California Department of Health Service's Primary and Secondary MCL" and of "OEHHA's California Public Health Goal" (both as found in "A Compilation of Water Quality Goals" by J.B. Marshack, 2000). Additional monitoring is required to verify this possibility.
<b>King Creek</b>		
	Eutrophication	Through direct observation, RWQCB staff believes that a water quality problem exists because of prior experience with the watershed/water body, but data were unavailable to support a Section 303(d) listing. Additional monitoring is required to confirm the possible extent of impacts to beneficial uses.
<b>Laguna Lakes</b>		
	Bacterial Indicators	Through direct observation, RWQCB staff believes that a water quality problem exists because of prior experience with the watershed/water body, but data were unavailable to support a Section 303(d) listing. Additional monitoring is required to confirm the possible extent of impacts to beneficial uses.
<b>Loma Alta Creek</b>		
	Benthic Community Degradation	Through direct observation, RWQCB staff believes that a water quality problem exists because of prior experience with the watershed/water body, but data were unavailable to support a Section 303(d) listing. Additional monitoring is required to confirm the possible extent of impacts to beneficial uses.

<b>Water Body</b>	<b>Pollutant/Stressor</b>	<b>Rationale</b>
	Eutrophication	Through direct observation, RWQCB staff believes that a water quality problem exists because of prior experience with the watershed/water body, but data were unavailable to support a Section 303(d) listing. Additional monitoring is required to confirm the possible extent of impacts to beneficial uses.
<b>Los Penasquitos Creek</b>		
	Sedimentation/Siltation	RWQCB staff believes that a significant water quality problem exists because of prior experience with, and personal observations in, the watershed/water body, but no data was readily available to support a Section 303(d) listing.
<b>Murray Reservoir</b>		
	Bromodichloromethane	Data collected by the City of San Diego indicate possible exceedance of the "CTR Inland Surface Waters Human Health 30-day Average Drinking Water Sources (consumption of water and aquatic organisms) goal" as found in "A Compilation of Water Quality Goals" by J.B. Marshack, 2000. Additional monitoring is required to confirm this possibility.
	Phosphorus	Samples collected by the City of San Diego from 1997 to 1998 indicated possible exceedance of the Basin Plan Objective for biostimulatory substances. Additional monitoring is necessary to confirm this possibility.
	Sodium	Sampling by the City of San Diego from 1996 to 2000 indicate possible exceedance of the USEPA "Suggested No Adverse Effects Level" as found in "A Compilation of Water Quality Goals" by J.B. Marshack, 2000. Additional monitoring is required to confirm this possibility.
<b>Murrieta Creek</b>		
	Iron	Quarterly sampling by Camp Pendleton from 1997 to 2000 and one-time sampling by RWQCB staff in 1998, indicated possible exceedance of the Basin Plan Objective). Additional monitoring is required to confirm this possibility.
	Manganese	Quarterly sampling by Camp Pendleton from 1997 to 2000 and one-time sampling by RWQCB staff in 1998, indicated possible exceedance of the Basin Plan Objective). Additional monitoring is required to confirm this possibility.
	Total Dissolved Solids	Quarterly sampling by Camp Pendleton from 1997 to 2000 and one-time sampling by RWQCB staff in 1998, indicated possible exceedance of the Basin Plan Objective). Additional monitoring is required to confirm this possibility.
<b>Oceanside Harbor</b>		
	Copper (dissolved)	Through direct observation, RWQCB staff believes that a water quality problem exists because of prior experience with the watershed/water body, but data were unavailable to support a Section 303(d) listing. Additional monitoring is required to confirm the possible extent of impacts to beneficial uses.
<b>Oso Creek</b>		
	Chloride	Data collected by the Santa Margarita Water District between 1998 and 2001 indicated possible exceedance of the Basin Plan Objective. Additional monitoring is required to confirm this possibility.
	Phosphorus	Data collected by the Santa Margarita Water District between 1998 and 2001 indicated possible exceedance of the Basin Plan Objective for Biostimulatory Substances. Additional monitoring is required to confirm this possibility.
	Sulfate	Data collected by the Santa Margarita Water District between 1998 and 2001 indicated possible exceedance of the Basin Plan Objective. Additional monitoring is required to confirm this possibility.
	Total Dissolved Solids	Data collected by the Santa Margarita Water District between 1998 and 2001 indicated possible exceedance of the Basin Plan Objective. Additional monitoring is required to confirm this possibility.
	Turbidity	2000 Annual NPDES (MS4) Progress Report from the County of Orange indicated possible exceedance of Basin Plan Objective. Additional monitoring is required to confirm this possibility.

<b>Water Body</b>	<b>Pollutant/Stressor</b>	<b>Rationale</b>
Otay Reservoir, Lower (was Lower Otay Reservoir)	Color	Sampling by the City of San Diego from 1997 to 2000 indicated possible exceedance of the Basin Plan Objective. Additional monitoring is necessary to confirm this possibility.
	Odor	Sampling by the City of San Diego from 1997 to 2000 indicated possible exceedance of the Basin Plan Objective. Additional monitoring is necessary to confirm this possibility.
Pacific Ocean Shoreline, Miramar Reservoir HA (was Miramar Reservoir)	Bromodichloromethane	Data collected by the City of San Diego indicate possible exceedance of the "CTR Inland Surface Waters Human Health 30-day Average Drinking Water Sources (consumption of water and aquatic organisms) goal" as found in "A Compilation of Water Quality Goals" by J.B. Marshack, 2000. Additional monitoring is required to confirm this possibility.
	Total Dissolved Solids	Samples collected by the City of San Diego from 1999 to 2001 indicated possible exceedance of the Basin Plan Objective. Additional monitoring is necessary to confirm this possibility.
Padre Barona Creek	Eutrophication	Through direct observation, RWQCB staff believes that a water quality problem exists because of prior experience with the watershed/water body, but data were unavailable to support a Section 303(d) listing. Additional monitoring is required to confirm the possible extent of impacts to beneficial uses.
	Incised Channel	RWQCB staff believes that a significant water quality problem exists because of prior experience with, and personal observations in, the watershed/water body, but no data was readily available to support a Section 303(d) listing.
Prima Deshecha Creek (was Prima Deshecha Channel)	Cadmium	2000 Annual NPDES (MS4) Progress Report from the County of Orange indicated possible exceedance of California Toxics Rule CMC for Freshwater Aquatic Life. Additional monitoring is required to confirm this possibility.
	Nickel	2000 Annual NPDES (MS4) Progress Report from the County of Orange indicated possible exceedance of California Toxics Rule CCC for Freshwater Aquatic Life. Additional monitoring is required to confirm this possibility.
Proctor Valley Creek	Trash	RWQCB staff believes that a significant water quality problem exists because of prior experience with, and personal observations in, the watershed/water body, but no data was readily available to support a Section 303(d) listing.
Rainbow Creek	Sediment Toxicity	Sediment Toxicity Tests conducted in 1996 indicated possible toxic conditions. Additional monitoring is required to confirm this possibility.
	Sulfate	Quarterly sampling by Camp Pendleton from 1997 to 2000 indicated possible exceedance of the Basin Plan Objective (Table 3.2). Additional monitoring is required to confirm this possibility.
	Total Dissolved Solids	Quarterly sampling by Camp Pendleton from 1997 to 2000 and one-time sampling by the Regional Board in 1998, indicated possible exceedance of the Basin Plan Objective (Table 3.2). Additional monitoring is required to confirm this possibility.
	Trash	RWQCB staff believes that a significant water quality problem exists because of prior experience with, and personal observations in, the watershed/water body, but no data was readily available to support a Section 303(d) listing.

<b>Water Body</b>	<b>Pollutant/Stressor</b>	<b>Rationale</b>
Reidy Creek		
	Nitrogen	One sampling event in 2001 by the RWQCB staff indicated possible exceedance of the Basin Plan Objective for Biostimulatory Substances. Additional monitoring is necessary to confirm this possibility.
	Phosphorus	One sampling event in 2001 by the RWQCB staff indicated possible exceedance of the Basin Plan Objective for Biostimulatory Substances. Additional monitoring is necessary to confirm this possibility.
Rose Creek		
	Sedimentation/Siltation	RWQCB staff believes that a significant water quality problem exists because of prior experience with, and personal observations in, the watershed/water body, but no data was readily available to support a Section 303(d) listing.
San Diego Bay Shoreline, at America's Cup Harbor (was San Diego Bay at America's Cup Harbor)		
	Copper (dissolved)	Sampling by the U.S. Navy and RWQCB staff indicated possible exceedance of the California Toxics Rule criteria for copper. Additional monitoring is necessary to confirm this possibility.
San Diego Bay Shoreline, at Harbor Island (East Basin) (was San Diego Bay at Harbor Island [East Basin])		
	Arsenic	1997-98 State Mussel Watch data showed possible exceedance of the MTRL for inland surface waters (edible portion). Further monitoring is necessary to confirm the possibility that beneficial uses are being impacted.
	Cadmium	1997-98 State Mussel Watch data showed possible exceedance of the MTRL for inland surface waters (edible portion). Further monitoring is necessary to confirm the possibility that beneficial uses are being impacted.
	Copper (dissolved)	1997-98 State Mussel Watch data showed possible exceedance of the MTRL for inland surface waters (edible portion). Further monitoring is necessary to confirm the possibility that beneficial uses are being impacted.
San Diego Bay Shoreline, at Harbor Island (West Basin) (was San Diego Bay at Harbor Island [West Basin])		
	Copper (dissolved)	Sampling by the U.S. Navy and RWQCB staff indicated possible exceedance of the California Toxics Rule criteria for copper. Additional monitoring is necessary to confirm this possibility.
San Diego Bay Shoreline, at Laurel Street (was San Diego Bay at Laurel Street)		
	Arsenic	1997-98 State Mussel Watch data showed possible exceedance of the MTRL for inland surface waters (edible portion). Further monitoring is necessary to confirm the possibility that beneficial uses are being impacted.
	Cadmium	1997-98 State Mussel Watch data showed possible exceedance of the MTRL for inland surface waters (edible portion). Further monitoring is necessary to confirm the possibility that beneficial uses are being impacted.
	Copper (dissolved)	1997-98 State Mussel Watch data showed possible exceedance of the MTRL for inland surface waters (edible portion). Further monitoring is necessary to confirm the possibility that beneficial uses are being impacted.



<b>Water Body</b>	<b>Pollutant/Stressor</b>	<b>Rationale</b>
San Diego Bay Shoreline, at Marriott Marina (was San Diego Bay at Marriott Marina)	Copper (dissolved)	Sampling by the Port of San Diego indicated possible exceedance of the California Toxics Rule criteria for copper. Additional monitoring is necessary to confirm this possibility.
San Diego Bay Shoreline, at North Island Aircraft Platform (was San Diego Bay at North Island Aircraft Platform)	Arsenic	1997-98 State Mussel Watch data showed a possible exceedance of the MTRL for inland surface waters (edible portion). Further monitoring is needed to confirm whether beneficial uses are being significantly impacted.
	Cadmium	1997-98 State Mussel Watch data showed a possible exceedance of the MTRL for inland surface waters (edible portion). Further monitoring is needed to confirm whether beneficial uses are being significantly impacted.
	Copper (dissolved)	Through direct observation, RWQCB staff believes that a water quality problem exists because of prior experience with the watershed/water body, but data were unavailable to support a Section 303(d) listing. Additional monitoring is required to confirm the possible extent of impacts to beneficial uses.
San Diego Bay Shoreline, Shelter Island Yacht Basin (was San Diego Bay at Shelter Island Yacht Harbor)	Arsenic	1997-98 State Mussel Watch data showed possible exceedance of the MTRL for inland surface waters (edible portion). Further monitoring is necessary to confirm the possibility that beneficial uses are being impacted.
	Cadmium	1997-98 State Mussel Watch data showed possible exceedance of the MTRL for inland surface waters (edible portion). Further monitoring is necessary to confirm the possibility that beneficial uses are being impacted.
San Diego River (upper and lower) (was San Diego River)	Benthic Community Degradation	1999 Benthic Macroinvertebrate Index indicated possible degraded benthic community. Further research is needed to determine whether beneficial uses are truly impacted.
	Benzene	Area university research paper found benzene and MTBE groundwater contamination impacting the San Diego River. Further study is needed to confirm this possibility.
	Chlordane	1978 to 2000 Toxic Substances Monitoring Program data indicated possible exceedance of MTRLs in fish tissue. Further study is necessary to confirm the possibility that beneficial uses are being significantly impacted.
	Eutrophication	Photographic evidence submitted by a concerned citizen suggest that there is a significant water quality problem due to eutrophication. Further monitoring is necessary to confirm this possibility.
	Exotic Vegetation (Water Hyacinth, Arundo sp., Tamarisk sp.)	Photographic evidence submitted by a concerned citizen suggest that there is a significant water quality problem due to exotic vegetation. Further monitoring is necessary to confirm this possibility.
	Methyl Tertiary-butyl Ether (MTBE)	Area university research paper found MTBE groundwater contamination impacting the San Diego River. Further study is needed to confirm this possibility.
	Trash	Photographic evidence submitted by a concerned citizen suggest that there is a significant water quality problem due to trash. Further monitoring is necessary to confirm this possibility.

<b>Water Body</b>	<b>Pollutant/Stressor</b>	<b>Rationale</b>
<b>San Juan Creek</b>		
	Erosion	RWQCB staff believes that a significant water quality problem exists because of prior experience with, and personal observations in, the watershed/water body, but no data was readily available to support a Section 303(d) listing.
	Incised Channel	RWQCB staff believes that a significant water quality problem exists because of prior experience with, and personal observations in, the watershed/water body, but no data was readily available to support a Section 303(d) listing.
	PCBs	2000 Toxic Substances Monitoring Program data indicated possible exceedance of USEPA Screening Value for Recreational Fishers. Further sampling is needed to confirm whether water quality standards are being significantly impacted.
	Sedimentation/Siltation	RWQCB staff believes that a significant water quality problem exists because of prior experience with, and personal observations in, the watershed/water body, but no data was readily available to support a Section 303(d) listing.
<b>San Luis Rey River</b>		
	Eutrophication	Through direct observation, RWQCB staff believes that a water quality problem exists because of prior experience with the watershed/water body, but data were unavailable to support a Section 303(d) listing. Additional monitoring is required to confirm the possible extent of impacts to beneficial uses.
	Magnesium	Data collected by the City of Oceanside from 1997 to 2000 indicated possible exceedance of the Basin Plan Objective. Additional monitoring is necessary to confirm this possibility.
	Phosphorus	Data collected by the City of Oceanside in 2000 and in 1998 by the Regional Board indicated possible exceedance of the Basin Plan Objective for Biostimulatory Substances. Additional monitoring is necessary to confirm this possibility.
<b>San Marcos Lake</b>		
	Dissolved oxygen	Community-group letter claims that fish kills occur due to low oxygen. However, no data were submitted. Additional study is required to investigate the possibility that beneficial uses are significantly impacted.
<b>San Mateo Creek</b>		
	Introduced (non-native) Amphibian Species: Bullfrogs	These non-native fauna and flora have been identified by the RWQCB staff in the Creek and are expected to negatively impact native populations through direct competition and predation and indirectly through habitat alteration. Additional study is needed to determine if beneficial uses of water are being significantly impacted.
	Introduced (non-native) Fish Species: Black Bullhead, Bluegill, Channel Catfish, Green Sunfish, Largemouth Bass, Mosquito Fish.	These non-native fauna and flora have been identified by the RWQCB staff in the Creek and are expected to negatively impact native populations through direct competition and predation and indirectly through habitat alteration. Additional study is needed to determine if beneficial uses of water are being significantly impacted.
	Introduced (non-native) Invertebrate Species: Non- native Crayfish	These non-native fauna and flora have been identified by the RWQCB staff in the Creek and are expected to negatively impact native populations through direct competition and predation and indirectly through habitat alteration. Additional study is needed to determine if beneficial uses of water are being significantly impacted.
	Introduced (non-native) Plant Species: Saltcedar, Other Exotic Vegetation	These non-native fauna and flora have been identified by the RWQCB staff in the Creek and are expected to negatively impact native populations through direct competition and predation and indirectly through habitat alteration. Additional study is needed to determine if beneficial uses of water are being significantly impacted.
	Total Dissolved Solids	The 'Final Report of Water Quality Studies and Proposed Watershed Monitoring Program for Portions of San Mateo and Santa Margarita River Watershed' produced by LAW-Crandall in 2001 indicates possible exceedance of the Basin Plan Objective. Additional monitoring is necessary to confirm this possibility.

<b>Water Body</b>	<b>Pollutant/Stressor</b>	<b>Rationale</b>
Sandia Creek (was Sandia Canyon)		
	Lead	One-time sampling in 1998 by the Regional Board indicated possible exceedance of the USEPA National Primary Drinking Water Regulations MCL. Additional monitoring is necessary to confirm this possibility.
	Sulfate	Quarterly sampling by Camp Pendleton from 1997 to 2000 indicated possible exceedance of the Basin Plan Objective. Additional monitoring is necessary to confirm this possibility.
Santa Margarita River (entire and tributaries)		
	Sedimentation/Siltation	RWQCB staff believes that a significant water quality problem exists because of prior experience with, and personal observations in, the watershed/water body, but no data was readily available to support a Section 303(d) listing.
Santa Margarita River (Lower)		
	Iron	<p>Quarterly sampling by Camp Pendleton from 1997 to 2000 and one-time sampling by the Regional Board in 1998, indicated possible exceedance of the Basin Plan Objective. Additional monitoring is necessary to confirm this possibility.</p> <p>After reviewing available information from the RWQCB, SWRCB staff concludes that the water body should be placed on the Monitoring Priority List because the data are inadequate to determine if applicable water quality standards are exceeded.</p> <p>This conclusion is based on the staff findings that:</p> <ol style="list-style-type: none"> <li>1. The data is considered to be of inadequate quality.</li> <li>2. The data exhibited insufficient spatial and temporal coverage.</li> <li>3. Non-standard methods were used.</li> </ol> <p>An inadequate amount of the water quality measurements exceeded the water quality standard. The staff confidence that standards were exceeded is low.</p>
	Manganese	<p>Quarterly sampling by Camp Pendleton from 1997 to 2000 and one-time sampling by the Regional Board in 1998, indicated possible exceedance of the Basin Plan Objective. Additional monitoring is necessary to confirm this possibility.</p> <p>After reviewing available information from the RWQCB, SWRCB staff concludes that the water body should be placed on the Monitoring Priority List because the data are inadequate to determine if applicable water quality standards are exceeded.</p> <p>This conclusion is based on the staff findings that:</p> <ol style="list-style-type: none"> <li>1. The data is considered to be of inadequate quality.</li> <li>2. The data exhibited insufficient spatial and temporal coverage.</li> <li>3. Non-standard methods were used.</li> </ol> <p>An inadequate amount of the water quality measurements exceeded the water quality standard. The staff confidence that standards were exceeded is low.</p>

Water Body	Pollutant/Stressor	Rationale
Santa Margarita River (Upper)	Sulfate	<p>Quarterly sampling by Camp Pendleton from 1997 to 2000 indicated possible exceedance of the California Code of Regulations Secondary MCL. Additional monitoring is necessary to confirm this possibility.</p> <p>After reviewing available information from the RWQCB, SWRCB staff concludes that the water body should be placed on the Monitoring Priority List because the data are inadequate to determine if applicable water quality standards are exceeded.</p> <p>This conclusion is based on the staff findings that:</p> <ol style="list-style-type: none"> <li>1. The data is considered to be of inadequate quality.</li> <li>2. The data exhibited insufficient spatial and temporal coverage.</li> <li>3. Non-standard methods were used.</li> </ol> <p>An inadequate amount of the water quality measurements exceeded the water quality standard. The staff confidence that standards were exceeded is low.</p>
	Total Dissolved Solids	<p>Quarterly sampling by Camp Pendleton from 1997 to 2000 and one-time sampling by the Regional Board in 1998, indicated possible exceedance of the Basin Plan Objective. Additional monitoring is necessary to confirm this possibility.</p> <p>After reviewing available information from the RWQCB, SWRCB staff concludes that the water body should be placed on the Monitoring Priority List because the data are inadequate to determine if applicable water quality standards are exceeded.</p> <p>This conclusion is based on the staff findings that:</p> <ol style="list-style-type: none"> <li>1. The data is considered to be of inadequate quality.</li> <li>2. The data exhibited insufficient spatial and temporal coverage.</li> <li>3. Non-standard methods were used.</li> </ol> <p>An inadequate amount of the water quality measurements exceeded the water quality standard. The staff confidence that standards were exceeded is low.</p>
	Iron	<p>Quarterly sampling by Camp Pendleton from 1997 to 2000 indicated possible exceedance of the Basin Plan Objective. Additional monitoring is necessary to confirm this possibility.</p> <p>After reviewing available information from the RWQCB, SWRCB staff concludes that the water body should be placed on the Monitoring Priority List because the data are inadequate to determine if applicable water quality standards are exceeded.</p> <p>This conclusion is based on the staff findings that:</p> <ol style="list-style-type: none"> <li>1. The data is considered to be of inadequate quality.</li> <li>2. The data exhibited insufficient spatial and temporal coverage.</li> <li>3. Non-standard methods were used.</li> </ol> <p>An inadequate amount of the water quality measurements exceeded the water quality standard. The staff confidence that standards were exceeded is low.</p>

Water Body	Pollutant/Stressor	Rationale
	Manganese	<p>Quarterly sampling by Camp Pendleton from 1997 to 2000 indicated possible exceedance of the Basin Plan Objective (Secondary MCL and Table 3.2). Additional monitoring is necessary to confirm this possibility.</p> <p>After reviewing available information from the RWQCB, SWRCB staff concludes that the water body should be placed on the Monitoring Priority List because the data are inadequate to determine if applicable water quality standards are exceeded.</p> <p>This conclusion is based on the staff findings that:</p> <ol style="list-style-type: none"> <li>1. The data is considered to be of inadequate quality.</li> <li>2. The data exhibited insufficient spatial and temporal coverage.</li> <li>3. Non-standard methods were used.</li> </ol> <p>An inadequate amount of the water quality measurements exceeded the water quality standard. The staff confidence that standards were exceeded is low.</p>
	Sulfate	<p>Quarterly sampling by Camp Pendleton from 1997 to 2000 indicated possible exceedance of the California Code of Regulations Secondary MCL. Additional monitoring is necessary to confirm this possibility.</p> <p>After reviewing available information from the RWQCB, SWRCB staff concludes that the water body should be placed on the Monitoring Priority List because the data are inadequate to determine if applicable water quality standards are exceeded.</p> <p>This conclusion is based on the staff findings that:</p> <ol style="list-style-type: none"> <li>1. The data is considered to be of inadequate quality.</li> <li>2. The data exhibited insufficient spatial and temporal coverage.</li> <li>3. Non-standard methods were used.</li> </ol> <p>An inadequate amount of the water quality measurements exceeded the water quality standard. The staff confidence that standards were exceeded is low.</p>
	Total Dissolved Solids	<p>Quarterly sampling by Camp Pendleton from 1997 to 2000 and one-time sampling by the Regional Board in 1998, indicated possible exceedance of the Basin Plan Objective. Additional monitoring is necessary to confirm this possibility.</p> <p>After reviewing available information from the RWQCB, SWRCB staff concludes that the water body should be placed on the Monitoring Priority List because the data are inadequate to determine if applicable water quality standards are exceeded.</p> <p>This conclusion is based on the staff findings that:</p> <ol style="list-style-type: none"> <li>1. The data is considered to be of inadequate quality.</li> <li>2. The data exhibited insufficient spatial and temporal coverage.</li> <li>3. Non-standard methods were used.</li> </ol> <p>An inadequate amount of the water quality measurements exceeded the water quality standard. The staff confidence that standards were exceeded is low.</p>
<b>Santa Maria Creek</b>		
	Bacterial Indicators	<p>Through direct observation, RWQCB staff believes that a water quality problem exists because of prior experience with the watershed/water body, but data were unavailable to support a Section 303(d) listing. Additional monitoring is required to confirm the possible extent of impacts to beneficial uses.</p>
	Exotic Vegetation (Tamarisk sp.)	<p>RWQCB staff believes that a significant water quality problem exists because of prior experience with, and personal observations in, the watershed/water body, but no data was readily available to support a Section 303(d) listing.</p>

<b>Water Body</b>	<b>Pollutant/Stressor</b>	<b>Rationale</b>
<b>Santa Ysabel Creek</b>		
	Exotic Vegetation (Arundo sp. and Tamarisk sp.)	RWQCB staff believes that a significant water quality problem exists because of prior experience with, and personal observations in, the watershed/water body, but no data was readily available to support a Section 303(d) listing.
<b>Scove Creek</b>		
	Bacterial Indicators	Through direct observation, RWQCB staff believes that a water quality problem exists because of prior experience with the watershed/water body, but data were unavailable to support a Section 303(d) listing. Additional monitoring is required to confirm the possible extent of impacts to beneficial uses.
	Incised Channel	RWQCB staff believes that a significant water quality problem exists because of prior experience with, and personal observations in, the watershed/water body, but no data was readily available to support a Section 303(d) listing.
	Nutrients	Through direct observation, RWQCB staff believes that a water quality problem exists because of prior experience with the watershed/water body, but data were unavailable to support a Section 303(d) listing. Additional monitoring is required to confirm the possible extent of impacts to beneficial uses.
<b>Sorrento (Carroll Canyon) Valley Creek</b>		
	Eutrophication	Through direct observation, RWQCB staff believes that a water quality problem exists because of prior experience with the watershed/water body, but data were unavailable to support a Section 303(d) listing. Additional monitoring is required to confirm the possible extent of impacts to beneficial uses.
<b>Sycamore Canyon Creek</b>		
	Eutrophication	Photographic evidence submitted by a concerned citizen suggest that there is a significant water quality problem due to eutrophication. Further monitoring is necessary to confirm this possibility.
	Exotic Vegetation (Arundo donax)	Photographic evidence submitted by a concerned citizen suggest that there is a significant water quality problem due to exotic vegetation. Further monitoring is necessary to confirm this possibility.
	Phosphorus	Sampling conducted by the City of San Diego in 2000 indicates possible exceedance of the Basin Plan Objective for Biostimulatory Substances. Additional monitoring is necessary to confirm this possibility.
	Trash	Photographic evidence submitted by a concerned citizen suggest that there is a significant water quality problem due to trash. Further monitoring is necessary to confirm this possibility.
<b>Tecolote Creek</b>		
	Sedimentation/Siltation	RWQCB staff believes that a significant water quality problem exists because of prior experience with, and personal observations in, the watershed/water body, but no data was readily available to support a Section 303(d) listing.
<b>Tijuana River Estuary</b>		
	Turbidity	Sampling by the TJNERR in 1997 and 1998 indicated possible exceedance of the Basin Plan Objective. Additional monitoring is necessary to confirm this possibility.

# Reference List for Region 9

## **Staff Report**

California Regional Water Quality Control Board. San Diego Region. 2002. Final Draft Clean Water Act Section 303(d) List of Impaired Waters, 2002 Update. February 13, 2002

## **Technical References**

Ad Hoc Workgroup, 1997. 1998 Clean Water Act (CWA) Section 303(d) Listing Guidelines for California. Workgroup Summary Document published August 11, 1997. State Water Resources Control Board.

Federal Register, May 2000. California Toxics Rule. 40CFR Part 131, Federal Register May 18, 2000, pages 3162-31719.

Haile, Robert W., John S. Witte, Mark Gold, Ron Cressey, Charles McGee, Robert C. Millikan, Alice Glasser, Nina Harawa, Carolyn Ervin, Patricia Harmon, Janice Harper, John Dermand, James Alamillo, Kevin Barrett, Mitchell Nides, and Guang-yu Wang, 1999. "The Health Effects of Swimming in Ocean Water Contaminated by Storm Drain Runoff." *Epidemiology* 10:355-363.

Marshack, J. B., 2000. A Compilation of Water Quality Goals, California Environmental Protection Agency, Regional Water Quality Control Board Central Valley Region.

Metcalf and Eddy, 1991. *Wastewater Engineering: Treatment, Disposal and Reuse*, 3rd Edition, McGraw-Hill, Inc., 1334 pages.

SDRWQCB, 1994. Water Quality Control Plan for the San Diego Basin (9), California Regional Water Quality Control Board, San Diego Region.

State of California, 2001. California Code of Regulations, TITLE 17, Section 7958. Bacteriological Standards

State of California, 2001. California Code of Regulations, TITLE 22. Social Security Division 4. Environmental Health Chapter 15. Domestic Water Quality and Monitoring Regulations, Articles 4 and 16.

State of California, 2000. Regulations and Guidance for Beaches. Appendices-- Draft Guidance for Salt- and Fresh Water Beaches, Department of Health Services.

SWRCB, 1968. Resolution Number 68-16 "Statement of Policy with Respect to Maintaining High Quality of Waters in California, State Water Resources Control Board.

SWRCB, 1996. General File 77-0118.02, File:1, 08/95 – 12/96. California Regional Water Quality Control Board, San Diego Region.

SWRCB, 1997. Water Quality Control Plan for Ocean Waters of California, State Water Resources Control Board.

SWRCB, 2000. Toxics Standards for Inland Surface Waters, Enclosed Bays, and Estuaries of California, State Water Resources Control Board.

USEPA, 1997. National Clarifying Guidance For 1998 State and Territory Clean Water Act Section 303(d) Listing Decisions, United States Environmental Protection Agency.





# State Water Resources Control Board

P.O. Box 100, Sacramento, CA 95812-0100 • www.swrcb.ca.gov

Office of Legislative and Public Affairs:  
Office of Legislative Information: (916) 341-5251  
Office of Public Affairs Information: (916) 341-5254

Financial Assistance Information: (916) 341-5700  
Water Quality Information: (916) 341-5455  
Water Rights Information: (916) 341-5300

## California Regional Water Quality Control Boards

**North Coast Region (1)**  
**Executive Director, Susan A. Warner**  
5550 Skylane Blvd., Ste. A  
Santa Rosa, CA 95403  
(707) 576-2220

**San Francisco Bay Region (2)**  
**Executive Director, Loretta K. Barsamian**  
1515 Clay Street, Ste. 1400  
Oakland, CA 94612  
(510) 622-2300

**Central Coast Region (3)**  
**Executive Director, Roger W. Briggs**  
895 Aerovista Place, Suite 101  
San Luis Obispo, CA 93401  
(805) 549-3147

**Los Angeles Region (4)**  
**Executive Director, Dennis A. Dickerson**  
320 W. 4th Street, Ste. 200  
Los Angeles, CA 90013  
(213) 576-6600

**Lahontan Region (6)**  
**Executive Director, Harold J. Singer**  
2501 Lake Tahoe Blvd.  
South Lake Tahoe, CA 96150  
(530) 542-5400

**Victorville Branch Office**  
15428 Civic Drive, Ste. 100  
Victorville, CA 92392-2383  
(760) 241-6583

**Central Valley Region (5)**  
**Executive Director, Tom Pinkos**  
3443 Routier Road, Suite A  
Sacramento, CA 95827-3098  
(916) 255-3000


**Fresno Branch Office**  
1685 E. Street  
Fresno, CA 93706  
(559) 445-5116

**Redding Branch Office**  
415 Knollcrest Drive, Suite 100  
Redding, CA 96002  
(530) 224-4845

**Colorado River Basin Region (7)**  
**Executive Director, Phil Gruenberg**  
73-720 Fred Waring Dr., Ste. 100  
Palm Desert, CA 92260  
(760) 346-7491

**Santa Ana Region (8)**  
**Executive Director, Gerard J. Thibeault**  
California Tower  
3737 Main Street, Ste. 500  
Riverside, CA 92501-3339  
(909) 782-4130

**San Diego Region (9)**  
**Executive Director, John Robertus**  
9174 Skypark Ct., Ste. 100  
San Diego, CA 92124-1324  
(619) 467-2952



**State of California**  
Gray Davis, Governor

**California Environmental  
Protection Agency**  
Winston H. Hickox, Secretary

**State Water Resources Control Board**  
Arthur G. Baggett, Jr., Chair