

Water Temperature Modeling and Fish Assessment for the Sacramento, Feather, and American Rivers

A6.1 HEC-5Q History of Model Development and Application

A6.1.1 HEC-5Q Model Development

HEC-5Q was developed to add water quality calculations to the HEC-5 hydraulic model. The original HEC-5 model was created by Bill S. Eichert at the Hydrologic Engineering Center in 1973 and was originally used to model reservoir system operation for a single flood event. The capabilities of the HEC-5 program were expanded to model historical or synthetic hydrology to determine conservation storage requirements, emergency releases, and flood control storage throughout a reservoir system. It is also used for modeling reservoir releases for hydropower generation and meeting downstream flow or water supply objectives. (USACE 1998, entire ref.).

In 1979, water temperature calculations were added to HEC-5 to create HEC-5Q, allowing for temperature simulation in a single reservoir and the downstream river channel. Between 1979 and 1997, multiple improvements were made to HEC-5Q, including adding multiple conservative and non-conservative water quality constituents; capacity to simulate many reservoirs, river branches, and control points; ability to increase reservoir releases to meet downstream water quality objectives; and selective withdrawal from reservoirs with multiple outlet ports to meet reservoir release water quality targets. While streams are modeled longitudinal in one dimension in HEC-5Q, reservoirs can be modeled in layers and/or longitudinally. (RMA 1998, entire ref.).

A6.1.2 Early Application of HEC-5Q to the Sacramento River System

HEC-5Q has been used to simulate water temperature in the Sacramento River system for decades. Several documents provide descriptions of milestones in the model development process.

U.S. Army Corps of Engineers (USACE) 1986: The Sacramento River system was one of the first systems modeled by HEC-5Q as one of several demonstration applications. This first version of the Sacramento model included the Sacramento River starting at Shasta Reservoir, Feather River starting at Oroville Reservoir, and American River starting at Folsom Reservoir. The HEC-5 model had been developed initially by USACE to simulate Shasta, Oroville, and Folsom operation from a basin-wide perspective. The inflow from the Trinity River and export to the Thermalito complex were represented as a source and a sink, respectively. Water temperature was only one of several water quality parameters modeled. The model was compared to data measured prior to 1980 and produced reasonable results for Sacramento River temperatures between Shasta Reservoir and Hamilton City. Data limitations precluded evaluation of performance for the American and Feather River portions of the model. (USACE 1986).

At the time this model was created, data limitations (STORET data seldom included more than 10 measurements per year) generally precluded rigorous calibration. In contrast, all subsequent model applications for this system utilized detailed vertical lake profiles and sub-daily temperature

time series data. Much of the HEC-5Q input data for this model were hypothetical, and essentially all the inputs were replaced during subsequent projects. Additionally, this was one of the last applications to use a 24-hour time step that severely limited model performance.

Resource Management Associates, Inc. (RMA) 2003: Further refinements for modeling the Trinity River and upper Sacramento River are described in RMA 2003. This effort focused on Shasta Reservoir down to Knights Landing, and Trinity River and Stony Creek inputs to the Sacramento River. There was considerable effort made to accurately simulate water temperatures released through the Shasta temperature control device (TCD) that was completed in 1997; modeling included addition of an algorithm to release target temperature for combined discharges based on TCD gate operations, flood control, and leakage flows. The model was calibrated with measured data from 1998 to 2002 and validated with data from 1990 to 1997 (RMA 2003). California Irrigation Management Information (CIMIS) hourly weather data, primarily from the Gerber station, were processed to provide meteorological inputs compatible with 6-hour computational time steps (RMA 2003). Stream cross-section inputs were developed from hydrodynamic model (RMA2) simulation results (RMA 2003). The meteorological input processing procedures and stream cross sections have remained the same since this project.

A primary goal of the upper Sacramento River modeling work was to use CalSim results for 1921–2002 hydrologic conditions to simulate potential future changes in operation or infrastructure such as raising Shasta Dam or adding north-of-Delta off-stream storage (e.g., Sites Reservoir) (RMA 2003). The 2003 document describes some techniques employed to extend the modeling beyond the calibration/validation period to simulate water temperature for the full set of CalSim output (e.g., RMA 2003).

RMA and Watercourse Engineering 2013: During this model development project, the Feather and American Rivers were added to the Sacramento Basin model (referred to as the *Sacramento River Water Quality Model* [SRWQM]) along with the Sutter Bypass. The Feather River model included Lake Oroville and the three Thermalito complex reservoirs. The American River model included Folsom Lake and Lake Natoma. The selective withdrawal capability of the Oroville Dam power intake and the Folsom Dam TCD were simulated by reservoir specific coding. To combine all river components, the Sacramento River was extended from Knights Landing to Freeport and Sutter Bypass was added. River cross sections were based on available HEC-RAS models. Meteorological data for the Feather and American Rivers were based primarily on the Nicolaus CIMIS data. The Feather and American River components were calibrated to measured water temperature data through 2011. (RMA and Watercourse Engineering 2013.)

U.S. Bureau of Reclamation (Reclamation) 2015: HEC-5Q went through an update for the 2015 Coordinated Long-Term Operation of the Central Valley Project and State Water Project (Reclamation 2015). This version utilized components of the 2013 model without the Feather River or the Sacramento River downstream of Knights Landing. There were four main tasks, which included organizing all prior work to create a base version of the model, adjusting the Trinity-Sacramento and American River models to better match measured data, improving mapping between CALSIM II and HEC-5Q input flows, and refining reservoir-release withdrawal logic and/or temperature targets at Trinity, Shasta, and Folsom Dams (Reclamation 2015).

2015–2020. Between 2015 and 2020, additional model adjustments occurred as a result of calibration runs performed for work with Jacobs and preparation for a training session sponsored by the Water Boards in 2017 (Smith 2017). This work included extension of the meteorology and hydrology for the Sacramento and American River systems through 2017 and evaluation of model performance.

A6.2 Model Performance

This section presents the performance of the versions of the models used for evaluation of the proposed Plan amendments. It first describes the model adjustments and inputs leading up to the current performance evaluation and then presents the results of the evaluation.

A6.2.1 Model Adjustments Prior to Performance Evaluation

The performance of the HEC-5Q models of the Sacramento, Feather, and American Rivers has been evaluated periodically during the course of model development by comparing simulated temperatures to measured temperatures. To improve model performance, various adjustments have been made to the model. Some typical adjustments include scaling of meteorological data to individual reservoirs and stream reaches, adjustments to vertical dispersion coefficients in reservoirs, and adjustments to seasonal variations in inflow temperatures and their relationships to meteorology.

In preparation for water temperature modeling for the proposed Plan amendments, further adjustments were made to the HEC-5Q model of the Feather and American Rivers. These most recent adjustments include refinements to the Oroville power bypass algorithm and reservoir release temperature targets, which are discussed below in Section A6.2.2, *Model Inputs for Performance Evaluation*. Current model input procedures and the function of the Trinity, Folsom, and Oroville Dam withdrawal algorithms are summarized in Smith (2022). The withdrawal algorithm for Shasta Dam is described in RMA (2003).

A6.2.2 Model Inputs for Performance Evaluation

A6.2.2.1 Hydrology for Performance Evaluation

The channel geometry/flow relationships have not changed since the original model development. The channel data were based on hydrodynamic model output (RMA2 and HEC-RAS) and field observations. The RMA2 hydrodynamic model was the basis for the Sacramento River geometry. The Clear Creek and Trinity River geometry was based on field investigation and aerial photograph reconnaissance, and the Feather and American River geometry was developed from detailed HEC-RAS cross sections.

The reservoir geometry has remained the same other than minor changes to the reservoir outlet specifications. In general, inflows, accretions, and depletions are based on direct measurement, mainstem river gage differences, and reservoir inflows by mass balance.

A6.2.2.2 Meteorology for Performance Evaluation

Hourly air temperature, relative humidity, solar radiation, and wind speed affect water temperature (Edinger et al. 1974). Data for these meteorological parameters are processed to develop the HEC-5Q model inputs. Meteorological inputs starting in 1985 were based on hourly data from the Gerber CIMIS station to represent the northern Sacramento Valley and the Nicolaus CIMIS station to represent the Feather and American River systems. However, CIMIS stations have changed over time and, as a result, stations used to provide model inputs vary with the year being simulated. The modeling uses data from two CIMIS station locations at Gerber (due to station relocation), Nicolaus, Shasta College (to provide a better representation of temperatures near Lake Shasta), and Verona and Fair Oaks (to replace the Nicolaus station when it was discontinued). Furthermore, if CIMIS data are missing for one station, data from nearby stations are used, including values from the Durham and Colusa stations (RMA and Watercourse Engineering 2013). To avoid effects on model

performance for years simulated with older CIMIS station data, the values used for the meteorological record for each of the models are established using a weighted average approach for all the stations that heavily weights data from the original stations, resulting in little change in the older values. The CIMIS data are used to calculate 6-hour water temperature equilibrium temperatures and exchange rates for input to the HEC-5Q models.

A6.2.2.3 Boundary Temperatures for Performance Evaluation

Inflow temperatures for Oroville and Folsom Reservoirs were estimated with a combination of a yearly repeating seasonal pattern and equilibrium temperatures based on meteorological data. When inflow is high, inflow temperatures tend to follow a seasonal pattern that often reflects snowmelt conditions. When inflow is low, temperature is more affected by heat exchange based on the difference between the seasonal temperature and equilibrium temperature, where the equilibrium temperature is calculated with a site-specific adjustment to the equilibrium value calculated with the CIMIS meteorological data for the watershed. To mimic this mixture of seasonal and meteorological effects, estimated inflow temperatures were influenced more by the seasonal pattern at high flows and more influenced by meteorological-driven equilibrium temperatures at lower flows, with intermediate values at intermediate flows. Because more data are available for inflow temperatures for Lake Shasta, its inflow temperatures were calculated as a flow-weighted average of observed temperatures and flows. Temperature of accretions (including small streams) are set to match stream temperatures, so have no effect on simulated temperatures.

The Feather and American River model domain includes the Sacramento River between the Feather River and Freeport (downstream of the American River). To simulate temperatures for this section of the Sacramento River, the Feather and American River model requires input for Sacramento River temperatures upstream of the Feather River near Knights Landing. At this location far downstream of Lake Shasta, water temperatures approach equilibrium values and are therefore largely controlled by meteorological conditions. For the model performance evaluation, these inflow temperatures were set equal to the Knights Landing temperature results from the Sacramento River HEC-5Q model of baseline conditions, which has results extending through September 2015. Use of the modeled baseline temperatures for Knights Landing provides a more complete record than measured values. After September 2015, the Sacramento River inflow temperatures for the Feather and American River model were based on measured temperatures.

A6.2.2.4 Reservoir Release Target Temperatures for Performance Evaluation


The water temperature models mimic selective withdrawal from the various elevations within the reservoirs that are available based on infrastructure. The models are able to blend water from available elevations to release water with temperatures close to specified target temperatures. As long as sufficiently cold (or warm) water is accessible in the reservoir, the target temperatures can be met approximately.

For the purpose of evaluating model performance and for modeling the proposed Plan amendment scenarios, temperature targets were based on algorithms. These algorithms represent an approximation of current operations. Model performance below the reservoirs is better if the target temperatures are based on measured temperatures, but model performance presented here uses the same temperature target approach used for the modeling of the flow scenarios. As such, the model accuracy represents the uncertainty in the flow scenario results that could result from discrepancies between actual target temperatures and those derived from the algorithms. Actual target temperatures may differ from the target temperatures estimated by the algorithms described here for multiple reasons. For example, protocols have changed through time, real-time targets for Folsom and Shasta are developed through more detailed modeling informed by current conditions,

and Oroville releases are managed through real-time adjustments in releases if downstream temperature objectives are not met. The algorithms described here are used for planning purposes in order to simulate temperatures through a full set of planning model results (Sacramento Water Allocation Model [SacWAM] results in this case).

Algorithm for Shasta Dam Target Temperatures

Shasta Dam target temperatures were set by using a four-tier algorithm based on end-of-May storage in Lake Shasta. The lower tiers are associated with lower end-of-May storage and higher temperature targets starting as early as May 10 (Figure A6-1). This methodology has been used by Reclamation for past planning studies using CalSim results.




°F = degrees Fahrenheit
 TAF = thousand acre-feet

Figure A6-1. Lake Shasta Target Temperatures Based on End-of-May Storage

Algorithm for Oroville Dam Target Temperatures

Oroville releases are managed to meet the 1983 agreement between the California Department of Water Resources (DWR) and the California Department of Fish and Wildlife (CDFW) (then California Department of Fish and Game) (Reclamation 2019) for hatchery temperatures and the *Biological Opinion on the Long-Term Central Valley Project and State Water Project Operations Criteria and Plan* for Robinson Riffle temperatures in the low-flow channel (NMFS 2004). Temperatures are attained through a mixture of reducing hydropower peaking operations, pulling shutters, increasing flow, and using the river-outlet (which bypasses the hydropower facility). Adjustments are made based on the temperature response at the hatchery or Robinson Riffle. Figure A6-2 (reproduced from DWR 2022) shows the temperature objectives used to guide releases from Oroville Reservoir, along with actions and temperature results for 2022. The hatchery objective has a buffer of +/- 4 degrees Fahrenheit (°F) for much of the year, with temperatures generally maintained well below the upper limit of the buffer. During June 1–September 30,

maintenance of hatchery temperatures at or below the objective line allows for warming between the hatchery and Robinson Riffle without exceeding the Robinson Riffle objective.



Source: DWR 2022.

°F = degrees Fahrenheit
 cfs = cubic feet per second

Figure A6-2. Feather River Hatchery and Robinson Riffle Temperature Operations in 2022

For the temperature simulations, the Oroville Dam temperature targets were established by adjusting the hatchery objectives to account for the warming (or cooling) that may occur between the dam and the hatchery. This approach lowers the target during summer to account for more rapid heating and increases the target during winter. The target temperature is computed as the temperature objective at the hatchery intake adjusted based on the daily averaged equilibrium temperature (calculated from meteorological input) as follows:

$$\text{Targ} = \text{Th} + (\text{Tk} - \text{Te}) * \text{Tf}$$

Where:

- Targ = Oroville outflow target (°F)
- Th = Hatchery Intake objective (°F)
- Tk = constant (55 °F)
- Te = Equilibrium Temperature (°F)
- Tf = Scaling factor (0.13)

Algorithm for Folsom Dam Target Temperatures

Releases from Folsom Reservoir are actively managed based on current conditions and iterative model runs to determine how to most closely meet objectives of the modified flow management standard (PCWA 2017). This is a complex process and difficult to implement in simulations that span many years for planning purposes. As a result, planning analyses have used reservoir-release temperature targets that are based on end-of-May storage plus June–September inflow (Table A6-1). These targets were developed for planning based on CalSim results and are described in the Biological Assessment for the California WaterFix (DWR 2016, Appendix 5.C, Table 5.C-4). These same target temperatures were used for the flow scenarios but based on SacWAM results.

Table A6-1. Temperature Target (°F) for Folsom Dam

Folsom End-of-May Storage plus June–September Inflow (TAF)	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
<=600	52	52	52	59	66.8	66.0	66.0	63.0	67.5	68.0	60.5	56
700	52	52	52	59	65.9	65.2	66.2	63.3	66.7	68.1	60.6	56
750	52	52	52	59	66.3	65.6	65.6	62.9	67.0	67.3	59.7	56
850	52	52	52	59	65.6	65.0	66.0	63.5	66.3	67.5	59.8	56
900	52	52	52	59	65.8	65.2	65.2	62.8	66.4	66.6	58.8	56
950	52	52	52	59	65.0	64.4	65.4	63.1	65.6	66.7	58.9	56
1,050	52	52	52	59	65.2	64.6	64.6	62.4	65.7	65.8	57.9	56
1,100	52	52	52	59	64.3	63.8	64.8	62.7	64.9	65.9	58.0	56
1,200	52	52	52	59	64.5	64.0	64.0	62.0	65.0	63.0	58.0	56
1,250	52	52	52	59	63.7	63.2	64.2	62.3	64.2	63.1	58.1	56
1,350	52	52	52	59	63.7	63.2	63.2	61.3	64.2	63.1	58.1	56
1,400	52	52	52	59	62.9	62.4	63.4	61.6	63.3	63.2	58.1	56
1,500	52	52	52	59	62.9	62.4	62.4	60.6	63.3	63.2	58.1	56
1,550	52	52	52	59	61.9	61.4	62.4	60.6	62.3	63.2	58.1	56
1,650	52	52	52	59	62.0	61.6	61.6	59.9	62.5	58.3	57.2	56
1,700	52	52	52	59	61.0	60.6	61.6	59.9	61.5	58.3	57.2	56
1,800	52	52	52	59	61.0	60.6	60.6	58.9	61.5	58.3	57.2	56
1,850	52	52	52	59	60.0	59.6	60.6	58.9	60.5	58.3	57.2	56
1,950	52	52	52	59	60.0	59.6	59.6	57.9	60.5	58.3	56.2	56
2,000	52	52	52	59	59.0	58.6	59.6	57.9	59.5	57.3	56.2	56
2,100	52	52	52	59	59.0	58.6	58.6	56.9	59.5	56.3	55.2	56
2,150	52	52	52	59	58.0	57.6	58.6	56.9	58.5	55.3	55.2	56

Source: WaterFix Biological Assessment 2016, Appendix 5c, Table 5.C-4.

°F = degrees Fahrenheit

TAF = thousand acre-feet

Temperatures in Folsom Reservoir are also affected by the operations of the TCD for the Folsom water supply intake. Note that for Folsom Lake, the term “TCD” often refers to this structure, which has been a source of confusion in the past. Generally, relatively warm water of about 63–65 °F is

withdrawn for water supply, which helps maintain cold water supply in the reservoir. The Folsom water supply intake is modeled with a temperature target of 64.4 °F (18 degrees Celsius), a minimum submergence constraint of 15 feet, and an operating elevation range of 320–460 feet.

A6.2.2.5 Power Bypass at Oroville Dam for Performance Evaluation

Power bypass operations at Oroville Dam were included in the simulations. Releasing this water may sometimes provide colder water to the river but would reduce flow through the Oroville Dam hydropower facility. Power bypass flows usually represent only a portion of the total water released from the reservoir. Oroville power bypass is modeled to start contributing to outflow when Oroville storage is less than 1.19 million acre-feet (MAF). This threshold was chosen based on the changes in measured release temperatures that occur when storage drops to about this level. Power bypass at Oroville Dam was not included in prior versions of the Feather River model. Inclusion of Oroville Bypass generally improves model performance when Oroville storage is low.

A6.2.3 Results

Tables A6-2 through A6-22 summarize model ability to match measured temperatures for the Sacramento, Feather, and American Rivers. These tables represent comparisons between measured and modeled temperatures for each 6-hour time increment with corresponding measured data. All stations except the Sacramento River at Anderson have from 9 to 19 years of temperature measurements starting after 2001. For these temperatures to match precisely, the model must not only be accurately capturing the daily energy balance but also matching the timing of the temperature fluctuations.

Generally, average monthly model bias is less than 2 °F, with a few exceptions. Temperatures immediately below Oroville and Folsom Dam may not perform as well as temperatures farther downstream due to fluctuations in flow for hydropower peaking, making it difficult to accurately calculate flow-weighted average temperatures (Tables A6-10 and A6-16). The most persistent bias occurs in temperatures for the Thermalito Afterbay river outlet, where modeled monthly average temperatures are more than 3 °F warmer than the measured temperatures during December through April. However, there is good agreement between the modeled and observed temperatures at this location during the warmer months (Table A6-14). Furthermore, Feather River temperatures downstream of the Thermalito outlet at Gridley match the measured data well, with all monthly bias values less than 1.5 °F (Table A6-15).

Table A6-2. Model Performance for Temperatures in the Sacramento River below Shasta Dam (°F)

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Total number of points	1,828	1,681	1,832	1,764	1,819	1,770	1,828	1,788	1,774	1,825	1,675	1,662
Mean absolute error	1.1	0.8	1.2	1.9	2.1	1.2	1.9	1.9	2.0	1.7	1.0	1.9
Root mean square error	1.5	1.2	1.8	2.5	2.8	1.8	2.4	2.5	2.7	2.2	1.4	2.4
Average observed	49.4	48.0	48.1	49.1	49.8	50.1	50.5	50.7	51.8	54.1	54.9	52.5
Average modeled	50.0	48.2	48.8	50.8	50.5	49.9	49.6	49.0	50.2	53.1	55.0	54.3
Bias (modeled - observed)	0.6	0.2	0.7	1.6	0.7	-0.2	-1.0	-1.7	-1.6	-1.0	0.0	1.8

°F = degrees Fahrenheit

Table A6-3. Model Performance for Temperatures in the Sacramento River below Keswick Dam (°F)

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Total number of points	1,849	1,647	1,810	1,778	1,839	1,728	1,760	1,821	1,776	1,832	1,680	1,732
Mean absolute error	1.4	1.3	1.4	2.0	2.0	1.2	1.3	1.1	1.2	1.2	1.1	2.1
Root mean square error	1.8	1.7	1.9	2.6	2.7	1.6	1.6	1.4	1.5	1.6	1.4	2.5
Average observed	49.1	48.0	48.8	50.3	51.1	51.5	52.2	52.6	53.2	54.3	54.5	51.8
Average modeled	50.1	48.9	49.9	52.2	52.2	52.0	52.2	52.0	53.0	54.5	55.1	53.8
Bias (modeled - observed)	1.1	0.9	1.1	1.9	1.1	0.4	-0.1	-0.5	-0.2	0.2	0.6	2.0

°F = degrees Fahrenheit

Table A6-4. Model Performance for Temperatures in the Sacramento River above Clear Creek (°F)

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Total number of points	1,852	1,680	1,857	1,795	1,853	1,767	1,852	1,858	1,790	1,857	1,710	1,725
Mean absolute error	1.4	1.2	1.5	2.0	2.1	1.3	1.3	1.3	1.4	1.3	1.2	2.1
Root mean square error	1.8	1.6	1.9	2.6	2.6	1.7	1.7	1.7	1.8	1.7	1.5	2.5
Average observed	49.2	48.7	49.7	51.5	52.3	52.7	53.4	53.8	54.3	55.0	54.4	51.5
Average modeled	50.1	49.3	50.6	53.0	53.0	52.9	53.1	53.0	53.8	54.9	55.1	53.5
Bias (modeled - observed)	1.0	0.6	0.9	1.4	0.8	0.2	-0.2	-0.8	-0.5	0.0	0.7	2.0

°F = degrees Fahrenheit

Table A6-5. Model Performance for Temperatures in the Sacramento River near Anderson (°F)

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Total number of points	179	212	236	223	232	240	248	248	240	231	155	124
Mean absolute error	1.3	1.8	1.9	2.0	2.0	2.0	1.6	2.2	2.2	1.7	1.4	1.4
Root mean square error	1.6	2.2	2.3	2.4	2.6	2.5	2.0	2.7	2.6	2.1	1.7	2.0
Average observed	50.6	51.4	52.7	55.1	56.3	56.8	56.1	56.1	55.6	55.7	55.5	52.5
Average modeled	49.8	50.4	51.4	54.7	55.1	55.5	55.9	54.0	53.5	54.7	56.4	53.7
Bias (modeled - observed)	-0.8	-1.0	-1.3	-0.4	-1.2	-1.3	-0.2	-2.1	-2.1	-1.1	0.9	1.2

°F = degrees Fahrenheit

Table A6-6. Model Performance for Temperatures in the Sacramento River at Balls Ferry Bridge (°F)

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Total number of points	1,575	1,495	1,759	1,788	1,855	1,791	1,851	1,853	1,789	1,803	1,578	1,514
Mean absolute error	1.6	1.2	1.4	1.8	2.2	1.9	1.8	1.7	1.8	1.4	1.2	1.8
Root mean square error	1.9	1.5	1.8	2.2	2.7	2.3	2.2	2.1	2.1	1.7	1.5	2.3
Average observed	48.4	48.8	50.8	53.2	54.2	54.6	55.0	55.3	55.6	55.5	53.8	50.1
Average modeled	48.7	48.8	50.7	53.9	54.7	55.0	55.1	55.0	55.5	55.5	54.2	51.3
Bias (modeled - observed)	0.4	0.0	-0.1	0.6	0.5	0.4	0.1	-0.3	-0.1	0.0	0.4	1.2

°F = degrees Fahrenheit

Table A6-7. Model Performance for Temperatures in the Sacramento River at Jellys Ferry (°F)

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Total number of points	1,827	1,678	1,858	1,771	1,856	1,788	1,829	1,826	1,751	1,856	1,709	1,723
Mean absolute error	1.4	1.2	1.3	1.6	2.1	2.1	2.1	2.0	1.8	1.3	1.0	1.8
Root mean square error	1.7	1.5	1.6	2.0	2.5	2.4	2.5	2.2	2.1	1.6	1.3	2.3
Average observed	48.2	49.0	51.5	54.3	55.7	56.1	56.3	56.5	56.6	56.1	53.9	49.9
Average modeled	48.2	48.8	51.1	54.6	55.9	56.5	56.6	56.5	56.7	56.1	54.0	50.0
Bias (modeled - observed)	0.0	-0.2	-0.3	0.2	0.2	0.4	0.3	0.0	0.1	0.0	0.1	0.1

°F = degrees Fahrenheit

Table A6-8. Model Performance for Temperatures in the Sacramento River at Bend Bridge (°F)

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Total Number of Points	1,826	1,680	1,795	1,778	1,801	1,769	1,848	1,847	1,783	1,839	1,677	1,701
Mean absolute error	1.4	1.1	1.1	1.4	1.9	2.1	2.1	1.9	1.6	1.2	0.9	1.8
Root mean square error	1.7	1.4	1.4	1.8	2.3	2.4	2.5	2.2	2.0	1.4	1.2	2.3
Average observed	48.1	49.1	51.7	54.7	56.2	56.6	56.9	57.0	57.1	56.2	53.8	49.8
Average modeled	48.2	48.9	51.5	55.0	56.4	57.1	57.3	57.1	57.3	56.3	54.0	49.9
Bias (modeled - observed)	0.1	-0.2	-0.3	0.3	0.2	0.5	0.3	0.1	0.2	0.1	0.2	0.2

°F = degrees Fahrenheit

Table A6-9. Model Performance for Temperatures in the Sacramento River at Site of Red Bluff Diversion Dam (°F)

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Total number of points	1,850	1,695	1,853	1,777	1,835	1,796	1,850	1,855	1,794	1,851	1,681	1,734
Mean absolute error	1.4	1.1	1.1	1.2	1.4	1.3	1.4	1.1	1.1	1.0	0.9	1.8
Root mean square error	1.7	1.4	1.4	1.5	1.8	1.6	1.7	1.4	1.4	1.3	1.1	2.3
Average observed	48.1	49.4	52.3	55.7	57.5	58.4	58.7	58.8	58.5	56.9	53.9	49.5
Average modeled	48.2	49.1	51.9	55.6	57.2	58.1	58.3	58.2	58.1	56.7	54.1	49.8
Bias (modeled - observed)	0.2	-0.3	-0.5	-0.1	-0.3	-0.3	-0.4	-0.6	-0.4	-0.2	0.2	0.3

°F = degrees Fahrenheit

Table A6-10. Model Performance for Temperatures in the Feather River below Oroville Dam (°F)

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Total number of points	1,116	1,016	1,116	1,080	1,116	1,080	1,116	1,116	1,080	1,116	1,080	1,116
Mean absolute error	1.2	1.7	3.5	1.9	2.2	2.0	2.3	2.6	2.9	2.0	1.6	3.4
Root mean square error	1.7	2.4	4.5	2.2	2.8	2.5	3.0	3.3	3.6	2.6	2.0	4.3
Average observed	46.7	45.9	46.5	48.9	51.7	55.3	56.1	56.4	52.3	51.9	52.3	49.8
Average modeled	47.1	47.0	49.8	50.1	51.4	55.7	57.3	57.1	50.8	51.4	52.3	53.1
Bias (modeled - observed)	0.3	1.1	3.3	1.1	-0.3	0.4	1.3	0.7	-1.5	-0.4	0.0	3.3

°F = degrees Fahrenheit

Table A6-11. Model Performance for Temperatures in the Feather River near the Diversion Pool Outlet to the Thermalito Power Canal (°F)

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Total number of points	1,115	1,016	1,116	1,080	1,116	1,080	1,116	1,116	1,080	1,116	1,080	1,050
Mean absolute error	1.4	1.9	4.2	2.9	2.3	1.6	1.5	1.6	2.6	2.8	2.0	2.6
Root mean square error	1.7	2.3	4.9	4.4	3.2	1.9	1.9	2.1	3.2	4.9	3.2	3.3
Average observed	47.4	47.4	49.6	52.3	53.7	57.2	58.1	58.5	54.5	54.8	54.1	50.7
Average modeled	47.7	48.2	51.6	52.4	53.0	56.9	58.4	58.2	52.3	52.5	52.7	53.1
Bias (modeled - observed)	0.3	0.8	2.0	0.2	-0.7	-0.3	0.3	-0.3	-2.2	-2.3	-1.4	2.4

°F = degrees Fahrenheit

Table A6-12. Model Performance for Temperatures in the Feather River below the Fish Barrier Dam (°F)

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Total number of points	991	904	992	960	992	960	992	992	960	992	960	910
Mean absolute error	2.2	2.6	4.2	2.3	2.1	1.7	2.1	1.8	1.9	1.3	1.2	3.7
Root mean square error	2.4	3.0	4.7	2.8	2.6	2.1	2.5	2.2	2.4	1.6	1.4	4.2
Average observed	45.5	45.3	46.9	49.9	52.6	56.6	57.7	57.8	53.1	52.1	51.7	48.6
Average modeled	47.2	47.6	50.9	51.8	53.0	57.2	58.7	58.6	52.7	52.5	52.4	52.3
Bias (modeled - observed)	1.7	2.3	4.1	1.9	0.5	0.6	1.1	0.8	-0.5	0.4	0.7	3.7

°F = degrees Fahrenheit

Table A6-13. Model Performance for Temperatures in the Feather River at Robinson Riffle (°F)

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Total number of points	2,232	2,139	2,356	2,280	2,356	2,280	2,356	2,356	2,280	2,356	2,280	2,352
Mean absolute error	1.9	2.0	2.5	2.9	3.7	4.1	4.4	4.2	3.9	3.1	2.1	1.9
Root mean square error	2.3	2.4	3.1	3.5	4.5	5.0	5.3	5.2	4.7	3.8	2.7	2.4
Average observed	48.0	48.4	50.4	53.5	56.3	60.0	61.8	61.1	56.7	54.5	52.6	49.9
Average modeled	46.9	47.8	51.3	53.4	55.6	59.7	61.8	61.1	55.7	53.3	51.6	50.6
Bias (modeled - observed)	-1.0	-0.6	0.9	-0.1	-0.7	-0.3	0.0	0.0	-1.0	-1.3	-1.0	0.6

°F = degrees Fahrenheit

Table A6-14. Model Performance for Temperatures in the Thermalito Afterbay River Outlet (°F)

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Total number of points	1,062	904	992	960	992	960	992	992	960	992	960	992
Mean absolute error	3.3	3.9	5.7	5.7	3.1	2.1	1.6	1.5	1.8	1.5	2.1	4.8
Root mean square error	3.7	4.3	6.2	6.9	4.2	2.9	2.1	1.8	2.4	1.9	2.6	5.0
Average observed	45.7	48.7	52.9	56.1	61.3	65.4	65.4	64.9	61.8	57.7	52.3	47.2
Average modeled	49.0	52.5	58.6	61.7	63.4	65.7	65.9	65.8	62.6	58.8	54.3	52.0
Bias (modeled - observed)	3.2	3.9	5.7	5.6	2.1	0.3	0.5	1.0	0.8	1.1	2.0	4.8

°F = degrees Fahrenheit

Table A6-15. Model Performance for Temperatures in the Feather River at Gridley (°F)

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Total number of points	992	900	1,099	1,185	1,305	1,220	1,240	1,240	1,098	1,116	1,080	1,112
Mean absolute error	1.8	1.8	2.3	2.2	2.5	2.6	2.3	2.1	2.1	1.7	1.4	1.9
Root mean square error	2.1	2.2	2.9	2.8	3.0	3.2	2.7	2.7	2.6	2.0	1.7	2.5
Average observed	49.1	50.4	53.1	56.5	61.1	65.4	66.8	65.3	61.4	58.3	53.7	50.2
Average modeled	47.9	50.1	54.2	57.3	60.8	65.1	66.4	65.3	61.2	57.6	53.4	51.5
Bias (modeled - observed)	-1.1	-0.2	1.2	0.9	-0.3	-0.3	-0.4	0.0	-0.2	-0.7	-0.2	1.3

°F = degrees Fahrenheit

Table A6-16. Model Performance for Temperatures in the American River below Folsom Dam (°F)

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Total number of points	1,852	1,673	1,834	1,782	1,977	1,957	1,969	2,045	1,872	1,970	1,978	2,066
Mean absolute error	1.6	1.1	1.1	1.7	2.1	2.8	3.1	2.9	2.7	3.8	2.2	3.1
Root mean square error	2.0	1.4	1.5	2.0	2.4	3.1	3.3	3.6	3.4	4.4	2.9	3.9
Average observed	47.8	47.7	49.3	51.9	54.2	57.1	60.1	61.5	62.4	62.4	57.3	52.2
Average modeled	48.4	48.1	49.2	50.7	52.7	54.9	58.5	62.6	63.7	60.0	57.4	54.5
Bias (modeled - observed)	0.6	0.4	-0.2	-1.2	-1.4	-2.2	-1.6	1.1	1.2	-2.4	0.0	2.3

°F = degrees Fahrenheit

Table A6-17. Model Performance for Temperatures in the American River at Hazel Avenue (°F)

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Total number of points	2,232	2,032	2,232	2,160	2,232	2,163	2,356	2,356	2,280	2,356	2,280	2,352
Mean absolute error	1.6	1.0	1.1	1.7	2.1	2.7	2.9	3.0	3.0	3.5	2.0	2.7
Root mean square error	1.9	1.4	1.4	1.9	2.4	3.1	3.7	4.4	4.4	4.4	3.0	3.5
Average observed	48.5	48.5	50.6	53.3	55.8	58.4	61.2	62.6	62.9	62.2	57.4	52.2
Average modeled	48.3	48.4	50.2	52.4	54.7	56.8	60.4	64.2	65.0	60.9	57.2	53.9
Bias (modeled - observed)	-0.2	-0.1	-0.4	-0.9	-1.1	-1.6	-0.8	1.6	2.2	-1.3	-0.2	1.7

°F = degrees Fahrenheit

Table A6-18. Model Performance for Temperatures in the American River at Fair Oaks (°F)

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Total number of points	2,232	2,139	2,356	2,280	2,356	2,280	2,356	2,356	2,280	2,356	2,280	2,352
Mean absolute error	1.6	1.2	1.3	1.7	1.9	2.2	2.4	2.4	2.4	3.0	1.6	2.5
Root mean square error	2.0	1.6	1.7	2.1	2.4	2.5	2.7	3.0	2.8	3.5	2.0	3.2
Average observed	48.5	48.6	51.0	53.9	56.5	59.1	62.3	63.7	64.1	63.1	58.1	52.4
Average modeled	48.4	48.7	50.8	53.1	55.5	57.7	61.1	64.8	65.5	61.2	57.3	53.9
Bias (modeled - observed)	-0.1	0.1	-0.2	-0.8	-1.0	-1.5	-1.2	1.1	1.4	-1.9	-0.8	1.5

°F = degrees Fahrenheit

Table A6-19. Model Performance for Temperatures in the American River at William Pond Park (°F)

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Total number of points	2,232	2,139	2,356	2,280	2,356	2,280	2,356	2,356	2,280	2,356	2,280	2,352
Mean absolute error	1.7	1.5	1.9	2.4	2.7	2.9	3.0	2.9	2.8	3.1	1.7	2.4
Root mean square error	2.0	1.8	2.2	2.9	3.3	3.6	3.7	3.6	3.4	3.7	2.1	3.1
Average observed	48.6	49.1	51.9	55.2	58.3	61.0	64.1	65.6	65.6	63.8	58.0	52.2
Average modeled	48.7	49.3	51.7	54.3	57.0	59.1	62.5	66.0	66.5	61.8	57.4	53.8
Bias (modeled - observed)	0.0	0.1	-0.2	-0.9	-1.3	-1.8	-1.6	0.4	0.9	-2.0	-0.6	1.6

°F = degrees Fahrenheit

Table A6-20. Model Performance for Temperatures in the American River at Watt Avenue (°F)

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Total number of points	2,232	2,139	2,356	2,280	2,356	2,280	2,356	2,356	2,280	2,356	2,280	2,352
Mean absolute error	1.6	1.4	1.6	2.0	2.3	2.5	2.7	3.0	2.9	2.3	1.4	2.4
Root mean square error	1.9	1.8	2.0	2.5	2.7	3.0	3.3	3.6	3.5	2.9	1.8	3.1
Average observed	48.7	49.5	52.5	56.0	59.3	61.9	65.0	66.4	66.1	63.8	57.6	51.8
Average modeled	49.1	50.2	53.2	56.2	59.2	61.4	64.7	67.9	68.1	62.8	57.7	53.7
Bias (modeled - observed)	0.4	0.7	0.7	0.1	-0.1	-0.5	-0.3	1.5	2.0	-0.9	0.1	1.9

°F = degrees Fahrenheit

Table A6-21. Model Performance for Temperatures in the Sacramento River at Verona (°F)

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Total number of points	1,364	1,304	1,481	1,440	1,472	1,436	1,488	1,488	1,427	1,470	1,387	1,484
Mean absolute error	1.1	1.3	1.2	1.4	1.7	1.9	1.8	1.8	1.7	1.3	1.2	1.6
Root mean square error	1.4	1.7	1.5	1.8	2.2	2.4	2.3	2.3	2.2	1.6	1.9	2.0
Average observed	48.6	51.4	55.1	59.7	64.8	69.9	71.5	70.4	67.6	61.7	54.8	49.2
Average modeled	48.3	50.8	54.6	60.2	65.5	70.0	72.3	71.3	68.5	62.1	55.6	49.2
Bias (modeled - observed)	-0.2	-0.6	-0.5	0.5	0.7	0.1	0.8	0.9	0.8	0.4	0.8	0.0

°F = degrees Fahrenheit

Table A6-22. Model Performance for Temperatures in the Sacramento River at Freeport (°F)

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Total number of points	1,116	1,122	1,116	1,093	1,240	1,200	1,240	1,240	1,196	1,116	1,080	1,116
Mean absolute error	1.5	1.1	0.8	1.3	1.4	1.7	1.7	1.8	1.6	1.3	1.6	1.2
Root mean square error	1.9	1.3	1.0	1.7	1.7	2.1	2.1	2.2	1.9	1.7	3.0	1.5
Average observed	48.6	50.8	55.6	59.6	65.6	69.3	71.4	71.3	68.8	63.3	57.2	49.6
Average modeled	47.8	50.5	55.4	60.2	66.2	69.8	72.5	72.7	69.9	63.2	56.4	50.4
Bias (modeled - observed)	-0.8	-0.3	-0.2	0.6	0.6	0.4	1.1	1.4	1.2	-0.1	-0.8	0.8

°F = degrees Fahrenheit

A6.3 Temperature Modeling for the Baseline and Flow Scenarios

A6.3.1 Model Inputs for Baseline and Flow Scenarios

A6.3.1.1 Hydrology for Baseline and Flow Scenarios

Channel geometry/flow relationships and reservoir geometry were the same in the flow scenarios as described above for the performance evaluation.

SacWAM results were used to provide hydrologic inputs for HEC-5Q model domain (Attachment A6-1). These inputs include inflows to the major reservoirs, reservoir releases, creek flows, net effect of smaller accretions/depletions, and diversions. In order to verify that SacWAM results were properly incorporated into the HEC-5Q simulations, flows at downstream river locations calculated within the HEC-5Q model were compared to the flows simulated for those same locations by SacWAM.

Monthly SacWAM river hydrology results were converted to equal daily flows by setting daily values equal to the monthly values. Use of constant monthly flows has little effect on the simulated temperature effects because of the following.

- Flow is most variable during winter and early spring, when water temperatures tend to be cool regardless of flow.
- Variable local rainfall-runoff flows are unregulated and would not be affected by the proposed Plan amendments.
- Flows downstream of Shasta, Oroville, and Folsom re-regulating reservoirs during warmer times of the year tend to be fairly uniform.
- Use of 6-hour equilibrium temperatures provides daily variability in the simulated temperatures.

A6.3.1.2 Meteorology for Baseline and Flow Scenarios

For simulation period years with measured CIMIS data (starting in 1985), the meteorology data used in the models are the same as described above for the performance evaluation.

For earlier years as required for longer-term SacWAM planning simulations, measured meteorological conditions were extended back in time. This was done by selecting days of CIMIS data to represent past days by matching CIMIS minimum and maximum daily air temperatures and time of year to daily minimum and maximum air temperatures at long-term U.S. Weather Service stations at Orland and Davis. In this manner, CIMIS data were used to calculate 6-hour water temperature equilibrium temperatures and exchange rates for the full SacWAM simulation period.

A6.3.1.3 Boundary Temperatures for Baseline and Flow Scenarios

Boundary-condition temperatures for the flow scenarios were the same as the boundary temperatures for the performance evaluation with two exceptions.

- For Lake Shasta inflow temperatures, instead of basing the inflow values directly on measured inflow water temperatures as was done for the performance evaluation, the 16 years of flow-weighted inflow temperatures were averaged to define the seasonal variation for the entire 1922–2015 simulation period. The Lake Shasta inflow temperatures for the flow scenarios

were then estimated as falling between the seasonal pattern and the meteorological-driven equilibrium temperatures, with equilibrium temperatures having more effect at lower flows. This approach is similar to the approach for the Feather and American River inflow temperatures described above in Section A6.2.2.3, *Boundary Temperatures for Performance Evaluation*. This approach produces inflow temperatures that closely follow the inflow temperatures calculated from the 16 years of measured inflow temperatures and flows.

- The Feather and American River model domain includes the Sacramento River between the Feather River and Freeport (downstream of the American River). For baseline and the flow scenarios, these inflow temperatures were set equal to the Knights Landing temperatures from the Sacramento River HEC-5Q model of baseline conditions. Temperatures at this location approach equilibrium values, so differences between scenarios at this location are smaller than upstream differences. Simulated Sacramento River temperatures downstream of Knights Landing are not used in the assessment of fish habitat.

A6.3.1.4 Reservoir Release Target Temperatures for Baseline and Flow Scenarios

The target-temperature algorithms are the same as described above for the performance evaluation.

A6.3.1.5 Power Bypass at Oroville Dam for Baseline and Flow Scenarios

The power bypass for Oroville Dam was as described above for the performance evaluation; Oroville power bypass was modeled to start contributing to outflow when Oroville storage was less than 1.19 MAF. However, one sensitivity analysis was performed in which the bypass could start contributing to outflow when Oroville storage was less than 1.50 MAF. This sensitivity test was performed to determine whether the model could limit increases in temperature below Oroville Dam at storages between 1.19 and 1.50 MAF.

A6.3.2 HEC-5Q Results for Baseline and Flow Scenarios

Simulated temperatures are presented here in tables showing the 10th, 50th, and 90th percentiles of baseline temperatures and changes from baseline. The 50th and 90th percentile values presented in the tables represent the temperatures of greatest concern for cold water fish because they represent typical and warmer temperatures, respectively. Maximum values are not shown because they represent only a single month out of the entire simulation period. Temperature results are provided for locations important for understanding hydrologic effects on water temperature (e.g., temperature of reservoir releases) and for locations used in the fish assessment described in Section A6.4, *Fish Assessment*). The shading provided in these tables is only for attracting attention to the larger deviations from baseline. Shading does not indicate any impact conclusions.

Water temperature effects associated with the proposed Plan amendments could result from changes in hydrology. Changes in hydrology for the Sacramento, Feather, and American Rivers are summarized by changes in end-of-April storage, end-of-September storage (carryover storage), and river flow as presented in figures in Chapter 6, *Changes in Hydrology and Water Supply*, and Appendix A1, *Sacramento Water Allocation Model Methods and Results*. The hydrologic effects represent reservoir operations that strive to maintain adequate cold water supply while simultaneously meeting the goals of the proposed Plan amendments. In general, April storage is lower under the proposed Plan amendments than under baseline conditions, but subsequent reductions in reservoir releases help carryover storage recover relative to baseline. Future operations could be optimized through further evaluation.

Carryover storage is important for maintaining supply of cool water deep in a reservoir, although spring storage may also be important because early release of water may reduce the initial volume of cold water captured in a reservoir. An additional way storage can affect reservoir release temperature is by influencing how TCDs can be used; higher reservoir storage may allow more points of withdrawal that can allow release of warmer water when cold water is not needed and colder water when it is needed. Lower reservoir storage is typically associated with a smaller cold water pool, but during late fall and winter, low reservoir volume could result in faster meteorological cooling of the reservoir.

River flow controls the longitudinal rate at which water temperature approaches equilibrium values as water moves downstream. Cool reservoir release temperatures are maintained for greater distances at higher flows. Changes in carryover storage and flow are most likely to affect water temperature if storage and flow are already relatively low (e.g., within the lowest 25 percent of values).

Reservoir release temperatures represent the effect of reservoir storage on temperature. As water moves downstream, river flow begins to have a greater effect on temperature, although eventually differences in temperature between the scenarios are muted as temperatures for all scenarios approach the same equilibrium values.

Temperature results for the Sacramento and American Rivers are presented in upstream to downstream order. Temperatures in the Feather River are complicated by the movement of water through both the Thermalito Afterbay and the Low Flow Channel. Feather River water is diverted to the Thermalito Afterbay at the Thermalito Diversion Dam, and minimum required flows are left in the river to move through the Low Flow Channel. Baseline and the flow scenarios have almost the same flows through the Low Flow Channel. Increased reservoir releases associated with the proposed Plan amendments are simulated as moving through the Thermalito Afterbay, eventually returning to the Feather River at the downstream end of the Low Flow Channel. Temperature results for the Low Flow Channel (below the fish barrier dam and at Robinson Riffle) are presented before the temperatures of the Thermalito Afterbay discharge, which returns to the Feather River downstream of Robinson Riffle.

Results from one sensitivity analysis also are presented. Under baseline and the flow scenarios, Oroville Dam was modeled to allow power bypass for meeting temperature objectives once reservoir storage falls below 1,190 thousand acre-feet (TAF). In the sensitivity analysis, power bypass was allowed to begin once storage reached 1,500 TAF. This allows more access to cold water, although under certain circumstances could cause early depletion of cold water. Results for the 1,500-TAF sensitivity run follow immediately after each table for the flow scenarios.

Table A6-23. Comparison of Modeled Baseline and Flow Scenario Monthly Temperature Distributions in the Sacramento River below Shasta Dam

Percentile	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Baseline (°F)												
10	48.1	49.7	52.1	47.7	45.5	46.6	49.7	49.3	48.3	48.3	48.2	47.6
50	51.0	52.8	53.7	50.0	48.1	48.4	51.1	49.8	48.3	48.3	48.6	49.5
90	56.2	56.0	55.2	51.7	49.7	50.1	53.0	53.4	51.5	51.1	50.4	52.1
35 Minus Baseline (°F)												
10	0.0	0.0	0.1	0.2	0.2	0.1	-0.2	0.0	0.0	0.0	0.0	0.0
50	-0.3	-0.1	0.0	0.0	0.0	0.0	0.0	-0.1	0.0	0.0	-0.1	-0.1
90	-2.1	0.4	-0.1	0.0	0.0	0.1	0.1	0.1	1.3	0.1	-0.4	-0.5
45 Minus Baseline (°F)												
10	0.2	0.8	0.1	0.2	0.2	0.1	-0.2	0.0	0.0	0.0	0.0	-0.1
50	0.0	0.0	0.2	0.1	-0.2	0.0	-0.2	0.0	0.0	0.0	-0.2	-0.1
90	-2.3	0.5	0.0	0.0	-0.1	0.1	0.0	0.0	1.3	0.1	-0.4	-0.5
55 Minus Baseline (°F)												
10	0.0	-0.1	0.3	0.0	0.0	0.0	-0.6	0.0	0.0	0.0	0.0	0.1
50	0.1	0.3	0.1	0.0	-0.2	-0.3	-0.2	0.2	0.9	0.0	-0.2	-0.4
90	-2.4	0.0	0.0	-0.1	-0.2	0.0	-0.1	0.0	1.7	2.4	-0.5	-0.5
65 Minus Baseline (°F)												
10	-0.4	0.0	-0.2	-0.1	-0.1	-0.1	-1.0	0.0	0.0	0.0	0.0	0.0
50	-0.4	-0.3	0.0	-0.2	-0.3	-0.5	-0.4	0.5	1.9	0.0	-0.2	-0.4
90	-2.3	-0.1	-0.2	-0.2	-0.3	-0.6	-0.4	0.2	1.6	2.5	-0.7	-0.7
75 Minus Baseline (°F)												
10	-0.9	-1.1	-0.8	-0.9	-0.3	-0.2	-1.1	0.1	0.0	0.0	0.0	-0.2
50	-1.2	-1.7	-0.5	-0.5	-0.7	-0.5	-0.4	2.8	2.1	0.1	-0.2	-1.0
90	-1.2	-0.5	-0.4	-0.3	-0.5	-0.2	0.1	0.2	1.9	2.5	-0.6	-0.7

°F = degrees Fahrenheit

Shading is provided only to attract attention to the larger deviations from baseline. Shading does not indicate any impact conclusions.

Table A6-24. Comparison of Modeled Baseline and Flow Scenario Monthly Temperature Distributions in the Sacramento River below Keswick

Percentile	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Baseline (°F)												
10	49.8	49.8	51.3	47.6	45.7	47.2	50.2	50.8	50.1	50.2	50.6	50.1
50	52.4	52.9	52.9	49.6	48.2	49.1	52.4	52.0	50.6	50.9	51.8	52.6
90	56.5	56.5	54.4	51.6	49.7	50.7	54.4	54.8	53.1	54.0	53.6	55.5
35 Minus Baseline (°F)												
10	0.0	0.3	0.4	0.2	0.2	0.1	0.0	0.0	0.0	0.0	0.0	0.1
50	-0.1	-0.1	0.1	0.1	0.0	0.1	0.0	-0.2	-0.1	0.1	-0.2	-0.4
90	-1.3	-0.1	0.0	-0.1	0.0	0.3	0.0	0.2	1.7	-0.2	-0.1	-1.4
45 Minus Baseline (°F)												
10	0.2	0.7	0.3	0.3	0.2	0.1	0.1	0.0	-0.3	0.1	0.0	0.2
50	0.1	0.1	0.1	0.1	-0.1	0.1	-0.3	-0.1	-0.1	0.2	-0.1	-0.3
90	-1.3	0.1	0.1	0.0	0.0	0.0	0.1	0.1	1.8	0.4	-0.5	-1.2
55 Minus Baseline (°F)												
10	0.7	0.1	0.5	0.1	0.3	0.1	-0.3	0.0	-0.4	0.0	0.2	0.4
50	0.1	0.5	0.2	0.1	-0.1	-0.2	-0.5	0.1	0.3	0.4	-0.1	-0.3
90	-1.4	-0.5	0.1	0.0	-0.1	0.0	-0.4	0.0	2.0	1.7	-0.2	-1.0
65 Minus Baseline (°F)												
10	0.6	0.3	0.1	0.0	-0.2	-0.2	-0.5	-0.1	-0.5	0.1	0.4	0.8
50	0.0	-0.2	0.0	0.0	-0.2	-0.4	-0.9	0.3	1.6	0.7	0.2	-0.2
90	-1.0	-0.3	-0.1	-0.1	-0.2	-0.3	-0.7	0.0	1.8	1.8	0.2	-1.1
75 Minus Baseline (°F)												
10	0.5	-0.7	-0.6	-0.8	-0.4	-0.3	-0.7	0.0	0.3	0.3	0.5	0.8
50	-0.5	-1.2	-0.3	-0.1	-0.5	-0.6	-1.0	2.2	1.7	1.1	0.7	-0.3
90	-0.3	-0.2	-0.3	-0.3	-0.3	-0.2	-0.5	0.2	2.2	2.1	0.9	-1.0

°F = degrees Fahrenheit

Shading is provided only to attract attention to the larger deviations from baseline. Shading does not indicate any impact conclusions.

Table A6-25. Comparison of Modeled Baseline and Flow Scenario Monthly Temperature Distributions in the Sacramento River above Clear Creek

Percentile	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Baseline (°F)												
10	50.3	49.9	51.1	47.7	45.9	47.5	50.6	51.5	51.1	51.2	51.5	50.9
50	52.8	52.9	52.6	49.5	48.5	49.7	53.3	53.0	51.9	51.9	52.9	53.6
90	56.7	56.4	54.2	51.5	50.0	51.4	55.4	55.6	54.0	55.2	54.6	56.5
35 Minus Baseline (°F)												
10	0.0	0.2	0.3	0.1	0.3	0.1	0.0	0.0	0.0	0.1	0.0	0.1
50	0.0	-0.2	0.1	0.1	0.0	0.0	-0.1	-0.2	0.0	0.1	-0.1	-0.5
90	-1.3	-0.3	0.0	-0.1	0.0	0.3	0.1	0.3	2.0	-0.2	-0.1	-1.4
45 Minus Baseline (°F)												
10	0.2	0.7	0.4	0.2	0.3	0.1	0.0	0.0	-0.4	0.1	0.0	0.2
50	0.0	0.1	0.1	0.1	0.1	0.0	-0.3	-0.1	-0.1	0.2	-0.1	-0.5
90	-1.2	0.0	0.1	-0.1	0.0	0.1	0.0	0.2	2.1	0.6	-0.4	-1.2
55 Minus Baseline (°F)												
10	0.6	0.1	0.5	0.1	0.3	0.0	0.1	0.2	-0.6	-0.1	0.2	0.3
50	0.1	0.5	0.3	0.1	-0.2	-0.3	-0.5	0.0	0.4	0.5	0.0	-0.4
90	-1.3	-0.4	0.0	-0.1	-0.2	0.0	-0.6	0.0	2.2	1.8	0.1	-1.1
65 Minus Baseline (°F)												
10	0.5	0.3	0.1	0.0	-0.2	-0.1	-0.3	0.0	-0.6	0.3	0.5	0.9
50	-0.1	-0.2	-0.1	0.1	-0.2	-0.7	-1.1	0.3	1.3	0.8	0.4	-0.1
90	-0.8	-0.4	-0.3	-0.1	-0.2	-0.3	-1.1	0.0	2.0	1.9	0.5	-1.1
75 Minus Baseline (°F)												
10	0.6	-0.7	-0.6	-0.8	-0.4	-0.3	-0.7	0.1	0.4	0.5	0.7	1.0
50	-0.4	-1.2	-0.3	-0.1	-0.4	-0.9	-1.2	1.8	1.4	1.4	1.0	-0.2
90	0.0	-0.3	-0.4	-0.3	-0.3	-0.4	-0.9	0.2	2.4	2.1	1.1	-0.8

°F = degrees Fahrenheit

Shading is provided only to attract attention to the larger deviations from baseline. Shading does not indicate any impact conclusions.

Table A6-26. Comparison of Modeled Baseline and Flow Scenario Monthly Temperature Distributions in the Sacramento River at Balls Ferry

Percentile	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Baseline (°F)												
10	51.4	49.9	48.7	46.2	46.0	47.9	51.6	53.2	52.7	52.4	53.1	52.5
50	53.5	51.9	50.5	47.6	47.6	49.7	54.2	54.9	54.3	53.7	54.2	54.8
90	56.7	55.5	52.3	49.4	49.1	51.6	56.0	56.7	55.8	56.4	56.1	58.2
35 Minus Baseline (°F)												
10	-0.2	0.0	0.0	0.1	0.2	0.1	0.0	0.2	0.2	0.2	-0.1	0.0
50	-0.3	0.0	-0.1	0.0	0.1	0.1	0.0	-0.1	0.2	0.2	-0.2	-0.6
90	-1.0	-0.4	0.0	0.0	0.1	0.0	0.0	0.2	1.7	0.0	-0.3	-1.9
45 Minus Baseline (°F)												
10	0.2	0.4	0.0	0.0	0.2	0.0	0.0	0.2	-0.2	0.1	-0.1	0.2
50	-0.1	0.3	-0.1	0.1	-0.1	0.0	-0.2	-0.1	-0.1	0.4	0.0	-0.6
90	-1.0	-0.1	0.0	0.2	0.2	-0.1	-0.3	0.2	1.8	0.8	-0.5	-1.9
55 Minus Baseline (°F)												
10	0.3	0.0	-0.1	0.1	0.1	0.0	-0.1	0.1	-0.3	0.3	0.0	0.3
50	0.1	0.5	-0.1	0.2	-0.1	-0.3	-0.5	-0.1	0.2	0.5	0.3	-0.4
90	-1.0	-0.7	-0.1	-0.1	0.0	-0.2	-0.6	0.1	1.8	1.9	0.0	-1.7
65 Minus Baseline (°F)												
10	0.4	0.0	0.0	0.0	-0.2	-0.1	-0.3	0.0	-0.3	0.9	0.6	0.8
50	0.1	0.2	-0.3	0.2	0.0	-0.6	-1.1	0.2	0.5	1.0	0.5	0.1
90	-0.3	-0.4	-0.4	0.0	0.0	-0.4	-1.1	-0.1	1.6	1.9	0.5	-1.4
75 Minus Baseline (°F)												
10	0.3	-0.8	-0.3	-0.3	-0.3	-0.2	-0.7	0.2	1.2	1.6	1.1	1.0
50	-0.1	-0.6	-0.4	0.0	-0.1	-0.8	-1.3	0.8	0.7	1.7	1.3	0.0
90	0.5	-0.5	-0.7	-0.1	-0.2	-0.7	-1.2	0.3	1.9	2.1	0.9	-1.3

°F = degrees Fahrenheit

Shading is provided only to attract attention to the larger deviations from baseline. Shading does not indicate any impact conclusions.

Table A6-27. Comparison of Modeled Baseline and Flow Scenario Monthly Temperature Distributions in the Sacramento River near Bend Bridge

Percentile	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Baseline (°F)												
10	52.2	49.9	48.1	46.1	46.3	48.6	52.8	54.6	54.4	54.1	54.8	53.8
50	54.0	51.9	49.7	47.2	47.6	50.4	55.2	56.4	56.3	55.5	55.9	56.2
90	56.9	54.8	51.5	48.8	49.1	52.2	56.8	58.1	58.0	58.1	57.8	59.4
35 Minus Baseline (°F)												
10	-0.1	0.0	0.1	0.0	0.0	0.0	0.0	0.1	0.1	0.2	-0.1	0.0
50	-0.1	-0.2	-0.1	0.1	0.0	0.0	-0.1	-0.1	0.2	0.4	-0.1	-0.5
90	-0.8	-0.3	0.0	0.2	0.1	0.0	0.3	0.0	1.3	0.4	-0.2	-1.6
45 Minus Baseline (°F)												
10	0.0	0.3	0.2	0.0	0.0	0.0	-0.1	0.2	-0.2	0.1	-0.2	0.2
50	0.0	0.0	0.0	0.1	-0.1	0.0	-0.2	-0.1	-0.1	0.8	0.0	-0.5
90	-0.7	-0.1	0.0	0.2	0.1	-0.2	-0.1	0.1	1.2	0.8	-0.3	-1.6
55 Minus Baseline (°F)												
10	0.2	0.0	0.1	0.0	0.0	0.0	-0.3	0.1	-0.5	0.4	0.0	0.3
50	0.2	0.3	0.0	0.1	-0.1	-0.3	-0.6	-0.2	0.1	0.8	0.5	-0.4
90	-0.8	-0.6	-0.1	-0.1	0.0	-0.3	-0.6	-0.1	1.2	1.9	0.1	-1.5
65 Minus Baseline (°F)												
10	0.3	0.1	0.0	-0.1	-0.2	-0.2	-0.6	-0.2	-0.4	1.1	0.5	1.0
50	0.3	-0.1	-0.2	0.2	0.0	-0.7	-1.2	0.0	0.2	1.2	0.7	0.2
90	0.0	-0.4	-0.6	0.0	0.1	-0.6	-1.0	-0.2	1.0	1.9	0.8	-1.2
75 Minus Baseline (°F)												
10	0.3	-0.7	-0.2	-0.3	-0.4	-0.3	-0.9	0.2	1.1	2.2	1.3	1.3
50	0.2	-0.7	-0.3	0.0	-0.2	-0.9	-1.4	0.3	0.6	2.1	1.6	0.2
90	0.8	-0.6	-0.9	-0.1	-0.1	-0.7	-1.1	0.1	1.4	2.2	1.2	-1.1

°F = degrees Fahrenheit

Shading is provided only to attract attention to the larger deviations from baseline. Shading does not indicate any impact conclusions.

Table A6-28. Comparison of Modeled Baseline and Flow Scenario Monthly Temperature Distributions in the Sacramento River near Red Bluff

Percentile	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Baseline (°F)												
10	52.8	49.9	48.0	46.1	46.4	48.9	53.1	55.3	55.5	55.2	56.0	54.6
50	54.4	51.8	49.5	47.2	47.7	50.7	55.6	57.3	57.3	56.8	57.1	57.0
90	57.0	54.4	51.1	48.8	49.2	52.7	57.4	59.0	59.1	59.4	58.9	60.2
35 Minus Baseline (°F)												
10	-0.1	0.1	0.0	0.0	0.1	0.0	0.0	0.1	0.2	0.3	-0.1	0.1
50	-0.3	-0.1	-0.1	0.0	0.0	0.0	0.0	-0.2	0.1	0.4	-0.2	-0.3
90	-0.5	-0.1	0.0	0.0	0.0	0.0	0.3	0.0	1.4	0.6	-0.2	-1.4
45 Minus Baseline (°F)												
10	-0.1	0.3	0.1	0.0	0.1	0.0	0.0	0.2	-0.2	0.1	-0.2	0.3
50	0.0	0.0	-0.1	0.0	0.0	0.0	-0.1	-0.3	0.0	0.8	0.0	-0.3
90	-0.5	0.0	0.2	0.1	0.1	-0.2	-0.1	0.0	1.1	1.2	-0.2	-1.4
55 Minus Baseline (°F)												
10	0.2	0.0	0.1	0.0	0.0	-0.1	-0.4	0.1	-0.5	0.5	0.0	0.4
50	0.2	0.3	-0.1	0.1	0.0	-0.3	-0.5	-0.3	0.0	0.9	0.5	-0.3
90	-0.6	-0.2	-0.1	-0.1	0.0	-0.4	-0.5	0.0	1.2	2.0	0.1	-1.3
65 Minus Baseline (°F)												
10	0.3	0.0	-0.1	-0.1	-0.1	-0.2	-0.5	-0.1	-0.4	1.2	0.5	1.1
50	0.2	0.0	-0.4	0.2	0.0	-0.8	-1.1	-0.2	0.1	1.3	0.8	0.4
90	0.2	-0.2	-0.6	-0.1	0.0	-0.7	-1.0	-0.3	0.9	1.8	1.0	-1.2
75 Minus Baseline (°F)												
10	0.3	-0.6	-0.3	-0.3	-0.3	-0.3	-0.9	0.2	1.2	2.4	1.3	1.4
50	0.4	-0.7	-0.5	0.0	-0.1	-0.9	-1.4	0.1	0.6	2.3	1.7	0.4
90	0.9	-0.4	-0.7	-0.2	0.0	-0.8	-1.3	0.0	1.2	2.2	1.4	-1.0

°F = degrees Fahrenheit

Shading is provided only to attract attention to the larger deviations from baseline. Shading does not indicate any impact conclusions.

Table A6-29. Comparison of Modeled Baseline and Flow Scenario Monthly Temperature Distributions in the Sacramento River at Hamilton City

Percentile	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Baseline (°F)												
10	54.6	50.4	47.7	46.2	46.9	49.7	54.3	57.8	60.3	60.4	60.4	58.0
50	56.5	52.1	49.2	47.3	48.4	52.3	58.1	61.2	62.0	62.4	62.4	61.2
90	59.0	54.9	50.7	48.9	50.3	54.7	60.9	63.1	64.4	65.2	64.3	64.5
35 Minus Baseline (°F)												
10	0.0	0.0	0.1	0.1	0.0	0.0	-0.1	0.0	0.1	0.2	-0.1	0.2
50	-0.5	0.0	-0.1	0.0	0.0	0.0	0.1	-0.1	0.1	0.2	-0.3	-0.4
90	-0.3	-0.3	0.1	0.0	-0.1	0.2	0.6	0.2	2.0	1.7	-0.2	-1.1
45 Minus Baseline (°F)												
10	0.1	0.2	0.0	0.0	0.0	0.0	-0.1	0.0	-0.7	0.2	-0.1	0.3
50	-0.3	0.0	-0.1	0.0	0.0	0.0	-0.3	-0.5	-0.3	0.6	-0.1	-0.4
90	-0.3	-0.2	0.0	-0.1	-0.1	-0.1	-0.4	0.1	1.2	2.2	-0.1	-0.9
55 Minus Baseline (°F)												
10	0.1	0.0	0.0	0.0	-0.1	-0.1	-0.3	0.3	-1.3	0.0	0.3	0.6
50	0.1	0.1	0.0	0.0	-0.1	-0.4	-0.7	-0.7	-0.1	0.9	0.1	-0.3
90	-0.3	-0.2	-0.1	-0.1	0.0	-0.4	-0.7	-0.4	0.9	2.3	0.4	-0.9
65 Minus Baseline (°F)												
10	0.4	0.0	-0.1	0.0	-0.1	-0.1	-0.7	0.1	-1.4	1.1	0.8	1.5
50	0.5	0.0	-0.3	0.1	-0.1	-0.8	-1.4	-0.6	0.0	1.5	1.0	0.3
90	0.4	-0.3	-0.5	-0.1	-0.1	-0.7	-1.6	-0.9	0.4	2.1	1.5	-0.9
75 Minus Baseline (°F)												
10	0.4	-0.6	-0.5	-0.2	-0.5	-0.3	-0.7	0.4	0.5	2.3	1.7	1.7
50	0.7	-0.4	-0.5	0.1	-0.2	-1.1	-1.9	-0.8	0.5	2.8	2.3	0.6
90	0.7	-0.4	-0.4	-0.2	-0.1	-0.8	-1.8	-0.3	0.4	2.3	1.9	-0.6

°F = degrees Fahrenheit

Shading is provided only to attract attention to the larger deviations from baseline. Shading does not indicate any impact conclusions.

Table A6-30. Comparison of Modeled Baseline and Flow Scenario Monthly Temperature Distributions in the Sacramento River at Butte City

Percentile	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Baseline (°F)												
10	55.6	50.5	47.4	45.8	46.9	49.7	54.6	59.2	62.8	63.3	62.9	60.0
50	57.6	52.1	48.7	47.0	48.5	52.8	59.1	63.1	64.7	65.7	65.5	63.4
90	59.9	55.1	50.3	48.6	50.6	55.5	62.4	65.4	67.2	68.6	67.5	66.6
35 Minus Baseline (°F)												
10	0.0	0.0	-0.1	0.0	0.0	0.0	-0.1	0.0	0.0	0.3	0.0	0.1
50	-0.5	0.0	-0.1	-0.1	0.0	0.0	-0.1	0.0	0.2	0.1	-0.4	-0.3
90	-0.2	-0.3	0.1	0.0	-0.2	0.1	0.4	0.4	2.1	1.9	-0.4	-1.0
45 Minus Baseline (°F)												
10	0.1	0.1	-0.1	0.0	0.0	0.0	0.0	0.0	-0.8	0.4	0.0	0.2
50	-0.3	0.1	0.0	0.0	0.0	-0.1	-0.4	-0.2	-0.5	0.5	-0.4	-0.4
90	-0.5	-0.2	0.0	-0.1	-0.1	-0.2	-0.5	0.3	1.3	2.1	-0.4	-0.6
55 Minus Baseline (°F)												
10	0.2	0.1	-0.1	0.1	0.0	0.0	-0.1	0.3	-1.6	-0.3	0.6	0.7
50	0.2	0.2	0.0	0.0	0.0	-0.4	-0.7	-0.6	-0.4	0.9	-0.1	-0.3
90	-0.2	-0.2	-0.2	-0.1	-0.1	-0.5	-1.1	-0.5	0.8	2.2	0.3	-0.8
65 Minus Baseline (°F)												
10	0.6	-0.1	-0.2	0.1	-0.1	-0.1	-0.5	0.2	-1.8	0.8	0.7	1.5
50	0.5	0.2	-0.3	0.0	-0.1	-0.9	-1.4	-0.7	-0.4	1.4	0.9	0.2
90	0.6	-0.2	-0.5	0.0	-0.1	-0.9	-1.8	-1.3	0.2	1.9	1.5	-0.6
75 Minus Baseline (°F)												
10	0.5	-0.4	-0.4	-0.1	-0.3	-0.2	-0.9	0.4	0.0	2.3	1.7	1.6
50	0.7	-0.2	-0.4	0.0	-0.2	-1.2	-1.9	-1.1	0.0	2.8	2.3	0.3
90	0.7	-0.3	-0.4	-0.3	-0.2	-0.9	-2.2	-0.6	0.1	2.0	1.8	-0.2

°F = degrees Fahrenheit

Shading is provided only to attract attention to the larger deviations from baseline. Shading does not indicate any impact conclusions.

Table A6-31. Comparison of Modeled Baseline and Flow Scenario Monthly Temperature Distributions in the Sacramento River at Wilkins Slough

Percentile	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Baseline (°F)												
10	56.6	50.9	47.1	45.8	47.2	50.2	55.2	60.6	65.1	66.7	65.7	62.1
50	58.9	52.3	48.6	47.0	48.8	53.5	60.2	65.3	67.7	69.5	69.0	65.9
90	61.3	55.5	50.3	48.7	51.1	56.4	63.7	67.9	70.2	72.1	71.1	68.8
35 Minus Baseline (°F)												
10	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	0.0	0.0	0.1	0.1	0.1
50	-0.5	0.0	0.0	0.0	0.1	-0.1	0.1	0.0	0.2	0.2	-0.5	-0.5
90	-0.6	-0.4	0.0	0.0	-0.1	0.1	0.3	0.5	1.7	2.1	-0.6	-0.6
45 Minus Baseline (°F)												
10	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	-0.3	0.2	0.1	0.2
50	-0.2	0.1	0.0	-0.1	0.1	-0.2	-0.2	-0.3	-0.7	0.2	-0.6	-0.6
90	-0.6	-0.3	-0.1	-0.1	-0.1	-0.1	-0.5	0.3	1.1	2.2	-0.6	-0.3
55 Minus Baseline (°F)												
10	0.5	0.1	0.0	0.1	0.0	0.0	-0.1	0.1	-1.7	-0.3	0.8	0.6
50	0.0	0.3	0.0	0.0	0.0	-0.5	-0.6	-0.9	-0.8	0.7	-0.3	-0.5
90	-0.1	-0.3	-0.2	0.0	-0.1	-0.5	-1.0	-0.6	0.7	2.1	0.4	-0.4
65 Minus Baseline (°F)												
10	0.7	-0.1	-0.2	0.1	-0.1	-0.1	-0.4	0.1	-2.1	0.5	0.8	1.3
50	0.5	0.3	-0.3	0.1	-0.1	-0.9	-1.5	-1.2	-0.7	1.2	0.7	-0.1
90	0.6	-0.1	-0.5	0.0	-0.2	-0.9	-1.8	-1.8	-0.5	1.9	1.3	-0.2
75 Minus Baseline (°F)												
10	0.6	-0.4	-0.3	-0.2	-0.3	-0.3	-0.9	0.1	-0.3	2.0	1.6	1.5
50	0.4	0.0	-0.3	0.0	-0.1	-1.2	-1.9	-1.6	-0.5	2.1	2.1	0.1
90	0.6	-0.3	-0.4	-0.2	-0.2	-0.9	-1.9	-1.1	-0.2	1.9	1.6	0.0

°F = degrees Fahrenheit

Shading is provided only to attract attention to the larger deviations from baseline. Shading does not indicate any impact conclusions.

Table A6-32. Comparison of Modeled Baseline and Flow Scenario Monthly Temperature Distributions in the Sacramento River at Knights Landing

Percentile	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Baseline (°F)												
10	57.4	51.0	46.9	45.9	47.4	50.6	55.8	61.5	66.9	68.8	67.5	63.3
50	59.8	52.5	48.5	47.0	49.0	53.9	60.8	66.7	69.6	71.8	71.2	67.5
90	62.1	55.6	50.2	48.7	51.4	57.0	64.5	69.2	72.2	74.7	73.4	70.3
35 Minus Baseline (°F)												
10	0.0	0.0	0.0	0.0	0.0	-0.1	-0.1	0.0	-0.1	0.2	0.2	0.1
50	-0.5	0.0	0.0	0.0	0.1	-0.1	0.2	-0.2	-0.1	0.4	-0.7	-0.7
90	-0.6	-0.2	0.0	0.1	-0.1	0.1	0.3	0.5	1.2	1.4	-0.9	-0.6
45 Minus Baseline (°F)												
10	0.2	0.1	0.1	0.0	0.0	-0.1	-0.1	0.0	-0.8	0.4	0.3	0.2
50	-0.2	0.2	0.0	0.0	0.1	-0.2	-0.2	-0.3	-1.0	0.2	-0.7	-0.7
90	-0.5	-0.2	0.0	-0.1	-0.2	-0.2	-0.5	0.2	0.9	1.8	-0.9	-0.4
55 Minus Baseline (°F)												
10	0.4	0.2	0.1	0.0	0.0	0.0	-0.1	0.1	-2.0	-0.3	1.3	0.5
50	0.1	0.4	0.0	0.1	0.0	-0.5	-0.5	-1.1	-0.9	0.6	-0.5	-0.6
90	-0.1	-0.1	-0.2	-0.1	-0.2	-0.6	-1.0	-0.8	0.4	1.6	0.1	-0.4
65 Minus Baseline (°F)												
10	0.6	0.0	-0.1	0.0	-0.1	-0.1	-0.5	0.1	-2.4	0.4	0.8	1.3
50	0.4	0.3	-0.2	0.2	-0.1	-0.9	-1.5	-1.6	-1.0	1.1	0.6	-0.2
90	0.6	-0.1	-0.4	0.0	-0.3	-0.9	-1.8	-1.8	-1.0	1.4	1.0	-0.3
75 Minus Baseline (°F)												
10	0.6	-0.2	-0.1	-0.2	-0.3	-0.3	-1.0	0.1	-1.0	1.9	1.8	1.4
50	0.5	0.2	-0.2	0.2	-0.1	-1.2	-1.8	-2.0	-1.0	1.7	1.8	-0.2
90	0.5	-0.2	-0.4	-0.1	-0.3	-1.0	-2.0	-1.4	-0.7	1.4	1.2	-0.2

°F = degrees Fahrenheit

Shading is provided only to attract attention to the larger deviations from baseline. Shading does not indicate any impact conclusions.

Table A6-33. Comparison of Modeled Baseline and Flow Scenario Monthly Temperature Distributions in the Feather River below Oroville Dam

Percentile	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Baseline (°F)												
10	50.6	51.7	50.8	46.2	45.1	47.4	50.0	51.2	55.3	57.0	56.2	50.4
50	51.0	52.1	54.2	48.5	47.9	50.4	50.2	51.5	55.7	57.8	56.9	50.8
90	55.2	55.0	56.4	53.4	50.5	53.1	50.6	52.0	56.2	58.5	57.9	51.7
35 Minus Baseline (°F)												
10	0.0	0.0	-0.2	-0.5	-0.2	0.0	0.0	0.0	0.0	0.1	0.1	0.0
50	0.1	0.1	-0.1	0.0	-0.4	-0.9	0.0	0.0	0.0	-0.1	0.1	0.1
90	2.6	1.1	-0.1	-0.4	0.0	-0.5	0.0	0.0	0.0	0.1	0.2	3.0
45 Minus Baseline (°F)												
10	-0.1	0.0	-0.6	-0.7	-0.3	0.0	0.0	0.1	-0.1	0.0	0.1	0.0
50	0.1	0.1	-0.2	-0.2	-0.5	-1.0	0.1	0.0	0.0	-0.2	0.3	0.1
90	3.0	0.4	-0.2	-0.6	-0.4	-1.0	0.1	0.3	0.1	0.1	0.7	7.0
55 Minus Baseline (°F)												
10	0.0	0.0	-0.1	-0.6	-0.3	0.0	-0.1	0.0	0.0	0.0	0.1	0.0
50	0.2	0.2	0.2	0.2	-0.4	-1.1	-0.1	0.1	0.1	-0.2	0.2	0.3
90	2.9	0.6	-0.3	-1.4	-0.2	-1.0	0.0	0.2	0.0	0.1	0.7	6.2
65 Minus Baseline (°F)												
10	0.0	0.0	0.6	-0.1	-0.3	-0.2	-0.2	0.1	-0.1	-0.1	0.1	0.1
50	0.1	0.1	0.6	1.1	-0.2	-1.1	-0.1	0.1	0.0	-0.4	0.0	0.1
90	4.1	0.6	-0.1	-0.9	0.0	-0.9	0.0	0.3	0.2	-0.6	1.4	9.7
75 Minus Baseline (°F)												
10	0.1	0.1	0.0	-1.5	-0.8	-1.1	-0.6	0.0	-0.2	0.0	0.3	0.2
50	0.1	0.2	0.5	0.5	-0.7	-1.6	-0.1	0.2	0.0	-0.3	0.1	0.2
90	5.3	2.0	-0.1	-0.8	-0.2	-1.2	-0.1	1.0	0.4	1.8	3.7	11.7

°F = degrees Fahrenheit

Shading is provided only to attract attention to the larger deviations from baseline. Shading does not indicate any impact conclusions.

Table A6-34. Comparison of Modeled Baseline and Flow Scenario Monthly Temperature Distributions in the Feather River below Oroville Dam – Sensitivity Run

Percentile	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Baseline (°F)												
10	50.6	51.7	50.8	46.2	45.1	47.4	50.0	51.2	55.3	57.0	56.2	50.4
50	51.0	52.1	54.2	48.5	47.9	50.4	50.2	51.5	55.7	57.8	56.9	50.8
90	55.2	55.0	56.4	53.4	50.5	53.1	50.6	52.0	56.2	58.5	57.9	51.7
35 Minus Baseline (°F)												
10	-0.1	-0.2	-1.0	-0.1	-0.2	-0.1	-0.1	-0.1	0.0	-0.1	0.0	-0.3
50	-0.1	-0.1	-0.3	0.6	-0.1	-0.9	-0.1	0.0	0.0	-0.2	0.0	-0.1
90	-3.8	-2.6	-0.1	0.0	0.1	-0.8	0.0	0.0	0.0	0.0	-0.1	-0.3
45 Minus Baseline (°F)												
10	-0.2	-0.1	-1.0	-0.4	-0.2	-0.1	-0.3	0.0	-0.2	-0.3	0.0	-0.3
50	-0.1	-0.1	-0.5	0.4	0.0	-1.0	0.0	0.0	0.0	-0.4	0.0	0.0
90	-3.9	-2.5	-0.2	-0.6	0.3	-1.2	0.0	0.1	0.1	0.0	0.2	-0.1
55 Minus Baseline (°F)												
10	-0.1	0.0	0.0	-0.4	-0.3	-0.1	-0.2	0.0	0.0	-1.6	-0.3	-0.1
50	0.1	0.0	-0.1	0.3	-0.3	-1.3	-0.1	0.0	0.0	-0.4	-0.1	0.1
90	1.6	-0.1	-0.2	-0.7	0.1	-0.8	0.0	0.1	-0.2	-0.2	0.3	1.2
65 Minus Baseline (°F)												
10	0.0	0.0	0.5	0.1	-0.5	-0.4	-0.3	0.0	-0.2	-0.4	0.1	0.0
50	0.0	0.0	0.8	1.2	0.1	-1.2	-0.1	0.1	0.0	-0.5	-0.1	0.1
90	-0.4	-0.3	0.0	-0.6	0.3	-0.9	0.0	0.2	0.1	-0.7	-0.5	0.7
75 Minus Baseline (°F)												
10	0.0	0.0	0.0	-1.3	-0.8	-1.2	-0.7	0.0	-0.2	-0.7	-1.1	0.1
50	0.0	0.0	0.7	1.2	-0.6	-1.5	-0.2	0.1	0.0	-0.4	0.0	0.0
90	5.0	0.7	-0.1	-0.5	0.0	-1.1	-0.1	0.8	0.3	-0.1	3.3	11.4

°F = degrees Fahrenheit

Sensitivity run with power bypass potentially starting at Oroville Reservoir storage of 1,500 thousand acre-feet for the flow scenarios.

Shading is provided only to attract attention to the larger deviations from baseline. Shading does not indicate any impact conclusions.

Table A6-35. Comparison of Modeled Baseline and Flow Scenario Monthly Temperature Distributions in the Feather River Low Flow Channel below the Fish Barrier Dam

Percentile	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Baseline (°F)												
10	51.4	51.9	50.5	46.4	45.3	47.7	50.7	52.5	56.8	58.4	58.0	51.9
50	51.7	52.1	53.6	48.6	49.0	51.5	53.0	53.1	57.2	59.1	59.0	52.4
90	55.9	54.9	55.6	52.8	50.8	53.7	53.9	53.6	57.7	59.6	59.9	55.0
35 Minus Baseline (°F)												
10	0.0	0.0	-0.2	-0.5	-0.1	0.0	0.0	0.1	0.0	0.1	0.4	0.1
50	0.2	0.1	0.0	0.0	-0.8	-1.3	-1.4	-0.2	0.0	0.1	0.0	0.4
90	2.5	0.8	-0.1	-0.3	-0.3	-0.6	-1.4	-0.2	0.0	0.2	0.1	2.3
45 Minus Baseline (°F)												
10	-0.1	0.0	-0.5	-0.8	-0.2	-0.1	0.0	0.0	-0.1	0.1	0.3	0.1
50	0.2	0.1	-0.2	-0.3	-1.3	-1.6	-1.5	-0.2	0.1	0.2	0.1	0.8
90	2.8	0.4	-0.2	-0.5	-0.5	-1.1	-1.7	-0.2	0.0	0.3	0.4	5.0
55 Minus Baseline (°F)												
10	0.0	0.0	0.1	-0.6	-0.1	-0.1	0.0	0.0	0.0	0.4	0.2	0.3
50	0.5	0.1	-0.1	0.0	-1.1	-1.7	-1.7	-0.2	0.1	0.2	0.1	0.9
90	2.7	0.7	-0.4	-1.1	-0.3	-1.1	-1.9	-0.3	0.0	0.2	0.3	5.3
65 Minus Baseline (°F)												
10	0.2	0.0	0.7	-0.2	-0.2	-0.2	-0.3	0.0	-0.1	0.1	0.3	0.8
50	0.4	0.1	0.6	0.8	-0.9	-1.7	-1.9	-0.3	0.1	0.2	0.4	1.8
90	3.9	0.6	0.0	-0.6	-0.2	-0.9	-2.0	-0.2	0.1	0.2	1.5	8.1
75 Minus Baseline (°F)												
10	0.5	0.0	0.1	-1.6	-0.7	-0.7	-0.7	0.0	0.0	0.5	1.1	1.9
50	0.5	0.1	0.4	0.4	-1.5	-2.2	-2.1	-0.2	0.1	0.4	0.5	2.1
90	5.0	1.7	-0.2	-0.7	-0.5	-1.3	-2.3	0.0	0.2	2.0	3.8	9.6

°F = degrees Fahrenheit

Shading is provided only to attract attention to the larger deviations from baseline. Shading does not indicate any impact conclusions.

Table A6-36. Comparison of Modeled Baseline and Flow Scenario Monthly Temperature Distributions in the Feather River Low Flow Channel below the Fish Barrier Dam– Sensitivity Run

Percentile	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Baseline (°F)												
10	51.4	51.9	50.5	46.4	45.3	47.7	50.7	52.5	56.8	58.4	58.0	51.9
50	51.7	52.1	53.6	48.6	49.0	51.5	53.0	53.1	57.2	59.1	59.0	52.4
90	55.9	54.9	55.6	52.8	50.8	53.7	53.9	53.6	57.7	59.6	59.9	55.0
35 Minus Baseline (°F)												
10	0.0	-0.2	-0.9	-0.3	-0.1	0.0	0.0	0.0	0.0	0.1	0.3	0.0
50	0.1	-0.1	-0.3	0.4	-0.7	-1.4	-1.5	-0.2	0.0	0.0	-0.1	0.1
90	-3.6	-2.5	-0.1	-0.1	0.1	-0.7	-1.5	-0.2	0.0	0.0	-0.1	-0.8
45 Minus Baseline (°F)												
10	-0.1	-0.1	-0.7	-0.4	0.0	-0.1	-0.2	0.0	-0.1	-0.1	0.3	0.1
50	0.1	-0.1	-0.6	0.2	-0.8	-1.6	-1.6	-0.2	0.0	0.0	0.0	0.7
90	-3.5	-2.4	-0.2	-0.4	0.1	-1.1	-1.8	-0.2	0.0	0.0	-0.1	-0.1
55 Minus Baseline (°F)												
10	0.0	0.0	0.2	-0.6	-0.1	-0.1	-0.1	0.0	-0.1	-0.8	0.2	0.4
50	0.4	0.1	-0.1	0.3	-1.0	-1.8	-1.7	-0.3	0.0	0.1	0.1	0.9
90	1.6	-0.3	-0.3	-0.4	0.0	-0.8	-1.9	-0.4	-0.1	0.0	-0.1	0.9
65 Minus Baseline (°F)												
10	0.2	0.0	0.5	0.0	-0.4	-0.3	-0.3	-0.1	-0.2	-0.1	0.2	0.8
50	0.4	0.0	0.7	1.0	-0.7	-1.7	-1.9	-0.3	0.0	0.1	0.2	1.7
90	-0.5	-0.3	0.0	-0.4	0.0	-1.1	-2.0	-0.3	0.1	0.0	-0.1	0.5
75 Minus Baseline (°F)												
10	0.5	0.0	0.0	-1.4	-0.7	-0.8	-0.9	0.0	-0.1	0.0	0.0	1.8
50	0.5	0.0	0.6	1.0	-1.3	-2.2	-2.1	-0.3	0.1	0.3	0.5	1.9
90	4.7	0.8	-0.1	-0.3	-0.3	-1.3	-2.3	-0.2	0.1	0.7	3.2	9.5

°F = degrees Fahrenheit

Sensitivity run with power bypass potentially starting at Oroville Reservoir storage of 1,500 thousand acre-feet for the flow scenarios.

Shading is provided only to attract attention to the larger deviations from baseline. Shading does not indicate any impact conclusions.

Table A6-37. Comparison of Modeled Baseline and Flow Scenario Monthly Temperature Distributions in the Feather River Low Flow Channel at Robinson Riffle

Percentile	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Baseline (°F)												
10	52.1	50.7	48.5	44.8	45.3	48.4	52.1	55.2	59.4	61.6	60.8	54.9
50	52.6	51.2	50.8	47.3	47.9	51.2	54.3	55.9	60.0	62.1	61.5	55.4
90	56.0	53.3	52.8	50.6	50.0	53.8	55.2	56.5	60.6	62.7	62.2	57.2
35 Minus Baseline (°F)												
10	0.0	0.1	-0.3	-0.3	-0.1	0.1	0.0	0.0	0.0	0.1	0.2	0.0
50	0.1	0.2	0.2	-0.2	-0.4	-0.6	-1.0	-0.1	0.0	0.1	0.0	0.2
90	2.3	0.9	0.0	-0.1	-0.3	-0.5	-0.8	-0.2	0.0	0.1	0.0	1.6
45 Minus Baseline (°F)												
10	0.1	-0.1	-0.6	-0.3	-0.1	-0.1	0.0	0.0	0.0	0.2	0.1	0.0
50	0.2	0.1	-0.1	-0.4	-0.6	-0.8	-1.0	-0.2	0.0	0.1	0.1	0.6
90	2.2	0.7	-0.2	-0.1	-0.2	-1.0	-0.9	-0.2	0.0	0.2	0.4	3.7
55 Minus Baseline (°F)												
10	0.1	0.0	-0.1	-0.1	0.0	-0.1	-0.1	-0.2	0.0	0.2	0.0	0.2
50	0.3	0.2	0.1	-0.1	-0.7	-1.0	-1.1	-0.2	0.1	0.2	0.1	0.7
90	2.2	0.6	-0.1	-0.2	-0.3	-1.2	-1.1	-0.1	0.2	0.1	0.2	4.0
65 Minus Baseline (°F)												
10	0.3	-0.1	0.3	0.1	-0.1	-0.1	-0.2	-0.4	-0.1	0.1	0.1	0.6
50	0.3	0.1	0.5	0.6	-0.4	-0.9	-1.3	-0.2	0.0	0.0	0.3	1.2
90	3.1	0.8	0.1	-0.3	-0.1	-1.0	-1.2	-0.2	0.1	0.1	0.8	6.4
75 Minus Baseline (°F)												
10	0.5	0.0	-0.2	-0.5	-1.0	-0.8	-0.7	-0.4	-0.1	0.4	0.6	1.3
50	0.6	0.2	0.4	0.1	-0.8	-1.4	-1.5	-0.2	0.0	0.2	0.5	1.5
90	4.4	1.6	0.1	-0.2	-0.6	-1.3	-1.5	-0.1	0.2	1.4	3.1	7.3

°F = degrees Fahrenheit

Shading is provided only to attract attention to the larger deviations from baseline. Shading does not indicate any impact conclusions.

Table A6-38. Comparison of Modeled Baseline and Flow Scenario Monthly Temperature Distributions in the Feather River at Robinson Riffle – Sensitivity Run

Percentile	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Baseline (°F)												
10	52.1	50.7	48.5	44.8	45.3	48.4	52.1	55.2	59.4	61.6	60.8	54.9
50	52.6	51.2	50.8	47.3	47.9	51.2	54.3	55.9	60.0	62.1	61.5	55.4
90	56.0	53.3	52.8	50.6	50.0	53.8	55.2	56.5	60.6	62.7	62.2	57.2
35 Minus Baseline (°F)												
10	0.0	-0.2	-1.0	0.1	0.0	0.1	0.0	-0.1	0.0	0.0	0.1	-0.1
50	0.0	-0.1	-0.1	0.0	-0.4	-0.6	-1.0	-0.1	0.0	0.0	0.0	0.1
90	-2.8	-1.8	0.0	0.3	0.1	-0.6	-0.9	-0.3	0.0	0.0	0.0	-0.6
45 Minus Baseline (°F)												
10	0.1	-0.2	-1.1	0.0	-0.1	0.1	-0.2	0.0	0.0	0.0	0.0	0.0
50	0.0	-0.2	-0.2	0.1	-0.6	-0.7	-1.1	-0.2	0.0	0.0	0.0	0.5
90	-2.8	-1.6	-0.1	-0.1	0.0	-0.9	-1.1	-0.2	0.0	0.0	-0.1	-0.3
55 Minus Baseline (°F)												
10	0.1	-0.1	0.2	0.1	-0.1	-0.1	-0.1	-0.2	-0.1	-0.2	0.0	0.2
50	0.3	0.1	0.1	-0.1	-0.8	-1.0	-1.2	-0.2	0.0	0.0	0.0	0.6
90	1.0	0.0	-0.2	-0.1	0.0	-1.1	-1.2	-0.3	0.0	-0.1	-0.2	0.6
65 Minus Baseline (°F)												
10	0.2	-0.1	0.3	0.1	-0.1	0.0	-0.4	-0.4	-0.1	-0.2	0.1	0.6
50	0.2	0.0	0.6	0.9	-0.1	-0.9	-1.3	-0.3	-0.1	0.0	0.2	1.2
90	-0.3	0.0	0.1	-0.3	-0.1	-1.1	-1.2	-0.3	0.0	0.0	0.1	0.3
75 Minus Baseline (°F)												
10	0.4	-0.1	-0.2	-0.5	-1.0	-0.8	-0.8	-0.4	-0.1	0.1	0.1	1.3
50	0.4	0.0	0.7	0.5	-0.6	-1.4	-1.6	-0.3	0.0	0.1	0.3	1.3
90	3.8	1.0	0.1	-0.2	-0.4	-1.2	-1.5	-0.2	-0.1	0.4	2.1	7.2

°F = degrees Fahrenheit

Sensitivity run with power bypass potentially starting at Oroville Reservoir storage of 1,500 thousand acre-feet for the flow scenarios.

Shading is provided only to attract attention to the larger deviations from baseline. Shading does not indicate any impact conclusions.

Table A6-39. Comparison of Modeled Baseline and Flow Scenario Monthly Temperature Distributions for Feather River Discharges from the Thermalito Afterbay

Percentile	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Baseline (°F)												
10	55.8	53.6	49.8	46.4	46.7	49.5	53.6	56.2	61.4	63.0	62.9	56.9
50	57.1	54.7	51.7	49.3	52.4	59.0	66.1	62.7	65.2	63.9	66.8	60.1
90	63.5	57.4	54.4	52.0	55.7	64.2	70.6	66.4	68.6	68.6	74.9	71.5
35 Minus Baseline (°F)												
10	0.1	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.7	0.0
50	0.6	0.1	0.0	-0.4	-0.8	-3.2	-6.8	-2.0	-0.2	0.7	0.3	2.2
90	2.1	0.7	-0.1	-0.3	-0.8	-3.2	-4.2	-1.9	0.8	2.3	-1.6	0.3
45 Minus Baseline (°F)												
10	0.2	0.1	0.2	-0.2	0.0	0.2	0.3	0.2	0.0	0.4	1.0	0.1
50	1.7	0.2	0.2	-0.6	-1.3	-4.4	-8.3	-3.0	-0.2	2.1	1.5	4.0
90	2.3	0.6	-0.3	-0.7	-1.4	-3.9	-5.9	-2.0	1.0	2.9	-2.7	0.4
55 Minus Baseline (°F)												
10	0.3	0.1	0.3	0.2	0.1	0.5	-0.1	-0.3	0.1	0.5	1.1	1.5
50	3.2	0.2	0.2	-0.7	-1.8	-5.0	-9.3	-3.7	0.6	5.5	2.2	4.7
90	3.3	0.4	0.0	-0.5	-2.1	-5.0	-7.8	-2.4	1.4	3.3	-2.0	2.3
65 Minus Baseline (°F)												
10	1.1	0.1	0.8	0.6	-0.1	0.1	-0.4	-0.6	-0.4	1.0	2.1	4.4
50	4.2	0.1	0.6	-0.3	-2.0	-5.6	-10.2	-4.1	0.8	6.0	4.7	9.9
90	3.6	1.1	0.1	-0.1	-2.3	-6.0	-9.6	-2.5	0.9	3.6	-1.5	3.0
75 Minus Baseline (°F)												
10	4.4	0.6	0.5	-0.6	-0.6	-0.1	-0.9	-0.4	-0.3	4.7	7.2	11.1
50	5.5	1.1	0.7	-0.3	-2.3	-6.0	-10.9	-4.5	0.8	6.6	5.5	10.6
90	5.5	2.2	-0.6	-0.2	-2.5	-6.9	-10.4	-2.9	0.6	4.9	0.8	3.4

°F = degrees Fahrenheit

Shading is provided only to attract attention to the larger deviations from baseline. Shading does not indicate any impact conclusions.

Table A6-40. Comparison of Modeled Baseline and flow scenario Monthly Temperature Distributions for Feather River Discharges from the Thermalito Afterbay – Sensitivity Run

Percentile	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Baseline (°F)												
10	55.8	53.6	49.8	46.4	46.7	49.5	53.6	56.2	61.4	63.0	62.9	56.9
50	57.1	54.7	51.7	49.3	52.4	59.0	66.1	62.7	65.2	63.9	66.8	60.1
90	63.5	57.4	54.4	52.0	55.7	64.2	70.6	66.4	68.6	68.6	74.9	71.5
35 Minus Baseline (°F)												
10	0.1	-0.1	-0.1	0.2	0.0	0.1	0.0	0.0	0.0	0.1	0.6	0.0
50	0.6	-0.3	-0.1	-0.2	-1.0	-3.1	-6.9	-2.0	-0.2	0.7	0.3	1.9
90	0.1	-1.2	-0.1	-0.3	-0.8	-3.3	-4.2	-1.9	0.7	2.1	-1.6	-0.4
45 Minus Baseline (°F)												
10	0.2	0.0	-0.1	0.1	0.1	0.2	0.1	0.2	0.0	0.4	1.0	0.1
50	1.0	-0.4	-0.2	-0.4	-1.1	-4.1	-8.4	-3.0	-0.2	2.1	1.4	3.0
90	0.0	-0.4	-0.3	-0.4	-1.2	-4.3	-6.0	-2.0	1.0	2.4	-3.0	-0.2
55 Minus Baseline (°F)												
10	0.3	0.1	0.4	0.3	0.1	0.5	-0.1	-0.3	0.1	0.5	1.1	1.5
50	3.2	0.2	0.4	-0.6	-1.8	-5.0	-9.5	-3.7	0.3	5.0	2.2	4.7
90	2.8	0.0	0.0	-0.4	-1.8	-5.0	-7.8	-2.4	1.1	2.7	-2.5	0.9
65 Minus Baseline (°F)												
10	1.1	0.1	0.6	0.7	-0.1	0.1	-0.4	-0.6	-0.4	1.0	2.1	4.4
50	4.2	0.0	0.6	-0.1	-1.9	-5.5	-10.2	-4.2	0.7	5.8	4.7	9.7
90	2.9	0.6	0.2	0.1	-2.1	-6.1	-9.7	-2.5	0.7	3.2	-1.9	1.7
75 Minus Baseline (°F)												
10	4.2	0.6	0.5	-0.4	-0.5	-0.1	-1.0	-0.2	-0.2	4.7	7.1	11.0
50	4.6	0.6	0.8	-0.1	-2.3	-6.0	-10.9	-4.6	0.7	6.5	5.3	10.2
90	4.7	1.9	-0.6	0.2	-2.4	-6.9	-10.6	-2.9	0.5	4.2	0.6	3.1

°F = degrees Fahrenheit

Sensitivity run with power bypass potentially starting at Oroville Reservoir storage of 1,500 thousand acre-feet for the flow scenarios.

Shading is provided only to attract attention to the larger deviations from baseline. Shading does not indicate any impact conclusions.

Table A6-41. Comparison of Modeled Baseline and Flow Scenario Monthly Temperature Distributions for the Feather River below the Discharge from the Thermalito Afterbay

Percentile	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Baseline (°F)												
10	55.0	51.7	48.7	45.1	46.7	49.5	53.6	56.0	61.5	63.1	62.9	56.9
50	55.9	52.8	50.9	47.7	49.2	53.0	58.2	60.3	64.3	64.0	63.9	59.5
90	59.0	54.1	53.9	51.3	51.8	57.3	61.6	61.6	65.4	66.9	67.6	63.1
35 Minus Baseline (°F)												
10	0.2	0.7	0.9	0.9	0.0	0.0	0.0	0.1	0.0	0.1	0.6	0.0
50	0.1	0.3	0.1	0.5	0.6	1.4	0.1	-0.6	-0.1	0.6	1.3	1.2
90	1.8	1.0	-0.1	-0.5	0.7	0.6	0.5	-0.3	0.1	0.7	-0.2	1.2
45 Minus Baseline (°F)												
10	0.4	0.2	0.8	0.8	0.0	0.2	0.2	0.4	0.0	0.3	1.0	0.1
50	0.6	0.3	0.5	0.4	0.5	0.6	-0.7	-1.0	0.0	1.2	1.7	1.5
90	2.0	1.2	-0.2	-0.6	0.6	0.4	-0.1	-0.3	0.5	1.4	0.2	2.3
55 Minus Baseline (°F)												
10	0.5	0.6	1.3	1.1	-0.1	0.5	-0.1	-0.1	0.1	0.4	1.0	1.4
50	1.0	0.4	0.7	0.3	0.6	0.2	-1.7	-1.5	0.2	2.4	1.7	2.0
90	2.2	1.0	0.0	-0.5	0.6	-0.1	-0.7	0.0	0.7	1.6	-0.1	2.3
65 Minus Baseline (°F)												
10	0.7	0.7	1.7	1.5	-0.2	0.0	-0.4	-0.3	-0.3	0.9	1.9	3.1
50	1.1	0.4	1.2	0.8	0.7	0.1	-2.5	-1.9	0.5	2.9	2.2	2.0
90	3.4	1.3	0.3	0.0	0.4	-0.4	-1.8	0.3	1.1	2.3	0.6	3.6
75 Minus Baseline (°F)												
10	2.0	0.9	1.0	0.6	-0.5	-0.2	-0.9	-0.1	-0.2	3.6	3.6	5.0
50	1.9	0.8	1.3	0.9	0.3	-0.3	-3.1	-2.2	0.6	4.0	3.5	4.0
90	5.4	2.5	-0.6	0.1	0.3	-1.1	-2.3	0.4	1.6	3.8	3.8	6.8

°F = degrees Fahrenheit

Shading is provided only to attract attention to the larger deviations from baseline. Shading does not indicate any impact conclusions.

Table A6-42. Comparison of Modeled Baseline and Flow Scenario Monthly Temperature Distributions for the Feather River below the Discharge from the Thermalito Afterbay – Sensitivity Run

Percentile	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Baseline (°F)												
10	55.0	51.7	48.7	45.1	46.7	49.5	53.6	56.0	61.5	63.1	62.9	56.9
50	55.9	52.8	50.9	47.7	49.2	53.0	58.2	60.3	64.3	64.0	63.9	59.5
90	59.0	54.1	53.9	51.3	51.8	57.3	61.6	61.6	65.4	66.9	67.6	63.1
35 Minus Baseline (°F)												
10	-0.2	-0.3	0.2	1.2	0.0	0.1	0.0	0.1	0.0	0.1	0.6	0.0
50	0.0	-0.1	0.2	0.7	0.8	1.2	0.1	-0.6	-0.1	0.6	1.2	1.1
90	-1.0	-0.6	-0.1	-0.4	0.7	0.5	0.4	-0.3	0.1	0.1	-0.2	-0.1
45 Minus Baseline (°F)												
10	0.1	0.0	0.4	1.0	0.0	0.2	0.1	0.4	0.0	0.4	0.8	0.1
50	0.2	0.0	0.4	0.6	0.9	0.8	-1.0	-1.0	0.0	1.2	1.6	1.4
90	-1.0	-0.6	-0.2	-0.2	0.8	0.1	-0.3	-0.3	0.2	1.0	0.0	-0.2
55 Minus Baseline (°F)												
10	0.1	0.2	1.1	1.3	-0.1	0.5	-0.1	-0.1	0.1	0.4	0.9	1.2
50	0.7	0.3	0.9	0.5	0.6	0.2	-1.7	-1.6	0.2	2.1	1.3	1.6
90	1.2	0.9	0.0	-0.4	0.6	-0.2	-1.0	0.0	0.6	0.8	-0.3	0.9
65 Minus Baseline (°F)												
10	0.4	0.6	1.6	1.6	-0.2	0.0	-0.4	-0.3	-0.3	0.9	1.8	3.0
50	1.0	0.3	1.2	1.0	0.9	0.1	-2.6	-2.0	0.5	2.9	2.1	1.7
90	0.6	1.1	0.3	0.1	0.5	-0.5	-1.9	0.3	0.8	1.4	0.4	1.5
75 Minus Baseline (°F)												
10	1.4	0.9	1.1	0.7	-0.5	-0.2	-1.0	-0.1	-0.2	3.6	3.3	4.8
50	1.5	0.4	1.3	1.1	0.4	-0.3	-3.1	-2.3	0.6	3.8	3.5	3.7
90	4.8	2.1	-0.5	0.2	0.5	-1.1	-2.4	0.4	1.3	3.5	3.5	6.9

°F = degrees Fahrenheit

Sensitivity run with power bypass potentially starting at Oroville Reservoir storage of 1,500 thousand acre-feet for the flow scenarios.

Shading is provided only to attract attention to the larger deviations from baseline. Shading does not indicate any impact conclusions.

Table A6-43. Comparison of Modeled Baseline and flow scenario Monthly Temperature Distributions for the Feather River at Gridley

Percentile	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Baseline (°F)												
10	55.5	52.2	48.9	45.3	46.9	49.8	54.1	56.7	62.3	64.0	63.8	57.6
50	56.5	53.1	50.9	47.9	49.7	53.8	59.4	61.6	65.6	64.9	65.7	60.4
90	59.8	54.4	53.8	51.3	52.3	57.7	62.3	62.9	66.7	68.2	69.0	64.0
35 Minus Baseline (°F)												
10	0.3	0.3	0.7	0.9	0.0	0.1	0.0	0.1	0.0	0.2	0.7	0.0
50	0.2	0.3	0.1	0.4	0.4	1.1	-0.4	-0.7	-0.2	0.7	0.7	1.4
90	1.6	0.9	-0.1	-0.5	0.4	0.7	0.6	-0.2	0.3	1.0	-0.3	1.4
45 Minus Baseline (°F)												
10	0.3	0.2	0.7	0.7	0.0	0.2	0.2	0.4	0.0	0.4	1.2	0.1
50	0.6	0.3	0.4	0.3	0.4	0.3	-1.1	-1.4	0.0	1.8	1.5	1.9
90	1.7	1.1	-0.1	-0.5	0.3	0.5	0.0	-0.1	0.7	1.4	0.0	2.6
55 Minus Baseline (°F)												
10	0.5	0.3	1.1	1.0	-0.1	0.6	-0.1	0.0	0.1	0.5	1.2	1.5
50	1.2	0.4	0.6	0.2	0.4	-0.1	-2.2	-1.8	0.1	3.0	1.3	2.1
90	2.0	0.9	0.0	-0.4	0.4	-0.1	-0.6	0.1	1.0	1.7	0.0	2.3
65 Minus Baseline (°F)												
10	0.9	0.4	1.4	1.4	-0.2	-0.1	-0.5	-0.2	-0.4	1.0	2.1	3.6
50	1.2	0.4	1.0	0.7	0.5	-0.3	-3.0	-2.2	0.3	3.6	2.0	2.4
90	3.3	1.2	0.2	0.1	0.2	-0.4	-1.8	0.3	1.1	2.1	0.7	3.9
75 Minus Baseline (°F)												
10	2.1	0.7	0.9	0.6	-0.4	-0.2	-1.0	-0.2	-0.4	3.9	4.0	5.6
50	2.0	0.9	1.1	0.8	0.1	-0.7	-3.6	-2.6	0.5	4.4	3.0	4.2
90	4.9	2.3	-0.5	0.2	0.0	-1.1	-2.2	0.2	1.6	3.7	3.4	6.5

°F = degrees Fahrenheit

Shading is provided only to attract attention to the larger deviations from baseline. Shading does not indicate any impact conclusions.

Table A6-44. Comparison of Modeled Baseline and Flow Scenario Monthly Temperature Distributions for the Feather River at Gridley – Sensitivity Run

Percentile	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Baseline (°F)												
10	55.5	52.2	48.9	45.3	46.9	49.8	54.1	56.7	62.3	64.0	63.8	57.6
50	56.5	53.1	50.9	47.9	49.7	53.8	59.4	61.6	65.6	64.9	65.7	60.4
90	59.8	54.4	53.8	51.3	52.3	57.7	62.3	62.9	66.7	68.2	69.0	64.0
35 Minus Baseline (°F)												
10	0.0	-0.4	0.1	1.1	0.0	0.1	0.0	0.1	0.0	0.2	0.6	0.0
50	0.0	-0.1	-0.1	0.7	0.7	1.1	-0.4	-0.7	-0.2	0.7	0.6	1.2
90	-1.2	-0.6	-0.1	-0.4	0.4	0.6	0.5	-0.2	0.3	0.4	-0.4	0.0
45 Minus Baseline (°F)												
10	0.2	-0.1	0.2	0.9	0.0	0.2	0.1	0.4	0.0	0.4	1.1	0.1
50	0.2	-0.1	0.2	0.5	0.8	0.4	-1.4	-1.4	0.0	1.8	1.1	1.8
90	-1.0	-0.6	-0.1	-0.1	0.5	0.2	-0.2	-0.1	0.6	1.2	-0.2	-0.1
55 Minus Baseline (°F)												
10	0.2	0.2	0.8	1.2	-0.1	0.6	-0.1	0.0	0.1	0.5	1.2	1.5
50	0.9	0.4	0.7	0.4	0.4	-0.1	-2.2	-2.0	0.1	2.9	1.1	2.0
90	1.1	0.9	0.1	-0.3	0.5	0.0	-0.9	0.0	0.7	1.0	-0.5	1.2
65 Minus Baseline (°F)												
10	0.7	0.3	1.4	1.6	-0.2	0.0	-0.5	-0.2	-0.4	1.0	2.1	3.6
50	1.1	0.3	1.0	0.9	0.7	-0.3	-3.0	-2.3	0.3	3.6	1.9	2.1
90	0.3	1.0	0.2	0.2	0.3	-0.4	-1.8	0.3	1.0	1.5	0.3	1.9
75 Minus Baseline (°F)												
10	1.5	0.5	1.0	0.7	-0.4	-0.2	-1.1	-0.1	-0.4	3.9	4.0	5.5
50	1.7	0.5	1.2	0.9	0.2	-0.7	-3.7	-2.8	0.3	4.4	2.9	3.8
90	4.5	1.9	-0.4	0.3	0.2	-1.0	-2.4	0.2	1.2	3.3	3.3	6.5

°F = degrees Fahrenheit

Sensitivity run with power bypass potentially starting at Oroville Reservoir storage of 1,500 thousand acre-feet for the flow scenarios.

Shading is provided only to attract attention to the larger deviations from baseline. Shading does not indicate any impact conclusions.

Table A6-45. Comparison of Modeled Baseline and Flow Scenario Monthly Temperature Distributions for the American River below Folsom Dam

Percentile	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Baseline (°F)												
10	58.7	56.9	50.8	45.9	45.9	47.8	49.1	50.6	52.6	53.4	57.8	60.7
50	63.2	58.1	55.2	49.4	48.1	49.2	50.2	51.6	54.2	56.5	60.0	63.2
90	66.9	59.2	59.2	52.1	49.7	50.3	52.8	54.9	57.4	61.3	63.6	67.0
35 Minus Baseline (°F)												
10	0.0	-0.6	-0.1	0.1	0.0	0.0	0.0	-0.1	0.1	0.0	0.0	0.0
50	-0.1	0.0	-0.4	-0.1	0.0	0.0	0.1	0.5	0.1	0.4	0.3	0.1
90	0.0	0.3	-0.2	0.0	0.0	0.2	0.1	1.0	1.2	0.4	-0.1	-0.9
45 Minus Baseline (°F)												
10	0.0	-0.4	0.5	0.2	0.0	0.1	0.1	0.4	0.4	0.0	0.0	0.0
50	-0.2	-0.1	-0.8	-0.4	0.0	0.0	0.5	1.0	0.7	1.1	0.9	0.2
90	-0.9	0.2	-0.2	-0.2	0.0	0.2	0.5	0.8	2.3	1.1	-0.2	-0.7
55 Minus Baseline (°F)												
10	0.0	0.2	0.3	0.0	0.0	0.1	0.3	0.9	0.6	0.2	0.0	0.0
50	0.1	0.2	0.3	0.3	0.0	0.1	0.8	1.4	1.1	0.6	0.4	0.2
90	-1.2	0.4	-0.6	-0.3	0.1	0.2	0.4	1.3	1.3	0.7	-0.2	-1.1
65 Minus Baseline (°F)												
10	0.1	-0.1	-1.0	-0.4	-0.1	0.2	0.8	1.6	0.5	0.3	0.3	0.0
50	-0.1	0.2	-0.2	-0.2	-0.2	0.0	1.4	2.6	1.4	1.6	1.1	0.2
90	-0.7	0.8	-0.7	-0.2	-0.1	0.3	0.2	1.5	1.9	1.2	0.5	0.1
75 Minus Baseline (°F)												
10	0.1	-4.1	-4.0	-1.4	-0.3	0.0	1.1	2.3	1.1	1.5	0.8	0.6
50	-0.3	-0.6	-4.2	-2.6	-1.3	-0.1	1.4	2.9	1.9	2.9	2.7	1.6
90	0.3	0.1	-0.8	-0.5	-0.4	0.1	0.4	2.2	2.5	2.1	4.0	0.2

°F = degrees Fahrenheit

Shading is provided only to attract attention to the larger deviations from baseline. Shading does not indicate any impact conclusions.

Table A6-46. Comparison of Modeled Baseline and Flow Scenario Monthly Temperature Distributions for the American River at Hazel Avenue

Percentile	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Baseline (°F)												
10	59.1	56.7	50.6	45.9	46.0	48.4	50.0	52.0	53.9	55.6	58.9	62.1
50	63.0	57.9	54.4	49.0	48.3	49.9	51.7	53.6	55.7	58.3	62.1	64.0
90	66.5	59.1	58.0	51.8	50.3	52.0	55.0	58.8	60.8	64.3	65.6	67.8
35 Minus Baseline (°F)												
10	0.0	-0.5	-0.1	0.1	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.1
50	0.0	-0.2	-0.3	0.1	0.0	0.0	0.0	-0.1	0.4	0.6	0.4	-0.1
90	-0.2	0.3	0.0	-0.2	-0.2	0.0	-0.3	-0.1	1.9	0.9	1.2	0.0
45 Minus Baseline (°F)												
10	0.0	-0.3	0.4	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0
50	-0.1	-0.2	-0.7	-0.2	0.0	0.0	0.0	0.1	0.8	1.0	1.3	0.3
90	-0.9	-0.1	-0.2	-0.3	-0.2	-0.4	-0.1	-0.5	3.0	2.1	0.7	-0.5
55 Minus Baseline (°F)												
10	0.1	0.3	0.2	0.0	0.0	0.0	0.1	0.4	0.7	0.5	0.2	0.2
50	0.4	0.3	0.2	0.5	0.0	0.0	0.0	0.4	1.4	1.8	0.6	0.4
90	-1.0	0.2	-0.5	-0.6	-0.3	-0.3	-0.3	-0.4	2.8	1.9	1.0	-0.3
65 Minus Baseline (°F)												
10	0.1	-0.1	-1.0	-0.4	-0.1	0.0	0.5	1.0	0.6	0.7	0.2	0.4
50	0.3	0.2	-0.2	-0.1	-0.1	-0.1	0.5	1.4	2.3	3.1	1.4	0.5
90	-0.2	0.6	-0.4	-0.5	-0.4	-0.4	-0.7	-0.8	2.9	2.5	2.0	0.4
75 Minus Baseline (°F)												
10	0.5	-2.4	-3.7	-1.4	-0.3	-0.3	0.7	1.5	1.1	2.4	1.2	0.5
50	0.4	-0.5	-3.6	-2.2	-1.3	-0.3	0.6	1.8	2.4	4.1	2.6	1.9
90	-0.1	0.1	-0.7	-0.8	-0.9	-1.0	-0.7	-0.2	3.5	3.3	4.3	0.8

°F = degrees Fahrenheit

Shading is provided only to attract attention to the larger deviations from baseline. Shading does not indicate any impact conclusions.

Table A6-47. Comparison of Modeled Baseline and Flow Scenario Monthly Temperature Distributions in the American River at Watt Avenue

Percentile	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Baseline (°F)												
10	60.6	56.8	50.6	46.2	46.7	49.7	52.0	54.9	57.2	60.4	62.0	65.3
50	64.2	58.1	53.8	49.3	49.5	51.9	55.0	57.4	59.3	63.2	66.5	66.8
90	67.4	59.3	56.8	51.7	51.9	56.0	60.2	65.7	68.4	70.0	71.3	70.9
35 Minus Baseline (°F)												
10	0.0	-0.2	-0.2	0.2	0.1	0.0	0.0	0.0	0.0	0.0	0.0	-0.1
50	0.0	-0.1	-0.2	0.0	0.0	-0.1	-0.2	-0.2	0.5	0.3	0.7	0.1
90	-0.2	0.0	0.0	-0.1	-0.1	-0.6	-1.1	-1.5	2.4	2.9	1.5	0.5
45 Minus Baseline (°F)												
10	0.1	-0.1	0.2	0.1	0.0	0.0	0.0	-0.2	0.1	0.0	0.0	0.0
50	0.0	-0.3	-0.7	0.0	0.0	-0.1	-0.7	-0.5	1.5	1.2	1.5	0.3
90	-0.2	-0.2	-0.2	-0.2	-0.3	-1.1	-1.5	-2.1	2.1	4.7	1.8	0.8
55 Minus Baseline (°F)												
10	0.1	0.3	0.2	0.1	0.0	0.0	-0.1	0.0	0.5	-0.2	0.2	0.2
50	0.4	0.1	0.2	0.3	0.1	-0.1	-0.8	-0.4	2.3	3.4	1.3	0.6
90	-0.2	0.0	-0.1	-0.3	-0.1	-1.3	-2.1	-2.3	2.8	5.3	3.1	0.6
65 Minus Baseline (°F)												
10	0.4	-0.1	-0.8	-0.1	-0.1	0.0	0.5	0.5	0.5	1.1	0.0	0.5
50	0.4	0.1	-0.3	-0.4	-0.1	-0.2	-0.5	0.1	3.5	4.5	2.1	0.9
90	0.1	0.4	-0.1	-0.2	-0.7	-1.9	-2.7	-2.6	3.3	5.9	2.8	0.6
75 Minus Baseline (°F)												
10	0.6	-1.4	-3.2	-1.2	-0.3	-0.1	0.6	0.8	0.7	4.3	1.9	0.7
50	0.8	-0.3	-2.8	-2.0	-1.1	-0.5	-0.7	0.4	3.1	5.1	3.0	1.9
90	0.8	0.1	-0.5	-0.9	-1.3	-2.6	-2.9	-2.9	3.6	6.5	5.2	2.4

°F = degrees Fahrenheit

Shading is provided only to attract attention to the larger deviations from baseline. Shading does not indicate any impact conclusions.

A6.4 Fish Assessment

This section describes a quantitative assessment of potential water temperature-related effects of each flow scenario to anadromous fish in the Sacramento, Feather, and American Rivers. The methods are described first, followed by the results in tabular format. Interpretation of results tables is provided in Section 7.6.2, *Aquatic Biological Resources*.

A6.4.1 Methods

This analysis determined the frequency and magnitude of exceedance above one or more water temperature index values for each race/species and life stage at multiple locations within the Sacramento River (Table A6-48), Feather River (Table A6-49), and American River (Table A6-50). Index values were obtained from USEPA guidance (USEPA 2003) and the scientific literature. These

index values characterize the suitable, optimal, acceptable, and observed temperature range needed for survival, growth, or presence of each life stage. The list of index values for salmonids and green sturgeon originally was compiled to assess potential upstream water temperature-related effects for the California WaterFix Section 7 consultation (NMFS 2017), with supplemental information taken from the scientific literature as necessary. Additional temperature values from the Oroville Reservoir relicensing process (NMFS 2016) were included for the Feather River in Tables A6-51 and Table A6-52.

Although evaluating the frequency of exceedance above an index value can provide an understanding of potential effects of a management action on fish, an analysis that also incorporates the magnitude of any exceedance above the index value allows for a more complete characterization of effects. Under the former, very small exceedances are counted the same as large exceedances despite potentially big differences in biological consequences. In the latter, one can focus on the exceedances with sufficient magnitude and frequency to have biologically meaningful effects (defined below).

Because USEPA (2003) criteria are provided as 7-day average daily maximum (7DADM) and water temperature model outputs are daily means, an additional conversion step was performed to convert 7DADM usable values for the analysis. This involved first calculating daily mean and maximum values from historical stream gage data for multiple locations in the Sacramento, Feather, and American Rivers obtained from the California Data Exchange Center web site (cdec.ca.gov). The 7DADM was calculated for each day using the mean of that day and the preceding 6 days. Next, the difference between 7DADM and mean daily values was calculated for each day. Finally, for each location, the mean monthly difference between 7DADM and mean daily values was calculated. This difference was used as a conversion value to adjust water temperature index values. These conversion values are presented by month in Table A6-53, Table A6-54, and Table A6-55 for the Sacramento, Feather, and American Rivers, respectively. No conversions were necessary for index values that did not use USEPA 7DADM guidance.

The index value analysis consisted of three steps, and the analysis was conducted separately for each index value listed in Table A6-48, Table A6-49, and Table A6-50. First, for the baseline and each flow scenario, the total number of days across the 93-year modeling period with a modeled temperature that exceeded a given index value from Table A6-48, Table A6-49, and Table A6-50 was divided by the total number of days for each month of the year and water year type to provide the frequency of exceedance above the index value. The difference in frequency of exceedance between each flow scenario and the baseline was then calculated for each month and water year type.

Second, the magnitude of exceedance above a temperature index value was calculated. For all days on which the modeled temperature exceeded a given temperature index value from Table A6-48, Table A6-49, and Table A6-50, the cumulative degrees exceeded were summed as a degree-day total by month and water year type across the 93-year modeling period and divided by the total number of days that the index value was exceeded, to provide the average daily magnitude of exceedance for those days that exceeded the index temperature. The difference in average daily magnitude of exceedance between each flow scenario and the baseline was then calculated for each month and water year type. Combined, these calculations provided a magnitude and frequency of exceedance above a given temperature index value.

The final step identified in which months and water year types there would be a biologically meaningful effect. A *biologically meaningful* effect was defined as the months and water year types in which water temperature results met two criteria: (1) the difference in frequency of exceedance between a flow scenario and the baseline was greater than 5 percent; and (2) the difference in average daily exceedance was greater than 0.5°F. The 5-percent criterion was based on best professional judgment of fisheries biologists from the National Marine Fisheries Service (NMFS), CDFW, DWR, and Reclamation, and is consistent with estimates of model noise (unexplained

variability) in CALSIM-based analyses. The 0.5°F-criterion was based on: (1) a review of the water temperature-related mortality rates for steelhead eggs and juveniles that indicated changes in temperature of 0.5°F had little effect on survival (DWR 2016, Appendix 5.D); and (2) a reasonable water temperature differential that could be resolved through real-time reservoir operations. The 0.5°F-value was applied to all species/races and life stages although it was based on data for steelhead eggs and juveniles. A “favorable” biologically meaningful effect occurred when the frequency of exceedance was greater than 5 percent lower under the flow scenario than the baseline and the average daily exceedance was greater than 0.5 °F lower under the flow scenario relative to the baseline. An “unfavorable” biologically meaningful effect occurred when the frequency of exceedance was greater than 5 percent higher under the flow scenario than the baseline and the average daily exceedance was greater than 0.5 °F higher under the flow scenario relative to the baseline. Results were summarized by presenting the percent of month-water year combinations with favorable and unfavorable results, as defined in Section A6.4.1, *Methods*, for each species/race, life stage, and index value.

Owing to the large volume of outputs, these results were further compressed into summary tables for each river and species/race for ease of interpretation. These tables indicate the percent of month and water year type combinations (e.g., April, below-normal water years) with favorable or unfavorable biologically meaningful effects, as defined above, for all index values combined within a life stage.

Table A6-48. Water Temperature Index Values Used for Water Temperature Index Value Analyses, Sacramento River

Species	Life Stage	Period	Location	Index Value (°F)		Source/Notes	
				Mean Daily	7DADM ^a		
Winter-run Chinook Salmon	Spawning, Egg Incubation, and Alevins	Apr-Oct	Keswick	-	55.4	USEPA (2003)	
			Clear Creek	-	55.4	USEPA (2003)	
			Balls Ferry	-	55.4	USEPA (2003)	
			Bend Bridge	-	55.4	USEPA (2003)	
			Red Bluff Diversion Dam	-	55.4	USEPA (2003)	
		May-Oct		Keswick	53.5	-	NMFS (2019)
				Clear Creek	53.5	-	NMFS (2019)
				Keswick	56	-	NMFS (2019)
				Clear Creek	56	-	NMFS (2019)
	Fry and Juvenile Rearing and Emigration	Jul-Mar		Keswick	-	61	USEPA (2003); core juvenile rearing ^b
				Clear Creek	-	61	USEPA (2003); core juvenile rearing
				Balls Ferry	-	61	USEPA (2003); core juvenile rearing
				Bend Bridge	-	61	USEPA (2003); core juvenile rearing
				Red Bluff Diversion Dam	-	61	USEPA (2003); core juvenile rearing
	Adult Immigration	Dec-Aug		Wilkins Slough	-	64	USEPA (2003); non-core juvenile rearing ^c
				Keswick	-	68	USEPA (2003)
				Bend Bridge	-	68	USEPA (2003)
				Red Bluff Diversion Dam	-	68	USEPA (2003)
Adult Holding	Jan-Aug		Keswick	-	61	USEPA (2003)	
			Balls Ferry	-	61	USEPA (2003)	
			Red Bluff Diversion Dam	-	61	USEPA (2003)	
Spring-run Chinook Salmon	Spawning, Egg Incubation, and Alevins	Aug-Dec	Keswick	-	55.4	USEPA (2003); core juvenile rearing	
			Clear Creek	-	55.4	USEPA (2003); core juvenile rearing	
			Balls Ferry	-	55.4	USEPA (2003); core juvenile rearing	
			Bend Bridge	-	55.4	USEPA (2003); core juvenile rearing	
			Red Bluff Diversion Dam	-	55.4	USEPA (2003); core juvenile rearing	
	Year-round			Keswick	-	61	USEPA (2003); core juvenile rearing
				Clear Creek	-	61	USEPA (2003); core juvenile rearing

Species	Life Stage	Period	Location	Index Value (°F)		Source/Notes
				Mean Daily	7DADM ^a	
Fall-Run Chinook Salmon	Fry and Juvenile Rearing and Emigration		Balls Ferry	-	61	USEPA (2003); core juvenile rearing
			Bend Bridge	-	61	USEPA (2003); core juvenile rearing
			Red Bluff Diversion Dam	-	61	USEPA (2003); core juvenile rearing
			Hamilton City	-	64	USEPA (2003); non-core juvenile rearing
	Adult Immigration	Mar-Sep	Keswick	-	68	USEPA (2003)
			Bend Bridge	-	68	USEPA (2003)
			Red Bluff	-	68	USEPA (2003)
	Adult Holding	Apr-Sep	Keswick	-	61	USEPA (2003)
			Balls Ferry	-	61	USEPA (2003)
			Red Bluff Diversion Dam	-	61	USEPA (2003)
	Spawning, Egg Incubation, and Alevins	Sep-Jan	Keswick	-	55.4	USEPA (2003)
			Clear Creek	-	55.4	USEPA (2003)
			Balls Ferry	-	55.4	USEPA (2003)
			Bend Bridge	-	55.4	USEPA (2003)
			Red Bluff Diversion Dam	-	55.4	USEPA (2003)
	Fry and Juvenile Rearing and Emigration	Dec-Jun	Keswick	-	61	USEPA (2003); core juvenile rearing
			Clear Creek	-	61	USEPA (2003); core juvenile rearing
			Balls Ferry	-	61	USEPA (2003); core juvenile rearing
			Bend Bridge	-	61	USEPA (2003); core juvenile rearing
			Red Bluff Diversion Dam	-	61	USEPA (2003); core juvenile rearing
Hamilton City			-	64	USEPA (2003); non-core juvenile rearing	
Adult Immigration	Jul-Dec	Keswick	-	68	USEPA (2003)	
		Bend Bridge	-	68	USEPA (2003)	
		Red Bluff Diversion Dam	-	68	USEPA (2003)	
Adult Holding	Jul-Aug	Keswick	-	61	USEPA (2003)	
		Balls Ferry	-	61	USEPA (2003)	
		Red Bluff Diversion Dam	-	61	USEPA (2003)	
	Dec-Jun	Keswick	-	55.4	USEPA (2003)	
		Clear Creek	-	55.4	USEPA (2003)	

Species	Life Stage	Period	Location	Index Value (°F)		Source/Notes
				Mean Daily	7DADM ^a	
Late Fall-run Chinook Salmon	Spawning, Egg Incubation, and Alevins		Balls Ferry	-	55.4	USEPA (2003)
			Bend Bridge	-	55.4	USEPA (2003)
			Red Bluff Diversion Dam	-	55.4	USEPA (2003)
	Fry and Juvenile Rearing and Emigration	Mar-Jan	Keswick	-	61	USEPA (2003); core juvenile rearing
			Clear Creek	-	61	USEPA (2003); core juvenile rearing
			Balls Ferry	-	61	USEPA (2003); core juvenile rearing
			Bend Bridge	-	61	USEPA (2003); core juvenile rearing
			Red Bluff Diversion Dam	-	64	USEPA (2003); non-core juvenile rearing
			Hamilton City	-	64	USEPA (2003); non-core juvenile rearing
			Adult Immigration	Nov-Apr	Keswick	-
	Bend Bridge	-			68	USEPA (2003)
	Red Bluff Diversion Dam	-			68	USEPA (2003)
	Steelhead	Spawning, Egg Incubation, and Alevins	Nov-Apr	Keswick	53	-
56					-	NMFS (2009)
Clear Creek				53	-	McCullough et al. (2001)
				56	-	NMFS (2009)
Balls Ferry				53	-	McCullough et al. (2001)
				56	-	NMFS (2009)
Bend Bridge				53	-	McCullough et al. (2001)
				56	-	NMFS (2009)
Red Bluff Diversion Dam				53	-	McCullough et al. (2001)
				56	-	NMFS (2009)
Kelt Emigration		Feb-May	Keswick	-	68	USEPA (2003)
				70	-	Average of studies cited in Richter and Kolmes (2005)
			Bend Bridge	-	68	USEPA (2003)
70	-	Average of studies cited in Richter and Kolmes (2005)				
		Red Bluff Diversion Dam	-	68	USEPA (2003)	

Species	Life Stage	Period	Location	Index Value (°F)		Source/Notes
				Mean Daily	7DADM ^a	
				70	-	Average of studies cited in Richter and Kolmes (2005)
	Juvenile Rearing	Year-round	Keswick	63	-	Intermediate value of ranges of optimal growth from Grabowski (1973); Hokanson et al. (1977); Wurtsbaugh and Davis (1977); Myrick and Cech (2004); and Beakes et al. (2014)
			Clear Creek	-	69	Sullivan et al. (2000)
				63	-	Intermediate value of ranges of optimal growth from Grabowski (1973); Hokanson et al. (1977); Wurtsbaugh and Davis (1977); Myrick and Cech (2004); and Beakes et al. (2014)
			Balls Ferry	-	69	Sullivan et al. (2000)
				63	-	Intermediate value of ranges of optimal growth from Grabowski (1973); Hokanson et al. (1977); Wurtsbaugh and Davis (1977); Myrick and Cech (2004); and Beakes et al. (2014)
			Bend Bridge	-	69	Sullivan et al. (2000)
				63	-	Intermediate value of ranges of optimal growth from Grabowski (1973); Hokanson et al. (1977); Wurtsbaugh and Davis (1977); Myrick and Cech (2004); and Beakes et al. (2014)
			Red Bluff Diversion Dam	-	69	Sullivan et al. (2000)
				63	-	Intermediate value of ranges of optimal growth from Grabowski (1973); Hokanson et al. (1977); Wurtsbaugh and Davis (1977); Myrick and Cech (2004); and Beakes et al. (2014)
	Smoltification	Jan-Mar	Keswick	-	69	Sullivan et al. (2000)
				54	-	Zaugg and Wagner (1973); Adams et al. (1975); Zaugg (1981); Hoar 1988
			Clear Creek	54	-	Zaugg and Wagner (1973); Adams et al. (1975); Zaugg (1981); Hoar 1988
			Balls Ferry	54	-	Zaugg and Wagner (1973); Adams et al. (1975); Zaugg (1981); Hoar 1988

Species	Life Stage	Period	Location	Index Value (°F)		Source/Notes				
				Mean Daily	7DADM ^a					
Green Sturgeon	Smolt Emigration (excludes migrant parr)	Nov-Jun	Bend Bridge	54	-	Zaugg and Wagner (1973); Adams et al. (1975); Zaugg (1981); Hoar 1988				
			Red Bluff Diversion Dam	54	-	Zaugg and Wagner (1973); Adams et al. (1975); Zaugg (1981); Hoar 1988				
			Keswick	-	61	USEPA (2003)				
				-	64	USEPA (2003)				
			Clear Creek	-	61	USEPA (2003)				
				-	64	USEPA (2003)				
			Balls Ferry	-	61	USEPA (2003)				
				-	64	USEPA (2003)				
			Bend Bridge	-	61	USEPA (2003)				
				-	64	USEPA (2003)				
	Adult Immigration	Aug-Mar	Keswick		-	61	USEPA (2003)			
					70	-	Average of studies cited in Richter and Kolmes (2005)			
				Bend Bridge	-	68	USEPA (2003)			
					70	-	Average of studies cited in Richter and Kolmes (2005)			
				Red Bluff Diversion Dam	-	68	USEPA (2003)			
					70	-	Average of studies cited in Richter and Kolmes (2005)			
				Adult Holding	Sep-Nov	Keswick		-	61	USEPA (2003)
								-	61	USEPA (2003)
								-	61	USEPA (2003)
							Bend Bridge	63	-	Upper end of optimal range for embryonic development (Van Eenennaam et al. 2005)
Red Bluff Diversion Dam	63	-								
Hamilton City	63	-								

Species	Life Stage	Period	Location	Index Value (°F)		Source/Notes
				Mean Daily	7DADM ^a	
	Non-Spawning Adult Presence (Immigration, Pre- and Post-Spawn Holding)	Aug-Feb	Bend Bridge	66	-	Assumes that adults are at least as tolerant to temperatures as larvae and juveniles Houston (1988); Erickson et al. (2002)
Red Bluff Diversion Dam			73	-		
			66	-		
			73	-		
			66	-		
Hamilton City		73	-	Assumes that adults are at least as tolerant to temperatures as larvae and juveniles Houston (1988); Erickson et al. (2002)		
Knights Landing		66	-			
		73	-			
		66	-			
		73	-			
Larval to Juvenile Rearing and Emigration	Year-round	Bend Bridge	66	-	Upper end of optimal range for bioenergetics performance of Age 0/1 sturgeon with full or reduced food supply (Mayfield and Cech 2004)	
		Red Bluff Diversion Dam	66	-		
		Hamilton City	66	-		
		Knights Landing	66	-		

^oF = degrees Fahrenheit

^a 7DADM = Seven Day Average Daily Maximum

^b Core = moderate to high density (USEPA 2003)

^c Non-core = low to moderate density (USEPA 2003)

Table A6-49. Water Temperature Index Values Used for Water Temperature Index Value Analyses, American River

Species	Life Stage	Period	Location	Index Value (°F)		Source/Note	
				Mean Daily	7DADM ^a		
Winter-run Chinook Salmon	Non-Natal Rearing	Jul-Apr	Watt Ave	-	64	USEPA (2003); non-core location ^b	
Fall-Run Chinook Salmon	Spawning, Egg Incubation, and Alevins	Oct-Feb	Hazel Ave	-	55.4	USEPA (2003)	
			Watt Ave	-	55.4	USEPA (2003)	
	Fry and Juvenile Rearing and Emigration	Jan-May	Nov-Dec	Watt Ave	56	-	NMFS (2019)
			Hazel Ave	-	61	USEPA (2003); core juvenile rearing ³	
	Adult Immigration	Sep-Dec	Watt Ave	-	64	USEPA (2003); non-core juvenile rearing	
			Hazel Ave	-	68	USEPA (2003)	
	Adult Staging	Jul-Dec	Watt Ave	-	68	USEPA (2003)	
			Hazel Ave	-	61	USEPA (2003)	
	Steelhead	Spawning, Egg Incubation, and Alevins	Dec-May	Watt Ave	-	61	USEPA (2003)
				Hazel Ave	60	-	ARWA (2017)
Kelt Emigration		Feb-May	Hazel Ave	53	-	McCullough et al. (2001)	
			Watt Ave	53	-	McCullough et al. (2001)	
Juvenile Rearing		Year-round	Hazel Ave	--	68	USEPA (2003)	
			Watt Ave	70	-	Average of studies cited in Richter and Kolmes (2005)	
			Hazel Ave	-	68	USEPA (2003)	
Juvenile Rearing	Year-round	Hazel Ave	70	-	Average of studies cited in Richter and Kolmes (2005)		
		Hazel Ave	63	-	Intermediate value of ranges of optimal growth from Grabowski (1973); Hokanson et al. (1977); Wurtsbaugh and Davis (1977); Myrick and Cech (2004); and Beakes et al. (2014)		
				-	69	Sullivan et al. (2000)	

Species	Life Stage	Period	Location	Index Value (°F)		Source/Note
				Mean Daily	7DADM ^a	
			Watt Ave	63	-	Intermediate value of ranges of optimal growth from Grabowski (1973); Hokanson et al. (1977); Wurtsbaugh and Davis (1977); Myrick and Cech (2004); and Beakes et al. (2014)
				-	69	
		May 15–Oct 31	Watt Ave	65	-	NMFS (2019)
				68	-	NMFS (2019)
	Smoltification	Jan-Mar	Hazel Ave	54	-	Zaugg and Wagner (1973); Adams et al. (1975); Zaugg (1981); Hoar 1988
			Watt Ave	54	-	Zaugg and Wagner (1973); Adams et al. (1975); Zaugg (1981); Hoar 1988
	Smolt Emigration	Dec-Jun	Hazel Ave	-	61	USEPA (2003); core location
			Watt Ave	-	64	USEPA (2003); non-core location
	Adult Immigration	Oct-Apr	Hazel Ave	-	68	USEPA (2003)
				70	-	Average of studies cited in Richter and Kolmes (2005)
			Watt Ave	-	68	USEPA (2003)
				70	-	Average of studies cited in Richter and Kolmes (2005)
	Adult Holding	Oct-Nov	Hazel Ave	-	61	USEPA (2003)
			Watt Ave	-	61	USEPA (2003)

°F = degrees Fahrenheit

^a 7DADM = Seven Day Average Daily Maximum

^b Non-core = low to moderate density (USEPA 2003)

^c Core = moderate to high density (USEPA 2003)

Table A6-50. Water Temperature Index Values Used for Water Temperature Index Value Analyses, Feather River

Species	Life Stage	Period	Location	Index Value (°F)		Source/Note
				Mean Daily	7DADM ^a	
Winter-run Chinook Salmon	Non-Natal Rearing	Jul-Mar	LFC above Thermalito	-	64	USEPA (2003); non-core juvenile rearing ^b
			HFC at Gridley	-	64	USEPA (2003); non-core juvenile rearing
Spring-run Chinook Salmon	Spawning, Egg Incubation, and Alevins	Sep-Feb	LFC below Fish Dam	-	55.4	USEPA (2003)
			HFC below Thermalito	-	55.4	USEPA (2003)
	Fry and Juvenile Rearing and Emigration	Nov-Jun	LFC below Fish Dam	-	61	USEPA (2003); core juvenile rearing ^c
			HFC below Thermalito	-	64	USEPA (2003); non-core juvenile rearing
	Adult Immigration	Mar-Jun	LFC below Fish Dam	-	68	USEPA (2003)
			HFC below Thermalito	-	68	USEPA (2003)
Adult Holding	Apr-Sep	LFC below Fish Dam	-	61	USEPA (2003)	
		HFC below Thermalito	-	61	USEPA (2003)	
Fall-Run Chinook Salmon	Spawning, Egg Incubation, and Alevins	Oct-Feb	LFC below Fish Dam	-	55.4	USEPA (2003)
			HFC below Thermalito	-	55.4	USEPA (2003)
	Fry and Juvenile Rearing and Emigration	Nov-May	LFC below Fish Dam	-	61	USEPA (2003); core juvenile rearing
			HFC below Thermalito	-	64	USEPA (2003); non-core juvenile rearing
	Adult Immigration	Aug-Dec	LFC below Fish Dam	-	68	USEPA (2003)
			HFC below Thermalito	-	68	USEPA (2003)
Adult Holding	Aug-Dec	LFC below Fish Dam	-	61	USEPA (2003)	
		HFC below Thermalito	-	61	USEPA (2003)	
Steelhead	Spawning, Egg Incubation, and Alevins	Dec-May	LFC below Fish Dam	53	-	McCullough et al. (2001)
			HFC below Thermalito	53	-	McCullough et al. (2001)
	Kelt Emigration	Feb-May	LFC below Fish Dam	-	68	USEPA (2003)
				70	-	Average of studies cited in Richter and Kolmes (2005)
		HFC below Thermalito	-	68	USEPA (2003)	
			70	-	Average of studies cited in Richter and Kolmes (2005)	

Species	Life Stage	Period	Location	Index Value (°F)		Source/Note	
				Mean Daily	7DADM ^a		
Green Sturgeon	Juvenile Rearing	Year-round	LFC below Fish Dam	63	-	Intermediate value of ranges of optimal growth from Grabowski (1973); Hokanson et al. (1977); Wurtsbaugh and Davis (1977); Myrick and Cech (2004); and Beakes et al. (2014)	
			HFC below Thermalito	-	69		USEPA (2003)
	Smoltification	Jan-Mar	LFC below Fish Dam	HFC below Thermalito	63	-	Intermediate value of ranges of optimal growth from Grabowski (1973); Hokanson et al. (1977); Wurtsbaugh and Davis (1977); Myrick and Cech (2004); and Beakes et al. (2014)
				HFC below Thermalito	-	69	
			HFC below Thermalito	LFC below Fish Dam	54	-	Zaugg and Wagner (1973); Adams et al. (1975); Zaugg (1981); Hoar 1988
				HFC below Thermalito	54	-	Zaugg and Wagner (1973); Adams et al. (1975); Zaugg (1981); Hoar 1988
	Smolt Emigration	Dec-Jun	LFC below Fish Dam	-	61	USEPA (2003)	
			HFC below Thermalito	-	64	USEPA (2003)	
	Adult Immigration	Aug-Mar	LFC below Fish Dam	-	68	USEPA (2003)	
				HFC below Thermalito	-	68	USEPA (2003)
			HFC below Thermalito	70	-	Average of studies cited in Richter and Kolmes (2005)	
	Adult Holding	Sep-Nov	LFC below Fish Dam	-	61	USEPA (2003)	
			HFC below Thermalito	-	61	USEPA (2003)	
	Spawning and Embryo Incubation	Mar-Jul	LFC below Fish Dam	63	-	Upper end of optimal range for embryonic development (Van Eenennaam et al. 2005)	
			HFC below Thermalito	63	-		
	Non-Spawning Adult Presence (Immigration, Pre- and Post-Spawn Holding)	Aug-Nov	LFC below Fish Dam	HFC at Gridley	63	-	Assumes that adults are at least as tolerant to temperatures as larvae and juveniles
HFC below Thermalito				66	-	Houston (1988); Erickson et al. (2002)	
HFC below Thermalito			LFC below Fish Dam	73	-	Assumes that adults are at least as tolerant to temperatures as larvae and juveniles	
			HFC below Thermalito	66	-		Houston (1988); Erickson et al. (2002)
				73	-		

Species	Life Stage	Period	Location	Index Value (°F)		Source/Note
				Mean Daily	7DADM ^a	
			HFC at Gridley	66	-	Assumes that adults are at least as tolerant to temperatures as larvae and juveniles Houston (1988); Erickson et al. (2002)
				73	-	
	Larval to Juvenile Rearing and Emigration	Year-round	LFC below Fish Dam	66	-	Upper end of optimal range for bioenergetics performance of Age 0/1 sturgeon with full or reduced food supply (Mayfield and Cech 2004)
HFC below Thermalito			66	-		
HFC at Gridley			66	-		

^oF = degrees Fahrenheit

HFC = High Flow Channel; LFC = Low Flow Channel

^a 7DADM = Seven Day Average Daily Maximum

^b Non-core = low to moderate density (USEPA 2003)

^c Core = moderate to high density (USEPA 2003)

Table A6-51. Water Temperature Index Values for Anadromous Fish in the Feather River Low Flow Channel near Robinson Riffle

Month	Temperature (°F)
January	56
February	56
March	56
April	56
May 1-15	56-63 ^a
May 16-31	63
June	63
July	63
August	63
September 1-8	63-58 ^a
September 9-30	58
October	56
November	56
December	56

°F = degrees Fahrenheit

Values from NMFS (2016).

Model output location is Feather River Low Flow Channel above Thermalito Afterbay.

^a Indicates a period of transition from the first temperature to the second temperature. Therefore, the average of 60°F was used for the analysis.

Table A6-52. Water Temperature Index Values for Anadromous Fish in the Feather River High Flow Channel

Month	Temperature (°F)
January	56
February	56
March	56
April	61
May 1-15	64
May 16-31	64
June	64
July	64
August	61
September 1-8	60
September 9-30	56
October	56
November	56
December	56

°F = degrees Fahrenheit

Model output location is Feather River High Flow Channel below Thermalito Afterbay.

Values from NMFS (2016).

Table A6-53. Conversion Values (°F) for 7DADM Water Temperature Index Values to Monthly Mean, Sacramento River

Month	Keswick	Clear Creek	Balls Ferry	Bend Bridge	Red Bluff	Wilkins Slough ^a
January	-0.36	-1.01	-0.75	-0.67	-0.86	0.0
February	-0.28	-1.11	-0.86	-0.62	-0.97	-0.3
March	-0.17	-1.29	-0.94	-0.66	-1.23	-0.3
April	-0.25	-1.66	-1.47	-0.95	-1.55	-0.6
May	-0.36	-1.73	-2.18	-1.59	-1.47	-1.4
June	-0.32	-1.55	-2.25	-1.87	-0.96	-1.2
July	-0.36	-1.41	-2.18	-2.01	-0.90	-1.3
August	-0.43	-1.74	-2.06	-1.61	-0.94	-1.3
September	-0.30	-2.00	-1.76	-1.16	-1.70	-2.0
October	-0.25	-1.73	-1.25	-0.91	-1.83	-1.4
November	-0.38	-1.37	-1.10	-0.99	-1.53	-1.3
December	-0.82	-1.42	-1.30	-1.24	-1.48	-1.0

°F = degrees Fahrenheit

7DADM = 7-day average daily maximum

Based on historical data from 2003-2014 for all sites except Wilkins Slough, which is based on historical data from November 2012 through June 2015. For a given location and month, values in this table were added to 7DADM index values in Table A6-48 such that actual values used in the evaluation for each month were lower than those listed in Table A6-48.

^a Because there is no flow gage at Hamilton City, Wilkins Slough data were used to calculate the conversion values for Hamilton City.

Table A6-54. Conversion Values (°F) for 7DADM Maximum Water Temperature Index Values to Monthly Mean, American River

Month	Below Nimbus Dam	Watt Avenue
January	-0.44	-1.01
February	-0.15	-1.05
March	-0.25	-1.29
April	-0.40	-1.72
May	-0.60	-2.05
June	-0.44	-2.55
July	-0.50	-3.17
August	-0.70	-3.11
September	-0.59	-2.52
October	-0.60	-2.01
November	-0.80	-1.65
December	-0.77	-1.26

°F = degrees Fahrenheit

7DADM = 7-day average daily maximum

Based on historical data from 2003-2014. For a given location and month, values in this table were added to 7DADM index values in Table A6-49 such that actual values used in the evaluation were lower than those listed in Table A6-49.

Table A6-55. Conversion Values (°F) for 7DADM Water Temperature Index Values to Monthly Mean, Feather River

Month	RM 66.3 (Downstream of Hatchery)	RM 58.7 (Downstream of Afterbay Outlet)	RM 25.5 (Shanghai Bend)
January	-0.76	-0.52	-0.45
February	-0.83	-0.56	-0.58
March	-0.93	-0.60	-0.60
April	-0.88	-0.78	-1.06
May	-1.06	-0.87	-1.34
June	-1.10	-1.37	-1.74
July	-1.82	-1.41	-1.30
August	-2.08	-1.37	-1.04
September	-2.16	-1.58	-1.48
October	-1.36	-1.20	-1.51
November	-0.92	-1.15	-1.45
December	-0.94	-0.78	-0.96

°F = degrees Fahrenheit; 7DADM = 7-day average daily maximum; RM = river mile

Based on historical data from 2002–2014. For a given location and month, values in this table were added to 7DADM index values in Table A6-50 such that actual values used in the evaluation were lower than those listed in Table A6-50.

RM 66.3 conversion values were used for both locations in the Low Flow Channel (below Fish Dam and above Thermalito); RM 58.7 conversion values were used for the High Flow Channel below Thermalito Afterbay Outlet; RM 25.5 conversion values were used for the High Flow Channel at Gridley Bridge.

A6.4.2 Results

The results of the water temperature index value analysis are presented in this section. Results are organized by river and then by fish species/race. Two types of tables are presented within each river section. The type of table presents results of the analysis showing, by month and water year type: (1) the difference in percent of days above the index value between each flow scenario and the baseline; and (2) the difference in mean degrees per day above the index value between each flow scenario and the baseline. The second table type presents summaries of the percent of month-water year combinations with favorable and unfavorable results, as defined in Section A6.4.1, *Methods*, for all index values combined for each species and life stage.

The interpretation and discussion of these results, including the high-level summary tables described in Section A6.4.1, *Methods*, can be found in Section 7.6.2, *Aquatic Biological Resources*. The tables in this section utilize the following abbreviations:

Water Year Type:

- W: wet
- AN: above normal
- BN: below normal
- D: dry
- C: critical
- All: all water year types combined

Months are indicated by a numeric value, 1–12. For example, January is 1 and December is 12.

A6.4.2.1 Sacramento River

Winter-Run Chinook Salmon

Table A6-56. Water Temperature Index Value Analysis Results, Winter-Run Chinook Salmon, Spawning, Egg Incubation, and Alevins, Sacramento River below Keswick, 55.4 °F 7DADM

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
4	W	0.0	0.0	0.0	-0.7	-0.5	0.0	-0.1	-0.2	-0.2	-0.4
4	AN	0.6	0.0	-0.8	-2.2	-0.8	-0.1	0.0	-0.4	-0.4	-0.2
4	BN	-0.8	0.0	1.2	2.9	-0.4	0.1	0.0	-0.1	-0.1	0.1
4	D	-0.5	0.3	-1.0	-7.9	-5.9	-0.1	0.0	0.0	-0.1	-0.2
4	C	1.6	-5.3	-5.8	-7.6	-9.1	-0.1	-0.1	-0.2	-0.2	-0.3
4	All	0.1	-0.8	-1.0	-3.0	-3.1	-0.1	0.0	-0.1	-0.2	-0.2
5	W	0.2	0.0	3.0	7.0	14.7	-0.2	-0.1	0.0	0.2	0.2
5	AN	0.0	-0.5	-0.5	11.3	20.7	0.0	0.0	0.0	0.0	0.0
5	BN	2.1	1.3	8.0	12.3	15.0	0.1	0.0	0.2	0.0	-0.1
5	D	-0.6	6.0	3.1	-5.7	-0.9	0.0	-0.1	-0.1	-0.1	-0.1
5	C	2.6	-5.4	-11.4	-2.2	-5.6	0.3	0.2	0.2	0.2	0.3
5	All	0.7	0.7	1.1	4.2	8.7	0.1	0.0	0.1	0.1	0.1
6	W	0.0	0.0	2.0	2.5	6.3	0.0	0.0	0.4	0.2	0.5
6	AN	0.0	0.0	0.6	0.8	11.7	0.0	0.0	0.0	0.0	0.3
6	BN	2.0	5.9	3.3	7.8	18.0	0.1	0.2	0.1	0.1	0.2
6	D	1.4	5.9	4.0	2.9	5.9	0.0	0.1	0.1	0.2	0.1
6	C	20.0	18.0	21.1	11.8	11.6	0.4	0.4	0.2	0.3	0.3
6	All	3.9	5.3	5.6	4.8	9.9	0.3	0.3	0.2	0.2	0.1
7	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	AN	0.0	0.0	0.0	0.0	8.3	0.0	0.0	0.0	0.0	1.1
7	BN	0.0	0.0	0.0	7.2	14.4	0.0	0.0	0.0	0.7	0.7
7	D	1.5	1.5	2.9	3.2	8.9	0.4	0.4	0.3	0.4	0.3

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
7	C	19.8	23.4	36.6	34.2	35.9	0.4	0.4	0.5	0.5	0.8
7	All	3.5	4.1	6.6	7.6	11.5	0.4	0.4	0.5	0.5	0.6
8	W	-2.6	-2.6	-2.6	-2.9	-3.2	-0.1	-0.1	-0.1	-0.3	-0.3
8	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	BN	0.0	0.0	0.0	0.0	5.7	0.0	0.0	0.0	0.0	1.4
8	D	0.2	0.2	0.3	2.3	4.8	0.0	0.0	0.5	0.2	0.4
8	C	-10.5	-11.0	-11.6	-4.1	12.0	-4.1	-4.0	-4.7	-2.8	-0.7
8	All	-2.5	-2.5	-2.6	-1.0	3.1	-2.8	-2.9	-3.2	-1.9	-0.4
9	W	0.0	0.0	-0.1	-0.1	-0.6	0.3	0.3	0.2	0.1	-0.1
9	AN	0.0	0.0	1.4	1.7	0.0	0.0	0.0	0.2	0.2	0.0
9	BN	-1.6	2.9	6.1	-5.1	7.5	-0.4	-0.5	0.1	-0.7	5.4
9	D	-2.1	-2.2	-1.9	-2.7	-1.1	-1.1	-1.6	-1.4	-1.6	-0.4
9	C	-27.1	-27.3	-29.8	-19.8	-18.4	-2.1	-2.2	-3.0	-0.6	1.4
9	All	-5.1	-4.4	-4.0	-4.6	-2.0	-1.8	-2.1	-2.5	-0.5	1.2
10	W	-0.5	-0.5	-0.8	-0.9	0.3	0.0	0.0	0.1	0.1	2.1
10	AN	-6.2	-3.8	-12.1	5.1	-8.1	0.8	-0.3	-4.5	-4.4	2.2
10	BN	-5.7	-5.7	-5.3	0.0	11.8	-7.1	-7.1	-7.4	-0.1	-1.8
10	D	3.2	3.4	10.4	-0.8	-3.5	-1.6	-1.6	-2.8	-2.7	-2.8
10	C	-7.5	-11.2	-21.7	-14.0	-9.9	-2.6	-3.0	-1.4	-0.6	0.0
10	All	-2.5	-2.7	-3.9	-2.0	-1.2	-1.7	-1.9	-2.7	-1.7	0.3

^a°F = degrees Fahrenheit; 7DADM = 7-day average daily maximum; UF = unimpaired flow

^a Green cells indicate >5% lower values under the flow scenario relative to baseline; red cells indicate >5% higher values under the flow scenario relative to baseline.

^b Only includes months on which temperature exceeded index value; green cells indicate >0.5 °F lower values under the flow scenario relative to baseline; red cells indicate >0.5 °F higher values under the flow scenario relative to baseline.

Table A6-57. Water Temperature Index Value Analysis Results, Winter-Run Chinook Salmon, Spawning, Egg Incubation, and Alevins, Sacramento River at Clear Creek, 55.4 °F 7DADM

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
4	W	0.6	0.7	-0.8	-3.8	-3.8	0.0	0.0	-0.2	-0.3	-0.3
4	AN	1.9	1.4	-3.6	-9.4	-10.6	0.0	0.0	-0.1	-0.2	-0.2
4	BN	1.0	0.4	-1.6	-4.1	-13.1	0.0	-0.1	-0.1	-0.1	-0.3
4	D	-0.6	-4.9	-15.7	-34.8	-27.9	0.1	0.0	0.0	-0.1	-0.1
4	C	0.0	-15.1	-21.8	-23.3	-28.2	0.0	-0.2	-0.3	-0.6	-0.5
4	All	0.5	-3.1	-8.1	-14.7	-15.8	0.0	0.0	-0.1	-0.2	-0.3
5	W	-3.3	-3.5	3.1	9.4	25.6	-0.1	-0.1	0.1	0.3	0.5
5	AN	1.3	0.8	5.4	25.8	42.2	0.0	-0.1	0.0	0.3	0.4
5	BN	3.0	8.5	25.2	35.1	41.0	0.1	0.0	0.0	0.0	0.0
5	D	-2.5	7.8	2.9	-20.1	-8.1	0.0	0.1	0.0	0.0	0.0
5	C	-5.2	-14.8	-18.1	-28.0	-23.9	0.3	0.2	0.0	0.2	0.1
5	All	-1.7	0.0	4.0	3.5	14.9	0.1	0.1	0.0	0.1	0.1
6	W	-0.2	-0.2	4.9	8.1	20.0	-0.5	-0.5	1.3	1.2	1.1
6	AN	0.0	0.0	4.2	18.6	35.6	0.0	0.0	1.5	1.2	1.8
6	BN	-1.4	4.3	21.8	35.5	40.2	0.9	1.0	0.0	0.4	0.8
6	D	1.4	10.3	12.4	22.1	21.0	0.0	0.0	-0.2	-0.4	-0.3
6	C	23.8	22.0	25.1	21.8	24.4	0.5	0.5	0.4	0.2	0.1
6	All	3.8	6.6	12.8	19.8	26.6	0.4	0.4	0.0	-0.2	-0.1
7	W	-2.3	-2.2	-2.4	-2.2	-1.7	-0.5	-0.5	-0.4	-0.4	-0.4
7	AN	1.3	0.8	-0.5	-0.3	17.7	0.0	-0.1	-0.2	-0.2	1.7
7	BN	-1.3	-1.3	0.0	8.9	31.1	-0.9	-0.9	0.1	1.5	0.9
7	D	2.5	6.0	20.4	35.9	43.6	0.0	-0.8	-1.3	-1.4	-1.2
7	C	18.7	23.0	32.3	32.0	34.2	0.5	0.5	0.9	0.9	1.1
7	All	2.8	4.3	9.0	14.2	22.8	0.5	0.4	0.5	0.3	0.3
8	W	-9.6	-7.7	-7.7	-8.1	-8.6	0.1	0.0	0.1	0.1	0.0
8	AN	0.5	5.4	-6.2	11.8	36.0	0.0	0.0	0.1	0.1	0.1

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
8	BN	0.4	0.6	0.8	-1.9	38.9	0.0	-0.2	-0.1	0.1	0.3
8	D	-5.4	-1.1	-2.6	34.1	54.2	0.1	-0.3	0.1	-0.4	-0.1
8	C	-34.0	-33.5	-1.3	16.1	23.0	-0.8	-1.2	-1.1	-0.3	1.0
8	All	-9.4	-7.2	-3.8	9.1	25.1	-0.3	-0.6	-0.4	-0.2	0.2
9	W	-0.4	0.8	8.5	14.9	10.0	0.1	0.0	-0.3	-0.3	-0.4
9	AN	-7.2	-8.1	1.9	18.1	12.5	0.2	0.2	0.4	0.3	-0.1
9	BN	-1.0	-2.7	-3.7	5.1	16.5	-0.2	0.0	0.2	-0.3	0.9
9	D	-19.7	-24.0	-30.5	-16.0	-19.5	-0.3	-0.3	-0.3	-0.5	-0.4
9	C	-12.2	-5.6	-11.6	-11.6	-9.8	-2.2	-2.3	-2.7	-1.5	-0.9
9	All	-7.6	-7.6	-6.6	2.3	1.6	-0.7	-0.7	-0.9	-0.7	-0.3
10	W	-0.5	-1.6	-2.1	1.2	1.2	0.0	0.0	0.0	0.0	0.9
10	AN	-0.5	6.5	8.3	15.3	-9.9	-1.3	-1.7	-3.7	-2.8	0.3
10	BN	-6.1	-6.6	-0.2	6.8	10.4	-2.2	-2.2	-2.2	-0.4	1.5
10	D	-11.2	-10.4	1.1	-9.2	-15.4	0.3	0.3	-0.2	-0.4	-0.6
10	C	-5.6	-4.5	-2.6	-7.1	-7.1	-1.8	-2.2	-2.6	-1.4	-0.7
10	All	-4.8	-4.0	0.2	0.3	-3.6	-0.8	-0.9	-1.4	-0.8	0.2

^a°F = degrees Fahrenheit; 7DADM = 7-day average daily maximum; UF = unimpaired flow

^a Green cells indicate >5% lower values under the flow scenario relative to baseline; red cells indicate >5% higher values under the flow scenario relative to baseline.

^b Only includes days during which temperature exceeded index value; green cells indicate >0.5 °F lower values under the flow scenario relative to baseline; red cells indicate >0.5 °F higher values under the flow scenario relative to baseline.

Table A6-58. Water Temperature Index Value Analysis Results, Winter-Run Chinook Salmon, Spawning, Egg Incubation, and Alevins, Sacramento River at Balls Ferry, 55.4 °F 7DADM

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
4	W	-0.2	-1.2	-1.9	-5.1	-6.9	0.0	-0.1	-0.2	-0.5	-0.5
4	AN	0.3	-0.8	-5.8	-13.3	-19.4	0.0	-0.1	-0.2	-0.4	-0.4
4	BN	-1.0	-2.4	-3.7	-9.2	-19.8	0.0	-0.2	-0.3	-0.4	-0.6
4	D	-0.3	-5.1	-19.5	-37.8	-31.9	0.1	-0.1	-0.2	-0.3	-0.3
4	C	4.0	-7.3	-12.4	-23.1	-31.8	0.0	-0.4	-0.5	-0.6	-0.7
4	All	0.4	-3.2	-8.4	-17.2	-20.5	0.0	-0.1	-0.3	-0.5	-0.5
5	W	-0.9	-3.5	-3.1	-2.5	7.4	-0.2	-0.2	-0.1	0.1	0.4
5	AN	0.0	-0.3	-7.3	0.8	11.8	0.0	-0.1	-0.1	0.6	1.0
5	BN	-0.4	-2.5	12.5	23.9	16.7	0.0	0.2	0.2	0.3	0.6
5	D	-1.5	3.1	2.5	-5.2	-4.5	-0.1	0.2	0.1	-0.5	-0.2
5	C	3.9	-1.1	-1.7	-8.8	-11.8	0.2	0.0	-0.2	-0.3	-0.1
5	All	-0.1	-1.0	0.7	1.1	3.9	0.0	0.0	0.0	0.0	0.3
6	W	-2.9	-12.3	-30.7	-33.5	-5.7	-0.2	-0.4	-0.2	0.1	0.4
6	AN	-5.8	-25.6	-37.5	-28.9	1.7	0.0	-0.2	0.2	0.3	1.0
6	BN	-4.3	-2.9	14.3	21.8	32.2	0.1	0.5	0.7	1.1	1.2
6	D	17.9	22.4	29.4	35.7	37.9	-0.1	0.3	0.2	0.3	0.3
6	C	11.8	14.2	17.1	15.1	13.8	1.4	1.1	0.9	0.7	0.8
6	All	3.5	-0.2	-2.1	0.7	15.2	0.2	0.3	0.4	0.6	0.7
7	W	2.2	-0.2	-10.9	-7.4	5.8	-0.1	-0.1	-0.1	-0.1	0.1
7	AN	4.8	12.4	-0.5	18.3	46.2	0.0	-0.1	-0.2	0.1	1.4
7	BN	-2.8	0.0	27.7	52.9	69.1	-0.1	0.3	0.2	0.8	1.6
7	D	14.9	26.3	45.8	48.4	48.5	0.3	0.7	1.1	1.4	1.7
7	C	3.0	3.2	3.2	3.2	3.2	1.2	1.4	2.0	2.0	2.2
7	All	4.6	8.0	12.6	21.3	31.8	0.2	0.4	0.5	0.7	1.1
8	W	9.8	15.9	23.7	24.5	27.9	-0.4	-0.2	-0.2	-0.4	-0.2
8	AN	-0.5	0.5	3.5	2.7	3.5	0.0	0.0	-0.2	0.4	0.9

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
8	BN	-0.9	-9.7	-15.7	20.7	30.0	0.0	0.0	0.2	0.0	1.1
8	D	-14.7	-22.1	-5.2	5.4	8.6	0.0	0.0	0.0	0.7	1.2
8	C	-12.5	-4.7	3.0	3.2	3.2	-1.1	-1.3	-0.6	0.3	1.6
8	All	-2.6	-2.7	4.0	13.3	16.8	-0.3	-0.3	-0.2	0.1	0.8
9	W	1.3	5.6	13.5	26.9	27.0	0.0	0.0	0.1	0.2	0.1
9	AN	3.1	-7.8	6.1	29.2	22.8	-0.1	-0.1	0.1	0.6	0.3
9	BN	-3.5	-1.4	-0.2	5.9	13.5	-0.1	-0.1	-0.1	-0.2	0.7
9	D	-7.1	-17.6	-12.2	-4.9	-5.9	-0.6	-0.5	-0.7	-0.6	-0.6
9	C	-4.4	-2.0	-2.0	-5.3	-3.6	-2.1	-2.2	-2.6	-1.5	-0.9
9	All	-2.2	-3.9	1.7	11.0	11.6	-0.7	-0.7	-0.8	-0.5	-0.3
10	W	-1.3	-3.5	1.2	4.1	5.0	0.0	0.1	-0.1	0.0	0.6
10	AN	-0.5	4.0	7.3	15.3	-4.3	-1.0	-1.1	-2.8	-2.0	-0.6
10	BN	-5.1	-7.4	1.1	9.1	11.8	-1.7	-1.7	-1.7	-0.3	1.2
10	D	-8.9	-6.8	5.1	-0.8	-3.1	0.1	0.1	-0.3	-0.4	-0.6
10	C	-4.5	-5.2	-7.3	-3.4	-8.2	-1.5	-1.8	-1.9	-1.1	-0.3
10	All	-4.1	-4.2	1.5	4.2	1.1	-0.7	-0.8	-1.2	-0.7	0.0

°F = degrees Fahrenheit; 7DADM = 7-day average daily maximum; UF = unimpaired flow

^a Green cells indicate >5% lower values under the flow scenario relative to baseline; red cells indicate >5% higher values under the flow scenario relative to baseline.

^b Only includes days during which temperature exceeded index value; green cells indicate >0.5 °F lower values under the flow scenario relative to baseline; red cells indicate >0.5 °F higher values under the flow scenario relative to baseline.

Table A6-59. Water Temperature Index Value Analysis Results, Winter-Run Chinook Salmon, Spawning, Egg Incubation, and Alevins, Sacramento River at Bend Bridge, 55.4 °F 7DADM

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
4	W	-0.2	-2.0	-3.6	-7.4	-8.2	0.0	0.0	-0.2	-0.4	-0.5
4	AN	0.6	-0.6	-3.9	-11.4	-19.2	0.0	-0.1	-0.3	-0.5	-0.6
4	BN	-1.8	-3.3	-7.6	-10.2	-24.3	0.0	-0.1	-0.3	-0.6	-0.7
4	D	0.0	-3.0	-16.5	-34.0	-29.4	0.1	-0.2	-0.4	-0.5	-0.6
4	C	2.2	-7.8	-10.9	-22.7	-26.7	0.2	-0.2	-0.4	-0.6	-0.9
4	All	0.0	-3.2	-8.5	-16.9	-20.3	0.1	-0.1	-0.3	-0.5	-0.7
5	W	0.0	-0.2	1.0	-0.5	4.8	-0.2	-0.3	-0.3	-0.2	0.2
5	AN	0.0	-1.3	-3.0	-0.8	5.9	0.0	-0.1	-0.3	0.2	0.7
5	BN	-0.2	-1.5	5.9	11.8	7.2	0.0	0.0	0.1	0.4	0.5
5	D	-0.6	1.5	0.3	-2.2	-3.7	-0.1	0.3	0.1	-0.5	-0.2
5	C	1.9	-0.6	-2.2	-6.0	-9.7	0.6	0.3	0.1	-0.1	0.0
5	All	0.1	-0.3	0.7	0.5	1.1	0.0	0.0	-0.1	-0.1	0.2
6	W	-0.4	-2.9	-9.4	-13.9	-1.0	-0.2	-0.7	-0.9	-0.8	0.1
6	AN	-0.3	-7.5	-20.3	-15.0	-1.7	-0.2	-0.7	-0.6	-0.5	0.7
6	BN	-2.4	-7.6	0.4	9.4	11.4	0.0	0.2	0.7	0.9	1.4
6	D	6.8	2.1	8.3	11.1	11.1	0.4	1.0	0.9	1.1	1.2
6	C	0.0	2.4	2.4	2.4	1.1	2.0	1.8	1.6	1.3	1.4
6	All	1.0	-2.4	-3.1	-1.5	4.3	0.3	0.3	0.3	0.4	0.8
7	W	0.0	0.0	0.0	0.0	0.0	-0.1	-0.1	-0.3	-0.2	0.3
7	AN	2.4	6.2	4.8	8.1	8.3	0.1	0.1	-0.3	0.4	2.7
7	BN	3.6	1.7	3.2	12.1	12.1	-0.1	0.1	0.6	1.6	2.8
7	D	0.5	-1.1	1.4	1.5	1.5	0.5	1.2	2.0	2.4	2.7
7	C	0.0	0.0	0.0	0.0	0.0	1.5	1.8	2.4	2.4	2.7
7	All	1.1	0.9	1.5	3.6	3.6	0.3	0.6	0.8	1.2	2.0
8	W	0.5	1.5	2.4	2.4	2.6	-0.1	0.1	0.3	0.2	0.4
8	AN	-0.5	0.0	0.0	0.0	0.0	0.0	0.1	-0.1	0.6	1.2

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
8	BN	-0.6	-8.5	-5.7	0.8	1.1	-0.1	-0.1	-0.2	0.4	1.9
8	D	-7.7	-7.1	-0.5	-0.2	0.0	-0.2	-0.3	0.0	0.9	1.6
8	C	-1.3	-0.4	0.0	0.0	0.0	-1.2	-1.2	-0.2	0.7	2.0
8	All	-2.0	-2.8	-0.4	0.8	1.0	-0.3	-0.2	0.0	0.5	1.3
9	W	2.7	6.3	11.1	21.4	19.8	0.0	0.1	0.3	0.6	0.6
9	AN	3.3	-3.6	3.6	23.6	20.8	-0.1	-0.2	0.2	0.9	0.6
9	BN	2.0	2.5	0.2	5.5	7.1	-0.3	-0.2	-0.1	-0.1	0.8
9	D	-3.0	-9.4	-5.9	-0.2	-0.5	-0.7	-0.7	-0.8	-0.6	-0.6
9	C	-1.6	-0.7	-0.4	-3.1	-1.8	-1.9	-1.9	-2.3	-1.3	-0.8
9	All	0.7	-0.3	2.4	10.0	9.5	-0.6	-0.6	-0.6	-0.3	0.0
10	W	-2.2	-1.6	1.8	7.8	5.3	0.0	0.0	-0.1	0.0	0.7
10	AN	-0.8	1.9	5.4	12.6	5.4	-0.8	-0.8	-2.2	-1.4	-1.0
10	BN	-4.7	-5.9	2.5	6.5	13.9	-1.3	-1.4	-1.3	0.0	0.8
10	D	-7.7	-5.7	8.9	3.2	1.8	0.0	0.0	-0.3	-0.3	-0.4
10	C	-2.8	-4.3	-6.2	-1.1	-3.7	-1.3	-1.5	-1.5	-0.8	-0.4
10	All	-3.8	-3.3	2.7	5.7	4.6	-0.6	-0.7	-0.9	-0.4	0.0

^a°F = degrees Fahrenheit; 7DADM = 7-day average daily maximum; UF = unimpaired flow

^a Green cells indicate >5% lower values under the flow scenario relative to baseline; red cells indicate >5% higher values under the flow scenario relative to baseline.

^b Only includes days during which temperature exceeded index value; green cells indicate >0.5 °F lower values under the flow scenario relative to baseline; red cells indicate >0.5 °F higher values under the flow scenario relative to baseline.

Table A6-60. Water Temperature Index Value Analysis Results, Winter-Run Chinook Salmon, Spawning, Egg Incubation, and Alevins, Sacramento River at Red Bluff Diversion Dam, 55.4 °F 7DADM

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
4	W	-0.4	-1.3	-2.9	-6.7	-10.4	0.0	-0.1	-0.2	-0.4	-0.5
4	AN	0.0	-0.6	-1.7	-5.6	-9.7	0.0	0.0	-0.3	-0.6	-0.8
4	BN	-1.2	-1.6	-7.6	-12.2	-22.4	0.0	-0.2	-0.3	-0.5	-0.9
4	D	-0.8	-2.4	-8.7	-24.4	-23.0	0.1	-0.2	-0.7	-1.0	-0.9
4	C	1.1	-6.4	-7.3	-16.2	-18.2	0.2	-0.2	-0.4	-0.7	-1.1
4	All	-0.3	-2.3	-5.6	-13.1	-16.6	0.1	-0.2	-0.4	-0.7	-0.9
5	W	-0.1	0.0	2.0	-0.1	3.7	-0.2	-0.3	-0.3	-0.2	0.1
5	AN	0.0	0.3	-0.8	0.0	4.3	0.0	-0.2	-0.4	0.1	0.6
5	BN	-0.2	-0.8	3.4	7.0	4.0	-0.1	-0.1	0.1	0.3	0.4
5	D	0.2	1.2	1.7	-0.3	-2.9	-0.1	0.3	0.1	-0.5	-0.3
5	C	0.0	-1.7	-2.2	-4.3	-6.2	0.8	0.5	0.2	-0.1	0.0
5	All	0.0	-0.1	1.1	0.5	0.7	0.0	0.0	-0.1	-0.1	0.1
6	W	-0.4	-2.6	-8.8	-12.4	-0.6	-0.3	-0.7	-1.0	-0.9	0.0
6	AN	-0.3	-6.9	-19.2	-14.2	-1.9	-0.2	-0.8	-0.6	-0.7	0.6
6	BN	-2.0	-6.7	2.0	10.2	11.4	-0.1	0.2	0.6	0.8	1.3
6	D	4.9	1.1	5.7	7.5	8.1	0.5	1.0	1.0	1.2	1.3
6	C	0.4	2.2	2.9	2.9	1.8	2.1	1.9	1.7	1.3	1.4
6	All	0.7	-2.3	-3.0	-1.5	3.8	0.3	0.3	0.3	0.3	0.8
7	W	0.0	0.0	0.0	0.0	0.0	-0.1	-0.1	-0.4	-0.3	0.3
7	AN	3.5	7.5	5.6	9.9	10.8	0.0	0.1	-0.4	0.4	2.8
7	BN	2.8	2.3	2.7	13.9	13.9	-0.1	0.2	0.7	1.7	3.0
7	D	0.8	-0.5	2.0	2.3	2.3	0.5	1.3	2.2	2.7	3.0
7	C	0.0	0.0	0.0	0.0	0.0	1.7	1.9	2.6	2.5	2.9
7	All	1.1	1.3	1.7	4.3	4.4	0.4	0.6	0.9	1.3	2.1
8	W	0.5	0.8	1.6	1.6	1.6	-0.1	0.2	0.4	0.2	0.5
8	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.1	-0.1	0.6	1.3

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
8	BN	-0.2	-6.1	-4.0	0.6	0.9	-0.1	-0.2	-0.2	0.5	2.0
8	D	-3.7	-4.0	-0.3	0.0	0.0	-0.3	-0.4	0.0	1.0	1.8
8	C	-0.4	-0.4	0.0	0.0	0.0	-1.2	-1.1	0.0	1.0	2.2
8	All	-0.8	-1.8	-0.3	0.6	0.7	-0.3	-0.2	0.1	0.6	1.5
9	W	1.2	2.4	4.4	8.1	8.0	0.0	0.2	0.5	0.9	1.0
9	AN	2.8	1.7	4.2	9.2	8.9	-0.1	-0.3	0.1	1.3	1.0
9	BN	-0.6	-0.2	0.6	0.4	0.6	-0.2	-0.1	-0.1	0.0	0.9
9	D	-0.2	-0.6	-0.3	0.3	0.2	-0.8	-0.9	-0.9	-0.6	-0.5
9	C	0.0	0.0	0.0	0.0	0.0	-1.8	-1.8	-2.1	-1.3	-0.7
9	All	0.6	0.8	1.9	3.8	3.7	-0.5	-0.5	-0.5	0.0	0.3
10	W	-0.7	-0.8	3.7	4.4	3.7	-0.1	-0.1	-0.1	0.2	0.5
10	AN	-1.6	1.6	0.8	12.4	6.5	-0.5	-0.4	-1.1	-0.6	-0.4
10	BN	-4.0	-3.2	7.8	9.5	14.4	-0.8	-0.8	-0.7	0.0	0.7
10	D	-6.6	-1.8	10.6	7.5	1.1	-0.1	-0.2	-0.1	-0.2	-0.1
10	C	-1.7	0.9	-2.4	0.2	-3.2	-0.9	-1.1	-1.1	-0.5	-0.2
10	All	-2.9	-0.9	4.6	6.4	4.3	-0.4	-0.5	-0.5	-0.2	0.1

^a°F = degrees Fahrenheit; 7DADM = 7-day average daily maximum; UF = unimpaired flow

^a Green cells indicate >5% lower values under the flow scenario relative to baseline; red cells indicate >5% higher values under the flow scenario relative to baseline.

^b Only includes days during which temperature exceeded index value; green cells indicate >0.5 °F lower values under the flow scenario relative to baseline; red cells indicate >0.5 °F higher values under the flow scenario relative to baseline.

Table A6-61. Water Temperature Index Value Analysis Results, Winter-Run Chinook Salmon, Spawning, Egg Incubation, and Alevins, Sacramento River below Keswick, 53.5 °F

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
5	W	-0.7	-0.9	4.8	13.0	29.6	0.0	0.0	0.2	0.4	0.5
5	AN	1.1	1.1	7.3	27.2	42.2	0.0	-0.1	-0.1	0.2	0.3
5	BN	5.5	13.1	24.3	32.8	41.4	0.0	-0.1	0.0	0.0	-0.1
5	D	-0.6	10.0	3.5	-16.7	-9.1	0.0	0.0	0.0	-0.1	0.0
5	C	-10.8	-19.8	-24.3	-29.7	-26.5	0.2	0.1	-0.1	0.3	0.1
5	All	-0.9	1.3	3.7	4.9	15.6	0.0	0.0	0.0	0.1	0.1
6	W	0.0	0.0	5.0	7.7	15.2	0.0	0.0	1.3	1.3	1.4
6	AN	0.0	0.0	3.9	16.7	34.2	0.0	0.0	1.1	0.9	1.3
6	BN	0.4	5.9	17.5	34.1	38.2	0.7	0.8	0.1	0.3	0.6
6	D	0.0	7.6	5.9	8.4	9.0	0.0	0.1	-0.1	-0.1	-0.1
6	C	18.4	17.8	20.4	13.6	14.2	0.4	0.3	0.3	0.2	0.2
6	All	3.0	5.7	9.8	14.8	20.3	0.3	0.2	0.0	-0.1	0.0
7	W	-1.7	-1.7	-1.7	-1.5	-1.3	-0.5	-0.5	-0.5	-0.5	-0.5
7	AN	0.0	0.0	0.0	0.0	12.1	0.0	0.0	0.0	0.0	1.9
7	BN	-1.3	-1.3	0.0	7.0	17.6	-0.4	-0.4	-0.1	1.5	1.5
7	D	1.2	1.2	6.6	13.7	17.2	0.4	0.4	-0.3	-0.7	-0.3
7	C	6.2	12.5	31.6	32.3	29.0	0.6	0.6	0.6	0.6	0.9
7	All	0.5	1.5	6.1	9.1	13.0	0.7	0.6	0.6	0.4	0.6
8	W	-0.9	-0.2	0.0	0.7	-0.8	-0.4	-0.5	-0.5	-0.7	-0.7
8	AN	0.0	0.0	2.4	8.1	0.8	0.0	0.0	0.1	0.4	0.0
8	BN	-0.6	-6.6	-3.2	-3.4	11.4	0.0	0.2	0.4	0.3	0.9
8	D	-1.8	-4.1	-1.4	-5.7	6.9	0.0	-0.1	0.2	0.3	0.4
8	C	-13.3	-20.2	-7.5	17.2	37.4	-2.0	-2.1	-2.5	-1.9	-0.5
8	All	-2.9	-5.5	-1.8	2.1	9.5	-0.9	-0.9	-1.0	-0.7	0.2
9	W	0.1	0.5	1.5	7.6	1.4	0.2	0.1	-0.1	-0.6	-0.4
9	AN	1.9	1.9	5.8	12.5	-2.2	0.0	0.1	0.7	0.5	0.1

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
9	BN	-4.7	3.9	-0.8	-2.5	-3.5	0.0	-0.1	0.3	-0.2	3.3
9	D	-17.0	-18.4	-20.5	-26.0	-25.1	-0.3	-0.3	0.0	-0.2	0.0
9	C	-30.0	-29.3	-41.6	-34.0	-32.4	-2.0	-2.1	-2.4	-0.6	0.5
9	All	-9.2	-7.8	-10.3	-7.9	-11.4	-0.9	-1.0	-1.0	-0.6	1.0
10	W	-0.6	-2.8	-2.2	1.3	2.2	0.0	0.1	0.1	-0.1	0.9
10	AN	-5.4	1.1	4.0	14.2	-11.0	-0.4	-1.2	-4.1	-3.3	1.3
10	BN	-6.1	-6.1	0.2	7.8	13.1	-2.8	-2.9	-2.8	-0.8	1.2
10	D	-10.3	-9.4	-1.5	-9.7	-20.0	0.3	0.3	-0.1	-0.6	-0.6
10	C	-8.2	-7.5	-8.2	-15.3	-10.1	-2.0	-2.4	-2.9	-1.1	-0.6
10	All	-5.6	-5.1	-1.8	-1.0	-4.5	-0.8	-0.9	-1.6	-1.0	0.3

°F = degrees Fahrenheit

UF = unimpaired flow

^a Green cells indicate >5% lower values under the flow scenario relative to baseline; red cells indicate >5% higher values under the flow scenario relative to baseline.

^b Only includes months on which temperature exceeded index value; green cells indicate >0.5 °F lower values under the flow scenario relative to baseline; red cells indicate >0.5 °F higher values under the flow scenario relative to baseline.

Table A6-62. Water Temperature Index Value Analysis Results, Winter-Run Chinook Salmon, Spawning, Egg Incubation, and Alevins, Sacramento River at Clear Creek, 53.5 °F

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
5	W	-3.3	-3.8	2.5	9.6	24.9	-0.1	-0.1	0.1	0.3	0.6
5	AN	0.5	0.0	3.5	24.7	42.7	0.0	0.0	0.1	0.4	0.5
5	BN	2.3	7.4	24.1	38.9	41.4	0.1	0.1	0.1	-0.1	0.1
5	D	-3.7	7.2	2.8	-20.0	-8.1	0.1	0.1	0.0	-0.1	0.0
5	C	-4.7	-13.5	-15.5	-25.8	-22.4	0.3	0.1	-0.1	0.1	0.1
5	All	-2.1	-0.3	3.7	4.5	15.1	0.1	0.1	0.0	0.0	0.1
6	W	-0.7	-0.7	4.2	8.0	20.6	-0.3	-0.3	1.9	1.7	1.6
6	AN	-0.6	-0.6	3.9	18.1	35.0	-0.3	-0.3	1.3	1.3	1.9
6	BN	-1.8	3.7	22.4	36.7	40.8	0.8	1.0	0.1	0.5	0.8
6	D	3.0	12.2	16.3	28.4	26.0	-0.2	-0.1	-0.4	-0.6	-0.4
6	C	24.2	22.9	25.1	23.3	24.4	0.5	0.5	0.4	0.2	0.2
6	All	4.0	6.8	13.6	21.6	28.0	0.4	0.4	0.0	-0.2	-0.1
7	W	-1.5	-2.0	-1.6	-0.6	-0.9	-0.5	-0.5	-0.5	-0.5	-0.4
7	AN	2.2	1.6	-3.0	1.1	28.8	0.1	0.0	-0.1	-0.1	1.1
7	BN	-1.3	0.2	0.2	17.6	41.0	-1.4	-1.3	-0.1	0.2	0.4
7	D	6.1	17.1	39.6	54.7	62.5	-0.5	-1.2	-1.2	-1.1	-1.0
7	C	21.9	24.7	27.3	27.5	27.5	0.4	0.5	1.0	1.0	1.3
7	All	4.5	7.5	12.5	20.0	29.5	0.3	0.1	0.3	0.1	0.2
8	W	-10.3	-9.1	-9.2	-9.9	-10.5	0.0	0.0	0.1	0.2	0.1
8	AN	0.3	2.2	-12.1	13.7	37.6	0.0	0.0	0.1	0.1	0.1
8	BN	-0.2	0.6	2.1	-0.9	43.6	0.0	-0.2	-0.1	0.0	0.2
8	D	-6.9	0.2	-2.3	38.4	55.9	0.2	-0.3	0.1	-0.3	0.0
8	C	-38.7	-31.0	-4.7	12.9	16.3	-0.7	-1.2	-0.9	-0.2	1.1
8	All	-10.9	-7.3	-5.2	9.4	24.9	-0.3	-0.5	-0.3	-0.2	0.3
9	W	-0.2	0.8	8.2	14.8	8.9	0.1	0.0	-0.3	-0.4	-0.4
9	AN	-6.7	-5.8	2.8	16.7	7.5	0.2	0.2	0.4	0.4	-0.1

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
9	BN	-1.6	-2.9	-4.3	3.9	14.1	-0.2	0.1	0.2	-0.3	1.0
9	D	-20.2	-23.7	-29.7	-17.5	-21.7	-0.3	-0.3	-0.3	-0.5	-0.4
9	C	-12.7	-6.4	-13.3	-12.2	-12.4	-2.2	-2.3	-2.7	-1.5	-0.8
9	All	-7.8	-7.4	-6.8	1.4	-0.7	-0.8	-0.7	-0.9	-0.7	-0.2
10	W	-1.3	-0.9	-2.2	-0.2	-1.0	0.0	-0.1	0.0	0.1	1.1
10	AN	-2.2	4.0	5.4	15.1	-12.6	-0.9	-1.1	-3.0	-2.2	0.4
10	BN	-5.7	-6.3	1.1	7.4	9.9	-2.0	-2.0	-2.0	-0.4	1.6
10	D	-12.1	-10.4	3.1	-8.1	-15.4	0.3	0.2	-0.3	-0.5	-0.7
10	C	-6.2	-5.2	-3.7	-4.7	-9.5	-1.6	-1.9	-2.3	-1.4	-0.5
10	All	-5.4	-4.1	0.3	0.6	-5.1	-0.7	-0.8	-1.3	-0.8	0.3

°F = degrees Fahrenheit

UF = unimpaired flow

^a Green cells indicate >5% lower values under the flow scenario relative to baseline; red cells indicate >5% higher values under the flow scenario relative to baseline.

^b Only includes months on which temperature exceeded index value; green cells indicate >0.5 °F lower values under the flow scenario relative to baseline; red cells indicate >0.5 °F higher values under the flow scenario relative to baseline.

Table A6-63. Water Temperature Index Value Analysis Results, Winter-Run Chinook Salmon, Spawning, Egg Incubation, and Alevins, Sacramento River below Keswick, 56 °F

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
5	W	0.0	0.0	0.7	2.5	5.6	0.0	0.0	0.0	0.2	0.2
5	AN	0.0	-0.3	0.3	3.5	5.6	0.0	-0.2	-0.1	-0.1	0.0
5	BN	1.9	1.1	6.3	3.8	3.4	-0.1	-0.1	0.1	0.1	0.0
5	D	0.6	0.3	-0.5	-2.3	-1.5	0.1	0.0	-0.1	-0.3	-0.2
5	C	5.2	3.4	1.1	2.8	2.2	0.1	0.1	0.0	-0.1	0.0
5	All	1.3	0.8	1.5	1.8	3.1	0.0	0.0	0.0	-0.1	0.0
6	W	0.0	0.0	0.1	0.0	0.8	0.0	0.0	0.0	0.0	0.3
6	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	BN	0.0	1.0	0.0	0.6	2.9	0.0	0.2	0.0	0.0	0.3
6	D	0.0	1.1	0.6	1.0	0.8	0.0	0.1	0.1	0.3	0.2
6	C	22.7	19.8	12.9	14.9	14.9	0.2	0.2	0.2	0.2	0.1
6	All	3.7	3.6	2.3	2.7	3.4	0.2	0.2	0.2	0.2	0.1
7	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	AN	0.0	0.0	0.0	0.0	4.6	0.0	0.0	0.0	0.0	0.3
7	BN	0.0	0.0	0.0	2.1	3.6	0.0	0.0	0.0	0.2	0.2
7	D	1.7	1.7	2.0	2.6	5.4	0.3	0.3	0.4	0.4	0.3
7	C	18.7	18.9	34.6	32.3	41.7	0.2	0.1	0.1	0.1	0.4
7	All	3.4	3.4	6.0	6.2	9.2	0.2	0.1	0.1	0.1	0.3
8	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	BN	0.0	0.0	0.0	0.0	2.7	0.0	0.0	0.0	0.0	1.7
8	D	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0
8	C	-9.9	-10.1	-11.0	-6.2	3.4	-4.0	-4.0	-5.0	-1.9	1.5
8	All	-1.6	-1.6	-1.8	-1.0	1.1	-4.0	-4.0	-5.0	-1.9	0.6
9	W	2.3	2.3	1.9	1.4	-0.4	0.1	0.1	0.0	0.0	-0.2
9	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
9	BN	-1.4	-1.4	1.4	-1.4	10.8	-0.1	-0.1	0.0	-0.1	5.2
9	D	-1.6	-1.7	-1.7	-1.7	-1.0	-1.4	-1.4	-1.4	-1.4	-0.4
9	C	-24.7	-27.1	-26.2	-17.3	-12.9	-2.1	-1.6	-3.4	-0.6	0.8
9	All	-3.9	-4.3	-3.8	-3.0	-0.4	-2.2	-2.1	-3.2	-0.9	0.7
10	W	0.0	0.0	0.0	-0.1	3.1	0.0	0.0	-0.1	-0.1	2.0
10	AN	-8.1	-6.2	-14.0	-3.2	-8.1	2.1	0.9	-3.9	-3.9	2.2
10	BN	-5.7	-5.9	-5.7	0.0	11.6	-7.2	-7.2	-7.2	-0.1	-1.7
10	D	4.9	4.9	2.9	-0.3	-1.8	-2.8	-2.9	-3.6	-3.8	-4.1
10	C	-11.4	-17.6	-22.2	-15.7	-8.8	-2.3	-2.2	-0.6	0.1	-0.1
10	All	-2.8	-3.6	-5.8	-3.1	0.2	-1.9	-1.9	-2.7	-1.6	-0.1

°F = degrees Fahrenheit

UF = unimpaired flow

^a Green cells indicate >5% lower values under the flow scenario relative to baseline; red cells indicate >5% higher values under the flow scenario relative to baseline.

^b Only includes months on which temperature exceeded index value; green cells indicate >0.5 °F lower values under the flow scenario relative to baseline; red cells indicate >0.5 °F higher values under the flow scenario relative to baseline.

Table A6-64. Water Temperature Index Value Analysis Results, Winter-Run Chinook Salmon, Spawning, Egg Incubation, and Alevins, Sacramento River at Clear Creek, 56 °F

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
5	W	-1.0	-1.2	1.0	4.4	10.3	-0.1	-0.1	0.0	0.1	0.2
5	AN	0.0	-0.8	-1.3	5.6	14.8	0.0	0.0	0.0	0.1	0.1
5	BN	1.9	2.1	6.6	8.2	11.4	0.1	-0.1	0.1	0.1	-0.1
5	D	-0.8	4.5	3.5	-3.8	0.2	0.0	0.0	-0.1	-0.1	-0.1
5	C	7.7	0.6	-5.8	-2.2	-1.5	0.4	0.3	0.3	0.4	0.3
5	All	1.1	1.0	1.2	2.3	6.9	0.2	0.1	0.1	0.1	0.1
6	W	0.0	0.0	1.9	2.5	6.2	0.0	0.0	0.7	0.2	0.6
6	AN	0.0	0.0	0.3	1.4	11.4	0.0	0.0	0.0	0.2	0.4
6	BN	2.2	5.3	3.1	8.6	18.8	0.2	0.5	0.4	0.4	0.5
6	D	1.1	7.5	5.9	4.9	8.3	0.1	0.1	0.1	0.1	0.1
6	C	25.6	23.8	24.7	15.1	15.8	0.6	0.5	0.4	0.4	0.4
6	All	4.8	6.5	6.5	6.1	11.2	0.5	0.4	0.3	0.2	0.2
7	W	-0.3	-0.3	-0.3	-0.3	-0.3	0.0	0.0	0.0	0.0	0.0
7	AN	0.0	0.0	0.0	0.0	8.6	0.0	0.0	0.0	0.0	1.3
7	BN	0.0	0.0	0.0	7.2	16.7	0.0	0.0	0.0	1.0	0.9
7	D	1.8	1.8	4.1	4.6	11.5	0.5	0.5	0.4	0.4	0.3
7	C	18.9	24.7	38.5	37.6	35.7	0.6	0.6	0.7	0.7	1.1
7	All	3.4	4.3	7.0	8.3	12.4	0.6	0.6	0.7	0.7	0.9
8	W	-2.9	-3.0	-3.0	-3.3	-3.3	-0.5	-0.5	-0.5	-0.5	-0.5
8	AN	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.0
8	BN	0.0	0.0	0.2	0.4	8.5	0.0	0.0	0.0	0.0	1.0
8	D	0.0	0.0	0.2	2.8	5.5	0.0	0.0	0.5	0.4	0.5
8	C	-10.1	-9.5	-10.1	0.2	17.4	-3.9	-4.2	-4.4	-3.3	-1.2
8	All	-2.5	-2.4	-2.5	-0.3	4.6	-2.7	-2.9	-3.0	-2.1	-0.8
9	W	0.1	0.1	0.0	-0.2	-0.8	0.2	0.2	0.1	0.0	-0.2
9	AN	0.0	0.0	1.4	2.2	0.0	0.0	0.0	0.2	0.4	0.0

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
9	BN	-2.0	1.6	5.5	-4.7	7.5	-0.4	-0.4	0.0	-0.5	4.7
9	D	-6.0	-6.3	-4.6	-6.8	-5.6	-0.3	-0.2	-0.4	-0.7	0.2
9	C	-29.3	-30.9	-33.6	-21.1	-20.9	-1.8	-1.8	-2.5	-0.6	1.3
9	All	-6.4	-6.1	-5.3	-5.6	-3.5	-1.3	-1.5	-2.0	-0.3	1.4
10	W	0.0	0.0	0.0	1.3	3.9	0.0	0.0	0.0	-0.2	1.6
10	AN	-7.8	-5.1	-13.7	1.1	-8.1	1.7	0.3	-3.9	-3.9	2.2
10	BN	-5.7	-5.7	-5.7	0.0	11.6	-6.1	-6.1	-5.1	-0.1	-1.7
10	D	4.9	5.2	8.1	0.9	-1.7	-2.5	-2.5	-3.4	-3.4	-3.6
10	C	-11.2	-16.6	-22.6	-12.5	-9.5	-2.2	-2.2	-0.7	-0.7	0.0
10	All	-2.7	-3.2	-4.6	-1.3	0.3	-1.8	-1.9	-2.8	-1.9	-0.2

°F = degrees Fahrenheit

UF = unimpaired flow

^a Green cells indicate >5% lower values under the flow scenario relative to baseline; red cells indicate >5% higher values under the flow scenario relative to baseline.

^b Only includes months on which temperature exceeded index value; green cells indicate >0.5 °F lower values under the flow scenario relative to baseline; red cells indicate >0.5 °F higher values under the flow scenario relative to baseline.

Table A6-65. Water Temperature Index Value Analysis Results, Winter-Run Chinook Salmon, Fry and Juvenile Rearing and Emigration, Sacramento River below Keswick, 61 °F 7DADM

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
7	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	C	-5.6	-5.6	-5.6	-4.1	5.6	-3.9	-3.9	-3.9	-2.6	-0.8
8	All	-0.9	-0.9	-0.9	-0.7	0.9	-3.9	-3.9	-3.9	-2.6	-0.8
9	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
9	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
9	BN	0.0	0.0	0.0	0.0	8.4	0.0	0.0	0.0	0.0	2.0
9	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
9	C	-18.0	-18.0	-23.3	-10.9	-6.9	-0.9	-1.0	-3.1	-1.2	0.6
9	All	-2.9	-2.9	-3.8	-1.8	0.4	-0.9	-1.0	-3.1	-1.2	0.0
10	W	0.0	0.0	0.0	0.0	3.5	0.0	0.0	0.0	0.0	1.6
10	AN	1.1	1.1	-7.3	-7.3	1.1	-0.3	-0.4	-2.6	-2.6	-0.2
10	BN	-5.9	-5.9	-5.9	0.0	5.1	-2.5	-2.5	-2.5	-0.1	-0.1
10	D	-4.1	-4.1	-4.1	-4.1	-4.1	-2.2	-2.2	-2.2	-2.2	-2.2
10	C	-13.1	-13.1	-13.1	-6.5	-6.5	-1.7	-1.7	-1.7	1.1	1.1
10	All	-4.0	-4.0	-5.1	-2.9	0.1	0.2	0.1	-2.1	0.5	0.2
11	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	AN	0.8	0.3	0.0	0.0	1.4	0.0	0.0	0.0	0.0	0.4
11	BN	-1.6	-1.6	-1.6	-0.2	-1.4	-0.4	-0.4	-0.4	0.1	-0.4
11	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	C	-2.2	-2.2	-2.2	-2.0	-2.2	-0.4	-0.4	-0.4	-0.4	-0.4

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
11	All	-0.5	-0.6	-0.6	-0.4	-0.4	-0.4	-0.4	-0.4	0.0	-0.1
12	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

°F = degrees Fahrenheit; 7DADM = 7-day average daily maximum; UF = unimpaired flow

^a Green cells indicate >5% lower values under the flow scenario relative to baseline; red cells indicate >5% higher values under the flow scenario relative to baseline.

^b Only includes months on which temperature exceeded index value; green cells indicate >0.5 °F lower values under the flow scenario relative to baseline; red cells indicate >0.5 °F higher values under the flow scenario relative to baseline.

Table A6-66. Water Temperature Index Value Analysis Results, Winter-Run Chinook Salmon, Fry and Juvenile Rearing and Emigration, Sacramento River below Clear Creek, 61 °F 7DADM

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
7	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	C	0.0	0.0	0.0	0.0	1.3	0.0	0.0	0.0	0.0	1.0
7	All	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	1.0
8	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	BN	0.0	0.0	0.0	0.0	0.8	0.0	0.0	0.0	0.0	1.0
8	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	C	-6.7	-6.7	-6.7	-4.3	6.7	-5.0	-5.0	-5.0	-2.5	-0.2
8	All	-1.1	-1.1	-1.1	-0.7	1.2	-5.0	-5.0	-5.0	-2.5	-0.5
9	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
9	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
9	BN	0.0	0.0	0.0	0.0	10.4	0.0	0.0	0.0	0.0	3.5
9	D	-0.3	-0.3	-0.3	-0.3	-0.3	0.0	0.0	0.0	0.0	0.0
9	C	-24.0	-23.8	-25.3	-11.6	-8.2	-0.3	-0.6	-3.4	-1.1	0.4
9	All	-3.9	-3.9	-4.2	-1.9	0.5	-0.3	-0.5	-3.3	-1.0	0.1
10	W	0.0	0.0	0.0	0.0	3.6	0.0	0.0	0.0	0.0	2.8
10	AN	-2.7	-2.7	-10.8	-10.8	-2.7	0.8	0.8	-2.9	-1.9	1.0
10	BN	-5.9	-5.9	-5.9	0.0	8.2	-3.8	-3.8	-3.8	-0.1	-0.9
10	D	-3.1	-2.8	-4.8	-4.8	-4.8	-3.0	-2.8	-3.3	-3.3	-3.3
10	C	-16.3	-16.3	-13.5	-12.9	-11.4	-2.0	-1.8	-1.6	1.9	1.2
10	All	-4.8	-4.7	-5.7	-4.5	-0.7	-0.7	-0.6	-2.1	1.1	0.3
11	W	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.5
11	AN	-0.8	-0.8	-2.2	-2.2	0.0	0.4	0.4	-0.4	-0.4	0.6
11	BN	-2.2	-2.2	-2.2	-0.2	-1.8	-0.6	-0.6	-0.6	0.1	-0.1
11	D	0.0	0.0	-1.0	-1.0	-1.0	-0.2	-0.2	-0.3	-0.3	-0.3
11	C	-2.9	-6.0	-6.0	-5.3	-4.0	-0.2	-0.7	-0.7	-0.4	-0.5

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
11	All	-1.0	-1.5	-1.9	-1.4	-1.1	-0.1	-0.1	-0.6	0.0	0.0
12	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
12	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
12	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
12	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
12	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
12	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
1	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
1	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
1	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
1	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
1	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
1	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
2	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
2	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
2	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
2	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
2	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
2	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
3	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
3	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
3	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
3	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
3	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
3	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	

°F = degrees Fahrenheit; 7DADM = 7-day average daily maximum; UF = unimpaired flow

^a Green cells indicate >5% lower values under the flow scenario relative to baseline; red cells indicate >5% higher values under the flow scenario relative to baseline.

^b Only includes months on which temperature exceeded index value; green cells indicate >0.5 °F lower values under the flow scenario relative to baseline; red cells indicate >0.5 °F higher values under the flow scenario relative to baseline.

Table A6-67. Water Temperature Index Value Analysis Results, Winter-Run Chinook Salmon, Fry and Juvenile Rearing and Emigration, Sacramento River at Balls Ferry, 61 °F 7DADM

6	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
7	W	-0.6	-0.6	-0.6	-0.6	-0.6	-0.4	-0.4	-0.4	-0.4	-0.4
7	AN	0.0	0.0	0.0	0.0	7.5	0.0	0.0	0.0	0.0	0.7
7	BN	0.0	0.0	0.0	1.5	1.7	0.0	0.0	0.0	0.1	0.3
7	D	1.8	1.8	1.8	2.6	2.9	0.4	0.5	0.6	0.6	0.4
7	C	19.4	16.3	28.4	27.3	39.1	0.3	0.3	0.2	0.3	0.6
7	All	3.4	2.9	4.8	5.1	8.1	0.2	0.2	0.1	0.2	0.4
8	W	-2.4	-2.4	-2.4	-2.4	-2.4	-0.3	-0.3	-0.3	-0.3	-0.3
8	AN	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.0
8	BN	0.0	0.0	0.0	0.0	1.3	0.0	0.0	0.0	0.0	1.1
8	D	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0
8	C	-7.3	-7.5	-7.5	-4.1	6.2	-5.0	-5.0	-5.0	-2.5	0.7
8	All	-1.9	-1.9	-1.9	-1.4	0.6	-3.3	-3.3	-3.3	-0.8	1.8
9	W	-0.2	-0.4	-0.4	-0.8	-1.1	-0.2	-0.2	-0.2	-0.2	-0.5
9	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
9	BN	-0.8	-0.8	-0.4	-0.8	9.8	-0.5	-0.5	-0.5	-0.5	2.9
9	D	-2.7	-2.7	-2.7	-2.7	-2.7	-0.9	-0.9	-0.9	-0.9	-0.9
9	C	-24.7	-25.8	-26.0	-13.6	-8.2	-0.6	-0.3	-2.9	-0.8	0.4
9	All	-4.8	-5.0	-5.0	-3.2	-0.5	-0.7	-0.4	-2.5	-0.3	0.6
10	W	0.0	0.0	0.0	0.0	3.2	0.0	0.0	0.0	0.0	1.8
10	AN	-1.1	-1.1	-9.1	-9.1	-1.1	0.4	0.3	-1.8	-0.8	0.3
10	BN	-5.9	-5.9	-5.9	0.0	4.9	-2.9	-2.9	-2.9	0.0	-0.2
10	D	-4.6	-4.6	-4.6	-4.6	-4.6	-2.4	-2.4	-2.4	-2.4	-2.4
10	C	-17.2	-15.7	-12.9	-11.0	-11.0	-1.4	-1.7	-1.4	1.5	1.8
10	All	-5.0	-4.8	-5.4	-4.0	-1.1	0.7	0.1	-1.8	0.8	0.5
11	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	AN	-0.3	-0.3	-0.3	-0.3	0.6	0.0	0.0	0.0	0.0	0.3
11	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	C	-0.9	-1.8	-1.8	-1.8	-1.3	-0.3	-0.3	-0.3	-0.3	-0.3

6	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
11	All	-0.2	-0.3	-0.3	-0.3	-0.1	-0.2	-0.2	-0.2	-0.2	0.0
12	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

°F = degrees Fahrenheit; 7DADM = 7-day average daily maximum; UF = unimpaired flow

^a Green cells indicate >5% lower values under the flow scenario relative to baseline; red cells indicate >5% higher values under the flow scenario relative to baseline.

^b Only includes months on which temperature exceeded index value; green cells indicate >0.5 °F lower values under the flow scenario relative to baseline; red cells indicate >0.5 °F higher values under the flow scenario relative to baseline.

Table A6-68. Water Temperature Index Value Analysis Results, Winter-Run Chinook Salmon, Fry and Juvenile Rearing and Emigration, Sacramento River at Bend Bridge, 61 °F 7DADM

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
7	W	-2.5	-2.5	-2.5	-2.4	-2.1	-0.5	-0.6	-0.6	-0.5	-0.4
7	AN	0.0	-0.5	-1.3	0.0	23.4	-0.1	-0.1	-0.3	-0.1	1.0
7	BN	0.0	0.0	0.0	8.0	17.1	0.0	0.0	0.0	1.1	1.2
7	D	2.8	3.7	7.1	10.4	16.4	0.5	0.3	0.2	0.1	0.1
7	C	27.7	35.1	54.2	55.7	54.2	1.0	0.8	0.9	0.9	1.3
7	All	4.3	5.7	9.4	12.1	18.0	0.8	0.6	0.7	0.6	0.8
8	W	-4.7	-4.6	-4.6	-4.5	-4.8	-1.1	-1.0	-1.0	-1.0	-1.1
8	AN	0.3	0.0	-0.3	2.4	9.1	0.0	0.0	0.0	0.5	0.6
8	BN	0.0	0.2	0.2	1.7	8.0	0.0	0.0	0.0	0.2	0.7
8	D	0.2	0.0	0.2	1.7	4.1	0.0	0.0	0.0	0.5	0.5
8	C	-8.2	-8.0	-6.7	4.3	18.5	-3.6	-3.6	-3.4	-3.1	-0.8
8	All	-2.7	-2.6	-2.4	0.3	5.1	-2.3	-2.3	-2.1	-1.8	-0.6
9	W	0.0	-0.1	-0.1	-0.1	-0.1	-0.5	-0.4	-0.5	-0.6	-0.7
9	AN	0.0	0.0	0.0	2.2	0.0	0.0	0.0	0.0	0.4	0.0
9	BN	-1.0	-1.4	-0.4	-1.6	9.2	-0.7	-0.4	-0.6	-0.6	2.0
9	D	-5.6	-5.6	-4.9	-5.4	-5.4	-1.2	-1.2	-0.9	-0.2	-0.2
9	C	-24.9	-26.9	-26.9	-14.4	-10.2	-1.0	-0.7	-2.5	-0.7	0.5
9	All	-5.4	-5.9	-5.6	-3.6	-1.2	-0.9	-0.6	-2.0	-0.5	0.6
10	W	0.0	0.0	0.0	0.0	2.8	0.0	0.0	0.0	0.0	1.3
10	AN	-0.8	-1.6	-8.6	-8.6	-1.1	0.2	0.4	-0.5	-0.5	0.4
10	BN	-5.9	-5.9	-5.9	0.0	3.6	-2.2	-2.2	-2.2	0.1	0.0
10	D	-3.7	-3.7	-3.7	-3.7	-3.7	-2.1	-2.1	-2.1	-2.1	-2.1
10	C	-14.6	-13.5	-10.8	-9.0	-6.2	-1.9	-1.4	-1.2	1.5	0.6
10	All	-4.4	-4.3	-4.8	-3.4	-0.5	0.5	0.4	-1.4	0.7	0.2
11	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	AN	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.0
11	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
11	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

°F = degrees Fahrenheit; 7DADM = 7-day average daily maximum; UF = unimpaired flow

^a Green cells indicate >5% lower values under the flow scenario relative to baseline; red cells indicate >5% higher values under the flow scenario relative to baseline.

^b Only includes months on which temperature exceeded index value; green cells indicate >0.5 °F lower values under the flow scenario relative to baseline; red cells indicate >0.5 °F higher values under the flow scenario relative to baseline.

Table A6-69. Water Temperature Index Value Analysis Results, Winter-Run Chinook Salmon, Fry and Juvenile Rearing and Emigration, Sacramento River at Red Bluff Diversion Dam, 61 °F 7DADM

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
7	W	-2.9	-3.0	-2.8	-2.5	-1.4	-0.5	-0.5	-0.6	-0.5	-0.6
7	AN	1.1	0.8	-0.5	3.0	33.6	-0.2	-0.3	-0.2	-0.3	0.5
7	BN	0.0	0.2	0.2	8.7	19.9	0.0	0.0	0.0	1.3	1.3
7	D	2.8	4.8	10.1	15.8	23.7	0.4	0.2	0.0	-0.1	-0.1
7	C	31.6	37.6	57.4	58.9	58.3	1.1	1.0	1.0	1.0	1.3
7	All	5.0	6.4	10.7	14.3	22.3	0.8	0.7	0.7	0.6	0.7
8	W	-6.0	-5.1	-5.0	-5.1	-5.6	-0.9	-0.9	-0.9	-0.9	-0.9
8	AN	0.3	1.1	-1.9	10.2	23.9	0.0	0.0	0.0	0.2	0.5
8	BN	0.0	0.0	0.2	3.6	17.3	0.5	0.5	0.3	0.6	0.7
8	D	0.0	0.3	0.3	5.1	15.2	0.0	0.3	0.3	0.5	0.6
8	C	-8.6	-7.7	-1.3	22.8	36.8	-2.6	-3.0	-3.0	-2.9	-1.4
8	All	-3.2	-2.6	-1.8	5.3	13.9	-1.5	-1.6	-1.5	-1.4	-0.7
9	W	0.0	0.0	0.4	3.2	2.6	-0.3	-0.3	-0.3	-0.7	-0.7
9	AN	0.0	0.0	3.3	10.3	7.8	-0.5	-0.5	0.1	0.3	0.0
9	BN	-3.3	-0.2	2.2	-1.8	10.4	-0.3	-0.3	-0.1	-0.4	1.4
9	D	-15.7	-15.9	-16.7	-14.3	-12.5	-0.5	-0.5	-0.3	-0.6	-0.6
9	C	-24.2	-25.8	-29.6	-18.0	-9.3	-1.4	-1.5	-2.0	-0.6	-0.2
9	All	-8.1	-7.8	-7.6	-4.2	-0.6	-0.9	-1.0	-1.2	-0.7	-0.1
10	W	0.0	0.0	0.0	1.5	4.4	0.0	0.0	0.0	0.5	1.1
10	AN	-6.7	-6.7	-14.2	-9.4	-6.5	1.3	1.2	0.2	-1.4	1.5
10	BN	-5.7	-5.7	-5.7	0.0	5.5	-2.9	-1.9	-1.9	0.1	-0.4
10	D	-3.5	-3.1	-2.5	-1.4	-2.2	-2.1	-2.0	-1.7	-1.6	-1.9
10	C	-18.3	-17.2	-16.8	-9.7	-8.2	-1.6	-1.2	-0.6	0.1	0.4
10	All	-5.7	-5.4	-6.1	-2.6	-0.3	-0.3	-0.4	-1.1	-0.4	0.1
11	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	AN	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0	1.0
11	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	D	-0.2	-0.2	-0.2	-0.2	-0.2	0.0	0.0	0.0	0.0	0.0
11	C	-1.1	-2.0	-2.0	-2.0	-1.1	-0.1	-0.3	-0.3	-0.3	-0.1

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
11	All	-0.2	-0.4	-0.4	-0.4	-0.2	-0.1	-0.3	-0.3	-0.3	0.1
12	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

°F = degrees Fahrenheit; 7DADM = 7-day average daily maximum; UF = unimpaired flow

^a Green cells indicate >5% lower values under the flow scenario relative to baseline; red cells indicate >5% higher values under the flow scenario relative to baseline.

^b Only includes months on which temperature exceeded index value; green cells indicate >0.5 °F lower values under the flow scenario relative to baseline; red cells indicate >0.5 °F higher values under the flow scenario relative to baseline.

Table A6-70. Water Temperature Index Value Analysis Results, Winter-Run Chinook Salmon, Fry and Juvenile Rearing and Emigration, Sacramento River at Wilkins Slough, 64 °F 7DADM

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
7	W	0.0	0.0	0.0	-0.1	0.0	-0.2	-0.3	-0.8	-0.9	-0.2
7	AN	1.3	1.6	1.6	1.6	1.6	0.2	0.5	-0.5	0.7	3.5
7	BN	0.4	0.4	0.4	0.4	0.4	0.0	0.2	0.7	2.4	3.6
7	D	0.0	0.0	0.0	0.0	0.0	0.7	1.6	2.8	3.2	3.1
7	C	0.0	0.0	0.0	0.0	0.0	2.1	2.2	2.6	2.3	2.2
7	All	0.2	0.3	0.3	0.2	0.3	0.5	0.7	0.9	1.3	2.1
8	W	0.1	0.9	1.6	1.5	1.8	-0.1	0.3	0.6	0.2	0.8
8	AN	0.3	0.3	0.3	0.3	0.3	-0.1	0.1	-0.3	0.7	1.6
8	BN	0.0	-0.4	-0.2	-0.2	0.2	-0.2	-0.7	-0.8	0.3	2.5
8	D	-0.3	-0.2	0.0	0.0	0.0	-0.5	-1.0	-0.3	1.4	2.1
8	C	0.0	0.0	0.0	0.0	0.0	-1.4	-1.3	0.7	1.5	2.1
8	All	0.0	0.2	0.5	0.5	0.6	-0.4	-0.5	0.0	0.7	1.7
9	W	0.2	3.5	9.5	18.8	19.2	0.0	0.2	0.5	0.8	1.0
9	AN	1.7	-1.9	4.7	23.6	17.8	0.0	-0.4	-0.1	1.1	0.8
9	BN	-1.2	-0.8	0.2	0.0	1.0	-0.3	-0.2	-0.3	-0.1	0.2
9	D	-1.9	-2.2	-2.2	-1.6	-2.4	-0.8	-1.1	-1.0	-0.7	-0.6
9	C	-0.9	-0.9	-0.9	-1.6	-1.1	-1.1	-1.1	-1.2	-0.7	-0.5
9	All	-0.5	0.0	2.9	8.1	7.5	-0.5	-0.5	-0.5	-0.2	0.0
10	W	-0.5	-0.8	-1.4	2.6	5.3	-0.1	-0.1	0.0	0.5	0.4
10	AN	-6.5	-5.4	-8.6	-2.2	0.5	-0.3	-0.3	-0.9	-0.5	-0.2
10	BN	-3.0	-4.0	-0.8	4.2	9.5	-0.8	-0.9	-0.7	-0.1	-0.1
10	D	-2.6	-0.8	0.9	2.5	2.5	-0.1	-0.1	0.4	0.6	0.5
10	C	-6.5	-4.9	-4.9	1.5	-0.9	-0.8	-1.2	-0.6	-0.1	-0.1
10	All	-3.2	-2.6	-2.3	2.1	3.8	-0.5	-0.5	-0.4	0.0	-0.1
11	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
11	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	C	-0.2	0.0	0.0	-1.1	-0.6	-0.1	0.0	0.0	-0.6	-0.6
3	All	0.0	0.0	0.0	-0.2	-0.1	-0.1	0.0	0.0	-0.6	-0.6

°F = degrees Fahrenheit; 7DADM = 7-day average daily maximum; UF = unimpaired flow

^a Green cells indicate >5% lower values under the flow scenario relative to baseline; red cells indicate >5% higher values under the flow scenario relative to baseline.

^b Only includes months on which temperature exceeded index value; green cells indicate >0.5 °F lower values under the flow scenario relative to baseline; red cells indicate >0.5 °F higher values under the flow scenario relative to baseline.

Table A6-71. Water Temperature Index Value Analysis Results, Winter-Run Chinook Salmon, Adult Immigration, Sacramento River below Keswick, 68 °F 7DADM

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
12	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
4	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	C	-0.4	-0.4	-0.4	-0.4	-0.4	-0.5	-0.5	-0.5	-0.5	-0.5
8	All	-0.1	-0.1	-0.1	-0.1	-0.1	-0.5	-0.5	-0.5	-0.5	-0.5

°F = degrees Fahrenheit; 7DADM = 7-day average daily maximum; UF = unimpaired flow

^a Green cells indicate >5% lower values under the flow scenario relative to baseline; red cells indicate >5% higher values under the flow scenario relative to baseline.

^b Only includes months on which temperature exceeded index value; green cells indicate >0.5 °F lower values under the flow scenario relative to baseline; red cells indicate >0.5 °F higher values under the flow scenario relative to baseline.

Table A6-72. Water Temperature Index Value Analysis Results, Winter-Run Chinook Salmon, Adult Immigration, Sacramento River at Bend Bridge, 68 °F 7DADM

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
12	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
4	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	C	-2.4	-2.4	-2.4	-2.4	3.9	-1.2	-1.2	-1.2	-1.2	0.0
8	All	-0.4	-0.4	-0.4	-0.4	0.6	-1.2	-1.2	-1.2	-1.2	0.0

°F = degrees Fahrenheit; 7DADM = 7-day average daily maximum; UF = unimpaired flow

^a Green cells indicate >5% lower values under the flow scenario relative to baseline; red cells indicate >5% higher values under the flow scenario relative to baseline.

^b Only includes months on which temperature exceeded index value; green cells indicate >0.5 °F lower values under the flow scenario relative to baseline; red cells indicate >0.5 °F higher values under the flow scenario relative to baseline.

Table A6-73. Water Temperature Index Value Analysis Results, Winter-Run Chinook Salmon, Adult Immigration, Sacramento River at Red Bluff Diversion Dam, 68 °F 7DADM

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
12	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
4	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	C	-2.2	-2.2	-2.2	-2.2	4.1	-1.0	-1.0	-1.0	-1.0	0.4
8	All	-0.3	-0.3	-0.3	-0.3	0.7	-1.0	-1.0	-1.0	-1.0	0.4

°F = degrees Fahrenheit; 7DADM = 7-day average daily maximum; UF = unimpaired flow

^a Green cells indicate >5% lower values under the flow scenario relative to baseline; red cells indicate >5% higher values under the flow scenario relative to baseline.

^b Only includes months on which temperature exceeded index value; green cells indicate >0.5 °F lower values under the flow scenario relative to baseline; red cells indicate >0.5 °F higher values under the flow scenario relative to baseline.

Table A6-74. Water Temperature Index Value Analysis Results, Winter-Run Chinook Salmon, Adult Holding, Sacramento River below Keswick, 61 °F 7DADM

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
1	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
5	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	C	-5.6	-5.6	-5.6	-4.1	5.6	-3.9	-3.9	-3.9	-2.6	-0.8
8	All	-0.9	-0.9	-0.9	-0.7	0.9	-3.9	-3.9	-3.9	-2.6	-0.8

°F = degrees Fahrenheit; 7DADM = 7-day average daily maximum; UF = unimpaired flow

^a Green cells indicate >5% lower values under the flow scenario relative to baseline; red cells indicate >5% higher values under the flow scenario relative to baseline.

^b Only includes months on which temperature exceeded index value; green cells indicate >0.5 °F lower values under the flow scenario relative to baseline; red cells indicate >0.5 °F higher values under the flow scenario relative to baseline.

Table A6-75. Water Temperature Index Value Analysis Results, Winter-Run Chinook Salmon, Adult Holding, Sacramento River at Balls Ferry, 61 °F 7DADM

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
1	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	BN	0.0	-0.4	-0.4	-0.4	-0.4	0.0	-0.5	-0.5	-0.5	-0.5
4	D	0.3	0.2	-0.3	-0.5	-0.3	0.1	-0.1	-0.3	-0.3	-0.3
4	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	All	0.1	0.0	-0.1	-0.2	-0.1	0.0	-0.2	-0.4	-0.4	-0.4
5	W	-1.0	-1.0	-0.6	-0.3	0.8	-0.7	-0.7	-0.2	-0.3	-0.4
5	AN	0.0	0.0	0.0	1.1	2.2	0.0	0.0	0.0	0.3	0.4
5	BN	0.4	0.0	-0.2	0.8	1.1	0.0	-0.3	-0.5	0.0	-0.2

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
5	D	-0.8	-0.5	-0.5	-0.8	-1.1	-0.5	-0.4	-0.4	-0.3	-0.4
5	C	7.3	6.0	3.4	2.8	2.4	-0.1	-0.1	-0.2	-0.3	-0.3
5	All	0.8	0.6	0.2	0.5	0.9	-0.1	-0.2	-0.3	-0.3	-0.3
6	W	0.0	0.0	0.7	0.0	1.7	0.0	0.0	0.3	0.0	0.2
6	AN	0.0	0.0	0.0	0.0	3.9	0.0	0.0	0.0	0.0	0.7
6	BN	0.2	1.4	0.6	2.9	3.9	0.0	0.4	0.3	0.3	0.7
6	D	0.3	1.0	0.3	0.8	0.8	0.0	0.3	0.4	0.2	0.0
6	C	22.2	17.1	10.0	10.4	9.8	0.4	0.5	0.4	0.3	0.3
6	All	3.7	3.2	2.0	2.4	3.5	0.2	0.3	0.2	0.2	0.1
7	W	-0.6	-0.6	-0.6	-0.6	-0.6	-0.4	-0.4	-0.4	-0.4	-0.4
7	AN	0.0	0.0	0.0	0.0	7.5	0.0	0.0	0.0	0.0	0.7
7	BN	0.0	0.0	0.0	1.5	1.7	0.0	0.0	0.0	0.1	0.3
7	D	1.8	1.8	1.8	2.6	2.9	0.4	0.5	0.6	0.6	0.4
7	C	19.4	16.3	28.4	27.3	39.1	0.3	0.3	0.2	0.3	0.6
7	All	3.4	2.9	4.8	5.1	8.1	0.2	0.2	0.1	0.2	0.4
8	W	-2.4	-2.4	-2.4	-2.4	-2.4	-0.3	-0.3	-0.3	-0.3	-0.3
8	AN	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.0
8	BN	0.0	0.0	0.0	0.0	1.3	0.0	0.0	0.0	0.0	1.1
8	D	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0
8	C	-7.3	-7.5	-7.5	-4.1	6.2	-5.0	-5.0	-5.0	-2.5	0.7
8	All	-1.9	-1.9	-1.9	-1.4	0.6	-3.3	-3.3	-3.3	-0.8	1.8

°F = degrees Fahrenheit; 7DADM = 7-day average daily maximum; UF = unimpaired flow

^a Green cells indicate >5% lower values under the flow scenario relative to baseline; red cells indicate >5% higher values under the flow scenario relative to baseline.

^b Only includes months on which temperature exceeded index value; green cells indicate >0.5 °F lower values under the flow scenario relative to baseline; red cells indicate >0.5 °F higher values under the flow scenario relative to baseline.

Table A6-76. Water Temperature Index Value Analysis Results, Winter-Run Chinook Salmon, Adult Holding, Sacramento River at Red Bluff Diversion Dam, 61 °F 7DADM

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
1	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	W	-0.1	-0.2	-0.6	-1.1	-1.1	0.0	0.1	-0.3	-0.7	-0.7
4	AN	-0.3	-1.1	-2.2	-3.1	-3.1	0.0	0.0	-0.3	-0.3	-0.3
4	BN	-1.0	-2.2	-3.3	-6.3	-6.5	-0.1	-0.2	-0.4	-0.4	-0.5
4	D	0.3	-3.2	-7.6	-10.0	-9.2	0.1	0.0	0.0	-0.1	-0.3
4	C	3.8	-2.7	-3.6	-6.7	-7.3	0.0	0.0	0.0	0.2	-0.3
4	All	0.4	-1.8	-3.4	-5.2	-5.2	0.1	0.0	-0.1	0.0	-0.3
5	W	-3.8	-4.3	-4.1	-2.9	0.1	-0.2	-0.2	-0.1	-0.3	-0.1
5	AN	-0.5	-3.0	-3.2	-0.5	8.9	0.0	0.0	0.1	0.2	0.5
5	BN	-0.9	-0.2	-0.4	0.6	4.9	-0.1	-0.3	-0.6	-0.2	-0.4

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
5	D	-1.4	4.9	4.9	-4.0	-0.2	-0.2	0.0	0.0	-0.1	-0.1
5	C	16.6	11.6	4.3	5.2	4.5	0.7	0.7	0.5	0.4	0.3
5	All	1.0	1.3	0.1	-0.9	2.8	0.2	0.2	0.0	0.0	0.0
6	W	-2.9	-3.2	-1.8	-1.3	4.8	0.0	0.1	0.4	0.0	0.4
6	AN	-1.4	-2.8	0.8	-3.1	11.1	-0.1	-0.1	0.2	-0.3	0.3
6	BN	0.6	3.5	4.7	9.0	14.9	0.4	0.9	0.4	0.9	0.8
6	D	2.5	9.0	8.4	8.6	9.4	-0.1	-0.1	-0.1	-0.2	-0.1
6	C	37.6	34.0	30.7	21.1	24.0	1.0	0.9	0.6	0.6	0.5
6	All	5.7	6.8	7.3	6.2	11.6	0.8	0.7	0.4	0.4	0.4
7	W	-2.9	-3.0	-2.8	-2.5	-1.4	-0.5	-0.5	-0.6	-0.5	-0.6
7	AN	1.1	0.8	-0.5	3.0	33.6	-0.2	-0.3	-0.2	-0.3	0.5
7	BN	0.0	0.2	0.2	8.7	19.9	0.0	0.0	0.0	1.3	1.3
7	D	2.8	4.8	10.1	15.8	23.7	0.4	0.2	0.0	-0.1	-0.1
7	C	31.6	37.6	57.4	58.9	58.3	1.1	1.0	1.0	1.0	1.3
7	All	5.0	6.4	10.7	14.3	22.3	0.8	0.7	0.7	0.6	0.7
8	W	-6.0	-5.1	-5.0	-5.1	-5.6	-0.9	-0.9	-0.9	-0.9	-0.9
8	AN	0.3	1.1	-1.9	10.2	23.9	0.0	0.0	0.0	0.2	0.5
8	BN	0.0	0.0	0.2	3.6	17.3	0.5	0.5	0.3	0.6	0.7
8	D	0.0	0.3	0.3	5.1	15.2	0.0	0.3	0.3	0.5	0.6
8	C	-8.6	-7.7	-1.3	22.8	36.8	-2.6	-3.0	-3.0	-2.9	-1.4
8	All	-3.2	-2.6	-1.8	5.3	13.9	-1.5	-1.6	-1.5	-1.4	-0.7

°F = degrees Fahrenheit; 7DADM = 7-day average daily maximum; UF = unimpaired flow

^a Green cells indicate >5% lower values under the flow scenario relative to baseline; red cells indicate >5% higher values under the flow scenario relative to baseline.

^b Only includes months on which temperature exceeded index value; green cells indicate >0.5 °F lower values under the flow scenario relative to baseline; red cells indicate >0.5 °F higher values under the flow scenario relative to baseline.

Spring-Run Chinook Salmon

Table A6-77. Water Temperature Index Value Analysis Results, Spring-Run Chinook Salmon, Spawning, Egg Incubation, and Alevins, Sacramento River below Keswick, 55.4 °F 7DADM

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
8	W	-2.6	-2.6	-2.6	-2.9	-3.2	-0.1	-0.1	-0.1	-0.3	-0.3
8	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	BN	0.0	0.0	0.0	0.0	5.7	0.0	0.0	0.0	0.0	1.4
8	D	0.2	0.2	0.3	2.3	4.8	0.0	0.0	0.5	0.2	0.4
8	C	-10.5	-11.0	-11.6	-4.1	12.0	-4.1	-4.0	-4.7	-2.8	-0.7
8	All	-2.5	-2.5	-2.6	-1.0	3.1	-2.8	-2.9	-3.2	-1.9	-0.4
9	W	0.0	0.0	-0.1	-0.1	-0.6	0.3	0.3	0.2	0.1	-0.1
9	AN	0.0	0.0	1.4	1.7	0.0	0.0	0.0	0.2	0.2	0.0
9	BN	-1.6	2.9	6.1	-5.1	7.5	-0.4	-0.5	0.1	-0.7	5.4
9	D	-2.1	-2.2	-1.9	-2.7	-1.1	-1.1	-1.6	-1.4	-1.6	-0.4
9	C	-27.1	-27.3	-29.8	-19.8	-18.4	-2.1	-2.2	-3.0	-0.6	1.4
9	All	-5.1	-4.4	-4.0	-4.6	-2.0	-1.8	-2.1	-2.5	-0.5	1.2
10	W	-0.5	-0.5	-0.8	-0.9	0.3	0.0	0.0	0.1	0.1	2.1
10	AN	-6.2	-3.8	-12.1	5.1	-8.1	0.8	-0.3	-4.5	-4.4	2.2
10	BN	-5.7	-5.7	-5.3	0.0	11.8	-7.1	-7.1	-7.4	-0.1	-1.8
10	D	3.2	3.4	10.4	-0.8	-3.5	-1.6	-1.6	-2.8	-2.7	-2.8
10	C	-7.5	-11.2	-21.7	-14.0	-9.9	-2.6	-3.0	-1.4	-0.6	0.0
10	All	-2.5	-2.7	-3.9	-2.0	-1.2	-1.7	-1.9	-2.7	-1.7	0.3
11	W	-0.1	-1.7	-0.2	-3.0	-2.6	0.0	0.1	0.0	0.1	0.3
11	AN	1.4	2.5	8.6	7.5	-2.5	-0.8	-0.5	-2.1	-1.3	-0.3
11	BN	0.4	0.2	0.2	3.1	4.7	-0.6	-0.7	-0.7	-0.6	0.1
11	D	-5.6	-2.9	-0.5	-13.3	-15.2	0.3	0.2	0.3	0.5	0.6
11	C	-6.0	-2.7	-13.8	-15.3	-17.8	-0.3	-0.6	-1.2	-0.4	-0.3
11	All	-2.0	-1.2	-1.3	-4.8	-6.6	-0.2	-0.2	-0.6	-0.2	0.1
12	W	0.3	0.7	1.2	0.1	-0.7	0.0	0.0	0.1	0.0	0.1

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
12	AN	1.9	2.7	7.0	-2.2	-6.2	0.0	0.0	-0.1	-0.2	-0.3
12	BN	-1.5	-0.8	0.2	-0.2	-1.1	0.1	0.1	0.1	0.0	-0.1
12	D	-2.5	0.0	1.7	-5.2	-9.1	0.0	0.0	0.0	-0.1	-0.2
12	C	4.9	5.2	7.3	-3.7	-4.5	-0.1	-0.1	-0.2	-0.4	0.0
12	All	0.3	1.2	2.8	-2.0	-4.0	0.0	0.0	-0.1	-0.1	-0.1

°F = degrees Fahrenheit; 7DADM = 7-day average daily maximum; UF = unimpaired flow

^a Green cells indicate >5% lower values under the flow scenario relative to baseline; red cells indicate >5% higher values under the flow scenario relative to baseline.

^b Only includes months on which temperature exceeded index value; green cells indicate >0.5 °F lower values under the flow scenario relative to baseline; red cells indicate >0.5 °F higher values under the flow scenario relative to baseline.

Table A6-78. Water Temperature Index Value Analysis Results, Spring-Run Chinook Salmon, Spawning, Egg Incubation, and Alevins, Sacramento River at Clear Creek, 55.4 °F 7DADM

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
8	W	-9.6	-7.7	-7.7	-8.1	-8.6	0.1	0.0	0.1	0.1	0.0
8	AN	0.5	5.4	-6.2	11.8	36.0	0.0	0.0	0.1	0.1	0.1
8	BN	0.4	0.6	0.8	-1.9	38.9	0.0	-0.2	-0.1	0.1	0.3
8	D	-5.4	-1.1	-2.6	34.1	54.2	0.1	-0.3	0.1	-0.4	-0.1
8	C	-34.0	-33.5	-1.3	16.1	23.0	-0.8	-1.2	-1.1	-0.3	1.0
8	All	-9.4	-7.2	-3.8	9.1	25.1	-0.3	-0.6	-0.4	-0.2	0.2
9	W	-0.4	0.8	8.5	14.9	10.0	0.1	0.0	-0.3	-0.3	-0.4
9	AN	-7.2	-8.1	1.9	18.1	12.5	0.2	0.2	0.4	0.3	-0.1
9	BN	-1.0	-2.7	-3.7	5.1	16.5	-0.2	0.0	0.2	-0.3	0.9
9	D	-19.7	-24.0	-30.5	-16.0	-19.5	-0.3	-0.3	-0.3	-0.5	-0.4
9	C	-12.2	-5.6	-11.6	-11.6	-9.8	-2.2	-2.3	-2.7	-1.5	-0.9
9	All	-7.6	-7.6	-6.6	2.3	1.6	-0.7	-0.7	-0.9	-0.7	-0.3
10	W	-0.5	-1.6	-2.1	1.2	1.2	0.0	0.0	0.0	0.0	0.9
10	AN	-0.5	6.5	8.3	15.3	-9.9	-1.3	-1.7	-3.7	-2.8	0.3
10	BN	-6.1	-6.6	-0.2	6.8	10.4	-2.2	-2.2	-2.2	-0.4	1.5
10	D	-11.2	-10.4	1.1	-9.2	-15.4	0.3	0.3	-0.2	-0.4	-0.6
10	C	-5.6	-4.5	-2.6	-7.1	-7.1	-1.8	-2.2	-2.6	-1.4	-0.7
10	All	-4.8	-4.0	0.2	0.3	-3.6	-0.8	-0.9	-1.4	-0.8	0.2
11	W	-0.2	-3.0	4.2	2.7	-0.1	0.0	0.2	-0.2	-0.2	0.0
11	AN	4.2	9.4	16.7	21.7	-2.2	-0.9	-0.9	-1.7	-1.4	-0.2
11	BN	0.4	0.8	10.6	9.2	8.4	-0.4	-0.6	-1.1	-0.7	-0.1
11	D	-15.2	-8.4	1.7	-13.5	-22.9	0.5	0.2	0.1	-0.2	0.2
11	C	-0.4	-2.9	-5.8	-22.7	-20.2	-0.5	-0.5	-1.2	0.0	-0.3
11	All	-3.0	-1.9	4.8	-1.4	-7.2	-0.1	-0.1	-0.6	-0.4	0.0
12	W	0.2	0.6	0.9	-1.0	-2.0	0.0	0.0	0.1	0.1	0.1
12	AN	1.3	4.3	5.9	0.3	-5.9	0.0	-0.1	0.0	-0.3	-0.3

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
12	BN	-1.1	-1.9	0.4	-0.9	-1.7	0.1	0.2	0.1	0.0	-0.1
12	D	-2.6	1.1	0.3	-7.8	-12.7	0.0	-0.1	-0.1	-0.2	-0.2
12	C	4.5	4.1	4.3	-6.2	-6.7	0.0	0.0	-0.1	-0.3	0.1
12	All	0.2	1.3	1.9	-3.2	-5.6	0.0	0.0	0.0	-0.1	0.0

^{°F} = degrees Fahrenheit; 7DADM = 7-day average daily maximum; UF = unimpaired flow

^a Green cells indicate >5% lower values under the flow scenario relative to baseline; red cells indicate >5% higher values under the flow scenario relative to baseline.

^b Only includes months on which temperature exceeded index value; green cells indicate >0.5 °F lower values under the flow scenario relative to baseline; red cells indicate >0.5 °F higher values under the flow scenario relative to baseline.

Table A6-79. Water Temperature Index Value Analysis Results, Spring-Run Chinook Salmon, Spawning, Egg Incubation, and Alevins, Sacramento River below Balls Ferry, 55.4 °F 7DADM

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
8	W	9.8	15.9	23.7	24.5	27.9	-0.4	-0.2	-0.2	-0.4	-0.2
8	AN	-0.5	0.5	3.5	2.7	3.5	0.0	0.0	-0.2	0.4	0.9
8	BN	-0.9	-9.7	-15.7	20.7	30.0	0.0	0.0	0.2	0.0	1.1
8	D	-14.7	-22.1	-5.2	5.4	8.6	0.0	0.0	0.0	0.7	1.2
8	C	-12.5	-4.7	3.0	3.2	3.2	-1.1	-1.3	-0.6	0.3	1.6
8	All	-2.6	-2.7	4.0	13.3	16.8	-0.3	-0.3	-0.2	0.1	0.8
9	W	1.3	5.6	13.5	26.9	27.0	0.0	0.0	0.1	0.2	0.1
9	AN	3.1	-7.8	6.1	29.2	22.8	-0.1	-0.1	0.1	0.6	0.3
9	BN	-3.5	-1.4	-0.2	5.9	13.5	-0.1	-0.1	-0.1	-0.2	0.7
9	D	-7.1	-17.6	-12.2	-4.9	-5.9	-0.6	-0.5	-0.7	-0.6	-0.6
9	C	-4.4	-2.0	-2.0	-5.3	-3.6	-2.1	-2.2	-2.6	-1.5	-0.9
9	All	-2.2	-3.9	1.7	11.0	11.6	-0.7	-0.7	-0.8	-0.5	-0.3
10	W	-1.3	-3.5	1.2	4.1	5.0	0.0	0.1	-0.1	0.0	0.6
10	AN	-0.5	4.0	7.3	15.3	-4.3	-1.0	-1.1	-2.8	-2.0	-0.6
10	BN	-5.1	-7.4	1.1	9.1	11.8	-1.7	-1.7	-1.7	-0.3	1.2
10	D	-8.9	-6.8	5.1	-0.8	-3.1	0.1	0.1	-0.3	-0.4	-0.6
10	C	-4.5	-5.2	-7.3	-3.4	-8.2	-1.5	-1.8	-1.9	-1.1	-0.3
10	All	-4.1	-4.2	1.5	4.2	1.1	-0.7	-0.8	-1.2	-0.7	0.0
11	W	-0.1	-0.4	0.1	-1.7	-1.3	0.0	0.0	0.0	0.0	0.1
11	AN	0.8	4.4	6.7	5.0	-2.5	-0.7	-0.5	-1.7	-0.9	0.1
11	BN	-0.2	-0.2	1.4	1.6	7.3	-0.5	-0.5	-0.6	-0.1	0.0
11	D	-5.1	-2.2	-2.7	-9.5	-10.6	0.3	0.2	0.5	0.2	0.2
11	C	-0.2	0.2	-10.4	-15.6	-14.2	-0.4	-0.5	-1.0	-0.2	-0.4
11	All	-1.1	0.0	-1.1	-4.2	-4.1	-0.2	-0.2	-0.4	-0.1	-0.1
12	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	AN	0.0	1.1	2.7	-3.5	-3.5	0.0	0.1	0.3	-0.5	-0.5

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
12	BN	0.6	0.2	0.8	-2.3	-2.5	-0.1	0.0	0.2	-0.1	0.0
12	D	-0.2	-2.3	-2.8	-4.8	-4.8	-0.2	-0.3	-0.2	-0.7	-0.7
12	C	1.9	1.7	-3.9	-5.6	-4.7	0.0	0.0	-0.4	-0.5	-0.5
12	All	0.4	-0.1	-0.8	-2.8	-2.7	-0.1	-0.1	0.1	0.2	0.0

^{°F} = degrees Fahrenheit; 7DADM = 7-day average daily maximum; UF = unimpaired flow

^a Green cells indicate >5% lower values under the flow scenario relative to baseline; red cells indicate >5% higher values under the flow scenario relative to baseline.

^b Only includes months on which temperature exceeded index value; green cells indicate >0.5 °F lower values under the flow scenario relative to baseline; red cells indicate >0.5 °F higher values under the flow scenario relative to baseline.

Table A6-80. Water Temperature Index Value Analysis Results, Spring-Run Chinook Salmon, Spawning, Egg Incubation, and Alevins, Sacramento River near Bend Bridge, 55.4 °F 7DADM

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
8	W	0.5	1.5	2.4	2.4	2.6	-0.1	0.1	0.3	0.2	0.4
8	AN	-0.5	0.0	0.0	0.0	0.0	0.0	0.1	-0.1	0.6	1.2
8	BN	-0.6	-8.5	-5.7	0.8	1.1	-0.1	-0.1	-0.2	0.4	1.9
8	D	-7.7	-7.1	-0.5	-0.2	0.0	-0.2	-0.3	0.0	0.9	1.6
8	C	-1.3	-0.4	0.0	0.0	0.0	-1.2	-1.2	-0.2	0.7	2.0
8	All	-2.0	-2.8	-0.4	0.8	1.0	-0.3	-0.2	0.0	0.5	1.3
9	W	2.7	6.3	11.1	21.4	19.8	0.0	0.1	0.3	0.6	0.6
9	AN	3.3	-3.6	3.6	23.6	20.8	-0.1	-0.2	0.2	0.9	0.6
9	BN	2.0	2.5	0.2	5.5	7.1	-0.3	-0.2	-0.1	-0.1	0.8
9	D	-3.0	-9.4	-5.9	-0.2	-0.5	-0.7	-0.7	-0.8	-0.6	-0.6
9	C	-1.6	-0.7	-0.4	-3.1	-1.8	-1.9	-1.9	-2.3	-1.3	-0.8
9	All	0.7	-0.3	2.4	10.0	9.5	-0.6	-0.6	-0.6	-0.3	0.0
10	W	-2.2	-1.6	1.8	7.8	5.3	0.0	0.0	-0.1	0.0	0.7
10	AN	-0.8	1.9	5.4	12.6	5.4	-0.8	-0.8	-2.2	-1.4	-1.0
10	BN	-4.7	-5.9	2.5	6.5	13.9	-1.3	-1.4	-1.3	0.0	0.8
10	D	-7.7	-5.7	8.9	3.2	1.8	0.0	0.0	-0.3	-0.3	-0.4
10	C	-2.8	-4.3	-6.2	-1.1	-3.7	-1.3	-1.5	-1.5	-0.8	-0.4
10	All	-3.8	-3.3	2.7	5.7	4.6	-0.6	-0.7	-0.9	-0.4	0.0
11	W	0.2	0.2	0.6	-0.6	-0.5	0.0	0.0	0.0	0.0	0.0
11	AN	-1.1	5.8	1.9	1.9	-3.3	-0.4	-0.6	-1.2	-0.5	0.5
11	BN	-0.8	-0.8	0.2	0.2	5.9	-0.4	-0.5	-0.4	0.2	-0.1
11	D	-4.8	-3.0	-0.6	-7.1	-8.4	0.4	0.2	0.3	0.2	0.1
11	C	-1.3	0.0	-10.2	-12.2	-13.6	-0.3	-0.5	-0.8	-0.3	-0.2
11	All	-1.5	0.0	-1.3	-3.5	-3.6	-0.1	-0.2	-0.4	-0.1	-0.1
12	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	AN	0.0	0.3	2.4	0.0	0.0	0.0	0.0	0.2	0.0	0.0

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
12	BN	0.2	0.4	0.9	-0.8	-0.8	-0.1	-0.2	0.2	-0.4	-0.7
12	D	-1.2	-1.5	-1.5	-1.5	-1.5	-0.4	-0.4	-0.4	-0.4	-0.4
12	C	0.9	0.9	0.0	0.0	0.0	0.3	0.3	0.0	0.0	0.0
12	All	-0.1	-0.1	0.1	-0.5	-0.5	-0.1	-0.1	0.1	-0.2	-0.5

^{°F} = degrees Fahrenheit; 7DADM = 7-day average daily maximum; UF = unimpaired flow

^a Green cells indicate >5% lower values under the flow scenario relative to baseline; red cells indicate >5% higher values under the flow scenario relative to baseline.

^b Only includes months on which temperature exceeded index value; green cells indicate >0.5 °F lower values under the flow scenario relative to baseline; red cells indicate >0.5 °F higher values under the flow scenario relative to baseline.

Table A6-81. Water Temperature Index Value Analysis Results, Spring-Run Chinook Salmon, Spawning, Egg Incubation, and Alevins, Sacramento River at Red Bluff Diversion Dam, 55.4 °F 7DADM

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
8	W	0.5	0.8	1.6	1.6	1.6	-0.1	0.2	0.4	0.2	0.5
8	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.1	-0.1	0.6	1.3
8	BN	-0.2	-6.1	-4.0	0.6	0.9	-0.1	-0.2	-0.2	0.5	2.0
8	D	-3.7	-4.0	-0.3	0.0	0.0	-0.3	-0.4	0.0	1.0	1.8
8	C	-0.4	-0.4	0.0	0.0	0.0	-1.2	-1.1	0.0	1.0	2.2
8	All	-0.8	-1.8	-0.3	0.6	0.7	-0.3	-0.2	0.1	0.6	1.5
9	W	1.2	2.4	4.4	8.1	8.0	0.0	0.2	0.5	0.9	1.0
9	AN	2.8	1.7	4.2	9.2	8.9	-0.1	-0.3	0.1	1.3	1.0
9	BN	-0.6	-0.2	0.6	0.4	0.6	-0.2	-0.1	-0.1	0.0	0.9
9	D	-0.2	-0.6	-0.3	0.3	0.2	-0.8	-0.9	-0.9	-0.6	-0.5
9	C	0.0	0.0	0.0	0.0	0.0	-1.8	-1.8	-2.1	-1.3	-0.7
9	All	0.6	0.8	1.9	3.8	3.7	-0.5	-0.5	-0.5	0.0	0.3
10	W	-0.7	-0.8	3.7	4.4	3.7	-0.1	-0.1	-0.1	0.2	0.5
10	AN	-1.6	1.6	0.8	12.4	6.5	-0.5	-0.4	-1.1	-0.6	-0.4
10	BN	-4.0	-3.2	7.8	9.5	14.4	-0.8	-0.8	-0.7	0.0	0.7
10	D	-6.6	-1.8	10.6	7.5	1.1	-0.1	-0.2	-0.1	-0.2	-0.1
10	C	-1.7	0.9	-2.4	0.2	-3.2	-0.9	-1.1	-1.1	-0.5	-0.2
10	All	-2.9	-0.9	4.6	6.4	4.3	-0.4	-0.5	-0.5	-0.2	0.1
11	W	0.2	0.4	1.4	-0.6	0.4	0.0	0.0	0.0	0.0	0.0
11	AN	0.3	5.8	2.5	3.3	-3.3	-0.4	-0.4	-0.8	-0.4	0.1
11	BN	-0.6	-0.6	0.4	0.2	5.1	-0.3	-0.4	-0.3	0.2	0.0
11	D	-5.2	-2.2	-1.7	-8.3	-10.6	0.2	0.0	0.2	0.1	0.1
11	C	2.7	3.8	-5.3	-9.3	-11.6	-0.3	-0.5	-0.8	-0.5	-0.4
11	All	-0.8	0.9	-0.4	-3.1	-3.7	-0.1	-0.2	-0.3	-0.2	-0.1
12	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	AN	0.0	0.0	0.8	0.0	0.0	0.0	0.0	0.3	0.0	0.0

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
12	BN	0.0	0.0	0.9	-1.1	-1.1	0.0	0.0	0.1	-0.7	-0.7
12	D	-0.8	-0.9	-0.9	-0.9	-0.9	-0.3	-0.3	-0.3	-0.3	-0.3
12	C	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	All	-0.1	-0.2	0.1	-0.4	-0.4	-0.1	0.2	0.1	-0.5	-0.5

^{°F} = degrees Fahrenheit; 7DADM = 7-day average daily maximum; UF = unimpaired flow

^a Green cells indicate >5% lower values under the flow scenario relative to baseline; red cells indicate >5% higher values under the flow scenario relative to baseline.

^b Only includes months on which temperature exceeded index value; green cells indicate >0.5 °F lower values under the flow scenario relative to baseline; red cells indicate >0.5 °F higher values under the flow scenario relative to baseline.

Table A6-82. Water Temperature Index Value Analysis Results, Spring-Run Chinook Salmon, Fry and Juvenile Rearing and Emigration, Sacramento River below Keswick, 61 °F 7DADM

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
1	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
5	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	C	-5.6	-5.6	-5.6	-4.1	5.6	-3.9	-3.9	-3.9	-2.6	-0.8
8	All	-0.9	-0.9	-0.9	-0.7	0.9	-3.9	-3.9	-3.9	-2.6	-0.8
9	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
9	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
9	BN	0.0	0.0	0.0	0.0	8.4	0.0	0.0	0.0	0.0	2.0
9	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
9	C	-18.0	-18.0	-23.3	-10.9	-6.9	-0.9	-1.0	-3.1	-1.2	0.6
9	All	-2.9	-2.9	-3.8	-1.8	0.4	-0.9	-1.0	-3.1	-1.2	0.0

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
10	W	0.0	0.0	0.0	0.0	3.5	0.0	0.0	0.0	0.0	1.6
10	AN	1.1	1.1	-7.3	-7.3	1.1	-0.3	-0.4	-2.6	-2.6	-0.2
10	BN	-5.9	-5.9	-5.9	0.0	5.1	-2.5	-2.5	-2.5	-0.1	-0.1
10	D	-4.1	-4.1	-4.1	-4.1	-4.1	-2.2	-2.2	-2.2	-2.2	-2.2
10	C	-13.1	-13.1	-13.1	-6.5	-6.5	-1.7	-1.7	-1.7	1.1	1.1
10	All	-4.0	-4.0	-5.1	-2.9	0.1	0.2	0.1	-2.1	0.5	0.2
11	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	AN	0.8	0.3	0.0	0.0	1.4	0.0	0.0	0.0	0.0	0.4
11	BN	-1.6	-1.6	-1.6	-0.2	-1.4	-0.4	-0.4	-0.4	0.1	-0.4
11	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	C	-2.2	-2.2	-2.2	-2.0	-2.2	-0.4	-0.4	-0.4	-0.4	-0.4
11	All	-0.5	-0.6	-0.6	-0.4	-0.4	-0.4	-0.4	-0.4	0.0	-0.1
12	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

^a°F = degrees Fahrenheit; 7DADM = 7-day average daily maximum; UF = unimpaired flow

^a Green cells indicate >5% lower values under the flow scenario relative to baseline; red cells indicate >5% higher values under the flow scenario relative to baseline.

^b Only includes months on which temperature exceeded index value; green cells indicate >0.5 °F lower values under the flow scenario relative to baseline; red cells indicate >0.5 °F higher values under the flow scenario relative to baseline.

Table A6-83. Water Temperature Index Value Analysis Results, Spring-Run Chinook Salmon, Fry and Juvenile Rearing and Emigration, Sacramento River at Clear Creek, 61 °F 7DADM

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
1	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
5	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	C	0.0	0.0	0.0	0.0	1.3	0.0	0.0	0.0	0.0	1.0
7	All	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	1.0
8	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	BN	0.0	0.0	0.0	0.0	0.8	0.0	0.0	0.0	0.0	1.0
8	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	C	-6.7	-6.7	-6.7	-4.3	6.7	-5.0	-5.0	-5.0	-2.5	-0.2
8	All	-1.1	-1.1	-1.1	-0.7	1.2	-5.0	-5.0	-5.0	-2.5	-0.5
9	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
9	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
9	BN	0.0	0.0	0.0	0.0	10.4	0.0	0.0	0.0	0.0	3.5
9	D	-0.3	-0.3	-0.3	-0.3	-0.3	0.0	0.0	0.0	0.0	0.0
9	C	-24.0	-23.8	-25.3	-11.6	-8.2	-0.3	-0.6	-3.4	-1.1	0.4
9	All	-3.9	-3.9	-4.2	-1.9	0.5	-0.3	-0.5	-3.3	-1.0	0.1

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
10	W	0.0	0.0	0.0	0.0	3.6	0.0	0.0	0.0	0.0	2.8
10	AN	-2.7	-2.7	-10.8	-10.8	-2.7	0.8	0.8	-2.9	-1.9	1.0
10	BN	-5.9	-5.9	-5.9	0.0	8.2	-3.8	-3.8	-3.8	-0.1	-0.9
10	D	-3.1	-2.8	-4.8	-4.8	-4.8	-3.0	-2.8	-3.3	-3.3	-3.3
10	C	-16.3	-16.3	-13.5	-12.9	-11.4	-2.0	-1.8	-1.6	1.9	1.2
10	All	-4.8	-4.7	-5.7	-4.5	-0.7	-0.7	-0.6	-2.1	1.1	0.3
11	W	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.5
11	AN	-0.8	-0.8	-2.2	-2.2	0.0	0.4	0.4	-0.4	-0.4	0.6
11	BN	-2.2	-2.2	-2.2	-0.2	-1.8	-0.6	-0.6	-0.6	0.1	-0.1
11	D	0.0	0.0	-1.0	-1.0	-1.0	-0.2	-0.2	-0.3	-0.3	-0.3
11	C	-2.9	-6.0	-6.0	-5.3	-4.0	-0.2	-0.7	-0.7	-0.4	-0.5
11	All	-1.0	-1.5	-1.9	-1.4	-1.1	-0.1	-0.1	-0.6	0.0	0.0
12	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

^aF = degrees Fahrenheit; 7DADM = 7-day average daily maximum; UF = unimpaired flow

^a Green cells indicate >5% lower values under the flow scenario relative to baseline; red cells indicate >5% higher values under the flow scenario relative to baseline.

^b Only includes months on which temperature exceeded index value; green cells indicate >0.5 °F lower values under the flow scenario relative to baseline; red cells indicate >0.5 °F higher values under the flow scenario relative to baseline.

Table A6-84. Water Temperature Index Value Analysis Results, Spring-Run Chinook Salmon, Fry and Juvenile Rearing and Emigration, Sacramento River at Balls Ferry, 61 °F 7DADM

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
1	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	BN	0.0	-0.4	-0.4	-0.4	-0.4	0.0	-0.5	-0.5	-0.5	-0.5
4	D	0.3	0.2	-0.3	-0.5	-0.3	0.1	-0.1	-0.3	-0.3	-0.3
4	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	All	0.1	0.0	-0.1	-0.2	-0.1	0.0	-0.2	-0.4	-0.4	-0.4
5	W	-1.0	-1.0	-0.6	-0.3	0.8	-0.7	-0.7	-0.2	-0.3	-0.4
5	AN	0.0	0.0	0.0	1.1	2.2	0.0	0.0	0.0	0.3	0.4

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
5	BN	0.4	0.0	-0.2	0.8	1.1	0.0	-0.3	-0.5	0.0	-0.2
5	D	-0.8	-0.5	-0.5	-0.8	-1.1	-0.5	-0.4	-0.4	-0.3	-0.4
5	C	7.3	6.0	3.4	2.8	2.4	-0.1	-0.1	-0.2	-0.3	-0.3
5	All	0.8	0.6	0.2	0.5	0.9	-0.1	-0.2	-0.3	-0.3	-0.3
6	W	0.0	0.0	0.7	0.0	1.7	0.0	0.0	0.3	0.0	0.2
6	AN	0.0	0.0	0.0	0.0	3.9	0.0	0.0	0.0	0.0	0.7
6	BN	0.2	1.4	0.6	2.9	3.9	0.0	0.4	0.3	0.3	0.7
6	D	0.3	1.0	0.3	0.8	0.8	0.0	0.3	0.4	0.2	0.0
6	C	22.2	17.1	10.0	10.4	9.8	0.4	0.5	0.4	0.3	0.3
6	All	3.7	3.2	2.0	2.4	3.5	0.2	0.3	0.2	0.2	0.1
7	W	-0.6	-0.6	-0.6	-0.6	-0.6	-0.4	-0.4	-0.4	-0.4	-0.4
7	AN	0.0	0.0	0.0	0.0	7.5	0.0	0.0	0.0	0.0	0.7
7	BN	0.0	0.0	0.0	1.5	1.7	0.0	0.0	0.0	0.1	0.3
7	D	1.8	1.8	1.8	2.6	2.9	0.4	0.5	0.6	0.6	0.4
7	C	19.4	16.3	28.4	27.3	39.1	0.3	0.3	0.2	0.3	0.6
7	All	3.4	2.9	4.8	5.1	8.1	0.2	0.2	0.1	0.2	0.4
8	W	-2.4	-2.4	-2.4	-2.4	-2.4	-0.3	-0.3	-0.3	-0.3	-0.3
8	AN	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.0
8	BN	0.0	0.0	0.0	0.0	1.3	0.0	0.0	0.0	0.0	1.1
8	D	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0
8	C	-7.3	-7.5	-7.5	-4.1	6.2	-5.0	-5.0	-5.0	-2.5	0.7
8	All	-1.9	-1.9	-1.9	-1.4	0.6	-3.3	-3.3	-3.3	-0.8	1.8
9	W	-0.2	-0.4	-0.4	-0.8	-1.1	-0.2	-0.2	-0.2	-0.2	-0.5
9	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
9	BN	-0.8	-0.8	-0.4	-0.8	9.8	-0.5	-0.5	-0.5	-0.5	2.9
9	D	-2.7	-2.7	-2.7	-2.7	-2.7	-0.9	-0.9	-0.9	-0.9	-0.9
9	C	-24.7	-25.8	-26.0	-13.6	-8.2	-0.6	-0.3	-2.9	-0.8	0.4
9	All	-4.8	-5.0	-5.0	-3.2	-0.5	-0.7	-0.4	-2.5	-0.3	0.6

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
10	W	0.0	0.0	0.0	0.0	3.2	0.0	0.0	0.0	0.0	1.8
10	AN	-1.1	-1.1	-9.1	-9.1	-1.1	0.4	0.3	-1.8	-0.8	0.3
10	BN	-5.9	-5.9	-5.9	0.0	4.9	-2.9	-2.9	-2.9	0.0	-0.2
10	D	-4.6	-4.6	-4.6	-4.6	-4.6	-2.4	-2.4	-2.4	-2.4	-2.4
10	C	-17.2	-15.7	-12.9	-11.0	-11.0	-1.4	-1.7	-1.4	1.5	1.8
10	All	-5.0	-4.8	-5.4	-4.0	-1.1	0.7	0.1	-1.8	0.8	0.5
11	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	AN	-0.3	-0.3	-0.3	-0.3	0.6	0.0	0.0	0.0	0.0	0.3
11	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	C	-0.9	-1.8	-1.8	-1.8	-1.3	-0.3	-0.3	-0.3	-0.3	-0.3
11	All	-0.2	-0.3	-0.3	-0.3	-0.1	-0.2	-0.2	-0.2	-0.2	0.0
12	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

[°]F = degrees Fahrenheit; 7DADM = 7-day average daily maximum; UF = unimpaired flow

^a Green cells indicate >5% lower values under the flow scenario relative to baseline; red cells indicate >5% higher values under the flow scenario relative to baseline.

^b Only includes months on which temperature exceeded index value; green cells indicate >0.5 °F lower values under the flow scenario relative to baseline; red cells indicate >0.5 °F higher values under the flow scenario relative to baseline.

Table A6-85. Water Temperature Index Value Analysis Results, Spring-Run Chinook Salmon, Fry and Juvenile Rearing and Emigration, Sacramento River near Bend Bridge, 61 °F 7DADM

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
1	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	W	0.0	0.0	-0.1	-0.1	-0.1	0.0	0.0	0.0	0.0	0.0
4	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	BN	-0.2	-1.0	-1.6	-1.8	-1.8	-0.1	-0.3	-0.6	-0.6	-0.6
4	D	0.5	-0.8	-1.9	-2.5	-2.5	0.1	0.0	0.0	0.0	0.5
4	C	0.2	-0.4	-0.7	-0.9	-1.3	0.2	-0.1	-0.3	0.2	-0.3
4	All	0.1	-0.4	-0.9	-1.1	-1.1	0.1	-0.1	-0.2	0.0	0.5
5	W	-2.2	-2.3	-2.0	-1.5	1.5	-0.3	-0.4	-0.2	-0.4	-0.4
5	AN	0.0	-0.3	0.3	1.3	7.8	0.0	0.0	0.3	0.7	0.5

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
5	BN	-0.4	-0.8	-1.5	0.8	1.1	-0.1	-0.3	-0.7	-0.2	-0.2
5	D	-0.9	3.8	2.5	-1.7	0.2	-0.3	-0.3	-0.3	-0.2	-0.3
5	C	14.8	10.8	4.5	5.4	4.5	0.5	0.5	0.4	0.2	0.2
5	All	1.5	1.7	0.5	0.3	2.4	0.1	0.0	-0.1	-0.1	-0.2
6	W	-1.3	-1.3	0.5	0.8	6.9	0.0	0.0	0.3	0.0	0.4
6	AN	-0.6	-1.1	1.7	-0.8	11.4	0.2	0.7	0.1	0.0	0.6
6	BN	1.6	4.3	3.5	9.4	15.1	0.3	0.8	0.5	0.8	0.8
6	D	1.1	7.9	7.0	6.2	7.8	0.0	-0.1	-0.1	-0.2	0.0
6	C	39.3	34.7	30.7	21.6	24.2	0.8	0.8	0.5	0.5	0.4
6	All	6.4	7.6	7.5	6.7	12.0	0.7	0.6	0.4	0.3	0.4
7	W	-2.5	-2.5	-2.5	-2.4	-2.1	-0.5	-0.6	-0.6	-0.5	-0.4
7	AN	0.0	-0.5	-1.3	0.0	23.4	-0.1	-0.1	-0.3	-0.1	1.0
7	BN	0.0	0.0	0.0	8.0	17.1	0.0	0.0	0.0	1.1	1.2
7	D	2.8	3.7	7.1	10.4	16.4	0.5	0.3	0.2	0.1	0.1
7	C	27.7	35.1	54.2	55.7	54.2	1.0	0.8	0.9	0.9	1.3
7	All	4.3	5.7	9.4	12.1	18.0	0.8	0.6	0.7	0.6	0.8
8	W	-4.7	-4.6	-4.6	-4.5	-4.8	-1.1	-1.0	-1.0	-1.0	-1.1
8	AN	0.3	0.0	-0.3	2.4	9.1	0.0	0.0	0.0	0.5	0.6
8	BN	0.0	0.2	0.2	1.7	8.0	0.0	0.0	0.0	0.2	0.7
8	D	0.2	0.0	0.2	1.7	4.1	0.0	0.0	0.0	0.5	0.5
8	C	-8.2	-8.0	-6.7	4.3	18.5	-3.6	-3.6	-3.4	-3.1	-0.8
8	All	-2.7	-2.6	-2.4	0.3	5.1	-2.3	-2.3	-2.1	-1.8	-0.6
9	W	0.0	-0.1	-0.1	-0.1	-0.1	-0.5	-0.4	-0.5	-0.6	-0.7
9	AN	0.0	0.0	0.0	2.2	0.0	0.0	0.0	0.0	0.4	0.0
9	BN	-1.0	-1.4	-0.4	-1.6	9.2	-0.7	-0.4	-0.6	-0.6	2.0
9	D	-5.6	-5.6	-4.9	-5.4	-5.4	-1.2	-1.2	-0.9	-0.2	-0.2
9	C	-24.9	-26.9	-26.9	-14.4	-10.2	-1.0	-0.7	-2.5	-0.7	0.5
9	All	-5.4	-5.9	-5.6	-3.6	-1.2	-0.9	-0.6	-2.0	-0.5	0.6

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
10	W	0.0	0.0	0.0	0.0	2.8	0.0	0.0	0.0	0.0	1.3
10	AN	-0.8	-1.6	-8.6	-8.6	-1.1	0.2	0.4	-0.5	-0.5	0.4
10	BN	-5.9	-5.9	-5.9	0.0	3.6	-2.2	-2.2	-2.2	0.1	0.0
10	D	-3.7	-3.7	-3.7	-3.7	-3.7	-2.1	-2.1	-2.1	-2.1	-2.1
10	C	-14.6	-13.5	-10.8	-9.0	-6.2	-1.9	-1.4	-1.2	1.5	0.6
10	All	-4.4	-4.3	-4.8	-3.4	-0.5	0.5	0.4	-1.4	0.7	0.2
11	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	AN	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.0
11	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

[°]F = degrees Fahrenheit; 7DADM = 7-day average daily maximum; UF = unimpaired flow

^a Green cells indicate >5% lower values under the flow scenario relative to baseline; red cells indicate >5% higher values under the flow scenario relative to baseline.

^b Only includes months on which temperature exceeded index value; green cells indicate >0.5 °F lower values under the flow scenario relative to baseline; red cells indicate >0.5 °F higher values under the flow scenario relative to baseline.

Table A6-86. Water Temperature Index Value Analysis Results, Spring-Run Chinook Salmon, Fry and Juvenile Rearing and Emigration, Sacramento River at Red Bluff Diversion Dam, 61 °F 7DADM

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
1	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	W	-0.1	-0.2	-0.6	-1.1	-1.1	0.0	0.1	-0.3	-0.7	-0.7
4	AN	-0.3	-1.1	-2.2	-3.1	-3.1	0.0	0.0	-0.3	-0.3	-0.3
4	BN	-1.0	-2.2	-3.3	-6.3	-6.5	-0.1	-0.2	-0.4	-0.4	-0.5
4	D	0.3	-3.2	-7.6	-10.0	-9.2	0.1	0.0	0.0	-0.1	-0.3
4	C	3.8	-2.7	-3.6	-6.7	-7.3	0.0	0.0	0.0	0.2	-0.3
4	All	0.4	-1.8	-3.4	-5.2	-5.2	0.1	0.0	-0.1	0.0	-0.3
5	W	-3.8	-4.3	-4.1	-2.9	0.1	-0.2	-0.2	-0.1	-0.3	-0.1
5	AN	-0.5	-3.0	-3.2	-0.5	8.9	0.0	0.0	0.1	0.2	0.5

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
5	BN	-0.9	-0.2	-0.4	0.6	4.9	-0.1	-0.3	-0.6	-0.2	-0.4
5	D	-1.4	4.9	4.9	-4.0	-0.2	-0.2	0.0	0.0	-0.1	-0.1
5	C	16.6	11.6	4.3	5.2	4.5	0.7	0.7	0.5	0.4	0.3
5	All	1.0	1.3	0.1	-0.9	2.8	0.2	0.2	0.0	0.0	0.0
6	W	-2.9	-3.2	-1.8	-1.3	4.8	0.0	0.1	0.4	0.0	0.4
6	AN	-1.4	-2.8	0.8	-3.1	11.1	-0.1	-0.1	0.2	-0.3	0.3
6	BN	0.6	3.5	4.7	9.0	14.9	0.4	0.9	0.4	0.9	0.8
6	D	2.5	9.0	8.4	8.6	9.4	-0.1	-0.1	-0.1	-0.2	-0.1
6	C	37.6	34.0	30.7	21.1	24.0	1.0	0.9	0.6	0.6	0.5
6	All	5.7	6.8	7.3	6.2	11.6	0.8	0.7	0.4	0.4	0.4
7	W	-2.9	-3.0	-2.8	-2.5	-1.4	-0.5	-0.5	-0.6	-0.5	-0.6
7	AN	1.1	0.8	-0.5	3.0	33.6	-0.2	-0.3	-0.2	-0.3	0.5
7	BN	0.0	0.2	0.2	8.7	19.9	0.0	0.0	0.0	1.3	1.3
7	D	2.8	4.8	10.1	15.8	23.7	0.4	0.2	0.0	-0.1	-0.1
7	C	31.6	37.6	57.4	58.9	58.3	1.1	1.0	1.0	1.0	1.3
7	All	5.0	6.4	10.7	14.3	22.3	0.8	0.7	0.7	0.6	0.7
8	W	-6.0	-5.1	-5.0	-5.1	-5.6	-0.9	-0.9	-0.9	-0.9	-0.9
8	AN	0.3	1.1	-1.9	10.2	23.9	0.0	0.0	0.0	0.2	0.5
8	BN	0.0	0.0	0.2	3.6	17.3	0.5	0.5	0.3	0.6	0.7
8	D	0.0	0.3	0.3	5.1	15.2	0.0	0.3	0.3	0.5	0.6
8	C	-8.6	-7.7	-1.3	22.8	36.8	-2.6	-3.0	-3.0	-2.9	-1.4
8	All	-3.2	-2.6	-1.8	5.3	13.9	-1.5	-1.6	-1.5	-1.4	-0.7
9	W	0.0	0.0	0.4	3.2	2.6	-0.3	-0.3	-0.3	-0.7	-0.7
9	AN	0.0	0.0	3.3	10.3	7.8	-0.5	-0.5	0.1	0.3	0.0
9	BN	-3.3	-0.2	2.2	-1.8	10.4	-0.3	-0.3	-0.1	-0.4	1.4
9	D	-15.7	-15.9	-16.7	-14.3	-12.5	-0.5	-0.5	-0.3	-0.6	-0.6
9	C	-24.2	-25.8	-29.6	-18.0	-9.3	-1.4	-1.5	-2.0	-0.6	-0.2
9	All	-8.1	-7.8	-7.6	-4.2	-0.6	-0.9	-1.0	-1.2	-0.7	-0.1

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
10	W	0.0	0.0	0.0	1.5	4.4	0.0	0.0	0.0	0.5	1.1
10	AN	-6.7	-6.7	-14.2	-9.4	-6.5	1.3	1.2	0.2	-1.4	1.5
10	BN	-5.7	-5.7	-5.7	0.0	5.5	-2.9	-1.9	-1.9	0.1	-0.4
10	D	-3.5	-3.1	-2.5	-1.4	-2.2	-2.1	-2.0	-1.7	-1.6	-1.9
10	C	-18.3	-17.2	-16.8	-9.7	-8.2	-1.6	-1.2	-0.6	0.1	0.4
10	All	-5.7	-5.4	-6.1	-2.6	-0.3	-0.3	-0.4	-1.1	-0.4	0.1
11	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	AN	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0	1.0
11	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	D	-0.2	-0.2	-0.2	-0.2	-0.2	0.0	0.0	0.0	0.0	0.0
11	C	-1.1	-2.0	-2.0	-2.0	-1.1	-0.1	-0.3	-0.3	-0.3	-0.1
11	All	-0.2	-0.4	-0.4	-0.4	-0.2	-0.1	-0.3	-0.3	-0.3	0.1
12	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

^aF = degrees Fahrenheit; 7DADM = 7-day average daily maximum; UF = unimpaired flow

^a Green cells indicate >5% lower values under the flow scenario relative to baseline; red cells indicate >5% higher values under the flow scenario relative to baseline.

^b Only includes months on which temperature exceeded index value; green cells indicate >0.5 °F lower values under the flow scenario relative to baseline; red cells indicate >0.5 °F higher values under the flow scenario relative to baseline.

Table A6-87. Water Temperature Index Value Analysis Results, Spring-Run Chinook Salmon, Fry and Juvenile Rearing and Emigration, Sacramento River at Wilkins Slough, 64 °F 7DADM

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
1	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	C	-0.2	0.0	0.0	-1.1	-0.6	-0.1	0.0	0.0	-0.6	-0.6
3	All	0.0	0.0	0.0	-0.2	-0.1	-0.1	0.0	0.0	-0.6	-0.6
4	W	0.0	0.0	-1.7	-3.5	-4.0	-0.1	-0.1	-0.1	-0.2	-0.1
4	AN	0.0	-1.1	-3.3	-6.9	-7.2	0.0	0.0	-0.2	-0.4	-1.0
4	BN	-0.6	-4.3	-9.6	-15.1	-20.0	-0.1	-0.2	-0.4	-0.8	-1.0
4	D	1.1	-6.3	-15.2	-19.4	-20.2	0.2	-0.1	-0.5	-0.6	-0.6
4	C	6.2	-1.1	-5.6	-15.6	-19.6	0.1	-0.1	-0.1	-0.3	-0.8
4	All	1.1	-2.5	-7.0	-11.6	-13.5	0.1	-0.1	-0.2	-0.4	-0.6
5	W	-1.4	-2.4	-5.2	-7.9	-5.8	-0.4	-0.6	-0.8	-1.0	-0.8
5	AN	0.3	0.0	-3.8	-8.1	-6.2	0.0	-0.4	-1.0	-1.1	-0.7

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
5	BN	-0.9	-2.7	-6.8	-7.8	-13.9	-0.2	-0.6	-0.9	-1.0	-1.0
5	D	1.5	0.9	-1.5	-5.5	-13.5	-0.2	0.1	-0.2	-0.7	-0.6
5	C	2.2	-2.6	-3.7	-7.1	-9.5	1.5	1.2	0.6	0.0	-0.2
5	All	0.1	-1.4	-4.2	-7.2	-9.6	0.2	0.0	-0.4	-0.7	-0.7
6	W	-0.4	-3.2	-9.8	-16.5	-2.1	-0.4	-1.1	-1.7	-1.9	-1.4
6	AN	-0.3	-5.3	-14.2	-9.7	-2.5	-0.3	-1.4	-1.7	-2.5	-1.2
6	BN	-1.0	-2.9	-1.2	1.6	3.7	-0.2	-0.4	-0.4	-0.5	-0.4
6	D	1.6	-0.3	1.0	0.2	0.2	0.7	0.9	0.8	0.7	0.6
6	C	1.3	1.1	2.9	2.7	2.0	2.2	2.2	1.2	0.6	0.5
6	All	0.3	-2.1	-4.3	-5.5	0.1	0.3	0.0	-0.3	-0.6	-0.4
7	W	0.0	0.0	0.0	-0.1	0.0	-0.2	-0.3	-0.8	-0.9	-0.2
7	AN	1.3	1.6	1.6	1.6	1.6	0.2	0.5	-0.5	0.7	3.5
7	BN	0.4	0.4	0.4	0.4	0.4	0.0	0.2	0.7	2.4	3.6
7	D	0.0	0.0	0.0	0.0	0.0	0.7	1.6	2.8	3.2	3.1
7	C	0.0	0.0	0.0	0.0	0.0	2.1	2.2	2.6	2.3	2.2
7	All	0.2	0.3	0.3	0.2	0.3	0.5	0.7	0.9	1.3	2.1
8	W	0.1	0.9	1.6	1.5	1.8	-0.1	0.3	0.6	0.2	0.8
8	AN	0.3	0.3	0.3	0.3	0.3	-0.1	0.1	-0.3	0.7	1.6
8	BN	0.0	-0.4	-0.2	-0.2	0.2	-0.2	-0.7	-0.8	0.3	2.5
8	D	-0.3	-0.2	0.0	0.0	0.0	-0.5	-1.0	-0.3	1.4	2.1
8	C	0.0	0.0	0.0	0.0	0.0	-1.4	-1.3	0.7	1.5	2.1
8	All	0.0	0.2	0.5	0.5	0.6	-0.4	-0.5	0.0	0.7	1.7
9	W	0.2	3.5	9.5	18.8	19.2	0.0	0.2	0.5	0.8	1.0
9	AN	1.7	-1.9	4.7	23.6	17.8	0.0	-0.4	-0.1	1.1	0.8
9	BN	-1.2	-0.8	0.2	0.0	1.0	-0.3	-0.2	-0.3	-0.1	0.2
9	D	-1.9	-2.2	-2.2	-1.6	-2.4	-0.8	-1.1	-1.0	-0.7	-0.6
9	C	-0.9	-0.9	-0.9	-1.6	-1.1	-1.1	-1.1	-1.2	-0.7	-0.5
9	All	-0.5	0.0	2.9	8.1	7.5	-0.5	-0.5	-0.5	-0.2	0.0

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
10	W	-0.5	-0.8	-1.4	2.6	5.3	-0.1	-0.1	0.0	0.5	0.4
10	AN	-6.5	-5.4	-8.6	-2.2	0.5	-0.3	-0.3	-0.9	-0.5	-0.2
10	BN	-3.0	-4.0	-0.8	4.2	9.5	-0.8	-0.9	-0.7	-0.1	-0.1
10	D	-2.6	-0.8	0.9	2.5	2.5	-0.1	-0.1	0.4	0.6	0.5
10	C	-6.5	-4.9	-4.9	1.5	-0.9	-0.8	-1.2	-0.6	-0.1	-0.1
10	All	-3.2	-2.6	-2.3	2.1	3.8	-0.5	-0.5	-0.4	0.0	-0.1
11	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

^aF = degrees Fahrenheit; 7DADM = 7-day average daily maximum; UF = unimpaired flow

^a Green cells indicate >5% lower values under the flow scenario relative to baseline; red cells indicate >5% higher values under the flow scenario relative to baseline.

^b Only includes months on which temperature exceeded index value; green cells indicate >0.5 °F lower values under the flow scenario relative to baseline; red cells indicate >0.5 °F higher values under the flow scenario relative to baseline.

Table A6-88. Water Temperature Index Value Analysis Results, Spring-Run Chinook Salmon, Adult Immigration, Sacramento River below Keswick, 68 °F 7DADM

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
3	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
7	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	C	-0.4	-0.4	-0.4	-0.4	-0.4	-0.5	-0.5	-0.5	-0.5	-0.5
8	All	-0.1	-0.1	-0.1	-0.1	-0.1	-0.5	-0.5	-0.5	-0.5	-0.5
9	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
9	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
9	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
9	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
9	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
9	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

[°]F = degrees Fahrenheit; 7DADM = 7-day average daily maximum; UF = unimpaired flow

^a Green cells indicate >5% lower values under the flow scenario relative to baseline; red cells indicate >5% higher values under the flow scenario relative to baseline.

^b Only includes months on which temperature exceeded index value; green cells indicate >0.5 °F lower values under the flow scenario relative to baseline; red cells indicate >0.5 °F higher values under the flow scenario relative to baseline.

Table A6-89. Water Temperature Index Value Analysis Results, Spring-Run Chinook Salmon, Adult Immigration, Sacramento River near Bend Bridge, 68 °F 7DADM

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
3	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
7	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	C	-2.4	-2.4	-2.4	-2.4	3.9	-1.2	-1.2	-1.2	-1.2	0.0
8	All	-0.4	-0.4	-0.4	-0.4	0.6	-1.2	-1.2	-1.2	-1.2	0.0
9	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
9	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
9	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
9	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
9	C	-1.6	-1.6	-1.6	-1.6	-0.4	-0.7	-0.7	-0.7	-0.7	-0.3
9	All	-0.3	-0.3	-0.3	-0.3	-0.1	-0.7	-0.7	-0.7	-0.7	-0.3

^aF = degrees Fahrenheit; 7DADM = 7-day average daily maximum; UF = unimpaired flow

^a Green cells indicate >5% lower values under the flow scenario relative to baseline; red cells indicate >5% higher values under the flow scenario relative to baseline.

^b Only includes months on which temperature exceeded index value; green cells indicate >0.5 °F lower values under the flow scenario relative to baseline; red cells indicate >0.5 °F higher values under the flow scenario relative to baseline.

Table A6-90. Water Temperature Index Value Analysis Results, Spring-Run Chinook Salmon, Adult Immigration, Sacramento River at Red Bluff Diversion Dam, 68 °F 7DADM

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
3	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
7	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	C	-2.2	-2.2	-2.2	-2.2	4.1	-1.0	-1.0	-1.0	-1.0	0.4
8	All	-0.3	-0.3	-0.3	-0.3	0.7	-1.0	-1.0	-1.0	-1.0	0.4
9	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
9	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
9	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
9	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
9	C	-3.8	-3.8	-3.8	-3.8	1.8	-1.0	-1.0	-1.0	-1.0	-0.3
9	All	-0.6	-0.6	-0.6	-0.6	0.3	-1.0	-1.0	-1.0	-1.0	-0.3

°F = degrees Fahrenheit; 7DADM = 7-day average daily maximum; UF = unimpaired flow

^a Green cells indicate >5% lower values under the flow scenario relative to baseline; red cells indicate >5% higher values under the flow scenario relative to baseline.

^b Only includes months on which temperature exceeded index value; green cells indicate >0.5 °F lower values under the flow scenario relative to baseline; red cells indicate >0.5 °F higher values under the flow scenario relative to baseline.

Table A6-91. Water Temperature Index Value Analysis Results, Spring-Run Chinook Salmon, Adult Holding, Sacramento River below Keswick, 61 °F 7DADM

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
4	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
8	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	C	-5.6	-5.6	-5.6	-4.1	5.6	-3.9	-3.9	-3.9	-2.6	-0.8
8	All	-0.9	-0.9	-0.9	-0.7	0.9	-3.9	-3.9	-3.9	-2.6	-0.8
9	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
9	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
9	BN	0.0	0.0	0.0	0.0	8.4	0.0	0.0	0.0	0.0	2.0
9	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
9	C	-18.0	-18.0	-23.3	-10.9	-6.9	-0.9	-1.0	-3.1	-1.2	0.6
9	All	-2.9	-2.9	-3.8	-1.8	0.4	-0.9	-1.0	-3.1	-1.2	0.0

°F = degrees Fahrenheit; 7DADM = 7-day average daily maximum; UF = unimpaired flow

^a Green cells indicate >5% lower values under the flow scenario relative to baseline; red cells indicate >5% higher values under the flow scenario relative to baseline.

^b Only includes months on which temperature exceeded index value; green cells indicate >0.5 °F lower values under the flow scenario relative to baseline; red cells indicate >0.5 °F higher values under the flow scenario relative to baseline.

Table A6-92. Water Temperature Index Value Analysis Results, Spring-Run Chinook Salmon, Adult Holding, Sacramento River at Balls Ferry, 61 °F 7DADM

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
4	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	BN	0.0	-0.4	-0.4	-0.4	-0.4	0.0	-0.5	-0.5	-0.5	-0.5
4	D	0.3	0.2	-0.3	-0.5	-0.3	0.1	-0.1	-0.3	-0.3	-0.3
4	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	All	0.1	0.0	-0.1	-0.2	-0.1	0.0	-0.2	-0.4	-0.4	-0.4
5	W	-1.0	-1.0	-0.6	-0.3	0.8	-0.7	-0.7	-0.2	-0.3	-0.4
5	AN	0.0	0.0	0.0	1.1	2.2	0.0	0.0	0.0	0.3	0.4
5	BN	0.4	0.0	-0.2	0.8	1.1	0.0	-0.3	-0.5	0.0	-0.2
5	D	-0.8	-0.5	-0.5	-0.8	-1.1	-0.5	-0.4	-0.4	-0.3	-0.4
5	C	7.3	6.0	3.4	2.8	2.4	-0.1	-0.1	-0.2	-0.3	-0.3
5	All	0.8	0.6	0.2	0.5	0.9	-0.1	-0.2	-0.3	-0.3	-0.3
6	W	0.0	0.0	0.7	0.0	1.7	0.0	0.0	0.3	0.0	0.2
6	AN	0.0	0.0	0.0	0.0	3.9	0.0	0.0	0.0	0.0	0.7
6	BN	0.2	1.4	0.6	2.9	3.9	0.0	0.4	0.3	0.3	0.7
6	D	0.3	1.0	0.3	0.8	0.8	0.0	0.3	0.4	0.2	0.0
6	C	22.2	17.1	10.0	10.4	9.8	0.4	0.5	0.4	0.3	0.3
6	All	3.7	3.2	2.0	2.4	3.5	0.2	0.3	0.2	0.2	0.1
7	W	-0.6	-0.6	-0.6	-0.6	-0.6	-0.4	-0.4	-0.4	-0.4	-0.4
7	AN	0.0	0.0	0.0	0.0	7.5	0.0	0.0	0.0	0.0	0.7
7	BN	0.0	0.0	0.0	1.5	1.7	0.0	0.0	0.0	0.1	0.3
7	D	1.8	1.8	1.8	2.6	2.9	0.4	0.5	0.6	0.6	0.4
7	C	19.4	16.3	28.4	27.3	39.1	0.3	0.3	0.2	0.3	0.6
7	All	3.4	2.9	4.8	5.1	8.1	0.2	0.2	0.1	0.2	0.4
8	W	-2.4	-2.4	-2.4	-2.4	-2.4	-0.3	-0.3	-0.3	-0.3	-0.3
8	AN	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.0

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
8	BN	0.0	0.0	0.0	0.0	1.3	0.0	0.0	0.0	0.0	1.1
8	D	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0
8	C	-7.3	-7.5	-7.5	-4.1	6.2	-5.0	-5.0	-5.0	-2.5	0.7
8	All	-1.9	-1.9	-1.9	-1.4	0.6	-3.3	-3.3	-3.3	-0.8	1.8
9	W	-0.2	-0.4	-0.4	-0.8	-1.1	-0.2	-0.2	-0.2	-0.2	-0.5
9	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
9	BN	-0.8	-0.8	-0.4	-0.8	9.8	-0.5	-0.5	-0.5	-0.5	2.9
9	D	-2.7	-2.7	-2.7	-2.7	-2.7	-0.9	-0.9	-0.9	-0.9	-0.9
9	C	-24.7	-25.8	-26.0	-13.6	-8.2	-0.6	-0.3	-2.9	-0.8	0.4
9	All	-4.8	-5.0	-5.0	-3.2	-0.5	-0.7	-0.4	-2.5	-0.3	0.6

°F = degrees Fahrenheit; 7DADM = 7-day average daily maximum; UF = unimpaired flow

^a Green cells indicate >5% lower values under the flow scenario relative to baseline; red cells indicate >5% higher values under the flow scenario relative to baseline.

^b Only includes months on which temperature exceeded index value; green cells indicate >0.5 °F lower values under the flow scenario relative to baseline; red cells indicate >0.5 °F higher values under the flow scenario relative to baseline.

Table A6-93. Water Temperature Index Value Analysis Results, Spring-Run Chinook Salmon, Adult Holding, Sacramento River at Red Bluff Diversion Dam, 61 °F 7DADM

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
4	W	-0.1	-0.2	-0.6	-1.1	-1.1	0.0	0.1	-0.3	-0.7	-0.7
4	AN	-0.3	-1.1	-2.2	-3.1	-3.1	0.0	0.0	-0.3	-0.3	-0.3
4	BN	-1.0	-2.2	-3.3	-6.3	-6.5	-0.1	-0.2	-0.4	-0.4	-0.5
4	D	0.3	-3.2	-7.6	-10.0	-9.2	0.1	0.0	0.0	-0.1	-0.3
4	C	3.8	-2.7	-3.6	-6.7	-7.3	0.0	0.0	0.0	0.2	-0.3
4	All	0.4	-1.8	-3.4	-5.2	-5.2	0.1	0.0	-0.1	0.0	-0.3
5	W	-3.8	-4.3	-4.1	-2.9	0.1	-0.2	-0.2	-0.1	-0.3	-0.1
5	AN	-0.5	-3.0	-3.2	-0.5	8.9	0.0	0.0	0.1	0.2	0.5
5	BN	-0.9	-0.2	-0.4	0.6	4.9	-0.1	-0.3	-0.6	-0.2	-0.4
5	D	-1.4	4.9	4.9	-4.0	-0.2	-0.2	0.0	0.0	-0.1	-0.1
5	C	16.6	11.6	4.3	5.2	4.5	0.7	0.7	0.5	0.4	0.3
5	All	1.0	1.3	0.1	-0.9	2.8	0.2	0.2	0.0	0.0	0.0
6	W	-2.9	-3.2	-1.8	-1.3	4.8	0.0	0.1	0.4	0.0	0.4
6	AN	-1.4	-2.8	0.8	-3.1	11.1	-0.1	-0.1	0.2	-0.3	0.3
6	BN	0.6	3.5	4.7	9.0	14.9	0.4	0.9	0.4	0.9	0.8
6	D	2.5	9.0	8.4	8.6	9.4	-0.1	-0.1	-0.1	-0.2	-0.1
6	C	37.6	34.0	30.7	21.1	24.0	1.0	0.9	0.6	0.6	0.5
6	All	5.7	6.8	7.3	6.2	11.6	0.8	0.7	0.4	0.4	0.4
7	W	-2.9	-3.0	-2.8	-2.5	-1.4	-0.5	-0.5	-0.6	-0.5	-0.6
7	AN	1.1	0.8	-0.5	3.0	33.6	-0.2	-0.3	-0.2	-0.3	0.5
7	BN	0.0	0.2	0.2	8.7	19.9	0.0	0.0	0.0	1.3	1.3
7	D	2.8	4.8	10.1	15.8	23.7	0.4	0.2	0.0	-0.1	-0.1
7	C	31.6	37.6	57.4	58.9	58.3	1.1	1.0	1.0	1.0	1.3
7	All	5.0	6.4	10.7	14.3	22.3	0.8	0.7	0.7	0.6	0.7
8	W	-6.0	-5.1	-5.0	-5.1	-5.6	-0.9	-0.9	-0.9	-0.9	-0.9
8	AN	0.3	1.1	-1.9	10.2	23.9	0.0	0.0	0.0	0.2	0.5

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
8	BN	0.0	0.0	0.2	3.6	17.3	0.5	0.5	0.3	0.6	0.7
8	D	0.0	0.3	0.3	5.1	15.2	0.0	0.3	0.3	0.5	0.6
8	C	-8.6	-7.7	-1.3	22.8	36.8	-2.6	-3.0	-3.0	-2.9	-1.4
8	All	-3.2	-2.6	-1.8	5.3	13.9	-1.5	-1.6	-1.5	-1.4	-0.7
9	W	0.0	0.0	0.4	3.2	2.6	-0.3	-0.3	-0.3	-0.7	-0.7
9	AN	0.0	0.0	3.3	10.3	7.8	-0.5	-0.5	0.1	0.3	0.0
9	BN	-3.3	-0.2	2.2	-1.8	10.4	-0.3	-0.3	-0.1	-0.4	1.4
9	D	-15.7	-15.9	-16.7	-14.3	-12.5	-0.5	-0.5	-0.3	-0.6	-0.6
9	C	-24.2	-25.8	-29.6	-18.0	-9.3	-1.4	-1.5	-2.0	-0.6	-0.2
9	All	-8.1	-7.8	-7.6	-4.2	-0.6	-0.9	-1.0	-1.2	-0.7	-0.1

°F = degrees Fahrenheit; 7DADM = 7-day average daily maximum; UF = unimpaired flow

^a Green cells indicate >5% lower values under the flow scenario relative to baseline; red cells indicate >5% higher values under the flow scenario relative to baseline.

^b Only includes months on which temperature exceeded index value; green cells indicate >0.5 °F lower values under the flow scenario relative to baseline; red cells indicate >0.5 °F higher values under the flow scenario relative to baseline.

Fall-/Late Fall-Run Chinook Salmon

Table A6-94. Water Temperature Index Value Analysis Results, Fall-Run Chinook Salmon, Spawning, Egg Incubation, and Alevins, Sacramento River below Keswick, 55.4 °F 7DADM

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
9	W	0.0	0.0	-0.1	-0.1	-0.6	0.3	0.3	0.2	0.1	-0.1
9	AN	0.0	0.0	1.4	1.7	0.0	0.0	0.0	0.2	0.2	0.0
9	BN	-1.6	2.9	6.1	-5.1	7.5	-0.4	-0.5	0.1	-0.7	5.4
9	D	-2.1	-2.2	-1.9	-2.7	-1.1	-1.1	-1.6	-1.4	-1.6	-0.4
9	C	-27.1	-27.3	-29.8	-19.8	-18.4	-2.1	-2.2	-3.0	-0.6	1.4
9	All	-5.1	-4.4	-4.0	-4.6	-2.0	-1.8	-2.1	-2.5	-0.5	1.2
10	W	-0.5	-0.5	-0.8	-0.9	0.3	0.0	0.0	0.1	0.1	2.1
10	AN	-6.2	-3.8	-12.1	5.1	-8.1	0.8	-0.3	-4.5	-4.4	2.2
10	BN	-5.7	-5.7	-5.3	0.0	11.8	-7.1	-7.1	-7.4	-0.1	-1.8
10	D	3.2	3.4	10.4	-0.8	-3.5	-1.6	-1.6	-2.8	-2.7	-2.8
10	C	-7.5	-11.2	-21.7	-14.0	-9.9	-2.6	-3.0	-1.4	-0.6	0.0
10	All	-2.5	-2.7	-3.9	-2.0	-1.2	-1.7	-1.9	-2.7	-1.7	0.3
11	W	-0.1	-1.7	-0.2	-3.0	-2.6	0.0	0.1	0.0	0.1	0.3
11	AN	1.4	2.5	8.6	7.5	-2.5	-0.8	-0.5	-2.1	-1.3	-0.3
11	BN	0.4	0.2	0.2	3.1	4.7	-0.6	-0.7	-0.7	-0.6	0.1
11	D	-5.6	-2.9	-0.5	-13.3	-15.2	0.3	0.2	0.3	0.5	0.6
11	C	-6.0	-2.7	-13.8	-15.3	-17.8	-0.3	-0.6	-1.2	-0.4	-0.3
11	All	-2.0	-1.2	-1.3	-4.8	-6.6	-0.2	-0.2	-0.6	-0.2	0.1
12	W	0.3	0.7	1.2	0.1	-0.7	0.0	0.0	0.1	0.0	0.1
12	AN	1.9	2.7	7.0	-2.2	-6.2	0.0	0.0	-0.1	-0.2	-0.3
12	BN	-1.5	-0.8	0.2	-0.2	-1.1	0.1	0.1	0.1	0.0	-0.1
12	D	-2.5	0.0	1.7	-5.2	-9.1	0.0	0.0	0.0	-0.1	-0.2
12	C	4.9	5.2	7.3	-3.7	-4.5	-0.1	-0.1	-0.2	-0.4	0.0
12	All	0.3	1.2	2.8	-2.0	-4.0	0.0	0.0	-0.1	-0.1	-0.1

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
1	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	BN	0.2	0.2	0.2	0.2	0.2	-0.1	0.2	0.2	0.2	0.2
1	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	All	0.0	0.0	0.0	0.0	0.0	-0.1	0.2	0.2	0.2	0.2

°F = degrees Fahrenheit; 7DADM = 7-day average daily maximum; UF = unimpaired flow

^a Green cells indicate >5% lower values under the flow scenario relative to baseline; red cells indicate >5% higher values under the flow scenario relative to baseline.

^b Only includes months on which temperature exceeded index value; green cells indicate >0.5 °F lower values under the flow scenario relative to baseline; red cells indicate >0.5 °F higher values under the flow scenario relative to baseline.

Table A6-95. Water Temperature Index Value Analysis Results, Fall-Run Chinook Salmon, Spawning, Egg Incubation, and Alevins, Sacramento River at Clear Creek, 55.4 °F 7DADM

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
9	W	-0.4	0.8	8.5	14.9	10.0	0.1	0.0	-0.3	-0.3	-0.4
9	AN	-7.2	-8.1	1.9	18.1	12.5	0.2	0.2	0.4	0.3	-0.1
9	BN	-1.0	-2.7	-3.7	5.1	16.5	-0.2	0.0	0.2	-0.3	0.9
9	D	-19.7	-24.0	-30.5	-16.0	-19.5	-0.3	-0.3	-0.3	-0.5	-0.4
9	C	-12.2	-5.6	-11.6	-11.6	-9.8	-2.2	-2.3	-2.7	-1.5	-0.9
9	All	-7.6	-7.6	-6.6	2.3	1.6	-0.7	-0.7	-0.9	-0.7	-0.3
10	W	-0.5	-1.6	-2.1	1.2	1.2	0.0	0.0	0.0	0.0	0.9
10	AN	-0.5	6.5	8.3	15.3	-9.9	-1.3	-1.7	-3.7	-2.8	0.3
10	BN	-6.1	-6.6	-0.2	6.8	10.4	-2.2	-2.2	-2.2	-0.4	1.5
10	D	-11.2	-10.4	1.1	-9.2	-15.4	0.3	0.3	-0.2	-0.4	-0.6
10	C	-5.6	-4.5	-2.6	-7.1	-7.1	-1.8	-2.2	-2.6	-1.4	-0.7
10	All	-4.8	-4.0	0.2	0.3	-3.6	-0.8	-0.9	-1.4	-0.8	0.2
11	W	-0.2	-3.0	4.2	2.7	-0.1	0.0	0.2	-0.2	-0.2	0.0
11	AN	4.2	9.4	16.7	21.7	-2.2	-0.9	-0.9	-1.7	-1.4	-0.2
11	BN	0.4	0.8	10.6	9.2	8.4	-0.4	-0.6	-1.1	-0.7	-0.1
11	D	-15.2	-8.4	1.7	-13.5	-22.9	0.5	0.2	0.1	-0.2	0.2
11	C	-0.4	-2.9	-5.8	-22.7	-20.2	-0.5	-0.5	-1.2	0.0	-0.3
11	All	-3.0	-1.9	4.8	-1.4	-7.2	-0.1	-0.1	-0.6	-0.4	0.0
12	W	0.2	0.6	0.9	-1.0	-2.0	0.0	0.0	0.1	0.1	0.1
12	AN	1.3	4.3	5.9	0.3	-5.9	0.0	-0.1	0.0	-0.3	-0.3
12	BN	-1.1	-1.9	0.4	-0.9	-1.7	0.1	0.2	0.1	0.0	-0.1
12	D	-2.6	1.1	0.3	-7.8	-12.7	0.0	-0.1	-0.1	-0.2	-0.2
12	C	4.5	4.1	4.3	-6.2	-6.7	0.0	0.0	-0.1	-0.3	0.1
12	All	0.2	1.3	1.9	-3.2	-5.6	0.0	0.0	0.0	-0.1	0.0
1	W	0.0	0.0	0.0	0.1	0.5	0.0	0.0	0.0	0.0	0.0
1	AN	0.0	-0.3	-0.3	-0.3	-0.5	0.0	0.0	0.0	0.0	0.0

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
1	BN	0.0	0.2	0.2	0.4	0.4	0.0	-0.1	0.0	0.0	0.0
1	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	All	0.0	0.0	0.0	0.1	0.1	0.0	0.0	0.1	0.0	-0.1

[°]F = degrees Fahrenheit; 7DADM = 7-day average daily maximum; UF = unimpaired flow

^a Green cells indicate >5% lower values under the flow scenario relative to baseline; red cells indicate >5% higher values under the flow scenario relative to baseline.

^b Only includes months on which temperature exceeded index value; green cells indicate >0.5 °F lower values under the flow scenario relative to baseline; red cells indicate >0.5 °F higher values under the flow scenario relative to baseline.

Table A6-96. Water Temperature Index Value Analysis Results, Fall-Run Chinook Salmon, Spawning, Egg Incubation, and Alevins, Sacramento River at Balls Ferry, 55.4 °F 7DADM

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
9	W	1.3	5.6	13.5	26.9	27.0	0.0	0.0	0.1	0.2	0.1
9	AN	3.1	-7.8	6.1	29.2	22.8	-0.1	-0.1	0.1	0.6	0.3
9	BN	-3.5	-1.4	-0.2	5.9	13.5	-0.1	-0.1	-0.1	-0.2	0.7
9	D	-7.1	-17.6	-12.2	-4.9	-5.9	-0.6	-0.5	-0.7	-0.6	-0.6
9	C	-4.4	-2.0	-2.0	-5.3	-3.6	-2.1	-2.2	-2.6	-1.5	-0.9
9	All	-2.2	-3.9	1.7	11.0	11.6	-0.7	-0.7	-0.8	-0.5	-0.3
10	W	-1.3	-3.5	1.2	4.1	5.0	0.0	0.1	-0.1	0.0	0.6
10	AN	-0.5	4.0	7.3	15.3	-4.3	-1.0	-1.1	-2.8	-2.0	-0.6
10	BN	-5.1	-7.4	1.1	9.1	11.8	-1.7	-1.7	-1.7	-0.3	1.2
10	D	-8.9	-6.8	5.1	-0.8	-3.1	0.1	0.1	-0.3	-0.4	-0.6
10	C	-4.5	-5.2	-7.3	-3.4	-8.2	-1.5	-1.8	-1.9	-1.1	-0.3
10	All	-4.1	-4.2	1.5	4.2	1.1	-0.7	-0.8	-1.2	-0.7	0.0
11	W	-0.1	-0.4	0.1	-1.7	-1.3	0.0	0.0	0.0	0.0	0.1
11	AN	0.8	4.4	6.7	5.0	-2.5	-0.7	-0.5	-1.7	-0.9	0.1
11	BN	-0.2	-0.2	1.4	1.6	7.3	-0.5	-0.5	-0.6	-0.1	0.0
11	D	-5.1	-2.2	-2.7	-9.5	-10.6	0.3	0.2	0.5	0.2	0.2
11	C	-0.2	0.2	-10.4	-15.6	-14.2	-0.4	-0.5	-1.0	-0.2	-0.4
11	All	-1.1	0.0	-1.1	-4.2	-4.1	-0.2	-0.2	-0.4	-0.1	-0.1
12	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	AN	0.0	1.1	2.7	-3.5	-3.5	0.0	0.1	0.3	-0.5	-0.5
12	BN	0.6	0.2	0.8	-2.3	-2.5	-0.1	0.0	0.2	-0.1	0.0
12	D	-0.2	-2.3	-2.8	-4.8	-4.8	-0.2	-0.3	-0.2	-0.7	-0.7
12	C	1.9	1.7	-3.9	-5.6	-4.7	0.0	0.0	-0.4	-0.5	-0.5
12	All	0.4	-0.1	-0.8	-2.8	-2.7	-0.1	-0.1	0.1	0.2	0.0
1	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
1	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

^{°F} = degrees Fahrenheit; 7DADM = 7-day average daily maximum; UF = unimpaired flow

^a Green cells indicate >5% lower values under the flow scenario relative to baseline; red cells indicate >5% higher values under the flow scenario relative to baseline.

^b Only includes months on which temperature exceeded index value; green cells indicate >0.5 °F lower values under the flow scenario relative to baseline; red cells indicate >0.5 °F higher values under the flow scenario relative to baseline.

Table A6-97. Water Temperature Index Value Analysis Results, Fall-Run Chinook Salmon, Spawning, Egg Incubation, and Alevins, Sacramento River Near Bend Bridge, 55.4 °F 7DADM

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
9	W	2.7	6.3	11.1	21.4	19.8	0.0	0.1	0.3	0.6	0.6
9	AN	3.3	-3.6	3.6	23.6	20.8	-0.1	-0.2	0.2	0.9	0.6
9	BN	2.0	2.5	0.2	5.5	7.1	-0.3	-0.2	-0.1	-0.1	0.8
9	D	-3.0	-9.4	-5.9	-0.2	-0.5	-0.7	-0.7	-0.8	-0.6	-0.6
9	C	-1.6	-0.7	-0.4	-3.1	-1.8	-1.9	-1.9	-2.3	-1.3	-0.8
9	All	0.7	-0.3	2.4	10.0	9.5	-0.6	-0.6	-0.6	-0.3	0.0
10	W	-2.2	-1.6	1.8	7.8	5.3	0.0	0.0	-0.1	0.0	0.7
10	AN	-0.8	1.9	5.4	12.6	5.4	-0.8	-0.8	-2.2	-1.4	-1.0
10	BN	-4.7	-5.9	2.5	6.5	13.9	-1.3	-1.4	-1.3	0.0	0.8
10	D	-7.7	-5.7	8.9	3.2	1.8	0.0	0.0	-0.3	-0.3	-0.4
10	C	-2.8	-4.3	-6.2	-1.1	-3.7	-1.3	-1.5	-1.5	-0.8	-0.4
10	All	-3.8	-3.3	2.7	5.7	4.6	-0.6	-0.7	-0.9	-0.4	0.0
11	W	0.2	0.2	0.6	-0.6	-0.5	0.0	0.0	0.0	0.0	0.0
11	AN	-1.1	5.8	1.9	1.9	-3.3	-0.4	-0.6	-1.2	-0.5	0.5
11	BN	-0.8	-0.8	0.2	0.2	5.9	-0.4	-0.5	-0.4	0.2	-0.1
11	D	-4.8	-3.0	-0.6	-7.1	-8.4	0.4	0.2	0.3	0.2	0.1
11	C	-1.3	0.0	-10.2	-12.2	-13.6	-0.3	-0.5	-0.8	-0.3	-0.2
11	All	-1.5	0.0	-1.3	-3.5	-3.6	-0.1	-0.2	-0.4	-0.1	-0.1
12	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	AN	0.0	0.3	2.4	0.0	0.0	0.0	0.0	0.2	0.0	0.0
12	BN	0.2	0.4	0.9	-0.8	-0.8	-0.1	-0.2	0.2	-0.4	-0.7
12	D	-1.2	-1.5	-1.5	-1.5	-1.5	-0.4	-0.4	-0.4	-0.4	-0.4
12	C	0.9	0.9	0.0	0.0	0.0	0.3	0.3	0.0	0.0	0.0
12	All	-0.1	-0.1	0.1	-0.5	-0.5	-0.1	-0.1	0.1	-0.2	-0.5
1	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
1	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

^{°F} = degrees Fahrenheit; 7DADM = 7-day average daily maximum; UF = unimpaired flow

^a Green cells indicate >5% lower values under the flow scenario relative to baseline; red cells indicate >5% higher values under the flow scenario relative to baseline.

^b Only includes months on which temperature exceeded index value; green cells indicate >0.5 °F lower values under the flow scenario relative to baseline; red cells indicate >0.5 °F higher values under the flow scenario relative to baseline.

Table A6-98. Water Temperature Index Value Analysis Results, Fall-Run Chinook Salmon, Spawning, Egg Incubation, and Alevins, Sacramento River at Red Bluff Diversion Dam, 55.4 °F 7DADM

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
9	W	1.2	2.4	4.4	8.1	8.0	0.0	0.2	0.5	0.9	1.0
9	AN	2.8	1.7	4.2	9.2	8.9	-0.1	-0.3	0.1	1.3	1.0
9	BN	-0.6	-0.2	0.6	0.4	0.6	-0.2	-0.1	-0.1	0.0	0.9
9	D	-0.2	-0.6	-0.3	0.3	0.2	-0.8	-0.9	-0.9	-0.6	-0.5
9	C	0.0	0.0	0.0	0.0	0.0	-1.8	-1.8	-2.1	-1.3	-0.7
9	All	0.6	0.8	1.9	3.8	3.7	-0.5	-0.5	-0.5	0.0	0.3
10	W	-0.7	-0.8	3.7	4.4	3.7	-0.1	-0.1	-0.1	0.2	0.5
10	AN	-1.6	1.6	0.8	12.4	6.5	-0.5	-0.4	-1.1	-0.6	-0.4
10	BN	-4.0	-3.2	7.8	9.5	14.4	-0.8	-0.8	-0.7	0.0	0.7
10	D	-6.6	-1.8	10.6	7.5	1.1	-0.1	-0.2	-0.1	-0.2	-0.1
10	C	-1.7	0.9	-2.4	0.2	-3.2	-0.9	-1.1	-1.1	-0.5	-0.2
10	All	-2.9	-0.9	4.6	6.4	4.3	-0.4	-0.5	-0.5	-0.2	0.1
11	W	0.2	0.4	1.4	-0.6	0.4	0.0	0.0	0.0	0.0	0.0
11	AN	0.3	5.8	2.5	3.3	-3.3	-0.4	-0.4	-0.8	-0.4	0.1
11	BN	-0.6	-0.6	0.4	0.2	5.1	-0.3	-0.4	-0.3	0.2	0.0
11	D	-5.2	-2.2	-1.7	-8.3	-10.6	0.2	0.0	0.2	0.1	0.1
11	C	2.7	3.8	-5.3	-9.3	-11.6	-0.3	-0.5	-0.8	-0.5	-0.4
11	All	-0.8	0.9	-0.4	-3.1	-3.7	-0.1	-0.2	-0.3	-0.2	-0.1
12	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	AN	0.0	0.0	0.8	0.0	0.0	0.0	0.0	0.3	0.0	0.0
12	BN	0.0	0.0	0.9	-1.1	-1.1	0.0	0.0	0.1	-0.7	-0.7
12	D	-0.8	-0.9	-0.9	-0.9	-0.9	-0.3	-0.3	-0.3	-0.3	-0.3
12	C	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	All	-0.1	-0.2	0.1	-0.4	-0.4	-0.1	0.2	0.1	-0.5	-0.5
1	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
1	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

^{°F} = degrees Fahrenheit; 7DADM = 7-day average daily maximum; UF = unimpaired flow

^a Green cells indicate >5% lower values under the flow scenario relative to baseline; red cells indicate >5% higher values under the flow scenario relative to baseline.

^b Only includes months on which temperature exceeded index value; green cells indicate >0.5 °F lower values under the flow scenario relative to baseline; red cells indicate >0.5 °F higher values under the flow scenario relative to baseline.

Table A6-99. Water Temperature Index Value Analysis Results, Fall-Run Chinook Salmon, Fry and Juvenile Rearing and Emigration, Sacramento River below Keswick, 61 °F 7DADM

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
12	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
4	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

[°]F = degrees Fahrenheit; 7DADM = 7-day average daily maximum; UF = unimpaired flow

^a Green cells indicate >5% lower values under the flow scenario relative to baseline; red cells indicate >5% higher values under the flow scenario relative to baseline.

^b Only includes months on which temperature exceeded index value; green cells indicate >0.5 °F lower values under the flow scenario relative to baseline; red cells indicate >0.5 °F higher values under the flow scenario relative to baseline.

Table A6-100. Water Temperature Index Value Analysis Results, Fall-Run Chinook Salmon, Fry and Juvenile Rearing and Emigration, Sacramento River at Clear Creek, 61 °F 7DADM

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
12	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
4	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

°F = degrees Fahrenheit; 7DADM = 7-day average daily maximum; UF = unimpaired flow

^a Green cells indicate >5% lower values under the flow scenario relative to baseline; red cells indicate >5% higher values under the flow scenario relative to baseline.

^b Only includes months on which temperature exceeded index value; green cells indicate >0.5 °F lower values under the flow scenario relative to baseline; red cells indicate >0.5 °F higher values under the flow scenario relative to baseline.

Table A6-101. Water Temperature Index Value Analysis Results, Fall-Run Chinook Salmon, Fry and Juvenile Rearing and Emigration, Sacramento River at Balls Ferry, 61 °F 7DADM

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
12	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
4	BN	0.0	-0.4	-0.4	-0.4	-0.4	0.0	-0.5	-0.5	-0.5	-0.5
4	D	0.3	0.2	-0.3	-0.5	-0.3	0.1	-0.1	-0.3	-0.3	-0.3
4	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	All	0.1	0.0	-0.1	-0.2	-0.1	0.0	-0.2	-0.4	-0.4	-0.4
5	W	-1.0	-1.0	-0.6	-0.3	0.8	-0.7	-0.7	-0.2	-0.3	-0.4
5	AN	0.0	0.0	0.0	1.1	2.2	0.0	0.0	0.0	0.3	0.4
5	BN	0.4	0.0	-0.2	0.8	1.1	0.0	-0.3	-0.5	0.0	-0.2
5	D	-0.8	-0.5	-0.5	-0.8	-1.1	-0.5	-0.4	-0.4	-0.3	-0.4
5	C	7.3	6.0	3.4	2.8	2.4	-0.1	-0.1	-0.2	-0.3	-0.3
5	All	0.8	0.6	0.2	0.5	0.9	-0.1	-0.2	-0.3	-0.3	-0.3
6	W	0.0	0.0	0.7	0.0	1.7	0.0	0.0	0.3	0.0	0.2
6	AN	0.0	0.0	0.0	0.0	3.9	0.0	0.0	0.0	0.0	0.7
6	BN	0.2	1.4	0.6	2.9	3.9	0.0	0.4	0.3	0.3	0.7
6	D	0.3	1.0	0.3	0.8	0.8	0.0	0.3	0.4	0.2	0.0
6	C	22.2	17.1	10.0	10.4	9.8	0.4	0.5	0.4	0.3	0.3
6	All	3.7	3.2	2.0	2.4	3.5	0.2	0.3	0.2	0.2	0.1

^aF = degrees Fahrenheit; 7DADM = 7-day average daily maximum; UF = unimpaired flow

^a Green cells indicate >5% lower values under the flow scenario relative to baseline; red cells indicate >5% higher values under the flow scenario relative to baseline.

^b Only includes months on which temperature exceeded index value; green cells indicate >0.5 °F lower values under the flow scenario relative to baseline; red cells indicate >0.5 °F higher values under the flow scenario relative to baseline.

Table A6-102. Water Temperature Index Value Analysis Results, Fall-Run Chinook Salmon, Fry and Juvenile Rearing and Emigration, Sacramento River Near Bend Bridge, 61 °F 7DADM

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
12	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	W	0.0	0.0	-0.1	-0.1	-0.1	0.0	0.0	0.0	0.0	0.0
4	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
4	BN	-0.2	-1.0	-1.6	-1.8	-1.8	-0.1	-0.3	-0.6	-0.6	-0.6
4	D	0.5	-0.8	-1.9	-2.5	-2.5	0.1	0.0	0.0	0.0	0.5
4	C	0.2	-0.4	-0.7	-0.9	-1.3	0.2	-0.1	-0.3	0.2	-0.3
4	All	0.1	-0.4	-0.9	-1.1	-1.1	0.1	-0.1	-0.2	0.0	0.5
5	W	-2.2	-2.3	-2.0	-1.5	1.5	-0.3	-0.4	-0.2	-0.4	-0.4
5	AN	0.0	-0.3	0.3	1.3	7.8	0.0	0.0	0.3	0.7	0.5
5	BN	-0.4	-0.8	-1.5	0.8	1.1	-0.1	-0.3	-0.7	-0.2	-0.2
5	D	-0.9	3.8	2.5	-1.7	0.2	-0.3	-0.3	-0.3	-0.2	-0.3
5	C	14.8	10.8	4.5	5.4	4.5	0.5	0.5	0.4	0.2	0.2
5	All	1.5	1.7	0.5	0.3	2.4	0.1	0.0	-0.1	-0.1	-0.2
6	W	-1.3	-1.3	0.5	0.8	6.9	0.0	0.0	0.3	0.0	0.4
6	AN	-0.6	-1.1	1.7	-0.8	11.4	0.2	0.7	0.1	0.0	0.6
6	BN	1.6	4.3	3.5	9.4	15.1	0.3	0.8	0.5	0.8	0.8
6	D	1.1	7.9	7.0	6.2	7.8	0.0	-0.1	-0.1	-0.2	0.0
6	C	39.3	34.7	30.7	21.6	24.2	0.8	0.8	0.5	0.5	0.4
6	All	6.4	7.6	7.5	6.7	12.0	0.7	0.6	0.4	0.3	0.4

°F = degrees Fahrenheit; 7DADM = 7-day average daily maximum; UF = unimpaired flow

^a Green cells indicate >5% lower values under the flow scenario relative to baseline; red cells indicate >5% higher values under the flow scenario relative to baseline.

^b Only includes months on which temperature exceeded index value; green cells indicate >0.5 °F lower values under the flow scenario relative to baseline; red cells indicate >0.5 °F higher values under the flow scenario relative to baseline.

Table A6-103. Water Temperature Index Value Analysis Results, Fall-Run Chinook Salmon, Fry and Juvenile Rearing and Emigration, Sacramento River at Red Bluff Diversion Dam, 61 °F 7DADM

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
12	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	W	-0.1	-0.2	-0.6	-1.1	-1.1	0.0	0.1	-0.3	-0.7	-0.7
4	AN	-0.3	-1.1	-2.2	-3.1	-3.1	0.0	0.0	-0.3	-0.3	-0.3

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
4	BN	-1.0	-2.2	-3.3	-6.3	-6.5	-0.1	-0.2	-0.4	-0.4	-0.5
4	D	0.3	-3.2	-7.6	-10.0	-9.2	0.1	0.0	0.0	-0.1	-0.3
4	C	3.8	-2.7	-3.6	-6.7	-7.3	0.0	0.0	0.0	0.2	-0.3
4	All	0.4	-1.8	-3.4	-5.2	-5.2	0.1	0.0	-0.1	0.0	-0.3
5	W	-3.8	-4.3	-4.1	-2.9	0.1	-0.2	-0.2	-0.1	-0.3	-0.1
5	AN	-0.5	-3.0	-3.2	-0.5	8.9	0.0	0.0	0.1	0.2	0.5
5	BN	-0.9	-0.2	-0.4	0.6	4.9	-0.1	-0.3	-0.6	-0.2	-0.4
5	D	-1.4	4.9	4.9	-4.0	-0.2	-0.2	0.0	0.0	-0.1	-0.1
5	C	16.6	11.6	4.3	5.2	4.5	0.7	0.7	0.5	0.4	0.3
5	All	1.0	1.3	0.1	-0.9	2.8	0.2	0.2	0.0	0.0	0.0
6	W	-2.9	-3.2	-1.8	-1.3	4.8	0.0	0.1	0.4	0.0	0.4
6	AN	-1.4	-2.8	0.8	-3.1	11.1	-0.1	-0.1	0.2	-0.3	0.3
6	BN	0.6	3.5	4.7	9.0	14.9	0.4	0.9	0.4	0.9	0.8
6	D	2.5	9.0	8.4	8.6	9.4	-0.1	-0.1	-0.1	-0.2	-0.1
6	C	37.6	34.0	30.7	21.1	24.0	1.0	0.9	0.6	0.6	0.5
6	All	5.7	6.8	7.3	6.2	11.6	0.8	0.7	0.4	0.4	0.4

^aF = degrees Fahrenheit; 7DADM = 7-day average daily maximum; UF = unimpaired flow

^a Green cells indicate >5% lower values under the flow scenario relative to baseline; red cells indicate >5% higher values under the flow scenario relative to baseline.

^b Only includes months on which temperature exceeded index value; green cells indicate >0.5 °F lower values under the flow scenario relative to baseline; red cells indicate >0.5 °F higher values under the flow scenario relative to baseline.

Table A6-104. Water Temperature Index Value Analysis Results, Fall-Run Chinook Salmon, Fry and Juvenile Rearing and Emigration, Sacramento River at Wilkins Slough, 64 °F 7DADM

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
12	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	C	-0.2	0.0	0.0	-1.1	-0.6	-0.1	0.0	0.0	-0.6	-0.6
3	All	0.0	0.0	0.0	-0.2	-0.1	-0.1	0.0	0.0	-0.6	-0.6
4	W	0.0	0.0	-1.7	-3.5	-4.0	-0.1	-0.1	-0.1	-0.2	-0.1
4	AN	0.0	-1.1	-3.3	-6.9	-7.2	0.0	0.0	-0.2	-0.4	-1.0

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
4	BN	-0.6	-4.3	-9.6	-15.1	-20.0	-0.1	-0.2	-0.4	-0.8	-1.0
4	D	1.1	-6.3	-15.2	-19.4	-20.2	0.2	-0.1	-0.5	-0.6	-0.6
4	C	6.2	-1.1	-5.6	-15.6	-19.6	0.1	-0.1	-0.1	-0.3	-0.8
4	All	1.1	-2.5	-7.0	-11.6	-13.5	0.1	-0.1	-0.2	-0.4	-0.6
5	W	-1.4	-2.4	-5.2	-7.9	-5.8	-0.4	-0.6	-0.8	-1.0	-0.8
5	AN	0.3	0.0	-3.8	-8.1	-6.2	0.0	-0.4	-1.0	-1.1	-0.7
5	BN	-0.9	-2.7	-6.8	-7.8	-13.9	-0.2	-0.6	-0.9	-1.0	-1.0
5	D	1.5	0.9	-1.5	-5.5	-13.5	-0.2	0.1	-0.2	-0.7	-0.6
5	C	2.2	-2.6	-3.7	-7.1	-9.5	1.5	1.2	0.6	0.0	-0.2
5	All	0.1	-1.4	-4.2	-7.2	-9.6	0.2	0.0	-0.4	-0.7	-0.7
6	W	-0.4	-3.2	-9.8	-16.5	-2.1	-0.4	-1.1	-1.7	-1.9	-1.4
6	AN	-0.3	-5.3	-14.2	-9.7	-2.5	-0.3	-1.4	-1.7	-2.5	-1.2
6	BN	-1.0	-2.9	-1.2	1.6	3.7	-0.2	-0.4	-0.4	-0.5	-0.4
6	D	1.6	-0.3	1.0	0.2	0.2	0.7	0.9	0.8	0.7	0.6
6	C	1.3	1.1	2.9	2.7	2.0	2.2	2.2	1.2	0.6	0.5
6	All	0.3	-2.1	-4.3	-5.5	0.1	0.3	0.0	-0.3	-0.6	-0.4

^a°F = degrees Fahrenheit; 7DADM = 7-day average daily maximum; UF = unimpaired flow

^a Green cells indicate >5% lower values under the flow scenario relative to baseline; red cells indicate >5% higher values under the flow scenario relative to baseline.

^b Only includes months on which temperature exceeded index value; green cells indicate >0.5 °F lower values under the flow scenario relative to baseline; red cells indicate >0.5 °F higher values under the flow scenario relative to baseline.

Table A6-105. Water Temperature Index Value Analysis Results, Fall-Run Chinook Salmon, Adult Immigration, Sacramento River below Keswick, 68 °F 7DADM

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
7	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	C	-0.4	-0.4	-0.4	-0.4	-0.4	-0.5	-0.5	-0.5	-0.5	-0.5
8	All	-0.1	-0.1	-0.1	-0.1	-0.1	-0.5	-0.5	-0.5	-0.5	-0.5
9	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
9	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
9	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
9	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
9	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
9	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
11	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

°F = degrees Fahrenheit; 7DADM = 7-day average daily maximum; UF = unimpaired flow

^a Green cells indicate >5% lower values under the flow scenario relative to baseline; red cells indicate >5% higher values under the flow scenario relative to baseline.

^b Only includes months on which temperature exceeded index value; green cells indicate >0.5 °F lower values under the flow scenario relative to baseline; red cells indicate >0.5 °F higher values under the flow scenario relative to baseline.

Table A6-106. Water Temperature Index Value Analysis Results, Fall-Run Chinook Salmon, Adult Immigration, Sacramento River near Bend Bridge, 68 °F 7DADM

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
7	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	C	-2.4	-2.4	-2.4	-2.4	3.9	-1.2	-1.2	-1.2	-1.2	0.0
8	All	-0.4	-0.4	-0.4	-0.4	0.6	-1.2	-1.2	-1.2	-1.2	0.0
9	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
9	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
9	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
9	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
9	C	-1.6	-1.6	-1.6	-1.6	-0.4	-0.7	-0.7	-0.7	-0.7	-0.3
9	All	-0.3	-0.3	-0.3	-0.3	-0.1	-0.7	-0.7	-0.7	-0.7	-0.3
10	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
11	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

°F = degrees Fahrenheit; 7DADM = 7-day average daily maximum; UF = unimpaired flow

^a Green cells indicate >5% lower values under the flow scenario relative to baseline; red cells indicate >5% higher values under the flow scenario relative to baseline.

^b Only includes months on which temperature exceeded index value; green cells indicate >0.5 °F lower values under the flow scenario relative to baseline; red cells indicate >0.5 °F higher values under the flow scenario relative to baseline.

Table A6-107. Water Temperature Index Value Analysis Results, Fall-Run Chinook Salmon, Adult Immigration, Sacramento River at Red Bluff Diversion Dam, 68 °F 7DADM

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
7	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	C	-2.2	-2.2	-2.2	-2.2	4.1	-1.0	-1.0	-1.0	-1.0	0.4
8	All	-0.3	-0.3	-0.3	-0.3	0.7	-1.0	-1.0	-1.0	-1.0	0.4
9	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
9	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
9	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
9	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
9	C	-3.8	-3.8	-3.8	-3.8	1.8	-1.0	-1.0	-1.0	-1.0	-0.3
9	All	-0.6	-0.6	-0.6	-0.6	0.3	-1.0	-1.0	-1.0	-1.0	-0.3
10	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10	AN	-0.5	-0.5	-0.5	-0.5	-0.5	0.0	0.0	0.0	0.0	0.0
10	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10	C	-0.4	-0.4	-0.4	0.0	0.4	0.0	0.0	0.0	0.5	0.5
10	All	-0.1	-0.1	-0.1	-0.1	0.0	0.0	0.0	0.0	0.5	0.5
11	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
11	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

°F = degrees Fahrenheit; 7DADM = 7-day average daily maximum; UF = unimpaired flow

^a Green cells indicate >5% lower values under the flow scenario relative to baseline; red cells indicate >5% higher values under the flow scenario relative to baseline.

^b Only includes months on which temperature exceeded index value; green cells indicate >0.5 °F lower values under the flow scenario relative to baseline; red cells indicate >0.5 °F higher values under the flow scenario relative to baseline.

Table A6-108. Water Temperature Index Value Analysis Results, Fall-Run Chinook Salmon, Adult Holding, Sacramento River below Keswick, 61 °F 7DADM

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^a				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
7	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	C	-5.6	-5.6	-5.6	-4.1	5.6	-3.9	-3.9	-3.9	-2.6	-0.8
8	All	-0.9	-0.9	-0.9	-0.7	0.9	-3.9	-3.9	-3.9	-2.6	-0.8

°F = degrees Fahrenheit; 7DADM = 7-day average daily maximum; UF = unimpaired flow

^a Green cells indicate >5% lower values under the flow scenario relative to baseline; red cells indicate >5% higher values under the flow scenario relative to baseline.

^b Only includes months on which temperature exceeded index value; green cells indicate >0.5 °F lower values under the flow scenario relative to baseline; red cells indicate >0.5 °F higher values under the flow scenario relative to baseline.

Table A6-109. Water Temperature Index Value Analysis Results, Fall-Run Chinook Salmon, Adult Holding, Sacramento River at Balls Ferry, 61 °F 7DADM

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
7	W	-0.6	-0.6	-0.6	-0.6	-0.6	-0.4	-0.4	-0.4	-0.4	-0.4
7	AN	0.0	0.0	0.0	0.0	7.5	0.0	0.0	0.0	0.0	0.7
7	BN	0.0	0.0	0.0	1.5	1.7	0.0	0.0	0.0	0.1	0.3
7	D	1.8	1.8	1.8	2.6	2.9	0.4	0.5	0.6	0.6	0.4
7	C	19.4	16.3	28.4	27.3	39.1	0.3	0.3	0.2	0.3	0.6
7	All	3.4	2.9	4.8	5.1	8.1	0.2	0.2	0.1	0.2	0.4
8	W	-2.4	-2.4	-2.4	-2.4	-2.4	-0.3	-0.3	-0.3	-0.3	-0.3
8	AN	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.0
8	BN	0.0	0.0	0.0	0.0	1.3	0.0	0.0	0.0	0.0	1.1
8	D	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0
8	C	-7.3	-7.5	-7.5	-4.1	6.2	-5.0	-5.0	-5.0	-2.5	0.7
8	All	-1.9	-1.9	-1.9	-1.4	0.6	-3.3	-3.3	-3.3	-0.8	1.8

°F = degrees Fahrenheit; 7DADM = 7-day average daily maximum; UF = unimpaired flow

^a Green cells indicate >5% lower values under the flow scenario relative to baseline; red cells indicate >5% higher values under the flow scenario relative to baseline.

^b Only includes months on which temperature exceeded index value; green cells indicate >0.5 °F lower values under the flow scenario relative to baseline; red cells indicate >0.5 °F higher values under the flow scenario relative to baseline.

Table A6-110. Water Temperature Index Value Analysis Results, Fall-Run Chinook Salmon, Adult Holding, Sacramento River at Red Bluff Diversion Dam, 61 °F 7DADM

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
7	W	-2.9	-3.0	-2.8	-2.5	-1.4	-0.5	-0.5	-0.6	-0.5	-0.6
7	AN	1.1	0.8	-0.5	3.0	33.6	-0.2	-0.3	-0.2	-0.3	0.5
7	BN	0.0	0.2	0.2	8.7	19.9	0.0	0.0	0.0	1.3	1.3
7	D	2.8	4.8	10.1	15.8	23.7	0.4	0.2	0.0	-0.1	-0.1
7	C	31.6	37.6	57.4	58.9	58.3	1.1	1.0	1.0	1.0	1.3
7	All	5.0	6.4	10.7	14.3	22.3	0.8	0.7	0.7	0.6	0.7
8	W	-6.0	-5.1	-5.0	-5.1	-5.6	-0.9	-0.9	-0.9	-0.9	-0.9
8	AN	0.3	1.1	-1.9	10.2	23.9	0.0	0.0	0.0	0.2	0.5
8	BN	0.0	0.0	0.2	3.6	17.3	0.5	0.5	0.3	0.6	0.7
8	D	0.0	0.3	0.3	5.1	15.2	0.0	0.3	0.3	0.5	0.6
8	C	-8.6	-7.7	-1.3	22.8	36.8	-2.6	-3.0	-3.0	-2.9	-1.4
8	All	-3.2	-2.6	-1.8	5.3	13.9	-1.5	-1.6	-1.5	-1.4	-0.7

°F = degrees Fahrenheit; 7DADM = 7-day average daily maximum; UF = unimpaired flow

^a Green cells indicate >5% lower values under the flow scenario relative to baseline; red cells indicate >5% higher values under the flow scenario relative to baseline.

^b Only includes months on which temperature exceeded index value; green cells indicate >0.5 °F lower values under the flow scenario relative to baseline; red cells indicate >0.5 °F higher values under the flow scenario relative to baseline.

Table A6-111. Water Temperature Index Value Analysis Results, Late Fall-Run Chinook Salmon, Spawning, Egg Incubation, and Alevins, Sacramento River below Keswick, 55.4 °F 7DADM

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
12	W	0.3	0.7	1.2	0.1	-0.7	0.0	0.0	0.1	0.0	0.1
12	AN	1.9	2.7	7.0	-2.2	-6.2	0.0	0.0	-0.1	-0.2	-0.3
12	BN	-1.5	-0.8	0.2	-0.2	-1.1	0.1	0.1	0.1	0.0	-0.1
12	D	-2.5	0.0	1.7	-5.2	-9.1	0.0	0.0	0.0	-0.1	-0.2
12	C	4.9	5.2	7.3	-3.7	-4.5	-0.1	-0.1	-0.2	-0.4	0.0
12	All	0.3	1.2	2.8	-2.0	-4.0	0.0	0.0	-0.1	-0.1	-0.1
1	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	BN	0.2	0.2	0.2	0.2	0.2	-0.1	0.2	0.2	0.2	0.2
1	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	All	0.0	0.0	0.0	0.0	0.0	-0.1	0.2	0.2	0.2	0.2
2	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	W	0.0	0.0	0.0	-0.7	-0.5	0.0	-0.1	-0.2	-0.2	-0.4
4	AN	0.6	0.0	-0.8	-2.2	-0.8	-0.1	0.0	-0.4	-0.4	-0.2

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
4	BN	-0.8	0.0	1.2	2.9	-0.4	0.1	0.0	-0.1	-0.1	0.1
4	D	-0.5	0.3	-1.0	-7.9	-5.9	-0.1	0.0	0.0	-0.1	-0.2
4	C	1.6	-5.3	-5.8	-7.6	-9.1	-0.1	-0.1	-0.2	-0.2	-0.3
4	All	0.1	-0.8	-1.0	-3.0	-3.1	-0.1	0.0	-0.1	-0.2	-0.2
5	W	0.2	0.0	3.0	7.0	14.7	-0.2	-0.1	0.0	0.2	0.2
5	AN	0.0	-0.5	-0.5	11.3	20.7	0.0	0.0	0.0	0.0	0.0
5	BN	2.1	1.3	8.0	12.3	15.0	0.1	0.0	0.2	0.0	-0.1
5	D	-0.6	6.0	3.1	-5.7	-0.9	0.0	-0.1	-0.1	-0.1	-0.1
5	C	2.6	-5.4	-11.4	-2.2	-5.6	0.3	0.2	0.2	0.2	0.3
5	All	0.7	0.7	1.1	4.2	8.7	0.1	0.0	0.1	0.1	0.1
6	W	0.0	0.0	2.0	2.5	6.3	0.0	0.0	0.4	0.2	0.5
6	AN	0.0	0.0	0.6	0.8	11.7	0.0	0.0	0.0	0.0	0.3
6	BN	2.0	5.9	3.3	7.8	18.0	0.1	0.2	0.1	0.1	0.2
6	D	1.4	5.9	4.0	2.9	5.9	0.0	0.1	0.1	0.2	0.1
6	C	20.0	18.0	21.1	11.8	11.6	0.4	0.4	0.2	0.3	0.3
6	All	3.9	5.3	5.6	4.8	9.9	0.3	0.3	0.2	0.2	0.1

°F = degrees Fahrenheit; 7DADM = 7-day average daily maximum; UF = unimpaired flow

^a Green cells indicate >5% lower values under the flow scenario relative to baseline; red cells indicate >5% higher values under the flow scenario relative to baseline.

^b Only includes months on which temperature exceeded index value; green cells indicate >0.5 °F lower values under the flow scenario relative to baseline; red cells indicate >0.5 °F higher values under the flow scenario relative to baseline.

Table A6-112. Water Temperature Index Value Analysis Results, Late Fall-Run Chinook Salmon, Spawning, Egg Incubation, and Alevins, Sacramento River at Clear Creek, 55.4 °F 7DADM

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
12	W	0.2	0.6	0.9	-1.0	-2.0	0.0	0.0	0.1	0.1	0.1
12	AN	1.3	4.3	5.9	0.3	-5.9	0.0	-0.1	0.0	-0.3	-0.3
12	BN	-1.1	-1.9	0.4	-0.9	-1.7	0.1	0.2	0.1	0.0	-0.1
12	D	-2.6	1.1	0.3	-7.8	-12.7	0.0	-0.1	-0.1	-0.2	-0.2
12	C	4.5	4.1	4.3	-6.2	-6.7	0.0	0.0	-0.1	-0.3	0.1
12	All	0.2	1.3	1.9	-3.2	-5.6	0.0	0.0	0.0	-0.1	0.0
1	W	0.0	0.0	0.0	0.1	0.5	0.0	0.0	0.0	0.0	0.0
1	AN	0.0	-0.3	-0.3	-0.3	-0.5	0.0	0.0	0.0	0.0	0.0
1	BN	0.0	0.2	0.2	0.4	0.4	0.0	-0.1	0.0	0.0	0.0
1	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	All	0.0	0.0	0.0	0.1	0.1	0.0	0.0	0.1	0.0	-0.1
2	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	BN	0.0	-0.6	-0.9	-1.1	-0.2	0.0	-0.5	-0.5	-0.5	-0.1
3	D	0.9	-0.2	-0.3	-1.1	-1.1	0.1	0.0	0.1	0.0	0.0
3	C	0.9	-0.6	-0.6	-0.6	-0.6	0.3	0.0	0.0	0.0	0.0
3	All	0.3	-0.2	-0.3	-0.6	-0.4	0.1	-0.1	0.0	0.0	0.1
4	W	0.6	0.7	-0.8	-3.8	-3.8	0.0	0.0	-0.2	-0.3	-0.3
4	AN	1.9	1.4	-3.6	-9.4	-10.6	0.0	0.0	-0.1	-0.2	-0.2

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
4	BN	1.0	0.4	-1.6	-4.1	-13.1	0.0	-0.1	-0.1	-0.1	-0.3
4	D	-0.6	-4.9	-15.7	-34.8	-27.9	0.1	0.0	0.0	-0.1	-0.1
4	C	0.0	-15.1	-21.8	-23.3	-28.2	0.0	-0.2	-0.3	-0.6	-0.5
4	All	0.5	-3.1	-8.1	-14.7	-15.8	0.0	0.0	-0.1	-0.2	-0.3
5	W	-3.3	-3.5	3.1	9.4	25.6	-0.1	-0.1	0.1	0.3	0.5
5	AN	1.3	0.8	5.4	25.8	42.2	0.0	-0.1	0.0	0.3	0.4
5	BN	3.0	8.5	25.2	35.1	41.0	0.1	0.0	0.0	0.0	0.0
5	D	-2.5	7.8	2.9	-20.1	-8.1	0.0	0.1	0.0	0.0	0.0
5	C	-5.2	-14.8	-18.1	-28.0	-23.9	0.3	0.2	0.0	0.2	0.1
5	All	-1.7	0.0	4.0	3.5	14.9	0.1	0.1	0.0	0.1	0.1
6	W	-0.2	-0.2	4.9	8.1	20.0	-0.5	-0.5	1.3	1.2	1.1
6	AN	0.0	0.0	4.2	18.6	35.6	0.0	0.0	1.5	1.2	1.8
6	BN	-1.4	4.3	21.8	35.5	40.2	0.9	1.0	0.0	0.4	0.8
6	D	1.4	10.3	12.4	22.1	21.0	0.0	0.0	-0.2	-0.4	-0.3
6	C	23.8	22.0	25.1	21.8	24.4	0.5	0.5	0.4	0.2	0.1
6	All	3.8	6.6	12.8	19.8	26.6	0.4	0.4	0.0	-0.2	-0.1

°F = degrees Fahrenheit; 7DADM = 7-day average daily maximum; UF = unimpaired flow

^a Green cells indicate >5% lower values under the flow scenario relative to baseline; red cells indicate >5% higher values under the flow scenario relative to baseline.

^b Only includes months on which temperature exceeded index value; green cells indicate >0.5 °F lower values under the flow scenario relative to baseline; red cells indicate >0.5 °F higher values under the flow scenario relative to baseline.

Table A6-113. Water Temperature Index Value Analysis Results, Late Fall-Run Chinook Salmon, Spawning, Egg Incubation, and Alevins, Sacramento River at Balls Ferry, 55.4 °F 7DADM

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
12	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	AN	0.0	1.1	2.7	-3.5	-3.5	0.0	0.1	0.3	-0.5	-0.5
12	BN	0.6	0.2	0.8	-2.3	-2.5	-0.1	0.0	0.2	-0.1	0.0
12	D	-0.2	-2.3	-2.8	-4.8	-4.8	-0.2	-0.3	-0.2	-0.7	-0.7
12	C	1.9	1.7	-3.9	-5.6	-4.7	0.0	0.0	-0.4	-0.5	-0.5
12	All	0.4	-0.1	-0.8	-2.8	-2.7	-0.1	-0.1	0.1	0.2	0.0
1	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	W	0.0	0.0	-0.1	0.0	-0.1	0.0	0.0	0.0	0.0	0.0
3	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	BN	0.0	-0.4	-0.8	-0.9	0.0	0.0	-0.3	-0.6	-0.6	0.0
3	D	0.6	0.2	-0.3	-0.8	-0.6	-0.1	-0.2	-0.2	-0.2	-0.3
3	C	1.1	0.0	-0.2	0.0	0.0	0.3	0.0	0.0	0.0	0.0
3	All	0.3	0.0	-0.3	-0.3	-0.2	0.0	-0.2	-0.2	-0.3	-0.1
4	W	-0.2	-1.2	-1.9	-5.1	-6.9	0.0	-0.1	-0.2	-0.5	-0.5
4	AN	0.3	-0.8	-5.8	-13.3	-19.4	0.0	-0.1	-0.2	-0.4	-0.4

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
4	BN	-1.0	-2.4	-3.7	-9.2	-19.8	0.0	-0.2	-0.3	-0.4	-0.6
4	D	-0.3	-5.1	-19.5	-37.8	-31.9	0.1	-0.1	-0.2	-0.3	-0.3
4	C	4.0	-7.3	-12.4	-23.1	-31.8	0.0	-0.4	-0.5	-0.6	-0.7
4	All	0.4	-3.2	-8.4	-17.2	-20.5	0.0	-0.1	-0.3	-0.5	-0.5
5	W	-0.9	-3.5	-3.1	-2.5	7.4	-0.2	-0.2	-0.1	0.1	0.4
5	AN	0.0	-0.3	-7.3	0.8	11.8	0.0	-0.1	-0.1	0.6	1.0
5	BN	-0.4	-2.5	12.5	23.9	16.7	0.0	0.2	0.2	0.3	0.6
5	D	-1.5	3.1	2.5	-5.2	-4.5	-0.1	0.2	0.1	-0.5	-0.2
5	C	3.9	-1.1	-1.7	-8.8	-11.8	0.2	0.0	-0.2	-0.3	-0.1
5	All	-0.1	-1.0	0.7	1.1	3.9	0.0	0.0	0.0	0.0	0.3
6	W	-2.9	-12.3	-30.7	-33.5	-5.7	-0.2	-0.4	-0.2	0.1	0.4
6	AN	-5.8	-25.6	-37.5	-28.9	1.7	0.0	-0.2	0.2	0.3	1.0
6	BN	-4.3	-2.9	14.3	21.8	32.2	0.1	0.5	0.7	1.1	1.2
6	D	17.9	22.4	29.4	35.7	37.9	-0.1	0.3	0.2	0.3	0.3
6	C	11.8	14.2	17.1	15.1	13.8	1.4	1.1	0.9	0.7	0.8
6	All	3.5	-0.2	-2.1	0.7	15.2	0.2	0.3	0.4	0.6	0.7

^a°F = degrees Fahrenheit; 7DADM = 7-day average daily maximum; UF = unimpaired flow

^a Green cells indicate >5% lower values under the flow scenario relative to baseline; red cells indicate >5% higher values under the flow scenario relative to baseline.

^b Only includes months on which temperature exceeded index value; green cells indicate >0.5 °F lower values under the flow scenario relative to baseline; red cells indicate >0.5 °F higher values under the flow scenario relative to baseline.

Table A6-114. Water Temperature Index Value Analysis Results, Late Fall-Run Chinook Salmon, Spawning, Egg Incubation, and Alevins, Sacramento River Near Bend Bridge, 55.4 °F 7DADM

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
12	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	AN	0.0	0.3	2.4	0.0	0.0	0.0	0.0	0.2	0.0	0.0
12	BN	0.2	0.4	0.9	-0.8	-0.8	-0.1	-0.2	0.2	-0.4	-0.7
12	D	-1.2	-1.5	-1.5	-1.5	-1.5	-0.4	-0.4	-0.4	-0.4	-0.4
12	C	0.9	0.9	0.0	0.0	0.0	0.3	0.3	0.0	0.0	0.0
12	All	-0.1	-0.1	0.1	-0.5	-0.5	-0.1	-0.1	0.1	-0.2	-0.5
1	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	W	0.0	0.0	0.0	-0.1	-0.3	0.0	0.0	0.0	-0.3	-0.3
3	AN	0.0	0.0	0.0	-0.3	-0.3	0.0	0.0	0.0	0.0	0.0
3	BN	0.0	-0.6	-0.9	-2.7	-1.5	0.0	-0.3	-0.5	-0.7	0.3
3	D	0.2	-0.5	-3.1	-4.1	-3.8	0.0	0.0	-0.1	0.0	0.0
3	C	1.1	-0.2	-0.6	-1.3	-1.3	0.1	0.1	0.1	0.3	0.4
3	All	0.2	-0.2	-1.0	-1.7	-1.5	0.0	0.0	-0.1	0.0	0.2
4	W	-0.2	-2.0	-3.6	-7.4	-8.2	0.0	0.0	-0.2	-0.4	-0.5
4	AN	0.6	-0.6	-3.9	-11.4	-19.2	0.0	-0.1	-0.3	-0.5	-0.6

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
4	BN	-1.8	-3.3	-7.6	-10.2	-24.3	0.0	-0.1	-0.3	-0.6	-0.7
4	D	0.0	-3.0	-16.5	-34.0	-29.4	0.1	-0.2	-0.4	-0.5	-0.6
4	C	2.2	-7.8	-10.9	-22.7	-26.7	0.2	-0.2	-0.4	-0.6	-0.9
4	All	0.0	-3.2	-8.5	-16.9	-20.3	0.1	-0.1	-0.3	-0.5	-0.7
5	W	0.0	-0.2	1.0	-0.5	4.8	-0.2	-0.3	-0.3	-0.2	0.2
5	AN	0.0	-1.3	-3.0	-0.8	5.9	0.0	-0.1	-0.3	0.2	0.7
5	BN	-0.2	-1.5	5.9	11.8	7.2	0.0	0.0	0.1	0.4	0.5
5	D	-0.6	1.5	0.3	-2.2	-3.7	-0.1	0.3	0.1	-0.5	-0.2
5	C	1.9	-0.6	-2.2	-6.0	-9.7	0.6	0.3	0.1	-0.1	0.0
5	All	0.1	-0.3	0.7	0.5	1.1	0.0	0.0	-0.1	-0.1	0.2
6	W	-0.4	-2.9	-9.4	-13.9	-1.0	-0.2	-0.7	-0.9	-0.8	0.1
6	AN	-0.3	-7.5	-20.3	-15.0	-1.7	-0.2	-0.7	-0.6	-0.5	0.7
6	BN	-2.4	-7.6	0.4	9.4	11.4	0.0	0.2	0.7	0.9	1.4
6	D	6.8	2.1	8.3	11.1	11.1	0.4	1.0	0.9	1.1	1.2
6	C	0.0	2.4	2.4	2.4	1.1	2.0	1.8	1.6	1.3	1.4
6	All	1.0	-2.4	-3.1	-1.5	4.3	0.3	0.3	0.3	0.4	0.8

°F = degrees Fahrenheit; 7DADM = 7-day average daily maximum; UF = unimpaired flow

^a Green cells indicate >5% lower values under the flow scenario relative to baseline; red cells indicate >5% higher values under the flow scenario relative to baseline.

^b Only includes months on which temperature exceeded index value; green cells indicate >0.5 °F lower values under the flow scenario relative to baseline; red cells indicate >0.5 °F higher values under the flow scenario relative to baseline.

Table A6-115. Water Temperature Index Value Analysis Results, Late Fall-Run Chinook Salmon, Spawning, Egg Incubation, and Alevins, Sacramento River at Red Bluff Diversion Dam, 55.4 °F 7DADM

	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
12	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	AN	0.0	0.0	0.8	0.0	0.0	0.0	0.0	0.3	0.0	0.0
12	BN	0.0	0.0	0.9	-1.1	-1.1	0.0	0.0	0.1	-0.7	-0.7
12	D	-0.8	-0.9	-0.9	-0.9	-0.9	-0.3	-0.3	-0.3	-0.3	-0.3
12	C	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	All	-0.1	-0.2	0.1	-0.4	-0.4	-0.1	0.2	0.1	-0.5	-0.5
1	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	W	0.0	-0.1	-0.2	-0.6	-0.7	0.0	0.1	0.1	0.0	-0.2
3	AN	0.0	0.3	-0.5	-0.5	-0.8	0.0	-0.2	0.3	-0.3	-0.8
3	BN	0.0	-1.7	-2.8	-4.0	-3.4	0.0	-0.1	-0.2	-0.7	-0.1
3	D	0.2	-1.4	-5.1	-8.6	-7.7	0.0	0.0	-0.2	-0.3	-0.3
3	C	0.2	-3.4	-4.1	-5.2	-6.0	0.1	0.1	0.2	-0.1	0.1
3	All	0.1	-1.2	-2.5	-3.7	-3.6	0.0	0.0	0.0	-0.2	-0.1
4	W	-0.4	-1.3	-2.9	-6.7	-10.4	0.0	-0.1	-0.2	-0.4	-0.5
4	AN	0.0	-0.6	-1.7	-5.6	-9.7	0.0	0.0	-0.3	-0.6	-0.8

Year	Water Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
4	BN	-1.2	-1.6	-7.6	-12.2	-22.4	0.0	-0.2	-0.3	-0.5	-0.9
4	D	-0.8	-2.4	-8.7	-24.4	-23.0	0.1	-0.2	-0.7	-1.0	-0.9
4	C	1.1	-6.4	-7.3	-16.2	-18.2	0.2	-0.2	-0.4	-0.7	-1.1
4	All	-0.3	-2.3	-5.6	-13.1	-16.6	0.1	-0.2	-0.4	-0.7	-0.9
5	W	-0.1	0.0	2.0	-0.1	3.7	-0.2	-0.3	-0.3	-0.2	0.1
5	AN	0.0	0.3	-0.8	0.0	4.3	0.0	-0.2	-0.4	0.1	0.6
5	BN	-0.2	-0.8	3.4	7.0	4.0	-0.1	-0.1	0.1	0.3	0.4
5	D	0.2	1.2	1.7	-0.3	-2.9	-0.1	0.3	0.1	-0.5	-0.3
5	C	0.0	-1.7	-2.2	-4.3	-6.2	0.8	0.5	0.2	-0.1	0.0
5	All	0.0	-0.1	1.1	0.5	0.7	0.0	0.0	-0.1	-0.1	0.1
6	W	-0.4	-2.6	-8.8	-12.4	-0.6	-0.3	-0.7	-1.0	-0.9	0.0
6	AN	-0.3	-6.9	-19.2	-14.2	-1.9	-0.2	-0.8	-0.6	-0.7	0.6
6	BN	-2.0	-6.7	2.0	10.2	11.4	-0.1	0.2	0.6	0.8	1.3
6	D	4.9	1.1	5.7	7.5	8.1	0.5	1.0	1.0	1.2	1.3
6	C	0.4	2.2	2.9	2.9	1.8	2.1	1.9	1.7	1.3	1.4
6	All	0.7	-2.3	-3.0	-1.5	3.8	0.3	0.3	0.3	0.3	0.8

^a°F = degrees Fahrenheit; 7DADM = 7-day average daily maximum; UF = unimpaired flow

^a Green cells indicate >5% lower values under the flow scenario relative to baseline; red cells indicate >5% higher values under the flow scenario relative to baseline.

^b Only includes months on which temperature exceeded index value; green cells indicate >0.5 °F lower values under the flow scenario relative to baseline; red cells indicate >0.5 °F higher values under the flow scenario relative to baseline.

Table A6-116. Water Temperature Index Value Analysis Results, Late Fall-Run Chinook Salmon, Fry and Juvenile Rearing and Emigration, Sacramento River below Keswick, 61 °F 7DADM

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
3	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
7	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	C	-5.6	-5.6	-5.6	-4.1	5.6	-3.9	-3.9	-3.9	-2.6	-0.8
8	All	-0.9	-0.9	-0.9	-0.7	0.9	-3.9	-3.9	-3.9	-2.6	-0.8
9	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
9	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
9	BN	0.0	0.0	0.0	0.0	8.4	0.0	0.0	0.0	0.0	2.0
9	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
9	C	-18.0	-18.0	-23.3	-10.9	-6.9	-0.9	-1.0	-3.1	-1.2	0.6
9	All	-2.9	-2.9	-3.8	-1.8	0.4	-0.9	-1.0	-3.1	-1.2	0.0
10	W	0.0	0.0	0.0	0.0	3.5	0.0	0.0	0.0	0.0	1.6
10	AN	1.1	1.1	-7.3	-7.3	1.1	-0.3	-0.4	-2.6	-2.6	-0.2
10	BN	-5.9	-5.9	-5.9	0.0	5.1	-2.5	-2.5	-2.5	-0.1	-0.1
10	D	-4.1	-4.1	-4.1	-4.1	-4.1	-2.2	-2.2	-2.2	-2.2	-2.2
10	C	-13.1	-13.1	-13.1	-6.5	-6.5	-1.7	-1.7	-1.7	1.1	1.1
10	All	-4.0	-4.0	-5.1	-2.9	0.1	0.2	0.1	-2.1	0.5	0.2
11	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	AN	0.8	0.3	0.0	0.0	1.4	0.0	0.0	0.0	0.0	0.4
11	BN	-1.6	-1.6	-1.6	-0.2	-1.4	-0.4	-0.4	-0.4	0.1	-0.4
11	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	C	-2.2	-2.2	-2.2	-2.0	-2.2	-0.4	-0.4	-0.4	-0.4	-0.4
11	All	-0.5	-0.6	-0.6	-0.4	-0.4	-0.4	-0.4	-0.4	0.0	-0.1

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
12	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

°F = degrees Fahrenheit; 7DADM = 7-day average daily maximum; UF = unimpaired flow

^a Green cells indicate >5% lower values under the flow scenario relative to baseline; red cells indicate >5% higher values under the flow scenario relative to baseline.

^b Only includes months on which temperature exceeded index value; green cells indicate >0.5 °F lower values under the flow scenario relative to baseline; red cells indicate >0.5 °F higher values under the flow scenario relative to baseline.

Table A6-117. Water Temperature Index Value Analysis Results, Late Fall-Run Chinook Salmon, Fry and Juvenile Rearing and Emigration, Sacramento River at Clear Creek, 61 °F 7DADM

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
3	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
7	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	C	0.0	0.0	0.0	0.0	1.3	0.0	0.0	0.0	0.0	1.0
7	All	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	1.0
8	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	BN	0.0	0.0	0.0	0.0	0.8	0.0	0.0	0.0	0.0	1.0
8	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	C	-6.7	-6.7	-6.7	-4.3	6.7	-5.0	-5.0	-5.0	-2.5	-0.2
8	All	-1.1	-1.1	-1.1	-0.7	1.2	-5.0	-5.0	-5.0	-2.5	-0.5
9	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
9	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
9	BN	0.0	0.0	0.0	0.0	10.4	0.0	0.0	0.0	0.0	3.5
9	D	-0.3	-0.3	-0.3	-0.3	-0.3	0.0	0.0	0.0	0.0	0.0
9	C	-24.0	-23.8	-25.3	-11.6	-8.2	-0.3	-0.6	-3.4	-1.1	0.4
9	All	-3.9	-3.9	-4.2	-1.9	0.5	-0.3	-0.5	-3.3	-1.0	0.1
10	W	0.0	0.0	0.0	0.0	3.6	0.0	0.0	0.0	0.0	2.8
10	AN	-2.7	-2.7	-10.8	-10.8	-2.7	0.8	0.8	-2.9	-1.9	1.0
10	BN	-5.9	-5.9	-5.9	0.0	8.2	-3.8	-3.8	-3.8	-0.1	-0.9
10	D	-3.1	-2.8	-4.8	-4.8	-4.8	-3.0	-2.8	-3.3	-3.3	-3.3
10	C	-16.3	-16.3	-13.5	-12.9	-11.4	-2.0	-1.8	-1.6	1.9	1.2
10	All	-4.8	-4.7	-5.7	-4.5	-0.7	-0.7	-0.6	-2.1	1.1	0.3
11	W	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.5
11	AN	-0.8	-0.8	-2.2	-2.2	0.0	0.4	0.4	-0.4	-0.4	0.6
11	BN	-2.2	-2.2	-2.2	-0.2	-1.8	-0.6	-0.6	-0.6	0.1	-0.1
11	D	0.0	0.0	-1.0	-1.0	-1.0	-0.2	-0.2	-0.3	-0.3	-0.3
11	C	-2.9	-6.0	-6.0	-5.3	-4.0	-0.2	-0.7	-0.7	-0.4	-0.5
11	All	-1.0	-1.5	-1.9	-1.4	-1.1	-0.1	-0.1	-0.6	0.0	0.0

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
12	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

°F = degrees Fahrenheit; 7DADM = 7-day average daily maximum; UF = unimpaired flow

^a Green cells indicate >5% lower values under the flow scenario relative to baseline; red cells indicate >5% higher values under the flow scenario relative to baseline.

^b Only includes months on which temperature exceeded index value; green cells indicate >0.5 °F lower values under the flow scenario relative to baseline; red cells indicate >0.5 °F higher values under the flow scenario relative to baseline.

Table A6-118. Water Temperature Index Value Analysis Results, Late Fall-Run Chinook Salmon, Fry and Juvenile Rearing and Emigration, Sacramento River at Balls Ferry, 61 °F 7DADM

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
3	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	BN	0.0	-0.4	-0.4	-0.4	-0.4	0.0	-0.5	-0.5	-0.5	-0.5
4	D	0.3	0.2	-0.3	-0.5	-0.3	0.1	-0.1	-0.3	-0.3	-0.3
4	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	All	0.1	0.0	-0.1	-0.2	-0.1	0.0	-0.2	-0.4	-0.4	-0.4
5	W	-1.0	-1.0	-0.6	-0.3	0.8	-0.7	-0.7	-0.2	-0.3	-0.4
5	AN	0.0	0.0	0.0	1.1	2.2	0.0	0.0	0.0	0.3	0.4
5	BN	0.4	0.0	-0.2	0.8	1.1	0.0	-0.3	-0.5	0.0	-0.2
5	D	-0.8	-0.5	-0.5	-0.8	-1.1	-0.5	-0.4	-0.4	-0.3	-0.4
5	C	7.3	6.0	3.4	2.8	2.4	-0.1	-0.1	-0.2	-0.3	-0.3
5	All	0.8	0.6	0.2	0.5	0.9	-0.1	-0.2	-0.3	-0.3	-0.3
6	W	0.0	0.0	0.7	0.0	1.7	0.0	0.0	0.3	0.0	0.2
6	AN	0.0	0.0	0.0	0.0	3.9	0.0	0.0	0.0	0.0	0.7
6	BN	0.2	1.4	0.6	2.9	3.9	0.0	0.4	0.3	0.3	0.7
6	D	0.3	1.0	0.3	0.8	0.8	0.0	0.3	0.4	0.2	0.0
6	C	22.2	17.1	10.0	10.4	9.8	0.4	0.5	0.4	0.3	0.3
6	All	3.7	3.2	2.0	2.4	3.5	0.2	0.3	0.2	0.2	0.1
7	W	-0.6	-0.6	-0.6	-0.6	-0.6	-0.4	-0.4	-0.4	-0.4	-0.4
7	AN	0.0	0.0	0.0	0.0	7.5	0.0	0.0	0.0	0.0	0.7

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
7	BN	0.0	0.0	0.0	1.5	1.7	0.0	0.0	0.0	0.1	0.3
7	D	1.8	1.8	1.8	2.6	2.9	0.4	0.5	0.6	0.6	0.4
7	C	19.4	16.3	28.4	27.3	39.1	0.3	0.3	0.2	0.3	0.6
7	All	3.4	2.9	4.8	5.1	8.1	0.2	0.2	0.1	0.2	0.4
8	W	-2.4	-2.4	-2.4	-2.4	-2.4	-0.3	-0.3	-0.3	-0.3	-0.3
8	AN	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.0
8	BN	0.0	0.0	0.0	0.0	1.3	0.0	0.0	0.0	0.0	1.1
8	D	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0
8	C	-7.3	-7.5	-7.5	-4.1	6.2	-5.0	-5.0	-5.0	-2.5	0.7
8	All	-1.9	-1.9	-1.9	-1.4	0.6	-3.3	-3.3	-3.3	-0.8	1.8
9	W	-0.2	-0.4	-0.4	-0.8	-1.1	-0.2	-0.2	-0.2	-0.2	-0.5
9	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
9	BN	-0.8	-0.8	-0.4	-0.8	9.8	-0.5	-0.5	-0.5	-0.5	2.9
9	D	-2.7	-2.7	-2.7	-2.7	-2.7	-0.9	-0.9	-0.9	-0.9	-0.9
9	C	-24.7	-25.8	-26.0	-13.6	-8.2	-0.6	-0.3	-2.9	-0.8	0.4
9	All	-4.8	-5.0	-5.0	-3.2	-0.5	-0.7	-0.4	-2.5	-0.3	0.6
10	W	0.0	0.0	0.0	0.0	3.2	0.0	0.0	0.0	0.0	1.8
10	AN	-1.1	-1.1	-9.1	-9.1	-1.1	0.4	0.3	-1.8	-0.8	0.3
10	BN	-5.9	-5.9	-5.9	0.0	4.9	-2.9	-2.9	-2.9	0.0	-0.2
10	D	-4.6	-4.6	-4.6	-4.6	-4.6	-2.4	-2.4	-2.4	-2.4	-2.4
10	C	-17.2	-15.7	-12.9	-11.0	-11.0	-1.4	-1.7	-1.4	1.5	1.8
10	All	-5.0	-4.8	-5.4	-4.0	-1.1	0.7	0.1	-1.8	0.8	0.5
11	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	AN	-0.3	-0.3	-0.3	-0.3	0.6	0.0	0.0	0.0	0.0	0.3
11	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	C	-0.9	-1.8	-1.8	-1.8	-1.3	-0.3	-0.3	-0.3	-0.3	-0.3
11	All	-0.2	-0.3	-0.3	-0.3	-0.1	-0.2	-0.2	-0.2	-0.2	0.0

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
12	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

°F = degrees Fahrenheit; 7DADM = 7-day average daily maximum; UF = unimpaired flow

^a Green cells indicate >5% lower values under the flow scenario relative to baseline; red cells indicate >5% higher values under the flow scenario relative to baseline.

^b Only includes months on which temperature exceeded index value; green cells indicate >0.5 °F lower values under the flow scenario relative to baseline; red cells indicate >0.5 °F higher values under the flow scenario relative to baseline.

Table A6-119. Water Temperature Index Value Analysis Results, Late Fall-Run Chinook Salmon, Fry and Juvenile Rearing and Emigration, Sacramento River near Bend Bridge, 61 °F 7DADM

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
3	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	W	0.0	0.0	-0.1	-0.1	-0.1	0.0	0.0	0.0	0.0	0.0
4	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	BN	-0.2	-1.0	-1.6	-1.8	-1.8	-0.1	-0.3	-0.6	-0.6	-0.6
4	D	0.5	-0.8	-1.9	-2.5	-2.5	0.1	0.0	0.0	0.0	0.5
4	C	0.2	-0.4	-0.7	-0.9	-1.3	0.2	-0.1	-0.3	0.2	-0.3
4	All	0.1	-0.4	-0.9	-1.1	-1.1	0.1	-0.1	-0.2	0.0	0.5
5	W	-2.2	-2.3	-2.0	-1.5	1.5	-0.3	-0.4	-0.2	-0.4	-0.4
5	AN	0.0	-0.3	0.3	1.3	7.8	0.0	0.0	0.3	0.7	0.5
5	BN	-0.4	-0.8	-1.5	0.8	1.1	-0.1	-0.3	-0.7	-0.2	-0.2
5	D	-0.9	3.8	2.5	-1.7	0.2	-0.3	-0.3	-0.3	-0.2	-0.3
5	C	14.8	10.8	4.5	5.4	4.5	0.5	0.5	0.4	0.2	0.2
5	All	1.5	1.7	0.5	0.3	2.4	0.1	0.0	-0.1	-0.1	-0.2
6	W	-1.3	-1.3	0.5	0.8	6.9	0.0	0.0	0.3	0.0	0.4
6	AN	-0.6	-1.1	1.7	-0.8	11.4	0.2	0.7	0.1	0.0	0.6
6	BN	1.6	4.3	3.5	9.4	15.1	0.3	0.8	0.5	0.8	0.8
6	D	1.1	7.9	7.0	6.2	7.8	0.0	-0.1	-0.1	-0.2	0.0
6	C	39.3	34.7	30.7	21.6	24.2	0.8	0.8	0.5	0.5	0.4
6	All	6.4	7.6	7.5	6.7	12.0	0.7	0.6	0.4	0.3	0.4
7	W	-2.5	-2.5	-2.5	-2.4	-2.1	-0.5	-0.6	-0.6	-0.5	-0.4
7	AN	0.0	-0.5	-1.3	0.0	23.4	-0.1	-0.1	-0.3	-0.1	1.0

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
7	BN	0.0	0.0	0.0	8.0	17.1	0.0	0.0	0.0	1.1	1.2
7	D	2.8	3.7	7.1	10.4	16.4	0.5	0.3	0.2	0.1	0.1
7	C	27.7	35.1	54.2	55.7	54.2	1.0	0.8	0.9	0.9	1.3
7	All	4.3	5.7	9.4	12.1	18.0	0.8	0.6	0.7	0.6	0.8
8	W	-4.7	-4.6	-4.6	-4.5	-4.8	-1.1	-1.0	-1.0	-1.0	-1.1
8	AN	0.3	0.0	-0.3	2.4	9.1	0.0	0.0	0.0	0.5	0.6
8	BN	0.0	0.2	0.2	1.7	8.0	0.0	0.0	0.0	0.2	0.7
8	D	0.2	0.0	0.2	1.7	4.1	0.0	0.0	0.0	0.5	0.5
8	C	-8.2	-8.0	-6.7	4.3	18.5	-3.6	-3.6	-3.4	-3.1	-0.8
8	All	-2.7	-2.6	-2.4	0.3	5.1	-2.3	-2.3	-2.1	-1.8	-0.6
9	W	0.0	-0.1	-0.1	-0.1	-0.1	-0.5	-0.4	-0.5	-0.6	-0.7
9	AN	0.0	0.0	0.0	2.2	0.0	0.0	0.0	0.0	0.4	0.0
9	BN	-1.0	-1.4	-0.4	-1.6	9.2	-0.7	-0.4	-0.6	-0.6	2.0
9	D	-5.6	-5.6	-4.9	-5.4	-5.4	-1.2	-1.2	-0.9	-0.2	-0.2
9	C	-24.9	-26.9	-26.9	-14.4	-10.2	-1.0	-0.7	-2.5	-0.7	0.5
9	All	-5.4	-5.9	-5.6	-3.6	-1.2	-0.9	-0.6	-2.0	-0.5	0.6
10	W	0.0	0.0	0.0	0.0	2.8	0.0	0.0	0.0	0.0	1.3
10	AN	-0.8	-1.6	-8.6	-8.6	-1.1	0.2	0.4	-0.5	-0.5	0.4
10	BN	-5.9	-5.9	-5.9	0.0	3.6	-2.2	-2.2	-2.2	0.1	0.0
10	D	-3.7	-3.7	-3.7	-3.7	-3.7	-2.1	-2.1	-2.1	-2.1	-2.1
10	C	-14.6	-13.5	-10.8	-9.0	-6.2	-1.9	-1.4	-1.2	1.5	0.6
10	All	-4.4	-4.3	-4.8	-3.4	-0.5	0.5	0.4	-1.4	0.7	0.2
11	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	AN	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.0
11	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
12	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

°F = degrees Fahrenheit; 7DADM = 7-day average daily maximum; UF = unimpaired flow

^a Green cells indicate >5% lower values under the flow scenario relative to baseline; red cells indicate >5% higher values under the flow scenario relative to baseline.

^b Only includes months on which temperature exceeded index value; green cells indicate >0.5 °F lower values under the flow scenario relative to baseline; red cells indicate >0.5 °F higher values under the flow scenario relative to baseline.

Table A6-120. Water Temperature Index Value Analysis Results, Late Fall-Run Chinook Salmon, Fry and Juvenile Rearing and Emigration, Sacramento River at Red Bluff Diversion Dam, 64 °F 7DADM

Month	Water Year Type	Difference in Percent of Days above Index Value ^b					Difference in Mean Degrees per Day above Index Value (°F) ^c				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
3	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	BN	0.0	-0.2	-0.2	-0.2	-0.2	0.0	0.0	0.0	0.0	0.0
4	D	0.2	-0.3	-0.3	-0.3	-0.3	0.3	0.0	0.0	0.0	0.0
4	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	All	0.0	-0.1	-0.1	-0.1	-0.1	0.3	0.0	0.0	0.0	0.0
5	W	-0.7	-0.7	-0.6	-0.7	-0.6	-1.0	-1.0	-1.0	-1.0	-1.0
5	AN	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.0
5	BN	-0.4	-0.4	-0.4	-0.2	-0.2	0.0	0.0	0.0	0.0	0.0
5	D	-0.6	-0.6	-0.6	-0.3	-0.6	-0.8	-0.8	-0.8	-0.8	-0.8
5	C	3.0	2.8	1.1	0.4	0.4	0.7	0.6	0.5	0.7	0.3
5	All	0.1	0.0	-0.2	-0.2	-0.2	0.0	-0.1	-0.3	-0.4	-0.5
6	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	BN	0.0	0.0	0.0	0.0	0.6	0.0	0.0	0.0	0.0	0.3
6	D	0.0	0.5	0.3	0.3	0.3	0.0	0.5	0.3	0.7	0.3
6	C	5.1	7.3	3.3	2.9	1.6	0.6	0.6	0.5	0.4	0.3
6	All	0.8	1.3	0.6	0.5	0.4	0.6	0.6	0.5	0.4	0.3
7	W	-0.5	-0.5	-0.5	-0.5	-0.5	-0.5	-0.5	-0.5	-0.5	-0.5
7	AN	0.0	0.0	0.0	0.0	1.6	0.0	0.0	0.0	0.0	0.5

Month	Water Year Type	Difference in Percent of Days above Index Value ^b					Difference in Mean Degrees per Day above Index Value (°F) ^c				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
7	BN	0.0	0.0	0.0	0.0	0.6	0.0	0.0	0.0	0.0	0.0
7	D	0.3	0.5	0.6	0.9	0.3	0.0	0.3	0.3	0.2	0.0
7	C	4.7	2.8	6.0	5.4	15.9	0.5	0.5	0.4	0.4	0.5
7	All	0.7	0.4	1.0	0.9	2.8	-0.1	0.0	-0.1	-0.1	-0.1
8	W	-0.3	-0.3	-0.3	-0.3	-0.3	0.0	0.0	0.0	0.0	0.0
8	AN	0.0	0.0	0.0	0.0	0.5	0.0	0.0	0.0	0.0	0.5
8	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	C	-6.0	-6.0	-5.6	-3.4	6.5	-3.1	-3.1	-3.1	-2.0	1.0
8	All	-1.1	-1.1	-1.0	-0.7	1.0	-2.8	-2.8	-2.8	-1.7	1.1
9	W	-1.0	-1.0	-1.0	-1.0	-1.1	-0.3	-0.3	-0.3	-0.3	-0.3
9	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
9	BN	-0.4	-0.4	-0.4	-0.4	8.8	-0.5	-0.5	-0.5	-0.5	1.0
9	D	-2.1	-2.1	-2.1	-2.1	-1.9	-0.6	-0.6	-0.6	-0.6	-0.6
9	C	-19.3	-19.6	-23.3	-11.1	-6.7	-0.5	-0.5	-1.9	-0.7	0.6
9	All	-3.9	-4.0	-4.6	-2.6	-0.2	-0.2	-0.3	-1.6	-0.4	0.4
10	W	0.0	0.0	0.0	0.0	0.5	0.0	0.0	0.0	0.0	0.8
10	AN	0.3	0.3	-4.8	-4.8	2.4	-0.3	-0.4	-1.8	-0.8	-0.8
10	BN	-2.5	-2.5	-2.5	0.2	1.9	-1.5	-1.5	-1.5	-0.3	-0.3
10	D	-1.1	-1.1	-1.1	-1.1	-1.1	-0.9	-0.9	-0.9	-0.9	-0.9
10	C	-5.2	-5.2	-4.7	-0.4	-0.4	-1.6	-1.6	-1.1	0.2	0.5
10	All	-1.5	-1.5	-2.1	-0.9	0.5	-0.1	-0.2	-1.2	0.1	-0.2
11	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Month	Water Year Type	Difference in Percent of Days above Index Value ^b					Difference in Mean Degrees per Day above Index Value (°F) ^c				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
12	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

°F = degrees Fahrenheit; 7DADM = 7-day average daily maximum; UF = unimpaired flow

^a Green cells indicate >5% lower values under the flow scenario relative to baseline; red cells indicate >5% higher values under the flow scenario relative to baseline.

^b Only includes months on which temperature exceeded index value; green cells indicate >0.5 °F lower values under the flow scenario relative to baseline; red cells indicate >0.5 °F higher values under the flow scenario relative to baseline.

Table A6-121. Water Temperature Index Value Analysis Results, Late Fall-Run Chinook Salmon, Fry and Juvenile Rearing and Emigration, Sacramento River at Wilkins Slough, 64 °F 7DADM

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
3	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	C	-0.2	0.0	0.0	-1.1	-0.6	-0.1	0.0	0.0	-0.6	-0.6
3	All	0.0	0.0	0.0	-0.2	-0.1	-0.1	0.0	0.0	-0.6	-0.6
4	W	0.0	0.0	-1.7	-3.5	-4.0	-0.1	-0.1	-0.1	-0.2	-0.1
4	AN	0.0	-1.1	-3.3	-6.9	-7.2	0.0	0.0	-0.2	-0.4	-1.0
4	BN	-0.6	-4.3	-9.6	-15.1	-20.0	-0.1	-0.2	-0.4	-0.8	-1.0
4	D	1.1	-6.3	-15.2	-19.4	-20.2	0.2	-0.1	-0.5	-0.6	-0.6
4	C	6.2	-1.1	-5.6	-15.6	-19.6	0.1	-0.1	-0.1	-0.3	-0.8
4	All	1.1	-2.5	-7.0	-11.6	-13.5	0.1	-0.1	-0.2	-0.4	-0.6
5	W	-1.4	-2.4	-5.2	-7.9	-5.8	-0.4	-0.6	-0.8	-1.0	-0.8
5	AN	0.3	0.0	-3.8	-8.1	-6.2	0.0	-0.4	-1.0	-1.1	-0.7
5	BN	-0.9	-2.7	-6.8	-7.8	-13.9	-0.2	-0.6	-0.9	-1.0	-1.0
5	D	1.5	0.9	-1.5	-5.5	-13.5	-0.2	0.1	-0.2	-0.7	-0.6
5	C	2.2	-2.6	-3.7	-7.1	-9.5	1.5	1.2	0.6	0.0	-0.2
5	All	0.1	-1.4	-4.2	-7.2	-9.6	0.2	0.0	-0.4	-0.7	-0.7
6	W	-0.4	-3.2	-9.8	-16.5	-2.1	-0.4	-1.1	-1.7	-1.9	-1.4
6	AN	-0.3	-5.3	-14.2	-9.7	-2.5	-0.3	-1.4	-1.7	-2.5	-1.2
6	BN	-1.0	-2.9	-1.2	1.6	3.7	-0.2	-0.4	-0.4	-0.5	-0.4
6	D	1.6	-0.3	1.0	0.2	0.2	0.7	0.9	0.8	0.7	0.6
6	C	1.3	1.1	2.9	2.7	2.0	2.2	2.2	1.2	0.6	0.5
6	All	0.3	-2.1	-4.3	-5.5	0.1	0.3	0.0	-0.3	-0.6	-0.4
7	W	0.0	0.0	0.0	-0.1	0.0	-0.2	-0.3	-0.8	-0.9	-0.2
7	AN	1.3	1.6	1.6	1.6	1.6	0.2	0.5	-0.5	0.7	3.5

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
7	BN	0.4	0.4	0.4	0.4	0.4	0.0	0.2	0.7	2.4	3.6
7	D	0.0	0.0	0.0	0.0	0.0	0.7	1.6	2.8	3.2	3.1
7	C	0.0	0.0	0.0	0.0	0.0	2.1	2.2	2.6	2.3	2.2
7	All	0.2	0.3	0.3	0.2	0.3	0.5	0.7	0.9	1.3	2.1
8	W	0.1	0.9	1.6	1.5	1.8	-0.1	0.3	0.6	0.2	0.8
8	AN	0.3	0.3	0.3	0.3	0.3	-0.1	0.1	-0.3	0.7	1.6
8	BN	0.0	-0.4	-0.2	-0.2	0.2	-0.2	-0.7	-0.8	0.3	2.5
8	D	-0.3	-0.2	0.0	0.0	0.0	-0.5	-1.0	-0.3	1.4	2.1
8	C	0.0	0.0	0.0	0.0	0.0	-1.4	-1.3	0.7	1.5	2.1
8	All	0.0	0.2	0.5	0.5	0.6	-0.4	-0.5	0.0	0.7	1.7
9	W	0.2	3.5	9.5	18.8	19.2	0.0	0.2	0.5	0.8	1.0
9	AN	1.7	-1.9	4.7	23.6	17.8	0.0	-0.4	-0.1	1.1	0.8
9	BN	-1.2	-0.8	0.2	0.0	1.0	-0.3	-0.2	-0.3	-0.1	0.2
9	D	-1.9	-2.2	-2.2	-1.6	-2.4	-0.8	-1.1	-1.0	-0.7	-0.6
9	C	-0.9	-0.9	-0.9	-1.6	-1.1	-1.1	-1.1	-1.2	-0.7	-0.5
9	All	-0.5	0.0	2.9	8.1	7.5	-0.5	-0.5	-0.5	-0.2	0.0
10	W	-0.5	-0.8	-1.4	2.6	5.3	-0.1	-0.1	0.0	0.5	0.4
10	AN	-6.5	-5.4	-8.6	-2.2	0.5	-0.3	-0.3	-0.9	-0.5	-0.2
10	BN	-3.0	-4.0	-0.8	4.2	9.5	-0.8	-0.9	-0.7	-0.1	-0.1
10	D	-2.6	-0.8	0.9	2.5	2.5	-0.1	-0.1	0.4	0.6	0.5
10	C	-6.5	-4.9	-4.9	1.5	-0.9	-0.8	-1.2	-0.6	-0.1	-0.1
10	All	-3.2	-2.6	-2.3	2.1	3.8	-0.5	-0.5	-0.4	0.0	-0.1
11	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
12	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

°F = degrees Fahrenheit; 7DADM = 7-day average daily maximum; UF = unimpaired flow

^a Green cells indicate >5% lower values under the flow scenario relative to baseline; red cells indicate >5% higher values under the flow scenario relative to baseline.

^b Only includes months on which temperature exceeded index value; green cells indicate >0.5 °F lower values under the flow scenario relative to baseline; red cells indicate >0.5 °F higher values under the flow scenario relative to baseline.

Table A6-122. Water Temperature Index Value Analysis Results, Late Fall-Run Chinook Salmon, Adult Immigration, Sacramento River below Keswick, 68 °F 7DADM

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
11	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
3	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

°F = degrees Fahrenheit; 7DADM = 7-day average daily maximum; UF = unimpaired flow

^a Green cells indicate >5% lower values under the flow scenario relative to baseline; red cells indicate >5% higher values under the flow scenario relative to baseline.

^b Only includes months on which temperature exceeded index value; green cells indicate >0.5 °F lower values under the flow scenario relative to baseline; red cells indicate >0.5 °F higher values under the flow scenario relative to baseline.

Table A6-123. Water Temperature Index Value Analysis Results, Late Fall-Run Chinook Salmon, Adult Immigration, Sacramento River near Bend Bridge, 68 °F 7DADM

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
11	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
3	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

°F = degrees Fahrenheit; 7DADM = 7-day average daily maximum; UF = unimpaired flow

^a Green cells indicate >5% lower values under the flow scenario relative to baseline; red cells indicate >5% higher values under the flow scenario relative to baseline.

^b Only includes months on which temperature exceeded index value; green cells indicate >0.5 °F lower values under the flow scenario relative to baseline; red cells indicate >0.5 °F higher values under the flow scenario relative to baseline.

Table A6-124. Water Temperature Index Value Analysis Results, Late Fall-Run Chinook Salmon, Adult Immigration, Sacramento River at Red Bluff Diversion Dam, 68 °F 7DADM

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^a				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
11	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^a				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
3	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

°F = degrees Fahrenheit; 7DADM = 7-day average daily maximum; UF = unimpaired flow

^a Green cells indicate >5% lower values under the flow scenario relative to baseline; red cells indicate >5% higher values under the flow scenario relative to baseline.

^b Only includes months on which temperature exceeded index value; green cells indicate >0.5 °F lower values under the flow scenario relative to baseline; red cells indicate >0.5 °F higher values under the flow scenario relative to baseline.

Central Valley Steelhead

Table A6-125. Water Temperature Index Value Analysis Results, Central Valley Steelhead, Spawning, Egg Incubation, and Alevins, Sacramento River below Keswick, 53 °F

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
11	W	0.8	3.8	9.9	-4.6	-6.8	-0.1	-0.3	-0.2	0.2	0.3
11	AN	3.3	22.2	4.2	14.7	-17.2	-0.2	-0.4	-0.1	0.0	0.6
11	BN	-5.7	-1.4	14.1	8.6	11.4	0.2	-0.1	-0.2	0.0	0.2
11	D	-6.2	-1.9	8.4	-4.8	-30.6	-0.3	-0.2	-0.1	-0.5	0.1
11	C	-4.4	1.6	3.3	-10.7	-24.7	-0.3	-0.6	-1.3	-1.0	-0.4
11	All	-2.5	3.6	8.5	-0.7	-13.1	-0.2	-0.3	-0.4	-0.3	0.1
12	W	1.3	3.1	2.0	-2.6	-6.8	0.0	0.0	0.0	0.0	0.0
12	AN	5.1	5.4	11.8	1.1	-13.7	0.0	0.0	0.1	-0.1	-0.2
12	BN	-2.5	-2.1	1.9	-3.6	-9.9	0.0	0.0	0.0	0.0	0.0
12	D	-3.7	0.5	5.2	-2.5	-12.3	0.0	0.0	0.0	-0.2	-0.3
12	C	3.2	8.8	7.3	-4.1	-17.8	0.1	0.0	0.0	-0.2	0.0
12	All	0.3	2.8	4.8	-2.5	-11.3	0.0	0.0	0.0	-0.1	-0.1
1	W	0.0	0.0	0.1	0.1	0.1	0.0	0.1	0.1	0.2	0.3
1	AN	0.0	0.0	0.0	0.0	-1.3	0.0	0.1	0.1	0.1	-0.2
1	BN	0.0	0.0	0.0	0.2	0.2	0.0	0.1	0.1	0.1	0.1
1	D	0.2	0.2	0.5	-0.5	-1.2	0.0	-0.1	-0.1	-0.1	-0.3
1	C	0.2	0.2	-0.9	-1.1	-0.9	0.0	0.0	0.2	-0.1	0.2
1	All	0.1	0.1	0.0	-0.2	-0.5	0.0	0.0	0.1	0.1	0.1
2	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
3	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	BN	0.0	0.0	-0.4	-0.6	0.2	0.0	-0.4	-0.6	-0.6	-0.1
3	D	1.4	0.3	0.6	-0.3	0.3	0.0	0.0	0.1	0.1	0.1
3	C	1.3	-0.2	-0.2	-1.1	-1.1	0.1	0.1	-0.2	-0.4	-0.4
3	All	0.5	0.0	0.0	-0.3	-0.1	0.0	-0.1	-0.1	-0.1	0.0
4	W	0.6	2.0	2.3	1.8	3.1	0.0	-0.1	-0.1	-0.2	-0.2
4	AN	0.6	0.8	-3.3	-5.0	-3.9	0.1	0.1	0.0	0.1	0.1
4	BN	2.0	1.2	1.8	2.0	-6.3	0.0	0.0	0.0	0.2	0.0
4	D	-0.8	-2.7	-9.4	-29.4	-21.6	0.0	0.1	0.1	0.1	0.0
4	C	-1.1	-14.7	-22.0	-20.0	-18.4	-0.1	-0.2	0.0	-0.5	-0.6
4	All	0.3	-2.0	-5.1	-9.6	-8.6	0.0	0.0	0.0	-0.1	-0.1

°F = degrees Fahrenheit

UF = unimpaired flow

^a Green cells indicate >5% lower values under the flow scenario relative to baseline; red cells indicate >5% higher values under the flow scenario relative to baseline.

^b Only includes months on which temperature exceeded index value; green cells indicate >0.5 °F lower values under the flow scenario relative to baseline; red cells indicate >0.5 °F higher values under the flow scenario relative to baseline.

Table A6-126. Water Temperature Index Value Analysis Results, Central Valley Steelhead, Spawning, Egg Incubation, and Alevins, Sacramento River below Keswick, 56°F

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
11	W	-0.2	-0.2	-0.2	-0.2	-0.1	0.0	0.1	0.1	0.1	0.3
11	AN	1.7	2.2	-5.8	1.7	-4.2	-1.0	-0.6	-1.1	-0.8	0.4
11	BN	0.0	-0.2	0.0	-0.2	7.5	-1.4	-1.7	-1.5	-0.1	-1.8
11	D	-2.7	-1.3	4.1	-4.6	-4.8	0.5	0.3	-0.1	0.2	0.0
11	C	-5.3	-4.4	-14.0	-8.9	-14.9	-0.4	-0.7	-1.3	-0.8	-0.1
11	All	-1.3	-0.8	-2.2	-2.4	-2.7	-0.3	-0.4	-0.7	-0.4	-0.1
12	W	0.0	0.3	0.3	0.1	-0.1	0.0	-0.1	0.0	0.0	0.0
12	AN	0.0	0.0	0.5	-1.1	-3.8	-0.1	0.1	0.2	-0.2	-0.6
12	BN	0.2	0.0	0.4	-0.4	-0.8	0.0	0.0	0.0	-0.1	-0.2
12	D	-0.8	-0.5	-0.3	-2.0	-3.7	0.0	-0.2	-0.2	-0.2	0.0
12	C	0.0	0.0	-0.4	-2.6	-1.1	0.1	0.1	-0.1	-0.3	0.5
12	All	-0.1	0.0	0.1	-1.0	-1.7	0.0	0.0	0.0	-0.1	0.1
1	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
3	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	W	0.0	-0.1	-0.5	-0.5	-0.6	0.0	0.1	0.2	0.2	-0.3
4	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	BN	0.0	0.0	-1.0	0.2	-0.2	0.0	0.0	-0.2	0.1	-0.2
4	D	-1.0	2.1	0.2	-2.9	-2.9	0.0	-0.1	0.0	-0.2	-0.2
4	C	-0.7	-2.2	-2.9	-2.7	-3.1	0.0	-0.4	-0.4	-0.4	-0.4
4	All	-0.3	0.1	-0.8	-1.2	-1.4	0.0	0.0	0.1	-0.1	-0.2

°F = degrees Fahrenheit

UF = unimpaired flow

^a Green cells indicate >5% lower values under the flow scenario relative to baseline; red cells indicate >5% higher values under the flow scenario relative to baseline.

^b Only includes months on which temperature exceeded index value; green cells indicate >0.5 °F lower values under the flow scenario relative to baseline; red cells indicate >0.5 °F higher values under the flow scenario relative to baseline.

Table A6-127. Water Temperature Index Value Analysis Results, Central Valley Steelhead, Spawning, Egg Incubation, and Alevins, Sacramento River at Clear Creek, 53 °F

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
11	W	1.9	-1.0	11.1	-2.9	-6.0	-0.1	-0.1	-0.2	0.2	0.3
11	AN	1.9	16.4	3.9	13.3	-16.9	-0.1	-0.2	-0.1	0.0	0.5
11	BN	-2.7	2.4	16.7	6.9	11.4	0.0	-0.3	-0.4	0.0	0.1
11	D	-6.8	-1.9	8.6	-4.4	-31.0	-0.2	-0.1	-0.1	-0.5	0.2
11	C	-3.3	1.8	1.8	-12.2	-24.9	-0.3	-0.6	-1.1	-0.8	-0.3
11	All	-1.8	2.1	9.1	-0.9	-12.9	-0.2	-0.3	-0.4	-0.3	0.1
12	W	1.5	3.0	1.8	-2.8	-6.1	0.0	0.0	0.0	0.0	0.1
12	AN	5.4	4.8	12.6	-0.5	-13.2	0.0	0.1	0.0	-0.1	-0.1
12	BN	-4.9	-2.3	2.5	-4.7	-10.6	0.1	0.0	0.0	0.0	0.1
12	D	-4.6	0.5	3.5	-4.8	-13.5	0.0	0.0	-0.1	-0.2	-0.3
12	C	6.9	8.2	4.5	-6.5	-15.7	0.0	0.0	0.0	-0.2	0.0
12	All	0.3	2.5	4.2	-3.9	-11.1	0.0	0.0	0.0	-0.1	0.0
1	W	0.0	0.0	0.0	0.1	0.2	0.1	0.1	0.2	0.2	0.2
1	AN	0.3	0.3	0.3	0.3	-1.3	-0.1	-0.1	-0.1	-0.1	-0.2
1	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.1	0.1
1	D	-0.2	-0.2	-0.3	-0.5	-1.1	0.0	-0.1	0.1	-0.1	-0.2
1	C	0.0	0.2	-0.2	-0.2	-0.2	0.0	0.0	0.0	0.0	0.0
1	All	0.0	0.0	-0.1	-0.1	-0.4	0.0	0.0	0.1	0.1	0.1
2	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	W	0.0	0.0	0.1	0.0	0.0	0.0	0.0	-0.3	-0.3	-0.3
3	AN	0.0	0.0	0.0	-0.5	-0.5	0.0	0.0	0.0	-0.5	-0.5

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
3	BN	0.4	-0.8	-0.8	-2.8	-1.7	0.0	-0.1	-0.2	-0.2	0.2
3	D	0.6	0.6	-1.7	-4.5	-3.7	0.1	0.0	0.0	0.0	0.0
3	C	3.7	-0.6	-1.1	-1.1	-0.6	0.0	0.1	0.1	0.0	-0.2
3	All	0.8	-0.1	-0.7	-1.8	-1.3	0.0	0.0	0.0	-0.1	0.0
4	W	1.2	0.0	0.1	-1.5	-2.5	0.0	0.0	-0.2	-0.4	-0.3
4	AN	1.1	1.1	-1.1	-7.2	-12.2	0.1	0.1	-0.2	-0.3	-0.2
4	BN	1.0	-1.2	-0.8	-4.9	-15.1	0.0	0.0	-0.1	-0.1	-0.3
4	D	-1.1	-4.8	-18.6	-41.9	-29.0	0.1	0.0	0.0	-0.1	-0.3
4	C	1.1	-10.9	-16.4	-22.2	-29.3	0.0	-0.4	-0.6	-0.7	-0.6
4	All	0.6	-2.9	-7.1	-15.3	-16.4	0.0	-0.1	-0.2	-0.3	-0.3

°F = degrees Fahrenheit

UF = unimpaired flow

^a Green cells indicate >5% lower values under the flow scenario relative to baseline; red cells indicate >5% higher values under the flow scenario relative to baseline.

^b Only includes months on which temperature exceeded index value; green cells indicate >0.5 °F lower values under the flow scenario relative to baseline; red cells indicate >0.5 °F higher values under the flow scenario relative to baseline.

Table A6-128. Water Temperature Index Value Analysis Results, Central Valley Steelhead, Spawning, Egg Incubation, and Alevins, Sacramento River at Clear Creek, 56 °F

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
11	W	0.1	0.1	0.2	0.1	1.0	0.0	0.0	0.0	0.0	0.2
11	AN	-1.4	1.4	-6.1	0.6	-4.7	-0.5	-0.4	-1.0	-0.7	0.7
11	BN	-0.4	-0.6	-0.4	-0.2	7.3	-1.2	-1.5	-1.3	0.1	-1.8
11	D	-2.5	-2.4	3.3	-5.2	-5.7	0.5	0.5	0.1	0.4	0.2
11	C	-5.8	-5.8	-14.7	-10.4	-14.4	-0.3	-0.6	-1.1	-0.6	-0.1
11	All	-1.7	-1.4	-2.4	-2.8	-2.6	-0.2	-0.3	-0.6	-0.3	-0.1
12	W	0.0	0.0	0.0	-0.3	-0.3	0.0	0.1	0.1	0.1	0.2
12	AN	0.0	0.5	1.1	-2.2	-2.4	0.0	0.0	0.2	-0.4	-0.4
12	BN	0.0	0.0	0.2	-0.9	-1.1	0.0	0.0	0.1	-0.1	-0.1
12	D	-0.5	-1.5	-1.5	-2.0	-2.6	-0.1	-0.1	0.0	-0.1	0.2
12	C	0.6	0.4	0.9	-1.1	0.0	0.0	0.0	-0.2	-0.4	0.3
12	All	0.0	-0.2	0.0	-1.2	-1.2	0.0	0.0	0.1	0.0	0.2
1	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
3	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	W	0.1	0.1	-0.8	-1.8	-1.8	0.0	0.0	-0.1	-0.3	-0.5
4	AN	0.6	0.8	-2.2	-4.2	-3.6	0.0	0.0	-0.3	-0.4	0.1
4	BN	-1.0	-1.4	-0.6	-2.2	-4.7	0.0	-0.2	-0.2	-0.2	-0.2
4	D	1.7	-1.7	-6.3	-13.0	-12.1	-0.1	-0.1	-0.1	-0.2	-0.3
4	C	0.4	-7.1	-7.8	-9.3	-10.7	0.0	0.1	0.1	0.1	-0.3
4	All	0.4	-1.6	-3.3	-5.9	-6.3	0.0	0.0	-0.1	-0.2	-0.2

°F = degrees Fahrenheit

UF = unimpaired flow

^a Green cells indicate >5% lower values under the flow scenario relative to baseline; red cells indicate >5% higher values under the flow scenario relative to baseline.

^b Only includes months on which temperature exceeded index value; green cells indicate >0.5 °F lower values under the flow scenario relative to baseline; red cells indicate >0.5 °F higher values under the flow scenario relative to baseline.

Table A6-129. Water Temperature Index Value Analysis Results, Central Valley Steelhead, Spawning, Egg Incubation, and Alevins, Sacramento River below Balls Ferry, 53 °F

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
11	W	0.0	-1.0	7.0	2.3	-0.7	0.0	0.0	-0.3	-0.2	0.0
11	AN	3.1	3.6	2.2	7.5	-13.9	-0.3	0.1	-0.3	-0.2	0.6
11	BN	-0.6	0.4	12.0	7.6	8.6	-0.2	-0.2	-0.5	-0.1	0.3
11	D	-7.0	-0.5	7.1	-6.8	-20.6	0.0	0.0	-0.1	-0.3	0.0
11	C	-3.6	-0.2	-5.6	-15.6	-22.2	-0.1	-0.3	-0.8	-0.5	-0.2
11	All	-1.9	0.1	5.3	-1.0	-8.7	-0.1	-0.1	-0.5	-0.3	0.0
12	W	-0.2	-0.3	-0.7	-1.3	-1.3	0.0	0.0	0.0	0.0	0.0
12	AN	-0.3	1.1	1.6	-5.1	-5.6	0.0	0.1	0.4	-0.6	-0.7
12	BN	0.6	0.2	0.8	-0.4	-1.1	0.0	0.0	0.2	-0.5	-0.4
12	D	-2.5	-2.8	-2.5	-8.8	-10.0	0.1	-0.3	-0.3	-0.8	-0.7
12	C	4.3	0.6	-4.3	-7.3	-7.1	0.0	0.1	-0.3	-0.6	-0.5
12	All	0.1	-0.5	-1.1	-4.3	-4.7	0.0	0.0	0.0	-0.4	-0.4
1	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	W	0.0	0.0	0.1	0.0	-0.1	0.0	0.0	-0.1	-0.2	-0.2
3	AN	0.0	0.0	0.0	-0.3	-0.3	0.0	0.0	-0.5	-1.0	-1.0

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
3	BN	0.0	-1.3	-2.5	-4.2	-3.2	-0.1	-0.2	-0.2	-0.5	0.1
3	D	0.0	-0.8	-3.2	-6.9	-5.7	0.0	0.0	-0.1	-0.1	-0.1
3	C	0.9	-0.6	-1.5	-3.7	-3.2	0.3	0.0	0.0	0.1	0.1
3	All	0.1	-0.5	-1.4	-2.9	-2.5	0.1	0.0	-0.1	-0.1	0.0
4	W	-0.6	-1.3	-3.5	-8.7	-10.5	0.0	-0.1	-0.2	-0.3	-0.3
4	AN	0.0	-0.8	-3.1	-5.6	-11.4	0.0	-0.1	-0.3	-0.6	-0.7
4	BN	-2.4	-3.7	-8.6	-13.1	-24.9	0.0	-0.1	-0.2	-0.3	-0.5
4	D	-0.6	-1.9	-15.4	-35.9	-27.3	0.1	-0.2	-0.4	-0.6	-0.6
4	C	3.3	-6.9	-9.8	-22.7	-24.2	0.0	-0.4	-0.6	-0.7	-1.0
4	All	-0.2	-2.7	-8.1	-17.5	-19.2	0.0	-0.2	-0.3	-0.5	-0.6

°F = degrees Fahrenheit

UF = unimpaired flow

^a Green cells indicate >5% lower values under the flow scenario relative to baseline; red cells indicate >5% higher values under the flow scenario relative to baseline.

^b Only includes months on which temperature exceeded index value; green cells indicate >0.5 °F lower values under the flow scenario relative to baseline; red cells indicate >0.5 °F higher values under the flow scenario relative to baseline.

Table A6-130. Water Temperature Index Value Analysis Results, Central Valley Steelhead, Spawning, Egg Incubation, and Alevins, Sacramento River below Balls Ferry, 56 °F

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
11	W	-0.1	-0.1	-0.2	-0.4	-0.5	0.0	0.0	0.0	0.0	0.2
11	AN	-1.4	1.9	-5.3	0.0	-1.9	-0.7	-0.8	-1.0	-0.9	0.5
11	BN	-1.0	-1.0	-0.8	0.0	3.5	-0.9	-1.1	-0.7	0.4	-0.6
11	D	1.4	1.1	3.7	-0.8	-1.6	0.1	0.1	-0.2	0.0	-0.1
11	C	-1.3	-2.9	-11.6	-9.1	-9.6	-0.4	-0.6	-1.0	-0.4	-0.2
11	All	-0.3	-0.2	-1.9	-1.8	-1.6	-0.3	-0.5	-0.7	-0.3	-0.2
12	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	BN	0.0	0.0	0.4	-0.9	-0.9	0.0	0.0	0.2	-0.2	-0.2
12	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	All	0.0	0.0	0.1	-0.2	-0.2	0.0	0.0	0.2	-0.2	-0.2
1	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
3	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	W	-0.4	-1.3	-1.9	-4.3	-4.4	0.0	0.0	-0.2	-0.2	-0.4
4	AN	0.6	-0.6	-3.6	-8.3	-10.0	-0.1	-0.1	-0.4	-0.7	-0.7
4	BN	0.8	-2.0	-4.9	-8.6	-15.5	-0.1	-0.2	-0.2	-0.3	-0.2
4	D	1.0	-3.5	-12.1	-20.0	-17.3	0.0	-0.1	-0.2	-0.3	-0.4
4	C	0.0	-11.3	-15.6	-20.9	-22.4	0.1	0.0	0.0	0.0	-0.2
4	All	0.3	-3.4	-7.2	-11.8	-13.0	0.0	-0.1	-0.2	-0.3	-0.3

°F = degrees Fahrenheit

UF = unimpaired flow

^a Green cells indicate >5% lower values under the flow scenario relative to baseline; red cells indicate >5% higher values under the flow scenario relative to baseline.

^b Only includes months on which temperature exceeded index value; green cells indicate >0.5 °F lower values under the flow scenario relative to baseline; red cells indicate >0.5 °F higher values under the flow scenario relative to baseline.

Table A6-131. Water Temperature Index Value Analysis Results, Central Valley Steelhead, Spawning, Egg Incubation, and Alevins, Sacramento River near Bend Bridge, 53 °F

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
11	W	0.2	-1.0	3.9	1.1	-1.2	0.0	0.1	-0.1	-0.1	0.1
11	AN	0.8	2.2	-0.6	5.0	-10.3	-0.2	0.1	-0.3	-0.2	0.3
11	BN	0.2	0.4	5.5	6.3	7.5	-0.2	-0.3	-0.3	-0.2	0.2
11	D	-4.8	-0.2	2.2	-5.6	-15.1	0.0	-0.1	0.0	-0.3	-0.1
11	C	-1.3	0.4	-6.9	-13.1	-15.6	-0.1	-0.3	-0.7	-0.4	-0.4
11	All	-1.1	0.1	1.5	-1.3	-6.2	-0.1	-0.1	-0.3	-0.3	-0.1
12	W	0.0	0.0	-0.1	-0.3	-0.2	-0.1	-0.1	-0.1	0.0	-0.2
12	AN	0.0	1.1	2.7	-4.8	-4.6	0.0	0.1	0.3	-0.4	-0.4
12	BN	0.2	0.0	1.5	-1.7	-1.9	0.0	0.1	0.2	-0.3	-0.3
12	D	-0.9	-3.7	-3.5	-6.8	-6.6	-0.2	-0.3	-0.3	-0.8	-0.8
12	C	2.2	1.9	-3.0	-6.7	-5.4	0.1	0.1	-0.3	-0.6	-0.2
12	All	0.2	-0.4	-0.7	-3.6	-3.4	0.0	0.0	0.0	-0.1	-0.3
1	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	W	-0.2	-0.3	-0.7	-0.8	-1.3	0.1	0.1	0.2	0.0	-0.1
3	AN	0.0	-0.3	-0.8	-1.9	-1.9	0.0	0.1	0.1	0.2	-0.3

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
3	BN	-0.2	-1.5	-4.0	-5.7	-4.4	0.0	-0.2	-0.1	-0.4	-0.1
3	D	1.2	-0.3	-6.6	-9.8	-9.4	0.0	-0.1	-0.1	-0.3	-0.2
3	C	0.0	-4.7	-5.8	-8.6	-8.4	0.1	0.1	0.1	0.0	-0.1
3	All	0.2	-1.2	-3.5	-5.1	-4.9	0.0	0.0	0.0	-0.2	-0.1
4	W	-0.4	-0.8	-2.0	-5.6	-9.3	0.0	-0.1	-0.2	-0.4	-0.5
4	AN	0.3	0.0	-3.1	-8.1	-11.7	0.0	-0.1	-0.2	-0.5	-0.7
4	BN	-1.2	-2.2	-5.1	-10.8	-21.6	0.0	-0.2	-0.4	-0.5	-0.9
4	D	-0.2	-1.9	-8.4	-23.7	-20.8	0.1	-0.2	-0.7	-1.0	-0.9
4	C	2.0	-4.0	-6.4	-15.3	-15.6	0.2	-0.3	-0.5	-0.8	-1.1
4	All	0.0	-1.7	-4.9	-12.5	-15.4	0.0	-0.2	-0.4	-0.7	-0.8

°F = degrees Fahrenheit

UF = unimpaired flow

^a Green cells indicate >5% lower values under the flow scenario relative to baseline; red cells indicate >5% higher values under the flow scenario relative to baseline.

^b Only includes months on which temperature exceeded index value; green cells indicate >0.5 °F lower values under the flow scenario relative to baseline; red cells indicate >0.5 °F higher values under the flow scenario relative to baseline.

Table A6-132. Water Temperature Index Value Analysis Results, Central Valley Steelhead, Spawning, Egg Incubation, and Alevins, Sacramento River near Bend Bridge, 56°F

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
11	W	0.0	-0.1	-0.1	-0.2	-0.5	0.0	0.0	0.0	0.0	0.0
11	AN	-2.5	-0.3	-4.4	-0.6	-0.8	-0.1	-0.4	-0.8	-0.6	0.2
11	BN	-1.6	-1.6	-1.4	0.6	0.8	-0.5	-0.5	-0.4	0.3	0.1
11	D	0.8	0.8	1.7	-1.3	-1.7	0.1	0.0	-0.2	0.1	0.0
11	C	-0.4	-2.4	-8.4	-5.1	-6.7	-0.6	-0.7	-1.2	-0.6	-0.3
11	All	-0.5	-0.6	-1.8	-1.1	-1.6	-0.3	-0.4	-0.7	-0.4	-0.2
12	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	W	0.0	0.0	-0.1	-0.1	-0.1	0.0	0.0	0.0	0.0	0.0
3	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
3	BN	0.0	-0.8	-0.8	-0.8	-0.4	0.0	-0.3	-0.3	-0.3	-0.3
3	D	0.0	-0.3	-0.8	-0.8	-0.8	0.0	-0.2	-0.2	-0.2	-0.2
3	C	0.0	0.2	0.2	-0.2	0.0	0.0	0.0	0.0	0.0	0.0
3	All	0.0	-0.2	-0.3	-0.4	-0.3	0.0	-0.2	-0.2	-0.2	-0.2
4	W	-0.7	-1.2	-4.3	-8.3	-9.2	0.0	0.0	-0.1	-0.2	-0.3
4	AN	0.0	-1.4	-4.7	-11.4	-15.0	0.0	0.0	-0.2	-0.5	-0.5
4	BN	-0.2	-4.7	-10.0	-15.3	-23.7	0.0	-0.1	-0.2	-0.3	-0.5
4	D	1.9	-5.7	-17.8	-28.1	-25.7	0.0	-0.1	-0.3	-0.4	-0.4
4	C	4.2	-7.6	-13.3	-22.2	-29.1	0.1	-0.2	-0.3	-0.4	-0.7
4	All	0.9	-3.9	-9.9	-16.7	-19.5	0.0	-0.1	-0.2	-0.4	-0.5

°F = degrees Fahrenheit

UF = unimpaired flow

^a Green cells indicate >5% lower values under the flow scenario relative to baseline.

^b Only includes months on which temperature exceeded index value; green cells indicate >0.5 °F lower values under the flow scenario relative to baseline.

Table A6-133. Water Temperature Index Value Analysis Results, Central Valley Steelhead, Spawning, Egg Incubation, and Alevins, Sacramento River at Red Bluff Diversion Dam, 53 °F

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
11	W	0.1	-1.4	3.1	0.7	-1.3	0.0	0.1	-0.1	-0.1	0.1
11	AN	0.8	3.6	-3.3	5.0	-9.7	-0.2	0.1	-0.1	-0.2	0.2
11	BN	0.2	0.6	3.9	4.1	6.3	-0.2	-0.3	-0.3	-0.1	0.1
11	D	-4.8	-0.2	1.0	-4.9	-13.8	0.0	-0.1	0.0	-0.3	-0.1
11	C	-1.3	-0.9	-9.1	-12.7	-14.2	-0.1	-0.2	-0.5	-0.4	-0.4
11	All	-1.1	0.0	0.0	-1.5	-5.9	-0.1	-0.1	-0.2	-0.3	-0.1
12	W	0.0	0.0	-0.1	-0.1	-0.1	0.0	0.0	0.0	0.0	-0.1
12	AN	0.0	1.6	3.2	-2.2	-2.2	-0.1	0.0	0.4	-0.3	-0.3
12	BN	0.0	0.0	0.9	-1.3	-1.3	0.1	0.1	0.2	-0.3	-0.3
12	D	-2.0	-3.1	-3.4	-4.6	-4.6	-0.1	-0.3	-0.2	-0.6	-0.6
12	C	3.4	2.4	-3.2	-3.7	-3.9	0.0	0.0	-0.4	-0.4	-0.4
12	All	0.1	-0.1	-0.7	-2.2	-2.2	-0.1	-0.1	0.1	-0.1	-0.1
1	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	W	0.0	-0.1	-1.4	-2.0	-2.4	0.0	0.0	0.2	0.2	0.0
3	AN	0.0	0.3	-0.3	-2.2	-3.8	0.0	0.0	-0.1	-0.3	-0.1

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
3	BN	0.2	-0.9	-2.7	-8.2	-6.6	0.0	-0.2	-0.4	-0.3	-0.1
3	D	0.9	-1.5	-8.9	-12.4	-12.3	0.0	0.0	-0.1	-0.3	-0.3
3	C	1.5	-0.4	-3.2	-8.2	-8.2	0.0	-0.2	-0.2	-0.2	-0.2
3	All	0.5	-0.6	-3.5	-6.5	-6.5	0.0	-0.1	-0.2	-0.2	-0.2
4	W	-0.2	-0.2	-1.9	-5.6	-8.9	0.0	-0.1	-0.2	-0.4	-0.5
4	AN	-0.3	-0.3	-2.8	-6.7	-8.6	0.0	0.0	-0.2	-0.5	-0.8
4	BN	-1.2	-2.9	-5.5	-10.2	-20.2	0.0	-0.1	-0.4	-0.6	-1.0
4	D	0.0	-2.1	-6.7	-16.5	-14.3	0.1	-0.2	-0.7	-1.2	-1.2
4	C	3.1	-2.7	-0.7	-10.0	-7.8	0.1	-0.3	-0.6	-0.9	-1.4
4	All	0.2	-1.5	-3.5	-9.7	-12.0	0.0	-0.2	-0.5	-0.8	-1.0

°F = degrees Fahrenheit

UF = unimpaired flow

^a Green cells indicate >5% lower values under the flow scenario relative to baseline; red cells indicate >5% higher values under the flow scenario relative to baseline.

^b Only includes months on which temperature exceeded index value; green cells indicate >0.5 °F lower values under the flow scenario relative to baseline; red cells indicate >0.5 °F higher values under the flow scenario relative to baseline.

Table A6-134. Water Temperature Index Value Analysis Results, Central Valley Steelhead, Spawning, Egg Incubation, and Alevins, Sacramento River at Red Bluff Diversion Dam, 56 °F

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
11	W	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	-0.1	-0.2
11	AN	-1.7	0.3	-3.3	-0.8	-0.8	-0.2	-0.5	-1.0	-0.6	0.1
11	BN	-1.0	-1.0	-1.0	0.8	0.4	-0.8	-0.8	-0.6	0.1	0.0
11	D	0.5	-0.2	0.8	-1.3	-1.9	0.1	0.2	-0.1	0.0	0.0
11	C	-2.9	-4.2	-8.0	-5.6	-7.8	-0.3	-0.5	-1.2	-0.5	-0.1
11	All	-0.8	-0.9	-1.7	-1.1	-1.6	-0.2	-0.3	-0.7	-0.3	-0.2
12	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	W	0.0	0.0	0.0	-0.3	-0.5	0.0	0.0	0.0	-0.5	-0.5
3	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
3	BN	0.0	-0.6	-1.3	-1.3	-0.4	0.0	-0.3	-0.6	-0.6	0.0
3	D	0.2	-0.3	-1.5	-1.5	-1.7	0.0	0.0	-0.1	-0.5	-0.5
3	C	1.1	0.0	0.0	-0.2	0.0	-0.2	0.0	0.0	-0.3	0.0
3	All	0.2	-0.2	-0.6	-0.7	-0.6	-0.1	-0.1	0.0	-0.3	0.0
4	W	-0.2	-1.7	-3.8	-8.6	-10.7	0.0	0.0	-0.1	-0.3	-0.4
4	AN	0.3	-0.3	-6.7	-15.8	-21.7	0.0	-0.1	-0.2	-0.4	-0.4
4	BN	-0.8	-3.1	-7.5	-14.1	-24.3	0.0	-0.2	-0.3	-0.5	-0.7
4	D	1.7	-4.3	-16.8	-29.5	-29.4	0.1	-0.2	-0.4	-0.6	-0.4
4	C	5.3	-6.4	-11.1	-21.1	-27.3	0.1	-0.2	-0.3	-0.5	-0.8
4	All	1.1	-3.1	-9.0	-17.3	-21.5	0.0	-0.1	-0.3	-0.5	-0.6

°F = degrees Fahrenheit

UF = unimpaired flow

^a Green cells indicate >5% lower values under the flow scenario relative to baseline; red cells indicate >5% higher values under the flow scenario relative to baseline.

^b Only includes months on which temperature exceeded index value; green cells indicate >0.5 °F lower values under the flow scenario relative to baseline; red cells indicate >0.5 °F higher values under the flow scenario relative to baseline.

Table A6-135. Water Temperature Index Value Analysis Results, Central Valley Steelhead, Kelt Emigration, Sacramento River below Keswick, 68 °F 7DADM

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
2	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

[°]F = degrees Fahrenheit; 7DADM = 7-day average daily maximum; UF = unimpaired flow

^a Green cells indicate >5% lower values under the flow scenario relative to baseline; red cells indicate >5% higher values under the flow scenario relative to baseline.

^b Only includes months on which temperature exceeded index value; green cells indicate >0.5 °F lower values under the flow scenario relative to baseline; red cells indicate >0.5 °F higher values under the flow scenario relative to baseline.

Table A6-136. Water Temperature Index Value Analysis Results, Central Valley Steelhead, Kelt Emigration, Sacramento River below Keswick, 70 °F

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
2	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

^aF = degrees Fahrenheit

UF = unimpaired flow

^a Green cells indicate >5% lower values under the flow scenario relative to baseline; red cells indicate >5% higher values under the flow scenario relative to baseline.

^b Only includes months on which temperature exceeded index value; green cells indicate >0.5 °F lower values under the flow scenario relative to baseline; red cells indicate >0.5 °F higher values under the flow scenario relative to baseline.

Table A6-137. Water Temperature Index Value Analysis Results, Central Valley Steelhead, Kelt Emigration, Sacramento River near Bend Bridge, 68 °F 7DADM

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
2	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

°F = degrees Fahrenheit; 7DADM = 7-day average daily maximum; UF = unimpaired flow

^a Green cells indicate >5% lower values under the flow scenario relative to baseline; red cells indicate >5% higher values under the flow scenario relative to baseline.

^b Only includes months on which temperature exceeded index value; green cells indicate >0.5 °F lower values under the flow scenario relative to baseline; red cells indicate >0.5 °F higher values under the flow scenario relative to baseline.

Table A6-138. Water Temperature Index Value Analysis Results, Central Valley Steelhead, Kelt Emigration, Sacramento River near Bend Bridge, 70 °F

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
2	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

^aF = degrees Fahrenheit

UF = unimpaired flow

^a Green cells indicate >5% lower values under the flow scenario relative to baseline; red cells indicate >5% higher values under the flow scenario relative to baseline.

^b Only includes months on which temperature exceeded index value; green cells indicate >0.5 °F lower values under the flow scenario relative to baseline; red cells indicate >0.5 °F higher values under the flow scenario relative to baseline.

Table A6-139. Water Temperature Index Value Analysis Results, Central Valley Steelhead, Kelt Emigration, Sacramento River at Red Bluff Diversion Dam, 68°F 7DADM

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
2	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

^aF = degrees Fahrenheit; 7DADM = 7-day average daily maximum; UF = unimpaired flow

^a Green cells indicate >5% lower values under the flow scenario relative to baseline; red cells indicate >5% higher values under the flow scenario relative to baseline.

^b Only includes months on which temperature exceeded index value; green cells indicate >0.5 °F lower values under the flow scenario relative to baseline; red cells indicate >0.5 °F higher values under the flow scenario relative to baseline.

Table A6-140. Water Temperature Index Value Analysis Results, Central Valley Steelhead, Kelt Emigration, Sacramento River at Red Bluff Diversion Dam, 70 °F

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
2	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

[°]F = degrees Fahrenheit

UF = unimpaired flow

^a Green cells indicate >5% lower values under the flow scenario relative to baseline; red cells indicate >5% higher values under the flow scenario relative to baseline.

^b Only includes months on which temperature exceeded index value; green cells indicate >0.5 °F lower values under the flow scenario relative to baseline; red cells indicate >0.5 °F higher values under the flow scenario relative to baseline.

Table A6-141. Water Temperature Index Value Analysis Results, Central Valley Steelhead, Juvenile Rearing, Sacramento River below Keswick, 63 °F

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
1	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
5	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	C	-3.9	-3.9	-3.9	-3.9	3.7	-2.5	-2.5	-2.5	-2.5	-1.1
8	All	-0.6	-0.6	-0.6	-0.6	0.6	-2.5	-2.5	-2.5	-2.5	-1.1
9	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
9	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
9	BN	0.0	0.0	0.0	0.0	3.1	0.0	0.0	0.0	0.0	1.1
9	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
9	C	-14.4	-14.7	-16.9	-11.6	-2.7	-0.4	-0.4	-1.5	-0.8	0.3
9	All	-2.3	-2.4	-2.7	-1.9	0.1	-0.4	-0.4	-1.5	-0.8	0.2

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
10	W	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.0
10	AN	0.8	0.8	-4.3	-4.3	0.8	-0.6	-0.6	-1.3	-1.3	-0.6
10	BN	-3.2	-3.2	-3.2	-0.2	2.8	-1.4	-1.4	-1.4	-0.3	-0.3
10	D	-2.0	-2.0	-2.0	-2.0	-2.0	-0.9	-0.9	-0.9	-0.9	-0.9
10	C	-4.7	-4.7	-4.7	0.0	-0.2	-1.0	-1.0	-1.0	0.2	0.3
10	All	-1.7	-1.7	-2.4	-1.0	0.2	-0.4	-0.4	-1.1	0.0	-0.1
11	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

^aF = degrees Fahrenheit

UF = unimpaired flow

^a Green cells indicate >5% lower values under the flow scenario relative to baseline; red cells indicate >5% higher values under the flow scenario relative to baseline.

^b Only includes months on which temperature exceeded index value; green cells indicate >0.5 °F lower values under the flow scenario relative to baseline; red cells indicate >0.5 °F higher values under the flow scenario relative to baseline.

Table A6-142. Water Temperature Index Value Analysis Results, Central Valley Steelhead, Juvenile Rearing, Sacramento River below Keswick, 69 °F 7DADM

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
1	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
5	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
9	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
9	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
9	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
9	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
9	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
9	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
10	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

^aF = degrees Fahrenheit; 7DADM = 7-day average daily maximum; UF = unimpaired flow

^a Green cells indicate >5% lower values under the flow scenario relative to baseline; red cells indicate >5% higher values under the flow scenario relative to baseline.

^b Only includes months on which temperature exceeded index value; green cells indicate >0.5 °F lower values under the flow scenario relative to baseline; red cells indicate >0.5 °F higher values under the flow scenario relative to baseline.

Table A6-143. Water Temperature Index Value Analysis Results, Central Valley Steelhead, Juvenile Rearing, Sacramento River at Clear Creek, 63 °F

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
1	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
5	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	C	-4.5	-4.5	-4.5	-3.9	5.8	-2.6	-2.6	-2.6	-2.3	-0.7
8	All	-0.7	-0.7	-0.7	-0.6	0.9	-2.6	-2.6	-2.6	-2.3	-0.7
9	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
9	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
9	BN	0.0	0.0	0.0	0.0	3.5	0.0	0.0	0.0	0.0	1.2
9	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
9	C	-16.2	-16.4	-18.9	-12.2	-4.4	-0.5	-0.5	-1.7	-0.8	0.5
9	All	-2.6	-2.7	-3.0	-2.0	-0.1	-0.5	-0.5	-1.7	-0.8	0.3

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
10	W	0.0	0.0	0.0	0.0	0.5	0.0	0.0	0.0	0.0	0.3
10	AN	0.3	0.3	-4.8	-4.8	0.5	-0.4	-0.5	-1.3	-1.3	-0.5
10	BN	-3.0	-3.0	-3.0	-0.4	2.5	-1.3	-1.3	-1.3	-0.2	-0.2
10	D	-2.0	-2.0	-2.0	-2.0	-2.0	-0.8	-0.8	-0.8	-0.8	-0.8
10	C	-4.7	-4.7	-4.7	0.0	-0.2	-1.1	-1.1	-1.1	0.2	0.4
10	All	-1.7	-1.7	-2.4	-1.1	0.2	-0.3	-0.3	-1.1	0.1	-0.1
11	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

^aF = degrees Fahrenheit

UF = unimpaired flow

^a Green cells indicate >5% lower values under the flow scenario relative to baseline; red cells indicate >5% higher values under the flow scenario relative to baseline.

^b Only includes months on which temperature exceeded index value; green cells indicate >0.5 °F lower values under the flow scenario relative to baseline; red cells indicate >0.5 °F higher values under the flow scenario relative to baseline.

Table A6-144. Water Temperature Index Value Analysis Results, Central Valley Steelhead, Juvenile Rearing, Sacramento River at Clear Creek, 69 °F 7DADM

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
1	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
5	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	C	-0.9	-0.9	-0.9	-0.9	-0.9	-0.5	-0.5	-0.5	-0.5	-0.5
8	All	-0.1	-0.1	-0.1	-0.1	-0.1	-0.5	-0.5	-0.5	-0.5	-0.5
9	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
9	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
9	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
9	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
9	C	-0.2	-0.2	-0.2	-0.2	-0.2	0.0	0.0	0.0	0.0	0.0
9	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
10	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

^aF = degrees Fahrenheit; 7DADM = 7-day average daily maximum; UF = unimpaired flow

^a Green cells indicate >5% lower values under the flow scenario relative to baseline; red cells indicate >5% higher values under the flow scenario relative to baseline.

^b Only includes months on which temperature exceeded index value; green cells indicate >0.5 °F lower values under the flow scenario relative to baseline; red cells indicate >0.5 °F higher values under the flow scenario relative to baseline.

Table A6-145. Water Temperature Index Value Analysis Results, Central Valley Steelhead, Juvenile Rearing, Sacramento River at Balls Ferry, 63 °F

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
1	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
5	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	C	-4.9	-4.9	-4.9	-4.1	6.2	-2.7	-2.7	-2.7	-1.9	-0.2
8	All	-0.8	-0.8	-0.8	-0.7	1.0	-2.7	-2.7	-2.7	-1.9	-0.2
9	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
9	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
9	BN	0.0	0.0	0.0	0.0	3.9	0.0	0.0	0.0	0.0	1.0
9	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
9	C	-15.8	-16.0	-19.3	-10.7	-4.4	-0.6	-0.7	-1.7	-1.0	0.6
9	All	-2.5	-2.6	-3.1	-1.7	0.0	-0.6	-0.7	-1.7	-1.0	0.3

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
10	W	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.5
10	AN	0.3	0.3	-4.8	-4.8	-0.3	-0.3	-0.4	-1.1	-1.1	-0.6
10	BN	-2.5	-2.5	-2.5	0.0	1.5	-1.2	-1.2	-1.2	-0.2	-0.2
10	D	-0.9	-0.9	-0.9	-0.9	-0.9	-0.8	-0.8	-0.8	-0.8	-0.8
10	C	-4.1	-4.1	-4.1	0.0	0.0	-1.1	-1.1	-1.1	0.1	0.5
10	All	-1.3	-1.3	-1.9	-0.8	0.1	-0.3	-0.4	-1.1	0.0	0.0
11	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

^aF = degrees Fahrenheit

UF = unimpaired flow

^a Green cells indicate >5% lower values under the flow scenario relative to baseline; red cells indicate >5% higher values under the flow scenario relative to baseline.

^b Only includes months on which temperature exceeded index value; green cells indicate >0.5 °F lower values under the flow scenario relative to baseline; red cells indicate >0.5 °F higher values under the flow scenario relative to baseline.

Table A6-146. Water Temperature Index Value Analysis Results, Central Valley Steelhead, Juvenile Rearing, Sacramento River at Balls Ferry, 69 °F 7DADM

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
1	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
5	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	C	-1.1	-1.1	-1.1	-1.1	-0.2	-1.0	-1.0	-1.0	-1.0	-0.5
8	All	-0.2	-0.2	-0.2	-0.2	0.0	-1.0	-1.0	-1.0	-1.0	-0.5
9	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
9	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
9	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
9	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
9	C	-0.2	-0.2	-0.2	-0.2	-0.2	-1.0	-1.0	-1.0	-1.0	-1.0
9	All	0.0	0.0	0.0	0.0	0.0	-1.0	-1.0	-1.0	-1.0	-1.0

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
10	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

[°]F = degrees Fahrenheit; 7DADM = 7-day average daily maximum; UF = unimpaired flow

^a Green cells indicate >5% lower values under the flow scenario relative to baseline.

^b Only includes months on which temperature exceeded index value; green cells indicate >0.5 °F lower values under the flow scenario relative to baseline.

Table A6-147. Water Temperature Index Value Analysis Results, Central Valley Steelhead, Juvenile Rearing, Sacramento River near Bend Bridge, 63 °F

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
1	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	W	-0.1	-0.1	-0.1	-0.1	-0.1	0.0	0.0	0.0	0.0	0.0
5	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
5	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	C	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	C	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	C	0.0	0.0	0.0	0.0	0.9	0.0	0.0	0.0	0.0	0.8
7	All	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.8
8	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	C	-5.4	-5.4	-5.4	-4.1	6.0	-3.1	-3.1	-3.1	-1.7	0.6
8	All	-0.9	-0.9	-0.9	-0.7	1.0	-3.1	-3.1	-3.1	-1.7	0.6
9	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
9	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
9	BN	0.0	0.0	0.0	0.0	6.1	0.0	0.0	0.0	0.0	0.9
9	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
9	C	-14.4	-14.7	-20.0	-9.8	-4.0	-0.9	-1.0	-1.9	-0.9	0.5
9	All	-2.3	-2.4	-3.2	-1.6	0.5	-0.9	-1.0	-1.9	-0.9	0.0

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
10	W	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.5
10	AN	0.8	0.3	-4.0	-4.0	-0.5	-0.5	-0.5	-1.2	-1.2	-0.5
10	BN	-1.9	-1.9	-1.9	0.0	0.9	-1.1	-1.1	-1.1	-0.2	-0.1
10	D	-0.6	-0.6	-0.6	-0.6	-0.6	-0.8	-0.8	-0.8	-0.8	-0.8
10	C	-3.9	-3.9	-3.9	-0.2	-0.2	-1.1	-1.1	-1.1	0.2	0.5
10	All	-1.0	-1.1	-1.6	-0.7	0.0	-0.4	-0.4	-1.1	0.0	0.0
11	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

^aF = degrees Fahrenheit

UF = unimpaired flow

^a Green cells indicate >5% lower values under the flow scenario relative to baseline; red cells indicate >5% higher values under the flow scenario relative to baseline.

^b Only includes months on which temperature exceeded index value; green cells indicate >0.5 °F lower values under the flow scenario relative to baseline; red cells indicate >0.5 °F higher values under the flow scenario relative to baseline.

Table A6-148. Water Temperature Index Value Analysis Results, Central Valley Steelhead, Juvenile Rearing, Sacramento River near Bend Bridge, 69 °F 7DADM

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
1	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
5	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	C	-1.3	-1.3	-1.3	-1.3	1.9	-0.7	-0.7	-0.7	-0.7	0.1
8	All	-0.2	-0.2	-0.2	-0.2	0.3	-0.7	-0.7	-0.7	-0.7	0.1
9	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
9	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
9	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
9	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
9	C	-0.4	-0.4	-0.4	-0.4	-0.2	-0.5	-0.5	-0.5	-0.5	-0.5
9	All	-0.1	-0.1	-0.1	-0.1	0.0	-0.5	-0.5	-0.5	-0.5	-0.5

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
10	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

[°]F = degrees Fahrenheit; 7DADM = 7-day average daily maximum; UF = unimpaired flow

^a Green cells indicate >5% lower values under the flow scenario relative to baseline.

^b Only includes months on which temperature exceeded index value; green cells indicate >0.5 °F lower values under the flow scenario relative to baseline.

Table A6-149. Water Temperature Index Value Analysis Results, Central Valley Steelhead, Juvenile Rearing, Sacramento River at Red Bluff Diversion Dam, 63 °F

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
1	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	W	-0.5	-0.5	-0.5	-0.5	-0.5	-0.8	-0.8	-0.8	-0.8	-0.8
5	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
5	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	D	-0.5	-0.5	-0.5	-0.5	-0.5	-0.3	-0.3	-0.3	-0.3	-0.3
5	C	1.7	1.3	0.4	0.2	0.2	0.6	0.7	0.5	1.0	1.0
5	All	0.0	0.0	-0.2	-0.2	-0.2	0.1	0.1	-0.1	0.4	0.4
6	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	BN	0.0	0.0	0.0	0.0	0.6	0.0	0.0	0.0	0.0	0.3
6	D	0.0	0.5	0.3	0.5	0.3	0.0	0.5	0.7	0.5	0.3
6	C	5.6	8.0	3.6	3.1	1.6	0.6	0.6	0.6	0.4	0.4
6	All	0.9	1.4	0.6	0.6	0.4	0.6	0.6	0.6	0.4	0.4
7	W	-0.5	-0.5	-0.5	-0.5	-0.5	-0.5	-0.5	-0.5	-0.5	-0.5
7	AN	0.0	0.0	0.0	0.0	2.7	0.0	0.0	0.0	0.0	0.4
7	BN	0.0	0.0	0.0	0.0	0.8	0.0	0.0	0.0	0.0	0.3
7	D	0.3	0.5	0.8	1.1	0.6	0.5	0.3	0.2	0.3	0.3
7	C	5.6	3.2	7.1	6.7	17.4	0.5	0.5	0.4	0.4	0.5
7	All	0.8	0.5	1.2	1.2	3.3	0.0	0.0	-0.1	-0.1	0.0
8	W	-0.3	-0.3	-0.3	-0.3	-0.3	-0.3	-0.3	-0.3	-0.3	-0.3
8	AN	0.0	0.0	0.0	0.0	0.5	0.0	0.0	0.0	0.0	0.5
8	BN	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0
8	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	C	-6.0	-6.0	-5.6	-3.4	6.7	-3.2	-3.2	-2.7	-2.0	0.9
8	All	-1.1	-1.1	-1.0	-0.7	1.1	-2.9	-2.9	-2.4	-1.7	1.0
9	W	-0.1	-0.1	-0.1	-0.1	-0.1	0.0	0.0	0.0	0.0	0.0
9	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
9	BN	-0.2	-0.2	-0.2	-0.2	7.5	0.0	0.0	0.0	0.0	1.0
9	D	-0.8	-0.8	-0.8	-0.8	-0.8	-0.4	-0.4	-0.4	-0.4	-0.4
9	C	-14.9	-15.3	-20.0	-9.1	-4.0	-0.8	-0.8	-1.8	-0.8	0.5
9	All	-2.7	-2.7	-3.5	-1.7	0.5	-0.7	-0.7	-1.7	-0.7	0.1

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
10	W	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.5
10	AN	0.3	0.3	-4.0	-3.8	-0.5	-0.5	-0.5	-1.3	-1.3	-0.5
10	BN	-1.7	-1.7	-1.7	0.0	0.9	-1.2	-1.2	-1.2	-0.2	-0.2
10	D	-0.5	-0.5	-0.5	-0.5	-0.5	-0.7	-0.7	-0.7	-0.7	-0.7
10	C	-3.7	-3.7	-3.7	-0.4	0.0	-1.3	-1.3	-1.3	0.3	0.5
10	All	-1.0	-1.0	-1.5	-0.7	0.1	-0.4	-0.4	-1.2	0.1	0.0
11	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

^aF = degrees Fahrenheit

UF = unimpaired flow

^a Green cells indicate >5% lower values under the flow scenario relative to baseline; red cells indicate >5% higher values under the flow scenario relative to baseline.

^b Only includes months on which temperature exceeded index value; green cells indicate >0.5 °F lower values under the flow scenario relative to baseline; red cells indicate >0.5 °F higher values under the flow scenario relative to baseline.

Table A6-150. Water Temperature Index Value Analysis Results, Central Valley Steelhead, Juvenile Rearing, Sacramento River at Red Bluff Diversion Dam, 69 °F 7DADM

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
1	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
5	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	C	-0.9	-0.9	-0.9	-0.9	3.4	-0.5	-0.5	-0.5	-0.5	0.3
8	All	-0.1	-0.1	-0.1	-0.1	0.6	-0.5	-0.5	-0.5	-0.5	0.3
9	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
9	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
9	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
9	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
9	C	-1.6	-1.6	-1.6	-1.6	-0.4	-0.9	-0.9	-0.9	-0.9	-0.3
9	All	-0.3	-0.3	-0.3	-0.3	-0.1	-0.9	-0.9	-0.9	-0.9	-0.3

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
10	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10	C	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.0	0.0
10	All	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0
11	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

[°]F = degrees Fahrenheit; 7DADM = 7-day average daily maximum; UF = unimpaired flow

^a Green cells indicate >5% lower values under the flow scenario relative to baseline.

^b Only includes months on which temperature exceeded index value; green cells indicate >0.5 °F lower values under the flow scenario relative to baseline.

Table A6-151. Water Temperature Index Value Analysis Results, Central Valley Steelhead, Smoltification, Sacramento River at Keswick, 54 °F

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
1	W	0.0	0.1	0.1	0.2	0.2	0.0	0.0	0.1	0.1	0.2
1	AN	0.0	0.0	0.0	0.0	-1.1	0.0	0.0	0.0	0.0	-0.4
1	BN	0.2	0.2	0.2	0.2	0.2	0.0	0.0	0.1	0.1	0.1
1	D	-0.2	-0.2	0.0	-0.3	-0.5	0.0	0.0	0.3	0.0	0.0
1	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	All	0.0	0.0	0.1	0.0	-0.1	0.0	0.0	0.1	0.1	0.2
2	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

°F = degrees Fahrenheit

UF = unimpaired flow

^a Green cells indicate >5% lower values under the flow scenario relative to baseline; red cells indicate >5% higher values under the flow scenario relative to baseline.

^b Only includes months on which temperature exceeded index value; green cells indicate >0.5 °F lower values under the flow scenario relative to baseline; red cells indicate >0.5 °F higher values under the flow scenario relative to baseline.

Table A6-152. Water Temperature Index Value Analysis Results, Central Valley Steelhead, Smoltification, Sacramento River at Clear Creek, 54 °F

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
1	W	0.0	0.1	0.1	0.1	0.2	0.0	0.0	0.0	0.1	0.2
1	AN	0.0	0.0	0.0	0.0	-1.1	0.0	0.0	0.0	0.0	-0.3
1	BN	0.4	0.4	0.4	0.2	0.2	-0.1	-0.1	-0.1	0.1	0.0
1	D	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	All	0.1	0.1	0.1	0.1	0.0	-0.1	0.0	0.0	0.1	0.1
2	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	W	0.0	0.0	-0.1	-0.1	-0.1	0.0	0.0	0.0	0.0	0.0
3	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	BN	0.2	-0.4	-0.9	-1.1	0.0	-0.1	-0.4	-0.7	-0.7	-0.2
3	D	1.2	0.0	-0.5	-1.1	-1.1	0.0	-0.1	0.0	-0.2	0.0
3	C	0.6	-0.2	-0.9	-0.9	-0.9	0.3	0.0	0.0	0.0	0.0
3	All	0.4	-0.1	-0.5	-0.6	-0.4	0.0	-0.1	0.0	-0.2	0.1

°F = degrees Fahrenheit

UF = unimpaired flow

^a Green cells indicate >5% lower values under the flow scenario relative to baseline; red cells indicate >5% higher values under the flow scenario relative to baseline.

^b Only includes months on which temperature exceeded index value; green cells indicate >0.5 °F lower values under the flow scenario relative to baseline; red cells indicate >0.5 °F higher values under the flow scenario relative to baseline.

Table A6-153. Water Temperature Index Value Analysis Results, Central Valley Steelhead, Smoltification, Sacramento River at Balls Ferry, 54 °F

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
1	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	W	0.0	0.0	0.1	-0.1	-0.3	0.0	0.0	-0.1	-0.2	-0.5
3	AN	0.0	0.0	-0.3	-0.3	-0.3	0.0	0.0	0.0	0.0	0.0
3	BN	-0.4	-0.8	-1.3	-2.1	-0.9	0.1	-0.1	-0.3	-0.5	0.3
3	D	0.0	0.0	-1.7	-2.6	-2.3	0.0	-0.1	0.0	0.0	0.0
3	C	1.1	-0.4	-0.4	-0.6	-0.9	0.2	0.0	-0.2	0.0	0.1
3	All	0.1	-0.2	-0.7	-1.1	-1.0	0.1	-0.1	-0.1	-0.1	0.1

°F = degrees Fahrenheit

UF = unimpaired flow

^a Green cells indicate >5% lower values under the flow scenario relative to baseline; red cells indicate >5% higher values under the flow scenario relative to baseline.

^b Only includes months on which temperature exceeded index value; green cells indicate >0.5 °F lower values under the flow scenario relative to baseline; red cells indicate >0.5 °F higher values under the flow scenario relative to baseline.

Table A6-154. Water Temperature Index Value Analysis Results, Central Valley Steelhead, Smoltification, Sacramento River near Bend Bridge, 54 °F

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
1	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	W	0.0	0.0	0.0	-0.5	-0.6	0.0	0.0	0.0	0.0	-0.1
3	AN	0.0	0.0	0.0	-0.3	-0.5	0.0	0.0	0.0	-0.5	-0.5
3	BN	-0.2	-0.9	-1.7	-3.6	-2.8	0.0	-0.2	-0.3	-0.5	0.1
3	D	0.2	-0.5	-3.2	-6.0	-5.4	0.0	0.0	-0.2	-0.3	-0.2
3	C	0.6	-1.1	-1.1	-3.9	-3.0	0.1	0.1	0.0	0.2	0.1
3	All	0.1	-0.5	-1.2	-2.8	-2.5	0.0	0.0	-0.1	-0.1	-0.1

°F = degrees Fahrenheit

UF = unimpaired flow

^a Green cells indicate >5% lower values under the flow scenario relative to baseline; red cells indicate >5% higher values under the flow scenario relative to baseline.

^b Only includes months on which temperature exceeded index value; green cells indicate >0.5 °F lower values under the flow scenario relative to baseline; red cells indicate >0.5 °F higher values under the flow scenario relative to baseline.

Table A6-155. Water Temperature Index Value Analysis Results, Central Valley Steelhead, Smoltification, Sacramento River at Red Bluff Diversion Dam, 54 °F

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
1	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	W	-0.1	-0.1	-0.2	-0.6	-0.9	0.1	0.1	0.1	-0.1	-0.2
3	AN	0.0	0.0	-0.8	-0.8	-1.1	-0.2	0.0	0.2	-0.3	-0.8
3	BN	-0.2	-1.9	-3.0	-4.2	-3.4	0.0	-0.1	-0.1	-0.6	-0.1
3	D	0.3	-1.1	-5.1	-8.3	-8.3	0.0	0.0	-0.2	-0.4	-0.2
3	C	-0.2	-4.1	-4.9	-5.6	-6.5	0.1	0.1	0.2	-0.1	0.0
3	All	0.0	-1.3	-2.7	-3.8	-4.0	0.0	0.0	0.0	-0.3	-0.1

°F = degrees Fahrenheit

UF = unimpaired flow

^a Green cells indicate >5% lower values under the flow scenario relative to baseline; red cells indicate >5% higher values under the flow scenario relative to baseline.

^b Only includes months on which temperature exceeded index value; green cells indicate >0.5 °F lower values under the flow scenario relative to baseline; red cells indicate >0.5 °F higher values under the flow scenario relative to baseline.

Table A6-156. Water Temperature Index Value Analysis Results, Central Valley Steelhead, Smolt Emigration, Sacramento River below Keswick, 61 °F 7DADM

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
11	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	AN	0.8	0.3	0.0	0.0	1.4	0.0	0.0	0.0	0.0	0.4
11	BN	-1.6	-1.6	-1.6	-0.2	-1.4	-0.4	-0.4	-0.4	0.1	-0.4
11	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	C	-2.2	-2.2	-2.2	-2.0	-2.2	-0.4	-0.4	-0.4	-0.4	-0.4
11	All	-0.5	-0.6	-0.6	-0.4	-0.4	-0.4	-0.4	-0.4	0.0	-0.1
12	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
3	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

[°]F = degrees Fahrenheit; 7DADM = 7-day average daily maximum; UF = unimpaired flow

^a Green cells indicate >5% lower values under the flow scenario relative to baseline; red cells indicate >5% higher values under the flow scenario relative to baseline.

^b Only includes months on which temperature exceeded index value; green cells indicate >0.5 °F lower values under the flow scenario relative to baseline; red cells indicate >0.5 °F higher values under the flow scenario relative to baseline.

Table A6-157. Water Temperature Index Value Analysis Results, Central Valley Steelhead, Smolt Emigration, Sacramento River below Keswick, 64 °F 7DADM

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
11	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
3	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

°F = degrees Fahrenheit; 7DADM = 7-day average daily maximum; UF = unimpaired flow

^a Green cells indicate >5% lower values under the flow scenario relative to baseline; red cells indicate >5% higher values under the flow scenario relative to baseline.

^b Only includes months on which temperature exceeded index value; green cells indicate >0.5 °F lower values under the flow scenario relative to baseline; red cells indicate >0.5 °F higher values under the flow scenario relative to baseline.

Table A6-158. Water Temperature Index Value Analysis Results, Central Valley Steelhead, Smolt Emigration, Sacramento River at Clear Creek, 61 °F 7DADM

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
11	W	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.5
11	AN	-0.8	-0.8	-2.2	-2.2	0.0	0.4	0.4	-0.4	-0.4	0.6
11	BN	-2.2	-2.2	-2.2	-0.2	-1.8	-0.6	-0.6	-0.6	0.1	-0.1
11	D	0.0	0.0	-1.0	-1.0	-1.0	-0.2	-0.2	-0.3	-0.3	-0.3
11	C	-2.9	-6.0	-6.0	-5.3	-4.0	-0.2	-0.7	-0.7	-0.4	-0.5
11	All	-1.0	-1.5	-1.9	-1.4	-1.1	-0.1	-0.1	-0.6	0.0	0.0
12	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
3	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

°F = degrees Fahrenheit; 7DADM = 7-day average daily maximum; UF = unimpaired flow

^a Green cells indicate >5% lower values under the flow scenario relative to baseline; red cells indicate >5% higher values under the flow scenario relative to baseline.

^b Only includes months on which temperature exceeded index value; green cells indicate >0.5 °F lower values under the flow scenario relative to baseline; red cells indicate >0.5 °F higher values under the flow scenario relative to baseline.

Table A6-159. Water Temperature Index Value Analysis Results, Central Valley Steelhead, Smolt Emigration, Sacramento River at Clear Creek, 64 °F 7DADM

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
11	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
3	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

[°]F = degrees Fahrenheit; 7DADM = 7-day average daily maximum; UF = unimpaired flow

^a Green cells indicate >5% lower values under the flow scenario relative to baseline; red cells indicate >5% higher values under the flow scenario relative to baseline.

^b Only includes months on which temperature exceeded index value; green cells indicate >0.5 °F lower values under the flow scenario relative to baseline; red cells indicate >0.5 °F higher values under the flow scenario relative to baseline.

Table A6-160. Water Temperature Index Value Analysis Results, Central Valley Steelhead, Smolt Emigration, Sacramento River at Balls Ferry, 61 °F 7DADM

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
11	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	AN	-0.3	-0.3	-0.3	-0.3	0.6	0.0	0.0	0.0	0.0	0.3
11	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	C	-0.9	-1.8	-1.8	-1.8	-1.3	-0.3	-0.3	-0.3	-0.3	-0.3
11	All	-0.2	-0.3	-0.3	-0.3	-0.1	-0.2	-0.2	-0.2	-0.2	0.0
12	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
3	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	BN	0.0	-0.4	-0.4	-0.4	-0.4	0.0	-0.5	-0.5	-0.5	-0.5
4	D	0.3	0.2	-0.3	-0.5	-0.3	0.1	-0.1	-0.3	-0.3	-0.3
4	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	All	0.1	0.0	-0.1	-0.2	-0.1	0.0	-0.2	-0.4	-0.4	-0.4
5	W	-1.0	-1.0	-0.6	-0.3	0.8	-0.7	-0.7	-0.2	-0.3	-0.4
5	AN	0.0	0.0	0.0	1.1	2.2	0.0	0.0	0.0	0.3	0.4
5	BN	0.4	0.0	-0.2	0.8	1.1	0.0	-0.3	-0.5	0.0	-0.2
5	D	-0.8	-0.5	-0.5	-0.8	-1.1	-0.5	-0.4	-0.4	-0.3	-0.4
5	C	7.3	6.0	3.4	2.8	2.4	-0.1	-0.1	-0.2	-0.3	-0.3
5	All	0.8	0.6	0.2	0.5	0.9	-0.1	-0.2	-0.3	-0.3	-0.3
6	W	0.0	0.0	0.7	0.0	1.7	0.0	0.0	0.3	0.0	0.2
6	AN	0.0	0.0	0.0	0.0	3.9	0.0	0.0	0.0	0.0	0.7
6	BN	0.2	1.4	0.6	2.9	3.9	0.0	0.4	0.3	0.3	0.7
6	D	0.3	1.0	0.3	0.8	0.8	0.0	0.3	0.4	0.2	0.0
6	C	22.2	17.1	10.0	10.4	9.8	0.4	0.5	0.4	0.3	0.3
6	All	3.7	3.2	2.0	2.4	3.5	0.2	0.3	0.2	0.2	0.1

°F = degrees Fahrenheit; 7DADM = 7-day average daily maximum; UF = unimpaired flow

^a Green cells indicate >5% lower values under the flow scenario relative to baseline; red cells indicate >5% higher values under the flow scenario relative to baseline.

^b Only includes months on which temperature exceeded index value; green cells indicate >0.5 °F lower values under the flow scenario relative to baseline; red cells indicate >0.5 °F higher values under the flow scenario relative to baseline.

Table A6-161. Water Temperature Index Value Analysis Results, Central Valley Steelhead, Smolt Emigration, Sacramento River at Balls Ferry, 64 °F 7DADM

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
11	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
3	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

°F = degrees Fahrenheit; 7DADM = 7-day average daily maximum; UF = unimpaired flow

^a Green cells indicate >5% lower values under the flow scenario relative to baseline; red cells indicate >5% higher values under the flow scenario relative to baseline.

^b Only includes months on which temperature exceeded index value; green cells indicate >0.5 °F lower values under the flow scenario relative to baseline; red cells indicate >0.5 °F higher values under the flow scenario relative to baseline.

Table A6-162. Water Temperature Index Value Analysis Results, Central Valley Steelhead, Smolt Emigration, Sacramento River near Bend Bridge, 61 °F 7DADM

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
11	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	AN	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.0
11	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
3	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	W	0.0	0.0	-0.1	-0.1	-0.1	0.0	0.0	0.0	0.0	0.0
4	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	BN	-0.2	-1.0	-1.6	-1.8	-1.8	-0.1	-0.3	-0.6	-0.6	-0.6
4	D	0.5	-0.8	-1.9	-2.5	-2.5	0.1	0.0	0.0	0.0	0.5
4	C	0.2	-0.4	-0.7	-0.9	-1.3	0.2	-0.1	-0.3	0.2	-0.3
4	All	0.1	-0.4	-0.9	-1.1	-1.1	0.1	-0.1	-0.2	0.0	0.5
5	W	-2.2	-2.3	-2.0	-1.5	1.5	-0.3	-0.4	-0.2	-0.4	-0.4
5	AN	0.0	-0.3	0.3	1.3	7.8	0.0	0.0	0.3	0.7	0.5
5	BN	-0.4	-0.8	-1.5	0.8	1.1	-0.1	-0.3	-0.7	-0.2	-0.2
5	D	-0.9	3.8	2.5	-1.7	0.2	-0.3	-0.3	-0.3	-0.2	-0.3
5	C	14.8	10.8	4.5	5.4	4.5	0.5	0.5	0.4	0.2	0.2
5	All	1.5	1.7	0.5	0.3	2.4	0.1	0.0	-0.1	-0.1	-0.2
6	W	-1.3	-1.3	0.5	0.8	6.9	0.0	0.0	0.3	0.0	0.4
6	AN	-0.6	-1.1	1.7	-0.8	11.4	0.2	0.7	0.1	0.0	0.6
6	BN	1.6	4.3	3.5	9.4	15.1	0.3	0.8	0.5	0.8	0.8
6	D	1.1	7.9	7.0	6.2	7.8	0.0	-0.1	-0.1	-0.2	0.0
6	C	39.3	34.7	30.7	21.6	24.2	0.8	0.8	0.5	0.5	0.4
6	All	6.4	7.6	7.5	6.7	12.0	0.7	0.6	0.4	0.3	0.4

°F = degrees Fahrenheit; 7DADM = 7-day average daily maximum; UF = unimpaired flow

^a Green cells indicate >5% lower values under the flow scenario relative to baseline; red cells indicate >5% higher values under the flow scenario relative to baseline.

^b Only includes months on which temperature exceeded index value; green cells indicate >0.5 °F lower values under the flow scenario relative to baseline; red cells indicate >0.5 °F higher values under the flow scenario relative to baseline.

Table A6-163. Water Temperature Index Value Analysis Results, Central Valley Steelhead, Smolt Emigration, Sacramento River near Bend Bridge, 64 °F 7DADM

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
11	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
3	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	W	-0.2	-0.2	-0.2	-0.2	-0.2	-0.5	-0.5	-0.5	-0.5	-0.5
5	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	D	-0.2	-0.2	-0.2	-0.2	-0.2	0.0	0.0	0.0	0.0	0.0
5	C	0.4	0.4	0.0	0.0	0.0	0.5	0.5	0.0	0.0	0.0
5	All	0.0	0.0	-0.1	-0.1	-0.1	0.2	0.2	-0.3	-0.3	-0.3
6	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	BN	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.0	0.0
6	D	0.0	0.5	0.5	0.5	0.2	0.0	0.3	0.3	0.3	0.0
6	C	2.4	2.7	1.3	0.7	0.7	0.5	0.5	0.3	0.3	0.0
6	All	0.4	0.5	0.3	0.2	0.2	0.5	0.5	0.3	0.3	0.0

°F = degrees Fahrenheit; 7DADM = 7-day average daily maximum; UF = unimpaired flow

^a Green cells indicate >5% lower values under the flow scenario relative to baseline; red cells indicate >5% higher values under the flow scenario relative to baseline.

^b Only includes months on which temperature exceeded index value; green cells indicate >0.5 °F lower values under the flow scenario relative to baseline; red cells indicate >0.5 °F higher values under the flow scenario relative to baseline.

Table A6-164. Water Temperature Index Value Analysis Results, Central Valley Steelhead, Smolt Emigration, Sacramento River at Red Bluff Diversion Dam, 61 °F 7DADM

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
11	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	AN	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0	1.0
11	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	D	-0.2	-0.2	-0.2	-0.2	-0.2	0.0	0.0	0.0	0.0	0.0
11	C	-1.1	-2.0	-2.0	-2.0	-1.1	-0.1	-0.3	-0.3	-0.3	-0.1
11	All	-0.2	-0.4	-0.4	-0.4	-0.2	-0.1	-0.3	-0.3	-0.3	0.1
12	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
3	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	W	-0.1	-0.2	-0.6	-1.1	-1.1	0.0	0.1	-0.3	-0.7	-0.7
4	AN	-0.3	-1.1	-2.2	-3.1	-3.1	0.0	0.0	-0.3	-0.3	-0.3
4	BN	-1.0	-2.2	-3.3	-6.3	-6.5	-0.1	-0.2	-0.4	-0.4	-0.5
4	D	0.3	-3.2	-7.6	-10.0	-9.2	0.1	0.0	0.0	-0.1	-0.3
4	C	3.8	-2.7	-3.6	-6.7	-7.3	0.0	0.0	0.0	0.2	-0.3
4	All	0.4	-1.8	-3.4	-5.2	-5.2	0.1	0.0	-0.1	0.0	-0.3
5	W	-3.8	-4.3	-4.1	-2.9	0.1	-0.2	-0.2	-0.1	-0.3	-0.1
5	AN	-0.5	-3.0	-3.2	-0.5	8.9	0.0	0.0	0.1	0.2	0.5
5	BN	-0.9	-0.2	-0.4	0.6	4.9	-0.1	-0.3	-0.6	-0.2	-0.4
5	D	-1.4	4.9	4.9	-4.0	-0.2	-0.2	0.0	0.0	-0.1	-0.1
5	C	16.6	11.6	4.3	5.2	4.5	0.7	0.7	0.5	0.4	0.3
5	All	1.0	1.3	0.1	-0.9	2.8	0.2	0.2	0.0	0.0	0.0
6	W	-2.9	-3.2	-1.8	-1.3	4.8	0.0	0.1	0.4	0.0	0.4
6	AN	-1.4	-2.8	0.8	-3.1	11.1	-0.1	-0.1	0.2	-0.3	0.3
6	BN	0.6	3.5	4.7	9.0	14.9	0.4	0.9	0.4	0.9	0.8
6	D	2.5	9.0	8.4	8.6	9.4	-0.1	-0.1	-0.1	-0.2	-0.1
6	C	37.6	34.0	30.7	21.1	24.0	1.0	0.9	0.6	0.6	0.5
6	All	5.7	6.8	7.3	6.2	11.6	0.8	0.7	0.4	0.4	0.4

[°]F = degrees Fahrenheit; 7DADM = 7-day average daily maximum; UF = unimpaired flow

^a Green cells indicate >5% lower values under the flow scenario relative to baseline; red cells indicate >5% higher values under the flow scenario relative to baseline.

^b Only includes months on which temperature exceeded index value; green cells indicate >0.5 °F lower values under the flow scenario relative to baseline; red cells indicate >0.5 °F higher values under the flow scenario relative to baseline.

Table A6-165. Water Temperature Index Value Analysis Results, Central Valley Steelhead, Smolt Emigration, Sacramento River at Red Bluff Diversion Dam, 64 °F 7DADM

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
11	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
3	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	BN	0.0	-0.2	-0.2	-0.2	-0.2	0.0	0.0	0.0	0.0	0.0
4	D	0.2	-0.3	-0.3	-0.3	-0.3	0.3	0.0	0.0	0.0	0.0
4	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	All	0.0	-0.1	-0.1	-0.1	-0.1	0.3	0.0	0.0	0.0	0.0
5	W	-0.7	-0.7	-0.6	-0.7	-0.6	-1.0	-1.0	-1.0	-1.0	-1.0
5	AN	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.0
5	BN	-0.4	-0.4	-0.4	-0.2	-0.2	0.0	0.0	0.0	0.0	0.0
5	D	-0.6	-0.6	-0.6	-0.3	-0.6	-0.8	-0.8	-0.8	-0.8	-0.8
5	C	3.0	2.8	1.1	0.4	0.4	0.7	0.6	0.5	0.7	0.3
5	All	0.1	0.0	-0.2	-0.2	-0.2	0.0	-0.1	-0.3	-0.4	-0.5
6	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	BN	0.0	0.0	0.0	0.0	0.6	0.0	0.0	0.0	0.0	0.3
6	D	0.0	0.5	0.3	0.3	0.3	0.0	0.5	0.3	0.7	0.3
6	C	5.1	7.3	3.3	2.9	1.6	0.6	0.6	0.5	0.4	0.3
6	All	0.8	1.3	0.6	0.5	0.4	0.6	0.6	0.5	0.4	0.3

°F = degrees Fahrenheit; 7DADM = 7-day average daily maximum; UF = unimpaired flow

^a Green cells indicate >5% lower values under the flow scenario relative to baseline; red cells indicate >5% higher values under the flow scenario relative to baseline.

^b Only includes months on which temperature exceeded index value; green cells indicate >0.5 °F lower values under the flow scenario relative to baseline; red cells indicate >0.5 °F higher values under the flow scenario relative to baseline.

Table A6-166. Water Temperature Index Value Analysis Results, Central Valley Steelhead, Adult Immigration, Sacramento River below Keswick, 68 °F 7DADM

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
8	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	C	-0.4	-0.4	-0.4	-0.4	-0.4	-0.5	-0.5	-0.5	-0.5	-0.5
8	All	-0.1	-0.1	-0.1	-0.1	-0.1	-0.5	-0.5	-0.5	-0.5	-0.5
9	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
9	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
9	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
9	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
9	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
9	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
12	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

^{°F} = degrees Fahrenheit; 7DADM = 7-day average daily maximum; UF = unimpaired flow

^a Green cells indicate >5% lower values under the flow scenario relative to baseline; red cells indicate >5% higher values under the flow scenario relative to baseline.

^b Only includes months on which temperature exceeded index value; green cells indicate >0.5 °F lower values under the flow scenario relative to baseline; red cells indicate >0.5 °F higher values under the flow scenario relative to baseline.

Table A6-167. Water Temperature Index Value Analysis Results, Central Valley Steelhead, Adult Immigration, Sacramento River below Keswick, 70 °F

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
8	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
9	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
9	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
9	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
9	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
9	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
9	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
12	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

^aF = degrees Fahrenheit

UF = unimpaired flow

^a Green cells indicate >5% lower values under the flow scenario relative to baseline; red cells indicate >5% higher values under the flow scenario relative to baseline.

^b Only includes months on which temperature exceeded index value; green cells indicate >0.5 °F lower values under the flow scenario relative to baseline; red cells indicate >0.5 °F higher values under the flow scenario relative to baseline.

Table A6-168. Water Temperature Index Value Analysis Results, Central Valley Steelhead, Adult Immigration, Sacramento River near Bend Bridge, 68 °F 7DADM

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
8	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	C	-2.4	-2.4	-2.4	-2.4	3.9	-1.2	-1.2	-1.2	-1.2	0.0
8	All	-0.4	-0.4	-0.4	-0.4	0.6	-1.2	-1.2	-1.2	-1.2	0.0
9	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
9	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
9	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
9	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
9	C	-1.6	-1.6	-1.6	-1.6	-0.4	-0.7	-0.7	-0.7	-0.7	-0.3
9	All	-0.3	-0.3	-0.3	-0.3	-0.1	-0.7	-0.7	-0.7	-0.7	-0.3
10	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
12	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

[°]F = degrees Fahrenheit; 7DADM = 7-day average daily maximum; UF = unimpaired flow

^a Green cells indicate >5% lower values under the flow scenario relative to baseline; red cells indicate >5% higher values under the flow scenario relative to baseline.

^b Only includes months on which temperature exceeded index value; green cells indicate >0.5 °F lower values under the flow scenario relative to baseline; red cells indicate >0.5 °F higher values under the flow scenario relative to baseline.

Table A6-169. Water Temperature Index Value Analysis Results, Central Valley Steelhead, Adult Immigration, Sacramento River near Bend Bridge, 70 °F

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
8	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
9	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
9	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
9	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
9	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
9	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
9	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
12	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

°F = degrees Fahrenheit

UF = unimpaired flow

^a Green cells indicate >5% lower values under the flow scenario relative to baseline; red cells indicate >5% higher values under the flow scenario relative to baseline.

^b Only includes months on which temperature exceeded index value; green cells indicate >0.5 °F lower values under the flow scenario relative to baseline; red cells indicate >0.5 °F higher values under the flow scenario relative to baseline.

Table A6-170. Water Temperature Index Value Analysis Results, Central Valley Steelhead, Adult Immigration, Sacramento River at Red Bluff Diversion Dam, 68 °F 7DADM

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
8	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	C	-2.2	-2.2	-2.2	-2.2	4.1	-1.0	-1.0	-1.0	-1.0	0.4
8	All	-0.3	-0.3	-0.3	-0.3	0.7	-1.0	-1.0	-1.0	-1.0	0.4
9	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
9	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
9	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
9	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
9	C	-3.8	-3.8	-3.8	-3.8	1.8	-1.0	-1.0	-1.0	-1.0	-0.3
9	All	-0.6	-0.6	-0.6	-0.6	0.3	-1.0	-1.0	-1.0	-1.0	-0.3
10	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10	AN	-0.5	-0.5	-0.5	-0.5	-0.5	0.0	0.0	0.0	0.0	0.0
10	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10	C	-0.4	-0.4	-0.4	0.0	0.4	0.0	0.0	0.0	0.5	0.5
10	All	-0.1	-0.1	-0.1	-0.1	0.0	0.0	0.0	0.0	0.5	0.5
11	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
12	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

^{°F} = degrees Fahrenheit; 7DADM = 7-day average daily maximum; UF = unimpaired flow

^a Green cells indicate >5% lower values under the flow scenario relative to baseline; red cells indicate >5% higher values under the flow scenario relative to baseline.

^b Only includes months on which temperature exceeded index value; green cells indicate >0.5 °F lower values under the flow scenario relative to baseline; red cells indicate >0.5 °F higher values under the flow scenario relative to baseline.

Table A6-171. Water Temperature Index Value Analysis Results, Central Valley Steelhead, Adult Immigration, Sacramento River at Red Bluff Diversion Dam, 70 °F

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
8	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
9	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
9	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
9	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
9	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
9	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
9	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
12	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

^aF = degrees Fahrenheit

UF = unimpaired flow

^a Green cells indicate >5% lower values under the flow scenario relative to baseline; red cells indicate >5% higher values under the flow scenario relative to baseline.

^b Only includes months on which temperature exceeded index value; green cells indicate >0.5 °F lower values under the flow scenario relative to baseline; red cells indicate >0.5 °F higher values under the flow scenario relative to baseline.

Table A6-172. Water Temperature Index Value Analysis Results, Central Valley Steelhead, Adult Holding, Sacramento River below Keswick, 61 °F 7DADM

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
8	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	C	-5.6	-5.6	-5.6	-4.1	5.6	-3.9	-3.9	-3.9	-2.6	-0.8
8	All	-0.9	-0.9	-0.9	-0.7	0.9	-3.9	-3.9	-3.9	-2.6	-0.8
9	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
9	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
9	BN	0.0	0.0	0.0	0.0	8.4	0.0	0.0	0.0	0.0	2.0
9	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
9	C	-18.0	-18.0	-23.3	-10.9	-6.9	-0.9	-1.0	-3.1	-1.2	0.6
9	All	-2.9	-2.9	-3.8	-1.8	0.4	-0.9	-1.0	-3.1	-1.2	0.0
10	W	0.0	0.0	0.0	0.0	3.5	0.0	0.0	0.0	0.0	1.6
10	AN	1.1	1.1	-7.3	-7.3	1.1	-0.3	-0.4	-2.6	-2.6	-0.2
10	BN	-5.9	-5.9	-5.9	0.0	5.1	-2.5	-2.5	-2.5	-0.1	-0.1
10	D	-4.1	-4.1	-4.1	-4.1	-4.1	-2.2	-2.2	-2.2	-2.2	-2.2
10	C	-13.1	-13.1	-13.1	-6.5	-6.5	-1.7	-1.7	-1.7	1.1	1.1
10	All	-4.0	-4.0	-5.1	-2.9	0.1	0.2	0.1	-2.1	0.5	0.2
11	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	AN	0.8	0.3	0.0	0.0	1.4	0.0	0.0	0.0	0.0	0.4
11	BN	-1.6	-1.6	-1.6	-0.2	-1.4	-0.4	-0.4	-0.4	0.1	-0.4
11	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	C	-2.2	-2.2	-2.2	-2.0	-2.2	-0.4	-0.4	-0.4	-0.4	-0.4
11	All	-0.5	-0.6	-0.6	-0.4	-0.4	-0.4	-0.4	-0.4	0.0	-0.1

°F = degrees Fahrenheit; 7DADM = 7-day average daily maximum; UF = unimpaired flow

^a Green cells indicate >5% lower values under the flow scenario relative to baseline; red cells indicate >5% higher values under the flow scenario relative to baseline.

^b Only includes months on which temperature exceeded index value; green cells indicate >0.5 °F lower values under the flow scenario relative to baseline; red cells indicate >0.5 °F higher values under the flow scenario relative to baseline.

Table A6-173. Water Temperature Index Value Analysis Results, Central Valley Steelhead, Adult Holding, Sacramento River at Balls Ferry, 61 °F 7DADM

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
8	W	-2.4	-2.4	-2.4	-2.4	-2.4	-0.3	-0.3	-0.3	-0.3	-0.3
8	AN	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.0
8	BN	0.0	0.0	0.0	0.0	1.3	0.0	0.0	0.0	0.0	1.1
8	D	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0
8	C	-7.3	-7.5	-7.5	-4.1	6.2	-5.0	-5.0	-5.0	-2.5	0.7
8	All	-1.9	-1.9	-1.9	-1.4	0.6	-3.3	-3.3	-3.3	-0.8	1.8
9	W	-0.2	-0.4	-0.4	-0.8	-1.1	-0.2	-0.2	-0.2	-0.2	-0.5
9	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
9	BN	-0.8	-0.8	-0.4	-0.8	9.8	-0.5	-0.5	-0.5	-0.5	2.9
9	D	-2.7	-2.7	-2.7	-2.7	-2.7	-0.9	-0.9	-0.9	-0.9	-0.9
9	C	-24.7	-25.8	-26.0	-13.6	-8.2	-0.6	-0.3	-2.9	-0.8	0.4
9	All	-4.8	-5.0	-5.0	-3.2	-0.5	-0.7	-0.4	-2.5	-0.3	0.6
10	W	0.0	0.0	0.0	0.0	3.2	0.0	0.0	0.0	0.0	1.8
10	AN	-1.1	-1.1	-9.1	-9.1	-1.1	0.4	0.3	-1.8	-0.8	0.3
10	BN	-5.9	-5.9	-5.9	0.0	4.9	-2.9	-2.9	-2.9	0.0	-0.2
10	D	-4.6	-4.6	-4.6	-4.6	-4.6	-2.4	-2.4	-2.4	-2.4	-2.4
10	C	-17.2	-15.7	-12.9	-11.0	-11.0	-1.4	-1.7	-1.4	1.5	1.8
10	All	-5.0	-4.8	-5.4	-4.0	-1.1	0.7	0.1	-1.8	0.8	0.5
11	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	AN	-0.3	-0.3	-0.3	-0.3	0.6	0.0	0.0	0.0	0.0	0.3
11	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	C	-0.9	-1.8	-1.8	-1.8	-1.3	-0.3	-0.3	-0.3	-0.3	-0.3
11	All	-0.2	-0.3	-0.3	-0.3	-0.1	-0.2	-0.2	-0.2	-0.2	0.0

^a °F = degrees Fahrenheit; 7DADM = 7-day average daily maximum; UF = unimpaired flow

^a Green cells indicate >5% lower values under the flow scenario relative to baseline; red cells indicate >5% higher values under the flow scenario relative to baseline.

^b Only includes months on which temperature exceeded index value; green cells indicate >0.5 °F lower values under the flow scenario relative to baseline; red cells indicate >0.5 °F higher values under the flow scenario relative to baseline.

Table A6-174. Water Temperature Index Value Analysis Results, Central Valley Steelhead, Adult Holding, Sacramento River at Red Bluff Diversion Dam, 61 °F 7DADM

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
8	W	-6.0	-5.1	-5.0	-5.1	-5.6	-0.9	-0.9	-0.9	-0.9	-0.9
8	AN	0.3	1.1	-1.9	10.2	23.9	0.0	0.0	0.0	0.2	0.5
8	BN	0.0	0.0	0.2	3.6	17.3	0.5	0.5	0.3	0.6	0.7
8	D	0.0	0.3	0.3	5.1	15.2	0.0	0.3	0.3	0.5	0.6
8	C	-8.6	-7.7	-1.3	22.8	36.8	-2.6	-3.0	-3.0	-2.9	-1.4
8	All	-3.2	-2.6	-1.8	5.3	13.9	-1.5	-1.6	-1.5	-1.4	-0.7
9	W	0.0	0.0	0.4	3.2	2.6	-0.3	-0.3	-0.3	-0.7	-0.7
9	AN	0.0	0.0	3.3	10.3	7.8	-0.5	-0.5	0.1	0.3	0.0
9	BN	-3.3	-0.2	2.2	-1.8	10.4	-0.3	-0.3	-0.1	-0.4	1.4
9	D	-15.7	-15.9	-16.7	-14.3	-12.5	-0.5	-0.5	-0.3	-0.6	-0.6
9	C	-24.2	-25.8	-29.6	-18.0	-9.3	-1.4	-1.5	-2.0	-0.6	-0.2
9	All	-8.1	-7.8	-7.6	-4.2	-0.6	-0.9	-1.0	-1.2	-0.7	-0.1
10	W	0.0	0.0	0.0	1.5	4.4	0.0	0.0	0.0	0.5	1.1
10	AN	-6.7	-6.7	-14.2	-9.4	-6.5	1.3	1.2	0.2	-1.4	1.5
10	BN	-5.7	-5.7	-5.7	0.0	5.5	-2.9	-1.9	-1.9	0.1	-0.4
10	D	-3.5	-3.1	-2.5	-1.4	-2.2	-2.1	-2.0	-1.7	-1.6	-1.9
10	C	-18.3	-17.2	-16.8	-9.7	-8.2	-1.6	-1.2	-0.6	0.1	0.4
10	All	-5.7	-5.4	-6.1	-2.6	-0.3	-0.3	-0.4	-1.1	-0.4	0.1
11	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	AN	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0	1.0
11	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	D	-0.2	-0.2	-0.2	-0.2	-0.2	0.0	0.0	0.0	0.0	0.0
11	C	-1.1	-2.0	-2.0	-2.0	-1.1	-0.1	-0.3	-0.3	-0.3	-0.1
11	All	-0.2	-0.4	-0.4	-0.4	-0.2	-0.1	-0.3	-0.3	-0.3	0.1

^aF = degrees Fahrenheit; 7DADM = 7-day average daily maximum; UF = unimpaired flow

^a Green cells indicate >5% lower values under the flow scenario relative to baseline; red cells indicate >5% higher values under the flow scenario relative to baseline.

^b Only includes months on which temperature exceeded index value; green cells indicate >0.5 °F lower values under the flow scenario relative to baseline; red cells indicate >0.5 °F higher values under the flow scenario relative to baseline.

Green Sturgeon

Table A6-175. Water Temperature Index Value Analysis Results, Green Sturgeon, Spawning and Embryo Incubation, Sacramento River at Bend Bridge, 63 °F

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
3	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	W	-0.1	-0.1	-0.1	-0.1	-0.1	0.0	0.0	0.0	0.0	0.0
5	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	C	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	C	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
7	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	C	0.0	0.0	0.0	0.0	0.9	0.0	0.0	0.0	0.0	0.8
7	All	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.8

°F = degrees Fahrenheit

UF = unimpaired flow

^a Green cells indicate >5% lower values under the flow scenario relative to baseline; red cells indicate >5% higher values under the flow scenario relative to baseline.

^b Only includes months on which temperature exceeded index value; green cells indicate >0.5 °F lower values under the flow scenario relative to baseline; red cells indicate >0.5 °F higher values under the flow scenario relative to baseline.

Table A6-176. Water Temperature Index Value Analysis Results, Green Sturgeon, Spawning and Embryo Incubation, Sacramento River at Red Bluff Diversion Dam, 63 °F

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
3	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	W	-0.5	-0.5	-0.5	-0.5	-0.5	-0.8	-0.8	-0.8	-0.8	-0.8
5	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	D	-0.5	-0.5	-0.5	-0.5	-0.5	-0.3	-0.3	-0.3	-0.3	-0.3
5	C	1.7	1.3	0.4	0.2	0.2	0.6	0.7	0.5	1.0	1.0
5	All	0.0	0.0	-0.2	-0.2	-0.2	0.1	0.1	-0.1	0.4	0.4
6	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	BN	0.0	0.0	0.0	0.0	0.6	0.0	0.0	0.0	0.0	0.3
6	D	0.0	0.5	0.3	0.5	0.3	0.0	0.5	0.7	0.5	0.3
6	C	5.6	8.0	3.6	3.1	1.6	0.6	0.6	0.6	0.4	0.4
6	All	0.9	1.4	0.6	0.6	0.4	0.6	0.6	0.6	0.4	0.4
7	W	-0.5	-0.5	-0.5	-0.5	-0.5	-0.5	-0.5	-0.5	-0.5	-0.5
7	AN	0.0	0.0	0.0	0.0	2.7	0.0	0.0	0.0	0.0	0.4

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
7	BN	0.0	0.0	0.0	0.0	0.8	0.0	0.0	0.0	0.0	0.3
7	D	0.3	0.5	0.8	1.1	0.6	0.5	0.3	0.2	0.3	0.3
7	C	5.6	3.2	7.1	6.7	17.4	0.5	0.5	0.4	0.4	0.5
7	All	0.8	0.5	1.2	1.2	3.3	0.0	0.0	-0.1	-0.1	0.0

°F = degrees Fahrenheit

UF = unimpaired flow

^a Green cells indicate >5% lower values under the flow scenario relative to baseline; red cells indicate >5% higher values under the flow scenario relative to baseline.

^b Only includes months on which temperature exceeded index value; green cells indicate >0.5 °F lower values under the flow scenario relative to baseline; red cells indicate >0.5 °F higher values under the flow scenario relative to baseline.

Table A6-177. Water Temperature Index Value Analysis Results, Green Sturgeon, Spawning and Embryo Incubation, Sacramento River at Hamilton City, 63 °F

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
3	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	W	-0.1	-0.1	-0.6	-0.8	-0.8	0.1	0.1	0.1	-0.4	-0.4
4	AN	0.0	-0.3	-1.1	-1.1	-1.1	0.0	0.1	-0.3	-0.3	-0.3
4	BN	-0.6	-1.0	-3.5	-5.7	-6.1	-0.2	-0.5	-0.7	-0.7	-1.2
4	D	1.9	-4.3	-7.8	-10.0	-9.5	0.2	0.0	-0.2	-0.3	-0.5
4	C	5.8	-3.6	-4.2	-8.4	-12.4	0.1	0.0	0.1	-0.3	-0.5
4	All	1.2	-1.8	-3.4	-5.1	-5.7	0.1	-0.1	-0.1	-0.2	-0.4
5	W	-3.7	-5.3	-6.1	-7.0	-4.3	-0.3	-0.2	-0.4	-0.2	-0.3
5	AN	-0.5	-3.2	-9.7	-9.7	-1.3	0.0	-0.2	-0.5	-0.4	0.1
5	BN	-2.5	-3.0	-6.6	-5.5	-2.8	-0.1	-0.4	-0.7	-0.4	-0.4
5	D	-5.2	1.8	-1.1	-9.2	-8.0	-0.1	0.2	0.1	-0.2	0.0
5	C	17.4	13.8	9.5	1.1	0.6	1.2	1.1	0.5	0.5	0.4
5	All	0.0	0.1	-3.0	-6.3	-3.7	0.4	0.4	0.1	0.1	0.1
6	W	-6.1	-17.6	-21.9	-22.6	-14.4	-0.3	-0.4	-0.1	-0.3	0.0
6	AN	-0.6	-18.6	-21.7	-31.1	-6.7	-0.2	-0.5	0.1	-1.1	-0.3
6	BN	-0.4	3.3	4.9	2.5	11.6	-0.1	0.1	0.1	0.4	0.4
6	D	12.2	20.8	20.6	24.4	27.8	0.3	0.5	0.4	0.2	0.3
6	C	27.3	28.9	27.8	25.6	22.0	1.9	1.6	1.0	0.6	0.7
6	All	5.2	2.3	0.6	-0.7	6.7	0.6	0.7	0.6	0.4	0.4
7	W	-2.4	-3.5	-11.1	-11.1	5.6	-0.4	-0.4	-0.4	-0.4	-0.3
7	AN	2.4	2.2	-8.3	10.2	59.7	0.0	0.0	-0.2	-0.1	0.9

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
7	BN	-2.5	5.1	22.6	44.0	79.7	0.0	1.0	0.5	1.0	1.6
7	D	16.7	39.0	64.8	73.7	75.7	0.3	1.0	1.2	1.4	1.6
7	C	13.1	16.8	20.6	20.6	20.6	2.1	2.1	2.5	2.4	2.7
7	All	5.0	11.7	17.7	26.0	44.4	0.7	0.8	1.0	1.0	1.2

°F = degrees Fahrenheit

UF = unimpaired flow

^a Green cells indicate >5% lower values under the flow scenario relative to baseline; red cells indicate >5% higher values under the flow scenario relative to baseline.

^b Only includes months on which temperature exceeded index value; green cells indicate >0.5 °F lower values under the flow scenario relative to baseline; red cells indicate >0.5 °F higher values under the flow scenario relative to baseline.

Table A6-178. Water Temperature Index Value Analysis Results, Green Sturgeon, Larval to Juvenile Rearing and Emigration, Sacramento River at Bend Bridge, 66 °F

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
8	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	C	-3.0	-3.0	-3.0	-3.0	4.9	-1.3	-1.3	-1.3	-1.3	0.0
8	All	-0.5	-0.5	-0.5	-0.5	0.8	-1.3	-1.3	-1.3	-1.3	0.0
9	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
9	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
9	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
9	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
9	C	-4.0	-4.0	-4.0	-4.0	1.8	-0.8	-0.8	-0.8	-0.8	-0.3
9	All	-0.6	-0.6	-0.6	-0.6	0.3	-0.8	-0.8	-0.8	-0.8	-0.3
10	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10	AN	-0.3	-0.3	-0.3	-0.3	-0.3	0.0	0.0	0.0	0.0	0.0
10	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10	C	0.0	0.0	0.0	0.4	0.6	0.0	0.0	0.0	0.5	0.7
10	All	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.5	0.7
11	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
12	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

°F = degrees Fahrenheit

UF = unimpaired flow

^a Green cells indicate >5% lower values under the flow scenario relative to baseline; red cells indicate >5% higher values under the flow scenario relative to baseline.

^b Only includes months on which temperature exceeded index value; green cells indicate >0.5 °F lower values under the flow scenario relative to baseline; red cells indicate >0.5 °F higher values under the flow scenario relative to baseline.

Table A6-179. Water Temperature Index Value Analysis Results, Green Sturgeon, Non-Spawning Adult Presence (Immigration, Pre- and Post-Spawn Holding), Sacramento River at Bend Bridge, 73 °F

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
8	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
9	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
9	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
9	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
9	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
9	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
9	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
12	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

^a °F = degrees Fahrenheit

UF = unimpaired flow

^a Green cells indicate >5% lower values under the flow scenario relative to baseline; red cells indicate >5% higher values under the flow scenario relative to baseline.

^b Only includes months on which temperature exceeded index value; green cells indicate >0.5 °F lower values under the flow scenario relative to baseline; red cells indicate >0.5 °F higher values under the flow scenario relative to baseline.

Table A6-180. Water Temperature Index Value Analysis Results, Green Sturgeon, Non-Spawning Adult Presence (Immigration, Pre- and Post-Spawn Holding), Sacramento River below Red Bluff Diversion Dam, 66 °F

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
8	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	C	-3.4	-3.4	-3.4	-3.4	6.9	-1.5	-1.5	-1.5	-1.5	0.3
8	All	-0.6	-0.6	-0.6	-0.6	1.1	-1.5	-1.5	-1.5	-1.5	0.3
9	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
9	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
9	BN	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0
9	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
9	C	-5.8	-5.8	-5.8	-5.6	2.2	-0.9	-0.9	-0.9	-0.9	-0.2
9	All	-0.9	-0.9	-0.9	-0.9	0.4	-0.9	-0.9	-0.9	-0.9	-0.2
10	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10	AN	-0.5	-0.5	-0.5	-0.5	-0.5	-0.5	-0.5	-0.5	-0.5	-0.5
10	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10	C	-0.4	-0.4	-0.4	0.2	0.4	-0.5	-0.5	-0.5	-0.2	0.3
10	All	-0.1	-0.1	-0.1	0.0	0.0	-0.5	-0.5	-0.5	-0.2	0.3
11	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
12	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

°F = degrees Fahrenheit

UF = unimpaired flow

^a Green cells indicate >5% lower values under the flow scenario relative to baseline; red cells indicate >5% higher values under the flow scenario relative to baseline.

^b Only includes months on which temperature exceeded index value; green cells indicate >0.5 °F lower values under the flow scenario relative to baseline; red cells indicate >0.5 °F higher values under the flow scenario relative to baseline.

Table A6-181. Water Temperature Index Value Analysis Results, Green Sturgeon, Non-Spawning Adult Presence (Immigration, Pre- and Post-Spawn Holding), Sacramento River below Red Bluff Diversion Dam, 73 °F

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
8	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
9	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
9	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
9	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
9	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
9	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
9	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
12	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

^a °F = degrees Fahrenheit

UF = unimpaired flow

^a Green cells indicate >5% lower values under the flow scenario relative to baseline; red cells indicate >5% higher values under the flow scenario relative to baseline.

^b Only includes months on which temperature exceeded index value; green cells indicate >0.5 °F lower values under the flow scenario relative to baseline; red cells indicate >0.5 °F higher values under the flow scenario relative to baseline.

Table A6-182. Water Temperature Index Value Analysis Results, Green Sturgeon, Non-Spawning Adult Presence (Immigration, Pre- and Post-Spawn Holding), Sacramento River at Hamilton City, 66 °F

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
8	W	-7.3	-6.5	-6.3	-6.8	-6.6	-1.3	-0.8	-0.8	-0.6	-0.6
8	AN	0.0	1.6	-1.6	4.6	14.8	0.0	-0.1	0.0	0.4	0.6
8	BN	0.0	0.2	0.2	3.4	22.0	0.5	0.2	0.2	0.2	0.4
8	D	-0.2	0.6	0.8	9.4	21.0	0.0	0.5	0.9	0.8	0.8
8	C	-7.3	-4.9	9.7	32.3	40.0	-1.2	-1.4	-1.4	-1.3	-0.2
8	All	-3.4	-2.4	-0.3	6.5	15.2	-0.8	-0.9	-0.6	-0.6	-0.1
9	W	-1.3	-1.3	-1.3	-1.5	-1.5	-0.5	-0.5	-0.5	-0.9	-0.9
9	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
9	BN	-2.5	-2.2	-2.2	-2.7	2.5	-0.1	-0.5	-0.4	-0.4	0.2
9	D	-5.6	-5.7	-5.7	-6.2	-5.2	-0.2	-0.1	0.1	0.0	-0.1
9	C	-20.2	-20.9	-22.9	-12.4	-8.0	-0.5	-0.5	-0.7	-0.3	0.4
9	All	-5.4	-5.4	-5.8	-4.4	-2.5	-0.4	-0.4	-0.5	-0.1	0.4
10	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10	AN	-0.5	-0.5	-1.3	-1.3	0.0	-0.2	-0.2	-1.2	-1.2	-0.8
10	BN	-0.6	-0.6	-0.6	-0.4	0.0	-0.3	-0.3	-0.3	-0.3	0.0
10	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10	C	-2.2	-2.2	-1.7	0.0	0.0	-1.1	-1.1	-0.6	0.7	1.1
10	All	-0.5	-0.5	-0.6	-0.2	0.0	0.0	0.0	-0.5	0.6	0.4
11	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
12	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

^a °F = degrees Fahrenheit

UF = unimpaired flow

^a Green cells indicate >5% lower values under the flow scenario relative to baseline; red cells indicate >5% higher values under the flow scenario relative to baseline.

^b Only includes months on which temperature exceeded index value; green cells indicate >0.5 °F lower values under the flow scenario relative to baseline; red cells indicate >0.5 °F higher values under the flow scenario relative to baseline.

Table A6-183. Water Temperature Index Value Analysis Results, Green Sturgeon, Non-Spawning Adult Presence (Immigration, Pre- and Post-Spawn Holding), Sacramento River at Hamilton City, 73 °F

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
8	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	C	0.0	0.0	0.0	0.0	4.9	0.0	0.0	0.0	0.0	1.4
8	All	0.0	0.0	0.0	0.0	0.8	0.0	0.0	0.0	0.0	1.4
9	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
9	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
9	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
9	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
9	C	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.0	1.0
9	All	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	1.0
10	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
12	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

^a°F = degrees Fahrenheit

UF = unimpaired flow

^a Green cells indicate >5% lower values under the flow scenario relative to baseline; red cells indicate >5% higher values under the flow scenario relative to baseline.

^b Only includes months on which temperature exceeded index value; green cells indicate >0.5 °F lower values under the flow scenario relative to baseline; red cells indicate >0.5 °F higher values under the flow scenario relative to baseline.

Table A6-184. Water Temperature Index Value Analysis Results, Green Sturgeon, Non-Spawning Adult Presence (Immigration, Pre- and Post-Spawn Holding), Sacramento River at Knights Landing, 66 °F

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
1	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	W	-0.2	-0.2	-0.6	-0.7	-1.2	0.1	0.1	0.3	-0.7	-0.9
4	AN	-0.3	-0.3	-1.4	-1.7	-1.7	0.1	0.1	-0.3	-0.3	-0.3
4	BN	0.6	-1.8	-4.9	-9.8	-10.6	-0.3	-0.4	-0.8	-1.1	-1.5
4	D	2.4	-3.7	-9.8	-11.4	-11.9	0.0	-0.2	-0.2	-0.5	-0.5
4	C	2.7	-1.1	-3.8	-8.2	-13.8	0.3	-0.1	-0.1	-0.6	-0.8
4	All	1.0	-1.4	-4.1	-6.1	-7.4	0.1	-0.2	-0.2	-0.4	-0.5
5	W	-2.5	-5.1	-10.1	-12.7	-12.7	-0.4	-0.6	-0.6	-0.8	-0.7
5	AN	0.5	-2.2	-10.5	-15.6	-13.2	-0.1	-0.4	-0.9	-1.0	-0.7

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
5	BN	-3.2	-12.9	-18.2	-20.5	-28.7	-0.1	-0.4	-0.8	-1.0	-0.9
5	D	1.2	2.3	-6.8	-16.7	-19.7	-0.2	-0.1	-0.3	-0.5	-0.6
5	C	5.8	0.4	-5.6	-13.8	-17.8	1.2	0.9	0.5	0.1	0.0
5	All	-0.1	-3.6	-10.2	-15.6	-18.1	0.1	0.0	-0.3	-0.5	-0.5
6	W	-1.7	-6.9	-19.2	-29.6	-13.7	-0.4	-1.1	-1.6	-1.6	-1.4
6	AN	-0.8	-12.5	-24.4	-23.9	-6.4	-0.3	-1.2	-1.3	-2.2	-1.6
6	BN	-1.8	-4.7	-2.9	-0.6	-0.4	-0.2	-0.5	-0.6	-0.9	-0.9
6	D	0.2	-2.7	0.0	-0.8	-2.9	0.7	0.9	0.5	0.4	0.2
6	C	0.9	2.0	2.9	0.9	1.8	1.8	1.7	0.8	0.2	-0.1
6	All	-0.8	-4.8	-9.0	-12.2	-5.4	0.3	0.1	-0.3	-0.6	-0.7
7	W	-0.1	-0.3	-0.7	-0.9	-0.1	-0.2	-0.3	-0.8	-0.9	-0.2
7	AN	2.2	8.9	5.9	9.4	9.7	0.1	0.1	-0.8	0.2	2.6
7	BN	0.4	-0.2	-0.2	1.7	1.7	0.0	0.2	0.6	2.1	3.0
7	D	0.0	0.0	0.0	0.0	0.0	0.7	1.4	2.4	2.7	2.5
7	C	0.0	0.0	0.0	0.0	0.0	1.7	1.8	2.0	1.7	1.5
7	All	0.3	1.0	0.5	1.2	1.5	0.4	0.6	0.6	1.0	1.6
8	W	3.0	5.0	7.7	6.2	7.5	-0.2	0.2	0.3	-0.1	0.8
8	AN	0.3	0.3	2.2	1.9	1.6	-0.1	0.1	-0.4	0.6	1.6
8	BN	-0.8	-1.7	-1.3	-0.4	0.4	-0.2	-0.7	-0.7	0.4	2.2
8	D	-2.2	-2.0	-0.3	0.2	0.2	-0.4	-0.8	-0.2	1.4	1.9
8	C	-0.2	-0.2	0.4	0.4	0.4	-1.5	-1.4	0.5	1.2	1.7
8	All	0.3	0.7	2.4	2.2	2.6	-0.5	-0.5	-0.1	0.6	1.5
9	W	2.6	7.3	16.3	22.6	26.8	-0.3	-0.3	-0.2	0.0	0.1
9	AN	0.8	-3.6	3.3	33.9	22.5	0.0	-0.2	-0.1	0.5	0.5
9	BN	0.0	0.8	0.6	4.9	1.8	-0.4	-0.4	-0.3	-0.3	0.2
9	D	-10.0	-14.0	-11.7	-8.7	-10.6	-0.5	-0.5	-0.6	-0.3	-0.2
9	C	-3.1	-3.6	-4.4	-3.3	-3.8	-1.0	-1.0	-0.9	-0.5	-0.3
9	All	-1.9	-1.9	2.1	9.6	8.3	-0.6	-0.6	-0.7	-0.5	-0.3

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
10	W	-0.2	-0.1	0.6	1.8	2.0	0.0	-0.3	-0.5	0.7	0.7
10	AN	-5.6	-4.8	-8.3	-4.3	-2.7	-0.1	-0.4	0.0	-0.2	0.0
10	BN	-1.7	-1.7	-1.5	0.0	0.4	-1.0	-1.0	-1.0	-0.3	-0.1
10	D	-0.6	-0.5	2.8	3.1	3.1	-0.3	-0.1	-0.3	0.0	-0.1
10	C	-4.1	-6.9	-4.9	0.4	0.2	-1.0	-0.7	-0.5	-0.2	-0.4
10	All	-1.9	-2.2	-1.4	0.8	1.0	-0.5	-0.5	-0.4	-0.1	-0.2
11	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

^aF = degrees Fahrenheit

UF = unimpaired flow

^a Green cells indicate >5% lower values under the flow scenario relative to baseline; red cells indicate >5% higher values under the flow scenario relative to baseline.

^b Only includes months on which temperature exceeded index value; green cells indicate >0.5 °F lower values under the flow scenario relative to baseline; red cells indicate >0.5 °F higher values under the flow scenario relative to baseline.

Table A6-185. Water Temperature Index Value Analysis Results, Green Sturgeon, Non-Spawning Adult Presence (Immigration, Pre- and Post-Spawn Holding), Sacramento River at Knights Landing, 73 °F

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
1	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	W	-0.8	-1.2	-1.7	-2.1	-2.0	-0.4	-0.4	-0.7	-1.4	-1.4
5	AN	0.0	0.0	-0.3	-0.3	-0.3	0.0	0.0	0.0	0.0	0.0

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
5	BN	-0.6	-1.1	-1.1	-1.5	-1.5	-0.1	0.8	-0.3	-0.3	-0.3
5	D	-2.0	-0.5	-1.4	-2.0	-2.6	-0.3	0.1	-0.3	-0.5	-1.0
5	C	12.0	9.0	2.8	-1.1	-1.7	0.6	0.6	0.1	0.1	0.0
5	All	1.1	0.8	-0.6	-1.6	-1.8	0.4	0.5	0.0	0.1	0.0
6	W	-3.1	-4.8	-4.6	-7.6	-5.7	-0.3	-0.3	-0.3	0.0	-0.6
6	AN	-3.3	-11.9	-11.1	-17.2	-14.4	-0.3	-0.7	-0.2	-1.4	-0.4
6	BN	1.0	0.2	-2.7	-3.9	-3.7	-0.3	0.0	0.2	-0.1	-0.1
6	D	4.8	7.8	4.3	-0.2	-0.5	0.2	0.3	0.1	-0.2	-0.3
6	C	26.4	23.8	12.2	4.0	-0.2	1.0	0.8	0.3	0.0	0.0
6	All	4.2	2.7	-0.4	-4.6	-4.4	0.5	0.6	0.2	0.0	-0.1
7	W	-2.6	-6.0	-10.1	-11.4	-7.3	-0.8	-0.8	-0.6	-0.6	-0.6
7	AN	1.9	1.3	-9.4	1.3	34.7	0.0	0.0	0.1	0.0	0.1
7	BN	-2.7	2.7	13.5	24.1	50.5	0.0	0.8	0.5	0.7	0.7
7	D	14.7	27.0	45.5	53.9	50.5	-0.1	1.0	1.0	0.9	0.9
7	C	7.5	11.8	22.4	21.7	20.4	1.9	1.6	1.3	1.0	0.9
7	All	3.5	6.9	12.1	16.8	26.2	0.5	0.8	0.8	0.6	0.4
8	W	-8.6	-7.5	-7.0	-9.3	-4.7	-1.2	-0.8	-0.9	-0.7	-0.9
8	AN	-1.6	1.1	-4.0	7.8	34.9	0.1	0.1	0.1	0.5	0.7
8	BN	-1.1	-7.0	-4.4	8.7	45.0	-0.1	0.0	-0.2	0.1	0.8
8	D	-1.2	-5.1	4.3	31.2	44.1	-0.1	0.2	0.2	0.7	0.6
8	C	-25.4	-25.4	11.8	21.1	25.8	0.4	0.6	0.6	0.8	0.9
8	All	-7.4	-8.6	-0.6	10.2	25.4	-0.1	0.1	0.2	0.5	0.5
9	W	-1.0	-1.0	-1.0	-1.0	-1.0	-0.3	-0.3	-0.3	-0.3	-0.3
9	AN	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.0
9	BN	-2.7	-2.7	-2.5	-2.9	-2.5	-0.6	-0.1	-0.3	-0.6	-0.3
9	D	-2.7	-2.7	-2.9	-3.2	-2.1	-0.1	-0.1	0.0	0.2	0.4
9	C	-13.3	-11.3	-10.9	-8.9	-10.2	-0.3	-0.4	-0.2	0.0	0.4
9	All	-3.5	-3.2	-3.2	-3.0	-2.8	-0.2	-0.3	-0.1	0.1	0.4

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
10	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

^aF = degrees Fahrenheit

UF = unimpaired flow

^a Green cells indicate >5% lower values under the flow scenario relative to baseline; red cells indicate >5% higher values under the flow scenario relative to baseline.

^b Only includes months on which temperature exceeded index value; green cells indicate >0.5 °F lower values under the flow scenario relative to baseline; red cells indicate >0.5 °F higher values under the flow scenario relative to baseline.

Table A6-186. Water Temperature Index Value Analysis Results, Green Sturgeon, Larval to Juvenile Rearing and Emigration, Sacramento River at Bend Bridge, 66 °F

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
1	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
5	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	C	-3.0	-3.0	-3.0	-3.0	4.9	-1.3	-1.3	-1.3	-1.3	0.0
8	All	-0.5	-0.5	-0.5	-0.5	0.8	-1.3	-1.3	-1.3	-1.3	0.0
9	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
9	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
9	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
9	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
9	C	-4.0	-4.0	-4.0	-4.0	1.8	-0.8	-0.8	-0.8	-0.8	-0.3
9	All	-0.6	-0.6	-0.6	-0.6	0.3	-0.8	-0.8	-0.8	-0.8	-0.3

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
10	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10	AN	-0.3	-0.3	-0.3	-0.3	-0.3	0.0	0.0	0.0	0.0	0.0
10	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10	C	0.0	0.0	0.0	0.4	0.6	0.0	0.0	0.0	0.5	0.7
10	All	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.5	0.7
11	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

^aF = degrees Fahrenheit

UF = unimpaired flow

^a Green cells indicate >5% lower values under the flow scenario relative to baseline; red cells indicate >5% higher values under the flow scenario relative to baseline.

^b Only includes months on which temperature exceeded index value; green cells indicate >0.5 °F lower values under the flow scenario relative to baseline; red cells indicate >0.5 °F higher values under the flow scenario relative to baseline.

Table A6-187. Water Temperature Index Value Analysis Results, Green Sturgeon, Larval to Juvenile Rearing and Emigration, Sacramento River at Red Bluff Diversion Dam, 66 °F

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
1	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
5	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	C	-3.4	-3.4	-3.4	-3.4	6.9	-1.5	-1.5	-1.5	-1.5	0.3
8	All	-0.6	-0.6	-0.6	-0.6	1.1	-1.5	-1.5	-1.5	-1.5	0.3
9	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
9	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
9	BN	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0
9	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
9	C	-5.8	-5.8	-5.8	-5.6	2.2	-0.9	-0.9	-0.9	-0.9	-0.2
9	All	-0.9	-0.9	-0.9	-0.9	0.4	-0.9	-0.9	-0.9	-0.9	-0.2

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
10	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10	AN	-0.5	-0.5	-0.5	-0.5	-0.5	-0.5	-0.5	-0.5	-0.5	-0.5
10	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10	C	-0.4	-0.4	-0.4	0.2	0.4	-0.5	-0.5	-0.5	-0.2	0.3
10	All	-0.1	-0.1	-0.1	0.0	0.0	-0.5	-0.5	-0.5	-0.2	0.3
11	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

^aF = degrees Fahrenheit

UF = unimpaired flow

^a Green cells indicate >5% lower values under the flow scenario relative to baseline; red cells indicate >5% higher values under the flow scenario relative to baseline.

^b Only includes months on which temperature exceeded index value; green cells indicate >0.5 °F lower values under the flow scenario relative to baseline; red cells indicate >0.5 °F higher values under the flow scenario relative to baseline.

Table A6-188. Water Temperature Index Value Analysis Results, Green Sturgeon, Larval to Juvenile Rearing and Emigration, Sacramento River at Hamilton City, 66 °F

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
1	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	BN	0.0	-0.2	-0.2	-0.2	-0.2	0.0	-1.0	-1.0	-1.0	-1.0
4	D	0.6	0.0	-0.5	-0.6	-0.6	0.3	-0.3	-0.8	-0.8	-0.8
4	C	1.6	0.0	0.4	-1.3	-1.6	0.2	0.1	0.1	0.6	-0.4
4	All	0.4	0.0	-0.1	-0.4	-0.4	0.2	0.0	-0.1	0.4	-0.6
5	W	-0.9	-0.9	-1.3	-1.4	-1.3	-0.8	-0.9	-0.9	-1.4	-0.9
5	AN	0.0	-0.3	-0.5	-0.5	0.0	0.5	0.0	0.0	0.0	0.5

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
5	BN	-0.6	-0.9	-1.1	-0.9	-0.8	-0.4	-0.4	-0.3	0.3	0.0
5	D	-1.7	0.3	0.6	-1.5	-1.1	-0.6	-0.3	-0.4	-0.1	-0.3
5	C	19.6	15.7	7.5	5.4	5.2	0.7	0.8	0.5	0.3	0.2
5	All	2.4	2.1	0.7	-0.1	0.1	0.3	0.3	0.0	0.0	-0.1
6	W	-1.9	-2.1	-1.4	-2.6	-0.7	-0.2	-0.2	-0.3	-0.1	-0.1
6	AN	-1.9	-3.9	-0.6	-4.2	-0.8	-0.5	0.3	-0.1	-0.7	-0.2
6	BN	0.6	0.8	1.2	3.3	3.9	0.1	0.4	0.3	0.6	0.8
6	D	3.8	5.9	6.2	4.4	5.4	-0.1	0.1	-0.1	-0.1	-0.1
6	C	40.7	38.2	29.3	18.0	16.4	1.2	1.1	0.6	0.6	0.6
6	All	6.7	6.5	5.8	3.2	4.3	1.0	0.9	0.5	0.5	0.4
7	W	-4.6	-5.2	-5.4	-5.4	-4.1	-0.4	-0.2	0.0	0.0	-0.2
7	AN	1.9	1.6	-0.3	3.0	33.3	-0.2	-0.2	-0.2	-0.1	0.2
7	BN	0.0	4.9	2.8	12.9	29.2	0.0	1.0	0.3	1.3	1.3
7	D	3.4	14.6	24.4	32.4	41.0	0.3	-0.1	-0.1	-0.1	-0.1
7	C	46.0	52.5	63.7	60.0	63.0	1.4	1.2	1.2	1.2	1.5
7	All	7.0	11.3	14.6	18.1	27.8	1.0	0.7	0.7	0.7	0.7
8	W	-7.3	-6.5	-6.3	-6.8	-6.6	-1.3	-0.8	-0.8	-0.6	-0.6
8	AN	0.0	1.6	-1.6	4.6	14.8	0.0	-0.1	0.0	0.4	0.6
8	BN	0.0	0.2	0.2	3.4	22.0	0.5	0.2	0.2	0.2	0.4
8	D	-0.2	0.6	0.8	9.4	21.0	0.0	0.5	0.9	0.8	0.8
8	C	-7.3	-4.9	9.7	32.3	40.0	-1.2	-1.4	-1.4	-1.3	-0.2
8	All	-3.4	-2.4	-0.3	6.5	15.2	-0.8	-0.9	-0.6	-0.6	-0.1
9	W	-1.3	-1.3	-1.3	-1.5	-1.5	-0.5	-0.5	-0.5	-0.9	-0.9
9	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
9	BN	-2.5	-2.2	-2.2	-2.7	2.5	-0.1	-0.5	-0.4	-0.4	0.2
9	D	-5.6	-5.7	-5.7	-6.2	-5.2	-0.2	-0.1	0.1	0.0	-0.1
9	C	-20.2	-20.9	-22.9	-12.4	-8.0	-0.5	-0.5	-0.7	-0.3	0.4
9	All	-5.4	-5.4	-5.8	-4.4	-2.5	-0.4	-0.4	-0.5	-0.1	0.4

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
10	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10	AN	-0.5	-0.5	-1.3	-1.3	0.0	-0.2	-0.2	-1.2	-1.2	-0.8
10	BN	-0.6	-0.6	-0.6	-0.4	0.0	-0.3	-0.3	-0.3	-0.3	0.0
10	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10	C	-2.2	-2.2	-1.7	0.0	0.0	-1.1	-1.1	-0.6	0.7	1.1
10	All	-0.5	-0.5	-0.6	-0.2	0.0	0.0	0.0	-0.5	0.6	0.4
11	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

^aF = degrees Fahrenheit

UF = unimpaired flow

^a Green cells indicate >5% lower values under the flow scenario relative to baseline; red cells indicate >5% higher values under the flow scenario relative to baseline.

^b Only includes months on which temperature exceeded index value; green cells indicate >0.5 °F lower values under the flow scenario relative to baseline; red cells indicate >0.5 °F higher values under the flow scenario relative to baseline.

Table A6-189. Water Temperature Index Value Analysis Results, Green Sturgeon, Larval to Juvenile Rearing and Emigration, Sacramento River at Knights Landing, 66 °F

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
1	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	W	-0.2	-0.2	-0.6	-0.7	-1.2	0.1	0.1	0.3	-0.7	-0.9
4	AN	-0.3	-0.3	-1.4	-1.7	-1.7	0.1	0.1	-0.3	-0.3	-0.3
4	BN	0.6	-1.8	-4.9	-9.8	-10.6	-0.3	-0.4	-0.8	-1.1	-1.5
4	D	2.4	-3.7	-9.8	-11.4	-11.9	0.0	-0.2	-0.2	-0.5	-0.5
4	C	2.7	-1.1	-3.8	-8.2	-13.8	0.3	-0.1	-0.1	-0.6	-0.8
4	All	1.0	-1.4	-4.1	-6.1	-7.4	0.1	-0.2	-0.2	-0.4	-0.5
5	W	-2.5	-5.1	-10.1	-12.7	-12.7	-0.4	-0.6	-0.6	-0.8	-0.7
5	AN	0.5	-2.2	-10.5	-15.6	-13.2	-0.1	-0.4	-0.9	-1.0	-0.7

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
5	BN	-3.2	-12.9	-18.2	-20.5	-28.7	-0.1	-0.4	-0.8	-1.0	-0.9
5	D	1.2	2.3	-6.8	-16.7	-19.7	-0.2	-0.1	-0.3	-0.5	-0.6
5	C	5.8	0.4	-5.6	-13.8	-17.8	1.2	0.9	0.5	0.1	0.0
5	All	-0.1	-3.6	-10.2	-15.6	-18.1	0.1	0.0	-0.3	-0.5	-0.5
6	W	-1.7	-6.9	-19.2	-29.6	-13.7	-0.4	-1.1	-1.6	-1.6	-1.4
6	AN	-0.8	-12.5	-24.4	-23.9	-6.4	-0.3	-1.2	-1.3	-2.2	-1.6
6	BN	-1.8	-4.7	-2.9	-0.6	-0.4	-0.2	-0.5	-0.6	-0.9	-0.9
6	D	0.2	-2.7	0.0	-0.8	-2.9	0.7	0.9	0.5	0.4	0.2
6	C	0.9	2.0	2.9	0.9	1.8	1.8	1.7	0.8	0.2	-0.1
6	All	-0.8	-4.8	-9.0	-12.2	-5.4	0.3	0.1	-0.3	-0.6	-0.7
7	W	-0.1	-0.3	-0.7	-0.9	-0.1	-0.2	-0.3	-0.8	-0.9	-0.2
7	AN	2.2	8.9	5.9	9.4	9.7	0.1	0.1	-0.8	0.2	2.6
7	BN	0.4	-0.2	-0.2	1.7	1.7	0.0	0.2	0.6	2.1	3.0
7	D	0.0	0.0	0.0	0.0	0.0	0.7	1.4	2.4	2.7	2.5
7	C	0.0	0.0	0.0	0.0	0.0	1.7	1.8	2.0	1.7	1.5
7	All	0.3	1.0	0.5	1.2	1.5	0.4	0.6	0.6	1.0	1.6
8	W	3.0	5.0	7.7	6.2	7.5	-0.2	0.2	0.3	-0.1	0.8
8	AN	0.3	0.3	2.2	1.9	1.6	-0.1	0.1	-0.4	0.6	1.6
8	BN	-0.8	-1.7	-1.3	-0.4	0.4	-0.2	-0.7	-0.7	0.4	2.2
8	D	-2.2	-2.0	-0.3	0.2	0.2	-0.4	-0.8	-0.2	1.4	1.9
8	C	-0.2	-0.2	0.4	0.4	0.4	-1.5	-1.4	0.5	1.2	1.7
8	All	0.3	0.7	2.4	2.2	2.6	-0.5	-0.5	-0.1	0.6	1.5
9	W	2.6	7.3	16.3	22.6	26.8	-0.3	-0.3	-0.2	0.0	0.1
9	AN	0.8	-3.6	3.3	33.9	22.5	0.0	-0.2	-0.1	0.5	0.5
9	BN	0.0	0.8	0.6	4.9	1.8	-0.4	-0.4	-0.3	-0.3	0.2
9	D	-10.0	-14.0	-11.7	-8.7	-10.6	-0.5	-0.5	-0.6	-0.3	-0.2
9	C	-3.1	-3.6	-4.4	-3.3	-3.8	-1.0	-1.0	-0.9	-0.5	-0.3
9	All	-1.9	-1.9	2.1	9.6	8.3	-0.6	-0.6	-0.7	-0.5	-0.3

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
10	W	-0.2	-0.1	0.6	1.8	2.0	0.0	-0.3	-0.5	0.7	0.7
10	AN	-5.6	-4.8	-8.3	-4.3	-2.7	-0.1	-0.4	0.0	-0.2	0.0
10	BN	-1.7	-1.7	-1.5	0.0	0.4	-1.0	-1.0	-1.0	-0.3	-0.1
10	D	-0.6	-0.5	2.8	3.1	3.1	-0.3	-0.1	-0.3	0.0	-0.1
10	C	-4.1	-6.9	-4.9	0.4	0.2	-1.0	-0.7	-0.5	-0.2	-0.4
10	All	-1.9	-2.2	-1.4	0.8	1.0	-0.5	-0.5	-0.4	-0.1	-0.2
11	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

^aF = degrees Fahrenheit

UF = unimpaired flow

^a Green cells indicate >5% lower values under the flow scenario relative to baseline; red cells indicate >5% higher values under the flow scenario relative to baseline.

^b Only includes months on which temperature exceeded index value; green cells indicate >0.5 °F lower values under the flow scenario relative to baseline; red cells indicate >0.5 °F higher values under the flow scenario relative to baseline.

Table A6-190. Summary of Water Temperature Index Value Analysis for the Sacramento River, Showing the Percent of Month-Water Year Type Combinations with Favorable and Unfavorable Results

Species	Life Stage	Period	Location	Index Value (°F)		Percent of Month-Water Year Type Combinations with Unfavorable Result					Percent of Month-Water Year Type Combinations with Favorable Result				
				Mean		35UF	45UF	55UF	65UF	75UF	35UF	45UF	55UF	65UF	75UF
				Daily	7DADM ^a										
Winter-run Chinook Salmon	Spawning, Egg	Apr-Oct	Keswick	-	55.4	0.0	0.0	0.0	2.9	17.1	11.4	11.4	14.3	8.6	0.0
			Clear Creek	-	55.4	2.9	5.7	2.9	11.4	28.6	11.4	8.6	2.9	8.6	8.6
		Balls Ferry	-	55.4	2.9	5.7	8.6	17.1	31.4	8.6	8.6	8.6	5.7	11.4	
			Bend	-	55.4	0.0	0.0	2.9	14.3	28.6	0.0	8.6	11.4	17.1	14.3
			Bridge	-	55.4	0.0	0.0	2.9	14.3	20.0	0.0	2.9	8.6	17.1	11.4
			Red Bluff Diversion Dam	-	55.4	0.0	0.0	2.9	14.3	20.0	0.0	2.9	8.6	17.1	11.4
	May-Oct	Keswick	53.5	-	3.3	6.7	6.7	16.7	26.7	13.3	13.3	10.0	10.0	6.7	
		Clear Creek	53.5	-	3.3	0.0	3.3	10.0	30.0	13.3	13.3	3.3	3.3	10.0	
	Fry and Juvenile Rearing and Emigration	Jul-Mar	Keswick	56	-	0.0	0.0	0.0	0.0	3.3	13.3	13.3	16.7	6.7	0.0
			Clear Creek	56	-	6.7	10.0	3.3	6.7	23.3	13.3	13.3	16.7	10.0	0.0
		Keswick	-	61	0.0	0.0	0.0	0.0	2.2	8.9	8.9	11.1	4.4	0.0	
		Clear Creek	-	61	0.0	0.0	0.0	0.0	2.2	6.7	11.1	13.3	4.4	0.0	
		Balls Ferry	-	61	0.0	0.0	0.0	0.0	8.9	8.9	6.7	11.1	4.4	0.0	
		Bend	-	61	2.2	2.2	2.2	4.4	13.3	11.1	11.1	11.1	4.4	0.0	
	Adult Immigration	Dec-Aug	Bridge	-	61	2.2	2.2	2.2	4.4	13.3	13.3	11.1	6.7	8.9	4.4
			Red Bluff Diversion Dam	-	61	2.2	2.2	2.2	4.4	13.3	13.3	11.1	6.7	8.9	4.4
		Wilkins Slough	-	64	0.0	0.0	2.2	4.4	4.4	2.2	0.0	2.2	0.0	0.0	
		Keswick	-	68	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
Bend		-	68	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
Bridge		-	68	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
Adult Holding	Jan-Aug	Keswick	-	61	0.0	0.0	0.0	0.0	0.0	2.5	2.5	2.5	0.0	0.0	
		Balls Ferry	-	61	0.0	2.5	0.0	0.0	7.5	2.5	2.5	2.5	0.0	0.0	

Species	Life Stage	Period	Location	Index Value (°F)		Percent of Month-Water Year Type Combinations with Unfavorable Result					Percent of Month-Water Year Type Combinations with Favorable Result				
				Mean Daily	7DADM ^a	35UF	45UF	55UF	65UF	75UF	35UF	45UF	55UF	65UF	75UF
			Red Bluff Diversion Dam	-	61	7.5	7.5	5.0	10.0	17.5	5.0	5.0	0.0	2.5	5.0
Spring-run Chinook Salmon	Spawning, Egg Incubation, and Alevins	Aug-Dec	Keswick	-	55.4	0.0	0.0	0.0	0.0	8.0	16.0	16.0	24.0	12.0	0.0
			Clear Creek	-	55.4	0.0	0.0	0.0	0.0	12.0	16.0	12.0	8.0	8.0	12.0
			Balls Ferry	-	55.4	0.0	0.0	0.0	8.0	16.0	12.0	12.0	12.0	4.0	4.0
			Bend Bridge	-	55.4	0.0	0.0	0.0	8.0	20.0	0.0	8.0	12.0	0.0	0.0
			Red Bluff Diversion Dam	-	55.4	0.0	0.0	0.0	8.0	12.0	0.0	0.0	4.0	0.0	0.0
	Fry and Juvenile Rearing and Emigration	Year-round	Keswick	-	61	0.0	0.0	0.0	0.0	1.7	6.7	6.7	8.3	3.3	0.0
			Clear Creek	-	61	0.0	0.0	0.0	0.0	1.7	5.0	8.3	10.0	3.3	0.0
			Balls Ferry	-	61	0.0	1.7	0.0	0.0	6.7	6.7	5.0	8.3	3.3	0.0
			Bend Bridge	-	61	3.3	5.0	3.3	6.7	15.0	8.3	8.3	8.3	3.3	0.0
			Red Bluff Diversion Dam	-	61	5.0	5.0	3.3	6.7	13.3	10.0	8.3	5.0	6.7	5.0
			Hamilton City	-	64	0.0	0.0	1.7	3.3	3.3	1.7	1.7	8.3	13.3	13.3
Adult Immigration	Mar-Sep	Keswick	-	68	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
		Bend Bridge	-	68	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
		Red Bluff	-	68	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Adult Holding	Apr-Sep	Keswick	-	61	0.0	0.0	0.0	0.0	3.3	6.7	6.7	6.7	3.3	0.0	
		Balls Ferry	-	61	0.0	3.3	0.0	0.0	13.3	6.7	3.3	6.7	3.3	0.0	
		Red Bluff Diversion Dam	-	61	10.0	10.0	6.7	13.3	26.7	13.3	10.0	3.3	10.0	10.0	
Fall-Run Chinook Salmon	Spawning, Egg	Sep-Jan	Keswick	-	55.4	0.0	0.0	0.0	0.0	4.0	12.0	12.0	20.0	12.0	0.0
			Clear Creek	-	55.4	0.0	0.0	0.0	0.0	8.0	12.0	8.0	8.0	8.0	12.0
			Balls Ferry	-	55.4	0.0	0.0	0.0	4.0	8.0	8.0	12.0	12.0	4.0	4.0

Species	Life Stage	Period	Location	Index Value (°F)		Percent of Month-Water Year Type Combinations with Unfavorable Result					Percent of Month-Water Year Type Combinations with Favorable Result					
				Daily	7DADM ^a	35UF	45UF	55UF	65UF	75UF	35UF	45UF	55UF	65UF	75UF	
																Mean
Chinook Salmon	Incubation, and Alevins		Bend Bridge	-	55.4	0.0	0.0	0.0	8.0	20.0	0.0	8.0	12.0	0.0	0.0	
			Red Bluff Diversion Dam	-	55.4	0.0	0.0	0.0	8.0	12.0	0.0	0.0	4.0	0.0	0.0	
			Keswick	-	61	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	Fry and Juvenile Rearing and Emigration	Dec-Jun	Clear Creek	-	61	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
			Balls Ferry	-	61	0.0	2.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
			Bend Bridge	-	61	2.9	5.7	2.9	5.7	8.6	0.0	0.0	0.0	0.0	0.0	
	Adult Immigration	Jul-Dec	Red Bluff Diversion Dam	-	61	5.7	5.7	2.9	5.7	5.7	0.0	0.0	0.0	0.0	2.9	
			Hamilton City	-	64	0.0	0.0	0.0	0.0	0.0	0.0	2.9	11.4	22.9	22.9	
			Keswick	-	68	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	Adult Holding	Jul-Aug	Bend Bridge	-	68	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
			Red Bluff Diversion Dam	-	68	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
			Keswick	-	61	0.0	0.0	0.0	0.0	0.0	10.0	10.0	10.0	0.0	0.0	
	Late Fall-Run Chinook Salmon	Spawning, Egg Incubation, and Alevins	Dec-Jun	Balls Ferry	-	61	0.0	0.0	0.0	0.0	30.0	10.0	10.0	10.0	0.0	0.0
				Red Bluff Diversion Dam	-	61	10.0	10.0	10.0	20.0	50.0	20.0	20.0	0.0	10.0	10.0
				Keswick	-	55.4	0.0	0.0	0.0	0.0	2.9	0.0	0.0	0.0	0.0	0.0
Late Fall-Run Chinook Salmon	Spawning, Egg Incubation, and Alevins	Dec-Jun	Clear Creek	-	55.4	2.9	2.9	0.0	5.7	11.4	0.0	0.0	0.0	2.9	0.0	
			Balls Ferry	-	55.4	2.9	2.9	5.7	5.7	11.4	0.0	0.0	2.9	2.9	8.6	
			Bend Bridge	-	55.4	0.0	0.0	2.9	5.7	8.6	0.0	2.9	5.7	17.1	14.3	
			Red Bluff Diversion Dam	-	55.4	0.0	0.0	2.9	5.7	5.7	0.0	2.9	8.6	17.1	11.4	

Species	Life Stage	Period	Location	Index Value (°F)		Percent of Month-Water Year Type Combinations with Unfavorable Result					Percent of Month-Water Year Type Combinations with Favorable Result					
				Mean	Daily	7DADM ^a	35UF	45UF	55UF	65UF	75UF	35UF	45UF	55UF	65UF	75UF
Steelhead	Fry and Juvenile Rearing and Emigration	Mar-Jan	Keswick	-	61	0.0	0.0	0.0	0.0	1.8	7.3	7.3	9.1	3.6	0.0	
			Clear Creek	-	61	0.0	0.0	0.0	0.0	1.8	5.5	9.1	10.9	3.6	0.0	
			Balls Ferry	-	61	0.0	1.8	0.0	0.0	7.3	7.3	5.5	9.1	3.6	0.0	
			Bend	-	61	3.6	5.5	3.6	7.3	16.4	9.1	9.1	9.1	3.6	0.0	
			Bridge	-	64	1.8	1.8	0.0	0.0	3.6	3.6	5.5	3.6	1.8	0.0	
		Adult Immigration	Nov-Apr	Red Bluff Diversion Dam	-	64	0.0	0.0	1.8	3.6	3.6	1.8	1.8	9.1	14.5	14.5
	Keswick			-	68	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	Bend			-	68	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	Bridge			-	68	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	Red Bluff Diversion Dam			-	68	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
Steelhead	Spawning, Egg Incubation, and Alevins	Nov-Apr	Keswick	53	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.7	3.3	
				56	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.7	3.3	0.0	
			Clear Creek	53	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.3	6.7	3.3	
				56	-	0.0	0.0	0.0	0.0	0.0	0.0	3.3	6.7	3.3	0.0	
			Balls Ferry	53	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.7	20.0	20.0	
				56	-	0.0	0.0	0.0	0.0	0.0	0.0	6.7	3.3	3.3		
		Kelt Emigration	Feb-May	Bend	53	-	0.0	0.0	0.0	0.0	0.0	0.0	6.7	16.7	16.7	
				56	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.3	3.3	10.0	
	Red Bluff			53	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.7	13.3	16.7	
				56	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.3	10.0	6.7	
Diversion Dam	-			68	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
			Keswick	-	70	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
				-	68	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
			Bend	-	70	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
			Bridge	-	68	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
				-	68	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		

Species	Life Stage	Period	Location	Index Value (°F)		Percent of Month-Water Year Type Combinations with Unfavorable Result					Percent of Month-Water Year Type Combinations with Favorable Result						
				Mean	7DADM ^a	35UF	45UF	55UF	65UF	75UF	35UF	45UF	55UF	65UF	75UF		
				Daily													
			Red Bluff Diversion Dam	70	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
	Juvenile Rearing	Year-round	Keswick	63	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.7	1.7	0.0	
					-	69	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
				Clear Creek	63	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.7	1.7	0.0
					-	69	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
				Balls Ferry	63	-	0.0	0.0	0.0	0.0	0.0	0.0	1.7	1.7	1.7	1.7	0.0
					-	69	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
				Bend Bridge	63	-	0.0	0.0	0.0	0.0	0.0	3.3	3.3	3.3	3.3	1.7	0.0
					-	69	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
		Red Bluff Diversion Dam	63	-	1.7	1.7	0.0	0.0	0.0	5.0	3.3	3.3	3.3	1.7	0.0		
			-	69	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			
	Smoltification	Jan-Mar	Keswick	54	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
				Clear Creek	54	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
				Balls Ferry	54	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
				Bend Bridge	54	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
				Red Bluff Diversion Dam	54	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
	Smolt Emigration (excludes migrant parr)	Nov-Jun	Keswick	-	61	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
					-	64	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
				Clear Creek	-	61	0.0	0.0	0.0	0.0	0.0	0.0	2.5	2.5	0.0	0.0	
					-	64	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
				Balls Ferry	-	61	0.0	2.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
					-	64	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
				Bend Bridge	-	61	2.5	5.0	2.5	5.0	7.5	0.0	0.0	0.0	0.0	0.0	
					-	64	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
		Red Bluff Diversion Dam	-	61	5.0	5.0	2.5	5.0	5.0	0.0	0.0	0.0	0.0	2.5			
			-	64	2.5	2.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0				

Species	Life Stage	Period	Location	Index Value (°F)		Percent of Month-Water Year Type Combinations with Unfavorable Result					Percent of Month-Water Year Type Combinations with Favorable Result					
				Mean	Daily	7DADM ^a	35UF	45UF	55UF	65UF	75UF	35UF	45UF	55UF	65UF	75UF
Green Sturgeon	Adult Immigration	Aug-Mar	Keswick	-	68	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
			Bend	-	68	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
			Bridge	70	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
			Red Bluff	-	68	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
			Diversion Dam	70	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Adult Holding	Sep-Nov	Keswick	-	61	0.0	0.0	0.0	0.0	0.0	5.0	20.0	20.0	25.0	10.0	0.0
			Balls Ferry	-	61	0.0	0.0	0.0	0.0	0.0	10.0	20.0	15.0	25.0	10.0	0.0
			Red Bluff Diversion Dam	-	61	0.0	0.0	0.0	0.0	0.0	15.0	30.0	25.0	15.0	20.0	10.0
	Spawning and Embryo Incubation	Mar-Jul	Bend	63	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
			Bridge	63	-	4.0	4.0	0.0	0.0	4.0	0.0	0.0	0.0	0.0	0.0	0.0
			Diversion Dam	63	-	12.0	20.0	20.0	16.0	20.0	0.0	0.0	4.0	8.0	4.0	
			Hamilton City	66	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
			Bridge	73	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
			Red Bluff	66	-	0.0	0.0	0.0	0.0	0.0	0.0	2.9	2.9	2.9	2.9	0.0
Non-Spawning Adult Presence (Immigration, Pre- and Post-Spawn Holding)	Aug-Feb	Diversion Dam	73	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
		Hamilton City	66	-	0.0	0.0	0.0	2.9	5.7	8.6	2.9	5.7	2.9	2.9		
		City	73	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
		Knights Landing	66	-	1.7	0.0	0.0	0.0	5.0	0.0	8.3	10.0	13.3	15.0		
		Landing	73	-	5.0	6.7	6.7	8.3	11.7	1.7	5.0	3.3	5.0	3.3		
		Bend	66	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
Larval to Juvenile Rearing and Emigration	Year-round	Bridge	66	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
		Red Bluff	66	-	0.0	0.0	0.0	0.0	0.0	1.7	1.7	1.7	1.7	0.0		
		Diversion Dam	66	-	0.0	0.0	0.0	0.0	0.0	1.7	1.7	1.7	1.7	0.0		

Species	Life Stage	Period	Location	Index Value (°F)		Percent of Month-Water Year Type Combinations with Unfavorable Result					Percent of Month-Water Year Type Combinations with Favorable Result					
				Mean	Daily	7DADM ^a	35UF	45UF	55UF	65UF	75UF	35UF	45UF	55UF	65UF	75UF
							Hamilton City	66	-		5.0	5.0	3.3	6.7	8.3	5.0
			Knights Landing	66	-		1.7	0.0	0.0	0.0	5.0	0.0	8.3	10.0	13.3	15.0

Shading is provided only to attract attention to the larger deviations from baseline. Shading does not indicate any impact conclusions.

For unfavorable results, the following criteria are met: (1) frequency of exceedance above the water temperature index value under the flow scenario was >5% higher than the frequency of exceedance under the baseline; and (2) average daily exceedance above the water temperature index value under the flow scenario was >0.5°F higher than the exceedance under the baseline.

For favorable results, the following criteria are met: (1) frequency of exceedance above the water temperature index value under the flow scenario was >5% lower than the frequency of exceedance under the baseline; and (2) average daily exceedance above the water temperature index value under the flow scenario was >0.5°F lower than the exceedance under the baseline.

°F = degrees Fahrenheit

UF = unimpaired flow

^a7DADM = Seven-day average daily maximum

A6.4.2.2 American River

Winter-Run Chinook Salmon

Table A6-191. Water Temperature Index Value Analysis Results, Winter-Run Chinook Salmon, Non-Natal Rearing, American River at Watt Avenue, 64 °F 7DADM

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
7	W	-0.7	0.7	3.3	12.3	22.9	0.3	0.7	1.1	2.9	3.6
7	AN	0.5	4.8	7.0	8.1	8.1	0.3	0.6	2.6	4.2	5.5
7	BN	4.0	14.6	17.6	17.6	17.6	0.4	1.2	3.5	4.4	4.7
7	D	0.0	0.0	0.0	0.0	0.0	1.2	2.9	4.0	4.5	5.2
7	C	0.0	0.0	0.0	0.0	0.0	-0.7	0.3	0.8	1.4	1.9
7	All	0.6	3.5	5.1	8.0	11.2	0.4	1.2	2.4	3.2	3.8
8	W	0.7	0.2	-0.3	-2.2	10.0	0.4	0.7	1.6	0.7	2.5
8	AN	0.0	0.0	0.0	0.0	0.0	1.0	1.3	0.9	1.2	3.4
8	BN	0.0	0.0	0.0	0.0	0.0	0.5	1.7	2.0	2.5	3.8
8	D	0.0	0.0	0.0	0.0	0.0	0.1	1.5	1.5	2.2	3.3
8	C	0.0	0.0	0.0	0.0	0.0	1.4	1.7	1.8	2.2	3.9
8	All	0.2	0.1	-0.1	-0.7	3.0	0.6	1.3	1.6	1.8	3.2
9	W	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.3	0.4	0.7
9	AN	0.0	0.0	0.0	0.0	0.0	0.1	0.3	0.9	1.0	1.7
9	BN	0.0	0.0	0.0	0.0	0.0	0.4	0.5	0.5	0.5	1.9
9	D	0.0	0.0	0.0	0.0	0.0	0.2	0.1	0.3	0.7	1.9
9	C	0.0	0.0	0.0	0.0	0.0	0.8	0.6	0.6	0.5	1.7
9	All	0.0	0.0	0.0	0.0	0.0	0.3	0.3	0.5	0.6	1.5
10	W	-1.7	-0.8	1.0	2.9	4.5	0.0	-0.1	0.2	0.4	1.0
10	AN	0.3	2.2	7.8	20.7	22.3	0.1	0.1	0.5	0.1	0.8
10	BN	-1.3	2.1	16.1	10.2	12.3	-0.2	-0.1	0.3	0.1	0.6
10	D	0.0	2.8	4.6	5.1	1.7	0.1	-0.1	-0.2	-0.2	0.0
10	C	0.0	3.2	9.2	12.3	11.6	0.5	0.1	0.1	0.3	0.6

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
10	All	-0.7	1.6	6.8	8.5	8.7	0.1	0.0	0.1	0.1	0.6
11	W	-2.4	-2.0	-0.5	-1.5	-1.7	-0.3	-0.4	-0.1	0.2	0.1
11	AN	-0.3	-0.8	2.5	0.0	-0.3	0.0	-0.3	-0.6	-0.5	-0.7
11	BN	-2.0	-2.7	1.4	-2.7	-1.2	0.1	-0.1	0.6	-0.1	0.0
11	D	0.3	0.8	-0.8	-0.5	-3.3	0.1	-0.4	-0.6	-0.4	-0.4
11	C	2.0	-0.4	1.3	2.2	-4.0	0.0	-0.3	-0.4	-0.4	-0.1
11	All	-0.7	-1.1	0.5	-0.7	-2.2	0.0	-0.3	-0.3	-0.2	-0.2
12	W	0.1	0.1	0.1	0.0	-0.1	-0.2	-0.2	-0.2	0.0	0.0
12	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	D	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	All	0.1	0.0	0.0	0.0	0.0	-0.3	-0.2	-0.2	0.0	0.0
1	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
3	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	C	0.9	0.9	-0.2	0.6	-0.4	2.0	1.3	0.0	0.6	0.0
3	All	0.1	0.1	0.0	0.1	-0.1	2.0	1.3	0.0	0.6	0.0
4	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	BN	-4.3	-4.3	-4.3	-4.3	-4.3	-1.1	-1.1	-1.1	-1.1	-1.1
4	D	-10.2	-11.1	-11.3	-11.3	-11.3	-0.7	-1.2	-1.2	-1.2	-1.2
4	C	-6.0	-1.8	-9.8	-2.4	-4.9	-0.4	0.7	-0.9	1.3	1.0
4	All	-4.1	-3.6	-4.9	-3.7	-4.1	-0.3	0.9	-0.7	1.5	1.2

^a°F = degrees Fahrenheit; 7DADM = 7-day average daily maximum; UF = unimpaired flow

^a Green cells indicate >5% lower values under the flow scenario relative to baseline; red cells indicate >5% higher values under the flow scenario relative to baseline.

^b Only includes months on which temperature exceeded index value; green cells indicate >0.5 °F lower values under the flow scenario relative to baseline; red cells indicate >0.5 °F higher values under the flow scenario relative to baseline.

Fall-Run Chinook Salmon

Table A6-192. Water Temperature Index Value Analysis Results, Fall-Run Chinook Salmon, Spawning, Egg Incubation, and Alevins, American River at Hazel Avenue, 55.4 °F 7DADM

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
10	W	0.0	0.0	0.0	0.0	-0.5	0.0	-0.2	0.3	0.5	1.1
10	AN	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.8	1.2	2.0
10	BN	0.0	0.0	0.0	0.0	0.0	-0.3	0.0	1.1	0.5	1.0
10	D	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.1	-0.1
10	C	0.0	0.0	0.0	0.0	0.0	0.4	0.2	0.6	1.0	0.6
10	All	0.0	0.0	0.0	0.0	-0.1	0.0	0.0	0.5	0.6	0.9
11	W	-3.8	-3.7	-0.2	-1.4	-14.4	-0.2	-0.2	0.1	0.0	0.0
11	AN	-3.1	2.2	2.8	2.8	-18.3	0.2	-0.1	0.4	0.4	0.3
11	BN	-2.5	-1.8	-2.4	-7.1	-14.9	-0.1	-0.2	0.3	0.3	0.0
11	D	-1.0	-1.7	-1.3	-1.9	-15.6	0.1	0.1	0.2	0.3	-0.1
11	C	0.0	0.0	0.0	-2.9	-18.9	0.3	0.1	0.4	0.5	0.4
11	All	-2.2	-1.5	-0.4	-2.3	-16.0	0.0	-0.1	0.2	0.3	0.1
12	W	-1.5	-3.8	4.8	-0.9	-9.1	0.0	0.0	-0.2	0.0	0.0
12	AN	-5.1	-11.6	3.5	-9.9	-30.6	0.3	0.2	-0.2	-0.2	0.4
12	BN	-1.1	-13.7	-18.6	-12.3	-31.3	-0.2	-0.2	0.1	-0.1	-0.2
12	D	-3.5	-12.0	-4.0	-2.9	-20.9	0.0	0.0	0.0	-0.2	0.3
12	C	-1.5	-3.9	1.9	-8.8	-28.4	-0.1	-0.2	0.0	0.1	-0.2
12	All	-2.4	-8.5	-2.1	-5.9	-21.7	0.0	-0.1	-0.1	-0.1	0.0
1	W	0.0	0.0	0.1	0.3	0.3	0.0	0.0	0.0	0.3	0.3
1	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	BN	0.0	0.0	0.4	1.3	1.1	-0.5	0.0	-0.3	0.2	0.0
1	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	All	0.0	0.0	0.1	0.3	0.3	-0.5	0.0	-0.3	0.1	0.0

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
2	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

°F = degrees Fahrenheit; 7DADM = 7-day average daily maximum; UF = unimpaired flow

^a Green cells indicate >5% lower values under the flow scenario relative to baseline; red cells indicate >5% higher values under the flow scenario relative to baseline.

^b Only includes months on which temperature exceeded index value; green cells indicate >0.5 °F lower values under the flow scenario relative to baseline; red cells indicate >0.5 °F higher values under the flow scenario relative to baseline.

Table A6-193. Water Temperature Index Value Analysis Results, Fall-Run Chinook Salmon, Spawning, Egg Incubation, and Alevins, American River at Watt Avenue, 55.4 °F 7DADM

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
10	W	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	0.2	0.4	0.9
10	AN	0.0	0.0	0.0	0.0	0.0	0.1	0.2	0.7	1.1	1.8
10	BN	0.0	0.0	0.0	0.0	0.0	-0.2	0.1	0.9	0.5	1.1
10	D	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.1	0.1	0.1
10	C	0.0	0.0	0.0	0.0	0.0	0.5	0.3	0.6	1.0	1.2
10	All	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.4	0.5	0.9
11	W	-2.1	-2.9	-0.4	-2.1	-9.9	-0.2	-0.2	0.0	0.0	-0.1
11	AN	-2.5	0.3	1.1	0.6	-11.1	0.1	-0.1	0.3	0.4	0.2
11	BN	-0.8	-1.0	0.2	-4.3	-6.5	-0.2	-0.2	0.3	0.3	-0.1
11	D	-0.3	-0.5	-0.5	0.0	-7.8	0.1	0.0	0.1	0.2	-0.2
11	C	0.7	0.4	0.4	-1.1	-8.0	0.2	0.1	0.3	0.3	0.2
11	All	-1.1	-1.0	0.0	-1.5	-8.6	0.0	-0.1	0.2	0.2	0.0
12	W	-2.2	-3.9	4.0	-2.0	-10.6	0.1	0.0	-0.2	0.0	0.0
12	AN	-3.2	-8.6	2.7	-8.9	-30.1	0.3	0.1	-0.1	-0.2	0.2
12	BN	-3.8	-14.4	-17.3	-12.7	-29.4	-0.1	-0.1	0.1	0.0	-0.2
12	D	-4.8	-11.8	-4.1	-2.9	-19.4	0.1	0.1	0.0	-0.1	0.0
12	C	-2.6	-5.8	0.6	-8.0	-26.0	-0.1	0.0	0.0	0.1	-0.2
12	All	-3.3	-8.5	-2.4	-6.0	-21.0	0.0	0.0	0.0	0.0	0.0
1	W	0.0	0.0	0.1	0.3	0.2	0.0	0.0	-0.1	0.1	0.5
1	AN	-0.3	0.0	-0.3	0.3	-0.3	0.0	0.0	0.0	0.0	0.0
1	BN	0.4	-0.2	0.0	1.1	1.5	0.0	0.1	0.4	0.3	0.1
1	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	C	-0.6	-0.6	-0.6	-0.6	-0.6	-0.3	-0.3	-0.3	-0.3	-0.3
1	All	-0.1	-0.1	-0.1	0.2	0.2	0.1	0.1	0.2	0.2	0.2
2	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
2	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	C	-9.6	-8.9	-4.5	-9.6	-10.1	0.7	0.4	0.0	0.3	0.4
2	All	-1.6	-1.4	-0.7	-1.6	-1.6	0.7	0.4	0.0	0.3	0.4

[°]F = degrees Fahrenheit; 7DADM = 7-day average daily maximum; UF = unimpaired flow

^a Green cells indicate >5% lower values under the flow scenario relative to baseline; red cells indicate >5% higher values under the flow scenario relative to baseline.

^b Only includes months on which temperature exceeded index value; green cells indicate >0.5 °F lower values under the flow scenario relative to baseline; red cells indicate >0.5 °F higher values under the flow scenario relative to baseline.

Table A6-194. Water Temperature Index Value Analysis Results, Fall-Run Chinook Salmon, Spawning, Egg Incubation, and Alevins, American River at Watt Avenue, 56 °F

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
11	W	-2.7	-3.3	2.3	2.1	-13.6	-0.2	-0.2	-0.1	-0.1	0.1
11	AN	0.3	-0.6	3.6	0.3	-12.8	0.1	-0.1	0.2	0.4	0.4
11	BN	-3.9	-4.9	-1.0	-1.8	-15.5	-0.1	-0.1	0.4	0.3	0.3
11	D	0.5	-1.6	1.1	2.2	-11.4	0.0	0.1	0.1	0.2	0.1
11	C	1.3	2.0	4.0	2.0	-11.1	0.1	0.0	0.2	0.2	0.5
11	All	-1.2	-2.0	1.9	1.2	-12.9	0.0	0.0	0.1	0.2	0.3
12	W	-0.9	-3.1	2.4	0.9	-6.5	0.0	0.1	-0.2	-0.3	0.0
12	AN	1.1	-2.4	3.5	-5.6	-12.4	0.2	0.0	-0.3	-0.3	-0.4
12	BN	-2.3	-9.7	-8.7	-8.0	-21.4	-0.1	0.0	0.0	0.0	0.0
12	D	-1.4	-5.7	-1.4	-2.2	-8.9	0.0	0.0	-0.1	-0.2	-0.4
12	C	-2.4	-4.1	3.0	0.4	-12.5	0.0	0.1	-0.4	-0.3	-0.3
12	All	-1.2	-5.0	-0.2	-2.3	-11.5	0.0	0.0	-0.2	-0.2	-0.2

°F = degrees Fahrenheit

UF = unimpaired flow

Values from NMFS (2019).

^a Green cells indicate >5% lower values under the flow scenario relative to baseline; red cells indicate >5% higher values under the flow scenario relative to baseline.

^b Only includes months on which temperature exceeded index value; green cells indicate >0.5 °F lower values under the flow scenario relative to baseline; red cells indicate >0.5 °F higher values under the flow scenario relative to baseline.

Table A6-195. Water Temperature Index Value Analysis Results, Fall-Run Chinook Salmon, Fry and Juvenile Rearing and Emigration, American River at Hazel Avenue, 61 °F 7DADM

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
1	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	C	0.7	1.1	0.2	1.8	0.0	0.7	0.8	0.0	0.8	0.0
4	All	0.1	0.2	0.0	0.3	0.0	0.7	0.8	0.0	0.8	0.0
5	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
5	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	D	4.0	3.7	-0.3	-0.6	1.2	0.5	0.4	0.1	-0.2	1.0
5	C	-5.2	-13.1	-6.2	-4.1	-2.2	0.2	-0.5	-0.4	0.1	-0.4
5	All	0.1	-1.3	-1.1	-0.8	-0.1	0.0	-0.6	-0.4	0.2	-0.3

^a°F = degrees Fahrenheit; 7DADM = 7-day average daily maximum; UF = unimpaired flow

^a Green cells indicate >5% lower values under the flow scenario relative to baseline; red cells indicate >5% higher values under the flow scenario relative to baseline.

^b Only includes months on which temperature exceeded index value; green cells indicate >0.5 °F lower values under the flow scenario relative to baseline; red cells indicate >0.5 °F higher values under the flow scenario relative to baseline.

Table A6-196. Water Temperature Index Value Analysis Results, Fall-Run Chinook Salmon, Fry and Juvenile Rearing and Emigration, American River at Watt Avenue, 64 °F 7DADM

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
1	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	C	0.9	0.9	-0.2	0.6	-0.4	2.0	1.3	0.0	0.6	0.0
3	All	0.1	0.1	0.0	0.1	-0.1	2.0	1.3	0.0	0.6	0.0
4	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	BN	-4.3	-4.3	-4.3	-4.3	-4.3	-1.1	-1.1	-1.1	-1.1	-1.1
4	D	-10.2	-11.1	-11.3	-11.3	-11.3	-0.7	-1.2	-1.2	-1.2	-1.2
4	C	-6.0	-1.8	-9.8	-2.4	-4.9	-0.4	0.7	-0.9	1.3	1.0
4	All	-4.1	-3.6	-4.9	-3.7	-4.1	-0.3	0.9	-0.7	1.5	1.2
5	W	-3.7	-4.0	-4.3	-4.4	-4.7	-0.4	-0.8	-1.0	-1.0	-1.3
5	AN	-5.9	-5.9	-5.9	-5.9	-5.9	-0.6	-0.6	-0.6	-0.6	-0.6

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
5	BN	-15.4	-18.6	-19.7	-21.4	-27.3	-0.8	-1.2	-1.4	-1.6	-1.8
5	D	-27.6	-37.5	-41.3	-45.0	-46.2	-0.3	-0.6	-1.4	-1.6	-1.5
5	C	-24.3	-24.3	-17.4	-18.7	-24.3	-0.7	-1.4	-1.3	-1.0	-1.1
5	All	-14.8	-17.8	-17.8	-19.2	-21.5	-0.3	-0.8	-0.9	-0.7	-0.6

°F = degrees Fahrenheit; 7DADM = 7-day average daily maximum; UF = unimpaired flow

^a Green cells indicate >5% lower values under the flow scenario relative to baseline; red cells indicate >5% higher values under the flow scenario relative to baseline.

^b Only includes months on which temperature exceeded index value; green cells indicate >0.5 °F lower values under the flow scenario relative to baseline; red cells indicate >0.5 °F higher values under the flow scenario relative to baseline.

Table A6-197. Water Temperature Index Value Analysis Results, Fall-Run Chinook Salmon, Adult Immigration, American River at Hazel Avenue, 68 °F 7DADM

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
7	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	BN	0.0	0.0	0.0	0.0	1.9	0.0	0.0	0.0	0.0	0.7
7	D	0.0	2.0	0.9	1.5	13.2	0.0	0.5	0.2	0.4	0.7
7	C	-1.3	9.9	18.7	17.8	21.3	-0.4	0.1	-0.5	0.0	-0.3
7	All	-0.2	2.0	3.2	3.2	6.8	-0.4	0.0	-0.5	-0.1	-0.6
8	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	BN	0.0	0.0	0.6	0.2	7.0	0.0	0.0	0.3	0.0	2.3
8	D	2.9	-1.7	-0.5	8.8	20.1	0.5	-0.2	0.2	0.3	1.9
8	C	15.1	7.7	15.1	26.9	49.9	-0.3	0.1	-0.2	0.1	1.4
8	All	3.1	0.9	2.4	6.3	13.9	-0.2	0.2	-0.1	0.0	1.3
9	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
9	AN	0.0	0.0	0.0	0.0	3.9	0.0	0.0	0.0	0.0	0.9
9	BN	0.8	0.6	3.7	0.0	23.5	0.3	0.0	0.3	0.0	1.0
9	D	-7.0	-9.5	-13.2	7.9	26.0	0.1	0.3	0.0	0.1	0.7
9	C	5.1	-7.6	-7.1	0.9	8.2	0.3	0.3	0.1	0.3	0.5
9	All	-0.6	-3.3	-3.4	1.9	12.0	0.3	0.4	0.1	0.2	0.4
10	W	-1.3	-0.9	-0.5	0.7	5.5	-0.4	0.0	0.1	0.7	0.2
10	AN	0.8	0.0	1.1	-3.2	4.8	0.0	0.0	0.0	-0.4	-0.6
10	BN	-3.6	-3.6	-3.6	-2.5	-2.8	-0.4	-0.4	-0.4	-0.2	-0.1
10	D	1.8	-2.0	-4.1	-0.3	1.7	0.1	0.3	0.0	0.0	0.2
10	C	1.7	-2.2	-1.5	2.6	-3.7	-0.3	-0.3	-0.4	-0.4	-0.2
10	All	-0.2	-1.7	-1.8	-0.3	1.6	0.0	0.1	0.0	-0.1	-0.2
11	W	0.0	0.0	0.0	0.0	-0.1	0.0	0.0	0.0	0.0	0.0
11	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
11	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	C	-0.4	-0.4	-0.4	-0.4	-0.4	-0.5	-0.5	-0.5	-0.5	-0.5
11	All	-0.1	-0.1	-0.1	-0.1	-0.1	-0.3	-0.3	-0.3	-0.3	-0.3
12	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

°F = degrees Fahrenheit; 7DADM = 7-day average daily maximum; UF = unimpaired flow

^a Green cells indicate >5% lower values under the flow scenario relative to baseline; red cells indicate >5% higher values under the flow scenario relative to baseline.

^b Only includes months on which temperature exceeded index value; green cells indicate >0.5 °F lower values under the flow scenario relative to baseline; red cells indicate >0.5 °F higher values under the flow scenario relative to baseline.

Table A6-198. Water Temperature Index Value Analysis Results, Fall-Run Chinook Salmon, Adult Immigration, American River at Watt Avenue, 68 °F 7DADM

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
7	W	5.4	9.2	12.4	44.5	58.3	0.5	0.4	1.8	1.5	1.8
7	AN	6.5	10.2	54.8	92.2	94.1	0.4	0.3	1.4	1.7	3.0
7	BN	10.6	20.1	69.8	73.8	75.0	0.3	1.3	1.6	2.3	2.6
7	D	9.4	18.0	38.4	38.6	38.7	1.3	2.9	2.8	3.2	3.9
7	C	-0.9	0.0	0.0	0.0	0.0	-0.6	0.3	0.8	1.4	1.9
7	All	6.4	11.8	32.3	47.5	52.1	-0.3	0.5	-0.1	-0.3	0.2
8	W	6.9	9.1	28.6	3.1	42.2	0.4	0.8	0.3	1.1	1.0
8	AN	12.1	20.4	18.0	13.7	41.4	0.6	0.7	0.3	0.8	1.9
8	BN	5.9	29.6	31.9	32.3	32.3	0.3	0.5	0.7	1.2	2.5
8	D	-8.3	6.0	8.4	9.8	9.8	0.6	1.1	1.0	1.6	2.7
8	C	0.6	0.6	0.6	0.6	0.6	1.3	1.6	1.8	2.1	3.9
8	All	2.9	12.2	18.8	10.9	26.3	0.6	0.7	0.4	1.3	1.8
9	W	0.7	1.4	3.9	6.9	13.7	0.0	0.1	0.3	0.3	0.5
9	AN	-1.7	8.3	18.9	18.3	16.4	0.1	0.2	0.6	0.7	1.6
9	BN	2.5	3.7	3.9	3.9	5.7	0.4	0.4	0.4	0.4	1.9
9	D	2.9	-1.3	4.1	1.9	3.8	0.1	0.2	0.2	0.7	1.8
9	C	0.0	0.0	-0.2	0.0	-0.4	0.8	0.6	0.6	0.5	1.7
9	All	1.1	1.9	5.2	5.6	8.1	0.3	0.3	0.3	0.4	1.3
10	W	2.0	-1.4	5.8	8.2	16.5	-0.1	-0.3	-0.2	0.1	0.2
10	AN	0.8	3.2	7.8	8.6	22.0	0.4	-0.2	-0.2	-0.5	0.0
10	BN	-1.7	-0.2	8.7	3.4	15.9	-0.5	-0.4	-0.7	-0.3	-0.3
10	D	-0.9	-3.1	-1.8	-1.7	0.0	0.2	0.0	-0.2	0.0	0.2
10	C	9.2	5.2	7.7	10.1	15.5	0.0	-0.1	-0.3	0.0	0.3
10	All	1.7	0.1	5.2	5.4	13.2	0.1	-0.1	-0.3	-0.1	0.1
11	W	0.0	0.0	0.0	0.0	-0.4	0.0	0.0	0.0	0.0	-0.7
11	AN	-0.3	-0.6	-0.6	-0.8	-0.6	-0.7	-0.7	-0.7	-0.7	-0.7

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
11	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	D	-0.2	-0.2	-0.2	-0.2	0.2	0.0	0.0	0.0	0.0	0.5
11	C	-0.2	-0.4	-0.4	0.0	0.0	-1.0	-1.0	-1.0	-0.5	-0.5
11	All	-0.1	-0.2	-0.2	-0.1	-0.1	-0.3	-0.2	-0.2	-0.1	-0.3
12	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

°F = degrees Fahrenheit; 7DADM = 7-day average daily maximum; UF = unimpaired flow

^a Green cells indicate >5% lower values under the flow scenario relative to baseline; red cells indicate >5% higher values under the flow scenario relative to baseline.

^b Only includes months on which temperature exceeded index value; green cells indicate >0.5 °F lower values under the flow scenario relative to baseline; red cells indicate >0.5 °F higher values under the flow scenario relative to baseline.

Table A6-199. Water Temperature Index Value Analysis Results, Fall-Run Chinook Salmon, Adult Staging, American River at Hazel Avenue, 61 °F 7DADM

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
7	W	1.2	2.2	5.9	9.3	26.5	0.1	0.3	0.6	1.7	0.9
7	AN	6.2	11.8	15.9	37.9	83.1	0.3	0.6	0.4	0.6	1.5
7	BN	9.3	21.8	32.3	47.4	67.0	0.1	0.6	0.6	1.2	1.0
7	D	4.1	16.4	24.0	32.1	36.6	0.6	1.2	0.8	1.2	2.0
7	C	-1.5	0.2	0.2	-0.4	-0.9	-0.1	0.5	0.5	1.1	1.2
7	All	3.5	9.9	15.2	23.6	39.1	0.0	0.2	-0.1	0.1	-0.1
8	W	6.1	7.3	21.4	7.4	36.9	0.2	0.4	0.2	0.5	1.0
8	AN	8.9	10.8	10.2	9.9	21.8	0.5	0.8	0.3	0.7	2.2
8	BN	4.6	16.3	20.7	22.6	23.0	0.3	0.5	0.3	0.6	2.3
8	D	-5.7	3.1	5.5	5.7	5.7	0.1	0.4	0.2	1.0	2.3
8	C	1.9	1.9	-0.4	1.9	1.1	0.7	0.6	0.6	1.3	3.2
8	All	2.8	7.6	12.7	9.2	19.6	0.3	0.4	0.1	0.7	1.8
9	W	0.6	0.1	0.8	2.0	4.3	0.1	0.1	0.1	0.3	0.6
9	AN	0.0	0.0	0.0	0.0	0.0	0.1	0.4	0.4	0.5	1.4
9	BN	0.0	0.0	0.0	0.0	0.0	0.4	0.4	0.4	0.4	2.2
9	D	0.0	0.0	0.0	0.0	0.0	0.1	-0.1	0.2	0.7	1.8
9	C	-0.7	-0.9	0.0	0.0	0.0	0.3	-0.1	-0.2	-0.2	0.7
9	All	0.1	-0.1	0.3	0.6	1.3	0.2	0.1	0.2	0.3	1.2
10	W	1.2	0.6	3.0	6.7	9.8	-0.2	-0.3	0.2	0.3	0.9
10	AN	1.3	4.8	12.9	32.8	33.6	0.0	-0.3	0.3	-0.5	0.3
10	BN	-0.6	5.7	24.1	18.6	19.0	-0.5	-0.5	0.0	-0.5	0.1
10	D	0.0	4.0	7.5	6.9	4.3	0.1	-0.2	-0.4	-0.4	-0.4
10	C	0.0	5.6	11.6	16.8	15.3	0.5	-0.1	-0.1	0.0	-0.3
10	All	0.4	3.6	10.5	13.9	14.2	0.0	-0.3	0.0	-0.1	0.1
11	W	-2.4	-2.4	-0.6	-1.4	-2.1	-0.5	-0.5	-0.2	-0.3	-0.4
11	AN	1.4	-1.7	1.4	2.5	0.0	-0.3	-0.1	-0.1	-0.6	-0.9

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
11	BN	-1.8	-2.4	2.0	-2.0	1.0	-0.6	-0.9	0.1	-0.4	-0.5
11	D	1.7	2.1	1.3	1.6	-3.2	0.0	-0.4	-0.7	-0.4	-0.7
11	C	2.0	0.2	3.1	2.9	0.2	0.1	-0.3	-0.4	-0.3	-0.7
11	All	-0.1	-0.9	1.1	0.4	-1.1	-0.2	-0.4	-0.3	-0.4	-0.6
12	W	0.0	-0.7	-0.8	-0.6	-2.9	0.0	0.1	0.0	0.0	0.2
12	AN	0.8	-0.8	-1.9	-1.9	-2.2	-0.1	-0.1	-0.1	0.0	-0.3
12	BN	-1.1	-2.1	-2.8	-2.1	-5.7	-0.2	-0.1	0.0	0.1	0.1
12	D	-0.3	-0.8	-0.2	-1.4	-2.6	0.1	-0.1	-0.2	-0.1	-0.5
12	C	0.2	0.0	-1.5	-1.5	-3.7	-0.1	0.1	-0.4	-0.4	-0.7
12	All	-0.1	-0.9	-1.3	-1.4	-3.4	-0.1	0.0	0.0	0.0	0.0

°F = degrees Fahrenheit; 7DADM = 7-day average daily maximum; UF = unimpaired flow

^a Green cells indicate >5% lower values under the flow scenario relative to baseline; red cells indicate >5% higher values under the flow scenario relative to baseline.

^b Only includes months on which temperature exceeded index value; green cells indicate >0.5 °F lower values under the flow scenario relative to baseline; red cells indicate >0.5 °F higher values under the flow scenario relative to baseline.

Table A6-200. Water Temperature Index Value Analysis Results, Fall-Run Chinook Salmon, Adult Staging, American River at Watt Avenue, 61 °F 7DADM

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
7	W	0.2	0.1	0.1	0.3	3.5	0.2	0.5	0.8	2.5	3.6
7	AN	0.0	0.0	0.0	0.0	0.0	0.3	0.7	2.7	4.4	5.7
7	BN	0.0	0.0	0.0	0.0	0.0	0.5	1.7	4.2	5.0	5.4
7	D	0.0	0.0	0.0	0.0	0.0	1.2	2.9	4.0	4.5	5.2
7	C	0.0	0.0	0.0	0.0	0.0	-0.7	0.3	0.8	1.4	1.9
7	All	0.1	0.0	0.0	0.1	1.0	0.3	1.3	2.4	3.5	4.2
8	W	0.0	0.0	0.0	0.0	0.0	0.4	0.6	1.3	0.5	2.6
8	AN	0.0	0.0	0.0	0.0	0.0	1.0	1.3	0.9	1.2	3.4
8	BN	0.0	0.0	0.0	0.0	0.0	0.5	1.7	2.0	2.5	3.8
8	D	0.0	0.0	0.0	0.0	0.0	0.1	1.5	1.5	2.2	3.3
8	C	0.0	0.0	0.0	0.0	0.0	1.4	1.7	1.8	2.2	3.9
8	All	0.0	0.0	0.0	0.0	0.0	0.6	1.3	1.5	1.6	3.3
9	W	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.3	0.4	0.7
9	AN	0.0	0.0	0.0	0.0	0.0	0.1	0.3	0.9	1.0	1.7
9	BN	0.0	0.0	0.0	0.0	0.0	0.4	0.5	0.5	0.5	1.9
9	D	0.0	0.0	0.0	0.0	0.0	0.2	0.1	0.3	0.7	1.9
9	C	0.0	0.0	0.0	0.0	0.0	0.8	0.6	0.6	0.5	1.7
9	All	0.0	0.0	0.0	0.0	0.0	0.3	0.3	0.5	0.6	1.5
10	W	0.1	0.2	0.7	1.0	2.2	0.0	-0.1	0.2	0.4	0.9
10	AN	0.5	0.0	1.1	1.9	2.4	0.1	0.2	0.7	1.0	1.7
10	BN	0.2	0.6	2.1	2.1	4.0	-0.2	0.1	0.8	0.4	0.9
10	D	0.0	0.5	0.5	0.8	-0.2	0.1	0.0	0.1	0.1	0.1
10	C	0.2	0.4	-0.4	1.1	1.1	0.4	0.3	0.7	0.9	1.1
10	All	0.2	0.3	0.8	1.3	1.8	0.1	0.0	0.4	0.5	0.9
11	W	-2.1	-2.4	0.4	0.4	-1.3	-0.4	-0.4	-0.2	-0.4	-0.3
11	AN	1.4	3.1	8.1	10.8	7.2	-0.1	-0.6	-0.4	-0.8	-0.6

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
11	BN	-1.4	0.6	4.9	1.6	3.1	-0.5	-0.9	-0.1	-0.7	-0.6
11	D	1.6	2.4	3.0	5.1	-0.8	0.0	-0.1	-0.4	-0.3	-0.7
11	C	4.4	1.6	5.6	6.4	10.4	0.0	-0.2	-0.2	-0.2	-0.7
11	All	0.4	0.6	3.6	4.0	2.6	-0.2	-0.4	-0.3	-0.4	-0.6
12	W	-0.3	-1.0	-1.2	-0.8	-2.9	0.1	0.2	0.2	0.0	0.5
12	AN	1.3	-0.3	-0.5	-0.3	-0.8	-0.1	-0.1	-0.3	-0.4	-0.8
12	BN	-0.9	-0.8	-0.4	-0.2	-1.9	-0.3	-0.2	-0.2	-0.2	-0.3
12	D	0.0	-0.3	-0.3	-0.5	-1.7	0.1	-0.1	0.0	-0.1	-0.7
12	C	-0.2	0.2	-0.4	-1.3	-2.6	0.0	-0.1	-0.5	-0.4	-0.8
12	All	-0.1	-0.5	-0.6	-0.6	-2.1	-0.1	0.0	0.0	-0.1	0.2

°F = degrees Fahrenheit; 7DADM = 7-day average daily maximum; UF = unimpaired flow

^a Green cells indicate >5% lower values under the flow scenario relative to baseline; red cells indicate >5% higher values under the flow scenario relative to baseline.

^b Only includes months on which temperature exceeded index value; green cells indicate >0.5 °F lower values under the flow scenario relative to baseline; red cells indicate >0.5 °F higher values under the flow scenario relative to baseline.

Table A6-201. Water Temperature Index Value (from ARWA 2017) Analysis Results, Fall-Run Chinook Salmon, Adult Staging, American River at Watt Avenue, 60°F

Month	Water Year Type	Difference in Percent of Days above Index Value ²					Difference in Mean Degrees per Day above Index Value (°F) ³				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
10	W	0.7	0.0	1.4	1.4	4.3	-0.1	-0.1	0.2	0.4	0.8
10	AN	0.8	0.5	1.9	5.4	5.1	0.1	0.2	0.6	0.8	1.6
10	BN	-0.6	2.5	5.1	4.0	8.2	-0.2	0.0	0.7	0.4	0.8
10	D	0.2	1.4	2.3	2.9	1.1	0.1	0.0	0.0	-0.1	0.1
10	C	0.0	1.7	2.2	4.5	4.5	0.5	0.2	0.5	0.7	0.9
10	All	0.2	1.1	2.5	3.2	4.4	0.1	0.0	0.3	0.4	0.7

²F = degrees Fahrenheit

UF = unimpaired flow

^a Green cells indicate >5% lower values under the flow scenario relative to baseline; red cells indicate >5% higher values under the flow scenario relative to baseline.

^b Only includes months on which temperature exceeded index value; green cells indicate >0.5 °F lower values under the flow scenario relative to baseline; red cells indicate >0.5 °F higher values under the flow scenario relative to baseline.

Central Valley Steelhead

Table A6-202. Water Temperature Index Value Analysis Results, Central Valley Steelhead, Spawning, Egg Incubation, and Alevins, American River at Hazel Avenue, 53 °F

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
12	W	-3.7	-5.8	1.6	-4.8	-14.9	0.1	0.0	0.1	0.2	0.2
12	AN	-3.8	-5.6	4.0	-3.5	-30.9	0.2	-0.2	-0.2	-0.5	-0.2
12	BN	0.9	-7.2	-4.2	-7.2	-34.7	-0.2	-0.6	-0.8	-0.4	-0.4
12	D	-3.2	-8.8	0.6	-1.7	-28.1	-0.1	-0.4	-0.3	-0.2	0.1
12	C	-2.2	-1.9	-3.7	-12.7	-36.8	-0.1	-0.3	0.2	0.1	-0.3
12	All	-2.5	-6.1	-0.2	-5.7	-27.1	-0.1	-0.3	-0.2	-0.1	-0.1
1	W	0.0	-0.1	0.1	0.2	0.3	0.0	0.1	0.1	0.3	0.3
1	AN	-0.8	0.3	-1.9	-1.6	-2.7	-0.2	-0.1	-0.1	0.0	0.0
1	BN	0.9	-3.2	-4.9	-1.7	-3.8	0.0	0.1	0.2	0.4	0.6
1	D	-0.3	-0.8	-2.0	-0.9	-0.2	-0.1	-0.2	-0.4	-0.3	-0.2
1	C	-4.1	-4.9	-4.7	-6.5	-6.5	-0.3	-0.1	-0.3	-0.7	-0.7
1	All	-0.7	-1.6	-2.3	-1.7	-2.0	-0.1	0.0	0.0	0.2	0.2
2	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	C	0.2	-0.9	0.7	-1.6	-2.6	-0.1	-0.5	-0.3	-0.4	-0.6
2	All	0.0	-0.2	0.1	-0.3	-0.4	-0.1	-0.5	-0.3	-0.4	-0.6
3	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	BN	0.0	0.0	-0.6	1.7	-0.6	0.0	-0.3	-0.3	0.0	-0.3
3	D	-2.8	-3.5	-3.1	-4.0	-2.5	-0.6	-0.7	-0.6	-0.5	2.2
3	C	-1.9	-8.0	-11.2	-12.3	-19.6	0.4	0.1	-0.2	0.7	-0.1
3	All	-0.9	-2.1	-2.6	-2.6	-3.8	0.3	0.0	-0.3	0.5	0.5

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
4	W	-1.2	-1.1	-1.4	0.2	7.6	-0.1	-0.2	0.4	-0.1	-0.2
4	AN	-1.4	-1.4	-1.1	5.3	17.5	0.1	0.0	-0.1	-0.3	0.1
4	BN	-3.9	-6.5	-6.9	7.6	3.5	-0.5	-0.5	-0.4	-0.6	-0.6
4	D	-12.9	-15.7	-9.7	-5.2	-11.7	-0.4	-0.5	-0.6	-0.6	-0.5
4	C	-1.1	-4.9	-6.2	-8.2	-12.0	0.1	0.4	0.0	0.2	0.0
4	All	-4.3	-6.0	-5.0	-0.4	0.6	-0.1	0.0	-0.2	-0.3	-0.4
5	W	0.5	1.4	10.3	29.0	51.2	-0.1	-0.1	0.0	0.6	1.2
5	AN	-0.5	0.0	15.6	29.3	46.0	-0.2	-0.2	0.2	0.4	1.5
5	BN	-1.1	4.6	11.6	27.7	17.5	-0.3	-0.4	-0.2	0.1	0.0
5	D	-0.6	5.5	7.5	13.2	9.1	-0.3	-0.5	-0.6	-0.4	-0.4
5	C	0.0	0.0	0.0	0.0	-1.5	-0.6	-1.0	-0.5	-0.2	-0.5
5	All	-0.3	2.5	8.9	20.6	26.3	-0.3	-0.5	-0.5	-0.3	-0.2

°F = degrees Fahrenheit

UF = unimpaired flow

^a Green cells indicate >5% lower values under the flow scenario relative to baseline; red cells indicate >5% higher values under the flow scenario relative to baseline.

^b Only includes months on which temperature exceeded index value; green cells indicate >0.5 °F lower values under the flow scenario relative to baseline; red cells indicate >0.5 °F higher values under the flow scenario relative to baseline.

Table A6-203. Water Temperature Index Value Analysis Results, Central Valley Steelhead, Spawning, Egg Incubation, and Alevins, American River at Watt Avenue, 53 °F

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
12	W	-2.5	-5.1	3.9	-2.1	-12.8	0.0	0.0	-0.1	0.0	-0.1
12	AN	-4.6	-7.8	1.3	-4.0	-33.6	0.2	0.0	0.0	-0.5	-0.1
12	BN	-1.7	-8.0	-15.0	-8.9	-34.7	-0.1	-0.5	-0.2	-0.3	-0.2
12	D	-6.1	-10.8	-3.5	-4.3	-26.6	0.0	-0.2	-0.1	-0.1	0.1
12	C	-1.5	-4.3	-0.9	-11.4	-30.1	-0.1	-0.2	0.1	0.1	-0.4
12	All	-3.3	-7.1	-2.3	-5.6	-25.4	0.0	-0.2	-0.1	-0.1	-0.1
1	W	0.0	-0.2	-0.1	0.2	0.1	0.0	0.1	0.1	0.3	0.4
1	AN	-0.5	-0.5	-2.4	-2.4	-3.5	-0.1	0.0	0.0	0.1	0.1
1	BN	1.3	-3.4	-3.8	-2.3	-3.8	0.0	0.1	0.2	0.4	0.6
1	D	0.3	-0.3	-1.1	0.0	0.0	-0.1	0.0	-0.4	-0.1	-0.1
1	C	-2.8	-1.3	-1.9	-3.9	-4.5	-0.2	-0.3	0.0	-0.3	-0.7
1	All	-0.2	-1.0	-1.6	-1.3	-1.8	0.0	0.0	0.1	0.2	0.4
2	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	BN	0.0	0.2	0.6	0.6	0.0	0.0	0.2	0.0	0.0	0.3
2	D	-0.2	-0.5	0.2	-2.0	-2.9	0.0	-0.1	-0.2	-0.3	-0.4
2	C	-8.2	-11.8	-10.8	-18.8	-24.5	-0.3	-0.1	0.1	0.1	0.9
2	All	-1.4	-2.0	-1.6	-3.4	-4.6	-0.3	-0.2	0.0	0.0	0.8
3	W	0.1	-0.6	-1.8	-2.9	-2.9	0.0	-0.2	-0.5	-0.4	-0.5
3	AN	0.5	0.0	0.0	0.3	-1.3	-0.1	-0.1	-0.3	-0.5	-0.8
3	BN	-0.4	-1.7	-1.5	-2.5	-6.6	0.0	-0.1	-0.4	-0.4	-0.7
3	D	-3.7	-4.5	-7.1	-12.3	-20.9	-0.3	-0.5	-0.7	-0.9	-0.7
3	C	-6.0	-8.8	-10.8	-20.9	-36.6	-0.4	-0.8	-1.2	-1.3	-1.5
3	All	-1.8	-2.9	-4.2	-7.4	-12.9	-0.3	-0.6	-0.8	-0.9	-1.1
4	W	-0.2	-2.6	-5.1	4.2	10.0	-0.2	-0.5	-0.7	-0.8	-0.7
4	AN	-1.9	-3.6	-6.7	-2.8	-0.3	-0.4	-0.7	-0.9	-0.8	-0.4

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
4	BN	0.4	-2.0	-2.4	4.7	-1.4	-0.9	-1.3	-1.6	-1.5	-1.6
4	D	0.8	-0.2	-1.9	-0.5	-5.2	-1.7	-2.3	-2.6	-2.7	-3.0
4	C	0.0	0.0	0.0	-0.2	-1.6	-0.2	-0.2	-1.0	-0.9	-1.4
4	All	-0.1	-1.6	-3.3	1.6	1.3	-0.8	-1.1	-1.4	-1.5	-1.7
5	W	0.1	-0.3	0.3	2.4	4.8	-0.2	-0.4	-0.4	0.1	0.9
5	AN	0.0	0.0	0.0	0.0	0.0	-0.5	-1.0	-1.0	-0.8	0.2
5	BN	0.0	-0.6	0.0	0.8	-1.5	-1.0	-1.6	-1.7	-1.4	-1.8
5	D	0.0	0.0	0.0	0.0	0.0	-1.8	-2.6	-3.0	-2.9	-3.3
5	C	0.0	0.0	0.0	0.0	0.0	-2.0	-2.5	-2.1	-2.0	-2.5
5	All	0.0	-0.2	0.1	0.9	1.2	-1.1	-1.6	-1.6	-1.3	-1.2

°F = degrees Fahrenheit

UF = unimpaired flow

^a Green cells indicate >5% lower values under the flow scenario relative to baseline; red cells indicate >5% higher values under the flow scenario relative to baseline.

^b Only includes months on which temperature exceeded index value; green cells indicate >0.5 °F lower values under the flow scenario relative to baseline; red cells indicate >0.5 °F higher values under the flow scenario relative to baseline.

Table A6-204. Water Temperature Index Value Analysis Results, Central Valley Steelhead, Kelt Emigration, American River at Hazel Avenue, 68 °F 7DADM

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
2	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

^aF = degrees Fahrenheit; 7DADM = 7-day average daily maximum; UF = unimpaired flow

^a Green cells indicate >5% lower values under the flow scenario relative to baseline; red cells indicate >5% higher values under the flow scenario relative to baseline.

^b Only includes months on which temperature exceeded index value; green cells indicate >0.5 °F lower values under the flow scenario relative to baseline; red cells indicate >0.5 °F higher values under the flow scenario relative to baseline.

Table A6-205. Water Temperature Index Value Analysis Results, Central Valley Steelhead, Kelt Emigration, American River at Hazel Avenue, 70 °F

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
2	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

^aF = degrees Fahrenheit

UF = unimpaired flow

^a Green cells indicate >5% lower values under the flow scenario relative to baseline; red cells indicate >5% higher values under the flow scenario relative to baseline.

^b Only includes months on which temperature exceeded index value; green cells indicate >0.5 °F lower values under the flow scenario relative to baseline; red cells indicate >0.5 °F higher values under the flow scenario relative to baseline.

Table A6-206. Water Temperature Index Value Analysis Results, Central Valley Steelhead, Kelt Emigration, American River at Watt Avenue, 68 °F 7DADM

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
2	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	D	-0.2	-0.2	-0.2	-0.2	-0.2	0.0	0.0	0.0	0.0	0.0
4	C	-0.2	2.4	-0.2	2.7	0.7	0.0	2.3	0.0	1.2	0.8
4	All	-0.1	0.4	-0.1	0.4	0.1	0.0	2.3	0.0	1.2	0.8
5	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	BN	-4.2	-4.2	-4.2	-4.2	-4.2	-0.6	-0.6	-0.6	-0.6	-0.6
5	D	-10.3	-14.3	-18.9	-19.7	-19.7	0.3	-0.2	-0.8	-1.3	-0.3
5	C	-15.7	-23.7	-20.6	-15.9	-20.6	-0.6	-1.3	-1.3	-1.0	-1.1
5	All	-5.6	-7.8	-8.4	-7.8	-8.5	-0.1	-0.7	-0.7	-0.4	-0.5

[°]F = degrees Fahrenheit; 7DADM = 7-day average daily maximum; UF = unimpaired flow

^a Green cells indicate >5% lower values under the flow scenario relative to baseline; red cells indicate >5% higher values under the flow scenario relative to baseline.

^b Only includes months on which temperature exceeded index value; green cells indicate >0.5 °F lower values under the flow scenario relative to baseline; red cells indicate >0.5 °F higher values under the flow scenario relative to baseline.

Table A6-207. Water Temperature Index Value Analysis Results, Central Valley Steelhead, Kelt Emigration, American River at Watt Avenue, 70 °F

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
2	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	C	0.0	0.4	0.0	0.0	0.0	0.0	0.5	0.0	0.0	0.0
4	All	0.0	0.1	0.0	0.0	0.0	0.0	0.5	0.0	0.0	0.0
5	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	D	-0.6	-0.6	-0.6	-0.6	-0.6	-0.3	-0.3	-0.3	-0.3	-0.3
5	C	-9.5	-11.0	-11.2	-9.7	-10.1	-0.8	-0.6	-1.3	-0.8	-0.6
5	All	-1.7	-1.9	-1.9	-1.7	-1.8	-0.7	-0.5	-1.2	-0.7	-0.5

°F = degrees Fahrenheit

UF = unimpaired flow

^a Green cells indicate >5% lower values under the flow scenario relative to baseline; red cells indicate >5% higher values under the flow scenario relative to baseline.

^b Only includes months on which temperature exceeded index value; green cells indicate >0.5 °F lower values under the flow scenario relative to baseline; red cells indicate >0.5 °F higher values under the flow scenario relative to baseline.

Table A6-208. Water Temperature Index Value Analysis Results, Central Valley Steelhead, Juvenile Rearing, American River at Hazel Avenue, 63 °F

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
1	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
5	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	C	0.2	-3.7	-3.9	-1.1	-2.2	0.5	-0.4	-0.2	0.5	0.1
5	All	0.0	-0.6	-0.6	-0.2	-0.3	0.5	-0.4	-0.2	0.5	0.1
6	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	BN	2.4	3.1	8.8	12.9	8.4	0.3	0.8	0.7	0.8	1.0
6	D	4.0	13.0	16.8	16.8	23.5	0.0	0.5	0.4	0.7	0.5
6	C	1.8	-1.8	7.6	11.1	16.9	0.2	0.1	-0.2	0.5	0.2
6	All	1.6	3.2	6.6	8.0	9.6	-0.1	-0.2	-0.5	-0.1	-0.3
7	W	0.0	0.0	0.0	3.6	3.5	0.0	0.0	0.0	0.7	0.8
7	AN	0.0	0.8	0.0	1.9	25.3	0.0	0.3	0.0	0.3	0.8
7	BN	2.7	10.6	14.0	29.2	34.9	0.6	0.9	1.1	1.2	1.1
7	D	10.3	23.5	19.4	31.6	43.6	0.4	0.9	1.1	1.0	1.7
7	C	-0.9	-1.3	0.0	10.8	10.3	-0.1	0.7	0.6	0.6	0.6
7	All	2.7	7.1	6.9	15.5	22.2	-0.2	0.1	0.2	-0.2	-0.2
8	W	4.5	5.5	4.7	7.5	19.4	0.1	0.2	0.1	1.1	0.8
8	AN	15.6	29.8	7.5	25.3	75.5	0.3	0.3	0.0	0.2	0.9
8	BN	12.7	26.9	9.9	18.2	58.3	-0.1	-0.1	0.3	0.5	1.1
8	D	-8.8	7.1	4.0	15.2	22.7	0.4	0.4	0.3	0.8	1.8
8	C	6.2	6.0	0.6	6.0	6.5	0.6	0.4	0.6	1.2	3.0
8	All	4.7	13.0	5.2	13.3	32.4	0.2	0.0	0.2	0.6	1.1
9	W	1.9	2.0	-1.1	2.7	10.6	0.1	0.2	0.3	0.3	0.6
9	AN	4.2	10.0	17.2	13.9	15.3	0.1	0.4	0.2	0.3	1.4
9	BN	5.5	7.1	9.4	6.9	16.1	0.4	0.3	0.3	0.3	2.0
9	D	0.5	-4.6	2.4	-2.5	3.0	0.1	0.1	0.1	0.9	1.7
9	C	-0.7	-3.8	2.4	-5.3	1.3	0.3	0.0	-0.3	0.1	0.6
9	All	2.1	1.5	4.6	2.4	9.0	0.2	0.1	0.0	0.3	1.2

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
10	W	-0.8	-4.0	5.4	5.2	13.9	0.0	-0.3	0.1	0.5	1.0
10	AN	1.6	-1.6	20.2	16.9	28.2	0.1	0.0	-0.3	-0.5	0.3
10	BN	-3.2	-0.8	20.7	4.6	11.6	-0.5	-0.4	-0.4	-0.3	0.1
10	D	4.0	3.5	2.0	-2.8	-10.0	-0.1	-0.3	-0.4	-0.1	0.3
10	C	10.1	9.5	18.7	15.5	7.7	0.1	-0.4	-0.6	-0.1	0.0
10	All	1.9	0.8	11.5	6.5	8.9	0.0	-0.3	-0.3	0.0	0.4
11	W	-1.4	-2.0	0.0	-1.0	-1.1	-0.6	-0.5	-0.7	-0.1	-0.4
11	AN	0.0	-0.3	0.8	-0.3	-1.7	-0.2	-0.3	-0.6	-0.7	-0.5
11	BN	-1.2	-1.2	0.2	-1.2	-0.2	-1.0	-1.0	1.1	-1.0	-0.7
11	D	1.1	0.2	-1.6	-0.3	-2.4	-0.2	-0.6	-0.9	-0.2	0.7
11	C	1.8	-0.9	-0.2	-0.4	-1.8	-0.2	-0.4	-0.6	-0.5	-0.4
11	All	-0.1	-1.0	-0.3	-0.7	-1.4	-0.3	-0.5	-0.5	-0.3	-0.3
12	W	0.1	0.0	0.1	0.1	0.1	-0.1	0.0	-0.1	-0.1	-0.3
12	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	BN	-0.4	-0.4	-0.4	-0.4	-0.4	0.0	0.0	0.0	0.0	0.0
12	D	0.3	0.0	0.0	0.0	0.0	0.5	0.0	0.0	0.0	0.0
12	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	All	0.0	-0.1	0.0	0.0	0.0	0.0	0.2	0.1	0.1	0.0

^aF = degrees Fahrenheit

UF = unimpaired flow

^a Green cells indicate >5% lower values under the flow scenario relative to baseline; red cells indicate >5% higher values under the flow scenario relative to baseline.

^b Only includes months on which temperature exceeded index value; green cells indicate >0.5 °F lower values under the flow scenario relative to baseline; red cells indicate >0.5 °F higher values under the flow scenario relative to baseline.

Table A6-209. Water Temperature Index Value Analysis Results, Central Valley Steelhead, Juvenile Rearing, American River at Hazel Avenue, 69 °F 7DADM

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
1	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
5	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	C	3.6	3.8	1.1	4.2	0.7	1.3	1.4	0.6	1.3	0.7
6	All	0.6	0.6	0.2	0.7	0.1	1.3	1.4	0.6	1.3	0.7
7	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	BN	0.0	0.0	0.0	0.0	0.6	0.0	0.0	0.0	0.0	0.7
7	D	0.0	0.3	0.0	0.0	4.3	0.0	0.0	0.0	0.0	0.5
7	C	-10.3	5.4	6.7	9.5	12.3	0.1	0.3	-0.3	0.2	-0.2
7	All	-1.7	0.9	1.1	1.5	3.1	0.1	0.3	-0.3	0.2	-0.3
8	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	BN	0.0	0.0	0.0	0.0	6.3	0.0	0.0	0.0	0.0	1.5
8	D	2.2	0.0	0.5	2.0	19.8	0.6	0.0	0.3	0.6	1.6
8	C	0.4	7.1	10.8	22.8	48.4	0.2	0.1	-0.2	0.1	1.4
8	All	0.6	1.1	1.8	4.1	13.4	0.1	0.1	-0.2	0.1	1.1
9	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
9	AN	0.0	0.0	0.0	0.0	1.4	0.0	0.0	0.0	0.0	0.2
9	BN	0.0	0.0	0.0	0.0	10.0	0.0	0.0	0.0	0.0	0.6
9	D	-1.0	0.6	-1.9	4.1	24.0	0.7	0.0	0.0	0.2	0.5
9	C	8.9	6.2	0.0	11.3	19.6	0.2	0.2	0.0	0.0	0.4
9	All	1.2	1.1	-0.4	2.8	10.6	0.3	0.2	0.1	0.0	0.2

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
10	W	0.0	0.0	0.0	1.3	0.6	0.0	0.0	0.0	0.5	0.2
10	AN	-0.5	-0.3	-0.3	-3.2	-3.0	0.4	0.3	0.3	-0.5	0.3
10	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10	D	0.6	0.3	-0.9	0.2	2.0	0.2	0.1	-0.1	-0.2	-0.1
10	C	-0.9	-3.2	-3.2	-2.2	-2.2	-0.2	-0.2	-0.2	-0.6	-0.3
10	All	-0.1	-0.5	-0.8	-0.3	-0.1	0.0	0.0	0.0	-0.4	-0.2
11	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

[°]F = degrees Fahrenheit; 7DADM = 7-day average daily maximum; UF = unimpaired flow

^a Green cells indicate >5% lower values under the flow scenario relative to baseline; red cells indicate >5% higher values under the flow scenario relative to baseline.

^b Only includes months on which temperature exceeded index value; green cells indicate >0.5 °F lower values under the flow scenario relative to baseline; red cells indicate >0.5 °F higher values under the flow scenario relative to baseline.

Table A6-210. Water Temperature Index Value Analysis Results, Central Valley Steelhead, Juvenile Rearing, American River at Watt Avenue, 63 °F

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
1	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	C	1.1	0.9	-0.2	0.6	-0.2	1.7	1.2	0.0	0.3	0.0
3	All	0.2	0.1	0.0	0.1	0.0	1.7	1.2	0.0	0.3	0.0
4	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	BN	-3.1	-3.1	-3.1	-3.1	-3.1	-0.8	-0.8	-0.8	-0.8	-0.8
4	D	-5.9	-6.3	-6.3	-6.3	-6.3	-0.8	-1.2	-1.2	-1.2	-1.2
4	C	-4.7	-3.6	-8.0	-0.9	-2.4	-0.5	1.9	-0.8	1.3	0.8
4	All	-2.7	-2.6	-3.3	-2.2	-2.4	-0.5	1.9	-0.8	1.3	0.9
5	W	-2.1	-2.5	-2.5	-2.5	-2.5	-0.7	-0.9	-0.9	-0.9	-0.9
5	AN	-1.1	-1.1	-1.1	-1.1	-1.1	-0.3	-0.3	-0.3	-0.3	-0.3

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
5	BN	-12.9	-16.1	-18.0	-20.7	-22.4	-1.0	-1.3	-1.5	-1.5	-0.9
5	D	-28.9	-36.4	-41.3	-44.9	-44.2	0.1	-0.2	-1.0	-1.2	-1.2
5	C	-29.5	-30.5	-19.8	-26.0	-26.9	-0.2	-1.1	-1.3	-0.6	-0.9
5	All	-14.4	-17.0	-16.7	-19.0	-19.3	0.0	-0.6	-0.8	-0.2	-0.4
6	W	0.5	4.9	6.8	8.2	6.7	0.2	1.8	2.0	1.8	1.2
6	AN	1.7	15.0	24.7	39.2	35.8	0.7	1.4	2.4	2.0	2.3
6	BN	5.5	12.2	12.5	22.5	19.2	1.9	0.6	2.1	1.1	0.7
6	D	27.9	32.7	45.7	48.4	45.1	-1.0	-0.2	0.5	0.6	0.7
6	C	1.6	4.9	7.3	11.1	9.1	-0.6	-1.1	0.2	1.2	1.3
6	All	7.9	13.8	19.0	24.4	21.8	-0.7	-1.1	-0.2	-0.2	-0.2
7	W	3.8	11.8	12.9	40.2	56.8	0.6	0.6	1.3	2.3	2.6
7	AN	8.9	25.0	50.8	65.3	66.1	0.3	0.3	1.9	3.0	4.3
7	BN	7.6	21.4	46.9	47.6	47.6	0.5	1.1	2.6	3.4	3.8
7	D	-0.5	5.5	10.0	10.0	10.0	1.3	2.8	3.7	4.1	4.8
7	C	0.0	0.0	0.0	0.0	0.0	-0.7	0.3	0.8	1.4	1.9
7	All	3.6	11.9	21.3	31.5	36.6	0.2	0.7	1.4	1.7	2.1
8	W	3.7	9.0	21.1	9.1	36.3	0.6	0.7	1.2	0.5	1.8
8	AN	7.5	9.4	10.2	13.4	17.2	0.8	1.1	0.6	0.8	2.8
8	BN	4.7	14.0	14.0	14.0	14.0	0.3	1.1	1.4	1.9	3.2
8	D	0.3	6.3	6.3	6.3	6.3	0.1	1.1	1.1	1.8	2.8
8	C	0.0	0.0	0.0	0.0	0.0	1.4	1.7	1.8	2.2	3.9
8	All	3.0	7.9	11.7	8.5	17.1	0.5	1.0	1.0	1.3	2.4
9	W	0.0	0.1	0.8	1.0	1.0	0.0	0.1	0.2	0.4	0.7
9	AN	0.0	0.0	0.0	0.0	-0.3	0.0	0.3	0.9	1.0	1.7
9	BN	0.0	0.0	0.0	0.0	-0.4	0.4	0.5	0.5	0.5	2.0
9	D	0.0	-0.5	0.0	0.0	0.0	0.2	0.2	0.3	0.7	1.9
9	C	0.0	0.0	0.0	0.0	0.0	0.8	0.6	0.6	0.5	1.7
9	All	0.0	-0.1	0.3	0.3	0.2	0.3	0.3	0.4	0.6	1.5

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
10	W	-1.8	-0.2	1.3	5.3	9.8	0.0	-0.2	0.2	0.3	0.8
10	AN	-1.3	2.4	14.8	25.5	26.6	0.3	0.1	0.1	-0.3	0.5
10	BN	-0.4	4.4	21.3	14.0	17.8	-0.3	-0.3	-0.1	-0.2	0.3
10	D	0.9	3.2	3.7	3.8	0.5	0.1	-0.2	-0.2	-0.2	0.0
10	C	2.6	2.8	12.3	12.7	9.7	0.4	0.2	0.0	0.2	0.7
10	All	-0.2	2.2	9.0	10.4	11.3	0.1	-0.1	0.0	0.0	0.5
11	W	-1.8	-1.9	-0.6	-0.1	-0.6	-0.3	-0.4	-0.1	-0.3	-0.2
11	AN	-0.3	-1.4	0.3	-0.6	-1.4	-0.1	-0.2	-0.4	-0.4	-0.5
11	BN	-1.4	-1.6	1.4	-1.6	-1.0	0.8	-0.3	0.7	-0.3	0.4
11	D	0.5	0.2	-1.7	-1.0	-2.5	0.0	-0.5	-0.5	-0.4	-0.5
11	C	0.7	-1.8	-1.3	-0.2	-3.1	0.1	-0.2	-0.1	-0.3	-0.2
11	All	-0.6	-1.3	-0.5	-0.6	-1.6	0.0	-0.3	-0.2	-0.3	-0.2
12	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.3
12	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.3

^aF = degrees Fahrenheit

UF = unimpaired flow

^a Green cells indicate >5% lower values under the flow scenario relative to baseline; red cells indicate >5% higher values under the flow scenario relative to baseline.

^b Only includes months on which temperature exceeded index value; green cells indicate >0.5 °F lower values under the flow scenario relative to baseline; red cells indicate >0.5 °F higher values under the flow scenario relative to baseline.

Table A6-211. Water Temperature Index Value Analysis Results, Central Valley Steelhead, Juvenile Rearing, American River at Watt Avenue, 69 °F 7DADM

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
1	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	C	0.0	2.4	0.0	1.1	0.4	0.0	1.4	0.0	1.4	0.0
4	All	0.0	0.4	0.0	0.2	0.1	0.0	1.4	0.0	1.4	0.0
5	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
5	BN	-0.6	-0.6	-0.6	-0.6	-0.6	-0.7	-0.7	-0.7	-0.7	-0.7
5	D	-4.8	-7.7	-10.6	-10.8	-10.8	0.2	-0.4	-1.1	-1.1	-1.1
5	C	-10.8	-18.9	-18.3	-15.1	-18.3	-0.9	-1.5	-1.4	-1.0	-1.0
5	All	-2.9	-4.9	-5.4	-5.0	-5.5	-0.5	-1.0	-0.9	-0.4	-0.4
6	W	0.0	0.8	1.3	1.3	0.0	0.0	0.4	0.6	0.5	0.0
6	AN	0.0	0.8	6.4	8.3	11.1	0.0	0.7	1.2	0.9	0.9
6	BN	8.8	7.5	14.5	14.7	12.0	2.0	1.5	2.0	2.1	1.6
6	D	5.1	12.5	26.7	31.0	32.1	0.5	1.0	1.1	1.0	0.7
6	C	1.1	6.7	21.3	22.7	22.7	-1.2	-2.4	-1.9	-0.7	-0.6
6	All	2.9	5.6	13.3	14.8	14.5	-0.4	-1.0	-0.7	-0.3	-0.4
7	W	2.8	2.8	9.7	30.3	48.0	0.4	0.6	1.8	1.5	1.6
7	AN	2.7	4.3	46.0	81.2	94.1	0.8	0.5	1.3	1.5	2.6
7	BN	5.9	20.3	64.7	76.5	82.4	0.5	1.3	1.4	1.9	2.1
7	D	15.4	25.8	49.3	50.7	52.5	1.2	2.8	2.4	2.8	3.5
7	C	-1.9	-0.2	-0.2	-0.4	-0.2	-0.6	0.3	0.9	1.4	1.9
7	All	5.4	10.9	31.8	45.0	53.5	-0.4	0.4	-0.7	-0.8	-0.6
8	W	4.4	9.3	24.5	1.8	40.6	0.6	0.7	0.1	1.7	0.7
8	AN	18.5	23.9	23.1	18.0	48.7	0.4	0.6	0.1	0.7	1.6
8	BN	12.5	35.3	35.5	45.0	45.7	0.0	0.3	0.5	0.8	2.1
8	D	-10.8	2.0	8.0	12.4	12.7	0.8	1.3	1.0	1.5	2.6
8	C	1.9	1.9	1.9	1.9	1.9	1.3	1.5	1.7	2.0	3.8
8	All	3.9	13.1	19.0	14.2	30.0	0.5	0.6	0.4	1.1	1.6
9	W	1.8	2.6	7.6	7.3	15.6	-0.1	0.0	0.3	0.4	0.6
9	AN	5.3	4.2	36.7	36.7	45.8	0.0	0.5	0.3	0.4	1.2
9	BN	8.2	9.6	11.4	13.7	27.8	0.3	0.3	0.3	0.2	1.5
9	D	2.1	-4.0	4.4	1.9	8.6	0.2	0.4	0.2	0.8	1.7
9	C	-2.0	-2.4	-0.2	-0.2	-0.4	0.9	0.8	0.6	0.5	1.7
9	All	2.9	1.8	10.1	9.8	17.6	0.3	0.3	0.1	0.3	1.1

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
10	W	0.8	-2.4	1.0	7.0	10.8	-0.1	0.0	0.0	-0.2	0.1
10	AN	-1.1	-4.0	1.3	0.8	12.1	0.7	0.5	0.3	-0.1	0.4
10	BN	-2.7	-0.8	0.9	1.7	7.4	-0.4	-0.5	-0.5	-0.2	-0.2
10	D	0.8	-1.1	-1.1	-0.9	0.8	0.1	-0.1	-0.3	0.0	0.2
10	C	6.7	2.2	0.0	8.8	16.1	0.1	0.0	0.1	0.0	0.2
10	All	0.9	-1.3	0.4	3.7	8.9	0.2	0.0	-0.1	-0.1	0.1
11	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	AN	-0.3	-0.3	-0.3	-0.3	-0.3	0.0	0.0	0.0	0.0	0.0
11	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	C	-0.2	-0.2	-0.2	-0.2	-0.2	0.0	0.0	0.0	0.0	0.0
11	All	-0.1	-0.1	-0.1	-0.1	-0.1	0.0	0.0	0.0	0.0	0.0
12	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

^aF = degrees Fahrenheit; 7DADM = 7-day average daily maximum; UF = unimpaired flow

^a Green cells indicate >5% lower values under the flow scenario relative to baseline; red cells indicate >5% higher values under the flow scenario relative to baseline.

^b Only includes months on which temperature exceeded index value; green cells indicate >0.5 °F lower values under the flow scenario relative to baseline; red cells indicate >0.5 °F higher values under the flow scenario relative to baseline.

Table A6-212. Water Temperature Index Value Analysis Results, Central Valley Steelhead, Juvenile Rearing, American River at Watt Avenue, 65 °F

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
5	W	-0.2	-0.2	-0.2	-0.2	-0.2	-0.5	-0.5	-0.5	-0.5	-0.5
5	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	BN	-10.4	-10.8	-11.0	-11.0	-11.0	-0.6	-0.9	-0.9	-0.9	-0.9
5	D	-14.9	-19.4	-25.2	-26.3	-26.6	0.2	-0.3	-1.0	-1.3	-1.1
5	C	-17.6	-26.0	-23.2	-16.3	-19.8	-0.6	-1.2	-1.2	-1.0	-1.2
5	All	-8.2	-10.6	-11.5	-10.6	-11.3	0.0	-0.6	-0.6	-0.4	-0.6
6	W	0.0	2.1	2.5	2.6	1.4	0.0	1.2	1.4	1.3	0.7
6	AN	0.0	4.4	14.7	17.8	18.3	0.0	0.8	1.5	1.6	1.7
6	BN	4.3	6.1	12.0	13.5	9.8	2.5	1.5	2.2	2.2	1.8
6	D	11.7	20.0	33.7	35.4	37.8	-0.2	0.4	0.8	1.0	0.7
6	C	8.2	12.4	20.2	26.9	22.0	-1.7	-2.5	-1.4	-0.7	-0.3
6	All	4.8	8.9	15.7	17.9	16.7	-0.6	-1.1	-0.5	-0.2	-0.2
7	W	5.0	8.2	12.1	42.6	56.9	0.5	0.4	1.8	1.5	1.8
7	AN	5.9	9.1	55.1	90.3	94.9	0.5	0.4	1.4	1.7	3.0
7	BN	10.2	19.4	70.2	75.7	75.9	0.3	1.4	1.5	2.2	2.5
7	D	11.5	19.8	41.3	41.6	41.9	1.3	2.8	2.7	3.1	3.8
7	C	-0.9	0.0	0.0	0.0	0.0	-0.6	0.3	0.8	1.4	1.9
7	All	6.6	11.7	32.9	47.7	52.7	-0.4	0.4	-0.3	-0.4	0.0
8	W	7.0	9.6	28.1	3.5	42.9	0.3	0.7	0.3	1.1	0.9
8	AN	12.4	21.2	18.5	13.2	42.2	0.6	0.7	0.2	0.8	1.8
8	BN	6.3	30.4	33.0	33.4	33.4	0.3	0.5	0.7	1.2	2.5
8	D	-8.6	5.1	8.0	9.8	9.8	0.6	1.1	1.0	1.6	2.7
8	C	1.1	1.1	1.1	1.1	1.1	1.3	1.6	1.7	2.1	3.9
8	All	3.1	12.5	18.9	11.2	26.8	0.6	0.7	0.4	1.2	1.8
9	W	0.2	0.7	2.6	5.2	10.5	0.0	0.1	0.2	0.3	0.5
9	AN	-0.6	4.7	10.3	10.0	5.3	0.1	0.3	0.7	0.8	1.8

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
9	BN	0.6	2.2	1.6	1.6	2.0	0.4	0.4	0.4	0.4	1.9
9	D	1.4	-2.5	2.1	0.2	1.7	0.2	0.3	0.2	0.7	1.8
9	C	0.0	0.0	0.0	0.0	-0.2	0.8	0.6	0.6	0.5	1.7
9	All	0.4	0.6	2.9	3.2	4.6	0.3	0.3	0.4	0.5	1.4
10	W	-2.0	-2.4	5.0	6.5	16.2	0.2	-0.2	0.1	0.4	0.6
10	AN	-1.3	3.5	10.2	11.6	24.2	0.4	-0.1	-0.1	-0.3	0.2
10	BN	-4.4	1.1	12.0	3.2	13.1	-0.2	-0.2	-0.2	0.0	0.3
10	D	0.2	-0.2	0.2	-1.4	0.6	0.1	-0.2	-0.2	0.0	0.2
10	C	8.4	4.5	9.0	11.4	12.0	0.2	0.0	-0.2	0.1	0.6
10	All	-0.2	0.6	6.5	5.5	12.5	0.2	-0.1	-0.1	0.0	0.3

°F = degrees Fahrenheit

UF = unimpaired flow

Values from NMFS (2019).

^a Green cells indicate >5% lower values under the flow scenario relative to baseline; red cells indicate >5% higher values under the flow scenario relative to baseline.

^b Only includes months on which temperature exceeded index value; green cells indicate >0.5 °F lower values under the flow scenario relative to baseline; red cells indicate >0.5 °F higher values under the flow scenario relative to baseline.

Table A6-213. Water Temperature Index Value Analysis Results, Central Valley Steelhead, Juvenile Rearing, American River at Watt Avenue, 68 °F

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
5	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	BN	-0.2	-0.2	-0.2	-0.2	-0.2	0.0	0.0	0.0	0.0	0.0
5	D	-0.6	-3.7	-4.1	-4.1	-4.1	-0.3	-0.7	-1.0	-1.0	-1.0
5	C	-7.5	-15.9	-15.1	-12.3	-14.2	-1.2	-1.4	-1.3	-1.1	-1.0
5	All	-1.4	-3.4	-3.4	-2.9	-3.3	-1.0	-1.1	-1.0	-0.7	-0.6
6	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	AN	0.0	0.0	1.7	1.9	1.4	0.0	0.0	0.7	0.6	0.2
6	BN	10.8	6.3	14.7	14.7	11.4	1.7	1.8	1.9	2.0	1.5
6	D	6.2	13.8	27.6	31.9	29.7	0.0	0.3	0.1	-0.1	-0.2
6	C	-0.2	-0.2	17.1	19.3	23.1	-1.1	-2.0	-1.9	-0.6	-0.9
6	All	3.3	4.2	11.9	13.3	12.7	-0.9	-1.1	-1.2	-0.7	-0.8
7	W	0.0	0.0	3.8	8.3	13.0	0.0	0.0	0.7	1.3	1.0
7	AN	0.0	0.0	8.1	18.5	54.6	0.0	0.0	1.0	0.9	1.3
7	BN	4.4	14.0	33.4	46.7	58.4	0.6	1.8	1.7	2.0	1.7
7	D	20.9	37.5	46.9	62.8	69.3	1.2	2.7	2.6	2.2	2.7
7	C	-3.2	-0.2	4.1	4.5	4.9	-0.5	0.4	0.5	1.1	1.6
7	All	5.0	11.0	19.5	28.3	38.1	-1.1	-0.4	-1.0	-1.3	-1.5
8	W	4.5	6.2	4.7	8.1	18.5	0.0	0.2	0.1	0.8	0.5
8	AN	11.6	16.7	6.5	23.1	65.6	0.4	0.4	0.0	0.3	0.9
8	BN	7.2	18.2	24.1	36.4	71.7	-0.3	0.0	0.4	0.4	0.7
8	D	4.3	29.8	30.1	36.6	46.1	0.6	0.5	0.3	0.7	1.5
8	C	4.3	6.7	2.8	5.2	5.4	1.2	1.3	1.7	1.9	3.7
8	All	5.8	15.2	13.9	21.2	38.4	0.4	0.2	0.3	0.4	0.7
9	W	-1.8	-0.7	4.2	5.6	11.0	-0.1	-0.2	0.2	0.5	0.6
9	AN	1.7	9.4	15.6	18.6	45.0	0.1	0.4	0.1	0.2	0.8

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
9	BN	12.4	9.8	6.5	9.6	51.6	0.2	0.3	0.4	0.1	0.8
9	D	9.8	12.5	14.8	20.5	33.3	-0.2	-0.2	-0.3	0.2	0.9
9	C	-4.0	-5.3	-2.0	-1.8	-0.2	1.0	0.9	0.8	0.6	1.8
9	All	3.5	4.8	7.5	10.2	26.0	0.3	0.2	0.0	0.1	0.5
10	W	1.2	-1.5	0.7	2.0	6.6	-0.5	0.3	-0.1	-0.3	-0.1
10	AN	0.5	-2.7	-0.8	-3.0	10.5	0.8	0.7	0.7	0.3	0.4
10	BN	-2.8	-2.7	-1.9	-0.8	2.7	-0.3	-0.3	-0.2	0.0	-0.1
10	D	0.0	-3.4	-3.5	0.0	1.1	0.2	0.3	0.0	0.0	0.3
10	C	2.8	-1.1	-1.5	4.3	8.0	0.3	0.4	0.4	0.2	0.6
10	All	0.3	-2.2	-1.3	0.8	5.3	0.3	0.4	0.2	0.1	0.3

°F = degrees Fahrenheit

UF = unimpaired flow

Values from NMFS (2019).

^a Green cells indicate >5% lower values under the flow scenario relative to baseline; red cells indicate >5% higher values under the flow scenario relative to baseline.

^b Only includes months on which temperature exceeded index value; green cells indicate >0.5 °F lower values under the flow scenario relative to baseline; red cells indicate >0.5 °F higher values under the flow scenario relative to baseline.

Table A6-214. Water Temperature Index Value Analysis Results, Central Valley Steelhead, Smoltification, American River at Hazel Avenue, 54 °F

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
1	W	0.0	0.0	0.0	0.3	0.3	0.0	0.0	0.2	0.2	0.4
1	AN	-1.3	-0.5	-1.3	-0.8	-1.3	0.1	0.1	0.1	-0.1	-0.3
1	BN	0.2	-0.9	-1.5	-0.4	0.2	0.1	0.1	0.3	0.8	0.4
1	D	-0.3	-0.5	-0.5	-0.5	-0.5	-0.3	-0.3	-0.3	-0.3	-0.3
1	C	-1.5	-1.3	-1.3	-1.5	-1.5	-0.7	0.3	-0.7	-0.7	-0.7
1	All	-0.5	-0.6	-0.8	-0.4	-0.4	0.0	0.0	0.2	0.5	0.3
2	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	C	-0.2	-0.7	-0.7	-0.7	-0.7	-0.3	-0.3	-0.3	-0.3	-0.3
2	All	0.0	-0.1	-0.1	-0.1	-0.1	-0.3	-0.3	-0.3	-0.3	-0.3
3	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	D	-1.7	-1.7	-1.7	-1.7	-0.2	-0.9	-0.9	-0.9	-0.9	2.7
3	C	0.2	-4.3	-6.9	-3.0	-8.4	0.8	0.6	-0.1	1.2	0.0
3	All	-0.3	-1.1	-1.5	-0.9	-1.4	0.8	0.5	-0.2	1.1	1.1

°F = degrees Fahrenheit

UF = unimpaired flow

^a Green cells indicate >5% lower values under the flow scenario relative to baseline; red cells indicate >5% higher values under the flow scenario relative to baseline.

^b Only includes months on which temperature exceeded index value; green cells indicate >0.5 °F lower values under the flow scenario relative to baseline; red cells indicate >0.5 °F higher values under the flow scenario relative to baseline.

Table A6-215. Water Temperature Index Value Analysis Results, Central Valley Steelhead, Smoltification, American River at Watt Avenue, 54 °F

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
1	W	0.0	0.1	0.0	0.3	0.3	0.0	-0.1	0.2	0.1	0.3
1	AN	-0.5	-0.3	-0.3	-0.5	-1.1	-0.2	0.1	0.1	0.1	-0.2
1	BN	0.4	-0.6	-0.8	0.8	1.1	0.0	0.0	0.4	0.4	0.3
1	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	C	-1.1	-1.1	-0.4	-1.1	-1.1	-0.6	-0.6	-0.6	-0.6	-0.6
1	All	-0.2	-0.3	-0.2	0.0	0.0	0.0	0.0	0.1	0.3	0.3
2	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	C	-10.4	-10.4	-4.5	-11.3	-12.0	0.5	0.4	0.0	0.3	0.4
2	All	-1.7	-1.7	-0.7	-1.8	-1.9	0.5	0.4	0.0	0.3	0.4
3	W	0.1	-0.6	-2.5	-2.8	-3.5	-0.1	-0.4	-0.6	-0.6	-0.7
3	AN	0.0	0.0	-0.8	-1.1	-3.2	0.0	-0.1	-0.3	-0.5	-0.4
3	BN	-0.2	-1.3	-3.6	-6.3	-10.4	0.0	-0.2	-0.4	-0.2	-0.6
3	D	-3.2	-6.6	-8.1	-13.8	-17.8	-0.4	-0.6	-0.9	-0.9	-0.7
3	C	-9.5	-13.8	-19.4	-32.5	-43.2	-0.2	-0.7	-1.0	-0.8	-1.3
3	All	-2.3	-4.1	-6.5	-10.5	-14.4	-0.3	-0.6	-0.8	-0.7	-0.9

°F = degrees Fahrenheit

UF = unimpaired flow

^a Green cells indicate >5% lower values under the flow scenario relative to baseline; red cells indicate >5% higher values under the flow scenario relative to baseline.

^b Only includes months on which temperature exceeded index value; green cells indicate >0.5 °F lower values under the flow scenario relative to baseline; red cells indicate >0.5 °F higher values under the flow scenario relative to baseline.

Table A6-216. Water Temperature Index Value Analysis Results, Central Valley Steelhead, Smolt Emigration, American River at Hazel Avenue, 61 °F 7DADM

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
12	W	0.0	-0.7	-0.8	-0.6	-2.9	0.0	0.1	0.0	0.0	0.2
12	AN	0.8	-0.8	-1.9	-1.9	-2.2	-0.1	-0.1	-0.1	0.0	-0.3
12	BN	-1.1	-2.1	-2.8	-2.1	-5.7	-0.2	-0.1	0.0	0.1	0.1
12	D	-0.3	-0.8	-0.2	-1.4	-2.6	0.1	-0.1	-0.2	-0.1	-0.5
12	C	0.2	0.0	-1.5	-1.5	-3.7	-0.1	0.1	-0.4	-0.4	-0.7
12	All	-0.1	-0.9	-1.3	-1.4	-3.4	-0.1	0.0	0.0	0.0	0.0
1	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
4	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	C	0.7	1.1	0.2	1.8	0.0	0.7	0.8	0.0	0.8	0.0
4	All	0.1	0.2	0.0	0.3	0.0	0.7	0.8	0.0	0.8	0.0
5	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	D	4.0	3.7	-0.3	-0.6	1.2	0.5	0.4	0.1	-0.2	1.0
5	C	-5.2	-13.1	-6.2	-4.1	-2.2	0.2	-0.5	-0.4	0.1	-0.4
5	All	0.1	-1.3	-1.1	-0.8	-0.1	0.0	-0.6	-0.4	0.2	-0.3
6	W	0.0	0.0	0.0	1.5	0.0	0.0	0.0	0.0	0.4	0.0
6	AN	0.0	0.0	0.0	1.7	6.1	0.0	0.0	0.0	0.3	0.4
6	BN	13.7	13.1	18.8	22.7	18.2	1.0	1.3	1.8	2.0	1.9
6	D	9.7	21.3	25.9	31.7	36.3	0.5	0.9	0.9	1.0	1.1
6	C	11.1	13.3	17.8	27.8	21.3	-0.4	-0.6	-0.5	-0.2	0.1
6	All	6.5	9.4	12.2	16.5	15.8	-0.4	-0.4	-0.3	-0.2	-0.1

^a°F = degrees Fahrenheit; 7DADM = 7-day average daily maximum; UF = unimpaired flow

^a Green cells indicate >5% lower values under the flow scenario relative to baseline; red cells indicate >5% higher values under the flow scenario relative to baseline.

^b Only includes months on which temperature exceeded index value; green cells indicate >0.5 °F lower values under the flow scenario relative to baseline; red cells indicate >0.5 °F higher values under the flow scenario relative to baseline.

Table A6-217. Water Temperature Index Value Analysis Results, Central Valley Steelhead, Smolt Emigration, American River at Watt Avenue, 64 °F 7DADM

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
12	W	0.1	0.1	0.1	0.0	-0.1	-0.2	-0.2	-0.2	0.0	0.0
12	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	D	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	All	0.1	0.0	0.0	0.0	0.0	-0.3	-0.2	-0.2	0.0	0.0
1	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	C	0.9	0.9	-0.2	0.6	-0.4	2.0	1.3	0.0	0.6	0.0
3	All	0.1	0.1	0.0	0.1	-0.1	2.0	1.3	0.0	0.6	0.0
4	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
4	BN	-4.3	-4.3	-4.3	-4.3	-4.3	-1.1	-1.1	-1.1	-1.1	-1.1
4	D	-10.2	-11.1	-11.3	-11.3	-11.3	-0.7	-1.2	-1.2	-1.2	-1.2
4	C	-6.0	-1.8	-9.8	-2.4	-4.9	-0.4	0.7	-0.9	1.3	1.0
4	All	-4.1	-3.6	-4.9	-3.7	-4.1	-0.3	0.9	-0.7	1.5	1.2
5	W	-3.7	-4.0	-4.3	-4.4	-4.7	-0.4	-0.8	-1.0	-1.0	-1.3
5	AN	-5.9	-5.9	-5.9	-5.9	-5.9	-0.6	-0.6	-0.6	-0.6	-0.6
5	BN	-15.4	-18.6	-19.7	-21.4	-27.3	-0.8	-1.2	-1.4	-1.6	-1.8
5	D	-27.6	-37.5	-41.3	-45.0	-46.2	-0.3	-0.6	-1.4	-1.6	-1.5
5	C	-24.3	-24.3	-17.4	-18.7	-24.3	-0.7	-1.4	-1.3	-1.0	-1.1
5	All	-14.8	-17.8	-17.8	-19.2	-21.5	-0.3	-0.8	-0.9	-0.7	-0.6
6	W	2.1	5.7	6.8	9.5	10.5	0.4	1.7	2.3	2.0	1.3
6	AN	5.6	21.9	35.3	51.4	56.9	0.1	1.2	2.0	2.0	1.8
6	BN	5.7	17.3	16.7	29.8	27.8	1.8	0.3	1.5	0.7	0.2
6	D	29.2	35.6	38.3	42.9	41.6	-0.2	0.5	1.8	1.8	1.7
6	C	-1.8	1.3	4.4	2.9	0.2	-0.3	-0.7	0.5	1.9	2.0
6	All	8.7	15.9	19.0	25.1	25.0	-0.3	-0.6	0.4	0.4	0.2

°F = degrees Fahrenheit; 7DADM = 7-day average daily maximum; UF = unimpaired flow

^a Green cells indicate >5% lower values under the flow scenario relative to baseline; red cells indicate >5% higher values under the flow scenario relative to baseline.

^b Only includes months on which temperature exceeded index value; green cells indicate >0.5 °F lower values under the flow scenario relative to baseline; red cells indicate >0.5 °F higher values under the flow scenario relative to baseline.

Table A6-218. Water Temperature Index Value Analysis Results, Central Valley Steelhead, Adult Immigration, American River at Hazel Avenue, 68 °F 7DADM

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
10	W	-1.3	-0.9	-0.5	0.7	5.5	-0.4	0.0	0.1	0.7	0.2
10	AN	0.8	0.0	1.1	-3.2	4.8	0.0	0.0	0.0	-0.4	-0.6
10	BN	-3.6	-3.6	-3.6	-2.5	-2.8	-0.4	-0.4	-0.4	-0.2	-0.1
10	D	1.8	-2.0	-4.1	-0.3	1.7	0.1	0.3	0.0	0.0	0.2
10	C	1.7	-2.2	-1.5	2.6	-3.7	-0.3	-0.3	-0.4	-0.4	-0.2
10	All	-0.2	-1.7	-1.8	-0.3	1.6	0.0	0.1	0.0	-0.1	-0.2
11	W	0.0	0.0	0.0	0.0	-0.1	0.0	0.0	0.0	0.0	0.0
11	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	C	-0.4	-0.4	-0.4	-0.4	-0.4	-0.5	-0.5	-0.5	-0.5	-0.5
11	All	-0.1	-0.1	-0.1	-0.1	-0.1	-0.3	-0.3	-0.3	-0.3	-0.3
12	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
2	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

[°]F = degrees Fahrenheit; 7DADM = 7-day average daily maximum; UF = unimpaired flow

^a Green cells indicate >5% lower values under the flow scenario relative to baseline; red cells indicate >5% higher values under the flow scenario relative to baseline.

^b Only includes months on which temperature exceeded index value; green cells indicate >0.5 °F lower values under the flow scenario relative to baseline; red cells indicate >0.5 °F higher values under the flow scenario relative to baseline.

Table A6-219. Water Temperature Index Value Analysis Results, Central Valley Steelhead, Adult Immigration, American River at Hazel Avenue, 70 °F

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
10	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10	C	0.0	-0.6	-0.6	-0.6	-0.6	-0.7	-0.7	-0.7	-0.7	-0.7
10	All	0.0	-0.1	-0.1	-0.1	-0.1	-0.7	-0.7	-0.7	-0.7	-0.7
11	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
2	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

^a°F = degrees Fahrenheit

UF = unimpaired flow

^a Green cells indicate >5% lower values under the flow scenario relative to baseline; red cells indicate >5% higher values under the flow scenario relative to baseline.

^b Only includes months on which temperature exceeded index value; green cells indicate >0.5 °F lower values under the flow scenario relative to baseline; red cells indicate >0.5 °F higher values under the flow scenario relative to baseline.

Table A6-220. Water Temperature Index Value Analysis Results, Central Valley Steelhead, Adult Immigration, American River at Watt Avenue, 68 °F 7DADM

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
10	W	2.0	-1.4	5.8	8.2	16.5	-0.1	-0.3	-0.2	0.1	0.2
10	AN	0.8	3.2	7.8	8.6	22.0	0.4	-0.2	-0.2	-0.5	0.0
10	BN	-1.7	-0.2	8.7	3.4	15.9	-0.5	-0.4	-0.7	-0.3	-0.3
10	D	-0.9	-3.1	-1.8	-1.7	0.0	0.2	0.0	-0.2	0.0	0.2
10	C	9.2	5.2	7.7	10.1	15.5	0.0	-0.1	-0.3	0.0	0.3
10	All	1.7	0.1	5.2	5.4	13.2	0.1	-0.1	-0.3	-0.1	0.1
11	W	0.0	0.0	0.0	0.0	-0.4	0.0	0.0	0.0	0.0	-0.7
11	AN	-0.3	-0.6	-0.6	-0.8	-0.6	-0.7	-0.7	-0.7	-0.7	-0.7
11	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	D	-0.2	-0.2	-0.2	-0.2	0.2	0.0	0.0	0.0	0.0	0.5
11	C	-0.2	-0.4	-0.4	0.0	0.0	-1.0	-1.0	-1.0	-0.5	-0.5
11	All	-0.1	-0.2	-0.2	-0.1	-0.1	-0.3	-0.2	-0.2	-0.1	-0.3
12	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
2	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	D	-0.2	-0.2	-0.2	-0.2	-0.2	0.0	0.0	0.0	0.0	0.0
4	C	-0.2	2.4	-0.2	2.7	0.7	0.0	2.3	0.0	1.2	0.8
4	All	-0.1	0.4	-0.1	0.4	0.1	0.0	2.3	0.0	1.2	0.8

[°]F = degrees Fahrenheit; 7DADM = 7-day average daily maximum; UF = unimpaired flow

^a Green cells indicate >5% lower values under the flow scenario relative to baseline; red cells indicate >5% higher values under the flow scenario relative to baseline.

^b Only includes months on which temperature exceeded index value; green cells indicate >0.5 °F lower values under the flow scenario relative to baseline; red cells indicate >0.5 °F higher values under the flow scenario relative to baseline.

Table A6-221. Water Temperature Index Value Analysis Results, Central Valley Steelhead, Adult Immigration, American River at Watt Avenue, 70 °F

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
10	W	-0.6	-0.6	0.1	0.1	1.3	-0.3	1.4	0.3	0.6	0.1
10	AN	4.6	1.3	2.4	0.8	5.4	0.3	1.0	0.7	0.4	0.3
10	BN	-0.9	-1.1	-0.8	-0.4	0.4	-0.5	-0.5	0.0	0.0	0.4
10	D	0.8	0.6	-1.2	0.6	1.5	0.2	0.0	-0.1	-0.1	0.0
10	C	1.9	1.5	1.5	1.1	5.2	0.7	0.4	0.4	0.6	0.9
10	All	0.7	0.2	0.2	0.4	2.3	0.4	0.4	0.4	0.4	0.4
11	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
2	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	C	0.0	0.4	0.0	0.0	0.0	0.0	0.5	0.0	0.0	0.0
4	All	0.0	0.1	0.0	0.0	0.0	0.0	0.5	0.0	0.0	0.0

^a°F = degrees Fahrenheit

UF = unimpaired flow

^a Green cells indicate >5% lower values under the flow scenario relative to baseline; red cells indicate >5% higher values under the flow scenario relative to baseline.

^b Only includes months on which temperature exceeded index value; green cells indicate >0.5 °F lower values under the flow scenario relative to baseline; red cells indicate >0.5 °F higher values under the flow scenario relative to baseline.

Table A6-222. Water Temperature Index Value Analysis Results, Central Valley Steelhead, Adult Holding, American River at Hazel Avenue, 61 °F 7DADM

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
10	W	1.2	0.6	3.0	6.7	9.8	-0.2	-0.3	0.2	0.3	0.9
10	AN	1.3	4.8	12.9	32.8	33.6	0.0	-0.3	0.3	-0.5	0.3
10	BN	-0.6	5.7	24.1	18.6	19.0	-0.5	-0.5	0.0	-0.5	0.1
10	D	0.0	4.0	7.5	6.9	4.3	0.1	-0.2	-0.4	-0.4	-0.4
10	C	0.0	5.6	11.6	16.8	15.3	0.5	-0.1	-0.1	0.0	-0.3
10	All	0.4	3.6	10.5	13.9	14.2	0.0	-0.3	0.0	-0.1	0.1
11	W	-2.4	-2.4	-0.6	-1.4	-2.1	-0.5	-0.5	-0.2	-0.3	-0.4
11	AN	1.4	-1.7	1.4	2.5	0.0	-0.3	-0.1	-0.1	-0.6	-0.9
11	BN	-1.8	-2.4	2.0	-2.0	1.0	-0.6	-0.9	0.1	-0.4	-0.5
11	D	1.7	2.1	1.3	1.6	-3.2	0.0	-0.4	-0.7	-0.4	-0.7
11	C	2.0	0.2	3.1	2.9	0.2	0.1	-0.3	-0.4	-0.3	-0.7
11	All	-0.1	-0.9	1.1	0.4	-1.1	-0.2	-0.4	-0.3	-0.4	-0.6

°F = degrees Fahrenheit; 7DADM = 7-day average daily maximum; UF = unimpaired flow

^a Green cells indicate >5% lower values under the flow scenario relative to baseline; red cells indicate >5% higher values under the flow scenario relative to baseline.

^b Only includes months on which temperature exceeded index value; green cells indicate >0.5 °F lower values under the flow scenario relative to baseline; red cells indicate >0.5 °F higher values under the flow scenario relative to baseline.

Table A6-223. Water Temperature Index Value Analysis Results, Central Valley Steelhead, Adult Holding, American River at Watt Avenue, 61 °F 7DADM

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
10	W	0.1	0.2	0.7	1.0	2.2	0.0	-0.1	0.2	0.4	0.9
10	AN	0.5	0.0	1.1	1.9	2.4	0.1	0.2	0.7	1.0	1.7
10	BN	0.2	0.6	2.1	2.1	4.0	-0.2	0.1	0.8	0.4	0.9
10	D	0.0	0.5	0.5	0.8	-0.2	0.1	0.0	0.1	0.1	0.1
10	C	0.2	0.4	-0.4	1.1	1.1	0.4	0.3	0.7	0.9	1.1
10	All	0.2	0.3	0.8	1.3	1.8	0.1	0.0	0.4	0.5	0.9
11	W	-2.1	-2.4	0.4	0.4	-1.3	-0.4	-0.4	-0.2	-0.4	-0.3
11	AN	1.4	3.1	8.1	10.8	7.2	-0.1	-0.6	-0.4	-0.8	-0.6
11	BN	-1.4	0.6	4.9	1.6	3.1	-0.5	-0.9	-0.1	-0.7	-0.6
11	D	1.6	2.4	3.0	5.1	-0.8	0.0	-0.1	-0.4	-0.3	-0.7
11	C	4.4	1.6	5.6	6.4	10.4	0.0	-0.2	-0.2	-0.2	-0.7
11	All	0.4	0.6	3.6	4.0	2.6	-0.2	-0.4	-0.3	-0.4	-0.6

°F = degrees Fahrenheit; 7DADM = 7-day average daily maximum; UF = unimpaired flow

^a Green cells indicate >5% lower values under the flow scenario relative to baseline; red cells indicate >5% higher values under the flow scenario relative to baseline.

^b Only includes months on which temperature exceeded index value; green cells indicate >0.5 °F lower values under the flow scenario relative to baseline; red cells indicate >0.5 °F higher values under the flow scenario relative to baseline.

Table A6-224. Summary of Water Temperature Index Value Analysis for the American River, Showing the Percent of Month-Water Year Type Combinations with Favorable and Unfavorable Results

Species	Life Stage	Period	Location	Index Value (°F)		Percent of Month-Water Year Type Combinations with Unfavorable Result					Percent of Month-Water Year Type Combinations with Favorable Result					
				Mean	7DADM ³	35UF	45UF	55UF	65UF	75UF	35UF	45UF	55UF	65UF	75UF	
				Daily												
Winter-run Chinook Salmon	Non-Natal Rearing	Jul-Apr	Watt Ave	-	64	0.0	2.0	4.0	6.0	14.0	2.0	2.0	4.0	2.0	2.0	
Fall-Run Chinook Salmon	Spawning, Egg Incubation, and Alevins	Oct-Feb	Hazel Ave	-	55.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
			Watt Ave	-	55.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	Fry and Juvenile Rearing and Emigration	Jan-May	Hazel Ave	-	61	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
			Watt Ave	-	64	0.0	0.0	0.0	0.0	0.0	16.0	20.0	24.0	20.0	20.0	
	Adult Immigration	Sep-Dec	Hazel Ave	-	68	0.0	0.0	0.0	0.0	23.3	0.0	0.0	0.0	0.0	0.0	
			Watt Ave	-	68	6.7	20.0	23.3	26.7	36.7	0.0	0.0	0.0	0.0	0.0	
	Adult Staging	Jul-Dec	Hazel Ave	-	61	3.3	16.7	10.0	26.7	30.0	0.0	0.0	0.0	0.0	0.0	
			Watt Ave	-	61	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	Steelhead	Spawning, Egg Incubation, and Alevins	Oct	Watt Ave	60	-	0.0	0.0	20.0	20.0	40.0	0.0	0.0	0.0	0.0	0.0
				Hazel Ave	53	-	0.0	0.0	0.0	3.3	6.7	0.0	3.3	3.3	6.7	6.7
Kelt Emigration		Feb-May	Hazel Ave	--	68	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
				70	--	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
Juvenile Rearing		Year-round	Hazel Ave	--	68	0.0	0.0	0.0	0.0	0.0	5.0	5.0	10.0	10.0	5.0	
				70	-	0.0	0.0	0.0	0.0	0.0	5.0	5.0	5.0	5.0	5.0	
Kelt Emigration		Feb-May	Watt Ave	--	68	0.0	0.0	0.0	0.0	0.0	0.0	5.0	5.0	5.0	5.0	
				70	-	0.0	0.0	0.0	0.0	0.0	5.0	5.0	5.0	5.0	5.0	
Juvenile Rearing		Year-round	Hazel Ave	63	-	1.7	3.3	5.0	15.0	25.0	0.0	0.0	0.0	0.0	0.0	
				--	69	0.0	0.0	0.0	0.0	6.7	0.0	0.0	0.0	0.0	0.0	

Species	Life Stage	Period	Location	Index Value (°F)		Percent of Month-Water Year Type Combinations with Unfavorable Result					Percent of Month-Water Year Type Combinations with Favorable Result				
				Mean Daily	7DADM ³	35UF	45UF	55UF	65UF	75UF	35UF	45UF	55UF	65UF	75UF
			Watt Ave	63	--	3.3	15.0	18.3	20.0	26.7	3.3	5.0	8.3	6.7	6.7
				--	69	6.7	10.0	15.0	16.7	25.0	1.7	1.7	3.3	3.3	3.3
		May	Watt Ave	65	-	6.7	20.0	33.3	36.7	50.0	6.7	6.7	10.0	10.0	10.0
		15-Oct		68	-	6.7	13.3	13.3	26.7	50.0	3.3	3.3	3.3	3.3	3.3
		31													
	Smoltification	Jan-Mar	Hazel Ave	54	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
			Watt Ave	54	-	0.0	0.0	0.0	0.0	0.0	0.0	13.3	13.3	13.3	20.0
	Smolt Emigration	Dec-Jun	Hazel Ave	-	61	2.9	5.7	5.7	5.7	5.7	0.0	0.0	0.0	0.0	0.0
			Watt Ave	-	64	2.9	5.7	11.4	11.4	8.6	11.4	14.3	17.1	14.3	14.3
	Adult Immigration	Oct-Apr	Hazel Ave	-	68	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
				70	--	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
			Watt Ave	--	68	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
				70	--	0.0	0.0	0.0	0.0	2.9	0.0	0.0	0.0	0.0	0.0
	Adult Holding	Oct-Nov	Hazel Ave	-	61	0.0	0.0	0.0	0.0	10.0	0.0	0.0	0.0	0.0	0.0
			Watt Ave	-	61	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Shading is provided only to attract attention to the larger deviations from baseline. Shading does not indicate any impact conclusions.

For unfavorable results, the following criteria are met: (1) frequency of exceedance above the water temperature index value under the flow scenario was >5% higher than the frequency of exceedance under the baseline; and (2) average daily exceedance above the water temperature index value under the flow scenario was >0.5°F higher than the exceedance under the baseline.

For favorable results, the following criteria are met: (1) frequency of exceedance above the water temperature index value under the flow scenario was >5% lower than the frequency of exceedance under the baseline; and (2) average daily exceedance above the water temperature index value under the flow scenario was >0.5°F lower than the exceedance under the baseline.

°F = degrees Fahrenheit

UF = unimpaired flow

^a 7DADM = Seven-day average daily maximum

A6.4.2.3 Feather River

Winter-Run Chinook Salmon

Table A6-225. Water Temperature Index Value Analysis Results, Winter-Run Chinook Salmon, Non-Natal Rearing and Emigration, Feather River above Thermalito Afterbay, 64 °F 7DADM

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
7	W	-0.1	-6.7	-2.6	-6.6	9.4	0.0	-0.1	-0.1	-0.1	0.1
7	AN	2.2	0.8	11.0	18.3	18.3	0.1	0.0	0.1	0.3	0.3
7	BN	2.7	11.2	22.6	23.0	27.7	-0.1	0.0	0.1	0.3	0.3
7	D	4.1	9.4	13.5	11.1	21.5	0.1	0.0	0.2	-0.1	0.4
7	C	11.2	12.9	6.2	-4.3	-2.6	0.1	0.3	0.3	0.4	1.1
7	All	3.5	4.3	8.8	6.4	14.7	0.0	0.1	0.1	0.1	0.4
8	W	0.0	-7.6	-11.1	-13.9	4.6	0.0	0.0	0.0	-0.1	0.5
8	AN	2.4	-0.3	-6.5	15.9	24.2	0.0	0.0	-0.1	0.5	0.6
8	BN	3.2	7.8	12.9	26.4	37.6	0.0	0.0	0.8	0.8	1.1
8	D	7.5	21.0	25.2	26.7	25.2	0.1	0.3	0.6	0.5	0.5
8	C	4.5	7.1	0.4	4.3	20.0	-0.2	0.4	-0.3	0.0	2.0
8	All	3.3	5.0	4.0	9.4	20.3	0.0	0.1	0.3	0.4	0.9
9	W	0.0	0.0	0.0	0.1	10.2	0.0	0.0	0.0	0.0	3.3
9	AN	0.0	0.0	3.1	16.1	31.9	0.0	0.0	0.5	2.6	1.9
9	BN	1.8	12.9	2.2	17.5	36.5	0.3	1.3	1.1	2.4	2.2
9	D	2.7	14.1	16.3	18.3	8.4	0.4	1.6	1.4	2.3	2.4
9	C	2.0	5.1	14.2	13.6	34.4	-0.9	0.1	0.4	0.7	1.5
9	All	1.3	6.4	6.8	11.6	21.3	-1.1	-0.2	-0.1	0.6	0.8
10	W	0.0	0.0	0.0	0.1	2.1	0.0	0.0	0.0	0.0	0.6
10	AN	0.0	0.0	0.0	3.2	2.4	0.0	0.0	0.0	1.2	0.8
10	BN	0.0	0.4	0.0	2.3	1.9	0.0	0.5	0.0	0.5	0.4
10	D	0.0	1.5	0.6	0.2	0.3	0.0	0.5	0.5	0.0	0.5
10	C	-0.9	-1.1	-0.6	3.9	3.9	-0.8	-0.8	-0.5	0.2	0.5

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
10	All	-0.1	0.2	0.0	1.5	2.0	-0.8	-0.4	-0.4	0.1	0.0
11	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
3	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

°F = degrees Fahrenheit; 7DADM = 7-day average daily maximum; UF = unimpaired flow

^a Green cells indicate >5% lower values under the flow scenario relative to baseline; red cells indicate >5% higher values under the flow scenario relative to baseline.

^b Only includes months on which temperature exceeded index value; green cells indicate >0.5 °F lower values under the flow scenario relative to baseline; red cells indicate >0.5 °F higher values under the flow scenario relative to baseline.

Table A6-226. Water Temperature Index Value Analysis Results, Winter-Run Chinook Salmon, Non-Natal Rearing and Emigration, Feather River at Gridley, 64 °F 7DADM

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
7	W	0.0	0.0	-0.3	-0.1	-0.1	-0.3	-0.4	-0.5	-0.1	1.9
7	AN	0.3	0.8	0.8	0.8	0.8	0.1	0.3	1.9	3.9	4.8
7	BN	2.3	2.7	3.2	3.2	3.2	0.1	1.3	3.0	4.5	5.5
7	D	1.1	1.5	1.5	1.5	1.5	1.6	2.6	3.4	4.0	5.3
7	C	5.8	6.0	6.0	6.0	6.0	1.8	2.0	1.8	2.3	3.4
7	All	1.6	1.9	1.9	2.0	2.0	0.6	1.1	1.7	2.6	3.9
8	W	0.1	-1.0	-4.7	-0.3	0.1	0.3	0.5	-0.1	0.2	2.1
8	AN	-6.7	-4.6	1.9	4.6	4.8	0.2	0.4	0.6	2.5	3.4
8	BN	2.1	6.6	12.0	12.1	12.1	0.2	0.8	1.7	2.9	4.4
8	D	15.7	17.5	18.6	18.6	18.6	1.0	1.5	1.8	1.9	3.4
8	C	10.5	10.1	10.5	10.5	10.5	0.2	0.7	0.0	1.3	3.3
8	All	4.8	5.9	6.9	8.6	8.8	0.4	0.8	0.7	1.5	3.2
9	W	1.2	5.8	14.2	33.0	74.0	-0.1	-0.8	-1.1	-1.2	-0.3
9	AN	1.4	4.7	35.3	55.3	83.9	-0.5	-1.0	-0.9	0.4	0.7
9	BN	35.5	42.5	36.9	41.4	62.4	0.6	1.6	0.9	1.7	3.4
9	D	17.3	29.7	15.9	13.8	37.5	0.5	1.0	1.1	1.2	1.7
9	C	2.4	-1.3	11.3	9.1	16.2	0.4	0.0	0.6	1.6	3.6
9	All	11.3	16.6	21.0	29.2	55.6	0.2	0.3	0.3	0.8	1.7
10	W	4.6	7.1	7.1	3.8	18.3	-1.6	-1.2	-1.5	-0.3	-0.1
10	AN	-4.8	2.7	2.4	5.1	21.0	-2.5	-2.9	-2.6	-2.0	-1.8
10	BN	2.3	13.7	10.1	23.9	25.2	0.5	0.7	1.3	1.6	2.3
10	D	5.8	10.1	2.6	1.8	12.9	-0.5	0.5	0.9	-0.2	-0.3
10	C	9.5	1.5	11.8	16.3	21.7	0.3	-0.7	-0.4	0.7	0.9
10	All	4.0	7.5	6.8	9.2	19.3	-0.8	-1.0	-0.9	-0.2	-0.1
11	W	0.0	0.1	0.0	0.0	0.2	0.0	0.0	0.0	0.0	1.0
11	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
11	C	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	1.0
11	All	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	1.0
12	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	D	-0.2	-0.6	-0.8	-0.8	-0.8	0.2	-0.6	-0.6	-0.6	-0.6
3	C	0.0	0.2	1.3	0.2	0.0	0.0	0.0	0.7	0.0	0.0
3	All	0.0	-0.1	0.0	-0.1	-0.2	0.2	-0.6	0.1	-0.6	-0.6

^aF = degrees Fahrenheit; 7DADM = 7-day average daily maximum; UF = unimpaired flow

^a Green cells indicate >5% lower values under the flow scenario relative to baseline; red cells indicate >5% higher values under the flow scenario relative to baseline.

^b Only includes months on which temperature exceeded index value; green cells indicate >0.5 °F lower values under the flow scenario relative to baseline; red cells indicate >0.5 °F higher values under the flow scenario relative to baseline.

Spring-Run Chinook Salmon

Table A6-227. Water Temperature Index Value Analysis Results, Spring-Run Chinook Salmon, Spawning, Egg Incubation, and Alevins, Feather River Low Flow Channel below the Fish Barrier Dam, 55.4 °F 7DADM

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
9	W	1.5	7.9	15.4	38.6	91.2	-0.2	-0.5	-0.1	-0.4	1.0
9	AN	0.8	20.8	32.8	45.6	90.8	0.3	1.0	1.9	2.6	2.9
9	BN	40.2	58.8	54.9	68.8	87.6	1.3	2.5	0.7	2.0	3.8
9	D	-2.9	19.2	11.1	34.4	34.3	0.8	1.9	2.3	1.3	1.1
9	C	8.2	-5.3	21.3	28.0	30.9	0.6	0.6	1.0	0.9	4.1
9	All	8.6	19.3	24.8	42.4	67.9	0.7	1.1	1.0	0.7	1.6
10	W	12.8	9.7	11.6	-1.6	18.3	2.0	2.4	2.7	1.8	4.5
10	AN	1.1	14.5	26.3	12.9	39.5	-2.0	-0.9	-0.3	-0.2	1.2
10	BN	13.1	26.9	25.0	9.1	16.9	1.0	1.8	1.0	3.8	3.9
10	D	23.7	13.7	3.4	13.7	23.5	1.7	3.0	2.4	1.3	3.7
10	C	-2.6	-15.5	8.2	9.2	13.8	1.2	1.2	0.2	0.9	1.5
10	All	11.3	10.3	13.6	7.4	21.2	0.8	1.3	1.0	1.7	2.9
11	W	9.4	6.4	6.4	-0.2	11.7	1.1	1.1	1.3	1.0	2.1
11	AN	-18.3	-11.1	6.4	-4.4	20.6	-1.2	-0.9	-0.1	-0.1	0.0
11	BN	4.1	17.5	12.5	7.1	14.1	0.2	0.5	0.2	0.6	0.9
11	D	13.8	2.1	-2.5	8.6	14.0	0.9	-0.3	0.7	0.0	0.8
11	C	4.9	-9.1	-5.8	6.2	11.3	0.9	0.1	0.2	0.5	0.8
11	All	5.1	2.7	3.5	3.6	13.7	0.5	0.2	0.3	0.3	0.8
12	W	-2.3	-1.5	-0.1	5.9	5.1	-0.1	-0.1	-0.2	-0.1	-0.1
12	AN	5.6	0.3	-1.1	14.2	10.5	0.0	0.0	-0.1	0.1	0.0
12	BN	4.6	0.8	12.7	10.6	6.6	-0.1	-0.1	0.0	0.0	-0.1
12	D	0.0	-7.1	-2.8	12.7	11.8	0.0	0.0	0.0	0.1	0.1
12	C	7.5	7.5	6.5	17.4	3.2	0.0	-0.1	-0.1	0.0	0.1
12	All	2.1	-0.7	2.6	11.2	7.3	0.0	-0.1	-0.1	0.0	0.0

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
1	W	-0.5	-0.6	-0.3	-0.5	-2.6	0.0	0.0	0.1	0.1	-0.3
1	AN	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.0	
1	BN	-0.4	1.3	1.5	0.0	-5.3	0.0	0.0	0.0	0.0	
1	D	-0.5	-0.8	-1.1	-1.1	-1.5	0.0	-0.1	0.0	0.0	
1	C	0.4	-0.2	-0.2	-0.2	-0.2	0.3	0.0	0.0	0.0	
1	All	-0.2	-0.1	-0.1	-0.4	-2.2	0.0	0.0	0.1	0.1	
2	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
2	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
2	BN	-0.2	1.5	2.3	0.6	-0.2	0.0	0.1	0.2	0.0	
2	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
2	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
2	All	0.0	0.3	0.4	0.1	0.0	0.0	0.1	0.2	0.0	

°F = degrees Fahrenheit; 7DADM = 7-day average daily maximum; UF = unimpaired flow

^a Green cells indicate >5% lower values under the flow scenario relative to baseline; red cells indicate >5% higher values under the flow scenario relative to baseline.

^b Only includes months on which temperature exceeded index value; green cells indicate >0.5 °F lower values under the flow scenario relative to baseline; red cells indicate >0.5 °F higher values under the flow scenario relative to baseline.

Table A6-228. Water Temperature Index Value Analysis Results, Spring-Run Chinook Salmon, Spawning, Egg Incubation, and Alevins, Feather River below Thermalito Afterbay Outlet, 55.4 °F 7DADM

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
9	W	0.0	0.0	0.0	0.0	0.0	0.1	0.5	1.0	2.6	5.2
9	AN	0.0	0.0	0.0	0.0	0.0	0.3	1.3	4.1	6.2	8.1
9	BN	0.0	0.0	0.0	0.0	0.0	2.3	3.5	3.0	3.3	5.7
9	D	0.0	0.0	0.0	0.0	0.0	1.5	2.2	1.4	1.2	3.0
9	C	0.0	0.0	0.0	0.0	0.0	0.4	-0.1	1.0	1.8	4.3
9	All	0.0	0.0	0.0	0.0	0.0	0.9	1.4	1.9	2.7	5.0
10	W	5.4	6.6	6.9	10.3	13.8	0.8	1.0	1.2	1.1	2.7
10	AN	-4.0	-0.8	1.9	-1.1	2.7	-0.4	0.5	0.9	1.0	2.6
10	BN	1.5	1.5	3.4	1.1	2.5	0.7	1.8	1.7	2.4	3.2
10	D	5.4	1.8	4.0	8.0	10.1	0.9	1.1	0.4	0.6	2.1
10	C	-0.9	2.6	4.1	3.7	4.5	0.5	-0.2	0.7	1.2	2.1
10	All	2.5	3.0	4.5	5.5	8.0	0.6	0.9	1.0	1.2	2.5
11	W	18.6	19.3	20.2	22.5	35.7	0.8	0.8	1.0	0.4	1.2
11	AN	-5.0	-1.9	11.7	4.2	30.6	-0.1	0.4	0.5	0.4	0.9
11	BN	8.0	19.4	18.8	12.5	26.5	0.4	0.8	0.7	1.1	1.2
11	D	11.6	5.6	7.0	14.8	30.5	0.8	-0.3	-0.1	0.4	0.7
11	C	8.9	-10.4	1.1	4.4	15.1	0.5	0.9	0.6	1.3	1.8
11	All	10.5	8.7	12.8	13.7	28.9	0.5	0.5	0.6	0.7	1.1
12	W	-2.4	-0.9	-1.4	0.2	-0.7	-0.1	-0.2	-0.2	-0.2	-0.1
12	AN	-1.6	-1.1	1.6	3.0	1.1	-0.5	-0.5	0.0	0.0	0.1
12	BN	-0.9	-3.2	1.3	2.7	-7.0	0.1	0.0	-0.1	-0.1	-0.1
12	D	0.8	2.6	3.7	8.9	2.9	0.2	0.2	0.3	0.5	0.5
12	C	0.9	0.9	2.6	2.2	3.0	0.3	0.5	0.8	0.6	1.1
12	All	-0.8	-0.3	1.3	3.3	-0.2	-0.1	-0.1	-0.2	-0.2	0.0
1	W	0.0	0.5	0.6	-0.3	-1.5	0.0	-0.1	0.0	-0.2	-0.3
1	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
1	BN	-0.4	-0.6	-0.6	-0.4	-0.6	0.1	0.0	0.0	0.1	0.2
1	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
1	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
1	All	-0.1	0.0	0.1	-0.2	-0.6	0.0	0.0	0.0	-0.1	-0.1
2	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	AN	0.0	-0.3	-0.3	-0.3	-2.1	0.0	-0.2	-0.2	-0.2	-0.7
2	BN	0.8	1.5	3.1	3.7	0.4	-0.1	-0.2	-0.1	0.0	-0.1
2	D	0.8	-0.3	-0.7	-0.7	-0.7	0.0	0.2	0.0	0.0	0.3
2	C	0.9	0.2	0.0	-0.5	-1.6	-0.4	-0.5	-0.3	-0.4	-0.3
2	All	0.5	0.2	0.4	0.4	-0.6	-0.2	-0.3	-0.2	-0.2	-0.2

°F = degrees Fahrenheit; 7DADM = 7-day average daily maximum; UF = unimpaired flow

^a Green cells indicate >5% lower values under the flow scenario relative to baseline; red cells indicate >5% higher values under the flow scenario relative to baseline.

^b Only includes months on which temperature exceeded index value; green cells indicate >0.5 °F lower values under the flow scenario relative to baseline; red cells indicate >0.5 °F higher values under the flow scenario relative to baseline.

Table A6-229. Water Temperature Index Value Analysis Results, Spring-Run Chinook Salmon, Fry and Juvenile Rearing and Emigration, Feather River Low Flow Channel below the Fish Barrier Dam, 61 °F 7DADM

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
11	W	0.1	0.6	0.0	0.0	0.8	0.0	0.4	0.0	0.0	0.3
11	AN	-1.7	-1.7	-0.6	-1.1	-1.7	-1.3	-1.3	-0.8	-0.8	-1.3
11	BN	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0
11	D	0.5	0.0	0.8	0.0	0.3	0.0	0.0	0.4	0.0	0.0
11	C	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.0	0.5
11	All	-0.1	0.0	0.1	-0.1	0.2	-1.3	-0.9	-0.9	-1.0	-1.1
12	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
3	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	W	5.5	3.6	3.7	6.4	7.9	0.9	0.5	0.5	0.7	0.5
6	AN	0.0	5.3	-1.7	3.3	-1.1	-0.5	0.3	0.1	0.1	0.4
6	BN	-1.0	2.7	-2.0	-1.4	0.2	0.2	0.1	0.2	0.4	0.3
6	D	-2.7	-8.4	-7.9	-7.1	-2.9	0.2	0.0	0.1	0.1	0.3
6	C	-6.2	-4.4	-3.3	-7.1	-5.6	-0.6	-0.5	-0.1	-0.3	0.6
6	All	-0.1	-0.4	-1.8	-0.6	0.7	0.0	-0.1	0.0	0.0	0.1

°F = degrees Fahrenheit; 7DADM = 7-day average daily maximum; UF = unimpaired flow

^a Green cells indicate >5% lower values under the flow scenario relative to baseline; red cells indicate >5% higher values under the flow scenario relative to baseline.

^b Only includes months on which temperature exceeded index value; green cells indicate >0.5 °F lower values under the flow scenario relative to baseline; red cells indicate >0.5 °F higher values under the flow scenario relative to baseline.

Table A6-230. Water Temperature Index Value Analysis Results, Spring-Run Chinook Salmon, Fry and Juvenile Rearing and Emigration, Feather River below Thermalito Afterbay Outlet, 64 °F 7DADM

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
11	W	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.5
11	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	All	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.5
12	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
3	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	D	0.0	-0.2	-0.2	-0.2	-0.2	0.0	0.0	0.0	0.0	0.0
3	C	0.0	0.0	0.4	0.0	0.0	0.0	0.0	0.5	0.0	0.0
3	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.0
4	W	-1.2	-1.2	-1.2	-1.2	-1.2	-0.4	-0.4	-0.4	-0.4	-0.4
4	AN	-1.4	-1.9	-1.9	-1.9	-1.9	-1.5	-2.0	-2.0	-2.0	-2.0
4	BN	-2.2	-3.1	-3.1	-3.1	-3.1	-0.2	-0.4	-0.4	-0.4	-0.4
4	D	2.1	-1.4	-3.5	-4.6	-4.8	0.1	0.0	-0.4	-0.8	-0.8
4	C	1.3	-5.3	-11.3	-17.6	-20.2	-0.4	-0.3	-0.5	0.1	0.1
4	All	-0.3	-2.4	-3.8	-5.1	-5.5	-0.2	-0.1	-0.3	0.3	0.3
5	W	-0.5	-1.3	-2.2	-2.2	-2.2	-0.6	-0.7	-0.7	-0.4	-0.4
5	AN	-6.7	-9.1	-10.5	-10.8	-10.8	-0.9	-1.1	-1.6	-1.6	-1.6
5	BN	-5.1	-5.7	-5.7	-5.7	-5.3	-1.6	-1.6	-1.6	-1.6	-1.1
5	D	-3.8	-3.8	-3.2	-3.7	-2.2	-0.6	-0.5	-0.5	-0.6	-0.7
5	C	-9.2	2.8	0.2	4.7	6.0	-0.1	0.1	0.1	0.2	0.7
5	All	-4.3	-3.0	-3.7	-3.2	-2.5	-0.4	-0.2	-0.1	-0.1	0.3
6	W	-1.3	-3.1	-3.8	-6.4	-6.4	-0.1	-0.3	-0.2	-0.3	-0.1
6	AN	-4.7	-16.7	-6.9	-5.3	-7.2	-0.1	-0.1	-0.1	0.1	0.2
6	BN	-9.0	-8.6	-6.3	-0.4	2.5	-0.2	0.1	0.4	0.5	0.6
6	D	7.3	14.1	15.4	16.8	18.9	0.2	0.5	0.8	1.0	1.5
6	C	3.1	4.7	9.1	7.8	10.7	0.3	0.6	0.6	0.8	0.9
6	All	-0.5	-0.7	1.8	2.4	3.6	0.1	0.2	0.4	0.5	0.8

°F = degrees Fahrenheit; 7DADM = 7-day average daily maximum; UF = unimpaired flow

^a Green cells indicate >5% lower values under the flow scenario relative to baseline; red cells indicate >5% higher values under the flow scenario relative to baseline.

^b Only includes months on which temperature exceeded index value; green cells indicate >0.5 °F lower values under the flow scenario relative to baseline; red cells indicate >0.5 °F higher values under the flow scenario relative to baseline.

Table A6-231. Water Temperature Index Value Analysis Results, Spring-Run Chinook Salmon, Adult Immigration, Feather River Low Flow Channel below the Fish Barrier Dam, 68 °F 7DADM

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
3	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

[°]F = degrees Fahrenheit; 7DADM = 7-day average daily maximum; UF = unimpaired flow

^a Green cells indicate >5% lower values under the flow scenario relative to baseline; red cells indicate >5% higher values under the flow scenario relative to baseline.

^b Only includes months on which temperature exceeded index value; green cells indicate >0.5 °F lower values under the flow scenario relative to baseline; red cells indicate >0.5 °F higher values under the flow scenario relative to baseline.

Table A6-232. Water Temperature Index Value Analysis Results, Spring-Run Chinook Salmon, Adult Immigration, Feather River below Thermalito Afterbay Outlet, 68 °F 7DADM

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
3	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	AN	-0.6	-0.6	-0.6	-0.6	-0.6	-0.5	-0.5	-0.5	-0.5	-0.5
4	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	C	-0.7	-0.7	-0.7	-0.7	-0.7	-0.7	-0.7	-0.7	-0.7	-0.7
4	All	-0.2	-0.2	-0.2	-0.2	-0.2	-0.6	-0.6	-0.6	-0.6	-0.6
5	W	-0.1	-0.1	-0.1	-0.1	-0.1	0.0	0.0	0.0	0.0	0.0
5	AN	-1.1	-1.1	-1.1	-1.1	-1.1	-2.0	-2.0	-2.0	-2.0	-2.0
5	BN	-0.9	-0.9	-0.9	-0.9	-0.9	-0.6	-0.6	-0.6	-0.6	-0.6
5	D	-0.9	-0.9	-0.9	-0.9	-0.9	-0.7	-0.7	-0.7	-0.7	-0.7
5	C	-0.2	0.9	0.2	0.2	3.2	-0.7	-0.8	-0.9	-1.2	-0.9
5	All	-0.6	-0.4	-0.5	-0.5	0.0	-0.1	-0.2	-0.3	-0.6	-0.3
6	W	1.7	-0.2	0.5	0.7	1.4	0.3	0.0	0.0	0.1	0.2
6	AN	-2.8	-6.4	-4.7	2.8	1.9	-0.3	-0.2	0.1	-0.2	0.0
6	BN	-3.3	0.0	4.1	9.2	13.3	0.0	0.0	0.2	0.4	0.4
6	D	5.6	13.2	16.0	20.6	33.5	0.2	0.2	0.4	0.4	0.6
6	C	11.3	18.0	20.2	16.4	20.2	-0.1	0.1	0.2	0.5	0.7
6	All	2.6	5.0	7.2	9.6	13.9	0.1	0.1	0.2	0.3	0.5

°F = degrees Fahrenheit; 7DADM = 7-day average daily maximum; UF = unimpaired flow

^a Green cells indicate >5% lower values under the flow scenario relative to baseline; red cells indicate >5% higher values under the flow scenario relative to baseline.

^b Only includes months on which temperature exceeded index value; green cells indicate >0.5 °F lower values under the flow scenario relative to baseline; red cells indicate >0.5 °F higher values under the flow scenario relative to baseline.

Table A6-233. Water Temperature Index Value Analysis Results, Spring-Run Chinook Salmon, Adult Holding, Feather River Low Flow Channel below the Fish Barrier Dam, 61 °F 7DADM

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
4	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	W	5.5	3.6	3.7	6.4	7.9	0.9	0.5	0.5	0.7	0.5
6	AN	0.0	5.3	-1.7	3.3	-1.1	-0.5	0.3	0.1	0.1	0.4
6	BN	-1.0	2.7	-2.0	-1.4	0.2	0.2	0.1	0.2	0.4	0.3
6	D	-2.7	-8.4	-7.9	-7.1	-2.9	0.2	0.0	0.1	0.1	0.3
6	C	-6.2	-4.4	-3.3	-7.1	-5.6	-0.6	-0.5	-0.1	-0.3	0.6
6	All	-0.1	-0.4	-1.8	-0.6	0.7	0.0	-0.1	0.0	0.0	0.1
7	W	-9.1	-16.5	-11.8	-19.5	14.6	0.1	0.1	0.1	-0.1	0.0
7	AN	4.6	8.1	20.7	34.9	55.6	0.0	-0.3	-0.5	-0.5	-0.7
7	BN	-1.3	15.4	42.5	43.1	53.9	0.0	-0.2	-0.4	-0.3	-0.3
7	D	6.5	19.2	34.9	35.8	44.2	-0.1	-0.3	-0.2	-0.7	0.0
7	C	30.1	37.6	24.5	18.7	23.7	-0.5	-0.1	-0.2	-0.2	1.0
7	All	3.9	9.3	18.7	17.6	35.2	-0.1	-0.1	-0.1	-0.3	0.0
8	W	3.3	-7.1	-10.1	-12.9	4.1	-0.1	-0.1	-0.1	-0.3	0.6
8	AN	2.2	-3.8	-9.9	18.8	31.5	-0.1	-0.1	-0.3	0.5	0.6

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
8	BN	3.0	10.8	22.0	31.3	42.9	-0.1	0.0	0.7	0.9	1.3
8	D	11.5	28.7	32.9	31.2	35.3	0.1	0.5	0.7	0.8	0.6
8	C	4.3	12.7	5.2	9.5	17.8	-0.2	0.3	-0.4	-0.2	2.7
8	All	5.1	7.9	7.9	12.8	24.0	-0.1	0.2	0.2	0.4	1.1
9	W	0.0	0.0	0.0	0.0	13.1	0.0	0.0	0.0	0.0	4.9
9	AN	0.0	1.9	12.5	16.7	35.8	0.0	0.7	1.5	5.5	4.2
9	BN	9.2	22.5	9.2	17.5	44.9	0.6	1.7	0.6	4.2	3.5
9	D	6.3	21.3	25.2	19.2	22.4	0.8	2.4	1.8	4.1	1.8
9	C	11.6	-0.9	13.1	17.8	40.7	-1.4	0.7	0.7	0.6	1.6
9	All	5.0	9.0	11.1	12.5	28.4	-1.5	-0.1	-0.4	1.3	0.9

°F = degrees Fahrenheit; 7DADM = 7-day average daily maximum; UF = unimpaired flow

^a Green cells indicate >5% lower values under the flow scenario relative to baseline; red cells indicate >5% higher values under the flow scenario relative to baseline.

^b Only includes months on which temperature exceeded index value; green cells indicate >0.5 °F lower values under the flow scenario relative to baseline; red cells indicate >0.5 °F higher values under the flow scenario relative to baseline.

Table A6-234. Water Temperature Index Value Analysis Results, Spring-Run Chinook Salmon, Adult Holding, Feather River below Thermalito Afterbay Outlet, 61 °F 7DADM

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
4	W	-1.3	-4.3	-6.0	-6.1	-6.1	-1.0	-1.3	-1.7	-1.7	-1.7
4	AN	-15.3	-21.4	-22.2	-22.5	-22.8	-0.5	-0.5	-1.0	-1.5	-1.5
4	BN	-5.1	-19.2	-25.9	-28.2	-28.2	-0.3	-0.7	-1.2	-1.5	-1.5
4	D	12.4	-6.5	-19.7	-26.8	-31.4	0.0	-0.2	-0.6	-0.7	-0.9
4	C	14.4	8.2	-2.2	-18.7	-27.8	-0.2	-0.3	-0.6	-0.7	-1.1
4	All	1.8	-7.7	-14.2	-19.0	-21.5	-0.1	-0.1	-0.3	-0.2	-0.5
5	W	-1.4	-4.3	-6.6	-9.0	-9.2	0.0	-0.1	-0.4	-0.4	-0.5
5	AN	-7.5	-14.0	-19.6	-25.8	-29.0	-0.5	-1.0	-1.3	-1.4	-1.4
5	BN	-10.4	-22.2	-27.3	-30.0	-33.2	-0.4	-0.8	-0.8	-0.7	-0.8
5	D	-1.4	-5.4	-4.1	-7.7	-7.5	-0.3	-0.3	-0.3	-0.3	-0.2
5	C	-0.4	5.2	9.5	7.3	7.5	-0.4	0.1	0.0	0.3	0.4
5	All	-3.7	-7.5	-8.9	-12.1	-13.1	-0.3	-0.2	-0.3	-0.1	0.0
6	W	0.1	-0.1	-1.3	-4.5	0.1	-0.1	-0.4	-0.4	-0.4	-0.4
6	AN	1.7	1.1	0.6	1.1	0.8	-0.2	-0.7	-0.4	-0.2	-0.1
6	BN	-0.4	-1.2	-2.0	-1.6	-2.2	-0.5	-0.3	0.1	0.4	0.6
6	D	0.2	0.6	0.6	0.6	0.8	0.4	0.8	1.2	1.4	2.0
6	C	0.2	0.4	0.4	0.2	0.7	0.4	0.8	1.0	1.1	1.3
6	All	0.3	0.1	-0.5	-1.3	0.0	0.0	0.1	0.3	0.5	0.7
7	W	0.0	0.0	0.0	0.0	0.0	-0.2	-0.3	-0.4	-0.1	1.8
7	AN	0.0	0.0	0.0	0.0	0.0	0.1	0.3	1.7	3.4	4.4
7	BN	0.0	0.0	0.0	0.0	0.0	0.2	1.0	2.5	3.9	5.1
7	D	0.0	0.0	0.0	0.0	0.0	1.2	1.9	2.5	3.1	4.9
7	C	0.6	0.6	0.6	0.6	0.6	1.9	2.1	1.9	2.5	3.8
7	All	0.1	0.1	0.1	0.1	0.1	0.6	0.9	1.4	2.3	3.8
8	W	0.0	0.0	0.0	0.0	0.0	0.5	1.0	0.5	1.0	2.7
8	AN	0.0	0.0	0.0	0.0	0.0	0.1	0.6	1.0	2.6	3.6

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
8	BN	0.0	0.0	0.0	0.0	0.0	0.2	0.9	1.7	2.5	4.2
8	D	0.0	0.0	0.0	0.0	0.0	1.5	1.8	1.6	1.6	3.6
8	C	4.1	4.1	4.1	4.1	4.1	0.4	0.9	0.1	1.6	3.9
8	All	0.7	0.7	0.7	0.7	0.7	0.6	1.1	1.0	1.7	3.5
9	W	1.3	13.2	20.4	51.3	71.4	0.0	-0.4	-0.2	-0.3	1.5
9	AN	1.9	18.1	63.1	81.1	92.8	-0.6	-1.7	-1.1	0.2	1.5
9	BN	33.3	50.8	55.3	46.9	58.6	1.3	1.7	0.9	1.5	3.6
9	D	17.5	23.2	14.4	11.0	28.4	0.8	1.3	0.9	0.8	2.0
9	C	3.1	2.9	5.3	4.2	6.0	0.3	-0.3	0.7	1.7	4.0
9	All	11.2	21.3	28.5	37.6	51.6	0.5	0.4	0.3	0.7	2.3

°F = degrees Fahrenheit; 7DADM = 7-day average daily maximum; UF = unimpaired flow

^a Green cells indicate >5% lower values under the flow scenario relative to baseline; red cells indicate >5% higher values under the flow scenario relative to baseline.

^b Only includes months on which temperature exceeded index value; green cells indicate >0.5 °F lower values under the flow scenario relative to baseline; red cells indicate >0.5 °F higher values under the flow scenario relative to baseline.

Fall-Run Chinook Salmon

Table A6-235. Water Temperature Index Value Analysis Results, Fall-Run Chinook Salmon, Spawning, Egg Incubation, and Alevins, Feather River Low Flow Channel below the Fish Barrier Dam, 55.4 °F 7DADM

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
10	W	12.8	9.7	11.6	-1.6	18.3	2.0	2.4	2.7	1.8	4.5
10	AN	1.1	14.5	26.3	12.9	39.5	-2.0	-0.9	-0.3	-0.2	1.2
10	BN	13.1	26.9	25.0	9.1	16.9	1.0	1.8	1.0	3.8	3.9
10	D	23.7	13.7	3.4	13.7	23.5	1.7	3.0	2.4	1.3	3.7
10	C	-2.6	-15.5	8.2	9.2	13.8	1.2	1.2	0.2	0.9	1.5
10	All	11.3	10.3	13.6	7.4	21.2	0.8	1.3	1.0	1.7	2.9
11	W	9.4	6.4	6.4	-0.2	11.7	1.1	1.1	1.3	1.0	2.1
11	AN	-18.3	-11.1	6.4	-4.4	20.6	-1.2	-0.9	-0.1	-0.1	0.0
11	BN	4.1	17.5	12.5	7.1	14.1	0.2	0.5	0.2	0.6	0.9
11	D	13.8	2.1	-2.5	8.6	14.0	0.9	-0.3	0.7	0.0	0.8
11	C	4.9	-9.1	-5.8	6.2	11.3	0.9	0.1	0.2	0.5	0.8
11	All	5.1	2.7	3.5	3.6	13.7	0.5	0.2	0.3	0.3	0.8
12	W	-2.3	-1.5	-0.1	5.9	5.1	-0.1	-0.1	-0.2	-0.1	-0.1
12	AN	5.6	0.3	-1.1	14.2	10.5	0.0	0.0	-0.1	0.1	0.0
12	BN	4.6	0.8	12.7	10.6	6.6	-0.1	-0.1	0.0	0.0	-0.1
12	D	0.0	-7.1	-2.8	12.7	11.8	0.0	0.0	0.0	0.1	0.1
12	C	7.5	7.5	6.5	17.4	3.2	0.0	-0.1	-0.1	0.0	0.1
12	All	2.1	-0.7	2.6	11.2	7.3	0.0	-0.1	-0.1	0.0	0.0
1	W	-0.5	-0.6	-0.3	-0.5	-2.6	0.0	0.0	0.1	0.1	-0.3
1	AN	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0
1	BN	-0.4	1.3	1.5	0.0	-5.3	0.0	0.0	0.0	0.0	0.0
1	D	-0.5	-0.8	-1.1	-1.1	-1.5	0.0	-0.1	0.0	0.0	-0.3
1	C	0.4	-0.2	-0.2	-0.2	-0.2	0.3	0.0	0.0	0.0	0.0
1	All	-0.2	-0.1	-0.1	-0.4	-2.2	0.0	0.0	0.1	0.1	-0.1

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
2	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	BN	-0.2	1.5	2.3	0.6	-0.2	0.0	0.1	0.2	0.0	0.0
2	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	All	0.0	0.3	0.4	0.1	0.0	0.0	0.1	0.2	0.0	0.0

°F = degrees Fahrenheit; 7DADM = 7-day average daily maximum; UF = unimpaired flow

^a Green cells indicate >5% lower values under the flow scenario relative to baseline; red cells indicate >5% higher values under the flow scenario relative to baseline.

^b Only includes months on which temperature exceeded index value; green cells indicate >0.5 °F lower values under the flow scenario relative to baseline; red cells indicate >0.5 °F higher values under the flow scenario relative to baseline.

Table A6-236. Water Temperature Index Value Analysis Results, Fall-Run Chinook Salmon, Spawning, Egg Incubation, and Alevins, Feather River below Thermalito Afterbay Outlet, 55.4 °F 7DADM

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
10	W	5.4	6.6	6.9	10.3	13.8	0.8	1.0	1.2	1.1	2.7
10	AN	-4.0	-0.8	1.9	-1.1	2.7	-0.4	0.5	0.9	1.0	2.6
10	BN	1.5	1.5	3.4	1.1	2.5	0.7	1.8	1.7	2.4	3.2
10	D	5.4	1.8	4.0	8.0	10.1	0.9	1.1	0.4	0.6	2.1
10	C	-0.9	2.6	4.1	3.7	4.5	0.5	-0.2	0.7	1.2	2.1
10	All	2.5	3.0	4.5	5.5	8.0	0.6	0.9	1.0	1.2	2.5
11	W	18.6	19.3	20.2	22.5	35.7	0.8	0.8	1.0	0.4	1.2
11	AN	-5.0	-1.9	11.7	4.2	30.6	-0.1	0.4	0.5	0.4	0.9
11	BN	8.0	19.4	18.8	12.5	26.5	0.4	0.8	0.7	1.1	1.2
11	D	11.6	5.6	7.0	14.8	30.5	0.8	-0.3	-0.1	0.4	0.7
11	C	8.9	-10.4	1.1	4.4	15.1	0.5	0.9	0.6	1.3	1.8
11	All	10.5	8.7	12.8	13.7	28.9	0.5	0.5	0.6	0.7	1.1
12	W	-2.4	-0.9	-1.4	0.2	-0.7	-0.1	-0.2	-0.2	-0.2	-0.1
12	AN	-1.6	-1.1	1.6	3.0	1.1	-0.5	-0.5	0.0	0.0	0.1
12	BN	-0.9	-3.2	1.3	2.7	-7.0	0.1	0.0	-0.1	-0.1	-0.1
12	D	0.8	2.6	3.7	8.9	2.9	0.2	0.2	0.3	0.5	0.5
12	C	0.9	0.9	2.6	2.2	3.0	0.3	0.5	0.8	0.6	1.1
12	All	-0.8	-0.3	1.3	3.3	-0.2	-0.1	-0.1	-0.2	-0.2	0.0
1	W	0.0	0.5	0.6	-0.3	-1.5	0.0	-0.1	0.0	-0.2	-0.3
1	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	BN	-0.4	-0.6	-0.6	-0.4	-0.6	0.1	0.0	0.0	0.1	0.2
1	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	All	-0.1	0.0	0.1	-0.2	-0.6	0.0	0.0	0.0	-0.1	-0.1
2	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	AN	0.0	-0.3	-0.3	-0.3	-2.1	0.0	-0.2	-0.2	-0.2	-0.7

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
2	BN	0.8	1.5	3.1	3.7	0.4	-0.1	-0.2	-0.1	0.0	-0.1
2	D	0.8	-0.3	-0.7	-0.7	-0.7	0.0	0.2	0.0	0.0	0.3
2	C	0.9	0.2	0.0	-0.5	-1.6	-0.4	-0.5	-0.3	-0.4	-0.3
2	All	0.5	0.2	0.4	0.4	-0.6	-0.2	-0.3	-0.2	-0.2	-0.2

^{°F} = degrees Fahrenheit; 7DADM = 7-day average daily maximum; UF = unimpaired flow

^a Green cells indicate >5% lower values under the flow scenario relative to baseline; red cells indicate >5% higher values under the flow scenario relative to baseline.

^b Only includes months on which temperature exceeded index value; green cells indicate >0.5 °F lower values under the flow scenario relative to baseline; red cells indicate >0.5 °F higher values under the flow scenario relative to baseline.

Table A6-237. Water Temperature Index Value Analysis Results, Fall-Run Chinook Salmon, Fry and Juvenile Rearing and Emigration, Feather River Low Flow Channel below the Fish Barrier Dam, 61 °F 7DADM

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
11	W	0.1	0.6	0.0	0.0	0.8	0.0	0.4	0.0	0.0	0.3
11	AN	-1.7	-1.7	-0.6	-1.1	-1.7	-1.3	-1.3	-0.8	-0.8	-1.3
11	BN	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0
11	D	0.5	0.0	0.8	0.0	0.3	0.0	0.0	0.4	0.0	0.0
11	C	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.0	0.5
11	All	-0.1	0.0	0.1	-0.1	0.2	-1.3	-0.9	-0.9	-1.0	-1.1
12	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
3	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

[°]F = degrees Fahrenheit; 7DADM = 7-day average daily maximum; UF = unimpaired flow

^a Green cells indicate >5% lower values under the flow scenario relative to baseline; red cells indicate >5% higher values under the flow scenario relative to baseline.

^b Only includes months on which temperature exceeded index value; green cells indicate >0.5 °F lower values under the flow scenario relative to baseline; red cells indicate >0.5 °F higher values under the flow scenario relative to baseline.

Table A6-238. Water Temperature Index Value Analysis Results, Fall-Run Chinook Salmon, Fry and Juvenile Rearing and Emigration, Feather River below Thermalito Afterbay Outlet, 64 °F 7DADM

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
11	W	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.5
11	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	All	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.5
12	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
3	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	D	0.0	-0.2	-0.2	-0.2	-0.2	0.0	0.0	0.0	0.0	0.0
3	C	0.0	0.0	0.4	0.0	0.0	0.0	0.0	0.5	0.0	0.0
3	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.0
4	W	-1.2	-1.2	-1.2	-1.2	-1.2	-0.4	-0.4	-0.4	-0.4	-0.4
4	AN	-1.4	-1.9	-1.9	-1.9	-1.9	-1.5	-2.0	-2.0	-2.0	-2.0
4	BN	-2.2	-3.1	-3.1	-3.1	-3.1	-0.2	-0.4	-0.4	-0.4	-0.4
4	D	2.1	-1.4	-3.5	-4.6	-4.8	0.1	0.0	-0.4	-0.8	-0.8
4	C	1.3	-5.3	-11.3	-17.6	-20.2	-0.4	-0.3	-0.5	0.1	0.1
4	All	-0.3	-2.4	-3.8	-5.1	-5.5	-0.2	-0.1	-0.3	0.3	0.3
5	W	-0.5	-1.3	-2.2	-2.2	-2.2	-0.6	-0.7	-0.7	-0.4	-0.4
5	AN	-6.7	-9.1	-10.5	-10.8	-10.8	-0.9	-1.1	-1.6	-1.6	-1.6
5	BN	-5.1	-5.7	-5.7	-5.7	-5.3	-1.6	-1.6	-1.6	-1.6	-1.1
5	D	-3.8	-3.8	-3.2	-3.7	-2.2	-0.6	-0.5	-0.5	-0.6	-0.7
5	C	-9.2	2.8	0.2	4.7	6.0	-0.1	0.1	0.1	0.2	0.7
5	All	-4.3	-3.0	-3.7	-3.2	-2.5	-0.4	-0.2	-0.1	-0.1	0.3

°F = degrees Fahrenheit; 7DADM = 7-day average daily maximum; UF = unimpaired flow

^a Green cells indicate >5% lower values under the flow scenario relative to baseline; red cells indicate >5% higher values under the flow scenario relative to baseline.

^b Only includes months on which temperature exceeded index value; green cells indicate >0.5 °F lower values under the flow scenario relative to baseline; red cells indicate >0.5 °F higher values under the flow scenario relative to baseline.

Table A6-239. Water Temperature Index Value Analysis Results, Fall-Run Chinook Salmon, Adult Immigration, Feather River Low Flow Channel below the Fish Barrier Dam, 68 °F 7DADM

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
8	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	AN	0.0	0.0	0.0	4.0	0.0	0.0	0.0	0.0	0.4	0.0
8	BN	0.0	0.0	5.7	3.8	10.1	0.0	0.0	1.8	1.3	1.0
8	D	0.0	0.0	4.3	0.0	3.7	0.0	0.0	1.5	0.0	0.6
8	C	-0.9	1.5	-1.7	-2.2	21.5	0.4	0.2	0.1	-0.9	0.8
8	All	-0.1	0.2	1.7	0.9	6.1	0.4	0.2	0.7	0.0	0.5
9	W	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.0	0.0
9	AN	0.0	0.0	0.0	3.9	0.0	0.0	0.0	0.0	0.5	0.0
9	BN	0.0	0.0	0.2	2.2	6.5	0.0	0.0	1.0	0.5	0.5
9	D	0.0	0.0	0.0	1.3	1.7	0.0	0.0	0.0	0.4	0.5
9	C	0.0	0.0	0.4	4.4	12.2	0.0	0.0	1.0	0.3	2.1
9	All	0.0	0.0	0.1	1.9	3.7	0.0	0.0	1.0	0.4	1.3
10	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
12	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

[°]F = degrees Fahrenheit; 7DADM = 7-day average daily maximum; UF = unimpaired flow

^a Green cells indicate >5% lower values under the flow scenario relative to baseline; red cells indicate >5% higher values under the flow scenario relative to baseline.

^b Only includes months on which temperature exceeded index value; green cells indicate >0.5 °F lower values under the flow scenario relative to baseline; red cells indicate >0.5 °F higher values under the flow scenario relative to baseline.

Table A6-240. Water Temperature Index Value Analysis Results, Fall-Run Chinook Salmon, Adult Immigration, Feather River below Thermalito Afterbay Outlet, 68 °F 7DADM

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
8	W	3.5	10.8	8.2	15.1	51.5	-0.1	-0.1	-0.1	-0.1	0.4
8	AN	1.3	9.4	14.8	45.4	64.2	0.0	-0.3	0.0	0.4	0.9
8	BN	-5.3	5.7	16.1	31.1	66.2	-0.1	0.4	0.9	0.9	1.9
8	D	14.4	18.9	12.1	9.5	56.5	-0.3	0.0	0.0	-0.4	0.6
8	C	-0.9	15.7	-3.4	14.8	29.5	0.2	0.1	-0.3	0.9	2.9
8	All	3.4	12.3	9.5	20.6	53.4	0.0	0.0	-0.1	0.2	1.0
9	W	0.2	-0.8	-2.0	-2.6	7.5	-0.2	-0.6	-0.4	-1.1	1.4
9	AN	0.0	-0.3	2.8	17.2	33.9	0.0	-0.6	-1.9	-0.3	-0.5
9	BN	1.0	12.4	2.7	12.5	34.5	0.8	1.3	1.1	1.0	2.5
9	D	3.2	9.2	5.6	11.3	7.6	-0.5	-0.6	-0.7	-0.4	1.3
9	C	2.7	4.0	12.7	19.8	44.2	-0.2	0.1	0.0	1.3	2.5
9	All	1.4	4.7	3.5	9.5	21.8	-0.3	-0.4	-0.4	0.3	1.4
10	W	0.0	0.1	0.0	0.3	2.4	0.0	0.0	0.0	1.0	0.6
10	AN	-1.3	-1.3	-1.3	-1.3	-0.8	-1.8	-1.8	-1.8	-1.8	-1.3
10	BN	0.0	0.0	0.0	1.3	2.5	0.0	0.0	0.0	0.6	0.8
10	D	-0.2	0.3	0.3	-0.2	0.2	0.0	0.3	0.3	0.0	0.5
10	C	1.3	-0.2	-0.2	4.3	8.0	-0.8	-0.9	0.4	0.6	0.0
10	All	0.0	-0.1	-0.1	0.8	2.4	-0.7	-1.0	-0.3	0.3	-0.4
11	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
12	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

[°]F = degrees Fahrenheit; 7DADM = 7-day average daily maximum; UF = unimpaired flow

^a Green cells indicate >5% lower values under the flow scenario relative to baseline; red cells indicate >5% higher values under the flow scenario relative to baseline.

^b Only includes months on which temperature exceeded index value; green cells indicate >0.5 °F lower values under the flow scenario relative to baseline; red cells indicate >0.5 °F higher values under the flow scenario relative to baseline.

Table A6-241. Water Temperature Index Value Analysis Results, Fall-Run Chinook Salmon, Adult Holding, Feather River Low Flow Channel below the Fish Barrier Dam, 61 °F 7DADM

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
8	W	3.3	-7.1	-10.1	-12.9	4.1	-0.1	-0.1	-0.1	-0.3	0.6
8	AN	2.2	-3.8	-9.9	18.8	31.5	-0.1	-0.1	-0.3	0.5	0.6
8	BN	3.0	10.8	22.0	31.3	42.9	-0.1	0.0	0.7	0.9	1.3
8	D	11.5	28.7	32.9	31.2	35.3	0.1	0.5	0.7	0.8	0.6
8	C	4.3	12.7	5.2	9.5	17.8	-0.2	0.3	-0.4	-0.2	2.7
8	All	5.1	7.9	7.9	12.8	24.0	-0.1	0.2	0.2	0.4	1.1
9	W	0.0	0.0	0.0	0.0	13.1	0.0	0.0	0.0	0.0	4.9
9	AN	0.0	1.9	12.5	16.7	35.8	0.0	0.7	1.5	5.5	4.2
9	BN	9.2	22.5	9.2	17.5	44.9	0.6	1.7	0.6	4.2	3.5
9	D	6.3	21.3	25.2	19.2	22.4	0.8	2.4	1.8	4.1	1.8
9	C	11.6	-0.9	13.1	17.8	40.7	-1.4	0.7	0.7	0.6	1.6
9	All	5.0	9.0	11.1	12.5	28.4	-1.5	-0.1	-0.4	1.3	0.9
10	W	3.6	6.1	6.7	2.9	15.7	1.5	2.0	0.8	1.8	2.5
10	AN	-8.3	-8.3	-0.5	0.0	13.7	-2.7	-2.7	-1.9	0.5	-1.3
10	BN	4.9	12.7	12.3	23.5	30.9	0.3	1.0	1.2	2.1	1.6
10	D	8.4	9.8	4.9	4.5	20.1	0.8	2.2	2.5	1.4	1.1
10	C	4.9	-4.1	1.7	12.3	12.7	-0.4	-0.4	-0.3	0.3	0.7
10	All	3.6	4.6	5.6	8.2	18.7	-1.1	-0.4	-0.8	0.0	-0.3
11	W	0.1	0.6	0.0	0.0	0.8	0.0	0.4	0.0	0.0	0.3
11	AN	-1.7	-1.7	-0.6	-1.1	-1.7	-1.3	-1.3	-0.8	-0.8	-1.3
11	BN	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0
11	D	0.5	0.0	0.8	0.0	0.3	0.0	0.0	0.4	0.0	0.0
11	C	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.0	0.5
11	All	-0.1	0.0	0.1	-0.1	0.2	-1.3	-0.9	-0.9	-1.0	-1.1
12	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
12	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

[°]F = degrees Fahrenheit; 7DADM = 7-day average daily maximum; UF = unimpaired flow

^a Green cells indicate >5% lower values under the flow scenario relative to baseline; red cells indicate >5% higher values under the flow scenario relative to baseline.

^b Only includes months on which temperature exceeded index value; green cells indicate >0.5 °F lower values under the flow scenario relative to baseline; red cells indicate >0.5 °F higher values under the flow scenario relative to baseline.

Table A6-242. Water Temperature Index Value Analysis Results, Fall-Run Chinook Salmon, Adult Holding, Feather River below Thermalito Afterbay Outlet, 61 °F 7DADM

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
8	W	0.0	0.0	0.0	0.0	0.0	0.5	1.0	0.5	1.0	2.7
8	AN	0.0	0.0	0.0	0.0	0.0	0.1	0.6	1.0	2.6	3.6
8	BN	0.0	0.0	0.0	0.0	0.0	0.2	0.9	1.7	2.5	4.2
8	D	0.0	0.0	0.0	0.0	0.0	1.5	1.8	1.6	1.6	3.6
8	C	4.1	4.1	4.1	4.1	4.1	0.4	0.9	0.1	1.6	3.9
8	All	0.7	0.7	0.7	0.7	0.7	0.6	1.1	1.0	1.7	3.5
9	W	1.3	13.2	20.4	51.3	71.4	0.0	-0.4	-0.2	-0.3	1.5
9	AN	1.9	18.1	63.1	81.1	92.8	-0.6	-1.7	-1.1	0.2	1.5
9	BN	33.3	50.8	55.3	46.9	58.6	1.3	1.7	0.9	1.5	3.6
9	D	17.5	23.2	14.4	11.0	28.4	0.8	1.3	0.9	0.8	2.0
9	C	3.1	2.9	5.3	4.2	6.0	0.3	-0.3	0.7	1.7	4.0
9	All	11.2	21.3	28.5	37.6	51.6	0.5	0.4	0.3	0.7	2.3
10	W	10.9	11.2	12.2	6.7	28.8	0.3	0.8	0.5	0.9	1.7
10	AN	-1.1	17.2	15.3	13.4	39.2	-2.4	-2.0	-2.0	-1.5	-1.1
10	BN	4.2	22.8	22.4	31.1	34.5	0.5	1.2	1.3	2.3	2.6
10	D	15.4	14.4	4.1	7.2	28.7	-0.2	1.0	0.6	-0.5	0.0
10	C	2.6	-4.9	8.0	4.3	18.9	1.2	0.4	0.8	2.1	1.8
10	All	7.8	12.2	12.0	11.8	29.6	0.0	0.2	0.1	0.9	0.9
11	W	0.5	0.7	1.3	0.8	3.2	0.8	1.2	0.7	0.9	1.1
11	AN	-0.3	-0.3	0.0	0.0	0.6	0.0	0.0	0.0	1.0	0.3
11	BN	0.0	0.0	0.2	0.2	0.2	0.0	0.0	0.0	0.0	0.0
11	D	0.0	0.0	0.0	0.0	2.4	0.0	0.0	0.0	0.0	1.5
11	C	0.0	0.7	0.7	1.6	5.6	0.0	0.3	0.7	0.3	0.8
11	All	0.1	0.3	0.5	0.5	2.5	0.8	0.9	0.6	0.6	1.0
12	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
12	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

[°]F = degrees Fahrenheit; 7DADM = 7-day average daily maximum; UF = unimpaired flow

^a Green cells indicate >5% lower values under the flow scenario relative to baseline; red cells indicate >5% higher values under the flow scenario relative to baseline.

^b Only includes months on which temperature exceeded index value; green cells indicate >0.5 °F lower values under the flow scenario relative to baseline; red cells indicate >0.5 °F higher values under the flow scenario relative to baseline.

Central Valley Steelhead

Table A6-243. Water Temperature Index Value Analysis Results, Central Valley Steelhead, Spawning, Egg Incubation, and Alevins, Feather River Low Flow Channel below the Fish Barrier Dam, 53 °F

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
12	W	-3.5	-3.9	-0.8	6.2	4.0	0.0	0.0	-0.1	0.0	0.0
12	AN	2.2	-0.8	2.4	11.6	7.8	0.1	0.0	-0.1	0.2	0.2
12	BN	1.5	-3.4	9.7	6.1	2.5	0.0	0.0	0.1	0.1	0.0
12	D	-3.1	-5.5	-6.6	9.1	9.2	0.0	-0.1	0.0	0.3	0.2
12	C	7.5	8.8	10.8	20.6	3.2	0.1	0.0	-0.1	0.0	0.1
12	All	0.0	-1.7	2.1	9.9	5.3	0.0	-0.1	0.0	0.1	0.1
1	W	-0.6	-0.8	-1.8	-1.2	-2.3	0.0	0.0	0.3	0.1	-0.4
1	AN	-1.9	-5.9	-8.1	-3.2	-1.3	-0.1	-0.2	-0.6	0.1	-0.1
1	BN	-0.9	-0.9	-1.1	-0.2	-5.1	0.0	0.1	0.1	-0.1	-0.3
1	D	-1.4	-1.5	-2.0	1.4	-0.8	0.0	0.0	-0.1	-0.3	-0.5
1	C	-3.0	-7.5	-8.2	-6.5	-5.4	0.1	0.1	-0.1	0.1	0.0
1	All	-1.4	-2.7	-3.6	-1.5	-2.8	0.1	0.2	0.3	0.0	-0.3
2	W	0.0	0.0	0.0	0.6	0.0	0.0	0.0	0.0	0.4	0.0
2	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	BN	-0.2	-0.4	-0.8	-2.1	-7.3	0.0	0.2	0.2	0.3	-1.1
2	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	C	0.9	1.2	-0.2	-0.2	-0.2	0.2	0.5	0.0	0.0	0.0
2	All	0.1	0.1	-0.2	-0.2	-1.4	-0.1	0.1	0.3	0.2	-1.0
3	W	0.1	0.1	0.1	-0.3	-0.3	-0.1	-0.1	-0.1	-0.4	-0.4
3	AN	-14.2	-16.9	-17.2	-16.9	-17.7	-1.0	-1.3	-1.3	-1.0	-1.3
3	BN	-5.1	-9.1	-15.6	-17.3	-21.6	-0.1	-0.1	-0.1	-0.4	-0.2
3	D	-15.2	-22.0	-24.9	-24.9	-25.0	-0.2	-0.2	-0.2	-0.3	-0.5
3	C	-9.7	-17.4	-22.2	-20.0	-32.3	-0.3	-0.5	-0.6	-0.8	-0.7
3	All	-7.7	-11.6	-14.2	-14.3	-17.2	-0.2	-0.3	-0.4	-0.5	-0.5

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
4	W	-13.9	-14.0	-13.8	-14.0	-14.0	-0.5	-0.5	-0.5	-0.5	-0.5
4	AN	-42.5	-42.8	-42.8	-42.2	-42.8	-0.6	-0.6	-0.6	-0.6	-0.6
4	BN	-51.8	-52.5	-52.9	-52.7	-52.7	-0.2	-0.4	0.3	-0.2	-0.7
4	D	-71.7	-75.2	-76.3	-75.9	-76.2	-0.2	0.0	0.5	0.0	-0.4
4	C	-32.9	-22.9	-28.2	-34.9	-39.1	-0.2	-0.2	-0.1	-0.2	-0.2
4	All	-40.6	-40.0	-41.1	-42.1	-42.9	-0.1	-0.1	0.0	-0.1	-0.2
5	W	-0.1	-0.1	0.3	-0.2	2.0	-0.1	0.0	-0.2	0.0	0.2
5	AN	-0.5	-0.3	0.5	4.6	1.6	-0.1	-0.2	-0.2	-0.1	-0.2
5	BN	-0.8	-0.4	2.5	1.5	1.3	-0.2	-0.4	-0.3	-0.3	-0.3
5	D	-0.9	-0.5	0.6	-0.5	3.7	-0.1	-0.1	0.0	0.0	0.0
5	C	-3.9	1.7	1.9	-8.0	-6.5	0.1	0.2	0.1	-0.1	-0.2
5	All	-1.1	0.0	1.1	-0.6	0.8	-0.1	-0.1	-0.1	-0.1	-0.1

°F = degrees Fahrenheit

UF = unimpaired flow

^a Green cells indicate >5% lower values under the flow scenario relative to baseline; red cells indicate >5% higher values under the flow scenario relative to baseline.

^b Only includes months on which temperature exceeded index value; green cells indicate >0.5 °F lower values under the flow scenario relative to baseline; red cells indicate >0.5 °F higher values under the flow scenario relative to baseline.

Table A6-244. Water Temperature Index Value Analysis Results, Central Valley Steelhead, Spawning, Egg Incubation, and Alevins, Feather River below Thermalito Afterbay Outlet, 53 °F

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
12	W	-0.2	-0.1	2.2	8.9	7.6	-0.2	-0.2	-0.2	-0.3	-0.3
12	AN	3.0	4.8	13.7	14.5	21.8	-0.3	-0.3	0.0	0.0	-0.1
12	BN	-0.4	-0.9	8.0	10.1	-0.6	-0.1	-0.3	-0.2	-0.2	-0.6
12	D	6.0	-1.8	2.6	10.3	8.9	0.1	0.5	0.4	0.6	0.1
12	C	8.4	3.9	7.5	9.0	6.9	0.1	0.1	0.4	0.4	0.7
12	All	2.9	0.6	5.7	10.2	8.1	-0.2	-0.1	-0.1	-0.1	-0.3
1	W	0.1	0.3	0.3	-0.2	-1.8	0.0	0.0	0.1	0.0	-0.3
1	AN	1.6	0.5	-0.5	3.0	0.5	0.1	-0.3	-0.5	0.1	-0.3
1	BN	-0.6	1.5	0.6	2.7	-2.5	0.0	-0.2	-0.2	-0.2	0.1
1	D	-0.2	0.0	-0.2	0.2	-0.3	0.0	0.0	0.0	0.0	0.0
1	C	0.0	0.0	0.0	0.0	1.3	0.0	0.0	0.0	0.0	0.3
1	All	0.1	0.5	0.1	0.8	-0.8	0.0	-0.1	0.0	-0.2	-0.2
2	W	0.0	0.1	0.0	1.4	0.0	0.0	0.0	0.0	0.5	0.0
2	AN	0.0	-1.2	-1.2	-0.9	-2.4	0.0	0.2	0.2	0.0	-0.6
2	BN	5.2	5.4	1.5	-0.2	0.0	0.0	0.2	0.5	0.6	0.1
2	D	2.9	1.5	0.2	0.3	-1.5	-0.1	-0.3	-0.4	-0.5	-0.3
2	C	13.2	18.1	16.7	15.3	14.4	-0.2	-0.3	-0.4	-0.4	-0.5
2	All	3.7	4.1	2.9	2.8	1.7	-0.1	-0.1	-0.1	-0.1	-0.2
3	W	0.2	2.1	0.2	-2.1	-6.7	0.0	-0.1	-0.2	-0.3	-0.3
3	AN	-3.0	-7.3	-9.9	-16.7	-21.5	-0.5	-0.6	-1.1	-1.2	-1.9
3	BN	22.8	18.6	8.7	-1.7	-14.0	0.4	-0.1	-0.4	-0.6	-0.7
3	D	17.7	10.4	1.7	1.2	-9.7	0.1	-0.2	-0.4	-0.7	-0.8
3	C	24.1	25.4	21.9	19.4	11.4	1.4	1.2	1.1	0.6	-0.1
3	All	11.7	9.5	4.3	0.3	-7.7	0.5	0.2	0.0	-0.3	-0.5
4	W	1.5	3.8	2.6	-2.9	-11.4	-0.1	-0.4	-0.9	-1.3	-1.6
4	AN	0.8	1.1	-1.4	-5.8	-13.9	-0.7	-1.6	-2.4	-2.9	-3.4

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
4	BN	0.0	-1.0	-3.5	-8.4	-17.6	-0.3	-1.3	-2.2	-2.8	-3.3
4	D	0.0	-0.2	-0.3	-0.8	-2.5	1.1	0.0	-1.0	-1.7	-2.4
4	C	0.0	0.0	0.0	0.0	0.0	0.9	0.6	-0.1	-1.0	-1.8
4	All	0.6	1.1	-0.1	-3.3	-9.0	0.2	-0.5	-1.3	-1.8	-2.3
5	W	0.0	0.3	0.1	0.0	-0.3	-0.1	-0.2	-0.7	-0.9	-0.9
5	AN	0.0	0.0	0.0	0.0	0.0	-0.4	-1.2	-1.8	-1.9	-2.3
5	BN	0.0	0.0	0.0	-0.2	0.0	-0.8	-1.5	-1.8	-2.0	-2.3
5	D	0.0	0.0	0.0	0.0	0.0	-0.2	-0.4	-0.5	-0.7	-0.7
5	C	0.4	0.4	0.4	0.4	0.4	-0.3	0.4	0.6	0.5	0.6
5	All	0.1	0.2	0.1	0.0	0.0	-0.3	-0.5	-0.8	-1.0	-1.0

°F = degrees Fahrenheit

UF = unimpaired flow

^a Green cells indicate >5% lower values under the flow scenario relative to baseline; red cells indicate >5% higher values under the flow scenario relative to baseline.

^b Only includes months on which temperature exceeded index value; green cells indicate >0.5 °F lower values under the flow scenario relative to baseline; red cells indicate >0.5 °F higher values under the flow scenario relative to baseline.

Table A6-245. Water Temperature Index Value Analysis Results, Central Valley Steelhead, Kelt Emigration, Feather River Low Flow Channel below the Fish Barrier Dam, 68 °F 7DADM

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
2	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

^aF = degrees Fahrenheit; 7DADM = 7-day average daily maximum; UF = unimpaired flow

^a Green cells indicate >5% lower values under the flow scenario relative to baseline; red cells indicate >5% higher values under the flow scenario relative to baseline.

^b Only includes months on which temperature exceeded index value; green cells indicate >0.5 °F lower values under the flow scenario relative to baseline; red cells indicate >0.5 °F higher values under the flow scenario relative to baseline.

Table A6-246. Water Temperature Index Value Analysis Results, Central Valley Steelhead, Kelt Emigration, Feather River Low Flow Channel below the Fish Barrier Dam, 70 °F

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
2	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

^aF = degrees Fahrenheit

UF = unimpaired flow

^a Green cells indicate >5% lower values under the flow scenario relative to baseline; red cells indicate >5% higher values under the flow scenario relative to baseline.

^b Only includes months on which temperature exceeded index value; green cells indicate >0.5 °F lower values under the flow scenario relative to baseline; red cells indicate >0.5 °F higher values under the flow scenario relative to baseline.

Table A6-247. Water Temperature Index Value Analysis Results, Central Valley Steelhead, Kelt Emigration, Feather River below Thermalito Afterbay Outlet, 68 °F 7DADM

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
2	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	AN	-0.6	-0.6	-0.6	-0.6	-0.6	-0.5	-0.5	-0.5	-0.5	-0.5
4	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	C	-0.7	-0.7	-0.7	-0.7	-0.7	-0.7	-0.7	-0.7	-0.7	-0.7
4	All	-0.2	-0.2	-0.2	-0.2	-0.2	-0.6	-0.6	-0.6	-0.6	-0.6
5	W	-0.1	-0.1	-0.1	-0.1	-0.1	0.0	0.0	0.0	0.0	0.0
5	AN	-1.1	-1.1	-1.1	-1.1	-1.1	-2.0	-2.0	-2.0	-2.0	-2.0
5	BN	-0.9	-0.9	-0.9	-0.9	-0.9	-0.6	-0.6	-0.6	-0.6	-0.6
5	D	-0.9	-0.9	-0.9	-0.9	-0.9	-0.7	-0.7	-0.7	-0.7	-0.7
5	C	-0.2	0.9	0.2	0.2	3.2	-0.7	-0.8	-0.9	-1.2	-0.9
5	All	-0.6	-0.4	-0.5	-0.5	0.0	-0.1	-0.2	-0.3	-0.6	-0.3

^aF = degrees Fahrenheit; 7DADM = 7-day average daily maximum; UF = unimpaired flow

^a Green cells indicate >5% lower values under the flow scenario relative to baseline; red cells indicate >5% higher values under the flow scenario relative to baseline.

^b Only includes months on which temperature exceeded index value; green cells indicate >0.5 °F lower values under the flow scenario relative to baseline; red cells indicate >0.5 °F higher values under the flow scenario relative to baseline.

Table A6-248. Water Temperature Index Value Analysis Results, Central Valley Steelhead, Kelt Emigration, Feather River below Thermalito Afterbay Outlet, 70 °F

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
2	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	AN	-0.3	-0.3	-0.3	-0.3	-0.3	0.0	0.0	0.0	0.0	0.0
5	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

^aF = degrees Fahrenheit

UF = unimpaired flow

^a Green cells indicate >5% lower values under the flow scenario relative to baseline; red cells indicate >5% higher values under the flow scenario relative to baseline.

^b Only includes months on which temperature exceeded index value; green cells indicate >0.5 °F lower values under the flow scenario relative to baseline; red cells indicate >0.5 °F higher values under the flow scenario relative to baseline.

Table A6-249. Water Temperature Index Value Analysis Results, Central Valley Steelhead, Juvenile Rearing, Feather River Low Flow Channel below the Fish Barrier Dam, 63 °F

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
1	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
5	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	C	0.0	0.0	0.2	0.0	1.1	0.0	0.0	0.0	0.0	0.6
6	All	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.6
7	W	0.0	0.0	0.0	0.0	0.7	0.0	0.0	0.0	0.0	0.2
7	AN	0.0	0.0	0.0	5.6	0.0	0.0	0.0	0.0	0.7	0.0
7	BN	0.0	0.0	4.0	6.6	6.8	0.0	0.0	1.4	1.4	1.2
7	D	0.0	0.2	3.4	0.0	6.1	0.0	0.0	1.8	0.0	2.2
7	C	1.5	4.1	3.2	3.7	14.0	0.6	1.5	1.1	2.0	2.5
7	All	0.2	0.7	2.0	2.5	5.1	0.6	1.4	1.5	1.3	2.0
8	W	0.0	0.0	0.0	0.0	7.9	0.0	0.0	0.0	0.0	1.6
8	AN	0.0	0.0	0.0	8.3	11.0	0.0	0.0	0.0	3.0	0.7
8	BN	-0.2	-0.2	6.3	9.7	13.1	0.0	0.0	4.2	2.6	3.3
8	D	0.2	3.5	5.2	9.8	4.8	0.0	0.6	3.9	1.1	3.3
8	C	-1.5	8.4	-1.7	2.2	28.2	-0.6	-0.7	-1.6	-1.0	1.2
8	All	-0.2	2.1	2.0	5.4	11.8	-0.6	-0.9	1.1	-0.4	0.5
9	W	0.0	0.0	0.0	0.0	10.1	0.0	0.0	0.0	0.0	1.8
9	AN	0.0	0.0	0.0	11.1	20.6	0.0	0.0	0.0	2.1	0.9
9	BN	0.0	6.1	0.2	15.9	26.7	0.0	0.4	3.0	1.2	1.6
9	D	0.0	7.1	7.8	15.2	6.2	0.0	1.0	0.5	1.3	1.9
9	C	-4.9	3.3	10.0	9.8	30.7	-0.6	-0.3	0.0	0.7	1.7
9	All	-0.8	3.3	3.4	9.4	16.9	-0.6	-0.3	-0.2	0.5	0.9

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
10	W	0.0	0.0	0.0	0.0	3.5	0.0	0.0	0.0	0.0	0.7
10	AN	0.0	0.0	0.0	4.0	3.0	0.0	0.0	0.0	0.9	0.5
10	BN	0.0	0.4	0.0	2.7	1.1	0.0	0.0	0.0	0.4	0.7
10	D	0.0	1.2	0.6	0.0	0.3	0.0	0.3	0.0	0.0	0.0
10	C	-1.7	-1.7	-1.7	3.4	4.7	-0.6	-0.6	-0.6	0.2	0.3
10	All	-0.3	0.1	-0.1	1.6	2.5	-0.6	-0.4	-0.6	0.1	0.1
11	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

^aF = degrees Fahrenheit

UF = unimpaired flow

^a Green cells indicate >5% lower values under the flow scenario relative to baseline; red cells indicate >5% higher values under the flow scenario relative to baseline.

^b Only includes months on which temperature exceeded index value; green cells indicate >0.5 °F lower values under the flow scenario relative to baseline; red cells indicate >0.5 °F higher values under the flow scenario relative to baseline.

Table A6-250. Water Temperature Index Value Analysis Results, Central Valley Steelhead, Juvenile Rearing, Feather River Low Flow Channel below the Fish Barrier Dam, 69 °F 7DADM

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
1	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
5	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	BN	0.0	0.0	0.0	0.9	0.0	0.0	0.0	0.0	0.4	0.0
7	D	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0
7	C	0.0	0.2	0.0	0.0	2.8	0.0	0.0	0.0	0.0	1.3
7	All	0.0	0.0	0.0	0.2	0.5	0.0	0.0	0.0	0.4	1.2
8	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	BN	0.0	0.0	4.2	1.9	4.6	0.0	0.0	1.3	1.2	0.4
8	D	0.0	0.0	3.1	0.0	0.5	0.0	0.0	1.1	0.0	0.0
8	C	0.2	1.3	-0.9	-1.1	18.1	-0.3	-0.1	-0.6	-0.6	0.4
8	All	0.0	0.2	1.3	0.2	3.9	-0.3	-0.1	0.5	0.6	0.2
9	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
9	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
9	BN	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.0	0.0
9	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
9	C	0.0	0.0	0.2	0.0	8.4	0.0	0.0	0.0	0.0	1.8
9	All	0.0	0.0	0.0	0.0	1.4	0.0	0.0	0.0	0.0	1.8

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
10	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

[°]F = degrees Fahrenheit; 7DADM = 7-day average daily maximum; UF = unimpaired flow

^a Green cells indicate >5% lower values under the flow scenario relative to baseline; red cells indicate >5% higher values under the flow scenario relative to baseline.

^b Only includes months on which temperature exceeded index value; green cells indicate >0.5 °F lower values under the flow scenario relative to baseline; red cells indicate >0.5 °F higher values under the flow scenario relative to baseline.

Table A6-251. Water Temperature Index Value Analysis Results, Central Valley Steelhead, Juvenile Rearing, Feather River below Thermalito Afterbay Outlet, 63 °F

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
1	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	D	0.0	-0.6	-0.6	-0.6	-0.6	0.3	-0.3	-0.3	-0.3	-0.3
3	C	0.0	0.0	1.1	0.2	0.0	0.0	0.0	0.4	0.0	0.0
3	All	0.0	-0.1	0.0	-0.1	-0.1	0.3	-0.3	0.2	-0.3	-0.3
4	W	-1.8	-1.8	-1.8	-1.8	-1.8	-0.4	-0.4	-0.4	-0.4	-0.4
4	AN	-1.9	-2.5	-2.5	-2.5	-2.5	-1.2	-1.7	-1.7	-1.7	-1.7
4	BN	-2.7	-4.1	-4.1	-4.1	-4.1	-0.2	-0.5	-0.5	-0.5	-0.5
4	D	2.1	-2.4	-4.4	-5.7	-5.9	0.1	0.2	-0.3	-0.8	-0.8
4	C	4.0	-1.3	-9.3	-16.9	-21.3	-0.5	-0.5	-0.6	-0.1	0.1
4	All	-0.2	-2.4	-4.1	-5.6	-6.4	-0.2	-0.2	-0.4	0.1	0.3
5	W	-0.6	-1.2	-2.5	-2.5	-2.5	-0.5	-0.7	-0.4	-0.2	-0.4
5	AN	-7.5	-9.9	-11.3	-11.8	-11.8	-0.8	-1.0	-1.6	-1.6	-1.6

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
5	BN	-5.3	-6.5	-6.5	-6.5	-6.1	-1.4	-1.5	-1.5	-1.5	-0.5
5	D	-4.0	-3.2	-3.2	-3.2	-0.9	-0.6	-0.6	-0.5	-0.7	-0.8
5	C	-8.4	3.7	1.9	5.6	6.0	-0.2	0.1	0.0	0.1	0.7
5	All	-4.4	-2.9	-3.8	-3.3	-2.6	-0.4	-0.2	-0.2	-0.1	0.2
6	W	-2.1	-4.0	-3.9	-6.1	-5.4	0.0	-0.3	-0.2	-0.3	-0.1
6	AN	-6.9	-17.8	-9.7	-8.9	-9.4	0.0	0.0	0.0	0.2	0.3
6	BN	-8.4	-6.7	-2.7	2.0	6.7	-0.2	0.0	0.3	0.4	0.5
6	D	7.8	15.7	18.1	19.0	23.5	0.2	0.4	0.7	0.9	1.4
6	C	2.0	4.7	8.7	7.1	10.0	0.3	0.6	0.7	0.8	0.9
6	All	-1.0	-0.4	2.5	2.8	5.3	0.1	0.2	0.4	0.5	0.7
7	W	-1.6	-5.8	-12.3	0.3	8.1	-0.1	-0.1	0.0	-0.1	1.6
7	AN	0.3	3.0	15.1	22.8	22.8	0.1	0.2	1.5	2.9	4.0
7	BN	3.6	26.2	32.8	42.1	42.1	0.0	0.6	2.0	3.1	4.3
7	D	20.1	29.0	33.2	33.9	33.9	0.9	1.4	1.8	2.4	4.2
7	C	9.7	13.3	13.5	14.2	14.2	1.5	1.4	1.2	1.8	3.1
7	All	6.3	12.1	13.9	20.7	23.0	0.5	0.6	1.1	1.7	3.1
8	W	8.4	13.4	2.6	11.3	17.6	0.2	0.6	0.5	0.6	2.2
8	AN	1.1	11.3	15.1	24.5	25.5	0.2	0.5	0.7	2.0	2.9
8	BN	4.4	14.2	23.1	28.3	29.0	0.1	0.6	1.1	1.8	3.5
8	D	28.1	28.9	30.1	33.0	34.7	0.6	0.9	0.6	0.6	2.4
8	C	12.7	15.9	17.4	18.3	18.3	-0.2	0.1	-0.7	0.7	3.0
8	All	11.9	17.2	16.6	22.1	24.7	0.2	0.6	0.4	1.0	2.7
9	W	1.0	2.4	5.8	16.2	49.0	-0.3	-1.0	-1.6	-1.9	-0.9
9	AN	0.3	1.7	22.5	39.4	63.1	-0.3	-1.4	-1.8	-0.4	-0.1
9	BN	22.5	35.3	25.5	25.7	57.3	0.5	1.5	0.8	2.1	3.1
9	D	19.0	30.8	20.6	11.4	45.1	0.1	0.6	0.5	1.7	0.8
9	C	6.0	-8.0	14.2	15.8	34.2	0.3	0.5	0.4	1.6	3.2
9	All	9.7	13.0	16.3	19.8	49.1	-0.2	0.0	-0.2	0.7	1.1

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
10	W	2.5	4.6	3.3	3.1	13.9	-1.5	-1.1	-1.3	-0.2	0.3
10	AN	-6.2	-5.1	-3.0	-1.9	5.9	-1.4	-1.9	-2.0	-1.3	-0.8
10	BN	1.1	5.9	7.0	15.9	20.7	-0.4	0.1	0.4	1.1	1.2
10	D	1.2	6.9	2.0	0.5	5.4	-0.2	0.2	0.4	-0.8	-0.4
10	C	8.4	-0.2	8.0	12.7	20.2	-0.3	-0.7	-0.9	0.6	0.3
10	All	1.8	3.3	3.6	5.8	13.2	-0.9	-1.1	-1.1	-0.1	-0.1
11	W	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	1.0
11	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0
12	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

^aF = degrees Fahrenheit

UF = unimpaired flow

^a Green cells indicate >5% lower values under the flow scenario relative to baseline; red cells indicate >5% higher values under the flow scenario relative to baseline.

^b Only includes months on which temperature exceeded index value; green cells indicate >0.5 °F lower values under the flow scenario relative to baseline; red cells indicate >0.5 °F higher values under the flow scenario relative to baseline.

Table A6-252. Water Temperature Index Value Analysis Results, Central Valley Steelhead, Juvenile Rearing, Feather River below Thermalito Afterbay Outlet, 69 °F 7DADM

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
1	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	AN	-0.8	-0.8	-0.8	-0.8	-0.8	-1.3	-1.3	-1.3	-1.3	-1.3

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
5	BN	-0.2	-0.2	-0.2	-0.2	-0.2	-1.0	-1.0	-1.0	-1.0	-1.0
5	D	-0.2	-0.2	-0.2	-0.2	-0.2	-1.0	-1.0	-1.0	-1.0	-1.0
5	C	-0.4	0.0	-0.2	-0.6	0.9	-0.7	-0.3	-0.2	-0.7	-0.5
5	All	-0.2	-0.2	-0.2	-0.3	0.0	-1.0	-0.7	-0.5	-1.0	-0.9
6	W	2.0	0.4	0.0	0.6	1.7	-0.3	-0.6	-0.4	-0.4	-0.4
6	AN	-4.4	-4.7	-1.7	-2.5	0.0	0.0	-0.1	0.0	0.0	0.0
6	BN	-0.4	-0.4	3.5	7.1	8.2	-0.1	-0.1	-0.2	0.0	-0.1
6	D	3.7	5.7	10.6	12.9	20.5	0.3	0.4	0.4	0.6	0.9
6	C	6.0	10.4	15.1	12.9	16.0	-0.1	0.2	0.1	0.6	0.8
6	All	1.8	2.4	5.3	6.1	9.2	0.0	0.2	0.1	0.3	0.5
7	W	0.7	0.9	0.7	1.8	26.6	0.0	0.1	0.1	0.0	0.3
7	AN	-0.3	6.7	16.9	34.9	64.8	0.0	0.2	-0.1	0.3	0.6
7	BN	-0.8	0.6	13.3	31.9	67.4	-0.3	-0.8	-0.3	0.2	0.6
7	D	4.5	7.1	12.4	25.3	71.7	0.0	0.4	0.3	0.1	1.2
7	C	34.6	42.4	40.0	41.3	56.8	0.9	0.9	0.7	1.2	2.0
7	All	6.6	9.7	14.1	23.3	54.0	0.7	0.7	0.4	0.6	1.1
8	W	-0.3	3.2	1.5	4.7	33.6	0.1	-0.1	-0.1	0.0	0.4
8	AN	-0.8	2.4	4.3	22.3	41.9	0.8	-0.2	0.4	0.8	1.1
8	BN	-0.6	4.2	11.4	16.9	51.8	-0.3	0.4	1.2	1.4	2.0
8	D	3.7	11.1	4.0	0.3	39.8	-0.3	0.0	0.3	-0.4	0.6
8	C	6.2	13.3	-5.6	20.0	41.9	0.0	0.0	-0.2	0.9	2.7
8	All	1.5	6.7	3.1	10.7	40.8	0.0	0.0	0.0	0.5	1.1
9	W	0.0	-1.3	-1.5	-2.3	7.1	-0.2	-0.3	-0.5	-1.0	1.3
9	AN	0.3	-0.3	-0.3	9.7	25.8	-0.7	-0.9	-1.6	0.4	-0.6
9	BN	0.4	8.2	1.6	5.5	29.6	0.0	0.7	0.6	0.6	1.8
9	D	2.1	3.7	2.2	4.9	4.3	-1.6	-1.6	-1.8	-1.2	1.7
9	C	1.6	6.0	8.0	16.7	42.0	-0.3	-0.3	0.0	1.4	2.3
9	All	0.8	2.9	1.6	5.4	18.6	-0.5	-0.6	-0.4	0.7	1.3

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
10	W	0.0	0.0	0.0	0.2	0.5	0.0	0.0	0.0	0.5	0.5
10	AN	-1.1	-1.1	-1.1	-1.1	-1.1	-1.3	-1.3	-1.3	-1.3	-1.3
10	BN	0.0	0.0	0.0	0.4	0.8	0.0	0.0	0.0	0.0	1.0
10	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10	C	-0.2	-0.6	0.0	3.4	6.0	-0.3	0.0	0.0	0.7	0.0
10	All	-0.2	-0.2	-0.1	0.6	1.1	-0.5	-0.1	-0.1	0.3	-0.2
11	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

^aF = degrees Fahrenheit; 7DADM = 7-day average daily maximum; UF = unimpaired flow

^a Green cells indicate >5% lower values under the flow scenario relative to baseline; red cells indicate >5% higher values under the flow scenario relative to baseline.

^b Only includes months on which temperature exceeded index value; green cells indicate >0.5 °F lower values under the flow scenario relative to baseline; red cells indicate >0.5 °F higher values under the flow scenario relative to baseline.

Table A6-253. Water Temperature Index Value Analysis Results, Central Valley Steelhead, Smoltification, Feather River Low Flow Channel below the Fish Barrier Dam, 54 °F

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
1	W	-0.3	-1.0	-0.7	-0.5	-2.1	0.0	0.1	0.1	0.1	-0.5
1	AN	-1.1	-1.3	-1.6	-0.5	-0.5	-0.3	-0.3	-0.3	0.2	-0.1
1	BN	0.0	-0.4	-1.1	-3.0	-7.2	0.0	0.1	0.1	0.1	-0.1
1	D	-0.3	-0.3	-0.5	-0.3	-2.0	-0.1	-0.2	-0.3	-0.3	-0.8
1	C	0.0	-1.5	-1.9	-1.3	-1.3	0.0	-0.1	-0.4	-0.2	0.0
1	All	-0.3	-0.9	-1.0	-1.0	-2.7	0.0	0.1	0.1	0.1	-0.2
2	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	BN	-0.6	0.0	0.0	-0.4	-5.6	0.0	0.2	0.3	0.1	-0.3
2	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	All	-0.1	0.0	0.0	-0.1	-1.0	0.0	0.2	0.3	0.1	-0.3
3	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	AN	-11.6	-11.6	-11.6	-11.6	-11.6	-0.7	-0.7	-0.7	-0.7	-0.7
3	BN	-4.6	-5.9	-7.8	-11.0	-10.6	-0.1	-0.2	-0.2	-0.2	-0.3
3	D	-10.6	-13.2	-14.4	-15.1	-18.3	-0.2	-0.1	-0.3	-0.3	-0.3
3	C	-10.1	-18.3	-21.5	-23.0	-24.3	-0.3	-0.3	-0.5	-0.7	-0.8
3	All	-6.3	-8.5	-9.6	-10.6	-11.5	-0.2	-0.2	-0.3	-0.5	-0.5

°F = degrees Fahrenheit

UF = unimpaired flow

^a Green cells indicate >5% lower values under the flow scenario relative to baseline; red cells indicate >5% higher values under the flow scenario relative to baseline.

^b Only includes months on which temperature exceeded index value; green cells indicate >0.5 °F lower values under the flow scenario relative to baseline; red cells indicate >0.5 °F higher values under the flow scenario relative to baseline.

Table A6-254. Water Temperature Index Value Analysis Results, Central Valley Steelhead, Smoltification, Feather River below Thermalito Afterbay Outlet, 54 °F

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
1	W	-0.1	0.1	0.6	0.5	-1.2	0.0	0.0	0.0	-0.3	-0.5
1	AN	0.0	0.0	0.0	0.8	0.0	0.0	0.0	0.0	0.3	0.0
1	BN	-0.2	-0.6	-0.9	-0.6	-1.3	-0.1	-0.1	-0.1	0.0	0.0
1	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	All	-0.1	-0.1	0.0	0.1	-0.6	0.0	0.0	0.0	-0.2	-0.3
2	W	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0
2	AN	0.3	-0.3	0.0	0.0	-1.8	-0.2	-0.1	-0.3	-0.3	-1.4
2	BN	2.5	3.5	3.9	3.7	1.0	0.0	0.1	0.3	0.4	0.1
2	D	1.2	-0.8	-2.0	-2.0	-1.7	0.0	-0.1	-0.1	-0.1	-0.1
2	C	5.2	7.8	4.0	4.2	2.4	-0.3	-0.5	-0.3	-0.4	-0.5
2	All	1.6	1.7	0.9	1.0	0.0	-0.1	-0.2	-0.1	-0.1	-0.3
3	W	0.5	1.2	-0.2	-1.5	-4.5	-0.1	-0.1	-0.2	-0.3	-0.4
3	AN	-6.5	-5.6	-9.9	-14.8	-23.9	-0.2	-0.8	-1.2	-1.4	-1.8
3	BN	19.2	9.9	-1.9	-9.1	-20.3	0.5	0.2	0.0	-0.3	-0.4
3	D	15.2	5.1	0.2	-2.2	-9.5	0.1	-0.1	-0.4	-0.7	-0.9
3	C	29.0	28.0	24.3	19.6	4.9	1.2	1.1	1.1	0.6	0.1
3	All	10.9	7.1	2.3	-1.4	-9.5	0.5	0.3	0.1	-0.2	-0.4

°F = degrees Fahrenheit

UF = unimpaired flow

^a Green cells indicate >5% lower values under the flow scenario relative to baseline; red cells indicate >5% higher values under the flow scenario relative to baseline.

^b Only includes months on which temperature exceeded index value; green cells indicate >0.5 °F lower values under the flow scenario relative to baseline; red cells indicate >0.5 °F higher values under the flow scenario relative to baseline.

Table A6-255. Water Temperature Index Value Analysis Results, Central Valley Steelhead, Smolt Emigration, Feather River Low Flow Channel below the Fish Barrier Dam, 61 °F

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
12	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
4	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	W	5.5	3.6	3.7	6.4	7.9	0.9	0.5	0.5	0.7	0.5
6	AN	0.0	5.3	-1.7	3.3	-1.1	-0.5	0.3	0.1	0.1	0.4
6	BN	-1.0	2.7	-2.0	-1.4	0.2	0.2	0.1	0.2	0.4	0.3
6	D	-2.7	-8.4	-7.9	-7.1	-2.9	0.2	0.0	0.1	0.1	0.3
6	C	-6.2	-4.4	-3.3	-7.1	-5.6	-0.6	-0.5	-0.1	-0.3	0.6
6	All	-0.1	-0.4	-1.8	-0.6	0.7	0.0	-0.1	0.0	0.0	0.1

^a °F = degrees Fahrenheit

UF = unimpaired flow

^a Green cells indicate >5% lower values under the flow scenario relative to baseline; red cells indicate >5% higher values under the flow scenario relative to baseline.

^b Only includes months on which temperature exceeded index value; green cells indicate >0.5 °F lower values under the flow scenario relative to baseline; red cells indicate >0.5 °F higher values under the flow scenario relative to baseline.

Table A6-256. Water Temperature Index Value Analysis Results, Central Valley Steelhead, Smolt Emigration, Feather River below Thermalito Afterbay Outlet, 64 °F 7DADM

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
12	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	D	0.0	-0.2	-0.2	-0.2	-0.2	0.0	0.0	0.0	0.0	0.0
3	C	0.0	0.0	0.4	0.0	0.0	0.0	0.0	0.5	0.0	0.0
3	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.0
4	W	-1.2	-1.2	-1.2	-1.2	-1.2	-0.4	-0.4	-0.4	-0.4	-0.4
4	AN	-1.4	-1.9	-1.9	-1.9	-1.9	-1.5	-2.0	-2.0	-2.0	-2.0

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
4	BN	-2.2	-3.1	-3.1	-3.1	-3.1	-0.2	-0.4	-0.4	-0.4	-0.4
4	D	2.1	-1.4	-3.5	-4.6	-4.8	0.1	0.0	-0.4	-0.8	-0.8
4	C	1.3	-5.3	-11.3	-17.6	-20.2	-0.4	-0.3	-0.5	0.1	0.1
4	All	-0.3	-2.4	-3.8	-5.1	-5.5	-0.2	-0.1	-0.3	0.3	0.3
5	W	-0.5	-1.3	-2.2	-2.2	-2.2	-0.6	-0.7	-0.7	-0.4	-0.4
5	AN	-6.7	-9.1	-10.5	-10.8	-10.8	-0.9	-1.1	-1.6	-1.6	-1.6
5	BN	-5.1	-5.7	-5.7	-5.7	-5.3	-1.6	-1.6	-1.6	-1.6	-1.1
5	D	-3.8	-3.8	-3.2	-3.7	-2.2	-0.6	-0.5	-0.5	-0.6	-0.7
5	C	-9.2	2.8	0.2	4.7	6.0	-0.1	0.1	0.1	0.2	0.7
5	All	-4.3	-3.0	-3.7	-3.2	-2.5	-0.4	-0.2	-0.1	-0.1	0.3
6	W	-1.3	-3.1	-3.8	-6.4	-6.4	-0.1	-0.3	-0.2	-0.3	-0.1
6	AN	-4.7	-16.7	-6.9	-5.3	-7.2	-0.1	-0.1	-0.1	0.1	0.2
6	BN	-9.0	-8.6	-6.3	-0.4	2.5	-0.2	0.1	0.4	0.5	0.6
6	D	7.3	14.1	15.4	16.8	18.9	0.2	0.5	0.8	1.0	1.5
6	C	3.1	4.7	9.1	7.8	10.7	0.3	0.6	0.6	0.8	0.9
6	All	-0.5	-0.7	1.8	2.4	3.6	0.1	0.2	0.4	0.5	0.8

°F = degrees Fahrenheit; 7DADM = 7-day average daily maximum; UF = unimpaired flow

^a Green cells indicate >5% lower values under the flow scenario relative to baseline; red cells indicate >5% higher values under the flow scenario relative to baseline.

^b Only includes months on which temperature exceeded index value; green cells indicate >0.5 °F lower values under the flow scenario relative to baseline; red cells indicate >0.5 °F higher values under the flow scenario relative to baseline.

Table A6-257. Water Temperature Index Value Analysis Results, Central Valley Steelhead, Adult Immigration, Feather River Low Flow Channel below the Fish Barrier Dam, 68 °F 7DADM

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
8	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	AN	0.0	0.0	0.0	4.0	0.0	0.0	0.0	0.0	0.4	0.0
8	BN	0.0	0.0	5.7	3.8	10.1	0.0	0.0	1.8	1.3	1.0
8	D	0.0	0.0	4.3	0.0	3.7	0.0	0.0	1.5	0.0	0.6
8	C	-0.9	1.5	-1.7	-2.2	21.5	0.4	0.2	0.1	-0.9	0.8
8	All	-0.1	0.2	1.7	0.9	6.1	0.4	0.2	0.7	0.0	0.5
9	W	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.0	0.0
9	AN	0.0	0.0	0.0	3.9	0.0	0.0	0.0	0.0	0.5	0.0
9	BN	0.0	0.0	0.2	2.2	6.5	0.0	0.0	1.0	0.5	0.5
9	D	0.0	0.0	0.0	1.3	1.7	0.0	0.0	0.0	0.4	0.5
9	C	0.0	0.0	0.4	4.4	12.2	0.0	0.0	1.0	0.3	2.1
9	All	0.0	0.0	0.1	1.9	3.7	0.0	0.0	1.0	0.4	1.3
10	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
12	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

[°]F = degrees Fahrenheit; 7DADM = 7-day average daily maximum; UF = unimpaired flow

^a Green cells indicate >5% lower values under the flow scenario relative to baseline; red cells indicate >5% higher values under the flow scenario relative to baseline.

^b Only includes months on which temperature exceeded index value; green cells indicate >0.5 °F lower values under the flow scenario relative to baseline; red cells indicate >0.5 °F higher values under the flow scenario relative to baseline.

Table A6-258. Water Temperature Index Value Analysis Results, Central Valley Steelhead, Adult Immigration, Feather River Low Flow Channel below the Fish Barrier Dam, 70 °F

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
8	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
9	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
9	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
9	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
9	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
9	C	0.0	0.0	0.0	0.0	0.9	0.0	0.0	0.0	0.0	0.8
9	All	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.8
10	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
12	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

^aF = degrees Fahrenheit

UF = unimpaired flow

^a Green cells indicate >5% lower values under the flow scenario relative to baseline; red cells indicate >5% higher values under the flow scenario relative to baseline.

^b Only includes months on which temperature exceeded index value; green cells indicate >0.5 °F lower values under the flow scenario relative to baseline; red cells indicate >0.5 °F higher values under the flow scenario relative to baseline.

Table A6-259. Water Temperature Index Value Analysis Results, Central Valley Steelhead, Adult Immigration, Feather River below Thermalito Afterbay Outlet, 68 °F 7DADM

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
8	W	3.5	10.8	8.2	15.1	51.5	-0.1	-0.1	-0.1	-0.1	0.4
8	AN	1.3	9.4	14.8	45.4	64.2	0.0	-0.3	0.0	0.4	0.9
8	BN	-5.3	5.7	16.1	31.1	66.2	-0.1	0.4	0.9	0.9	1.9
8	D	14.4	18.9	12.1	9.5	56.5	-0.3	0.0	0.0	-0.4	0.6
8	C	-0.9	15.7	-3.4	14.8	29.5	0.2	0.1	-0.3	0.9	2.9
8	All	3.4	12.3	9.5	20.6	53.4	0.0	0.0	-0.1	0.2	1.0
9	W	0.2	-0.8	-2.0	-2.6	7.5	-0.2	-0.6	-0.4	-1.1	1.4
9	AN	0.0	-0.3	2.8	17.2	33.9	0.0	-0.6	-1.9	-0.3	-0.5
9	BN	1.0	12.4	2.7	12.5	34.5	0.8	1.3	1.1	1.0	2.5
9	D	3.2	9.2	5.6	11.3	7.6	-0.5	-0.6	-0.7	-0.4	1.3
9	C	2.7	4.0	12.7	19.8	44.2	-0.2	0.1	0.0	1.3	2.5
9	All	1.4	4.7	3.5	9.5	21.8	-0.3	-0.4	-0.4	0.3	1.4
10	W	0.0	0.1	0.0	0.3	2.4	0.0	0.0	0.0	1.0	0.6
10	AN	-1.3	-1.3	-1.3	-1.3	-0.8	-1.8	-1.8	-1.8	-1.8	-1.3
10	BN	0.0	0.0	0.0	1.3	2.5	0.0	0.0	0.0	0.6	0.8
10	D	-0.2	0.3	0.3	-0.2	0.2	0.0	0.3	0.3	0.0	0.5
10	C	1.3	-0.2	-0.2	4.3	8.0	-0.8	-0.9	0.4	0.6	0.0
10	All	0.0	-0.1	-0.1	0.8	2.4	-0.7	-1.0	-0.3	0.3	-0.4
11	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
12	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

[°]F = degrees Fahrenheit; 7DADM = 7-day average daily maximum; UF = unimpaired flow

^a Green cells indicate >5% lower values under the flow scenario relative to baseline; red cells indicate >5% higher values under the flow scenario relative to baseline.

^b Only includes months on which temperature exceeded index value; green cells indicate >0.5 °F lower values under the flow scenario relative to baseline; red cells indicate >0.5 °F higher values under the flow scenario relative to baseline.

Table A6-260. Water Temperature Index Value Analysis Results, Central Valley Steelhead, Adult Immigration, Feather River below Thermalito Afterbay Outlet, 70 °F

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
8	W	0.0	0.0	0.0	0.0	7.1	0.0	0.0	0.0	0.0	1.6
8	AN	0.5	0.0	0.3	7.0	15.3	0.5	0.0	0.0	1.0	1.0
8	BN	0.0	0.4	3.2	4.0	19.9	0.0	0.0	0.9	1.3	1.8
8	D	0.0	0.0	1.4	0.0	8.0	0.0	0.0	0.8	0.0	2.1
8	C	-1.1	1.5	-3.0	17.4	42.8	0.0	-0.1	-0.7	0.2	2.1
8	All	-0.1	0.3	0.5	4.4	16.5	0.0	-0.1	-0.4	0.1	1.3
9	W	-0.1	-0.1	-0.1	-0.2	5.1	0.5	-0.5	-0.5	-0.5	0.7
9	AN	0.0	-0.6	-0.6	4.4	3.9	0.0	-0.5	-0.5	1.2	1.1
9	BN	0.0	0.0	0.0	0.0	8.6	0.0	0.0	0.0	0.0	1.0
9	D	-0.2	-0.2	-0.2	-0.2	3.3	-1.0	-1.0	-1.0	-1.0	1.0
9	C	-1.6	-1.6	0.4	15.3	33.1	-0.6	-0.6	0.0	0.5	1.9
9	All	-0.3	-0.4	-0.1	2.9	9.7	0.1	-0.6	-0.1	0.6	1.4
10	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10	C	0.0	0.0	0.0	0.9	0.0	0.0	0.0	0.0	0.5	0.0
10	All	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.5	0.0
11	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
12	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

^aF = degrees Fahrenheit

UF = unimpaired flow

^a Green cells indicate >5% lower values under the flow scenario relative to baseline; red cells indicate >5% higher values under the flow scenario relative to baseline.

^b Only includes months on which temperature exceeded index value; green cells indicate >0.5 °F lower values under the flow scenario relative to baseline; red cells indicate >0.5 °F higher values under the flow scenario relative to baseline.

Table A6-261. Water Temperature Index Value Analysis Results, Central Valley Steelhead, Adult Holding, Feather River Low Flow Channel below the Fish Barrier Dam, 61 °F 7DADM

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
9	W	0.0	0.0	0.0	0.0	13.1	0.0	0.0	0.0	0.0	4.9
9	AN	0.0	1.9	12.5	16.7	35.8	0.0	0.7	1.5	5.5	4.2
9	BN	9.2	22.5	9.2	17.5	44.9	0.6	1.7	0.6	4.2	3.5
9	D	6.3	21.3	25.2	19.2	22.4	0.8	2.4	1.8	4.1	1.8
9	C	11.6	-0.9	13.1	17.8	40.7	-1.4	0.7	0.7	0.6	1.6
9	All	5.0	9.0	11.1	12.5	28.4	-1.5	-0.1	-0.4	1.3	0.9
10	W	3.6	6.1	6.7	2.9	15.7	1.5	2.0	0.8	1.8	2.5
10	AN	-8.3	-8.3	-0.5	0.0	13.7	-2.7	-2.7	-1.9	0.5	-1.3
10	BN	4.9	12.7	12.3	23.5	30.9	0.3	1.0	1.2	2.1	1.6
10	D	8.4	9.8	4.9	4.5	20.1	0.8	2.2	2.5	1.4	1.1
10	C	4.9	-4.1	1.7	12.3	12.7	-0.4	-0.4	-0.3	0.3	0.7
10	All	3.6	4.6	5.6	8.2	18.7	-1.1	-0.4	-0.8	0.0	-0.3
11	W	0.1	0.6	0.0	0.0	0.8	0.0	0.4	0.0	0.0	0.3
11	AN	-1.7	-1.7	-0.6	-1.1	-1.7	-1.3	-1.3	-0.8	-0.8	-1.3
11	BN	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0
11	D	0.5	0.0	0.8	0.0	0.3	0.0	0.0	0.4	0.0	0.0
11	C	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.0	0.5
11	All	-0.1	0.0	0.1	-0.1	0.2	-1.3	-0.9	-0.9	-1.0	-1.1

°F = degrees Fahrenheit; 7DADM = 7-day average daily maximum; UF = unimpaired flow

^a Green cells indicate >5% lower values under the flow scenario relative to baseline; red cells indicate >5% higher values under the flow scenario relative to baseline.

^b Only includes months on which temperature exceeded index value; green cells indicate >0.5 °F lower values under the flow scenario relative to baseline; red cells indicate >0.5 °F higher values under the flow scenario relative to baseline.

Table A6-262. Water Temperature Index Value Analysis Results, Central Valley Steelhead, Adult Holding, Feather River below Thermalito Afterbay Outlet, 61 °F 7DADM

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
9	W	1.3	13.2	20.4	51.3	71.4	0.0	-0.4	-0.2	-0.3	1.5
9	AN	1.9	18.1	63.1	81.1	92.8	-0.6	-1.7	-1.1	0.2	1.5
9	BN	33.3	50.8	55.3	46.9	58.6	1.3	1.7	0.9	1.5	3.6
9	D	17.5	23.2	14.4	11.0	28.4	0.8	1.3	0.9	0.8	2.0
9	C	3.1	2.9	5.3	4.2	6.0	0.3	-0.3	0.7	1.7	4.0
9	All	11.2	21.3	28.5	37.6	51.6	0.5	0.4	0.3	0.7	2.3
10	W	10.9	11.2	12.2	6.7	28.8	0.3	0.8	0.5	0.9	1.7
10	AN	-1.1	17.2	15.3	13.4	39.2	-2.4	-2.0	-2.0	-1.5	-1.1
10	BN	4.2	22.8	22.4	31.1	34.5	0.5	1.2	1.3	2.3	2.6
10	D	15.4	14.4	4.1	7.2	28.7	-0.2	1.0	0.6	-0.5	0.0
10	C	2.6	-4.9	8.0	4.3	18.9	1.2	0.4	0.8	2.1	1.8
10	All	7.8	12.2	12.0	11.8	29.6	0.0	0.2	0.1	0.9	0.9
11	W	0.5	0.7	1.3	0.8	3.2	0.8	1.2	0.7	0.9	1.1
11	AN	-0.3	-0.3	0.0	0.0	0.6	0.0	0.0	0.0	1.0	0.3
11	BN	0.0	0.0	0.2	0.2	0.2	0.0	0.0	0.0	0.0	0.0
11	D	0.0	0.0	0.0	0.0	2.4	0.0	0.0	0.0	0.0	1.5
11	C	0.0	0.7	0.7	1.6	5.6	0.0	0.3	0.7	0.3	0.8
11	All	0.1	0.3	0.5	0.5	2.5	0.8	0.9	0.6	0.6	1.0

°F = degrees Fahrenheit; 7DADM = 7-day average daily maximum; UF = unimpaired flow

^a Green cells indicate >5% lower values under the flow scenario relative to baseline; red cells indicate >5% higher values under the flow scenario relative to baseline.

^b Only includes months on which temperature exceeded index value; green cells indicate >0.5 °F lower values under the flow scenario relative to baseline; red cells indicate >0.5 °F higher values under the flow scenario relative to baseline.

Green Sturgeon

Table A6-263. Water Temperature Index Value Analysis Results, Green Sturgeon, Spawning and Embryo Incubation, Feather River Low Flow Channel below the Fish Barrier Dam, 63 °F

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
3	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	C	0.0	0.0	0.2	0.0	1.1	0.0	0.0	0.0	0.0	0.6
6	All	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.6

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
7	W	0.0	0.0	0.0	0.0	0.7	0.0	0.0	0.0	0.0	0.2
7	AN	0.0	0.0	0.0	5.6	0.0	0.0	0.0	0.0	0.7	0.0
7	BN	0.0	0.0	4.0	6.6	6.8	0.0	0.0	1.4	1.4	1.2
7	D	0.0	0.2	3.4	0.0	6.1	0.0	0.0	1.8	0.0	2.2
7	C	1.5	4.1	3.2	3.7	14.0	0.6	1.5	1.1	2.0	2.5
7	All	0.2	0.7	2.0	2.5	5.1	0.6	1.4	1.5	1.3	2.0

°F = degrees Fahrenheit

UF = unimpaired flow

^a Green cells indicate >5% lower values under the flow scenario relative to baseline; red cells indicate >5% higher values under the flow scenario relative to baseline.

^b Only includes months on which temperature exceeded index value; green cells indicate >0.5 °F lower values under the flow scenario relative to baseline; red cells indicate >0.5 °F higher values under the flow scenario relative to baseline.

Table A6-264. Water Temperature Index Value Analysis Results, Green Sturgeon, Spawning and Embryo Incubation, Feather River below Thermalito Afterbay Outlet, 63 °F

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
3	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	D	0.0	-0.6	-0.6	-0.6	-0.6	0.3	-0.3	-0.3	-0.3	-0.3
3	C	0.0	0.0	1.1	0.2	0.0	0.0	0.0	0.4	0.0	0.0
3	All	0.0	-0.1	0.0	-0.1	-0.1	0.3	-0.3	0.2	-0.3	-0.3
4	W	-1.8	-1.8	-1.8	-1.8	-1.8	-0.4	-0.4	-0.4	-0.4	-0.4
4	AN	-1.9	-2.5	-2.5	-2.5	-2.5	-1.2	-1.7	-1.7	-1.7	-1.7
4	BN	-2.7	-4.1	-4.1	-4.1	-4.1	-0.2	-0.5	-0.5	-0.5	-0.5
4	D	2.1	-2.4	-4.4	-5.7	-5.9	0.1	0.2	-0.3	-0.8	-0.8
4	C	4.0	-1.3	-9.3	-16.9	-21.3	-0.5	-0.5	-0.6	-0.1	0.1
4	All	-0.2	-2.4	-4.1	-5.6	-6.4	-0.2	-0.2	-0.4	0.1	0.3
5	W	-0.6	-1.2	-2.5	-2.5	-2.5	-0.5	-0.7	-0.4	-0.2	-0.4
5	AN	-7.5	-9.9	-11.3	-11.8	-11.8	-0.8	-1.0	-1.6	-1.6	-1.6
5	BN	-5.3	-6.5	-6.5	-6.5	-6.1	-1.4	-1.5	-1.5	-1.5	-0.5
5	D	-4.0	-3.2	-3.2	-3.2	-0.9	-0.6	-0.6	-0.5	-0.7	-0.8
5	C	-8.4	3.7	1.9	5.6	6.0	-0.2	0.1	0.0	0.1	0.7
5	All	-4.4	-2.9	-3.8	-3.3	-2.6	-0.4	-0.2	-0.2	-0.1	0.2
6	W	-2.1	-4.0	-3.9	-6.1	-5.4	0.0	-0.3	-0.2	-0.3	-0.1
6	AN	-6.9	-17.8	-9.7	-8.9	-9.4	0.0	0.0	0.0	0.2	0.3
6	BN	-8.4	-6.7	-2.7	2.0	6.7	-0.2	0.0	0.3	0.4	0.5
6	D	7.8	15.7	18.1	19.0	23.5	0.2	0.4	0.7	0.9	1.4
6	C	2.0	4.7	8.7	7.1	10.0	0.3	0.6	0.7	0.8	0.9
6	All	-1.0	-0.4	2.5	2.8	5.3	0.1	0.2	0.4	0.5	0.7
7	W	-1.6	-5.8	-12.3	0.3	8.1	-0.1	-0.1	0.0	-0.1	1.6
7	AN	0.3	3.0	15.1	22.8	22.8	0.1	0.2	1.5	2.9	4.0

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
7	BN	3.6	26.2	32.8	42.1	42.1	0.0	0.6	2.0	3.1	4.3
7	D	20.1	29.0	33.2	33.9	33.9	0.9	1.4	1.8	2.4	4.2
7	C	9.7	13.3	13.5	14.2	14.2	1.5	1.4	1.2	1.8	3.1
7	All	6.3	12.1	13.9	20.7	23.0	0.5	0.6	1.1	1.7	3.1

^a°F = degrees Fahrenheit

UF = unimpaired flow

^a Green cells indicate >5% lower values under the flow scenario relative to baseline; red cells indicate >5% higher values under the flow scenario relative to baseline.

^b Only includes months on which temperature exceeded index value; green cells indicate >0.5 °F lower values under the flow scenario relative to baseline; red cells indicate >0.5 °F higher values under the flow scenario relative to baseline.

Table A6-265. Water Temperature Index Value Analysis Results, Green Sturgeon, Spawning and Embryo Incubation, Feather River at Gridley, 63 °F

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
3	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	BN	-0.2	0.4	-0.2	-0.2	-0.2	0.0	0.0	0.0	0.0	0.0
3	D	-0.8	-1.4	-1.5	-1.5	-1.5	0.3	-0.5	-0.5	-0.5	-0.5
3	C	-0.2	0.4	1.1	0.4	-0.2	0.0	0.3	1.2	0.3	0.0
3	All	-0.2	-0.2	-0.2	-0.3	-0.4	0.4	-0.3	0.8	-0.1	-0.4
4	W	-2.7	-2.9	-2.9	-2.9	-2.9	-1.1	-1.1	-1.1	-1.1	-1.1
4	AN	-5.8	-6.4	-6.7	-6.7	-6.7	0.3	-1.1	-1.1	-1.1	-1.1
4	BN	-6.3	-10.6	-10.6	-10.6	-10.6	-0.3	-1.0	-1.0	-1.0	-1.0
4	D	-0.6	-9.5	-13.0	-14.8	-16.2	0.1	0.1	-0.1	-0.4	-1.0
4	C	8.0	1.3	-10.2	-18.4	-27.1	-0.3	-0.3	-0.4	-0.3	-0.2
4	All	-1.6	-5.6	-8.2	-10.0	-11.7	-0.1	0.0	-0.1	-0.1	0.1
5	W	-1.5	-2.9	-5.4	-6.5	-7.0	-0.4	-0.5	-0.8	-0.7	-0.6
5	AN	-11.0	-19.4	-23.7	-24.5	-25.0	-0.5	-0.7	-0.8	-1.1	-1.3
5	BN	-12.1	-19.4	-20.5	-20.9	-21.8	-0.6	-0.9	-0.8	-0.9	-0.7
5	D	-5.8	-10.0	-9.8	-11.5	-10.3	-0.2	-0.1	-0.2	-0.1	-0.1
5	C	-4.1	3.4	6.0	6.7	0.6	-0.2	0.2	0.0	0.1	0.6
5	All	-6.1	-8.6	-9.7	-10.4	-11.6	-0.3	0.0	-0.1	0.1	0.4
6	W	-3.3	-6.4	-9.9	-12.3	-11.7	-0.1	-0.3	-0.2	-0.3	-0.2
6	AN	0.8	-5.6	-6.4	-2.2	-4.4	-0.3	-0.6	-0.2	-0.1	-0.1
6	BN	-9.0	-9.0	-6.5	-4.7	-4.7	-0.4	-0.1	0.1	0.4	0.5
6	D	2.9	4.4	5.6	5.6	5.6	0.5	1.0	1.2	1.4	1.8
6	C	2.4	4.7	7.6	6.0	7.6	0.5	0.8	0.8	0.8	0.9
6	All	-1.5	-2.5	-2.5	-2.6	-2.5	0.1	0.3	0.5	0.6	0.8
7	W	-0.6	-0.3	-1.6	-0.1	-0.1	-0.3	-0.4	-0.4	-0.1	1.9
7	AN	2.7	4.0	4.3	4.3	4.3	0.0	0.2	1.8	3.8	4.7

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
7	BN	4.2	5.9	6.8	7.2	7.2	0.1	1.2	2.9	4.4	5.4
7	D	3.4	4.5	4.9	4.9	4.9	1.6	2.5	3.4	3.9	5.2
7	C	6.9	8.6	8.6	8.6	8.6	1.8	1.8	1.6	2.2	3.3
7	All	2.8	3.9	3.8	4.3	4.3	0.6	1.0	1.7	2.5	3.9

°F = degrees Fahrenheit

UF = unimpaired flow

^a Green cells indicate >5% lower values under the flow scenario relative to baseline; red cells indicate >5% higher values under the flow scenario relative to baseline.

^b Only includes months on which temperature exceeded index value; green cells indicate >0.5 °F lower values under the flow scenario relative to baseline; red cells indicate >0.5 °F higher values under the flow scenario relative to baseline.

Table A6-266. Water Temperature Index Value Analysis Results, Green Sturgeon, Non-Spawning Adult Presence (Immigration, Pre- and Post-Spawn Holding), Feather River Low Flow Channel below the Fish Barrier Dam, 66 °F

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
8	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	AN	0.0	0.0	0.0	3.8	0.0	0.0	0.0	0.0	0.4	0.0
8	BN	0.0	0.0	5.7	3.6	10.1	0.0	0.0	1.7	1.2	0.9
8	D	0.0	0.0	4.3	0.0	3.4	0.0	0.0	1.4	0.0	0.5
8	C	-0.6	1.5	-1.5	-1.9	21.5	0.3	0.2	0.1	-0.9	0.8
8	All	-0.1	0.2	1.8	0.8	6.1	0.3	0.2	0.6	0.0	0.4
9	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
9	AN	0.0	0.0	0.0	3.6	0.0	0.0	0.0	0.0	0.4	0.0
9	BN	0.0	0.0	0.2	1.8	5.7	0.0	0.0	0.0	0.3	0.4
9	D	0.0	0.0	0.0	1.1	1.6	0.0	0.0	0.0	0.3	0.3
9	C	0.0	0.0	0.4	2.7	11.3	0.0	0.0	0.5	0.2	2.1
9	All	0.0	0.0	0.1	1.5	3.2	0.0	0.0	0.3	0.3	1.3
10	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

^aF = degrees Fahrenheit

UF = unimpaired flow

^a Green cells indicate >5% lower values under the flow scenario relative to baseline; red cells indicate >5% higher values under the flow scenario relative to baseline.

^b Only includes months on which temperature exceeded index value; green cells indicate >0.5 °F lower values under the flow scenario relative to baseline; red cells indicate >0.5 °F higher values under the flow scenario relative to baseline.

Table A6-267. Water Temperature Index Value Analysis Results, Green Sturgeon, Non-Spawning Adult Presence (Immigration, Pre- and Post-Spawn Holding), Feather River Low Flow Channel below the Fish Barrier Dam, 73 °F

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
8	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
9	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
9	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
9	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
9	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
9	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
9	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

^aF = degrees Fahrenheit

UF = unimpaired flow

^a Green cells indicate >5% lower values under the flow scenario relative to baseline; red cells indicate >5% higher values under the flow scenario relative to baseline.

^b Only includes months on which temperature exceeded index value; green cells indicate >0.5 °F lower values under the flow scenario relative to baseline; red cells indicate >0.5 °F higher values under the flow scenario relative to baseline.

Table A6-268. Water Temperature Index Value Analysis Results, Green Sturgeon, Non-Spawning Adult Presence (Immigration, Pre- and Post-Spawn Holding), Feather River below Thermalito Afterbay Outlet, 66 °F

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
8	W	6.0	19.0	14.3	18.5	60.1	-0.1	-0.2	-0.2	-0.1	0.4
8	AN	2.7	12.4	15.1	52.2	69.4	0.0	0.0	0.3	0.7	1.2
8	BN	-1.9	9.7	26.0	44.2	71.7	-0.3	0.2	0.6	0.7	1.9
8	D	22.6	26.6	21.7	22.7	65.1	-0.3	0.0	-0.2	-0.5	0.6
8	C	0.4	16.6	1.5	17.0	28.0	0.1	0.1	-0.3	0.8	2.8
8	All	7.0	17.8	16.1	28.3	59.4	-0.1	-0.1	-0.2	0.1	1.0
9	W	0.0	-0.6	-1.8	-3.0	8.7	-0.1	-0.6	-0.6	-0.9	1.2
9	AN	-0.3	-0.3	4.7	19.2	37.8	0.5	-0.5	-1.7	0.0	-0.2
9	BN	2.0	14.5	3.9	15.9	36.9	0.7	1.5	1.1	1.2	2.7
9	D	3.2	10.5	7.3	12.5	10.3	0.1	0.0	-0.1	0.2	1.3
9	C	5.3	2.2	12.4	22.2	44.4	-0.3	0.3	0.1	1.2	2.6
9	All	1.9	5.2	4.4	10.9	23.7	-0.3	-0.2	-0.3	0.3	1.4
10	W	-0.1	0.0	-0.1	0.3	3.6	-1.0	0.0	-1.0	0.5	0.1
10	AN	-2.4	-2.4	-2.4	-2.4	1.1	-1.6	-1.6	-1.6	-1.6	-1.2
10	BN	0.0	0.0	0.0	4.2	5.9	0.0	0.0	0.0	0.6	0.9
10	D	0.0	1.5	0.6	-0.2	0.3	0.0	-0.4	-0.2	-1.0	0.0
10	C	3.2	-0.2	0.0	6.0	9.5	-0.6	-0.5	0.1	0.6	0.4
10	All	0.2	0.0	-0.2	1.5	3.9	-0.5	-0.7	-0.1	0.1	-0.2
11	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

^a°F = degrees Fahrenheit

UF = unimpaired flow

^a Green cells indicate >5% lower values under the flow scenario relative to baseline; red cells indicate >5% higher values under the flow scenario relative to baseline.

^b Only includes months on which temperature exceeded index value; green cells indicate >0.5 °F lower values under the flow scenario relative to baseline; red cells indicate >0.5 °F higher values under the flow scenario relative to baseline.

Table A6-269. Water Temperature Index Value Analysis Results, Green Sturgeon, Non-Spawning Adult Presence (Immigration, Pre- and Post-Spawn Holding), Feather River below Thermalito Afterbay Outlet, 73 °F

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
8	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	BN	0.0	0.0	0.0	0.0	4.2	0.0	0.0	0.0	0.0	0.6
8	D	0.0	0.0	0.0	0.0	2.8	0.0	0.0	0.0	0.0	0.9
8	C	0.0	0.4	0.0	2.4	24.5	0.0	0.5	0.0	0.4	2.0
8	All	0.0	0.1	0.0	0.4	5.3	0.0	0.5	0.0	0.4	1.7
9	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
9	AN	0.0	0.0	0.0	0.0	0.8	0.0	0.0	0.0	0.0	0.0
9	BN	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0
9	D	0.0	0.0	0.0	0.0	0.5	0.0	0.0	0.0	0.0	0.3
9	C	0.0	0.0	0.0	0.0	10.4	0.0	0.0	0.0	0.0	1.4
9	All	0.0	0.0	0.0	0.0	1.9	0.0	0.0	0.0	0.0	1.2
10	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

^a°F = degrees Fahrenheit

UF = unimpaired flow

^a Green cells indicate >5% lower values under the flow scenario relative to baseline; red cells indicate >5% higher values under the flow scenario relative to baseline.

^b Only includes months on which temperature exceeded index value; green cells indicate >0.5 °F lower values under the flow scenario relative to baseline; red cells indicate >0.5 °F higher values under the flow scenario relative to baseline.

Table A6-270. Water Temperature Index Value Analysis Results, Green Sturgeon, Non-Spawning Adult Presence (Immigration, Pre- and Post-Spawn Holding), Feather River at Gridley, 66 °F

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
8	W	9.1	8.6	-11.8	-0.5	32.0	0.0	0.3	0.5	0.4	1.2
8	AN	4.8	5.4	11.3	49.7	58.6	0.0	0.2	0.4	1.3	1.9
8	BN	10.4	26.6	47.2	70.6	78.9	-0.5	-0.1	0.6	1.1	2.4
8	D	33.5	44.7	51.0	56.8	67.9	-0.3	-0.1	0.0	-0.1	1.2
8	C	7.7	12.3	8.6	20.2	21.1	0.1	0.5	-0.2	0.8	2.8
8	All	14.1	20.2	19.5	35.3	50.4	-0.1	0.2	0.1	0.5	1.6
9	W	0.0	-0.1	-1.0	2.7	20.6	0.1	-0.2	-0.4	-0.9	0.5
9	AN	0.0	0.0	9.7	26.4	42.5	-0.1	-0.4	-1.4	0.1	0.4
9	BN	6.5	18.2	10.4	21.4	44.3	0.6	1.7	1.0	1.8	3.0
9	D	6.3	17.3	13.7	15.9	26.5	-0.2	-0.1	-0.1	0.4	0.2
9	C	12.0	0.2	12.7	23.1	45.6	-0.2	0.4	0.4	1.1	2.4
9	All	4.6	7.2	8.0	15.4	33.1	-0.3	-0.1	-0.2	0.4	1.2
10	W	0.0	0.1	0.1	0.8	5.6	0.0	0.0	0.0	1.4	1.1
10	AN	-3.8	-3.8	-3.8	-1.9	2.2	-1.3	-1.3	-1.3	-0.9	-0.4
10	BN	0.0	0.4	0.0	5.9	8.7	0.0	0.0	0.0	0.8	1.1
10	D	0.0	2.5	1.2	0.2	1.1	0.0	1.0	1.0	1.0	0.7
10	C	3.0	-0.9	-0.2	6.7	9.2	0.1	-0.2	0.3	1.0	1.1
10	All	0.0	0.0	-0.2	2.2	5.3	0.1	-0.4	0.0	0.3	0.1
11	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

°F = degrees Fahrenheit

UF = unimpaired flow

^a Green cells indicate >5% lower values under the flow scenario relative to baseline; red cells indicate >5% higher values under the flow scenario relative to baseline.

^b Only includes months on which temperature exceeded index value; green cells indicate >0.5 °F lower values under the flow scenario relative to baseline; red cells indicate >0.5 °F higher values under the flow scenario relative to baseline.

Table A6-271. Water Temperature Index Value Analysis Results, Green Sturgeon, Non-Spawning Adult Presence (Immigration, Pre- and Post-Spawn Holding), Feather River at Gridley, 73 °F

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
8	W	0.0	0.0	0.0	0.0	1.7	0.0	0.0	0.0	0.0	0.3
8	AN	0.0	0.0	0.0	0.3	2.2	0.0	0.0	0.0	0.0	0.5
8	BN	0.0	0.0	0.2	1.5	8.2	0.0	0.0	0.0	0.4	1.1
8	D	0.0	0.0	0.0	0.0	4.0	0.0	0.0	0.0	0.0	1.2
8	C	-0.6	0.0	-1.1	3.9	29.7	-0.4	0.4	-0.4	0.4	1.8
8	All	-0.1	0.0	-0.1	0.9	8.0	-0.4	0.4	-0.4	0.3	1.3
9	W	0.0	0.0	0.0	0.0	0.8	0.0	0.0	0.0	0.0	0.4
9	AN	0.0	0.0	0.0	1.4	1.1	0.0	0.0	0.0	0.4	0.8
9	BN	0.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.4
9	D	0.0	0.0	0.0	0.0	1.6	0.0	0.0	0.0	0.0	0.5
9	C	0.0	0.0	0.0	0.0	17.3	0.0	0.0	0.0	0.0	1.3
9	All	0.0	0.0	0.0	0.2	3.7	0.0	0.0	0.0	0.4	1.1
10	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

^a°F = degrees Fahrenheit

UF = unimpaired flow

^a Green cells indicate >5% lower values under the flow scenario relative to baseline; red cells indicate >5% higher values under the flow scenario relative to baseline.

^b Only includes months on which temperature exceeded index value; green cells indicate >0.5 °F lower values under the flow scenario relative to baseline; red cells indicate >0.5 °F higher values under the flow scenario relative to baseline.

Table A6-272. Water Temperature Index Value Analysis Results, Green Sturgeon, Larval to Juvenile Rearing and Emigration, Feather River Low Flow Channel below the Fish Barrier Dam, 66 °F

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
1	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
5	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	BN	0.0	0.0	0.0	1.1	0.0	0.0	0.0	0.0	1.3	0.0
7	D	0.0	0.0	0.9	0.0	1.8	0.0	0.0	1.0	0.0	0.6
7	C	0.0	1.1	0.0	1.3	4.3	0.0	1.0	0.0	0.5	1.8
7	All	0.0	0.2	0.2	0.4	1.1	0.0	1.0	1.0	0.9	1.3
8	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	AN	0.0	0.0	0.0	3.8	0.0	0.0	0.0	0.0	0.4	0.0
8	BN	0.0	0.0	5.7	3.6	10.1	0.0	0.0	1.7	1.2	0.9
8	D	0.0	0.0	4.3	0.0	3.4	0.0	0.0	1.4	0.0	0.5
8	C	-0.6	1.5	-1.5	-1.9	21.5	0.3	0.2	0.1	-0.9	0.8
8	All	-0.1	0.2	1.8	0.8	6.1	0.3	0.2	0.6	0.0	0.4
9	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
9	AN	0.0	0.0	0.0	3.6	0.0	0.0	0.0	0.0	0.4	0.0
9	BN	0.0	0.0	0.2	1.8	5.7	0.0	0.0	0.0	0.3	0.4
9	D	0.0	0.0	0.0	1.1	1.6	0.0	0.0	0.0	0.3	0.3
9	C	0.0	0.0	0.4	2.7	11.3	0.0	0.0	0.5	0.2	2.1
9	All	0.0	0.0	0.1	1.5	3.2	0.0	0.0	0.3	0.3	1.3

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
10	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

^aF = degrees Fahrenheit

UF = unimpaired flow

^a Green cells indicate >5% lower values under the flow scenario relative to baseline; red cells indicate >5% higher values under the flow scenario relative to baseline.

^b Only includes months on which temperature exceeded index value; green cells indicate >0.5 °F lower values under the flow scenario relative to baseline; red cells indicate >0.5 °F higher values under the flow scenario relative to baseline.

Table A6-273. Water Temperature Index Value Analysis Results, Green Sturgeon, Larval to Juvenile Rearing and Emigration, Feather River below Thermalito Afterbay Outlet, 66 °F

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
1	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	AN	-0.8	-0.8	-0.8	-0.8	-0.8	-1.0	-1.0	-1.0	-1.0	-1.0
4	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	D	0.0	-0.2	-0.2	-0.2	-0.2	0.0	0.0	0.0	0.0	0.0
4	C	-1.1	-0.9	-1.8	-1.1	-1.8	-0.6	-0.5	-0.9	-0.6	-0.9
4	All	-0.3	-0.3	-0.4	-0.3	-0.4	-0.6	-0.4	-0.8	-0.6	-0.8
5	W	-0.2	-0.2	-0.2	-0.2	-0.2	-1.0	-1.0	-1.0	-1.0	-1.0
5	AN	-1.6	-1.6	-1.6	-1.6	-1.6	-2.2	-2.2	-2.2	-2.2	-2.2

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
5	BN	-1.3	-1.3	-1.3	-1.3	-1.3	-1.4	-1.4	-1.4	-1.4	-1.4
5	D	-1.2	-1.2	-1.2	-1.4	-1.2	-1.3	-1.3	-1.3	-1.3	-1.3
5	C	-1.3	1.9	1.9	2.6	6.2	0.0	-0.3	-0.5	-0.7	0.0
5	All	-1.0	-0.5	-0.5	-0.4	0.2	-0.5	-0.5	-0.7	-0.8	-0.2
6	W	-1.0	-3.1	-3.1	-3.3	-2.0	0.4	0.2	0.3	0.4	0.4
6	AN	2.2	-5.6	-4.7	1.7	0.8	-0.3	-0.2	-0.1	-0.1	0.1
6	BN	-8.6	-3.1	2.5	6.1	11.0	0.1	0.1	0.2	0.4	0.4
6	D	4.1	12.7	18.7	24.3	37.8	0.3	0.3	0.4	0.5	0.7
6	C	11.6	17.6	19.3	18.7	18.9	0.0	0.2	0.3	0.4	0.7
6	All	1.2	3.5	6.3	8.8	13.1	0.1	0.2	0.3	0.4	0.6
7	W	-3.0	-0.2	-3.2	2.5	50.2	0.0	0.1	0.0	0.1	0.5
7	AN	-1.1	4.3	41.7	78.5	92.7	-0.2	1.5	0.6	0.8	1.6
7	BN	1.5	16.5	56.0	86.9	95.4	-1.1	-0.9	-0.4	0.0	1.0
7	D	17.8	31.6	52.1	73.0	87.6	0.1	0.2	0.1	0.3	1.9
7	C	24.3	21.7	21.1	28.8	31.8	1.1	1.4	1.2	1.4	2.6
7	All	7.2	14.2	29.8	47.9	69.4	0.5	0.6	0.4	0.6	1.4
8	W	6.0	19.0	14.3	18.5	60.1	-0.1	-0.2	-0.2	-0.1	0.4
8	AN	2.7	12.4	15.1	52.2	69.4	0.0	0.0	0.3	0.7	1.2
8	BN	-1.9	9.7	26.0	44.2	71.7	-0.3	0.2	0.6	0.7	1.9
8	D	22.6	26.6	21.7	22.7	65.1	-0.3	0.0	-0.2	-0.5	0.6
8	C	0.4	16.6	1.5	17.0	28.0	0.1	0.1	-0.3	0.8	2.8
8	All	7.0	17.8	16.1	28.3	59.4	-0.1	-0.1	-0.2	0.1	1.0
9	W	0.0	-0.6	-1.8	-3.0	8.7	-0.1	-0.6	-0.6	-0.9	1.2
9	AN	-0.3	-0.3	4.7	19.2	37.8	0.5	-0.5	-1.7	0.0	-0.2
9	BN	2.0	14.5	3.9	15.9	36.9	0.7	1.5	1.1	1.2	2.7
9	D	3.2	10.5	7.3	12.5	10.3	0.1	0.0	-0.1	0.2	1.3
9	C	5.3	2.2	12.4	22.2	44.4	-0.3	0.3	0.1	1.2	2.6
9	All	1.9	5.2	4.4	10.9	23.7	-0.3	-0.2	-0.3	0.3	1.4

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
10	W	-0.1	0.0	-0.1	0.3	3.6	-1.0	0.0	-1.0	0.5	0.1
10	AN	-2.4	-2.4	-2.4	-2.4	1.1	-1.6	-1.6	-1.6	-1.6	-1.2
10	BN	0.0	0.0	0.0	4.2	5.9	0.0	0.0	0.0	0.6	0.9
10	D	0.0	1.5	0.6	-0.2	0.3	0.0	-0.4	-0.2	-1.0	0.0
10	C	3.2	-0.2	0.0	6.0	9.5	-0.6	-0.5	0.1	0.6	0.4
10	All	0.2	0.0	-0.2	1.5	3.9	-0.5	-0.7	-0.1	0.1	-0.2
11	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

^aF = degrees Fahrenheit

UF = unimpaired flow

^a Green cells indicate >5% lower values under the flow scenario relative to baseline; red cells indicate >5% higher values under the flow scenario relative to baseline.

^b Only includes months on which temperature exceeded index value; green cells indicate >0.5 °F lower values under the flow scenario relative to baseline; red cells indicate >0.5 °F higher values under the flow scenario relative to baseline.

Table A6-274. Water Temperature Index Value Analysis Results, Green Sturgeon, Larval to Juvenile Rearing and Emigration, Feather River at Gridley, 66 °F

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
1	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	AN	-0.6	-0.6	-0.6	-0.6	-0.6	-1.0	-1.0	-1.0	-1.0	-1.0
4	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	D	0.3	-0.6	-0.8	-0.8	-0.8	-0.2	-0.6	-0.6	-0.6	-0.6
4	C	-1.8	-2.2	-2.9	-2.4	-3.6	-0.1	0.1	-0.1	0.2	-0.1
4	All	-0.3	-0.6	-0.7	-0.6	-0.8	-0.2	0.0	-0.1	0.2	-0.1
5	W	-0.7	-0.7	-0.7	-0.7	-0.7	-0.7	-0.7	-0.7	-0.7	-0.7
5	AN	-2.7	-3.2	-3.2	-3.2	-3.2	-0.7	-1.2	-1.2	-1.2	-1.2

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
5	BN	-1.3	-1.3	-1.3	-1.3	-1.3	-0.9	-0.9	-0.9	-0.9	-0.9
5	D	-1.8	-1.5	-1.8	-2.0	-2.2	-0.1	0.1	0.0	-0.3	-0.1
5	C	-0.6	3.9	3.0	3.2	8.0	-0.3	0.1	0.1	0.1	0.5
5	All	-1.3	-0.6	-0.8	-0.8	-0.1	-0.3	0.1	0.2	0.1	0.5
6	W	-5.4	-9.5	-10.0	-11.4	-9.6	0.2	0.1	0.1	0.2	0.2
6	AN	-4.4	-12.5	-3.9	-0.8	-1.7	-0.1	-0.1	-0.1	0.0	0.0
6	BN	-7.8	-4.5	3.1	6.7	9.0	-0.3	-0.1	0.0	0.2	0.3
6	D	11.0	21.1	26.3	28.7	35.6	0.3	0.5	0.6	0.7	0.9
6	C	7.8	12.4	15.1	14.0	15.3	0.4	0.6	0.6	0.6	0.8
6	All	0.1	1.5	5.4	6.4	9.0	0.2	0.3	0.4	0.4	0.6
7	W	-9.0	-10.3	-11.3	-5.4	36.9	0.0	0.1	0.1	0.2	0.8
7	AN	7.0	0.5	40.3	82.0	82.3	-0.2	1.4	1.5	2.0	2.8
7	BN	5.1	31.3	65.7	92.0	91.8	-0.1	0.6	1.5	2.0	3.0
7	D	46.2	65.1	78.3	82.9	83.1	0.0	0.4	0.8	1.2	2.5
7	C	14.8	12.7	12.9	21.1	22.6	1.5	1.7	1.5	1.6	2.7
7	All	12.0	19.5	33.6	47.9	60.9	0.4	0.6	0.8	1.1	1.9
8	W	9.1	8.6	-11.8	-0.5	32.0	0.0	0.3	0.5	0.4	1.2
8	AN	4.8	5.4	11.3	49.7	58.6	0.0	0.2	0.4	1.3	1.9
8	BN	10.4	26.6	47.2	70.6	78.9	-0.5	-0.1	0.6	1.1	2.4
8	D	33.5	44.7	51.0	56.8	67.9	-0.3	-0.1	0.0	-0.1	1.2
8	C	7.7	12.3	8.6	20.2	21.1	0.1	0.5	-0.2	0.8	2.8
8	All	14.1	20.2	19.5	35.3	50.4	-0.1	0.2	0.1	0.5	1.6
9	W	0.0	-0.1	-1.0	2.7	20.6	0.1	-0.2	-0.4	-0.9	0.5
9	AN	0.0	0.0	9.7	26.4	42.5	-0.1	-0.4	-1.4	0.1	0.4
9	BN	6.5	18.2	10.4	21.4	44.3	0.6	1.7	1.0	1.8	3.0
9	D	6.3	17.3	13.7	15.9	26.5	-0.2	-0.1	-0.1	0.4	0.2
9	C	12.0	0.2	12.7	23.1	45.6	-0.2	0.4	0.4	1.1	2.4
9	All	4.6	7.2	8.0	15.4	33.1	-0.3	-0.1	-0.2	0.4	1.2

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
10	W	0.0	0.1	0.1	0.8	5.6	0.0	0.0	0.0	1.4	1.1
10	AN	-3.8	-3.8	-3.8	-1.9	2.2	-1.3	-1.3	-1.3	-0.9	-0.4
10	BN	0.0	0.4	0.0	5.9	8.7	0.0	0.0	0.0	0.8	1.1
10	D	0.0	2.5	1.2	0.2	1.1	0.0	1.0	1.0	1.0	0.7
10	C	3.0	-0.9	-0.2	6.7	9.2	0.1	-0.2	0.3	1.0	1.1
10	All	0.0	0.0	-0.2	2.2	5.3	0.1	-0.4	0.0	0.3	0.1
11	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

^aF = degrees Fahrenheit

UF = unimpaired flow

^a Green cells indicate >5% lower values under the flow scenario relative to baseline; red cells indicate >5% higher values under the flow scenario relative to baseline.

^b Only includes months on which temperature exceeded index value; green cells indicate >0.5 °F lower values under the flow scenario relative to baseline; red cells indicate >0.5 °F higher values under the flow scenario relative to baseline.

Anadromous Fish

Table A6-275. Water Temperature Index Value Analysis Results, Water Temperature Targets for Anadromous Fish, Feather River Low Flow Channel above Thermalito Afterbay (for Robinson Riffle), 53–63 °F

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
1	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	AN	-1.3	-1.3	-1.3	-1.3	-1.3	-0.2	-0.2	-0.2	-0.2	-0.2
3	BN	0.4	-0.2	-0.4	-0.9	-1.1	-0.1	-0.1	0.0	0.0	0.1
3	D	-2.2	-2.6	-3.1	-2.9	-3.2	-0.2	-0.2	-0.3	-0.1	-0.2
3	C	-4.1	-5.8	-6.9	-9.0	-9.0	0.1	0.1	0.2	-0.6	-0.6
3	All	-1.2	-1.7	-2.0	-2.5	-2.6	0.0	0.0	0.0	-0.2	-0.2
4	W	-2.5	-2.4	-2.4	-2.5	-2.5	-0.3	-0.3	-0.3	-0.3	-0.3
4	AN	-8.6	-8.9	-8.9	-8.3	-8.9	-0.5	-0.5	-0.5	0.0	-0.5
4	BN	-12.2	-12.7	-13.3	-13.1	-12.9	-0.5	-0.6	-0.6	-0.6	-0.6
4	D	-15.2	-17.3	-17.9	-18.3	-18.7	-0.3	-0.3	-0.3	-0.4	0.4
4	C	-6.9	-6.0	-8.2	-8.9	-10.7	-0.3	-0.1	-0.1	-0.2	0.0
4	All	-8.6	-9.1	-9.7	-9.8	-10.2	-0.3	-0.2	-0.2	-0.2	-0.1

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
5	W	0.0	0.0	0.1	0.1	0.2	0.0	0.0	0.0	0.0	0.0
5	AN	0.0	0.3	0.0	0.3	0.3	0.0	0.0	0.0	0.0	0.0
5	BN	0.0	0.0	0.0	0.6	0.9	0.0	0.0	0.0	0.7	1.4
5	D	-0.6	-0.5	-0.5	-0.6	0.3	0.8	0.3	0.3	0.8	0.7
5	C	-0.6	1.5	0.0	-0.4	-0.6	-0.3	0.5	0.8	0.3	-0.3
5	All	-0.2	0.2	-0.1	0.0	0.2	0.3	0.4	0.5	0.3	0.6
6	W	1.9	0.6	0.5	1.2	2.0	-0.1	-0.2	0.0	-0.2	-0.2
6	AN	0.8	1.4	0.6	1.1	0.3	-0.2	-0.1	-0.1	-0.1	-0.1
6	BN	-0.8	0.0	0.2	0.2	0.0	0.1	-0.1	0.0	0.2	-0.1
6	D	0.5	-1.4	-0.6	-1.0	0.2	0.0	-0.1	0.0	0.0	0.3
6	C	-0.9	-0.4	-2.4	-2.2	-1.6	-0.2	-0.2	0.0	-0.1	0.1
6	All	0.5	0.0	-0.3	0.0	0.4	-0.1	-0.1	0.0	0.0	0.0
7	W	-0.6	-4.6	-3.8	-5.8	3.8	0.0	0.0	-0.1	-0.1	0.2
7	AN	7.3	2.2	7.8	11.8	14.5	0.1	0.1	0.1	0.5	0.3
7	BN	-1.1	5.9	9.5	10.4	13.7	0.0	0.0	0.3	0.5	0.5
7	D	0.8	1.5	7.1	0.3	13.2	0.2	0.1	0.4	-0.1	0.6
7	C	6.2	15.1	8.4	3.7	11.4	0.0	0.2	0.3	0.5	1.2
7	All	1.7	2.7	4.5	2.4	10.3	0.0	0.1	0.2	0.3	0.6
8	W	-0.6	-3.8	-3.8	-5.1	6.3	0.0	0.1	0.1	-0.1	1.2
8	AN	0.0	-1.9	-1.9	9.7	18.0	0.0	0.1	-0.1	0.9	0.7
8	BN	1.9	1.7	10.2	19.7	29.8	-0.1	-0.2	1.3	0.9	1.1
8	D	2.3	13.5	15.7	19.0	16.6	0.2	0.4	0.9	0.6	0.7
8	C	-1.1	7.3	-2.8	1.1	23.9	-0.2	0.3	-0.4	0.0	2.1
8	All	0.5	3.2	3.6	7.8	17.3	0.0	0.2	0.5	0.6	1.3
9	W	0.2	0.2	2.6	4.3	22.4	0.0	-0.1	-0.1	-0.2	2.3
9	AN	0.0	6.9	16.1	19.4	41.9	0.2	0.1	1.4	3.8	3.3
9	BN	15.7	34.9	13.9	27.3	53.7	0.9	1.7	1.4	2.9	3.5
9	D	5.4	22.1	24.3	16.0	22.4	0.7	2.1	2.2	3.0	2.0

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
9	C	11.6	-3.8	13.3	17.6	36.9	-0.2	1.0	0.9	1.0	2.3
9	All	6.0	11.7	13.0	15.2	33.0	0.2	0.9	1.1	1.8	2.2
10	W	12.8	10.1	13.4	2.2	21.4	1.6	2.6	2.3	3.1	3.5
10	AN	-0.5	15.1	27.7	11.3	45.2	-3.3	-2.9	-2.4	-1.4	-1.4
10	BN	10.2	24.7	19.2	15.9	25.2	0.9	1.6	1.2	3.0	2.8
10	D	19.4	14.7	4.6	10.9	27.3	1.7	2.6	2.3	1.4	2.5
10	C	3.7	-9.2	3.9	1.3	12.9	0.6	0.5	0.5	1.8	1.3
10	All	10.6	11.3	12.8	7.7	25.1	0.3	0.7	0.5	1.5	1.5
11	W	2.7	3.2	3.0	1.0	7.6	0.8	1.1	0.8	1.9	1.4
11	AN	-5.3	-3.9	1.4	-0.8	6.4	-1.6	-1.2	-0.6	-0.3	-0.9
11	BN	2.4	6.1	3.9	5.1	8.8	0.6	0.6	0.6	0.8	0.6
11	D	7.0	-0.2	0.6	0.5	5.2	1.2	0.0	1.7	0.4	1.1
11	C	7.8	-0.4	2.0	6.2	10.7	0.4	0.2	0.1	0.7	1.0
11	All	3.4	1.5	2.3	2.2	7.6	0.0	-0.3	-0.2	0.2	0.1
12	W	0.0	0.0	0.0	0.0	-0.2	0.0	0.0	0.2	0.0	0.1
12	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	All	0.0	0.0	0.0	0.0	-0.1	0.0	0.0	0.2	0.0	0.1

°F = degrees Fahrenheit

UF = unimpaired flow

Water temperature targets from NMFS (2016).

^a Green cells indicate >5% lower values under the flow scenario relative to baseline; red cells indicate >5% higher values under the flow scenario relative to baseline.

^b Only includes months on which temperature exceeded index value; green cells indicate >0.5 °F lower values under the flow scenario relative to baseline; red cells indicate >0.5 °F higher values under the flow scenario relative to baseline.

Table A6-276. Water Temperature Index Value Analysis Results, Water Temperature Objectives for Anadromous Fish, Feather River at Gridley, 56–64 °F

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
1	W	0.0	0.0	0.0	-0.1	-0.1	0.0	0.0	0.0	0.0	0.0
1	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	BN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	All	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	W	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	AN	-0.3	-0.9	-1.2	-1.2	-1.2	0.1	-0.3	-0.3	-0.3	-0.3
2	BN	0.0	0.0	0.2	0.4	-0.2	0.0	0.0	0.5	0.3	0.0
2	D	-0.2	-0.2	-0.3	-0.3	-0.2	0.5	0.5	0.0	0.0	0.0
2	C	0.2	-0.9	-0.2	-0.5	-0.9	-0.4	-0.7	-0.5	-0.4	-0.2
2	All	0.0	-0.3	-0.2	-0.2	-0.4	0.0	-0.2	-0.1	-0.1	-0.1
3	W	-0.1	0.1	-1.0	-2.0	-2.9	0.0	-0.1	-0.1	-0.4	-0.4
3	AN	-4.8	-6.7	-14.2	-18.5	-22.8	-0.5	-1.1	-1.3	-1.4	-1.8
3	BN	13.1	5.9	-0.2	-5.7	-14.0	0.5	0.2	-0.2	-0.5	-0.6
3	D	8.1	1.2	-5.8	-10.1	-16.4	0.1	-0.2	-0.4	-0.6	-0.7
3	C	27.1	28.2	26.5	16.1	-0.4	0.9	0.7	0.5	0.2	-0.1
3	All	7.9	5.1	0.8	-3.7	-10.2	0.4	0.1	-0.1	-0.3	-0.4
4	W	-2.0	-5.5	-6.9	-7.1	-7.1	-1.0	-1.3	-1.8	-1.8	-1.8
4	AN	-17.5	-24.2	-24.7	-25.0	-25.6	-0.6	-0.3	-1.2	-1.5	-1.5
4	BN	-9.4	-22.7	-29.2	-32.2	-32.2	-0.5	-0.8	-1.3	-1.6	-1.6
4	D	8.9	-9.8	-22.7	-28.9	-33.7	-0.2	-0.4	-0.7	-0.9	-1.0
4	C	12.0	4.9	-3.8	-19.6	-29.8	-0.1	-0.2	-0.5	-0.6	-1.0
4	All	-0.6	-10.4	-16.3	-20.9	-23.7	-0.2	-0.1	-0.3	-0.3	-0.5
5	W	-2.2	-2.3	-4.3	-4.4	-4.4	-0.2	-0.6	-0.3	-0.1	-0.1
5	AN	-10.8	-13.2	-15.3	-16.1	-16.1	-0.3	-0.7	-0.9	-1.2	-1.2

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
5	BN	-8.5	-11.4	-11.4	-11.4	-11.0	-0.8	-1.0	-1.0	-1.0	-0.5
5	D	-6.6	-7.1	-7.8	-6.6	-4.6	-0.1	0.0	0.0	-0.2	-0.3
5	C	-4.9	5.2	3.2	5.2	3.7	-0.2	0.1	0.0	0.1	0.6
5	All	-5.9	-5.2	-6.6	-6.1	-5.9	-0.2	0.1	0.1	0.1	0.4
6	W	-1.9	-5.1	-6.3	-9.0	-8.5	-0.2	-0.4	-0.3	-0.4	-0.3
6	AN	-6.7	-18.3	-10.3	-8.9	-12.8	-0.1	-0.1	0.0	0.1	0.2
6	BN	-13.1	-11.2	-8.4	-2.9	-0.4	-0.2	0.0	0.3	0.4	0.5
6	D	9.4	15.7	16.0	17.0	19.2	0.3	0.7	0.9	1.1	1.4
6	C	2.4	4.9	9.1	6.7	8.4	0.5	0.8	0.8	0.8	0.9
6	All	-1.3	-1.6	0.3	0.5	1.4	0.1	0.3	0.4	0.5	0.7
7	W	-1.6	-6.6	-12.3	0.2	8.2	-0.2	-0.2	-0.1	-0.1	1.6
7	AN	-1.6	2.2	14.5	22.8	22.8	0.1	0.3	1.7	3.5	4.3
7	BN	2.1	26.4	34.7	43.8	43.8	0.1	1.0	2.6	3.7	4.7
7	D	21.7	30.9	35.6	36.4	36.4	1.4	2.0	2.7	3.2	4.5
7	C	9.0	14.0	14.0	14.0	14.0	1.7	1.5	1.3	1.9	3.0
7	All	6.0	12.3	14.8	21.5	23.9	0.6	0.8	1.4	2.0	3.3
8	W	3.3	0.6	-10.8	-2.4	4.8	0.2	0.5	0.1	0.3	1.9
8	AN	-2.7	3.8	8.1	18.5	19.4	0.2	0.2	0.5	2.2	3.0
8	BN	6.3	16.5	26.9	31.9	32.6	0.1	0.6	1.4	2.5	4.0
8	D	30.9	35.8	39.0	39.5	39.6	0.5	0.9	1.0	1.2	2.7
8	C	14.2	16.3	17.2	17.2	17.2	-0.1	0.3	-0.4	0.9	2.9
8	All	11.1	14.4	14.3	19.2	21.6	0.2	0.5	0.5	1.2	2.7
9	W	2.6	12.6	18.3	45.4	76.7	-0.1	-0.7	-0.4	-0.5	0.9
9	AN	0.8	14.7	52.5	74.4	91.4	0.0	-1.5	-0.7	0.5	1.6
9	BN	37.6	51.0	54.3	50.0	62.9	1.0	1.5	0.8	1.6	3.5
9	D	14.3	23.5	14.0	14.1	30.6	0.6	1.2	1.0	1.0	1.8
9	C	3.3	4.7	7.3	6.2	8.2	0.3	-0.2	0.7	1.5	3.7
9	All	11.5	21.1	26.6	36.6	54.6	0.3	0.3	0.3	0.7	2.0

Month	Water Year Type	Difference in Percent of Days above Index Value ^a					Difference in Mean Degrees per Day above Index Value (°F) ^b				
		35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline	35UF vs. Baseline	45UF vs. Baseline	55UF vs. Baseline	65UF vs. Baseline	75UF vs. Baseline
10	W	11.2	11.4	13.1	9.0	30.6	0.7	1.2	0.8	0.8	2.0
10	AN	0.3	16.4	18.0	14.8	44.9	-2.0	-1.4	-1.4	-0.9	-0.6
10	BN	7.6	24.3	23.3	32.6	37.4	0.3	1.2	1.2	2.2	2.4
10	D	15.7	13.8	7.5	10.8	33.6	0.2	1.3	0.2	-0.3	0.3
10	C	2.6	-2.4	8.2	6.2	21.3	1.0	0.1	0.7	1.8	1.5
10	All	8.7	12.7	13.6	14.0	32.9	0.1	0.3	0.2	0.7	0.9
11	W	9.6	9.6	11.4	6.5	18.1	1.0	1.0	1.2	0.7	1.8
11	AN	0.8	5.8	13.1	12.2	31.9	-0.8	-0.4	-0.2	-0.6	-0.2
11	BN	5.7	15.3	12.9	14.1	22.5	0.3	0.5	0.7	0.7	0.7
11	D	8.9	-0.6	0.5	8.3	13.7	0.5	-0.4	-0.2	0.0	0.8
11	C	8.4	3.6	6.2	12.7	22.2	0.4	0.6	0.7	1.3	1.6
11	All	7.4	6.9	8.6	10.0	20.4	0.3	0.3	0.5	0.4	0.9
12	W	-1.7	-1.3	-2.3	-1.4	-0.9	-0.1	-0.2	-0.2	-0.3	-0.3
12	AN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	BN	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0
12	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	C	0.0	0.0	0.2	0.2	1.3	0.0	0.0	0.0	0.0	0.7
12	All	-0.5	-0.4	-0.7	-0.3	-0.1	-0.1	-0.2	-0.2	-0.3	-0.2

^aF = degrees Fahrenheit

UF = unimpaired flow

Water temperature targets from NMFS (2016).

^a Green cells indicate >5% lower values under the flow scenario relative to baseline; red cells indicate >5% higher values under the flow scenario relative to baseline.

^b Only includes months on which temperature exceeded index value; green cells indicate >0.5 °F lower values under the flow scenario relative to baseline; red cells indicate >0.5 °F higher values under the flow scenario relative to baseline.

Table A6-277. Summary of Water Temperature Index Value Analysis for the Feather River, Showing the Percent of Month-Water Year Type Combinations with Unfavorable and Favorable Results

Species	Life Stage	Period	Location	Index Value (°F)		Percent of Month-Water Year Type Combinations with Unfavorable Result					Percent of Month-Water Year Type Combinations with Favorable Result				
				Mean	7DADM ^a	35UF	45UF	55UF	65UF	75UF	35UF	45UF	55UF	65UF	75UF
				Daily											
Winter-run Chinook Salmon	Non-Natal Rearing	Jul-Mar	LFC above Thermalito	-	64	0.0	4.4	6.7	13.3	20.0	0.0	0.0	0.0	0.0	0.0
			HFC at Gridley	-	64	8.9	15.6	15.6	20.0	22.2	0.0	0.0	0.0	0.0	0.0
Spring-run Chinook Salmon	Spawning, Egg	Sep-Feb	LFC below Fish Dam	-	55.4	23.3	26.7	23.3	26.7	46.7	3.3	3.3	0.0	0.0	0.0
			HFC below Thermalito	-	55.4	13.3	10.0	13.3	10.0	23.3	0.0	0.0	0.0	0.0	0.0
	Fry and Juvenile Rearing and Emigration	Nov-Jun	LFC below Fish Dam	-	61	2.5	0.0	0.0	2.5	2.5	2.5	0.0	0.0	0.0	0.0
			HFC below Thermalito	-	64	0.0	0.0	5.0	5.0	7.5	5.0	5.0	5.0	5.0	5.0
	Adult Immigration	Mar-Jun	LFC below Fish Dam	-	68	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
			HFC below Thermalito	-	68	0.0	0.0	0.0	0.0	10.0	0.0	0.0	0.0	0.0	0.0
Adult Holding	Apr-Sep	LFC below Fish Dam	-	61	10.0	10.0	20.0	23.3	36.7	3.3	0.0	0.0	0.0	0.0	
		HFC below Thermalito	-	61	6.7	6.7	10.0	6.7	16.7	3.3	10.0	20.0	23.3	26.7	
Fall-Run Chinook Salmon	Spawning, Egg	Oct-Feb	LFC below Fish Dam	-	55.4	20.0	20.0	12.0	16.0	36.0	4.0	4.0	0.0	0.0	0.0
			HFC below Thermalito	-	55.4	16.0	12.0	16.0	12.0	28.0	0.0	0.0	0.0	0.0	0.0
	Fry and Juvenile Rearing and Emigration	Nov-May	LFC below Fish Dam	-	61	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
			HFC below Thermalito	-	64	0.0	0.0	0.0	0.0	2.9	5.7	5.7	5.7	5.7	5.7
Adult Immigration	Aug-Dec	LFC below Fish Dam	-	68	0.0	0.0	4.0	0.0	12.0	0.0	0.0	0.0	0.0	0.0	

Species	Life Stage	Period	Location	Index Value (°F)		Percent of Month-Water Year Type Combinations with Unfavorable Result					Percent of Month-Water Year Type Combinations with Favorable Result				
				Mean	7DADM ^a	35UF	45UF	55UF	65UF	75UF	35UF	45UF	55UF	65UF	75UF
				Daily											
Steelhead	Adult Holding	Aug-Dec	HFC below Thermalito	-	68	0.0	4.0	4.0	16.0	32.0	0.0	0.0	0.0	0.0	0.0
			LFC below Fish Dam	-	61	12.0	24.0	32.0	28.0	52.0	4.0	4.0	0.0	0.0	0.0
			HFC below Thermalito	-	61	8.0	20.0	20.0	16.0	36.0	0.0	0.0	0.0	0.0	0.0
	Spawning, Egg Incubation, and Alevins	Dec-May	LFC below Fish Dam	53	-	0.0	0.0	0.0	0.0	0.0	10.0	10.0	16.7	13.3	23.3
			HFC below Thermalito	53	-	3.3	3.3	3.3	6.7	3.3	0.0	3.3	3.3	10.0	20.0
	Kelt Emigration	Feb-May	LFC below Fish Dam	--	68	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
				70	--	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
			HFC below Thermalito	--	68	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Juvenile Rearing	Year-round	LFC below Fish Dam	63	-	0.0	1.7	5.0	15.0	20.0	0.0	0.0	0.0	0.0	0.0
				--	69	0.0	0.0	0.0	0.0	1.7	0.0	0.0	0.0	0.0	0.0
			HFC below Thermalito	63	--	6.7	13.3	18.3	26.7	30.0	5.0	5.0	5.0	5.0	5.0
	Smoltification	Jan-Mar	LFC below Fish Dam	54	-	0.0	0.0	0.0	0.0	0.0	6.7	6.7	6.7	13.3	13.3
			HFC below Thermalito	54	-	6.7	6.7	6.7	6.7	0.0	0.0	6.7	6.7	6.7	13.3
	Smolt Emigration	Dec-Jun	LFC below Fish Dam	-	61	2.9	0.0	0.0	2.9	2.9	2.9	0.0	0.0	0.0	0.0
			HFC below Thermalito	-	64	0.0	0.0	5.7	5.7	8.6	5.7	5.7	5.7	5.7	5.7
	Adult Immigration	Aug-Mar	LFC below Fish Dam	-	68	0.0	0.0	2.5	0.0	7.5	0.0	0.0	0.0	0.0	0.0
				70	--	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
			HFC below Thermalito	--	68	0.0	2.5	2.5	10.0	20.0	0.0	0.0	0.0	0.0	0.0
	Adult Holding	Sep-Nov	LFC below Fish Dam	-	61	20.0	33.3	40.0	33.3	60.0	6.7	6.7	0.0	0.0	0.0

Species	Life Stage	Period	Location	Index Value (°F)		Percent of Month-Water Year Type Combinations with Unfavorable Result					Percent of Month-Water Year Type Combinations with Favorable Result						
				Mean Daily	7DADM ^a	35UF	45UF	55UF	65UF	75UF	35UF	45UF	55UF	65UF	75UF		
Green Sturgeon	Spawning and Embryo Incubation	Mar-Jul	HFC below Thermalito	-	61	13.3	33.3	33.3	26.7	60.0	0.0	0.0	0.0	0.0	0.0		
			LFC below Fish Dam	63	-	0.0	0.0	0.0	8.0	12.0	0.0	0.0	0.0	0.0	0.0		
			HFC below Thermalito	63	-	8.0	12.0	24.0	24.0	36.0	8.0	8.0	12.0	12.0	12.0		
	Non-Spawning Adult Presence (Immigration, Pre- and Post-Spawn Holding)	Aug-Nov	LFC below Fish Dam	63	-	4.0	8.0	16.0	16.0	16.0	8.0	20.0	20.0	20.0	24.0		
				66	-	0.0	0.0	5.0	0.0	15.0	0.0	0.0	0.0	0.0	0.0		
		Larval to Juvenile Rearing and Emigration	Year-round	LFC below Fish Dam	73	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
					66	-	0.0	5.0	5.0	30.0	45.0	0.0	0.0	0.0	0.0	0.0	
					73	-	0.0	0.0	0.0	0.0	10.0	0.0	0.0	0.0	0.0	0.0	
		Anadromous Fish	All	Year-round	LFC Above Thermalito	66	-	5.0	5.0	10.0	35.0	55.0	0.0	0.0	0.0	0.0	0.0
						73	-	0.0	0.0	0.0	0.0	15.0	0.0	0.0	0.0	0.0	0.0
HFC at Gridley	66				-	0.0	0.0	1.7	0.0	5.0	0.0	0.0	0.0	0.0	0.0	0.0	
	66				-	1.7	3.3	5.0	13.3	26.7	0.0	0.0	0.0	0.0	0.0		
HFC at Gridley	66	-	3.3	6.7	13.3	21.7	30.0	0.0	0.0	0.0	0.0	0.0	0.0				
	56-63	-	10.0	10.0	13.3	20.0	33.3	1.7	1.7	1.7	3.3	3.3					
HFC at Gridley	56-64	-	13.3	21.7	28.3	31.7	38.3	3.3	8.3	11.7	16.7	16.7					

Shading is provided only to attract attention to the larger deviations from baseline. Shading does not indicate any impact conclusions.

For unfavorable results, the following criteria are met: (1) frequency of exceedance above the water temperature index value under the flow scenario was >5% higher than the frequency of exceedance under the baseline; and (2) average daily exceedance above the water temperature index value under the flow scenario was >0.5°F higher than the exceedance under the baseline.

For favorable results, the following criteria are met: (1) frequency of exceedance above the water temperature index value under the flow scenario was >5% lower than the frequency of exceedance under the baseline; and (2) average daily exceedance above the water temperature index value under the flow scenario was >0.5°F lower than the exceedance under the baseline.

°F = degrees Fahrenheit

UF = unimpaired flow

^a 7DADM = Seven-day average daily maximum

Table A6-278. Summary of Water Temperature Index Value Analysis for the Feather River Using a Power Bypass Level of 1.5 MAF, Showing the Percent of Month-Water Year Type Combinations with Unfavorable and Favorable Results

Species	Life Stage	Period	Location	Index Value (°F)		Percent of Month-Water Year Type Combinations with Unfavorable Result					Percent of Month-Water Year Type Combinations with Favorable Result				
				Mean Daily	7DADM ^a	35UF	45UF	55UF	65UF	75UF	35UF	45UF	55UF	65UF	75UF
				Winter-run Chinook Salmon	Non-Natal Rearing	Jul-Mar	LFC above Thermalito	-	64	0.0	0.0	0.0	6.7	15.6	4.4
			HFC at Gridley	-	64	6.7	8.9	11.1	17.8	22.2	4.4	0.0	0.0	0.0	0.0
Spring-run Chinook Salmon	Spawning, Egg Incubation, and Alevins	Sep-Feb	LFC below Fish Dam	-	55.4	0.0	6.7	6.7	6.7	26.7	23.3	23.3	0.0	3.3	0.0
			HFC below Thermalito	-	55.4	0.0	0.0	6.7	6.7	13.3	6.7	6.7	0.0	0.0	0.0
	Fry and Juvenile Rearing and Emigration	Nov-Jun	LFC below Fish Dam	-	61	2.5	0.0	0.0	2.5	2.5	2.5	0.0	2.5	0.0	0.0
			HFC below Thermalito	-	64	0.0	0.0	2.5	5.0	7.5	5.0	5.0	5.0	5.0	5.0
	Adult Immigration	Mar-Jun	LFC below Fish Dam	-	68	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
			HFC below Thermalito	-	68	0.0	0.0	0.0	0.0	10.0	0.0	0.0	0.0	0.0	0.0
	Adult Holding	Apr-Sep	LFC below Fish Dam	-	61	3.3	0.0	6.7	13.3	30.0	10.0	6.7	10.0	0.0	0.0
			HFC below Thermalito	-	61	6.7	3.3	3.3	3.3	16.7	3.3	10.0	23.3	23.3	26.7
Fall-Run Chinook Salmon	Spawning, Egg Incubation, and Alevins	Oct-Feb	LFC below Fish Dam	-	55.4	0.0	0.0	0.0	0.0	16.0	28.0	28.0	0.0	4.0	0.0
			HFC below Thermalito	-	55.4	0.0	0.0	8.0	8.0	16.0	8.0	8.0	0.0	0.0	0.0
	Fry and Juvenile Rearing and Emigration	Nov-May	LFC below Fish Dam	-	61	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
			HFC below Thermalito	-	64	0.0	0.0	0.0	0.0	2.9	5.7	5.7	5.7	5.7	5.7
	Adult Immigration	Aug-Dec	LFC below Fish Dam	-	68	0.0	0.0	0.0	0.0	12.0	0.0	0.0	0.0	0.0	0.0

Species	Life Stage	Period	Location	Index Value (°F)		Percent of Month-Water Year Type Combinations with Unfavorable Result					Percent of Month-Water Year Type Combinations with Favorable Result				
				Mean Daily	7DADM ^a	35UF	45UF	55UF	65UF	75UF	35UF	45UF	55UF	65UF	75UF
			HFC below Thermalito	-	68	0.0	0.0	0.0	12.0	24.0	4.0	4.0	4.0	0.0	0.0
	Adult Holding	Aug-Dec	LFC below Fish Dam	-	61	0.0	0.0	16.0	16.0	44.0	16.0	16.0	12.0	0.0	0.0
			HFC below Thermalito	-	61	8.0	4.0	12.0	12.0	32.0	4.0	0.0	0.0	0.0	0.0
Steelhead	Spawning, Egg Incubation, and Alevins	Dec-May	LFC below Fish Dam	53	-	0.0	0.0	0.0	0.0	0.0	10.0	10.0	16.7	13.3	20.0
			HFC below Thermalito	53	-	3.3	3.3	3.3	3.3	0.0	0.0	3.3	3.3	10.0	23.3
	Kelt Emigration	Feb-May	LFC below Fish Dam	--	68	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
			HFC below Thermalito	70	--	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
			HFC below Thermalito	70	--	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Juvenile Rearing	Year-round	LFC below Fish Dam	63	--	0.0	0.0	0.0	3.3	15.0	3.3	1.7	3.3	0.0	0.0
			HFC below Thermalito	--	69	0.0	0.0	0.0	0.0	1.7	0.0	0.0	0.0	0.0	0.0
			HFC below Thermalito	63	--	5.0	11.7	11.7	23.3	28.3	6.7	5.0	8.3	6.7	5.0
			HFC below Thermalito	--	69	1.7	1.7	0.0	6.7	20.0	1.7	1.7	1.7	0.0	0.0
	Smoltification	Jan-Mar	LFC below Fish Dam	54	-	0.0	0.0	0.0	0.0	0.0	6.7	13.3	13.3	13.3	13.3
			HFC below Thermalito	54	-	6.7	6.7	6.7	6.7	0.0	0.0	6.7	6.7	6.7	13.3
	Smolt Emigration	Dec-Jun	LFC below Fish Dam	-	61	2.9	0.0	0.0	2.9	2.9	2.9	0.0	2.9	0.0	0.0
			HFC below Thermalito	-	64	0.0	0.0	2.9	5.7	8.6	5.7	5.7	5.7	5.7	5.7
	Adult Immigration	Aug-Mar	LFC below Fish Dam	-	68	0.0	0.0	0.0	0.0	7.5	0.0	0.0	0.0	0.0	0.0
			HFC below Thermalito	70	--	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
			HFC below Thermalito	--	68	0.0	0.0	0.0	7.5	15.0	2.5	2.5	2.5	0.0	0.0
			HFC below Thermalito	70	--	0.0	0.0	0.0	2.5	20.0	0.0	0.0	0.0	0.0	0.0
	Adult Holding	Sep-Nov	LFC below Fish Dam	-	61	0.0	0.0	26.7	26.7	53.3	20.0	20.0	13.3	0.0	0.0

Species	Life Stage	Period	Location	Index Value (°F)		Percent of Month-Water Year Type Combinations with Unfavorable Result					Percent of Month-Water Year Type Combinations with Favorable Result						
				Mean Daily	7DADM ^a	35UF	45UF	55UF	65UF	75UF	35UF	45UF	55UF	65UF	75UF		
Green Sturgeon	Spawning and Embryo Incubation	Mar-Jul	HFC below Thermalito	-	61	13.3	6.7	20.0	20.0	53.3	6.7	0.0	0.0	0.0	0.0		
			LFC below Fish Dam	63	-	0.0	0.0	0.0	0.0	4.0	0.0	0.0	0.0	0.0	0.0		
			HFC below Thermalito	63	-	8.0	12.0	16.0	24.0	32.0	8.0	8.0	12.0	12.0	12.0		
	Non-Spawning Adult Presence (Immigration, Pre- and Post-Spawn Holding)	Aug-Nov	LFC below Fish Dam	HFC at Gridley	63	-	4.0	8.0	12.0	16.0	16.0	8.0	20.0	20.0	20.0	24.0	
				LFC below Fish Dam	66	-	0.0	0.0	0.0	0.0	15.0	0.0	0.0	0.0	0.0	0.0	
				HFC below Thermalito	73	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
		Larval to Juvenile Rearing and Emigration	Year-round	LFC below Fish Dam	HFC below Thermalito	66	-	0.0	0.0	5.0	15.0	35.0	0.0	0.0	5.0	0.0	0.0
					HFC below Thermalito	73	-	0.0	0.0	0.0	0.0	10.0	0.0	0.0	0.0	0.0	0.0
					HFC at Gridley	66	-	0.0	5.0	5.0	25.0	60.0	5.0	5.0	5.0	0.0	0.0
					HFC below Thermalito	73	-	0.0	0.0	0.0	0.0	15.0	0.0	0.0	0.0	0.0	0.0
Anadromous Fish	All	Year-round	LFC Above Thermalito	56-63		0.0	1.7	6.7	6.7	28.3	8.3	6.7	5.0	3.3	3.3		
			HFC at Gridley	56-64		8.3	11.7	23.3	28.3	36.7	6.7	8.3	13.3	15.0	16.7		

Shading is provided only to attract attention to the larger deviations from baseline. Shading does not indicate any impact conclusions.

For unfavorable results, the following criteria are met: (1) frequency of exceedance above the water temperature index value under the flow scenario was >5% higher than the frequency of exceedance under the baseline; and (2) average daily exceedance above the water temperature index value under the flow scenario was >0.5°F higher than the exceedance under the baseline.

For favorable results, the following criteria are met: (1) frequency of exceedance above the water temperature index value under the flow scenario was >5% lower than the frequency of exceedance under the baseline; and (2) average daily exceedance above the water temperature index value under the flow scenario was >0.5°F lower than the exceedance under the baseline.

°F = degrees Fahrenheit; MAF = million acre-feet; UF = unimpaired flow

^a 7DADM = Seven-day average daily maximum

A6.5 References Cited

A6.5.1 Common References

^National Marine Fisheries Service (NMFS). 2009. *Biological Opinion and Conference Opinion on the Long-Term Operations of the Central Valley Project and State Water Project*. Endangered Species Act Section 7 Consultation. Southwest Region. June 4.

A6.5.2 Section References

Adams, B. L., W. S. Zaugg, and L. R. McLain. 1975. Inhibition of Salt Water Survival and Na-K-ATPase Elevation in Steelhead Trout (*Salmo gairdneri*) by Moderate Water Temperatures. *Transactions of the American Fisheries Society* 104(4):766–769.

American River Water Agencies (ARWA). 2017. Modified Flow Management Standard Proposed Water-Right Terms and Conditions. Available: https://www.waterforum.org/wp-content/uploads/2017/12/ARWA-502-Modified-Flow-Management-Standard-Proposed-Water-Right-Terms-and-Conditions_-November-2017-_00022797-3xE2E14_.pdf. Accessed: February 10, 2023.

Beakes, M. P., S. Sharron, R. Charish, J. W. Moore, W. H. Satterthwaite, E. Sturm, B. K. Wells, S. M. Sogard, and M. Mangel. 2014. Using Scale Characteristics and Water Temperature to Reconstruct Growth Rates of Juvenile Steelhead *Oncorhynchus mykiss*. *Journal of Fish Biology* 84:58–72.

California Department of Water Resources (DWR). 2016. Biological Assessment for the California WaterFix. Available: https://www.waterboards.ca.gov/waterrights/water_issues/programs/bay_delta/california_waterfix/exhibits/exhibit104/index.html. Accessed: January 3, 2023.

California Department of Water Resources (DWR). 2022. Feather River Hatchery and Robinson Riffle Temperatures during 2022. Available: <https://water.ca.gov/-/media/DWR-Website/Web-Pages/Programs/State-Water-Project/Operations-And-Maintenance/Files/Operations-Control-Office/Oroville-Operations/Hatchery-and-Robinson-Riffle-Daily-Average-Water-Temperature.pdf>. Last updated December 29, 2022. Accessed: January 4, 2023.

Edinger, J. E., D. K. Brady, and J. C. Geyer, 1974. Report No. 14. Heat Exchange and Transport in the Environment. Prepared for Electric Power Research Institute. Cooling Water Discharge Research Project (RP-49). November.

Erickson, D. L., J. A. North, J. E. Hightower, J. Weber, and L. Lauck. 2002. Movement and Habitat Use of Green Sturgeon *Acipenser medirostris* in the Rogue River, Oregon, USA. *Journal of Applied Ichthyology* 18:565–569.

Grabowski, S. J. 1973. Effects of Fluctuating and Constant Temperatures on Some Hematological Characteristics, Tissue Glycogen Levels, and Growth of Steelhead Trout (*Salmo gairdneri*). Ph.D. dissertation. University of Idaho. 77 pp.

Hoar, W. S. 1988. The Physiology of Smolting Salmonids. In W. S. Hoar and J. R. Randall (eds.), *Fish Physiology*, Volume XIB, 275–326. New York: Academic Press.

- Hokanson, K. E. F., C. F. Kleiner, and T. W. Thorsland. 1977. Effects on Constant Temperatures and Diel Temperature Fluctuations on Specific Growth and Mortality Rates and Yield of Juvenile Rainbow Trout, *Salmo gairdneri*. *Journal of the Fisheries Research Board of Canada* 34:639–648.
- Houston, J. J. 1988. Status of Green Sturgeon, *Acipenser medirostris*, in Canada. *Canadian Field-Naturalist* 102:286–290.
- McCullough, D. A., S. Spalding, D. Sturdevant, and M. Hicks. 2001. EPA Issue Paper 5: Summary of Technical Literature Examining the Physiological Effects of Temperature on Salmonids. EPA-910-D-01-005.
- Mayfield, R. and J. J. Cech, Jr. 2004. Temperature Effects on Green Sturgeon Bioenergetics. *Transactions of The American Fisheries Society* 133:961–970.
- Myrick, C. A and J. J. Cech, Jr. 2004. Temperature effects on Juvenile Anadromous Salmonids in California's Central Valley: What Don't We Know? *Review in Fish Biology and Fisheries* 14:113–123.
- National Marine Fisheries Service (NMFS). 2004. Biological Opinion on the Long-Term Central Valley Project and State Water Project Operations Criteria and Plan. Available: https://www.waterboards.ca.gov/waterrights/water_issues/programs/bay_delta/wq_control_plans/1995wqcp/exhibits/doi/doi-exh-10b.pdf. Accessed: August 16, 2023.
- National Marine Fisheries Service (NMFS). 2016. Endangered Species Act Section 7(a)(2) Biological Opinion, and Magnuson-Stevens Fishery Conservation and Management Act Essential Fish Habitat Response and Fish and Wildlife Coordination Act Recommendations for Relicensing the Oroville Facilities Hydroelectric Project, Butte County, California (FERC Project No. 2100-134). West Coast Region.
- National Marine Fisheries Service (NMFS). 2017. Endangered Species Act Section 7(a)(2) Biological Opinion, Magnuson-Stevens Fishery Conservation and Management Act Essential Fish Habitat Response, and Fish and Wildlife Coordination Act Recommendations for the California WaterFix Project in Central Valley, California. West Coast Region.
- National Marine Fisheries Service (NMFS). 2019. Biological Opinion on Long-Term Operation of the Central Valley Project and the State Water Project. West Coast Region.
- Placer County Water Agency (PCWA). 2017. Technical Memorandum 5. Folsom Reservoir CE-QUAL-W2 Temperature Model. Exhibit ARWA-903. November. Prepared by Cardno.
- Resource Management Associates (RMA). 1998. Users Manual. Simulation of Flood Control and Conservation Systems. Appendix on Water Quality Analysis. August. Prepared under USACE sponsorship. Available: https://www.waterboards.ca.gov/waterrights/water_issues/programs/bay_delta/california_waterfix/exhibits/docs/petitioners_exhibit/dwr/part2/DWR-1088%20RMA%201998%20HEC5Q%20Users%20Manual.pdf. Accessed: October 12, 2022.
- Resource Management Associates (RMA). 2003. Upper Sacramento River Water Quality Modeling with HEC-5Q: Model Calibration and Validation. Prepared for U.S. Bureau of Reclamation. Draft. Available: https://www.waterboards.ca.gov/waterrights/water_issues/programs/bay_delta/california_waterfix/exhibits/docs/petitioners_exhibit/dwr/part2/DWR-1084%20RMA%202003%20SRWQM.pdf. Accessed: October 24, 2019.
- Resource Management Associates (RMA) and Watercourse Engineering. 2013. Extension of the Sacramento River Water Quality Model (SRWQM) to Include American and Feather River

- Representations. A report for the U.S. Bureau of Reclamation. Prepared by D. Smith, M. Deas, and N. Jayasundara. September.
- Richter, A., and S. A. Kolmes. 2005. Maximum Temperature Limits for Chinook, Coho, and Chum Salmon, and Steelhead Trout in the Pacific Northwest. *Reviews in Fisheries Science* 13(1):23–49.
- Smith, D. 2017. HEC-5Q Water Temperature Model Training for Sacramento River and Trinity River Inputs. PowerPoint presentation from May 12, 2017, with additional slides added after the training session.
- Smith, D. 2022. Notes on HEC-5Q Water Temperature Modeling Input Procedures for the Feather, American, and Sacramento River Systems.
- Sullivan K., D. J. Martin, R. D. Cardwell, J. E. Toll, and S. Duke. 2000. An Analysis of the Effects of Temperature on Salmonids of the Pacific Northwest with Implications for Selecting Temperature Criteria. Sustainable Ecosystems Institute. Portland, OR. 147 pp.
- U.S. Army Corps of Engineers (USACE). 1986. HEC-5Q: System Water Quality Modeling. Hydrologic Engineering Center, Davis, CA. TP-111. January. Available: <https://www.hec.usace.army.mil/publications/TechnicalPapers/TP-111.pdf>. Accessed: October 12, 2022.
- U.S. Army Corps of Engineers (USACE). 1998. HEC-5 Simulation of Flood Control and Conservation Systems. User's Manual Version 8.0. Hydrologic Engineering Center, Davis, CA. October. Available: [https://www.hec.usace.army.mil/publications/ComputerProgramDocumentation/HEC-5_UsersManual_\(CPD-5\).pdf](https://www.hec.usace.army.mil/publications/ComputerProgramDocumentation/HEC-5_UsersManual_(CPD-5).pdf). Accessed: October 19, 2022.
- U.S. Bureau of Reclamation (Reclamation). 2015. Coordinated Long-Term Operation of the Central Valley Project and State Water Project. Final EIS. November; Appendix 6B, Section C. Surface Water Temperature Modeling – HEC-5Q Model Update. Available: https://www.usbr.gov/mp/nepa/nepa_project_details.php?Project_ID=21883. Accessed: October 18, 2022.
- U.S. Bureau of Reclamation (Reclamation). 2019. Reinitiation of Consultation on the Coordinated Long-Term Operation of the Central Valley Project and State Water Project. Final Biological Assessment. October; Appendix A, Facility Descriptions and Operations. Available: <https://www.usbr.gov/mp/bdo/lto/archive/biop.html>. Accessed: August 16, 2023.
- U.S. Environmental Protection Agency (USEPA). 2003. *EPA Region 10 Guidance for Pacific Northwest State and Tribal Temperature Water Quality Standards*. EPA 910-B-03-002. Region 10 Office of Water, Seattle, WA. 49 pp.
- Van Eenennaam, J. P., J. Linares-Casenave, X. Deng, and S. I. Doroshov. 2005. Effect of Incubation Temperature on Green Sturgeon Embryos, *Acipenser medirostris*. *Environmental Biology of Fishes* 72(2):145–154.
- Wurtsbaugh, W. A. and G. E. Davis. 1977. Effects of Temperature and Ration Level on the Growth and Food Conversion Efficiency of Rainbow Trout, *Salmo gairdneri*, Richardson. *Journal of Fish Biology* 11:99–104.
- Zaugg, W. S. 1981. Advanced Photoperiod and Water Temperature Effects on Gill Na⁺-K⁺ Adenosine Triphosphatase Activity and Migration of Juvenile Steelhead (*Salmo gairdneri*). *Can. J. Fisheries and Aquatic Science* 38:758–764.

Zaugg, W. S. and H. H. Wagner. 1973. Gill ATPase Activity Related to Parr-Smolt Transformation and Migration in Steelhead Trout (*Salmo gairdneri*): Influence of Photo-Period and Temperature. *Comparative Biochemistry and Physiology Part B: Comparative Biochemistry* 45:955-965.

Attachment A6a

Linkage between SacWAM and HEC-5Q

Attachment A6a

Linkage between SacWAM and HEC-5Q

Table A6a1-1. SacWAM Inputs to the Sacramento River HEC-5Q Water Temperature Model

Description	HEC-5Q Record Type; A, B, and C Parts of the DSS Path Name and Controls ^a	SacWAM Link Identification: Added to the DSS Record	SacWAM Link Identification: Subtracted from the DSS Record
Trinity Lake daily storage	ZR SS340 A=Trinity B=TRINITY C=Stor-Res-fit ^b	+trinity_reservoir_storage	
Whiskeytown Lake daily storage	ZR SS240 A=Clear CR B=WHISKEYTOWN C=Stor-Res-fit	+Whiskeytown_Reservoir_Storage	
Shasta Lake daily storage	ZR SS220 A=Sacramento B=Shasta C=Stor-Res-fit	+Shasta_Lake_Storage	
Trinity Dam outflow	ZR QA340 A=Trinity B=TRINITY C=flow-out	+Trinity_Reservoir	
Whiskeytown Dam outflow	ZR QA240 A=Clear CR B=WHISKEYTOWN C=flow-out	+Whiskeytown_Reservoir QMIN 1 ^c	
Shasta Dam outflow	ZR QA220 A=Sacramento B=SHASTA C=flow-out	+Shasta_Lake	
Trinity Lake inflow patterned after historical record	ZR IN340 A=Trinity B=TRINITY C=flow-in-pat	+I_TRNTY_Inflow	
Trinity Lake daily inflow based on historical record ^d	A=Trinity B=Trinity C=flow-in E=1DAY F=Historical_based		
Lewiston Reservoir inflow	ZR IN330 A=Trinity B=LEWISTON C=flow-in	+I_LWSTN_Inflow	-Trinity_Reservoir
Clear Creek above Whiskeytown (excluding Clear Creek Tunnel)	ZR IN240 A=Clear Cr B=WHISKEYTOWN C=flow-in-pat	+Clear_Creek_above_Clear_Creek_Tunnel_Inf	
Trinity Lake inflow patterned after historical record	A=Trinity B=Trinity C=flow-in E=1DAY F=Historical_based		
Shasta Lake inflow patterned after historical record	ZR IN220 A=Sacramento B=SHASTA C=flow-in-pat	+I_SHSTA_Inflow	

Description	HEC-5Q Record Type; A, B, and C Parts of the DSS Path Name and Controls ^a	SacWAM Link Identification: Added to the DSS Record	SacWAM Link Identification: Subtracted from the DSS Record
Shasta Lake daily inflow based on historical record ^d	A=Sacramento B=Shasta C=flow-in E=1DAY F=Historical_based		
SacWAM runoff allocated above Keswick Lake	ZR IN210 A=Sacramento B=RunoffAbvKeswick C=flow-in	+runoff_infiltration_from_a_02_na_to_sacramento_river	
South Fork Clear Creek inflow at Igo - mile 9.4	ZR IN180 A=Sacramento B=Clear Creek C=FLOW-IN >0	+clear_creek_inflow_to_sacramento_river	-Whiskeytown_Reservoir
Sacramento inflows - Churn and Cow Creeks (miles 284.5 & 280.1)	ZR IN178 A=Sacramento B=Cow Cr C=flow-in >0	+cow_creek_inflow_to_sacramento_rm_277	-clear_creek_inflow_to_sacramento_river -keswick_reservoir
Sacramento inflows - Bear and Anderson Creeks (miles 277.3 & 273.5)	ZR IN174 A=Sacramento B=Cottonwood Cr C=flow-in >0	+Cottonwood_Creek_Inflow_to_Sacramento_RM_271	-cow_creek_inflow_to_sacramento_rm_277
Sacramento inflows - Battle Creek (mile 271.3)	ZR IN172 A=Sacramento B=Battle Cr C=flow-in >0	+battle_creek_inflow_to_sacramento_rm_269	-Cottonwood_Creek_Inflow_to_Sacramento_RM_271
Sacramento inflows - Inks Creek (mile 260.5)	ZR IN170 A=Sacramento B=Bend Bridge C=flow-In >0	+swrcb_sac_abv_bend_bridge	-battle_creek_inflow_to_sacramento_rm_269
Sacramento inflows - Paynes Creek (mile 253.3)	ZR IN160 A=Sacramento B=Red Bluff C=flow-in >0	+Sacramento_River_70	-swrcb_sac_abv_bend_bridge
Sacramento inflows - Antelope, Elder, Mill, Thomes, Deer, and Jewett Creeks, (miles 234.3, 230.4, 230.2, 226.0, 219.6, & 218.3)	ZR IN150 A=Sacramento B=below Red Bluff C=flow-in >0	+deer_creek_inflow_to_sacramento_rm_218	-tehama_colusa_outflow_from_sacramento_rm_240
Sacramento River accretions (miles 214–206)	ZR IN140 A=Sacramento B=Glenn Colusa C=flow-in >0	+glenn_colusa_canal_outflow_from_sacramento_rm_207	-deer_creek_inflow_to_sacramento_rm_218
Sacramento inflows – Pine, Big Chico, and Stoney Creek (miles 196, 191.5, & 190.5)	ZR IN1132 A=Sacramento B=Stony Creek C=FLOW-in >0	+swrcb_sac_at_ord_ferry	-glenn_colusa_canal_outflow_from_sacramento_rm_207
Sacramento River accretions (miles 184–169)	ZR IN130 A=Sacramento B=Butte City C=flow-in >0	+swrcb_sac_at_butte_city	-swrcb_sac_at_ord_ferry

Description	HEC-5Q Record Type; A, B, and C Parts of the DSS Path Name and Controls ^a	SacWAM Link Identification: Added to the DSS Record	SacWAM Link Identification: Subtracted from the DSS Record
Sacramento River accretions (miles 159–146)	ZR IN120 A=Sacramento B=Colusa weir C=flow-in >0	+Colusa_weir	-sacramento_river_rm_159
Sacramento River accretions (miles 146–121)	ZR IN118 A=Sacramento B=abv Tisdale weir C=flow-in >0	+Tisdale_weir	-colusa_weir
Sacramento River accretions (miles 119–86)	ZR IN114 A=Sacramento B=Knights Landing C=flow-in >0	+swrcb_sac_at_knights_landing	-Tisdale_weir
Trinity Lake evaporation	ZR QD340 A=Trinity B=TRINITY C=flow-div	+Trinity_Reservoir_Evap	
Trinity Lake evaporation (ZR EV340 control requirement)	ZR EV340 A=Trinity B=TRINITY C=flow-evap	+Trinity_Reservoir_Evap	
Trinity system, Clear Creek Tunnel withdrawal	ZR QD320 A=Trinity B=LEWISTON C=flow-div	+Clear_Creek_Tunnel_0 ADD QMIN ^c	
Total Whiskeytown Lake withdrawal including evaporation ^e	ZR QD240 A=Clear CR B=WHISKEYTOWN1 C=flow-div	+spring_creek_conduit_0 +Transmission_Link_from_Clear_Creek_WTP_to_A_02_PA +Transmission_Link_from_Clear_Creek_WTP_to_U_02_PU +Transmission_Link_from_Whiskeytown_Reservoir_to_U_02_PU +Transmission_Link_from_Whiskeytown_Reservoir_to_U_03_PU +Whiskeytown_Reservoir_Evap	
Component of Whiskeytown withdrawal not delivered to Keswick Lake	ZR QD212 A=Clear CR B=Spring CR PH C=flow-div	+Transmission_Link_from_Clear_Creek_WTP_to_A_02_PA +Transmission_Link_from_Clear_Creek_WTP_to_U_02_PU +Transmission_Link_from_Whiskeytown_Reservoir_to_U_02_PU +Transmission_Link_from_Whiskeytown_Reservoir_to_U_03_PU +Whiskeytown_Reservoir_Evap	

Description	HEC-5Q Record Type; A, B, and C Parts of the DSS Path Name and Controls ^a	SacWAM Link Identification: Added to the DSS Record	SacWAM Link Identification: Subtracted from the DSS Record
Whiskeytown Lake evaporation	ZR EV240 A=Clear CR B=WHISKEYTOWN C=flow-evap	+Whiskeytown_Reservoir_Evap	
Shasta Lake diversion including evaporation	ZR QD220 A=Sacramento B=Shasta C=flow-div	+Transmission_Link_from_Shasta_Lake_to_U_03_PU +Shasta_Lake_Evap	
Shasta Lake evaporation	ZR EV220 A=Sacramento B=Shasta C=flow-evap	+Shasta_Lake_Evap	
Keswick Lake evaporation	ZR QD200 A=Sacramento B=Keswick C=flow-div	+Keswick_Reservoir_Evap	
Sacramento ACID diversion (mile 298.5)	ZR QD180 A=Sacramento B=Clear Creek C=FLOW-Div >0	+Whiskeytown_Reservoir +keswick_reservoir	- clear_creek_inflow_to_sacramento_river
Sacramento River depletions (miles 289–280)	ZR QD178 A=Sacramento B=Cow Cr C=flow-div >0	+clear_creek_inflow_to_sacramento_river	- cow_creek_inflow_to_sacramento_rm_277
Sacramento River depletions (miles 280–273)	ZR QD174 A=Sacramento B=Cottonwood Cr C=flow-div >0	+cow_creek_inflow_to_sacramento_rm_277	- Cottonwood_Creek_Inflow_to_Sacramento_RM_271
Sacramento River depletions (miles 271–260)	ZR QD170 A=Sacramento B=Bend Bridge C=flow-div >0	+battle_creek_inflow_to_sacramento_rm_269	-swrcb_sac_abv_bend_bridge
Sacramento River depletions (miles 260–243)	ZR QD160 A=Sacramento B=Red Bluff C=flow-div >0	+swrcb_sac_abv_bend_bridge	-Sacramento_River_70
Sacramento River Diversion - Tehama Colusa Canal (mile 242.5)	ZR QD158 A=Sacramento B=Tehama Colusa Canal C=flow-div >0	+tehama_colusa_canal_0	
Sacramento River depletions plus Glen Colusa Canal withdrawal (mile 206.3)	ZR QD140 A=Sacramento B=Glenn Colusa C=flow-div >0	+deer_creek_inflow_to_sacramento_rm_218	- glenn_colusa_canal_outflow_from_sacramento_rm_207
Sacramento River depletions including Ord Ferry spills (mile 188.5)	ZR QD132 A=Sacramento B=Ord Ferry C=FLOW-div >0	-swrcb_sac_at_ord_ferry	+glenn_colusa_canal_outflow_from_sacramento_rm_207
Sacramento River depletions (mile 184 - 169)	ZR QD130 A=Sacramento B=Butte City C=flow-div >0	+swrcb_sac_at_ord_ferry	-swrcb_sac_at_butte_city

Description	HEC-5Q Record Type; A, B, and C Parts of the DSS Path Name and Controls ^a	SacWAM Link Identification: Added to the DSS Record	SacWAM Link Identification: Subtracted from the DSS Record
Sacramento River depletions including Moulton Weir spills (mile 159.5)	ZR QD126 A=Sacramento B=Moulton weir C=flow-div >0	+swrcb_sac_at_butte_city	-sacramento_river_rm_159
Sacramento River depletions including Colusa Weir spills (mile 146.5)	ZR QD120 A=Sacramento B=Colusa weir C=flow-Div >0	+sacramento_river_rm_159	-colusa_weir
Sacramento River depletions including Tisdale Weir spills (mile 119.5)	ZR QD116 A=Sacramento B=Tisdale weir C=flow-div >0	+Colusa_weir	-Tisdale_weir
Sacramento River depletions (miles 119–86)	ZR QD114 A=Sacramento B=Knights Landing C=flow-div >0	+Tisdale_weir	-swrcb_sac_at_knights_landing

ACID = Anderson-Cottonwood Irrigation District

DSS = U.S. Army Corps of Engineers’ Hydrologic Engineering Center Data Storage System

Smaller reservoirs have constant specified starting storage values that are not listed in this table.

“>0” restricts input to positive values.

^a Record types: "ZR" followed by the control point number a record ID recognized by HEC5Q; "SS" Reservoir starting storage in ACFT; "QA" flow ; "IN" inflow; "QD" diversion; "EV" evaporation in cubic feet per second.

^b The complete path name would be “A=Trinity B=TRINITY C=Stor-Res-fit D=1DAY F=user specified (e.g., “F=S.base”). “Stor-Res-fit” specifies a cubic spline curve fit of the end-of-month storage volume – allows for storage set automatically on any initial starting date.

^c QMIN 1” species a minimum flow rate of 1 cubic foot per second. Any flow imbalance is corrected by “ADD QMIN.”

^d Path name containing inflows based on historical data for scaling the monthly inflows to daily inflows (required following "C=flow-in-pat").

^e HEC5 restricts reservoir diversions to a single value. Therefore, all diversions are allocated to the Spring Creek Tunnel (ZR QD240). Since the diversion links and evaporation cannot flow to Keswick Lake, "QD 212" removes that flow component at the Spring Creek Power Plant.

Table A6a1-2. SacWAM Inputs to the Feather-American River HEC-5Q Water Temperature Model

Description	HEC-5Q Record Type; A, B, and C Parts of the DSS Path Name and Controls ^a	SacWAM Link Identification: Added to the DSS Record	SacWAM Link Identification: Subtracted from the DSS Record
Lake Oroville - reservoir storage	ZR SS490 A=Feather B=Oroville C=Stor-Res-fit ^b	+oroville_reservoir_storage	
Folsom Lake - reservoir storage	ZR SS590 A=AMERICAN B=FOLSOM C=STOR-RES-fit	+folsom_lake_storage	
Lake Oroville - reservoir inflow	ZR IN490 A=Feather B=Oroville c=flow-in-pat	+swrcb_oroville_inflow	
Lake Oroville - daily inflow based on flow records (for scaling monthly inflow) ^c	A=Feather B=Oroville C=flow-in E=1DAY F=Historical_based		
Oroville Dam - reservoir outflow	ZR QA490 A=Feather B=Oroville C=flow-out	+oroville_reservoir	
Lake Oroville - reservoir diversion including evaporation	ZR QD490 A=Feather B=Oroville c=flow-div	+oroville_reservoir_evap +palermo_canal_0	
Lake Oroville - evaporation	ZR EV490 A=Feather B=Oroville c=flow-evap	+oroville_reservoir_evap	
Kelly Ridge power inflow below Oroville Dam	ZR IN482 A=Feather B=Kelly Ridge C=flow-in	+ops_kelly_ridge_powerhouse	
Diversion Dam diversion to the Thermalito Forebay	ZR QD480 A=Feather B=Diversion Dam C=flow-div	+power_canal_0	
Thermalito Afterbay net diversion including evaporation	ZR QD450 A=Feather B=Thermalito C=flow-div	+power_canal_0	-thermalito_afterbay
Thermalito Afterbay evaporation	ZR EV450 A=Feather B=Thermalito C=flow-evap	+Thermalito_afterbay_evap	
Feather River - depletion between Yuba City and Wheatland (miles 29.4–12.4)	ZR QD415 A=Feather B=Weatland C=flow-div >0	+yuba_river_inflow_to_feather_rm_028	- bear_river_inflow_to_feather_rm_012
Feather River - depletion between Wheatland and Nicolaus (miles 12.4 –8.8)	ZR QD410 A=Feather B=Nicolaus C=flow-div >0	+bear_river_inflow_to_feather_rm_012	-swrcb_feather_river
Feather River low flow channel - net accretions (miles 66.7–59.7)	ZR IN442 A=Feather B=blw Diversion Dam C=flow-net	+power_canal_0 +power_canal_inflow	-oroville_reservoir -ops_kelly_ridge_powerhouse

Description	HEC-5Q Record Type; A, B, and C Parts of the DSS Path Name and Controls ^a	SacWAM Link Identification: Added to the DSS Record	SacWAM Link Identification: Subtracted from the DSS Record
Feather River at Live Oak, mile 44.8 (3.7 miles below Honcut Creek)	ZR IN425 A=Feather B=Live Oak C=flow-IN >0	+honcut_creek_inflow	-thermalito_afterbay -power_canal_inflow
Feather River at Yuba City, mile 29.4 (1.9 miles below the Yuba River)	ZR IN420 A=Feather B=Yuba City C=flow-in >0	+yuba_river_inflow_to_feather_rm_028	-honcut_creek_inflow
Feather River at Wheatland, mile 12.4 (1.4 miles below the Bear River)	ZR IN415 A=Feather B=Weatland C=flow-in >0	+bear_river_inflow_to_feather_rm_012	- yuba_river_inflow_to_feather_rm_028
Feather River at Nicolaus - net accretions (miles 12.1–8.8)	ZR IN410 A=Feather B=Nicolaus C=flow-in >0	+swrcb_feather_river	- bear_river_inflow_to_feather_rm_012
Sacramento River below Knights Landing (mile 81)	ZR IN106 A=Sacramento B=Knights Landing C=flow-IN	+swrcb_sac_at_knights_landing	
Sacramento River at Verona - balancing inflow (mile 78.5)	ZR IN98 A=Sacramento B=Verona C=flow-in	+swrcb_sac_at_verona	-swrcb_feather_river -swrcb_sac_at_knights_landing
Folsom Lake inflow	ZR IN590 A=AMERICAN B=FOLSOM C=FLOW-IN	+swrcb_folsom_inflow	
Folsom Dam release	ZR QA590 A=AMERICAN B=FOLSOM C=FLOW-OUT	+folsom_lake	
Folsom Lake diversion including evaporation	ZR QD590 A=AMERICAN B=FOLSOM C=FLOW-DIV	+folsom_lake_evap +folsom_reservoir_diversions	
Folsom Lake evaporation	ZR EV590 A=AMERICAN B=FOLSOM C=FLOW-EVAP	+folsom_lake_evap	
Lake Natoma diversion including evaporation	ZR QD582 A=AMERICAN B=abv NATOMA C=FLOW-div	+folsom_lake	-lake_natoma -lake_natoma_evap
Lake Natoma evaporation	ZR QD580 A=AMERICAN B=NATOMA C=FLOW-DIV	+lake_natoma_evap	
American River - net diversion (Sacramento City diversion, mile 7)	ZR QD570 A=AMERICAN B=FAIRBAIRN C=FLOW-DIV >0	+lake_natoma	-swrcb_american_river

Description	HEC-5Q Record Type; A, B, and C Parts of the DSS Path Name and Controls ^a	SacWAM Link Identification: Added to the DSS Record	SacWAM Link Identification: Subtracted from the DSS Record
American River accretions below Lake Natoma	ZR IN560 A=AMERICAN B=Discovery Park C=FLOW-in >0	+swrcb_american_river	-lake_natoma

DSS = U.S. Army Corps of Engineers’ Hydrologic Engineering Center Data Storage System
 Smaller reservoirs have constant specified starting storage values that are not listed in this table.
 “>0” restricts input to positive values.

^a Record types: "ZR" followed by the control point number a record ID recognized by HEC5Q; "SS" Reservoir starting storage in ACFT; "QA" flow ;"IN" inflow; "QD" diversion; "EV" evaporation in cubic feet per second.

^b The complete path name would be "A=Feather B=Oroville C=Stor-Res-fit D=1DAY F=user specified (e.g., "F=F.base"). "Stor-Res-fit" specifies a cubic spline curve fit of the end-of-month storage volume – allows for storage set automatically on any initial starting date.

^c Path name containing inflows based on historical data for scaling the monthly inflows to daily inflows (required following “C=flow-in-pat”).

A61.1 PowerPoint Slides Describing SacWAM to HEC-5Q Tool

SacWAM to HEC5Q Util

S2022-06-29-base.run

```

S2022-06-29-base.run
1 HEC_inputs_2022-06-29-15h33m57s.date.prn
2 2022-06-29-base.csv
3 SACWAM_DSS_JULY2022.DSS
4 SAC_MetaData_etc.DSS
5 F=S.base
6 SAC.control.dat
    
```

Line 1 HEC_inputs_2022 -06-29-15h33m57s.date.prn

1	date	Line 1 of *.csv file	battle_creek_inflow_to_sacramento_rm_269	black_butte_reservoir	black_butte_reservoir_evap
---	------	----------------------	--	-----------------------	----------------------------

```

HEC_inputs_2022-06-29-15h33m57s.date.prn
1 model_revision
2 scenario
3 date
4 american_river_l4
5 battle_creek_inflow_to_sacramento_rm_269
6 bear_river_inflow_to_feather_rm_012
7 black_butte_reservoir 133 lines including "END"
    
```

SacWAM to HEC5Q Utility Inputs (1 - continued)

Line 2 SacWAM model output. Note that the file cannot be an *.xlsx file since the model output is read by the utility as a comma separated text file.

Line 3 Input DSS output file containing records required by HEC5Q that are extracted from SacWAM output

Line 4 Input meteorology and other data that are required by HEC5Q as well as flow patterns required by the patterning option. These data are copied to SACWAM_DSS_JULY2022.DSS.

Line 5 Output DSS F part that references the SacWAM model. Identifying each scenario allows multiple scenarios in a single DSS file

Line 6 Input file that controls how the SacWAM output is processed to create the individual records required by HEC5Q

To run the SacWAM utility, double click on "SacWAM_HEC5Q.exe" and enter the run file name.

“S ” fi

```

76 ER QD320 A=Trinity B=LEWISTON C=flow-div
77 +Lewiston_Lake_Evap
78 +Clear_Creek_Tunnel_0
79 ER EV320 A=Trinity B=LEWISTON C=flow-ewap
80 +Lewiston_Lake_Evap
81
82 ER QD240 A=Clear_CR B=WHISKEYTOWN C=flow-div
83 +Whiskeytown_Reservoir_Evap
84 +spring_creek_conduit_0
85 +Transmission_Link_from_Clear_Creek_WTP_to_A_02_PA
86 +Transmission_Link_from_Clear_Creek_WTP_to_U_02_PD
87 +Transmission_Link_from_Whiskeytown_Reservoir_to_U_02_PD
88 +Transmission_Link_from_Whiskeytown_Reservoir_to_U_03_PD
89

```

1. ZR QD320 record....
2. ZR EV320 record....
3. ZR QD240 record....

... a "F " or "- " t
"S " T

```

.....Shasta
ZR SS220 A=Sacramento B=Shasta...C=Stor-Res-fit
+Shasta_Lake_Storage

ZR IN220 A=Sacramento B=SHASTA...C=flow-in...pat
A=Sacramento B=SHASTA C=flow-in E=1DAY F=HISTORICAL_BASED
+I_SHSTA_Inflow

ZR QA220 A=Sacramento B=SHASTA...C=flow-out
+Shasta_Lake

```

... b "> " i

```

ZR IN178 A=Sacramento B=Cow Cr C=flow-in >0
-clear_creek_inflow_to_sacramento_river
+cow_creek_inflow_to_sacramento_rm_277

ZR QD178 A=Sacramento B=Cow Cr C=flow-div >0
+clear_creek_inflow_to_sacramento_river
-cow_creek_inflow_to_sacramento_rm_277

```