

**CALIFORNIA REGIONAL WATER QUALITY CONTROL BOARD
CENTRAL COAST REGION**

895 Aerovista Place, Suite 101
San Luis Obispo, California 93401

Public Notice No. R3-2012-0027

NPDES No. CA0047856

NOTICE OF PUBLIC HEARING

**REISSUANCE OF WASTE DISCHARGE REQUIREMENTS (Order No. R3-2012-0027)
(National Pollutant Discharge Elimination System Permit)**

FOR

**CALIFORNIA MENS COLONY
SAN LUIS OBISPO COUNTY**

The California Regional Water Quality Control Board, Central Coast Region (Central Coast Water Board) proposes to authorize discharge of treated wastewater from the California Department of Corrections and Rehabilitation at the California Mens Colony by reissuance of waste discharge requirements. The California Mens Colony provides treatment of wastewater for the correctional institution as well as Camp San Luis Obispo, Cuesta College and several County facilities. Treated wastewater is discharged to Chorro Creek.

The Central Coast Water Board will hold a public hearing to consider the issuance of the proposed waste discharge requirements on **December 6, 2012**, in the:

Central Coast Water Board Office
895 Aerovista Place, Suite 101
San Luis Obispo, CA 93401

Interested persons are invited to submit comments in writing to the Central Coast Water Board at its office in San Luis Obispo no later than **October 5, 2012**. All comments received prior to that date will be considered in the formulation of staff recommendations regarding the waste discharge. The Central Coast Water Board will not accept written comments or other written submittals on the draft Order after **October 5, 2012**, unless the Chair of the Central Coast Water Board rules that exclusion would create a hardship, and that the late submission will not prejudice any party or the Central Coast Water Board. Any person submitting late comments or other submittals must explain why such materials were not submitted by **October 5, 2012**. The Chair of the Central Coast Water Board will rule on late submittals at or before the hearing. Late submittals that consist of evidence (as opposed to policy statements or comments) are generally prejudicial unless all parties and Central Coast Water Board staff have time to consider the evidence before the hearing.

Interested persons are invited to attend the hearing and may make oral comments relevant to the proposed action. Oral comments should summarize written comments. The Chair of the Central Coast Water Board will impose time limits on oral comments.

The Report of Waste Discharge, Fact Sheet, related documents, and all comments received may be inspected and copied at the office of the Central Coast Water Board, 895 Aerovista

Place, Suite 101, San Luis Obispo, California 93401-5427, on weekdays between the hours of 8:00 a.m. and 5:00 p.m. Please direct comments and questions to **Katie DiSimone at (805) 542-4638** (or kdisimone@waterboards.ca.gov) or Sheila Soderberg at (805) 549-3592 at this office.

Please bring the foregoing to the attention of any persons known to you who would be interested in this matter.

S:\NPDES\NPDES Facilities\San Luis Obispo Co\CMC WWTP\NPDES Permit R3-2012-0027\Public Notice for Draft\R3-2012-0027_pub_not.doc