

**CALIFORNIA REGIONAL WATER QUALITY CONTROL BOARD
COLORADO RIVER BASIN REGION**

73-720 Fred Waring Drive, Suite 100
Palm Desert, CA 92260
Phone: (760) 346-7491

Public Notice 7-14-21
February 10, 2014

**NOTICE OF PUBLIC HEARING
FOR
REVISED WASTE DISCHARGE REQUIREMENTS
BOARD ORDER R7-2014-0013**

The following discharger has requested revised Waste Discharge Requirements for Imperial Landfill, Inc., Owner/Operator, Allied Imperial Landfill Closure and Post Closure Maintenance of Allied Imperial Class III Landfill Unit 1, and Allied Imperial Active Class III Landfill Unit 2, Municipal Solid Waste Management Facilities west of the city of Imperial, Imperial County.

Staff of the California Regional Water Quality Control Board, Colorado River Basin Region (Colorado River Basin Water Board), prepared revised Waste Discharge Requirements, Board Order R7-2014-0013 for the above discharger. The Colorado River Basin Water Board will hold a public hearing on the proposed Waste Discharge Requirements during its regular meeting, which is scheduled as follows:

Date: March 20, 2014
Time: 10:00 a.m.
Location: Brawley City Council Chambers
383 Main Street
Brawley, CA 92227

The Colorado River Basin Water Board will accept comments during a minimum thirty (30) day public comment period, which begins February 11, 2014 and ends March 13, 2014. Persons wishing to submit written comments on the proposed revision are requested to do so by March 13, 2014, so that they may be given sufficient consideration. Comments should be mailed to the attention of Mary Serra at the address shown below or faxed to the office at (760) 341-6820.

California Regional Water Quality Control Board
Colorado River Basin Region
73-720 Fred Waring Drive, Suite 100
Palm Desert, CA 92260

Affected stakeholders and other interested persons are invited to attend and express their views on this matter at the public hearing. Those who wish to speak at the hearing will be asked to fill out a speaker request card and provide it to Colorado River Basin Water Board staff. In order to have adequate time for the presentation by Regional Water Board staff, however, comments from the public will be limited to three (3) minutes per person. If the presentation may take longer, please let Colorado River Basin Water Board staff know before speaking so that the presentation can be appropriately scheduled at the hearing. Where speakers can be grouped by affiliation or interest, such groups will be expected to select a

Public Hearing Notice 7-14-21

spokesperson and not be repetitive. To ensure accuracy of the record, the Colorado River Basin Water Board requests that any speakers who have prepared written statements for oral presentation at the hearing submit those statements to Regional Water Board staff before or during the hearing.

Copies of the proposed Waste Discharge Requirements, Board Order R7-2014-0013 are available on the Colorado River Basin Water Board's website at:
http://www.waterboards.ca.gov/coloradoriver/board_orders.html.

Interested persons requiring a hard copy of the proposed revision should contact Hilda Vasquez at (760) 346-7491 or via e-mail at hvasquez@waterboards.ca.gov.

If you are disabled and require special accommodations to participate in this public hearing, please contact Hilda Vasquez at (760) 776-8950 no later than ten (10) days before the scheduled public hearing.

Please bring the foregoing to the attention of anyone you believe may be interested in this matter.

File: WDID 7A 13 0300 013, Allied Imperial Class III Landfill, Board Order R7-2014-0013