#### State of California

#### State Water Resources Control Board

### DIVISION OF WATER RIGHTS

P.O. Box 2000, Sacramento, CA 95812-2000

Info: (916) 341-5300, FAX: (916) 341-5400, Web: http://www.waterrights.ca.gov

### PETITION FOR EXTENSION OF TIME

Water Cobeneficia will revie complete matter for may invo	de section 1396 requires an applicant to exercise due diligence in developing a water supply for use. The State Water Resources Control Board (SWRCB), in considering requests for extension of with the facts presented to determine whether there is good cause for granting an extension of time to the project. Where diligence in completing the project is not fully substantiated, the SWRCB may hearing to determine the facts upon which to base formal action relating to the permit. Formal active:	set the
beneficia will revie complete matter fo may invo	use. The State Water Resources Control Board (SWRCB), in considering requests for extension of the facts presented to determine whether there is good cause for granting an extension of time to the project. Where diligence in completing the project is not fully substantiated, the SWRCB may hearing to determine the facts upon which to base formal action relating to the permit. Formal action relating to the permit.	set the
l. Rev		
	oking the permit for failure to proceed with due diligence in completing the project.	
2. Issu	ing a license for the amount of water heretofore placed to beneficial use under the terms of the peri	nit.
3. Gra	nting a reasonable extension of time to complete construction work and/or full beneficial use of wa	ter.
	previously allowed in your permit within which to complete construction work and/or use of seither expired or will expire shortly.	f
Please ch	eck below the action you wish taken on this permit.	
$\Box$	The project has been abandoned and I request revocation of the permit.	
	Signature Full use of water has been made, both as to amount and season, and I request license be issued.	
Ճ	Signature  The project is not yet complete. I request the SWRCB's consideration of the following petition for an extension of time.	
	PETITION FOR EXTENSION OF TIME	
	If START of construction has been delayed	
Complet	e items 1, 2, and 3.	.*
1. W.	nat has been done since permit was issued toward commencing construction?	10 mm
Andre county		
2. Es	imate date construction work will begin.	
	asons why construction work was not begun within the time allowed by the permit.	

"The energy challenge facing California is real. Every Californian needs to take immediate action to reduce energy consumption.

For a list of simple ways you can reduce demands and cut your energy costs, see our web-site at: http://www.trights.ca.gov."

Additional copies of this form and water right information can be obtained at www.waterrights.ca.gov.

PET-EXT (3-01)

Continued on next page

### PETITION FOR EXTENSION OF TIME

### If construction work is proceeding

If construction work and/or use of water is proceeding but is not complete, an extension of time may be petitioned by completing items 4 through 16. Statements must be restricted to construction or use of water only under this permit.

	A
•	beneficial use of water. (Indicate a period of time less than of equal to 10 years. What be consistent with the time frame allowed in (California Code of Regulations sections 840 through 844)
-	How much water has been used? 4324 in 2005 acre-feet/year 7 cis
	How many acres have been irrigated? N/A
,	How many houses or people have been served water? 28,000
	Extent of past use of water for any other purpose.
	What construction work has been completed during the last extension? Ronconi Wells Rehabilitated & brought on line  August 2004
С.	Approximate amount spent on project during last extension period. \$\sum_{400,000}\$
1.	Estimate date construction work will be completed. All work was completed by August 2004
12.	Estimated year in which water will be fully used. 2006
13.	Reasons why construction and/or use of water were not completed within time previously allowed. City water demand and needed infrastructure were not in place to fully utilize our permitted
If th	water allotment.  ne use of water is for municipal (including industrial) and irrigation supplies and is provided or regulated by the license and use of the water has commenced, but additional time is needed to reach full use
If th	water allotment.  The use of water is for municipal (including industrial) and irrigation supplies and is provided or regulated by lic agencies and use of the water has commenced, but additional time is needed to reach full use templated, the following information must be provided.
If th pub cont	water allotment.  The use of water is for municipal (including industrial) and irrigation supplies and is provided or regulated by lic agencies and use of the water has commenced, but additional time is needed to reach full use templated, the following information must be provided.  What water conservation measures are in effect or feasible within the place of use?  The City's Building Code requires the use of low-flow plumbing fixtures. The City also actively promotes water conservation and the city's promotes water conservation and the city's promotes water conservation and conservation are conservation and conservation and conservation program; landscape seminars through local vendors; and
If th pub cont	water allotment.  The use of water is for municipal (including industrial) and irrigation supplies and is provided or regulated by lic agencies and use of the water has commenced, but additional time is needed to reach full use templated, the following information must be provided.  What water conservation measures are in effect or feasible within the place of use?  The City's Building Code requires the use of low-flow plumbing fixtures. The City also actively promotes water conservation via our web site, participation in an elementary school classroom program; landscape seminars through local vendors; and public outreach through the local media. We are also members of a regional multi-agency water conservation group. How much water is being conserved or is it feasible to conserve using these conservation measures?
If th pub cont 14.	water allotment.  The use of water is for municipal (including industrial) and irrigation supplies and is provided or regulated by lic agencies and use of the water has commenced, but additional time is needed to reach full use templated, the following information must be provided.  What water conservation measures are in effect or feasible within the place of use?  The City's Building Code requires the use of low-flow plumbing fixtures. The City also actively promotes water conservation via our web site, participation in an elementary school classroom program; landscape seminars through local vendors; and public outreach through the local media. We are also members of a regional multi-agency water conservation group. How much water is being conserved or is it feasible to conserve using these conservation measures?  75-100 acre-feet per annum.
If th pub cont 14.	water allotment.  The use of water is for municipal (including industrial) and irrigation supplies and is provided or regulated by lic agencies and use of the water has commenced, but additional time is needed to reach full use templated, the following information must be provided.  What water conservation measures are in effect or feasible within the place of use?  The City's Building Code requires the use of low-flow plumbing fixtures. The City also actively promotes water conservation via our web site, participation in an elementary school classroom program; landscape seminars through local vendors; and public outreach through the local media. We are also members of a regional multi-agency water conservation group. How much water is being conserved or is it feasible to conserve using these conservation measures?  75-100 acre-feet per annum.  How much water per capita is used during the maximum 30-day period? 300 gpd.
If th pub cont 14.	water allotment.  The use of water is for municipal (including industrial) and irrigation supplies and is provided or regulated by lic agencies and use of the water has commenced, but additional time is needed to reach full use templated, the following information must be provided.  What water conservation measures are in effect or feasible within the place of use?  The City's Building Code requires the use of low-flow plumbing fixtures. The City also actively promotes water conservation via our web site, participation in an elementary school classroom program; landscape seminars through local vendors; and public outreach through the local media. We are also members of a regional multi-agency water conservation group. How much water is being conserved or is it feasible to conserve using these conservation measures?  75-100 acre-feet per annum.  How much water per capita is used during the maximum 30-day period? 300 gpd.  The clear of perjury that the above is true and correct to the best of my (our) knowledge and belief.
If th pub cont 14.	water allotment  The use of water is for municipal (including industrial) and irrigation supplies and is provided or regulated by lic agencies and use of the water has commenced, but additional time is needed to reach full use templated, the following information must be provided.  What water conservation measures are in effect or feasible within the place of use?  The City's Building Code requires the use of low-flow plumbing fixtures. The City also actively promotes water conservation via our web site, participation in an elementary school classroom program; landscape seminars through local vendors; and public outreach through the local media. We are also members of a regional multi-agency water conservation group. How much water is being conserved or is it feasible to conserve using these conservation measures?  75-100 acre-feet per annum.  How much water per capita is used during the maximum 30-day period? 300 gpd.  The declare under penalty of perjury that the above is true and correct to the best of my (our) knowledge and belief.  The City's Building Code regulated by the conservation of the period
If th pub cont 14.	water allotment  The use of water is for municipal (including industrial) and irrigation supplies and is provided or regulated by lic agencies and use of the water has commenced, but additional time is needed to reach full use templated, the following information must be provided.  What water conservation measures are in effect or feasible within the place of use?  The City's Building Code requires the use of low-flow plumbing fixtures. The City also actively promotes water conservation via our web site, participation in an elementary school classroom program; landscape seminars through local vendors; and public outreach through the local media. We are also members of a regional multi-agency water conservation group. How much water is being conserved or is it feasible to conserve using these conservation measures?  75-100 acre-feet per annum.  How much water per capita is used during the maximum 30-day period? 300 gpd.  101
If th pub cont 14. 15. 16. I (w	water ailotment  be use of water is for municipal (including industrial) and irrigation supplies and is provided or regulated by lic agencies and use of the water has commenced, but additional time is needed to reach full use templated, the following information must be provided.  What water conservation measures are in effect or feasible within the place of use?  The City's Building Code requires the use of low-flow plumbing fixtures. The City also actively promotes water conservation via our web site, participation in an elementary school classroom program; landscape seminars through local vendors; and public outreach through the local media. We are also members of a regional multi-agency water conservation group. How much water is being conserved or is it feasible to conserve using these conservation measures?  75-100 acre-feet per annum.  How much water per capita is used during the maximum 30-day period? 300 gpd.  100 declare under penalty of perjury that the above is true and correct to the best of my (our) knowledge and belief.  101 declare under penalty of perjury that the above is true and correct to the best of my (our) knowledge and belief.  102 declare under penalty of perjury that the above is true and correct to the best of my (our) knowledge and belief.

# California Environmental Protection Agency

State Water Resources Control Board

# DIVISION OF WATER RIGHTS

P.O. Box 2000, Sacramento, CA 95812-2000 Info: (916) 341-5300, FAX: (916) 341-5400, Web: http://www.waterrights.ca.gov

# ENVIRONMENTAL INFORMATION FOR PETITIONS

**☒** Petition for Extension of Time

☐ Petition for Change	✓ Petition for Extension of Time
permit or a petition for extension of time to complet in an environmental document prepared in complian This form is not a CEQA document. If a CEQA doc made of who is responsible for its preparation. As t with the environmental evaluation and preparation of	WRCB) can approve a petition to change your water right e use, the SWRCB must consider the information contained ace with the California Environmental Quality Act (CEQA). cument has not yet been prepared, a determination must be he petitioner, you are responsible for all costs associated of the required CEQA documents. Please answer the ubmit any studies that have been conducted regarding the sed more space to completely answer the questions, please
For a petition to change, provide a description of the type of construction activity, structures existing or diversion and use (up to the amount authorized by the supply the supply to the supply the	is or work remaining to be completed to, to be built, area to be graded or excavated, increase in water the permit), changes in land use, and project operational changes, or a petition for extension of time, provide a description of what lone. Include in your description any of the above elements that
Work to rehab the wells was completed in August 2004	4. The request for time extension is for licensing for occurring/
existing uses. No new work is needed to perfect the pe	ermit limit of 4600 AFY at a maximum diversion rate of 8 🕏 S
cubic feet per second.	



☐ See Attachment No. \_ \_

# ENVIRONMENTAL INFORMATION FOR PETITIONS

2.	COUNTY PERMITS  a. Contact your county planning or public works department and provide the following information:
	Person contacted: N/A Date of contact:
	Department:
	County Zoning Designation:
	Are any county permits required for your project?   YES NO If YES, check appropriate box below:  Grading permit Use permit Watercourse Obstruction permit Change of zoning  General plan change Other (explain):
	<ul> <li>b. Have you obtained any of the required permits described above? ☐ YES ☐ NO</li> <li>If YES, provide a complete copy of each permit obtained.</li> <li>☐ See Attachment No</li> </ul>
3.	STATE/FEDERAL PERMITS AND REQUIREMENTS  a. Check any additional state or federal permits required for your project:  ☐ Federal Energy Regulatory Commission ☐ U.S. Forest Service ☐ Bureau of Land Management ☐ Soil Conservation Service ☐ Dept. of Water Resources (Div. of Safety of Dams) ☐ Reclamation Board ☐ Coastal Commission ☐ State Lands Commission ☐ Other (specify)
	b. For each agency from which a permit is required, provide the following information:
	AGENCY PERMITTYPE PERSON(S) CONTACTED CONTACT DATE TELEPHONE NO.
	☐ See Attachment No
	c. Does your proposed project involve any construction or grading-related activity that has significantly altered or would significantly alter the bed or bank of any stream or lake?   YES INO  If YES, explain:
	All project improvements have been completed.
	See Attachment No

## ENVIRONMENTAL INFORMATION FOR PETITIONS d. Have you contacted the California Department of Fish and Game concerning your project? TYES INO If YES, name and telephone number of contact: ENVIRONMENTAL DOCUMENTS a. Has any California public agency prepared an environmental document for your project? YES NO If YES, submit a copy of the latest environmental document(s) prepared, including a copy of the notice of determination adopted by the California public agency. Public agency: b. If NO, check the appropriate box and explain below, if necessary: ☑ The petitioner is a California public agency and will be preparing the environmental document.\* ☐ I expect that the SWRCB will be preparing the environmental document.\*\* ☐ I expect that a California public agency other than the State Water Resources Control Board will be preparing the environmental document.\* Public agency: ☐ See Attachment No. Note: When completed, submit a copy of the final environmental document (including notice of determination) or notice of exemption to the SWRCB, Division of Water Rights. Processing of your petition cannot proceed until these documents are submitted. \*\* Note: CEQA requires that the SWRCB, as Lead Agency, prepare the environmental document. The information contained in the environmental document must be developed by the petitioner and at the petitioner's expense under the direction of the SWRCB, Division of Water Rights. WASTE/WASTEWATER a. Will your project, during construction or operation, (1) generate waste or wastewater containing such things as sewage, industrial chemicals, metals, or agricultural chemicals, or (2) cause crossion, turbidity or sedimentation? ☐ YES ☒ NO If YES, or you are unsure of your answer, explain below and contact your local Regional Water Quality Control Board for the following information (See instruction bookiet for address and telephone no.): $\square$ See Aitachment No. $\_$ b. Will a waste discharge permit be required for your project? ☐ YES ☒ NO

#### 6. ARCHEOLOGY

☐ See Attachment No. \_\_\_\_

- a. Have any archeological reports been prepared on this project?  $\square$  YES  $\boxtimes$  NO
- b. Will you be preparing an archeological report to satisfy another public agency? ☐ YES ☒ NO

c. Do you know of any archeological or historic sites located within the general project area? 

YES NO

Person contacted: \_\_\_\_\_ Date of contact: \_\_\_\_\_\_ 

c. What method of treatment and disposal will be used? \_\_\_\_\_ \_\_\_\_

	ENVIRONMENTAL INFORMATION FOR PETITIONS
	If YES, explain:
	See Attachment No
vedj : 7 u	ENVIRONMENTAL SETTING  Attach three complete sets of color photographs, clearly dated and labeled, showing the vegetation that exists at the below-listed three locations. For time extension petitions, the photographs should document only those areas of the project that will be impacted during the requested extension period.  Along the stream channel immediately downstream from the proposed point(s) of diversion.  Along the stream channel immediately upstream from the proposed point(s) of diversion.  At the place(s) where the water is to be used.
8.	<b>CERTIFICATION</b> I hereby certify that the statements I have furnished above and in the attachments are complete to the best of my ability and that the facts, statements, and information presented are true and correct to the best of my knowledge.
	Date: 6/10/05 Signature: Mad Hagman