

STATE WATER RESOURCES CONTROL BOARD
RESOLUTION NO. 74-73

REVIEW OF ACTION OF THE CALIFORNIA REGIONAL WATER
QUALITY CONTROL BOARD, NORTH COAST REGION,
REGARDING ADOPTION OF TIME SCHEDULE FOR THE PACIFIC
LUMBER COMPANY

WHEREAS:

1. On February 28, 1973, the California Regional Water Quality Control Board, North Coast Region (Regional Board) adopted Order No. 73-15 and issued an NPDES permit No. CA 0006017 to Pacific Lumber Company (the permittee) to become effective on that date and to expire on February 28, 1978.
2. On August 21, 1974, the Environmental Protection Agency, Region IX (EPA) issued a Finding of Violation to the Pacific Lumber Company for violation of the conditions of said permit pursuant to Section 309(a)(1) of the Federal Water Pollution Control Act Amendments of 1972 [33 USC 1319(a)(1)].
3. In response to said Finding of Violation, the Regional Board on October 30, 1974, held hearings under the authority contained in California Water Code Section 13300, regarding violations of said permit.
4. The Regional Board adopted Order No. 74-207 in which it made findings that the Pacific Lumber Company had violated waste discharge requirements contained in said permit and ordered the permittee to comply with said permit in accordance with a time schedule.
5. The Regional Board did not proceed under the authority contained in California Water Code Sections 13301 or 13385.

THEREFORE BE IT RESOLVED that the State Water Resources Control Board will review the action of the Regional Board in adopting Order No. 74-207.

CERTIFICATION

The undersigned, Executive Officer of the State Water Resources Control Board, does hereby certify that the foregoing is a full, true and correct copy of a resolution duly and regularly adopted at a meeting of the State Water Resources Control Board held on November 21, 1974.

Bill B. Dendy

Bill B. Dendy
Executive Officer