

**CALIFORNIA REGIONAL WATER QUALITY CONTROL BOARD
CENTRAL COAST REGION**

895 Aerovista Place, Suite 101
San Luis Obispo, California 93401

**NOTICE OF PUBLIC HEARING AND OPPORTUNITY TO COMMENT
DRAFT ORDER R3-2024-0062
TERMINATING
WASTE DISCHARGE REQUIREMENTS ORDER R3-2013-0028, NATIONAL
POLLUTANT DISCHARGE ELIMINATION SYSTEM PERMIT CA0000051**

NOTICE IS HEREBY GIVEN that the Central Coast Regional Water Quality Control Board (Central Coast Water Board) is accepting comments on draft order R3-2024-0062 terminating Waste Discharge Requirements Order R3-2013-0028, National Pollutant Discharge Elimination System (NPDES) Permit CA0000051 for Phillips 66 Company Santa Maria Refinery.

A copy of the draft order R3-2024-0062 can be found on the Central Coast Water Board's tentative orders page at:

https://www.waterboards.ca.gov/centralcoast/board_decisions/tentative_orders/

The Central Coast Water Board will hold a public hearing to consider Order R3-2024-0062 on:

October 17-18, 2024

*This meeting will be held at the Central Coast Water Board Offices
895 Aerovista Place, Suite 101, San Luis Obispo*

Information is available as part of the meeting agenda, at:

https://www.waterboards.ca.gov/centralcoast/board_info/agendas/2024/2024_agendas.html

Interested persons are invited to submit comments in writing to the Central Coast Water Board by email at centralcoast@waterboards.ca.gov or to the San Luis Obispo address above no later than **September 30, 2024**. All comments received prior to that date will be considered in the formulation of staff recommendations regarding the draft order. The Central Coast Water Board will not accept written comments or other written submittals on the draft order after **September 30, 2024**, unless the Chair of the Central Coast Water Board rules that exclusion would create a hardship, and that the late submission will not prejudice any party or the Central Coast Water Board. Any person submitting late comments or other submittals must explain why such materials were not submitted by **September 30, 2024**. The Chair of the Central Coast Water Board will rule on late submittals at or before the hearing. Late submittals that consist of evidence (as opposed to policy statements or comments) are generally prejudicial unless all parties and Central Coast Water Board staff have time to consider the evidence before the hearing.

Interested persons are invited to attend the hearing and may make oral comments relevant to the proposed action. Oral comments should summarize written comments. The Chair of the Central Coast Water Board will impose time limits on oral comments.

Documents related to Order R3-2013-0028 and draft Order R3-2024-0062, and all comments received, may be inspected and copied by the public. Please submit any requests to review documents electronically to Sarah Crable at (805) 549-3706 or sarah.crable@waterboards.ca.gov or Arwen Wyatt-Mair at (805) 542-4695 or arwen.wyattmair@waterboards.ca.gov. Please bring the foregoing to the attention of any persons known to you who would be interested in this matter.

R:\RB3\Shared\NPDES\Facilities\San Luis Obispo\Phillips 66\Termination
Order\public_not_phillips 66_termination.docx