CALIFORNIA REGIONAL WATER QUALITY CONTROL BOARD **CENTRAL VALLEY REGION**

1685 "E" Street11020 Sun Center Drive #200Redding OfficeFresno, CA 93706-2007Rancho Cordova, CA 95670-6114Redding, CA 96002

Regional Board Website (https://www.waterboards.ca.gov/centralvalley)

MONITORING & REPORTING PROGRAM R5-2024-0051



ORDER INFORMATION

Order Type(s):	Monitoring & Reporting Program (MRP)
Status:	Adopted
Program:	Title 27
Region 5 Office:	Redding
Discharger(s):	Louisiana-Pacific Corporation
Facility:	Red Bluff Class III Wood Waste Landfill
Address:	Red Bluff
County:	Tehama County
Parcel Nos.:	024-010-031, 024-010-042
WDID:	5A183001003
Prior Order(s):	R5-03-140

CERTIFICATION

I, PATRICK PULUPA, Executive Officer, hereby certify that the following is a full, true, and correct copy of the order adopted by the California Regional Water Quality Control Board, Central Valley Region, on 18 October 2024.

PATRICK PULUPA, Executive Officer

REGIONAL BOARD INFORMATION

Sacramento Office (Main) 11020 Sun Center Drive #200 Rancho Cordova, CA 95670-6114

Telephone: (916) 464-3291

Fresno Office

1685 "E" Street Fresno, CA 93706-2007 Telephone: (559) 445-5116

Redding Office 364 Knollcrest Drive #205 Redding, CA 96002 Telephone: (530) 224-4845

Regional Board Website (https://www.waterboards.ca.gov/centralvalley)

TABLE OF CONTENTS

TABL	EII	NDI	ΞΧ	vii
PREF	AC	Ε		. 8
MONI	то	RIN	IG & REPORTING PROGRAM	.9
A.	Ge	ene	ral Provisions	. 9
	1.	Ind	corporation of Standard Provisions	. 9
	2.	Mo	onitoring Provisions in WDRs Order	. 9
	3.	Сс	ompliance with Title 27	. 9
	4.	Sa	mple Collection and Analysis Plan (SCAP)	. 9
В.	De	etec	tion Monitoring Program (DMP)	10
	1.	Gr	oundwater	10
		a.	Required Network	10
		b.	Sample Collection and Analysis	10
		C.	Five-Year COCs	11
		d.	Groundwater Conditions	13
	2.	Sı	Immary of Water Quality Protection Standard (WQPS) Components	13
		a.	Compliance Period	13
		b.	Monitoring Points	14
		C.	Point of Compliance (POC)	14
		d.	Constituents of Concern (COCs)	14
		e.	Monitoring Parameters	14
		f.	Five-Year COCs	14
		g.	Concentration Limits	15

MONITORING & REPORTING PROGRAM R5-2024-0051 LOUISIANA-PACIFIC CORPORATION RED BLUFF CLASS III WOOD WASTE LANDFILL TEHAMA COUNTY TABLE OF CONTENTS

		h.	Retesting Procedures	16
C.	Ad	lditio	nal Facility Monitoring	16
	1.	Lea	chate Collection & Removal System (LCRS)	16
		a. I	Monthly Basin Inspection	16
	2.	Lea	ichate Seepage	18
	3.	Reg	gular Visual Inspection	19
	4.	Anr	nual Facility Inspections	20
	5.	Мај	or Storm Events	20
	6.	Five	e-Year Iso-Settlement Surveys (Closed Landfills)	20
D.	Re	eporti	ing Requirements	21
	1.	Sen	niannual Monitoring Reports (SMRs)	21
	2.	Anr	nual Monitoring Reports (AMRs)	23
	3.	Lea	chate Seep Reporting	24
	4.	Anr	nual Facility Inspection Report	24
	5.	Мај	or Storm Event Reports	24
	6.	Sur	vey and Iso-Settlement Map (Closed Landfill Units)	25
	7.	Fina	ancial Assurances Report	25
	8.	Wat	ter Quality Protection Standard Report	25
	9.	Ger	neral Reporting Provisions	26
		a.	Transmittal Letters	26
		b. I	Monitoring Data and Reports	27
		с.	Compliance with SPRRs	27
		d. /	Additional Requirements for Monitoring Reports	27

MONITORING & REPORTING PROGRAM R5-2024-0051 LOUISIANA-PACIFIC CORPORATION RED BLUFF CLASS III WOOD WASTE LANDFILL TEHAMA COUNTY TABLE OF CONTENTS

E. Record Retention Requirements	28
ATTACHMENT A—DISSOLVED INORGANICS (FIVE-YEAR COCS)	31
ATTACHMENT B—VOLATILE ORGANIC COMPOUNDS, EXTENDED LIST (FIVE-YEAR COCS)	32
ATTACHMENT C—SEMI-VOLATILE ORGANIC COMPOUNDS (FIVE-YEAR CO	·

TABLE INDEX

Table 1—Groundwater Monitoring Network	10
Table 2—Groundwater Detection Monitoring, Physical Parameters	11
Table 3—Groundwater Detection Monitoring, Constituent Parameters	11
Table 4—Groundwater Detection Monitoring, Five-Year COCs	12
Table 5—Groundwater Detection Monitoring, Groundwater Conditions	13
Table 6—Notable Concentration Limits, 2022 Annual Report (WQPS)	15
Table 7—LCRS Basin Monitoring, Monthly Inspection Parameters	16
Table 8—LCRS Basin Monitoring, Parameters for Subsequent Monitoring	17
Table 9—Leachate Seep Monitoring, Physical Parameters	18
Table 10—Leachate Seep Monitoring, Constituent Parameters	18
Table 11—Criteria for Regular Visual Inspections	19
Table 12—Regular Visual Inspection Schedule	20
Table 13—Summary of Required Reports	21

PREFACE

Adopted by the California Regional Water Quality Control Board, Central Valley Region (Central Valley Water Board) pursuant to Water Code section 13267, subdivision (b)(1), this Order establishes a Monitoring and Reporting Program (MRP) for Louisiana-Pacific Corporation (Discharger), which owns and operates the Red Bluff Class III Wood Waste Landfill (Facility) in Tehama County. Additional information regarding the Facility is set forth in the Findings of Waste Discharge Requirements Order R5-2024-0051 (WDRs Order). Except as otherwise provided in the following MRP, these findings are incorporated herein.

The MRP also contains supplemental findings related to monitoring and reporting activities, and/or Facility conditions. For the purposes of California Code of Regulations, title 27 (Title 27) (see, e.g., §§ 21720, 20380-20435), the findings and provisions of this Order are incorporated as part of the WDRs Order.

Although adopted with the WDRs Order, this is a separate order subject to subsequent revision by the Executive Officer in accordance with delegated authority per Water Code section 13223. For the purposes of Title 27, such revisions shall be automatically incorporated as part of the WDRs Order.

MONITORING & REPORTING PROGRAM

IT IS HEREBY ORDERED, pursuant to Water Code section 13267, that all previously issued Monitoring and Reporting Program(s) for the discharge of solid waste at the Facility are rescinded (except for enforcement purposes) and that the Discharger, their agents, employees, and successors shall comply with the following Monitoring and Reporting Program (MRP). The Discharger shall not implement any changes until a revised MRP is issued by the Central Valley Water Board or its Executive Officer.

A. General Provisions

- Incorporation of Standard Provisions—The Discharger shall comply with all relevant provisions of the Standard Provisions and Reporting Requirements for Nonhazardous Solid Waste Discharges Regulated by Subtitle D and/or Title 27 Municipal Solid Waste Facilities, December 2015 Edition (SPRRs or Standard Provisions), which are incorporated herein. See, SPRRs sections I (Standard Monitoring Specifications) and J (Response to Release).
- 2. Monitoring Provisions in WDRs Order—The Discharger shall comply with all "Monitoring Provisions" in the Facility's operative WDRs Order, which are also incorporated herein.
- **3. Compliance with Title 27**—The Discharger shall comply with all of Title 27 provisions as they pertain to activities described in this MRP (including SPRRs).
- 4. Sample Collection and Analysis Plan (SCAP)—All samples shall be collected, preserved and transported in accordance with the approved Sample Collection and Analysis Plan (SCAP) and the Quality Assurance/Quality Control (QA/QC) standards specified therein. The Discharger may use alternative analytical test methods (including new USEPA-approved methods), provided that the alternative methods have method detection limits (MDLs) equal to or lower than the analytical methods specified in this MRP and are identified in the approved SCAP.

B. Detection Monitoring Program (DMP)—To detect a release at the earliest possible time (see Title 27, § 20420, subd. (b)), the Discharger shall implement a Detection Monitoring Program (DMP) for groundwater, surface water and the unsaturated zone in accordance with the provisions of Title 27, particularly sections 20415 and 20420. Groundwater detection monitoring networks shall be revised (as needed) with the construction of each new landfill cell or module.

1. Groundwater

Required Network—The Facility's groundwater monitoring well network consists of the wells listed in **Table 1**.¹ As of the date of this Order, the network meets the requirements of Title 27. (Title 27, § 20415, subd. (b).)

Well	Program	Monitored Unit	Point of Compliance (WQPS)	Status
MW-1	Detection	WMU-2, Leachate Pond	Yes	Dry since 2012
MW-101	Detection	Background	No	Active
MW-102	Detection	WMU-1, WMU-2	Yes	Active
MW-103	Detection	WMU-1, WMU-2	Yes	Active
MW-104	Detection	WMU-1, WMU-2	Yes	Active
MW-105	Detection	WMU-1, WMU-2	Yes	Active

Table 1—Groundwater Monitoring Network

See Glossary for definitions of terms and abbreviations in table.

b. Sample Collection and Analysis—Groundwater samples shall be collected from each well and analyzed for Monitoring Parameters listed in Table 2 (*Physical Parameters*) and Table 3.

¹ Non-background monitoring wells at the Point of Compliance constitute "Monitoring Points" for purposes of the Water Quality Protection Standard (WQPS).

(*Constituent Parameters*), in accordance with the specified schedule for each parameter. (Title 27, § 20420, subds. (e)-(f).)

Physical Parameter	GeoTracker Code	Units	Sampling Freq.	Reporting Freq.
Temperature	TEMP	°F	Semiannual	Semiannual
Electrical Conductivity	SC	µmhos/cm	Semiannual	Semiannual
рН	PH	pH Units	Semiannual	Semiannual
Turbidity	TURB	NTUs	Semiannual	Semiannual

Table 2—Groundwater Detection Monitoring, Physical Parameters

See Glossary for definitions of terms and abbreviations in table.

Table 3—Groundwater Detection Monitoring, Constituent Parameters

Constituent Parameter	GeoTracker Code	Units	Sampling Freq.	Reporting Freq.
TDS	TDS	mg/L	Semiannual	Semiannual
Chloride	CL	mg/L	Semiannual	Semiannual
Sulfate	SO4	mg/L	Semiannual	Semiannual
Tannins and Lignins	TAL	mg/L	Semiannual	Semiannual
Pentachlorophenol	PCP	ug/L	Semiannual	Semiannual
Stoddard Solvent		ug/L	Semiannual	Semiannual

See Glossary for definitions of terms and abbreviations in table.

c. Five-Year COCs—The Discharger shall analyze for groundwater samples from each well for the Five-Year Constituents of Concern (Five-Year COCs) listed in **Table 4**. Five-Year COCs were last monitored in 2020, and shall be analyzed again in 2025. (Title 27, \S 20420, subd. (g).)

Five-Year Constituent	GeoTracker Code	Units	Sampling & Reporting Freq.
Nitrate – Nitrogen	NO3N	mg/L	Every 5 Years
Carbonate	CACO3	mg/L	Every 5 Years
Bicarbonate	BICACO3	mg/L	Every 5 Years
Calcium	CA	mg/L	Every 5 Years
Magnesium	MG	mg/L	Every 5 Years
Potassium	К	mg/L	Every 5 Years
Sodium	NA	mg/L	Every 5 Years
Total Organic Carbon	TOC	mg/L	Every 5 Years
Dissolved Inorganics (Attachment A)	(various)	µg/L	Every 5 Years
Extended List VOCs (Attachment B)	(various)	µg/L	Every 5 Years
Semi-Volatile Organic Compounds (Attachment C)	(various)	µg/L	Every 5 Years

Table 4—Groundwater Detection Monitoring, Five-Year COCs

d. Groundwater Conditions—Each quarter, the Discharger shall monitor the Groundwater Conditions specified in **Table 5**, with the result of such monitoring being reported semiannually per **Section D.1**.² (Title 27, § 20415, subd. (b)(1).)

Table 5—Groundwater Detection Monitoring, Groundwater Conditions

Groundwater Condition	GeoTracker Code	Monitoring Freq.	Reporting Freq.
Elevation (Well-Specific) ELEV		Quarterly	Semiannually
Gradient	(none)	Quarterly	Semiannually
Flow Rate	(none)	Quarterly	Semiannually

- 2. Summary of Water Quality Protection Standard (WQPS) Components—The Water Quality Protection Standard (WQPS) is the Title 27 analytical framework through which an individual WMU is monitored for releases and impacts to water quality, i.e., the Detection Monitoring Program (DMP). (See Title 27, § 20390, subd. (a).) As explained in further detail below, for the duration of the *Compliance Period*, the *Monitoring Points* situated at a WMU's *Point of Compliance* are sampled and analyzed for *Monitoring Parameters* indicative of a release. If concentrations of *Constituents of Concern* exceed *Concentration Limits*, the results are confirmed through *Retesting Procedures*.
 - a. **Compliance Period**—The "compliance period" is the minimum time for which a water quality monitoring will be required—i.e., equal to the sum of active years and the closure period. (Title 27, § 20410.) The period restarts each time an Evaluation Monitoring Program (EMP) is initiated for a given WMU. (*Id.*, §§ 20410(a), 20415, 20425.) If a WMU is in corrective action, the period continues until it is demonstrated that the WMU has

² To the extent feasible, this information shall be determined separately for: (1) the uppermost aquifer; (2) any zones of perched water; and (3) any additional zone of saturation monitored based upon water level elevations taken prior to the collection of the water quality data submitted in the report. (Title 27, § 20415, subd. (e)(15).)

been in continuous compliance with its WQPS for at least three years. (*Id.*, § 20410, subd. (c).)

- b. Monitoring Points—For WQPS purposes, a "monitoring point" is any well, device, or location where monitoring is conducted, and is specified in the Facility's WDRs and subject to the WQPS. (Title 27, § 20164.) Monitoring Points are listed in Section B (Detection Monitoring Program)—specifically Table 1 (Groundwater).
- c. Point of Compliance (POC)—The Point of Compliance (POC) is a vertical plane at the WMU's hydraulically downgradient limit, extending through the uppermost underlying aquifer. (Title 27, §§ 10164, 20405(a).) The Facility's POC monitoring wells are listed below in Table 1.
- d. Constituents of Concern (COCs)—Constituents of Concern (COCs) are waste constituents, reaction products, and hazardous constituents that are reasonably expected to be in or derived from waste contained in a WMU. (Title 27, §§ 20164, 20395.)
- e. Monitoring Parameters—Monitoring Parameters are a predetermined set of COCs and measurable physical characteristics (e.g., temp., electrical conductivity, pH), which serve as reliable indicators of a WMU release, and for which samples will therefore be routinely analyzed. (Title 27, §§ 20164, 20395(a), 20420(e)-(f).) For the purposes of this MRP, the Monitoring Parameters are:
 - i. For **Groundwater**, those in Table 2 and Table 3
- f. Five-Year COCs—In addition to the Monitoring Parameters described above, this Order requires the *quinquennial analysis* of samples for a larger range of constituents that are reasonably expected to be found in, or derived from, the waste contained within each unit at the Facility. (Title 27, §§ 20395, 20420(g).) Analytical results for Five-Year COCs were last submitted to the Central Valley Water Board as part of the 2020 Annual Monitoring Report and are due again in 2025. For the purposes of this MRP, the Five-Year COCs are listed in:
 - i. Attachment A (Dissolved Inorganics);
 - ii. Attachment B (Extended List VOCs);

- iii. Attachment C (Semi-Volatile Organic Compounds);
- iv. Any other COCs listed in **Table 4** (*Groundwater*).
- g. Concentration Limits—The Concentration Limit for each COC is the "background concentration," as determined by the statistical methods outlined in subdivision (e)(8) of Title 27, section 20415.³ (Title 27, § 20400, subds. (a), (b).) Methods for calculating Concentration Limits were proposed in the 1 December 2003 WQPS Report. The approved methods use interwell tolerance intervals with a 95 percent coverage and 95 percent tolerance coefficient.

Concentration Limits shall be proposed and/or updated by the Discharger on an annual basis, in the Annual Monitoring Report (AMR) submitted per **Section D.2** here.

Unless expressly rejected by the Executive Officer in writing, these Concentration Limits shall be incorporated as part of this Order. Several notable Concentration Limits, as set forth in the 2022 Annual Report, are set forth below in **Table 6**.⁴

Table 6—Notable Concentration Limits, 2022 Annual Report (WQPS)

Well	Analysis	pH (std units)	EC (µmhos/ cm)	Tannins and Lignins (mg/L)	TDS (mg/L)
MW-101	Interwell	7.2 - 8.2	350	0.5	240

³ Concentration Limits are initially proposed by the discharger, then reviewed and approved by the Central Valley Water Board (subject to any necessary revisions). The limits specified herein are approved and incorporated as part of the Facility's WDRs.

⁴ The Concentration Limits set forth in **Table 6** is only a partial list of values that are provided for general informational purposes only. These limits shall be superseded once updated values are submitted.

- h. Retesting Procedures—If monitoring results indicate measurably significant evidence of a release, as described in Section I.45 of the SPRRs (*Standard Monitoring Specifications*), the Discharger shall apply the following:
 - i. Non-Statistical Retesting Procedures (SPRRs, § I.46) for analytes detected in less than 10 percent of background samples (e.g., non-naturally occurring COCs); and
 - ii. Statistical Retesting Procedures (SPRRs, § I.46) for analytes detected in at least 10 percent of background samples (e.g., naturally occurring COCs).

C. Additional Facility Monitoring

- 1. Leachate Collection & Removal System (LCRS)—The Discharger shall operate and maintain the french drain at the WMU-1, and conduct monitoring of any detected leachate seeps in accordance with Title 27 and the following provisions.
 - a. Monthly Basin Inspection—The leachate basin shall be inspected monthly for the presence of leachate. As provided in **Table 7**, the total flow and flow rate for leachate into the basin shall be recorded after each inspection and reported semiannually per **Section D.1**.

Physical Parameter	GeoTracker Code	Units	Sampling Freq.	Reporting Freq.
Total Flow	(none)	Gallons	Monthly	Semiannually
Flow Rate	FLOW	Gallons/Day	Monthly	Semiannually
рН	PH	pH Units	Monthly	Semiannually
Electrical Conductivity	EC	µmhos/cm	Monthly	Semiannually

Table 7—LCRS Basin Monitoring, Monthly Inspection Parameters

Constituent Parameter	GeoTracker Code	Units	Sampling Freq.	Reporting Freq.
TDS	TDS	mg/L	Annually	Annually
Chloride	CL	mg/L	Annually	Annually
Carbonate	CACO3	mg/L	Annually	Annually
Bicarbonate	BICACO3	mg/L	Annually	Annually
Nitrate (as Nitrogen)	NO3N	mg/L	Annually	Annually
Sulfate	SO4	mg/L	Annually	Annually
Calcium	CA	mg/L	Annually	Annually
Magnesium	MG	mg/L	Annually	Annually
Potassium	К	mg/L	Annually	Annually
Sodium	NA	mg/L	Annually	Annually
Stoddard Solvent		µg/L	Annually	Annually
Dissolved Inorganics (Attachment A)	(various)	mg/L	Annually	Annually
Extended List VOCs (Attachment B)	(various)	µg/L	Annually	Annually
Semi-Volatile Organic Compounds (Attachment C)	(various)	µg/L	Annually	Annually

Table 8—LCRS Basin Monitoring, Parameters for Subsequent Monitoring

2. Leachate Seepage—Leachate that seeps to the surface from any landfill WMU shall, immediately upon detection, be sampled and analyzed for the Monitoring Parameters in Table 9 (*Physical Parameters*) and Table 10 (*Constituent Parameters*). See Section D.3 for Reporting Requirements.) In the event of a reported leachate seep, Central Valley Water Board staff may direct additional sampling and analysis pursuant to Water Code section 13267, subdivision (b)(1).

Table 9—Leachate Seep Monitoring, Physical Parameters

Physical Parameter	GeoTracker Code	Units	Sampling Freq.	Reporting Freq.
Total Flow	(none)	Gallons	Upon Detection	See MRP, § D.3
Flow Rate	FLOW	Gallons/Day	(same)	(same)
Ph	PH	pH Units	(same)	(same)
Electrical Conductivity	EC	µmhos/cm	(same)	(same)

See Glossary for definitions of terms and abbreviations in table.

Table 10—Leachate Seep Monitoring, Constituent Parameters

Constituent Parameter	GeoTracker Code	Units	Sampling Freq.	Reporting Freq.
TDS	TDS	mg/L	Upon Detection	See MRP, § D.3
Chloride	CL	mg/L	(same)	(same)
Carbonate	CACO3	mg/L	(same)	(same)
Bicarbonate	BICACO3	mg/L	(same)	(same)
Nitrate (as Nitrogen)	NO3N	mg/L	(same)	(same)
Sulfate	SO4	mg/L	(same)	(same)
Calcium	CA	mg/L	(same)	(same)

Constituent Parameter	GeoTracker Code	Units	Sampling Freq.	Reporting Freq.
Magnesium	MG	mg/L	(same)	(same)
Potassium	К	mg/L	(same)	(same)
Sodium	NA	mg/L		
Stoddard Solvent		µg/L		
Dissolved Inorganics (Attachment A)	(various)	mg/L		
Extended List VOCs (Attachment B)	(various)	µg/L		
Semi-Volatile Organic Compounds (Attachment C)	(various)	µg/L		

See Glossary for definitions of terms and abbreviations in table.

3. Regular Visual Inspection—The Discharger shall perform regular visual inspections at the Facility in accordance with Table 11 (*Criteria*) and Table 12 (*Schedule*). Results of these regular visual inspections shall be included in Semiannual Monitoring Reports per Section D.1.

Table 11—Criteria for Regular Visual Inspections

Category	Criteria
Within Unit	• Evidence of ponded water at any point on unit outside of any contact storm water/leachate diversions structures on the active face of unit (record affected areas on map).
	 Evidence of erosion and/or of day-lighted refuse.
Unit Perimeter	 Evidence of leachate seep. Estimated size of affected area (record on map) and flow rate. Evidence of erosion and/or of day-lighted refuse.

MONITORING & REPORTING PROGRAM R5-2024-0051 LOUISIANA-PACIFIC CORPORATION RED BLUFF CLASS III WOOD WASTE LANDFILL TEHAMA COUNTY

Category	Criteria		
Receiving Waters	 Floating and suspended materials of waste origin—presence or absence, source and size of affected areas. Discoloration and turbidity—description of color, source and size of affected areas. 		

Table 12—Regular Visual Inspection Schedule

Category	Wet Season (1 Oct. to 30 April)	Dry Season (1 May to 30 Sept.)
Closed Units	Monthly	Quarterly

- 4. Annual Facility Inspections—Prior to 30 September of each year, the Discharger shall inspect the Facility to assess repair and maintenance needs for drainage control systems, cover systems and groundwater monitoring wells; and preparedness for winter conditions (e.g., erosion and sedimentation control). If repairs are made as result of the annual inspection, problem areas shall be photographed before and after repairs. Any necessary construction, maintenance, or repairs shall be completed by 31 October. See Section D.4 for Reporting Requirements.
- 5. Major Storm Events—Within seven days of any storm event capable of causing damage or significant erosion (Major Storm Event), the Discharger shall inspect the Facility for damage to any precipitation, diversion and drainage facilities, and all landfill side slopes. Necessary repairs shall be completed within 30 days of the inspection. the Discharger shall take photos of any problem areas before and after repairs. See Section D.5 for Reporting Requirements.
- 6. Five-Year Iso-Settlement Surveys (Closed Landfills)—Every five years, the Discharger shall conduct an iso-settlement survey of each closed landfill unit and produce an iso-settlement map accurately depicting the estimated total change in elevation of each portion of the final cover's low-hydraulic-conductivity layer. For each portion of the landfill, this map shall show the total lowering of the surface elevation of the final cover, relative to the baseline topographic map. (Title 27, § 21090, subd. (e)(1)-(2).) See Section D.6 for Reporting Requirements.

D. Reporting Requirements

Section	Report	Deadline
§ D.1	Semiannual Monitoring Reports (SMRs)	1 August (1 January to 30 June)
		1 February (1 July to 31 December)
§ D.2	Annual Monitoring Reports (AMRs)	1 February
§ D.3	Leachate Seep Reporting	Immediately upon Discovery of Seepage (staff notification)
		Within 7 Days (written report)
§ D.4	Annual Facility Inspection Reports	15 November
§ D.5	Major Storm Reporting	Immediately after Damage Discovery (staff notification)
		Within 14 Days of Completing Repairs (written report, photos)
§ D.6	Survey and Iso-Settlement Mapping	Every Five Years (Next Due in 2025)
§ D.7	Financial Assurances Reports	1 June
§ D.8	Water Quality Protection Standard Reports	Proposed Revisions (excluding Concentration Limits)

Table 13—Summary of Required Reports

 Semiannual Monitoring Reports (SMRs)—The Discharger shall submit Semiannual Monitoring Reports (SMRs) on 1 August (1 Jan. to 30 June) and 1 February (1 July to 31 Dec.). SMRs shall contain the following materials and information:

- a. A statement affirming that all sampling activities referenced in the report were conducted in accordance with the approved SCAP (see § A.4).
- b. Map(s)/aerial photograph(s) depicting locations of all observation stations, monitoring points referenced in the report.
- c. In tabulated format, all monitoring data required to be reported on a semiannual basis, including Groundwater Conditions and Monitoring Parameters. (See Section D.9.b for additional requirements.)
- d. For each groundwater monitoring point referenced in the SMR:
 - i. The times each water level measurement was taken;
 - ii. The type of pump or other device used to purge and elevate pump intake level relative to screening interval;
 - iii. The purging methods used to stabilize water in the well bore before sampling (including pumping rate);
 - iv. The equipment and methods used for monitoring pH, temperature and electrical conductivity (EC) during purging activity, and the results of such monitoring;
 - v. Methods for disposing of purged water; and
 - vi. The type of device used for sampling, if different than the one used for purging.
- e. Evaluation of concentrations for all Constituent Parameters and Five-Year COCs (when analyzed), comparison to current Concentration Limits, and results of any Retesting Procedures per Section B.2.h.
- f. In the event of a verified exceedance of Concentration Limit(s), any actions taken per Section J of the SPRRs (*Response to Release*) for wells and/or constituents.
- g. Evaluation as to effectiveness of existing leachate monitoring and control facilities, and runoff/run-on control facilities.

- h. Summaries of all Regular Visual Inspections conducted per Section C.3 during the reporting period.
- i. Summaries of inspections, leak searches and final cover repairs conducted in accordance with an approved Post-Closure Maintenance Plan per Standard Provisions G.26-29 (*Standard Closure and Post-Closure Maintenance Specifications*).
- j. Laboratory statements of results of all analyses evaluating compliance with the WDRs.
- 2. Annual Monitoring Reports (AMRs)—On 1 February of each year,⁵ the Discharger shall submit an Annual Monitoring Report (AMR) containing following materials and information:
 - a. In tabulated format, all monitoring data for which annual reporting is required under this MRP. (See Section D.9.b for additional requirements for monitoring reports.)
 - b. Graphs of historical trends for all Monitoring Parameters and Five-Year COCs (if such analyses were performed) with respect to each monitoring point over the five prior calendar years.⁶
 - c. An evaluation of Monitoring Parameters with regard to the cation/anion balance, and graphical presentation of same in a Stiff diagram, Piper graph or Schoeller plot.
 - d. All historical monitoring data for which there are detectable results, including data for the previous year, shall be submitted in tabular form in a digital file.
 - e. For each groundwater well, quarterly hydrographs showing the elevation of groundwater with respect to the top and bottom of the screened interval, and the elevation of the pump intake,

⁵ The Annual Monitoring Report may be combined with the Semiannual Monitoring Report for 1 July through 31 December of the same year, provided that the combination is clearly indicated in the title.

⁶ Each graph shall contain individual data points (not mean values) and be appropriately scaled to accurately depict statistically significant trends or variations in water quality.

- f. A comprehensive discussion of the Facility's compliance record, and the result of any corrective actions taken or planned which may be needed to attain full compliance with the WDRs.
- g. For landfill units, a map showing the areas and elevations of each unit where filling was completed during the previous calendar year; comparison to final closure design contours; and projected years in which each discrete module are expected to be filled.
- h. A summary of the monitoring results, indicating any changes made or observed since the previous AMR.
- i. Annual updates to the Concentration Limits for all Monitoring Parameters and WQPS Monitoring Points, in accordance with Section B.2.g of this Order.
- 3. Leachate Seep Reporting—Upon discovery of seepage from any disposal area within the Facility, the Discharger shall immediately notify the Central Valley Water Board via telephone or email; and within seven days, submit a written report with the following information:
 - a. Map(s) depicting the location(s) of seepage;
 - b. Estimated flow rate(s);
 - c. A description of the nature of the discharge (e.g., all pertinent observations and analyses);
 - d. Verification that samples have been submitted for analyses of the Monitoring Parameters in Table (*Physical Parameters*) and Table (*Constituent Parameters*), and an estimated date that the results will be submitted to the Central Valley Water Board; and
 - e. Corrective measures underway or proposed, and corresponding time schedule.
- 4. Annual Facility Inspection Report—By 15 November, the Discharger shall submit a report with results of the Annual Facility Inspection per Section C.4. The report shall discuss any repair measures implemented, any preparations for winter, and include photographs of any problem areas and repairs.
- 5. Major Storm Event Reports—Immediately following each post-storm inspection described in Section C.5, the Discharger shall notify Central

Valley Water Board staff of any damage or significant erosion (upon discovery). Subsequent repairs shall be reported to the Central Valley Water Board (together with before and after photos of the repaired areas) **within 14 days** of completion.

- 6. Survey and Iso-Settlement Map (Closed Landfill Units)—The Discharger shall submit all iso settlement maps prepared in accordance with Section C.6. (Title 27, § 21090, subd. (e).) The next maps are due in 2025.
- 7. Financial Assurances Report—By 1 June of each year, the Discharger shall submit a copy of the annual financial assurances report due to the Central Valley Water Board that updates the financial assurances for post-closure maintenance, and corrective action. (See WDRs Order.)
- 8. Water Quality Protection Standard Report—Any proposed changes⁷ to the Water Quality Protection Standard (WQPS) components (§ B.2), other than periodic update of the Concentration Limits (§ B.2.g), shall be submitted in a WQPS Report for review and approval. The report shall be certified by a "Qualified Professional" (§ B), and contain the following:
 - a. *Potentially Affected Waterbodies*—An identification of all distinct bodies of surface water and groundwater potentially affected by a WMU release (including, but not limited to, the uppermost aquifer and any permanent or ephemeral zones of perched groundwater underlying the Facility);
 - b. *Map of Monitoring Points*—A map of all groundwater, surface water⁸ and unsaturated zone monitoring points (including all background/upgradient and Point of Compliance monitoring points);
 - c. *Groundwater Movement*—An evaluation of perennial direction(s) of groundwater movement within the uppermost zone(s);

⁷ If subsequent sampling of the background monitoring point(s) indicates significant water quality changes due to either seasonal fluctuations or other reasons unrelated to onsite waste management activities, the Discharger may request modification of the WQPS.

⁸ To the extent that surface water monitoring is included in the Detection Monitoring Program.

- d. Statistical Method for Concentration Limits—A proposed statistical method for calculating Concentration Limits for Monitoring Parameters and Five-Year COCs (see § B.2.f) detected in at least 10 percent of the background data (naturally-occurring constituents) using a statistical procedure from subdivisions (e)(8)(A)-(D) or (e)(8)(E) of Title 27, section 20415; and
- e. Retesting Procedure—A retesting procedure to confirm or deny measurably significant evidence of a release (Title 27, §§ 20415(e)(8)(E), 20420(j)(1)-(3)).

9. General Reporting Provisions

- a. **Transmittal Letters**—Each report submitted under this MRP shall be accompanied by a Transmittal Letter providing a brief overview of the enclosed report, as well as the following:
 - i. Any violations found since the last report was submitted, a description of all actions undertaken to correct the violation (referencing any previously submitted time schedules for compliance), and whether the violations were corrected; and
 - ii. A statement from the submitting party, or its authorized agent, signed under penalty of perjury, certifying that, to the best of the signer's knowledge, the contents of the enclosed report are true, accurate and complete.

b. Monitoring Data and Reports

i. Electronic Submission via GeoTracker—All reports with monitoring data (e.g., SMRs and AMRs) shall be submitted electronically via the State Water Board's <u>Geotracker Database</u> (https://geotracker.waterboards.ca.gov). After uploading a

report, the Discharger shall notify Central Valley Water Board staff via email at

<u>CentralValleyRedding@WaterBoards.ca.gov</u>. The following information shall be included in the body of the email:

Attention:	WDR Unit
Report Title:	[Title of Report]
GeoTracker Upload ID:	[Identification Number]
Facility Name:	Error! Reference source not f
	ound.
County:	Tehama County
CIWQS Place ID:	5A183001003

- ii. Data Presentation and Formatting—In reporting monitoring data, the Discharger shall arrange the data in tabular form so that the date, the constituents, the concentrations, and the units are readily discernible. Additionally, data shall be summarized in a manner that clearly illustrates compliance/noncompliance with WDRs.
- iii. Non-Detections / Reporting Limits—Unless the reporting limits (RL) are specified in the same table, non-detections and sub-RL concentrations shall be reported as "< [limit]" (e.g., "< 5 μg/L").</p>
- iv. Units—Absent specific justification, all monitoring data shall be reported in the units specified herein.
- c. Compliance with SPRRs—All reports submitted under this MRP shall comply with applicable provisions of the SPRRs, including those in Section I (*Standard Monitoring Specifications*) and Section J (*Response to Release*).
- d. Additional Requirements for Monitoring Reports—Every monitoring report submitted under this MRP (e.g., SMRs [§ D.1], AMRs [§ D.2]) shall include a discussion of relevant field and laboratory tests, and the results of all monitoring conducted at the

site shall be reported to the Central Valley Water Board in accordance with the reporting schedule above for the calendar period in which samples were taken or observations made.

- E. Record Retention Requirements—The Discharger shall maintain permanent records of all monitoring information, including without limitation: calibration and maintenance records; original strip chart recordings of continuous monitoring instrumentation; copies of all reports required by this MRP; and records of all data used to complete the application for WDRs. Such records shall be legible, and show the following for each sample:
 - 1. Sample identification and the monitoring point or background monitoring point from which it was taken, along with the identity of the individual who obtained the sample;
 - 2. Date, time and manner of sampling;
 - 3. Date and time that analyses were started and completed, and the name of the personnel and laboratory performing each analysis;
 - 4. A complete list of procedures used (including method of preserving the sample, and the identity and volumes of reagents used);
 - 5. A calculation of results; and
 - 6. The results of all analyses, as well as the MDL and PQL for each analysis (all peaks shall be reported).

SIGNATURE

This Order is effective as of the date set forth below.

ORDERED BY:

PATRICK PULUPA, Executive Officer

LIST OF ATTACHMENTS

Attachment A—Dissolved Inorganics (Five-Year COCs) Attachment B—Volatile Organic Compounds, Extended List (Five-Year COCs) Attachment C—Semi-Volatile Organic Compounds (Five-Year COCs)

ENFORCEMENT

If, in the opinion of the Executive Officer, the Discharger fail to comply with the provisions of this Order, the Executive Officer may refer this matter to the Attorney General for judicial enforcement, may issue a complaint for administrative civil liability, or may take other enforcement actions. Failure to comply with this Order may result in the assessment of Administrative Civil Liability of up to \$1,000 per violation, per day, depending on the violation, pursuant to the Water Code, including section 13268. The Central Valley Water Board reserves its right to take any enforcement actions authorized by law.

ADMINISTRATIVE REVIEW

Any person aggrieved by this Central Valley Water Board action may petition the State Water Board for review in accordance with Water Code section 13320 and California Code of Regulations, title 23, section 2050 et seq. To be timely, the petition must be received by the State Water Board by 5:00 pm on the 30th day after the date of this Order; if the 30th day falls on a Saturday, Sunday or state holiday, the petition must be received by the State Water Board by 5:00 pm on the next business day. The law and regulations applicable to filing petitions are available on the <u>State Water Board website</u> (http://www.waterboards.ca.gov/public_notices/petitions/water_quality). Copies will also be provided upon request.

ATTACHMENT A—DISSOLVED INORGANICS (FIVE-YEAR COCS)

Constituent / Analytical Method	GeoTracker Code
Aluminum,	Zinc,
USEPA Method 6010AL	USEPA Method 6010 ZN
Antimony,	Iron,
USEPA Method 7041 SB	USEPA Method 6010FE
Barium,	Manganese,
USEPA Method 6010 BA	USEPA Method 6010MN
Beryllium,	Arsenic,
USEPA Method 6010 BE	USEPA Method 7062AS
Cadmium,	Lead,
USEPA Method 7131ACD	USEPA Method 7421 PB
Chromium,	Mercury,
USEPA Method 6010 CR	USEPA Method 7470AHG
Cobalt,	Nickel,
USEPA Method 6010CO	USEPA Method 7521NI
Copper,	Selenium,
USEPA Method 6010CU	USEPA Method 7742SE
Silver,	Thallium,
USEPA Method 6010AG	USEPA Method 7841 TL
Tin,	Cyanide,
USEPA Method 6010SN	USEPA Method 9010CCN
Vanadium,	Sulfide,
USEPA Method 6010V	USEPA Method 9030BxS

ATTACHMENT B—VOLATILE ORGANIC COMPOUNDS, EXTENDED LIST (FIVE-YEAR COCS)

USEPA Method 8260, Extended List

Constituent	GeoTracker Code
Acetone	ACE
Acetonitrile (Methyl cyanide)	ACCN
Acrolein	ACRL
Acrylonitrile	ACRAMD
Allyl chloride (3 Chloropropene)	CLPE3
Benzene	BZ
Bromochloromethane (Chlorobromomethane)	BRCLME
Bromodichloromethane (Dibromochloromethane)	DBCME
Bromoform (Tribromomethane)	TBME
Carbon disulfide	CDS
Carbon tetrachloride	CTCL
Chlorobenzene	CLBZ
Chloroethane (Ethyl chloride)	CLEA
Chloroform (Trichloromethane)	TCLME
Chloroprene	CHLOROPRENE
Dibromochloromethane (Chlorodibromomethane)	DBCME
1,2 Dibromo 3 chloropropane (DBCP)	DBCP
1,2 Dibromoethane (Ethylene dibromide; EDB)	EDB
o Dichlorobenzene (1,2 Dichlorobenzene)	DCBZ12
m Dichlorobenzene(1,3 Dichlorobenzene)	DCBZ13
p Dichlorobenzene (1,4 Dichlorobenzene)	DCBZ14
trans 1,4 Dichloro 2 butene	DCBE14T
Dichlorodifluoromethane (CFC 12)	FC12
1,1 Dichloroethane (Ethylidene chloride)	DCA11
1,2 Dichloroethane (Ethylene dichloride)	DCA12

1,1 Dichloroethylene (1, I Dichloroethene; Vinylidene chloride)	DCE11
cis 1,2 Dichloroethylene (cis 1,2 Dichloroethene)	DCE12C
trans I,2 Dichloroethylene (trans 1,2 Dichloroethene)	DCE12T
1,2 Dichloropropane (Propylene dichloride)	DCPA12
1,3 Dichloropropane (Trimethylene dichloride)	DCPA13
2,2 Dichloropropane (Isopropylidene chloride)	DCPA22
1,1 Dichloropropene	DCP11
cis 1,3 Dichloropropene	DCP13C
trans I,3 Dichloropropene	DCP13T
Di-isopropylether (DIPE)	DIPE
Ethanol	ETHANOL
Ethyltertiary butyl ether	ETBE
Ethylbenzene	EBZ
Ethyl methacrylate	EMETHACRY
Hexachlorobutadiene	HCBU
2 Hexanone (Methyl butyl ketone)	HXO2
Isobutyl alcohol	ISOBTOH
Methacrylonitrile	METHACRN
Methyl bromide (Bromomethane)	BRME
Methyl chloride (Chloromethane)	CLME
Methyl ethyl ketone (MEK; 2 Butanone)	MEK
Methyl iodide (Iodomethane)	IME
Methyl t-butyl ether	MTBE
Methyl methacrylate	MMTHACRY
4 Methyl 2 pentanone (Methyl isobutyl ketone)	MIBK
Methylene bromide (Dibromomethane)	DBMA
Methylene chloride (Dichloromethane)	DCMA
Naphthalene	NAPH
Propionitrile (Ethyl cyanide)	PACN

Styrene	STY
Tertiary amyl methyl ether	TAME
Tertiary butyl alcohol	TBA
1,1,1,2 Tetrachloroethane	TC1112
1,1,2,2 Tetrachloroethane	PCA
Tetrachloroethylene (Tetrachloroethene; Perchloroethylene; PCE)	PCE
Toluene	BZME
1,2,4 Trichlorobenzene	TCB124
1,1,1 Trichloroethane (Methylchloroform)	TCA111
1,1,2 Trichloroethane	TCA112
Trichloroethylene (Trichloroethene; TCE)	TCE
Trichlorofluoromethane (CFC 11)	FC11
1,2,3 Trichloropropane	TCPR123
Vinyl acetate	VA
Vinyl chloride (Chloroethene)	VC
Xylene (total)	XYLENES

ATTACHMENT C—SEMI-VOLATILE ORGANIC COMPOUNDS (FIVE-YEAR COCS)

USEPA Methods 8270C or 8270D (Base, Neutral & Acid Extractables)

Constituent	GeoTracker Code
Acenaphthene	ACNP
Acenaphthylene	ACNPY
Acetophenone	ACPHN
2 Acetylaminofluorene (2 AAF)	ACAMFL2
Aldrin	ALDRIN
4 Aminobiphenyl	AMINOBPH4
Anthracene	ANTH
Benzo[a]anthracene (Benzanthracene)	BZAA
Benzo[b]fluoranthene	BZBF
Benzo[k]fluoranthene	BZKF
Benzo[g,h,i]perylene	BZGHIP
Benzo[a]pyrene	BZAP
Benzyl alcohol	BZLAL
Bis(2 ethylhexyl) phthalate	BIS2EHP
alpha BHC	BHCALPHA
beta BHC	BHCBETA
delta BHC	BHCDELTA
gamma BHC (Lindane)	BHCGAMMA
Bis(2 chloroethoxy) methane	BECEM
Bis(2 chloroethyl) ether (Dichloroethyl ether)	BIS2CEE
Bis(2 chloro 1 methyethyl) ether (Bis(2 chloroisopropyl) ether; DCIP) .	BIS2CIE
4 Bromophenyl phenyl ether	BPPE4
Butyl benzyl phthalate (Benzyl butyl phthalate)	BBP
Chlordane	CHLORDANE
p Chloroaniline	CLANIL4
Chlorobenzilate	CLBZLATE

p Chloro m cresol (4 Chloro 3 methylphenol)	C4M3PH
2 Chloronaphthalene	
2 Chlorophenol	
4 Chlorophenyl phenyl ether	
Chrysene	
o Cresol (2 methylphenol)	
m Cresol (3 methylphenol)	
p Cresol (4 methylphenol)	
4,4' DDD	
4,4' DDE	
4,4' DDT	
Diallate	
Dibenz[a,h]anthracene	
Dibenzofuran	
Di n butyl phthalate	
3,3' Dichlorobenzidine	
2,4 Dichlorophenol	
2,6 Dichlorophenol	
Dieldrin	
Diethyl phthalate	
p (Dimethylamino) azobenzene	
7,12 Dimethylbenz[a]anthracene	
3,3' Dimethylbenzidine	
2,4 Dimehtylphenol (m Xylenol)	
Dimethyl phthalate	
m Dinitrobenzene	
4,6 Dinitro o cresol (4,6 Dinitro 2 methylphenol)	
2,4 Dinitrophenol	
2,4 Dinitrotoluene	

2,6 Dinitrotoluene	DNT26
Di n octyl phthalate	DNOP
Diphenylamine	DPA
Endosulfan I	ENDOSULFANA
Endosulfan II	ENDOSULFANB
Endosulfan sulfate	ENDOSULFANS
Endrin	ENDRIN
Endrin aldehyde	ENDRINALD
Ethyl methanesulfonate	EMSULFN
Famphur	FAMPHUR
Fluoranthene	FLA
Fluorene	FL
Heptachlor	HEPTACHLOR
Heptachlor epoxide	HEPT-EPOX
Hexachlorobenzene	HCLBZ
Hexachlorocyclopentadiene	НССР
Hexachloroethane	HCLEA
Hexachloropropene	HCPR
Indeno(1,2,3 c,d) pyrene	INP123
Isodrin	ISODRIN
Isophorone	ISOP
Isosafrole	ISOSAFR
Kepone	KEP
Methapyrilene	MTPYRLN
Methoxychlor	MTXYCL
3 Methylcholanthrene	MECHLAN3
Methyl methanesulfonate	MMSULFN
2 Methylnaphthalene	MTNPH2
1,4 Naphthoquinone	NAPHQ14

1 Naphthylamine	AMINONAPH1
2 Naphthylamine	
o Nitroaniline (2 Nitroaniline)	
m Nitroaniline (3 Nitroaniline)	
p Nitroaniline (4 Nitroaniline)	
Nitrobenzene	
o Nitrophenol (2 Nitrophenol)	
p Nitrophenol (4 Nitrophenol)	
N Nitrosodi n butylamine (Di n butylnitrosamine)	
N Nitrosodiethylamine (Diethylnitrosamine)	
N Nitrosodimethylamine (Dimethylnitrosamine)	
N Nitrosodiphenylamine (Diphenylnitrosamine)	
N Nitrosodipropylamine (N Nitroso N dipropylamine; Di n propylnitrosa	
N Nitrosomethylethylamine (Methylethylnitrosamine)	NNSME
N Nitrosopiperidine	NNSPPRD
N Nitrosospyrrolidine	NNSPYRL
5 Nitro o toluidine	TLDNONT5
Pentachlorobenzene	PECLBZ
Pentachloronitrobenzene (PCNB)	PECLNO2BZ
Pentachlorophenol	PCP
Phenacetin	PHNACTN
Phenanthrene	PHAN
Phenol	PHENOL
p Phenylenediamine	
Polychlorinated biphenyls (PCBs; Aroclors)	
Pronamide	
Pyrene	
Safrole	
1,2,4,5 Tetrachlorobenzene	

2,3,4,6 Tetrachlorophenol	TCP2346
o Toluidine	TLDNO
Toxaphene	ТОХАР
2,4,5 Trichlorophenol	TCP245
0,0,0 Triethyl phosphorothioate	TEPTH
sym Trinitrobenzene	TNB