

## Central Valley Regional Water Quality Control Board

---

### WATER QUALITY ORDER NO. R5-2025-XXXX TENTATIVE WASTE DISCHARGE REQUIREMENTS

---

<b>Effective Date:</b>	<Board adoption date>	Reg. Meas. ID: 460297
<b>Program Type:</b>	Fill/Excavation	Place ID: 900185
		WDID No.: 5B20CR00140
<b>Project Type:</b>	Roads and Highways	
<b>Project:</b>	Madera 41 South Expressway: Phase 1 EA 06-0R040 (Project)	
<b>Applicant:</b>	California Department of Transportation (Caltrans)	
<b>Applicant Contact:</b>	Dena Gonzalez Caltrans 2015 E. Shields Avenue, Suite 200 Fresno, CA 93726 Phone: (559) 978-6865 Email: <a href="mailto:dena.gonzalez@dot.ca.gov">dena.gonzalez@dot.ca.gov</a>	
<b>Applicant's Agent:</b>	Doug Wilson County of Madera 200 W. 4th Street, Suite 300 Madera, CA 93637 Phone: (559) 901-9000 Email: <a href="mailto:dwilson@wildan.com">dwilson@wildan.com</a>	
<b>Water Board Staff:</b>	Olivia Ilsley Environmental Scientist 11020 Sun Center Drive, Suite 200 Rancho Cordova, CA 95670 Phone: (916)464-4673 Email: <a href="mailto:Olivia.ilsley@waterboards.ca.gov">Olivia.ilsley@waterboards.ca.gov</a>	

**Water Board Contact Person:** If you have any questions, please call Regional Water Quality Control Board, Central Valley Region (Central Valley Water Board) Staff listed above or (559) 445-5116 and ask to speak with the Water Quality Certification Unit Supervisor.

Table of Contents

FINDINGS..... 3

REQUIREMENTS ..... 8

CERTIFICATION ..... 22

Attachment A ..... 1

Attachment B ..... 1

Attachment C ..... 1

Attachment D ..... 1

Attachment E ..... 1

Attachment F ..... 1

## FINDINGS

The California Regional Water Quality Control Board, Central Valley Region (Central Valley Water Board) hereby finds the following:

### Application

1. Caltrans (Permittee) submitted an application on 7 March 2025. The application was deemed complete on 9 April 2025. Prior to receiving a complete application, Central Valley Water Board staff issued a notice of incomplete application and the Permittee responded to the request for application information on the following date(s):

Date of Notice of Incomplete Application: **24 March 2025**

Date all requested information was received: **4 April 2025**

2. The Permittee initially applied for a Clean Water Act Section 401 Water Quality Certification. However, the U.S. Army Corps of Engineers reportedly disclaimed jurisdiction under Clean Water Act section 404, determining the aquatic resources subject to the discharge of dredged or fill material are not Waters of the United States. Accordingly, Clean Water Act section 401's certification requirement does not apply.
3. Section 13260, subdivision (a) of the Water Code requires that any person discharging or proposing to discharge waste that could affect the quality of waters of the state file a report of waste discharge. Waters of the state is broadly defined to include any surface water or groundwater within the boundaries of the state. (Water Code, section 13050, subdivision (e).) The Permittee's application and supplemental information satisfies this requirement.

### Project Purpose and Description

4. Project Purpose: The purpose of this Project is to address the increased traffic associated with existing and planned development along State Route 41 to and from Fresno and Madera Counties. The Project is needed to improve traffic flow and provide a route for future transportation projects.
5. Project Description: The Project consists of a divided four-lane expressway extending from the current divided four-lane freeway south of Avenue 11 to north of Avenue 15. Work includes widening shoulders to current standards, replacing and/or adding culverts, constructing two water detention basins to the east of State Route 41, grading the right-of-way to create v-ditches to direct water flows, constructing sound walls, upgrading metal beam guardrails, and raising the profile as needed. The Project will result in temporary impacts and permanent fill in vernal pools, wetlands, and stream channels.

**Project Location**

6. The Project area is located from south of the Avenue 11 intersection to north of the Avenue 15 intersection on State Route 41 in Madera County. Maps showing the Project location are found in Attachment A of this Order. The Project will be located in the following townships/range: Sections 4 and 9, Township 12 South, Range 20 East, MDB&M. Sections 16, 21, 28, and 33, Township 11 South, Range 20 East, MDB&M.

Project Start Coordinates: 36.903500 degrees, -119.792402 degrees

Project End Coordinates: 36.981942 degrees, -119.793987 degrees

**Project Impact and Receiving Waters Information**

7. Project impact and receiving waters information can be found in Attachment B. Table 1 of Attachment B shows the receiving waters and beneficial uses of waters of the state impacted by the Project. Individual impact location and quantity are shown in Table 2 of Attachment B.

**Description of Direct Impacts to Waters of the State**

8. Total Project fill/excavation quantities for all impacts are summarized in Tables 1 and 2 below. Permanent impacts are categorized as those resulting in a physical loss in area and also those degrading ecological condition.

**Table 1: Total Project Fill/Excavation Quantity for Temporary Physical Loss of Area Impacts**

Aquatic Resources Type	Acres	Cubic Yards	Linear Feet
Stream Channel	0.12		
Vernal Pool	0.21		
Wetland	1.86		

**Table 2: Total Project Fill/Excavation Quantity for Permanent Physical Loss of Area Impacts**

Aquatic Resources Type	Acres	Cubic Yards	Linear Feet
Stream Channel	0.17		
Vernal Pool	0.18		
Wetland	2.57		

**Avoidance and Minimization**

9. To minimize the potential effects of construction on water quality and resources, the Permittee shall implement all measures required as described in this Order.



### Compensatory Mitigation

10. Compensatory Mitigation is for permanent physical loss and permanent ecological degradation of a water of the state. The Permittee has agreed to provide compensatory mitigation for direct impacts as described below.

### Regulatory Considerations

11. Receiving waters and groundwater potentially impacted by this Project are protected in accordance with the Water Quality Control Plan for the Sacramento River and San Joaquin River Basins, Fifth Edition, February 2019 (Basin Plan). The plan for the region and other plans and policies may be accessed at the State Water Resources Control Board's Plans and Policies Web page ([http://www.waterboards.ca.gov/plans\\_policies/](http://www.waterboards.ca.gov/plans_policies/)). The Basin Plan includes water quality standards, which consist of existing and potential beneficial uses of waters of the state, water quality objectives to protect those uses, and the state and federal antidegradation policies.
12. Pursuant to Water Code section 106.3, subdivision (a), it is the policy of the State of California that every human being has the right to safe, clean, affordable, and accessible water adequate for human consumption, cooking, and sanitary purposes. This Order promotes that policy by requiring discharges to meet maximum contaminant levels designed to protect human health and ensure that water is safe for domestic use.
13. State Water Resources Control Board Resolution No. 68-16, "Statement of Policy with Respect to Maintaining High Quality of Waters in California" (Antidegradation Policy), requires that the quality of existing high-quality water be maintained unless any change will be consistent with the maximum benefit to the people of the state, will not unreasonably affect present or anticipated future beneficial uses of such water, and will not result in water quality less than that prescribed in water quality control plans or policies. The Antidegradation Policy further requires best practicable treatment or control of the discharge necessary to assure that pollution or nuisance will not occur and the highest water quality consistent with maximum benefit to the people of the state will be maintained.
14. Executive Order W-59-93, dated 23 August 1993, establishes a California Wetlands Conservation Policy including an objective to ensure no overall net loss of and a long term net gain in the quantity, quality, and permanence of wetland acreage and values in California (No Net Loss Policy). The State Water Resources Control Board and Regional Water Quality Control Boards are committed to increasing the quantity, quality, and diversity of wetlands that qualify as waters of the state.
15. Filling wetlands and other waters causes partial or complete loss of the beneficial uses provided by those waters. To reconcile such losses with the State's No Net Loss and Antidegradation Policies, this Order requires adherence to the requirements in the mitigation monitoring and reporting program, including compensatory mitigation for impacts that cannot be feasibly avoided or

minimized; implementation of the approved compensatory mitigation plan; and other requirements to minimize the potential effects of construction on water quality and resources. The purchase of aquatic resources credits at a minimum of a 1:1 ratio to impacts is required to achieve compliance with the State's No Net Loss and Antidegradation Policies. Accordingly, this Order's requirements are consistent with the provisions of the No Net Loss and Antidegradation Policies.

16. This Order is adopted pursuant to Water Code section 13263, subdivision (a), which provides, in pertinent part, the following:

*The regional board, after any necessary hearing, shall prescribe requirements as to the nature of any proposed discharge, existing discharge, or material change in an existing discharge ..., with relation to the conditions existing in the disposal area or receiving waters upon, or into which, the discharge is made or proposed. The requirements shall implement any relevant water quality control plans that have been adopted, and shall take into consideration the beneficial uses to be protected, the water quality objectives reasonably required for that purpose, other waste discharges, the need to prevent nuisance, and the provisions of Section 13241.*

Compliance with section 13263, subdivision (a), including implementation of applicable water quality plans, is discussed below. The Central Valley Water Board has considered the factors in section 13241 in establishing the requirements in this Order.

17. The ability to discharge waste is a privilege, not a right, and adoption of this Order shall not be construed as creating a vested right to continue discharging waste (Water Code, section 13263, subdivision (g).)
18. This Order and its associated monitoring and technical reporting provisions are also adopted pursuant to Water Code section 13267, subdivision (b)(1), which provides, in pertinent part, the following:

*[T]he regional board may require that any person who has discharged, discharges, or is suspected of having discharged or discharging, or who proposes to discharge waste ... shall furnish, under penalty of perjury, technical or monitoring program reports which the regional board requires. The burden, including costs, of these reports shall bear a reasonable relationship to the need for the report and the benefits to be obtained from the reports. In requiring those reports, the regional board shall provide the person with a written explanation with regard to the need for the reports, and shall identify the evidence that supports requiring that person to provide the reports.*

The reports required under this Order are necessary to verify and ensure compliance with permitting requirements and protect waters of the state. The burden associated with such reports is reasonable relative to the need for their submission.

**California Environmental Quality Act (CEQA)**

19. On 6 April 2020, Caltrans, as lead agency, certified an environmental impact report (EIR) (State Clearinghouse (SCH) No. 2015051074) for the Project and filed a Notice of Determination (NOD) at the SCH on 6 April 2020.
20. Pursuant to CEQA, the Central Valley Water Board, as responsible agency, has made Findings of Facts (Findings) which support the issuance of this Order and are included in Attachment C.

**Public Notice**

21. The tentative Waste Discharge Requirements were publicly noticed with an opportunity to submit written comments pursuant to Water Code section 13167.5.
22. At a public meeting, the Central Valley Water Board heard and considered all comments pertaining to the discharges regulated under this Order.

**Petitions for Reconsideration**

23. Any person aggrieved by this action may petition the State Water Board to reconsider this Order in accordance with Water Code section 13320 and California Code of Regulations, title 23, section 2050 et seq. The State Water Board must receive the petition by 5:00 p.m. on the 30th day after the date of this Order; if the 30th day falls on a Saturday, Sunday, or state holiday, the petition must be received by the State Water Board by 5:00 p.m. on the next business day. Copies of the law and regulations applicable to filing petitions are available on the Internet (at the address below) and will be provided upon request.

[State Water Resources Control Board Law and Regulations for Filing Petitions](http://www.waterboards.ca.gov/public_notices/petitions/water_quality)  
([http://www.waterboards.ca.gov/public\\_notices/petitions/water\\_quality](http://www.waterboards.ca.gov/public_notices/petitions/water_quality))

**Fees Received**

24. An application fee of \$4,212 was received on 4 April 2025. The fee amount was determined as required by California Code of Regulations, Title 23, sections 3833(b)(3) and 2200(a)(3) and was calculated as Category A - Fill & Excavation Discharges (Fee Code 84) with the dredge and fill fee calculator.
25. An additional fee of \$187,638 based on total Project impacts was received on 4 April 2025.
26. This WDR is subject to annual billing based on the fee schedule in effect at the time of billing. Annual billing will continue until the Project, including monitoring, is complete and the Central Valley Water Board receives an acceptable request for a Notice of Project Complete Letter (see Attachment D). Annual invoices for fill and excavation projects are issued for projects active for any amount of time in the current fiscal year (July 1 – June 30). Invoices are usually sent out at the end of each calendar year.

To stop annual billing, the Permittee must request a Notice of Project Complete Letter from the Water Board. Central Valley Water Board staff will verify if the conditions of the WDR are met and may conduct a site visit to confirm compliance.

For more information on fees, visit the State Water Board's [Water Quality Fees Web page](https://www.waterboards.ca.gov/resources/fees/water_quality/) ([https://www.waterboards.ca.gov/resources/fees/water\\_quality/](https://www.waterboards.ca.gov/resources/fees/water_quality/)), under Water Quality Certification (WQC) Program Fees.

## REQUIREMENTS

**IT IS HEREBY ORDERED**, pursuant to Water Code sections 13263 and 13267, that the Permittee shall comply with the following:

### A. Scope

Impacts to waters of the state shall not exceed quantities shown in Tables 1 and 2. Pursuant to Water Code section 13264, subdivision (a), the Permittee is prohibited from initiating the discharge of new wastes (i.e., other than those described herein), or making material changes to the character, location, volume, or timing of waste discharges authorized herein without filing a report required by Water Code section 13260.

### B. Reporting and Notification Requirements

The following section details the reporting and notification types and timing of submittals required pursuant to Water Code section 13267, subdivision (b)(1). Requirements for the content of these reporting and notification types are detailed in Attachment D, including specifications for photo and map documentation during the Project. Written reports and notifications must be submitted using the Reporting and Notification Cover Sheet located in Attachment D, which must be signed by the Permittee or an authorized representative.

The Permittee must submit all notifications, submissions, materials, data, correspondence, and reports in a searchable Portable Document Format (PDF). Documents less than 50 MB must be emailed to:  
[centralvalleyfresno@waterboards.ca.gov](mailto:centralvalleyfresno@waterboards.ca.gov).

In the subject line of the email, include the Central Valley Water Board Contact, Project name, and WDID No. Documents that are 50 MB or larger must be transferred to a disk and mailed to the Central Valley Water Board Contact.

#### 1. Project Reporting

##### a. Monthly Reporting – Not Applicable

**b. Annual Reporting:** The Permittee shall submit an Annual Report each year on the 1st day of the month one year after the effective date of the Order (e.g., if the effective date is 22 August 2025 then the annual report

is due the following year on 1 September 2026). Annual reporting shall continue until the Central Valley Water Board issues a Notice of Project Complete Letter to the Permittee.

## 2. Project Status Notifications

- a. **Commencement of Construction:** The Permittee shall submit a Commencement of Construction Report at least seven (7) days prior to start of initial ground disturbance activities and the corresponding Waste Discharge Identification Number (WDID#), if obtained, under the National Pollutant Discharge Elimination System (NPDES) General Permit for Storm Water Discharges Associated with Construction and Land Disturbance Activities (Order No. 2022-0057-DWQ; NPDES No. CAS000002).
- b. **Request for Notice of Completion of Discharges Letter:** The Permittee shall submit a Request for Notice of Completion of Discharges Letter following completion of active Project construction activities, including any required restoration and permittee-responsible mitigation. This request shall be submitted to the Central Valley Water Board staff within thirty (30) days following completion of all Project construction activities. Upon acceptance of the request, Central Valley Water Board staff shall issue a Notice of Completion of Discharges Letter to the Permittee which will end the active discharge period.
- c. **Request for Notice of Project Complete Letter:** The Permittee shall submit a Request for Notice of Project Complete Letter when construction and/or any post-construction monitoring is complete, and no further Project activities will occur. Completion of post-construction monitoring shall be determined by Central Valley Water Board staff and shall be contingent on successful attainment of restoration and mitigation performance criteria. This request shall be submitted to Central Valley Water Board staff within thirty (30) days following completion of all Project activities. Upon approval of the request, the Central Valley Water Board staff shall issue a Notice of Project Complete Letter to the Permittee which will end the post discharge monitoring period.

## 3. Conditional Notifications and Reports:

The following notifications and reports are required as appropriate.

### a. Accidental Discharges of Hazardous Materials<sup>1</sup>

---

<sup>1</sup> "Hazardous material" means any material that, because of its quantity, concentration, or physical or chemical characteristics, poses a significant present or potential hazard to human health and safety or to the environment if released into the workplace or the environment. "Hazardous materials" include, but are not limited to, hazardous substances, hazardous waste, and any material that a handler or the

Following an accidental discharge of a reportable quantity of a hazardous material, sewage, or an unknown material, the following applies (Water Code, section 13271):

- i. As soon as (A) Permittee has knowledge of the discharge or noncompliance, (B) notification is possible, and (C) notification can be provided without substantially impeding cleanup or other emergency measures then:
    - first call – 911 (to notify local response agency)
    - then call – Office of Emergency Services (OES) State Warning Center at:(800) 852-7550 or (916) 845-8911
    - Lastly, follow the required OES, procedures as set forth in the [Office of Emergency Services' Accidental Discharge Notification Web page](http://www.caloes.ca.gov/FireRescueSite/Documents/CalOES-Spill_Booklet_Feb2014_FINAL_BW_Acc.pdf) ([http://www.caloes.ca.gov/FireRescueSite/Documents/CalOES-Spill\\_Booklet\\_Feb2014\\_FINAL\\_BW\\_Acc.pdf](http://www.caloes.ca.gov/FireRescueSite/Documents/CalOES-Spill_Booklet_Feb2014_FINAL_BW_Acc.pdf))
  - ii. Following notification to OES, the Permittee shall notify Central Valley Water Board, as soon as practicable (ideally within 24 hours). Notification may be delivered via written notice, email, or other verifiable means.
  - iii. Within five (5) working days of notification to the Central Valley Water Board, the Permittee must submit an Accidental Discharge of Hazardous Material Report.
- b. Violation of Compliance with Water Quality Standards:** The Permittee shall notify the Central Valley Water Board of any event causing a violation of compliance with water quality standards. Notification may be delivered via written notice, email, or other verifiable means. This notification must be followed within three (3) working days by submission of a Violation of Compliance with Water Quality Standards Report.
- c. In-Water Work and Diversions:**
- i. The Permittee shall notify the Central Valley Water Board at least forty-eight (48) hours prior to initiating work in water or stream diversions. Notification may be delivered via written notice, email, or other verifiable means.
  - ii. Within three (3) working days following completion of work in water or stream diversions, an In-Water Work/Diversions Water Quality

---

administering agency has a reasonable basis for believing that it would be injurious to the health and safety of persons or harmful to the environment if released into the workplace or the environment. (Health & Safety Code, Section 25501.)

---



Monitoring Report must be submitted to Central Valley Water Board staff.

**d. Modifications to Project**

Project modifications may require an amendment of this Order. The Permittee shall give advance notice to Central Valley Water Board staff if Project implementation as described in the application materials is altered in any way or by the imposition of subsequent permit conditions by any local, state or federal regulatory authority by submitting a Modifications to Project Report. The Permittee shall inform Central Valley Water Board staff of any Project modifications that will interfere with the Permittee's compliance with this Order. Notification may be made in accordance with conditions in the Project Deviation section of this Order.

**e. Transfer of Property Ownership:**

This Order is not transferable in its entirety or in part to any person or organization except after notice to the Central Valley Water Board in accordance with the following terms:

- i. The Permittee must notify the Central Valley Water Board of any change in ownership or interest in ownership of the Project area by submitting a Transfer of Property Ownership Report. The Permittee and purchaser must sign and date the notification and provide such notification to the Central Valley Water Board at least 10 days prior to the transfer of ownership. The purchaser must also submit a written request to the Central Valley Water Board to be named as the permittee in a revised order.
- ii. Until such time as this Order has been modified to name the purchaser as the permittee, the Permittee shall continue to be responsible for all requirements set forth in this Order.

**f. Transfer of Long-Term Best Management Practice (BMP) Maintenance:**

If maintenance responsibility for post-construction BMPs is legally transferred, the Permittee must submit to the Central Valley Water Board a copy of such documentation and must provide the transferee with a copy of a long-term BMP maintenance plan that complies with manufacturer or designer specifications. The Permittee must provide such notification to the Central Valley Water Board with a Transfer of Long-Term BMP Maintenance Report at least 10 days prior to the transfer of BMP maintenance responsibility.

## **C. Water Quality Monitoring**

### **1. General:**

If surface water is present, continuous visual surface water monitoring shall be conducted during active construction periods to detect accidental discharge of construction related pollutants (e.g., oil and grease, turbidity plume, or uncured concrete). Sampling is not required in a wetland where the entire wetland is being permanently filled, provided there is no outflow connecting the wetland to surface waters. The Permittee shall perform surface water sampling:

- a. when performing any in-water work;
- b. during the entire duration of temporary surface water diversions;
- c. in the event that the Project activities result in any materials reaching surface waters; or
- d. when any activities result in the creation of a visible plume in surface waters.

### **2. Accidental Discharges/Noncompliance:**

Upon occurrence of an accidental discharge of hazardous materials or a violation of compliance with a water quality standard, Central Valley Water Board staff may require water quality monitoring based on the discharge constituents and/or related water quality objectives and beneficial uses.

### **3. In-Water Work or Diversions:**

During planned in-water work or during the entire duration of temporary water diversions, any discharge(s) to waters of the state shall conform to the following water quality objectives:

- a. Waters shall not contain oils, greases, waxes, or other materials in concentrations that cause nuisance, result in a visible film or coating on the surface of the water or on objects in the water, or otherwise adversely affect beneficial uses.
- b. Activities shall not cause pH to be depressed below 6.5 nor raised above 8.5 in surface water.
- c. Activities shall not cause turbidity increases in surface water to exceed:
  - i. where natural turbidity is less than 1 Nephelometric Turbidity Units (NTUs), controllable factors shall not cause downstream turbidity to exceed 2 NTU;
  - ii. where natural turbidity is between 1 and 5 NTUs, increases shall not exceed 1 NTU;



- iii. where natural turbidity is between 5 and 50 NTUs, increases shall not exceed 20 percent;
- iv. where natural turbidity is between 50 and 100 NTUs, increases shall not exceed 10 NTUs;
- v. where natural turbidity is greater than 100 NTUs, increases shall not exceed 10 percent.

In determining compliance with the above limits, appropriate averaging periods may be applied provided that beneficial uses will be fully protected. Averaging periods may only be used with prior permission of the Central Valley Water Board Executive Officer.

Sampling during in-water work or during the entire duration of temporary water diversions shall be conducted in accordance with Table 3 sampling parameters.<sup>2</sup> The sampling requirements in Table 3 shall be conducted upstream out of the influence of the Project, and approximately 300 feet downstream of the work area.

The sampling frequency and/or monitoring locations may be modified for certain projects with written approval from Central Valley Water Board staff. An In-Water Work and Diversion Water Quality Monitoring Report, as described in Attachment D, shall be submitted within two weeks of initiation of in-water construction, and every two weeks thereafter. In reporting the data, the Permittee shall arrange the data in tabular form so that the sampling locations, date, constituents, and concentrations are readily discernible. The data shall be summarized in such a manner to illustrate clearly whether the Project complies with Order requirements. The report shall include surface water sampling results, visual observations, and identification of the turbidity increase in the receiving water applicable to the natural turbidity conditions specified in the turbidity criteria in Section C.3.

If no sampling is required, the Permittee shall submit a written statement stating, "No sampling was required" within two weeks of initiation of in-water construction, and every two weeks thereafter.

---

<sup>2</sup> Pollutants shall be analyzed using the analytical methods described in 40 Code of Federal Regulations Part 136; where no methods are specified for a given pollutant, the method shall be approved by Central Valley Water Board staff. Grab samples shall be taken between the surface and mid-depth and not be collected at the same time each day to get a complete representation of variations in the receiving water. A hand-held field meter may be used, provided the meter utilizes a U.S. EPA-approved algorithm/method and is calibrated and maintained in accordance with the manufacturer's instructions. A calibration and maintenance log for each meter used for monitoring shall be maintained onsite.

**Table 3: Sample Type and Frequency Requirements**

Parameter	Unit of Measurement	Type of Sample	Minimum Frequency
Turbidity	NTU	Grab	Every 4 hours
pH	Standard Units (SU)	Grab	Every 4 hours
Visible construction related pollutants <sup>3</sup>	Observations	Visual Inspections	Continuous throughout the construction period

**4. Post-Construction:**

Visually inspect the Project site during the rainy season for one year following completion of active Project construction activities to ensure excessive erosion, stream instability, or other water quality pollution is not occurring in or downstream of the Project site. If water quality pollution is occurring, contact the Central Valley Water Board staff member overseeing the Project within three (3) working days. The Central Valley Water Board may require the submission of a Violation of Compliance with Water Quality Standards Report. Additional permits may be required to carry out any necessary site remediation.

**D. Standard**

1. This Order is subject to modification or revocation upon administrative or judicial review, including review and amendment pursuant to Water Code section 13330, and California Code of Regulations, title 23, Chapter 6 commencing with sections 2050-2068, inclusive. Additionally, the Central Valley Water Board may review and revise the requirements in this Order as necessary. (Water Code, Section 13263, subdivision (e).)
2. This Order is conditioned upon total payment of any fee required under title 23 of the California Code of Regulations and owed by the Permittee.

**E. General Compliance**

1. Failure to comply with any condition of this Order shall constitute a violation of the Porter-Cologne Water Quality Control Act. The Permittee may then be subject to administrative and/or civil liability pursuant to Water Code sections 13268 and/or 13350. The Central Valley Water Board reserves its right to take any enforcement actions authorized by law.

---

<sup>3</sup> Visible construction-related pollutants include oil, grease, foam, fuel, petroleum products, and construction-related, excavated, organic or earthen materials.

2. Permitted actions must not cause a violation of any applicable water quality standards, including impairment of designated beneficial uses for receiving waters as adopted in the Basin Plans by any applicable Regional Water Board or any applicable State Water Board (collectively Water Boards) water quality control plan or policy. The source of any such discharge must be eliminated as soon as practicable.
3. In response to a suspected violation of any condition of this Order, the Central Valley Water Board may require the holder of this Order to furnish, under penalty of perjury, any technical or monitoring reports the Water Boards deem appropriate, provided that the burden, including costs, of the reports shall bear a reasonable relationship to the need for the reports and the benefits to be obtained from the reports. The additional monitoring requirements ensure that permitted discharges and activities comport with any applicable effluent limitations, water quality standards, and/or other appropriate requirement of state law.
4. The Permittee must, at all times, fully comply with engineering plans, specifications, and technical reports submitted to support this Order; and all subsequent submittals required as part of this Order. The conditions within this Order and Attachments supersede conflicting provisions within Permittee submittals.
5. The Permittee shall adhere to all requirements in the Mitigation Monitoring and Reporting Program (MMRP) developed by Caltrans for mitigation measures that have been adopted for the Project to reduce potential impacts which is incorporated herein by reference and any additional measures as outlined in Attachment C, CEQA Findings of Fact.
6. **Construction General Permit Requirement:** The California Department of Transportation shall comply with their General NPDES Permit Order No 2022-0033-DWQ (NPDES No. CAS000003) adopted by the State Water Resources Control Board.

#### F. Administrative

1. Signatory requirements for all document submittals required by this Order are presented in Attachment E of this Order.
2. This Order does not authorize any act which results in the taking of a threatened, endangered or candidate species or any act, which is now prohibited, or becomes prohibited in the future, under either the California Endangered Species Act (Fish & Wildlife Code, sections 2050-2097) or the federal Endangered Species Act (16 U.S.C. sections 1531-1544). If a “take” will result from any act authorized under this Order held by the Permittee, the Permittee must comply with the California Endangered Species Act and federal Endangered Species Act prior to any construction or operation of the

portion of the Project that may result in a take. The Permittee is responsible for meeting all requirements of the applicable endangered species act for the Project authorized under this Order.

3. The Permittee shall grant Central Valley Water Board staff, or an authorized representative (including an authorized contractor acting as a Water Board representative), upon presentation of credentials and other documents as may be required by law, permission to:
  - a. Enter upon the Project or compensatory mitigation site(s) premises where a regulated facility or activity is located or conducted, or where records are kept.
  - b. Have access to and copy any records that are kept and are relevant to the Project or the requirements of this Order.
  - c. Inspect any facilities, equipment (including monitoring and control equipment), practices, or operations regulated or required under this Order.
  - d. Sample or monitor for the purposes of assuring Order compliance.
4. A copy of this Order shall be provided to any consultants, contractors, and subcontractors working on the Project. Copies of this Order shall remain at the Project site for the duration of this Order and available for review by site personnel and agencies. The Permittee shall be responsible for work conducted by its consultants, contractors, and any subcontractors.
5. All personnel performing work on the Project shall be familiar with the content of this Order and its posted location at the Project site.
6. **Lake or Streambed Alteration Agreement:** The Permittee shall submit a signed copy of the California Department of Fish and Wildlife's (CDFW) Lake or Streambed Alteration Agreement to the Central Valley Water Board immediately upon execution and prior to any discharge to waters of the state.

## G. Construction

### 1. Fugitive Dust:

Dust abatement activities can cause discharges of sediment to streams and uplands through application of water or other fluids. Dust abatement chemicals added to water can be hazardous to wildlife and, if allowed to enter streams, detrimental to water quality. Therefore, dust abatement activities shall be conducted so that sediment or dust abatement chemicals are not discharged into waters of the state. Dust abatement products or additives that are known to be detrimental to water quality or wildlife shall not be used, unless specific management needs are documented, and product-specific application plans are approved by Central Valley Water Board staff.

## **2. Good Site Management “Housekeeping”**

- a.** The Permittee shall develop and maintain onsite a project-specific Spill Prevention, Containment and Cleanup Plan outlining the practices to prevent, minimize, and/or clean up potential spills during construction of the Project. The Plan must detail the Project elements, construction equipment types and location, access and staging and construction sequence. The Plan must be made available to the Central Valley Water Board staff upon request.
- b.** Refueling of equipment within the floodplain or within 300 feet of the waterway is prohibited. If critical equipment must be refueled within 300 feet of the waterway, spill prevention and countermeasures must be implemented to avoid spills. Refueling areas shall be provided with secondary containment including drip pans and/or placement of absorbent material. No hazardous materials, pesticides, fuels, lubricants, oils, hydraulic fluids, or other construction-related potentially hazardous substances should be stored within a floodplain or within 300 feet of a waterway. The Permittee must perform frequent inspections of construction equipment prior to utilizing it near surface waters to ensure leaks from the equipment are not occurring and are not a threat to water quality.
- c.** All waste materials resulting from the Project shall be removed from the site and disposed of properly.

## **3. Hazardous Materials**

- a.** The discharge of petroleum products, any construction materials, hazardous materials, pesticides, fuels, lubricants, oils, hydraulic fluids, raw cement, concrete or the washing thereof, asphalt, paint, coating material, drilling fluids, or other substances potentially hazardous to fish and wildlife resulting from or disturbed by project-related activities is prohibited and shall be prevented from contaminating the soil and/or entering waters of the state. In the event of a prohibited discharge, the Permittee shall comply with notification requirements in sections B.3.a and B.3.b.
- b.** Wet concrete shall be placed into wetland, vernal pool, and stream channel habitat after the area has been completely dewatered or when the work area is naturally dry.
- c.** Concrete must be completely cured before coming into contact with waters of the United States and waters of the state. Surface water that contacts wet concrete must be pumped out and disposed of at an appropriate off-site commercial facility, which is authorized to accept concrete wastes.

#### **4. Invasive Species and Soil Borne Pathogens**

Prior to arrival at the project site and prior to leaving the project site, construction equipment that may contain invasive plants and/or seeds shall be cleaned to reduce the spread of noxious weeds.

#### **5. Post-Construction Storm Water Management**

- a. The Permittee must minimize the short and long-term impacts on receiving water quality from the Project by implementing the following post-construction storm water management practices and as required by the local agency permitting the Project, as appropriate:
  - i. Minimize the amount of impervious surface;
  - ii. Reduce peak runoff flows;
  - iii. Provide treatment BMPs to reduce pollutants in runoff;
  - iv. Ensure existing waters of the state (e.g., wetlands, vernal pools, or creeks) are not used as pollutant source controls and/or treatment controls;
  - v. Preserve and where possible, create or restore areas that provide important water quality benefits, such as riparian corridors, wetlands, and buffer zones;
  - vi. Limit disturbances of natural water bodies and natural drainage systems caused by development (including development of roads, highways, and bridges);
  - vii. Use existing drainage master plans or studies to ensure incorporation of structural and non-structural BMPs to mitigate the projected pollutant load increases in surface water runoff;
  - viii. Identify and avoid development in areas that are particularly susceptible to erosion and sediment loss, or establish development guidance that protects areas from erosion/ sediment loss; and
  - ix. Control post-development peak storm water run-off discharge rates and velocities to prevent or reduce downstream erosion, and to protect stream habitat.

#### **6. Roads**

- a. The number of access routes, number and size of staging areas, and the total area of the activity must be limited to the minimum necessary to achieve the project goal. Routes and work area boundaries must be clearly demarcated.
- b. Bridges, culverts, dip crossings, or other structures must be installed so that water and in-stream sediment flow is not impeded. Appropriate design

criteria, practices and materials must be used in areas where access roads intersect waters of the state.

- c. Temporary materials placed in any water of the state must be removed as soon as construction is completed at that location, and all temporary roads must be removed or re-contoured and restored according to approved re-vegetation and restoration plans.
- d. Any structure, including but not limited to, culverts, pipes, piers, and coffer dams, placed within a stream where fish (as defined in California Fish and Game Code section 45) exist or may exist, must be designed, constructed, and maintained such that it does not constitute a barrier to upstream or downstream movement of aquatic life, or cause an avoidance reaction by fish due to impedance of their upstream or downstream movement. This includes, but is not limited to, maintaining the supply of water and maintaining flows at an appropriate depth, temperature, and velocity to facilitate upstream and downstream fish migration. If any structure results in a long-term reduction in fish movement, the Permittee shall be responsible for restoration of conditions as necessary (as determined by the Water Board) to secure passage of fish across the structure.
- e. A method of containment must be used below any temporary bridge, trestle, boardwalk, and/or other stream crossing structure to prevent any debris or spills from falling into the waters of the state. Containment must be maintained and kept clean for the life of the temporary stream crossing structure.

## **7. Sediment Control**

- a. Silt fencing, straw wattles, or other effective management practices must be used along the construction zone to minimize soil or sediment along the embankments from migrating into the waters of the state through the entire duration of the Project.
- b. The use of netting material (e.g., monofilament-based erosion blankets) that could trap aquatic dependent wildlife is prohibited within the Project area.

## **8. Stabilization/Erosion Control**

- a. All areas disturbed by Project activities shall be protected from washout and erosion.
- b. Hydroseeding shall be performed with California native seed mix.

## **9. Storm Water**

- a. During the construction phase, the Permittee must employ strategies to minimize erosion and the introduction of pollutants into storm water runoff. These strategies must include an effective combination of erosion and



sediment control Best Management Practices (BMPs) that are implemented and adequately working prior to the rainy season and during all phases of construction.

#### H. Mitigation for Temporary Impacts

1. The Permittee shall restore all areas of temporary impacts, including Project site upland areas, which could result in a discharge to waters of the state to pre-construction contours and conditions upon completion of construction activities as described in a restoration plan. The restoration plan shall be submitted for written acceptance by Central Valley Water Board staff **within ninety (90) days of issuance of this Order**. The restoration plan shall provide the following: a schedule; plans for grading of disturbed areas to pre-project contours; planting palette with plant species native to the Project area; seed collection location; invasive species management; performance standards; and maintenance requirements (e.g., watering, weeding, and replanting).
2. The Central Valley Water Board may extend the monitoring period beyond requirements of the restoration plan upon a determination by the Executive Officer that the performance standards have not been met or are not likely to be met within the monitoring period.
3. If restoration of temporary impacts to waters of the state is not completed within 90 days of the impacts, compensatory mitigation may be required to offset temporal loss of waters of the state.
4. Total required Project compensatory mitigation information for temporary impacts is summarized in Table 4. [Establishment (Est.), Re-establishment (Re-est.), Rehabilitation (Reh.), Enhancement (Enh.), Preservation (Pres.), Unknown].

**Table 4: Required Project Mitigation Quantity for Temporary Impacts by Method**

Aquatic Resource Type	Mitigation Type	Units	Est.	Re-est.	Reh.	Enh.	Pres.	Unknown
Stream Channel	Permittee Responsible	Acres			0.12			
Vernal Pool	Permittee Responsible	Acres			0.21			
Wetland	Permittee Responsible	Acres			1.86			



**I. Compensatory Mitigation for Permanent Impacts****1. Purchase of Mitigation Credits by Permittee for Compensatory Mitigation**

- a. The Permittee shall provide a copy of the fully executed agreement for the purchase of mitigation credits to the Central Valley Water Board prior to the initiation of in-water work.
- b. The Permittee shall retain responsibility for providing the compensatory mitigation and long-term management until Central Valley Water Board staff has received documentation of the credit purchase and the transfer agreement between the Permittee and the seller of credits.

**2. Total Required Compensatory Mitigation**

- a. The Permittee is required to provide compensatory mitigation for the authorized impact to 0.17 acre of stream channel by purchasing at least 0.17 Aquatic Resource Credits in the San Joaquin River Aquatic Resource Watershed Service Area. Required credits shall be purchased from the National Fish and Wildlife Foundation (NFWF)'s Sacramento District California In-Lieu Fee Program.
- b. The Permittee is required to provide compensatory mitigation for the authorized impact to 1.73 acres of wetlands by purchasing at least 1.73 Aquatic Resource Credits in the San Joaquin River Aquatic Resource Watershed Service Area. Required credits shall be purchased from the National Fish and Wildlife Foundation (NFWF)'s Sacramento District California In-Lieu Fee Program.
- c. The Permittee is required to compensate for 0.84 acre of wetland impacts from a detention basin through the creation of a new detention basin. The new basin shall be bigger in size and have similar vegetation and hydrologic conditions to the previous one.
- d. The Permittee is required to provide compensatory mitigation for the authorized impact to 0.18 acre of vernal pool by purchasing 0.54 Vernal Pool Credits in the San Joaquin River Vernal Pool Service Area. Required credits shall be purchased from the National Fish and Wildlife Foundation (NFWF)'s Sacramento District California In-Lieu Fee Program.
- e. Total required Project compensatory mitigation information for permanent physical loss of area is summarized in Table 5. [Establishment (Est.), Re-establishment (Re-est.), Rehabilitation (Reh.), Enhancement (Enh.), Preservation (Pres.), Unknown].

**Table 5: Total Required Project Compensatory Mitigation Quantity for Permanent Physical Loss of Area**

Aquatic Resource Type	Mitigation Type	Units	Est.	Re-est.	Reh.	Enh.	Pres.	Unknown
Stream Channel	In-Lieu Fee Credits	Acres						0.17
Vernal Pool	In-Lieu Fee Credits	Acres						0.54
Wetland	In-Lieu Fee Credits	Acres						1.73
Wetland	Permittee Responsible	Acres	0.84					

**J. Project Deviation**

1. Minor modifications of Project locations or predicted impacts may be necessary as a result of unforeseen field conditions, necessary engineering re-design, construction concerns, or similar reasons. Some of these prospective Project modifications may have impacts on water quality. Some modifications of Project locations or predicted impacts may qualify as Project Deviations as set forth in Attachment F. For purposes of this Order, a "Project Deviation" is a Project locational or impact modification that does not require an amendment of the Order because the Central Valley Water Board has determined that any potential water quality impacts that may result from the change are sufficiently addressed by the Order conditions and the CEQA Findings.
2. A Project modification shall not be granted a Project Deviation if it warrants or necessitates changes that are not addressed by the Order conditions or the CEQA environmental document such that the Project impacts are not addressed in the Project's environmental document or the conditions of this Order. In this case, a supplemental environmental review and different Order will be required.

**CERTIFICATION**

I, Patrick Pulupa, do hereby certify that the foregoing is a full, true, and correct copy of Waste Discharge Requirements Order R5-XXXX-XXXX adopted by the Central Valley Water Board on [Click here to enter a date..](#)

---

PATRICK PULUPA  
Executive Officer  
Central Valley Regional Water Quality Control Board

- Attachment A:** Project Maps
- Attachment B:** Receiving Waters, Impacts, and Mitigation Information
- Attachment C:** CEQA Findings of Facts
- Attachment D:** Report and Notification Requirements
- Attachment E:** Signatory Requirements
- Attachment F:** Project Deviation Procedures

**(This page intentionally left blank)**

## Attachment A




Figure 1. Impacts at SWS35, SW44, SWS53, VP51, SWS22, VP52, and VP5






Figure 2. Impacts at VP4




Figure 3. Impacts at VP99 and SW33






Figure 4. Impacts at SW5 and SW4






Figure 5. Impacts at SW8 and Tesoro Viejo Stream




Figure 6. Impacts at SW7 and SW8






Figure 7. Impacts at VP143






Figure 8. Impacts at SW47, VP144, VP145, and SW49














Figure 11. Impacts at DB2, DB3, DB4, SWS81, and SWS82






Figure 12. Impacts at SWS1, SW1, SWS2, VP1, SWS3, SW2, and SWS26






Figure 13. Impacts at VP57, SWS38, VP59, VP57, SWS1, SW1, SWS2 and Basin #1






Figure 14. Impacts at ES1, SW59, ES6, ES5, SW61

**This page intentionally left blank)**

**Attachment B**

**Receiving Waters, Impacts, and Mitigation Information**

The following table shows the receiving waters associated with each impact site.

**Table 1: Receiving Water(s) Information**

Non-Federal Waters	Impact Site ID	Waterbody Name	Impacted Aquatic Resources Type	Water Board Hydrologic Units	Receiving Waters	Receiving Waters Beneficial Uses	303d Listing Pollutant	California Rapid Assessment Method (CRAM) ID
Yes	SWS53	Unnamed Seasonal Wetland Swale	Wetland	545.30	San Joaquin River (Sack Dam to Mouth of Merced River)	MUN, AGR, PRO, REC-1, REC-2, WARM, MIGR, SPWN, WILD	N/A	
Yes	SWS22	Unnamed Seasonal Wetland Swale	Wetland	545.30	San Joaquin River (Sack Dam to Mouth of Merced River)	MUN, AGR, PRO, REC-1, REC-2, WARM, MIGR, SPWN, WILD	N/A	
Yes	SWS35	Unnamed Seasonal Wetland Swale	Wetland	545.30	San Joaquin River (Sack Dam to Mouth of Merced River)	MUN, AGR, PRO, REC-1, REC-2, WARM, MIGR, SPWN, WILD	N/A	

Non-Federal Waters	Impact Site ID	Waterbody Name	Impacted Aquatic Resources Type	Water Board Hydrologic Units	Receiving Waters	Receiving Waters Beneficial Uses	303d Listing Pollutant	California Rapid Assessment Method (CRAM) ID
Yes	SW44	Unnamed Seasonal Wetland	Wetland	545.30	San Joaquin River (Sack Dam to Mouth of Merced River)	MUN, AGR, PRO, REC-1, REC-2, WARM, MIGR, SPWN, WILD	N/A	
Yes	VP51	Unnamed Vernal Pool	Vernal Pool	545.30	San Joaquin River (Sack Dam to Mouth of Merced River)	MUN, AGR, PRO, REC-1, REC-2, WARM, MIGR, SPWN, WILD	N/A	
Yes	VP5	Unnamed Vernal Pool	Vernal Pool	545.30	San Joaquin River (Sack Dam to Mouth of Merced River)	MUN, AGR, PRO, REC-1, REC-2, WARM, MIGR, SPWN, WILD	N/A	

Non-Federal Waters	Impact Site ID	Waterbody Name	Impacted Aquatic Resources Type	Water Board Hydrologic Units	Receiving Waters	Receiving Waters Beneficial Uses	303d Listing Pollutant	California Rapid Assessment Method (CRAM) ID
Yes	VP52	Unnamed Vernal Pool	Vernal Pool	545.30	San Joaquin River (Sack Dam to Mouth of Merced River)	MUN, AGR, PRO, REC-1, REC-2, WARM, MIGR, SPWN, WILD	N/A	
Yes	SW33	Unnamed Seasonal Wetland	Wetland	545.30	San Joaquin River (Sack Dam to Mouth of Merced River)	MUN, AGR, PRO, REC-1, REC-2, WARM, MIGR, SPWN, WILD	N/A	
Yes	VP99	Unnamed Vernal Pool	Vernal Pool	545.30	San Joaquin River (Sack Dam to Mouth of Merced River)	MUN, AGR, PRO, REC-1, REC-2, WARM, MIGR, SPWN, WILD	N/A	

Non-Federal Waters	Impact Site ID	Waterbody Name	Impacted Aquatic Resources Type	Water Board Hydrologic Units	Receiving Waters	Receiving Waters Beneficial Uses	303d Listing Pollutant	California Rapid Assessment Method (CRAM) ID
Yes	VP4	Unnamed Vernal Pool	Vernal Pool	545.30	San Joaquin River (Sack Dam to Mouth of Merced River)	MUN, AGR, PRO, REC-1, REC-2, WARM, MIGR, SPWN, WILD	N/A	
Yes	Tesoro Viejo Stream	Tesoro Viejo Stream	Stream Channel	545.30	San Joaquin River (Sack Dam to Mouth of Merced River)	MUN, AGR, PRO, REC-1, REC-2, WARM, MIGR, SPWN, WILD	N/A	
Yes	D16	Unnamed Ditch	Stream Channel	545.30	San Joaquin River (Sack Dam to Mouth of Merced River)	MUN, AGR, PRO, REC-1, REC-2, WARM, MIGR, SPWN, WILD	N/A	



Non-Federal Waters	Impact Site ID	Waterbody Name	Impacted Aquatic Resources Type	Water Board Hydrologic Units	Receiving Waters	Receiving Waters Beneficial Uses	303d Listing Pollutant	California Rapid Assessment Method (CRAM) ID
Yes	SW8	Unnamed Seasonal Wetland	Wetland	545.30	San Joaquin River (Sack Dam to Mouth of Merced River)	MUN, AGR, PRO, REC-1, REC-2, WARM, MIGR, SPWN, WILD	N/A	
Yes	SW7	Unnamed Seasonal Wetland	Wetland	545.30	San Joaquin River (Sack Dam to Mouth of Merced River)	MUN, AGR, PRO, REC-1, REC-2, WARM, MIGR, SPWN, WILD	N/A	
Yes	SW5	Unnamed Seasonal Wetland	Wetland	545.30	San Joaquin River (Sack Dam to Mouth of Merced River)	MUN, AGR, PRO, REC-1, REC-2, WARM, MIGR, SPWN, WILD	N/A	

Non-Federal Waters	Impact Site ID	Waterbody Name	Impacted Aquatic Resources Type	Water Board Hydrologic Units	Receiving Waters	Receiving Waters Beneficial Uses	303d Listing Pollutant	California Rapid Assessment Method (CRAM) ID
Yes	SW4	Unnamed Seasonal Wetland	Wetland	545.30	San Joaquin River (Sack Dam to Mouth of Merced River)	MUN, AGR, PRO, REC-1, REC-2, WARM, MIGR, SPWN, WILD	N/A	
Yes	VP143	Unnamed Vernal Pool	Vernal Pool	545.30	San Joaquin River (Sack Dam to Mouth of Merced River)	MUN, AGR, PRO, REC-1, REC-2, WARM, MIGR, SPWN, WILD	N/A	
Yes	SW47	Unnamed Seasonal Wetland	Wetland	545.30	San Joaquin River (Sack Dam to Mouth of Merced River)	MUN, AGR, PRO, REC-1, REC-2, WARM, MIGR, SPWN, WILD	N/A	

Non-Federal Waters	Impact Site ID	Waterbody Name	Impacted Aquatic Resources Type	Water Board Hydrologic Units	Receiving Waters	Receiving Waters Beneficial Uses	303d Listing Pollutant	California Rapid Assessment Method (CRAM) ID
Yes	VP144	Unnamed Vernal Pool	Vernal Pool	545.30	San Joaquin River (Sack Dam to Mouth of Merced River)	MUN, AGR, PRO, REC-1, REC-2, WARM, MIGR, SPWN, WILD	N/A	
Yes	VP145	Unnamed Vernal Pool	Vernal Pool	545.30	San Joaquin River (Sack Dam to Mouth of Merced River)	MUN, AGR, PRO, REC-1, REC-2, WARM, MIGR, SPWN, WILD	N/A	
Yes	SW49	Unnamed Seasonal Wetland	Wetland	545.30	San Joaquin River (Sack Dam to Mouth of Merced River)	MUN, AGR, PRO, REC-1, REC-2, WARM, MIGR, SPWN, WILD	N/A	

Non-Federal Waters	Impact Site ID	Waterbody Name	Impacted Aquatic Resources Type	Water Board Hydrologic Units	Receiving Waters	Receiving Waters Beneficial Uses	303d Listing Pollutant	California Rapid Assessment Method (CRAM) ID
Yes	SWS76	Unnamed Seasonal Wetland Swale	Wetland	545.30	San Joaquin River (Sack Dam to Mouth of Merced River)	MUN, AGR, PRO, REC-1, REC-2, WARM, MIGR, SPWN, WILD	N/A	
Yes	VP146	Unnamed Vernal Pool	Vernal Pool	545.30	San Joaquin River (Sack Dam to Mouth of Merced River)	MUN, AGR, PRO, REC-1, REC-2, WARM, MIGR, SPWN, WILD	N/A	
Yes	D4	Unnamed Ditch	Stream Channel	545.30	San Joaquin River (Sack Dam to Mouth of Merced River)	MUN, AGR, PRO, REC-1, REC-2, WARM, MIGR, SPWN, WILD	N/A	

Non-Federal Waters	Impact Site ID	Waterbody Name	Impacted Aquatic Resources Type	Water Board Hydrologic Units	Receiving Waters	Receiving Waters Beneficial Uses	303d Listing Pollutant	California Rapid Assessment Method (CRAM) ID
Yes	DB5	Unnamed Detention Basin	Wetland	545.30	San Joaquin River (Sack Dam to Mouth of Merced River)	MUN, AGR, PRO, REC-1, REC-2, WARM, MIGR, SPWN, WILD	N/A	
Yes	DB4	Detention Basin	Wetland	545.30	San Joaquin River (Sack Dam to Mouth of Merced River)	MUN, AGR, PRO, REC-1, REC-2, WARM, MIGR, SPWN, WILD	N/A	
Yes	DB3	Unnamed Detention Basin	Wetland	545.30	San Joaquin River (Sack Dam to Mouth of Merced River)	MUN, AGR, PRO, REC-1, REC-2, WARM, MIGR, SPWN, WILD	N/A	



Non-Federal Waters	Impact Site ID	Waterbody Name	Impacted Aquatic Resources Type	Water Board Hydrologic Units	Receiving Waters	Receiving Waters Beneficial Uses	303d Listing Pollutant	California Rapid Assessment Method (CRAM) ID
Yes	SWS81	Unnamed Seasonal Wetland Swale	Wetland	545.30	San Joaquin River (Sack Dam to Mouth of Merced River)	MUN, AGR, PRO, REC-1, REC-2, WARM, MIGR, SPWN, WILD	N/A	
Yes	DB2	Unnamed Detention Basin	Wetland	545.30	San Joaquin River (Sack Dam to Mouth of Merced River)	MUN, AGR, PRO, REC-1, REC-2, WARM, MIGR, SPWN, WILD	N/A	
Yes	SWS82	Unnamed Seasonal Wetland Swale	Wetland	545.30	San Joaquin River (Sack Dam to Mouth of Merced River)	MUN, AGR, PRO, REC-1, REC-2, WARM, MIGR, SPWN, WILD	N/A	

Non-Federal Waters	Impact Site ID	Waterbody Name	Impacted Aquatic Resources Type	Water Board Hydrologic Units	Receiving Waters	Receiving Waters Beneficial Uses	303d Listing Pollutant	California Rapid Assessment Method (CRAM) ID
Yes	SWS26	Seasonal Wetland Swale	Wetland	545.30	San Joaquin River (Sack Dam to Mouth of Merced River)	MUN, AGR, PRO, REC-1, REC-2, WARM, MIGR, SPWN, WILD	N/A	
Yes	SW2	Unnamed Seasonal Wetland	Wetland	545.30	San Joaquin River (Sack Dam to Mouth of Merced River)	MUN, AGR, PRO, REC-1, REC-2, WARM, MIGR, SPWN, WILD	N/A	
Yes	SWS3	Unnamed Seasonal Wetland Swale	Wetland	545.30	San Joaquin River (Sack Dam to Mouth of Merced River)	MUN, AGR, PRO, REC-1, REC-2, WARM, MIGR, SPWN, WILD	N/A	

Non-Federal Waters	Impact Site ID	Waterbody Name	Impacted Aquatic Resources Type	Water Board Hydrologic Units	Receiving Waters	Receiving Waters Beneficial Uses	303d Listing Pollutant	California Rapid Assessment Method (CRAM) ID
Yes	VP1	Unnamed Vernal Pool	Vernal Pool	545.30	San Joaquin River (Sack Dam to Mouth of Merced River)	MUN, AGR, PRO, REC-1, REC-2, WARM, MIGR, SPWN, WILD	N/A	
Yes	SWS2	Unnamed Seasonal Wetland Swale	Wetland	545.30	San Joaquin River (Sack Dam to Mouth of Merced River)	MUN, AGR, PRO, REC-1, REC-2, WARM, MIGR, SPWN, WILD	N/A	
Yes	SW1	Unnamed Seasonal Wetland	Wetland	545.30	San Joaquin River (Sack Dam to Mouth of Merced River)	MUN, AGR, PRO, REC-1, REC-2, WARM, MIGR, SPWN, WILD	N/A	

Non-Federal Waters	Impact Site ID	Waterbody Name	Impacted Aquatic Resources Type	Water Board Hydrologic Units	Receiving Waters	Receiving Waters Beneficial Uses	303d Listing Pollutant	California Rapid Assessment Method (CRAM) ID
Yes	SWS1	Unnamed Seasonal Wetland Swale	Wetland	545.30	San Joaquin River (Sack Dam to Mouth of Merced River)	MUN, AGR, PRO, REC-1, REC-2, WARM, MIGR, SPWN, WILD	N/A	
Yes	SWS38	Unnamed Seasonal Wetland Swale	Wetland	545.30	San Joaquin River (Sack Dam to Mouth of Merced River)	MUN, AGR, PRO, REC-1, REC-2, WARM, MIGR, SPWN, WILD	N/A	
Yes	VP59	Unnamed Vernal Pool	Vernal Pool	545.30	San Joaquin River (Sack Dam to Mouth of Merced River)	MUN, AGR, PRO, REC-1, REC-2, WARM, MIGR, SPWN, WILD	N/A	

Non-Federal Waters	Impact Site ID	Waterbody Name	Impacted Aquatic Resources Type	Water Board Hydrologic Units	Receiving Waters	Receiving Waters Beneficial Uses	303d Listing Pollutant	California Rapid Assessment Method (CRAM) ID
Yes	VP57	Unnamed Vernal Pool	Vernal Pool	545.30	San Joaquin River (Sack Dam to Mouth of Merced River)	MUN, AGR, PRO, REC-1, REC-2, WARM, MIGR, SPWN, WILD	N/A	
Yes	ES1, ES6, ES5	Unnamed Ephemeral Stream	Stream Channel	545.30	San Joaquin River (Sack Dam to Mouth of Merced River)	MUN, AGR, PRO, REC-1, REC-2, WARM, MIGR, SPWN, WILD	N/A	
Yes	SW61	Unnamed Seasonal Wetland	Wetland	545.30	San Joaquin River (Sack Dam to Mouth of Merced River)	MUN, AGR, PRO, REC-1, REC-2, WARM, MIGR, SPWN, WILD	N/A	



Non-Federal Waters	Impact Site ID	Waterbody Name	Impacted Aquatic Resources Type	Water Board Hydrologic Units	Receiving Waters	Receiving Waters Beneficial Uses	303d Listing Pollutant	California Rapid Assessment Method (CRAM) ID
Yes	SW59	Unnamed Seasonal Wetland	Wetland	545.30	San Joaquin River (Sack Dam to Mouth of Merced River)	MUN, AGR, PRO, REC-1, REC-2, WARM, MIGR, SPWN, WILD	N/A	

### **Individual Direct Impact Locations**

The following tables show individual impacts.

**Table 2: Individual Temporary Fill/Excavation Impact Information**

Impact Site ID	Latitude	Longitude	Indirect Impact Requiring Mitigation?	Acres	Cubic Yards	Linear Feet
SWS53	36.972542	-119.793831	No	0.0135		
SWS22	36.972079	-119.793702	No	0.056		
SWS35	36.972181	-119.794163	No	0.021		
SW44	36.972220	-119.793741	No	0.016		
VP51	36.971733	-119.793808	No	0.0012		
VP5	36.970724	-119.793812	No	0.0157		
VP4	36.967090	-119.797022	No	0.051		
Tesoro Viejo Stream	36.963204	-119.793742	No	0.0197		
D16	36.962985	-119.794224	No	0.0151		
SW7	36.961449	-119.794211	No	0.0121		
VP143	36.951428	-119.794395	No	0.09		
SW47	36.948963	-119.794404	No	0.013		
VP145	36.948167	-119.794650	No	0.015		
SW49	36.947211	-119.794305	No	0.04		

Impact Site ID	Latitude	Longitude	Indirect Impact Requiring Mitigation?	Acres	Cubic Yards	Linear Feet
SWS76	36.944850	-119.794332	No	0.043		
VP146	36.943448	-119.794712	No	0.024		
D4	36.934081	-119.793468	No	0.0065		
DB5	36.931583	-119.793705	No	1.16		
DB4	36.931583	-119.793705	No	0.275		
SWS81	36.930289	-119.794183	No	0.02		
SWS82	36.928807	-119.794244	No	0.035		
SWS1	36.920007	-119.793162	No	0.018		
SWS38	36.919211	-119.792232	No	0.091		
VP59	36.918839	-119.791928	No	0.009		
ES1, ES6, ES5	36.919210	-119.793470	No	0.083		
SW59	36.914525	-119.792365	No	0.043		

**Table 3: Individual Permanent Fill/Excavation Impact Information**

Impact Site ID	Latitude	Longitude	Indirect Impact Requiring Mitigation?	Acres	Cubic Yards	Linear Feet
VP52	36.970724	-119.793812	No	0.0076		
SW33	36.967924	-119.794151	No	0.0122		
VP99	36.967019	-119.794689	No	0.0076		
VP4	36.967090	-119.797022	No	0.0006		
Tesoro Viejo Stream	36.963204	-119.793742	No	0.0561		
D16	36.962985	-119.794224	No	0.0146		
SW8	36.961766	-119.794231	No	0.0315		
SW7	36.961449	-119.794211	No	0.031		
SW5	36.956737	-119.794226	No	0.0505		
SW4	36.956222	-119.794198	No	0.0711		
VP143	36.951428	-119.794395	No	0.0547		
SW47	36.948963	-119.794404	No	0.0099		
VP144	36.948366	-119.794210	No	0.0402		
VP145	36.948167	-119.794650	No	0.0061		
SW49	36.947211	-119.794305	No	0.1043		
SWS76	36.944850	-119.794332	No	0.1198		



Impact Site ID	Latitude	Longitude	Indirect Impact Requiring Mitigation?	Acres	Cubic Yards	Linear Feet
VP146	36.943448	-119.794712	No	0.0043		
D4	36.934081	-119.793468	No	0.0104		
DB5	36.931583	-119.793705	No	0.74		
DB4	36.931583	-119.793705	No	0.7384		
DB3	36.930312	-119.793779	No	0.0404		
SWS81	36.930289	-119.794183	No	0.0321		
DB2	36.928734	-119.793577	No	0.206		
SWS82	36.928807	-119.794244	No	0.0054		
SWS26	36.922178	-119.793483	No	0.0048		
SW2	36.921691	-119.793639	No	0.021		
SWS3	36.921362	-119.793341	No	0.0487		
VP1	36.921009	-119.793012	No	0.0287		
SWS2	36.920722	-119.793379	No	0.02		
SW1	36.920487	-119.793645	No	0.042		
SWS1	36.920007	-119.793162	No	0.0513		
SWS38	36.919211	-119.792232	No	0.182		
VP57	36.919210	-119.793470	No	0.0258		

Impact Site ID	Latitude	Longitude	Indirect Impact Requiring Mitigation?	Acres	Cubic Yards	Linear Feet
ES1, ES6, ES5	36.919210	-119.793470	No	0.0887		
SW61	36.915271	-119.793483	No	0.0077		
SW59	36.914525	-119.792365	No	0.0052		

### **Compensatory Mitigation Information**

The following table(s) show individual compensatory mitigation information and locations.

#### **In-Lieu Fee Compensatory Mitigation Information**

**Table 4: In-Lieu Fee Program**

In-Lieu Fee Program Name:	National Fish and Wildlife Foundation - Sacramento District California In-Lieu Fee Program
Website:	<a href="https://www.nfwf.org/">National Fish and Wildlife Foundation</a> (https://www.nfwf.org/)
In-Lieu Fee Program Contact Name:	TBD
Phone:	TBD
Email:	TBD
In-Lieu Fee Program Location - County:	TBD
Latitude:	TBD
Longitude:	TBD

**Table 5: Mitigation Type Information**

Aquatic Resource Credit Type	Acres	Linear Feet	Number of Credits to be Purchased
Vernal Pool			0.54
Wetland			1.73
Stream Channel			0.17

**Table 6: Onsite Permittee Responsible Compensatory Mitigation Site Information**

Impact Site ID	Latitude	Longitude	Aquatic Resource Type	Acres	Linear Feet
Basin #1	36.931583	-119.793705	Wetland	0.84	



**(This page is intentionally left blank)**

## **Attachment C**

### **A. Environmental Review**

On 6 April 2020, Caltrans, as lead agency, certified a Final Environmental Impact Report (FEIR) (State Clearinghouse (SCH) No. 2015051074) for the Project and filed a Notice of Determination (NOD) at the SCH on 6 April 2020. The Central Valley Water Board is a responsible agency under CEQA (Public Resources Code, section 21069) and in making its determinations and findings, must presume that Caltrans' certified environmental document comports with the requirements of CEQA and is valid. (Public Resources Code, section 21167.3.) The Central Valley Water Board has reviewed and considered the environmental document and finds that the environmental document prepared by Caltrans addresses the Project's water resource impacts. (California Code of Regulations, Title 14, section 15096, subd. (f).) The environmental document includes the mitigation monitoring and reporting program (MMRP) developed by Caltrans for all mitigation measures that have been adopted for the Project to reduce potential significant impacts. (Public Resources Code, section 21081.6, subd. (a)(1); California Code of Regulations, Title 14, section 15091, subd. (d).)

### **B. Incorporation by Reference**

Pursuant to CEQA, these Findings of Facts (Findings) support the issuance of this Order based on the Project FEIR, the application for this Order, and other supplemental documentation.

The Program Environmental Impact Report (EIR), which includes analyses of broad impacts and serves as a first tier document for the FEIR, is available at: Caltrans District 6, 855 M Street, Suite 200, Fresno, CA 93721.

All CEQA project impacts, including those discussed in subsection C below, are analyzed in detail in the Project FEIR which is incorporated herein by reference. The Project FEIR is available at: Caltrans District 6, 855 M Street, Suite 200, Fresno, CA 93721.

Requirements under the purview of the Central Valley Water Board in the MMRP are incorporated herein by reference.

The Permittee's application for this Order, including all supplemental information provided, is incorporated herein by reference.

### **C. Findings**

The FEIR describes the potential significant environmental effects to water resources. Having considered the whole of the record, including comments received during the public review process, the Central Valley Water Board makes the following findings:

- (1) Findings regarding impacts that will be avoided or mitigated to a less than significant level. (Public Resources Code, section 21081, subd. (a)(1); California Code of Regulations, Title 14, section 15091, subd. (a)(1).)

*Changes or alterations have been required in, or incorporated into, the Project which avoid or substantially lessen the significant environmental effect as identified in the FEIR.*

a.i. Potential Significant Impact:

The Project will result in impacts to over 5 acres of wetlands, vernal pools, and stream channel habitat.

a.ii. Facts in Support of Finding:

In addition to purchasing mitigation credits for permanent impacts to waters of the U.S. and state, the following Caltrans policies would be implemented to avoid and minimize potential impacts from construction:

- Work will be conducted outside the rainy season when flows are absent or low.
- A Stormwater Pollution Prevention Plan will be prepared specifically for this project.
- Any portions of Northern Claypan Vernal Pools or other sensitive resources that will not be permanently impacted by the project and can be avoided during construction will be protected from unnecessary impacts with an established Environmentally Sensitive Area (ESA) demarcation, unless specifically determined to be unfeasible. All Environmentally Sensitive Areas will be identified on the Construction Plans and included in the Plans, Specifications, and Estimates section of the construction contract. The Environmentally Sensitive Areas will be fenced with brightly colored dual-purpose fencing prior to the start of construction, with a qualified biologist on-site to oversee its installation. In addition, the qualified biologist will make weekly site visits to ensure the fencing is maintained throughout the duration of construction.
- A mandatory Worker Environmental Awareness Training (WEAT) will be provided for all construction personnel prior to the start of any ground-breaking activities to review the specific avoidance and minimization measures in place to eliminate unnecessary impacts to vernal pools and other sensitive resources.
- A qualified biologist would be present during initial ground disturbance, including during clearing and grubbing.
- The stockpiling of materials, equipment (including portable equipment), vehicles and supplies (e.g., chemicals) would be restricted to the designated construction staging areas.
- Best Management Practices (BMPs) were included in the project design, and they will include at least the following:
  - Installation of measures to temporarily control erosion during construction.

- An Emergency Spill Prevention Plan will be prepared that includes measures to minimize the risk of fluids or other materials (e.g., oils, transmission and hydraulic fluids, cement, fuel) from entering vernal pools, waterways, or sensitive uplands.
- Installation of measures to ensure that water quality is protected, both during and after construction.
- Installation of measures to prevent long-term erosion occurring after construction is complete.
- Any temporary impacts to Northern Claypan Vernal Pools or other sensitive resources that are not treated as permanent impacts and thus mitigated for in kind will be entirely restored to pre-project conditions.
- Once construction is complete, all areas disturbed by the project will be reseeded with a native species seed mix.

#### **D. Determination**

The Central Valley Water Board has determined that the Project, when implemented in accordance with the MMRP and the conditions in this Order, will not result in any significant adverse water quality or supply impacts. (California Code of Regulations, Title 14, section 15096, subd. (h).) The Central Valley Water Board will file a NOD with the SCH within five (5) working days from the issuance of this Order. (California Code of Regulations, Title 14, section 15096, subd. (i).)



**(This page intentionally left blank**

## Attachment D

### **REPORTS AND NOTIFICATION REQUIREMENTS**

#### **I. Copies of this form**

In order to identify your project, it is necessary to include a copy of the Project specific Cover Sheet below with your report; please retain for your records. If you need to obtain a copy of the Cover Sheet, you may download a copy of this Order as follows:

- A. [Central Valley Regional Water Quality Control Board's Adopted Orders Web page](https://www.waterboards.ca.gov/centralvalley/board_decisions/adopted_orders/401_wqcerts/)  
([https://www.waterboards.ca.gov/centralvalley/board\\_decisions/adopted\\_orders/401\\_wqcerts/](https://www.waterboards.ca.gov/centralvalley/board_decisions/adopted_orders/401_wqcerts/))
- B. Find your Order based on the County, Permittee, WDID No., and/or Project Name.

#### **II. Report Submittal Instructions**

- A. Check the box on the Report and Notification Cover Sheet next to the report or notification you are submitting. **(See your Order for specific reports required for your Project)**
- **Part A (Annual Report):** This report will be submitted annually from the anniversary of Project effective date until a Notice of Project Complete Letter is issued.
  - **Part B (Project Status Notifications):** Used to notify the Central Valley Water Board of the status of the Project schedule that may affect Project billing.
  - **Part C (Conditional Notifications and Reports):** Required on a case by case basis for accidental discharges of hazardous materials, violation of compliance with water quality standards, notification of in-water work, or other reports.
- B. Sign the Report and Notification Cover Sheet and attach all information requested for the Report Type.
- C. Electronic Report Submittal Instructions:
- Submit signed Report and Notification Cover Sheet and required information via email to: [centralvalleyfresno@waterboards.ca.gov](mailto:centralvalleyfresno@waterboards.ca.gov) and cc: [Olivia.ilsley@waterboards.ca.gov](mailto:Olivia.ilsley@waterboards.ca.gov)
  - Include in the subject line of the email:  
ATTN: Olivia Ilsley; Project Name; and WDID No. 5B20CR00140

### III. Definition of Reporting Terms

- A. Active Discharge Period:** The active discharge period begins with the effective date of this Order and ends on the date that the Permittee receives a Notice of Completion of Discharges Letter or, if no post-construction monitoring is required, a Notice of Project Complete Letter. The Active Discharge Period includes all elements of the Project including site construction and restoration, and any Permittee responsible compensatory mitigation construction.
- B. Request for Notice of Completion of Discharges Letter:** This request by the Permittee to the Central Valley Water Board staff pertains to projects that have post construction monitoring requirements, e.g., if site restoration was required to be monitored for 5 years following construction. Central Valley Water Board staff will review the request and send a Completion of Discharges Letter to the Permittee upon approval.
- C. Request for Notice of Project Complete Letter:** This request by the Permittee to the Central Valley Water Board staff pertains to projects that either have completed post-construction monitoring and achieved performance standards or have no post-construction monitoring requirements, and no further Project activities are planned. Central Valley Water Board staff will review the request and send a Project Complete Letter to the Permittee upon approval. Termination of annual invoicing of fees will correspond with the date of this letter.
- D. Post-Discharge Monitoring Period:** The post-discharge monitoring period begins on the date of the Notice of Completion of Discharges Letter and ends on the date of the Notice of Project Complete Letter issued by the Central Valley Water Board staff. The Post-Discharge Monitoring Period includes continued water quality monitoring or compensatory mitigation monitoring.
- E. Effective Date:** [Click here to enter a date](#)

### IV. Map/Photo Documentation Information

When submitting maps or photos, please use the following formats.

**A. Map Format Information:**

Preferred map formats of at least 1:24000 (1" = 2000') detail (listed in order of preference):

- **GIS shapefiles:** The shapefiles must depict the boundaries of all project areas and extent of aquatic resources impacted. Each shape should be attributed with the extent/type of aquatic resources impacted. Features and boundaries should be accurate to within 33 feet (10 meters). Identify datum/projection used and if possible, provide map with a North American Datum of 1983 (NAD83) in the California Teale Albers projection in feet.

- **Google KML files** saved from Google Maps: My Maps or Google Earth Pro. Maps must show the boundaries of all project areas and extent/type of aquatic resources impacted. Include URL(s) of maps. If this format is used include a spreadsheet with the object ID and attributed with the extent/type of aquatic resources impacted.
  - **Other electronic format** (CAD or illustration format) that provides a context for location (inclusion of landmarks, known structures, geographic coordinates, or USGS DRG or DOQQ). Maps must show the boundaries of all project areas and extent/type of aquatic resources impacted. If this format is used include a spreadsheet with the object ID and attributed with the extent/type of aquatic resources impacted.
  - Aquatic resource maps marked on paper **USGS 7.5 minute topographic maps** or **Digital Orthophoto Quarter Quads (DOQQ)** printouts. Maps must show the boundaries of all project areas and extent/type of aquatic resources impacted. If this format is used include a spreadsheet with the object ID and attributed with the extent/type of aquatic resources impacted.
- B. Photo-Documentation:** Include a unique identifier, date stamp, written description of photo details, and latitude/longitude (in decimal degrees) or map indicating location of photo. Successive photos should be taken from the same vantage point to compare pre/post construction conditions.



## V. Report and Notification Cover Sheet

**Project:** Madera 41 South Expressway: Phase 1 EA 06-0R040  
**Permittee:** Caltrans  
**WDID:** 5B20CR00140  
**Reg. Meas. ID:** 460297  
**Place ID:** 900185  
**Order Effective Date:** [Click here to enter a date](#)

## VI. Report Type Submitted

### A. Part A – Project Reporting

Report Type 1 ☐ Monthly Report – Not Applicable  
Report Type 2 ☐ Annual Report

### B. Part B – Project Status Notifications

Report Type 3 ☐ Commencement of Construction  
Report Type 4 ☐ Request for Notice of Completion of Discharges Letter  
Report Type 5 ☐ Request for Notice of Project Complete Letter

### C. Part C – Conditional Notifications and Reports

Report Type 6 ☐ Accidental Discharge of Hazardous Material Report  
Report Type 7 ☐ Violation of Compliance with Water Quality Standards Report  
Report Type 8 ☐ In-Water Work/Diversions Water Quality Monitoring Report  
Report Type 9 ☐ Modifications to Project Report  
Report Type 10 ☐ Transfer of Property Ownership Report  
Report Type 11 ☐ Transfer of Long-Term BMP Maintenance Report

"I certify under penalty of law that I have personally examined and am familiar with the information submitted in this document and all attachments and that, based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the information is true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment."

---

<b>Print Name<sup>1</sup></b>	<b>Affiliation and Job Title</b>
-------------------------------	----------------------------------

---

<b>Signature</b>	<b>Date</b>
------------------	-------------

**<sup>1</sup>STATEMENT OF AUTHORIZATION (include if authorization has changed since application was submitted)**

I hereby authorize \_\_\_\_\_ to act in my behalf as my representative in the submittal of this report, and to furnish upon request, supplemental information in support of this submittal.

---

<b>Permittee's Signature</b>	<b>Date</b>
------------------------------	-------------

<b>*This Report and Notification Cover Sheet must be signed by the Permittee or a duly authorized representative and included with all written submittals.</b>
--

**A. Part A – Project Reporting**

**1. Report Type 1 - Monthly Report – Not Applicable**

**2. Report Type 2 - Annual Report**

- a. Report Purpose** - Notify the Central Valley Water Board staff of Project status during both the active discharge and post-discharge monitoring periods.
- b. When to Submit** - The Permittee shall submit an Annual Report each year on the 1st day of the month one year after the effective date of the Order (e.g., if the effective date is 22 August 2025 then the annual report is due the following year on 1 September 2026). Annual reporting shall continue until the Central Valley Water Board issues a Notice of Project Complete Letter to the Permittee.
- c. Report Contents** - The contents of the annual report shall include the topics indicated below for each project period. Report contents are outlined in Annual Report Topics below.

**During the Active Discharge Period**

- **Topic 1: Construction Summary**
- **Topic 2: Mitigation for Temporary Impacts Status**
- **Topic 3: Compensatory Mitigation for Permanent Impacts Status**

**During the Post-Discharge Monitoring Period**

- **Topic 2: Mitigation for Temporary Impacts Status**
- **Topic 3: Compensatory Mitigation for Permanent Impacts Status**

**i. Annual Report Topic 1 - Construction Summary**

**When to Submit** - With the annual report during the Active Discharge Period.

**Report Contents** - Project progress and schedule including initial ground disturbance, site clearing and grubbing, road construction, site construction, and the implementation status of construction storm water best management practices (BMPs). If construction has not started, provide estimated start date and reasons for delay.

1) Map showing general Project progress.

2) If applicable:

- a) Summary of Conditional Notification and Report Types 6 and 7 (Part C below).
- b) Summary of Project Deviations. See Project Deviation Procedures Attachment for further information.

ii. Annual Report Topic 2 - Mitigation for Temporary Impacts Status

**When to Submit** - With the annual report during both the Active Discharge Period and Post-Discharge Monitoring Period.

**Report Contents -**

- 1) Planned date of initiation and map showing locations of mitigation for temporary impacts to waters of the state and all upland areas of temporary disturbance which could result in a discharge to waters of the state.
- 2) If mitigation for temporary impacts has already commenced, provide a map and information concerning attainment of performance standards contained in the restoration plan.

iii. Annual Report Topic 3 - Compensatory Mitigation for Permanent Impacts Status

**When to Submit** - With the annual report during both the Active Discharge Period and Post-Discharge Monitoring Period.

**Report Contents - \*If not applicable report N/A.**

**1) Part A. Permittee Responsible**

- a) Planned date of initiation of compensatory mitigation site installation.
- b) If installation is in progress, a map of what has been completed to date.
- c) If the compensatory mitigation site has been installed, provide a final map and information concerning attainment of performance standards contained in the compensatory mitigation plan.

**2) Part B. Mitigation Bank or In-Lieu Fee**

- a) Status or proof of purchase of credit types and quantities.
- b) Include the name of bank/ILF Program and contact information.
- c) If ILF, location of project and type if known.



**B. Part B – Project Status Notifications**

**1. Report Type 3 - Commencement of Construction**

- a. Report Purpose** - Notify Central Valley Water Board staff prior to the start of construction.
- b. When to Submit** - Must be received at least seven (7) days prior to start of initial ground disturbance activities.
- c. Report Contents** -
  - i. Date of commencement of construction.
  - ii. Anticipated date when discharges to waters of the state will occur.
  - iii. Project schedule milestones including a schedule for onsite compensatory mitigation, if applicable.
  - iv. Construction Storm Water General Permit WDID No.
  - v. Proof of purchase of compensatory mitigation for permanent impacts from the mitigation bank or in-lieu fee program.

**2. Report Type 4 - Request for Notice of Completion of Discharges Letter**

- a. Report Purpose** - Notify Central Valley Water Board staff that post-construction monitoring is required and that active Project construction, including any mitigation and permittee responsible compensatory mitigation, is complete.
- b. When to Submit** - Must be received by Central Valley Water Board staff within thirty (30) days following completion of all Project construction activities.
- c. Report Contents** -
  - i. Status of storm water Notice of Termination(s), if applicable.
  - ii. Status of post-construction storm water BMP installation.
  - iii. Pre- and post-photo documentation of all Project activity sites where the discharge of dredge and/or fill/excavation was authorized.
  - iv. Summary of Project Deviation discharge quantities compared to initial authorized impacts to waters of the state, if applicable.
  - v. An updated monitoring schedule for mitigation for temporary impacts to waters of the state and permittee responsible compensatory mitigation during the post-discharge monitoring period, if applicable.

**3. Report Type 5 - Request for Notice of Project Complete Letter**

- a. Report Purpose** - Notify Central Valley Water Board staff that construction and/or any post-construction monitoring is complete, or is not required, and no further Project activity is planned.

**b. When to Submit** - Must be received by Central Valley Water Board staff within thirty (30) days following completion of all Project activities.

**c. Report Contents -**

i. Part A: Mitigation for Temporary Impacts

- 1) A report establishing that the performance standards outlined in the restoration plan have been met for Project site upland areas of temporary disturbance which could result in a discharge to waters of the state.
- 2) A report establishing that the performance standards outlined in the restoration plan have been met for restored areas of temporary impacts to waters of the state. Pre- and post-photo documentation of all restoration sites.

ii. Part B: Permittee Responsible Compensatory Mitigation

- 1) A report establishing that the performance standards outlined in the compensatory mitigation plan have been met.
- 2) Status on the implementation of the long-term maintenance and management plan and funding of endowment.
- 3) Pre- and post-photo documentation of all compensatory mitigation sites.
- 4) Final maps of all compensatory mitigation areas (including buffers).

iii. Part C: Post-Construction Storm Water BMPs and Monitoring

- 1) Date of storm water Notice of Termination(s), if applicable.
- 2) Report status and functionality of all post-construction BMPs.
- 3) Dates and report of visual post-construction inspection during the rainy season as indicated in Requirement C.4 of this order.

**C. Part C – Conditional Notifications and Reports**

**1. Report Type 6 - Accidental Discharge of Hazardous Material Report**

- a. Report Purpose** - Notifies Central Valley Water Board staff that an accidental discharge of hazardous material has occurred.
- b. When to Submit** - Within five (5) working days of notification to the Central Valley Water Board of an accidental discharge. Continue reporting as required by Central Valley Water Board staff.
- c. Report Contents** -
  - i. The report shall include the OES Incident/Assessment Form, a full description and map of the accidental discharge incident (i.e., location, time and date, source, discharge constituent and quantity, aerial extent, and photo documentation). If applicable, the OES Written Follow-Up Report may be substituted.
  - ii. If applicable, any required sampling data, a full description of the sampling methods including frequency/dates and times of sampling, equipment, locations of sampling sites.
  - iii. Locations and construction specifications of any barriers, including silt curtains or diverting structures, and any associated trenching or anchoring.

**2. Report Type 7 - Violation of Compliance with Water Quality Standards Report**

- a. Report Purpose** - Notifies Central Valley Water Board staff that a violation of compliance with water quality standards has occurred.
- b. When to Submit** - The Permittee shall report any event that causes a violation of water quality standards within three (3) working days of the noncompliance event notification to Central Valley Water Board staff.
- c. Report Contents** - The report shall include: the cause; the location shown on a map; and the period of the noncompliance including exact dates and times. If the noncompliance has not been corrected, include: the anticipated time it is expected to continue; the steps taken or planned to reduce, eliminate, and prevent reoccurrence of the noncompliance; and any monitoring results if required by Central Valley Water Board staff.

**3. Report Type 8 - In-Water Work and Diversions Water Quality Monitoring Report**

- a. Report Purpose** - Notifies Central Valley Water Board staff of the start and completion of in-water work. Reports the sampling results during in-water work and during the entire duration of temporary surface water diversions.

- b. When to Submit** – At least forty-eight (48) hours prior to the start of in-water work. Within three (3) working days following the completion of in-water work. Surface water monitoring reports to be submitted within two (2) weeks of initiation of in-water construction and every two weeks thereafter, and during the entire duration of temporary surface water diversions. Continue reporting in accordance with the approved water quality monitoring plan or as indicated in Requirement C.3 of this order.
- c. Report Contents** - As required by the approved water quality monitoring plan or as indicated in Requirement C.3 of this Order..

#### **4. Report Type 9 - Modifications to Project Report**

- a. Report Purpose** - Notifies Central Valley Water Board staff if the Project, as described in the application materials, is altered in any way or by the imposition of subsequent permit conditions by any local, state or federal regulatory authority.
- b. When to Submit** - If Project implementation as described in the application materials is altered in any way or by the imposition of subsequent permit conditions by any local, state or federal regulatory authority.
- c. Report Contents** - A description and location of any alterations to Project implementation. Identification of any Project modifications that will interfere with the Permittee's compliance with the Order.

#### **5. Report Type 10 - Transfer of Property Ownership Report**

- a. Report Purpose** - Notifies Central Valley Water Board staff of change in ownership of the Project or Permittee-responsible mitigation area.
- b. When to Submit** - At least 10 days prior to the transfer of ownership.
- c. Report Contents** -
  - i. A statement that the Permittee has provided the purchaser with a copy of this Order and that the purchaser understands and accepts:
    - 1) the Order's requirements and the obligation to implement them or be subject to administrative and/or civil liability for failure to do so; and
    - 2) responsibility for compliance with any long-term BMP maintenance plan requirements in this Order. Best Management Practices (BMPs) is a term used to describe a type of water pollution or environmental control
  - ii. A statement that the Permittee has informed the purchaser to submit a written request to the Central Valley Water Board to be named as the permittee in a revised order.

**6. Report Type 11 - Transfer of Long-Term BMP Maintenance Report**

- a. Report Purpose** - Notifies Central Valley Water Board staff of transfer of long-term BMP maintenance responsibility.
- b. When to Submit** - At least 10 days prior to the transfer of BMP maintenance responsibility.
- c. Report Contents** - A copy of the legal document transferring maintenance responsibility of post-construction BMPs.



**(This page intentionally left blank)**

## **Attachment E**

### **SIGNATORY REQUIREMENTS**

All Documents submitted in compliance with this Order shall meet the following signatory requirements:

- A.** All applications, reports, or information submitted to the Central Valley Water Quality Control Board (Central Valley Water Board) must be signed and certified as follows:
  - 1.** For a corporation, by a responsible corporate officer of at least the level of vice-president.
  - 2.** For a partnership or sole proprietorship, by a general partner or proprietor, respectively.
  - 3.** For a municipality, or a state, federal, or other public agency, by either a principal executive officer or ranking elected official.
- B.** A duly authorized representative of a person designated in items A.1 through A.3 above may sign documents if:
  - 1.** The authorization is made in writing by a person described in items A.1 through A.3 above.
  - 2.** The authorization specifies either an individual or position having responsibility for the overall operation of the regulated activity.
  - 3.** The written authorization is submitted to the Central Valley Water Board Staff Contact prior to submitting any documents listed in item A above.
- C.** Any person signing a document under this section shall make the following certification:

"I certify under penalty of law that I have personally examined and am familiar with the information submitted in this document and all attachments and that, based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the information is true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment."

**(This page intentionally left blank)**

## **Attachment F**

### **PROJECT DEVIATION PROCEDURES**

#### **I. Introduction**

These procedures are put into place to preclude the need for Order amendments for minor changes in the Project routing or location. Minor changes or modifications in project activities are often required by the Permittee following start of construction. These deviations may potentially increase or decrease impacts to waters of the state. In such cases, a Project Deviation, as defined in Requirement J of the Order, may be requested by the Permittee as set forth below:

#### **II. Process Steps**

- A. Who may apply:** The Permittee or the Permittee's duly authorized representative or agent (hereinafter, "Permittee") for this Order.
- B. How to apply:** By letter or email to the Water Quality Certification Unit staff designated as the contact for this Order.
- C. Project Deviation Request:** The Permittee will request verification from the Central Valley Water Board staff that the project change qualifies as a Project Deviation, as opposed to requiring an amendment to the Order. The request should:
  - 1. Describe the Project change or modification:
    - a. Proposed activity description and purpose;
    - b. Why the proposed activity is considered minor in terms of impacts to waters of the state;
    - c. How the Project activity is currently addressed in the Order; and,
    - d. Why a Project Deviation is necessary for the Project.
  - 2. Describe location (latitude/longitude coordinates), the date(s) it will occur, as well as associated impact information (i.e., temporary or permanent, federal or non-federal jurisdiction, water body name/type, estimated impact area, etc.) and minimization measures to be implemented.
  - 3. Provide all updated environmental survey information for the new impact area.
  - 4. Provide a map that includes the activity boundaries with photos of the site.
  - 5. Provide verification of any mitigation needed according to the Order conditions.
  - 6. Provide verification from the CEQA Lead Agency that the proposed changes or modifications do not trigger the need for a subsequent environmental document, an addendum to the environmental document, or a supplemental EIR. (Cal. Code Regs., tit. 14, §§ 15162-15164.)

**D. Post-Discharge Project Deviation Reporting:**

1. Within 30 calendar days of completing the approved Project Deviation activity, the Permittee will provide a post-discharge activity report that includes the following information:
  - a. Activity description and purpose;
  - b. Activity location, start date, and completion date;
  - c. Erosion control and pollution prevention measures applied;
  - d. The net change in impact area by water body type(s) in acres, linear feet and cubic yards;
  - e. Mitigation plan, if applicable; and,
  - f. Map of activity location and boundaries; post-construction photos.

**E. Annual Summary Deviation Report:**

1. Until a Notice of Completion of Discharges Letter or Notice of Project Complete Letter is issued, include in the Annual Project Report (see Construction Notification and Reporting attachment) a compilation of all Project Deviation activities through the reporting period with the following information:
  - a. Site name(s);
  - b. Date(s) of Project Deviation approval;
  - c. Location(s) of authorized activities;
  - d. Impact area(s) by water body type prior to activity in acres, linear feet and cubic yards, as originally authorized in the Order;
  - e. Actual impact area(s) by water body type in, acres, linear feet and cubic yards, due to Project Deviation activity(ies);
  - f. The net change in impact area by water body type(s) in acres, linear feet and cubic yards; and
  - g. Mitigation to be provided (approved mitigation ratio and amount).