

**CALIFORNIA REGIONAL WATER QUALITY CONTROL BOARD  
CENTRAL VALLEY REGION**

**ORDER R5-2025-XXXX**

**RESCINDING WASTE DISCHARGE REQUIREMENTS**

The California Regional Water Quality Control Board, Central Valley Region (Central Valley Water Board), finds that the Central Valley Water Board previously adopted the following Orders which are no longer applicable for the reasons shown:

a. **SIERRA SUNRISE VINEYARDS, MONTEVINA WINERY, AMADOR COUNTY,  
WASTE DISCHARGE REQUIREMENTS ORDER 5-00-047**

Waste Discharge Requirements (WDRs) Order 5-00-047, adopted on 17 March 2000, prescribes requirements for Montevina Winery (Winery) in Amador County. On 3 June 2025, the Sierra Sunrise Vineyards (Discharger) submitted a letter requesting rescission of WDRs Order 5-00-047. The letter states that the Winery has ceased all winery operations and is no longer generating winery process wastewater under the current ownership. The facility has been closed since 23 December 2024, and the property is currently listed for sale. WDRs 5-00-047 is outdated and may not reflect future operation under the new ownership. Therefore, it is appropriate to rescind Order 5-00-047. If the Winery under the new ownership will generate winery process wastewater, then the new Winery owner must apply for coverage under *General Waste Discharge Requirements for Winery Process Water, Order WQ 2021-0002-DWQ* or site-specific Waste Discharge Requirements

IT IS HEREBY ORDERED that the above Orders are rescinded on the date of this order unless otherwise stated above.

I, PATRICK PULUPA, Executive Officer, do hereby certify the foregoing is a full, true, and correct copy of an Order adopted by the California Regional Water Quality Control Board, Central Valley Region on xx August 2025.

---

**PATRICK PULUPA**, Executive Officer