

CALIFORNIA REGIONAL WATER QUALITY CONTROL BOARD
CENTRAL VALLEY REGION
11020 Sun Center Drive, #200, Rancho Cordova, California 95670-6114

NOTICE OF PUBLIC HEARING
concerning

TENTATIVE WASTE DISCHARGE REQUIREMENTS
FOR
CITY OF SACRAMENTO
28TH STREET LANDFILL
SACRAMENTO COUNTY

Waste Discharge Requirements (WDRs) and associated Monitoring and Reporting Program (MRP) are tentatively being issued to the City of Sacramento (Discharger) for 28th Street Landfill (Facility) located at 28th and A Street in the City of Sacramento in Sacramento County.

The Facility is situated on approximately 172-acre property comprised of Assessor's Parcel Numbers (APNs) 001-0170-018, 001-0170-019, 001-0170-021, 001-0170-026, 003-0010-001, 003-0042-002, 003-0050-012, 003-0050-014, 003-0050-015, 003-0050-016, and 001-0170-006. An additional 6.5 acres associated with Cannon and Scollan Properties (CSP) acquired by the City in 2016-2017 will be added to the Facility at the time of adoption of these WDRs and MRP. The APN(s) for the CSP are 003-0032-008, 003-0032-009, 003-0032-030, 003-0032-034, and 003-0041-003. Of the additional 6.5 acres of the CSP approximately 4.5 acres were used to dispose of waste which requires a final closure cover.

Four closed waste management units comprise approximately 145.5 currently permitted acres of the 172-acre site. The tentative WDRs and MRP propose to include the CSP in the next version of the WDRs and MRP, which will make the new permitted WMU area to be approximately 150 acres.

The revision of the current WDRs and MRP Order R5-2004-0039 is necessary since existing WDRs and MRP are outdated and the CSP needs to be included in the permitted Facility. The tentative WDRs and MRP requires the Discharger to construct a final closure cover over the CSP and to continue to fund and perform post-closure maintenance of the combined Facility as well as any corrective action measures necessary to protect the beneficial uses of water.

A public hearing concerning this matter will be held during the Central Valley Water Board meeting scheduled for:

DATE: 20/21 February 2025
TIME: 8:30 a.m.
PLACE: Physical meeting Location with Remote Meeting Option
Regional Water Quality Control Board
11020 Sun Center Drive, Suite 200

Rancho Cordova, California 95670

This public meeting may take place either in-person or via video and teleconference, and/or any combination of the two, but the format may be changed in the future. Any person wishing to obtain information about changes to the date, time, location, or format of the meeting should visit the [Regional Board Meeting Calendar webpage](https://www.waterboards.ca.gov/centralvalley/board_info/meetings/) (https://www.waterboards.ca.gov/centralvalley/board_info/meetings/).

Also, please visit our website for information on [How To Participate In Online Meetings](https://www.waterboards.ca.gov/centralvalley/board_info/remote_meeting/#join_remotely) (https://www.waterboards.ca.gov/centralvalley/board_info/remote_meeting/#join_remotely).

The designated parties for this hearing are as follows:

- City of Sacramento

Only designated parties will have these rights: to call and examine witnesses; to introduce exhibits; to cross-examine opposing witnesses; to impeach any witness; and to rebut the evidence against him or her. All other persons wishing to testify or provide comments are interested persons and not designated parties. Such interested persons may request status as a designated party for purposes of this hearing by submitting such request in writing to the Central Valley Water Board no later than **5:00 p.m. on 27 December 2024**. The request must explain the basis for status as a designated party and in particular how the person is directly affected by the discharge.

The Tentative WDRs were issued for a 30-day public comment period on **26 November 2024** and comments are due by **5:00 p.m. on 27 December 2024**. Written evidence or comments submitted after **5:00 p.m. on 27 December 2024** will not be accepted and will not be incorporated into the administrative record absent a ruling by the Board Chair. Any person requesting to submit late materials must demonstrate good cause for the late submission, and the Chair must find that accepting the late submission will not prejudice the Central Valley Water Board or any Designated Party.

All designated parties and interested persons may speak at the Central Valley Water Board meeting and are expected to orally summarize their written submittals. Oral testimony and cross examination will be limited in time by the Board Chair.

Anyone having questions regarding the tentative WDRs should contact Brad Shelton at (916) 464-1588 or brad.shelton@waterboards.ca.gov. Interested persons may contact Brad Shelton to obtain a copy of the tentative Order and related documents. Copies of these documents can also be obtained by contacting or visiting the Central Valley Water Board's office at:

11020 Sun Center Drive, #200
Rancho Cordova, California, 95670-6114
weekdays between 8:00 a.m. and 5:00 p.m.

The [final meeting agenda](#)

(http://www.waterboards.ca.gov/centralvalley/board_info/meetings/) will be available at least 10 days before the meeting. The agenda will provide the specific date the Board Meeting will be held for this item, indicate the anticipated order of all agenda items, and may include staff revisions to the proposed order.

The [Procedures Governing Central Valley Water Board Meetings](#)

(http://www.waterboards.ca.gov/laws_regulations/) may be found at Title 23, California Code of Regulations, Section 647 et seq. and are available upon request. Hearings before the Central Valley Water Board are not conducted pursuant to Government Code section 11500 et seq. [Information on Meeting and Hearing Procedures](#) (http://www.waterboards.ca.gov/centralvalley/board_info/meetings/mtgprocd.shtml) is available on the Central Valley Water Board's website or by contacting any one of the Central Valley Water Board's offices. Questions regarding such procedures should be directed to Ms. Janelle Brown at (916) 464-4745.

The hearing facilities will be accessible to persons with disabilities. Individuals requiring special accommodations are requested to contact Ms. Mindy Maxwell at (916) 464-4839 at least 5 working days prior to the meeting. TTY users may contact the California Relay Service at 1-800-735-2929 or voice line at 1-800-735-2922.

To request oral interpretation or sign language services, please submit your request at least 10 business days before the meeting by contacting Marina Perez at (916) 322-4265 or Marina.Perez@Waterboards.ca.gov

Original Signed By

John T. Murphy, PG #9524, CHG #1092
Supervising Engineering Geologist
Permitting – Title 27 Manager