

CALIFORNIA REGIONAL WATER QUALITY CONTROL BOARD
CENTRAL VALLEY REGION

Fresno Office
1685 "E" Street
Fresno, CA 93706-2007

Sacramento Office (Main)
11020 Sun Center Drive #200
Rancho Cordova, CA 95670-6114

Redding Office
364 Knollcrest Drive #205
Redding, CA 96002

[Regional Board Website](https://www.waterboards.ca.gov/centralvalley) (<https://www.waterboards.ca.gov/centralvalley>)

[TENTATIVE] MONITORING & REPORTING PROGRAM (MRP)
R5-2025-####



ORDER INFORMATION

| | |
|-------------------------|--------------------------------------|
| Order Type(s): | Monitoring & Reporting Program (MRP) |
| Status: | Tentative |
| Program: | Title 27 Discharges to Land |
| Region 5 Office: | Fresno |
| Discharger(s): | County of Kern |
| Facility: | Taft Recycling and Sanitary Landfill |
| Address: | 13351 Elk Hills Taft, CA 93268 |
| County: | Kern County |
| Parcel Nos.: | 298-050-44 |
| WDID: | L10004769772 |
| Prior Order(s): | R5-2012-0066 |

CERTIFICATION

I, PATRICK PULUPA, Executive Officer, hereby certify that the following is a full, true, and correct copy of the order adopted by the California Regional Water Quality Control Board, Central Valley Region, on _____ February 2025.

PATRICK PULUPA,
Executive Officer

REGIONAL BOARD INFORMATION

Sacramento Office (Main)

Rancho Cordova, CA 95670-6114
11020 Sun Center Drive #200
Telephone: (916) 464-3291

Fresno Office

1685 "E" Street
Fresno, CA 93706-2007
Telephone: (559) 445-5116

Redding Office

364 Knollcrest Drive #205
Redding, CA 96002
Telephone: (530) 224-4845

[Regional Board Website](https://www.waterboards.ca.gov/centralvalley)

<https://www.waterboards.ca.gov/centralvalley>

TABLE OF CONTENTS

| | |
|---|----|
| TABLE INDEX | iv |
| GLOSSARY | v |
| PREFACE | 1 |
| MONITORING & REPORTING PROGRAM | 2 |
| A. General Provisions | 2 |
| 1. Incorporation of Standard Provisions | 2 |
| 2. Monitoring Provisions in WDRs Order | 2 |
| 3. Compliance with Title 27 | 2 |
| 4. Sample Collection and Analysis Plan (SCAP) | 2 |
| B. Detection Monitoring Program (DMP) | 3 |
| 1. Groundwater | 3 |
| a. Required Network | 3 |
| b. Sample Collection and Analysis | 3 |
| c. Five-Year COCs | 5 |
| d. Groundwater Conditions | 6 |
| 2. Unsaturated Zone | 6 |
| a. Required Network | 6 |
| b. Monthly Lysimeter Inspection | 7 |
| c. Five-Year COCs | 8 |
| 3. Surface Water | 9 |
| 4. Summary of Water Quality Protection Standard (WQPS) Components | 9 |
| a. Compliance Period | 9 |

| | |
|--|-----------|
| b. Monitoring Points | 9 |
| c. Point of Compliance (POC)..... | 10 |
| d. Constituents of Concern (COCs) | 10 |
| e. Monitoring Parameters..... | 10 |
| f. Five-Year COCs | 10 |
| g. Concentration Limits | 11 |
| h. Retesting Procedures | 11 |
| C. Corrective Action Monitoring Program (CAMP)..... | 12 |
| D. Additional Facility Monitoring | 12 |
| 1. Leachate Collection & Removal System (LCRS) | 12 |
| a. Annual LCRS Testing | 12 |
| b. Monthly Sump Inspection..... | 12 |
| c. First Detection of Leachate in Sump..... | 12 |
| d. Five-Year COCs | 14 |
| 2. Leachate Seepage | 15 |
| 3. Regular Visual Inspection..... | 16 |
| 4. Annual Facility Inspections..... | 17 |
| 5. Major Storm Events..... | 17 |
| E. Reporting Requirements | 18 |
| 1. Semiannual Monitoring Reports (SMRs)..... | 18 |
| 2. Annual Monitoring Reports (AMRs)..... | 20 |
| 3. Leachate Seep Reporting..... | 21 |
| 4. Annual Facility Inspection Report..... | 22 |

| | |
|---|-----------|
| 5. Major Storm Event Reports | 22 |
| 6. Financial Assurances Report | 22 |
| 7. Water Quality Protection Standard Report | 22 |
| 8. General Reporting Provisions | 23 |
| a. Transmittal Letters | 23 |
| b. Monitoring Data and Reports | 24 |
| c. Compliance with SPRRs..... | 25 |
| d. Additional Requirements for Monitoring Reports | 25 |
| F. Record Retention Requirements | 25 |
| ATTACHMENT A—VOLATILE ORGANIC COMPOUNDS, SHORT LIST | 27 |
| ATTACHMENT B—DISSOLVED INORGANICS (FIVE-YEAR COCS)..... | 30 |
| ATTACHMENT C—VOLATILE ORGANIC COMPOUNDS, EXTENDED LIST (FIVE-YEAR COCS)..... | 32 |
| ATTACHMENT D—SEMI-VOLATILE ORGANIC COMPOUNDS (FIVE-YEAR COCS) | 36 |
| ATTACHMENT E—CHLOROPHENOXY HERBICIDES (FIVE-YEAR COCS)..... | 42 |
| ATTACHMENT F—ORGANOPHOSPHOROUS COMPOUNDS (FIVE YEAR COCS) | 43 |

TABLE INDEX

| | |
|--|----|
| Table 1—Groundwater Monitoring Network | 3 |
| Table 2—Groundwater Detection Monitoring, Physical Parameters | 4 |
| Table 3—Groundwater Detection Monitoring, Constituent Parameters..... | 4 |
| Table 4—Groundwater Detection Monitoring, Five-Year COCs | 5 |
| Table 5—Groundwater Detection Monitoring, Groundwater Conditions..... | 6 |
| Table 6—Unsaturated Zone Monitoring Network | 6 |
| Table 7—Unsaturated Zone Detection Monitoring (Lysimeters), Physical Parameters ... | 7 |
| Table 8—Unsaturated Zone Detection Monitoring (Lysimeters), Constituent Parameters | 7 |
| Table 9—Unsaturated Zone Detection Monitoring (Lysimeter), Five-Year COCs | 8 |
| Table 10—LCRS Sump Monitoring, Monthly Inspection Parameters | 12 |
| Table 11—LCRS Sump Monitoring, Parameters for Subsequent Monitoring..... | 13 |
| Table 12—LCRS Sump Monitoring, Five-Year COCs | 14 |
| Table 13—Leachate Seep Monitoring, Physical Parameters | 15 |
| Table 14—Leachate Seep Monitoring, Constituent Parameters | 15 |
| Table 15—Criteria for Regular Visual Inspections..... | 16 |
| Table 16—Regular Visual Inspection Schedule | 17 |
| Table 17—Summary of Required Reports | 18 |

GLOSSARY

| | |
|------------------------------|--|
| AMR | Annual Monitoring Report |
| CalRecycle | California Department of Resources Recycling and Recovery |
| CAMP | Corrective Action Monitoring Program |
| CIWQS | California Integrated Water Quality System Project |
| COCs | Constituents of Concern |
| DMP | Detection Monitoring Program |
| EC | Electrical Conductivity |
| EMP | Evaluation Monitoring Program |
| Five-Year COCs | Five-Year Constituents of Concern |
| GeoTracker | State Water Board's Data Management System for Sites with Potential Groundwater Impact |
| LCRS..... | Leachate Collection and Removal System |
| MDL..... | Method Detection Limit |
| MRP | Monitoring and Reporting Program |
| MSW | Municipal Solid Waste |
| MSWLF | Municipal Solid Waste Landfill |
| QA/QC..... | Quality Assurance/Quality Control |
| Qualified Professional | Professional Civil Engineer or Geologist licensed by the State of California |
| RCRA..... | Resource Conservation and Recovery Act, 42 U.S.C. § 6901 et seq. |
| RL..... | Reporting Limit |

| | |
|-----------------------------------|---|
| SCAP | Sample Collection and Analysis Plan |
| SMR | Semiannual Monitoring Report |
| SPRRs / Standard Provisions | Standard Provisions and Reporting Requirements for Nonhazardous Solid Waste Discharges Regulated by Subtitle D and/or Title 27 Municipal Solid Waste Facilities, December 2015 Edition |
| TDS | Total Dissolved Solids |
| Title 27 | California Code of Regulations, Title 27 |
| USEPA | United States Environmental Protection Agency |
| VOCs..... | Volatile Organic Compounds |
| WDRs..... | Waste Discharge Requirements |
| WMU | Waste Management Unit |
| WQPS | Water Quality Protection Standard |

UNITS

| | |
|--------------------------|---------------------------------|
| °F | Degrees Fahrenheit |
| mg/L | Milligrams per Liter |
| µg/L | Micrograms per Liter |
| µmhos/cm..... | Microsiemens per Centimeter |
| µg/cm ³ | Micrograms per Cubic Centimeter |
| ng/L | Nanograms per Liter |
| NTUs | Nephelometric Turbidity Units |

PREFACE

Adopted by the California Regional Water Quality Control Board, Central Valley Region (Central Valley Water Board) pursuant to Water Code section 13267, subdivision (b)(1), this Order establishes a Monitoring and Reporting Program (MRP) for the County of Kern (Discharger), which owns and operates the Taft Recycling and Sanitary Landfill (Facility) in Kern County. Additional information regarding the Facility is set forth in the enumerated findings of Waste Discharge Requirements Order R5-2025-XXXX (WDRs Order). Except as otherwise provided in the following MRP, these findings are incorporated herein.

The MRP also contains supplemental findings related to monitoring and reporting activities, and/or Facility conditions. For the purposes of the California Code of Regulations, title 27 (Title 27) (see Title 27, §§ 21720, 20380-20435), the findings and provisions of this Order are conversely incorporated as part of the WDRs Order.

Although adopted with the WDRs Order, this is a separate order subject to subsequent revision by the Executive Officer in accordance with delegated authority per Water Code section 13223. For the purposes of Title 27, such revisions shall be automatically incorporated as part of the WDRs Order.

MONITORING & REPORTING PROGRAM

IT IS HEREBY ORDERED, pursuant to Water Code section 13267: that all previously issued Monitoring and Reporting Program(s) for the discharge of solid waste at the Facility are rescinded (except for enforcement purposes); and that the Discharger and their agents, employees and successors shall comply with the following Monitoring and Reporting Program (MRP). The Discharger shall not implement any changes until a revised MRP is issued by the Central Valley Water Board or its Executive Officer.

A. General Provisions

1. Incorporation of Standard Provisions and Reporting Requirements (SPRRs)

The Discharger shall comply with all relevant provisions of the *Standard Provisions and Reporting Requirements for Nonhazardous Solid Waste Discharges Regulated by Subtitle D and/or Title 27 Municipal Solid Waste Facilities, December 2015 Edition* (SPRRs), which are incorporated herein. (See, e.g., SPRRs §§ I (*Standard Monitoring Specifications*) and J (*Response to Release*).

2. Monitoring Provisions in WDRs Order

The Discharger shall comply with all “Monitoring Provisions” in the Facility’s operative WDRs Order, which are also incorporated herein.

3. Compliance with Title 27

The Discharger shall comply with all provisions of Title 27 as they pertain to activities described in this MRP (including SPRRs).

4. Sample Collection and Analysis Plan (SCAP)

All samples shall be collected, preserved and transported in accordance with the approved Sample Collection and Analysis Plan (SCAP) and the Quality Assurance/Quality Control (QA/QC) standards specified therein. The Discharger may use alternative analytical test methods (including new USEPA-approved methods), provided that the alternative methods have method detection limits (MDLs) equal to or lower than the analytical methods specified in this MRP and are identified in the approved SCAP.

B. Detection Monitoring Program (DMP)

To detect a release at the earliest possible time (see Title 27, § 20420, subd. (b)), the Discharger shall implement a Detection Monitoring Program (DMP) for groundwater, surface water, and the unsaturated zone in accordance with the provisions of Title 27, particularly sections 20415 and 20420.

Groundwater, unsaturated zone, and surface water¹ detection monitoring networks shall be revised (as needed) with the construction of each new landfill cell or module.

1. Groundwater

a. Required Network

The Facility's groundwater monitoring well network consists of the wells listed in **Table 1**.² As of the date of this Order, the network meets the requirements of Title 27. (Title 27, § 20415, subd. (b).)

Table 1—Groundwater Monitoring Network

| Well | Program | Status |
|--------|-------------------|-------------|
| TA1-13 | Background | Operational |
| TA1-14 | Detection | Operational |
| TA1-12 | Corrective Action | Operational |

See Glossary for definitions of terms and abbreviations in table.

b. Sample Collection and Analysis

Groundwater samples shall be collected from each well and analyzed for Monitoring Parameters listed in **Table 2** (Physical Parameters) and **Table 3** (Constituent Parameters), in accordance

¹ I.e., to the extent that surface water detection monitoring is required under this Order.

² Non-background monitoring wells at the Point of Compliance constitute "Monitoring Points" for purposes of the Water Quality Protection Standard (WQPS).

with the specified schedule for each parameter. (Title 27, § 20420, subds. (e)-(f).)

Table 2—Groundwater Detection Monitoring, Physical Parameters

| Physical Parameter | GeoTracker Code | Units | Sampling Frequency | Reporting Frequency |
|-------------------------|-----------------|----------|--------------------|---------------------|
| Temperature | TEMP | °F | Semiannually | Semiannually |
| Electrical Conductivity | SC | µmhos/cm | Semiannually | Semiannually |
| pH | PH | pH Units | Semiannually | Semiannually |
| Turbidity | TURB | NTUs | Semiannually | Semiannually |

See Glossary for definitions of terms and abbreviations in table.

Table 3—Groundwater Detection Monitoring, Constituent Parameters

| Constituent Parameter | GeoTracker Code | Units | Sampling Frequency | Reporting Frequency |
|-----------------------|-----------------|-------|--------------------|---------------------|
| TDS | TDS | mg/L | Semiannually | Semiannually |
| Chloride | CL | mg/L | Semiannually | Semiannually |
| Carbonate | CACO3 | mg/L | Semiannually | Semiannually |
| Bicarbonate | BICACO3 | mg/L | Semiannually | Semiannually |
| Sulfate | SO4 | mg/L | Semiannually | Semiannually |
| Calcium | CA | mg/L | Semiannually | Semiannually |
| Magnesium | MG | mg/L | Semiannually | Semiannually |
| Nitrate as N | NO3 | mg/L | Semiannually | Semiannually |
| Potassium | K | mg/L | Semiannually | Semiannually |
| Sodium | NA | mg/L | Semiannually | Semiannually |

| Constituent Parameter | GeoTracker Code | Units | Sampling Frequency | Reporting Frequency |
|--|-----------------|-------|--------------------|---------------------|
| Short List VOCs (Attachment A) | (various) | µg/L | Semiannually | Semiannually |
| 1,2,3-Trichloropropane per Method SRL-524M-TCP | TCPR123 | ng/L | Semiannually | Semiannually |

See Glossary for definitions of terms and abbreviations in table.

c. Five-Year COCs

The Discharger shall analyze for groundwater samples from each well for the Five-Year Constituents of Concern (Five-Year COCs) listed in **Table 4**. Five-Year COCs were last monitored in 2022, and shall be analyzed again in 2027. (Title 27, § 20420, subd. (g).)

Table 4—Groundwater Detection Monitoring, Five-Year COCs

| Five-Year Constituent | GeoTracker Code | Units | Sampling & Reporting Frequency |
|--|-----------------|-------|--------------------------------|
| Total Organic Carbon | TOC | mg/L | Every 5 Years |
| Dissolved Inorganics (Attachment B) | (various) | µg/L | Every 5 Years |
| Extended List VOCs (Attachment C) | (various) | µg/L | Every 5 Years |
| Semi-Volatile Organic Compounds (Attachment D) | (various) | µg/L | Every 5 Years |
| Chlorophenoxy Herbicides (Attachment E) | (various) | µg/L | Every 5 Years |
| Organophosphorus Compounds (Attachment F) | (various) | µg/L | Every 5 Years |

See Glossary for definitions of terms and abbreviations in table.

d. Groundwater Conditions

Each quarter, the Discharger shall monitor the Groundwater Conditions specified in **Table 5**, with the result of such monitoring being reported semiannually per **Section E.1.**³ (Title 27, § 20415, subd. (b)(1).)

Table 5—Groundwater Detection Monitoring, Groundwater Conditions

| Groundwater Condition | GeoTracker Code | Monitoring Frequency | Reporting Frequency |
|---------------------------|-----------------|----------------------|---------------------|
| Elevation (Well-Specific) | ELEV | Quarterly | Semiannually |
| Gradient | (none) | Quarterly | Semiannually |
| Flow Rate | (none) | Quarterly | Semiannually |

2. Unsaturated Zone

a. Required Network

The Facility’s unsaturated zone monitoring network consists of the landfill gas (LFG) monitoring points specified in **Table 6**. As of the date of this Order, the network meets the requirements of Title 27. (Title 27, § 20415, subd. (d).)

Table 6—Unsaturated Zone Monitoring Network

| Monitoring Point | Program | Status |
|------------------|---------------|-----------|
| Module 2 | Pan Lysimeter | Detection |
| Module 3 | Pan Lysimeter | Detection |
| Module 4 | Pan Lysimeter | Detection |

³ To the extent feasible, this information shall be determined separately for: (1) the uppermost aquifer; (2) any zones of perched water; and (3) any additional zone of saturation monitored based upon water level elevations taken prior to the collection of the water quality data submitted in the report. (Title 27, § 20415, subd. (e)(15).)

b. Monthly Lysimeter Inspection

Pan lysimeters shall be inspected monthly for the presence of liquid, which shall then be analyzed for the Monitoring Parameters in **Table 7** (Physical Parameters) and **Table 8** (Constituent Parameters). (Title 27, § 20420, subds. (e)-(f).) If liquid is detected in a previously dry pan lysimeter, the Discharger shall notify Central Valley Water Board staff within seven days of the detection.

Table 7—Unsaturated Zone Detection Monitoring (Lysimeters), Physical Parameters

| Physical Parameter | GeoTracker Code | Units | Sampling Frequency | Reporting Frequency |
|--------------------------|-----------------|----------|--------------------|---------------------|
| Electrical Conductivity | SC | µmhos/cm | Semiannually | Semiannually |
| pH | PH | pH Units | Semiannually | Semiannually |
| Volume of Removed Liquid | (none) | Gallons | Semiannually | Semiannually |

See Glossary for definitions of terms and abbreviations in table.

Table 8—Unsaturated Zone Detection Monitoring (Lysimeters), Constituent Parameters

| Constituent Parameter | GeoTracker Code | Units | Sampling Frequency | Reporting Frequency |
|-----------------------|-----------------|-------|--------------------|---------------------|
| TDS | TDS | mg/L | Semiannually | Semiannually |
| Chloride | CL | mg/L | Semiannually | Semiannually |
| Carbonate | CACO3 | mg/L | Semiannually | Semiannually |
| Bicarbonate | BICACO3 | mg/L | Semiannually | Semiannually |
| Sulfate | SO4 | mg/L | Semiannually | Semiannually |
| Calcium | CA | mg/L | Semiannually | Semiannually |
| Magnesium | MG | mg/L | Semiannually | Semiannually |

| Constituent Parameter | GeoTracker Code | Units | Sampling Frequency | Reporting Frequency |
|--|-----------------|-------|--------------------|---------------------|
| Nitrate as N | NO3 | mg/L | Semiannually | Semiannually |
| Potassium | K | mg/L | Semiannually | Semiannually |
| Sodium | NA | mg/L | Semiannually | Semiannually |
| Short List VOCs (Attachment A) | (various) | µg/L | Semiannually | Semiannually |
| 1,2,3-Trichloropropane per Method SRL-524M-TCP | TCPR123 | ng/L | Semiannually | Semiannually |

See Glossary for definitions of terms and abbreviations in table.

c. Five-Year COCs

Every five years, liquid from each pan lysimeter shall be analyzed for the Five-Year COCs listed below in **Table 9**. Five-Year COCs were last monitored in 2022, and shall be analyzed again in 2027. (Title 27, § 20420, subd. (g).)

Table 9—Unsaturated Zone Detection Monitoring (Lysimeter), Five-Year COCs

| Five-Year Constituent | GeoTracker Code | Units | Sampling & Reporting Frequency |
|--|-----------------|-------|--------------------------------|
| Total Organic Carbon | TOC | mg/L | Every 5 Years |
| Dissolved Inorganics (Attachment B) | (various) | µg/L | Every 5 Years |
| Extended List VOCs (Attachment C) | (various) | µg/L | Every 5 Years |
| Semi-Volatile Organic Compounds (Attachment D) | (various) | µg/L | Every 5 Years |
| Chlorophenoxy Herbicides (Attachment E) | (various) | µg/L | Every 5 Years |

| Five-Year Constituent | GeoTracker Code | Units | Sampling & Reporting Frequency |
|---|-----------------|-------|--------------------------------|
| Organophosphorus Compounds (Attachment F) | (various) | µg/L | Every 5 Years |

See Glossary for definitions of terms and abbreviations in table.

3. Surface Water

There are no surface water monitoring requirements for the Facility.

4. Summary of Water Quality Protection Standard (WQPS) Components

The Water Quality Protection Standard (WQPS) is the Title 27 analytical framework through which an individual WMU is monitored for releases and impacts to water quality, i.e., the Detection Monitoring Program (DMP). (See Title 27, § 20390, subd. (a).) As explained in further detail below, for the duration of the Compliance Period, the Monitoring Points situated at a WMU’s Point of Compliance are sampled and analyzed for Monitoring Parameters indicative of a release. If concentrations of Constituents of Concern exceed Concentration Limits, the results are confirmed through Retesting Procedures.

a. Compliance Period

The “compliance period” is the minimum time for which a water quality monitoring will be required—i.e., equal to the sum of active years and the closure period. (Title 27, § 20410.) The period restarts each time an Evaluation Monitoring Program (EMP) is initiated for a given WMU. (Id., §§ 20410, subd. (a), 20415, 20425.) If a WMU is in corrective action, the period continues until it is demonstrated that the WMU has been in continuous compliance with its WQPS for at least three years. (Id., § 20410, subd. (c).)

b. Monitoring Points

For WQPS purposes, a “monitoring point” is any well, device, or location where monitoring is conducted, and is specified in the Facility’s WDRs and subject to the WQPS. (Title 27, § 20164.) Monitoring Points are listed in **Section B** (Detection Monitoring

Program)—specifically **Table 1** (Groundwater) and **Table 6** (Unsaturated Zone).

c. Point of Compliance (POC)

The Point of Compliance (POC) is a vertical plane at the WMU's hydraulically downgradient limit, extending through the uppermost underlying aquifer. (Title 27, §§ 10164, 20405, subd. (a).) The Facility's POC monitoring wells are listed below in **Table 1**.

d. Constituents of Concern (COCs)

Constituents of Concern (COCs) are waste constituents, reaction products, and hazardous constituents that are reasonably expected to be in or derived from waste contained in a WMU. (Title 27, §§ 20164, 20395.)

e. Monitoring Parameters

Monitoring Parameters are a predetermined set of COCs and measurable physical characteristics (e.g., temp., electrical conductivity, pH), which serve as reliable indicators of a WMU release, and for which samples will therefore be routinely analyzed. (Title 27, §§ 20164, 20395, subd. (a), 20420, subds. (e)-(f).) For the purposes of this MRP, the Monitoring Parameters are:

- i. For **Groundwater**, those in **Table 2** and **Table 3**; and
- ii. For the Unsaturated Zone, those in **Table 7** and **Table 8**.

f. Five-Year COCs

In addition to the Monitoring Parameters described above, this Order requires the quinquennial analysis of samples for a larger range of constituents that are reasonably expected to be found in, or derived from, the waste contained within each unit at the Facility. (Title 27, §§ 20395, 20420, subd. (g).) Analytical results for Five-Year COCs were last submitted to the Central Valley Water Board as part of the 2022 Annual Monitoring Report and are due again in 2027. For the purposes of this MRP, the Five-Year COCs are listed in:

- i. **Attachment B** (*Dissolved Inorganics*);

- ii. **Attachment C** (*Extended List VOCs*);
- iii. **Attachment D** (*Semi-Volatile Organic Compounds*);
- iv. **Attachment E** (*Chlorophenoxy Herbicides*);
- v. **Attachment F** (*Organophosphorus Compounds*); and
- vi. Any other COCs listed in **Table 4** (*Groundwater*) and **Table 9** (*Unsaturated Zone*).

g. Concentration Limits

The Concentration Limit for each COC is the “background concentration,” as determined by the statistical methods outlined in Title 27, section 20415, subdivision (e)(8).⁴ (Title 27, § 20400, subds. (a), (b).) Methods for calculating Concentration Limits were proposed in the most recently approved WQPS Report. The approved methods use interwell limits.

Concentration Limits shall be proposed and/or updated by the Discharger on an annual basis, in the Annual Monitoring Report (AMR) submitted per **Section E.2** here.

h. Retesting Procedures

If monitoring results indicate measurably significant evidence of a release, as described in Section I.45 of the SPRRs (Standard Monitoring Specifications), the Discharger shall apply the following:

- vii. **Non-Statistical Retesting Procedures (SPRRs, § I.46)** for analytes detected in less than 10 percent of background samples (e.g., non-naturally occurring COCs); and
- viii. **Statistical Retesting Procedures (SPRRs, § I.46)** for analytes detected in at least 10 percent of background samples (e.g., naturally occurring COCs).

⁴ Concentration Limits are initially proposed by the discharger, then reviewed and approved by the Central Valley Water Board (subject to any necessary revisions). The limits specified herein are approved and incorporated as part of the Facility’s WDRs.

C. Corrective Action Monitoring Program (CAMP)

There are no additional CAMP monitoring requirements other than compliance with the DMP monitoring requirements to demonstrate the effectiveness of ongoing correction action at the Facility.

D. Additional Facility Monitoring

1. Leachate Collection & Removal System (LCRS)

The Discharger shall operate and maintain leachate collection and removal system (LCRS) sumps, and conduct monitoring of any detected leachate seeps in accordance with Title 27 and the following provisions.

a. Annual LCRS Testing

All Leachate Collection and Removal Systems (LCRS) shall be tested annually to demonstrate proper operation, with the results of each test being compared to the results of prior testing. (See Title 27, § 20340, subd. (d).)

b. Monthly Sump Inspection

All LCRS sumps shall be inspected monthly for the presence of leachate. As provided in **Table 10**, the total flow and flow rate for leachate in each sump shall be recorded after each inspection and reported semiannually per **Section E.1**.

Table 10—LCRS Sump Monitoring, Monthly Inspection Parameters

| Physical Parameter | GeoTracker Code | Units | Sampling Frequency | Reporting Frequency |
|--------------------|-----------------|-------------|--------------------|---------------------|
| Total Flow | (none) | Gallons | Monthly | Semiannually |
| Flow Rate | FLOW | Gallons/Day | Monthly | Semiannually |

See Glossary for definitions of terms and abbreviations in table.

c. First Detection of Leachate in Sump

Upon detecting leachate in a previously dry sump, the Discharger shall notify Central Valley Water Board staff within seven days, and immediately sample and analyze leachate for the parameters in

Table 11.⁵ Thereafter, whenever leachate is present in the same sump, the leachate shall be sampled and analyzed for the same parameters, and in accordance with the specified sampling and reporting schedule in **Table 11**.

Table 11—LCRS Sump Monitoring, Parameters for Subsequent Monitoring

| Constituent Parameter | GeoTracker Code | Units | Sampling Frequency | Reporting Frequency |
|-------------------------|-----------------|----------|--------------------|---------------------|
| Electrical Conductivity | SC | µmhos/cm | Quarterly | Semiannually |
| pH | PH | pH Units | Quarterly | Semiannually |
| TDS | TDS | mg/L | Quarterly | Semiannually |
| Chloride | CL | mg/L | Quarterly | Semiannually |
| Carbonate | CACO3 | mg/L | Quarterly | Semiannually |
| Bicarbonate | BICACO3 | mg/L | Quarterly | Semiannually |
| Nitrate (as Nitrogen) | NO3N | mg/L | Quarterly | Semiannually |
| Sulfate | SO4 | mg/L | Quarterly | Semiannually |
| Calcium | CA | mg/L | Quarterly | Semiannually |
| Magnesium | MG | mg/L | Quarterly | Semiannually |
| Potassium | K | mg/L | Quarterly | Semiannually |
| Sodium | NA | mg/L | Quarterly | Semiannually |

⁵ The sampling and reporting schedules in **Table 11** are applicable for subsequent monitoring only. When notifying Central Valley Water Board staff of the first detection of leachate, the Discharger shall indicate when laboratory results are expected to be available.

| Constituent Parameter | GeoTracker Code | Units | Sampling Frequency | Reporting Frequency |
|--|-----------------|-------|--------------------|---------------------|
| Short List VOCs (Attachment A) | (various) | µg/L | Quarterly | Semiannually |
| 1,2,3-Trichloropropane per Method SRL-524M-TCP | TCPR123 | ng/L | Quarterly | Semiannually |

See Glossary for definitions of terms and abbreviations in table.

d. Five-Year COCs

At least once every five years, the Discharger shall sample and analyze any leachate present in the sump for the Five-Year COCs listed in **Table 12**.

Table 12—LCRS Sump Monitoring, Five-Year COCs

| Parameter | GeoTracker Code | Units | Sampling & Reporting Frequency |
|--|-----------------|-------|--------------------------------|
| Total Organic Carbon | TOC | mg/L | Every 5 Years |
| Dissolved Inorganics (Attachment B) | (various) | µg/L | Every 5 Years |
| Extended List VOCs (Attachment C) | (various) | µg/L | Every 5 Years |
| Semi-Volatile Organic Compounds (Attachment D) | (various) | µg/L | Every 5 Years |
| Chlorophenoxy Herbicides (Attachment E) | (various) | µg/L | Every 5 Years |
| Organophosphorus Compounds (Attachment F) | (various) | µg/L | Every 5 Years |

See Glossary for definitions of terms and abbreviations in table.

2. Leachate Seepage

Upon detection of any leachate seeping to the surface from any landfill WMU, the Discharger shall immediately sample and analyze the leachate for the Monitoring Parameters in **Table 13** (Physical Parameters) and **Table 14** (Constituent Parameters). See **Section E.3** for Reporting Requirements.) In the event of a reported leachate seep, Central Valley Water Board staff may direct additional sampling and analysis pursuant to Water Code section 13267, subdivision (b)(1).

Table 13—Leachate Seep Monitoring, Physical Parameters

| Physical Parameter | GeoTracker Code | Units | Sampling Frequency | Reporting Frequency |
|-------------------------|-----------------|-------------|--------------------|---------------------|
| Total Flow | (none) | Gallons | Upon Detection | See MRP, § E.3 |
| Flow Rate | FLOW | Gallons/Day | (same) | (same) |
| Electrical Conductivity | SC | µmhos/cm | (same) | (same) |
| pH | PH | pH Units | (same) | (same) |

See Glossary for definitions of terms and abbreviations in table.

Table 14—Leachate Seep Monitoring, Constituent Parameters

| Constituent Parameter | GeoTracker Code | Units | Sampling Frequency | Reporting Frequency |
|-----------------------|-----------------|-------|--------------------|---------------------|
| TDS | TDS | mg/L | Upon Detection | See MRP, § E.3 |
| Chloride | CL | mg/L | (same) | (same) |
| Carbonate | CACO3 | mg/L | (same) | (same) |
| Bicarbonate | BICACO3 | mg/L | (same) | (same) |
| Nitrate as N | NO3N | mg/L | (same) | (same) |
| Sulfate | SO4 | mg/L | (same) | (same) |

| Constituent Parameter | GeoTracker Code | Units | Sampling Frequency | Reporting Frequency |
|--|-----------------|-------|--------------------|---------------------|
| Calcium | CA | mg/L | (same) | (same) |
| Magnesium | MG | mg/L | (same) | (same) |
| Potassium | K | mg/L | (same) | (same) |
| Sodium | NA | mg/L | (same) | (same) |
| Short List VOCs (Attachment A) | (various) | µg/L | (same) | (same) |
| 1,2,3-Trichloropropane per Method SRL-524M-TCP | TCPR123 | ng/L | (same) | (same) |

See Glossary for definitions of terms and abbreviations in table.

3. Regular Visual Inspection

The Discharger shall perform regular visual inspections at the Facility in accordance with **Table 15** (Criteria) and **Table 16** (Schedule). Results of these regular visual inspections shall be included in Semiannual Monitoring Reports per **Section E.1**.

Table 15—Criteria for Regular Visual Inspections

| Category | Criteria |
|----------------|---|
| Within Unit | <ul style="list-style-type: none"> Evidence of ponded water at any point on unit outside of any contact storm water/leachate diversions structures on the active face of unit (record affected areas on map). Evidence of erosion and/or of day-lighted refuse. |
| Unit Perimeter | <ul style="list-style-type: none"> Evidence of leachate seep. Estimated size of affected area (record on map) and flow rate. Evidence of erosion and/or of day-lighted refuse. |

| Category | Criteria |
|------------------|--|
| Receiving Waters | <ul style="list-style-type: none"> Floating and suspended materials of waste origin—presence or absence, source and size of affected areas. Discoloration and turbidity—description of color, source and size of affected areas. |

Table 16—Regular Visual Inspection Schedule

| Category | Wet Season (1 Oct. to 30 April) | Dry Season (1 May to 30 Sept.) |
|--------------------------|------------------------------------|-----------------------------------|
| Active Units | Weekly | Monthly |
| Inactive or Closed Units | Monthly | Quarterly |

4. Annual Facility Inspections

Prior to **15 November** of each year, the Discharger shall inspect the Facility to assess repair and maintenance needs for drainage control systems, cover systems and groundwater monitoring wells, as well as preparedness for winter conditions (e.g., erosion and sedimentation control). If repairs are made as a result of the annual inspection, problem areas shall be photographed before and after repairs. Any necessary construction, maintenance, or repairs shall be completed by 31 October. See **Section E.4** for Reporting Requirements.

5. Major Storm Events

Within seven days of any storm event capable of causing damage or significant erosion (Major Storm Event), the Discharger shall inspect the Facility for damage to any precipitation diversion and drainage facilities, and all landfill side slopes. Necessary repairs shall be completed within 30 days of the inspection. The Discharger shall take photos of any problem areas before and after repairs. See **Section E.5** for Reporting Requirements.

E. Reporting Requirements

Table 17—Summary of Required Reports

| Section | Report | Deadline |
|----------------|--|--|
| § E.1 | Semiannual Monitoring Reports (SMRs) | 31 August (1 January to 30 June) 28 February (1 July to 31 December) |
| § E.2 | Annual Monitoring Reports (AMRs) | 30 April |
| § E.3 | Leachate Seep Reporting | Immediately upon Discovery of Seepage (<i>staff notification</i>) Within 7 Days (<i>written report</i>) |
| § E.4 | Annual Facility Inspection Reports | 15 November |
| § E.5 | Major Storm Reporting | Immediately after Damage Discovery (<i>staff notification</i>) Within 14 Days of Completing Repairs (<i>written report, photos</i>) |
| § E.6 | Financial Assurances Reports | 1 June |
| § E.7 | Water Quality Protection Standard Reports | Proposed Revisions (excluding Concentration Limits) |

1. Semiannual Monitoring Reports (SMRs)

The Discharger shall submit Semiannual Monitoring Reports (SMRs) on 1 August (1 Jan. to 30 June) and 1 February (1 July to 31 Dec.). SMRs shall contain the following materials and information:

- a. A statement affirming that all sampling activities referenced in the report were conducted in accordance with the approved SCAP (see § A.4).
- b. Map(s)/aerial photograph(s) depicting locations of all observation stations, monitoring points referenced in the report.
- c. In tabulated format, all monitoring data required to be reported on a semiannual basis, including Groundwater Conditions and Monitoring Parameters. (See **Section E.9.b** for additional requirements.)
- d. For each groundwater monitoring point referenced in the SMR:
 - i. The times each water level measurement was taken;
 - ii. The type of pump or other device used to purge and elevate pump intake level relative to screening interval;
 - iii. The purging methods used to stabilize water in the well bore before sampling (including pumping rate);
 - iv. The equipment and methods used for monitoring pH, temperature and electrical conductivity (EC) during purging activity, and the results of such monitoring;
 - v. Methods for disposing of purged water; and
 - vi. The type of device used for sampling, if different than the one used for purging.
- e. Evaluation of concentrations for all Constituent Parameters and Five-Year COCs (when analyzed), comparison to current Concentration Limits, and results of any Retesting Procedures per **Section B.4.h**.
- f. In the event of a verified exceedance of Concentration Limit(s), any actions taken per Section J of the SPRRs (*Response to Release*) for wells and/or constituents not already specifically addressed in Corrective Action Monitoring under this MRP.
- g. Evaluation as to effectiveness of existing leachate monitoring and control facilities, and runoff/run-on control facilities.

- h. For lined landfill units, a summary of any instances where leachate on the landfill liner system exceeded a depth of 30 cm (excluding the leachate sump), and information about the required notification and corrective action in Section E.13 of the SPRRs (*Standard Facility Specifications*).
- i. Summaries of all Regular Visual Inspections conducted per **Section D.3** during the reporting period.
- j. Laboratory statements of results of all analyses evaluating compliance with the WDRs.

2. Annual Monitoring Reports (AMRs)

On 1 February of each year,⁶ the Discharger shall submit an Annual Monitoring Report (AMR) containing following materials and information:

- a. In tabulated format, all monitoring data for which annual reporting is required under this MRP. (See **Section E.9.b** for additional requirements for monitoring reports.)
- b. Graphs of historical trends for all Monitoring Parameters and Five-Year COCs (if such analyses were performed) with respect to each monitoring point over the five prior calendar years.⁷
- c. An evaluation of Monitoring Parameters with regard to the cation/anion balance, and graphical presentation of same in a Stiff diagram, Piper graph or Schoeller plot.
- d. All historical monitoring data for which there are detectable results, including data for the previous year, shall be submitted in tabular form in a digital file.

⁶ The Annual Monitoring Report may be combined with the Semiannual Monitoring Report for 1 July through 31 December of the same year, provided that the combination is clearly indicated in the title.

⁷ Each graph shall contain individual data points (not mean values) and be appropriately scaled to accurately depict statistically significant trends or variations in water quality.

- e. For each groundwater well, quarterly hydrographs showing the elevation of groundwater with respect to the top and bottom of the screened interval, and the elevation of the pump intake,
- f. A comprehensive discussion of the Facility's compliance record, and the result of any corrective actions taken or planned which may be needed to attain full compliance with the WDRs.
- g. For landfill units, a map showing the areas and elevations of each unit where filling was completed during the previous calendar year; comparison to final closure design contours; and projected years in which each discrete module are expected to be filled.
- h. A summary of the monitoring results, indicating any changes made or observed since the previous AMR.
- i. A discussion on the results of Annual LCRS Testing conducted in accordance with **Section D.1.a**.
- j. Annual updates to the Concentration Limits for all Monitoring Parameters and WQPS Monitoring Points, in accordance with **Section B.4.g** of this Order.
- k. To assess the progress of ongoing Corrective Action at the Facility, the following: the total of VOCs in groundwater during each monitoring event.

3. Leachate Seep Reporting

Upon discovery of seepage from any disposal area within the Facility, the Discharger shall immediately notify the Central Valley Water Board via telephone or email and, within seven days, submit a written report with the following information:

- a. Map(s) depicting the location(s) of seepage;
- b. Estimated flow rate(s);
- c. A description of the nature of the discharge (e.g., all pertinent observations and analyses);
- d. Verification that samples have been submitted for analyses of the Monitoring Parameters in **Table 13** (*Physical Parameters*) and **Table 14** (*Constituent Parameters*), and an estimated date that the results will be submitted to the Central Valley Water Board; and

- e. Corrective measures underway or proposed, and corresponding time schedule.

4. Annual Facility Inspection Report

By 15 November, the Discharger shall submit a report with results of the Annual Facility Inspection per **Section D.4**. The report shall discuss any repair measures implemented, any preparations for winter, and include photographs of any problem areas and repairs.

5. Major Storm Event Reports

Immediately following each post-storm inspection described in **Section D.5**, the Discharger shall notify Central Valley Water Board staff of any damage or significant erosion (upon discovery). Subsequent repairs shall be reported to the Central Valley Water Board (together with before and after photos of the repaired areas) within 14 days of completion.

6. Financial Assurances Report

By 1 June of each year, the Discharger shall submit a copy of the annual financial assurances report due to the California Department of Resources Recycling and Recovery (CalRecycle) that updates the financial assurances for closure, post-closure maintenance, and corrective action. (See WDRs Order.)

7. Water Quality Protection Standard Report

Any proposed changes⁸ to the WQPS components (§ B.4), other than periodic update of the Concentration Limits (§ B.4.g), shall be submitted in a WQPS Report for review and approval. The report shall be certified by a “Qualified Professional” (see § B), and contain the following:

- a. *Potentially Affected Waterbodies*—An identification of all distinct bodies of surface water and groundwater potentially affected by a

⁸ If subsequent sampling of the background monitoring point(s) indicates significant water quality changes due to either seasonal fluctuations or other reasons unrelated to onsite waste management activities, the Discharger may request modification of the WQPS.

WMU release (including, but not limited to, the uppermost aquifer and any permanent or ephemeral zones of perched groundwater underlying the Facility);

- b. *Map of Monitoring Points*—A map of all groundwater, surface water⁹ and unsaturated zone monitoring points (including all background/upgradient and Point of Compliance monitoring points);
- c. *Groundwater Movement*—An evaluation of perennial direction(s) of groundwater movement within the uppermost zone(s);
- d. *Statistical Method for Concentration Limits*—A proposed statistical method for calculating Concentration Limits for Monitoring Parameters and Five-Year COCs (see § f) detected in at least 10 percent of the background data (naturally-occurring constituents) using a statistical procedure described in Title 27 section 20415, subdivisions (e)(8)(A)-(D) or (e)(8)(E); and
- e. *Retesting Procedure*—A retesting procedure to confirm or deny measurably significant evidence of a release (Title 27, §§ 20415, subd. (e)(8)(E), 20420, subd. (j)(1)-(3)).

8. General Reporting Provisions

a. Transmittal Letters

Each report submitted pursuant to this MRP shall be accompanied by a Transmittal Letter providing a brief overview of the enclosed report, as well as the following:

- i. Descriptions of any violations found since the last report was submitted, all actions undertaken to correct the violations (referencing any previously submitted time schedules for compliance), and whether the violations were corrected; and
- ii. A statement from the submitting party, or its authorized agent, signed under penalty of perjury, certifying that, to the

⁹ To the extent that surface water monitoring is included in the Detection Monitoring Program.

best of the signer's knowledge, the contents of the enclosed report are true, accurate and complete.

b. Monitoring Data and Reports

i. Electronic Submission via GeoTracker

All reports with monitoring data (e.g., SMRs and AMRs) shall be submitted electronically via the State Water Board's [Geotracker Database](https://geotracker.waterboards.ca.gov) (<https://geotracker.waterboards.ca.gov>). After uploading a report, the Discharger shall notify Central Valley Water Board staff via email at **CentralValleyFresno@WaterBoards.ca.gov**. The following information shall be included in the body of the email:

| | |
|-----------------------|------------------------------------|
| Attention: | Title 27 Unit |
| Report Title: | Report Title |
| GeoTracker Global ID: | L10004769772 |
| Facility Name: | Taft Recycling & Sanitary Landfill |
| County: | Kern County |
| CIWQS Place ID: | 262798 |

ii. Data Presentation and Formatting

In reporting monitoring data, the Discharger shall arrange the data in tabular form so that the date, the constituents, the concentrations, and the units are readily discernible. Additionally, data shall be summarized in a manner that clearly illustrates compliance/noncompliance with WDRs.

iii. Non-Detections / Reporting Limits

Unless the reporting limits (RL) are specified in the same table, non-detections and sub-RL concentrations shall be reported as "< [limit]" (e.g., "< 5 µg/L").

iv. Units

Absent specific justification, all monitoring data shall be reported in the units specified herein.

c. Compliance with SPRRs

All reports submitted under this MRP shall comply with applicable provisions of the SPRRs, including those in Section I (*Standard Monitoring Specifications*) and Section J (*Response to Release*).

d. Additional Requirements for Monitoring Reports

Every monitoring report submitted pursuant to this MRP (e.g., SMRs [§ E.1], AMRs [§ E.2]) shall include a discussion of relevant field and laboratory tests, and the results of all monitoring conducted at the site shall be reported to the Central Valley Water Board in accordance with the reporting schedule above for the calendar period in which samples were taken or observations made.

F. Record Retention Requirements

The Discharger shall maintain permanent records of all monitoring information, including without limitation: calibration and maintenance records; original strip chart recordings of continuous monitoring instrumentation; copies of all reports required by this MRP; and records of all data used to complete the application for WDRs. Such records shall be legible, and show the following for each sample:

1. Sample identification and the monitoring point or background monitoring point from which it was taken, along with the identity of the individual who obtained the sample;
2. Date, time and manner of sampling;
3. Date and time that analyses were started and completed, and the name of the personnel and laboratory performing each analysis;
4. A complete list of procedures used (including method of preserving the sample, and the identity and volumes of reagents used);
5. A calculation of results; and
6. The results of all analyses, as well as the MDL and PQL for each analysis (all peaks shall be reported).

LIST OF ATTACHMENTS

Attachment A—Volatile Organic Compounds, Short List
Attachment B—Dissolved Inorganics (Five-Year COCs)
Attachment C—Volatile Organic Compounds, Extended List (Five-Year COCs)
Attachment D—Semi-Volatile Organic Compounds (Five-Year COCs)
Attachment E—Chlorophenoxy Herbicides (Five-Year COCs)
Attachment F—Organophosphorous Compounds (Five Year COCs)

ENFORCEMENT

If, in the opinion of the Executive Officer, the Discharger fails to comply with the provisions of this Order, the Executive Officer may refer this matter to the Attorney General for judicial enforcement, may issue a complaint for administrative civil liability, or may take other enforcement actions. Failure to comply with this Order may result in the assessment of Administrative Civil Liability of up to \$5,000 per violation, per day, pursuant to Water Code section 13268. The Central Valley Water Board reserves its right to take any enforcement actions authorized by law.

ADMINISTRATIVE REVIEW

Any person aggrieved by this Central Valley Water Board action may petition the State Water Resources Control Board for review in accordance with Water Code section 13320 and California Code of Regulations, title 23, section 2050 et seq. To be timely, the petition must be received by the State Water Board by 5:00 pm on the 30th day after the date of this Order; if the 30th day falls on a Saturday, Sunday or state holiday, the petition must be received by the State Water Board by 5:00 pm on the next business day. The law and regulations applicable to filing petitions are available on the [State Water Board website](http://www.waterboards.ca.gov/public_notices/petitions/water_quality) (http://www.waterboards.ca.gov/public_notices/petitions/water_quality). Copies will also be provided upon request.

ATTACHMENT A—VOLATILE ORGANIC COMPOUNDS, SHORT LIST

**USEPA Method 8260B,
Short List**

| Constituent | Geotracker Code |
|---|------------------------|
| Acetone | ACE |
| Acrylonitrile | ACRAMD |
| Benzene | BZ |
| Bromochloromethane | BRCLME |
| Bromodichloromethane | BDCME |
| Bromoform (Tribromomethane) | TBME |
| Carbon disulfide | CDS |
| Carbon tetrachloride | CTCL |
| Chlorobenzene | CLBZ |
| Chloroethane (Ethyl chloride) | CLEA |
| Chloroform (Trichloromethane) | TCLME |
| Dibromochloromethane (Chlorodibromomethane) | DBCME |
| 1,2 Dibromo 3 chloropropane (DBCP) | DBCP |
| 1,2 Dibromoethane (Ethylene dibromide; EDB) | EDB |
| o Dichlorobenzene (1,2 Dichlorobenzene) | DCBZ12 |
| m Dichlorobenzene (1,3 Dichlorobenzene) | DCBZ13 |
| p Dichlorobenzene (1,4 Dichlorobenzene) | DCBZ14 |
| trans 1,4 Dichloro 2 butene | DCBE14T |
| Dichlorodifluoromethane (CFC-12) | FC12 |

| Constituent | Geotracker Code |
|--|------------------------|
| 1,1 Dichloroethane (Ethylidene chloride) | DCA11 |
| 1,2 Dichloroethane (Ethylene dichloride) | DCA12 |
| 1,1 Dichloroethylene (1,1 Dichloroethene; Vinylidene chloride) | DCE11 |
| cis 1,2 Dichloroethylene (cis 1,2 Dichloroethene) | DCE12C |
| trans 1,2 Dichloroethylene (trans 1,2 Dichloroethene) | DCE12T |
| 1,2 Dichloropropane (Propylene dichloride) | DCPA12 |
| cis 1,3 Dichloropropene | DCP13C |
| trans 1,3 Dichloropropene | DCP13T |
| Di-isopropylether (DIPE) | DIPE |
| Ethanol | ETHANOL |
| Ethyltertiary butyl ether | ETBE |
| Ethylbenzene | EBZ |
| 2 Hexanone (Methyl butyl ketone) | HXO2 |
| Hexachlorobutadiene | HCBU |
| Methyl bromide (Bromomethene) | BRME |
| Methyl chloride (Chloromethane) | CLME |
| Methylene bromide (Dibromomethane) | DBMA |
| Methylene chloride (Dichloromethane) | DCMA |
| Methyl ethyl ketone (MEK: 2 Butanone) | MEK |
| Methyl iodide (Iodomethane) | IME |
| Methyl t-butyl ether | MTBE |

| Constituent | Geotracker Code |
|--|------------------------|
| 4-Methyl 2 pentanone (Methyl isobutylketone) | MIBK |
| Naphthalene | NAPH |
| Styrene | STY |
| Tertiary amyl methyl ether | TAME |
| Tertiary butyl alcohol | TBA |
| 1,1,1,2 Tetrachloroethane | TC1112 |
| 1,1,2,2 Tetrachloroethane | PCA |
| Tetrachloroethylene (Tetrachloroethene; Perchloroethylene) | PCE |
| Toluene | BZME |
| 1,2,4-Trichlorobenzene | TCB124 |
| 1,1,1 Trichloroethane (Methylchloroform) | TCA111 |
| 1,1,2 Trichloroethane | TCA112 |
| Trichloroethylene (Trichloroethene) | TCE |
| Trichlorofluoromethane (CFC 11) | FC11 |
| 1,2,3 Trichloropropane | TCPR123 |
| Vinyl acetate | VA |
| Vinyl chloride | VC |
| Xylenes | XYLENES |

ATTACHMENT B—DISSOLVED INORGANICS (FIVE-YEAR COCS)

Dissolved Inorganics List

| Constituent | Analytical Method | Geotracker Code |
|--------------------|--------------------------|------------------------|
| Aluminum | USEPA Method 6010 | AL |
| Antimony | USEPA Method 7041 | SB |
| Arsenic | USEPA Method 7062 | AS |
| Barium | USEPA Method 6010 | BA |
| Beryllium | USEPA Method 6010 | BE |
| Cadmium | USEPA Method 7131A | CD |
| Chromium | USEPA Method 6010 | CR |
| Cobalt | USEPA Method 6010 | CO |
| Copper | USEPA Method 6010 | CU |
| Cyanide | USEPA Method 9010C | CN |
| Iron | USEPA Method 6010 | FE |
| Lead | USEPA Method 7421 | PB |
| Manganese | USEPA Method 6010 | MN |
| Mercury | USEPA Method 7470A | HG |
| Nickel | USEPA Method 7521 | NI |
| Selenium | USEPA Method 7742 | SE |
| Silver | USEPA Method 6010 | AG |
| Sulfide | USEPA Method 9030Bx | S |
| Thallium | USEPA Method 7841 | TL |
| Tin | USEPA Method 6010 | SN |

| Constituent | Analytical Method | Geotracker Code |
|--------------------|--------------------------|------------------------|
| Vanadium | USEPA Method 6010 | V |
| Zinc | USEPA Method 6010 | ZN |

**ATTACHMENT C—VOLATILE ORGANIC COMPOUNDS, EXTENDED LIST
(FIVE-YEAR COCS)**

**USEPA Method 8260,
Extended List**

| Volatile Organic Compound | Geotracker Code |
|---|------------------------|
| Acetone | ACE |
| Acetonitrile (Methyl cyanide) | ACCN |
| Acrolein | ACRL |
| Acrylonitrile | ACRAMD |
| Allyl chloride (3 Chloropropene) | CLPE3 |
| Benzene | BZ |
| Bromochloromethane (Chlorobromomethane) | BRCLME |
| Bromodichloromethane (Dibromochloromethane) | DBCME |
| Bromoform (Tribromomethane) | TBME |
| Carbon disulfide | CDS |
| Carbon tetrachloride | CTCL |
| Chlorobenzene | CLBZ |
| Chloroethane (Ethyl chloride) | CLEA |
| Chloroform (Trichloromethane) | TCLME |
| Chloroprene | CHLOROPRENE |
| Dibromochloromethane (Chlorodibromomethane) | DBCME |
| 1,2 Dibromo 3 chloropropane (DBCP) | DBCP |
| 1,2 Dibromoethane (Ethylene dibromide; EDB) | EDB |

COUNTY OF KERN

TAFT RECYCLING AND SANITARY LANDFILL

KERN COUNTY

ATTACHMENT C—VOLATILE ORGANIC COMPOUNDS, EXTENDED LIST, (FIVE-YEAR COCS)

| Volatile Organic Compound | Geotracker Code |
|---|------------------------|
| o Dichlorobenzene (1,2 Dichlorobenzene) | DCBZ12 |
| m Dichlorobenzene(1,3 Dichlorobenzene) | DCBZ13 |
| p Dichlorobenzene (1,4 Dichlorobenzene) | DCBZ14 |
| trans 1,4 Dichloro 2 butene | DCBE14T |
| Dichlorodifluoromethane (CFC 12) | FC12 |
| 1,1 Dichloroethane (Ethylidene chloride) | DCA11 |
| 1,2 Dichloroethane (Ethylene dichloride) | DCA12 |
| 1,1 Dichloroethylene (1, 1 Dichloroethene; Vinylidene chloride) | DCE11 |
| cis 1,2 Dichloroethylene (cis 1,2 Dichloroethene) | DCE12C |
| trans 1,2 Dichloroethylene (trans 1,2 Dichloroethene) | DCE12T |
| 1,2 Dichloropropane (Propylene dichloride) | DCPA12 |
| 1,3 Dichloropropane (Trimethylene dichloride) | DCPA13 |
| 2,2 Dichloropropane (Isopropylidene chloride) | DCPA22 |
| 1,1 Dichloropropene | DCP11 |
| cis 1,3 Dichloropropene | DCP13C |
| trans 1,3 Dichloropropene | DCP13T |
| Di-isopropylether (DIPE) | DIPE |
| Ethanol | ETHANOL |
| Ethyltertiary butyl ether | ETBE |
| Ethylbenzene | EBZ |
| Ethyl methacrylate | EMETHACRY |

COUNTY OF KERN

TAFT RECYCLING AND SANITARY LANDFILL

KERN COUNTY

ATTACHMENT C—VOLATILE ORGANIC COMPOUNDS, EXTENDED LIST, (FIVE-YEAR COCS)

| Volatile Organic Compound | Geotracker Code |
|---|------------------------|
| Hexachlorobutadiene | HCBU |
| 2 Hexanone (Methyl butyl ketone) | HXO2 |
| Isobutyl alcohol | ISOBTOH |
| Methacrylonitrile | METHACRN |
| Methyl bromide (Bromomethane) | BRME |
| Methyl chloride (Chloromethane) | CLME |
| Methyl ethyl ketone (MEK; 2 Butanone) | MEK |
| Methyl iodide (Iodomethane) | IME |
| Methyl t-butyl ether | MTBE |
| Methyl methacrylate | MMTHACRY |
| 4 Methyl 2 pentanone (Methyl isobutyl ketone) | MIBK |
| Methylene bromide (Dibromomethane) | DBMA |
| Methylene chloride (Dichloromethane) | DCMA |
| Naphthalene | NAPH |
| Propionitrile (Ethyl cyanide) | PACN |
| Styrene | STY |
| Tertiary amyl methyl ether | TAME |
| Tertiary butyl alcohol | TBA |
| 1,1,1,2 Tetrachloroethane | TC1112 |
| 1,1,2,2 Tetrachloroethane | PCA |
| Tetrachloroethylene (Tetrachloroethene; Perchloroethylene; PCE) | PCE |

COUNTY OF KERN

TAFT RECYCLING AND SANITARY LANDFILL

KERN COUNTY

ATTACHMENT C—VOLATILE ORGANIC COMPOUNDS, EXTENDED LIST, (FIVE-YEAR COCS)

| Volatile Organic Compound | Geotracker Code |
|--|------------------------|
| Toluene | BZME |
| 1,2,4 Trichlorobenzene | TCB124 |
| 1,1,1 Trichloroethane (Methylchloroform) | TCA111 |
| 1,1,2 Trichloroethane | TCA112 |
| Trichloroethylene (Trichloroethene; TCE) | TCE |
| Trichlorofluoromethane (CFC 11) | FC11 |
| 1,2,3 Trichloropropane | TCPR123 |
| Vinyl acetate | VA |
| Vinyl chloride (Chloroethene) | VC |
| Xylene (total) | XYLENES |

**ATTACHMENT D—SEMI-VOLATILE ORGANIC COMPOUNDS
(FIVE-YEAR COCS)**

**USEPA Methods 8270C or 8270D
Base, Neutral & Acids Extractables List**

| Constituent | Geotracker Code |
|-------------------------------------|------------------------|
| Acenaphthene | ACNP |
| Acenaphthylene | ACNPY |
| Acetophenone | ACPHN |
| 2 Acetylaminofluorene (2 AAF) | ACAMFL2 |
| Aldrin | ALDRIN |
| 4 Aminobiphenyl | AMINOBP4 |
| Anthracene | ANTH |
| Benzo[a]anthracene (Benzanthracene) | BZAA |
| Benzo[b]fluoranthene | BZBF |
| Benzo[k]fluoranthene | BZKF |
| Benzo[g,h,i]perylene | BZGHIP |
| Benzo[a]pyrene | BZAP |
| Benzyl alcohol | BZLAL |
| Bis(2 ethylhexyl) phthalate | BIS2EHP |
| alpha BHC | BHCALPHA |
| beta BHC | BHCBETA |
| delta BHC | BHCDELTA |
| gamma BHC (Lindane) | BHCGAMMA |

COUNTY OF KERN

TAFT RECYCLING AND SANITARY LANDFILL

KERN COUNTY

ATTACHMENT D— SEMI-VOLATILE ORGANIC COMPOUNDS, (FIVE-YEAR COCS)

| Constituent | Geotracker Code |
|--|------------------------|
| Bis(2 chloroethoxy) methane | BECEM |
| Bis(2 chloroethyl) ether (Dichloroethyl ether) | BIS2CEE |
| Bis(2 chloro 1 methylethyl) ether (Bis(2 chloroisopropyl) ether; DCIP) | BIS2CIE |
| 4 Bromophenyl phenyl ether | BPPE4 |
| Butyl benzyl phthalate (Benzyl butyl phthalate) | BBP |
| Chlordane | CHLORDANE |
| p Chloroaniline | CLANIL4 |
| Chlorobenzilate | CLBZLATE |
| p Chloro m cresol (4 Chloro 3 methylphenol) | C4M3PH |
| 2 Chloronaphthalene | CNPH2 |
| 2 Chlorophenol | CLPH2 |
| 4 Chlorophenyl phenyl ether | CPPE4 |
| Chrysene | CHRYSENE |
| o Cresol (2 methylphenol) | MEPH2 |
| m Cresol (3 methylphenol) | MEPH3 |
| p Cresol (4 methylphenol) | MEPH4 |
| 4,4' DDD | DDD44 |
| 4,4' DDE | DDE44 |
| 4,4' DDT | DDT44 |
| Diallate | DIALLATE |
| Dibenz[a,h]anthracene | DBAHA |

COUNTY OF KERN

TAFT RECYCLING AND SANITARY LANDFILL

KERN COUNTY

ATTACHMENT D— SEMI-VOLATILE ORGANIC COMPOUNDS, (FIVE-YEAR COCS)

| Constituent | Geotracker Code |
|---|------------------------|
| Dibenzofuran | DBF |
| Di n butyl phthalate | DNBP |
| 3,3' Dichlorobenzidine | DBZD33 |
| 2,4 Dichlorophenol | DCP24 |
| 2,6 Dichlorophenol | DCP26 |
| Dieldrin | DIELDRIN |
| Diethyl phthalate | DEPH |
| p (Dimethylamino) azobenzene | PDMAABZ |
| 7,12 Dimethylbenz[a]anthracene | DMBZA712 |
| 3,3' Dimethylbenzidine | DMBZD33 |
| 2,4 Dimehtylphenol (m Xylenol) | DMP24 |
| Dimethyl phthalate | DMPH |
| m Dinitrobenzene | DNB13 |
| 4,6 Dinitro o cresol (4,6 Dinitro 2 methylphenol) | DN46M |
| 2,4 Dinitrophenol | DNP24 |
| 2,4 Dinitrotoluene | DNT24 |
| 2,6 Dinitrotoluene | DNT26 |
| Di n octyl phthalate | DNOP |
| Diphenylamine | DPA |
| Endosulfan I | ENDOSULFANA |
| Endosulfan II | ENDOSULFANB |

COUNTY OF KERN

TAFT RECYCLING AND SANITARY LANDFILL

KERN COUNTY

ATTACHMENT D— SEMI-VOLATILE ORGANIC COMPOUNDS, (FIVE-YEAR COCS)

| Constituent | Geotracker Code |
|---------------------------|------------------------|
| Endosulfan sulfate | ENDOSULFANS |
| Endrin | ENDRIN |
| Endrin aldehyde | ENDRINALD |
| Ethyl methanesulfonate | EMSULFN |
| Famphur | FAMPHUR |
| Fluoranthene | FLA |
| Fluorene | FL |
| Heptachlor | HEPTACHLOR |
| Heptachlor epoxide | HEPT-EPOX |
| Hexachlorobenzene | HCLBZ |
| Hexachlorocyclopentadiene | HCCP |
| Hexachloroethane | HCLEA |
| Hexachloropropene | HCPR |
| Indeno(1,2,3 c,d) pyrene | INP123 |
| Isodrin | ISODRIN |
| Isophorone | ISOP |
| Isosafrole | ISOSAFR |
| Kepone | KEP |
| Methapyrilene | MTPYRLN |
| Methoxychlor | MTXYCL |
| 3 Methylcholanthrene | MECHLAN3 |

COUNTY OF KERN

TAFT RECYCLING AND SANITARY LANDFILL

KERN COUNTY

ATTACHMENT D— SEMI-VOLATILE ORGANIC COMPOUNDS, (FIVE-YEAR COCS)

| Constituent | Geotracker Code |
|--|------------------------|
| Methyl methanesulfonate | MMSULFN |
| 2 Methylnaphthalene | MTNPH2 |
| 1,4 Naphthoquinone | NAPHQ14 |
| 1 Naphthylamine | AMINONAPH1 |
| 2 Naphthylamine | AMINONAPH2 |
| o Nitroaniline (2 Nitroaniline) | NO2ANIL2 |
| m Nitroaniline (3 Nitroaniline) | NO2ANIL3 |
| p Nitroaniline (4 Nitroaniline) | NO2ANIL4 |
| Nitrobenzene | NO2BZ |
| o Nitrophenol (2 Nitrophenol) | NTPH2 |
| p Nitrophenol (4 Nitrophenol) | NTPH4 |
| N Nitrosodi n butylamine (Di n butylNitrosamine) | NNSBU |
| N Nitrosodiethylamine (Diethylnitrosamine) | NNSE |
| N Nitrosodimethylamine (Dimethylnitrosamine) | NNSM |
| N Nitrosodiphenylamine (Diphenylnitrosamine) | NNSPH |
| N Nitrosodipropylamine (N Nitroso N dipropylamine; Di n propylNitrosamine) | NNSPR |
| N Nitrosomethylethylamine (Methylethylnitrosamine) | NNSME |
| N Nitrosopiperidine | NNSPPRD |
| N Nitrosopyrrolidine | NNSPYRL |
| 5 Nitro o toluidine | TLDNONT5 |
| Pentachlorobenzene | PECLBZ |

COUNTY OF KERN

TAFT RECYCLING AND SANITARY LANDFILL

KERN COUNTY

ATTACHMENT D— SEMI-VOLATILE ORGANIC COMPOUNDS, (FIVE-YEAR COCS)

| Constituent | Geotracker Code |
|--|------------------------|
| Pentachloronitrobenzene (PCNB) | PECLNO2BZ |
| Pentachlorophenol | PCP |
| Phenacetin | PHNACTN |
| Phenanthrene | PHAN |
| Phenol | PHENOL |
| p Phenylenediamine | ANLNAM4 |
| Polychlorinated biphenyls (PCBs; Aroclors) | PCBS |
| Pronamide | PRONAMD |
| Pyrene | PYR |
| Safrole | SAFROLE |
| 1,2,4,5 Tetrachlorobenzene | C4BZ1245 |
| 2,3,4,6 Tetrachlorophenol | TCP2346 |
| o Toluidine | TLDNO |
| Toxaphene | TOXAP |
| 2,4,5 Trichlorophenol | TCP245 |
| 0,0,0 Triethyl phosphorothioate | TEPTH |
| sym Trinitrobenzene | TNB135 |

ATTACHMENT E—CHLOROPHENOXY HERBICIDES (FIVE-YEAR COCS)

USPEA Method 8151A List

| Constituent | GeoTracker Code |
|---|------------------------|
| 2,4 D (2,4 Dichlorophenoxyacetic acid) | 24D |
| Dinoseb (DNBP; 2 sec Butyl 4,6 dinitrophenol) | DINOSEB |
| Silvex (2,4,5 Trichlorophenoxypropionic acid; 2,4,5 TP) | SILVEX |
| 2,4,5 T (2,4,5 Trichlorophenoxyacetic acid) | 245T |

**ATTACHMENT F—ORGANOPHOSPHOROUS COMPOUNDS
(FIVE YEAR COCS)**

USEPA Method 8141B List

| Constituent | GeoTracker Code |
|--|------------------------|
| Atrazine | ATRAZINE |
| Chlorpyrifos | CLPYRIFOS |
| 0,0-Diethyl 0-2-pyrazinyl phosphorothioate (Thionazin) | ZINOPHOS |
| Diazinon | DIAZ |
| Dimethoate | DIMETHAT |
| Disulfoton | DISUL |
| Methyl parathion (Parathion methyl) | PARAM |
| Parathion | PARAE |
| Phorate | PHORATE |
| Simazine | SIMAZINE |