

CALIFORNIA REGIONAL WATER QUALITY CONTROL BOARD  
COLORADO RIVER BASIN REGION

ORDER NO. 89-012

WASTE DISCHARGE REQUIREMENTS  
FOR  
BELL ENTERPRISES  
Cabazon - Riverside County

The California Regional Water Quality Control Board, Colorado River Basin Region, finds that:

1. Anna M. Bell (hereafter also referred to as the discharger), 50-800 Seminol Drive, Cabazon, California 92230, submitted a Report of Waste Discharge dated November 6, 1988.
2. The discharger is discharging a maximum of 2,400 gallons-per-month of domestic sewage from pumping out septic tanks, seepage pits, and grease trap containers from one restaurant.
3. The discharger discharges the waste (collected in a 1,000 gallon capacity tank truck) by uniformly spreading it over the surface of 5-acres of natural desert located in the SW $\frac{1}{4}$ , NE $\frac{1}{4}$ , SE $\frac{1}{4}$  of Section 9, T3S, R2E, SBB&M. The discharger states that the wastes are disked into the soil within 24 hours after spreading. This site has been in operation for more than 15 years, and is owned by the discharger.
4. The disposal facility has been subject to waste discharge requirements under Board Order No. 84-41. The requirements are being updated to comply with Section 13263 of the California Water Code.
5. The discharge area is underlain by recent alluvial fan deposits consisting of mainly rocks and coarse sand. The reported depth to the water table from records of nearby wells in the discharge area is approximately 100 feet below ground surface.
6. The Water Quality Control Plan for the Colorado River Basin Region of California was adopted by the Regional Board on November 14, 1984.
7. The Basin Plan delineates the location of discharge to be in the San Gorgonio Hydrologic Subunit, which has the following beneficial uses of ground water:
  - a. Municipal supply
  - b. Industrial supply
  - c. Agricultural supply

*Rescinded 3/15/94  
by Bd. Ord. # 94-033*

8. The Board has notified the discharger and interested agencies and persons of its intent to update waste discharge requirements for the discharge.
9. The Board in a public meeting heard and considered all comments pertaining to the existing discharge.
10. These waste discharge requirements govern an existing facility, which the discharger is currently operating. Therefore, this facility is exempt from the provisions of the California Environmental Quality Act in accordance with Section 15301, Chapter 3, Title 14 of the California Code of Regulations.

IT IS HEREBY ORDERED that the discharger shall comply with the following:

A. Discharge Specifications


1. Neither the treatment nor the discharge of wastewater shall create pollution or nuisance as defined in Division 7 of the California Water Code.
2. There shall be no discharge of solids other than sewage at the disposal site.
3. The discharged materials shall be physically incorporated into the soil media within 24 hours after spreading, so as to prevent significant accumulation of wastes on the ground surface.
4. The disposal area shall be protected by natural or artificial features so as to assure protection from washouts and from inundation which could occur as a result of floods.
5. There shall be no surface exposure of wastes at the close of a day's operations.
6. There shall be no concentration of wastes within limited areas of the reported disposal site.
7. There shall be no ponding of discharged waste effluent, or surface flow of wastewater away from the designated disposal area.
8. The discharge shall not exceed 2,400 gallons-per-month.
9. The discharger shall maintain visible monuments identifying the boundary of the entire waste disposal area.

B. Provisions

1. Prior to any substantial change in the quality or quantity of wastes discharged or the location of discharge, the discharger shall report in writing to the Regional Board.
2. The discharger shall comply with "Monitoring and Reporting Program No. 89-012", and future revisions thereto, as specified by the Executive Officer.
3. In the event of any change in operation, or in control or ownership of land or waste disposal facilities owned or controlled by the discharger, the discharger shall:
  - a. Notify this Board of such change; and
  - b. Transmit a copy of this Order to the succeeding owner or operator, and file a copy of the transmittal letter with this Board.
4. Nothing contained herein shall be construed to allow the discharger to discharge wastes onto any land which is not under her ownership and control.

IT IS FURTHER ORDERED that: Board Order No. 84-41 be superseded by this Order.

I, Phil Gruenberg, Executive Officer, do hereby certify the foregoing is a full, true and correct copy of an Order adopted by the California Regional Water Quality Control Board, Colorado River Basin Region, on January 25, 1989.

  
Executive Officer

CALIFORNIA REGIONAL WATER QUALITY CONTROL BOARD  
COLORADO RIVER BASIN REGION

MONITORING AND REPORTING PROGRAM NO. 89-012  
FOR  
BELL ENTERPRISES  
Cabazon - Riverside County

Location of Discharge: SW $\frac{1}{4}$ , NE $\frac{1}{4}$ , SE $\frac{1}{4}$ , Section 9, T3S, R2E, SBB&M

MONITORING

The discharger shall report to the Regional Board concerning the following:

1. Volume of waste discharged during quarter. This information may be reported as the number of truck loads of specific gallonage.

REPORTING

Quarterly monitoring reports shall be submitted to the Regional Board by January 15, April 15, July 15, and October 15 of each year.

Submit monitoring reports to:

California Regional Water Quality Control Board  
Colorado River Basin Region  
73-271 Highway 111, Suite 21  
Palm Desert, CA 92260

ORDERED BY:


Philip A. Guenher  
Executive Officer

January 25, 1989

Date

DRAFT January 27, 1989

CALIFORNIA REGIONAL WATER QUALITY CONTROL BOARD - 7



SITE MAP

BELL ENTERPRISES  
Cabazon - Riverside County  
Portion of SW $\frac{1}{4}$ , NE $\frac{1}{4}$ , SE $\frac{1}{4}$  of Section 9, T3S, R2E, SBB&M  
USGS Banning 15 min. Topographic Map

Order No. 89-012