CALIFORNIA REGIONAL WATER QUALITY CONTROL BOARD COLORADO RIVER BASIN REGION

ORDER NO. 89-038

RESCISSION OF WASTE DISCHARGE REQUIREMENTS

The California Regional Water Quality Control Board, Colorado River Basin Region, finds that:

- 1. The below-listed Board Orders contain waste discharge requirements for wastewater disposal facilities that were never constructed or are no longer in use.
- 2. It is desirable to rescind said below-listed Board Orders.
- 3. The Board forwarded timely notices by mail to persons responsible for each of the below-listed Orders, explaining the Board's considerations of rescinding the particular Order, and requesting timely comments.

IT IS HEREBY ORDERED, the following Orders containing waste discharge requirements are rescinded:

<u>Order</u>	Name - Location	<u>Date</u>
80-14	McCulloch Geothermal Exploratory Wells - So. of Brawley, Imperial County	3/26/80
80-24	Palm Springs Villas I - Palm Springs, Riverside County	3/26/80
82-22	Tract No. 12161 - Twentynine Palms, San Bernardino County	5/19/82
86-69	Valley Dehydrating Company, Inc. Leaf Protein Concentrate Plant - East of El Centro, Imperial County	11/19/86

I, Phil Gruenberg, Executive Officer, do hereby certify the foregoing is a full, true and correct copy of an Order adopted by the California Regional Water Quality Control Board, Colorado River Basin Region, on $\underline{\text{May } 17,\ 1989}$.

Executive Officer

concelled con //1/90