

# 2011 Statewide Fluoridation Data

Check this list to see whether your water system provides Optimal Fluoride Levels OR Provides a Mixture of Fluoridated and Non-fluoridated water

County	Water System Name	Fluoridation Status	2011 Average Fluoride level (mg/l)	OPTIMAL Fluoride level (mg/L)	More info
Alameda	Alameda County Water District	OPTIMAL FLUORIDATION IS PROVIDED	0.87	0.9	<a href="#">More info</a>
	East Bay Municipal Utility District	OPTIMAL FLUORIDATION IS PROVIDED	0.85	0.8	<a href="#">More info</a>
	City of Hayward [c]	OPTIMAL FLUORIDATION IS PROVIDED	0.95	1	<a href="#">More info</a>
	City of Pleasanton	OPTIMAL FLUORIDATION IS PROVIDED	0.93	0.8	<a href="#">More info</a>
	Dublin San Ramon Services District	OPTIMAL FLUORIDATION IS PROVIDED	0.87	0.8	<a href="#">More info</a>
Butte	City of Gridley	OPTIMAL FLUORIDATION IS PROVIDED	Contact Water System	0.8	<a href="#">More info</a>
	Cal-Water Service Co. (Oroville)	OPTIMAL FLUORIDATION IS PROVIDED	Contact Water System	0.8	<a href="#">More info</a>
Contra Costa	City of Antioch	OPTIMAL FLUORIDATION IS PROVIDED	0.87	0.8	<a href="#">More info</a>
	Golden State Water Co. (Bay Point) [i]	A mixture of fluoridated and non-fluoridated water is provided. Contact water system for details	Contact Water System		<a href="#">More info</a>
	Contra Costa Water District (Bollman)	OPTIMAL FLUORIDATION IS PROVIDED	0.84	0.8	<a href="#">More info</a>
	City of Brentwood [m]	OPTIMAL FLUORIDATION IS PROVIDED	Contact Water System	Contact Water System	<a href="#">More info</a>
	City of Martinez	OPTIMAL FLUORIDATION IS PROVIDED	Contact Water System	Contact Water System	<a href="#">More info</a>
	Diablo Water District	OPTIMAL FLUORIDATION IS PROVIDED	0.83	0.8	<a href="#">More info</a>
	City of Pittsburg	OPTIMAL FLUORIDATION IS PROVIDED	0.80	0.8	<a href="#">More info</a>
	Contra Costa Water District (Randall-Bold)	OPTIMAL FLUORIDATION IS PROVIDED	0.86	0.8	<a href="#">More info</a>
Del Norte	City of Crescent City	OPTIMAL FLUORIDATION IS PROVIDED	Contact Water System	1.0	<a href="#">More info</a>
	Bertsch Ocean View CSD [a]	OPTIMAL FLUORIDATION IS PROVIDED	Contact Water System	1.0	<a href="#">More info</a>
Fresno	City of Coalinga	OPTIMAL FLUORIDATION IS PROVIDED	0.81	0.8	<a href="#">More info</a>
	City of Fresno [f]	A mixture of fluoridated and non-fluoridated water is provided. Contact water system for details	Contact Water System		<a href="#">More info</a>
Humboldt	City of Arcata	OPTIMAL FLUORIDATION IS PROVIDED	Contact Water System	1.0	<a href="#">More info</a>
	City of Eureka	OPTIMAL FLUORIDATION IS PROVIDED	Contact Water System	1.0	<a href="#">More info</a>
	Jacoby Creek Co. WD [b]	OPTIMAL FLUORIDATION IS PROVIDED	Contact Water System	1.0	<a href="#">More info</a>
Kern	Indian Wells Valley Water District	Water naturally contains fluoride near the optimal level. Contact water system for more info.	Contact Water System	Contact Water System	<a href="#">More info</a>
Kings	City of Hanford	Water naturally contains fluoride near the optimal level. Contact water system for more info.	Contact Water System	Contact Water System	<a href="#">More info</a>
Los Angeles	City of Alhambra [p]	A mixture of fluoridated and non-fluoridated water is provided. Contact water system for details	Contact Water System		<a href="#">More info</a>
	Golden State Water Co. (Artesia) [p]	A mixture of fluoridated and non-fluoridated water is provided. Contact water system for details	Contact Water System		<a href="#">More info</a>
	Azusa Light And Water [p]	A mixture of fluoridated and non-fluoridated water is provided. Contact water system for details	Contact Water System		<a href="#">More info</a>
	Golden State WC (Bell, Bell Garden) [p]	A mixture of fluoridated and non-fluoridated water is provided. Contact water system for details	Contact Water System		<a href="#">More info</a>
	Bellflower Home Gardens WC [p]	A mixture of fluoridated and non-fluoridated water is provided. Contact water system for details	Contact Water System		<a href="#">More info</a>
	Bellflower Somerset Mutual WC [p]	A mixture of fluoridated and non-fluoridated water is provided. Contact water system for details	Contact Water System		<a href="#">More info</a>
	Bellflower Municipal Water Sys. [p]	A mixture of fluoridated and non-fluoridated water is provided. Contact water system for details	Contact Water System		<a href="#">More info</a>

For contact information or more detailed data, click on "More Info"

# 2011 Statewide Fluoridation Data

Check this list to see whether your water system provides Optimal Fluoride Levels OR Provides a Mixture of Fluoridated and Non-fluoridated water

County	Water System Name	Fluoridation Status	2011 Average Fluoride level (mg/l)	OPTIMAL Fluoride level (mg/L)	More info
	City of Cerritos [p]	A mixture of fluoridated and non-fluoridated water is provided. Contact water system for details	Contact Water System		<a href="#">More info</a>
	Park Water Co. (Compton) [p]	A mixture of fluoridated and non-fluoridated water is provided. Contact water system for details	Contact Water System		<a href="#">More info</a>
	Cal State Polytechnic Univ (Pomona) [p]	A mixture of fluoridated and non-fluoridated water is provided. Contact water system for details	Contact Water System		<a href="#">More info</a>
	Golden State Water Co. (Claremont)	A mixture of fluoridated and non-fluoridated water is provided. Contact water system for details	Contact Water System		<a href="#">More info</a>
	City of Compton [p]	A mixture of fluoridated and non-fluoridated water is provided. Contact water system for details	Contact Water System		<a href="#">More info</a>
	Crescenta Valley Water District [p]	A mixture of fluoridated and non-fluoridated water is provided. Contact water system for details	Contact Water System		<a href="#">More info</a>
	Golden State Water Co. (Culver City) [o]	OPTIMAL FLUORIDATION IS PROVIDED	0.77	0.8	<a href="#">More info</a>
	Foothill Municipal Water District [o]	OPTIMAL FLUORIDATION IS PROVIDED	0.8	0.8	<a href="#">More info</a>
	Cal-Water Service Co. (Dominguez) [p]	A mixture of fluoridated and non-fluoridated water is provided. Contact water system for details	Contact Water System		<a href="#">More info</a>
	Kinneloa Irrigation District	Water naturally contains fluoride near the optimal level. Contact water system for more info.	Contact Water System	Contact Water System	<a href="#">More info</a>
	Cal-Water SC (East Los Angeles) [p]	A mixture of fluoridated and non-fluoridated water is provided. Contact water system for details	Contact Water System		<a href="#">More info</a>
	City of El Segundo [o]	OPTIMAL FLUORIDATION IS PROVIDED	0.77	0.8	<a href="#">More info</a>
	City of Glendale [p]	A mixture of fluoridated and non-fluoridated water is provided. Contact water system for details	Contact Water System		<a href="#">More info</a>
	City of Glendora [p]	A mixture of fluoridated and non-fluoridated water is provided. Contact water system for details	Contact Water System		<a href="#">More info</a>
	Suburban Water Sys. (Glendora) [p]	A mixture of fluoridated and non-fluoridated water is provided. Contact water system for details	Contact Water System		<a href="#">More info</a>
	City of Hawthorne [p]	A mixture of fluoridated and non-fluoridated water is provided. Contact water system for details	Contact Water System		<a href="#">More info</a>
	City of Huntington Park [p]	A mixture of fluoridated and non-fluoridated water is provided. Contact water system for details	Contact Water System		<a href="#">More info</a>
	City of Commerce [p]	A mixture of fluoridated and non-fluoridated water is provided. Contact water system for details	Contact Water System		<a href="#">More info</a>
	City of Inglewood [p]	A mixture of fluoridated and non-fluoridated water is provided. Contact water system for details	Contact Water System		<a href="#">More info</a>
	Cal-American WC (Baldwin Hills) [p]	A mixture of fluoridated and non-fluoridated water is provided. Contact water system for details	Contact Water System		<a href="#">More info</a>
	La Canada Irrigation District [p]	A mixture of fluoridated and non-fluoridated water is provided. Contact water system for details	Contact Water System		<a href="#">More info</a>
	Suburban Water Sys. (La Mirada) [p]	A mixture of fluoridated and non-fluoridated water is provided. Contact water system for details	Contact Water System		<a href="#">More info</a>
	Las Flores Water Co. [p]	A mixture of fluoridated and non-fluoridated water is provided. Contact water system for details	Contact Water System		<a href="#">More info</a>
	Lincoln Avenue Water Co. [p]	A mixture of fluoridated and non-fluoridated water is provided. Contact water system for details	Contact Water System		<a href="#">More info</a>
	City of Long Beach	OPTIMAL FLUORIDATION IS PROVIDED	0.84	0.8	<a href="#">More info</a>
	City of Los Angeles (LADWP)	OPTIMAL FLUORIDATION IS PROVIDED	0.72	0.8	<a href="#">More info</a>
	Golden State WC (Willowbrook) [p]	A mixture of fluoridated and non-fluoridated water is provided. Contact water system for details	Contact Water System		<a href="#">More info</a>
	City of Lomita [o]	OPTIMAL FLUORIDATION IS PROVIDED	0.77	0.8	<a href="#">More info</a>
	Los Angeles CWWD 21 (Kagel Canyon) [h]	OPTIMAL FLUORIDATION IS PROVIDED	0.72	0.8	<a href="#">More info</a>
	Golden State WC (Florence/Graham) [p]	A mixture of fluoridated and non-fluoridated water is provided. Contact water system for details	Contact Water System		<a href="#">More info</a>

For contact information or more detailed data, click on "More Info"

# 2011 Statewide Fluoridation Data

Check this list to see whether your water system provides Optimal Fluoride Levels OR Provides a Mixture of Fluoridated and Non-fluoridated water

County	Water System Name	Fluoridation Status	2011 Average Fluoride level (mg/l)	OPTIMAL Fluoride level (mg/L)	More info
	City of Lynwood [p]	A mixture of fluoridated and non-fluoridated water is provided. Contact water system for details	Contact Water System		<a href="#">More info</a>
	City of Manhattan Beach [p]	A mixture of fluoridated and non-fluoridated water is provided. Contact water system for details	Contact Water System		<a href="#">More info</a>
	Maywood Mutual Water Co. #1 [p]	A mixture of fluoridated and non-fluoridated water is provided. Contact water system for details	Contact Water System		<a href="#">More info</a>
	Maywood Mutual Water Co. #2 [p]	A mixture of fluoridated and non-fluoridated water is provided. Contact water system for details	Contact Water System		<a href="#">More info</a>
	Maywood Mutual Water Co. #3 [p]	A mixture of fluoridated and non-fluoridated water is provided. Contact water system for details	Contact Water System		<a href="#">More info</a>
	Metropolitan Water District of So. Cal	OPTIMAL FLUORIDATION IS PROVIDED	0.77	0.8	<a href="#">More info</a>
	Golden State Water Co. (Norwalk) [p]	A mixture of fluoridated and non-fluoridated water is provided. Contact water system for details	Contact Water System		<a href="#">More info</a>
	Orchard Dale Water District [p]	A mixture of fluoridated and non-fluoridated water is provided. Contact water system for details	Contact Water System		<a href="#">More info</a>
	Cal-Water Service Co. (Palos Verdes) [o]	OPTIMAL FLUORIDATION IS PROVIDED	0.79	0.8	<a href="#">More info</a>
	City of Paramount [p]	A mixture of fluoridated and non-fluoridated water is provided. Contact water system for details	Contact Water System		<a href="#">More info</a>
	City of Bell Gardens [p]	A mixture of fluoridated and non-fluoridated water is provided. Contact water system for details	Contact Water System		<a href="#">More info</a>
	City of Montebello	A mixture of fluoridated and non-fluoridated water is provided. Contact water system for details	Contact Water System		<a href="#">More info</a>
	City of Pasadena [p]	A mixture of fluoridated and non-fluoridated water is provided. Contact water system for details	Contact Water System		<a href="#">More info</a>
	City of Pomona [p]	A mixture of fluoridated and non-fluoridated water is provided. Contact water system for details	Contact Water System		<a href="#">More info</a>
	City of Covina [p]	A mixture of fluoridated and non-fluoridated water is provided. Contact water system for details	Contact Water System		<a href="#">More info</a>
	Cal-Water SC (Hermosa/Redondo) [p]	A mixture of fluoridated and non-fluoridated water is provided. Contact water system for details	Contact Water System		<a href="#">More info</a>
	Cal-American Water Co. (San Marino) [p]	A mixture of fluoridated and non-fluoridated water is provided. Contact water system for details	Contact Water System		<a href="#">More info</a>
	Rubio Canon Land And Water Assn. [t]	Water naturally contains fluoride near the optimal level. Contact water system for more info.	1.29	0.8	<a href="#">More info</a>
	Golden State Water Co. (San Dimas) [p]	A mixture of fluoridated and non-fluoridated water is provided. Contact water system for details	Contact Water System		<a href="#">More info</a>
	City of San Fernando [p]	A mixture of fluoridated and non-fluoridated water is provided. Contact water system for details	Contact Water System		<a href="#">More info</a>
	City of Santa Monica [p]	A mixture of fluoridated and non-fluoridated water is provided. Contact water system for details	Contact Water System		<a href="#">More info</a>
	City of Sierra Madre	Water naturally contains fluoride near the optimal level. Contact water system for more info.	Contact Water System	Contact Water System	<a href="#">More info</a>
	City of Signal Hill [p]	A mixture of fluoridated and non-fluoridated water is provided. Contact water system for details	Contact Water System		<a href="#">More info</a>
	City of South Pasadena [p]	A mixture of fluoridated and non-fluoridated water is provided. Contact water system for details	Contact Water System		<a href="#">More info</a>
	Golden State Water Co. (Southwest) [p]	A mixture of fluoridated and non-fluoridated water is provided. Contact water system for details	Contact Water System		<a href="#">More info</a>
	City of Beverly Hills	OPTIMAL FLUORIDATION IS PROVIDED	0.86	0.8	<a href="#">More info</a>
	Park Water Co. (Lynwood) [p]	OPTIMAL FLUORIDATION IS PROVIDED	0.86	0.8	<a href="#">More info</a>
	Valley Water Co. [p]	A mixture of fluoridated and non-fluoridated water is provided. Contact water system for details	Contact Water System		<a href="#">More info</a>
	City of Vernon [p]	A mixture of fluoridated and non-fluoridated water is provided. Contact water system for details	Contact Water System		<a href="#">More info</a>
	Walnut Park Mutual Water Co. [p]	A mixture of fluoridated and non-fluoridated water is provided. Contact water system for details	Contact Water System		<a href="#">More info</a>

For contact information or more detailed data, click on "More Info"

# 2011 Statewide Fluoridation Data

Check this list to see whether your water system provides Optimal Fluoride Levels OR Provides a Mixture of Fluoridated and Non-fluoridated water

County	Water System Name	Fluoridation Status	2011 Average Fluoride level (mg/l)	OPTIMAL Fluoride level (mg/L)	More info
	Suburban Water Sys (Whittier) [p]	A mixture of fluoridated and non-fluoridated water is provided. Contact water system for details	Contact Water System		<a href="#">More info</a>
	City of Burbank [p]	A mixture of fluoridated and non-fluoridated water is provided. Contact water system for details	Contact Water System		<a href="#">More info</a>
	City of Norwalk [p]	A mixture of fluoridated and non-fluoridated water is provided. Contact water system for details	Contact Water System		<a href="#">More info</a>
	Rowland Water District [p]	A mixture of fluoridated and non-fluoridated water is provided. Contact water system for details	Contact Water System		<a href="#">More info</a>
	Suburban Water Sys. (Covina Knolls) [p]	A mixture of fluoridated and non-fluoridated water is provided. Contact water system for details	Contact Water System		<a href="#">More info</a>
	LA CWWD 29 & 80 (Malibu & Marina Del Rey)	OPTIMAL FLUORIDATION IS PROVIDED	0.74	0.8	<a href="#">More info</a>
	Suburban Water Sys. (San Jose) [p]	A mixture of fluoridated and non-fluoridated water is provided. Contact water system for details	Contact Water System		<a href="#">More info</a>
	Park Water Co. (Norwalk/Bellflower)	OPTIMAL FLUORIDATION IS PROVIDED	0.83	0.8	<a href="#">More info</a>
	City of Torrance [p]	A mixture of fluoridated and non-fluoridated water is provided. Contact water system for details	Contact Water System		<a href="#">More info</a>
	La Habra Heights County WD [p]	A mixture of fluoridated and non-fluoridated water is provided. Contact water system for details	Contact Water System		<a href="#">More info</a>
	Golden State WC (So. San Gabriel) [p]	A mixture of fluoridated and non-fluoridated water is provided. Contact water system for details	Contact Water System		<a href="#">More info</a>
	Las Virgenes Municipal Water District [p]	OPTIMAL FLUORIDATION IS PROVIDED	Contact Water System	Contact Water System	<a href="#">More info</a>
	Walnut Valley Water District [p]	A mixture of fluoridated and non-fluoridated water is provided. Contact water system for details	Contact Water System		<a href="#">More info</a>
	City of Lakewood [p]	A mixture of fluoridated and non-fluoridated water is provided. Contact water system for details	Contact Water System		<a href="#">More info</a>
	Mesa Crest Water Co. [o]	OPTIMAL FLUORIDATION IS PROVIDED	0.77	0.8	<a href="#">More info</a>
City of Santa Fe Springs [p]	A mixture of fluoridated and non-fluoridated water is provided. Contact water system for details	Contact Water System		<a href="#">More info</a>	
Marin	Marin Municipal Water District	OPTIMAL FLUORIDATION IS PROVIDED	Contact Water System	0.9	<a href="#">More info</a>
	NPS GG NRA [j]	OPTIMAL FLUORIDATION IS PROVIDED	Contact Water System	0.9	<a href="#">More info</a>
Merced	City of Los Banos	OPTIMAL FLUORIDATION IS PROVIDED	0.86	0.8	<a href="#">More info</a>
	City of Merced	OPTIMAL FLUORIDATION IS PROVIDED	Contact Water System	0.9	<a href="#">More info</a>
Napa	City of American Canyon [n]	A mixture of fluoridated and non-fluoridated water is provided. Contact water system for details	Contact Water System		<a href="#">More info</a>
Orange	Knott's Berry Farm [p]	A mixture of fluoridated and non-fluoridated water is provided. Contact water system for details	Contact Water System		<a href="#">More info</a>
	City of Anaheim [p]	A mixture of fluoridated and non-fluoridated water is provided. Contact water system for details	Contact Water System		<a href="#">More info</a>
	City of Brea [p]	A mixture of fluoridated and non-fluoridated water is provided. Contact water system for details	Contact Water System		<a href="#">More info</a>
	City of Buena Park [p]	A mixture of fluoridated and non-fluoridated water is provided. Contact water system for details	Contact Water System		<a href="#">More info</a>
	Mesa Consolidated WD [p]	A mixture of fluoridated and non-fluoridated water is provided. Contact water system for details	Contact Water System		<a href="#">More info</a>
	City of Fullerton [p]	A mixture of fluoridated and non-fluoridated water is provided. Contact water system for details	Contact Water System		<a href="#">More info</a>
	Laguna Beach County Water District [o]	OPTIMAL FLUORIDATION IS PROVIDED	0.77	0.8	<a href="#">More info</a>
	City of La Habra [p]	A mixture of fluoridated and non-fluoridated water is provided. Contact water system for details	Contact Water System		<a href="#">More info</a>
	Golden State Water Co. (West Orange) [p]	A mixture of fluoridated and non-fluoridated water is provided. Contact water system for details	Contact Water System		<a href="#">More info</a>

For contact information or more detailed data, click on "More Info"

# 2011 Statewide Fluoridation Data

Check this list to see whether your water system provides Optimal Fluoride Levels OR Provides a Mixture of Fluoridated and Non-fluoridated water

County	Water System Name	Fluoridation Status	2011 Average Fluoride level (mg/l)	OPTIMAL Fluoride level (mg/L)	More info
	City of Newport Beach [p]	A mixture of fluoridated and non-fluoridated water is provided. Contact water system for details	Contact Water System		<a href="#">More info</a>
	City of Orange [p]	A mixture of fluoridated and non-fluoridated water is provided. Contact water system for details	Contact Water System		<a href="#">More info</a>
	Orange Park Acres MWC [p]	A mixture of fluoridated and non-fluoridated water is provided. Contact water system for details	Contact Water System		<a href="#">More info</a>
	City of San Juan Capistrano [p]	A mixture of fluoridated and non-fluoridated water is provided. Contact water system for details	Contact Water System		<a href="#">More info</a>
	Golden State Water Co. (Placentia) [p]	A mixture of fluoridated and non-fluoridated water is provided. Contact water system for details	Contact Water System		<a href="#">More info</a>
	City of San Clemente [p]	A mixture of fluoridated and non-fluoridated water is provided. Contact water system for details	Contact Water System		<a href="#">More info</a>
	Yorba Linda Water District [p]	A mixture of fluoridated and non-fluoridated water is provided. Contact water system for details	Contact Water System		<a href="#">More info</a>
	City of Santa Ana [p]	A mixture of fluoridated and non-fluoridated water is provided. Contact water system for details	Contact Water System		<a href="#">More info</a>
	City of Seal Beach [p]	A mixture of fluoridated and non-fluoridated water is provided. Contact water system for details	Contact Water System		<a href="#">More info</a>
	South Coast Water Dist. (South Coast) [o]	OPTIMAL FLUORIDATION IS PROVIDED	0.77	0.8	<a href="#">More info</a>
	City of Tustin [p]	A mixture of fluoridated and non-fluoridated water is provided. Contact water system for details	Contact Water System		<a href="#">More info</a>
	Golden State WC (Cowan Heights) [p]	A mixture of fluoridated and non-fluoridated water is provided. Contact water system for details	Contact Water System		<a href="#">More info</a>
	City of Huntington Beach	OPTIMAL FLUORIDATION IS PROVIDED	0.90	0.8	<a href="#">More info</a>
	South Coast WD (Capistrano Beach) [o]	OPTIMAL FLUORIDATION IS PROVIDED	0.77	0.8	<a href="#">More info</a>
	City of Garden Grove [p]	A mixture of fluoridated and non-fluoridated water is provided. Contact water system for details	Contact Water System		<a href="#">More info</a>
	City of Westminster [p]	A mixture of fluoridated and non-fluoridated water is provided. Contact water system for details	Contact Water System		<a href="#">More info</a>
	East Orange County WD (Retail Zone) [p]	A mixture of fluoridated and non-fluoridated water is provided. Contact water system for details	Contact Water System		<a href="#">More info</a>
	City of Fountain Valley	OPTIMAL FLUORIDATION IS PROVIDED	Contact Water System	0.8	<a href="#">More info</a>
	Golden State Water Co. (Yorba Linda) [p]	A mixture of fluoridated and non-fluoridated water is provided. Contact water system for details	Contact Water System		<a href="#">More info</a>
	Joint Regional Water Supply Sys. [o]	OPTIMAL FLUORIDATION IS PROVIDED	0.77	0.8	<a href="#">More info</a>
	Moulton Niguel Water District [o]	OPTIMAL FLUORIDATION IS PROVIDED	0.77	0.8	<a href="#">More info</a>
	El Toro Water District [o]	OPTIMAL FLUORIDATION IS PROVIDED	0.77	0.8	<a href="#">More info</a>
	Irvine Ranch Water District [p]	A mixture of fluoridated and non-fluoridated water is provided. Contact water system for details	Contact Water System		<a href="#">More info</a>
	East Orange County WD (Wholesale Zone) [o]	OPTIMAL FLUORIDATION IS PROVIDED	0.77	0.8	<a href="#">More info</a>
	Trabuco Canyon Water District [p]	A mixture of fluoridated and non-fluoridated water is provided. Contact water system for details	Contact Water System		<a href="#">More info</a>
	Irvine Ranch Water District (Santiago) [p]	A mixture of fluoridated and non-fluoridated water is provided. Contact water system for details	Contact Water System		<a href="#">More info</a>
	City of La Palma [p]	A mixture of fluoridated and non-fluoridated water is provided. Contact water system for details	Contact Water System		<a href="#">More info</a>
	Santa Margarita Water District [o]	OPTIMAL FLUORIDATION IS PROVIDED	0.77	0.8	<a href="#">More info</a>
Placer	City of Roseville - West Train	OPTIMAL FLUORIDATION IS PROVIDED	Contact Water System	Contact Water System	<a href="#">More info</a>
	City of Roseville - East Train	OPTIMAL FLUORIDATION IS PROVIDED	Contact Water System	Contact Water System	<a href="#">More info</a>

For contact information or more detailed data, click on "More Info"

# 2011 Statewide Fluoridation Data

Check this list to see whether your water system provides Optimal Fluoride Levels OR Provides a Mixture of Fluoridated and Non-fluoridated water

County	Water System Name	Fluoridation Status	2011 Average Fluoride level (mg/l)	OPTIMAL Fluoride level (mg/L)	More info
	Placer CWA - (Bianchi Estates) [v]	OPTIMAL FLUORIDATION IS PROVIDED	Contact Water System	Contact Water System	<a href="#">More info</a>
	Cal-American Water Co. (West Placer) [v]	OPTIMAL FLUORIDATION IS PROVIDED	Contact Water System	Contact Water System	<a href="#">More info</a>
Riverside	Box Springs Mutual Water Co. [p]	A mixture of fluoridated and non-fluoridated water is provided. Contact water system for details	Contact Water System		<a href="#">More info</a>
	Eastern Municipal WD	A mixture of fluoridated and non-fluoridated water is provided. Contact water system for details	Contact Water System		<a href="#">More info</a>
	Elsinore Valley Municipal WD [r]	A mixture of fluoridated and non-fluoridated water is provided. Contact water system for details	Contact Water System		<a href="#">More info</a>
	Elsinore Water District (Country Club) [r]	A mixture of fluoridated and non-fluoridated water is provided. Contact water system for details	Contact Water System		<a href="#">More info</a>
	City of Hemet [r]	A mixture of fluoridated and non-fluoridated water is provided. Contact water system for details	Contact Water System		<a href="#">More info</a>
	Home Gardens County WD [p]	A mixture of fluoridated and non-fluoridated water is provided. Contact water system for details	Contact Water System		<a href="#">More info</a>
	Indio Water Authority	Water naturally contains fluoride near the optimal level. Contact water system for more info.	Contact Water System	Contact Water System	<a href="#">More info</a>
	City of Norco [p]	A mixture of fluoridated and non-fluoridated water is provided. Contact water system for details	Contact Water System		<a href="#">More info</a>
	Nuevo Water Co. [r]	A mixture of fluoridated and non-fluoridated water is provided. Contact water system for details	Contact Water System		<a href="#">More info</a>
	City of Perris [q]	A mixture of fluoridated and non-fluoridated water is provided. Contact water system for details	Contact Water System		<a href="#">More info</a>
	City of Riverside [p]	A mixture of fluoridated and non-fluoridated water is provided. Contact water system for details	Contact Water System		<a href="#">More info</a>
	City of San Jacinto [r]	A mixture of fluoridated and non-fluoridated water is provided. Contact water system for details	Contact Water System		<a href="#">More info</a>
	Western MWD - Murrieta Division [r]	OPTIMAL FLUORIDATION IS PROVIDED	0.60	0.8	<a href="#">More info</a>
	City of Corona [p]	A mixture of fluoridated and non-fluoridated water is provided. Contact water system for details	Contact Water System		<a href="#">More info</a>
	Rancho California WD [p]	A mixture of fluoridated and non-fluoridated water is provided. Contact water system for details	Contact Water System		<a href="#">More info</a>
	The Farm Mutual Water Co. [r]	A mixture of fluoridated and non-fluoridated water is provided. Contact water system for details	Contact Water System		<a href="#">More info</a>
	Western MWD [o]	OPTIMAL FLUORIDATION IS PROVIDED	0.7	0.8	<a href="#">More info</a>
	Lee Lake Water District [p]	A mixture of fluoridated and non-fluoridated water is provided. Contact water system for details	Contact Water System		<a href="#">More info</a>
Western MWD (ID A - Rainbow) [o]	OPTIMAL FLUORIDATION IS PROVIDED	0.7	0.8	<a href="#">More info</a>	
Elsinore Water District (Lakeland) [r]	A mixture of fluoridated and non-fluoridated water is provided. Contact water system for details	Contact Water System		<a href="#">More info</a>	
Sacramento	Sacramento Suburban Water District -	OPTIMAL FLUORIDATION IS PROVIDED	0.91	0.8	<a href="#">More info</a>
	Cal-American Water Co. (Suburban)	OPTIMAL FLUORIDATION IS PROVIDED	0.93	0.8	<a href="#">More info</a>
	Cal-American Water Co. (Parkway)	OPTIMAL FLUORIDATION IS PROVIDED	0.87	0.8	<a href="#">More info</a>
	City of Sacramento	OPTIMAL FLUORIDATION IS PROVIDED	0.86	0.8	<a href="#">More info</a>
	Sacramento County Water Agency [e]	A mixture of fluoridated and non-fluoridated water is provided. Contact water system for details	Contact Water System		<a href="#">More info</a>
	Cal-American Water Co. (Rosemont)	OPTIMAL FLUORIDATION IS PROVIDED	0.90	0.8	<a href="#">More info</a>
	Cal-American Water Co. (Arden)	OPTIMAL FLUORIDATION IS PROVIDED	0.86	0.8	<a href="#">More info</a>
San Bernardino	Redlands MUD	Water naturally contains fluoride near the optimal level. Contact water system for more info.	Contact Water System	Contact Water System	<a href="#">More info</a>

For contact information or more detailed data, click on "More Info"

# 2011 Statewide Fluoridation Data

Check this list to see whether your water system provides Optimal Fluoride Levels OR Provides a Mixture of Fluoridated and Non-fluoridated water

County	Water System Name	Fluoridation Status	2011 Average Fluoride level (mg/l)	OPTIMAL Fluoride level (mg/L)	More info
San Diego	Yuima Municipal WD (IDA) [p]	A mixture of fluoridated and non-fluoridated water is provided. Contact water system for details	Contact Water System		<a href="#">More info</a>
	Yuima Municipal WD [p]	A mixture of fluoridated and non-fluoridated water is provided. Contact water system for details	Contact Water System		<a href="#">More info</a>
	California-American Water Co (Coronado, Imperial Beach)	OPTIMAL FLUORIDATION IS PROVIDED	Contact Water System	Contact Water System	<a href="#">More info</a>
	Vallecitos Water District [o]	OPTIMAL FLUORIDATION IS PROVIDED	0.77	0.8	<a href="#">More info</a>
	City of Del Mar [w]	OPTIMAL FLUORIDATION IS PROVIDED	Contact Water System	Contact Water System	<a href="#">More info</a>
	Carlsbad MWD[o]	OPTIMAL FLUORIDATION IS PROVIDED	0.77	0.8	<a href="#">More info</a>
	City of Escondido	OPTIMAL FLUORIDATION IS PROVIDED	0.82	0.8	<a href="#">More info</a>
	Fallbrook Public Utility District [o]	OPTIMAL FLUORIDATION IS PROVIDED	0.77	0.8	<a href="#">More info</a>
	Helix Water District	OPTIMAL FLUORIDATION IS PROVIDED	0.71	0.8	<a href="#">More info</a>
	Lakeside Water District [g]	A mixture of fluoridated and non-fluoridated water is provided. Contact water system for details	Contact Water System		<a href="#">More info</a>
	City of Oceanside [p]	A mixture of fluoridated and non-fluoridated water is provided. Contact water system for details	Contact Water System		<a href="#">More info</a>
	Rainbow MWDistrict [o]	OPTIMAL FLUORIDATION IS PROVIDED	0.77	0.8	<a href="#">More info</a>
	Rincon Del Diablo MWD (ID-1) [o]	OPTIMAL FLUORIDATION IS PROVIDED	0.77	0.8	<a href="#">More info</a>
	Ramona Municipal Water District [o]	OPTIMAL FLUORIDATION IS PROVIDED	0.77	0.8	<a href="#">More info</a>
	City of San Diego	OPTIMAL FLUORIDATION IS PROVIDED	Contact Water System	Contact Water System	<a href="#">More info</a>
	Valley Center Municipal WD [o]	OPTIMAL FLUORIDATION IS PROVIDED	0.77	0.8	<a href="#">More info</a>
	Vista Irrigation District [o]	OPTIMAL FLUORIDATION IS PROVIDED	0.77	0.8	<a href="#">More info</a>
	Olivenhain Municipal WD [p]	A mixture of fluoridated and non-fluoridated water is provided. Contact water system for details	Contact Water System		<a href="#">More info</a>
	Otay Water District [g]	A mixture of fluoridated and non-fluoridated water is provided. Contact water system for details	Contact Water System		<a href="#">More info</a>
	Padre Dam Municipal WD [s]	OPTIMAL FLUORIDATION IS PROVIDED	0.71	Contact Water System	<a href="#">More info</a>
Cal-Water Service Co. (Bear Gulch) [i]	A mixture of fluoridated and non-fluoridated water is provided. Contact water system for details	Contact Water System		<a href="#">More info</a>	
Cal-Water Service Co. (So. San Francisco) [i]	A mixture of fluoridated and non-fluoridated water is provided. Contact water system for details	Contact Water System		<a href="#">More info</a>	
City of San Bruno [i]	A mixture of fluoridated and non-fluoridated water is provided. Contact water system for details	Contact Water System		<a href="#">More info</a>	
San Francisco	San Francisco Regional Water Sys.	OPTIMAL FLUORIDATION IS PROVIDED	0.95	1	<a href="#">More info</a>
	San Francisco International Airport [c]	OPTIMAL FLUORIDATION IS PROVIDED	0.95	1	<a href="#">More info</a>
	San Francisco Public Utility Comm. SFWS [c]	OPTIMAL FLUORIDATION IS PROVIDED	0.95	1	<a href="#">More info</a>
	Presidio of San Francisco	OPTIMAL FLUORIDATION IS PROVIDED	1.10	1	<a href="#">More info</a>
	Treasure Island [c]	OPTIMAL FLUORIDATION IS PROVIDED	0.95	1	<a href="#">More info</a>
San Luis Obispo	City of San Luis Obispo	OPTIMAL FLUORIDATION IS PROVIDED	0.86	0.8	<a href="#">More info</a>
San Mateo	Mid-Peninsula Water District [c]	OPTIMAL FLUORIDATION IS PROVIDED	0.95	1	<a href="#">More info</a>

For contact information or more detailed data, click on "More Info"

# 2011 Statewide Fluoridation Data

Check this list to see whether your water system provides Optimal Fluoride Levels OR Provides a Mixture of Fluoridated and Non-fluoridated water

County	Water System Name	Fluoridation Status	2011 Average Fluoride level (mg/l)	OPTIMAL Fluoride level (mg/L)	More info
	City of Brisbane [c]	OPTIMAL FLUORIDATION IS PROVIDED	0.95	1	<a href="#">More info</a>
	City of Burlingame [c]	OPTIMAL FLUORIDATION IS PROVIDED	0.95	1	<a href="#">More info</a>
	Guadalupe Valley MID [c]	OPTIMAL FLUORIDATION IS PROVIDED	0.95	1	<a href="#">More info</a>
	Cal-Water Service Co. (San Carlos) [c]	OPTIMAL FLUORIDATION IS PROVIDED	0.95	1	<a href="#">More info</a>
	Cal-Water Service Co. (San Mateo) [c]	OPTIMAL FLUORIDATION IS PROVIDED	0.95	1	<a href="#">More info</a>
	City of Daly City	OPTIMAL FLUORIDATION IS PROVIDED	0.99	1	<a href="#">More info</a>
	Skyline County Water District [c]	OPTIMAL FLUORIDATION IS PROVIDED	0.95	1	<a href="#">More info</a>
	City of Hillsborough [c]	OPTIMAL FLUORIDATION IS PROVIDED	0.95	1	<a href="#">More info</a>
	City of Menlo Park [c]	OPTIMAL FLUORIDATION IS PROVIDED	0.95	1	<a href="#">More info</a>
	City of Millbrae [c]	OPTIMAL FLUORIDATION IS PROVIDED	0.95	1	<a href="#">More info</a>
	Estero MID [c]	OPTIMAL FLUORIDATION IS PROVIDED	0.95	1	<a href="#">More info</a>
	City of Redwood City [c]	OPTIMAL FLUORIDATION IS PROVIDED	0.95	1	<a href="#">More info</a>
	City of East Palo Alto [c]	OPTIMAL FLUORIDATION IS PROVIDED	0.95	1	<a href="#">More info</a>
	North Coast County WD [c]	OPTIMAL FLUORIDATION IS PROVIDED	0.95	1	<a href="#">More info</a>
	Westborough County WD [c]	OPTIMAL FLUORIDATION IS PROVIDED	0.95	1	<a href="#">More info</a>
Santa Barbara	City of Santa Maria	OPTIMAL FLUORIDATION IS PROVIDED	0.92	0.9	<a href="#">More info</a>
	Vandenberg Air Force Base	OPTIMAL FLUORIDATION IS PROVIDED	0.89	0.9	<a href="#">More info</a>
Santa Clara	City of Milpitas [i]	A mixture of fluoridated and non-fluoridated water is provided. Contact water system for details	Contact Water System		<a href="#">More info</a>
	City of Mountain View	OPTIMAL FLUORIDATION IS PROVIDED	0.93	0.9	<a href="#">More info</a>
	City of Palo Alto [c]	OPTIMAL FLUORIDATION IS PROVIDED	0.95	1	<a href="#">More info</a>
	City of Santa Clara [i]	A mixture of fluoridated and non-fluoridated water is provided. Contact water system for details	Contact Water System		<a href="#">More info</a>
	Stanford University [c]	OPTIMAL FLUORIDATION IS PROVIDED	0.95	1	<a href="#">More info</a>
	City of Sunnyvale [i]	A mixture of fluoridated and non-fluoridated water is provided. Contact water system for details	Contact Water System		<a href="#">More info</a>
	City of San Jose (NSJ/Alviso) [c]	OPTIMAL FLUORIDATION IS PROVIDED	0.95	1	<a href="#">More info</a>
	City of San Jose (Evergreen)	OPTIMAL FLUORIDATION IS PROVIDED	0.85	0.8	<a href="#">More info</a>
	Purissima Hills WD [c]	OPTIMAL FLUORIDATION IS PROVIDED	0.95	1	<a href="#">More info</a>
Solano	City of Benicia	OPTIMAL FLUORIDATION IS PROVIDED	0.88	0.9	<a href="#">More info</a>
	City of Fairfield	OPTIMAL FLUORIDATION IS PROVIDED	0.86	0.8	<a href="#">More info</a>
	City of Vallejo	OPTIMAL FLUORIDATION IS PROVIDED	0.93	0.9	<a href="#">More info</a>
	City of Vacaville	OPTIMAL FLUORIDATION IS PROVIDED	0.84	0.8	<a href="#">More info</a>

For contact information or more detailed data, click on "More Info"



# 2011 Statewide Fluoridation Data

Check this list to see whether your water system provides Optimal Fluoride Levels OR Provides a Mixture of Fluoridated and Non-fluoridated water

County	Water System Name	Fluoridation Status	2011 Average Fluoride level (mg/l)	OPTIMAL Fluoride level (mg/L)	More info
	City of Vallejo (Travis AFB WTP)	OPTIMAL FLUORIDATION IS PROVIDED	1.02	0.8	<a href="#">More info</a>
	Travis Air Force Base	OPTIMAL FLUORIDATION IS PROVIDED	Contact Water System	0.8	<a href="#">More info</a>
Sonoma	City of Healdsburg	OPTIMAL FLUORIDATION IS PROVIDED	Contact Water System	0.8	<a href="#">More info</a>
	Sonoma Co. #41-Fitch Mountain [k]	OPTIMAL FLUORIDATION IS PROVIDED	Contact Water System	0.8	<a href="#">More info</a>
	US Coast Guard Training Center Petaluma	OPTIMAL FLUORIDATION IS PROVIDED	Contact Water System	0.9	<a href="#">More info</a>
Sutter	City of Yuba City	OPTIMAL FLUORIDATION IS PROVIDED	0.82	0.8	<a href="#">More info</a>
Ventura	Solano Verde Mutual Water Co. [o]	OPTIMAL FLUORIDATION IS PROVIDED	0.77	0.8	<a href="#">More info</a>
	Academy Mutual Water Co. [o]	OPTIMAL FLUORIDATION IS PROVIDED	0.77	0.8	<a href="#">More info</a>
	Thermic Mutual Water Co. [p]	A mixture of fluoridated and non-fluoridated water is provided. Contact water system for details	Contact Water System		<a href="#">More info</a>
	Brandeis Bardin Institute [o]	OPTIMAL FLUORIDATION IS PROVIDED	0.77	0.8	<a href="#">More info</a>
	Ventura CWWD No. 17 (Bell Canyon) [o]	OPTIMAL FLUORIDATION IS PROVIDED	0.77	0.8	<a href="#">More info</a>
	City of Oxnard [p]	A mixture of fluoridated and non-fluoridated water is provided. Contact water system for details	Contact Water System		<a href="#">More info</a>
	Pleasant Valley Mutual Water Co. [p]	A mixture of fluoridated and non-fluoridated water is provided. Contact water system for details	Contact Water System		<a href="#">More info</a>
	City of Port Hueneme [d]	OPTIMAL FLUORIDATION IS PROVIDED	0.98	0.9	<a href="#">More info</a>
	Ventura CWWD No. 19 (Somis) [p]	A mixture of fluoridated and non-fluoridated water is provided. Contact water system for details	Contact Water System		<a href="#">More info</a>
	Cal-Water Service Co. (Westlake) [o]	OPTIMAL FLUORIDATION IS PROVIDED	0.80	0.8	<a href="#">More info</a>
	Ventura CWWD No. 1 (Moorpark) [p]	A mixture of fluoridated and non-fluoridated water is provided. Contact water system for details	Contact Water System		<a href="#">More info</a>
	City of Camarillo [p]	A mixture of fluoridated and non-fluoridated water is provided. Contact water system for details	Contact Water System		<a href="#">More info</a>
	City of Thousand Oaks [o]	OPTIMAL FLUORIDATION IS PROVIDED	0.77	0.8	<a href="#">More info</a>
	Ventura CWWD No. 8 (Simi Valley) [o]	OPTIMAL FLUORIDATION IS PROVIDED	0.77	0.8	<a href="#">More info</a>
	Channel Islands Beach CSD [d]	OPTIMAL FLUORIDATION IS PROVIDED	0.98	0.9	<a href="#">More info</a>
	Cal-American WC (Village District) [o]	OPTIMAL FLUORIDATION IS PROVIDED	0.77	0.8	<a href="#">More info</a>
	Oak Park Water Service [o]	OPTIMAL FLUORIDATION IS PROVIDED	0.77	0.8	<a href="#">More info</a>
	Calleguas MWD [o]	OPTIMAL FLUORIDATION IS PROVIDED	0.83	0.8	<a href="#">More info</a>
	Crestview Mutual Water Co. [p]	A mixture of fluoridated and non-fluoridated water is provided. Contact water system for details	Contact Water System		<a href="#">More info</a>
	Golden State WC (Simi Valley) [p]	A mixture of fluoridated and non-fluoridated water is provided. Contact water system for details	Contact Water System		<a href="#">More info</a>
	Camrosa Water District [p]	A mixture of fluoridated and non-fluoridated water is provided. Contact water system for details	Contact Water System		<a href="#">More info</a>
	Lake Sherwood CSD [o]	OPTIMAL FLUORIDATION IS PROVIDED	0.77	0.8	<a href="#">More info</a>
	Port Hueneme Water Agency	OPTIMAL FLUORIDATION IS PROVIDED	0.98	0.9	<a href="#">More info</a>
Cal-American WC (Las Posas Estates) [o]	OPTIMAL FLUORIDATION IS PROVIDED	0.77	0.8	<a href="#">More info</a>	

For contact information or more detailed data, click on "More Info"

# 2011 Statewide Fluoridation Data

Check this list to see whether your water system provides Optimal Fluoride Levels OR Provides a Mixture of Fluoridated and Non-fluoridated water

County	Water System Name	Fluoridation Status	2011 Average Fluoride level (mg/l)	OPTIMAL Fluoride level (mg/L)	More info
	Point Mugu Naval Base [d]	OPTIMAL FLUORIDATION IS PROVIDED	0.98	0.9	<a href="#">More info</a>
	Port Hueneme Naval Base [d]	OPTIMAL FLUORIDATION IS PROVIDED	0.98	0.9	<a href="#">More info</a>
	USN - Camarillo Housing [o]	OPTIMAL FLUORIDATION IS PROVIDED	0.77	0.8	<a href="#">More info</a>
Yolo	City of West Sacramento	OPTIMAL FLUORIDATION IS PROVIDED	Contact Water System	0.8	<a href="#">More info</a>
Yuba	Plumas Lake	OPTIMAL FLUORIDATION IS PROVIDED	Contact Water System	0.8	<a href="#">More info</a>
	Olivehurst	OPTIMAL FLUORIDATION IS PROVIDED	Contact Water System	0.8	<a href="#">More info</a>
	Beale Air Force Base	OPTIMAL FLUORIDATION IS PROVIDED	Contact Water System	0.9	<a href="#">More info</a>

## Important Notes:

The **OPTIMAL** fluoride concentration is the targeted fluoride concentration for that public water system based upon location and weather data. The yearly average should be within an optimum range near the optimal concentration.

The **YEARLY AVERAGE** fluoride concentration is the *actual* average fluoride concentration of the public water system for the year. This number should be as close to the optimal fluoride concentration as possible.

An **OPTIMALLY FLUORIDATED SYSTEM** either naturally has fluoride that falls within the optimal range, or adjusts or purchases water for full fluoridation in order to provide customers with water that is optimally fluoridated. Thus, fluoride supplements are not necessary if you live within these systems.

A **PARTIALLY FLUORIDATED SYSTEM** mixes purchased fluoridated water with non-fluoridated water; thus, although there is some fluoridation, the water provided to customers is not optimally fluoridated. Customers of these water systems should consult their dentists about fluoride supplements.