

DISTRICT 22

ANGELES

DRINKING WATER MONITORING SCHEDULE

THE CALIFORNIA DEPARTMENT OF PUBLIC HEALTH (CDPH) MONITORING SCHEDULER LISTS REQUIRED CONTAMINANT TESTING OF DRINKING WATER FOR PUBLIC WATER SYSTEMS IN CALIFORNIA. THE SCHEDULE INCLUDES REQUIRED UPCOMING TESTING, AND PAST DUE REQUIRED. IF NO TESTING IS LISTED ALL TESTING HAS BEEN WAIVED.

THIS INFORMATION IS VALID AS OF AUGUST 22, 2014.

UPDATES WILL BE REGULARLY PERFORMED REFLECTING CHANGES IN THE WATER QUALITY MONITORING DATABASE. THESE DOCUMENTS SHOULD BE CONSIDERED "DRAFT" IN THAT THEY MAY CHANGE WITH SUBSEQUENT UPDATES AS NEW DATA ARE SUBMITTED, OR AS MONITORING SCHEDULES ARE REVISED. THIS MONITORING SCHEDULE SHOULD NOT BE USED TO DETERMINE IF SYSTEMS ARE IN COMPLETE COMPLIANCE WITH MONITORING REQUIREMENTS. THE PURPOSE IS TO ASSIST SYSTEMS IN THEIR PLANNING FOR SAMPLING EVENTS, AND VERIFICATION OF SCHEDULED MONITORING WITH CDHS RECORDS.

THE TELEPHONE NUMBER FOR THE LOCAL DRINKING WATER OFFICE IS:

(213) 580-5723

Please be aware that the monitoring schedules do not reflect compliance with initial monitoring for newly regulated constituents (such as MTBE), or constituents that require special monitoring frequencies. Specifically, the database is unable to accurately forecast the following for the Monitoring Schedules:

The SOC frequency for large water systems serving over 3,300 people of 2 quarters every 3 years. In addition, if you have been advised of any increased monitoring that is not reflected in the Monitoring Schedule for a particular source, please contact your local Drinking Water office

Some older data may not be present in the database, and these are indicated in the schedule as "DUE." If these samples were taken, have your laboratory submit the data. Since January 1, 2001, data have been required to be submitted directly to CDPH via electronic data transfer (EDT).

If sampled after January 1, 2001, have your lab submit those data (and data prior to 2001 if possible) electronically as required to CDPH via EDT. Your laboratory can contact Anthony Meeks in the CDPH Monitoring and Evaluation Unit at (916) 449-5568 or at edt@cdph.ca.gov for further information. Changes in the monitoring notification documents will be seen in the next update.

System Number: 1900046

System Name: PETER PITCHESS HONOR RANCHO DETN. CTR

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

PS Code: 1900046-003

Source Name: WELL 10

Source Number: 003

Source Status: ACTIVE RAW

Water type: G

INORGANIC

ALUMINUM	01105	036	2013/03/06	< 50.000	2016/03
ANTIMONY	01097	036	2013/03/06	< 6.000	2016/03
ARSENIC	01002	036	2013/03/06	< 2.000	2016/03
BARIUM	01007	036	2013/03/06	< 100.000	2016/03
BERYLLIUM	01012	036	2013/03/06	< 1.000	2016/03
CADMIUM	01027	036	2013/03/06	< 1.000	2016/03
CHROMIUM (TOTAL)	01034	036	2013/03/06	< 10.000	2016/03
CYANIDE	01291	036	2012/05/03	< 100.000	2015/05
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/09/05	. 584	2016/09
MERCURY	71900	036	2013/03/06	< 1.000	2016/03
NICKEL	01067	036	2013/03/06	< 10.000	2016/03
PERCHLORATE	A-031	012	2014/04/08	< 4.000	2015/04
SELENIUM	01147	036	2013/03/06	< 5.000	2016/03
THALLIUM	01059	036	2013/03/06	< 1.000	2016/03

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2014/03/04	. 3.620	2015/03
NITRITE (AS N)	00620	036	2013/09/05	< 400.000	2016/09

RADIOLOGICAL

GROSS ALPHA	01501	108	2010/02/25	2.780	2019/02
-------------	-------	-----	------------	-------	---------

REGULATED SOC

2,3,7,8-TCDD (DIOXIN)	34676	036	2012/07/05	< 5.000	2015/07
2,4,5-TP (SILVEX)	39045	036	2012/05/03	< 1.000	2015/05
2,4-D	39730	036	2012/05/03	< 10.000	2015/05
ALACHLOR	77825	036	2012/05/03	< 1.000	2015/05
ATRAZINE	39033	033	2012/05/03	< .500	2015/02
BENTAZON	38710	036	2012/05/03	< 2.000	2015/05
BENZO (A) PYRENE	34247	036	2012/05/03	< .100	2015/05
CARBOFURAN	81405	036	2012/05/03	< 5.000	2015/05

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1900046

System Name: PETER PITCHESS HONOR RANCHO DETN. CTR

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1900046-003

Source Name: WELL 10

Source Number: 003

Source Status: ACTIVE RAW

Water type: G

REGULATED SOC

CHLORDANE	39350	036	2012/05/03	< .100	2015/05
DALAPON	38432	036	2012/05/03	< 10.000	2015/05
DI(2-ETHYLHEXYL)ADIPATE	A-026	036	2012/05/03	< 5.000	2015/05
DI(2-ETHYLHEXYL)PHTHALATE	39100	036	2012/05/03	< 3.000	2015/05
DIBROMOCHLOROPROPANE (DBCP)	38761	033	2012/05/03	< .010	2015/02
DINOSEB	81287	036	2012/05/03	< 2.000	2015/05
DIQUAT	78885	036	2012/05/03	< 4.000	2015/05
ENDOTHALL	38926	036	2012/05/03	< 45.000	2015/05
ENDRIN	39390	036	2012/05/03	< .100	2015/05
ETHYLENE DIBROMIDE (EDB)	77651	033	2012/05/03	< .020	2015/02
GLYPHOSATE	79743	036	2012/11/07	< 25.000	2015/11
HEPTACHLOR	39410	036	2012/05/03	< .010	2015/05
HEPTACHLOR EPOXIDE	39420	036	2012/05/03	< .010	2015/05
HEXACHLOROBENZENE	39700	036	2012/05/03	< .500	2015/05
HEXACHLOROCYCLOPENTADIENE	34386	036	2012/05/03	< 1.000	2015/05
LINDANE	39340	036	2012/05/03	< .200	2015/05
METHOXYCHLOR	39480	036	2012/05/03	< 10.000	2015/05
MOLINATE	82199	036	2012/05/03	< 2.000	2015/05
OXAMYL	38865	036	2012/05/03	< 5.000	2015/05
PENTACHLOROPHENOL	39032	036	2012/05/03	< .200	2015/05
PICLORAM	39720	036	2012/05/03	< 1.000	2015/05
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	036	2012/05/03	< .500	2015/05
SIMAZINE	39055	033	2012/05/03	< 1.000	2015/02
THIOBENCARB	A-001	033	2013/03/06	< 1.000	2015/12
TOXAPHENE	39400	036	2012/05/03	< 1.000	2015/05

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	012	2014/03/04	< .500	2015/03
1,1,2,2-TETRACHLOROETHANE	34516	012	2014/03/04	< .500	2015/03
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/03/04	< 10.000	2015/03

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1900046

System Name: PETER PITCHESS HONOR RANCHO DETN. CTR

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1900046-003

Source Name: WELL 10

Source Number: 003

Source Status: ACTIVE RAW

Water type: G

REGULATED VOC

1,1,2-TRICHLOROETHANE	34511	012	2014/03/04	< .500	2015/03
1,1-DICHLOROETHANE	34496	012	2014/03/04	< .500	2015/03
1,1-DICHLOROETHYLENE	34501	012	2014/03/04	< .500	2015/03
1,2,4-TRICHLOROBENZENE	34551	012	2014/03/04	< .500	2015/03
1,2-DICHLOROBENZENE	34536	012	2014/03/04	< .500	2015/03
1,2-DICHLOROETHANE	34531	012	2014/03/04	< .500	2015/03
1,2-DICHLOROPROPANE	34541	012	2014/03/04	< .500	2015/03
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/03/04	< .500	2015/03
1,4-DICHLOROBENZENE	34571	012	2014/03/04	< .500	2015/03
BENZENE	34030	012	2014/03/04	< .500	2015/03
CARBON TETRACHLORIDE	32102	012	2014/03/04	< .500	2015/03
CIS-1,2-DICHLOROETHYLENE	77093	012	2014/03/04	< .500	2015/03
DICHLOROMETHANE	34423	012	2014/03/04	< .500	2015/03
ETHYLBENZENE	34371	012	2014/03/04	< .500	2015/03
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/03/04	< 3.000	2015/03
MONOCHLOROBENZENE	34301	012	2014/03/04	< .500	2015/03
STYRENE	77128	012	2014/03/04	< .500	2015/03
TETRACHLOROETHYLENE	34475	012	2014/03/04	< .500	2015/03
TOLUENE	34010	012	2014/03/04	< .500	2015/03
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/03/04	< .500	2015/03
TRICHLOROETHYLENE	39180	012	2014/03/04	< .500	2015/03
TRICHLOROFUOROMETHANE	34488	012	2014/03/04	< 5.000	2015/03
VINYL CHLORIDE	39175	012	2014/03/04	< .500	2015/03
XYLENES (TOTAL)	81551	012	2014/03/04	< .500	2015/03

SECONDARY/GP

BICARBONATE ALKALINITY	00440	036	2013/03/06	< 2.000	2016/03
CALCIUM	00916	036	2013/03/06	. 86.200	2016/03
CARBONATE ALKALINITY	00445	036	2013/03/06	< 2.000	2016/03
CHLORIDE	00940	036	2013/03/06	. 74.000	2016/03

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1900046

System Name: PETER PITCHESS HONOR RANCHO DETN. CTR

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1900046-003

Source Name: WELL 10

Source Number: 003

Source Status: ACTIVE RAW

Water type: G

SECONDARY/GP

COLOR	00081	036	2013/03/06	. 000	2016/03
COPPER	01042	036	2013/03/06	< 50.000	2016/03
FOAMING AGENTS (MBAS)	38260	036	2013/03/06	< .010	2016/03
HARDNESS (TOTAL) AS CaCO3	00900	036	2013/03/06	. 270.000	2016/03
HYDROXIDE ALKALINITY	71830	036	2013/03/06	< 2.000	2016/03
IRON	01045	036	2013/03/06	< 100.000	2016/03
MAGNESIUM	00927	036	2013/03/06	. 13.400	2016/03
MANGANESE	01055	036	2013/03/06	< 20.000	2016/03
ODOR THRESHOLD @ 60 C	00086	036	2013/03/06	< 1.000	2016/03
PH, LABORATORY	00403	036	2013/03/06	. 6.810	2016/03
SILVER	01077	036	2013/03/06	< 10.000	2016/03
SODIUM	00929	036	2013/03/06	81.500	2016/03
SPECIFIC CONDUCTANCE	00095	036	2013/03/06	. 1020.000	2016/03
SULFATE	00945	036	2013/03/06	228.000	2016/03
TOTAL DISSOLVED SOLIDS	70300	036	2013/03/06	. 686.000	2016/03
TURBIDITY, LABORATORY	82079	036	2013/03/06	< .100	2016/03
ZINC	01092	036	2013/03/06	< 50.000	2016/03

PS Code: 1900046-006

Source Name: WELL 17

Source Number: 006

Source Status: ACTIVE RAW

Water type: G

INORGANIC

ALUMINUM	01105	036	2013/11/06	< 50.000	2016/11
ANTIMONY	01097	036	2013/11/06	< 6.000	2016/11
ARSENIC	01002	036	2013/11/06	< 2.000	2016/11
BARIUM	01007	036	2013/11/06	< 100.000	2016/11
BERYLLIUM	01012	036	2013/11/06	< 1.000	2016/11

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1900046

System Name: PETER PITCHESS HONOR RANCHO DETN. CTR

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1900046-006

Source Name: WELL 17

Source Number: 006

Source Status: ACTIVE RAW

Water type: G

INORGANIC

CADMIUM	01027	036	2013/11/06	< 1.000	2016/11
CHROMIUM (TOTAL)	01034	036	2013/11/06	< 10.000	2016/11
CYANIDE	01291	036	2012/05/03	< 100.000	2015/05
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/11/06	.664	2016/11
MERCURY	71900	036	2013/11/06	< 1.000	2016/11
NICKEL	01067	036	2013/11/06	< 10.000	2016/11
PERCHLORATE	A-031	012	2013/11/06	< 4.000	2014/11
SELENIUM	01147	036	2013/11/06	< 5.000	2016/11
THALLIUM	01059	036	2013/11/06	< 1.000	2016/11

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2014/03/04	. 3.390	2015/03
NITRITE (AS N)	00620	036	2013/11/06	< 400.000	2016/11

RADIOLOGICAL

GROSS ALPHA	01501	072	2013/03/06	. 7.220	2019/03
URANIUM (PCI/L)	28012	072	2013/03/06	. 2.340	2019/03

REGULATED SOC

2,3,7,8-TCDD (DIOXIN)	34676	033	2012/07/05	< 5.000	2015/04
2,4,5-TP (SILVEX)	39045	033	2012/05/03	< 1.000	2015/02
2,4-D	39730	033	2012/05/03	< 10.000	2015/02
ALACHLOR	77825	033	2012/05/03	< 1.000	2015/02
ATRAZINE	39033	033	2012/05/03	< .500	2015/02
BENTAZON	38710	033	2012/05/03	< 2.000	2015/02
BENZO (A) PYRENE	34247	033	2012/05/03	< .100	2015/02
CARBOFURAN	81405	033	2012/05/03	< 5.000	2015/02
CHLORDANE	39350	033	2012/05/03	< .100	2015/02
DALAPON	38432	033	2012/05/03	< 10.000	2015/02
DI(2-ETHYLHEXYL)ADIPATE	A-026	033	2012/05/03	< 5.000	2015/02
DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2012/05/03	< 3.000	2015/02

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1900046

System Name: PETER PITCHESS HONOR RANCHO DETN. CTR

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1900046-006

Source Name: WELL 17

Source Number: 006

Source Status: ACTIVE RAW

Water type: G

REGULATED SOC

DIBROMOCHLOROPROPANE (DBCP)	38761	033	2012/05/03	< .010	2015/02
DINOSEB	81287	033	2012/05/03	< 2.000	2015/02
DIQUAT	78885	033	2012/05/03	< 4.000	2015/02
ENDOTHALL	38926	033	2012/05/03	< 45.000	2015/02
ENDRIN	39390	033	2012/05/03	< .100	2015/02
ETHYLENE DIBROMIDE (EDB)	77651	033	2012/05/03	< .020	2015/02
GLYPHOSATE	79743	033	2012/11/07	< 25.000	2015/08
HEPTACHLOR	39410	033	2012/05/03	< .010	2015/02
HEPTACHLOR EPOXIDE	39420	033	2012/05/03	< .010	2015/02
HEXACHLOROBENZENE	39700	033	2012/05/03	< .500	2015/02
HEXACHLOROCYCLOPENTADIENE	34386	033	2012/05/03	< 1.000	2015/02
LINDANE	39340	033	2012/05/03	< .200	2015/02
METHOXYCHLOR	39480	033	2012/05/03	< 10.000	2015/02
MOLINATE	82199	033	2012/05/03	< 2.000	2015/02
OXAMYL	38865	033	2012/05/03	< 5.000	2015/02
PENTACHLOROPHENOL	39032	033	2012/05/03	< .200	2015/02
PICLORAM	39720	033	2012/05/03	< 1.000	2015/02
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	033	2012/05/03	< .500	2015/02
SIMAZINE	39055	033	2012/05/03	< 1.000	2015/02
THIOBENCARB	A-001	033	2012/05/03	< 1.000	2015/02
TOXAPHENE	39400	033	2012/05/03	< 1.000	2015/02

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	012	2014/03/04	< .500	2015/03
1,1,2,2-TETRACHLOROETHANE	34516	012	2014/03/04	< .500	2015/03
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/03/04	< 10.000	2015/03
1,1,2-TRICHLOROETHANE	34511	012	2014/03/04	< .500	2015/03
1,1-DICHLOROETHANE	34496	012	2014/03/04	< .500	2015/03
1,1-DICHLOROETHYLENE	34501	012	2014/03/04	< .500	2015/03
1,2,4-TRICHLOROBENZENE	34551	012	2014/03/04	< .500	2015/03

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1900046

System Name: PETER PITCHESS HONOR RANCHO DETN. CTR

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1900046-006

Source Name: WELL 17

Source Number: 006

Source Status: ACTIVE RAW

Water type: G

REGULATED VOC

1,2-DICHLORO BENZENE	34536	012	2014/03/04	< .500	2015/03
1,2-DICHLOROETHANE	34531	012	2014/03/04	< .500	2015/03
1,2-DICHLOROPROPANE	34541	012	2014/03/04	< .500	2015/03
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/03/04	< .500	2015/03
1,4-DICHLORO BENZENE	34571	012	2014/03/04	< .500	2015/03
BENZENE	34030	012	2014/03/04	< .500	2015/03
CARBON TETRACHLORIDE	32102	012	2014/03/04	< .500	2015/03
CIS-1,2-DICHLOROETHYLENE	77093	012	2014/03/04	< .500	2015/03
DICHLOROMETHANE	34423	012	2014/03/04	< .500	2015/03
ETHYLBENZENE	34371	012	2014/03/04	< .500	2015/03
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/03/04	< 3.000	2015/03
MONOCHLORO BENZENE	34301	012	2014/03/04	< .500	2015/03
STYRENE	77128	012	2014/03/04	< .500	2015/03
TETRACHLOROETHYLENE	34475	012	2014/03/04	< .500	2015/03
TOLUENE	34010	012	2014/03/04	< .500	2015/03
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/03/04	< .500	2015/03
TRICHLOROETHYLENE	39180	012	2014/03/04	< .500	2015/03
TRICHLOROFLUOROMETHANE	34488	012	2014/03/04	< 5.000	2015/03
VINYL CHLORIDE	39175	012	2014/03/04	< .500	2015/03
XYLENES (TOTAL)	81551	012	2014/03/04	< .500	2015/03

SECONDARY/GP

BICARBONATE ALKALINITY	00440	036	2013/11/06	. 211.000	2016/11
CALCIUM	00916	036	2013/11/06	. 107.000	2016/11
CARBONATE ALKALINITY	00445	036	2013/11/06	< 2.000	2016/11
CHLORIDE	00940	036	2013/11/06	. 76.000	2016/11
COLOR	00081	036	2013/11/06	< 5.000	2016/11
COPPER	01042	036	2013/11/06	< 50.000	2016/11
FOAMING AGENTS (MBAS)	38260	036	2013/11/06	< .050	2016/11
HARDNESS (TOTAL) AS CaCO3	00900	036	2013/11/06	. 493.000	2016/11

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1900046

System Name: PETER PITCHESS HONOR RANCHO DETN. CTR

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1900046-006

Source Name: WELL 17

Source Number: 006

Source Status: ACTIVE RAW

Water type: G

SECONDARY/GP

HYDROXIDE ALKALINITY	71830	036	2013/11/06	< 2.000	2016/11
IRON	01045	036	2013/11/06	< 100.000	2016/11
MAGNESIUM	00927	036	2013/11/06	. 55.000	2016/11
MANGANESE	01055	036	2013/11/06	< 20.000	2016/11
ODOR THRESHOLD @ 60 C	00086	036	2013/11/06	< 1.000	2016/11
PH, LABORATORY	00403	036	2013/11/06	. 7.020	2016/11
SILVER	01077	036	2013/11/06	< 10.000	2016/11
SODIUM	00929	036	2013/11/06	. 111.000	2016/11
SPECIFIC CONDUCTANCE	00095	036	2013/11/06	. 1080.000	2016/11
SULFATE	00945	036	2013/11/06	361.000	2016/11
TOTAL DISSOLVED SOLIDS	70300	036	2013/11/06	. 924.000	2016/11
TURBIDITY, LABORATORY	82079	036	2013/11/06	< .100	2016/11
ZINC	01092	036	2013/11/06	. 64.000	2016/11

PS Code: 1900046-010

Source Name: WELL 01 - STANDBY

Source Number: 010

Source Status: STANDBY RAW

Water type: G

INORGANIC

ALUMINUM	01105	108	2010/05/06	< 50.000	2019/05
ANTIMONY	01097	108	2010/05/06	< 6.000	2019/05
ARSENIC	01002	108	2010/05/06	< 2.000	2019/05
BARIUM	01007	108	2010/05/06	< 100.000	2019/05
BERYLLIUM	01012	108	2010/05/06	< 1.000	2019/05
CADMIUM	01027	108	2010/05/06	< 1.000	2019/05
CHROMIUM (TOTAL)	01034	108	2010/05/06	< 10.000	2019/05
CHROMIUM, HEXVALENT	01032	108	2007/06/01	.000	2016/06
CYANIDE	01291	108	2012/04/18	< 100.000	2021/04

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1900046

System Name: PETER PITCHESS HONOR RANCHO DETN. CTR

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1900046-010

Source Name: WELL 01 - STANDBY

Source Number: 010

Source Status: STANDBY RAW

Water type: G

INORGANIC

FLUORIDE (F) (NATURAL-SOURCE)	00951	108	2010/05/06	.482	2019/05
MERCURY	71900	108	2010/05/06	< 1.000	2019/05
NICKEL	01067	108	2010/05/06	< 10.000	2019/05
PERCHLORATE	A-031	108	2014/05/06	< 4.000	2023/05
SELENIUM	01147	108	2010/05/06	< 5.000	2019/05
THALLIUM	01059	108	2010/05/06	< 1.000	2019/05

NITRATE/NITRITE

NITRATE (AS NO3)	71850	108	2014/05/06	< 2.000	2023/05
NITRITE (AS N)	00620	108	2010/05/06	< 400.000	2019/05

RADIOLOGICAL

GROSS ALPHA	01501	108	2010/02/26	3.240	2019/02
RADIUM 226	09501	108	2010/02/26	.000	2019/02
RADIUM 228	11501	108	2010/02/26	.000	2019/02
URANIUM (PCI/L)	28012	108	2010/02/26	1.630	2019/02

REGULATED SOC

2,3,7,8-TCDD (DIOXIN)	34676	108	2012/04/18	< 5.000	2021/04
2,4,5-TP (SILVEX)	39045	108	2012/04/18	< 1.000	2021/04
2,4-D	39730	108	2012/04/18	< 10.000	2021/04
ALACHLOR	77825	108	2012/04/18	< 1.000	2021/04
ATRAZINE	39033	108	2012/04/18	< .500	2021/04
BENTAZON	38710	108	2012/04/18	< 2.000	2021/04
BENZO (A) PYRENE	34247	108	2012/04/18	< .100	2021/04
CARBOFURAN	81405	108	2012/04/18	< 5.000	2021/04
CHLORDANE	39350	108	2012/04/18	< .100	2021/04
DALAPON	38432	108	2012/04/18	< 10.000	2021/04
DI(2-ETHYLHEXYL)ADIPATE	A-026	108	2012/04/18	< 5.000	2021/04
DI(2-ETHYLHEXYL)PHTHALATE	39100	108	2012/04/18	< 3.000	2021/04
DIBROMOCHLOROPROPANE (DBCP)	38761	108	2012/04/18	< .010	2021/04

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1900046

System Name: PETER PITCHESS HONOR RANCHO DETN. CTR

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1900046-010

Source Name: WELL 01 - STANDBY

Source Number: 010

Source Status: STANDBY RAW

Water type: G

REGULATED SOC

DINOSEB	81287	108	2012/04/18	< 2.000	2021/04
DIQUAT	78885	108	2012/04/18	< 4.000	2021/04
ENDOTHALL	38926	108	2012/04/18	< 45.000	2021/04
ENDRIN	39390	108	2012/04/18	< .100	2021/04
ETHYLENE DIBROMIDE (EDB)	77651	108	2012/04/18	< .020	2021/04
GLYPHOSATE	79743	108	2012/08/02	< 25.000	2021/08
HEPTACHLOR	39410	108	2012/04/18	< .010	2021/04
HEPTACHLOR EPOXIDE	39420	108	2012/04/18	< .010	2021/04
HEXACHLOROBENZENE	39700	108	2012/04/18	< .500	2021/04
HEXACHLOROCYCLOPENTADIENE	34386	108	2012/04/18	< 1.000	2021/04
LINDANE	39340	108	2012/04/18	< .200	2021/04
METHOXYCHLOR	39480	108	2012/04/18	< 10.000	2021/04
MOLINATE	82199	108	2012/04/18	< 2.000	2021/04
OXAMYL	38865	108	2012/04/18	< 5.000	2021/04
PENTACHLOROPHENOL	39032	108	2012/04/18	< .200	2021/04
PICLORAM	39720	108	2012/04/18	< 1.000	2021/04
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	108	2012/04/18	< .500	2021/04
SIMAZINE	39055	108	2012/04/18	< 1.000	2021/04
THIOBENCARB	A-001	108	2009/11/05	.000	2018/11
TOXAPHENE	39400	108	2012/04/18	< 1.000	2021/04

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	108	2010/05/06	< .500	2019/05
1,1,2,2-TETRACHLOROETHANE	34516	108	2010/05/06	< .500	2019/05
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	108	2010/05/06	< 10.000	2019/05
1,1,2-TRICHLOROETHANE	34511	108	2010/05/06	< .500	2019/05
1,1-DICHLOROETHANE	34496	108	2010/05/06	< .500	2019/05
1,1-DICHLOROETHYLENE	34501	108	2010/05/06	< .500	2019/05
1,2,4-TRICHLOROBENZENE	34551	108	2010/05/06	< .500	2019/05
1,2-DICHLOROBENZENE	34536	108	2010/05/06	< .500	2019/05

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1900046

System Name: PETER PITCHESS HONOR RANCHO DETN. CTR

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1900046-010

Source Name: WELL 01 - STANDBY

Source Number: 010

Source Status: STANDBY RAW

Water type: G

REGULATED VOC

1,2-DICHLOROETHANE	34531	108	2010/05/06	< .500	2019/05
1,2-DICHLOROPROPANE	34541	108	2010/05/06	< .500	2019/05
1,3-DICHLOROPROPENE (TOTAL)	34561	108	2010/05/06	< .500	2019/05
1,4-DICHLOROBENZENE	34571	108	2010/05/06	< .500	2019/05
BENZENE	34030	108	2010/05/06	< .500	2019/05
CARBON TETRACHLORIDE	32102	108	2010/05/06	< .500	2019/05
CIS-1,2-DICHLOROETHYLENE	77093	108	2010/05/06	< .500	2019/05
DICHLOROMETHANE	34423	108	2010/05/06	< .500	2019/05
ETHYLBENZENE	34371	108	2010/05/06	< .500	2019/05
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	108	2010/05/06	< 3.000	2019/05
MONOCHLOROBENZENE	34301	108	2010/05/06	< .500	2019/05
STYRENE	77128	108	2010/05/06	< .500	2019/05
TETRACHLOROETHYLENE	34475	108	2010/05/06	< .500	2019/05
TOLUENE	34010	108	2010/05/06	< .500	2019/05
TRANS-1,2-DICHLOROETHYLENE	34546	108	2010/05/06	< .500	2019/05
TRICHLOROETHYLENE	39180	108	2010/05/06	< .500	2019/05
TRICHLOROFLUOROMETHANE	34488	108	2010/05/06	< 5.000	2019/05
VINYL CHLORIDE	39175	108	2010/05/06	< .500	2019/05
XYLENES (TOTAL)	81551	108	2010/05/06	< .500	2019/05

SECONDARY/GP

BICARBONATE ALKALINITY	00440	108	2010/05/06	193.000	2019/05
CALCIUM	00916	108	2010/05/06	76.200	2019/05
CARBONATE ALKALINITY	00445	108	2010/05/06	< 2.000	2019/05
CHLORIDE	00940	108	2010/05/06	72.900	2019/05
COLOR	00081	108	2010/05/06	5.000	2019/05
COPPER	01042	108	2010/05/06	< 50.000	2019/05
FOAMING AGENTS (MBAS)	38260	108	2010/11/04	< .010	2019/11
HARDNESS (TOTAL) AS CaCO3	00900	108	2010/05/06	340.000	2019/05
HYDROXIDE ALKALINITY	71830	108	2010/05/06	< 2.000	2019/05

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1900046

System Name: PETER PITCHESS HONOR RANCHO DETN. CTR

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1900046-010

Source Name: WELL 01 - STANDBY

Source Number: 010

Source Status: STANDBY RAW

Water type: G

SECONDARY/GP

IRON	01045	108	2010/05/06	< 100.000	2019/05
MAGNESIUM	00927	108	2010/05/06	36.500	2019/05
MANGANESE	01055	108	2010/11/04	< 20.000	2019/11
ODOR THRESHOLD @ 60 C	00086	108	2010/05/06	< 1.000	2019/05
PH, LABORATORY	00403	108	2010/05/06	7.890	2019/05
SILVER	01077	108	2010/05/06	< 10.000	2019/05
SODIUM	00929	108	2010/05/06	72.900	2019/05
SPECIFIC CONDUCTANCE	00095	108	2010/05/06	886.000	2019/05
SULFATE	00945	108	2010/05/06	179.000	2019/05
TOTAL DISSOLVED SOLIDS	70300	108	2010/05/06	622.000	2019/05
TURBIDITY, LABORATORY	82079	108	2010/05/06	.810	2019/05
ZINC	01092	108	2010/05/06	< 50.000	2019/05

PS Code: 1900046-011

Source Name: WELL 02 - STANDBY

Source Number: 011

Source Status: STANDBY RAW

Water type: G

INORGANIC

ALUMINUM	01105	108	2013/05/10	< 50.000	2022/05
ANTIMONY	01097	108	2013/05/10	< 6.000	2022/05
ARSENIC	01002	108	2013/05/10	< 2.000	2022/05
BARIUM	01007	108	2013/05/10	< 100.000	2022/05
BERYLLIUM	01012	108	2013/05/10	< 1.000	2022/05
CADMIUM	01027	108	2013/05/10	< 1.000	2022/05
CHROMIUM (TOTAL)	01034	108	2013/05/10	< 10.000	2022/05
CYANIDE	01291	108	2013/05/10	< 100.000	2022/05
FLUORIDE (F) (NATURAL-SOURCE)	00951	108	2013/05/10	.563	2022/05
MERCURY	71900	108	2013/05/10	< 1.000	2022/05

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1900046

System Name: PETER PITCHESS HONOR RANCHO DETN. CTR

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1900046-011

Source Name: WELL 02 - STANDBY

Source Number: 011

Source Status: STANDBY RAW

Water type: G

INORGANIC

NICKEL	01067	108	2013/05/10	< 10.000	2022/05
PERCHLORATE	A-031	108	2014/05/06	< 4.000	2023/05
SELENIUM	01147	108	2013/05/10	< 5.000	2022/05
THALLIUM	01059	108	2013/05/10	< 1.000	2022/05

NITRATE/NITRITE

NITRATE (AS NO3)	71850	108	2014/05/06	< 2.000	2023/05
NITRITE (AS N)	00620	108	2013/05/10	< 400.000	2022/05

RADIOLOGICAL

GROSS ALPHA	01501	108	2013/03/06	. 3.070	2022/03
RADIUM 226	09501	108	2013/03/06	< 1.000	2022/03
RADIUM 228	11501	108	2013/03/06	< 1.000	2022/03
URANIUM (PCI/L)	28012	108	2013/12/04	< 3.430	2022/12

REGULATED SOC

2,3,7,8-TCDD (DIOXIN)	34676	108	2012/04/18	< 5.000	2021/04
2,4,5-TP (SILVEX)	39045	108	2012/04/18	< 1.000	2021/04
2,4-D	39730	108	2012/04/18	< 10.000	2021/04
ALACHLOR	77825	108	2012/04/18	< 1.000	2021/04
ATRAZINE	39033	108	2012/04/18	< .500	2021/04
BENTAZON	38710	108	2012/04/18	< 2.000	2021/04
BENZO (A) PYRENE	34247	108	2012/04/18	< .100	2021/04
CARBOFURAN	81405	108	2012/04/18	< 5.000	2021/04
CHLORDANE	39350	108	2012/04/18	< .100	2021/04
DALAPON	38432	108	2012/04/18	< 10.000	2021/04
DI(2-ETHYLHEXYL)ADIPATE	A-026	108	2012/04/18	< 5.000	2021/04
DI(2-ETHYLHEXYL)PHTHALATE	39100	108	2012/04/18	< 3.000	2021/04
DIBROMOCHLOROPROPANE (DBCP)	38761	108	2012/04/18	< .010	2021/04
DINOSEB	81287	108	2012/04/18	< 2.000	2021/04
DIQUAT	78885	108	2012/04/18	< 4.000	2021/04

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1900046

System Name: PETER PITCHESS HONOR RANCHO DETN. CTR

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1900046-011

Source Name: WELL 02 - STANDBY

Source Number: 011

Source Status: STANDBY RAW

Water type: G

REGULATED SOC

ENDOTHALL	38926	108	2012/04/18	< 45.000	2021/04
ENDRIN	39390	108	2012/04/18	< .100	2021/04
ETHYLENE DIBROMIDE (EDB)	77651	108	2012/04/18	< .020	2021/04
GLYPHOSATE	79743	108	2012/08/02	< 25.000	2021/08
HEPTACHLOR	39410	108	2012/04/18	< .010	2021/04
HEPTACHLOR EPOXIDE	39420	108	2012/04/18	< .010	2021/04
HEXACHLOROBENZENE	39700	108	2012/04/18	< .500	2021/04
HEXACHLOROCYCLOPENTADIENE	34386	108	2012/04/18	< 1.000	2021/04
LINDANE	39340	108	2012/04/18	< .200	2021/04
METHOXYCHLOR	39480	108	2012/04/18	< 10.000	2021/04
MOLINATE	82199	108	2012/04/18	< 2.000	2021/04
OXAMYL	38865	108	2012/04/18	< 5.000	2021/04
PENTACHLOROPHENOL	39032	108	2012/04/18	< .200	2021/04
PICLORAM	39720	108	2012/04/18	< 1.000	2021/04
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	108	2012/04/18	< .500	2021/04
SIMAZINE	39055	108	2012/04/18	< 1.000	2021/04
THIOBENCARB	A-001	108	2013/11/06	< 1.000	2022/11
TOXAPHENE	39400	108	2012/04/18	< 1.000	2021/04

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	108	2010/05/06	.000	2019/05
1,1,2,2-TETRACHLOROETHANE	34516	108	2010/05/06	.000	2019/05
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	108	2010/05/06	.000	2019/05
1,1,2-TRICHLOROETHANE	34511	108	2010/05/06	.000	2019/05
1,1-DICHLOROETHANE	34496	108	2010/05/06	.000	2019/05
1,1-DICHLOROETHYLENE	34501	108	2010/05/06	.000	2019/05
1,2,4-TRICHLOROBENZENE	34551	108	2010/05/06	.000	2019/05
1,2-DICHLOROBENZENE	34536	108	2010/05/06	.000	2019/05
1,2-DICHLOROETHANE	34531	108	2010/05/06	.000	2019/05
1,2-DICHLOROPROPANE	34541	108	2010/05/06	.000	2019/05

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1900046

System Name: PETER PITCHESS HONOR RANCHO DETN. CTR

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1900046-011

Source Name: WELL 02 - STANDBY

Source Number: 011

Source Status: STANDBY RAW

Water type: G

REGULATED VOC

1,3-DICHLOROPROPENE (TOTAL)	34561	108	2010/05/06	.000	2019/05
1,4-DICHLOROBENZENE	34571	108	2010/05/06	.000	2019/05
BENZENE	34030	108	2010/05/06	.000	2019/05
CARBON TETRACHLORIDE	32102	108	2010/05/06	.000	2019/05
CIS-1,2-DICHLOROETHYLENE	77093	108	2010/05/06	.000	2019/05
DICHLOROMETHANE	34423	108	2010/05/06	.000	2019/05
ETHYLBENZENE	34371	108	2010/05/06	.000	2019/05
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	108	2013/05/10	< 3.000	2022/05
MONOCHLOROBENZENE	34301	108	2010/05/06	.000	2019/05
STYRENE	77128	108	2010/05/06	.000	2019/05
TETRACHLOROETHYLENE	34475	108	2010/05/06	.000	2019/05
TOLUENE	34010	108	2010/05/06	.000	2019/05
TRANS-1,2-DICHLOROETHYLENE	34546	108	2010/05/06	.000	2019/05
TRICHLOROETHYLENE	39180	108	2010/05/06	.000	2019/05
TRICHLOROFUOROMETHANE	34488	108	2010/05/06	.000	2019/05
VINYL CHLORIDE	39175	108	2010/05/06	.000	2019/05
XYLENES (TOTAL)	81551	108	2010/05/06	.000	2019/05

SECONDARY/GP

BICARBONATE ALKALINITY	00440	108	2013/05/10	. 165.000	2022/05
CALCIUM	00916	108	2013/05/10	. 78.200	2022/05
CARBONATE ALKALINITY	00445	108	2013/05/10	< 2.000	2022/05
CHLORIDE	00940	108	2013/05/10	. 76.100	2022/05
COLOR	00081	108	2013/05/10	. .000	2022/05
COPPER	01042	108	2013/05/10	< 50.000	2022/05
FOAMING AGENTS (MBAS)	38260	108	2013/05/10	. .026	2022/05
HARDNESS (TOTAL) AS CaCO3	00900	108	2013/05/10	. 335.000	2022/05
HYDROXIDE ALKALINITY	71830	108	2013/05/10	< 2.000	2022/05
IRON	01045	108	2013/05/10	< 100.000	2022/05
MAGNESIUM	00927	108	2013/05/10	. 34.000	2022/05

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1900046

System Name: PETER PITCHESS HONOR RANCHO DETN. CTR

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1900046-011

Source Name: WELL 02 - STANDBY

Source Number: 011

Source Status: STANDBY RAW

Water type: G

SECONDARY/GP

MANGANESE	01055	108	2013/05/10	< 20.000	2022/05
ODOR THRESHOLD @ 60 C	00086	108	2013/05/10	< 1.000	2022/05
PH, LABORATORY	00403	108	2013/05/10	. 7.240	2022/05
SILVER	01077	108	2013/05/10	< 10.000	2022/05
SODIUM	00929	108	2013/05/10	. 86.000	2022/05
SPECIFIC CONDUCTANCE	00095	108	2013/05/10	. 1030.000	2022/05
SULFATE	00945	108	2013/05/10	222.000	2022/05
TOTAL DISSOLVED SOLIDS	70300	108	2013/05/10	. 666.000	2022/05
TURBIDITY, LABORATORY	82079	108	2013/05/10	. .310	2022/05
ZINC	01092	108	2013/05/10	< 50.000	2022/05

PS Code: 1900046-014

Source Name: CLWA CONNECTION - TREATED

Source Number: 014

Source Status: PURCHASED TREATED

Water type: S

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

PS Code: 1900046-016

Source Name: WELL 18R

Source Number: 016

Source Status: ACTIVE RAW

Water type: G

INORGANIC

ALUMINUM	01105	036	2014/04/08	< 50.000	2017/04
ANTIMONY	01097	036	2014/04/08	< 6.000	2017/04
ARSENIC	01002	036	2014/04/08	< 2.000	2017/04
BARIUM	01007	036	2014/04/08	< 100.000	2017/04

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1900046

System Name: PETER PITCHESS HONOR RANCHO DETN. CTR

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1900046-016

Source Name: WELL 18R

Source Number: 016

Source Status: ACTIVE RAW

Water type: G

INORGANIC

BERYLLIUM	01012	036	2014/04/08	< 1.000	2017/04
CADMIUM	01027	036	2014/04/08	< 1.000	2017/04
CHROMIUM (TOTAL)	01034	036	2014/04/08	< 10.000	2017/04
CYANIDE	01291	036	2012/05/03	< 100.000	2015/05
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/04/08	.678	2017/04
MERCURY	71900	036	2011/04/06	< 1.000	2014/04 DUE
NICKEL	01067	036	2014/04/08	< 10.000	2017/04
PERCHLORATE	A-031	012	2014/04/08	< 4.000	2015/04
SELENIUM	01147	036	2014/04/08	< 5.000	2017/04
THALLIUM	01059	036	2014/04/08	< 1.000	2017/04

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2014/03/04	. 4.530	2015/03
NITRITE (AS N)	00620	036	2013/03/06	< 400.000	2016/03

RADIOLOGICAL

GROSS ALPHA	01501	108	2008/05/22	3.490	2017/05
-------------	-------	-----	------------	-------	---------

REGULATED SOC

2,3,7,8-TCDD (DIOXIN)	34676	033	2012/07/05	< 5.000	2015/04
2,4,5-TP (SILVEX)	39045	033	2012/05/03	< 1.000	2015/02
2,4-D	39730	033	2012/05/03	< 10.000	2015/02
ALACHLOR	77825	033	2012/05/03	< 1.000	2015/02
ATRAZINE	39033	033	2012/05/03	< .500	2015/02
BENTAZON	38710	033	2012/05/03	< 2.000	2015/02
BENZO (A) PYRENE	34247	033	2012/05/03	< .100	2015/02
CARBOFURAN	81405	033	2012/05/03	< 5.000	2015/02
CHLORDANE	39350	033	2012/05/03	< .100	2015/02
DALAPON	38432	033	2012/05/03	< 10.000	2015/02
DI(2-ETHYLHEXYL)ADIPATE	A-026	033	2012/05/03	< 5.000	2015/02
DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2012/05/03	< 3.000	2015/02

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1900046

System Name: PETER PITCHESS HONOR RANCHO DETN. CTR

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

PS Code: 1900046-016

Source Name: WELL 18R

Source Number: 016

Source Status: ACTIVE RAW

Water type: G

REGULATED SOC

DIBROMOCHLOROPROPANE (DBCP)	38761	033	2012/05/03	< .010	2015/02
DINOSEB	81287	033	2012/05/03	< 2.000	2015/02
DIQUAT	78885	033	2012/05/03	< 4.000	2015/02
ENDOTHALL	38926	033	2012/05/03	< 45.000	2015/02
ENDRIN	39390	033	2012/05/03	< .100	2015/02
ETHYLENE DIBROMIDE (EDB)	77651	033	2012/05/03	< .020	2015/02
GLYPHOSATE	79743	033	2012/11/07	< 25.000	2015/08
HEPTACHLOR	39410	033	2012/05/03	< .010	2015/02
HEPTACHLOR EPOXIDE	39420	033	2012/05/03	< .010	2015/02
HEXACHLOROBENZENE	39700	033	2012/05/03	< .500	2015/02
HEXACHLOROCYCLOPENTADIENE	34386	033	2012/05/03	< 1.000	2015/02
LINDANE	39340	033	2012/05/03	< .200	2015/02
METHOXYCHLOR	39480	033	2012/05/03	< 10.000	2015/02
MOLINATE	82199	033	2012/05/03	< 2.000	2015/02
OXAMYL	38865	033	2012/05/03	< 5.000	2015/02
PENTACHLOROPHENOL	39032	033	2012/05/03	< .200	2015/02
PICLORAM	39720	033	2012/05/03	< 1.000	2015/02
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	033	2012/05/03	< .500	2015/02
SIMAZINE	39055	033	2012/05/03	< 1.000	2015/02
THIOBENCARB	A-001	033	2012/05/03	< 1.000	2015/02
TOXAPHENE	39400	033	2012/05/03	< 1.000	2015/02

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	012	2014/03/04	< .500	2015/03
1,1,2,2-TETRACHLOROETHANE	34516	012	2014/03/04	< .500	2015/03
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/03/04	< 10.000	2015/03
1,1,2-TRICHLOROETHANE	34511	012	2014/03/04	< .500	2015/03
1,1-DICHLOROETHANE	34496	012	2014/03/04	< .500	2015/03
1,1-DICHLOROETHYLENE	34501	012	2014/03/04	< .500	2015/03
1,2,4-TRICHLOROBENZENE	34551	012	2014/03/04	< .500	2015/03

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1900046

System Name: PETER PITCHESS HONOR RANCHO DETN. CTR

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1900046-016

Source Name: WELL 18R

Source Number: 016

Source Status: ACTIVE RAW

Water type: G

REGULATED VOC

1,2-DICHLORO BENZENE	34536	012	2014/03/04	< .500	2015/03
1,2-DICHLOROETHANE	34531	012	2014/03/04	< .500	2015/03
1,2-DICHLOROPROPANE	34541	012	2014/03/04	< .500	2015/03
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/03/04	< .500	2015/03
1,4-DICHLORO BENZENE	34571	012	2014/03/04	< .500	2015/03
BENZENE	34030	012	2014/03/04	< .500	2015/03
CARBON TETRACHLORIDE	32102	012	2014/03/04	< .500	2015/03
CIS-1,2-DICHLOROETHYLENE	77093	012	2014/03/04	< .500	2015/03
DICHLOROMETHANE	34423	012	2014/03/04	< .500	2015/03
ETHYLBENZENE	34371	012	2014/03/04	< .500	2015/03
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/04/08	< 3.000	2015/04
MONOCHLORO BENZENE	34301	012	2014/03/04	< .500	2015/03
STYRENE	77128	012	2014/03/04	< .500	2015/03
TETRACHLOROETHYLENE	34475	012	2014/03/04	< .500	2015/03
TOLUENE	34010	012	2014/03/04	< .500	2015/03
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/03/04	< .500	2015/03
TRICHLOROETHYLENE	39180	012	2014/03/04	< .500	2015/03
TRICHLOROFLUOROMETHANE	34488	012	2014/03/04	< 5.000	2015/03
VINYL CHLORIDE	39175	012	2014/03/04	< .500	2015/03
XYLENES (TOTAL)	81551	012	2014/03/04	< .500	2015/03

SECONDARY/GP

BICARBONATE ALKALINITY	00440	036	2014/04/08	. 213.000	2017/04
CALCIUM	00916	036	2014/04/08	. 112.000	2017/04
CARBONATE ALKALINITY	00445	036	2014/04/08	< 2.000	2017/04
CHLORIDE	00940	036	2014/04/08	. 98.900	2017/04
COLOR	00081	036	2014/04/08	< 5.000	2017/04
COPPER	01042	036	2014/04/08	< 50.000	2017/04
FOAMING AGENTS (MBAS)	38260	036	2014/04/08	< .050	2017/04
HARDNESS (TOTAL) AS CaCO3	00900	036	2014/04/08	. 490.000	2017/04

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1900046

System Name: PETER PITCHESS HONOR RANCHO DETN. CTR

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1900046-016

Source Name: WELL 18R

Source Number: 016

Source Status: ACTIVE RAW

Water type: G

SECONDARY/GP

HYDROXIDE ALKALINITY	71830	036	2014/04/08	< 2.000	2017/04
IRON	01045	036	2014/04/08	< 100.000	2017/04
MAGNESIUM	00927	036	2014/04/08	. 51.000	2017/04
MANGANESE	01055	036	2014/04/08	< 20.000	2017/04
ODOR THRESHOLD @ 60 C	00086	036	2014/04/08	< 1.000	2017/04
PH, LABORATORY	00403	036	2014/04/08	. 7.260	2017/04
SILVER	01077	036	2014/04/08	< 10.000	2017/04
SODIUM	00929	036	2014/04/08	. 131.000	2017/04
SPECIFIC CONDUCTANCE	00095	036	2014/04/08	. 1220.000	2017/04
SULFATE	00945	036	2014/04/08	. 331.000	2017/04
TOTAL DISSOLVED SOLIDS	70300	036	2014/04/08	. 954.000	2017/04
TURBIDITY, LABORATORY	82079	036	2014/04/08	< .100	2017/04
ZINC	01092	036	2014/04/08	< 50.000	2017/04

PS Code: 1900046-800

Source Name: SHR-003 - NORTH FACILITY - STG2 DBP

Source Number: 800

Source Status: DISTRIBUTION TREATED

Water type: G

HALOACETIC ACIDS

DIBROMOACETIC ACID (DBAA)	82721	000			DUE
DICHLOROACETIC ACID (DCAA)	77288	000			DUE
HALOACETIC ACIDS (5) (HAA5)	A-049	000			DUE
MONOBROMOACETIC ACID (MBAA)	A-041	000			DUE
MONOCHLOROACETIC ACID (MCAA)	A-042	000			DUE
TRICHLOROACETIC ACID (TCAA)	82723	000			DUE

STATE UCMR

BROMODICHLORMETHANE (THM)	32101	000			DUE
BROMOFORM (THM)	32104	000			DUE

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1900046

System Name: PETER PITCHESS HONOR RANCHO DETN. CTR

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1900046-800

Source Name: SHR-003 - NORTH FACILITY - STG2 DBP

Source Number: 800

Source Status: DISTRIBUTION TREATED

Water type: G

STATE UCMR

CHLOROFORM (THM)	32106	000		DUE
DIBROMOCHLOROMETHANE (THM)	32105	000		DUE

TRIHALOMETHANES

TOTAL TRIHALOMETHANES	82080	000		DUE
------------------------------	--------------	------------	--	------------

PS Code: 1900046-801

Source Name: SHR-004 - NW FIRE HYDRANT - STG2 DBP

Source Number: 801

Source Status: DISTRIBUTION TREATED

Water type: G

HALOACETIC ACIDS

DIBROMOACETIC ACID (DBAA)	82721	000		DUE
DICHLOROACETIC ACID (DCAA)	77288	000		DUE
HALOACETIC ACIDS (5) (HAA5)	A-049	000		DUE
MONOBROMOACETIC ACID (MBAA)	A-041	000		DUE
MONOCHLOROACETIC ACID (MCAA)	A-042	000		DUE
TRICHLOROACETIC ACID (TCAA)	82723	000		DUE

STATE UCMR

BROMODICHLORMETHANE (THM)	32101	000		DUE
BROMOFORM (THM)	32104	000		DUE
CHLOROFORM (THM)	32106	000		DUE
DIBROMOCHLOROMETHANE (THM)	32105	000		DUE

TRIHALOMETHANES

TOTAL TRIHALOMETHANES	82080	000		DUE
------------------------------	--------------	------------	--	------------

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1900523

System Name: WHITE FENCE FARMS MWC NO.3

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1900523-002

Source Name: WELL 02

Source Number: 002

Source Status: ACTIVE RAW

Water type: G

INORGANIC

ALUMINUM	01105	036	2013/04/12	< .000	2016/04
ANTIMONY	01097	036	2013/04/12	< .000	2016/04
ARSENIC	01002	036	2013/04/12	< .000	2016/04
ASBESTOS	81855	108	2011/04/11	. .000	2020/04
BARIUM	01007	036	2013/04/12	< .000	2016/04
BERYLLIUM	01012	036	2013/04/12	< .000	2016/04
CADMIUM	01027	036	2013/04/12	< .000	2016/04
CHROMIUM (TOTAL)	01034	036	2013/04/12	< .000	2016/04
CHROMIUM, HEXAVALENT	01032	036	2014/04/08	. 1.200	2017/04
CYANIDE	01291	036	2013/04/12	< .000	2016/04
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/03/10	. .170	2017/03
MERCURY	71900	036	2013/04/12	< .000	2016/04
NICKEL	01067	036	2013/04/12	< .000	2016/04
PERCHLORATE	A-031	036	2013/04/12	< .000	2016/04
SELENIUM	01147	036	2013/04/12	< .000	2016/04
THALLIUM	01059	036	2013/04/12	< .000	2016/04

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2014/07/15	. 71.000	2015/07
NITRITE (AS N)	00620	036	2013/04/12	< .000	2016/04

RADIOLOGICAL

GROSS ALPHA	01501	072	2008/12/24	3.810	2014/12
URANIUM (PCI/L)	28012	072	2012/09/04	. 2.400	2018/09

REGULATED SOC

2,3,7,8-TCDD (DIOXIN)	34676	036	2012/11/06	< 5.000	2015/11
2,4,5-TP (SILVEX)	39045	036	2013/04/12	< .000	2016/04
2,4-D	39730	036	2013/04/12	< .000	2016/04
ALACHLOR	77825	036	2013/04/12	< .000	2016/04
ATRAZINE	39033	036	2013/04/12	< .000	2016/04

*Testing interval is in months;
 0 = No data for this constituent and is DUE NOW
 I = Invalid (NOT) valid analyses reported
 Any analyses not listed as required for testing has been Waive (not required)

System Number: 1900523

System Name: WHITE FENCE FARMS MWC NO.3

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

PS Code: 1900523-002

Source Name: WELL 02

Source Number: 002

Source Status: ACTIVE RAW

Water type: G

REGULATED SOC

BENTAZON	38710	036	2013/04/12	< .000	2016/04
BENZO (A) PYRENE	34247	036	2013/04/12	< .000	2016/04
CARBOFURAN	81405	036	2013/04/12	< .000	2016/04
CHLORDANE	39350	036	2013/04/12	< .000	2016/04
DALAPON	38432	036	2013/04/12	< .000	2016/04
DI(2-ETHYLHEXYL)ADIPATE	A-026	036	2013/04/12	< .000	2016/04
DI(2-ETHYLHEXYL)PHTHALATE	39100	036	2013/04/12	< .000	2016/04
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2013/04/12	< .000	2016/04
DINOSEB	81287	036	2013/04/12	< .000	2016/04
DIQUAT	78885	036	2013/04/12	< 4.000	2016/04
ENDOTHALL	38926	036	2013/04/12	< .000	2016/04
ENDRIN	39390	036	2013/04/12	< .000	2016/04
ETHYLENE DIBROMIDE (EDB)	77651	036	2013/04/12	< .000	2016/04
GLYPHOSATE	79743	036	2013/04/12	< .000	2016/04
HEPTACHLOR	39410	036	2013/04/12	< .000	2016/04
HEPTACHLOR EPOXIDE	39420	036	2013/04/12	< .000	2016/04
HEXACHLOROBENZENE	39700	036	2013/04/12	< .000	2016/04
HEXACHLOROCYCLOPENTADIENE	34386	036	2013/04/12	< .000	2016/04
LINDANE	39340	036	2013/04/12	< .000	2016/04
METHOXYCHLOR	39480	036	2013/04/12	< .000	2016/04
MOLINATE	82199	036	2013/04/12	< .000	2016/04
OXAMYL	38865	036	2013/04/12	< .000	2016/04
PENTACHLOROPHENOL	39032	036	2013/04/12	< .000	2016/04
PICLORAM	39720	036	2013/04/12	< .000	2016/04
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	036	2013/04/12	< .000	2016/04
SIMAZINE	39055	036	2013/04/12	< .000	2016/04
THIOBENCARB	A-001	036	2013/04/12	< .000	2016/04
TOXAPHENE	39400	036	2013/04/12	< .000	2016/04

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1900523

System Name: WHITE FENCE FARMS MWC NO.3

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1900523-002

Source Name: WELL 02

Source Number: 002

Source Status: ACTIVE RAW

Water type: G

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	012	2014/04/08	< .000	2015/04
1,1,2,2-TETRACHLOROETHANE	34516	012	2014/04/08	< .000	2015/04
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/04/08	< .000	2015/04
1,1,2-TRICHLOROETHANE	34511	012	2014/04/08	< .000	2015/04
1,1-DICHLOROETHANE	34496	012	2014/04/08	< .000	2015/04
1,1-DICHLOROETHYLENE	34501	012	2014/04/08	< .000	2015/04
1,2,4-TRICHLOROBENZENE	34551	012	2014/04/08	< .000	2015/04
1,2-DICHLOROBENZENE	34536	012	2014/04/08	< .000	2015/04
1,2-DICHLOROETHANE	34531	012	2014/04/08	< .000	2015/04
1,2-DICHLOROPROPANE	34541	012	2014/04/08	< .000	2015/04
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/04/08	< .000	2015/04
1,4-DICHLOROBENZENE	34571	012	2014/04/08	< .000	2015/04
BENZENE	34030	012	2014/04/08	< .000	2015/04
CARBON TETRACHLORIDE	32102	012	2014/04/08	< .000	2015/04
CIS-1,2-DICHLOROETHYLENE	77093	012	2014/04/08	< .000	2015/04
DICHLOROMETHANE	34423	012	2014/04/08	< .000	2015/04
ETHYLBENZENE	34371	012	2014/04/08	< .000	2015/04
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/04/08	< .000	2015/04
MONOCHLOROBENZENE	34301	012	2014/04/08	< .000	2015/04
STYRENE	77128	012	2014/04/08	< .000	2015/04
TETRACHLOROETHYLENE	34475	012	2014/04/08	< .000	2015/04
TOLUENE	34010	012	2014/04/08	< .000	2015/04
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/04/08	< .000	2015/04
TRICHLOROETHYLENE	39180	012	2014/04/08	< .000	2015/04
TRICHLOROFUOROMETHANE	34488	012	2014/04/08	< .000	2015/04
VINYL CHLORIDE	39175	012	2014/04/08	< .000	2015/04
XYLENES (TOTAL)	81551	012	2014/04/08	< .000	2015/04

SECONDARY/GP

BICARBONATE ALKALINITY	00440	036	2014/03/10	. 280.000	2017/03
------------------------	-------	-----	------------	-----------	---------

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1900523

System Name: WHITE FENCE FARMS MWC NO.3

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1900523-002

Source Name: WELL 02

Source Number: 002

Source Status: ACTIVE RAW

Water type: G

SECONDARY/GP

CALCIUM	00916	036	2014/03/10	. 120.000	2017/03
CARBONATE ALKALINITY	00445	036	2014/03/10	< .000	2017/03
CHLORIDE	00940	036	2014/03/10	. 140.000	2017/03
COLOR	00081	036	2013/04/12	. 12.500	2016/04
COPPER	01042	036	2014/03/10	< .000	2017/03
FOAMING AGENTS (MBAS)	38260	036	2014/03/10	< .000	2017/03
HARDNESS (TOTAL) AS CaCO3	00900	036	2014/03/10	. 390.000	2017/03
HYDROXIDE ALKALINITY	71830	036	2014/03/10	< .000	2017/03
IRON	01045	036	2014/07/15	. 720.000	2017/07
MAGNESIUM	00927	036	2014/03/10	. 25.000	2017/03
MANGANESE	01055	036	2014/04/08	< .000	2017/04
ODOR THRESHOLD @ 60 C	00086	036	2013/04/12	1.000	2016/04
PH, LABORATORY	00403	036	2014/03/10	. 7.400	2017/03
SILVER	01077	036	2013/04/12	< .000	2016/04
SODIUM	00929	036	2014/03/10	. 180.000	2017/03
SPECIFIC CONDUCTANCE	00095	036	2014/03/10	. 1600.000	2017/03
SULFATE	00945	036	2014/03/10	. 360.000	2017/03
TOTAL DISSOLVED SOLIDS	70300	036	2014/07/15	. 1100.000	2017/07
TURBIDITY, LABORATORY	82079	036	2013/04/12	. 4.900	2016/04
ZINC	01092	036	2014/03/10	< .000	2017/03

PS Code: 1900523-003

Source Name: WELL 01A

Source Number: 003

Source Status: ACTIVE RAW

Water type: G

INORGANIC

ALUMINUM	01105	036	2013/04/09	. 83.000	2016/04
ANTIMONY	01097	036	2013/04/09	< .000	2016/04

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1900523

System Name: WHITE FENCE FARMS MWC NO.3

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1900523-003

Source Name: WELL 01A

Source Number: 003

Source Status: ACTIVE RAW

Water type: G

INORGANIC

ARSENIC	01002	036	2013/04/09	< .000	2016/04
ASBESTOS	81855	108	2011/04/11	. .000	2020/04
BARIUM	01007	036	2013/04/09	< .000	2016/04
BERYLLIUM	01012	036	2013/04/09	< .000	2016/04
CADMIUM	01027	036	2013/04/09	< .000	2016/04
CHROMIUM (TOTAL)	01034	036	2013/04/09	< .000	2016/04
CHROMIUM, HEXAVALENT	01032	036	2014/04/08	. 1.200	2017/04
CYANIDE	01291	036	2013/04/09	< .000	2016/04
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/03/10	. .190	2017/03
MERCURY	71900	036	2013/04/09	< .000	2016/04
NICKEL	01067	036	2013/04/09	< .000	2016/04
PERCHLORATE	A-031	036	2013/04/09	< .000	2016/04
SELENIUM	01147	036	2013/04/09	< .000	2016/04
THALLIUM	01059	036	2013/04/09	< .000	2016/04

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2014/07/01	. 18.000	2015/07
NITRITE (AS N)	00620	036	2013/04/09	< .000	2016/04

RADIOLOGICAL

GROSS ALPHA	01501	072	2010/05/04	< .000	2016/05
URANIUM (PCI/L)	28012	072	2012/09/04	. 3.200	2018/09

REGULATED SOC

2,3,7,8-TCDD (DIOXIN)	34676	036	2012/11/06	< 5.000	2015/11
2,4,5-TP (SILVEX)	39045	036	2013/04/09	< .000	2016/04
2,4-D	39730	036	2013/04/09	< .000	2016/04
ALACHLOR	77825	036	2013/04/09	< .000	2016/04
ATRAZINE	39033	036	2013/04/09	< .000	2016/04
BENTAZON	38710	036	2013/04/09	< .000	2016/04
BENZO (A) PYRENE	34247	036	2013/04/09	< .000	2016/04

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1900523

System Name: WHITE FENCE FARMS MWC NO.3

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1900523-003

Source Name: WELL 01A

Source Number: 003

Source Status: ACTIVE RAW

Water type: G

REGULATED SOC

CARBOFURAN	81405	036	2013/04/09	< .000	2016/04
CHLORDANE	39350	036	2013/04/09	< .000	2016/04
DALAPON	38432	036	2013/04/09	< .000	2016/04
DI(2-ETHYLHEXYL)ADIPATE	A-026	036	2013/04/09	< .000	2016/04
DI(2-ETHYLHEXYL)PHTHALATE	39100	036	2013/04/09	< .000	2016/04
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2013/04/09	< .000	2016/04
DINOSEB	81287	036	2013/04/09	< .000	2016/04
DIQUAT	78885	036	2013/04/09	< 4.000	2016/04
ENDOTHALL	38926	036	2013/04/09	< .000	2016/04
ENDRIN	39390	036	2013/04/09	< .000	2016/04
ETHYLENE DIBROMIDE (EDB)	77651	036	2013/04/09	< .000	2016/04
GLYPHOSATE	79743	036	2013/04/09	< .000	2016/04
HEPTACHLOR	39410	036	2013/04/09	< .000	2016/04
HEPTACHLOR EPOXIDE	39420	036	2013/04/09	< .000	2016/04
HEXACHLOROENZENE	39700	036	2013/04/09	< .000	2016/04
HEXACHLOROCYCLOPENTADIENE	34386	036	2013/04/09	< .000	2016/04
LINDANE	39340	036	2013/04/09	< .000	2016/04
METHOXYCHLOR	39480	036	2013/04/09	< .000	2016/04
MOLINATE	82199	036	2013/04/09	< .000	2016/04
OXAMYL	38865	036	2013/04/09	< .000	2016/04
PENTACHLOROPHENOL	39032	036	2013/04/09	< .000	2016/04
PICLORAM	39720	036	2013/04/09	< .000	2016/04
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	036	2013/04/09	< .000	2016/04
SIMAZINE	39055	036	2013/04/09	< .000	2016/04
THIOBENCARB	A-001	036	2013/04/09	< .000	2016/04
TOXAPHENE	39400	036	2013/04/09	< .000	2016/04

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	012	2014/04/08	< .000	2015/04
1,1,2,2-TETRACHLOROETHANE	34516	012	2014/04/08	< .000	2015/04

*Testing interval is in months;
 0 = No data for this constituent and is DUE NOW
 I = Invalid (NOT) valid analyses reported
 Any analyses not listed as required for testing has been Waive (not required)

System Number: 1900523

System Name: WHITE FENCE FARMS MWC NO.3

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1900523-003

Source Name: WELL 01A

Source Number: 003

Source Status: ACTIVE RAW

Water type: G

REGULATED VOC

1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/04/08	< .000	2015/04
1,1,2-TRICHLOROETHANE	34511	012	2014/04/08	< .000	2015/04
1,1-DICHLOROETHANE	34496	012	2014/04/08	< .000	2015/04
1,1-DICHLOROETHYLENE	34501	012	2014/04/08	< .000	2015/04
1,2,4-TRICHLOROBENZENE	34551	012	2014/04/08	< .000	2015/04
1,2-DICHLOROBENZENE	34536	012	2014/04/08	< .000	2015/04
1,2-DICHLOROETHANE	34531	012	2014/04/08	< .000	2015/04
1,2-DICHLOROPROPANE	34541	012	2014/04/08	< .000	2015/04
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/04/08	< .000	2015/04
1,4-DICHLOROBENZENE	34571	012	2014/04/08	< .000	2015/04
BENZENE	34030	012	2014/04/08	< .000	2015/04
CARBON TETRACHLORIDE	32102	012	2014/04/08	< .000	2015/04
CIS-1,2-DICHLOROETHYLENE	77093	012	2014/04/08	< .000	2015/04
DICHLOROMETHANE	34423	012	2014/04/08	< .000	2015/04
ETHYLBENZENE	34371	012	2014/04/08	< .000	2015/04
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/04/08	< .000	2015/04
MONOCHLOROBENZENE	34301	012	2014/04/08	< .000	2015/04
STYRENE	77128	012	2014/04/08	< .000	2015/04
TETRACHLOROETHYLENE	34475	012	2014/04/08	< .000	2015/04
TOLUENE	34010	012	2014/04/08	< .000	2015/04
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/04/08	< .000	2015/04
TRICHLOROETHYLENE	39180	012	2014/04/08	< .000	2015/04
TRICHLOROFUOROMETHANE	34488	012	2014/04/08	< .000	2015/04
VINYL CHLORIDE	39175	012	2014/04/08	< .000	2015/04
XYLENES (TOTAL)	81551	012	2014/04/08	< .000	2015/04

SECONDARY/GP

BICARBONATE ALKALINITY	00440	036	2014/03/10	. 300.000	2017/03
CALCIUM	00916	036	2014/03/10	. 140.000	2017/03
CARBONATE ALKALINITY	00445	036	2014/03/10	< .000	2017/03

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1900523

System Name: WHITE FENCE FARMS MWC NO.3

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1900523-003

Source Name: WELL 01A

Source Number: 003

Source Status: ACTIVE RAW

Water type: G

SECONDARY/GP

CHLORIDE	00940	036	2014/03/10	. 120.000	2017/03
COLOR	00081	036	2014/04/15	. 17.500	2017/04
COPPER	01042	036	2014/03/10	< .000	2017/03
FOAMING AGENTS (MBAS)	38260	036	2014/03/10	< .000	2017/03
HARDNESS (TOTAL) AS CaCO3	00900	036	2014/03/10	. 530.000	2017/03
HYDROXIDE ALKALINITY	71830	036	2014/03/10	< .000	2017/03
IRON	01045	036	2014/07/01	. 770.000	2017/07
MAGNESIUM	00927	036	2014/03/10	. 41.000	2017/03
MANGANESE	01055	036	2014/07/01	< .000	2017/07
ODOR THRESHOLD @ 60 C	00086	036	2014/04/15	. 1.000	2017/04
PH, LABORATORY	00403	036	2014/03/10	. 7.400	2017/03
SILVER	01077	036	2013/04/09	< .000	2016/04
SODIUM	00929	036	2014/03/10	. 160.000	2017/03
SPECIFIC CONDUCTANCE	00095	036	2014/03/10	. 1600.000	2017/03
SULFATE	00945	036	2014/03/10	. 420.000	2017/03
TOTAL DISSOLVED SOLIDS	70300	036	2014/07/01	. 1100.000	2017/07
TURBIDITY, LABORATORY	82079	036	2014/04/15	. 12.000	2017/04
ZINC	01092	036	2014/03/10	< .000	2017/03

PS Code: 1900523-004

Source Name: AVEK CONNECTION - TREATED

Source Number: 004

Source Status: PURCHASED TREATED

Water type: S

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

*Testing interval is in months;
 0 = No data for this constituent and is DUE NOW
 I = Invalid (NOT) valid analyses reported
 Any analyses not listed as required for testing has been Waive (not required)

System Number: 1900523

System Name: WHITE FENCE FARMS MWC NO.3

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1900523-006

Source Name: GENERAL PHYSICAL-DIST SYST SAMP SITE-TRT

Source Number: 006

Source Status: DISTRIBUTION TREATED

Water type: S

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

PS Code: 1900523-007

Source Name: COMBINED WELLS ENTRY POINT

Source Number: 007

Source Status: DISTRIBUTION TREATED

Water type: S

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

PS Code: 1900523-800

Source Name: SITE1-AVE O & 30TH ST W, HYD#65-STG2 DBP

Source Number: 800

Source Status: DISTRIBUTION TREATED

Water type: S

HALOACETIC ACIDS

DIBROMOACETIC ACID (DBAA)	82721	003	2014/04/08	. 5.500	2014/07
DICHLOROACETIC ACID (DCAA)	77288	003	2014/04/08	< .000	2014/07
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/04/08	. 5.500	2014/07
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/04/08	< .000	2014/07
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/04/08	< .000	2014/07
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/04/08	< .000	2014/07

STATE UCMR

BROMODICHLORMETHANE (THM)	32101	003	2014/04/08	. 3.400	2014/07
BROMOFORM (THM)	32104	003	2014/04/08	. 8.600	2014/07
CHLOROFORM (THM)	32106	003	2014/04/08	< .000	2014/07
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/04/08	. 10.200	2014/07

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1900523

System Name: WHITE FENCE FARMS MWC NO.3

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

PS Code: 1900523-800

Source Name: SITE1-AVE O & 30TH ST W, HYD#65-STG2 DBP

Source Number: 800

Source Status: DISTRIBUTION TREATED

Water type: S

TRihalOMETHANES

TOTAL TRIHALOMETHANES	82080	003	2014/04/08	. 22.200	2014/07
-----------------------	-------	-----	------------	----------	---------

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1909006

System Name: WEST VALLEY COUNTY WATER DISTRICT

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1909006-001

Source Name: WELL 01 - STANDBY

Source Number: 001

Source Status: STANDBY RAW

Water type: G

INORGANIC

ALUMINUM	01105	108	2006/07/18	< 10.000	2015/07
ANTIMONY	01097	108	2006/07/18	< 1.000	2015/07
ARSENIC	01002	108	2008/09/25	17.000	2017/09
ASBESTOS	81855	108			DUE
BARIUM	01007	108	2006/07/18	18.300	2015/07
BERYLLIUM	01012	108	2006/07/18	< .200	2015/07
CADMIUM	01027	108	2006/07/18	< .200	2015/07
CHROMIUM (TOTAL)	01034	108	2006/07/18	2.000	2015/07
CYANIDE	01291	108	2006/09/06	< 5.000	2015/09
FLUORIDE (F) (NATURAL-SOURCE)	00951	108	2006/07/18	.500	2015/07
MERCURY	71900	108	2006/07/18	< .020	2015/07
NICKEL	01067	108	2006/07/18	< 1.000	2015/07
PERCHLORATE	A-031	108	2008/06/12	< 1.000	2017/06
SELENIUM	01147	108	2006/07/18	< 2.000	2015/07
THALLIUM	01059	108	2006/07/18	< .200	2015/07

NITRATE/NITRITE

NITRATE (AS NO3)	71850	108	2008/06/12	14.800	2017/06
NITRITE (AS N)	00620	108	2006/07/18	< 100.000	2015/07

RADIOLOGICAL

GROSS ALPHA	01501	108	2007/12/13	3.110	2016/12
RADIUM 226	09501	108	2007/09/13	.000	2016/09
RADIUM 228	11501	108	2007/12/13	.000	2016/12
URANIUM (PCI/L)	28012	108	2007/12/13	5.880	2016/12

REGULATED SOC

DI(2-ETHYLHEXYL)PHTHALATE	39100	000			DUE
THIOBENCARB	A-001	108	2006/07/18	< 1.000	2015/07

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	108	2006/07/18	< .500	2015/07
-----------------------	-------	-----	------------	--------	---------

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1909006

System Name: WEST VALLEY COUNTY WATER DISTRICT

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1909006-001

Source Name: WELL 01 - STANDBY

Source Number: 001

Source Status: STANDBY RAW

Water type: G

REGULATED VOC

1,1,2,2-TETRACHLOROETHANE	34516	108	2006/07/18	< .500	2015/07
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	108	2006/07/18	< .500	2015/07
1,1,2-TRICHLOROETHANE	34511	108	2006/07/18	< .500	2015/07
1,1-DICHLOROETHANE	34496	108	2006/07/18	< .500	2015/07
1,1-DICHLOROETHYLENE	34501	108	2006/07/18	< .500	2015/07
1,2,4-TRICHLOROBENZENE	34551	108	2006/07/18	< .500	2015/07
1,2-DICHLOROBENZENE	34536	108	2006/07/18	< .500	2015/07
1,2-DICHLOROETHANE	34531	108	2006/07/18	< .500	2015/07
1,2-DICHLOROPROPANE	34541	108	2006/07/18	< .500	2015/07
1,3-DICHLOROPROPENE (TOTAL)	34561	108	2006/07/18	< .500	2015/07
1,4-DICHLOROBENZENE	34571	108	2006/07/18	< .500	2015/07
BENZENE	34030	108	2006/07/18	< .500	2015/07
CARBON TETRACHLORIDE	32102	108	2006/07/18	< .500	2015/07
CIS-1,2-DICHLOROETHYLENE	77093	108	2006/07/18	< .500	2015/07
DICHLOROMETHANE	34423	108	2006/07/18	< .500	2015/07
ETHYLBENZENE	34371	108	2006/07/18	< .500	2015/07
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	108	2006/07/18	< 1.000	2015/07
MONOCHLOROBENZENE	34301	108	2006/07/18	< .500	2015/07
STYRENE	77128	108	2006/07/18	< .500	2015/07
TETRACHLOROETHYLENE	34475	108	2006/07/18	< .500	2015/07
TOLUENE	34010	108	2006/07/18	< .500	2015/07
TRANS-1,2-DICHLOROETHYLENE	34546	108	2006/07/18	< .500	2015/07
TRICHLOROETHYLENE	39180	108	2006/07/18	< .500	2015/07
TRICHLOROFUOROMETHANE	34488	108	2006/07/18	< .500	2015/07
VINYL CHLORIDE	39175	108	2006/07/18	< .500	2015/07
XYLENES (TOTAL)	81551	108	2006/07/18	< .500	2015/07

SECONDARY/GP

BICARBONATE ALKALINITY	00440	108	2006/07/18	200.000	2015/07
CALCIUM	00916	108	2006/07/18	39.000	2015/07

*Testing interval is in months;
 0 = No data for this constituent and is DUE NOW
 I = Invalid (NOT) valid analyses reported
 Any analyses not listed as required for testing has been Waive (not required)

System Number: 1909006

System Name: WEST VALLEY COUNTY WATER DISTRICT

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1909006-001

Source Name: WELL 01 - STANDBY

Source Number: 001

Source Status: STANDBY RAW

Water type: G

SECONDARY/GP

CARBONATE ALKALINITY	00445	108	2006/07/18	< 10.000	2015/07
CHLORIDE	00940	108	2006/07/18	10.000	2015/07
COLOR	00081	108	2006/07/18	< 5.000	2015/07
COPPER	01042	108	2006/07/18	< 10.000	2015/07
FOAMING AGENTS (MBAS)	38260	108	2006/07/18	< .100	2015/07
HARDNESS (TOTAL) AS CaCO3	00900	108	2006/07/18	126.000	2015/07
HYDROXIDE ALKALINITY	71830	108	2006/07/18	< 10.000	2015/07
IRON	01045	108	2006/07/18	< 50.000	2015/07
MAGNESIUM	00927	108	2006/07/18	7.000	2015/07
MANGANESE	01055	108	2006/07/18	< 10.000	2015/07
ODOR THRESHOLD @ 60 C	00086	108	2006/07/18	< 1.000	2015/07
PH, LABORATORY	00403	108	2006/07/18	7.600	2015/07
SILVER	01077	108	2006/07/18	< 1.000	2015/07
SODIUM	00929	108	2006/07/18	47.000	2015/07
SPECIFIC CONDUCTANCE	00095	108	2006/07/18	472.000	2015/07
SULFATE	00945	108	2006/07/18	37.000	2015/07
TOTAL DISSOLVED SOLIDS	70300	108	2006/07/18	280.000	2015/07
TURBIDITY, LABORATORY	82079	108	2006/07/18	< .200	2015/07
ZINC	01092	108	2006/07/18	< 20.000	2015/07

PS Code: 1909006-003

Source Name: JOHN G. GAGLIONE WELL

Source Number: 003

Source Status: ACTIVE UNTREATED

Water type: G

INORGANIC

ALUMINUM	01105	036	2012/09/17	< 10.000	2015/09
ANTIMONY	01097	036	2012/09/17	< 1.000	2015/09
ARSENIC	01002	036	2012/09/17	. 5.000	2015/09

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1909006

System Name: WEST VALLEY COUNTY WATER DISTRICT

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1909006-003

Source Name: JOHN G. GAGLIONE WELL

Source Number: 003

Source Status: ACTIVE UNTREATED

Water type: G

INORGANIC

ASBESTOS	81855	108	2006/11/09	.000	2015/11
BARIUM	01007	036	2012/09/17	45.100	2015/09
BERYLLIUM	01012	036	2012/09/17	< 1.000	2015/09
CADMIUM	01027	036	2012/09/17	< .200	2015/09
CHROMIUM (TOTAL)	01034	036	2012/09/17	< 1.000	2015/09
CHROMIUM, HEXAVALENT	01032	000			DUE
CYANIDE	01291	036	2013/09/16	< .004	2016/09
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2012/09/17	.500	2015/09
MERCURY	71900	036	2012/09/17	< .020	2015/09
NICKEL	01067	036	2012/09/17	< 1.000	2015/09
PERCHLORATE	A-031	036	2011/09/29	< 2.000	2014/09
SELENIUM	01147	036	2012/09/17	< 2.000	2015/09
THALLIUM	01059	036	2012/09/17	< .200	2015/09

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2013/09/16	.12.200	2014/09
NITRITE (AS N)	00620	036	2012/09/17	< .100	2015/09

RADIOLOGICAL

GROSS ALPHA	01501	036	2013/10/02	.15.600	2016/10
URANIUM (PCI/L)	28012	036	2013/10/02	.11.700	2016/10

REGULATED SOC

DI(2-ETHYLHEXYL)PHTHALATE	39100	036	2013/09/16	< 3.000	2016/09
THIOBENCARB	A-001	036	2013/09/16	< 1.000	2016/09

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	012	2013/09/16	< .500	2014/09
1,1,2,2-TETRACHLOROETHANE	34516	012	2013/09/16	< .500	2014/09
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2013/09/16	< .500	2014/09
1,1,2-TRICHLOROETHANE	34511	012	2013/09/16	< .500	2014/09
1,1-DICHLOROETHANE	34496	012	2013/09/16	< .500	2014/09

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1909006

System Name: WEST VALLEY COUNTY WATER DISTRICT

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1909006-003

Source Name: JOHN G. GAGLIONE WELL

Source Number: 003

Source Status: ACTIVE UNTREATED

Water type: G

REGULATED VOC

1,1-DICHLOROETHYLENE	34501	012	2013/09/16	< .500	2014/09
1,2,4-TRICHLOROBENZENE	34551	012	2013/09/16	< .500	2014/09
1,2-DICHLOROBENZENE	34536	012	2013/09/16	< .500	2014/09
1,2-DICHLOROETHANE	34531	012	2013/09/16	< .500	2014/09
1,2-DICHLOROPROPANE	34541	012	2013/09/16	< .500	2014/09
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2013/09/16	< .500	2014/09
1,4-DICHLOROBENZENE	34571	012	2013/09/16	< .500	2014/09
BENZENE	34030	012	2013/09/16	< .500	2014/09
CARBON TETRACHLORIDE	32102	012	2013/09/16	< .500	2014/09
CIS-1,2-DICHLOROETHYLENE	77093	012	2013/09/16	< .500	2014/09
DICHLOROMETHANE	34423	012	2013/09/16	< .500	2014/09
ETHYLBENZENE	34371	012	2013/09/16	< .500	2014/09
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2013/09/16	< 1.000	2014/09
MONOCHLOROENZENE	34301	012	2013/09/16	< .500	2014/09
STYRENE	77128	012	2013/09/16	< .500	2014/09
TETRACHLOROETHYLENE	34475	012	2013/09/16	< .500	2014/09
TOLUENE	34010	012	2013/09/16	< .500	2014/09
TRANS-1,2-DICHLOROETHYLENE	34546	012	2013/09/16	< .500	2014/09
TRICHLOROETHYLENE	39180	012	2013/09/16	< .500	2014/09
TRICHLOROFUOROMETHANE	34488	012	2013/09/16	< .500	2014/09
VINYL CHLORIDE	39175	012	2013/09/16	< .500	2014/09
XYLENES (TOTAL)	81551	012	2013/09/16	< .500	2014/09

SECONDARY/GP

BICARBONATE ALKALINITY	00440	036	2012/09/17	. 250.000	2015/09
CALCIUM	00916	036	2012/09/17	. 55.000	2015/09
CARBONATE ALKALINITY	00445	036	2012/09/17	< 10.000	2015/09
CHLORIDE	00940	036	2012/09/17	. 10.000	2015/09
COLOR	00081	036	2012/09/17	< 5.000	2015/09
COPPER	01042	036	2012/09/17	< 10.000	2015/09

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1909006

System Name: WEST VALLEY COUNTY WATER DISTRICT

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1909006-003

Source Name: JOHN G. GAGLIONE WELL

Source Number: 003

Source Status: ACTIVE UNTREATED

Water type: G

SECONDARY/GP

FOAMING AGENTS (MBAS)	38260	036	2012/09/17	< .100	2015/09
HARDNESS (TOTAL) AS CaCO3	00900	036	2012/09/17	. 170.000	2015/09
HYDROXIDE ALKALINITY	71830	036	2012/09/17	< 10.000	2015/09
IRON	01045	036	2012/09/17	< 50.000	2015/09
MAGNESIUM	00927	036	2012/09/17	. 8.000	2015/09
MANGANESE	01055	036	2012/09/17	< 10.000	2015/09
ODOR THRESHOLD @ 60 C	00086	036	2012/09/20	< 1.000	2015/09
PH, LABORATORY	00403	036	2012/09/17	. 8.200	2015/09
SILVER	01077	036	2012/09/17	< 1.000	2015/09
SODIUM	00929	036	2012/09/17	34.000	2015/09
SPECIFIC CONDUCTANCE	00095	036	2012/09/17	. 477.000	2015/09
SULFATE	00945	036	2012/09/17	44.000	2015/09
TOTAL DISSOLVED SOLIDS	70300	036	2012/09/17	. 310.000	2015/09
TURBIDITY, LABORATORY	82079	036	2012/09/17	< .200	2015/09
ZINC	01092	036	2012/09/17	< 20.000	2015/09

PS Code: 1909006-800

Source Name: SITE 1 - CLUBHOUSE - STG2 DBP

Source Number: 800

Source Status: DISTRIBUTION TREATED

Water type: G

HALOACETIC ACIDS

DIBROMOACETIC ACID (DBAA)	82721	003	2014/07/16	< 1.000	2014/10
DICHLOROACETIC ACID (DCAA)	77288	003	2014/07/16	< 1.000	2014/10
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/07/16	< 1.000	2014/10
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/07/16	< 1.000	2014/10
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/07/16	< 2.000	2014/10
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/07/16	< 1.000	2014/10

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1909006

System Name: WEST VALLEY COUNTY WATER DISTRICT

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1909006-800

Source Name: SITE 1 - CLUBHOUSE - STG2 DBP

Source Number: 800

Source Status: DISTRIBUTION TREATED

Water type: G

STATE UCMR

BROMODICHLORMETHANE (THM)	32101	003	2014/07/16	. 1.300	2014/10
BROMOFORM (THM)	32104	003	2014/07/16	. .900	2014/10
CHLOROFORM (THM)	32106	003	2014/07/16	. .800	2014/10
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/07/16	. 1.700	2014/10

TRIHALOMETHANES

TOTAL TRIHALOMETHANES	82080	003	2014/07/16	. 4.700	2014/10
-----------------------	-------	-----	------------	---------	---------

PS Code: 1909006-801

Source Name: SITE 2 - LOT31 TRACT 27140 - STG2 DBP

Source Number: 801

Source Status: DISTRIBUTION TREATED

Water type: G

HALOACETIC ACIDS

DIBROMOACETIC ACID (DBAA)	82721	003	2014/07/16	< 1.000	2014/10
DICHLOROACETIC ACID (DCAA)	77288	003	2014/07/16	< 1.000	2014/10
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/07/16	< 1.000	2014/10
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/07/16	< 1.000	2014/10
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/07/16	< 2.000	2014/10
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/07/16	< 1.000	2014/10

STATE UCMR

BROMODICHLORMETHANE (THM)	32101	003	2014/07/16	. 1.300	2014/10
BROMOFORM (THM)	32104	003	2014/07/16	. 1.600	2014/10
CHLOROFORM (THM)	32106	003	2014/07/16	. .500	2014/10
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/07/16	. 1.700	2014/10

TRIHALOMETHANES

TOTAL TRIHALOMETHANES	82080	003	2014/07/16	. 5.100	2014/10
-----------------------	-------	-----	------------	---------	---------

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910003

System Name: CITY OF ARCADIA

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910003-007

Source Name: LIVE OAK WELL

Source Number: 007

Source Status: ACTIVE RAW

Water type: G

INORGANIC

ALUMINUM	01105	036	2014/06/10	< 50.000	2017/06
ANTIMONY	01097	036	2014/06/10	< 6.000	2017/06
ARSENIC	01002	036	2014/06/10	< 2.000	2017/06
BARIUM	01007	036	2014/06/10	< 100.000	2017/06
BERYLLIUM	01012	036	2014/06/10	< 1.000	2017/06
CADMIUM	01027	036	2014/06/10	< 1.000	2017/06
CHROMIUM (TOTAL)	01034	036	2014/06/10	< 10.000	2017/06
CHROMIUM, HEXAVALENT	01032	036	2013/09/05	< 2.200	2016/09
CYANIDE	01291	036	2014/06/10	< 100.000	2017/06
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/06/10	. 470	2017/06
MERCURY	71900	036	2014/06/10	< 1.000	2017/06
NICKEL	01067	036	2014/06/10	< 10.000	2017/06
PERCHLORATE	A-031	012	2014/07/10	< 4.000	2015/07
SELENIUM	01147	036	2014/06/10	< 5.000	2017/06
THALLIUM	01059	036	2014/06/10	< 1.000	2017/06

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2014/07/10	. 19.000	2015/07
NITRITE (AS N)	00620	036	2014/06/10	< 400.000	2017/06

RADIOLOGICAL

GROSS ALPHA	01501	108	2014/06/10	< 3.000	2023/06
RADIUM 226	09501	108	2007/09/04	< 1.000	2016/09
RADIUM 228	11501	108	2014/06/10	< .000	2023/06
URANIUM (PCI/L)	28012	072	2014/06/10	. 2.400	2020/06

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	012	2014/06/10	< .500	2015/06
1,1,2,2-TETRACHLOROETHANE	34516	012	2014/06/10	< .500	2015/06
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/06/10	< 10.000	2015/06
1,1,2-TRICHLOROETHANE	34511	012	2014/06/10	< .500	2015/06

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910003

System Name: CITY OF ARCADIA

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910003-007

Source Name: LIVE OAK WELL

Source Number: 007

Source Status: ACTIVE RAW

Water type: G

REGULATED VOC

1,1-DICHLOROETHANE	34496	012	2014/06/10	< .500	2015/06
1,1-DICHLOROETHYLENE	34501	012	2014/06/10	< .500	2015/06
1,2,4-TRICHLOROBENZENE	34551	012	2014/06/10	< .500	2015/06
1,2-DICHLOROBENZENE	34536	012	2014/06/10	< .500	2015/06
1,2-DICHLOROETHANE	34531	012	2014/06/10	< .500	2015/06
1,2-DICHLOROPROPANE	34541	012	2014/06/10	< .500	2015/06
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/05/28	< .500	2015/05
1,4-DICHLOROBENZENE	34571	012	2014/06/10	< .500	2015/06
BENZENE	34030	012	2014/06/10	< .500	2015/06
CARBON TETRACHLORIDE	32102	012	2014/06/10	< .500	2015/06
CIS-1,2-DICHLOROETHYLENE	77093	012	2014/06/10	< .500	2015/06
DICHLOROMETHANE	34423	012	2014/06/10	< .500	2015/06
ETHYLBENZENE	34371	012	2014/06/10	< .500	2015/06
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/06/10	< 3.000	2015/06
MONOCHLOROBENZENE	34301	012	2014/06/10	< .500	2015/06
STYRENE	77128	012	2014/06/10	< .500	2015/06
TETRACHLOROETHYLENE	34475	012	2014/06/11	< .500	2015/06
TOLUENE	34010	012	2014/06/10	< .500	2015/06
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/06/10	< .500	2015/06
TRICHLOROETHYLENE	39180	012	2014/07/10	. 2.000	2015/07
TRICHLOROFUOROMETHANE	34488	012	2014/06/10	< 5.000	2015/06
VINYL CHLORIDE	39175	012	2014/06/10	< .500	2015/06
XYLENES (TOTAL)	81551	012	2014/06/10	< .000	2015/06

SECONDARY/GP

BICARBONATE ALKALINITY	00440	036	2014/06/10	. 240.000	2017/06
CALCIUM	00916	036	2014/06/10	. 58.000	2017/06
CARBONATE ALKALINITY	00445	036	2014/06/10	< .000	2017/06
CHLORIDE	00940	036	2014/06/10	. 18.000	2017/06
COLOR	00081	036	2014/06/10	< .000	2017/06

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910003

System Name: CITY OF ARCADIA

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910003-007

Source Name: LIVE OAK WELL

Source Number: 007

Source Status: ACTIVE RAW

Water type: G

SECONDARY/GP

COPPER	01042	036	2014/06/10	< 50.000	2017/06
FOAMING AGENTS (MBAS)	38260	036	2014/06/10	. 055	2017/06
HARDNESS (TOTAL) AS CaCO3	00900	036	2014/06/10	. 210.000	2017/06
HYDROXIDE ALKALINITY	71830	036	2014/06/10	< .000	2017/06
IRON	01045	036	2014/06/10	< 100.000	2017/06
MAGNESIUM	00927	036	2014/06/10	. 15.000	2017/06
MANGANESE	01055	036	2014/06/10	< 20.000	2017/06
ODOR THRESHOLD @ 60 C	00086	036	2014/06/10	. 1.000	2017/06
PH, LABORATORY	00403	036	2014/06/10	. 7.660	2017/06
SILVER	01077	036	2014/06/10	< 10.000	2017/06
SODIUM	00929	036	2014/06/10	. 18.000	2017/06
SPECIFIC CONDUCTANCE	00095	036	2014/06/10	. 490.000	2017/06
SULFATE	00945	036	2014/06/10	. 31.000	2017/06
TOTAL DISSOLVED SOLIDS	70300	036	2014/06/10	. 300.000	2017/06
TURBIDITY, LABORATORY	82079	036	2014/06/10	< .000	2017/06
ZINC	01092	036	2014/06/10	< 50.000	2017/06

PS Code: 1910003-008

Source Name: LONGDEN WELL 01

Source Number: 008

Source Status: ACTIVE RAW

Water type: G

INORGANIC

ALUMINUM	01105	036	2014/06/10	< 50.000	2017/06
ANTIMONY	01097	036	2014/06/10	< 6.000	2017/06
ARSENIC	01002	036	2014/06/10	< 2.000	2017/06
BARIUM	01007	036	2014/06/10	< 100.000	2017/06
BERYLLIUM	01012	036	2014/06/10	< 1.000	2017/06
CADMIUM	01027	036	2014/06/10	< 1.000	2017/06

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910003

System Name: CITY OF ARCADIA

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910003-008

Source Name: LONGDEN WELL 01

Source Number: 008

Source Status: ACTIVE RAW

Water type: G

INORGANIC

CHROMIUM (TOTAL)	01034	036	2014/06/10	< 10.000	2017/06
CHROMIUM, HEXAVALENT	01032	036	2013/09/05	. 1.500	2016/09
CYANIDE	01291	036	2014/06/10	< 100.000	2017/06
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/06/10	. .360	2017/06
MERCURY	71900	036	2014/06/10	< 1.000	2017/06
NICKEL	01067	036	2014/06/10	< 10.000	2017/06
PERCHLORATE	A-031	012	2014/07/10	< 4.000	2015/07
SELENIUM	01147	036	2014/06/10	< 5.000	2017/06
THALLIUM	01059	036	2014/06/10	< 1.000	2017/06

NITRATE/NITRITE

NITRATE (AS NO3)	71850	003	2014/07/10	. 23.000	2014/10
NITRITE (AS N)	00620	036	2014/06/10	< 400.000	2017/06

RADIOLOGICAL

GROSS ALPHA	01501	108	2014/06/10	< 3.000	2023/06
RADIUM 226	09501	108	2006/06/27	.000	2015/06
RADIUM 228	11501	108	2014/06/10	. .249	2023/06
URANIUM (PCI/L)	28012	108	2014/06/10	. 2.500	2023/06

REGULATED SOC

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2012/12/03	< 3.000	2015/09
---------------------------	-------	-----	------------	---------	---------

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	012	2014/06/10	< .500	2015/06
1,1,2,2-TETRACHLOROETHANE	34516	012	2014/06/10	< .500	2015/06
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/06/10	< 10.000	2015/06
1,1,2-TRICHLOROETHANE	34511	012	2014/06/10	< .500	2015/06
1,1-DICHLOROETHANE	34496	001	2014/06/10	< .500	2014/07
1,1-DICHLOROETHYLENE	34501	001	2014/07/08	< .500	2014/08
1,2,4-TRICHLOROBENZENE	34551	012	2014/06/10	< .500	2015/06
1,2-DICHLOROBENZENE	34536	012	2014/06/10	< .500	2015/06

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910003

System Name: CITY OF ARCADIA

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910003-008

Source Name: LONGDEN WELL 01

Source Number: 008

Source Status: ACTIVE RAW

Water type: G

REGULATED VOC

1,2-DICHLOROETHANE	34531	012	2014/07/08	< .500	2015/07
1,2-DICHLOROPROPANE	34541	012	2014/06/10	< .500	2015/06
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/04/03	< .500	2015/04
1,4-DICHLOROBENZENE	34571	012	2014/06/10	< .500	2015/06
BENZENE	34030	012	2014/06/10	< .500	2015/06
CARBON TETRACHLORIDE	32102	012	2014/06/10	< .500	2015/06
CIS-1,2-DICHLOROETHYLENE	77093	012	2014/06/10	< .500	2015/06
DICHLOROMETHANE	34423	012	2014/06/10	< .500	2015/06
ETHYLBENZENE	34371	012	2014/06/10	< .500	2015/06
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/06/10	< 3.000	2015/06
MONOCHLOROENZENE	34301	012	2014/06/10	< .500	2015/06
STYRENE	77128	012	2014/06/10	< .500	2015/06
TETRACHLOROETHYLENE	34475	001	2014/07/10	. 890	2014/08
TOLUENE	34010	012	2014/06/10	< .500	2015/06
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/06/10	< .500	2015/06
TRICHLOROETHYLENE	39180	001	2014/07/10	< .500	2014/08
TRICHLOROFLUOROMETHANE	34488	012	2014/06/10	< 5.000	2015/06
VINYL CHLORIDE	39175	012	2014/06/10	< .500	2015/06
XYLENES (TOTAL)	81551	012	2014/06/10	< .000	2015/06

SECONDARY/GP

BICARBONATE ALKALINITY	00440	036	2014/06/10	. 240.000	2017/06
CALCIUM	00916	036	2014/06/10	. 63.600	2017/06
CARBONATE ALKALINITY	00445	036	2014/06/10	< .000	2017/06
CHLORIDE	00940	036	2014/06/10	. 24.000	2017/06
COLOR	00081	036	2014/06/10	< .000	2017/06
COPPER	01042	036	2014/06/10	< 50.000	2017/06
FOAMING AGENTS (MBAS)	38260	036	2014/06/10	< .000	2017/06
HARDNESS (TOTAL) AS CaCO3	00900	036	2014/06/10	. 220.000	2017/06
HYDROXIDE ALKALINITY	71830	036	2014/06/10	< .000	2017/06

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910003

System Name: CITY OF ARCADIA

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910003-008

Source Name: LONGDEN WELL 01

Source Number: 008

Source Status: ACTIVE RAW

Water type: G

SECONDARY/GP

IRON	01045	036	2014/06/10	< 100.000	2017/06
MAGNESIUM	00927	036	2014/06/10	. 16.000	2017/06
MANGANESE	01055	036	2014/06/10	< 20.000	2017/06
ODOR THRESHOLD @ 60 C	00086	036	2014/06/10	. 1.000	2017/06
PH, LABORATORY	00403	036	2014/06/10	. 7.260	2017/06
SILVER	01077	036	2014/06/10	< 10.000	2017/06
SODIUM	00929	036	2014/06/10	. 16.000	2017/06
SPECIFIC CONDUCTANCE	00095	036	2014/06/10	. 520.000	2017/06
SULFATE	00945	036	2014/06/10	. 34.000	2017/06
TOTAL DISSOLVED SOLIDS	70300	036	2014/06/10	. 310.000	2017/06
TURBIDITY, LABORATORY	82079	036	2014/06/10	< .000	2017/06
ZINC	01092	036	2014/06/10	< 50.000	2017/06

PS Code: 1910003-009

Source Name: LONGDEN WELL 02

Source Number: 009

Source Status: ACTIVE RAW

Water type: G

INORGANIC

ALUMINUM	01105	036	2014/06/10	< 50.000	2017/06
ANTIMONY	01097	036	2014/06/10	< 6.000	2017/06
ARSENIC	01002	036	2014/06/10	< 2.000	2017/06
BARIUM	01007	036	2014/06/10	< 100.000	2017/06
BERYLLIUM	01012	036	2014/06/10	< 1.000	2017/06
CADMIUM	01027	036	2014/06/10	< 1.000	2017/06
CHROMIUM (TOTAL)	01034	036	2014/06/10	< 10.000	2017/06
CHROMIUM, HEXAVALENT	01032	036	2013/09/05	. 2.600	2016/09
CYANIDE	01291	036	2014/06/10	< 100.000	2017/06
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/06/10	. .380	2017/06

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910003

System Name: CITY OF ARCADIA

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910003-009

Source Name: LONGDEN WELL 02

Source Number: 009

Source Status: ACTIVE RAW

Water type: G

INORGANIC

MERCURY	71900	036	2014/06/10	< 1.000	2017/06
NICKEL	01067	036	2014/06/10	< 10.000	2017/06
PERCHLORATE	A-031	012	2014/07/10	< 4.000	2015/07
SELENIUM	01147	036	2014/06/10	< 5.000	2017/06
THALLIUM	01059	036	2014/06/10	< 1.000	2017/06

NITRATE/NITRITE

NITRATE (AS NO3)	71850	003	2014/07/10	. 37.000	2014/10
NITRITE (AS N)	00620	036	2014/06/10	< 400.000	2017/06

RADIOLOGICAL

GROSS ALPHA	01501	108	2014/06/10	< 3.000	2023/06
RADIUM 226	09501	108	2007/09/04	< 1.000	2016/09
RADIUM 228	11501	108	2014/06/10	. .001	2023/06
URANIUM (PCI/L)	28012	072	2014/06/10	. 3.300	2020/06

REGULATED SOC

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2012/12/03	< 3.000	2015/09
---------------------------	-------	-----	------------	---------	---------

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	012	2014/06/10	< .500	2015/06
1,1,1,2-TETRACHLOROETHANE	34516	012	2014/06/10	< .500	2015/06
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/06/10	< 10.000	2015/06
1,1,2-TRICHLOROETHANE	34511	012	2014/06/10	< .500	2015/06
1,1-DICHLOROETHANE	34496	001	2014/06/10	< .500	2014/07
1,1-DICHLOROETHYLENE	34501	001	2014/07/08	< .500	2014/08
1,2,4-TRICHLOROBENZENE	34551	012	2014/06/10	< .500	2015/06
1,2-DICHLOROBENZENE	34536	012	2014/06/10	< .500	2015/06
1,2-DICHLOROETHANE	34531	012	2014/07/08	< .500	2015/07
1,2-DICHLOROPROPANE	34541	012	2014/06/10	< .500	2015/06
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/01/13	< .500	2015/01
1,4-DICHLOROBENZENE	34571	012	2014/06/10	< .500	2015/06

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910003

System Name: CITY OF ARCADIA

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910003-009

Source Name: LONGDEN WELL 02

Source Number: 009

Source Status: ACTIVE RAW

Water type: G

REGULATED VOC

BENZENE	34030	012	2014/06/10	< .500	2015/06
CARBON TETRACHLORIDE	32102	012	2014/06/10	< .500	2015/06
CIS-1,2-DICHLOROETHYLENE	77093	012	2014/06/10	< .500	2015/06
DICHLOROMETHANE	34423	012	2014/06/10	< .500	2015/06
ETHYLBENZENE	34371	012	2014/06/10	< .500	2015/06
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/06/10	< 3.000	2015/06
MONOCHLOROBENZENE	34301	012	2014/06/10	< .500	2015/06
STYRENE	77128	012	2014/06/10	< .500	2015/06
TETRACHLOROETHYLENE	34475	001	2014/07/10	. 1.300	2014/08
TOLUENE	34010	012	2014/06/10	< .500	2015/06
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/06/10	< .500	2015/06
TRICHLOROETHYLENE	39180	001	2014/07/10	. .710	2014/08
TRICHLOROFUOROMETHANE	34488	012	2014/06/10	< 5.000	2015/06
VINYL CHLORIDE	39175	012	2014/06/10	< .500	2015/06
XYLENES (TOTAL)	81551	012	2014/06/10	< .000	2015/06

SECONDARY/GP

BICARBONATE ALKALINITY	00440	036	2014/06/10	. 240.000	2017/06
CALCIUM	00916	036	2014/06/10	. 66.900	2017/06
CARBONATE ALKALINITY	00445	036	2014/06/10	< .000	2017/06
CHLORIDE	00940	036	2014/06/10	. 24.000	2017/06
COLOR	00081	036	2014/06/10	< .000	2017/06
COPPER	01042	036	2014/06/10	< 50.000	2017/06
FOAMING AGENTS (MBAS)	38260	036	2014/06/10	< .000	2017/06
HARDNESS (TOTAL) AS CaCO3	00900	036	2014/06/10	. 240.000	2017/06
HYDROXIDE ALKALINITY	71830	036	2014/06/10	< .000	2017/06
IRON	01045	036	2014/06/10	< 100.000	2017/06
MAGNESIUM	00927	036	2014/06/10	. 18.000	2017/06
MANGANESE	01055	036	2014/06/10	< 20.000	2017/06
ODOR THRESHOLD @ 60 C	00086	036	2014/06/10	. 1.000	2017/06

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910003

System Name: CITY OF ARCADIA

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910003-009

Source Name: LONGDEN WELL 02

Source Number: 009

Source Status: ACTIVE RAW

Water type: G

SECONDARY/GP

PH, LABORATORY	00403	036	2014/06/10	. 7.540	2017/06
SILVER	01077	036	2014/06/10	< 10.000	2017/06
SODIUM	00929	036	2014/06/10	. 16.000	2017/06
SPECIFIC CONDUCTANCE	00095	036	2014/06/10	. 550.000	2017/06
SULFATE	00945	036	2014/06/10	. 35.000	2017/06
TOTAL DISSOLVED SOLIDS	70300	036	2014/06/10	. 330.000	2017/06
TURBIDITY, LABORATORY	82079	036	2014/06/10	< .000	2017/06
ZINC	01092	036	2014/06/10	< 50.000	2017/06

PS Code: 1910003-011

Source Name: ORANGE GROVE WELL 01-A

Source Number: 011

Source Status: ACTIVE RAW

Water type: G

INORGANIC

ALUMINUM	01105	036	2012/06/11	< 50.000	2015/06
ANTIMONY	01097	036	2012/06/11	< 6.000	2015/06
ARSENIC	01002	036	2012/06/11	< 2.000	2015/06
BARIUM	01007	036	2012/06/11	< 100.000	2015/06
BERYLLIUM	01012	036	2012/06/11	< 1.000	2015/06
CADMIUM	01027	036	2012/06/11	< 1.000	2015/06
CHROMIUM (TOTAL)	01034	036	2012/06/11	< 10.000	2015/06
CHROMIUM, HEXAVALENT	01032	036	2013/09/23	. 3.900	2016/09
CYANIDE	01291	036	2012/06/11	< 100.000	2015/06
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2012/06/11	. .520	2015/06
MERCURY	71900	036	2012/06/11	< 1.000	2015/06
NICKEL	01067	036	2012/06/11	< 10.000	2015/06
PERCHLORATE	A-031	012	2014/07/10	< 4.000	2015/07
SELENIUM	01147	036	2012/06/11	< 5.000	2015/06

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910003

System Name: CITY OF ARCADIA

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910003-011

Source Name: ORANGE GROVE WELL 01-A

Source Number: 011

Source Status: ACTIVE RAW

Water type: G

INORGANIC

THALLIUM	01059	036	2012/06/11	< 1.000	2015/06
----------	-------	-----	------------	---------	---------

NITRATE/NITRITE

NITRATE (AS NO3)	71850	003	2014/07/08	. 23.000	2014/10
------------------	-------	-----	------------	----------	---------

NITRITE (AS N)	00620	036	2012/06/11	< 400.000	2015/06
----------------	-------	-----	------------	-----------	---------

RADIOLOGICAL

GROSS ALPHA	01501	072	2012/03/12	. 6.310	2018/03
-------------	-------	-----	------------	---------	---------

RADIUM 226	09501	108	2006/03/02	.000	2015/03
------------	-------	-----	------------	------	---------

RADIUM 228	11501	108	2006/03/02	.000	2015/03
------------	-------	-----	------------	------	---------

URANIUM (PCI/L)	28012	072	2012/03/12	. 3.100	2018/03
-----------------	-------	-----	------------	---------	---------

REGULATED SOC

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2014/07/10	< 3.000	2017/04
---------------------------	-------	-----	------------	---------	---------

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	012	2014/04/03	< .500	2015/04
-----------------------	-------	-----	------------	--------	---------

1,1,2,2-TETRACHLOROETHANE	34516	012	2014/04/03	< .500	2015/04
---------------------------	-------	-----	------------	--------	---------

1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/04/03	< 10.000	2015/04
---------------------------------------	-------	-----	------------	----------	---------

1,1,2-TRICHLOROETHANE	34511	012	2014/04/03	< .500	2015/04
-----------------------	-------	-----	------------	--------	---------

1,1-DICHLOROETHANE	34496	012	2014/04/03	< .500	2015/04
--------------------	-------	-----	------------	--------	---------

1,1-DICHLOROETHYLENE	34501	012	2014/04/03	< .500	2015/04
----------------------	-------	-----	------------	--------	---------

1,2,4-TRICHLOROBENZENE	34551	012	2014/04/03	< .500	2015/04
------------------------	-------	-----	------------	--------	---------

1,2-DICHLOROBENZENE	34536	012	2014/04/03	< .500	2015/04
---------------------	-------	-----	------------	--------	---------

1,2-DICHLOROETHANE	34531	012	2014/04/03	< .500	2015/04
--------------------	-------	-----	------------	--------	---------

1,2-DICHLOROPROPANE	34541	012	2014/04/03	< .500	2015/04
---------------------	-------	-----	------------	--------	---------

1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/04/03	< .500	2015/04
-----------------------------	-------	-----	------------	--------	---------

1,4-DICHLOROBENZENE	34571	012	2014/04/03	< .500	2015/04
---------------------	-------	-----	------------	--------	---------

BENZENE	34030	012	2014/04/03	< .500	2015/04
---------	-------	-----	------------	--------	---------

CARBON TETRACHLORIDE	32102	012	2014/04/03	< .500	2015/04
----------------------	-------	-----	------------	--------	---------

CIS-1,2-DICHLOROETHYLENE	77093	012	2014/04/03	< .500	2015/04
--------------------------	-------	-----	------------	--------	---------

DICHLOROMETHANE	34423	012	2014/04/03	< .500	2015/04
-----------------	-------	-----	------------	--------	---------

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910003

System Name: CITY OF ARCADIA

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910003-011

Source Name: ORANGE GROVE WELL 01-A

Source Number: 011

Source Status: ACTIVE RAW

Water type: G

REGULATED VOC

ETHYLBENZENE	34371	012	2014/04/03	< .500	2015/04
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/04/03	< 3.000	2015/04
MONOCHLORO BENZENE	34301	012	2014/04/03	< .500	2015/04
STYRENE	77128	012	2014/04/03	< .500	2015/04
TETRACHLOROETHYLENE	34475	001	2014/07/08	. 1.200	2014/08
TOLUENE	34010	012	2014/04/03	< .500	2015/04
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/04/03	< .500	2015/04
TRICHLOROETHYLENE	39180	001	2014/07/08	. 1.100	2014/08
TRICHLOROFUOROMETHANE	34488	012	2014/04/03	< 5.000	2015/04
VINYL CHLORIDE	39175	012	2014/04/03	< .500	2015/04
XYLENES (TOTAL)	81551	012	2014/04/03	< .000	2015/04

SECONDARY/GP

BICARBONATE ALKALINITY	00440	036	2012/06/11	. 250.000	2015/06
CALCIUM	00916	036	2012/06/11	. 57.000	2015/06
CARBONATE ALKALINITY	00445	036	2012/06/11	< .000	2015/06
CHLORIDE	00940	036	2012/06/11	. 25.000	2015/06
COLOR	00081	036	2012/06/11	< .000	2015/06
COPPER	01042	036	2012/06/11	< 50.000	2015/06
FOAMING AGENTS (MBAS)	38260	036	2012/06/11	< .000	2015/06
HARDNESS (TOTAL) AS CaCO3	00900	036	2012/06/11	. 160.000	2015/06
HYDROXIDE ALKALINITY	71830	036	2012/06/11	< .000	2015/06
IRON	01045	036	2012/06/11	< 100.000	2015/06
MAGNESIUM	00927	036	2012/06/11	. 5.300	2015/06
MANGANESE	01055	036	2012/06/11	< 20.000	2015/06
ODOR THRESHOLD @ 60 C	00086	036	2012/06/11	1.000	2015/06
PH, LABORATORY	00403	036	2009/07/14	7.800	2012/07 DUE
SILVER	01077	036	2012/06/11	< 10.000	2015/06
SODIUM	00929	036	2012/06/11	48.000	2015/06
SPECIFIC CONDUCTANCE	00095	036	2012/06/11	. 510.000	2015/06

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910003

System Name: CITY OF ARCADIA

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910003-011

Source Name: ORANGE GROVE WELL 01-A

Source Number: 011

Source Status: ACTIVE RAW

Water type: G

SECONDARY/GP

SULFATE	00945	036	2012/06/11	41.000	2015/06
TOTAL DISSOLVED SOLIDS	70300	036	2012/06/11	320.000	2015/06
TURBIDITY, LABORATORY	82079	036	2012/06/11	< .000	2015/06
ZINC	01092	036	2012/06/11	< 50.000	2015/06

PS Code: 1910003-012

Source Name: ORANGE GROVE WELL 02-A

Source Number: 012

Source Status: ACTIVE RAW

Water type: G

INORGANIC

ALUMINUM	01105	036	2012/06/11	< 50.000	2015/06
ANTIMONY	01097	036	2012/06/11	< 6.000	2015/06
ARSENIC	01002	036	2012/06/11	< 2.000	2015/06
BARIUM	01007	036	2012/06/11	< 100.000	2015/06
BERYLLIUM	01012	036	2012/06/11	< 1.000	2015/06
CADMIUM	01027	036	2012/06/11	< 1.000	2015/06
CHROMIUM (TOTAL)	01034	036	2012/06/11	< 10.000	2015/06
CHROMIUM, HEXAVALENT	01032	036	2013/12/10	. 4.700	2016/12
CYANIDE	01291	036	2012/06/11	< 100.000	2015/06
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2012/06/11	. 830	2015/06
MERCURY	71900	036	2012/06/11	< 1.000	2015/06
NICKEL	01067	036	2012/06/11	< 10.000	2015/06
PERCHLORATE	A-031	012	2013/12/10	< .000	2014/12
SELENIUM	01147	036	2012/06/11	< 5.000	2015/06
THALLIUM	01059	036	2012/06/11	< 1.000	2015/06

NITRATE/NITRITE

NITRATE (AS NO3)	71850	003	2014/07/08	. 27.000	2014/10
NITRITE (AS N)	00620	036	2012/06/11	< 400.000	2015/06

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910003

System Name: CITY OF ARCADIA

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910003-012

Source Name: ORANGE GROVE WELL 02-A

Source Number: 012

Source Status: ACTIVE RAW

Water type: G

RADIOLOGICAL

GROSS ALPHA	01501	072	2012/03/12	. 3.350	2018/03
RADIUM 226	09501	108	2006/03/02	.000	2015/03
RADIUM 228	11501	108	2006/03/02	.000	2015/03
URANIUM (PCI/L)	28012	072	2012/03/12	. 2.000	2018/03

REGULATED SOC

DI(2-ETHYLHEXYL)PHthalate	39100	033	2014/07/10	< 3.000	2017/04
---------------------------	-------	-----	------------	---------	---------

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	012	2014/04/03	< .500	2015/04
1,1,2,2-TETRACHLOROETHANE	34516	012	2014/04/03	< .500	2015/04
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/04/03	< 10.000	2015/04
1,1,2-TRICHLOROETHANE	34511	012	2014/04/03	< .500	2015/04
1,1-DICHLOROETHANE	34496	012	2014/04/03	< .500	2015/04
1,1-DICHLOROETHYLENE	34501	012	2014/04/03	< .500	2015/04
1,2,4-TRICHLOROBENZENE	34551	012	2014/04/03	< .500	2015/04
1,2-DICHLOROBENZENE	34536	012	2014/04/03	< .500	2015/04
1,2-DICHLOROETHANE	34531	012	2014/04/03	< .500	2015/04
1,2-DICHLOROPROPANE	34541	012	2014/04/03	< .500	2015/04
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/04/03	< .500	2015/04
1,4-DICHLOROBENZENE	34571	012	2014/04/03	< .500	2015/04
BENZENE	34030	012	2014/04/03	< .500	2015/04
CARBON TETRACHLORIDE	32102	012	2014/04/03	< .500	2015/04
CIS-1,2-DICHLOROETHYLENE	77093	012	2014/04/03	< .500	2015/04
DICHLOROMETHANE	34423	012	2014/04/03	< .500	2015/04
ETHYLBENZENE	34371	012	2014/04/03	< .500	2015/04
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/04/03	< 3.000	2015/04
MONOCHLOROBENZENE	34301	012	2014/04/03	< .500	2015/04
STYRENE	77128	012	2014/04/03	< .500	2015/04
TETRACHLOROETHYLENE	34475	001	2014/07/08	. 1.700	2014/08
TOLUENE	34010	012	2014/04/03	< .500	2015/04

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910003

System Name: CITY OF ARCADIA

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910003-012

Source Name: ORANGE GROVE WELL 02-A

Source Number: 012

Source Status: ACTIVE RAW

Water type: G

REGULATED VOC

TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/04/03	< .500	2015/04
TRICHLOROETHYLENE	39180	001	2014/07/08	. 2.000	2014/08
TRICHLOROFUOROMETHANE	34488	012	2014/04/03	< 5.000	2015/04
VINYL CHLORIDE	39175	012	2014/04/03	< .500	2015/04
XYLENES (TOTAL)	81551	012	2014/04/03	< .000	2015/04

SECONDARY/GP

BICARBONATE ALKALINITY	00440	036	2012/06/11	. 260.000	2015/06
CALCIUM	00916	036	2012/06/11	. 49.000	2015/06
CARBONATE ALKALINITY	00445	036	2012/06/11	< .000	2015/06
CHLORIDE	00940	036	2012/06/11	. 22.000	2015/06
COLOR	00081	036	2012/06/11	< .000	2015/06
COPPER	01042	036	2012/06/11	< 50.000	2015/06
FOAMING AGENTS (MBAS)	38260	036	2012/06/11	< .000	2015/06
HARDNESS (TOTAL) AS CaCO3	00900	036	2012/06/11	. 140.000	2015/06
HYDROXIDE ALKALINITY	71830	036	2012/06/11	< .000	2015/06
IRON	01045	036	2012/06/11	< 100.000	2015/06
MAGNESIUM	00927	036	2012/06/11	. 4.900	2015/06
MANGANESE	01055	036	2012/06/11	< 20.000	2015/06
ODOR THRESHOLD @ 60 C	00086	036	2012/06/11	1.000	2015/06
PH, LABORATORY	00403	036	2009/07/14	7.800	2012/07 DUE
SILVER	01077	036	2012/06/11	< 10.000	2015/06
SODIUM	00929	036	2012/06/11	66.000	2015/06
SPECIFIC CONDUCTANCE	00095	036	2012/06/11	. 560.000	2015/06
SULFATE	00945	036	2012/06/11	51.000	2015/06
TOTAL DISSOLVED SOLIDS	70300	036	2012/06/11	. 350.000	2015/06
TURBIDITY, LABORATORY	82079	036	2012/06/11	< .000	2015/06
ZINC	01092	036	2012/06/11	< 50.000	2015/06

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910003

System Name: CITY OF ARCADIA

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910003-013

Source Name: ORANGE GROVE WELL 05

Source Number: 013

Source Status: ACTIVE RAW

Water type: G

INORGANIC

ALUMINUM	01105	036	2012/06/11	< 50.000	2015/06
ANTIMONY	01097	036	2012/06/11	< 6.000	2015/06
ARSENIC	01002	036	2012/06/11	< 2.000	2015/06
BARIUM	01007	036	2012/06/11	< 100.000	2015/06
BERYLLIUM	01012	036	2012/06/11	< 1.000	2015/06
CADMIUM	01027	036	2012/06/11	< 1.000	2015/06
CHROMIUM (TOTAL)	01034	036	2012/06/11	< 10.000	2015/06
CHROMIUM, HEXAVALENT	01032	036	2013/09/05	. 4.300	2016/09
CYANIDE	01291	036	2012/06/11	< 100.000	2015/06
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2012/06/11	. .510	2015/06
MERCURY	71900	036	2012/06/11	< 1.000	2015/06
NICKEL	01067	036	2012/06/11	< 10.000	2015/06
PERCHLORATE	A-031	036	2014/07/10	< 4.000	2017/07
SELENIUM	01147	036	2012/06/11	< 5.000	2015/06
THALLIUM	01059	036	2012/06/11	< 1.000	2015/06

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2014/07/08	. 30.000	2015/07
NITRITE (AS N)	00620	036	2012/06/11	< 400.000	2015/06

RADIOLOGICAL

GROSS ALPHA	01501	108	2006/03/02	.000	2015/03
RADIUM 226	09501	108	2006/03/02	.000	2015/03
RADIUM 228	11501	108	2006/03/02	.000	2015/03
URANIUM (PCI/L)	28012	072	2012/03/12	. 2.600	2018/03

REGULATED SOC

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2014/07/10	< 3.000	2017/04
THIOBENCARB	A-001	033	2011/12/19	< .000	2014/09

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	012	2014/04/03	< .500	2015/04
-----------------------	-------	-----	------------	--------	---------

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910003

System Name: CITY OF ARCADIA

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

PS Code: 1910003-013

Source Name: ORANGE GROVE WELL 05

Source Number: 013

Source Status: ACTIVE RAW

Water type: G

REGULATED VOC

1,1,2,2-TETRACHLOROETHANE	34516	012	2014/04/03	< .500	2015/04
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/04/03	< 10.000	2015/04
1,1,2-TRICHLOROETHANE	34511	012	2014/04/03	< .500	2015/04
1,1-DICHLOROETHANE	34496	012	2014/04/03	< .500	2015/04
1,1-DICHLOROETHYLENE	34501	012	2014/04/03	< .500	2015/04
1,2,4-TRICHLOROBENZENE	34551	012	2014/04/03	< .500	2015/04
1,2-DICHLOROBENZENE	34536	012	2014/04/03	< .500	2015/04
1,2-DICHLOROETHANE	34531	012	2014/04/03	< .500	2015/04
1,2-DICHLOROPROPANE	34541	012	2014/04/03	< .500	2015/04
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/04/03	< .500	2015/04
1,4-DICHLOROBENZENE	34571	012	2014/04/03	< .500	2015/04
BENZENE	34030	012	2014/04/03	< .500	2015/04
CARBON TETRACHLORIDE	32102	012	2014/04/03	< .500	2015/04
CIS-1,2-DICHLOROETHYLENE	77093	012	2014/04/03	< .500	2015/04
DICHLOROMETHANE	34423	012	2014/04/03	< .500	2015/04
ETHYLBENZENE	34371	012	2014/04/03	< .500	2015/04
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/04/03	< 3.000	2015/04
MONOCHLOROBENZENE	34301	012	2014/04/03	< .500	2015/04
STYRENE	77128	012	2014/04/03	< .500	2015/04
TETRACHLOROETHYLENE	34475	012	2014/07/08	. 5.200	2015/07
TOLUENE	34010	012	2014/04/03	< .500	2015/04
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/04/03	< .500	2015/04
TRICHLOROETHYLENE	39180	012	2014/07/08	. 4.400	2015/07
TRICHLOROFUOROMETHANE	34488	012	2014/04/03	< 5.000	2015/04
VINYL CHLORIDE	39175	012	2014/04/03	< .500	2015/04
XYLENES (TOTAL)	81551	012	2014/04/03	< .000	2015/04

SECONDARY/GP

BICARBONATE ALKALINITY	00440	036	2012/06/11	. 220.000	2015/06
CALCIUM	00916	036	2012/06/11	. 53.000	2015/06

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910003

System Name: CITY OF ARCADIA

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910003-013

Source Name: ORANGE GROVE WELL 05

Source Number: 013

Source Status: ACTIVE RAW

Water type: G

SECONDARY/GP

CARBONATE ALKALINITY	00445	036	2012/06/11	< .000	2015/06	
CHLORIDE	00940	036	2012/06/11	. 21.000	2015/06	
COLOR	00081	036	2012/06/11	< .000	2015/06	
COPPER	01042	036	2012/06/11	< 50.000	2015/06	
FOAMING AGENTS (MBAS)	38260	036	2012/06/11	< .000	2015/06	
HARDNESS (TOTAL) AS CaCO3	00900	036	2012/06/11	. 150.000	2015/06	
HYDROXIDE ALKALINITY	71830	036	2012/06/11	< .000	2015/06	
IRON	01045	036	2012/06/11	< 100.000	2015/06	
MAGNESIUM	00927	036	2012/06/11	. 4.800	2015/06	
MANGANESE	01055	036	2012/06/11	< 20.000	2015/06	
ODOR THRESHOLD @ 60 C	00086	036	2012/06/11	1.000	2015/06	
PH, LABORATORY	00403	036	2009/06/01	7.900	2012/06	DUE
SILVER	01077	036	2012/06/11	< 10.000	2015/06	
SODIUM	00929	036	2012/06/11	42.000	2015/06	
SPECIFIC CONDUCTANCE	00095	036	2012/06/11	. 490.000	2015/06	
SULFATE	00945	036	2012/06/11	37.000	2015/06	
TOTAL DISSOLVED SOLIDS	70300	036	2012/06/11	. 320.000	2015/06	
TURBIDITY, LABORATORY	82079	036	2012/06/11	< .000	2015/06	
ZINC	01092	036	2012/06/11	< 50.000	2015/06	

PS Code: 1910003-014

Source Name: ORANGE GROVE WELL 06

Source Number: 014

Source Status: ACTIVE RAW

Water type: G

INORGANIC

ALUMINUM	01105	036	2012/06/11	< 50.000	2015/06	
ANTIMONY	01097	036	2012/06/11	< 6.000	2015/06	
ARSENIC	01002	036	2012/06/11	< 2.000	2015/06	

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910003

System Name: CITY OF ARCADIA

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910003-014

Source Name: ORANGE GROVE WELL 06

Source Number: 014

Source Status: ACTIVE RAW

Water type: G

INORGANIC

BARIUM	01007	036	2012/06/11	< 100.000	2015/06
BERYLLIUM	01012	036	2012/06/11	< 1.000	2015/06
CADMIUM	01027	036	2012/06/11	< 1.000	2015/06
CHROMIUM (TOTAL)	01034	036	2012/06/11	< 10.000	2015/06
CHROMIUM, HEXAVALENT	01032	036	2013/09/05	. 1.300	2016/09
CYANIDE	01291	036	2012/06/11	< 100.000	2015/06
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2012/06/11	. .750	2015/06
MERCURY	71900	036	2012/06/11	< 1.000	2015/06
NICKEL	01067	036	2012/06/11	< 10.000	2015/06
PERCHLORATE	A-031	012	2014/07/10	< 4.000	2015/07
SELENIUM	01147	036	2012/06/11	< 5.000	2015/06
THALLIUM	01059	036	2012/06/11	< 1.000	2015/06

NITRATE/NITRITE

NITRATE (AS NO3)	71850	003	2014/07/08	. 14.000	2014/10
NITRITE (AS N)	00620	036	2012/06/11	< 400.000	2015/06

RADIOLOGICAL

GROSS ALPHA	01501	108	2006/03/02	.000	2015/03
RADIUM 226	09501	108	2006/03/02	.000	2015/03
RADIUM 228	11501	108	2012/03/12	. .000	2021/03
URANIUM (PCI/L)	28012	072	2012/03/12	. 2.200	2018/03

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	012	2014/04/03	< .500	2015/04
1,1,2,2-TETRACHLOROETHANE	34516	012	2014/04/03	< .500	2015/04
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/04/03	< 10.000	2015/04
1,1,2-TRICHLOROETHANE	34511	012	2014/04/03	< .500	2015/04
1,1-DICHLOROETHANE	34496	012	2014/04/03	< .500	2015/04
1,1-DICHLOROETHYLENE	34501	012	2014/04/03	< .500	2015/04
1,2,4-TRICHLOROBENZENE	34551	012	2014/04/03	< .500	2015/04

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910003

System Name: CITY OF ARCADIA

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910003-014

Source Name: ORANGE GROVE WELL 06

Source Number: 014

Source Status: ACTIVE RAW

Water type: G

REGULATED VOC

1,2-DICHLOROBENZENE	34536	012	2014/04/03	< .500	2015/04
1,2-DICHLOROETHANE	34531	012	2014/04/03	< .500	2015/04
1,2-DICHLOROPROPANE	34541	012	2014/04/03	< .500	2015/04
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/04/03	< .500	2015/04
1,4-DICHLOROBENZENE	34571	012	2014/04/03	< .500	2015/04
BENZENE	34030	012	2014/04/03	< .500	2015/04
CARBON TETRACHLORIDE	32102	012	2014/04/03	< .500	2015/04
CIS-1,2-DICHLOROETHYLENE	77093	012	2014/04/03	< .500	2015/04
DICHLOROMETHANE	34423	012	2014/04/03	< .500	2015/04
ETHYLBENZENE	34371	012	2014/04/03	< .500	2015/04
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/04/03	< 3.000	2015/04
MONOCHLOROBENZENE	34301	012	2014/04/03	< .500	2015/04
STYRENE	77128	012	2014/04/03	< .500	2015/04
TETRACHLOROETHYLENE	34475	001	2014/07/08	< .500	2014/08
TOLUENE	34010	012	2014/04/03	< .500	2015/04
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/04/03	< .500	2015/04
TRICHLOROETHYLENE	39180	001	2014/07/08	< .500	2014/08
TRICHLOROFLUOROMETHANE	34488	012	2014/04/03	< 5.000	2015/04
VINYL CHLORIDE	39175	012	2014/04/03	< .500	2015/04
XYLENES (TOTAL)	81551	012	2014/04/03	< .000	2015/04

SECONDARY/GP

BICARBONATE ALKALINITY	00440	036	2012/06/11	. 250.000	2015/06
CALCIUM	00916	036	2012/06/11	. 52.000	2015/06
CARBONATE ALKALINITY	00445	036	2012/06/11	< .000	2015/06
CHLORIDE	00940	036	2012/06/11	. 21.000	2015/06
COLOR	00081	036	2012/06/11	< .000	2015/06
COPPER	01042	036	2012/06/11	< 50.000	2015/06
FOAMING AGENTS (MBAS)	38260	036	2012/06/11	< .000	2015/06
HARDNESS (TOTAL) AS CaCO3	00900	036	2012/06/11	. 180.000	2015/06

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910003

System Name: CITY OF ARCADIA

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910003-014

Source Name: ORANGE GROVE WELL 06

Source Number: 014

Source Status: ACTIVE RAW

Water type: G

SECONDARY/GP

HYDROXIDE ALKALINITY	71830	036	2012/06/11	< .000	2015/06
IRON	01045	036	2012/06/11	< 100.000	2015/06
MAGNESIUM	00927	036	2012/06/11	. 13.000	2015/06
MANGANESE	01055	036	2012/06/11	< 20.000	2015/06
ODOR THRESHOLD @ 60 C	00086	036	2012/06/11	1.000	2015/06
PH, LABORATORY	00403	036	2009/07/14	7.800	2012/07 DUE
SILVER	01077	036	2012/06/11	< 10.000	2015/06
SODIUM	00929	036	2012/06/11	36.000	2015/06
SPECIFIC CONDUCTANCE	00095	036	2012/06/11	. 520.000	2015/06
SULFATE	00945	036	2012/06/11	45.000	2015/06
TOTAL DISSOLVED SOLIDS	70300	036	2012/06/11	. 320.000	2015/06
TURBIDITY, LABORATORY	82079	036	2012/06/11	< .000	2015/06
ZINC	01092	036	2012/06/11	< 50.000	2015/06

PS Code: 1910003-015

Source Name: PECK WELL 01

Source Number: 015

Source Status: ACTIVE RAW

Water type: G

INORGANIC

ALUMINUM	01105	036	2014/06/10	< 50.000	2017/06
ANTIMONY	01097	036	2014/06/10	< 6.000	2017/06
ARSENIC	01002	036	2014/06/10	< 2.000	2017/06
BARIUM	01007	036	2014/06/10	< 100.000	2017/06
BERYLLIUM	01012	036	2014/06/10	< 1.000	2017/06
CADMIUM	01027	036	2014/06/10	< 1.000	2017/06
CHROMIUM (TOTAL)	01034	036	2014/06/10	< 10.000	2017/06
CHROMIUM, HEXAVALENT	01032	036	2013/09/05	< 1.000	2016/09
CYANIDE	01291	036	2014/06/10	< 100.000	2017/06

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910003

System Name: CITY OF ARCADIA

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910003-015

Source Name: PECK WELL 01

Source Number: 015

Source Status: ACTIVE RAW

Water type: G

INORGANIC

FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/06/10	.340	2017/06
MERCURY	71900	036	2014/06/10	< 1.000	2017/06
NICKEL	01067	036	2014/06/10	< 10.000	2017/06
PERCHLORATE	A-031	012	2014/07/10	< 4.000	2015/07
SELENIUM	01147	036	2014/06/10	< 5.000	2017/06
THALLIUM	01059	036	2014/06/10	< 1.000	2017/06

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2014/06/10	. 2.300	2015/06
NITRITE (AS N)	00620	036	2014/06/10	< 400.000	2017/06

RADIOLOGICAL

GROSS ALPHA	01501	108	2014/06/10	< 3.000	2023/06
RADIUM 226	09501	108	2006/03/02	.000	2015/03
RADIUM 228	11501	108	2014/06/10	.125	2023/06
URANIUM (PCI/L)	28012	108	2014/06/10	. 1.000	2023/06

REGULATED SOC

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2012/12/03	< 3.000	2015/09
---------------------------	-------	-----	------------	---------	---------

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	012	2014/06/10	< .500	2015/06
1,1,2,2-TETRACHLOROETHANE	34516	012	2014/06/10	< .500	2015/06
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/06/10	< 10.000	2015/06
1,1,2-TRICHLOROETHANE	34511	012	2014/06/10	< .500	2015/06
1,1-DICHLOROETHANE	34496	012	2014/06/10	< .500	2015/06
1,1-DICHLOROETHYLENE	34501	012	2014/06/10	< .500	2015/06
1,2,4-TRICHLOROBENZENE	34551	012	2014/06/10	< .500	2015/06
1,2-DICHLOROBENZENE	34536	012	2014/06/10	< .500	2015/06
1,2-DICHLOROETHANE	34531	012	2014/06/10	< .500	2015/06
1,2-DICHLOROPROPANE	34541	012	2014/06/10	< .500	2015/06
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/04/03	< .500	2015/04

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910003

System Name: CITY OF ARCADIA

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910003-015

Source Name: PECK WELL 01

Source Number: 015

Source Status: ACTIVE RAW

Water type: G

REGULATED VOC

1,4-DICHLOROBENZENE	34571	012	2014/06/10	< .500	2015/06
BENZENE	34030	012	2014/06/10	< .500	2015/06
CARBON TETRACHLORIDE	32102	012	2014/06/10	< .500	2015/06
CIS-1,2-DICHLOROETHYLENE	77093	012	2014/06/10	< .500	2015/06
DICHLOROMETHANE	34423	012	2014/06/10	< .500	2015/06
ETHYLBENZENE	34371	012	2014/06/10	< .500	2015/06
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/06/10	< 3.000	2015/06
MONOCHLOROBENZENE	34301	012	2014/06/10	< .500	2015/06
STYRENE	77128	012	2014/06/10	< .500	2015/06
TETRACHLOROETHYLENE	34475	012	2014/06/10	< .500	2015/06
TOLUENE	34010	012	2014/06/10	< .500	2015/06
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/06/10	< .500	2015/06
TRICHLOROETHYLENE	39180	012	2014/06/10	< .500	2015/06
TRICHLOROFUOROMETHANE	34488	012	2014/06/10	< 5.000	2015/06
VINYL CHLORIDE	39175	012	2014/06/10	< .500	2015/06
XYLENES (TOTAL)	81551	012	2014/06/10	< .000	2015/06

SECONDARY/GP

BICARBONATE ALKALINITY	00440	036	2014/06/10	. 170.000	2017/06
CALCIUM	00916	036	2014/06/10	. 46.700	2017/06
CARBONATE ALKALINITY	00445	036	2014/06/10	< .000	2017/06
CHLORIDE	00940	036	2014/06/10	. 24.000	2017/06
COLOR	00081	036	2014/06/10	< .000	2017/06
COPPER	01042	036	2014/06/10	< 50.000	2017/06
FOAMING AGENTS (MBAS)	38260	036	2014/06/10	. .067	2017/06
HARDNESS (TOTAL) AS CaCO3	00900	036	2014/06/10	. 160.000	2017/06
HYDROXIDE ALKALINITY	71830	036	2014/06/10	< .000	2017/06
IRON	01045	036	2014/06/10	< 100.000	2017/06
MAGNESIUM	00927	036	2014/06/10	. 11.000	2017/06
MANGANESE	01055	036	2014/06/10	< 20.000	2017/06

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910003

System Name: CITY OF ARCADIA

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910003-015

Source Name: PECK WELL 01

Source Number: 015

Source Status: ACTIVE RAW

Water type: G

SECONDARY/GP

ODOR THRESHOLD @ 60 C	00086	036	2014/06/10	. 1.000	2017/06
PH, LABORATORY	00403	036	2014/06/10	. 7.480	2017/06
SILVER	01077	036	2014/06/10	< 10.000	2017/06
SODIUM	00929	036	2014/06/10	. 21.000	2017/06
SPECIFIC CONDUCTANCE	00095	036	2014/06/10	. 430.000	2017/06
SULFATE	00945	036	2014/06/10	. 47.000	2017/06
TOTAL DISSOLVED SOLIDS	70300	036	2014/06/10	. 260.000	2017/06
TURBIDITY, LABORATORY	82079	036	2014/06/10	< .000	2017/06
ZINC	01092	036	2014/06/10	< 50.000	2017/06

PS Code: 1910003-018

Source Name: ST. JOSEPH WELL 02

Source Number: 018

Source Status: ACTIVE RAW

Water type: G

INORGANIC

ALUMINUM	01105	036	2014/06/10	< 50.000	2017/06
ANTIMONY	01097	036	2014/06/10	< 6.000	2017/06
ARSENIC	01002	036	2014/06/10	< 2.000	2017/06
BARIUM	01007	036	2014/06/10	< 100.000	2017/06
BERYLLIUM	01012	036	2014/06/10	< 1.000	2017/06
CADMIUM	01027	036	2014/06/10	< 1.000	2017/06
CHROMIUM (TOTAL)	01034	036	2014/06/10	< 10.000	2017/06
CHROMIUM, HEXAVALENT	01032	036	2013/09/05	. 2.400	2016/09
CYANIDE	01291	036	2014/06/10	< 100.000	2017/06
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/06/10	. .490	2017/06
MERCURY	71900	036	2014/06/10	< 1.000	2017/06
NICKEL	01067	036	2014/06/10	< 10.000	2017/06
PERCHLORATE	A-031	012	2014/07/10	< 4.000	2015/07

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910003

System Name: CITY OF ARCADIA

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910003-018

Source Name: ST. JOSEPH WELL 02

Source Number: 018

Source Status: ACTIVE RAW

Water type: G

INORGANIC

SELENIUM	01147	036	2014/06/10	< 5.000	2017/06
THALLIUM	01059	036	2014/06/10	< 1.000	2017/06

NITRATE/NITRITE

NITRATE (AS NO3)	71850	001	2014/07/10	. 44.000	2014/08
NITRITE (AS N)	00620	036	2014/06/10	< 400.000	2017/06

RADIOLOGICAL

GROSS ALPHA	01501	072	2014/06/10	< 3.000	2020/06
RADIUM 226	09501	108	2007/03/20	< 1.000	2016/03
RADIUM 228	11501	108	2014/06/10	< .000	2023/06
URANIUM (PCI/L)	28012	072	2014/06/10	. 5.300	2020/06

REGULATED SOC

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2012/12/03	< 3.000	2015/09
THIOBENCARB	A-001	033	2012/12/03	< 1.000	2015/09

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	012	2014/06/10	< .500	2015/06
1,1,2,2-TETRACHLOROETHANE	34516	012	2014/06/10	< .500	2015/06
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/06/10	< 10.000	2015/06
1,1,2-TRICHLOROETHANE	34511	012	2014/06/10	< .500	2015/06
1,1-DICHLOROETHANE	34496	012	2014/06/10	< .500	2015/06
1,1-DICHLOROETHYLENE	34501	012	2014/06/10	< .500	2015/06
1,2,4-TRICHLOROBENZENE	34551	012	2014/06/10	< .500	2015/06
1,2-DICHLOROBENZENE	34536	012	2014/06/10	< .500	2015/06
1,2-DICHLOROETHANE	34531	012	2014/06/10	< .500	2015/06
1,2-DICHLOROPROPANE	34541	012	2014/06/10	< .500	2015/06
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/04/03	< .500	2015/04
1,4-DICHLOROBENZENE	34571	012	2014/06/10	< .500	2015/06
BENZENE	34030	012	2014/06/10	< .500	2015/06
CARBON TETRACHLORIDE	32102	012	2014/06/10	< .500	2015/06

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910003

System Name: CITY OF ARCADIA

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910003-018

Source Name: ST. JOSEPH WELL 02

Source Number: 018

Source Status: ACTIVE RAW

Water type: G

REGULATED VOC

CIS-1,2-DICHLOROETHYLENE	77093	012	2014/06/10	< .500	2015/06
DICHLOROMETHANE	34423	012	2014/06/10	< .500	2015/06
ETHYLBENZENE	34371	012	2014/06/10	< .500	2015/06
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/06/10	< 3.000	2015/06
MONOCHLOROBENZENE	34301	012	2014/06/10	< .500	2015/06
STYRENE	77128	012	2014/06/10	< .500	2015/06
TETRACHLOROETHYLENE	34475	012	2014/07/10	. 3.800	2015/07
TOLUENE	34010	012	2014/06/10	< .500	2015/06
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/06/10	< .500	2015/06
TRICHLOROETHYLENE	39180	012	2014/07/10	. .970	2015/07
TRICHLOROFUOROMETHANE	34488	012	2014/06/10	< 5.000	2015/06
VINYL CHLORIDE	39175	012	2014/06/10	< .500	2015/06
XYLENES (TOTAL)	81551	012	2014/06/10	< .000	2015/06

SECONDARY/GP

BICARBONATE ALKALINITY	00440	036	2014/06/10	. 310.000	2017/06
CALCIUM	00916	036	2014/06/10	. 85.500	2017/06
CARBONATE ALKALINITY	00445	036	2014/06/10	< .000	2017/06
CHLORIDE	00940	036	2014/06/10	. 30.000	2017/06
COLOR	00081	036	2014/06/10	< .000	2017/06
COPPER	01042	036	2014/06/10	< 50.000	2017/06
FOAMING AGENTS (MBAS)	38260	036	2014/06/10	< .000	2017/06
HARDNESS (TOTAL) AS CaCO3	00900	036	2014/06/10	. 320.000	2017/06
HYDROXIDE ALKALINITY	71830	036	2014/06/10	< .000	2017/06
IRON	01045	036	2014/06/10	< 100.000	2017/06
MAGNESIUM	00927	036	2014/06/10	. 27.000	2017/06
MANGANESE	01055	036	2014/06/10	< 20.000	2017/06
ODOR THRESHOLD @ 60 C	00086	036	2014/06/10	. 1.000	2017/06
PH, LABORATORY	00403	036	2014/06/10	. 7.520	2017/06
SILVER	01077	036	2014/06/10	< 10.000	2017/06

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910003

System Name: CITY OF ARCADIA

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910003-018

Source Name: ST. JOSEPH WELL 02

Source Number: 018

Source Status: ACTIVE RAW

Water type: G

SECONDARY/GP

SODIUM	00929	036	2014/06/10	. 18.000	2017/06
SPECIFIC CONDUCTANCE	00095	036	2014/06/10	. 710.000	2017/06
SULFATE	00945	036	2014/06/10	. 60.000	2017/06
TOTAL DISSOLVED SOLIDS	70300	036	2014/06/10	. 440.000	2017/06
TURBIDITY, LABORATORY	82079	036	2014/06/10	< .000	2017/06
ZINC	01092	036	2014/06/10	< 50.000	2017/06

PS Code: 1910003-021

Source Name: LONGDEN AIR STRIP AND BLEND - TREATED

Source Number: 021

Source Status: ACTIVE TREATED

Water type: G

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED *** 999

PS Code: 1910003-022

Source Name: ORANGE GROVE RESERVOIRS BLEND - TREATED

Source Number: 022

Source Status: ACTIVE TREATED

Water type: G

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED *** 999

*Testing interval is in months;
 0 = No data for this constituent and is DUE NOW
 I = Invalid (NOT) valid analyses reported
 Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910003

System Name: CITY OF ARCADIA

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910003-023

Source Name: ST. JOSEPH RESERVOIRS BLEND - TREATED

Source Number: 023

Source Status: ACTIVE TREATED

Water type: G

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

PS Code: 1910003-024

Source Name: MWD CONN.USG-6 - UPPER FEEDER - TREATED

Source Number: 024

Source Status: PURCHASED TREATED

Water type: S

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

PS Code: 1910003-025

Source Name: ANOAKIA WELL

Source Number: 025

Source Status: ACTIVE RAW

Water type: G

INORGANIC

ALUMINUM	01105	036	2012/06/11	< 50.000	2015/06
ANTIMONY	01097	036	2012/06/11	< 6.000	2015/06
ARSENIC	01002	036	2012/06/11	. 2.000	2015/06
BARIUM	01007	036	2012/06/11	< 100.000	2015/06
BERYLLIUM	01012	036	2012/06/11	< 1.000	2015/06
CADMIUM	01027	036	2012/06/11	< 1.000	2015/06
CHROMIUM (TOTAL)	01034	036	2012/06/11	. 10.000	2015/06
CHROMIUM, HEXAVALENT	01032	036	2013/09/05	. 8.900	2016/09
CYANIDE	01291	036	2012/06/11	< 100.000	2015/06
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2012/06/11	. 1.300	2015/06
MERCURY	71900	036	2012/06/11	< 1.000	2015/06
NICKEL	01067	036	2012/06/11	< 10.000	2015/06
PERCHLORATE	A-031	012	2014/07/10	< 4.000	2015/07

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910003

System Name: CITY OF ARCADIA

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910003-025

Source Name: ANOAKIA WELL

Source Number: 025

Source Status: ACTIVE RAW

Water type: G

INORGANIC

SELENIUM	01147	036	2012/06/11	< 5.000	2015/06
THALLIUM	01059	036	2012/06/11	< 1.000	2015/06

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2014/04/03	. 14.000	2015/04
NITRITE (AS N)	00620	036	2012/06/11	< 400.000	2015/06

RADIOLOGICAL

GROSS ALPHA	01501	108	2006/03/02	.000	2015/03
RADIUM 226	09501	108	2006/03/02	.000	2015/03
RADIUM 228	11501	108	2006/03/02	.000	2015/03
URANIUM (PCI/L)	28012	072	2012/03/12	. 1.800	2018/03

REGULATED SOC

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2014/07/10	< 3.000	2017/04
---------------------------	-------	-----	------------	---------	---------

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	012	2014/04/03	< .500	2015/04
1,1,2,2-TETRACHLOROETHANE	34516	012	2014/04/03	< .500	2015/04
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/04/03	< 10.000	2015/04
1,1,2-TRICHLOROETHANE	34511	012	2014/04/03	< .500	2015/04
1,1-DICHLOROETHANE	34496	012	2014/04/03	< .500	2015/04
1,1-DICHLOROETHYLENE	34501	012	2014/04/03	< .500	2015/04
1,2,4-TRICHLOROBENZENE	34551	012	2014/04/03	< .500	2015/04
1,2-DICHLOROBENZENE	34536	012	2014/04/03	< .500	2015/04
1,2-DICHLOROETHANE	34531	012	2014/04/03	< .500	2015/04
1,2-DICHLOROPROPANE	34541	012	2014/04/03	< .500	2015/04
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/04/03	< .500	2015/04
1,4-DICHLOROBENZENE	34571	012	2014/04/03	< .500	2015/04
BENZENE	34030	012	2014/04/03	< .500	2015/04
CARBON TETRACHLORIDE	32102	012	2014/04/03	< .500	2015/04
CIS-1,2-DICHLOROETHYLENE	77093	012	2014/04/03	< .500	2015/04

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910003

System Name: CITY OF ARCADIA

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910003-025

Source Name: ANOAKIA WELL

Source Number: 025

Source Status: ACTIVE RAW

Water type: G

REGULATED VOC

DICHLOROMETHANE	34423	012	2014/04/03	< .500	2015/04
ETHYLBENZENE	34371	012	2014/04/03	< .500	2015/04
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/04/03	< 3.000	2015/04
MONOCHLOROENZENE	34301	012	2014/04/03	< .500	2015/04
STYRENE	77128	012	2014/04/03	< .500	2015/04
TETRACHLOROETHYLENE	34475	012	2014/04/03	< .500	2015/04
TOLUENE	34010	012	2014/04/03	< .500	2015/04
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/04/03	< .500	2015/04
TRICHLOROETHYLENE	39180	012	2014/04/03	< .500	2015/04
TRICHLOROFUOROMETHANE	34488	012	2014/04/03	< 5.000	2015/04
VINYL CHLORIDE	39175	012	2014/04/03	< .500	2015/04
XYLENES (TOTAL)	81551	012	2014/04/03	< .000	2015/04

SECONDARY/GP

BICARBONATE ALKALINITY	00440	036	2012/06/11	. 150.000	2015/06
CALCIUM	00916	036	2012/06/11	. 25.000	2015/06
CARBONATE ALKALINITY	00445	036	2012/06/11	< .000	2015/06
CHLORIDE	00940	036	2012/06/11	. 17.000	2015/06
COLOR	00081	036	2012/06/11	< .000	2015/06
COPPER	01042	036	2012/06/11	< 50.000	2015/06
FOAMING AGENTS (MBAS)	38260	036	2012/06/11	< .000	2015/06
HARDNESS (TOTAL) AS CaCO3	00900	036	2012/06/11	. 77.000	2015/06
HYDROXIDE ALKALINITY	71830	036	2012/06/11	< .000	2015/06
IRON	01045	036	2012/06/11	< 100.000	2015/06
MAGNESIUM	00927	036	2012/06/11	. 3.500	2015/06
MANGANESE	01055	036	2012/06/11	< 20.000	2015/06
ODOR THRESHOLD @ 60 C	00086	036	2012/06/11	1.000	2015/06
PH, LABORATORY	00403	036	2009/07/14	8.200	2012/07 DUE
SILVER	01077	036	2012/06/11	< 10.000	2015/06
SODIUM	00929	036	2012/06/11	48.000	2015/06

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910003

System Name: CITY OF ARCADIA

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910003-025

Source Name: ANOAKIA WELL

Source Number: 025

Source Status: ACTIVE RAW

Water type: G

SECONDARY/GP

SPECIFIC CONDUCTANCE	00095	036	2012/06/11	. 370.000	2015/06
SULFATE	00945	036	2012/06/11	39.000	2015/06
TOTAL DISSOLVED SOLIDS	70300	036	2012/06/11	. 230.000	2015/06
TURBIDITY, LABORATORY	82079	036	2012/06/11	< .000	2015/06
ZINC	01092	036	2012/06/11	< 50.000	2015/06

PS Code: 1910003-035

Source Name: SOURCE (ZONE 4) FOR ST. JOSEPH NO3 BLEND

Source Number: 035

Source Status: ACTIVE TREATED

Water type: G

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

PS Code: 1910003-037

Source Name: CHAPMAN WELL 07

Source Number: 037

Source Status: ACTIVE RAW

Water type: G

INORGANIC

ALUMINUM	01105	036	2012/12/03	< 50.000	2015/12
ANTIMONY	01097	036	2012/12/03	< 6.000	2015/12
ARSENIC	01002	036	2012/12/03	< 2.000	2015/12
BARIUM	01007	036	2012/12/03	< 100.000	2015/12
BERYLLIUM	01012	036	2012/12/03	< 1.000	2015/12
CADMIUM	01027	036	2012/12/03	< 1.000	2015/12
CHROMIUM (TOTAL)	01034	036	2012/12/03	. 13.000	2015/12
CHROMIUM, HEXAVALENT	01032	036	2013/09/05	. 8.800	2016/09
CYANIDE	01291	036	2012/12/03	< 100.000	2015/12

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910003

System Name: CITY OF ARCADIA

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910003-037

Source Name: CHAPMAN WELL 07

Source Number: 037

Source Status: ACTIVE RAW

Water type: G

INORGANIC

FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2012/12/03	.800	2015/12
MERCURY	71900	036	2012/12/03	< 1.000	2015/12
NICKEL	01067	036	2012/12/03	< 10.000	2015/12
PERCHLORATE	A-031	012	2014/07/10	< 4.000	2015/07
SELENIUM	01147	036	2012/12/03	< 5.000	2015/12
THALLIUM	01059	036	2012/12/03	< 1.000	2015/12

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2014/07/10	18.000	2015/07
NITRITE (AS N)	00620	036	2012/12/03	< 400.000	2015/12

RADIOLOGICAL

GROSS ALPHA	01501	108	2013/09/05	< 3.000	2022/09
RADIUM 226	09501	108	2004/09/02	.000	2013/09 DUE
RADIUM 228	11501	108	2013/09/05	.000	2022/09
URANIUM (PCI/L)	28012	072	2010/09/13	4.400	2016/09

REGULATED SOC

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2014/07/10	< 3.000	2017/04
THIOBENCARB	A-001	033	2014/07/10	< 1.000	2017/04

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	012	2014/04/03	< .500	2015/04
1,1,2,2-TETRACHLOROETHANE	34516	012	2014/04/03	< .500	2015/04
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/04/03	< 10.000	2015/04
1,1,2-TRICHLOROETHANE	34511	012	2014/04/03	< .500	2015/04
1,1-DICHLOROETHANE	34496	012	2014/04/03	< .500	2015/04
1,1-DICHLOROETHYLENE	34501	012	2014/07/10	< .500	2015/07
1,2,4-TRICHLOROBENZENE	34551	012	2014/04/03	< .500	2015/04
1,2-DICHLOROBENZENE	34536	012	2014/04/03	< .500	2015/04
1,2-DICHLOROETHANE	34531	012	2014/04/03	< .500	2015/04
1,2-DICHLOROPROPANE	34541	012	2014/04/03	< .500	2015/04

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910003

System Name: CITY OF ARCADIA

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910003-037

Source Name: CHAPMAN WELL 07

Source Number: 037

Source Status: ACTIVE RAW

Water type: G

REGULATED VOC

1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/04/03	< .500	2015/04
1,4-DICHLOROBENZENE	34571	012	2014/04/03	< .500	2015/04
BENZENE	34030	012	2014/04/03	< .500	2015/04
CARBON TETRACHLORIDE	32102	012	2014/04/03	< .500	2015/04
CIS-1,2-DICHLOROETHYLENE	77093	012	2014/04/03	< .500	2015/04
DICHLOROMETHANE	34423	012	2014/04/03	< .500	2015/04
ETHYLBENZENE	34371	012	2014/04/03	< .500	2015/04
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/04/03	< 3.000	2015/04
MONOCHLOROBENZENE	34301	012	2014/04/03	< .500	2015/04
STYRENE	77128	012	2014/04/03	< .500	2015/04
TETRACHLOROETHYLENE	34475	012	2014/07/10	. 1.100	2015/07
TOLUENE	34010	012	2014/04/03	< .500	2015/04
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/04/03	< .500	2015/04
TRICHLOROETHYLENE	39180	012	2014/07/10	. .520	2015/07
TRICHLOROFUOROMETHANE	34488	012	2014/04/03	< 5.000	2015/04
VINYL CHLORIDE	39175	012	2014/04/03	< .500	2015/04
XYLENES (TOTAL)	81551	012	2014/04/03	< .000	2015/04

SECONDARY/GP

BICARBONATE ALKALINITY	00440	036	2012/12/03	. 220.000	2015/12
CALCIUM	00916	036	2012/12/03	. 62.400	2015/12
CARBONATE ALKALINITY	00445	036	2012/12/03	< .000	2015/12
CHLORIDE	00940	036	2012/12/03	. 32.000	2015/12
COLOR	00081	036	2012/12/03	< .000	2015/12
COPPER	01042	036	2012/12/03	< 50.000	2015/12
FOAMING AGENTS (MBAS)	38260	036	2012/12/03	< .000	2015/12
HARDNESS (TOTAL) AS CaCO3	00900	036	2012/12/03	. 207.000	2015/12
HYDROXIDE ALKALINITY	71830	036	2012/12/03	< .000	2015/12
IRON	01045	036	2012/12/03	< 100.000	2015/12
MAGNESIUM	00927	036	2012/12/03	. 12.400	2015/12

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910003

System Name: CITY OF ARCADIA

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910003-037

Source Name: CHAPMAN WELL 07

Source Number: 037

Source Status: ACTIVE RAW

Water type: G

SECONDARY/GP

MANGANESE	01055	036	2012/12/03	< 20.000	2015/12	
ODOR THRESHOLD @ 60 C	00086	036	2012/12/03	1.000	2015/12	
PH, LABORATORY	00403	036	2009/12/22	8.300	2012/12	DUE
SILVER	01077	036	2012/12/03	< 10.000	2015/12	
SODIUM	00929	036	2012/12/03	34.000	2015/12	
SPECIFIC CONDUCTANCE	00095	036	2012/12/03	. 590.000	2015/12	
SULFATE	00945	036	2012/12/03	64.000	2015/12	
TOTAL DISSOLVED SOLIDS	70300	036	2012/12/03	. 360.000	2015/12	
TURBIDITY, LABORATORY	82079	036	2012/12/03	. .410	2015/12	
ZINC	01092	036	2012/12/03	< 50.000	2015/12	

PS Code: 1910003-039

Source Name: COLORADO WELL

Source Number: 039

Source Status: ACTIVE RAW

Water type: G

INORGANIC

ALUMINUM	01105	036	2012/12/03	< 50.000	2015/12	
ANTIMONY	01097	036	2012/12/03	< 6.000	2015/12	
ARSENIC	01002	036	2012/12/03	. 5.600	2015/12	
BARIUM	01007	036	2012/12/03	< 100.000	2015/12	
BERYLLIUM	01012	036	2012/12/03	< 1.000	2015/12	
CADMIUM	01027	036	2012/12/03	< 1.000	2015/12	
CHROMIUM (TOTAL)	01034	036	2012/12/03	< 10.000	2015/12	
CHROMIUM, HEXAVALENT	01032	036	2013/09/05	. 2.000	2016/09	
CYANIDE	01291	036	2012/12/03	< 100.000	2015/12	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2012/12/03	. 1.300	2015/12	
MERCURY	71900	036	2012/12/03	< 1.000	2015/12	
NICKEL	01067	036	2012/12/03	< 10.000	2015/12	

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910003

System Name: CITY OF ARCADIA

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910003-039

Source Name: COLORADO WELL

Source Number: 039

Source Status: ACTIVE RAW

Water type: G

INORGANIC

PERCHLORATE	A-031	012	2014/04/03	< 4.000	2015/04
SELENIUM	01147	036	2012/12/03	< 5.000	2015/12
THALLIUM	01059	036	2012/12/03	< 1.000	2015/12

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2013/06/11	. 2.800	2014/06	DUE
NITRITE (AS N)	00620	036	2012/12/03	< 400.000	2015/12	

RADIOLOGICAL

GROSS ALPHA	01501	108	2010/09/13	< .000	2019/09	
RADIUM 226	09501	108				DUE
RADIUM 228	11501	108	2010/09/13	.000	2019/09	
URANIUM (PCI/L)	28012	108	2010/09/13	< .000	2019/09	

REGULATED SOC

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2014/07/10	< 3.000	2017/04
THIOBENCARB	A-001	033	2014/07/10	< 1.000	2017/04

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	012	2014/04/03	< .500	2015/04
1,1,2,2-TETRACHLOROETHANE	34516	012	2014/04/03	< .500	2015/04
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/04/03	< 10.000	2015/04
1,1,2-TRICHLOROETHANE	34511	012	2014/04/03	< .500	2015/04
1,1-DICHLOROETHANE	34496	012	2014/04/03	< .500	2015/04
1,1-DICHLOROETHYLENE	34501	012	2014/04/03	< .500	2015/04
1,2,4-TRICHLOROBENZENE	34551	012	2014/04/03	< .500	2015/04
1,2-DICHLOROBENZENE	34536	012	2014/04/03	< .500	2015/04
1,2-DICHLOROETHANE	34531	012	2014/04/03	< .500	2015/04
1,2-DICHLOROPROPANE	34541	012	2014/04/03	< .500	2015/04
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/04/03	< .500	2015/04
1,4-DICHLOROBENZENE	34571	012	2014/04/03	< .500	2015/04
BENZENE	34030	012	2014/04/03	< .500	2015/04

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910003

System Name: CITY OF ARCADIA

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910003-039

Source Name: COLORADO WELL

Source Number: 039

Source Status: ACTIVE RAW

Water type: G

REGULATED VOC

CARBON TETRACHLORIDE	32102	012	2014/04/03	< .500	2015/04
CIS-1,2-DICHLOROETHYLENE	77093	012	2014/04/03	< .500	2015/04
DICHLOROMETHANE	34423	012	2014/04/03	< .500	2015/04
ETHYLBENZENE	34371	012	2014/04/03	< .500	2015/04
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/04/03	< 3.000	2015/04
MONOCHLOROENZENE	34301	012	2014/04/03	< .500	2015/04
STYRENE	77128	012	2014/04/03	< .500	2015/04
TETRACHLOROETHYLENE	34475	012	2014/04/03	< .500	2015/04
TOLUENE	34010	012	2014/04/03	< .500	2015/04
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/04/03	< .500	2015/04
TRICHLOROETHYLENE	39180	012	2014/04/03	< .500	2015/04
TRICHLOROFLUOROMETHANE	34488	012	2014/04/03	< 5.000	2015/04
VINYL CHLORIDE	39175	012	2014/04/03	< .500	2015/04
XYLENES (TOTAL)	81551	012	2014/04/03	< .000	2015/04

SECONDARY/GP

BICARBONATE ALKALINITY	00440	036	2012/12/03	. 91.000	2015/12
CALCIUM	00916	036	2012/12/03	. 9.400	2015/12
CARBONATE ALKALINITY	00445	036	2012/12/03	< .000	2015/12
CHLORIDE	00940	036	2012/12/03	. 16.000	2015/12
COLOR	00081	036	2012/12/03	< .000	2015/12
COPPER	01042	036	2012/12/03	< 50.000	2015/12
FOAMING AGENTS (MBAS)	38260	036	2012/12/03	< .000	2015/12
HARDNESS (TOTAL) AS CaCO3	00900	036	2012/12/03	. 25.700	2015/12
HYDROXIDE ALKALINITY	71830	036	2012/12/03	< .000	2015/12
IRON	01045	036	2012/12/03	< 100.000	2015/12
MAGNESIUM	00927	036	2012/12/03	. .530	2015/12
MANGANESE	01055	036	2012/12/03	< 20.000	2015/12
ODOR THRESHOLD @ 60 C	00086	036	2012/12/03	1.000	2015/12
PH, LABORATORY	00403	036	2009/08/05	8.500	2012/08 DUE

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910003

System Name: CITY OF ARCADIA

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910003-039

Source Name: COLORADO WELL

Source Number: 039

Source Status: ACTIVE RAW

Water type: G

SECONDARY/GP

SILVER	01077	036	2012/12/03	< 10.000	2015/12
SODIUM	00929	036	2012/12/03	54.000	2015/12
SPECIFIC CONDUCTANCE	00095	036	2012/12/03	. 320.000	2015/12
SULFATE	00945	036	2012/12/03	48.000	2015/12
TOTAL DISSOLVED SOLIDS	70300	036	2012/12/03	. 180.000	2015/12
TURBIDITY, LABORATORY	82079	036	2012/12/03	< .000	2015/12
ZINC	01092	036	2012/12/03	< 50.000	2015/12

PS Code: 1910003-040

Source Name: LONGLEY WELL

Source Number: 040

Source Status: ACTIVE RAW

Water type: G

INORGANIC

ALUMINUM	01105	036	2014/06/10	< 50.000	2017/06
ANTIMONY	01097	036	2014/06/10	< 6.000	2017/06
ARSENIC	01002	036	2014/06/10	< 2.000	2017/06
BARIUM	01007	036	2014/06/10	< 100.000	2017/06
BERYLLIUM	01012	036	2014/06/10	< 1.000	2017/06
CADMIUM	01027	036	2014/06/10	< 1.000	2017/06
CHROMIUM (TOTAL)	01034	036	2014/06/10	< 10.000	2017/06
CHROMIUM, HEXAVALENT	01032	036	2013/09/05	. 6.600	2016/09
CYANIDE	01291	036	2014/06/10	< 100.000	2017/06
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/06/10	. .800	2017/06
MERCURY	71900	036	2014/06/10	< 1.000	2017/06
NICKEL	01067	036	2014/06/10	< 10.000	2017/06
PERCHLORATE	A-031	012	2014/07/10	< 4.000	2015/07
SELENIUM	01147	036	2014/06/10	< 5.000	2017/06
THALLIUM	01059	036	2014/06/10	< 1.000	2017/06

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910003

System Name: CITY OF ARCADIA

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910003-040

Source Name: LONGLEY WELL

Source Number: 040

Source Status: ACTIVE RAW

Water type: G

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2014/06/10	. 9.300	2015/06
NITRITE (AS N)	00620	036	2014/06/10	< 400.000	2017/06

RADIOLOGICAL

GROSS ALPHA	01501	108	2014/06/10	< 3.000	2023/06
RADIUM 226	09501	108			
RADIUM 228	11501	108	2014/06/10	< .000	2023/06
URANIUM (PCI/L)	28012	072	2014/06/10	. 1.700	2020/06

DUE

REGULATED SOC

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2012/12/03	< 3.000	2015/09
THIOBENCARB	A-001	033	2012/12/03	< 1.000	2015/09

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	012	2014/06/10	< .500	2015/06
1,1,2,2-TETRACHLOROETHANE	34516	012	2014/06/10	< .500	2015/06
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/06/10	< 10.000	2015/06
1,1,2-TRICHLOROETHANE	34511	012	2014/06/10	< .500	2015/06
1,1-DICHLOROETHANE	34496	012	2014/06/10	< .500	2015/06
1,1-DICHLOROETHYLENE	34501	012	2014/06/10	< .500	2015/06
1,2,4-TRICHLOROBENZENE	34551	012	2014/06/10	< .500	2015/06
1,2-DICHLOROBENZENE	34536	012	2014/06/10	< .500	2015/06
1,2-DICHLOROETHANE	34531	012	2014/06/10	< .500	2015/06
1,2-DICHLOROPROPANE	34541	012	2014/06/10	< .500	2015/06
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2013/12/02	< .500	2014/12
1,4-DICHLOROBENZENE	34571	012	2014/06/10	< .500	2015/06
BENZENE	34030	012	2014/06/10	< .500	2015/06
CARBON TETRACHLORIDE	32102	012	2014/06/10	< .500	2015/06
CIS-1,2-DICHLOROETHYLENE	77093	012	2014/06/10	< .500	2015/06
DICHLOROMETHANE	34423	012	2014/06/10	< .500	2015/06
ETHYLBENZENE	34371	012	2014/06/10	< .500	2015/06

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910003

System Name: CITY OF ARCADIA

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910003-040

Source Name: LONGLEY WELL

Source Number: 040

Source Status: ACTIVE RAW

Water type: G

REGULATED VOC

METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/06/10	< 3.000	2015/06
MONOCHLORO BENZENE	34301	012	2014/06/10	< .500	2015/06
STYRENE	77128	012	2014/06/10	< .500	2015/06
TETRACHLOROETHYLENE	34475	012	2014/06/10	< .500	2015/06
TOLUENE	34010	012	2014/06/10	< .500	2015/06
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/06/10	< .500	2015/06
TRICHLOROETHYLENE	39180	012	2014/06/10	< .500	2015/06
TRICHLOROFLUOROMETHANE	34488	012	2014/06/10	< 5.000	2015/06
VINYL CHLORIDE	39175	012	2014/06/10	< .500	2015/06
XYLENES (TOTAL)	81551	012	2014/06/10	< .000	2015/06

SECONDARY/GP

BICARBONATE ALKALINITY	00440	036	2014/06/10	. 220.000	2017/06
CALCIUM	00916	036	2014/06/10	. 43.800	2017/06
CARBONATE ALKALINITY	00445	036	2014/06/10	< .000	2017/06
CHLORIDE	00940	036	2014/06/10	. 7.400	2017/06
COLOR	00081	036	2014/06/10	< .000	2017/06
COPPER	01042	036	2014/06/10	< 50.000	2017/06
FOAMING AGENTS (MBAS)	38260	036	2014/06/10	. .077	2017/06
HARDNESS (TOTAL) AS CaCO3	00900	036	2014/06/10	. 150.000	2017/06
HYDROXIDE ALKALINITY	71830	036	2014/06/10	< .000	2017/06
IRON	01045	036	2014/06/10	< 100.000	2017/06
MAGNESIUM	00927	036	2014/06/10	. 11.000	2017/06
MANGANESE	01055	036	2014/06/10	< 20.000	2017/06
ODOR THRESHOLD @ 60 C	00086	036	2014/06/10	. 1.000	2017/06
PH, LABORATORY	00403	036	2014/06/10	. 7.880	2017/06
SILVER	01077	036	2014/06/10	< 10.000	2017/06
SODIUM	00929	036	2014/06/10	. 22.000	2017/06
SPECIFIC CONDUCTANCE	00095	036	2014/06/10	. 400.000	2017/06
SULFATE	00945	036	2014/06/10	. 18.000	2017/06

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910003

System Name: CITY OF ARCADIA

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910003-040

Source Name: LONGLEY WELL

Source Number: 040

Source Status: ACTIVE RAW

Water type: G

SECONDARY/GP

TOTAL DISSOLVED SOLIDS	70300	036	2014/06/10	. 240.000	2017/06
TURBIDITY, LABORATORY	82079	036	2014/06/10	< .000	2017/06
ZINC	01092	036	2014/06/10	< 50.000	2017/06

PS Code: 1910003-041

Source Name: CAMINO REAL WELL 03

Source Number: 041

Source Status: ACTIVE RAW

Water type: G

INORGANIC

ALUMINUM	01105	036	2014/06/10	< 50.000	2017/06
ANTIMONY	01097	036	2014/06/10	< 6.000	2017/06
ARSENIC	01002	036	2014/06/10	< 2.000	2017/06
BARIUM	01007	036	2014/06/10	< 100.000	2017/06
BERYLLIUM	01012	036	2014/06/10	< 1.000	2017/06
CADMIUM	01027	036	2014/06/10	< 1.000	2017/06
CHROMIUM (TOTAL)	01034	036	2014/06/10	< 10.000	2017/06
CHROMIUM, HEXAVALENT	01032	036	2013/09/05	. 6.400	2016/09
CYANIDE	01291	036	2014/06/10	< 100.000	2017/06
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/06/10	. .670	2017/06
MERCURY	71900	036	2014/06/10	< 1.000	2017/06
NICKEL	01067	036	2014/06/10	< 10.000	2017/06
PERCHLORATE	A-031	012	2014/07/10	< 4.000	2015/07
SELENIUM	01147	036	2014/06/10	< 5.000	2017/06
THALLIUM	01059	036	2014/06/10	< 1.000	2017/06

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2014/06/10	. 16.000	2015/06
NITRITE (AS N)	00620	036	2014/06/10	< 400.000	2017/06

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: **1910003**

System Name: **CITY OF ARCADIA**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: **1910003-041**

Source Name: **CAMINO REAL WELL 03**

Source Number: **041**

Source Status: **ACTIVE RAW**

Water type: **G**

RADIOLOGICAL

GROSS ALPHA	01501	108	2014/06/10	< 3.000	2023/06
RADIUM 226	09501	108			
RADIUM 228	11501	108	2014/06/10	< .000	2023/06
URANIUM (PCI/L)	28012	072	2014/06/10	. 2.400	2020/06

DUE

REGULATED SOC

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2012/12/03	< 3.000	2015/09
THIOBENCARB	A-001	033	2012/12/03	< 1.000	2015/09

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	012	2014/06/10	< .500	2015/06
1,1,2,2-TETRACHLOROETHANE	34516	012	2014/06/10	< .500	2015/06
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/06/10	< 10.000	2015/06
1,1,2-TRICHLOROETHANE	34511	012	2014/06/10	< .500	2015/06
1,1-DICHLOROETHANE	34496	012	2014/06/10	< .500	2015/06
1,1-DICHLOROETHYLENE	34501	012	2014/06/10	< .500	2015/06
1,2,4-TRICHLOROBENZENE	34551	012	2014/06/10	< .500	2015/06
1,2-DICHLOROBENZENE	34536	012	2014/06/10	< .500	2015/06
1,2-DICHLOROETHANE	34531	012	2014/06/10	< .500	2015/06
1,2-DICHLOROPROPANE	34541	012	2014/06/10	< .500	2015/06
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2013/12/02	< .500	2014/12
1,4-DICHLOROBENZENE	34571	012	2014/06/10	< .500	2015/06
BENZENE	34030	012	2014/06/10	< .500	2015/06
CARBON TETRACHLORIDE	32102	012	2014/06/10	< .500	2015/06
CIS-1,2-DICHLOROETHYLENE	77093	012	2014/06/10	< .500	2015/06
DICHLOROMETHANE	34423	012	2014/06/10	< .500	2015/06
ETHYLBENZENE	34371	012	2014/06/10	< .500	2015/06
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/06/10	< 3.000	2015/06
MONOCHLOROBENZENE	34301	012	2014/06/10	< .500	2015/06
STYRENE	77128	012	2014/06/10	< .500	2015/06
TETRACHLOROETHYLENE	34475	012	2014/06/10	< .500	2015/06

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910003

System Name: CITY OF ARCADIA

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910003-041

Source Name: CAMINO REAL WELL 03

Source Number: 041

Source Status: ACTIVE RAW

Water type: G

REGULATED VOC

TOLUENE	34010	012	2014/06/10	< .500	2015/06
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/06/10	< .500	2015/06
TRICHLOROETHYLENE	39180	012	2014/06/10	< .500	2015/06
TRICHLOROFUOROMETHANE	34488	012	2014/06/10	< 5.000	2015/06
VINYL CHLORIDE	39175	012	2014/06/10	< .500	2015/06
XYLENES (TOTAL)	81551	012	2014/06/10	< .000	2015/06

SECONDARY/GP

BICARBONATE ALKALINITY	00440	036	2014/06/10	. 230.000	2017/06
CALCIUM	00916	036	2014/06/10	. 48.100	2017/06
CARBONATE ALKALINITY	00445	036	2014/06/10	< .000	2017/06
CHLORIDE	00940	036	2014/06/10	. 9.300	2017/06
COLOR	00081	036	2014/06/10	< .000	2017/06
COPPER	01042	036	2014/06/10	< 50.000	2017/06
FOAMING AGENTS (MBAS)	38260	036	2014/06/10	< .000	2017/06
HARDNESS (TOTAL) AS CaCO3	00900	036	2014/06/10	. 170.000	2017/06
HYDROXIDE ALKALINITY	71830	036	2014/06/10	< .000	2017/06
IRON	01045	036	2014/06/10	< 100.000	2017/06
MAGNESIUM	00927	036	2014/06/10	. 12.000	2017/06
MANGANESE	01055	036	2014/06/10	< 20.000	2017/06
ODOR THRESHOLD @ 60 C	00086	036	2014/06/10	. 1.000	2017/06
PH, LABORATORY	00403	036	2014/06/10	. 7.850	2017/06
SILVER	01077	036	2014/06/10	< 10.000	2017/06
SODIUM	00929	036	2014/06/10	. 20.000	2017/06
SPECIFIC CONDUCTANCE	00095	036	2014/06/10	. 420.000	2017/06
SULFATE	00945	036	2014/06/10	. 17.000	2017/06
TOTAL DISSOLVED SOLIDS	70300	036	2014/06/10	. 260.000	2017/06
TURBIDITY, LABORATORY	82079	036	2014/06/10	< .000	2017/06
ZINC	01092	036	2014/06/10	. 67.000	2017/06

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910003

System Name: CITY OF ARCADIA

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

PS Code: 1910003-042

Source Name: BLEND SOURCE - PECK WELL 01

Source Number: 042

Source Status: ACTIVE TREATED

Water type: G

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

PS Code: 1910003-043

Source Name: ORANGE GROVE PLANT-SAMPLE STA. A

Source Number: 043

Source Status: COMBINATION OR BLEND TREATED

Water type: G

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

PS Code: 1910003-044

Source Name: ORANGE GROVE PLANT-SAMPLE STA. B

Source Number: 044

Source Status: COMBINATION OR BLEND TREATED

Water type: G

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

PS Code: 1910003-045

Source Name: ORANGE GROVE PLANT-SAMPLE STA. C

Source Number: 045

Source Status: COMBINATION OR BLEND TREATED

Water type: G

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910003

System Name: CITY OF ARCADIA

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910003-046

Source Name: BLENDED SOURCE FROM ZONE 4

Source Number: 046

Source Status: DISTRIBUTION TREATED

Water type: G

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

PS Code: 1910003-800

Source Name: SITE1- 2240 HIGHLAND OAKS DR. -STG2 DBP

Source Number: 800

Source Status: DISTRIBUTION TREATED

Water type: G

HALOACETIC ACIDS

DIBROMOACETIC ACID (DBAA)	82721	003	2014/04/24	.	1.400	2014/07
DICHLOROACETIC ACID (DCAA)	77288	003	2014/04/24	<	1.000	2014/07
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/04/24	.	1.400	2014/07
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/04/24	<	1.000	2014/07
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/04/24	<	2.000	2014/07
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/04/24	<	1.000	2014/07

STATE UCMR

BROMODICHLORMETHANE (THM)	32101	003	2014/04/24	.	3.100	2014/07
BROMOFORM (THM)	32104	003	2014/04/24	.	7.800	2014/07
CHLOROFORM (THM)	32106	003	2014/04/24	.	1.000	2014/07
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/04/24	.	6.800	2014/07

TRIHALOMETHANES

TOTAL TRIHALOMETHANES	82080	003	2014/04/24	.	19.000	2014/07
-----------------------	-------	-----	------------	---	--------	---------

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910003

System Name: CITY OF ARCADIA

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910003-801

Source Name: SITE2- 2220 CANYON RD. -STG2 DBP

Source Number: 801

Source Status: DISTRIBUTION TREATED

Water type: G

HALOACETIC ACIDS

DIBROMOACETIC ACID (DBAA)	82721	003	2014/04/24	. 1.200	2014/07
DICHLOROACETIC ACID (DCAA)	77288	003	2014/04/24	< 1.000	2014/07
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/04/24	. 1.200	2014/07
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/04/24	< 1.000	2014/07
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/04/24	< 2.000	2014/07
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/04/24	< 1.000	2014/07

STATE UCMR

BROMODICHLORMETHANE (THM)	32101	003	2014/04/24	. 3.200	2014/07
BROMOFORM (THM)	32104	003	2014/04/24	. 5.600	2014/07
CHLOROFORM (THM)	32106	003	2014/04/24	< 1.000	2014/07
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/04/24	. 6.900	2014/07

TRIHALOMETHANES

TOTAL TRIHALOMETHANES	82080	003	2014/04/24	. 17.000	2014/07
-----------------------	-------	-----	------------	----------	---------

PS Code: 1910003-802

Source Name: SITE3- 398 TORREY PINES DR. -STG2 DBP

Source Number: 802

Source Status: DISTRIBUTION TREATED

Water type: G

HALOACETIC ACIDS

DIBROMOACETIC ACID (DBAA)	82721	003	2014/04/24	. 1.100	2014/07
DICHLOROACETIC ACID (DCAA)	77288	003	2014/04/24	< 1.000	2014/07
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/04/24	. 1.100	2014/07
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/04/24	< 1.000	2014/07
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/04/24	< 2.000	2014/07
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/04/24	< 1.000	2014/07

STATE UCMR

BROMODICHLORMETHANE (THM)	32101	003	2014/04/24	. 1.800	2014/07
---------------------------	-------	-----	------------	---------	---------

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910003

System Name: CITY OF ARCADIA

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910003-802

Source Name: SITE3- 398 TORREY PINES DR. -STG2 DBP

Source Number: 802

Source Status: DISTRIBUTION TREATED

Water type: G

STATE UCMR

BROMOFORM (THM)	32104	003	2014/04/24	. 5.700	2014/07
CHLOROFORM (THM)	32106	003	2014/04/24	< 1.000	2014/07
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/04/24	. 4.600	2014/07

TRIHALOMETHANES

TOTAL TRIHALOMETHANES	82080	003	2014/04/24	. 13.000	2014/07
-----------------------	-------	-----	------------	----------	---------

PS Code: 1910003-803

Source Name: SITE4- 815 HAMPTON RD. -STG2 DBP

Source Number: 803

Source Status: DISTRIBUTION TREATED

Water type: G

HALOACETIC ACIDS

DIBROMOACETIC ACID (DBAA)	82721	003	2014/04/24	< 1.000	2014/07
DICHLOROACETIC ACID (DCAA)	77288	003	2014/04/24	< 1.000	2014/07
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/04/24	< .000	2014/07
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/04/24	< 1.000	2014/07
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/04/24	< 2.000	2014/07
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/04/24	< 1.000	2014/07

STATE UCMR

BROMODICHLORMETHANE (THM)	32101	003	2014/04/24	. 1.400	2014/07
BROMOFORM (THM)	32104	003	2014/04/24	. 2.700	2014/07
CHLOROFORM (THM)	32106	003	2014/04/24	< 1.000	2014/07
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/04/24	. 3.200	2014/07

TRIHALOMETHANES

TOTAL TRIHALOMETHANES	82080	003	2014/04/24	. 7.300	2014/07
-----------------------	-------	-----	------------	---------	---------

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910010

System Name: CALIFORNIA WATER SERVICE CO.-LANCASTER

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910010-001

Source Name: WELL 01-01

Source Number: 001

Source Status: ACTIVE RAW

Water type: G

INORGANIC

ALUMINUM	01105	036	2014/05/05	< .000	2017/05
ANTIMONY	01097	036	2014/05/05	< .000	2017/05
ARSENIC	01002	036	2014/05/05	. 3.000	2017/05
ASBESTOS	81855	108	2013/05/22	. .000	2022/05
BARIUM	01007	036	2014/05/05	< .000	2017/05
BERYLLIUM	01012	036	2014/05/05	< .000	2017/05
CADMIUM	01027	036	2014/05/05	< .000	2017/05
CHROMIUM (TOTAL)	01034	036	2014/05/05	< .000	2017/05
CYANIDE	01291	036	2014/05/05	< .000	2017/05
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/05/05	. .400	2017/05
MERCURY	71900	036	2014/05/05	< .000	2017/05
NICKEL	01067	036	2014/05/05	< .000	2017/05
PERCHLORATE	A-031	036	2014/05/05	< 4.000	2017/05
SELENIUM	01147	036	2014/05/05	< .000	2017/05
THALLIUM	01059	036	2014/05/05	< .000	2017/05

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2014/05/05	. 6.500	2015/05
NITRITE (AS N)	00620	036	2014/05/05	< .000	2017/05

RADIOLOGICAL

GROSS ALPHA	01501	108	2014/05/05	< 3.000	2023/05
-------------	-------	-----	------------	---------	---------

REGULATED SOC

DI(2-ETHYLHEXYL)PHTHALATE	39100	036	2014/05/13	< .000	2017/05
THIOBENCARB	A-001	036	2014/05/13	< .000	2017/05

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	012	2014/05/20	. .000	2015/05
1,1,2,2-TETRACHLOROETHANE	34516	012	2014/05/20	. .000	2015/05
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/05/20	. .000	2015/05
1,1,2-TRICHLOROETHANE	34511	012	2014/05/20	. .000	2015/05

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910010

System Name: CALIFORNIA WATER SERVICE CO.-LANCASTER

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910010-001

Source Name: WELL 01-01

Source Number: 001

Source Status: ACTIVE RAW

Water type: G

REGULATED VOC

1,1-DICHLOROETHANE	34496	012	2014/05/20	.000	2015/05
1,1-DICHLOROETHYLENE	34501	012	2014/05/20	.000	2015/05
1,2,4-TRICHLOROBENZENE	34551	012	2014/05/20	.000	2015/05
1,2-DICHLOROBENZENE	34536	012	2014/05/20	.000	2015/05
1,2-DICHLOROETHANE	34531	012	2014/05/20	.000	2015/05
1,2-DICHLOROPROPANE	34541	012	2014/05/20	.000	2015/05
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/05/20	.000	2015/05
1,4-DICHLOROBENZENE	34571	012	2014/05/20	.000	2015/05
BENZENE	34030	012	2014/05/20	.000	2015/05
CARBON TETRACHLORIDE	32102	012	2014/05/20	.000	2015/05
CIS-1,2-DICHLOROETHYLENE	77093	012	2014/05/20	.000	2015/05
DICHLOROMETHANE	34423	012	2014/05/20	.000	2015/05
ETHYLBENZENE	34371	012	2014/05/20	.000	2015/05
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/05/20	.000	2015/05
MONOCHLOROBENZENE	34301	012	2014/05/20	.000	2015/05
STYRENE	77128	012	2014/05/20	.000	2015/05
TETRACHLOROETHYLENE	34475	012	2014/05/20	.000	2015/05
TOLUENE	34010	012	2014/05/20	.000	2015/05
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/05/20	.000	2015/05
TRICHLOROETHYLENE	39180	012	2014/05/20	.000	2015/05
TRICHLOROFUOROMETHANE	34488	012	2014/05/20	.000	2015/05
VINYL CHLORIDE	39175	012	2014/05/20	.000	2015/05
XYLENES (TOTAL)	81551	012	2014/05/20	.000	2015/05

SECONDARY/GP

BICARBONATE ALKALINITY	00440	036	2014/05/05	.160.000	2017/05
CALCIUM	00916	036	2014/05/05	.23.000	2017/05
CARBONATE ALKALINITY	00445	036	2014/05/05	<.000	2017/05
CHLORIDE	00940	036	2014/05/05	.47.000	2017/05
COLOR	00081	036	2014/05/05	<.000	2017/05

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910010

System Name: CALIFORNIA WATER SERVICE CO.-LANCASTER

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

PS Code: 1910010-001

Source Name: WELL 01-01

Source Number: 001

Source Status: ACTIVE RAW

Water type: G

SECONDARY/GP

COPPER	01042	036	2014/05/05	< .000	2017/05
FOAMING AGENTS (MBAS)	38260	036	2014/05/05	< .000	2017/05
HARDNESS (TOTAL) AS CaCO3	00900	036	2014/05/05	. 79.000	2017/05
HYDROXIDE ALKALINITY	71830	036	2014/05/05	< .000	2017/05
IRON	01045	036	2014/05/05	< .000	2017/05
MAGNESIUM	00927	036	2014/05/05	. 4.900	2017/05
MANGANESE	01055	036	2014/05/05	< .000	2017/05
ODOR THRESHOLD @ 60 C	00086	036	2014/05/05	< .000	2017/05
PH, LABORATORY	00403	036	2014/05/05	. 8.000	2017/05
SILVER	01077	036	2014/05/05	< .000	2017/05
SODIUM	00929	036	2014/05/05	. 85.000	2017/05
SPECIFIC CONDUCTANCE	00095	036	2014/05/05	. 510.000	2017/05
SULFATE	00945	036	2014/05/05	. 61.000	2017/05
TOTAL DISSOLVED SOLIDS	70300	036	2014/05/05	. 310.000	2017/05
TURBIDITY, LABORATORY	82079	036	2014/05/05	< .000	2017/05
ZINC	01092	036	2014/05/05	< .000	2017/05

PS Code: 1910010-005

Source Name: WELL 01-03

Source Number: 005

Source Status: ACTIVE RAW

Water type: G

INORGANIC

ALUMINUM	01105	036	2013/06/05	< .000	2016/06
ANTIMONY	01097	036	2013/06/05	< .000	2016/06
ARSENIC	01002	036	2013/06/05	< .000	2016/06
ASBESTOS	81855	108	2007/09/18	.000	2016/09
BARIUM	01007	036	2013/06/05	< .000	2016/06
BERYLLIUM	01012	036	2013/06/05	< .000	2016/06

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910010

System Name: CALIFORNIA WATER SERVICE CO.-LANCASTER

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910010-005

Source Name: WELL 01-03

Source Number: 005

Source Status: ACTIVE RAW

Water type: G

INORGANIC

CADMIUM	01027	036	2013/06/05	< .000	2016/06
CHROMIUM (TOTAL)	01034	036	2013/06/05	< .000	2016/06
CHROMIUM, HEXAVALENT	01032	036	2014/05/05	. 5.700	2017/05
CYANIDE	01291	036	2013/06/05	< .000	2016/06
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/06/05	. .320	2016/06
MERCURY	71900	036	2013/06/05	< .000	2016/06
NICKEL	01067	036	2013/06/05	< .000	2016/06
PERCHLORATE	A-031	036	2013/06/10	< 4.000	2016/06
SELENIUM	01147	036	2013/06/05	< .000	2016/06
THALLIUM	01059	036	2013/06/05	< .000	2016/06

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2014/06/17	. 11.673	2015/06
NITRITE (AS N)	00620	036	2013/06/05	< .000	2016/06

RADIOLOGICAL

GROSS ALPHA	01501	108	2011/06/14	< 3.000	2020/06
URANIUM (PCI/L)	28012	108	2011/06/21	. .978	2020/06

REGULATED SOC

DI(2-ETHYLHEXYL)PHTHALATE	39100	036	2013/06/10	< .000	2016/06
THIOBENCARB	A-001	036	2013/06/10	< .000	2016/06

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	012	2014/06/24	< .000	2015/06
1,1,2,2-TETRACHLOROETHANE	34516	012	2014/06/24	< .000	2015/06
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/06/24	< .000	2015/06
1,1,2-TRICHLOROETHANE	34511	012	2014/06/24	< .000	2015/06
1,1-DICHLOROETHANE	34496	012	2014/06/24	< .000	2015/06
1,1-DICHLOROETHYLENE	34501	012	2014/06/24	< .000	2015/06
1,2,4-TRICHLOROBENZENE	34551	012	2014/06/24	< .000	2015/06
1,2-DICHLOROBENZENE	34536	012	2014/06/24	< .000	2015/06

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910010

System Name: CALIFORNIA WATER SERVICE CO.-LANCASTER

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910010-005

Source Name: WELL 01-03

Source Number: 005

Source Status: ACTIVE RAW

Water type: G

REGULATED VOC

1,2-DICHLOROETHANE	34531	012	2014/06/24	< .000	2015/06
1,2-DICHLOROPROPANE	34541	012	2014/06/24	< .000	2015/06
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/06/24	< .000	2015/06
1,4-DICHLOROBENZENE	34571	012	2014/06/24	< .000	2015/06
BENZENE	34030	012	2014/06/24	< .000	2015/06
CARBON TETRACHLORIDE	32102	012	2014/06/24	< .000	2015/06
CIS-1,2-DICHLOROETHYLENE	77093	012	2014/06/24	< .000	2015/06
DICHLOROMETHANE	34423	012	2014/06/24	< .000	2015/06
ETHYLBENZENE	34371	012	2014/06/24	< .000	2015/06
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/06/24	< .000	2015/06
MONOCHLOROBENZENE	34301	012	2014/06/24	< .000	2015/06
STYRENE	77128	012	2014/06/24	< .000	2015/06
TETRACHLOROETHYLENE	34475	012	2014/06/24	< .000	2015/06
TOLUENE	34010	012	2014/06/24	< .000	2015/06
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/06/24	< .000	2015/06
TRICHLOROETHYLENE	39180	012	2014/06/24	< .000	2015/06
TRICHLOROFLUOROMETHANE	34488	012	2014/06/24	< .000	2015/06
VINYL CHLORIDE	39175	012	2014/06/24	< .000	2015/06
XYLENES (TOTAL)	81551	012	2014/06/24	< .000	2015/06

SECONDARY/GP

BICARBONATE ALKALINITY	00440	036	2013/06/05	. 200.000	2016/06
CALCIUM	00916	036	2013/06/05	. 44.000	2016/06
CARBONATE ALKALINITY	00445	036	2013/06/05	< .000	2016/06
CHLORIDE	00940	036	2013/06/05	. 72.000	2016/06
COLOR	00081	036	2013/06/05	< .000	2016/06
COPPER	01042	036	2013/06/05	< .000	2016/06
FOAMING AGENTS (MBAS)	38260	036	2013/06/05	< .000	2016/06
HARDNESS (TOTAL) AS CaCO3	00900	036	2013/06/05	. 150.000	2016/06
HYDROXIDE ALKALINITY	71830	036	2013/06/05	< .000	2016/06

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910010

System Name: CALIFORNIA WATER SERVICE CO.-LANCASTER

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910010-005

Source Name: WELL 01-03

Source Number: 005

Source Status: ACTIVE RAW

Water type: G

SECONDARY/GP

IRON	01045	036	2013/06/05	< .000	2016/06
MAGNESIUM	00927	036	2013/06/05	. 10.000	2016/06
MANGANESE	01055	036	2013/06/05	< .000	2016/06
ODOR THRESHOLD @ 60 C	00086	036	2013/06/05	1.000	2016/06
PH, LABORATORY	00403	036	2013/06/05	. 8.100	2016/06
SILVER	01077	036	2013/06/05	< .000	2016/06
SODIUM	00929	036	2013/06/05	92.000	2016/06
SPECIFIC CONDUCTANCE	00095	036	2013/06/05	. 730.000	2016/06
SULFATE	00945	036	2013/06/05	98.000	2016/06
TOTAL DISSOLVED SOLIDS	70300	036	2013/06/05	. 450.000	2016/06
TURBIDITY, LABORATORY	82079	036	2013/06/05	< .000	2016/06
ZINC	01092	036	2013/06/05	< .000	2016/06

PS Code: 1910010-800

Source Name: 1 - 1828 W. AVE. K-9 - STG2 DBP

Source Number: 800

Source Status: DISTRIBUTION TREATED

Water type: G

HALOACETIC ACIDS

DIBROMOACETIC ACID (DBAA)	82721	000			DUE
DICHLOROACETIC ACID (DCAA)	77288	000			DUE
HALOACETIC ACIDS (5) (HAA5)	A-049	000			DUE
MONOBROMOACETIC ACID (MBAA)	A-041	000			DUE
MONOCHLOROACETIC ACID (MCAA)	A-042	000			DUE
TRICHLOROACETIC ACID (TCAA)	82723	000			DUE

STATE UCMR

BROMODICHLORMETHANE (THM)	32101	003	2014/07/23	< .000	2014/10
BROMOFORM (THM)	32104	003	2014/07/23	. .500	2014/10
CHLOROFORM (THM)	32106	003	2014/07/23	< .000	2014/10

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910010

System Name: CALIFORNIA WATER SERVICE CO.-LANCASTER

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910010-800

Source Name: 1 - 1828 W. AVE. K-9 - STG2 DBP

Source Number: 800

Source Status: DISTRIBUTION TREATED

Water type: G

STATE UCMR

DIBROMOCHLOROMETHANE (THM)	32105	003	2014/07/23	< .000	2014/10
----------------------------	-------	-----	------------	--------	---------

TRIHALOMETHANES

TOTAL TRIHALOMETHANES	82080	003	2014/07/23	. 1.500	2014/10
-----------------------	-------	-----	------------	---------	---------

PS Code: 1910010-801

Source Name: 2 - 42061 22ND ST. - STG2 DBP

Source Number: 801

Source Status: DISTRIBUTION TREATED

Water type: G

HALOACETIC ACIDS

DIBROMOACETIC ACID (DBAA)	82721	000			DUE
DICHLOROACETIC ACID (DCAA)	77288	000			DUE
HALOACETIC ACIDS (5) (HAA5)	A-049	000			DUE
MONOBROMOACETIC ACID (MBAA)	A-041	000			DUE
MONOCHLOROACETIC ACID (MCAA)	A-042	000			DUE
TRICHLOROACETIC ACID (TCAA)	82723	000			DUE

STATE UCMR

BROMODICHLORMETHANE (THM)	32101	003	2014/07/23	< .000	2014/10
BROMOFORM (THM)	32104	003	2014/07/23	. .610	2014/10
CHLOROFORM (THM)	32106	003	2014/07/23	< .000	2014/10
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/07/23	< .000	2014/10

TRIHALOMETHANES

TOTAL TRIHALOMETHANES	82080	003	2014/07/23	. 1.300	2014/10
-----------------------	-------	-----	------------	---------	---------

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910017

System Name: SANTA CLARITA WATER DIVISION

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910017-002

Source Name: CLARK WELL - 15

Source Number: 002

Source Status: ACTIVE RAW

Water type: G

INORGANIC

ALUMINUM	01105	036	2013/05/23	< 50.000	2016/05
ANTIMONY	01097	036	2013/05/23	< 6.000	2016/05
ARSENIC	01002	036	2013/05/23	< 2.000	2016/05
BARIUM	01007	036	2013/05/23	< 100.000	2016/05
BERYLLIUM	01012	036	2013/05/23	< 1.000	2016/05
CADMIUM	01027	036	2013/05/23	< 1.000	2016/05
CHROMIUM (TOTAL)	01034	036	2013/05/23	< 10.000	2016/05
CHROMIUM, HEXAVALENT	01032	000			DUE
CYANIDE	01291	036	2012/05/24	< 100.000	2015/05
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/05/23	.470	2016/05
MERCURY	71900	036	2013/05/23	< 1.000	2016/05
NICKEL	01067	036	2013/05/23	< 10.000	2016/05
PERCHLORATE	A-031	012	2014/06/11	< 4.000	2015/06
SELENIUM	01147	036	2013/05/23	< 5.000	2016/05
THALLIUM	01059	036	2013/05/23	< 1.000	2016/05

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2014/05/12	.16.000	2015/05
NITRITE (AS N)	00620	036	2013/05/23	< 400.000	2016/05

RADIOLOGICAL

GROSS ALPHA	01501	108	2005/12/07	< 3.000	2014/12
-------------	-------	-----	------------	---------	---------

REGULATED SOC

2,4-D	39730	033	2012/05/24	< 10.000	2015/02
ALACHLOR	77825	033	2012/05/24	< 1.000	2015/02
ATRAZINE	39033	033	2012/05/24	< .500	2015/02
BENTAZON	38710	033	2012/05/24	< 2.000	2015/02
DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2012/05/24	< 3.000	2015/02
DINOSEB	81287	033	2012/05/24	< 2.000	2015/02
DIQUAT	78885	033	2012/05/24	< 4.000	2015/02

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910017

System Name: SANTA CLARITA WATER DIVISION

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910017-002

Source Name: CLARK WELL - 15

Source Number: 002

Source Status: ACTIVE RAW

Water type: G

REGULATED SOC

ENDOTHALL	38926	033	2012/05/24	< 45.000	2015/02
GLYPHOSATE	79743	033	2012/05/24	< 25.000	2015/02
PENTACHLOROPHENOL	39032	033	2012/05/24	< .200	2015/02
SIMAZINE	39055	033	2012/05/24	< 1.000	2015/02
TOXAPHENE	39400	033	2012/05/24	< 1.000	2015/02

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	012	2014/06/11	.000	2015/06
1,1,2,2-TETRACHLOROETHANE	34516	012	2014/06/11	.000	2015/06
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/06/11	.000	2015/06
1,1,2-TRICHLOROETHANE	34511	012	2014/06/11	.000	2015/06
1,1-DICHLOROETHANE	34496	012	2014/06/11	.000	2015/06
1,1-DICHLOROETHYLENE	34501	012	2014/06/11	.000	2015/06
1,2,4-TRICHLOROBENZENE	34551	012	2014/06/11	.000	2015/06
1,2-DICHLOROBENZENE	34536	012	2014/06/11	.000	2015/06
1,2-DICHLOROETHANE	34531	012	2014/06/11	.000	2015/06
1,2-DICHLOROPROPANE	34541	012	2014/06/11	.000	2015/06
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/06/11	.000	2015/06
1,4-DICHLOROBENZENE	34571	012	2014/06/11	.000	2015/06
BENZENE	34030	012	2014/06/11	.000	2015/06
CARBON TETRACHLORIDE	32102	012	2014/06/11	.000	2015/06
CIS-1,2-DICHLOROETHYLENE	77093	012	2014/06/11	.000	2015/06
DICHLOROMETHANE	34423	012	2014/06/11	.000	2015/06
ETHYLBENZENE	34371	012	2014/06/11	.000	2015/06
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/06/11	.000	2015/06
MONOCHLOROBENZENE	34301	012	2014/06/11	.000	2015/06
STYRENE	77128	012	2014/06/11	.000	2015/06
TETRACHLOROETHYLENE	34475	012	2014/06/11	.000	2015/06
TOLUENE	34010	012	2014/06/11	.000	2015/06
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/06/11	.000	2015/06

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910017

System Name: SANTA CLARITA WATER DIVISION

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910017-002

Source Name: CLARK WELL - 15

Source Number: 002

Source Status: ACTIVE RAW

Water type: G

REGULATED VOC

TRICHLOROETHYLENE	39180	012	2014/06/11	. .000	2015/06
TRICHLOROFUOROMETHANE	34488	012	2014/06/11	. .000	2015/06
VINYL CHLORIDE	39175	012	2014/06/11	. .000	2015/06
XYLENES (TOTAL)	81551	012	2014/06/11	. .000	2015/06

SECONDARY/GP

BICARBONATE ALKALINITY	00440	036	2013/05/23	. 380.000	2016/05
CALCIUM	00916	036	2013/05/23	. 92.000	2016/05
CARBONATE ALKALINITY	00445	036	2013/05/23	< 2.000	2016/05
CHLORIDE	00940	036	2013/05/23	. 76.000	2016/05
COLOR	00081	036	2013/05/23	< 3.000	2016/05
COPPER	01042	036	2013/05/23	< 50.000	2016/05
FOAMING AGENTS (MBAS)	38260	036	2013/05/23	< .050	2016/05
HARDNESS (TOTAL) AS CaCO3	00900	036	2013/05/23	. 420.000	2016/05
HYDROXIDE ALKALINITY	71830	036	2013/05/23	< 2.000	2016/05
IRON	01045	036	2013/05/23	< 100.000	2016/05
MAGNESIUM	00927	036	2013/05/23	. 45.000	2016/05
MANGANESE	01055	036	2013/05/23	< 20.000	2016/05
ODOR THRESHOLD @ 60 C	00086	036	2013/05/23	< 1.000	2016/05
PH, LABORATORY	00403	036	2013/05/23	. 7.700	2016/05
SILVER	01077	036	2013/05/23	< 10.000	2016/05
SODIUM	00929	036	2013/05/23	100.000	2016/05
SPECIFIC CONDUCTANCE	00095	036	2013/05/23	. 1100.000	2016/05
SULFATE	00945	036	2013/05/23	170.000	2016/05
TOTAL DISSOLVED SOLIDS	70300	036	2013/05/23	. 720.000	2016/05
TURBIDITY, LABORATORY	82079	036	2013/05/23	. .093	2016/05
ZINC	01092	036	2013/05/23	< 50.000	2016/05

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910017

System Name: SANTA CLARITA WATER DIVISION

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910017-006

Source Name: GUIDA WELL 14

Source Number: 006

Source Status: ACTIVE RAW

Water type: G

INORGANIC

ALUMINUM	01105	036	2014/05/22	< 50.000	2017/05
ANTIMONY	01097	036	2014/05/22	< 6.000	2017/05
ARSENIC	01002	036	2014/05/22	. 2.100	2017/05
BARIUM	01007	036	2014/05/22	< 100.000	2017/05
BERYLLIUM	01012	036	2014/05/22	< 1.000	2017/05
CADMIUM	01027	036	2014/05/22	< 1.000	2017/05
CHROMIUM (TOTAL)	01034	036	2014/05/22	< 10.000	2017/05
CHROMIUM, HEXAVALENT	01032	000			DUE
CYANIDE	01291	036	2012/05/24	< 100.000	2015/05
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/05/22	. .570	2017/05
MERCURY	71900	036	2014/05/22	< 1.000	2017/05
NICKEL	01067	036	2014/05/22	< 10.000	2017/05
PERCHLORATE	A-031	012	2014/06/11	< 4.000	2015/06
SELENIUM	01147	036	2014/05/22	< 5.000	2017/05
THALLIUM	01059	036	2014/05/22	< 1.000	2017/05

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2014/05/22	. 16.000	2015/05
NITRITE (AS N)	00620	036	2014/05/22	< 400.000	2017/05

RADIOLOGICAL

GROSS ALPHA	01501	108	2005/12/07	. 4.000	2014/12
-------------	-------	-----	------------	---------	---------

REGULATED SOC

2,4-D	39730	033	2012/05/24	< 10.000	2015/02
ALACHLOR	77825	033	2012/05/24	< 1.000	2015/02
ATRAZINE	39033	033	2012/06/25	< .500	2015/03
BENTAZON	38710	033	2012/05/24	< 2.000	2015/02
DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2012/06/25	< 3.000	2015/03
DINOSEB	81287	033	2012/05/24	< 2.000	2015/02
DIQUAT	78885	033	2012/05/24	< 4.000	2015/02

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910017

System Name: SANTA CLARITA WATER DIVISION

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910017-006

Source Name: GUIDA WELL 14

Source Number: 006

Source Status: ACTIVE RAW

Water type: G

REGULATED SOC

ENDOTHALL	38926	033	2012/05/24	< 45.000	2015/02
GLYPHOSATE	79743	033	2012/05/24	< 25.000	2015/02
PENTACHLOROPHENOL	39032	033	2012/05/24	< .200	2015/02
SIMAZINE	39055	033	2012/06/25	< 1.000	2015/03
TOXAPHENE	39400	033	2012/05/24	< 1.000	2015/02

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	012	2014/06/11	. 000	2015/06
1,1,2,2-TETRACHLOROETHANE	34516	012	2014/06/11	. 000	2015/06
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/06/11	. 000	2015/06
1,1,2-TRICHLOROETHANE	34511	012	2014/06/11	. 000	2015/06
1,1-DICHLOROETHANE	34496	012	2014/06/11	. 000	2015/06
1,1-DICHLOROETHYLENE	34501	012	2014/06/11	. 000	2015/06
1,2,4-TRICHLOROBENZENE	34551	012	2014/06/11	. 000	2015/06
1,2-DICHLOROBENZENE	34536	012	2014/06/11	. 000	2015/06
1,2-DICHLOROETHANE	34531	012	2014/06/11	. 000	2015/06
1,2-DICHLOROPROPANE	34541	012	2014/06/11	. 000	2015/06
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/06/11	. 000	2015/06
1,4-DICHLOROBENZENE	34571	012	2014/06/11	. 000	2015/06
BENZENE	34030	012	2014/06/11	. 000	2015/06
CARBON TETRACHLORIDE	32102	012	2014/06/11	. 000	2015/06
CIS-1,2-DICHLOROETHYLENE	77093	012	2014/06/11	. 000	2015/06
DICHLOROMETHANE	34423	012	2014/06/11	. 000	2015/06
ETHYLBENZENE	34371	012	2014/06/11	. 000	2015/06
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/06/11	. 000	2015/06
MONOCHLOROBENZENE	34301	012	2014/06/11	. 000	2015/06
STYRENE	77128	012	2014/06/11	. 000	2015/06
TETRACHLOROETHYLENE	34475	012	2014/06/11	. 000	2015/06
TOLUENE	34010	012	2014/06/11	. 000	2015/06
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/06/11	. 000	2015/06

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910017

System Name: SANTA CLARITA WATER DIVISION

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

PS Code: 1910017-006

Source Name: GUIDA WELL 14

Source Number: 006

Source Status: ACTIVE RAW

Water type: G

REGULATED VOC

TRICHLOROETHYLENE	39180	012	2014/06/11	. .000	2015/06
TRICHLOROFUOROMETHANE	34488	012	2014/06/11	. .000	2015/06
VINYL CHLORIDE	39175	012	2014/06/11	. .000	2015/06
XYLENES (TOTAL)	81551	012	2014/06/11	. .000	2015/06

SECONDARY/GP

BICARBONATE ALKALINITY	00440	036	2014/05/22	. 310.000	2017/05
CALCIUM	00916	036	2014/05/22	. 88.000	2017/05
CARBONATE ALKALINITY	00445	036	2014/05/22	< 2.000	2017/05
CHLORIDE	00940	036	2014/05/22	. 59.000	2017/05
COLOR	00081	036	2014/05/22	< 3.000	2017/05
COPPER	01042	036	2014/05/22	< 50.000	2017/05
FOAMING AGENTS (MBAS)	38260	036	2014/05/22	< .050	2017/05
HARDNESS (TOTAL) AS CaCO3	00900	036	2014/05/22	. 400.000	2017/05
HYDROXIDE ALKALINITY	71830	036	2014/05/22	< 2.000	2017/05
IRON	01045	036	2014/05/22	< 100.000	2017/05
MAGNESIUM	00927	036	2014/05/22	. 45.000	2017/05
MANGANESE	01055	036	2014/05/22	< 20.000	2017/05
ODOR THRESHOLD @ 60 C	00086	036	2014/05/22	. 1.000	2017/05
PH, LABORATORY	00403	036	2014/05/22	. 7.800	2017/05
SILVER	01077	036	2014/05/22	< 10.000	2017/05
SODIUM	00929	036	2014/05/22	. 92.000	2017/05
SPECIFIC CONDUCTANCE	00095	036	2014/05/22	. 1100.000	2017/05
SULFATE	00945	036	2014/05/22	. 180.000	2017/05
TOTAL DISSOLVED SOLIDS	70300	036	2014/05/22	. 700.000	2017/05
TURBIDITY, LABORATORY	82079	036	2014/05/22	. .051	2017/05
ZINC	01092	036	2014/05/22	< 50.000	2017/05

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910017

System Name: SANTA CLARITA WATER DIVISION

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910017-007

Source Name: HONBY WELL 12

Source Number: 007

Source Status: ACTIVE RAW

Water type: G

INORGANIC

ALUMINUM	01105	036	2013/05/23	< 50.000	2016/05
ANTIMONY	01097	036	2013/05/23	< 6.000	2016/05
ARSENIC	01002	036	2013/05/23	< 2.000	2016/05
BARIUM	01007	036	2013/05/23	< 100.000	2016/05
BERYLLIUM	01012	036	2013/05/23	< 1.000	2016/05
CADMIUM	01027	036	2013/05/23	< 1.000	2016/05
CHROMIUM (TOTAL)	01034	036	2013/05/23	< 10.000	2016/05
CHROMIUM, HEXAVALENT	01032	000			DUE
CYANIDE	01291	036	2012/05/24	< 100.000	2015/05
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/05/23	.330	2016/05
MERCURY	71900	036	2013/05/23	< 1.000	2016/05
NICKEL	01067	036	2013/05/23	< 10.000	2016/05
PERCHLORATE	A-031	012	2014/06/11	< 4.000	2015/06
SELENIUM	01147	036	2013/05/23	< 5.000	2016/05
THALLIUM	01059	036	2013/05/23	< 1.000	2016/05

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2014/05/12	. 20.000	2015/05
NITRITE (AS N)	00620	036	2013/05/23	< 400.000	2016/05

RADIOLOGICAL

GROSS ALPHA	01501	108	2005/12/07	< 3.000	2014/12
-------------	-------	-----	------------	---------	---------

REGULATED SOC

2,4-D	39730	033	2012/05/24	< 10.000	2015/02
ALACHLOR	77825	033	2012/05/24	< 1.000	2015/02
ATRAZINE	39033	033	2012/05/24	< .500	2015/02
BENTAZON	38710	033	2012/05/24	< 2.000	2015/02
DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2012/05/24	< 3.000	2015/02
DINOSEB	81287	033	2012/05/24	< 2.000	2015/02
DIQUAT	78885	033	2012/05/24	< 4.000	2015/02

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910017

System Name: SANTA CLARITA WATER DIVISION

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910017-007

Source Name: HONBY WELL 12

Source Number: 007

Source Status: ACTIVE RAW

Water type: G

REGULATED SOC

ENDOTHALL	38926	033	2012/05/24	< 45.000	2015/02
GLYPHOSATE	79743	033	2012/05/24	< 25.000	2015/02
PENTACHLOROPHENOL	39032	033	2012/05/24	< .200	2015/02
SIMAZINE	39055	033	2012/05/24	< 1.000	2015/02
TOXAPHENE	39400	033	2012/05/24	< 1.000	2015/02

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	012	2014/06/11	. 000	2015/06
1,1,2,2-TETRACHLOROETHANE	34516	012	2014/06/11	. 000	2015/06
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/06/11	. 000	2015/06
1,1,2-TRICHLOROETHANE	34511	012	2014/06/11	. 000	2015/06
1,1-DICHLOROETHANE	34496	012	2014/06/11	. 000	2015/06
1,1-DICHLOROETHYLENE	34501	012	2014/06/11	. 000	2015/06
1,2,4-TRICHLOROBENZENE	34551	012	2014/06/11	. 000	2015/06
1,2-DICHLOROBENZENE	34536	012	2014/06/11	. 000	2015/06
1,2-DICHLOROETHANE	34531	012	2014/06/11	. 000	2015/06
1,2-DICHLOROPROPANE	34541	012	2014/06/11	. 000	2015/06
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/06/11	. 000	2015/06
1,4-DICHLOROBENZENE	34571	012	2014/06/11	. 000	2015/06
BENZENE	34030	012	2014/06/11	. 000	2015/06
CARBON TETRACHLORIDE	32102	012	2014/06/11	. 000	2015/06
CIS-1,2-DICHLOROETHYLENE	77093	012	2014/06/11	. 000	2015/06
DICHLOROMETHANE	34423	012	2014/06/11	. 000	2015/06
ETHYLBENZENE	34371	012	2014/06/11	. 000	2015/06
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/06/11	. 000	2015/06
MONOCHLOROBENZENE	34301	012	2014/06/11	. 000	2015/06
STYRENE	77128	012	2014/06/11	. 000	2015/06
TETRACHLOROETHYLENE	34475	012	2014/06/11	. 000	2015/06
TOLUENE	34010	012	2014/06/11	. 000	2015/06
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/06/11	. 000	2015/06

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910017

System Name: SANTA CLARITA WATER DIVISION

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910017-007

Source Name: HONBY WELL 12

Source Number: 007

Source Status: ACTIVE RAW

Water type: G

REGULATED VOC

TRICHLOROETHYLENE	39180	012	2014/06/11	.000	2015/06
TRICHLOROFUOROMETHANE	34488	012	2014/06/11	.000	2015/06
VINYL CHLORIDE	39175	012	2014/06/11	.000	2015/06
XYLENES (TOTAL)	81551	012	2014/06/11	.000	2015/06

SECONDARY/GP

BICARBONATE ALKALINITY	00440	036	2013/05/23	.310.000	2016/05
CALCIUM	00916	036	2013/05/23	.110.000	2016/05
CARBONATE ALKALINITY	00445	036	2013/05/23	< 2.000	2016/05
CHLORIDE	00940	036	2013/05/23	.74.000	2016/05
COLOR	00081	036	2013/05/23	< 3.000	2016/05
COPPER	01042	036	2013/05/23	< 50.000	2016/05
FOAMING AGENTS (MBAS)	38260	036	2013/05/23	< .050	2016/05
HARDNESS (TOTAL) AS CaCO3	00900	036	2013/05/23	.390.000	2016/05
HYDROXIDE ALKALINITY	71830	036	2013/05/23	< 2.000	2016/05
IRON	01045	036	2013/05/23	< 100.000	2016/05
MAGNESIUM	00927	036	2013/05/23	.29.000	2016/05
MANGANESE	01055	036	2013/05/23	< 20.000	2016/05
ODOR THRESHOLD @ 60 C	00086	036	2013/05/23	< 1.000	2016/05
PH, LABORATORY	00403	036	2013/05/23	.7.800	2016/05
SILVER	01077	036	2013/05/23	< 10.000	2016/05
SODIUM	00929	036	2013/05/23	94.000	2016/05
SPECIFIC CONDUCTANCE	00095	036	2013/05/23	.1100.000	2016/05
SULFATE	00945	036	2013/05/23	200.000	2016/05
TOTAL DISSOLVED SOLIDS	70300	036	2013/05/23	.720.000	2016/05
TURBIDITY, LABORATORY	82079	036	2013/05/23	.096	2016/05
ZINC	01092	036	2013/05/23	< 50.000	2016/05

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910017

System Name: SANTA CLARITA WATER DIVISION

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910017-008

Source Name: LOST CANYON 02

Source Number: 008

Source Status: ACTIVE RAW

Water type: G

INORGANIC

ALUMINUM	01105	036	2014/05/22	< 50.000	2017/05
ANTIMONY	01097	036	2014/05/22	< 6.000	2017/05
ARSENIC	01002	036	2014/05/22	< 2.000	2017/05
BARIUM	01007	036	2014/05/22	. 140.000	2017/05
BERYLLIUM	01012	036	2014/05/22	< 1.000	2017/05
CADMIUM	01027	036	2014/05/22	< 1.000	2017/05
CHROMIUM (TOTAL)	01034	036	2014/05/22	< 10.000	2017/05
CHROMIUM, HEXAVALENT	01032	000			DUE
CYANIDE	01291	036	2012/05/24	< 100.000	2015/05
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/05/22	. .290	2017/05
MERCURY	71900	036	2014/05/22	< 1.000	2017/05
NICKEL	01067	036	2014/05/22	< 10.000	2017/05
PERCHLORATE	A-031	012	2014/06/11	< 4.000	2015/06
SELENIUM	01147	036	2014/05/22	< 5.000	2017/05
THALLIUM	01059	036	2014/05/22	< 1.000	2017/05

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2014/05/22	. 10.000	2015/05
NITRITE (AS N)	00620	036	2014/05/22	< 400.000	2017/05

RADIOLOGICAL

GROSS ALPHA	01501	108	2005/12/07	< 3.000	2014/12
-------------	-------	-----	------------	---------	---------

REGULATED SOC

2,4-D	39730	033	2012/05/24	< 10.000	2015/02
ALACHLOR	77825	033	2012/05/24	< 1.000	2015/02
ATRAZINE	39033	033	2012/05/24	< .500	2015/02
BENTAZON	38710	033	2012/05/24	< 2.000	2015/02
DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2012/05/24	< 3.000	2015/02
DINOSEB	81287	033	2012/05/24	< 2.000	2015/02
DIQUAT	78885	033	2012/05/24	< 4.000	2015/02

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910017

System Name: SANTA CLARITA WATER DIVISION

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910017-008

Source Name: LOST CANYON 02

Source Number: 008

Source Status: ACTIVE RAW

Water type: G

REGULATED SOC

ENDOTHALL	38926	033	2012/05/24	< 45.000	2015/02
GLYPHOSATE	79743	033	2012/05/24	< 25.000	2015/02
PENTACHLOROPHENOL	39032	033	2012/05/24	< .200	2015/02
SIMAZINE	39055	033	2012/05/24	< 1.000	2015/02
TOXAPHENE	39400	033	2012/05/24	< 1.000	2015/02

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	012	2014/06/11	. 000	2015/06
1,1,2,2-TETRACHLOROETHANE	34516	012	2014/06/11	. 000	2015/06
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/06/11	. 000	2015/06
1,1,2-TRICHLOROETHANE	34511	012	2014/06/11	. 000	2015/06
1,1-DICHLOROETHANE	34496	012	2014/06/11	. 000	2015/06
1,1-DICHLOROETHYLENE	34501	012	2014/06/11	. 000	2015/06
1,2,4-TRICHLOROBENZENE	34551	012	2014/06/11	. 000	2015/06
1,2-DICHLOROBENZENE	34536	012	2014/06/11	. 000	2015/06
1,2-DICHLOROETHANE	34531	012	2014/06/11	. 000	2015/06
1,2-DICHLOROPROPANE	34541	012	2014/06/11	. 000	2015/06
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/06/11	. 000	2015/06
1,4-DICHLOROBENZENE	34571	012	2014/06/11	. 000	2015/06
BENZENE	34030	012	2014/06/11	. 000	2015/06
CARBON TETRACHLORIDE	32102	012	2014/06/11	. 000	2015/06
CIS-1,2-DICHLOROETHYLENE	77093	012	2014/06/11	. 000	2015/06
DICHLOROMETHANE	34423	012	2014/06/11	. 000	2015/06
ETHYLBENZENE	34371	012	2014/06/11	. 000	2015/06
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/06/11	. 000	2015/06
MONOCHLOROBENZENE	34301	012	2014/06/11	. 000	2015/06
STYRENE	77128	012	2014/06/11	. 000	2015/06
TETRACHLOROETHYLENE	34475	012	2014/06/11	. 000	2015/06
TOLUENE	34010	012	2014/06/11	. 000	2015/06
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/06/11	. 000	2015/06

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910017

System Name: SANTA CLARITA WATER DIVISION

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910017-008

Source Name: LOST CANYON 02

Source Number: 008

Source Status: ACTIVE RAW

Water type: G

REGULATED VOC

TRICHLOROETHYLENE	39180	012	2014/06/11	.000	2015/06
TRICHLOROFUOROMETHANE	34488	012	2014/06/11	.000	2015/06
VINYL CHLORIDE	39175	012	2014/06/11	.000	2015/06
XYLENES (TOTAL)	81551	012	2014/06/11	.000	2015/06

SECONDARY/GP

BICARBONATE ALKALINITY	00440	036	2014/05/22	.370.000	2017/05
CALCIUM	00916	036	2014/05/22	.120.000	2017/05
CARBONATE ALKALINITY	00445	036	2014/05/22	< 2.000	2017/05
CHLORIDE	00940	036	2014/05/22	.120.000	2017/05
COLOR	00081	036	2014/05/22	.3.000	2017/05
COPPER	01042	036	2014/05/22	< 50.000	2017/05
FOAMING AGENTS (MBAS)	38260	036	2014/05/22	< .050	2017/05
HARDNESS (TOTAL) AS CaCO3	00900	036	2014/05/22	.420.000	2017/05
HYDROXIDE ALKALINITY	71830	036	2014/05/22	< 2.000	2017/05
IRON	01045	036	2014/05/22	< 100.000	2017/05
MAGNESIUM	00927	036	2014/05/22	.29.000	2017/05
MANGANESE	01055	036	2014/05/22	< 20.000	2017/05
ODOR THRESHOLD @ 60 C	00086	036	2014/05/22	< 1.000	2017/05
PH, LABORATORY	00403	036	2014/05/22	.7.800	2017/05
SILVER	01077	036	2014/05/22	< 10.000	2017/05
SODIUM	00929	036	2014/05/22	.100.000	2017/05
SPECIFIC CONDUCTANCE	00095	036	2014/05/22	.1200.000	2017/05
SULFATE	00945	036	2014/05/22	.94.000	2017/05
TOTAL DISSOLVED SOLIDS	70300	036	2014/05/22	.730.000	2017/05
TURBIDITY, LABORATORY	82079	036	2014/05/22	.068	2017/05
ZINC	01092	036	2014/05/22	< 50.000	2017/05

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910017

System Name: SANTA CLARITA WATER DIVISION

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910017-009

Source Name: LOST CANYON WELL 02A

Source Number: 009

Source Status: ACTIVE RAW

Water type: G

INORGANIC

ALUMINUM	01105	036	2012/05/17	< 50.000	2015/05
ANTIMONY	01097	036	2012/05/17	< 6.000	2015/05
ARSENIC	01002	036	2012/05/17	< 2.000	2015/05
BARIUM	01007	036	2012/05/17	110.000	2015/05
BERYLLIUM	01012	036	2012/05/17	< 1.000	2015/05
CADMIUM	01027	036	2012/05/17	< 1.000	2015/05
CHROMIUM (TOTAL)	01034	036	2012/05/17	< 10.000	2015/05
CHROMIUM, HEXAVALENT	01032	000			
CYANIDE	01291	036	2012/05/24	< 100.000	2015/05
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2012/05/17	.360	2015/05
MERCURY	71900	036	2012/05/17	< 1.000	2015/05
NICKEL	01067	036	2012/05/17	< 10.000	2015/05
PERCHLORATE	A-031	012	2014/06/11	< 4.000	2015/06
SELENIUM	01147	036	2012/05/17	< 5.000	2015/05
THALLIUM	01059	036	2012/05/17	< 1.000	2015/05

DUE

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2014/02/27	. 11.000	2015/02
NITRITE (AS N)	00620	036	2012/05/17	< 400.000	2015/05

RADIOLOGICAL

GROSS ALPHA	01501	108	2005/12/07	< 3.000	2014/12
-------------	-------	-----	------------	---------	---------

REGULATED SOC

2,4-D	39730	033	2012/05/24	< 10.000	2015/02
ALACHLOR	77825	033	2012/05/24	< 1.000	2015/02
ATRAZINE	39033	033	2012/05/24	< .500	2015/02
BENTAZON	38710	033	2012/05/24	< 2.000	2015/02
DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2012/05/24	< 3.000	2015/02
DINOSEB	81287	033	2012/05/24	< 2.000	2015/02
DIQUAT	78885	033	2012/05/24	< 4.000	2015/02

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910017

System Name: SANTA CLARITA WATER DIVISION

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910017-009

Source Name: LOST CANYON WELL 02A

Source Number: 009

Source Status: ACTIVE RAW

Water type: G

REGULATED SOC

ENDOTHALL	38926	033	2012/05/24	< 45.000	2015/02
GLYPHOSATE	79743	033	2012/05/24	< 25.000	2015/02
PENTACHLOROPHENOL	39032	033	2012/05/24	< .200	2015/02
SIMAZINE	39055	033	2012/05/24	< 1.000	2015/02
TOXAPHENE	39400	033	2012/05/24	< 1.000	2015/02

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	012	2014/06/11	. 000	2015/06
1,1,2,2-TETRACHLOROETHANE	34516	012	2014/06/11	. 000	2015/06
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/06/11	. 000	2015/06
1,1,2-TRICHLOROETHANE	34511	012	2014/06/11	. 000	2015/06
1,1-DICHLOROETHANE	34496	012	2014/06/11	. 000	2015/06
1,1-DICHLOROETHYLENE	34501	012	2014/06/11	. 000	2015/06
1,2,4-TRICHLOROBENZENE	34551	012	2014/06/11	. 000	2015/06
1,2-DICHLOROBENZENE	34536	012	2014/06/11	. 000	2015/06
1,2-DICHLOROETHANE	34531	012	2014/06/11	. 000	2015/06
1,2-DICHLOROPROPANE	34541	012	2014/06/11	. 000	2015/06
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/06/11	. 000	2015/06
1,4-DICHLOROBENZENE	34571	012	2014/06/11	. 000	2015/06
BENZENE	34030	012	2014/06/11	. 000	2015/06
CARBON TETRACHLORIDE	32102	012	2014/06/11	. 000	2015/06
CIS-1,2-DICHLOROETHYLENE	77093	012	2014/06/11	. 000	2015/06
DICHLOROMETHANE	34423	012	2014/06/11	. 000	2015/06
ETHYLBENZENE	34371	012	2014/06/11	. 000	2015/06
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/06/11	. 000	2015/06
MONOCHLOROBENZENE	34301	012	2014/06/11	. 000	2015/06
STYRENE	77128	012	2014/06/11	. 000	2015/06
TETRACHLOROETHYLENE	34475	012	2014/06/11	. 000	2015/06
TOLUENE	34010	012	2014/06/11	. 000	2015/06
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/06/11	. 000	2015/06

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910017

System Name: SANTA CLARITA WATER DIVISION

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910017-009

Source Name: LOST CANYON WELL 02A

Source Number: 009

Source Status: ACTIVE RAW

Water type: G

REGULATED VOC

TRICHLOROETHYLENE	39180	012	2014/06/11	.000	2015/06
TRICHLOROFUOROMETHANE	34488	012	2014/06/11	.000	2015/06
VINYL CHLORIDE	39175	012	2014/06/11	.000	2015/06
XYLENES (TOTAL)	81551	012	2014/06/11	.000	2015/06

SECONDARY/GP

BICARBONATE ALKALINITY	00440	036	2012/05/17	.350.000	2015/05
CALCIUM	00916	036	2012/05/17	.100.000	2015/05
CARBONATE ALKALINITY	00445	036	2012/05/17	< 2.000	2015/05
CHLORIDE	00940	036	2012/05/17	.65.000	2015/05
COLOR	00081	036	2012/05/17	< 3.000	2015/05
COPPER	01042	036	2012/05/17	< 50.000	2015/05
FOAMING AGENTS (MBAS)	38260	036	2012/05/17	< .050	2015/05
HARDNESS (TOTAL) AS CaCO3	00900	036	2012/05/17	.360.000	2015/05
HYDROXIDE ALKALINITY	71830	036	2012/05/17	< 2.000	2015/05
IRON	01045	036	2012/05/17	< 100.000	2015/05
MAGNESIUM	00927	036	2012/05/17	.25.000	2015/05
MANGANESE	01055	036	2012/05/17	< 20.000	2015/05
ODOR THRESHOLD @ 60 C	00086	036	2012/05/17	< 1.000	2015/05
PH, LABORATORY	00403	036	2012/05/17	.7.800	2015/05
SILVER	01077	036	2012/05/17	< 10.000	2015/05
SODIUM	00929	036	2012/05/17	85.000	2015/05
SPECIFIC CONDUCTANCE	00095	036	2012/05/17	.940.000	2015/05
SULFATE	00945	036	2012/05/17	110.000	2015/05
TOTAL DISSOLVED SOLIDS	70300	036	2012/05/17	.580.000	2015/05
TURBIDITY, LABORATORY	82079	036	2012/05/17	.130	2015/05
ZINC	01092	036	2012/05/17	< 50.000	2015/05

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910017

System Name: SANTA CLARITA WATER DIVISION

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910017-012

Source Name: MITCHELL 05A

Source Number: 012

Source Status: ACTIVE RAW

Water type: G

INORGANIC

ALUMINUM	01105	036	2014/05/22	< 50.000	2017/05
ANTIMONY	01097	036	2014/05/22	< 6.000	2017/05
ARSENIC	01002	036	2014/05/22	< 2.000	2017/05
BARIUM	01007	036	2014/05/22	. 130.000	2017/05
BERYLLIUM	01012	036	2014/05/22	< 1.000	2017/05
CADMIUM	01027	036	2014/05/22	< 1.000	2017/05
CHROMIUM (TOTAL)	01034	036	2014/05/22	< 10.000	2017/05
CHROMIUM, HEXAVALENT	01032	000			DUE
CYANIDE	01291	036	2012/05/24	< 100.000	2015/05
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/05/22	. .340	2017/05
MERCURY	71900	036	2014/05/22	< 1.000	2017/05
NICKEL	01067	036	2014/05/22	< 10.000	2017/05
PERCHLORATE	A-031	012	2014/06/11	< 4.000	2015/06
SELENIUM	01147	036	2014/05/22	< 5.000	2017/05
THALLIUM	01059	036	2014/05/22	< 1.000	2017/05

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2014/05/22	. 14.000	2015/05
NITRITE (AS N)	00620	036	2014/05/22	< 400.000	2017/05

RADIOLOGICAL

GROSS ALPHA	01501	108	2005/12/07	< 3.000	2014/12
-------------	-------	-----	------------	---------	---------

REGULATED SOC

2,4-D	39730	033	2012/05/24	< 10.000	2015/02
ALACHLOR	77825	033	2012/05/24	< 1.000	2015/02
ATRAZINE	39033	033	2012/05/24	< .500	2015/02
BENTAZON	38710	033	2012/05/24	< 2.000	2015/02
DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2012/05/24	< 3.000	2015/02
DINOSEB	81287	033	2012/05/24	< 2.000	2015/02
DIQUAT	78885	033	2012/05/24	< 4.000	2015/02

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910017

System Name: SANTA CLARITA WATER DIVISION

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910017-012

Source Name: MITCHELL 05A

Source Number: 012

Source Status: ACTIVE RAW

Water type: G

REGULATED SOC

ENDOTHALL	38926	033	2012/05/24	< 45.000	2015/02
GLYPHOSATE	79743	033	2012/05/24	< 25.000	2015/02
PENTACHLOROPHENOL	39032	033	2012/05/24	< .200	2015/02
SIMAZINE	39055	033	2012/05/24	< 1.000	2015/02
TOXAPHENE	39400	033	2012/05/24	< 1.000	2015/02

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	012	2014/06/11	. 000	2015/06
1,1,2,2-TETRACHLOROETHANE	34516	012	2014/06/11	. 000	2015/06
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/06/11	. 000	2015/06
1,1,2-TRICHLOROETHANE	34511	012	2014/06/11	. 000	2015/06
1,1-DICHLOROETHANE	34496	012	2014/06/11	. 000	2015/06
1,1-DICHLOROETHYLENE	34501	012	2014/06/11	. 000	2015/06
1,2,4-TRICHLOROBENZENE	34551	012	2014/06/11	. 000	2015/06
1,2-DICHLOROBENZENE	34536	012	2014/06/11	. 000	2015/06
1,2-DICHLOROETHANE	34531	012	2014/06/11	. 000	2015/06
1,2-DICHLOROPROPANE	34541	012	2014/06/11	. 000	2015/06
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/06/11	. 000	2015/06
1,4-DICHLOROBENZENE	34571	012	2014/06/11	. 000	2015/06
BENZENE	34030	012	2014/06/11	. 000	2015/06
CARBON TETRACHLORIDE	32102	012	2014/06/11	. 000	2015/06
CIS-1,2-DICHLOROETHYLENE	77093	012	2014/06/11	. 000	2015/06
DICHLOROMETHANE	34423	012	2014/06/11	. 000	2015/06
ETHYLBENZENE	34371	012	2014/06/11	. 000	2015/06
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/06/11	. 000	2015/06
MONOCHLOROBENZENE	34301	012	2014/06/11	. 000	2015/06
STYRENE	77128	012	2014/06/11	. 000	2015/06
TETRACHLOROETHYLENE	34475	012	2014/06/11	. 000	2015/06
TOLUENE	34010	012	2014/06/11	. 000	2015/06
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/06/11	. 000	2015/06

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910017

System Name: SANTA CLARITA WATER DIVISION

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910017-012

Source Name: MITCHELL 05A

Source Number: 012

Source Status: ACTIVE RAW

Water type: G

REGULATED VOC

TRICHLOROETHYLENE	39180	012	2014/06/11	.000	2015/06
TRICHLOROFUOROMETHANE	34488	012	2014/06/11	.000	2015/06
VINYL CHLORIDE	39175	012	2014/06/11	.000	2015/06
XYLENES (TOTAL)	81551	012	2014/06/11	.000	2015/06

SECONDARY/GP

BICARBONATE ALKALINITY	00440	036	2014/05/22	350.000	2017/05
CALCIUM	00916	036	2014/05/22	110.000	2017/05
CARBONATE ALKALINITY	00445	036	2014/05/22	< 2.000	2017/05
CHLORIDE	00940	036	2014/05/22	120.000	2017/05
COLOR	00081	036	2014/05/22	3.000	2017/05
COPPER	01042	036	2014/05/22	< 50.000	2017/05
FOAMING AGENTS (MBAS)	38260	036	2014/05/22	< .050	2017/05
HARDNESS (TOTAL) AS CaCO3	00900	036	2014/05/22	380.000	2017/05
HYDROXIDE ALKALINITY	71830	036	2014/05/22	< 2.000	2017/05
IRON	01045	036	2014/05/22	< 100.000	2017/05
MAGNESIUM	00927	036	2014/05/22	27.000	2017/05
MANGANESE	01055	036	2014/05/22	< 20.000	2017/05
ODOR THRESHOLD @ 60 C	00086	036	2014/05/22	< 1.000	2017/05
PH, LABORATORY	00403	036	2014/05/22	7.500	2017/05
SILVER	01077	036	2014/05/22	< 10.000	2017/05
SODIUM	00929	036	2014/05/22	120.000	2017/05
SPECIFIC CONDUCTANCE	00095	036	2014/05/22	1300.000	2017/05
SULFATE	00945	036	2014/05/22	120.000	2017/05
TOTAL DISSOLVED SOLIDS	70300	036	2014/05/22	780.000	2017/05
TURBIDITY, LABORATORY	82079	036	2014/05/22	.120	2017/05
ZINC	01092	036	2014/05/22	< 50.000	2017/05

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910017

System Name: SANTA CLARITA WATER DIVISION

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910017-013

Source Name: NORTH OAKS CENTRAL WELL 08

Source Number: 013

Source Status: ACTIVE RAW

Water type: G

INORGANIC

ALUMINUM	01105	036	2012/05/17	< 50.000	2015/05
ANTIMONY	01097	036	2012/05/17	< 6.000	2015/05
ARSENIC	01002	036	2012/05/17	. 2.000	2015/05
BARIUM	01007	036	2012/05/17	110.000	2015/05
BERYLLIUM	01012	036	2012/05/17	< 1.000	2015/05
CADMIUM	01027	036	2012/05/17	< 1.000	2015/05
CHROMIUM (TOTAL)	01034	036	2012/05/17	< 10.000	2015/05
CHROMIUM, HEXAVALENT	01032	000			
CYANIDE	01291	036	2012/05/24	< 100.000	2015/05
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2012/05/17	. .530	2015/05
MERCURY	71900	036	2012/05/17	< 1.000	2015/05
NICKEL	01067	036	2012/05/17	< 10.000	2015/05
PERCHLORATE	A-031	012	2014/06/11	< 4.000	2015/06
SELENIUM	01147	036	2012/05/17	< 5.000	2015/05
THALLIUM	01059	036	2012/05/17	< 1.000	2015/05

DUE

NITRATE/NITRITE

NITRATE (AS NO3)	71850	003	2014/07/14	. 27.000	2014/10
NITRITE (AS N)	00620	036	2012/05/17	< 400.000	2015/05

RADIOLOGICAL

GROSS ALPHA	01501	108	2005/12/07	< 3.000	2014/12
-------------	-------	-----	------------	---------	---------

REGULATED SOC

2,4-D	39730	033	2012/05/24	< 10.000	2015/02
ALACHLOR	77825	033	2012/05/24	< 1.000	2015/02
ATRAZINE	39033	033	2012/05/24	< .500	2015/02
BENTAZON	38710	033	2012/05/24	< 2.000	2015/02
DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2012/05/24	< 3.000	2015/02
DINOSEB	81287	033	2012/05/24	< 2.000	2015/02
DIQUAT	78885	033	2012/05/24	< 4.000	2015/02

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910017

System Name: SANTA CLARITA WATER DIVISION

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910017-013

Source Name: NORTH OAKS CENTRAL WELL 08

Source Number: 013

Source Status: ACTIVE RAW

Water type: G

REGULATED SOC

ENDOTHALL	38926	033	2012/05/24	< 45.000	2015/02
GLYPHOSATE	79743	033	2012/05/24	< 25.000	2015/02
PENTACHLOROPHENOL	39032	033	2012/05/24	< .200	2015/02
SIMAZINE	39055	033	2012/05/24	< 1.000	2015/02
TOXAPHENE	39400	033	2012/05/24	< 1.000	2015/02

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	012	2014/06/11	.000	2015/06
1,1,2,2-TETRACHLOROETHANE	34516	012	2014/06/11	.000	2015/06
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/06/11	.000	2015/06
1,1,2-TRICHLOROETHANE	34511	012	2014/06/11	.000	2015/06
1,1-DICHLOROETHANE	34496	012	2014/06/11	.000	2015/06
1,1-DICHLOROETHYLENE	34501	012	2014/06/11	.000	2015/06
1,2,4-TRICHLOROBENZENE	34551	012	2014/06/11	.000	2015/06
1,2-DICHLOROBENZENE	34536	012	2014/06/11	.000	2015/06
1,2-DICHLOROETHANE	34531	012	2014/06/11	.000	2015/06
1,2-DICHLOROPROPANE	34541	012	2014/06/11	.000	2015/06
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/06/11	.000	2015/06
1,4-DICHLOROBENZENE	34571	012	2014/06/11	.000	2015/06
BENZENE	34030	012	2014/06/11	.000	2015/06
CARBON TETRACHLORIDE	32102	012	2014/06/11	.000	2015/06
CIS-1,2-DICHLOROETHYLENE	77093	012	2014/06/11	.000	2015/06
DICHLOROMETHANE	34423	012	2014/06/11	.000	2015/06
ETHYLBENZENE	34371	012	2014/06/11	.000	2015/06
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/06/11	.000	2015/06
MONOCHLOROBENZENE	34301	012	2014/06/11	.000	2015/06
STYRENE	77128	012	2014/06/11	.000	2015/06
TETRACHLOROETHYLENE	34475	012	2014/06/11	.000	2015/06
TOLUENE	34010	012	2014/06/11	.000	2015/06
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/06/11	.000	2015/06

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910017

System Name: SANTA CLARITA WATER DIVISION

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

PS Code: 1910017-013

Source Name: NORTH OAKS CENTRAL WELL 08

Source Number: 013

Source Status: ACTIVE RAW

Water type: G

REGULATED VOC

TRICHLOROETHYLENE	39180	012	2014/06/11	.000	2015/06
TRICHLOROFUOROMETHANE	34488	012	2014/06/11	.000	2015/06
VINYL CHLORIDE	39175	012	2014/06/11	.000	2015/06
XYLENES (TOTAL)	81551	012	2014/06/11	.000	2015/06

SECONDARY/GP

BICARBONATE ALKALINITY	00440	036	2012/05/17	400.000	2015/05
CALCIUM	00916	036	2012/05/17	110.000	2015/05
CARBONATE ALKALINITY	00445	036	2012/05/17	< 2.000	2015/05
CHLORIDE	00940	036	2012/05/17	120.000	2015/05
COLOR	00081	036	2012/05/17	< 3.000	2015/05
COPPER	01042	036	2012/05/17	< 50.000	2015/05
FOAMING AGENTS (MBAS)	38260	036	2012/05/17	< .050	2015/05
HARDNESS (TOTAL) AS CaCO3	00900	036	2012/05/17	450.000	2015/05
HYDROXIDE ALKALINITY	71830	036	2012/05/17	< 2.000	2015/05
IRON	01045	036	2012/05/17	< 100.000	2015/05
MAGNESIUM	00927	036	2012/05/17	40.000	2015/05
MANGANESE	01055	036	2012/05/17	< 20.000	2015/05
ODOR THRESHOLD @ 60 C	00086	036	2012/05/17	< 1.000	2015/05
PH, LABORATORY	00403	036	2012/05/17	7.800	2015/05
SILVER	01077	036	2012/05/17	< 10.000	2015/05
SODIUM	00929	036	2012/05/17	120.000	2015/05
SPECIFIC CONDUCTANCE	00095	036	2012/05/17	1200.000	2015/05
SULFATE	00945	036	2012/05/17	140.000	2015/05
TOTAL DISSOLVED SOLIDS	70300	036	2012/05/17	780.000	2015/05
TURBIDITY, LABORATORY	82079	036	2012/05/17	.150	2015/05
ZINC	01092	036	2012/05/17	< 50.000	2015/05

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910017

System Name: SANTA CLARITA WATER DIVISION

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910017-014

Source Name: NORTH OAKS EAST WELL 07

Source Number: 014

Source Status: ACTIVE RAW

Water type: G

INORGANIC

ALUMINUM	01105	036	2014/05/22	< 50.000	2017/05
ANTIMONY	01097	036	2014/05/22	< 6.000	2017/05
ARSENIC	01002	036	2014/05/22	< 2.000	2017/05
BARIUM	01007	036	2014/05/22	. 130.000	2017/05
BERYLLIUM	01012	036	2014/05/22	< 1.000	2017/05
CADMIUM	01027	036	2014/05/22	< 1.000	2017/05
CHROMIUM (TOTAL)	01034	036	2014/05/22	< 10.000	2017/05
CHROMIUM, HEXAVALENT	01032	000			
CYANIDE	01291	036	2012/05/24	< 100.000	2015/05
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/05/22	. .360	2017/05
MERCURY	71900	036	2014/05/22	< 1.000	2017/05
NICKEL	01067	036	2014/05/22	< 10.000	2017/05
PERCHLORATE	A-031	012	2014/06/11	< 4.000	2015/06
SELENIUM	01147	036	2014/05/22	< 5.000	2017/05
THALLIUM	01059	036	2014/05/22	< 1.000	2017/05

DUE

NITRATE/NITRITE

NITRATE (AS NO3)	71850	003	2014/07/14	. 22.000	2014/10
NITRITE (AS N)	00620	036	2014/05/22	< 400.000	2017/05

RADIOLOGICAL

GROSS ALPHA	01501	108	2005/12/07	< 3.000	2014/12
-------------	-------	-----	------------	---------	---------

REGULATED SOC

2,4-D	39730	033	2012/05/24	< 10.000	2015/02
ALACHLOR	77825	033	2012/05/24	< 1.000	2015/02
ATRAZINE	39033	033	2012/05/24	< .500	2015/02
BENTAZON	38710	033	2012/05/24	< 2.000	2015/02
DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2012/05/24	< 3.000	2015/02
DINOSEB	81287	033	2012/05/24	< 2.000	2015/02
DIQUAT	78885	033	2012/05/24	< 4.000	2015/02

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910017

System Name: SANTA CLARITA WATER DIVISION

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910017-014

Source Name: NORTH OAKS EAST WELL 07

Source Number: 014

Source Status: ACTIVE RAW

Water type: G

REGULATED SOC

ENDOTHALL	38926	033	2012/05/24	< 45.000	2015/02
GLYPHOSATE	79743	033	2012/05/24	< 25.000	2015/02
PENTACHLOROPHENOL	39032	033	2012/05/24	< .200	2015/02
SIMAZINE	39055	033	2012/05/24	< 1.000	2015/02
TOXAPHENE	39400	033	2012/05/24	< 1.000	2015/02

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	012	2014/06/11	. 000	2015/06
1,1,2,2-TETRACHLOROETHANE	34516	012	2014/06/11	. 000	2015/06
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/06/11	. 000	2015/06
1,1,2-TRICHLOROETHANE	34511	012	2014/06/11	. 000	2015/06
1,1-DICHLOROETHANE	34496	012	2014/06/11	. 000	2015/06
1,1-DICHLOROETHYLENE	34501	012	2014/06/11	. 000	2015/06
1,2,4-TRICHLOROBENZENE	34551	012	2014/06/11	. 000	2015/06
1,2-DICHLOROBENZENE	34536	012	2014/06/11	. 000	2015/06
1,2-DICHLOROETHANE	34531	012	2014/06/11	. 000	2015/06
1,2-DICHLOROPROPANE	34541	012	2014/06/11	. 000	2015/06
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/06/11	. 000	2015/06
1,4-DICHLOROBENZENE	34571	012	2014/06/11	. 000	2015/06
BENZENE	34030	012	2014/06/11	. 000	2015/06
CARBON TETRACHLORIDE	32102	012	2014/06/11	. 000	2015/06
CIS-1,2-DICHLOROETHYLENE	77093	012	2014/06/11	. 000	2015/06
DICHLOROMETHANE	34423	012	2014/06/11	. 000	2015/06
ETHYLBENZENE	34371	012	2014/06/11	. 000	2015/06
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/06/11	. 000	2015/06
MONOCHLOROBENZENE	34301	012	2014/06/11	. 000	2015/06
STYRENE	77128	012	2014/06/11	. 000	2015/06
TETRACHLOROETHYLENE	34475	012	2014/06/11	. 000	2015/06
TOLUENE	34010	012	2014/06/11	. 000	2015/06
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/06/11	. 000	2015/06

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910017

System Name: SANTA CLARITA WATER DIVISION

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910017-014

Source Name: NORTH OAKS EAST WELL 07

Source Number: 014

Source Status: ACTIVE RAW

Water type: G

REGULATED VOC

TRICHLOROETHYLENE	39180	012	2014/06/11	.000	2015/06
TRICHLOROFUOROMETHANE	34488	012	2014/06/11	.000	2015/06
VINYL CHLORIDE	39175	012	2014/06/11	.000	2015/06
XYLENES (TOTAL)	81551	012	2014/06/11	.000	2015/06

SECONDARY/GP

BICARBONATE ALKALINITY	00440	036	2014/05/22	350.000	2017/05
CALCIUM	00916	036	2014/05/22	130.000	2017/05
CARBONATE ALKALINITY	00445	036	2014/05/22	< 2.000	2017/05
CHLORIDE	00940	036	2014/05/22	120.000	2017/05
COLOR	00081	036	2014/05/22	< 3.000	2017/05
COPPER	01042	036	2014/05/22	< 50.000	2017/05
FOAMING AGENTS (MBAS)	38260	036	2014/05/22	< .050	2017/05
HARDNESS (TOTAL) AS CaCO3	00900	036	2014/05/22	480.000	2017/05
HYDROXIDE ALKALINITY	71830	036	2014/05/22	< 2.000	2017/05
IRON	01045	036	2014/05/22	< 100.000	2017/05
MAGNESIUM	00927	036	2014/05/22	37.000	2017/05
MANGANESE	01055	036	2014/05/22	< 20.000	2017/05
ODOR THRESHOLD @ 60 C	00086	036	2014/05/22	< 1.000	2017/05
PH, LABORATORY	00403	036	2014/05/22	7.600	2017/05
SILVER	01077	036	2014/05/22	< 10.000	2017/05
SODIUM	00929	036	2014/05/22	100.000	2017/05
SPECIFIC CONDUCTANCE	00095	036	2014/05/22	1300.000	2017/05
SULFATE	00945	036	2014/05/22	170.000	2017/05
TOTAL DISSOLVED SOLIDS	70300	036	2014/05/22	850.000	2017/05
TURBIDITY, LABORATORY	82079	036	2014/05/22	.052	2017/05
ZINC	01092	036	2014/05/22	< 50.000	2017/05

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910017

System Name: SANTA CLARITA WATER DIVISION

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910017-015

Source Name: NORTH OAKS WEST WELL 09

Source Number: 015

Source Status: ACTIVE RAW

Water type: G

INORGANIC

ALUMINUM	01105	036	2012/05/17	< 50.000	2015/05
ANTIMONY	01097	036	2012/05/17	< 6.000	2015/05
ARSENIC	01002	036	2012/05/17	. 2.100	2015/05
BARIUM	01007	036	2012/05/17	110.000	2015/05
BERYLLIUM	01012	036	2012/05/17	< 1.000	2015/05
CADMIUM	01027	036	2012/05/17	< 1.000	2015/05
CHROMIUM (TOTAL)	01034	036	2012/05/17	< 10.000	2015/05
CHROMIUM, HEXAVALENT	01032	000			
CYANIDE	01291	036	2012/05/24	< 100.000	2015/05
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2012/05/17	. .530	2015/05
MERCURY	71900	036	2012/05/17	< 1.000	2015/05
NICKEL	01067	036	2012/05/17	< 10.000	2015/05
PERCHLORATE	A-031	012	2014/06/11	< 4.000	2015/06
SELENIUM	01147	036	2012/05/17	< 5.000	2015/05
THALLIUM	01059	036	2012/05/17	< 1.000	2015/05

DUE

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2014/07/14	. 32.000	2015/07
NITRITE (AS N)	00620	036	2012/05/17	< 400.000	2015/05

RADIOLOGICAL

GROSS ALPHA	01501	108	2005/12/07	3.200	2014/12
-------------	-------	-----	------------	-------	---------

REGULATED SOC

2,4-D	39730	033	2012/05/24	< 10.000	2015/02
ALACHLOR	77825	033	2012/05/24	< 1.000	2015/02
ATRAZINE	39033	033	2012/05/24	< .500	2015/02
BENTAZON	38710	033	2012/05/24	< 2.000	2015/02
DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2012/05/24	< 3.000	2015/02
DINOSEB	81287	033	2012/05/24	< 2.000	2015/02
DIQUAT	78885	033	2012/05/24	< 4.000	2015/02

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910017

System Name: SANTA CLARITA WATER DIVISION

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910017-015

Source Name: NORTH OAKS WEST WELL 09

Source Number: 015

Source Status: ACTIVE RAW

Water type: G

REGULATED SOC

ENDOTHALL	38926	033	2012/05/24	< 45.000	2015/02
GLYPHOSATE	79743	033	2012/05/24	< 25.000	2015/02
PENTACHLOROPHENOL	39032	033	2012/05/24	< .200	2015/02
SIMAZINE	39055	033	2012/05/24	< 1.000	2015/02
TOXAPHENE	39400	033	2012/05/24	< 1.000	2015/02

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	012	2014/06/11	.000	2015/06
1,1,2,2-TETRACHLOROETHANE	34516	012	2014/06/11	.000	2015/06
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/06/11	.000	2015/06
1,1,2-TRICHLOROETHANE	34511	012	2014/06/11	.000	2015/06
1,1-DICHLOROETHANE	34496	012	2014/06/11	.000	2015/06
1,1-DICHLOROETHYLENE	34501	012	2014/06/11	.000	2015/06
1,2,4-TRICHLOROBENZENE	34551	012	2014/06/11	.000	2015/06
1,2-DICHLOROBENZENE	34536	012	2014/06/11	.000	2015/06
1,2-DICHLOROETHANE	34531	012	2014/06/11	.000	2015/06
1,2-DICHLOROPROPANE	34541	012	2014/06/11	.000	2015/06
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/06/11	.000	2015/06
1,4-DICHLOROBENZENE	34571	012	2014/06/11	.000	2015/06
BENZENE	34030	012	2014/06/11	.000	2015/06
CARBON TETRACHLORIDE	32102	012	2014/06/11	.000	2015/06
CIS-1,2-DICHLOROETHYLENE	77093	012	2014/06/11	.000	2015/06
DICHLOROMETHANE	34423	012	2014/06/11	.000	2015/06
ETHYLBENZENE	34371	012	2014/06/11	.000	2015/06
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/06/11	.000	2015/06
MONOCHLOROBENZENE	34301	012	2014/06/11	.000	2015/06
STYRENE	77128	012	2014/06/11	.000	2015/06
TETRACHLOROETHYLENE	34475	012	2014/06/11	.000	2015/06
TOLUENE	34010	012	2014/06/11	.000	2015/06
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/06/11	.000	2015/06

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910017

System Name: SANTA CLARITA WATER DIVISION

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910017-015

Source Name: NORTH OAKS WEST WELL 09

Source Number: 015

Source Status: ACTIVE RAW

Water type: G

REGULATED VOC

TRICHLOROETHYLENE	39180	012	2014/06/11	.000	2015/06
TRICHLOROFUOROMETHANE	34488	012	2014/06/11	.000	2015/06
VINYL CHLORIDE	39175	012	2014/06/11	.000	2015/06
XYLENES (TOTAL)	81551	012	2014/06/11	.000	2015/06

SECONDARY/GP

BICARBONATE ALKALINITY	00440	036	2012/05/17	.410.000	2015/05
CALCIUM	00916	036	2012/05/17	.120.000	2015/05
CARBONATE ALKALINITY	00445	036	2012/05/17	< 2.000	2015/05
CHLORIDE	00940	036	2012/05/17	.120.000	2015/05
COLOR	00081	036	2012/05/17	< 3.000	2015/05
COPPER	01042	036	2012/05/17	< 50.000	2015/05
FOAMING AGENTS (MBAS)	38260	036	2012/05/17	< .050	2015/05
HARDNESS (TOTAL) AS CaCO3	00900	036	2012/05/17	.450.000	2015/05
HYDROXIDE ALKALINITY	71830	036	2012/05/17	< 2.000	2015/05
IRON	01045	036	2012/05/17	< 100.000	2015/05
MAGNESIUM	00927	036	2012/05/17	.39.000	2015/05
MANGANESE	01055	036	2012/05/17	< 20.000	2015/05
ODOR THRESHOLD @ 60 C	00086	036	2012/05/17	< 1.000	2015/05
PH, LABORATORY	00403	036	2012/05/17	.7.800	2015/05
SILVER	01077	036	2012/05/17	< 10.000	2015/05
SODIUM	00929	036	2012/05/17	120.000	2015/05
SPECIFIC CONDUCTANCE	00095	036	2012/05/17	.1200.000	2015/05
SULFATE	00945	036	2012/05/17	140.000	2015/05
TOTAL DISSOLVED SOLIDS	70300	036	2012/05/17	.790.000	2015/05
TURBIDITY, LABORATORY	82079	036	2012/05/17	.240	2015/05
ZINC	01092	036	2012/05/17	< 50.000	2015/05

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910017

System Name: SANTA CLARITA WATER DIVISION

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910017-016

Source Name: SAND CANYON WELL 03

Source Number: 016

Source Status: ACTIVE UNTREATED

Water type: G

INORGANIC

ALUMINUM	01105	036	2013/05/23	< 50.000	2016/05
ANTIMONY	01097	036	2013/05/23	< 6.000	2016/05
ARSENIC	01002	036	2013/05/23	< 2.000	2016/05
BARIUM	01007	036	2013/05/23	130.000	2016/05
BERYLLIUM	01012	036	2013/05/23	< 1.000	2016/05
CADMIUM	01027	036	2013/05/23	< 1.000	2016/05
CHROMIUM (TOTAL)	01034	036	2013/05/23	< 10.000	2016/05
CHROMIUM, HEXAVALENT	01032	000			
CYANIDE	01291	036	2012/05/24	< 100.000	2015/05
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/05/23	.320	2016/05
MERCURY	71900	036	2013/05/23	< 1.000	2016/05
NICKEL	01067	036	2013/05/23	< 10.000	2016/05
PERCHLORATE	A-031	012	2014/06/11	< 4.000	2015/06
SELENIUM	01147	036	2013/05/23	< 5.000	2016/05
THALLIUM	01059	036	2013/05/23	< 1.000	2016/05

DUE

NITRATE/NITRITE

NITRATE (AS NO3)	71850	003	2014/05/12	. 15.000	2014/08
NITRITE (AS N)	00620	036	2013/05/23	< 400.000	2016/05

RADIOLOGICAL

GROSS ALPHA	01501	108	2005/12/07	< 3.000	2014/12
-------------	-------	-----	------------	---------	---------

REGULATED SOC

2,4-D	39730	033	2012/05/24	< 10.000	2015/02
ALACHLOR	77825	033	2012/05/24	< 1.000	2015/02
ATRAZINE	39033	033	2012/05/24	< .500	2015/02
BENTAZON	38710	033	2012/05/24	< 2.000	2015/02
DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2012/05/24	< 3.000	2015/02
DINOSEB	81287	033	2012/05/24	< 2.000	2015/02
DIQUAT	78885	033	2012/05/24	< 4.000	2015/02

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910017

System Name: SANTA CLARITA WATER DIVISION

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910017-016

Source Name: SAND CANYON WELL 03

Source Number: 016

Source Status: ACTIVE UNTREATED

Water type: G

REGULATED SOC

ENDOTHALL	38926	033	2012/05/24	< 45.000	2015/02
GLYPHOSATE	79743	033	2012/05/24	< 25.000	2015/02
PENTACHLOROPHENOL	39032	033	2012/05/24	< .200	2015/02
SIMAZINE	39055	033	2012/05/24	< 1.000	2015/02
TOXAPHENE	39400	033	2012/05/24	< 1.000	2015/02

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	012	2014/06/11	. 000	2015/06
1,1,2,2-TETRACHLOROETHANE	34516	012	2014/06/11	. 000	2015/06
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/06/11	. 000	2015/06
1,1,2-TRICHLOROETHANE	34511	012	2014/06/11	. 000	2015/06
1,1-DICHLOROETHANE	34496	012	2014/06/11	. 000	2015/06
1,1-DICHLOROETHYLENE	34501	012	2014/06/11	. 000	2015/06
1,2,4-TRICHLOROBENZENE	34551	012	2014/06/11	. 000	2015/06
1,2-DICHLOROBENZENE	34536	012	2014/06/11	. 000	2015/06
1,2-DICHLOROETHANE	34531	012	2014/06/11	. 000	2015/06
1,2-DICHLOROPROPANE	34541	012	2014/06/11	. 000	2015/06
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/06/11	. 000	2015/06
1,4-DICHLOROBENZENE	34571	012	2014/06/11	. 000	2015/06
BENZENE	34030	012	2014/06/11	. 000	2015/06
CARBON TETRACHLORIDE	32102	012	2014/06/11	. 000	2015/06
CIS-1,2-DICHLOROETHYLENE	77093	012	2014/06/11	. 000	2015/06
DICHLOROMETHANE	34423	012	2014/06/11	. 000	2015/06
ETHYLBENZENE	34371	012	2014/06/11	. 000	2015/06
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/06/11	. 000	2015/06
MONOCHLOROBENZENE	34301	012	2014/06/11	. 000	2015/06
STYRENE	77128	012	2014/06/11	. 000	2015/06
TETRACHLOROETHYLENE	34475	012	2014/06/11	. 000	2015/06
TOLUENE	34010	012	2014/06/11	. 000	2015/06
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/06/11	. 000	2015/06

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910017

System Name: SANTA CLARITA WATER DIVISION

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910017-016

Source Name: SAND CANYON WELL 03

Source Number: 016

Source Status: ACTIVE UNTREATED

Water type: G

REGULATED VOC

TRICHLOROETHYLENE	39180	012	2014/06/11	.000	2015/06
TRICHLOROFUOROMETHANE	34488	012	2014/06/11	.000	2015/06
VINYL CHLORIDE	39175	012	2014/06/11	.000	2015/06
XYLENES (TOTAL)	81551	012	2014/06/11	.000	2015/06

SECONDARY/GP

BICARBONATE ALKALINITY	00440	036	2013/05/23	.420.000	2016/05
CALCIUM	00916	036	2013/05/23	.140.000	2016/05
CARBONATE ALKALINITY	00445	036	2013/05/23	<2.000	2016/05
CHLORIDE	00940	036	2013/05/23	.120.000	2016/05
COLOR	00081	036	2013/05/23	<3.000	2016/05
COPPER	01042	036	2013/05/23	<50.000	2016/05
FOAMING AGENTS (MBAS)	38260	036	2013/05/23	<.050	2016/05
HARDNESS (TOTAL) AS CaCO3	00900	036	2013/05/23	.500.000	2016/05
HYDROXIDE ALKALINITY	71830	036	2013/05/23	<2.000	2016/05
IRON	01045	036	2013/05/23	<100.000	2016/05
MAGNESIUM	00927	036	2013/05/23	.36.000	2016/05
MANGANESE	01055	036	2013/05/23	<20.000	2016/05
ODOR THRESHOLD @ 60 C	00086	036	2013/05/23	<1.000	2016/05
PH, LABORATORY	00403	036	2013/05/23	.7.400	2016/05
SILVER	01077	036	2013/05/23	<10.000	2016/05
SODIUM	00929	036	2013/05/23	110.000	2016/05
SPECIFIC CONDUCTANCE	00095	036	2013/05/23	.1400.000	2016/05
SULFATE	00945	036	2013/05/23	210.000	2016/05
TOTAL DISSOLVED SOLIDS	70300	036	2013/05/23	.900.000	2016/05
TURBIDITY, LABORATORY	82079	036	2013/05/23	.170	2016/05
ZINC	01092	036	2013/05/23	<50.000	2016/05

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910017

System Name: SANTA CLARITA WATER DIVISION

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910017-019

Source Name: SIERRA WELL 06

Source Number: 019

Source Status: ACTIVE RAW

Water type: G

INORGANIC

ALUMINUM	01105	036	2010/05/12	< 50.000	2013/05	DUE
ANTIMONY	01097	036	2010/05/12	< 6.000	2013/05	DUE
ARSENIC	01002	036	2010/05/12	< 2.000	2013/05	DUE
BARIUM	01007	036	2010/05/12	110.000	2013/05	DUE
BERYLLIUM	01012	036	2010/05/12	< 1.000	2013/05	DUE
CADMIUM	01027	036	2010/05/12	< 1.000	2013/05	DUE
CHROMIUM (TOTAL)	01034	036	2010/05/12	< 10.000	2013/05	DUE
CHROMIUM, HEXAVALENT	01032	000				DUE
CYANIDE	01291	036	2012/05/24	< 100.000	2015/05	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2010/05/12	.290	2013/05	DUE
MERCURY	71900	036	2010/05/12	< 1.000	2013/05	DUE
NICKEL	01067	036	2010/05/12	< 10.000	2013/05	DUE
PERCHLORATE	A-031	012	2012/06/21	< 4.000	2013/06	DUE
SELENIUM	01147	036	2010/05/12	< 5.000	2013/05	DUE
THALLIUM	01059	036	2010/05/12	< 1.000	2013/05	DUE

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2013/02/11	. 23.000	2014/02	DUE
NITRITE (AS N)	00620	036	2010/05/12	< 400.000	2013/05	DUE

RADIOLOGICAL

GROSS ALPHA	01501	108	2005/12/07	< 3.000	2014/12	
-------------	-------	-----	------------	---------	---------	--

REGULATED SOC

2,4-D	39730	033	2012/05/24	< 10.000	2015/02	
ALACHLOR	77825	033	2012/05/24	< 1.000	2015/02	
ATRAZINE	39033	033	2012/05/24	< .500	2015/02	
BENTAZON	38710	033	2012/05/24	< 2.000	2015/02	
DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2012/05/24	< 3.000	2015/02	
DINOSEB	81287	033	2012/05/24	< 2.000	2015/02	
DIQUAT	78885	033	2012/05/24	< 4.000	2015/02	

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910017

System Name: SANTA CLARITA WATER DIVISION

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910017-019

Source Name: SIERRA WELL 06

Source Number: 019

Source Status: ACTIVE RAW

Water type: G

REGULATED SOC

ENDOTHALL	38926	033	2012/05/24	< 45.000	2015/02
GLYPHOSATE	79743	033	2012/05/24	< 25.000	2015/02
PENTACHLOROPHENOL	39032	033	2012/05/24	< .200	2015/02
SIMAZINE	39055	033	2012/05/24	< 1.000	2015/02
THIOBENCARB	A-001	033	2012/05/24	< 1.000	2015/02
TOXAPHENE	39400	033	2012/05/24	< 1.000	2015/02

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	012	2012/06/21	< .500	2013/06	DUE
1,1,2,2-TETRACHLOROETHANE	34516	012	2012/06/21	< .500	2013/06	DUE
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2012/06/21	< 10.000	2013/06	DUE
1,1,2-TRICHLOROETHANE	34511	012	2012/06/21	< .500	2013/06	DUE
1,1-DICHLOROETHANE	34496	012	2012/06/21	< .500	2013/06	DUE
1,1-DICHLOROETHYLENE	34501	012	2012/06/21	< .500	2013/06	DUE
1,2,4-TRICHLOROBENZENE	34551	012	2012/06/21	< .500	2013/06	DUE
1,2-DICHLOROBENZENE	34536	012	2012/06/21	< .500	2013/06	DUE
1,2-DICHLOROETHANE	34531	012	2012/06/21	< .500	2013/06	DUE
1,2-DICHLOROPROPANE	34541	012	2012/06/21	< .500	2013/06	DUE
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2012/06/21	< .500	2013/06	DUE
1,4-DICHLOROBENZENE	34571	012	2012/06/21	< .500	2013/06	DUE
BENZENE	34030	012	2012/06/21	< .500	2013/06	DUE
CARBON TETRACHLORIDE	32102	012	2012/06/21	< .500	2013/06	DUE
CIS-1,2-DICHLOROETHYLENE	77093	012	2012/06/21	< .500	2013/06	DUE
DICHLOROMETHANE	34423	012	2012/06/21	< .500	2013/06	DUE
ETHYLBENZENE	34371	012	2012/06/21	< .500	2013/06	DUE
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2012/06/21	< 3.000	2013/06	DUE
MONOCHLOROBENZENE	34301	012	2012/06/21	< .500	2013/06	DUE
STYRENE	77128	012	2012/06/21	< .500	2013/06	DUE
TETRACHLOROETHYLENE	34475	012	2012/06/21	< .500	2013/06	DUE
TOLUENE	34010	012	2012/06/21	< .500	2013/06	DUE

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910017

System Name: SANTA CLARITA WATER DIVISION

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910017-019

Source Name: SIERRA WELL 06

Source Number: 019

Source Status: ACTIVE RAW

Water type: G

REGULATED VOC

TRANS-1,2-DICHLOROETHYLENE	34546	012	2012/06/21	< .500	2013/06	DUE
TRICHLOROETHYLENE	39180	012	2012/06/21	< .500	2013/06	DUE
TRICHLOROFUOROMETHANE	34488	012	2012/06/21	< 5.000	2013/06	DUE
VINYL CHLORIDE	39175	012	2012/06/21	< .500	2013/06	DUE
XYLENES (TOTAL)	81551	012	2012/06/21	< .500	2013/06	DUE

SECONDARY/GP

BICARBONATE ALKALINITY	00440	036	2010/05/12	360.000	2013/05	DUE
CALCIUM	00916	036	2010/05/12	120.000	2013/05	DUE
CARBONATE ALKALINITY	00445	036	2010/05/12	< 2.000	2013/05	DUE
CHLORIDE	00940	036	2010/05/12	82.000	2013/05	DUE
COLOR	00081	036	2010/05/12	< 3.000	2013/05	DUE
COPPER	01042	036	2010/05/12	< 50.000	2013/05	DUE
FOAMING AGENTS (MBAS)	38260	036	2010/05/12	< .050	2013/05	DUE
HARDNESS (TOTAL) AS CaCO3	00900	036	2010/05/12	420.000	2013/05	DUE
HYDROXIDE ALKALINITY	71830	036	2010/05/12	< 2.000	2013/05	DUE
IRON	01045	036	2010/05/12	< 100.000	2013/05	DUE
MAGNESIUM	00927	036	2010/05/12	30.000	2013/05	DUE
MANGANESE	01055	036	2010/05/12	< 20.000	2013/05	DUE
ODOR THRESHOLD @ 60 C	00086	036	2010/05/12	1.000	2013/05	DUE
PH, LABORATORY	00403	036	2010/05/12	7.500	2013/05	DUE
SILVER	01077	036	2010/05/12	< 10.000	2013/05	DUE
SODIUM	00929	036	2010/05/12	80.000	2013/05	DUE
SPECIFIC CONDUCTANCE	00095	036	2010/05/12	1100.000	2013/05	DUE
SULFATE	00945	036	2010/05/12	170.000	2013/05	DUE
TOTAL DISSOLVED SOLIDS	70300	036	2010/05/12	740.000	2013/05	DUE
TURBIDITY, LABORATORY	82079	036	2010/05/12	.093	2013/05	DUE
ZINC	01092	036	2010/05/12	< 50.000	2013/05	DUE

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910017

System Name: SANTA CLARITA WATER DIVISION

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910017-022

Source Name: CLWA - SC1 CONNECTION - TREATED

Source Number: 022

Source Status: PURCHASED TREATED

Water type: S

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

PS Code: 1910017-023

Source Name: CLWA - SC2 CONNECTION - TREATED

Source Number: 023

Source Status: PURCHASED TREATED

Water type: S

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

PS Code: 1910017-024

Source Name: CLWA - SC3 CONNECTION - TREATED

Source Number: 024

Source Status: PURCHASED TREATED

Water type: S

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

PS Code: 1910017-025

Source Name: MITCHELL 05B

Source Number: 025

Source Status: ACTIVE RAW

Water type: G

INORGANIC

ALUMINUM	01105	036	2013/05/23	< 50.000	2016/05
ANTIMONY	01097	036	2013/05/23	< 6.000	2016/05
ARSENIC	01002	036	2013/05/23	. 2.400	2016/05
BARIUM	01007	036	2013/05/23	130.000	2016/05
BERYLLIUM	01012	036	2013/05/23	< 1.000	2016/05

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910017

System Name: SANTA CLARITA WATER DIVISION

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910017-025

Source Name: MITCHELL 05B

Source Number: 025

Source Status: ACTIVE RAW

Water type: G

INORGANIC

CADMIUM	01027	036	2013/05/23	< 1.000	2016/05
CHROMIUM (TOTAL)	01034	036	2013/05/23	< 10.000	2016/05
CHROMIUM, HEXAVALENT	01032	000			DUE
CYANIDE	01291	036	2012/05/24	< 100.000	2015/05
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/05/23	.310	2016/05
MERCURY	71900	036	2013/05/23	< 1.000	2016/05
NICKEL	01067	036	2013/05/23	< 10.000	2016/05
PERCHLORATE	A-031	012	2014/06/11	< 4.000	2015/06
SELENIUM	01147	036	2013/05/23	< 5.000	2016/05
THALLIUM	01059	036	2013/05/23	< 1.000	2016/05

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2014/02/27	.13.000	2015/02
NITRITE (AS N)	00620	036	2013/05/23	< 400.000	2016/05

RADIOLOGICAL

GROSS ALPHA	01501	108	2005/12/07	< 3.000	2014/12
-------------	-------	-----	------------	---------	---------

REGULATED SOC

2,4-D	39730	033	2012/05/24	< 10.000	2015/02
ALACHLOR	77825	033	2012/05/24	< 1.000	2015/02
ATRAZINE	39033	033	2012/05/24	< .500	2015/02
BENTAZON	38710	033	2012/05/24	< 2.000	2015/02
DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2012/05/24	< 3.000	2015/02
DINOSEB	81287	033	2012/05/24	< 2.000	2015/02
DIQUAT	78885	033	2012/05/24	< 4.000	2015/02
ENDOTHALL	38926	033	2012/05/24	< 45.000	2015/02
GLYPHOSATE	79743	033	2012/05/24	< 25.000	2015/02
PENTACHLOROPHENOL	39032	033	2012/05/24	< .200	2015/02
SIMAZINE	39055	033	2012/05/24	< 1.000	2015/02
TOXAPHENE	39400	033	2012/05/24	< 1.000	2015/02

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910017

System Name: SANTA CLARITA WATER DIVISION

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910017-025

Source Name: MITCHELL 05B

Source Number: 025

Source Status: ACTIVE RAW

Water type: G

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	012	2014/06/11	.000	2015/06
1,1,2,2-TETRACHLOROETHANE	34516	012	2014/06/11	.000	2015/06
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/06/11	.000	2015/06
1,1,2-TRICHLOROETHANE	34511	012	2014/06/11	.000	2015/06
1,1-DICHLOROETHANE	34496	012	2014/06/11	.000	2015/06
1,1-DICHLOROETHYLENE	34501	012	2014/06/11	.000	2015/06
1,2,4-TRICHLOROBENZENE	34551	012	2014/06/11	.000	2015/06
1,2-DICHLOROBENZENE	34536	012	2014/06/11	.000	2015/06
1,2-DICHLOROETHANE	34531	012	2014/06/11	.000	2015/06
1,2-DICHLOROPROPANE	34541	012	2014/06/11	.000	2015/06
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/06/11	.000	2015/06
1,4-DICHLOROBENZENE	34571	012	2014/06/11	.000	2015/06
BENZENE	34030	012	2014/06/11	.000	2015/06
CARBON TETRACHLORIDE	32102	012	2014/06/11	.000	2015/06
CIS-1,2-DICHLOROETHYLENE	77093	012	2014/06/11	.000	2015/06
DICHLOROMETHANE	34423	012	2014/06/11	.000	2015/06
ETHYLBENZENE	34371	012	2014/06/11	.000	2015/06
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/06/11	.000	2015/06
MONOCHLOROBENZENE	34301	012	2014/06/11	.000	2015/06
STYRENE	77128	012	2014/06/11	.000	2015/06
TETRACHLOROETHYLENE	34475	012	2014/06/11	.000	2015/06
TOLUENE	34010	012	2014/06/11	.000	2015/06
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/06/11	.000	2015/06
TRICHLOROETHYLENE	39180	012	2014/06/11	.000	2015/06
TRICHLOROFUOROMETHANE	34488	012	2014/06/11	.000	2015/06
VINYL CHLORIDE	39175	012	2014/06/11	.000	2015/06
XYLENES (TOTAL)	81551	012	2014/06/11	.000	2015/06

SECONDARY/GP

BICARBONATE ALKALINITY	00440	036	2013/05/23	410.000	2016/05
------------------------	-------	-----	------------	---------	---------

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910017

System Name: SANTA CLARITA WATER DIVISION

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910017-025

Source Name: MITCHELL 05B

Source Number: 025

Source Status: ACTIVE RAW

Water type: G

SECONDARY/GP

CALCIUM	00916	036	2013/05/23	. 110.000	2016/05
CARBONATE ALKALINITY	00445	036	2013/05/23	< 2.000	2016/05
CHLORIDE	00940	036	2013/05/23	. 110.000	2016/05
COLOR	00081	036	2013/05/23	< 3.000	2016/05
COPPER	01042	036	2013/05/23	< 50.000	2016/05
FOAMING AGENTS (MBAS)	38260	036	2013/05/23	< .050	2016/05
HARDNESS (TOTAL) AS CaCO3	00900	036	2013/05/23	. 380.000	2016/05
HYDROXIDE ALKALINITY	71830	036	2013/05/23	< 2.000	2016/05
IRON	01045	036	2013/05/23	< 100.000	2016/05
MAGNESIUM	00927	036	2013/05/23	. 27.000	2016/05
MANGANESE	01055	036	2013/05/23	< 20.000	2016/05
ODOR THRESHOLD @ 60 C	00086	036	2013/05/23	< 1.000	2016/05
PH, LABORATORY	00403	036	2013/05/23	. 7.700	2016/05
SILVER	01077	036	2013/05/23	< 10.000	2016/05
SODIUM	00929	036	2013/05/23	110.000	2016/05
SPECIFIC CONDUCTANCE	00095	036	2013/05/23	. 1200.000	2016/05
SULFATE	00945	036	2013/05/23	130.000	2016/05
TOTAL DISSOLVED SOLIDS	70300	036	2013/05/23	. 730.000	2016/05
TURBIDITY, LABORATORY	82079	036	2013/05/23	. .160	2016/05
ZINC	01092	036	2013/05/23	< 50.000	2016/05

PS Code: 1910017-039

Source Name: VALLEY CENTER WELL

Source Number: 039

Source Status: ACTIVE RAW

Water type: G

INORGANIC

ALUMINUM	01105	036	2013/05/23	< 50.000	2016/05
ANTIMONY	01097	036	2013/05/23	< 6.000	2016/05

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910017

System Name: SANTA CLARITA WATER DIVISION

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910017-039

Source Name: VALLEY CENTER WELL

Source Number: 039

Source Status: ACTIVE RAW

Water type: G

INORGANIC

ARSENIC	01002	036	2013/05/23	< 2.000	2016/05
BARIUM	01007	036	2013/05/23	110.000	2016/05
BERYLLIUM	01012	036	2013/05/23	< 1.000	2016/05
CADMIUM	01027	036	2013/05/23	< 1.000	2016/05
CHROMIUM (TOTAL)	01034	036	2013/05/23	< 10.000	2016/05
CHROMIUM, HEXAVALENT	01032	036	2010/03/17	< 1.000	2013/03 DUE
CYANIDE	01291	036	2012/05/24	< 100.000	2015/05
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/05/23	.330	2016/05
MERCURY	71900	036	2013/05/23	< 1.000	2016/05
NICKEL	01067	036	2013/05/23	< 10.000	2016/05
PERCHLORATE	A-031	012	2014/06/11	< 4.000	2015/06
SELENIUM	01147	036	2013/05/23	< 5.000	2016/05
THALLIUM	01059	036	2013/05/23	< 1.000	2016/05

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2014/05/12	. 21.000	2015/05
NITRITE (AS N)	00620	036	2013/05/23	< 400.000	2016/05

RADIOLOGICAL

GROSS ALPHA	01501	108	2010/11/17	6.300	2019/11
-------------	-------	-----	------------	-------	---------

REGULATED SOC

2,4-D	39730	033	2012/05/24	< 10.000	2015/02
ALACHLOR	77825	033	2012/05/24	< 1.000	2015/02
ATRAZINE	39033	033	2012/05/24	< .500	2015/02
BENTAZON	38710	033	2012/05/24	< 2.000	2015/02
DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2012/05/24	< 3.000	2015/02
DINOSEB	81287	033	2012/05/24	< 2.000	2015/02
DIQUAT	78885	033	2012/05/24	< 4.000	2015/02
ENDOTHALL	38926	033	2012/05/24	< 45.000	2015/02
GLYPHOSATE	79743	033	2012/05/24	< 25.000	2015/02

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910017

System Name: SANTA CLARITA WATER DIVISION

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910017-039

Source Name: VALLEY CENTER WELL

Source Number: 039

Source Status: ACTIVE RAW

Water type: G

REGULATED SOC

PENTACHLOROPHENOL	39032	033	2012/05/24	< .200	2015/02
SIMAZINE	39055	033	2012/05/24	< 1.000	2015/02
THIOBENCARB	A-001	033	2012/05/24	< 1.000	2015/02
TOXAPHENE	39400	033	2012/05/24	< 1.000	2015/02

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	012	2014/06/11	. .000	2015/06
1,1,2,2-TETRACHLOROETHANE	34516	012	2014/06/11	. .000	2015/06
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/06/11	. .000	2015/06
1,1,2-TRICHLOROETHANE	34511	012	2014/06/11	. .000	2015/06
1,1-DICHLOROETHANE	34496	012	2014/06/11	. .000	2015/06
1,1-DICHLOROETHYLENE	34501	012	2014/06/11	. .000	2015/06
1,2,4-TRICHLOROBENZENE	34551	012	2014/06/11	. .000	2015/06
1,2-DICHLOROBENZENE	34536	012	2014/06/11	. .000	2015/06
1,2-DICHLOROETHANE	34531	012	2014/06/11	. .000	2015/06
1,2-DICHLOROPROPANE	34541	012	2014/06/11	. .000	2015/06
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/06/11	. .000	2015/06
1,4-DICHLOROBENZENE	34571	012	2014/06/11	. .000	2015/06
BENZENE	34030	012	2014/06/11	. .000	2015/06
CARBON TETRACHLORIDE	32102	012	2014/06/11	. .000	2015/06
CIS-1,2-DICHLOROETHYLENE	77093	012	2014/06/11	. .000	2015/06
DICHLOROMETHANE	34423	012	2014/06/11	. .000	2015/06
ETHYLBENZENE	34371	012	2014/06/11	. .000	2015/06
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/06/11	. .000	2015/06
MONOCHLOROBENZENE	34301	012	2014/06/11	. .000	2015/06
STYRENE	77128	012	2014/06/11	. .000	2015/06
TETRACHLOROETHYLENE	34475	012	2014/06/11	. .000	2015/06
TOLUENE	34010	012	2014/06/11	. .000	2015/06
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/06/11	. .000	2015/06
TRICHLOROETHYLENE	39180	012	2014/06/11	. .000	2015/06

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910017

System Name: SANTA CLARITA WATER DIVISION

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910017-039

Source Name: VALLEY CENTER WELL

Source Number: 039

Source Status: ACTIVE RAW

Water type: G

REGULATED VOC

TRICHLOROFUOROMETHANE	34488	012	2014/06/11	.000	2015/06
VINYL CHLORIDE	39175	012	2014/06/11	.000	2015/06
XYLENES (TOTAL)	81551	012	2014/06/11	.000	2015/06

SECONDARY/GP

BICARBONATE ALKALINITY	00440	036	2013/05/23	360.000	2016/05
CALCIUM	00916	036	2013/05/23	120.000	2016/05
CARBONATE ALKALINITY	00445	036	2013/05/23	< 2.000	2016/05
CHLORIDE	00940	036	2013/05/23	100.000	2016/05
COLOR	00081	036	2013/05/23	< 3.000	2016/05
COPPER	01042	036	2013/05/23	< 50.000	2016/05
FOAMING AGENTS (MBAS)	38260	036	2013/05/23	< .050	2016/05
HARDNESS (TOTAL) AS CaCO3	00900	036	2013/05/23	440.000	2016/05
HYDROXIDE ALKALINITY	71830	036	2013/05/23	< 2.000	2016/05
IRON	01045	036	2013/05/23	< 100.000	2016/05
MAGNESIUM	00927	036	2013/05/23	33.000	2016/05
MANGANESE	01055	036	2013/05/23	< 20.000	2016/05
ODOR THRESHOLD @ 60 C	00086	036	2013/05/23	< 1.000	2016/05
PH, LABORATORY	00403	036	2013/05/23	7.600	2016/05
SILVER	01077	036	2013/05/23	< 10.000	2016/05
SODIUM	00929	036	2013/05/23	90.000	2016/05
SPECIFIC CONDUCTANCE	00095	036	2013/05/23	1200.000	2016/05
SULFATE	00945	036	2013/05/23	180.000	2016/05
TOTAL DISSOLVED SOLIDS	70300	036	2013/05/23	780.000	2016/05
TURBIDITY, LABORATORY	82079	036	2013/05/23	.140	2016/05
ZINC	01092	036	2013/05/23	< 50.000	2016/05

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910017

System Name: SANTA CLARITA WATER DIVISION

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910017-040

Source Name: SANTA CLARA WELL

Source Number: 040

Source Status: ACTIVE RAW

Water type: G

INORGANIC

ALUMINUM	01105	036	2012/05/17	< 50.000	2015/05
ANTIMONY	01097	036	2012/05/17	< 6.000	2015/05
ARSENIC	01002	036	2012/05/17	< 2.000	2015/05
BARIUM	01007	036	2012/05/17	120.000	2015/05
BERYLLIUM	01012	036	2012/05/17	< 1.000	2015/05
CADMIUM	01027	036	2012/05/17	< 1.000	2015/05
CHROMIUM (TOTAL)	01034	036	2012/05/17	< 10.000	2015/05
CHROMIUM, HEXAVALENT	01032	000			
CYANIDE	01291	036	2012/05/24	< 100.000	2015/05
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2012/05/17	.330	2015/05
MERCURY	71900	036	2012/05/17	< 1.000	2015/05
NICKEL	01067	036	2012/05/17	< 10.000	2015/05
PERCHLORATE	A-031	012	2014/06/11	< 4.000	2015/06
SELENIUM	01147	036	2012/05/17	< 5.000	2015/05
THALLIUM	01059	036	2012/05/17	< 1.000	2015/05

DUE

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2014/05/12	. 19.000	2015/05
NITRITE (AS N)	00620	036	2012/05/17	< 400.000	2015/05

RADIOLOGICAL

GROSS ALPHA	01501	072	2010/02/10	< 3.000	2016/02
-------------	-------	-----	------------	---------	---------

REGULATED SOC

2,4-D	39730	033	2012/05/24	< 10.000	2015/02
ALACHLOR	77825	033	2012/05/24	< 1.000	2015/02
ATRAZINE	39033	033	2012/06/25	< .500	2015/03
BENTAZON	38710	033	2012/05/24	< 2.000	2015/02
DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2012/06/25	< 3.000	2015/03
DINOSEB	81287	033	2012/05/24	< 2.000	2015/02
DIQUAT	78885	033	2012/05/24	< 4.000	2015/02

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910017

System Name: SANTA CLARITA WATER DIVISION

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910017-040

Source Name: SANTA CLARA WELL

Source Number: 040

Source Status: ACTIVE RAW

Water type: G

REGULATED SOC

ENDOTHALL	38926	033	2012/05/24	< 45.000	2015/02
GLYPHOSATE	79743	033	2012/05/24	< 25.000	2015/02
PENTACHLOROPHENOL	39032	033	2012/05/24	< .200	2015/02
SIMAZINE	39055	033	2012/06/25	< 1.000	2015/03
THIOBENCARB	A-001	033	2012/06/25	< 1.000	2015/03
TOXAPHENE	39400	033	2012/05/24	< 1.000	2015/02

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	012	2014/06/11	. .000	2015/06
1,1,2,2-TETRACHLOROETHANE	34516	012	2014/06/11	. .000	2015/06
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/06/11	. .000	2015/06
1,1,2-TRICHLOROETHANE	34511	012	2014/06/11	. .000	2015/06
1,1-DICHLOROETHANE	34496	012	2014/06/11	. .000	2015/06
1,1-DICHLOROETHYLENE	34501	012	2014/06/11	. .000	2015/06
1,2,4-TRICHLOROBENZENE	34551	012	2014/06/11	. .000	2015/06
1,2-DICHLOROBENZENE	34536	012	2014/06/11	. .000	2015/06
1,2-DICHLOROETHANE	34531	012	2014/06/11	. .000	2015/06
1,2-DICHLOROPROPANE	34541	012	2014/06/11	. .000	2015/06
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/06/11	. .000	2015/06
1,4-DICHLOROBENZENE	34571	012	2014/06/11	. .000	2015/06
BENZENE	34030	012	2014/06/11	. .000	2015/06
CARBON TETRACHLORIDE	32102	012	2014/06/11	. .000	2015/06
CIS-1,2-DICHLOROETHYLENE	77093	012	2014/06/11	. .000	2015/06
DICHLOROMETHANE	34423	012	2014/06/11	. .000	2015/06
ETHYLBENZENE	34371	012	2014/06/11	. .000	2015/06
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/06/11	. .000	2015/06
MONOCHLOROBENZENE	34301	012	2014/06/11	. .000	2015/06
STYRENE	77128	012	2014/06/11	. .000	2015/06
TETRACHLOROETHYLENE	34475	012	2014/06/11	. .000	2015/06
TOLUENE	34010	012	2014/06/11	. .000	2015/06

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910017

System Name: SANTA CLARITA WATER DIVISION

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910017-040

Source Name: SANTA CLARA WELL

Source Number: 040

Source Status: ACTIVE RAW

Water type: G

REGULATED VOC

TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/06/11	. .000	2015/06
TRICHLOROETHYLENE	39180	012	2014/06/11	. .000	2015/06
TRICHLOROFUOROMETHANE	34488	012	2014/06/11	. .000	2015/06
VINYL CHLORIDE	39175	012	2014/06/11	. .000	2015/06
XYLENES (TOTAL)	81551	012	2014/06/11	. .000	2015/06

SECONDARY/GP

BICARBONATE ALKALINITY	00440	036	2012/05/17	. 380.000	2015/05
CALCIUM	00916	036	2012/05/17	. 140.000	2015/05
CARBONATE ALKALINITY	00445	036	2012/05/17	< 2.000	2015/05
CHLORIDE	00940	036	2012/05/17	. 120.000	2015/05
COLOR	00081	036	2012/05/17	< 3.000	2015/05
COPPER	01042	036	2012/05/17	< 50.000	2015/05
FOAMING AGENTS (MBAS)	38260	036	2012/05/17	< .050	2015/05
HARDNESS (TOTAL) AS CaCO3	00900	036	2012/05/17	. 510.000	2015/05
HYDROXIDE ALKALINITY	71830	036	2012/05/17	< 2.000	2015/05
IRON	01045	036	2012/05/17	< 100.000	2015/05
MAGNESIUM	00927	036	2012/05/17	. 38.000	2015/05
MANGANESE	01055	036	2012/05/17	< 20.000	2015/05
ODOR THRESHOLD @ 60 C	00086	036	2012/05/17	< 1.000	2015/05
PH, LABORATORY	00403	036	2012/05/17	. 7.700	2015/05
SILVER	01077	036	2012/05/17	< 10.000	2015/05
SODIUM	00929	036	2012/05/17	. 97.000	2015/05
SPECIFIC CONDUCTANCE	00095	036	2012/05/17	. 1200.000	2015/05
SULFATE	00945	036	2012/05/17	. 160.000	2015/05
TOTAL DISSOLVED SOLIDS	70300	036	2012/05/17	. 780.000	2015/05
TURBIDITY, LABORATORY	82079	036	2012/05/17	. .087	2015/05
ZINC	01092	036	2012/05/17	< 50.000	2015/05

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910017

System Name: SANTA CLARITA WATER DIVISION

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

PS Code: 1910017-041

Source Name: NORTH OAK WELLS BLEND - NITRATE

Source Number: 041

Source Status: COMBINATION OR BLEND TREATED

Water type: S

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

PS Code: 1910017-042

Source Name: CLWA - SC7 CONNECTION - TREATED

Source Number: 042

Source Status: PURCHASED TREATED

Water type: S

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

PS Code: 1910017-043

Source Name: CLWA - SC8 CONNECTION - TREATED

Source Number: 043

Source Status: PURCHASED TREATED

Water type: S

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

PS Code: 1910017-044

Source Name: CLWA - SC9 CONNECTION - TREATED

Source Number: 044

Source Status: PURCHASED TREATED

Water type: S

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

*Testing interval is in months;
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910017

System Name: SANTA CLARITA WATER DIVISION

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

PS Code: 1910017-045

Source Name: CLWA - SC10 CONNECTION - TREATED

Source Number: 045

Source Status: PURCHASED TREATED

Water type: S

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

PS Code: 1910017-046

Source Name: CLWA - SC11 CONNECTION - TREATED

Source Number: 046

Source Status: PURCHASED TREATED

Water type: S

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

PS Code: 1910017-047

Source Name: CLWA - SC12 CONNECTION - TREATED

Source Number: 047

Source Status: PURCHASED TREATED

Water type: S

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

PS Code: 1910017-048

Source Name: CLWA - SC4 CONNECTION - TREATED

Source Number: 048

Source Status: PURCHASED TREATED

Water type: S

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

*Testing interval is in months;
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910017

System Name: SANTA CLARITA WATER DIVISION

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

PS Code: 1910017-049

Source Name: CLWA - SC5 CONNECTION - TREATED

Source Number: 049

Source Status: PURCHASED TREATED

Water type: S

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

PS Code: 1910017-050

Source Name: CLWA - SC6 CONNECTION - TREATED

Source Number: 050

Source Status: PURCHASED TREATED

Water type: S

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

PS Code: 1910017-051

Source Name: CENTRAL PARK WELL - PENDING

Source Number: 051

Source Status: PENDING

Water type: G

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

PS Code: 1910017-053

Source Name: BOUQUET WELL

Source Number: 053

Source Status: PENDING

Water type: G

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910017

System Name: SANTA CLARITA WATER DIVISION

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910017-054

Source Name: CLWA - SC13 CONNECTION - TREATED

Source Number: 054

Source Status: PURCHASED TREATED

Water type: S

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

PS Code: 1910017-800

Source Name: ST1 -26043 STAG HOLLOW - STG2 DBP

Source Number: 800

Source Status: DISTRIBUTION TREATED

Water type: S

HALOACETIC ACIDS

DIBROMOACETIC ACID (DBAA)	82721	003	2014/05/15	. 7.200	2014/08
DICHLOROACETIC ACID (DCAA)	77288	003	2014/05/15	. 1.100	2014/08
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/05/15	. 8.300	2014/08
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/05/15	< 1.000	2014/08
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/05/15	< 2.000	2014/08
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/05/15	< 1.000	2014/08

STATE UCMR

BROMODICHLORMETHANE (THM)	32101	003	2014/05/15	. 4.100	2014/08
BROMOFORM (THM)	32104	003	2014/05/15	. 18.000	2014/08
CHLOROFORM (THM)	32106	003	2014/05/15	. 1.200	2014/08
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/05/15	. 12.000	2014/08

TRIHALOMETHANES

TOTAL TRIHALOMETHANES	82080	003	2014/05/15	. 35.000	2014/08
-----------------------	-------	-----	------------	----------	---------

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910017

System Name: SANTA CLARITA WATER DIVISION

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910017-801

Source Name: ST2 -26515 HUNTSWOOD - STG2 DBP

Source Number: 801

Source Status: DISTRIBUTION TREATED

Water type: S

HALOACETIC ACIDS

DIBROMOACETIC ACID (DBAA)	82721	003	2014/05/15	. 5.000	2014/08
DICHLOROACETIC ACID (DCAA)	77288	003	2014/05/15	< 1.000	2014/08
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/05/15	. 5.000	2014/08
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/05/15	< 1.000	2014/08
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/05/15	< 2.000	2014/08
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/05/15	< 1.000	2014/08

STATE UCMR

BROMODICHLORMETHANE (THM)	32101	003	2014/05/15	. 2.400	2014/08
BROMOFORM (THM)	32104	003	2014/05/15	. 14.000	2014/08
CHLOROFORM (THM)	32106	003	2014/05/15	< 1.000	2014/08
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/05/15	. 8.400	2014/08

TRIHALOMETHANES

TOTAL TRIHALOMETHANES	82080	003	2014/05/15	. 25.000	2014/08
-----------------------	-------	-----	------------	----------	---------

PS Code: 1910017-802

Source Name: ST3 -19620 GREEN MOUNTAIN DR- STG2 DBP

Source Number: 802

Source Status: DISTRIBUTION TREATED

Water type: S

HALOACETIC ACIDS

DIBROMOACETIC ACID (DBAA)	82721	003	2014/05/15	. 6.100	2014/08
DICHLOROACETIC ACID (DCAA)	77288	003	2014/05/15	. 1.100	2014/08
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/05/15	. 7.200	2014/08
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/05/15	< 1.000	2014/08
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/05/15	< 2.000	2014/08
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/05/15	< 1.000	2014/08

STATE UCMR

BROMODICHLORMETHANE (THM)	32101	003	2014/05/15	. 3.500	2014/08
---------------------------	-------	-----	------------	---------	---------

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910017

System Name: SANTA CLARITA WATER DIVISION

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910017-802

Source Name: ST3 -19620 GREEN MOUNTAIN DR- STG2 DBP

Source Number: 802

Source Status: DISTRIBUTION TREATED

Water type: S

STATE UCMR

BROMOFORM (THM)	32104	003	2014/05/15	. 15.000	2014/08
CHLOROFORM (THM)	32106	003	2014/05/15	< 1.000	2014/08
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/05/15	. 10.000	2014/08

TRIHALOMETHANES

TOTAL TRIHALOMETHANES	82080	003	2014/05/15	. 29.000	2014/08
-----------------------	-------	-----	------------	----------	---------

PS Code: 1910017-803

Source Name: ST4 -25236 RUNNING HORSE RD - STG2 DBP

Source Number: 803

Source Status: DISTRIBUTION TREATED

Water type: S

HALOACETIC ACIDS

DIBROMOACETIC ACID (DBAA)	82721	003	2014/05/15	. 3.900	2014/08
DICHLOROACETIC ACID (DCAA)	77288	003	2014/05/15	< 1.000	2014/08
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/05/15	. 3.900	2014/08
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/05/15	< 1.000	2014/08
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/05/15	< 2.000	2014/08
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/05/15	< 1.000	2014/08

STATE UCMR

BROMODICHLORMETHANE (THM)	32101	003	2014/05/15	. 1.300	2014/08
BROMOFORM (THM)	32104	003	2014/05/15	. 10.000	2014/08
CHLOROFORM (THM)	32106	003	2014/05/15	< 1.000	2014/08
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/05/15	. 5.000	2014/08

TRIHALOMETHANES

TOTAL TRIHALOMETHANES	82080	003	2014/05/15	. 16.000	2014/08
-----------------------	-------	-----	------------	----------	---------

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910017

System Name: SANTA CLARITA WATER DIVISION

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910017-804

Source Name: ST5 -28130 HOT SPRINGS - STG2 DBP

Source Number: 804

Source Status: DISTRIBUTION TREATED

Water type: S

HALOACETIC ACIDS

DIBROMOACETIC ACID (DBAA)	82721	003	2014/05/15	. 4.700	2014/08
DICHLOROACETIC ACID (DCAA)	77288	003	2014/05/15	< 1.000	2014/08
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/05/15	. 4.700	2014/08
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/05/15	< 1.000	2014/08
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/05/15	< 2.000	2014/08
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/05/15	< 1.000	2014/08

STATE UCMR

BROMODICHLORMETHANE (THM)	32101	003	2014/05/15	. 2.500	2014/08
BROMOFORM (THM)	32104	003	2014/05/15	. 14.000	2014/08
CHLOROFORM (THM)	32106	003	2014/05/15	< 1.000	2014/08
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/05/15	. 8.600	2014/08

TRIHALOMETHANES

TOTAL TRIHALOMETHANES	82080	003	2014/05/15	. 25.000	2014/08
-----------------------	-------	-----	------------	----------	---------

PS Code: 1910017-805

Source Name: ST6 -29062 GARNET CYN - STG2 DBP

Source Number: 805

Source Status: DISTRIBUTION TREATED

Water type: S

HALOACETIC ACIDS

DIBROMOACETIC ACID (DBAA)	82721	003	2014/05/15	. 4.700	2014/08
DICHLOROACETIC ACID (DCAA)	77288	003	2014/05/15	< 1.000	2014/08
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/05/15	. 4.700	2014/08
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/05/15	< 1.000	2014/08
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/05/15	< 2.000	2014/08
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/05/15	< 1.000	2014/08

STATE UCMR

BROMODICHLORMETHANE (THM)	32101	003	2014/05/15	. 2.300	2014/08
---------------------------	-------	-----	------------	---------	---------

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910017

System Name: SANTA CLARITA WATER DIVISION

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910017-805

Source Name: ST6 -29062 GARNET CYN - STG2 DBP

Source Number: 805

Source Status: DISTRIBUTION TREATED

Water type: S

STATE UCMR

BROMOFORM (THM)	32104	003	2014/05/15	. 13.000	2014/08
CHLOROFORM (THM)	32106	003	2014/05/15	< 1.000	2014/08
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/05/15	. 7.700	2014/08

TRIHALOMETHANES

TOTAL TRIHALOMETHANES	82080	003	2014/05/15	. 23.000	2014/08
-----------------------	-------	-----	------------	----------	---------

PS Code: 1910017-806

Source Name: ST7-15109 LIVE OAK SPRINGS CYN-STG2 DBP

Source Number: 806

Source Status: DISTRIBUTION TREATED

Water type: S

HALOACETIC ACIDS

DIBROMOACETIC ACID (DBAA)	82721	003	2014/05/15	. 4.800	2014/08
DICHLOROACETIC ACID (DCAA)	77288	003	2014/05/15	< 1.000	2014/08
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/05/15	. 4.800	2014/08
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/05/15	< 1.000	2014/08
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/05/15	< 2.000	2014/08
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/05/15	< 1.000	2014/08

STATE UCMR

BROMODICHLORMETHANE (THM)	32101	003	2014/05/15	. 2.400	2014/08
BROMOFORM (THM)	32104	003	2014/05/15	. 19.000	2014/08
CHLOROFORM (THM)	32106	003	2014/05/15	< 1.000	2014/08
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/05/15	. 8.800	2014/08

TRIHALOMETHANES

TOTAL TRIHALOMETHANES	82080	003	2014/05/15	. 31.000	2014/08
-----------------------	-------	-----	------------	----------	---------

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910017

System Name: SANTA CLARITA WATER DIVISION

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910017-807

Source Name: ST8 -24971 WILEY CANYON - STG2 DBP

Source Number: 807

Source Status: DISTRIBUTION TREATED

Water type: S

HALOACETIC ACIDS

DIBROMOACETIC ACID (DBAA)	82721	003	2014/05/15	. 4.400	2014/08
DICHLOROACETIC ACID (DCAA)	77288	003	2014/05/15	< 1.000	2014/08
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/05/15	. 4.400	2014/08
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/05/15	< 1.000	2014/08
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/05/15	< 2.000	2014/08
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/05/15	< 1.000	2014/08

STATE UCMR

BROMODICHLORMETHANE (THM)	32101	003	2014/05/15	. 2.200	2014/08
BROMOFORM (THM)	32104	003	2014/05/15	. 13.000	2014/08
CHLOROFORM (THM)	32106	003	2014/05/15	< 1.000	2014/08
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/05/15	. 7.700	2014/08

TRIHALOMETHANES

TOTAL TRIHALOMETHANES	82080	003	2014/05/15	. 23.000	2014/08
-----------------------	-------	-----	------------	----------	---------

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910020

System Name: EAST PASADENA WATER CO.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910020-004

Source Name: WELL 08

Source Number: 004

Source Status: ACTIVE RAW

Water type: G

INORGANIC

ALUMINUM	01105	036	2012/03/19	< .000	2015/03
ANTIMONY	01097	036	2012/03/19	< .000	2015/03
ARSENIC	01002	036	2012/03/19	< .000	2015/03
BARIUM	01007	036	2012/03/19	< .000	2015/03
BERYLLIUM	01012	036	2012/03/19	< .000	2015/03
CADMIUM	01027	036	2012/03/19	< .000	2015/03
CHROMIUM (TOTAL)	01034	036	2012/03/19	< .000	2015/03
CYANIDE	01291	036	2012/03/19	< .000	2015/03
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2012/03/19	.850	2015/03
MERCURY	71900	036	2012/03/19	< .000	2015/03
NICKEL	01067	036	2012/03/19	< .000	2015/03
PERCHLORATE	A-031	012	2014/03/17	< .000	2015/03
SELENIUM	01147	036	2012/03/19	< .000	2015/03
THALLIUM	01059	036	2012/03/19	< .000	2015/03

NITRATE/NITRITE

NITRATE (AS NO3)	71850	001	2014/07/21	.31.000	2014/08
NITRITE (AS N)	00620	036	2012/03/19	< .000	2015/03

RADIOLOGICAL

GROSS ALPHA	01501	036	2012/12/17	.15.000	2015/12
URANIUM (PCI/L)	28012	036	2012/12/17	.16.000	2015/12

REGULATED SOC

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2012/09/17	< 3.000	2015/06
---------------------------	-------	-----	------------	---------	---------

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	003	2014/06/16	< .000	2014/09
1,1,2,2-TETRACHLOROETHANE	34516	012	2014/03/17	< .000	2015/03
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/03/17	< .000	2015/03
1,1,2-TRICHLOROETHANE	34511	012	2014/03/17	< .000	2015/03
1,1-DICHLOROETHANE	34496	012	2014/03/17	< .000	2015/03

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910020

System Name: EAST PASADENA WATER CO.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910020-004

Source Name: WELL 08

Source Number: 004

Source Status: ACTIVE RAW

Water type: G

REGULATED VOC

1,1-DICHLOROETHYLENE	34501	003	2014/07/21	. .900	2014/10
1,2,4-TRICHLOROBENZENE	34551	012	2014/03/17	< .000	2015/03
1,2-DICHLOROBENZENE	34536	012	2014/03/17	< .000	2015/03
1,2-DICHLOROETHANE	34531	012	2014/03/17	< .000	2015/03
1,2-DICHLOROPROPANE	34541	012	2014/03/17	< .000	2015/03
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/03/17	< .000	2015/03
1,4-DICHLOROBENZENE	34571	012	2014/03/17	< .000	2015/03
BENZENE	34030	012	2014/03/17	< .000	2015/03
CARBON TETRACHLORIDE	32102	003	2014/07/21	< .000	2014/10
CIS-1,2-DICHLOROETHYLENE	77093	012	2014/03/17	< .000	2015/03
DICHLOROMETHANE	34423	012	2014/03/17	< .000	2015/03
ETHYLBENZENE	34371	012	2014/03/17	< .000	2015/03
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/06/16	< .000	2015/06
MONOCHLOROENZENE	34301	012	2014/03/17	< .000	2015/03
STYRENE	77128	012	2014/03/17	< .000	2015/03
TETRACHLOROETHYLENE	34475	001	2014/07/21	. 3.200	2014/08
TOLUENE	34010	012	2014/03/17	< .000	2015/03
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/03/17	. .530	2015/03
TRICHLOROETHYLENE	39180	001	2014/07/21	. .680	2014/08
TRICHLOROFUOROMETHANE	34488	012	2014/03/17	< .000	2015/03
VINYL CHLORIDE	39175	012	2014/03/17	< .000	2015/03
XYLENES (TOTAL)	81551	012	2014/03/17	< .000	2015/03

SECONDARY/GP

BICARBONATE ALKALINITY	00440	036	2012/03/19	. 240.000	2015/03
CALCIUM	00916	036	2012/03/19	. 93.000	2015/03
CARBONATE ALKALINITY	00445	036	2012/03/19	< .000	2015/03
CHLORIDE	00940	036	2012/03/19	. 35.000	2015/03
COLOR	00081	036	2012/03/19	< .000	2015/03
COPPER	01042	036	2012/03/19	< .000	2015/03

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910020

System Name: EAST PASADENA WATER CO.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910020-004

Source Name: WELL 08

Source Number: 004

Source Status: ACTIVE RAW

Water type: G

SECONDARY/GP

FOAMING AGENTS (MBAS)	38260	036	2012/03/19	< .000	2015/03
HARDNESS (TOTAL) AS CaCO3	00900	036	2012/03/19	. 310.000	2015/03
HYDROXIDE ALKALINITY	71830	036	2012/03/19	< .000	2015/03
IRON	01045	036	2012/03/19	< .000	2015/03
MAGNESIUM	00927	036	2012/03/19	. 21.000	2015/03
MANGANESE	01055	036	2012/03/19	< .000	2015/03
ODOR THRESHOLD @ 60 C	00086	036	2012/03/19	1.000	2015/03
PH, LABORATORY	00403	036	2012/03/19	. 7.400	2015/03
SILVER	01077	036	2012/03/19	< .000	2015/03
SODIUM	00929	036	2012/03/19	24.000	2015/03
SPECIFIC CONDUCTANCE	00095	036	2012/03/19	. 690.000	2015/03
SULFATE	00945	036	2012/03/19	83.000	2015/03
TOTAL DISSOLVED SOLIDS	70300	036	2012/03/19	. 420.000	2015/03
TURBIDITY, LABORATORY	82079	036	2012/03/19	. .100	2015/03
ZINC	01092	036	2012/03/19	< .000	2015/03

PS Code: 1910020-005

Source Name: WELL 09

Source Number: 005

Source Status: ACTIVE RAW

Water type: G

INORGANIC

ALUMINUM	01105	036	2012/03/19	< .000	2015/03
ANTIMONY	01097	036	2012/03/19	< .000	2015/03
ARSENIC	01002	036	2012/03/19	< .000	2015/03
BARIUM	01007	036	2012/03/19	< .000	2015/03
BERYLLIUM	01012	036	2012/03/19	< .000	2015/03
CADMIUM	01027	036	2012/03/19	< .000	2015/03
CHROMIUM (TOTAL)	01034	036	2012/03/19	< .000	2015/03

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910020

System Name: EAST PASADENA WATER CO.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910020-005

Source Name: WELL 09

Source Number: 005

Source Status: ACTIVE RAW

Water type: G

INORGANIC

CYANIDE	01291	036	2012/03/19	< .000	2015/03
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2012/03/19	.810	2015/03
MERCURY	71900	036	2012/03/19	< .000	2015/03
NICKEL	01067	036	2012/03/19	< .000	2015/03
PERCHLORATE	A-031	012	2014/03/17	< .000	2015/03
SELENIUM	01147	036	2012/03/19	< .000	2015/03
THALLIUM	01059	036	2012/03/19	< .000	2015/03

NITRATE/NITRITE

NITRATE (AS NO3)	71850	003	2014/06/16	.5100	2014/09
NITRITE (AS N)	00620	036	2012/03/19	< .000	2015/03

RADIOLOGICAL

GROSS ALPHA	01501	108	2007/04/10	< 3.000	2016/04
RADIUM 226	09501	108	2007/09/24	.000	2016/09
RADIUM 228	11501	108	2007/04/10	< 1.000	2016/04
URANIUM (PCI/L)	28012	108	2007/04/10	< 2.000	2016/04

REGULATED SOC

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2012/10/02	< 3.000	2015/07
---------------------------	-------	-----	------------	---------	---------

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	012	2014/07/07	< .500	2015/07
1,1,2,2-TETRACHLOROETHANE	34516	012	2014/07/07	< .500	2015/07
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/07/07	< 10.000	2015/07
1,1,2-TRICHLOROETHANE	34511	012	2014/07/07	< .500	2015/07
1,1-DICHLOROETHANE	34496	012	2014/07/07	< .500	2015/07
1,1-DICHLOROETHYLENE	34501	012	2014/07/07	< .500	2015/07
1,2,4-TRICHLOROBENZENE	34551	012	2014/07/07	< .500	2015/07
1,2-DICHLOROBENZENE	34536	012	2014/07/07	< .500	2015/07
1,2-DICHLOROETHANE	34531	012	2014/07/07	< .500	2015/07
1,2-DICHLOROPROPANE	34541	012	2014/07/07	< .500	2015/07

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910020

System Name: EAST PASADENA WATER CO.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910020-005

Source Name: WELL 09

Source Number: 005

Source Status: ACTIVE RAW

Water type: G

REGULATED VOC

1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/07/07	< .500	2015/07
1,4-DICHLOROBENZENE	34571	012	2014/07/07	< .500	2015/07
BENZENE	34030	012	2014/07/07	< .500	2015/07
CARBON TETRACHLORIDE	32102	012	2014/07/07	< .500	2015/07
CIS-1,2-DICHLOROETHYLENE	77093	012	2014/07/07	< .500	2015/07
DICHLOROMETHANE	34423	012	2014/07/07	< .500	2015/07
ETHYLBENZENE	34371	012	2014/07/07	< .500	2015/07
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/07/07	< 3.000	2015/07
MONOCHLOROBENZENE	34301	012	2014/07/07	< .500	2015/07
STYRENE	77128	012	2014/07/07	< .500	2015/07
TETRACHLOROETHYLENE	34475	012	2014/07/07	< .500	2015/07
TOLUENE	34010	012	2014/07/07	< .500	2015/07
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/07/07	< .500	2015/07
TRICHLOROETHYLENE	39180	012	2014/07/07	< .500	2015/07
TRICHLOROFUOROMETHANE	34488	012	2014/07/07	< 5.000	2015/07
VINYL CHLORIDE	39175	012	2014/07/07	< .500	2015/07
XYLENES (TOTAL)	81551	012	2014/07/07	< .000	2015/07

SECONDARY/GP

BICARBONATE ALKALINITY	00440	036	2012/03/19	. 190.000	2015/03
CALCIUM	00916	036	2012/03/19	. 37.000	2015/03
CARBONATE ALKALINITY	00445	036	2012/03/19	< .000	2015/03
CHLORIDE	00940	036	2012/03/19	. 7.600	2015/03
COLOR	00081	036	2012/03/19	< .000	2015/03
COPPER	01042	036	2012/03/19	< .000	2015/03
FOAMING AGENTS (MBAS)	38260	036	2012/03/19	< .000	2015/03
HARDNESS (TOTAL) AS CaCO3	00900	036	2012/03/19	. 120.000	2015/03
HYDROXIDE ALKALINITY	71830	036	2012/03/19	< .000	2015/03
IRON	01045	036	2012/03/19	< .000	2015/03
MAGNESIUM	00927	036	2012/03/19	. 6.900	2015/03

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910020

System Name: EAST PASADENA WATER CO.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910020-005

Source Name: WELL 09

Source Number: 005

Source Status: ACTIVE RAW

Water type: G

SECONDARY/GP

MANGANESE	01055	036	2012/03/19	< .000	2015/03
ODOR THRESHOLD @ 60 C	00086	036	2012/03/19	1.000	2015/03
PH, LABORATORY	00403	036	2012/03/19	. 7.700	2015/03
SILVER	01077	036	2012/03/19	< .000	2015/03
SODIUM	00929	036	2012/03/19	28.000	2015/03
SPECIFIC CONDUCTANCE	00095	036	2012/03/19	. 340.000	2015/03
SULFATE	00945	036	2012/03/19	12.000	2015/03
TOTAL DISSOLVED SOLIDS	70300	036	2013/09/19	. 220.000	2016/09
TURBIDITY, LABORATORY	82079	036	2012/03/19	< .000	2015/03
ZINC	01092	036	2012/03/19	< .000	2015/03

PS Code: 1910020-006

Source Name: RESERVOIR 01-EFFLUENT

Source Number: 006

Source Status: COMBINATION OR BLEND TREATED

Water type: G

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED *** 999

PS Code: 1910020-007

Source Name: RESERVOIR 01-INFLUENT (WELLS 7&9) - TRTD

Source Number: 007

Source Status: COMBINATION OR BLEND TREATED

Water type: G

NITRATE/NITRITE

NITRATE (AS NO3)	71850	001	2014/07/21	. 7.000	2014/08
------------------	-------	-----	------------	---------	---------

REGULATED VOC

1,1-DICHLOROETHYLENE	34501	001	2014/07/21	< .000	2014/08
----------------------	-------	-----	------------	--------	---------

*Testing interval is in months;
 0 = No data for this constituent and is DUE NOW
 I = Invalid (NOT) valid analyses reported
 Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910020

System Name: EAST PASADENA WATER CO.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910020-007

Source Name: RESERVOIR 01-INFLUENT (WELLS 7&9) - TRTD

Source Number: 007

Source Status: COMBINATION OR BLEND TREATED

Water type: G

REGULATED VOC

CARBON TETRACHLORIDE	32102	001	2014/07/21	< .000	2014/08
TETRACHLOROETHYLENE	34475	001	2014/07/21	.750	2014/08
TRICHLOROETHYLENE	39180	001	2014/07/21	< .000	2014/08

PS Code: 1910020-011

Source Name: RESERVOIR 2 EFF-TREATED (WELL 7&9)

Source Number: 011

Source Status: COMBINATION OR BLEND TREATED

Water type: G

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

PS Code: 1910020-012

Source Name: WELL 11

Source Number: 012

Source Status: ACTIVE RAW

Water type: G

INORGANIC

ALUMINUM	01105	036	2014/05/27	< .000	2017/05
ANTIMONY	01097	036	2014/05/27	< .000	2017/05
ARSENIC	01002	036	2014/05/27	< .000	2017/05
BARIUM	01007	036	2014/05/27	< .000	2017/05
BERYLLIUM	01012	036	2014/05/27	< .000	2017/05
CADMIUM	01027	036	2014/05/27	< .000	2017/05
CHROMIUM (TOTAL)	01034	036	2014/05/27	< .000	2017/05
CHROMIUM, HEXAVALENT	01032	036	2013/09/19	.5400	2016/09
CYANIDE	01291	036	2014/05/27	< .000	2017/05
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/05/27	.790	2017/05
MERCURY	71900	036	2014/05/27	< .000	2017/05

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910020

System Name: EAST PASADENA WATER CO.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910020-012

Source Name: WELL 11

Source Number: 012

Source Status: ACTIVE RAW

Water type: G

INORGANIC

NICKEL	01067	036	2014/05/27	< .000	2017/05
PERCHLORATE	A-031	012	2014/05/27	< .000	2015/05
SELENIUM	01147	036	2014/05/27	< .000	2017/05
THALLIUM	01059	036	2014/05/27	< .000	2017/05

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2014/06/16	. 2.900	2015/06
NITRITE (AS N)	00620	036	2014/05/27	< .000	2017/05

RADIOLOGICAL

GROSS ALPHA	01501	108	2014/05/27	. 4.900	2023/05
-------------	-------	-----	------------	---------	---------

REGULATED SOC

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2014/05/27	< .000	2017/02
THIOBENCARB	A-001	033	2014/05/27	< .000	2017/02

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	012	2014/05/27	< .000	2015/05
1,1,1,2-TETRACHLOROETHANE	34516	012	2014/05/27	< .000	2015/05
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/05/27	< .000	2015/05
1,1,2-TRICHLOROETHANE	34511	012	2014/05/27	< .000	2015/05
1,1-DICHLOROETHANE	34496	012	2014/05/27	< .000	2015/05
1,1-DICHLOROETHYLENE	34501	012	2014/05/27	< .000	2015/05
1,2,4-TRICHLOROBENZENE	34551	012	2014/05/27	< .000	2015/05
1,2-DICHLOROBENZENE	34536	012	2014/05/27	< .000	2015/05
1,2-DICHLOROETHANE	34531	012	2014/05/27	< .000	2015/05
1,2-DICHLOROPROPANE	34541	012	2014/05/27	< .000	2015/05
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/05/27	< .000	2015/05
1,4-DICHLOROBENZENE	34571	012	2014/05/27	< .000	2015/05
BENZENE	34030	012	2014/05/27	< .000	2015/05
CARBON TETRACHLORIDE	32102	012	2014/05/27	< .000	2015/05
CIS-1,2-DICHLOROETHYLENE	77093	012	2014/05/27	< .000	2015/05

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910020

System Name: EAST PASADENA WATER CO.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910020-012

Source Name: WELL 11

Source Number: 012

Source Status: ACTIVE RAW

Water type: G

REGULATED VOC

DICHLOROMETHANE	34423	012	2014/05/27	< .000	2015/05
ETHYLBENZENE	34371	012	2014/05/27	< .000	2015/05
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/06/16	< .000	2015/06
MONOCHLOROENZENE	34301	012	2014/05/27	< .000	2015/05
STYRENE	77128	012	2014/05/27	< .000	2015/05
TETRACHLOROETHYLENE	34475	012	2014/05/27	< .000	2015/05
TOLUENE	34010	012	2014/05/27	< .000	2015/05
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/05/27	< .000	2015/05
TRICHLOROETHYLENE	39180	012	2014/05/27	< .000	2015/05
TRICHLOROFUOROMETHANE	34488	012	2014/05/27	< .000	2015/05
VINYL CHLORIDE	39175	012	2014/05/27	< .000	2015/05
XYLENES (TOTAL)	81551	012	2014/05/27	< .000	2015/05

SECONDARY/GP

BICARBONATE ALKALINITY	00440	036	2014/05/27	. 180.000	2017/05
CALCIUM	00916	036	2014/05/27	. 37.000	2017/05
CARBONATE ALKALINITY	00445	036	2014/05/27	< .000	2017/05
CHLORIDE	00940	036	2014/05/27	. 7.300	2017/05
COLOR	00081	036	2014/05/27	< .000	2017/05
COPPER	01042	036	2014/05/27	< .000	2017/05
FOAMING AGENTS (MBAS)	38260	036	2014/05/27	< .000	2017/05
HARDNESS (TOTAL) AS CaCO3	00900	036	2014/05/27	. 120.000	2017/05
HYDROXIDE ALKALINITY	71830	036	2014/05/27	< .000	2017/05
IRON	01045	036	2014/05/27	< .000	2017/05
MAGNESIUM	00927	036	2014/05/27	. 6.700	2017/05
MANGANESE	01055	036	2014/05/27	< .000	2017/05
ODOR THRESHOLD @ 60 C	00086	036	2014/05/27	. 1.000	2017/05
PH, LABORATORY	00403	036	2014/05/27	. 7.900	2017/05
SILVER	01077	036	2014/05/27	< .000	2017/05
SODIUM	00929	036	2014/05/27	. 27.000	2017/05

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910020

System Name: EAST PASADENA WATER CO.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910020-012

Source Name: WELL 11

Source Number: 012

Source Status: ACTIVE RAW

Water type: G

SECONDARY/GP

SPECIFIC CONDUCTANCE	00095	036	2014/05/27	. 330.000	2017/05
SULFATE	00945	036	2014/05/27	. 10.000	2017/05
TOTAL DISSOLVED SOLIDS	70300	036	2014/05/27	. 200.000	2017/05
TURBIDITY, LABORATORY	82079	036	2014/05/27	< .000	2017/05
ZINC	01092	036	2014/05/27	< .000	2017/05

PS Code: 1910020-800

Source Name: SITE1 -9803 E.GARIBALDI,TEMPLE- STG2 DBP

Source Number: 800

Source Status: DISTRIBUTION TREATED

Water type: G

HALOACETIC ACIDS

DIBROMOACETIC ACID (DBAA)	82721	000			DUE
DICHLOROACETIC ACID (DCAA)	77288	000			DUE
HALOACETIC ACIDS (5) (HAA5)	A-049	000			DUE
MONOBROMOACETIC ACID (MBAA)	A-041	000			DUE
MONOCHLOROACETIC ACID (MCAA)	A-042	000			DUE
TRICHLOROACETIC ACID (TCAA)	82723	000			DUE

STATE UCMR

BROMODICHLORMETHANE (THM)	32101	000			DUE
BROMOFORM (THM)	32104	000			DUE
CHLOROFORM (THM)	32106	000			DUE
DIBROMOCHLOROMETHANE (THM)	32105	000			DUE

TRIHALOMETHANES

TOTAL TRIHALOMETHANES	82080	000			DUE
-----------------------	-------	-----	--	--	-----

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910020

System Name: EAST PASADENA WATER CO.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

PS Code: 1910020-801

Source Name: SITE2 -3660 E.COLORADO,PASADENA-STG2 DBP

Source Number: 801

Source Status: DISTRIBUTION TREATED

Water type: G

HALOACETIC ACIDS

DIBROMOACETIC ACID (DBAA)	82721	000		DUE
DICHLOROACETIC ACID (DCAA)	77288	000		DUE
HALOACETIC ACIDS (5) (HAA5)	A-049	000		DUE
MONOBROMOACETIC ACID (MBAA)	A-041	000		DUE
MONOCHLOROACETIC ACID (MCAA)	A-042	000		DUE
TRICHLOROACETIC ACID (TCAA)	82723	000		DUE

STATE UCMR

BROMODICHLORMETHANE (THM)	32101	000		DUE
BROMOFORM (THM)	32104	000		DUE
CHLOROFORM (THM)	32106	000		DUE
DIBROMOCHLOROMETHANE (THM)	32105	000		DUE

TRIHALOMETHANES

TOTAL TRIHALOMETHANES	82080	000		DUE
-----------------------	-------	-----	--	-----

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910021

System Name: PARK WC - COMPTON

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910021-012

Source Name: MWD CONNECTION CB-9 - TREATED

Source Number: 012

Source Status: PURCHASED TREATED

Water type: S

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

PS Code: 1910021-013

Source Name: MWD CONNECTION CB-50 - TREATED

Source Number: 013

Source Status: PURCHASED TREATED

Water type: S

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

PS Code: 1910021-016

Source Name: WELL 19C

Source Number: 016

Source Status: ACTIVE RAW

Water type: G

INORGANIC

ALUMINUM	01105	036	2013/09/12	< 50.000	2016/09
ANTIMONY	01097	036	2013/09/12	< 6.000	2016/09
ARSENIC	01002	036	2013/09/12	< 2.000	2016/09
BARIUM	01007	036	2013/09/12	< 100.000	2016/09
BERYLLIUM	01012	036	2013/09/12	< 1.000	2016/09
CADMIUM	01027	036	2013/09/12	< 1.000	2016/09
CHROMIUM (TOTAL)	01034	036	2013/09/12	< 10.000	2016/09
CHROMIUM, HEXAVALENT	01032	000			DUE
CYANIDE	01291	036	2013/09/12	< 100.000	2016/09
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/09/12	.370	2016/09
MERCURY	71900	036	2013/09/12	< 1.000	2016/09
NICKEL	01067	036	2013/09/12	< 10.000	2016/09
PERCHLORATE	A-031	012	2014/01/16	< 4.000	2015/01

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910021

System Name: PARK WC - COMPTON

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910021-016

Source Name: WELL 19C

Source Number: 016

Source Status: ACTIVE RAW

Water type: G

INORGANIC

SELENIUM	01147	036	2013/09/12	< 5.000	2016/09
THALLIUM	01059	036	2013/09/12	< 1.000	2016/09

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2013/09/12	< 2.000	2014/09
NITRITE (AS N)	00620	036	2013/09/12	< 400.000	2016/09

RADIOLOGICAL

GROSS ALPHA	01501	003	2014/01/16	< 3.000	2014/04	DUE
RADIUM 226	09501	000				DUE
RADIUM 228	11501	003	2014/04/17	.000	2014/07	
URANIUM (PCI/L)	28012	003	2014/01/16	< 1.000	2014/04	DUE

REGULATED SOC

2,4-D	39730	033	2013/10/24	< 10.000	2016/07
ALACHLOR	77825	033	2013/10/24	< 1.000	2016/07
ATRAZINE	39033	033	2013/10/24	< .500	2016/07
BENTAZON	38710	033	2013/10/24	< 2.000	2016/07
DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2013/10/24	< 3.000	2016/07
DINOSEB	81287	033	2013/10/24	< 2.000	2016/07
DIQUAT	78885	033	2013/10/24	< 4.000	2016/07
ENDOTHALL	38926	033	2013/10/24	< 45.000	2016/07
GLYPHOSATE	79743	033	2013/10/24	< 25.000	2016/07
PENTACHLOROPHENOL	39032	033	2013/10/24	< .200	2016/07
SIMAZINE	39055	033	2013/10/24	< 1.000	2016/07
THIOBENCARB	A-001	033	2013/10/24	< 1.000	2016/07
TOXAPHENE	39400	033	2013/10/24	< 1.000	2016/07

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	012	2014/01/16	< .500	2015/01
1,1,2,2-TETRACHLOROETHANE	34516	012	2014/01/16	< .500	2015/01
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/01/16	< 10.000	2015/01

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910021

System Name: PARK WC - COMPTON

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910021-016

Source Name: WELL 19C

Source Number: 016

Source Status: ACTIVE RAW

Water type: G

REGULATED VOC

1,1,2-TRICHLOROETHANE	34511	012	2014/01/16	< .500	2015/01
1,1-DICHLOROETHANE	34496	012	2014/01/16	< .500	2015/01
1,1-DICHLOROETHYLENE	34501	012	2014/01/16	< .500	2015/01
1,2,4-TRICHLOROBENZENE	34551	012	2014/01/16	< .500	2015/01
1,2-DICHLOROBENZENE	34536	012	2014/01/16	< .500	2015/01
1,2-DICHLOROETHANE	34531	012	2014/01/16	< .500	2015/01
1,2-DICHLOROPROPANE	34541	012	2014/01/16	< .500	2015/01
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/01/16	< .500	2015/01
1,4-DICHLOROBENZENE	34571	012	2014/01/16	< .500	2015/01
BENZENE	34030	012	2014/01/16	< .500	2015/01
CARBON TETRACHLORIDE	32102	012	2014/01/16	< .500	2015/01
CIS-1,2-DICHLOROETHYLENE	77093	012	2014/01/16	< .500	2015/01
DICHLOROMETHANE	34423	012	2014/01/16	< .500	2015/01
ETHYLBENZENE	34371	012	2014/01/16	< .500	2015/01
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/01/16	< 3.000	2015/01
MONOCHLOROBENZENE	34301	012	2014/01/16	< .500	2015/01
STYRENE	77128	012	2014/01/16	< .500	2015/01
TETRACHLOROETHYLENE	34475	012	2014/01/16	< .500	2015/01
TOLUENE	34010	012	2014/01/16	< .500	2015/01
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/01/16	< .500	2015/01
TRICHLOROETHYLENE	39180	012	2014/01/16	< .500	2015/01
TRICHLOROFUOROMETHANE	34488	012	2014/01/16	< 5.000	2015/01
VINYL CHLORIDE	39175	012	2014/01/16	< .500	2015/01
XYLENES (TOTAL)	81551	012	2014/01/16	< .000	2015/01

SECONDARY/GP

BICARBONATE ALKALINITY	00440	036	2013/09/12	. 230.000	2016/09
CALCIUM	00916	036	2013/09/12	. 58.400	2016/09
CARBONATE ALKALINITY	00445	036	2013/09/12	< .000	2016/09
CHLORIDE	00940	036	2013/09/12	. 23.000	2016/09

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910021

System Name: PARK WC - COMPTON

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910021-016

Source Name: WELL 19C

Source Number: 016

Source Status: ACTIVE RAW

Water type: G

SECONDARY/GP

COLOR	00081	036	2014/07/17	< .000	2017/07
COPPER	01042	036	2013/09/12	< 50.000	2016/09
FOAMING AGENTS (MBAS)	38260	036	2013/09/12	< .000	2016/09
HARDNESS (TOTAL) AS CaCO3	00900	036	2013/09/12	. 190.000	2016/09
HYDROXIDE ALKALINITY	71830	036	2013/09/12	< .000	2016/09
IRON	01045	036	2014/07/17	< 100.000	2017/07
MAGNESIUM	00927	036	2013/09/12	. 11.500	2016/09
MANGANESE	01055	036	2014/07/17	. 44.000	2017/07
ODOR THRESHOLD @ 60 C	00086	036	2013/09/12	. 1.000	2016/09
PH, LABORATORY	00403	036	2013/09/12	. 7.830	2016/09
SILVER	01077	036	2013/09/12	< 10.000	2016/09
SODIUM	00929	036	2013/09/12	40.000	2016/09
SPECIFIC CONDUCTANCE	00095	036	2013/09/12	. 560.000	2016/09
SULFATE	00945	036	2013/09/12	70.000	2016/09
TOTAL DISSOLVED SOLIDS	70300	036	2013/09/12	. 320.000	2016/09
TURBIDITY, LABORATORY	82079	036	2014/02/06	< .000	2017/02
ZINC	01092	036	2013/09/12	< 50.000	2016/09

PS Code: 1910021-017

Source Name: WELL 19C (PENDING)

Source Number: 017

Source Status: PENDING

Water type: G

INORGANIC

ALUMINUM	01105	000			DUE
ANTIMONY	01097	000			DUE
ARSENIC	01002	000			DUE
BARIUM	01007	000			DUE
BERYLLIUM	01012	000			DUE

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910021

System Name: PARK WC - COMPTON

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910021-017

Source Name: WELL 19C (PENDING)

Source Number: 017

Source Status: PENDING

Water type: G

INORGANIC

CADMIUM	01027	000		DUE
CHROMIUM (TOTAL)	01034	000		DUE
CHROMIUM, HEXAVALENT	01032	000		DUE
CYANIDE	01291	000		DUE
FLUORIDE (F) (NATURAL-SOURCE)	00951	000		DUE
MERCURY	71900	000		DUE
NICKEL	01067	000		DUE
PERCHLORATE	A-031	000		DUE
SELENIUM	01147	000		DUE
THALLIUM	01059	000		DUE

NITRATE/NITRITE

NITRATE (AS NO3)	71850	000		DUE
NITRITE (AS N)	00620	000		DUE

RADIOLOGICAL

GROSS ALPHA	01501	000		DUE
RADIUM 226	09501	000		DUE
RADIUM 228	11501	000		DUE
URANIUM (PCI/L)	28012	000		DUE

REGULATED SOC

DI(2-ETHYLHEXYL)PHTHALATE	39100	003		DUE
THIOBENCARB	A-001	003		DUE

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	000		DUE
1,1,2,2-TETRACHLOROETHANE	34516	000		DUE
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	000		DUE
1,1,2-TRICHLOROETHANE	34511	000		DUE
1,1-DICHLOROETHANE	34496	000		DUE
1,1-DICHLOROETHYLENE	34501	000		DUE

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910021

System Name: PARK WC - COMPTON

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910021-017

Source Name: WELL 19C (PENDING)

Source Number: 017

Source Status: PENDING

Water type: G

REGULATED VOC

1,2,4-TRICHLOROBENZENE	34551	000		DUE
1,2-DICHLOROBENZENE	34536	000		DUE
1,2-DICHLOROETHANE	34531	000		DUE
1,2-DICHLOROPROPANE	34541	000		DUE
1,3-DICHLOROPROPENE (TOTAL)	34561	000		DUE
1,4-DICHLOROBENZENE	34571	000		DUE
BENZENE	34030	000		DUE
CARBON TETRACHLORIDE	32102	000		DUE
CIS-1,2-DICHLOROETHYLENE	77093	000		DUE
DICHLOROMETHANE	34423	000		DUE
ETHYLBENZENE	34371	000		DUE
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	000		DUE
MONOCHLOROBENZENE	34301	000		DUE
STYRENE	77128	000		DUE
TETRACHLOROETHYLENE	34475	000		DUE
TOLUENE	34010	000		DUE
TRANS-1,2-DICHLOROETHYLENE	34546	000		DUE
TRICHLOROETHYLENE	39180	000		DUE
TRICHLOROFLUOROMETHANE	34488	000		DUE
VINYL CHLORIDE	39175	000		DUE
XYLENES (TOTAL)	81551	000		DUE

SECONDARY/GP

BICARBONATE ALKALINITY	00440	000		DUE
CALCIUM	00916	000		DUE
CARBONATE ALKALINITY	00445	000		DUE
CHLORIDE	00940	000		DUE
COLOR	00081	000		DUE
COPPER	01042	000		DUE
FOAMING AGENTS (MBAS)	38260	000		DUE

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910021

System Name: PARK WC - COMPTON

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910021-017

Source Name: WELL 19C (PENDING)

Source Number: 017

Source Status: PENDING

Water type: G

SECONDARY/GP

HARDNESS (TOTAL) AS CaCO3	00900	000			DUE
HYDROXIDE ALKALINITY	71830	000			DUE
IRON	01045	000			DUE
MAGNESIUM	00927	000			DUE
MANGANESE	01055	000			DUE
ODOR THRESHOLD @ 60 C	00086	000			DUE
PH, LABORATORY	00403	000			DUE
SILVER	01077	000			DUE
SODIUM	00929	000			DUE
SPECIFIC CONDUCTANCE	00095	000			DUE
SULFATE	00945	000			DUE
TOTAL DISSOLVED SOLIDS	70300	000			DUE
TURBIDITY, LABORATORY	82079	000			DUE
ZINC	01092	000			DUE

PS Code: 1910021-800

Source Name: S1 - 1813 118TH ST. - STG2 DBP

Source Number: 800

Source Status: DISTRIBUTION TREATED

Water type: S

HALOACETIC ACIDS

DIBROMOACETIC ACID (DBAA)	82721	003	2014/07/10	< 1.000	2014/10
DICHLOROACETIC ACID (DCAA)	77288	003	2014/07/10	< 1.000	2014/10
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/07/10	< .000	2014/10
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/07/10	< 1.000	2014/10
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/07/10	< 2.000	2014/10
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/07/10	< 1.000	2014/10

STATE UCMR

BROMODICHLORMETHANE (THM)	32101	003	2014/07/10	< 1.000	2014/10
---------------------------	-------	-----	------------	---------	---------

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910021

System Name: PARK WC - COMPTON

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910021-800

Source Name: S1 - 1813 118TH ST. - STG2 DBP

Source Number: 800

Source Status: DISTRIBUTION TREATED

Water type: S

STATE UCMR

BROMOFORM (THM)	32104	003	2014/07/10	< 1.000	2014/10
CHLOROFORM (THM)	32106	003	2014/07/10	< 1.000	2014/10
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/07/10	< 1.000	2014/10

TRIHALOMETHANES

TOTAL TRIHALOMETHANES	82080	003	2014/07/10	< .000	2014/10
-----------------------	-------	-----	------------	--------	---------

PS Code: 1910021-801

Source Name: S2 - 1552 121ST ST. - STG2 DBP

Source Number: 801

Source Status: DISTRIBUTION TREATED

Water type: S

HALOACETIC ACIDS

DIBROMOACETIC ACID (DBAA)	82721	003	2014/07/10	< 1.000	2014/10
DICHLOROACETIC ACID (DCAA)	77288	003	2014/07/10	< 1.000	2014/10
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/07/10	< .000	2014/10
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/07/10	< 1.000	2014/10
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/07/10	< 2.000	2014/10
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/07/10	< 1.000	2014/10

STATE UCMR

BROMODICHLORMETHANE (THM)	32101	003	2014/07/10	< 1.000	2014/10
BROMOFORM (THM)	32104	003	2014/07/10	< 1.000	2014/10
CHLOROFORM (THM)	32106	003	2014/07/10	< 1.000	2014/10
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/07/10	< 1.000	2014/10

TRIHALOMETHANES

TOTAL TRIHALOMETHANES	82080	003	2014/07/10	< .000	2014/10
-----------------------	-------	-----	------------	--------	---------

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910021

System Name: PARK WC - COMPTON

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910021-802

Source Name: S3 - 13432 TOWNE AVE. - STG2 DBP

Source Number: 802

Source Status: DISTRIBUTION TREATED

Water type: S

HALOACETIC ACIDS

DIBROMOACETIC ACID (DBAA)	82721	003	2014/07/10	< 1.000	2014/10
DICHLOROACETIC ACID (DCAA)	77288	003	2014/07/10	. 3.100	2014/10
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/07/10	. 4.500	2014/10
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/07/10	< 1.000	2014/10
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/07/10	< 2.000	2014/10
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/07/10	. 1.400	2014/10

STATE UCMR

BROMODICHLORMETHANE (THM)	32101	003	2014/07/10	. 2.900	2014/10
BROMOFORM (THM)	32104	003	2014/07/10	< 1.000	2014/10
CHLOROFORM (THM)	32106	003	2014/07/10	. 4.000	2014/10
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/07/10	. 2.800	2014/10

TRihalOMETHANES

TOTAL TRIHALOMETHANES	82080	003	2014/07/10	. 10.000	2014/10
-----------------------	-------	-----	------------	----------	---------

PS Code: 1910021-803

Source Name: S4 - 2929 CALDWELL ST. - STG2 DBP

Source Number: 803

Source Status: DISTRIBUTION TREATED

Water type: S

HALOACETIC ACIDS

DIBROMOACETIC ACID (DBAA)	82721	003	2014/07/10	. 1.400	2014/10
DICHLOROACETIC ACID (DCAA)	77288	003	2014/07/10	. 3.300	2014/10
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/07/10	. 7.200	2014/10
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/07/10	< 1.000	2014/10
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/07/10	< 2.000	2014/10
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/07/10	. 2.500	2014/10

STATE UCMR

BROMODICHLORMETHANE (THM)	32101	003	2014/07/10	. 4.900	2014/10
---------------------------	-------	-----	------------	---------	---------

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910021

System Name: PARK WC - COMPTON

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910021-803

Source Name: S4 - 2929 CALDWELL ST. - STG2 DBP

Source Number: 803

Source Status: DISTRIBUTION TREATED

Water type: S

STATE UCMR

BROMOFORM (THM)	32104	003	2014/07/10	. 1.300	2014/10
CHLOROFORM (THM)	32106	003	2014/07/10	. 6.000	2014/10
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/07/10	. 5.100	2014/10

TRIHALOMETHANES

TOTAL TRIHALOMETHANES	82080	003	2014/07/10	. 17.000	2014/10
-----------------------	-------	-----	------------	----------	---------

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910022

System Name: CALIF STATE POLYTECHNICAL UNIV - POMONA

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

PS Code: 1910022-003

Source Name: WELL 01 & MWD WATER BLEND

Source Number: 003

Source Status: COMBINATION OR BLEND TREATED

Water type: S

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

PS Code: 1910022-004

Source Name: MWD CONNECTION - TREATED

Source Number: 004

Source Status: PURCHASED TREATED

Water type: S

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

PS Code: 1910022-005

Source Name: WELL 01

Source Number: 005

Source Status: ACTIVE RAW

Water type: G

INORGANIC

ALUMINUM	01105	036	2013/12/03	< 50.000	2016/12
ANTIMONY	01097	036	2013/12/03	< 6.000	2016/12
ARSENIC	01002	036	2013/12/03	< 2.000	2016/12
BARIUM	01007	036	2013/12/03	120.000	2016/12
BERYLLIUM	01012	036	2013/12/03	< 1.000	2016/12
CADMIUM	01027	036	2013/12/03	< 1.000	2016/12
CHROMIUM (TOTAL)	01034	036	2013/12/03	. 1.400	2016/12
CYANIDE	01291	036	2013/12/03	< 5.000	2016/12
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/12/03	. .200	2016/12
MERCURY	71900	036	2013/12/03	< 1.000	2016/12
NICKEL	01067	036	2013/12/03	< 10.000	2016/12
PERCHLORATE	A-031	001	2014/07/01	. 5.900	2014/08
SELENIUM	01147	036	2013/12/03	< 5.000	2016/12

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910022

System Name: CALIF STATE POLYTECHNICAL UNIV - POMONA

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

PS Code: 1910022-005

Source Name: WELL 01

Source Number: 005

Source Status: ACTIVE RAW

Water type: G

INORGANIC

THALLIUM	01059	036	2013/12/03	< 1.000	2016/12
----------	-------	-----	------------	---------	---------

NITRATE/NITRITE

NITRATE (AS NO3)	71850	001	2014/07/01	. 58.000	2014/08
------------------	-------	-----	------------	----------	---------

NITRITE (AS N)	00620	036	2013/12/03	< 100.000	2016/12
----------------	-------	-----	------------	-----------	---------

RADIOLOGICAL

GROSS ALPHA	01501	072	2012/05/29	. 6.670	2018/05
-------------	-------	-----	------------	---------	---------

URANIUM (PCI/L)	28012	072	2012/05/29	. 7.360	2018/05
-----------------	-------	-----	------------	---------	---------

REGULATED SOC

2,3,7,8-TCDD (DIOXIN)	34676	033	2013/12/24	. .000	2016/09
-----------------------	-------	-----	------------	--------	---------

2,4,5-TP (SILVEX)	39045	033	2012/06/12	< 1.000	2015/03
-------------------	-------	-----	------------	---------	---------

2,4-D	39730	033	2012/06/12	< 10.000	2015/03
-------	-------	-----	------------	----------	---------

ALACHLOR	77825	033	2012/06/12	< 1.000	2015/03
----------	-------	-----	------------	---------	---------

ATRAZINE	39033	033	2012/06/12	< .500	2015/03
----------	-------	-----	------------	--------	---------

BENTAZON	38710	033	2012/06/12	< 2.000	2015/03
----------	-------	-----	------------	---------	---------

BENZO (A) PYRENE	34247	033	2012/06/12	< .100	2015/03
------------------	-------	-----	------------	--------	---------

CARBOFURAN	81405	033	2013/12/24	. .000	2016/09
------------	-------	-----	------------	--------	---------

CHLORDANE	39350	033	2012/06/12	< .100	2015/03
-----------	-------	-----	------------	--------	---------

DALAPON	38432	033	2012/06/12	< 10.000	2015/03
---------	-------	-----	------------	----------	---------

DI(2-ETHYLHEXYL)ADIPATE	A-026	033	2012/06/12	< 5.000	2015/03
-------------------------	-------	-----	------------	---------	---------

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2012/06/12	< 3.000	2015/03
---------------------------	-------	-----	------------	---------	---------

DIBROMOCHLOROPROPANE (DBCP)	38761	033	2012/06/12	< .010	2015/03
-----------------------------	-------	-----	------------	--------	---------

DINOSEB	81287	033	2012/06/12	< 2.000	2015/03
---------	-------	-----	------------	---------	---------

DIQUAT	78885	033	2013/12/24	. .000	2016/09
--------	-------	-----	------------	--------	---------

ENDOTHALL	38926	033	2012/06/12	< 45.000	2015/03
-----------	-------	-----	------------	----------	---------

ENDRIN	39390	033	2012/06/12	< .100	2015/03
--------	-------	-----	------------	--------	---------

ETHYLENE DIBROMIDE (EDB)	77651	033	2012/06/12	< .020	2015/03
--------------------------	-------	-----	------------	--------	---------

GLYPHOSATE	79743	033	2013/12/24	. .000	2016/09
------------	-------	-----	------------	--------	---------

HEPTACHLOR	39410	033	2012/06/12	< .010	2015/03
------------	-------	-----	------------	--------	---------

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910022

System Name: CALIF STATE POLYTECHNICAL UNIV - POMONA

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910022-005

Source Name: WELL 01

Source Number: 005

Source Status: ACTIVE RAW

Water type: G

REGULATED SOC

HEPTACHLOR EPOXIDE	39420	033	2012/06/12	< .010	2015/03
HEXACHLOROBENZENE	39700	033	2012/06/12	< .500	2015/03
HEXACHLOROCYCLOPENTADIENE	34386	033	2012/06/12	< 1.000	2015/03
LINDANE	39340	033	2012/06/12	< .200	2015/03
METHOXYCHLOR	39480	033	2012/06/12	< 10.000	2015/03
MOLINATE	82199	033	2012/06/12	< 2.000	2015/03
OXAMYL	38865	033	2013/12/24	.000	2016/09
PENTACHLOROPHENOL	39032	033	2012/06/12	< .200	2015/03
PICLORAM	39720	033	2012/06/12	< 1.000	2015/03
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	033	2012/06/12	< .500	2015/03
SIMAZINE	39055	033	2012/06/12	< 1.000	2015/03
THIOBENCARB	A-001	033	2012/06/12	< 1.000	2015/03
TOXAPHENE	39400	033	2012/06/12	< 1.000	2015/03

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	012	2013/12/03	< .500	2014/12
1,1,2,2-TETRACHLOROETHANE	34516	012	2013/12/03	< .500	2014/12
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2013/12/03	< 10.000	2014/12
1,1,2-TRICHLOROETHANE	34511	012	2013/12/03	< .500	2014/12
1,1-DICHLOROETHANE	34496	012	2013/12/03	< .500	2014/12
1,1-DICHLOROETHYLENE	34501	012	2013/12/03	< .500	2014/12
1,2,4-TRICHLOROETHANE	34551	012	2013/12/03	< .500	2014/12
1,2-DICHLOROETHANE	34536	012	2013/12/03	< .500	2014/12
1,2-DICHLOROETHANE	34531	012	2013/12/03	< .500	2014/12
1,2-DICHLOROPROPANE	34541	012	2013/12/03	< .500	2014/12
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2013/12/03	< .500	2014/12
1,4-DICHLOROETHANE	34571	012	2013/12/03	< .500	2014/12
BENZENE	34030	012	2013/12/03	< .500	2014/12
CARBON TETRACHLORIDE	32102	012	2013/12/03	< .500	2014/12
CIS-1,2-DICHLOROETHYLENE	77093	012	2013/12/03	< .500	2014/12

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910022

System Name: CALIF STATE POLYTECHNICAL UNIV - POMONA

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910022-005

Source Name: WELL 01

Source Number: 005

Source Status: ACTIVE RAW

Water type: G

REGULATED VOC

DICHLOROMETHANE	34423	012	2013/12/03	< .500	2014/12
ETHYLBENZENE	34371	012	2013/12/03	< .500	2014/12
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2013/12/03	< 3.000	2014/12
MONOCHLOROENZENE	34301	012	2013/12/03	< .500	2014/12
STYRENE	77128	012	2013/12/03	< .500	2014/12
TETRACHLOROETHYLENE	34475	012	2013/12/03	< .500	2014/12
TOLUENE	34010	012	2013/12/03	< .500	2014/12
TRANS-1,2-DICHLOROETHYLENE	34546	012	2013/12/03	< .500	2014/12
TRICHLOROETHYLENE	39180	012	2013/12/03	< .500	2014/12
TRICHLOROFUOROMETHANE	34488	012	2013/12/03	< 5.000	2014/12
VINYL CHLORIDE	39175	012	2013/12/03	< .500	2014/12
XYLENES (TOTAL)	81551	012	2013/12/03	< .500	2014/12

SECONDARY/GP

BICARBONATE ALKALINITY	00440	036	2013/12/03	. 380.000	2016/12
CALCIUM	00916	036	2013/12/03	. 170.000	2016/12
CARBONATE ALKALINITY	00445	036	2013/12/03	< 3.000	2016/12
CHLORIDE	00940	036	2013/12/03	. 76.000	2016/12
COLOR	00081	036	2013/12/03	< 3.000	2016/12
COPPER	01042	036	2013/12/03	< 50.000	2016/12
FOAMING AGENTS (MBAS)	38260	036	2013/12/03	< .050	2016/12
HARDNESS (TOTAL) AS CaCO3	00900	036	2013/12/03	. 570.000	2016/12
HYDROXIDE ALKALINITY	71830	036	2013/12/03	< 3.000	2016/12
IRON	01045	036	2013/12/03	< 100.000	2016/12
MAGNESIUM	00927	036	2013/12/03	. 37.000	2016/12
MANGANESE	01055	036	2013/12/03	< 20.000	2016/12
ODOR THRESHOLD @ 60 C	00086	036	2013/12/03	< 1.000	2016/12
PH, LABORATORY	00403	036	2013/12/03	. 7.200	2016/12
SILVER	01077	036	2013/12/03	< 10.000	2016/12
SODIUM	00929	036	2013/12/03	43.000	2016/12

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910022

System Name: CALIF STATE POLYTECHNICAL UNIV - POMONA

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910022-005

Source Name: WELL 01

Source Number: 005

Source Status: ACTIVE RAW

Water type: G

SECONDARY/GP

SPECIFIC CONDUCTANCE	00095	036	2013/12/03	. 1200.000	2016/12
SULFATE	00945	036	2013/12/03	170.000	2016/12
TOTAL DISSOLVED SOLIDS	70300	036	2013/12/03	. 820.000	2016/12
TURBIDITY, LABORATORY	82079	036	2013/12/03	< .200	2016/12
ZINC	01092	036	2013/12/03	. 53.000	2016/12

PS Code: 1910022-800

Source Name: SITE 1 - BLDG. 209 - STG2 DBP

Source Number: 800

Source Status: DISTRIBUTION TREATED

Water type: S

HALOACETIC ACIDS

DIBROMOACETIC ACID (DBAA)	82721	003	2014/06/17	. 5.000	2014/09
DICHLOROACETIC ACID (DCAA)	77288	003	2014/06/17	. 7.000	2014/09
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/06/17	. 23.000	2014/09
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/06/17	. 3.700	2014/09
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/06/17	. 3.000	2014/09
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/06/17	. 4.200	2014/09

STATE UCMR

BROMODICHLORMETHANE (THM)	32101	003	2014/06/17	. 14.000	2014/09
BROMOFORM (THM)	32104	003	2014/06/17	. 6.600	2014/09
CHLOROFORM (THM)	32106	003	2014/06/17	. 11.000	2014/09
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/06/17	. 17.000	2014/09

TRIHALOMETHANES

TOTAL TRIHALOMETHANES	82080	003	2014/06/17	. 49.000	2014/09
-----------------------	-------	-----	------------	----------	---------

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910022

System Name: CALIF STATE POLYTECHNICAL UNIV - POMONA

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910022-801

Source Name: SITE 2 - BLDG. 29 - STG2 DBP

Source Number: 801

Source Status: DISTRIBUTION TREATED

Water type: S

HALOACETIC ACIDS

DIBROMOACETIC ACID (DBAA)	82721	003	2014/06/17	. 3.900	2014/09
DICHLOROACETIC ACID (DCAA)	77288	003	2014/06/17	. 6.000	2014/09
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/06/17	. 26.000	2014/09
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/06/17	. 3.600	2014/09
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/06/17	. 8.800	2014/09
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/06/17	. 3.900	2014/09

STATE UCMR

BROMODICHLORMETHANE (THM)	32101	003	2014/06/17	. 10.000	2014/09
BROMOFORM (THM)	32104	003	2014/06/17	. 4.000	2014/09
CHLOROFORM (THM)	32106	003	2014/06/17	. 10.000	2014/09
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/06/17	. 11.000	2014/09

TRIHALOMETHANES

TOTAL TRIHALOMETHANES	82080	003	2014/06/17	. 36.000	2014/09
-----------------------	-------	-----	------------	----------	---------

PS Code: 1910022-802

Source Name: SITE 3 - BLDG. 34 - STG2 DBP

Source Number: 802

Source Status: DISTRIBUTION TREATED

Water type: S

HALOACETIC ACIDS

DIBROMOACETIC ACID (DBAA)	82721	003	2014/06/17	. 6.000	2014/09
DICHLOROACETIC ACID (DCAA)	77288	003	2014/06/17	. 7.700	2014/09
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/06/17	. 22.000	2014/09
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/06/17	. 4.300	2014/09
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/06/17	< 2.000	2014/09
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/06/17	. 4.200	2014/09

STATE UCMR

BROMODICHLORMETHANE (THM)	32101	003	2014/06/17	. 18.000	2014/09
---------------------------	-------	-----	------------	----------	---------

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910022

System Name: CALIF STATE POLYTECHNICAL UNIV - POMONA

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910022-802

Source Name: SITE 3 - BLDG. 34 - STG2 DBP

Source Number: 802

Source Status: DISTRIBUTION TREATED

Water type: S

STATE UCMR

BROMOFORM (THM)	32104	003	2014/06/17	. 8.300	2014/09
CHLOROFORM (THM)	32106	003	2014/06/17	. 13.000	2014/09
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/06/17	. 21.000	2014/09

TRihalOMETHANES

TOTAL TRIHALOMETHANES	82080	003	2014/06/17	. 60.000	2014/09
-----------------------	-------	-----	------------	----------	---------

PS Code: 1910022-803

Source Name: SITE 4 - BLDG. 81 - STG2 DBP

Source Number: 803

Source Status: DISTRIBUTION TREATED

Water type: S

HALOACETIC ACIDS

DIBROMOACETIC ACID (DBAA)	82721	003	2014/06/17	. 4.100	2014/09
DICHLOROACETIC ACID (DCAA)	77288	003	2014/06/17	. 5.700	2014/09
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/06/17	. 28.000	2014/09
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/06/17	. 3.000	2014/09
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/06/17	. 11.000	2014/09
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/06/17	. 3.700	2014/09

STATE UCMR

BROMODICHLORMETHANE (THM)	32101	003	2014/06/17	. 10.000	2014/09
BROMOFORM (THM)	32104	003	2014/06/17	. 4.200	2014/09
CHLOROFORM (THM)	32106	003	2014/06/17	. 10.000	2014/09
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/06/17	. 12.000	2014/09

TRihalOMETHANES

TOTAL TRIHALOMETHANES	82080	003	2014/06/17	. 36.000	2014/09
-----------------------	-------	-----	------------	----------	---------

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: **1910026**

System Name: **COMPTON-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: **1910026-009**

Source Name: **WELL 11**

Source Number: **009**

Source Status: **ACTIVE RAW**

Water type: **G**

INORGANIC

ALUMINUM	01105	036	2010/07/12	< 50.000	2013/07	DUE
ANTIMONY	01097	036	2010/07/12	< 6.000	2013/07	DUE
ARSENIC	01002	036	2010/07/12	< 2.000	2013/07	DUE
BARIUM	01007	036	2010/07/12	< 100.000	2013/07	DUE
BERYLLIUM	01012	036	2010/07/12	< 1.000	2013/07	DUE
CADMIUM	01027	036	2010/07/12	< 1.000	2013/07	DUE
CHROMIUM (TOTAL)	01034	036	2010/07/12	< 10.000	2013/07	DUE
CYANIDE	01291	036	2010/07/12	< 100.000	2013/07	DUE
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2010/07/12	.300	2013/07	DUE
MERCURY	71900	036	2010/07/12	< 1.000	2013/07	DUE
NICKEL	01067	036	2010/07/12	< 10.000	2013/07	DUE
PERCHLORATE	A-031	012	2012/07/16	< 4.000	2013/07	DUE
SELENIUM	01147	036	2010/07/12	< 5.000	2013/07	DUE
THALLIUM	01059	036	2010/07/12	< 1.000	2013/07	DUE

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2012/07/16	< 2.000	2013/07	DUE
NITRITE (AS N)	00620	036	2010/07/12	< 400.000	2013/07	DUE

RADIOLOGICAL

GROSS ALPHA	01501	108	2010/11/08	.069	2019/11	
-------------	-------	-----	------------	------	---------	--

REGULATED SOC

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2012/07/16	< 3.000	2015/04	
THIOBENCARB	A-001	033	2012/07/16	< 1.000	2015/04	

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	012	2012/07/16	< .500	2013/07	DUE
1,1,2,2-TETRACHLOROETHANE	34516	012	2012/07/16	< .500	2013/07	DUE
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2012/07/16	< 10.000	2013/07	DUE
1,1,2-TRICHLOROETHANE	34511	012	2012/07/16	< .500	2013/07	DUE
1,1-DICHLOROETHANE	34496	012	2012/07/16	< .500	2013/07	DUE

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910026

System Name: COMPTON-CITY, WATER DEPT.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910026-009

Source Name: WELL 11

Source Number: 009

Source Status: ACTIVE RAW

Water type: G

REGULATED VOC

1,1-DICHLOROETHYLENE	34501	012	2012/07/16	< .500	2013/07	DUE
1,2,4-TRICHLOROBENZENE	34551	012	2012/07/16	< .500	2013/07	DUE
1,2-DICHLOROBENZENE	34536	012	2012/07/16	< .500	2013/07	DUE
1,2-DICHLOROETHANE	34531	012	2012/07/16	< .500	2013/07	DUE
1,2-DICHLOROPROPANE	34541	012	2012/07/16	< .500	2013/07	DUE
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2012/07/16	< .500	2013/07	DUE
1,4-DICHLOROBENZENE	34571	012	2012/07/16	< .500	2013/07	DUE
BENZENE	34030	012	2012/07/16	< .500	2013/07	DUE
CARBON TETRACHLORIDE	32102	012	2012/07/16	< .500	2013/07	DUE
CIS-1,2-DICHLOROETHYLENE	77093	012	2012/07/16	< .500	2013/07	DUE
DICHLOROMETHANE	34423	012	2012/07/16	< .500	2013/07	DUE
ETHYLBENZENE	34371	012	2012/07/16	< .500	2013/07	DUE
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2012/07/16	< 3.000	2013/07	DUE
MONOCHLOROBENZENE	34301	012	2012/07/16	< .500	2013/07	DUE
STYRENE	77128	012	2012/07/16	< .500	2013/07	DUE
TETRACHLOROETHYLENE	34475	012	2012/10/15	< .500	2013/10	DUE
TOLUENE	34010	012	2012/07/16	< .500	2013/07	DUE
TRANS-1,2-DICHLOROETHYLENE	34546	012	2012/07/16	< .500	2013/07	DUE
TRICHLOROETHYLENE	39180	012	2012/10/15	< .500	2013/10	DUE
TRICHLOROFLUOROMETHANE	34488	012	2012/07/16	< 5.000	2013/07	DUE
VINYL CHLORIDE	39175	012	2012/07/16	< .500	2013/07	DUE
XYLENES (TOTAL)	81551	012	2012/07/16	< 1.000	2013/07	DUE

SECONDARY/GP

BICARBONATE ALKALINITY	00440	036	2010/07/12	190.000	2013/07	DUE
CALCIUM	00916	036	2010/07/12	68.000	2013/07	DUE
CARBONATE ALKALINITY	00445	036	2010/07/12	< 2.000	2013/07	DUE
CHLORIDE	00940	036	2010/07/12	39.000	2013/07	DUE
COLOR	00081	036	2010/07/12	< 1.000	2013/07	DUE
COPPER	01042	036	2012/07/16	< .000	2015/07	

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910026

System Name: COMPTON-CITY, WATER DEPT.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910026-009

Source Name: WELL 11

Source Number: 009

Source Status: ACTIVE RAW

Water type: G

SECONDARY/GP

FOAMING AGENTS (MBAS)	38260	036	2010/07/12	< .100	2013/07	DUE
HARDNESS (TOTAL) AS CaCO3	00900	036	2010/07/12	230.000	2013/07	DUE
HYDROXIDE ALKALINITY	71830	036	2010/07/12	< 2.000	2013/07	DUE
IRON	01045	036	2012/12/17	. 960.000	2015/12	
MAGNESIUM	00927	036	2010/07/12	15.000	2013/07	DUE
MANGANESE	01055	036	2012/12/17	. 52.000	2015/12	
ODOR THRESHOLD @ 60 C	00086	036	2010/07/12	< 1.000	2013/07	DUE
PH, LABORATORY	00403	036	2010/07/12	8.000	2013/07	DUE
SILVER	01077	036	2010/07/12	< 10.000	2013/07	DUE
SODIUM	00929	036	2010/07/12	44.000	2013/07	DUE
SPECIFIC CONDUCTANCE	00095	036	2010/07/12	660.000	2013/07	DUE
SULFATE	00945	036	2010/07/12	99.000	2013/07	DUE
TOTAL DISSOLVED SOLIDS	70300	036	2010/07/12	420.000	2013/07	DUE
TURBIDITY, LABORATORY	82079	036	2010/07/12	< .100	2013/07	DUE
ZINC	01092	036	2010/07/12	< 50.000	2013/07	DUE

PS Code: 1910026-011

Source Name: WELL 13

Source Number: 011

Source Status: ACTIVE RAW

Water type: G

INORGANIC

ALUMINUM	01105	036	2014/04/17	< 50.000	2017/04	
ANTIMONY	01097	036	2014/04/17	< 6.000	2017/04	
ARSENIC	01002	036	2014/04/17	< 2.000	2017/04	
BARIUM	01007	036	2014/04/17	< 100.000	2017/04	
BERYLLIUM	01012	036	2014/04/17	< 1.000	2017/04	
CADMIUM	01027	036	2014/04/17	< 1.000	2017/04	
CHROMIUM (TOTAL)	01034	036	2014/04/17	< 10.000	2017/04	

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910026

System Name: COMPTON-CITY, WATER DEPT.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910026-011

Source Name: WELL 13

Source Number: 011

Source Status: ACTIVE RAW

Water type: G

INORGANIC

CYANIDE	01291	036	2014/04/17	< 100.000	2017/04
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/04/17	.260	2017/04
MERCURY	71900	036	2014/04/17	< 1.000	2017/04
NICKEL	01067	036	2014/04/17	< 10.000	2017/04
PERCHLORATE	A-031	012	2013/07/15	< 4.000	2014/07
SELENIUM	01147	036	2011/04/14	< 5.000	2014/04 DUE
THALLIUM	01059	036	2014/04/17	< 1.000	2017/04

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2014/04/17	< 2.000	2015/04
NITRITE (AS N)	00620	036	2014/04/17	< 400.000	2017/04

RADIOLOGICAL

GROSS ALPHA	01501	108	2007/12/06	2.230	2016/12
-------------	-------	-----	------------	-------	---------

REGULATED SOC

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2012/07/16	< 3.000	2015/04
THIOBENCARB	A-001	033	2012/07/16	< 1.000	2015/04

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	012	2014/04/17	< .500	2015/04
1,1,1,2-TETRACHLOROETHANE	34516	012	2014/04/17	< .500	2015/04
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/04/17	< 10.000	2015/04
1,1,2-TRICHLOROETHANE	34511	012	2014/04/17	< .500	2015/04
1,1-DICHLOROETHANE	34496	012	2014/04/17	< .500	2015/04
1,1-DICHLOROETHYLENE	34501	012	2014/04/17	< .500	2015/04
1,2,4-TRICHLOROBENZENE	34551	012	2014/04/17	< .500	2015/04
1,2-DICHLOROBENZENE	34536	012	2014/04/17	< .500	2015/04
1,2-DICHLOROETHANE	34531	012	2014/04/17	< .500	2015/04
1,2-DICHLOROPROPANE	34541	012	2014/04/17	< .500	2015/04
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/04/17	< .500	2015/04
1,4-DICHLOROBENZENE	34571	012	2014/04/17	< .500	2015/04

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910026

System Name: COMPTON-CITY, WATER DEPT.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910026-011

Source Name: WELL 13

Source Number: 011

Source Status: ACTIVE RAW

Water type: G

REGULATED VOC

BENZENE	34030	012	2014/04/17	< .500	2015/04
CARBON TETRACHLORIDE	32102	012	2014/04/17	< .500	2015/04
CIS-1,2-DICHLOROETHYLENE	77093	012	2014/04/17	< .500	2015/04
DICHLOROMETHANE	34423	012	2014/04/17	< .500	2015/04
ETHYLBENZENE	34371	012	2014/04/17	< .500	2015/04
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/04/17	< 3.000	2015/04
MONOCHLOROBENZENE	34301	012	2014/04/17	< .500	2015/04
STYRENE	77128	012	2014/04/17	< .500	2015/04
TETRACHLOROETHYLENE	34475	003	2014/04/17	< .500	2014/07
TOLUENE	34010	012	2014/04/17	< .500	2015/04
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/04/17	< .500	2015/04
TRICHLOROETHYLENE	39180	012	2014/04/17	< .500	2015/04
TRICHLOROFUOROMETHANE	34488	012	2014/04/17	< 5.000	2015/04
VINYL CHLORIDE	39175	012	2014/04/17	< .500	2015/04
XYLENES (TOTAL)	81551	012	2014/04/17	< .000	2015/04

SECONDARY/GP

BICARBONATE ALKALINITY	00440	036	2014/04/17	. 180.000	2017/04
CALCIUM	00916	036	2014/04/17	. 37.600	2017/04
CARBONATE ALKALINITY	00445	036	2014/04/17	< .000	2017/04
CHLORIDE	00940	036	2014/04/17	. 23.000	2017/04
COLOR	00081	036	2014/04/17	< .000	2017/04
COPPER	01042	036	2014/05/20	< .000	2017/05
FOAMING AGENTS (MBAS)	38260	036	2014/04/17	< .000	2017/04
HARDNESS (TOTAL) AS CaCO3	00900	036	2014/04/17	. 109.000	2017/04
HYDROXIDE ALKALINITY	71830	036	2014/04/17	< .000	2017/04
IRON	01045	036	2014/04/17	< 100.000	2017/04
MAGNESIUM	00927	036	2014/04/17	. 3.700	2017/04
MANGANESE	01055	036	2014/04/17	< 20.000	2017/04
ODOR THRESHOLD @ 60 C	00086	036	2014/04/17	. 1.000	2017/04

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910026

System Name: COMPTON-CITY, WATER DEPT.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910026-011

Source Name: WELL 13

Source Number: 011

Source Status: ACTIVE RAW

Water type: G

SECONDARY/GP

PH, LABORATORY	00403	036	2014/04/17	. 8.050	2017/04
SILVER	01077	036	2014/04/17	< 10.000	2017/04
SODIUM	00929	036	2014/04/17	. 56.000	2017/04
SPECIFIC CONDUCTANCE	00095	036	2014/04/17	. 480.000	2017/04
SULFATE	00945	036	2014/04/17	. 56.000	2017/04
TOTAL DISSOLVED SOLIDS	70300	036	2014/04/17	. 280.000	2017/04
TURBIDITY, LABORATORY	82079	036	2014/04/17	< .000	2017/04
ZINC	01092	036	2014/04/17	< 50.000	2017/04

PS Code: 1910026-013

Source Name: WELL 15

Source Number: 013

Source Status: ACTIVE RAW

Water type: G

INORGANIC

ALUMINUM	01105	036	2011/10/18	< 50.000	2014/10
ANTIMONY	01097	036	2011/10/18	< 6.000	2014/10
ARSENIC	01002	036	2011/10/18	< 2.000	2014/10
BARIUM	01007	036	2011/10/18	< 100.000	2014/10
BERYLLIUM	01012	036	2011/10/18	< 1.000	2014/10
CADMIUM	01027	036	2011/10/18	< 1.000	2014/10
CHROMIUM (TOTAL)	01034	036	2011/10/18	< 10.000	2014/10
CYANIDE	01291	036	2011/10/18	< 100.000	2014/10
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2011/10/18	. .230	2014/10
MERCURY	71900	036	2011/10/18	< 1.000	2014/10
NICKEL	01067	036	2011/10/18	< 10.000	2014/10
PERCHLORATE	A-031	012	2013/07/15	< 4.000	2014/07
SELENIUM	01147	036	2011/10/18	< 5.000	2014/10
THALLIUM	01059	036	2011/10/18	< 1.000	2014/10

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910026

System Name: COMPTON-CITY, WATER DEPT.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910026-013

Source Name: WELL 15

Source Number: 013

Source Status: ACTIVE RAW

Water type: G

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2013/10/21	< 2.000	2014/10
NITRITE (AS N)	00620	036	2011/10/18	< 400.000	2014/10

RADIOLOGICAL

GROSS ALPHA	01501	108	2009/08/13	.080	2018/08
-------------	-------	-----	------------	------	---------

REGULATED SOC

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2012/07/16	< 3.000	2015/04
THIOBENCARB	A-001	033	2012/07/16	< 1.000	2015/04

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	012	2014/01/13	< .500	2015/01
1,1,2,2-TETRACHLOROETHANE	34516	012	2014/01/13	< .500	2015/01
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/01/13	< 10.000	2015/01
1,1,2-TRICHLOROETHANE	34511	012	2014/01/13	< .500	2015/01
1,1-DICHLOROETHANE	34496	012	2014/01/13	< .500	2015/01
1,1-DICHLOROETHYLENE	34501	012	2014/01/13	< .500	2015/01
1,2,4-TRICHLOROBENZENE	34551	012	2014/01/13	< .500	2015/01
1,2-DICHLOROBENZENE	34536	012	2014/01/13	< .500	2015/01
1,2-DICHLOROETHANE	34531	012	2014/01/13	< .500	2015/01
1,2-DICHLOROPROPANE	34541	012	2014/01/13	< .500	2015/01
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/01/13	< .500	2015/01
1,4-DICHLOROBENZENE	34571	012	2014/01/13	< .500	2015/01
BENZENE	34030	012	2014/01/13	< .500	2015/01
CARBON TETRACHLORIDE	32102	012	2014/01/13	< .500	2015/01
CIS-1,2-DICHLOROETHYLENE	77093	012	2014/01/13	< .500	2015/01
DICHLOROMETHANE	34423	012	2014/01/13	< .500	2015/01
ETHYLBENZENE	34371	012	2014/01/13	< .500	2015/01
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/01/13	< 3.000	2015/01
MONOCHLOROBENZENE	34301	012	2014/01/13	< .500	2015/01
STYRENE	77128	012	2014/01/13	< .500	2015/01

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910026

System Name: COMPTON-CITY, WATER DEPT.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910026-013

Source Name: WELL 15

Source Number: 013

Source Status: ACTIVE RAW

Water type: G

REGULATED VOC

TETRACHLOROETHYLENE	34475	012	2014/01/13	< .500	2015/01
TOLUENE	34010	012	2014/01/13	< .500	2015/01
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/01/13	< .500	2015/01
TRICHLOROETHYLENE	39180	012	2014/01/13	< .500	2015/01
TRICHLOROFUOROMETHANE	34488	012	2014/01/13	< 5.000	2015/01
VINYL CHLORIDE	39175	012	2014/01/13	< .500	2015/01
XYLENES (TOTAL)	81551	012	2014/01/13	< .000	2015/01

SECONDARY/GP

BICARBONATE ALKALINITY	00440	036	2011/10/18	. 160.000	2014/10
CALCIUM	00916	036	2011/10/18	. 51.000	2014/10
CARBONATE ALKALINITY	00445	036	2011/10/18	< 2.000	2014/10
CHLORIDE	00940	036	2011/10/18	. 28.000	2014/10
COLOR	00081	036	2011/10/18	. 2.500	2014/10
COPPER	01042	036	2012/07/16	< .000	2015/07
FOAMING AGENTS (MBAS)	38260	036	2011/10/18	< .100	2014/10
HARDNESS (TOTAL) AS CaCO3	00900	036	2011/10/18	. 160.000	2014/10
HYDROXIDE ALKALINITY	71830	036	2011/10/18	< 2.000	2014/10
IRON	01045	036	2011/10/18	< 100.000	2014/10
MAGNESIUM	00927	036	2011/10/18	. 8.200	2014/10
MANGANESE	01055	036	2011/10/18	< 20.000	2014/10
ODOR THRESHOLD @ 60 C	00086	036	2011/10/18	< 1.000	2014/10
PH, LABORATORY	00403	036	2011/10/18	. 8.200	2014/10
SILVER	01077	036	2011/10/18	< 10.000	2014/10
SODIUM	00929	036	2011/10/18	46.000	2014/10
SPECIFIC CONDUCTANCE	00095	036	2011/10/18	. 510.000	2014/10
SULFATE	00945	036	2011/10/18	75.000	2014/10
TOTAL DISSOLVED SOLIDS	70300	036	2011/10/18	. 330.000	2014/10
TURBIDITY, LABORATORY	82079	036	2011/10/18	< .100	2014/10
ZINC	01092	036	2011/10/18	< 50.000	2014/10

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910026

System Name: COMPTON-CITY, WATER DEPT.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910026-014

Source Name: WELL 16

Source Number: 014

Source Status: ACTIVE RAW

Water type: G

INORGANIC

ALUMINUM	01105	036	2011/10/18	< 50.000	2014/10
ANTIMONY	01097	036	2011/10/18	< 6.000	2014/10
ARSENIC	01002	036	2011/10/18	. 2.500	2014/10
BARIUM	01007	036	2011/10/18	140.000	2014/10
BERYLLIUM	01012	036	2011/10/18	< 1.000	2014/10
CADMIUM	01027	036	2011/10/18	< 1.000	2014/10
CHROMIUM (TOTAL)	01034	036	2011/10/18	< 10.000	2014/10
CHROMIUM, HEXAVALENT	01032	000			
CYANIDE	01291	036	2011/10/18	< 100.000	2014/10
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2011/10/18	. .350	2014/10
MERCURY	71900	036	2011/10/18	< 1.000	2014/10
NICKEL	01067	036	2011/10/18	< 10.000	2014/10
PERCHLORATE	A-031	012	2013/10/21	< 4.000	2014/10
SELENIUM	01147	036	2011/10/18	< 5.000	2014/10
THALLIUM	01059	036	2011/10/18	< 1.000	2014/10

DUE

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2013/10/21	. 3.700	2014/10
NITRITE (AS N)	00620	036	2011/10/18	< 400.000	2014/10

RADIOLOGICAL

GROSS ALPHA	01501	072	2010/10/07	2.550	2016/10
URANIUM (PCI/L)	28012	072	2010/10/07	1.800	2016/10

REGULATED SOC

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2012/07/16	< 3.000	2015/04
THIOBENCARB	A-001	033	2012/07/16	< 1.000	2015/04

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	012	2014/04/17	< .500	2015/04
1,1,2,2-TETRACHLOROETHANE	34516	012	2014/04/17	< .500	2015/04
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/04/17	< 10.000	2015/04

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910026

System Name: COMPTON-CITY, WATER DEPT.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910026-014

Source Name: WELL 16

Source Number: 014

Source Status: ACTIVE RAW

Water type: G

REGULATED VOC

1,1,2-TRICHLOROETHANE	34511	012	2014/04/17	< .500	2015/04
1,1-DICHLOROETHANE	34496	012	2014/04/17	< .500	2015/04
1,1-DICHLOROETHYLENE	34501	012	2014/04/17	< .500	2015/04
1,2,4-TRICHLOROBENZENE	34551	012	2014/04/17	< .500	2015/04
1,2-DICHLOROBENZENE	34536	012	2014/04/17	< .500	2015/04
1,2-DICHLOROETHANE	34531	012	2014/04/17	< .500	2015/04
1,2-DICHLOROPROPANE	34541	012	2014/04/17	< .500	2015/04
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/04/17	< .500	2015/04
1,4-DICHLOROBENZENE	34571	012	2014/04/17	< .500	2015/04
BENZENE	34030	012	2014/04/17	< .500	2015/04
CARBON TETRACHLORIDE	32102	012	2014/04/17	< .500	2015/04
CIS-1,2-DICHLOROETHYLENE	77093	012	2014/04/17	< .500	2015/04
DICHLOROMETHANE	34423	012	2014/04/17	< .500	2015/04
ETHYLBENZENE	34371	012	2014/04/17	< .500	2015/04
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/04/17	< 3.000	2015/04
MONOCHLOROBENZENE	34301	012	2014/04/17	< .500	2015/04
STYRENE	77128	012	2014/04/17	< .500	2015/04
TETRACHLOROETHYLENE	34475	003	2014/04/17	. 1.600	2014/07
TOLUENE	34010	012	2014/04/17	< .500	2015/04
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/04/17	< .500	2015/04
TRICHLOROETHYLENE	39180	012	2014/04/17	< .500	2015/04
TRICHLOROFUOROMETHANE	34488	012	2014/04/17	< 5.000	2015/04
VINYL CHLORIDE	39175	012	2014/04/17	< .500	2015/04
XYLENES (TOTAL)	81551	012	2014/04/17	< .000	2015/04

SECONDARY/GP

BICARBONATE ALKALINITY	00440	036	2011/10/18	. 180.000	2014/10
CALCIUM	00916	036	2011/10/18	. 70.000	2014/10
CARBONATE ALKALINITY	00445	036	2011/10/18	< 2.000	2014/10
CHLORIDE	00940	036	2011/10/18	. 46.000	2014/10

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910026

System Name: COMPTON-CITY, WATER DEPT.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910026-014

Source Name: WELL 16

Source Number: 014

Source Status: ACTIVE RAW

Water type: G

SECONDARY/GP

COLOR	00081	036	2011/10/18	< 1.000	2014/10
COPPER	01042	036	2012/07/16	< .000	2015/07
FOAMING AGENTS (MBAS)	38260	036	2011/10/18	< .100	2014/10
HARDNESS (TOTAL) AS CaCO3	00900	036	2011/10/18	. 250.000	2014/10
HYDROXIDE ALKALINITY	71830	036	2011/10/18	< 2.000	2014/10
IRON	01045	036	2011/10/18	< 100.000	2014/10
MAGNESIUM	00927	036	2011/10/18	. 19.000	2014/10
MANGANESE	01055	036	2011/10/18	< 20.000	2014/10
ODOR THRESHOLD @ 60 C	00086	036	2011/10/18	< 1.000	2014/10
PH, LABORATORY	00403	036	2011/10/18	. 8.000	2014/10
SILVER	01077	036	2011/10/18	< 10.000	2014/10
SODIUM	00929	036	2011/10/18	38.000	2014/10
SPECIFIC CONDUCTANCE	00095	036	2011/10/18	. 670.000	2014/10
SULFATE	00945	036	2011/10/18	110.000	2014/10
TOTAL DISSOLVED SOLIDS	70300	036	2011/10/18	. 440.000	2014/10
TURBIDITY, LABORATORY	82079	036	2011/10/18	. .150	2014/10
ZINC	01092	036	2011/10/18	< 50.000	2014/10

PS Code: 1910026-015

Source Name: WELL 17

Source Number: 015

Source Status: ACTIVE RAW

Water type: G

INORGANIC

ALUMINUM	01105	036	2012/05/03	. 740.000	2015/05
ANTIMONY	01097	036	2012/04/16	< 6.000	2015/04
ARSENIC	01002	036	2012/04/16	. 3.000	2015/04
BARIUM	01007	036	2012/04/16	120.000	2015/04
BERYLLIUM	01012	036	2012/04/16	< 1.000	2015/04

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910026

System Name: COMPTON-CITY, WATER DEPT.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910026-015

Source Name: WELL 17

Source Number: 015

Source Status: ACTIVE RAW

Water type: G

INORGANIC

CADMIUM	01027	036	2012/04/16	< 1.000	2015/04
CHROMIUM (TOTAL)	01034	036	2012/04/16	< 10.000	2015/04
CYANIDE	01291	036	2012/04/16	< 100.000	2015/04
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2012/04/16	.370	2015/04
MERCURY	71900	036	2012/04/16	< 1.000	2015/04
NICKEL	01067	036	2012/04/16	< 10.000	2015/04
PERCHLORATE	A-031	012	2013/07/15	< 4.000	2014/07
SELENIUM	01147	036	2012/04/16	< 5.000	2015/04
THALLIUM	01059	036	2012/04/16	< 1.000	2015/04

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2014/04/17	< 2.000	2015/04
NITRITE (AS N)	00620	036	2013/04/22	< 400.000	2016/04

RADIOLOGICAL

GROSS ALPHA	01501	072	2013/12/16	. 2.770	2019/12
-------------	-------	-----	------------	---------	---------

REGULATED SOC

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2012/10/15	< 3.000	2015/07
THIOBENCARB	A-001	033	2012/10/15	< 1.000	2015/07

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	012	2013/07/15	< .500	2014/07
1,1,2,2-TETRACHLOROETHANE	34516	012	2013/07/15	< .500	2014/07
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2013/07/15	< 10.000	2014/07
1,1,2-TRICHLOROETHANE	34511	012	2013/07/15	< .500	2014/07
1,1-DICHLOROETHANE	34496	012	2013/07/15	< .500	2014/07
1,1-DICHLOROETHYLENE	34501	012	2013/07/15	< .500	2014/07
1,2,4-TRICHLOROBENZENE	34551	012	2013/07/15	< .500	2014/07
1,2-DICHLOROBENZENE	34536	012	2013/07/15	< .500	2014/07
1,2-DICHLOROETHANE	34531	012	2013/07/15	< .500	2014/07
1,2-DICHLOROPROPANE	34541	012	2013/07/15	< .500	2014/07

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910026

System Name: COMPTON-CITY, WATER DEPT.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910026-015

Source Name: WELL 17

Source Number: 015

Source Status: ACTIVE RAW

Water type: G

REGULATED VOC

1,3-DICHLOROPROPENE (TOTAL)	34561	012	2013/07/15	< .500	2014/07
1,4-DICHLOROBENZENE	34571	012	2013/07/15	< .500	2014/07
BENZENE	34030	012	2013/07/15	< .500	2014/07
CARBON TETRACHLORIDE	32102	012	2013/07/15	< .500	2014/07
CIS-1,2-DICHLOROETHYLENE	77093	012	2013/07/15	< .500	2014/07
DICHLOROMETHANE	34423	012	2013/07/15	< .500	2014/07
ETHYLBENZENE	34371	012	2013/07/15	< .500	2014/07
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2013/07/15	< 3.000	2014/07
MONOCHLOROBENZENE	34301	012	2013/07/15	< .500	2014/07
STYRENE	77128	012	2013/07/15	< .500	2014/07
TETRACHLOROETHYLENE	34475	012	2013/07/15	< .500	2014/07
TOLUENE	34010	012	2013/07/15	< .500	2014/07
TRANS-1,2-DICHLOROETHYLENE	34546	012	2013/07/15	< .500	2014/07
TRICHLOROETHYLENE	39180	012	2013/07/15	< .500	2014/07
TRICHLOROFUOROMETHANE	34488	012	2013/07/15	< 5.000	2014/07
VINYL CHLORIDE	39175	012	2013/07/15	< .500	2014/07
XYLENES (TOTAL)	81551	012	2013/07/15	< 1.000	2014/07

SECONDARY/GP

BICARBONATE ALKALINITY	00440	036	2012/04/16	. 160.000	2015/04
CALCIUM	00916	036	2012/04/16	. 79.000	2015/04
CARBONATE ALKALINITY	00445	036	2012/04/16	< 4.000	2015/04
CHLORIDE	00940	036	2012/04/16	. 54.000	2015/04
COLOR	00081	036	2012/04/16	< 1.000	2015/04
COPPER	01042	036	2012/04/16	. 10.000	2015/04
FOAMING AGENTS (MBAS)	38260	036	2012/04/16	< .100	2015/04
HARDNESS (TOTAL) AS CaCO3	00900	036	2012/04/16	. 260.000	2015/04
HYDROXIDE ALKALINITY	71830	036	2012/04/16	< 4.000	2015/04
IRON	01045	036	2012/05/03	. 1000.000	2015/05
MAGNESIUM	00927	036	2012/04/16	. 16.000	2015/04

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910026

System Name: COMPTON-CITY, WATER DEPT.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910026-015

Source Name: WELL 17

Source Number: 015

Source Status: ACTIVE RAW

Water type: G

SECONDARY/GP

MANGANESE	01055	036	2012/04/16	32.000	2015/04
ODOR THRESHOLD @ 60 C	00086	036	2012/04/16	< 1.000	2015/04
PH, LABORATORY	00403	036	2012/04/16	. 8.100	2015/04
SILVER	01077	036	2012/04/16	< 10.000	2015/04
SODIUM	00929	036	2012/04/16	44.000	2015/04
SPECIFIC CONDUCTANCE	00095	036	2012/04/16	. 700.000	2015/04
SULFATE	00945	036	2012/04/16	99.000	2015/04
TOTAL DISSOLVED SOLIDS	70300	036	2012/04/16	. 430.000	2015/04
TURBIDITY, LABORATORY	82079	036	2012/04/16	. 3.900	2015/04
ZINC	01092	036	2012/04/16	< 50.000	2015/04

PS Code: 1910026-016

Source Name: MWD CONNECTION CB-1 - TREATED

Source Number: 016

Source Status: PURCHASED TREATED

Water type: S

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED *** 999

PS Code: 1910026-017

Source Name: MWD CONNECTION CB-3 - TREATED

Source Number: 017

Source Status: PURCHASED TREATED

Water type: S

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED *** 999

*Testing interval is in months;
 0 = No data for this constituent and is DUE NOW
 I = Invalid (NOT) valid analyses reported
 Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910026

System Name: COMPTON-CITY, WATER DEPT.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910026-018

Source Name: MWD CONNECTION CB-4 - TREATED

Source Number: 018

Source Status: PURCHASED TREATED

Water type: S

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED *** 999

PS Code: 1910026-019

Source Name: WELL 18

Source Number: 019

Source Status: ACTIVE RAW

Water type: G

INORGANIC

ALUMINUM	01105	036	2014/01/13	< 50.000	2017/01
ANTIMONY	01097	036	2014/01/13	< 6.000	2017/01
ARSENIC	01002	036	2014/01/13	. 4.300	2017/01
BARIUM	01007	036	2014/01/13	120.000	2017/01
BERYLLIUM	01012	036	2014/01/13	< 1.000	2017/01
CADMIUM	01027	036	2014/01/13	< 1.000	2017/01
CHROMIUM (TOTAL)	01034	036	2014/01/13	< 10.000	2017/01
CYANIDE	01291	036	2014/01/13	< 100.000	2017/01
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/01/13	. .360	2017/01
MERCURY	71900	036	2014/01/13	< 1.000	2017/01
NICKEL	01067	036	2014/01/13	< 10.000	2017/01
PERCHLORATE	A-031	012	2013/07/15	< 4.000	2014/07
SELENIUM	01147	036	2014/01/13	< 5.000	2017/01
THALLIUM	01059	036	2014/01/13	< 1.000	2017/01

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2014/01/13	. 5.000	2015/01
NITRITE (AS N)	00620	036	2014/01/13	< 400.000	2017/01

RADIOLOGICAL

GROSS ALPHA	01501	108	2008/05/19	1.100	2017/05
-------------	-------	-----	------------	-------	---------

*Testing interval is in months;
 0 = No data for this constituent and is DUE NOW
 I = Invalid (NOT) valid analyses reported
 Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910026

System Name: COMPTON-CITY, WATER DEPT.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910026-019

Source Name: WELL 18

Source Number: 019

Source Status: ACTIVE RAW

Water type: G

REGULATED SOC

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2012/07/16	< 3.000	2015/04
THIOBENCARB	A-001	033	2012/07/16	< 1.000	2015/04

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	012	2014/06/26	< .500	2015/06
1,1,2,2-TETRACHLOROETHANE	34516	012	2014/06/26	< .500	2015/06
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/06/26	< 10.000	2015/06
1,1,2-TRICHLOROETHANE	34511	012	2014/06/26	< .500	2015/06
1,1-DICHLOROETHANE	34496	012	2014/06/26	< .500	2015/06
1,1-DICHLOROETHYLENE	34501	012	2014/06/26	< .500	2015/06
1,2,4-TRICHLOROBENZENE	34551	012	2014/06/26	< .500	2015/06
1,2-DICHLOROBENZENE	34536	012	2014/06/26	< .500	2015/06
1,2-DICHLOROETHANE	34531	012	2014/06/26	< .500	2015/06
1,2-DICHLOROPROPANE	34541	012	2014/06/26	< .500	2015/06
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/06/26	< .500	2015/06
1,4-DICHLOROBENZENE	34571	012	2014/06/26	< .500	2015/06
BENZENE	34030	012	2014/06/26	< .500	2015/06
CARBON TETRACHLORIDE	32102	012	2014/06/26	< .500	2015/06
CIS-1,2-DICHLOROETHYLENE	77093	012	2014/06/26	< .500	2015/06
DICHLOROMETHANE	34423	012	2014/06/26	< .500	2015/06
ETHYLBENZENE	34371	012	2014/06/26	< .500	2015/06
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/06/26	< 3.000	2015/06
MONOCHLOROBENZENE	34301	012	2014/06/26	< .500	2015/06
STYRENE	77128	012	2014/06/26	< .500	2015/06
TETRACHLOROETHYLENE	34475	003	2014/06/26	.920	2014/09
TOLUENE	34010	012	2014/06/26	< .500	2015/06
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/06/26	< .500	2015/06
TRICHLOROETHYLENE	39180	012	2014/06/26	.850	2015/06
TRICHLOROFUOROMETHANE	34488	012	2014/06/26	< 5.000	2015/06
VINYL CHLORIDE	39175	012	2014/06/26	< .500	2015/06

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910026

System Name: COMPTON-CITY, WATER DEPT.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910026-019

Source Name: WELL 18

Source Number: 019

Source Status: ACTIVE RAW

Water type: G

REGULATED VOC

XYLENES (TOTAL)	81551	012	2014/06/26	< .000	2015/06
-----------------	-------	-----	------------	--------	---------

SECONDARY/GP

BICARBONATE ALKALINITY	00440	036	2014/01/13	. 220.000	2017/01
CALCIUM	00916	036	2014/01/13	. 74.000	2017/01
CARBONATE ALKALINITY	00445	036	2014/01/13	< .000	2017/01
CHLORIDE	00940	036	2014/01/13	. 44.000	2017/01
COLOR	00081	036	2014/01/13	< .000	2017/01
COPPER	01042	036	2014/01/13	< 50.000	2017/01
FOAMING AGENTS (MBAS)	38260	036	2014/01/13	< .000	2017/01
HARDNESS (TOTAL) AS CaCO3	00900	036	2014/01/13	. 240.000	2017/01
HYDROXIDE ALKALINITY	71830	036	2014/01/13	< .000	2017/01
IRON	01045	036	2014/01/13	< 100.000	2017/01
MAGNESIUM	00927	036	2014/01/13	. 14.000	2017/01
MANGANESE	01055	036	2014/01/13	< 20.000	2017/01
ODOR THRESHOLD @ 60 C	00086	036	2014/01/13	1.000	2017/01
PH, LABORATORY	00403	036	2014/01/13	. 7.610	2017/01
SILVER	01077	036	2014/01/13	< 10.000	2017/01
SODIUM	00929	036	2014/01/13	39.000	2017/01
SPECIFIC CONDUCTANCE	00095	036	2014/01/13	. 700.000	2017/01
SULFATE	00945	036	2014/01/13	100.000	2017/01
TOTAL DISSOLVED SOLIDS	70300	036	2014/01/13	. 400.000	2017/01
TURBIDITY, LABORATORY	82079	036	2014/01/13	< .000	2017/01
ZINC	01092	036	2014/01/13	< 50.000	2017/01

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910026

System Name: COMPTON-CITY, WATER DEPT.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910026-028

Source Name: WELL 19

Source Number: 028

Source Status: ACTIVE RAW

Water type: G

INORGANIC

ALUMINUM	01105	036	2012/01/17	< 50.000	2015/01
ANTIMONY	01097	036	2012/01/17	< 6.000	2015/01
ARSENIC	01002	036	2012/01/17	. 4.700	2015/01
BARIUM	01007	036	2012/01/17	110.000	2015/01
BERYLLIUM	01012	036	2012/01/17	< 1.000	2015/01
CADMIUM	01027	036	2012/01/17	< 1.000	2015/01
CHROMIUM (TOTAL)	01034	036	2012/01/17	< 10.000	2015/01
CHROMIUM, HEXAVALENT	01032	000			
CYANIDE	01291	036	2012/01/17	< 100.000	2015/01
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2012/01/17	. .270	2015/01
MERCURY	71900	036	2012/01/17	< 1.000	2015/01
NICKEL	01067	036	2012/01/17	< 10.000	2015/01
PERCHLORATE	A-031	012	2014/04/17	< 4.000	2015/04
SELENIUM	01147	036	2012/01/17	< 5.000	2015/01
THALLIUM	01059	036	2012/01/17	< 1.000	2015/01

DUE

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2014/01/13	< 2.000	2015/01
NITRITE (AS N)	00620	036	2012/01/17	< 400.000	2015/01

RADIOLOGICAL

GROSS ALPHA	01501	072	2010/10/14	5.270	2016/10
URANIUM (PCI/L)	28012	072	2010/10/14	4.200	2016/10

REGULATED SOC

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2012/07/16	< 3.000	2015/04
THIOBENCARB	A-001	033	2012/07/16	< 1.000	2015/04

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	012	2014/01/13	< .500	2015/01
1,1,2,2-TETRACHLOROETHANE	34516	012	2014/01/13	< .500	2015/01
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/01/13	< 10.000	2015/01

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910026

System Name: COMPTON-CITY, WATER DEPT.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910026-028

Source Name: WELL 19

Source Number: 028

Source Status: ACTIVE RAW

Water type: G

REGULATED VOC

1,1,2-TRICHLOROETHANE	34511	012	2014/01/13	< .500	2015/01
1,1-DICHLOROETHANE	34496	012	2014/01/13	< .500	2015/01
1,1-DICHLOROETHYLENE	34501	012	2014/01/13	< .500	2015/01
1,2,4-TRICHLOROBENZENE	34551	012	2014/01/13	< .500	2015/01
1,2-DICHLOROBENZENE	34536	012	2014/01/13	< .500	2015/01
1,2-DICHLOROETHANE	34531	012	2014/01/13	< .500	2015/01
1,2-DICHLOROPROPANE	34541	012	2014/01/13	< .500	2015/01
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/01/13	< .500	2015/01
1,4-DICHLOROBENZENE	34571	012	2014/01/13	< .500	2015/01
BENZENE	34030	012	2014/01/13	< .500	2015/01
CARBON TETRACHLORIDE	32102	012	2014/01/13	< .500	2015/01
CIS-1,2-DICHLOROETHYLENE	77093	012	2014/01/13	< .500	2015/01
DICHLOROMETHANE	34423	012	2014/01/13	< .500	2015/01
ETHYLBENZENE	34371	012	2014/01/13	< .500	2015/01
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/01/13	< 3.000	2015/01
MONOCHLOROENZENE	34301	012	2014/01/13	< .500	2015/01
STYRENE	77128	012	2014/01/13	< .500	2015/01
TETRACHLOROETHYLENE	34475	012	2014/01/13	< .500	2015/01
TOLUENE	34010	012	2014/01/13	< .500	2015/01
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/01/13	< .500	2015/01
TRICHLOROETHYLENE	39180	012	2014/01/13	< .500	2015/01
TRICHLOROFUOROMETHANE	34488	012	2014/01/13	< 5.000	2015/01
VINYL CHLORIDE	39175	012	2014/01/13	< .500	2015/01
XYLENES (TOTAL)	81551	012	2014/01/13	< .000	2015/01

SECONDARY/GP

BICARBONATE ALKALINITY	00440	036	2012/01/17	. 180.000	2015/01
CALCIUM	00916	036	2012/01/17	. 60.000	2015/01
CARBONATE ALKALINITY	00445	036	2012/01/17	< 2.000	2015/01
CHLORIDE	00940	036	2012/01/17	. 30.000	2015/01

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910026

System Name: COMPTON-CITY, WATER DEPT.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910026-028

Source Name: WELL 19

Source Number: 028

Source Status: ACTIVE RAW

Water type: G

SECONDARY/GP

COLOR	00081	036	2012/01/17	< 1.000	2015/01
COPPER	01042	036	2012/07/16	< .000	2015/07
FOAMING AGENTS (MBAS)	38260	036	2012/01/17	< .100	2015/01
HARDNESS (TOTAL) AS CaCO3	00900	036	2012/01/17	. 200.000	2015/01
HYDROXIDE ALKALINITY	71830	036	2012/01/17	< 2.000	2015/01
IRON	01045	036	2012/01/17	240.000	2015/01
MAGNESIUM	00927	036	2012/01/17	. 13.000	2015/01
MANGANESE	01055	036	2012/01/17	< 20.000	2015/01
ODOR THRESHOLD @ 60 C	00086	036	2012/01/17	< 1.000	2015/01
PH, LABORATORY	00403	036	2012/01/17	. 8.100	2015/01
SILVER	01077	036	2012/01/17	< 10.000	2015/01
SODIUM	00929	036	2012/01/17	36.000	2015/01
SPECIFIC CONDUCTANCE	00095	036	2012/01/17	. 600.000	2015/01
SULFATE	00945	036	2012/01/17	79.000	2015/01
TOTAL DISSOLVED SOLIDS	70300	036	2012/01/17	. 360.000	2015/01
TURBIDITY, LABORATORY	82079	036	2012/01/17	. .960	2015/01
ZINC	01092	036	2012/01/17	< 50.000	2015/01

PS Code: 1910026-030

Source Name: WELL 20 - PENDING

Source Number: 030

Source Status: PENDING

Water type: G

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

*Testing interval is in months;
 0 = No data for this constituent and is DUE NOW
 I = Invalid (NOT) valid analyses reported
 Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910026

System Name: COMPTON-CITY, WATER DEPT.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910026-800

Source Name: SITE 6 - 1514 W. 134TH STREET - STG2 DBP

Source Number: 800

Source Status: DISTRIBUTION TREATED

Water type: S

HALOACETIC ACIDS

DIBROMOACETIC ACID (DBAA)	82721	003	2014/06/06	. 1.300	2014/09
DICHLOROACETIC ACID (DCAA)	77288	003	2014/06/06	< .000	2014/09
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/06/06	. 1.300	2014/09
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/06/06	< .000	2014/09
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/06/06	< .000	2014/09
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/06/06	< .000	2014/09

STATE UCMR

BROMODICHLORMETHANE (THM)	32101	003	2014/06/06	. 1.700	2014/09
BROMOFORM (THM)	32104	003	2014/06/06	. 3.900	2014/09
CHLOROFORM (THM)	32106	003	2014/06/06	< .000	2014/09
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/06/06	. 3.600	2014/09

TRIHALOMETHANES

TOTAL TRIHALOMETHANES	82080	003	2014/06/06	. 9.200	2014/09
-----------------------	-------	-----	------------	---------	---------

PS Code: 1910026-801

Source Name: SITE 8 - 421 N. NESTOR - STG2 DBP

Source Number: 801

Source Status: DISTRIBUTION TREATED

Water type: S

HALOACETIC ACIDS

DIBROMOACETIC ACID (DBAA)	82721	003	2014/06/06	. 3.200	2014/09
DICHLOROACETIC ACID (DCAA)	77288	003	2014/06/06	< .000	2014/09
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/06/06	. 3.200	2014/09
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/06/06	< .000	2014/09
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/06/06	< .000	2014/09
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/06/06	< .000	2014/09

STATE UCMR

BROMODICHLORMETHANE (THM)	32101	003	2014/06/06	. 3.200	2014/09
---------------------------	-------	-----	------------	---------	---------

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910026

System Name: COMPTON-CITY, WATER DEPT.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910026-801

Source Name: SITE 8 - 421 N. NESTOR - STG2 DBP

Source Number: 801

Source Status: DISTRIBUTION TREATED

Water type: S

STATE UCMR

BROMOFORM (THM)	32104	003	2014/06/06	. 11.200	2014/09
CHLOROFORM (THM)	32106	003	2014/06/06	. 2.400	2014/09
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/06/06	. 6.800	2014/09

TRIHALOMETHANES

TOTAL TRIHALOMETHANES	82080	003	2014/06/06	. 23.600	2014/09
-----------------------	-------	-----	------------	----------	---------

PS Code: 1910026-802

Source Name: SITE 11 - 413 S. LOCUST - STG2 DBP

Source Number: 802

Source Status: DISTRIBUTION TREATED

Water type: S

HALOACETIC ACIDS

DIBROMOACETIC ACID (DBAA)	82721	003	2014/06/06	. 2.900	2014/09
DICHLOROACETIC ACID (DCAA)	77288	003	2014/06/06	< .000	2014/09
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/06/06	. 2.900	2014/09
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/06/06	< .000	2014/09
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/06/06	< .000	2014/09
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/06/06	< .000	2014/09

STATE UCMR

BROMODICHLORMETHANE (THM)	32101	003	2014/06/06	. 2.200	2014/09
BROMOFORM (THM)	32104	003	2014/06/06	. 6.300	2014/09
CHLOROFORM (THM)	32106	003	2014/06/06	. 2.400	2014/09
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/06/06	. 3.400	2014/09

TRIHALOMETHANES

TOTAL TRIHALOMETHANES	82080	003	2014/06/06	. 14.300	2014/09
-----------------------	-------	-----	------------	----------	---------

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910026

System Name: COMPTON-CITY, WATER DEPT.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910026-803

Source Name: SITE 17 - 1720 N. ELVA - STG2 DBP

Source Number: 803

Source Status: DISTRIBUTION TREATED

Water type: S

HALOACETIC ACIDS

DIBROMOACETIC ACID (DBAA)	82721	003	2014/06/06	. 1.300	2014/09
DICHLOROACETIC ACID (DCAA)	77288	003	2014/06/06	< .000	2014/09
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/06/06	. 1.300	2014/09
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/06/06	< .000	2014/09
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/06/06	< .000	2014/09
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/06/06	< .000	2014/09

STATE UCMR

BROMODICHLORMETHANE (THM)	32101	003	2014/06/06	. 1.500	2014/09
BROMOFORM (THM)	32104	003	2014/06/06	. 3.500	2014/09
CHLOROFORM (THM)	32106	003	2014/06/06	< .000	2014/09
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/06/06	. 3.400	2014/09

TRIHALOMETHANES

TOTAL TRIHALOMETHANES	82080	003	2014/06/06	. 8.400	2014/09
-----------------------	-------	-----	------------	---------	---------

PS Code: 1910026-804

Source Name: SITE 18 - 707 S. BARCLAY - STG2 DBP

Source Number: 804

Source Status: DISTRIBUTION TREATED

Water type: S

HALOACETIC ACIDS

DIBROMOACETIC ACID (DBAA)	82721	003	2014/06/06	. 4.100	2014/09
DICHLOROACETIC ACID (DCAA)	77288	003	2014/06/06	< .000	2014/09
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/06/06	. 4.100	2014/09
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/06/06	< .000	2014/09
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/06/06	< .000	2014/09
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/06/06	< .000	2014/09

STATE UCMR

BROMODICHLORMETHANE (THM)	32101	003	2014/06/06	. 3.400	2014/09
---------------------------	-------	-----	------------	---------	---------

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910026

System Name: COMPTON-CITY, WATER DEPT.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910026-804

Source Name: SITE 18 - 707 S. BARCLAY - STG2 DBP

Source Number: 804

Source Status: DISTRIBUTION TREATED

Water type: S

STATE UCMR

BROMOFORM (THM)	32104	003	2014/06/06	. 12.900	2014/09
CHLOROFORM (THM)	32106	003	2014/06/06	. 2.800	2014/09
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/06/06	. 7.200	2014/09

TRIHALOMETHANES

TOTAL TRIHALOMETHANES	82080	003	2014/06/06	. 26.300	2014/09
-----------------------	-------	-----	------------	----------	---------

PS Code: 1910026-805

Source Name: SITE 20 - 175 E. MANVILLE - STG2 DBP

Source Number: 805

Source Status: DISTRIBUTION TREATED

Water type: S

HALOACETIC ACIDS

DIBROMOACETIC ACID (DBAA)	82721	003	2014/06/06	. 1.400	2014/09
DICHLOROACETIC ACID (DCAA)	77288	003	2014/06/06	< .000	2014/09
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/06/06	. 1.400	2014/09
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/06/06	< .000	2014/09
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/06/06	< .000	2014/09
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/06/06	< .000	2014/09

STATE UCMR

BROMODICHLORMETHANE (THM)	32101	003	2014/06/06	. 2.900	2014/09
BROMOFORM (THM)	32104	003	2014/06/06	. 8.500	2014/09
CHLOROFORM (THM)	32106	003	2014/06/06	. 2.700	2014/09
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/06/06	. 4.900	2014/09

TRIHALOMETHANES

TOTAL TRIHALOMETHANES	82080	003	2014/06/06	. 19.000	2014/09
-----------------------	-------	-----	------------	----------	---------

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910026

System Name: COMPTON-CITY, WATER DEPT.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910026-806

Source Name: SITE 21 - 701 N. HILLFORD - STG2 DBP

Source Number: 806

Source Status: DISTRIBUTION TREATED

Water type: S

HALOACETIC ACIDS

DIBROMOACETIC ACID (DBAA)	82721	003	2014/06/06	. 3.700	2014/09
DICHLOROACETIC ACID (DCAA)	77288	003	2014/06/06	< .000	2014/09
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/06/06	. 3.700	2014/09
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/06/06	< .000	2014/09
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/06/06	< .000	2014/09
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/06/06	< .000	2014/09

STATE UCMR

BROMODICHLORMETHANE (THM)	32101	003	2014/06/06	. 3.400	2014/09
BROMOFORM (THM)	32104	003	2014/06/06	. 13.200	2014/09
CHLOROFORM (THM)	32106	003	2014/06/06	. 2.800	2014/09
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/06/06	. 6.700	2014/09

TRIHALOMETHANES

TOTAL TRIHALOMETHANES	82080	003	2014/06/06	. 26.100	2014/09
-----------------------	-------	-----	------------	----------	---------

PS Code: 1910026-807

Source Name: SITE 24 - 1328 W. ARBUTUS - STG2 DBP

Source Number: 807

Source Status: DISTRIBUTION TREATED

Water type: S

HALOACETIC ACIDS

DIBROMOACETIC ACID (DBAA)	82721	003	2014/06/06	. 2.400	2014/09
DICHLOROACETIC ACID (DCAA)	77288	003	2014/06/06	< .000	2014/09
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/06/06	. 2.400	2014/09
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/06/06	< .000	2014/09
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/06/06	< .000	2014/09
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/06/06	< .000	2014/09

STATE UCMR

BROMODICHLORMETHANE (THM)	32101	003	2014/06/06	. 2.600	2014/09
---------------------------	-------	-----	------------	---------	---------

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910026

System Name: COMPTON-CITY, WATER DEPT.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910026-807

Source Name: SITE 24 - 1328 W. ARBUTUS - STG2 DBP

Source Number: 807

Source Status: DISTRIBUTION TREATED

Water type: S

STATE UCMR

BROMOFORM (THM)	32104	003	2014/06/06	. 6.200	2014/09
CHLOROFORM (THM)	32106	003	2014/06/06	. 1.900	2014/09
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/06/06	. 5.400	2014/09

TRIHALOMETHANES

TOTAL TRIHALOMETHANES	82080	003	2014/06/06	. 16.100	2014/09
-----------------------	-------	-----	------------	----------	---------

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910033

System Name: CALIFORNIA WATER SERVICE CO. - DOMINGUEZ

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910033-004

Source Name: WELL 215-01

Source Number: 004

Source Status: ACTIVE RAW

Water type: G

INORGANIC

ALUMINUM	01105	036	2013/09/19	< .000	2016/09
ANTIMONY	01097	036	2013/09/19	< .000	2016/09
ARSENIC	01002	036	2013/09/19	< .000	2016/09
BARIUM	01007	036	2013/09/19	< .000	2016/09
BERYLLIUM	01012	036	2013/09/19	< .000	2016/09
CADMIUM	01027	036	2013/09/19	< .000	2016/09
CHROMIUM (TOTAL)	01034	036	2013/09/19	< .000	2016/09
CYANIDE	01291	036	2013/09/19	< .000	2016/09
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/09/19	.330	2016/09
MERCURY	71900	036	2013/09/19	< .000	2016/09
NICKEL	01067	036	2013/09/19	< .000	2016/09
PERCHLORATE	A-031	036	2013/09/19	< 4.000	2016/09
SELENIUM	01147	036	2013/09/19	< .000	2016/09
THALLIUM	01059	036	2013/09/19	< .000	2016/09

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2013/09/19	< .000	2014/09
NITRITE (AS N)	00620	036	2013/09/19	< .000	2016/09

RADIOLOGICAL

GROSS ALPHA	01501	108	2013/09/19	< 3.000	2022/09
-------------	-------	-----	------------	---------	---------

REGULATED SOC

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2013/11/13	< .000	2016/08
PENTACHLOROPHENOL	39032	033	2013/11/13	< .000	2016/08
THIOBENCARB	A-001	033	2013/11/13	< .000	2016/08

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	012	2014/07/09	< .000	2015/07
1,1,2,2-TETRACHLOROETHANE	34516	012	2014/07/09	< .000	2015/07
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/07/09	< .000	2015/07
1,1,2-TRICHLOROETHANE	34511	012	2014/07/09	< .000	2015/07

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910033

System Name: CALIFORNIA WATER SERVICE CO. - DOMINGUEZ

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910033-004

Source Name: WELL 215-01

Source Number: 004

Source Status: ACTIVE RAW

Water type: G

REGULATED VOC

1,1-DICHLOROETHANE	34496	012	2014/07/09	< .000	2015/07
1,1-DICHLOROETHYLENE	34501	012	2014/07/09	< .000	2015/07
1,2,4-TRICHLOROBENZENE	34551	012	2014/07/09	< .000	2015/07
1,2-DICHLOROBENZENE	34536	012	2014/07/09	< .000	2015/07
1,2-DICHLOROETHANE	34531	012	2014/07/09	< .000	2015/07
1,2-DICHLOROPROPANE	34541	012	2014/07/09	< .000	2015/07
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/07/09	< .000	2015/07
1,4-DICHLOROBENZENE	34571	012	2014/07/09	< .000	2015/07
BENZENE	34030	012	2014/07/09	< .000	2015/07
CARBON TETRACHLORIDE	32102	012	2014/07/09	< .000	2015/07
CIS-1,2-DICHLOROETHYLENE	77093	012	2014/07/09	< .000	2015/07
DICHLOROMETHANE	34423	012	2014/07/09	< .000	2015/07
ETHYLBENZENE	34371	012	2014/07/09	< .000	2015/07
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/07/09	< .000	2015/07
MONOCHLOROBENZENE	34301	012	2014/07/09	< .000	2015/07
STYRENE	77128	012	2014/07/09	< .000	2015/07
TETRACHLOROETHYLENE	34475	012	2014/07/09	< .000	2015/07
TOLUENE	34010	012	2014/07/09	< .000	2015/07
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/07/09	< .000	2015/07
TRICHLOROETHYLENE	39180	012	2014/07/09	< .000	2015/07
TRICHLOROFUOROMETHANE	34488	012	2014/07/09	< .000	2015/07
VINYL CHLORIDE	39175	012	2014/07/09	< .000	2015/07
XYLENES (TOTAL)	81551	012	2014/07/09	< .000	2015/07

SECONDARY/GP

BICARBONATE ALKALINITY	00440	036	2013/09/19	. 190.000	2016/09
CALCIUM	00916	036	2013/09/19	. 19.000	2016/09
CARBONATE ALKALINITY	00445	036	2013/09/19	5.000	2016/09
CHLORIDE	00940	036	2013/09/19	. 25.000	2016/09
COLOR	00081	036	2014/05/14	. 15.000	2017/05

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910033

System Name: CALIFORNIA WATER SERVICE CO. - DOMINGUEZ

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910033-004

Source Name: WELL 215-01

Source Number: 004

Source Status: ACTIVE RAW

Water type: G

SECONDARY/GP

COPPER	01042	036	2013/09/19	< .000	2016/09
FOAMING AGENTS (MBAS)	38260	036	2013/09/19	< .000	2016/09
HARDNESS (TOTAL) AS CaCO3	00900	036	2013/09/19	. 64.000	2016/09
HYDROXIDE ALKALINITY	71830	036	2013/09/19	< .000	2016/09
IRON	01045	036	2013/09/19	150.000	2016/09
MAGNESIUM	00927	036	2013/09/19	. 4.000	2016/09
MANGANESE	01055	036	2013/09/19	< .000	2016/09
ODOR THRESHOLD @ 60 C PH, LABORATORY	00086	036	2014/05/14	. 1.000	2017/05
PH, LABORATORY	00403	036	2013/09/19	. 7.900	2016/09
SILVER	01077	036	2013/09/19	< .000	2016/09
SODIUM	00929	036	2013/09/19	57.000	2016/09
SPECIFIC CONDUCTANCE	00095	036	2013/09/19	. 390.000	2016/09
SULFATE	00945	036	2013/09/19	3.500	2016/09
TOTAL DISSOLVED SOLIDS	70300	036	2013/09/19	. 230.000	2016/09
TURBIDITY, LABORATORY	82079	036	2014/05/14	. .400	2017/05
ZINC	01092	036	2013/09/19	< .000	2016/09

PS Code: 1910033-016

Source Name: WELL 272-01

Source Number: 016

Source Status: ACTIVE RAW

Water type: G

INORGANIC

ALUMINUM	01105	036	2011/09/21	< .000	2014/09
ANTIMONY	01097	036	2011/09/21	< .000	2014/09
ARSENIC	01002	036	2011/09/21	< .000	2014/09
BARIUM	01007	036	2011/09/21	< .000	2014/09
BERYLLIUM	01012	036	2011/09/21	< .000	2014/09
CADMIUM	01027	036	2011/09/21	< .000	2014/09

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910033

System Name: CALIFORNIA WATER SERVICE CO. - DOMINGUEZ

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910033-016

Source Name: WELL 272-01

Source Number: 016

Source Status: ACTIVE RAW

Water type: G

INORGANIC

CHROMIUM (TOTAL)	01034	036	2011/09/21	< .000	2014/09
CYANIDE	01291	036	2011/09/21	< .000	2014/09
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2011/09/21	.380	2014/09
MERCURY	71900	036	2011/09/21	< .000	2014/09
NICKEL	01067	036	2011/09/21	< .000	2014/09
PERCHLORATE	A-031	036	2011/09/21	< .000	2014/09
SELENIUM	01147	036	2011/09/21	< .000	2014/09
THALLIUM	01059	036	2011/09/21	< .000	2014/09

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2013/09/25	.000	2014/09
NITRITE (AS N)	00620	036	2011/09/21	< .000	2014/09

RADIOLOGICAL

GROSS ALPHA	01501	108	2005/11/22	< 3.000	2014/11
-------------	-------	-----	------------	---------	---------

REGULATED SOC

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2013/08/07	< .000	2016/05
THIOBENCARB	A-001	033	2013/08/07	< .000	2016/05

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	012	2013/09/18	< .500	2014/09
1,1,2,2-TETRACHLOROETHANE	34516	012	2013/09/18	< .500	2014/09
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2013/09/18	< 10.000	2014/09
1,1,2-TRICHLOROETHANE	34511	012	2013/09/18	< .500	2014/09
1,1-DICHLOROETHANE	34496	012	2013/09/18	< .500	2014/09
1,1-DICHLOROETHYLENE	34501	012	2013/09/18	< .500	2014/09
1,2,4-TRICHLOROBENZENE	34551	012	2013/09/18	< .500	2014/09
1,2-DICHLOROBENZENE	34536	012	2013/09/18	< .500	2014/09
1,2-DICHLOROETHANE	34531	012	2013/09/18	< .500	2014/09
1,2-DICHLOROPROPANE	34541	012	2013/09/18	< .500	2014/09
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2013/09/18	< .500	2014/09

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910033

System Name: CALIFORNIA WATER SERVICE CO. - DOMINGUEZ

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910033-016

Source Name: WELL 272-01

Source Number: 016

Source Status: ACTIVE RAW

Water type: G

REGULATED VOC

1,4-DICHLOROBENZENE	34571	012	2013/09/18	< .500	2014/09
BENZENE	34030	012	2013/09/18	< .500	2014/09
CARBON TETRACHLORIDE	32102	012	2013/09/18	< .500	2014/09
CIS-1,2-DICHLOROETHYLENE	77093	012	2013/09/18	< .500	2014/09
DICHLOROMETHANE	34423	012	2013/09/18	< .500	2014/09
ETHYLBENZENE	34371	012	2013/09/18	< .500	2014/09
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2013/09/18	< 3.000	2014/09
MONOCHLOROBENZENE	34301	012	2013/09/18	< .500	2014/09
STYRENE	77128	012	2013/09/18	< .500	2014/09
TETRACHLOROETHYLENE	34475	012	2013/09/18	< .500	2014/09
TOLUENE	34010	012	2013/09/18	< .500	2014/09
TRANS-1,2-DICHLOROETHYLENE	34546	012	2013/09/18	< .500	2014/09
TRICHLOROETHYLENE	39180	012	2013/09/18	< .500	2014/09
TRICHLOROFUOROMETHANE	34488	012	2013/09/18	< 5.000	2014/09
VINYL CHLORIDE	39175	012	2013/09/18	< .500	2014/09
XYLENES (TOTAL)	81551	012	2013/09/18	< .500	2014/09

SECONDARY/GP

BICARBONATE ALKALINITY	00440	036	2011/09/21	. 160.000	2014/09
CALCIUM	00916	036	2011/09/21	. 27.000	2014/09
CARBONATE ALKALINITY	00445	036	2011/09/21	4.300	2014/09
CHLORIDE	00940	036	2011/09/21	. 44.000	2014/09
COLOR	00081	003	2014/05/14	. 15.000	2014/08
COPPER	01042	036	2011/09/21	< .000	2014/09
FOAMING AGENTS (MBAS)	38260	036	2011/09/21	< .000	2014/09
HARDNESS (TOTAL) AS CaCO3	00900	036	2011/09/21	. 78.000	2014/09
HYDROXIDE ALKALINITY	71830	036	2011/09/21	< .000	2014/09
IRON	01045	003	2014/06/11	. 18.060	2014/09
MAGNESIUM	00927	036	2011/09/21	. 2.600	2014/09
MANGANESE	01055	036	2014/06/11	. 3.297	2017/06

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910033

System Name: CALIFORNIA WATER SERVICE CO. - DOMINGUEZ

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910033-016

Source Name: WELL 272-01

Source Number: 016

Source Status: ACTIVE RAW

Water type: G

SECONDARY/GP

ODOR THRESHOLD @ 60 C	00086	003	2014/05/14	< 1.000	2014/08
PH, LABORATORY	00403	036	2011/09/21	. 8.400	2014/09
SILVER	01077	036	2011/09/21	< .000	2014/09
SODIUM	00929	036	2011/09/21	69.000	2014/09
SPECIFIC CONDUCTANCE	00095	036	2011/09/21	. 440.000	2014/09
SULFATE	00945	036	2011/09/21	14.000	2014/09
TOTAL DISSOLVED SOLIDS	70300	036	2011/09/22	. 230.000	2014/09
TURBIDITY, LABORATORY	82079	036	2014/05/14	. .120	2017/05
ZINC	01092	036	2011/09/21	< .000	2014/09

PS Code: 1910033-018

Source Name: WELL 298-01

Source Number: 018

Source Status: ACTIVE RAW

Water type: G

INORGANIC

ALUMINUM	01105	036	2012/08/20	< .000	2015/08
ANTIMONY	01097	036	2012/08/20	< .000	2015/08
ARSENIC	01002	036	2012/08/20	< .000	2015/08
BARIUM	01007	036	2012/08/20	< .000	2015/08
BERYLLIUM	01012	036	2012/08/20	< .000	2015/08
CADMIUM	01027	036	2012/08/20	< .000	2015/08
CHROMIUM (TOTAL)	01034	036	2012/08/20	< .000	2015/08
CYANIDE	01291	036	2012/08/20	< .000	2015/08
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2012/08/20	. .310	2015/08
MERCURY	71900	036	2012/08/20	< .000	2015/08
NICKEL	01067	036	2012/08/20	< .000	2015/08
PERCHLORATE	A-031	036	2012/08/15	< 4.000	2015/08
SELENIUM	01147	036	2012/08/20	< .000	2015/08

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: **1910033**

System Name: **CALIFORNIA WATER SERVICE CO. - DOMINGUEZ**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: **1910033-018**

Source Name: **WELL 298-01**

Source Number: **018**

Source Status: **ACTIVE RAW**

Water type: **G**

INORGANIC

THALLIUM	01059	036	2012/08/20	< .000	2015/08
----------	-------	-----	------------	--------	---------

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2013/10/23	.064	2014/10
------------------	-------	-----	------------	------	---------

NITRITE (AS N)	00620	036	2012/08/20	< .000	2015/08
----------------	-------	-----	------------	--------	---------

RADIOLOGICAL

GROSS ALPHA	01501	108	2006/12/07	< 3.000	2015/12
-------------	-------	-----	------------	---------	---------

REGULATED SOC

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2013/08/14	< .000	2016/05
---------------------------	-------	-----	------------	--------	---------

PENTACHLOROPHENOL	39032	033	2013/08/21	< .000	2016/05
-------------------	-------	-----	------------	--------	---------

THIOBENCARB	A-001	033	2013/08/14	< .000	2016/05
-------------	-------	-----	------------	--------	---------

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	003	2014/05/22	< .500	2014/08
-----------------------	-------	-----	------------	--------	---------

1,1,2,2-TETRACHLOROETHANE	34516	003	2014/05/22	< .500	2014/08
---------------------------	-------	-----	------------	--------	---------

1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	003	2014/05/22	< 10.000	2014/08
---------------------------------------	-------	-----	------------	----------	---------

1,1,2-TRICHLOROETHANE	34511	003	2014/05/22	< .500	2014/08
-----------------------	-------	-----	------------	--------	---------

1,1-DICHLOROETHANE	34496	003	2014/05/22	< .500	2014/08
--------------------	-------	-----	------------	--------	---------

1,1-DICHLOROETHYLENE	34501	003	2014/05/22	< .500	2014/08
----------------------	-------	-----	------------	--------	---------

1,2,4-TRICHLOROBENZENE	34551	003	2014/05/22	< .500	2014/08
------------------------	-------	-----	------------	--------	---------

1,2-DICHLOROBENZENE	34536	003	2014/05/22	< .500	2014/08
---------------------	-------	-----	------------	--------	---------

1,2-DICHLOROETHANE	34531	003	2014/05/22	< .500	2014/08
--------------------	-------	-----	------------	--------	---------

1,2-DICHLOROPROPANE	34541	003	2014/05/22	< .500	2014/08
---------------------	-------	-----	------------	--------	---------

1,3-DICHLOROPROPENE (TOTAL)	34561	003	2014/05/22	< .500	2014/08
-----------------------------	-------	-----	------------	--------	---------

1,4-DICHLOROBENZENE	34571	003	2014/05/22	< .500	2014/08
---------------------	-------	-----	------------	--------	---------

BENZENE	34030	003	2014/05/22	< .500	2014/08
---------	-------	-----	------------	--------	---------

CARBON TETRACHLORIDE	32102	003	2014/05/22	< .500	2014/08
----------------------	-------	-----	------------	--------	---------

CIS-1,2-DICHLOROETHYLENE	77093	003	2014/05/22	< .500	2014/08
--------------------------	-------	-----	------------	--------	---------

DICHLOROMETHANE	34423	003	2014/05/22	< .500	2014/08
-----------------	-------	-----	------------	--------	---------

ETHYLBENZENE	34371	003	2014/05/22	< .500	2014/08
--------------	-------	-----	------------	--------	---------

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910033

System Name: CALIFORNIA WATER SERVICE CO. - DOMINGUEZ

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910033-018

Source Name: WELL 298-01

Source Number: 018

Source Status: ACTIVE RAW

Water type: G

REGULATED VOC

METHYL-TERT-BUTYL-ETHER (MTBE)	46491	003	2014/05/22	< 3.000	2014/08
MONOCHLORO BENZENE	34301	003	2014/05/22	< .500	2014/08
STYRENE	77128	003	2014/05/22	< .500	2014/08
TETRACHLOROETHYLENE	34475	003	2014/05/22	< .500	2014/08
TOLUENE	34010	003	2014/05/22	< .500	2014/08
TRANS-1,2-DICHLOROETHYLENE	34546	003	2014/05/22	< .500	2014/08
TRICHLOROETHYLENE	39180	003	2014/05/22	< .500	2014/08
TRICHLOROFLUOROMETHANE	34488	003	2014/05/22	< 5.000	2014/08
VINYL CHLORIDE	39175	003	2014/05/22	< .500	2014/08
XYLENES (TOTAL)	81551	003	2014/05/22	< .500	2014/08

SECONDARY/GP

BICARBONATE ALKALINITY	00440	036	2012/08/20	. 170.000	2015/08
CALCIUM	00916	036	2014/07/09	. 22.000	2017/07
CARBONATE ALKALINITY	00445	036	2012/08/20	2.200	2015/08
CHLORIDE	00940	036	2012/08/20	. 21.000	2015/08
COLOR	00081	036	2014/07/09	. 10.000	2017/07
COPPER	01042	036	2012/08/20	< .000	2015/08
FOAMING AGENTS (MBAS)	38260	036	2012/08/20	< .000	2015/08
HARDNESS (TOTAL) AS CaCO3	00900	036	2012/08/20	. 72.000	2015/08
HYDROXIDE ALKALINITY	71830	036	2012/08/20	< .000	2015/08
IRON	01045	036	2014/07/09	< 100.000	2017/07
MAGNESIUM	00927	036	2012/08/20	. 5.300	2015/08
MANGANESE	01055	036	2014/07/09	< 20.000	2017/07
ODOR THRESHOLD @ 60 C	00086	036	2014/07/09	. 1.000	2017/07
PH, LABORATORY	00403	036	2013/08/07	. 8.100	2016/08
SILVER	01077	036	2012/08/20	< .000	2015/08
SODIUM	00929	036	2012/08/20	54.000	2015/08
SPECIFIC CONDUCTANCE	00095	036	2012/08/20	. 360.000	2015/08
SULFATE	00945	036	2012/08/20	16.000	2015/08

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910033

System Name: CALIFORNIA WATER SERVICE CO. - DOMINGUEZ

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910033-018

Source Name: WELL 298-01

Source Number: 018

Source Status: ACTIVE RAW

Water type: G

SECONDARY/GP

TOTAL DISSOLVED SOLIDS	70300	036	2012/08/20	. 230.000	2015/08
TURBIDITY, LABORATORY	82079	036	2014/07/09	. .100	2017/07
ZINC	01092	036	2012/08/20	< .000	2015/08

PS Code: 1910033-019

Source Name: WELL 279-01

Source Number: 019

Source Status: ACTIVE RAW

Water type: G

INORGANIC

ALUMINUM	01105	036	2011/10/06	< .000	2014/10
ANTIMONY	01097	036	2011/10/06	< .000	2014/10
ARSENIC	01002	036	2011/10/06	< .000	2014/10
BARIUM	01007	036	2011/10/06	< .000	2014/10
BERYLLIUM	01012	036	2011/10/06	< .000	2014/10
CADMIUM	01027	036	2011/10/06	< .000	2014/10
CHROMIUM (TOTAL)	01034	036	2011/10/06	< .000	2014/10
CYANIDE	01291	036	2011/10/06	< .000	2014/10
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2011/10/06	. .280	2014/10
MERCURY	71900	036	2011/10/06	< .000	2014/10
NICKEL	01067	036	2011/10/06	< .000	2014/10
PERCHLORATE	A-031	036	2011/10/27	< .000	2014/10
SELENIUM	01147	036	2011/10/06	< .000	2014/10
THALLIUM	01059	036	2011/10/06	< .000	2014/10

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2013/10/23	. .148	2014/10
NITRITE (AS N)	00620	036	2011/10/06	< .000	2014/10

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910033

System Name: CALIFORNIA WATER SERVICE CO. - DOMINGUEZ

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910033-019

Source Name: WELL 279-01

Source Number: 019

Source Status: ACTIVE RAW

Water type: G

RADIOLOGICAL

GROSS ALPHA	01501	108	2008/09/18	< 3.000	2017/09
-------------	-------	-----	------------	---------	---------

REGULATED SOC

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2013/08/07	< .000	2016/05
THIOBENCARB	A-001	033	2013/08/07	< .000	2016/05

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	012	2014/06/25	< .000	2015/06
1,1,2,2-TETRACHLOROETHANE	34516	012	2014/06/25	< .000	2015/06
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/06/25	< .000	2015/06
1,1,2-TRICHLOROETHANE	34511	012	2014/06/25	< .000	2015/06
1,1-DICHLOROETHANE	34496	012	2014/06/25	< .000	2015/06
1,1-DICHLOROETHYLENE	34501	012	2014/06/25	< .000	2015/06
1,2,4-TRICHLOROBENZENE	34551	012	2014/06/25	< .000	2015/06
1,2-DICHLOROBENZENE	34536	012	2014/06/25	< .000	2015/06
1,2-DICHLOROETHANE	34531	012	2014/06/25	< .000	2015/06
1,2-DICHLOROPROPANE	34541	012	2014/06/25	< .000	2015/06
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/06/25	< .000	2015/06
1,4-DICHLOROBENZENE	34571	012	2014/06/25	< .000	2015/06
BENZENE	34030	012	2014/06/25	< .000	2015/06
CARBON TETRACHLORIDE	32102	012	2014/06/25	< .000	2015/06
CIS-1,2-DICHLOROETHYLENE	77093	012	2014/06/25	< .000	2015/06
DICHLOROMETHANE	34423	012	2014/06/25	< .000	2015/06
ETHYLBENZENE	34371	012	2014/06/25	< .000	2015/06
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/06/25	< .000	2015/06
MONOCHLOROBENZENE	34301	012	2014/06/25	< .000	2015/06
STYRENE	77128	012	2014/06/25	< .000	2015/06
TETRACHLOROETHYLENE	34475	012	2014/06/25	< .000	2015/06
TOLUENE	34010	012	2014/06/25	< .000	2015/06
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/06/25	< .000	2015/06
TRICHLOROETHYLENE	39180	012	2014/06/25	< .000	2015/06

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910033

System Name: CALIFORNIA WATER SERVICE CO. - DOMINGUEZ

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910033-019

Source Name: WELL 279-01

Source Number: 019

Source Status: ACTIVE RAW

Water type: G

REGULATED VOC

TRICHLOROFUOROMETHANE	34488	012	2014/06/25	< .000	2015/06
VINYL CHLORIDE	39175	012	2014/06/25	< .000	2015/06
XYLENES (TOTAL)	81551	012	2014/06/25	< .000	2015/06

SECONDARY/GP

BICARBONATE ALKALINITY	00440	036	2011/10/06	. 200.000	2014/10
CALCIUM	00916	036	2011/10/06	. 43.000	2014/10
CARBONATE ALKALINITY	00445	036	2011/10/06	5.400	2014/10
CHLORIDE	00940	036	2011/10/06	. 47.000	2014/10
COLOR	00081	036	2014/07/09	< 3.000	2017/07
COPPER	01042	036	2011/10/06	< .000	2014/10
FOAMING AGENTS (MBAS)	38260	036	2011/10/06	< .000	2014/10
HARDNESS (TOTAL) AS CaCO3	00900	036	2011/10/06	. 160.000	2014/10
HYDROXIDE ALKALINITY	71830	036	2011/10/06	< .000	2014/10
IRON	01045	036	2011/10/06	< .000	2014/10
MAGNESIUM	00927	036	2011/10/06	. 13.000	2014/10
MANGANESE	01055	036	2011/10/06	< .000	2014/10
ODOR THRESHOLD @ 60 C	00086	036	2014/07/09	. 2.000	2017/07
PH, LABORATORY	00403	036	2011/10/06	. 8.400	2014/10
SILVER	01077	036	2011/10/06	< .000	2014/10
SODIUM	00929	036	2011/10/06	50.000	2014/10
SPECIFIC CONDUCTANCE	00095	036	2011/10/06	. 540.000	2014/10
SULFATE	00945	036	2011/10/06	29.000	2014/10
TOTAL DISSOLVED SOLIDS	70300	036	2011/10/06	. 300.000	2014/10
TURBIDITY, LABORATORY	82079	036	2014/07/09	. .250	2017/07
ZINC	01092	036	2011/10/06	< .000	2014/10

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910033

System Name: CALIFORNIA WATER SERVICE CO. - DOMINGUEZ

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910033-022

Source Name: WELL 275-01

Source Number: 022

Source Status: ACTIVE RAW

Water type: G

INORGANIC

ALUMINUM	01105	036	2013/10/16	< .000	2016/10
ANTIMONY	01097	036	2013/10/16	< .000	2016/10
ARSENIC	01002	036	2013/10/16	< .000	2016/10
BARIUM	01007	036	2013/10/16	< .000	2016/10
BERYLLIUM	01012	036	2013/10/16	< .000	2016/10
CADMIUM	01027	036	2013/10/16	< .000	2016/10
CHROMIUM (TOTAL)	01034	036	2013/10/16	< .000	2016/10
CYANIDE	01291	036	2013/10/16	< .000	2016/10
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/10/16	.200	2016/10
MERCURY	71900	036	2013/10/16	< .000	2016/10
NICKEL	01067	036	2013/10/16	< .000	2016/10
PERCHLORATE	A-031	036	2013/09/11	< 4.000	2016/09
SELENIUM	01147	036	2013/10/16	< .000	2016/10
THALLIUM	01059	036	2013/10/16	< .000	2016/10

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2013/10/16	< .000	2014/10
NITRITE (AS N)	00620	036	2013/10/16	< .000	2016/10

RADIOLOGICAL

GROSS ALPHA	01501	108	2013/09/11	< 3.000	2022/09
-------------	-------	-----	------------	---------	---------

REGULATED SOC

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2013/09/11	< .000	2016/06
THIOBENCARB	A-001	033	2013/09/11	< .000	2016/06

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	012	2013/09/11	< .500	2014/09
1,1,2,2-TETRACHLOROETHANE	34516	012	2013/09/11	< .500	2014/09
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2013/09/11	< 10.000	2014/09
1,1,2-TRICHLOROETHANE	34511	012	2013/09/11	< .500	2014/09
1,1-DICHLOROETHANE	34496	012	2013/09/11	< .500	2014/09

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910033

System Name: CALIFORNIA WATER SERVICE CO. - DOMINGUEZ

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910033-022

Source Name: WELL 275-01

Source Number: 022

Source Status: ACTIVE RAW

Water type: G

REGULATED VOC

1,1-DICHLOROETHYLENE	34501	012	2013/09/11	< .500	2014/09
1,2,4-TRICHLOROBENZENE	34551	012	2013/09/11	< .500	2014/09
1,2-DICHLOROBENZENE	34536	012	2013/09/11	< .500	2014/09
1,2-DICHLOROETHANE	34531	012	2013/09/11	< .500	2014/09
1,2-DICHLOROPROPANE	34541	012	2013/09/11	< .500	2014/09
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2013/09/11	< .500	2014/09
1,4-DICHLOROBENZENE	34571	012	2013/09/11	< .500	2014/09
BENZENE	34030	012	2013/09/11	< .500	2014/09
CARBON TETRACHLORIDE	32102	012	2013/09/11	< .500	2014/09
CIS-1,2-DICHLOROETHYLENE	77093	012	2013/09/11	< .500	2014/09
DICHLOROMETHANE	34423	012	2013/09/11	< .500	2014/09
ETHYLBENZENE	34371	012	2013/09/11	< .500	2014/09
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2013/09/11	< 3.000	2014/09
MONOCHLOROENZENE	34301	012	2013/09/11	< .500	2014/09
STYRENE	77128	012	2013/09/11	< .500	2014/09
TETRACHLOROETHYLENE	34475	012	2013/09/11	< .500	2014/09
TOLUENE	34010	012	2013/09/11	< .500	2014/09
TRANS-1,2-DICHLOROETHYLENE	34546	012	2013/09/11	< .500	2014/09
TRICHLOROETHYLENE	39180	012	2013/09/11	< .500	2014/09
TRICHLOROFUOROMETHANE	34488	012	2013/09/11	< 5.000	2014/09
VINYL CHLORIDE	39175	012	2013/09/11	< .500	2014/09
XYLENES (TOTAL)	81551	012	2013/09/11	< .500	2014/09

SECONDARY/GP

BICARBONATE ALKALINITY	00440	036	2013/10/16	. 250.000	2016/10
CALCIUM	00916	036	2013/10/16	. 51.000	2016/10
CARBONATE ALKALINITY	00445	036	2013/10/16	< .000	2016/10
CHLORIDE	00940	036	2013/10/16	. 130.000	2016/10
COLOR	00081	036	2013/10/16	. 15.000	2016/10
COPPER	01042	036	2013/10/16	< .000	2016/10

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910033

System Name: CALIFORNIA WATER SERVICE CO. - DOMINGUEZ

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910033-022

Source Name: WELL 275-01

Source Number: 022

Source Status: ACTIVE RAW

Water type: G

SECONDARY/GP

FOAMING AGENTS (MBAS)	38260	036	2013/10/16	< .000	2016/10
HARDNESS (TOTAL) AS CaCO3	00900	036	2013/10/16	. 200.000	2016/10
HYDROXIDE ALKALINITY	71830	036	2013/10/16	< .000	2016/10
IRON	01045	036	2013/10/16	180.000	2016/10
MAGNESIUM	00927	036	2013/10/16	. 17.000	2016/10
MANGANESE	01055	036	2013/10/16	29.000	2016/10
ODOR THRESHOLD @ 60 C	00086	036	2013/10/16	< .000	2016/10
PH, LABORATORY	00403	036	2013/10/16	. 7.500	2016/10
SILVER	01077	036	2013/10/16	< .000	2016/10
SODIUM	00929	036	2013/10/16	74.000	2016/10
SPECIFIC CONDUCTANCE	00095	036	2013/10/16	. 780.000	2016/10
SULFATE	00945	036	2013/10/16	< .000	2016/10
TOTAL DISSOLVED SOLIDS	70300	036	2013/10/16	. 410.000	2016/10
TURBIDITY, LABORATORY	82079	036	2013/10/16	. .240	2016/10
ZINC	01092	036	2013/10/16	< .000	2016/10

PS Code: 1910033-023

Source Name: WELL 290-01

Source Number: 023

Source Status: ACTIVE RAW

Water type: G

INORGANIC

ALUMINUM	01105	036	2013/06/18	< .000	2016/06
ANTIMONY	01097	036	2013/06/18	< .000	2016/06
ARSENIC	01002	036	2013/06/18	< .000	2016/06
BARIUM	01007	036	2013/06/18	< .000	2016/06
BERYLLIUM	01012	036	2013/06/18	< .000	2016/06
CADMIUM	01027	036	2013/06/18	< .000	2016/06
CHROMIUM (TOTAL)	01034	036	2013/06/18	< .000	2016/06

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910033

System Name: CALIFORNIA WATER SERVICE CO. - DOMINGUEZ

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910033-023

Source Name: WELL 290-01

Source Number: 023

Source Status: ACTIVE RAW

Water type: G

INORGANIC

CYANIDE	01291	036	2013/06/18	< .000	2016/06
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/06/18	.240	2016/06
MERCURY	71900	036	2013/06/18	< .000	2016/06
NICKEL	01067	036	2013/06/18	< .000	2016/06
PERCHLORATE	A-031	036	2013/06/19	< 4.000	2016/06
SELENIUM	01147	036	2013/06/18	< .000	2016/06
THALLIUM	01059	036	2013/06/18	< .000	2016/06

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2014/01/22	< .000	2015/01
NITRITE (AS N)	00620	036	2013/06/18	< .000	2016/06

RADIOLOGICAL

GROSS ALPHA	01501	108	2013/06/19	< 3.000	2022/06
-------------	-------	-----	------------	---------	---------

REGULATED SOC

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2013/09/11	< .000	2016/06
THIOBENCARB	A-001	033	2013/09/11	< .000	2016/06

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	012	2014/01/29	.000	2015/01
1,1,2,2-TETRACHLOROETHANE	34516	012	2014/01/29	.000	2015/01
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/01/29	.000	2015/01
1,1,2-TRICHLOROETHANE	34511	012	2014/01/29	.000	2015/01
1,1-DICHLOROETHANE	34496	012	2014/01/29	.000	2015/01
1,1-DICHLOROETHYLENE	34501	012	2014/01/29	.000	2015/01
1,2,4-TRICHLOROBENZENE	34551	012	2014/01/29	.000	2015/01
1,2-DICHLOROBENZENE	34536	012	2014/01/29	.000	2015/01
1,2-DICHLOROETHANE	34531	012	2014/01/29	.000	2015/01
1,2-DICHLOROPROPANE	34541	012	2014/01/29	.000	2015/01
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/01/29	.000	2015/01
1,4-DICHLOROBENZENE	34571	012	2014/01/29	.000	2015/01

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910033

System Name: CALIFORNIA WATER SERVICE CO. - DOMINGUEZ

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910033-023

Source Name: WELL 290-01

Source Number: 023

Source Status: ACTIVE RAW

Water type: G

REGULATED VOC

BENZENE	34030	012	2014/01/29	.000	2015/01
CARBON TETRACHLORIDE	32102	012	2014/01/29	.000	2015/01
CIS-1,2-DICHLOROETHYLENE	77093	012	2014/01/29	.000	2015/01
DICHLOROMETHANE	34423	012	2014/01/29	.000	2015/01
ETHYLBENZENE	34371	012	2014/01/29	.000	2015/01
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/01/29	.000	2015/01
MONOCHLOROENZENE	34301	012	2014/01/29	.000	2015/01
STYRENE	77128	012	2014/01/29	.000	2015/01
TETRACHLOROETHYLENE	34475	012	2014/01/29	.000	2015/01
TOLUENE	34010	012	2014/01/29	.000	2015/01
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/01/29	.000	2015/01
TRICHLOROETHYLENE	39180	012	2014/01/29	.000	2015/01
TRICHLOROFUOROMETHANE	34488	012	2014/01/29	.000	2015/01
VINYL CHLORIDE	39175	012	2014/01/29	.000	2015/01
XYLENES (TOTAL)	81551	012	2014/01/29	.000	2015/01

SECONDARY/GP

BICARBONATE ALKALINITY	00440	036	2013/06/18	210.000	2016/06
CALCIUM	00916	036	2013/06/18	70.000	2016/06
CARBONATE ALKALINITY	00445	036	2013/06/18	<.000	2016/06
CHLORIDE	00940	036	2013/06/18	51.000	2016/06
COLOR	00081	036	2014/05/28	10.000	2017/05
COPPER	01042	036	2013/06/18	<.000	2016/06
FOAMING AGENTS (MBAS)	38260	036	2013/06/18	<.000	2016/06
HARDNESS (TOTAL) AS CaCO3	00900	036	2013/06/18	210.000	2016/06
HYDROXIDE ALKALINITY	71830	036	2013/06/18	<.000	2016/06
IRON	01045	036	2013/06/18	<.000	2016/06
MAGNESIUM	00927	036	2013/06/18	7.900	2016/06
MANGANESE	01055	036	2013/06/18	20.000	2016/06
ODOR THRESHOLD @ 60 C	00086	036	2014/05/28	<1.000	2017/05

*Testing interval is in months;
 0 = No data for this constituent and is DUE NOW
 I = Invalid (NOT) valid analyses reported
 Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910033

System Name: CALIFORNIA WATER SERVICE CO. - DOMINGUEZ

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910033-023

Source Name: WELL 290-01

Source Number: 023

Source Status: ACTIVE RAW

Water type: G

SECONDARY/GP

PH, LABORATORY	00403	036	2013/06/18	. 8.200	2016/06
SILVER	01077	036	2013/06/18	< .000	2016/06
SODIUM	00929	036	2013/06/18	66.000	2016/06
SPECIFIC CONDUCTANCE	00095	036	2013/06/18	. 680.000	2016/06
SULFATE	00945	036	2013/06/18	100.000	2016/06
TOTAL DISSOLVED SOLIDS	70300	036	2013/06/18	. 420.000	2016/06
TURBIDITY, LABORATORY	82079	036	2014/05/28	. .110	2017/05
ZINC	01092	036	2013/06/18	< .000	2016/06

PS Code: 1910033-024

Source Name: WELL 277-01

Source Number: 024

Source Status: ACTIVE RAW

Water type: G

INORGANIC

ALUMINUM	01105	036	2013/03/13	< .000	2016/03
ANTIMONY	01097	036	2013/03/13	< .000	2016/03
ARSENIC	01002	036	2013/03/13	< .000	2016/03
BARIUM	01007	036	2013/03/13	< .000	2016/03
BERYLLIUM	01012	036	2013/03/13	< .000	2016/03
CADMIUM	01027	036	2013/03/13	< .000	2016/03
CHROMIUM (TOTAL)	01034	036	2013/03/13	< .000	2016/03
CYANIDE	01291	036	2013/03/13	< .000	2016/03
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/03/13	. .240	2016/03
MERCURY	71900	036	2013/03/13	< .000	2016/03
NICKEL	01067	036	2013/03/13	< .000	2016/03
PERCHLORATE	A-031	036	2013/03/13	< 4.000	2016/03
SELENIUM	01147	036	2013/03/13	< .000	2016/03
THALLIUM	01059	036	2013/03/13	< .000	2016/03

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910033

System Name: CALIFORNIA WATER SERVICE CO. - DOMINGUEZ

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

PS Code: 1910033-024

Source Name: WELL 277-01

Source Number: 024

Source Status: ACTIVE RAW

Water type: G

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2013/03/13	< .000	2014/03	DUE
NITRITE (AS N)	00620	036	2013/03/13	< .000	2016/03	

RADIOLOGICAL

GROSS ALPHA	01501	108	2006/11/13	< 3.000	2015/11	
-------------	-------	-----	------------	---------	---------	--

REGULATED SOC

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2013/08/07	< .000	2016/05	
THIOBENCARB	A-001	033	2013/08/07	< .000	2016/05	

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	012	2014/06/25	< .000	2015/06	
1,1,2,2-TETRACHLOROETHANE	34516	012	2014/06/25	< .000	2015/06	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/06/25	< .000	2015/06	
1,1,2-TRICHLOROETHANE	34511	012	2014/06/25	< .000	2015/06	
1,1-DICHLOROETHANE	34496	012	2014/06/25	< .000	2015/06	
1,1-DICHLOROETHYLENE	34501	012	2014/06/25	< .000	2015/06	
1,2,4-TRICHLOROBENZENE	34551	012	2014/06/25	< .000	2015/06	
1,2-DICHLOROBENZENE	34536	012	2014/06/25	< .000	2015/06	
1,2-DICHLOROETHANE	34531	012	2014/06/25	< .000	2015/06	
1,2-DICHLOROPROPANE	34541	012	2014/06/25	< .000	2015/06	
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/06/25	< .000	2015/06	
1,4-DICHLOROBENZENE	34571	012	2014/06/25	< .000	2015/06	
BENZENE	34030	012	2014/06/25	< .000	2015/06	
CARBON TETRACHLORIDE	32102	012	2014/06/25	< .000	2015/06	
CIS-1,2-DICHLOROETHYLENE	77093	012	2014/06/25	< .000	2015/06	
DICHLOROMETHANE	34423	012	2014/06/25	< .000	2015/06	
ETHYLBENZENE	34371	012	2014/06/25	< .000	2015/06	
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/06/25	< .000	2015/06	
MONOCHLOROBENZENE	34301	012	2014/06/25	< .000	2015/06	
STYRENE	77128	012	2014/06/25	< .000	2015/06	

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910033

System Name: CALIFORNIA WATER SERVICE CO. - DOMINGUEZ

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910033-024

Source Name: WELL 277-01

Source Number: 024

Source Status: ACTIVE RAW

Water type: G

REGULATED VOC

TETRACHLOROETHYLENE	34475	012	2014/06/25	< .000	2015/06
TOLUENE	34010	012	2014/06/25	< .000	2015/06
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/06/25	< .000	2015/06
TRICHLOROETHYLENE	39180	012	2014/06/25	< .000	2015/06
TRICHLOROFUOROMETHANE	34488	012	2014/06/25	< .000	2015/06
VINYL CHLORIDE	39175	012	2014/06/25	< .000	2015/06
XYLENES (TOTAL)	81551	012	2014/06/25	< .000	2015/06

SECONDARY/GP

BICARBONATE ALKALINITY	00440	036	2013/03/13	. 190.000	2016/03
CALCIUM	00916	036	2013/03/13	. 21.000	2016/03
CARBONATE ALKALINITY	00445	036	2013/03/13	5.000	2016/03
CHLORIDE	00940	036	2013/03/13	. 21.000	2016/03
COLOR	00081	036	2014/02/26	< 3.000	2017/02
COPPER	01042	036	2013/03/13	< .000	2016/03
FOAMING AGENTS (MBAS)	38260	036	2013/03/13	< .000	2016/03
HARDNESS (TOTAL) AS CaCO3	00900	036	2013/03/13	. 72.000	2016/03
HYDROXIDE ALKALINITY	71830	036	2013/03/13	< .000	2016/03
IRON	01045	036	2013/03/13	< .000	2016/03
MAGNESIUM	00927	036	2013/03/13	. 4.800	2016/03
MANGANESE	01055	036	2013/03/13	< .000	2016/03
ODOR THRESHOLD @ 60 C	00086	036	2013/11/06	2.000	2016/11
PH, LABORATORY	00403	036	2013/03/13	. 8.400	2016/03
SILVER	01077	036	2013/03/13	< .000	2016/03
SODIUM	00929	036	2013/03/13	48.000	2016/03
SPECIFIC CONDUCTANCE	00095	036	2013/03/13	. 350.000	2016/03
SULFATE	00945	036	2013/03/13	2.600	2016/03
TOTAL DISSOLVED SOLIDS	70300	036	2013/03/13	. 210.000	2016/03
TURBIDITY, LABORATORY	82079	036	2014/02/26	. .380	2017/02
ZINC	01092	036	2013/03/13	< .000	2016/03

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910033

System Name: CALIFORNIA WATER SERVICE CO. - DOMINGUEZ

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910033-026

Source Name: RO PLANT EFF (W232-03TDS REDU/BE4 BLEND)

Source Number: 026

Source Status: COMBINATION OR BLEND TREATED

Water type: S

SECONDARY/GP

IRON	01045	001	2014/07/30	< 100.000	2014/08
TOTAL DISSOLVED SOLIDS	70300	001	2014/07/30	. 86.000	2014/08

PS Code: 1910033-028

Source Name: WELL 294-01 - STANDBY

Source Number: 028

Source Status: STANDBY RAW

Water type: G

INORGANIC

ALUMINUM	01105	108	2011/01/13	< 50.000	2020/01
ANTIMONY	01097	108	2011/01/13	< 6.000	2020/01
ARSENIC	01002	108	2011/01/13	< 2.000	2020/01
BARIUM	01007	108	2011/01/13	< 100.000	2020/01
BERYLLIUM	01012	108	2011/01/13	< 1.000	2020/01
CADMIUM	01027	108	2011/01/13	< 1.000	2020/01
CHROMIUM (TOTAL)	01034	108	2011/01/13	< 10.000	2020/01
CYANIDE	01291	108	2008/08/12	.000	2017/08
FLUORIDE (F) (NATURAL-SOURCE)	00951	108	2011/01/13	. .410	2020/01
MERCURY	71900	108	2011/01/13	< 1.000	2020/01
NICKEL	01067	108	2011/01/13	< 10.000	2020/01
PERCHLORATE	A-031	108	2008/08/12	.000	2017/08
SELENIUM	01147	108	2011/01/13	< 5.000	2020/01
THALLIUM	01059	108	2011/01/13	< 1.000	2020/01

NITRATE/NITRITE

NITRATE (AS NO3)	71850	108	2011/01/13	< 2.000	2020/01
NITRITE (AS N)	00620	108	2011/01/13	< 400.000	2020/01

RADIOLOGICAL

GROSS ALPHA	01501	108	2011/01/13	< 3.000	2020/01
-------------	-------	-----	------------	---------	---------

*Testing interval is in months;
 0 = No data for this constituent and is DUE NOW
 I = Invalid (NOT) valid analyses reported
 Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910033

System Name: CALIFORNIA WATER SERVICE CO. - DOMINGUEZ

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910033-028

Source Name: WELL 294-01 - STANDBY

Source Number: 028

Source Status: STANDBY RAW

Water type: G

RADIOLOGICAL

RADIUM 226	09501	108	2008/08/12	< 1.000	2017/08
RADIUM 228	11501	108	2011/01/13	< 1.000	2020/01
URANIUM (PCI/L)	28012	108	2011/01/13	< 1.000	2020/01

REGULATED SOC

DI(2-ETHYLHEXYL)PHTHALATE	39100	108	2011/01/13	< 3.000	2020/01
THIOBENCARB	A-001	108	2011/01/13	< 1.000	2020/01

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	108	2011/01/13	< .500	2020/01
1,1,2,2-TETRACHLOROETHANE	34516	108	2011/01/13	< .500	2020/01
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	108	2011/01/13	< 10.000	2020/01
1,1,2-TRICHLOROETHANE	34511	108	2011/01/13	< .500	2020/01
1,1-DICHLOROETHANE	34496	108	2011/01/13	< .500	2020/01
1,1-DICHLOROETHYLENE	34501	108	2011/01/13	< .500	2020/01
1,2,4-TRICHLOROBENZENE	34551	108	2011/01/13	< .500	2020/01
1,2-DICHLOROBENZENE	34536	108	2011/01/13	< .500	2020/01
1,2-DICHLOROETHANE	34531	108	2011/01/13	< .500	2020/01
1,2-DICHLOROPROPANE	34541	108	2011/01/13	< .500	2020/01
1,3-DICHLOROPROPENE (TOTAL)	34561	108	2011/01/13	< .500	2020/01
1,4-DICHLOROBENZENE	34571	108	2011/01/13	< .500	2020/01
BENZENE	34030	108	2011/01/13	< .500	2020/01
CARBON TETRACHLORIDE	32102	108	2011/01/13	< .500	2020/01
CIS-1,2-DICHLOROETHYLENE	77093	108	2011/01/13	< .500	2020/01
DICHLOROMETHANE	34423	108	2011/01/13	< .500	2020/01
ETHYLBENZENE	34371	108	2011/01/13	< .500	2020/01
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	108	2011/01/13	< 3.000	2020/01
MONOCHLOROBENZENE	34301	108	2011/01/13	< .500	2020/01
STYRENE	77128	108	2011/01/13	< .500	2020/01
TETRACHLOROETHYLENE	34475	108	2011/01/13	< .500	2020/01
TOLUENE	34010	108	2011/01/13	< .500	2020/01

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910033

System Name: CALIFORNIA WATER SERVICE CO. - DOMINGUEZ

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910033-028

Source Name: WELL 294-01 - STANDBY

Source Number: 028

Source Status: STANDBY RAW

Water type: G

REGULATED VOC

TRANS-1,2-DICHLOROETHYLENE	34546	108	2011/01/13	< .500	2020/01
TRICHLOROETHYLENE	39180	108	2011/01/13	< .500	2020/01
TRICHLOROFUOROMETHANE	34488	108	2011/01/13	< 5.000	2020/01
VINYL CHLORIDE	39175	108	2011/01/13	< .500	2020/01
XYLENES (TOTAL)	81551	108	2011/01/13	< 1.000	2020/01

SECONDARY/GP

BICARBONATE ALKALINITY	00440	108	2011/01/13	. 170.000	2020/01
CALCIUM	00916	108	2011/01/13	. 22.000	2020/01
CARBONATE ALKALINITY	00445	108	2011/01/13	< 2.000	2020/01
CHLORIDE	00940	108	2011/01/13	. 22.000	2020/01
COLOR	00081	108	2011/01/13	. 20.000	2020/01
COPPER	01042	108	2011/01/13	< 50.000	2020/01
FOAMING AGENTS (MBAS)	38260	108	2011/01/13	< .050	2020/01
HARDNESS (TOTAL) AS CaCO3	00900	108	2011/01/13	. 68.000	2020/01
HYDROXIDE ALKALINITY	71830	108	2011/01/13	< 2.000	2020/01
IRON	01045	108	2011/01/13	< 100.000	2020/01
MAGNESIUM	00927	108	2011/01/13	. 3.100	2020/01
MANGANESE	01055	108	2011/01/13	< 20.000	2020/01
ODOR THRESHOLD @ 60 C	00086	108	2011/01/13	1.000	2020/01
PH, LABORATORY	00403	108	2011/01/13	8.100	2020/01
SILVER	01077	108	2011/01/13	< 10.000	2020/01
SODIUM	00929	108	2011/01/13	56.000	2020/01
SPECIFIC CONDUCTANCE	00095	108	2011/01/13	. 390.000	2020/01
SULFATE	00945	108	2011/01/13	24.000	2020/01
TOTAL DISSOLVED SOLIDS	70300	108	2011/01/13	. 260.000	2020/01
TURBIDITY, LABORATORY	82079	108	2008/08/12	.140	2017/08
ZINC	01092	108	2011/01/13	< 50.000	2020/01

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910033

System Name: CALIFORNIA WATER SERVICE CO. - DOMINGUEZ

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

PS Code: 1910033-029

Source Name: MWD CONN. WB-9 - LONG BEACH LATERAL-TRTD

Source Number: 029

Source Status: PURCHASED TREATED

Water type: S

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

PS Code: 1910033-030

Source Name: MWD CONN. WB-10 LONG BEACH LATERAL-TRTD

Source Number: 030

Source Status: PURCHASED TREATED

Water type: S

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

PS Code: 1910033-031

Source Name: MWD CONN. WB-14 - MIDDLE FEEDER/TREATED

Source Number: 031

Source Status: PURCHASED TREATED

Water type: S

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

PS Code: 1910033-032

Source Name: MWD CONN. WB-21-PALOS VERDES FDR/TREATED

Source Number: 032

Source Status: PURCHASED TREATED

Water type: S

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

*Testing interval is in months;
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910033

System Name: CALIFORNIA WATER SERVICE CO. - DOMINGUEZ

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

PS Code: 1910033-033

Source Name: MWD CONN. WB-35 - VICTORIA ST.LATERAL

Source Number: 033

Source Status: PURCHASED TREATED

Water type: S

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED *** 999

PS Code: 1910033-034

Source Name: MWD CONN. WB-36-PALOS VERDES FDR/TREATED

Source Number: 034

Source Status: PURCHASED TREATED

Water type: S

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED *** 999

PS Code: 1910033-035

Source Name: MWD CONN. WB-39 TORRANCE LATERAL-TREATED

Source Number: 035

Source Status: PURCHASED TREATED

Water type: S

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED *** 999

PS Code: 1910033-036

Source Name: WELL 297-01

Source Number: 036

Source Status: ACTIVE RAW

Water type: G

INORGANIC

ALUMINUM	01105	036	2013/05/08	< .000	2016/05
ANTIMONY	01097	036	2013/05/08	< .000	2016/05
ARSENIC	01002	036	2013/05/08	< .000	2016/05
BARIUM	01007	036	2013/05/08	< .000	2016/05
BERYLLIUM	01012	036	2013/05/08	< .000	2016/05

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910033

System Name: CALIFORNIA WATER SERVICE CO. - DOMINGUEZ

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910033-036

Source Name: WELL 297-01

Source Number: 036

Source Status: ACTIVE RAW

Water type: G

INORGANIC

CADMIUM	01027	036	2013/05/08	< .000	2016/05
CHROMIUM (TOTAL)	01034	036	2013/05/08	< .000	2016/05
CYANIDE	01291	036	2013/05/08	< .000	2016/05
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/05/08	.450	2016/05
MERCURY	71900	036	2013/05/08	< .000	2016/05
NICKEL	01067	036	2013/05/08	< .000	2016/05
PERCHLORATE	A-031	036	2013/05/09	< 4.000	2016/05
SELENIUM	01147	036	2013/05/08	< .000	2016/05
THALLIUM	01059	036	2013/05/08	< .000	2016/05

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2014/05/21	.016	2015/05
NITRITE (AS N)	00620	036	2013/05/08	< .000	2016/05

RADIOLOGICAL

GROSS ALPHA	01501	108	2013/05/08	< 3.000	2022/05
-------------	-------	-----	------------	---------	---------

REGULATED SOC

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2013/11/20	< .000	2016/08
THIOBENCARB	A-001	033	2013/11/20	< .000	2016/08

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	012	2013/09/10	.000	2014/09
1,1,1,2-TETRACHLOROETHANE	34516	012	2013/09/10	.000	2014/09
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2013/09/10	.000	2014/09
1,1,2-TRICHLOROETHANE	34511	012	2013/09/10	.000	2014/09
1,1-DICHLOROETHANE	34496	012	2013/09/10	.000	2014/09
1,1-DICHLOROETHYLENE	34501	012	2013/09/10	.000	2014/09
1,2,4-TRICHLOROBENZENE	34551	012	2013/09/10	.000	2014/09
1,2-DICHLOROBENZENE	34536	012	2013/09/10	.000	2014/09
1,2-DICHLOROETHANE	34531	012	2013/09/10	.000	2014/09
1,2-DICHLOROPROPANE	34541	012	2013/09/10	.000	2014/09

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910033

System Name: CALIFORNIA WATER SERVICE CO. - DOMINGUEZ

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910033-036

Source Name: WELL 297-01

Source Number: 036

Source Status: ACTIVE RAW

Water type: G

REGULATED VOC

1,3-DICHLOROPROPENE (TOTAL)	34561	012	2013/09/10	.000	2014/09
1,4-DICHLOROBENZENE	34571	012	2013/09/10	.000	2014/09
BENZENE	34030	012	2013/09/10	.000	2014/09
CARBON TETRACHLORIDE	32102	012	2013/09/10	.000	2014/09
CIS-1,2-DICHLOROETHYLENE	77093	012	2013/09/10	.000	2014/09
DICHLOROMETHANE	34423	012	2013/09/10	.000	2014/09
ETHYLBENZENE	34371	012	2013/09/10	.000	2014/09
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2013/09/10	.000	2014/09
MONOCHLOROBENZENE	34301	012	2013/09/10	.000	2014/09
STYRENE	77128	012	2013/09/10	.000	2014/09
TETRACHLOROETHYLENE	34475	012	2013/09/10	.000	2014/09
TOLUENE	34010	012	2013/09/10	.000	2014/09
TRANS-1,2-DICHLOROETHYLENE	34546	012	2013/09/10	.000	2014/09
TRICHLOROETHYLENE	39180	012	2013/09/10	.000	2014/09
TRICHLOROFUOROMETHANE	34488	012	2013/09/10	.000	2014/09
VINYL CHLORIDE	39175	012	2013/09/10	.000	2014/09
XYLENES (TOTAL)	81551	012	2013/09/10	.000	2014/09

SECONDARY/GP

BICARBONATE ALKALINITY	00440	036	2013/05/08	170.000	2016/05
CALCIUM	00916	036	2013/05/08	16.000	2016/05
CARBONATE ALKALINITY	00445	036	2013/05/08	5.500	2016/05
CHLORIDE	00940	036	2013/05/08	21.000	2016/05
COLOR	00081	003	2014/05/14	25.000	2014/08
COPPER	01042	036	2013/05/08	<.000	2016/05
FOAMING AGENTS (MBAS)	38260	036	2013/05/08	<.000	2016/05
HARDNESS (TOTAL) AS CaCO3	00900	036	2013/05/08	46.000	2016/05
HYDROXIDE ALKALINITY	71830	036	2013/05/08	<.000	2016/05
IRON	01045	036	2013/05/08	<.000	2016/05
MAGNESIUM	00927	036	2013/05/08	1.500	2016/05

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910033

System Name: CALIFORNIA WATER SERVICE CO. - DOMINGUEZ

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910033-036

Source Name: WELL 297-01

Source Number: 036

Source Status: ACTIVE RAW

Water type: G

SECONDARY/GP

MANGANESE	01055	036	2013/05/08	< .000	2016/05
ODOR THRESHOLD @ 60 C	00086	036	2014/05/14	< 1.000	2017/05
PH, LABORATORY	00403	036	2013/05/08	. 8.500	2016/05
SILVER	01077	036	2013/05/08	< .000	2016/05
SODIUM	00929	036	2013/05/08	67.000	2016/05
SPECIFIC CONDUCTANCE	00095	036	2013/05/08	. 360.000	2016/05
SULFATE	00945	036	2013/05/08	21.000	2016/05
TOTAL DISSOLVED SOLIDS	70300	036	2013/05/08	. 220.000	2016/05
TURBIDITY, LABORATORY	82079	036	2014/05/14	. .120	2017/05
ZINC	01092	036	2013/05/08	< .000	2016/05

PS Code: 1910033-048

Source Name: OXIDATION EFF W298-01

Source Number: 048

Source Status: ACTIVE TREATED

Water type: S

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

PS Code: 1910033-049

Source Name: MWD CONN. WB-19 - TREATED

Source Number: 049

Source Status: PURCHASED TREATED

Water type: S

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

*Testing interval is in months;
 0 = No data for this constituent and is DUE NOW
 I = Invalid (NOT) valid analyses reported
 Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910033

System Name: CALIFORNIA WATER SERVICE CO. - DOMINGUEZ

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910033-050

Source Name: WELL 232-03

Source Number: 050

Source Status: ACTIVE RAW

Water type: G

INORGANIC

ALUMINUM	01105	036	2014/07/09	.931	2017/07	
ANTIMONY	01097	036	2014/07/09	.059	2017/07	
ARSENIC	01002	036	2014/07/09	3.604	2017/07	
BARIUM	01007	036	2013/07/17	130.000	2016/07	
BERYLLIUM	01012	036	2014/07/09	.003	2017/07	
CADMIUM	01027	036	2014/07/09	.014	2017/07	
CHROMIUM (TOTAL)	01034	036	2014/07/09	1.663	2017/07	
CHROMIUM, HEXAVALENT	01032	036	2011/06/29	< 1.000	2014/06	DUE
CYANIDE	01291	036	2013/07/17	< .000	2016/07	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/07/17	< .000	2016/07	
MERCURY	71900	036	2013/07/17	< .000	2016/07	
NICKEL	01067	036	2014/07/09	5.644	2017/07	
PERCHLORATE	A-031	036	2013/07/17	< 4.000	2016/07	
SELENIUM	01147	036	2013/07/17	41.000	2016/07	
THALLIUM	01059	036	2014/07/09	< .000	2017/07	

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2014/07/16	< .000	2015/07	
NITRITE (AS N)	00620	036	2013/07/17	< .000	2016/07	

RADIOLOGICAL

GROSS ALPHA	01501	072	2014/07/16	< 3.000	2020/07	
RADIUM 226	09501	108	2014/07/16	< 1.000	2023/07	
RADIUM 228	11501	108	2014/07/16	< 1.000	2023/07	
URANIUM (PCI/L)	28012	108	2014/07/09	< .000	2023/07	

REGULATED SOC

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2013/08/07	< .000	2016/05	
THIOBENCARB	A-001	033	2013/08/07	< .000	2016/05	

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	012	2014/07/23	< .000	2015/07	
-----------------------	-------	-----	------------	--------	---------	--

*Testing interval is in months;
 0 = No data for this constituent and is DUE NOW
 I = Invalid (NOT) valid analyses reported
 Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910033

System Name: CALIFORNIA WATER SERVICE CO. - DOMINGUEZ

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910033-050

Source Name: WELL 232-03

Source Number: 050

Source Status: ACTIVE RAW

Water type: G

REGULATED VOC

1,1,2,2-TETRACHLOROETHANE	34516	012	2014/07/23	< .000	2015/07
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/07/23	< .000	2015/07
1,1,2-TRICHLOROETHANE	34511	012	2014/07/23	< .000	2015/07
1,1-DICHLOROETHANE	34496	012	2014/07/23	< .000	2015/07
1,1-DICHLOROETHYLENE	34501	012	2014/07/23	< .000	2015/07
1,2,4-TRICHLOROBENZENE	34551	012	2014/07/23	< .000	2015/07
1,2-DICHLOROBENZENE	34536	012	2014/07/23	< .000	2015/07
1,2-DICHLOROETHANE	34531	012	2014/07/23	< .000	2015/07
1,2-DICHLOROPROPANE	34541	012	2014/07/23	< .000	2015/07
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/07/23	< .000	2015/07
1,4-DICHLOROBENZENE	34571	012	2014/07/23	< .000	2015/07
BENZENE	34030	012	2014/07/23	< .000	2015/07
CARBON TETRACHLORIDE	32102	012	2014/07/23	< .000	2015/07
CIS-1,2-DICHLOROETHYLENE	77093	012	2014/07/23	< .000	2015/07
DICHLOROMETHANE	34423	012	2014/07/23	< .000	2015/07
ETHYLBENZENE	34371	012	2014/07/23	< .000	2015/07
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/07/23	< .000	2015/07
MONOCHLOROBENZENE	34301	012	2014/07/23	< .000	2015/07
STYRENE	77128	012	2014/07/23	< .000	2015/07
TETRACHLOROETHYLENE	34475	012	2014/07/23	< .000	2015/07
TOLUENE	34010	012	2014/07/23	< .000	2015/07
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/07/23	< .000	2015/07
TRICHLOROETHYLENE	39180	012	2014/07/23	< .000	2015/07
TRICHLOROFUOROMETHANE	34488	012	2014/07/23	< .000	2015/07
VINYL CHLORIDE	39175	012	2014/07/23	< .000	2015/07
XYLENES (TOTAL)	81551	012	2014/07/23	< .000	2015/07

SECONDARY/GP

BICARBONATE ALKALINITY	00440	036	2013/07/17	. 190.000	2016/07
CALCIUM	00916	036	2013/07/17	. 510.000	2016/07

*Testing interval is in months;
 0 = No data for this constituent and is DUE NOW
 I = Invalid (NOT) valid analyses reported
 Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910033

System Name: CALIFORNIA WATER SERVICE CO. - DOMINGUEZ

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910033-050

Source Name: WELL 232-03

Source Number: 050

Source Status: ACTIVE RAW

Water type: G

SECONDARY/GP

CARBONATE ALKALINITY	00445	036	2013/07/17	< .000	2016/07
CHLORIDE	00940	036	2014/07/30	. 1900.000	2017/07
COLOR	00081	036	2013/07/17	. 5.000	2016/07
COPPER	01042	036	2014/07/09	. 15.114	2017/07
FOAMING AGENTS (MBAS)	38260	036	2013/07/17	< .000	2016/07
HARDNESS (TOTAL) AS CaCO3	00900	036	2013/07/17	. 2000.000	2016/07
HYDROXIDE ALKALINITY	71830	036	2013/07/17	< .000	2016/07
IRON	01045	036	2014/07/30	< 100.000	2017/07
MAGNESIUM	00927	036	2013/07/17	. 170.000	2016/07
MANGANESE	01055	036	2014/07/30	. 230.000	2017/07
ODOR THRESHOLD @ 60 C	00086	036	2013/07/17	4.000	2016/07
PH, LABORATORY	00403	036	2013/10/16	. 7.700	2016/10
SILVER	01077	036	2013/07/17	< .000	2016/07
SODIUM	00929	036	2013/07/17	670.000	2016/07
SPECIFIC CONDUCTANCE	00095	036	2013/07/17	. 6600.000	2016/07
SULFATE	00945	036	2013/07/17	380.000	2016/07
TOTAL DISSOLVED SOLIDS	70300	036	2014/07/30	. 4800.000	2017/07
TURBIDITY, LABORATORY	82079	036	2013/07/17	< .000	2016/07
ZINC	01092	036	2014/07/09	. 1.271	2017/07

PS Code: 1910033-052

Source Name: RO EFF W232-03 (POST BLEND & CL2)

Source Number: 052

Source Status: COMBINATION OR BLEND TREATED

Water type: S

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

*Testing interval is in months;
 0 = No data for this constituent and is DUE NOW
 I = Invalid (NOT) valid analyses reported
 Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910033

System Name: CALIFORNIA WATER SERVICE CO. - DOMINGUEZ

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

PS Code: 1910033-053

Source Name: AERATION EFF W298-01

Source Number: 053

Source Status: ACTIVE TREATED

Water type: S

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

PS Code: 1910033-055

Source Name: OXIDATION EFF W279-01

Source Number: 055

Source Status: ACTIVE TREATED

Water type: S

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

PS Code: 1910033-056

Source Name: OXIDATION EFF W275-01

Source Number: 056

Source Status: ACTIVE TREATED

Water type: S

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

PS Code: 1910033-057

Source Name: OXIDATION EFF W297-01

Source Number: 057

Source Status: ACTIVE TREATED

Water type: S

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

*Testing interval is in months;
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910033

System Name: CALIFORNIA WATER SERVICE CO. - DOMINGUEZ

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

PS Code: 1910033-058

Source Name: OXIDATION EFF W277-01

Source Number: 058

Source Status: ACTIVE TREATED

Water type: S

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

PS Code: 1910033-800

Source Name: DOM-C-WB14-W BASIN-14 CONNECT.-STG2 DBP

Source Number: 800

Source Status: DISTRIBUTION TREATED

Water type: S

HALOACETIC ACIDS

DIBROMOACETIC ACID (DBAA)	82721	003	2014/05/07	. 3.200	2014/08
DICHLOROACETIC ACID (DCAA)	77288	003	2014/05/07	. 11.000	2014/08
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/05/07	. 19.000	2014/08
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/05/07	< .000	2014/08
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/05/07	< .000	2014/08
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/05/07	. 4.700	2014/08

STATE UCMR

BROMODICHLORMETHANE (THM)	32101	003	2014/05/07	. 10.160	2014/08
BROMOFORM (THM)	32104	003	2014/05/07	. 2.130	2014/08
CHLOROFORM (THM)	32106	003	2014/05/07	. 12.230	2014/08
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/05/07	. 8.900	2014/08

TRIHALOMETHANES

TOTAL TRIHALOMETHANES	82080	003	2014/05/07	. 33.400	2014/08
-----------------------	-------	-----	------------	----------	---------

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910033

System Name: CALIFORNIA WATER SERVICE CO. - DOMINGUEZ

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910033-801

Source Name: DOM-D-005-150 W HARCOURT, L.BCH-STG2 DBP

Source Number: 801

Source Status: DISTRIBUTION TREATED

Water type: S

HALOACETIC ACIDS

DIBROMOACETIC ACID (DBAA)	82721	003	2014/05/07	. 2.100	2014/08
DICHLOROACETIC ACID (DCAA)	77288	003	2014/05/07	. 9.900	2014/08
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/05/07	. 26.000	2014/08
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/05/07	< .000	2014/08
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/05/07	. 2.900	2014/08
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/05/07	. 11.000	2014/08

STATE UCMR

BROMODICHLORMETHANE (THM)	32101	003	2014/05/07	. 18.260	2014/08
BROMOFORM (THM)	32104	003	2014/05/07	. .930	2014/08
CHLOROFORM (THM)	32106	003	2014/05/07	. 39.030	2014/08
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/05/07	. 8.650	2014/08

TRIHALOMETHANES

TOTAL TRIHALOMETHANES	82080	003	2014/05/07	. 66.900	2014/08
-----------------------	-------	-----	------------	----------	---------

PS Code: 1910033-802

Source Name: DOM-D-006-355 W CAROB ST, CMPTN-STG2 DBP

Source Number: 802

Source Status: DISTRIBUTION TREATED

Water type: S

HALOACETIC ACIDS

DIBROMOACETIC ACID (DBAA)	82721	003	2014/05/07	. 2.600	2014/08
DICHLOROACETIC ACID (DCAA)	77288	003	2014/05/07	. 5.300	2014/08
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/05/07	. 10.000	2014/08
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/05/07	< .000	2014/08
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/05/07	< .000	2014/08
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/05/07	. 2.500	2014/08

STATE UCMR

BROMODICHLORMETHANE (THM)	32101	003	2014/05/07	. 6.380	2014/08
---------------------------	-------	-----	------------	---------	---------

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910033

System Name: CALIFORNIA WATER SERVICE CO. - DOMINGUEZ

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910033-802

Source Name: DOM-D-006-355 W CAROB ST, CMPTN-STG2 DBP

Source Number: 802

Source Status: DISTRIBUTION TREATED

Water type: S

STATE UCMR

BROMOFORM (THM)	32104	003	2014/05/07	. 1.870	2014/08
CHLOROFORM (THM)	32106	003	2014/05/07	. 7.970	2014/08
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/05/07	. 5.360	2014/08

TRihalOMETHANES

TOTAL TRIHALOMETHANES	82080	003	2014/05/07	. 21.700	2014/08
-----------------------	-------	-----	------------	----------	---------

PS Code: 1910033-803

Source Name: DOM-D-008-19327 BELSHAW AV, CRSN-STG2 DBP

Source Number: 803

Source Status: DISTRIBUTION TREATED

Water type: S

HALOACETIC ACIDS

DIBROMOACETIC ACID (DBAA)	82721	003	2014/05/07	. 3.200	2014/08
DICHLOROACETIC ACID (DCAA)	77288	003	2014/05/07	. 9.300	2014/08
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/05/07	. 17.000	2014/08
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/05/07	< .000	2014/08
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/05/07	< .000	2014/08
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/05/07	. 4.400	2014/08

STATE UCMR

BROMODICHLORMETHANE (THM)	32101	003	2014/05/07	. 10.210	2014/08
BROMOFORM (THM)	32104	003	2014/05/07	. 2.050	2014/08
CHLOROFORM (THM)	32106	003	2014/05/07	. 13.440	2014/08
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/05/07	. 8.810	2014/08

TRihalOMETHANES

TOTAL TRIHALOMETHANES	82080	003	2014/05/07	. 34.500	2014/08
-----------------------	-------	-----	------------	----------	---------

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910033

System Name: CALIFORNIA WATER SERVICE CO. - DOMINGUEZ

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910033-804

Source Name: DOM-D-025-504 E PACIFIC ST,CRSN-STG2 DBP

Source Number: 804

Source Status: DISTRIBUTION TREATED

Water type: S

HALOACETIC ACIDS

DIBROMOACETIC ACID (DBAA)	82721	003	2014/05/07	. 3.500	2014/08
DICHLOROACETIC ACID (DCAA)	77288	003	2014/05/07	. 11.000	2014/08
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/05/07	. 20.000	2014/08
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/05/07	< .000	2014/08
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/05/07	< .000	2014/08
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/05/07	. 5.800	2014/08

STATE UCMR

BROMODICHLORMETHANE (THM)	32101	003	2014/05/07	. 9.910	2014/08
BROMOFORM (THM)	32104	003	2014/05/07	. 2.250	2014/08
CHLOROFORM (THM)	32106	003	2014/05/07	. 13.300	2014/08
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/05/07	. 8.980	2014/08

TRIHALOMETHANES

TOTAL TRIHALOMETHANES	82080	003	2014/05/07	. 34.500	2014/08
-----------------------	-------	-----	------------	----------	---------

PS Code: 1910033-805

Source Name: DOM-D-026-24609 NEPTUNE AV,CRSN-STG2 DBP

Source Number: 805

Source Status: DISTRIBUTION TREATED

Water type: S

HALOACETIC ACIDS

DIBROMOACETIC ACID (DBAA)	82721	003	2014/05/07	. 3.200	2014/08
DICHLOROACETIC ACID (DCAA)	77288	003	2014/05/07	. 10.000	2014/08
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/05/07	. 18.000	2014/08
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/05/07	< .000	2014/08
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/05/07	< .000	2014/08
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/05/07	. 5.100	2014/08

STATE UCMR

BROMODICHLORMETHANE (THM)	32101	003	2014/07/16	. 16.760	2014/10
---------------------------	-------	-----	------------	----------	---------

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910033

System Name: CALIFORNIA WATER SERVICE CO. - DOMINGUEZ

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910033-805

Source Name: DOM-D-026-24609 NEPTUNE AV,CRSN-STG2 DBP

Source Number: 805

Source Status: DISTRIBUTION TREATED

Water type: S

STATE UCMR

BROMOFORM (THM)	32104	003	2014/07/16	. 3.000	2014/10
CHLOROFORM (THM)	32106	003	2014/07/16	. 25.050	2014/10
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/07/16	. 14.470	2014/10

TRIHALOMETHANES

TOTAL TRIHALOMETHANES	82080	003	2014/07/16	. 59.400	2014/10
-----------------------	-------	-----	------------	----------	---------

PS Code: 1910033-806

Source Name: DOM-D-030-1907 E SEPULVEDA,CRSN-STG2 DBP

Source Number: 806

Source Status: DISTRIBUTION TREATED

Water type: S

HALOACETIC ACIDS

DIBROMOACETIC ACID (DBAA)	82721	003	2014/05/07	. 3.200	2014/08
DICHLOROACETIC ACID (DCAA)	77288	003	2014/05/07	. 8.500	2014/08
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/05/07	. 16.000	2014/08
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/05/07	< .000	2014/08
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/05/07	< .000	2014/08
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/05/07	. 4.800	2014/08

STATE UCMR

BROMODICHLORMETHANE (THM)	32101	003	2014/05/07	. 10.330	2014/08
BROMOFORM (THM)	32104	003	2014/05/07	. 2.450	2014/08
CHLOROFORM (THM)	32106	003	2014/05/07	. 12.340	2014/08
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/05/07	. 9.460	2014/08

TRIHALOMETHANES

TOTAL TRIHALOMETHANES	82080	003	2014/05/07	. 34.600	2014/08
-----------------------	-------	-----	------------	----------	---------

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910033

System Name: CALIFORNIA WATER SERVICE CO. - DOMINGUEZ

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910033-807

Source Name: DOM-D-033-1500 E GLENN CURTISS -STG2 DBP

Source Number: 807

Source Status: DISTRIBUTION TREATED

Water type: S

HALOACETIC ACIDS

DIBROMOACETIC ACID (DBAA)	82721	003	2014/05/07	. 3.200	2014/08
DICHLOROACETIC ACID (DCAA)	77288	003	2014/05/07	. 11.000	2014/08
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/05/07	. 19.000	2014/08
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/05/07	< .000	2014/08
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/05/07	< .000	2014/08
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/05/07	. 4.600	2014/08

STATE UCMR

BROMODICHLORMETHANE (THM)	32101	003	2014/05/07	. 9.880	2014/08
BROMOFORM (THM)	32104	003	2014/05/07	. 2.090	2014/08
CHLOROFORM (THM)	32106	003	2014/05/07	. 12.870	2014/08
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/05/07	. 8.910	2014/08

TRIHALOMETHANES

TOTAL TRIHALOMETHANES	82080	003	2014/05/07	. 33.800	2014/08
-----------------------	-------	-----	------------	----------	---------

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910036

System Name: CALIFORNIA WATER SERVICE CO. - ELA

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910036-003

Source Name: WELL 07-02 - STANDBY

Source Number: 003

Source Status: STANDBY RAW

Water type: G

INORGANIC

ALUMINUM	01105	108	2012/01/18	. 230.000	2021/01
ANTIMONY	01097	108	2012/01/18	< .000	2021/01
ARSENIC	01002	108	2012/01/18	< .000	2021/01
BARIUM	01007	108	2012/01/18	< .000	2021/01
BERYLLIUM	01012	108	2012/01/18	< .000	2021/01
CADMIUM	01027	108	2012/01/18	< .000	2021/01
CHROMIUM (TOTAL)	01034	108	2012/01/18	. 18.000	2021/01
CYANIDE	01291	108	2012/01/18	< .000	2021/01
FLUORIDE (F) (NATURAL-SOURCE)	00951	108	2012/01/18	. .400	2021/01
MERCURY	71900	108	2012/01/18	< .000	2021/01
NICKEL	01067	108	2012/01/18	< .000	2021/01
PERCHLORATE	A-031	108	2012/01/18	< 4.000	2021/01
SELENIUM	01147	108	2012/01/18	< .000	2021/01
THALLIUM	01059	108	2012/01/18	< .000	2021/01

NITRATE/NITRITE

NITRATE (AS NO3)	71850	108	2012/01/18	. 34.000	2021/01
NITRITE (AS N)	00620	108	2012/01/18	< .000	2021/01

RADIOLOGICAL

GROSS ALPHA	01501	108	2012/01/18	< 3.000	2021/01
RADIUM 226	09501	108	2012/01/18	< 1.000	2021/01
RADIUM 228	11501	108	2012/01/18	< 1.000	2021/01
URANIUM (PCI/L)	28012	108	2012/01/18	. 3.414	2021/01

REGULATED SOC

DI(2-ETHYLHEXYL)PHTHALATE	39100	108	2012/01/18	< .000	2021/01
THIOBENCARB	A-001	108	2012/01/18	< .000	2021/01

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	108	2012/01/23	.000	2021/01
1,1,2,2-TETRACHLOROETHANE	34516	108	2012/01/23	.000	2021/01

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: **1910036**

System Name: **CALIFORNIA WATER SERVICE CO. - ELA**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: **1910036-003**

Source Name: **WELL 07-02 - STANDBY**

Source Number: **003**

Source Status: **STANDBY RAW**

Water type: **G**

REGULATED VOC

1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	108	2012/01/23	.000	2021/01
1,1,2-TRICHLOROETHANE	34511	108	2012/01/23	.000	2021/01
1,1-DICHLOROETHANE	34496	108	2012/01/23	.000	2021/01
1,1-DICHLOROETHYLENE	34501	108	2012/01/23	.000	2021/01
1,2,4-TRICHLOROBENZENE	34551	108	2012/01/23	.000	2021/01
1,2-DICHLOROBENZENE	34536	108	2012/01/23	.000	2021/01
1,2-DICHLOROETHANE	34531	108	2012/01/23	.000	2021/01
1,2-DICHLOROPROPANE	34541	108	2012/01/23	.000	2021/01
1,3-DICHLOROPROPENE (TOTAL)	34561	108	2012/01/23	.000	2021/01
1,4-DICHLOROBENZENE	34571	108	2012/01/23	.000	2021/01
BENZENE	34030	108	2012/01/23	.000	2021/01
CARBON TETRACHLORIDE	32102	108	2012/01/23	.000	2021/01
CIS-1,2-DICHLOROETHYLENE	77093	108	2012/01/23	.000	2021/01
DICHLOROMETHANE	34423	108	2012/01/23	.000	2021/01
ETHYLBENZENE	34371	108	2012/01/23	.000	2021/01
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	108	2012/01/23	.000	2021/01
MONOCHLOROBENZENE	34301	108	2012/01/23	.000	2021/01
STYRENE	77128	108	2012/01/23	.000	2021/01
TETRACHLOROETHYLENE	34475	108	2012/01/23	.000	2021/01
TOLUENE	34010	108	2012/01/23	.000	2021/01
TRANS-1,2-DICHLOROETHYLENE	34546	108	2012/01/23	.000	2021/01
TRICHLOROETHYLENE	39180	108	2012/01/23	.000	2021/01
TRICHLOROFUOROMETHANE	34488	108	2012/01/23	.000	2021/01
VINYL CHLORIDE	39175	108	2012/01/23	.000	2021/01
XYLENES (TOTAL)	81551	108	2012/01/23	.000	2021/01

SECONDARY/GP

BICARBONATE ALKALINITY	00440	108	2012/01/18	.260.000	2021/01
CALCIUM	00916	108	2012/01/18	.92.000	2021/01
CARBONATE ALKALINITY	00445	108	2012/01/18	<.000	2021/01

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910036

System Name: CALIFORNIA WATER SERVICE CO. - ELA

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910036-003

Source Name: WELL 07-02 - STANDBY

Source Number: 003

Source Status: STANDBY RAW

Water type: G

SECONDARY/GP

CHLORIDE	00940	108	2012/01/18	. 120.000	2021/01
COLOR	00081	108	2012/01/18	. 5.000	2021/01
COPPER	01042	108	2012/01/18	< .000	2021/01
FOAMING AGENTS (MBAS)	38260	108	2012/01/18	< .000	2021/01
HARDNESS (TOTAL) AS CaCO3	00900	108	2012/01/18	. 350.000	2021/01
HYDROXIDE ALKALINITY	71830	108	2012/01/18	< .000	2021/01
IRON	01045	108	2012/01/18	1200.000	2021/01
MAGNESIUM	00927	108	2012/01/18	. 30.000	2021/01
MANGANESE	01055	001	2012/01/18	77.000	2012/02 DUE
ODOR THRESHOLD @ 60 C	00086	108	2012/01/18	< .000	2021/01
PH, LABORATORY	00403	108	2012/01/18	. 8.000	2021/01
SILVER	01077	108	2012/01/18	< .000	2021/01
SODIUM	00929	108	2012/01/18	71.000	2021/01
SPECIFIC CONDUCTANCE	00095	108	2012/01/18	. 1000.000	2021/01
SULFATE	00945	108	2012/01/18	120.000	2021/01
TOTAL DISSOLVED SOLIDS	70300	108	2012/01/18	. 640.000	2021/01
TURBIDITY, LABORATORY	82079	108	2012/01/18	. 2.000	2021/01
ZINC	01092	108	2012/01/18	< .000	2021/01

PS Code: 1910036-004

Source Name: WELL 10-03

Source Number: 004

Source Status: ACTIVE RAW

Water type: G

INORGANIC

ALUMINUM	01105	036	2012/08/20	< .000	2015/08
ANTIMONY	01097	036	2012/08/20	< .000	2015/08
ARSENIC	01002	036	2012/08/20	< .000	2015/08
BARIUM	01007	036	2012/08/20	< .000	2015/08

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910036

System Name: CALIFORNIA WATER SERVICE CO. - ELA

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910036-004

Source Name: WELL 10-03

Source Number: 004

Source Status: ACTIVE RAW

Water type: G

INORGANIC

BERYLLIUM	01012	036	2012/08/20	< .000	2015/08
CADMIUM	01027	036	2012/08/20	< .000	2015/08
CHROMIUM (TOTAL)	01034	036	2012/08/20	< .000	2015/08
CHROMIUM, HEXAVALENT	01032	036	2014/07/21	. 2.100	2017/07
CYANIDE	01291	036	2012/08/20	< .000	2015/08
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2012/08/20	. .340	2015/08
MERCURY	71900	036	2012/08/20	< .000	2015/08
NICKEL	01067	036	2012/08/20	< .000	2015/08
PERCHLORATE	A-031	001	2014/07/28	< 4.000	2014/08
SELENIUM	01147	036	2012/08/20	< .000	2015/08
THALLIUM	01059	036	2012/08/20	< .000	2015/08

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2014/05/05	. 19.580	2015/05
NITRITE (AS N)	00620	036	2012/08/20	< .000	2015/08

RADIOLOGICAL

GROSS ALPHA	01501	108	2007/12/04	< 3.000	2016/12
-------------	-------	-----	------------	---------	---------

REGULATED SOC

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2013/07/23	< .000	2016/04
THIOBENCARB	A-001	033	2013/07/23	< .000	2016/04

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	012	2014/07/07	< .000	2015/07
1,1,2,2-TETRACHLOROETHANE	34516	012	2014/07/07	< .000	2015/07
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/07/07	< .000	2015/07
1,1,2-TRICHLOROETHANE	34511	012	2014/07/07	< .000	2015/07
1,1-DICHLOROETHANE	34496	012	2014/07/07	< .000	2015/07
1,1-DICHLOROETHYLENE	34501	012	2014/07/07	. 1.140	2015/07
1,2,4-TRICHLOROBENZENE	34551	012	2014/07/07	< .000	2015/07
1,2-DICHLOROBENZENE	34536	012	2014/07/07	< .000	2015/07

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910036

System Name: CALIFORNIA WATER SERVICE CO. - ELA

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910036-004

Source Name: WELL 10-03

Source Number: 004

Source Status: ACTIVE RAW

Water type: G

REGULATED VOC

1,2-DICHLOROETHANE	34531	012	2014/07/07	< .000	2015/07
1,2-DICHLOROPROPANE	34541	012	2014/07/07	< .000	2015/07
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/07/07	< .000	2015/07
1,4-DICHLOROBENZENE	34571	012	2014/07/07	< .000	2015/07
BENZENE	34030	012	2014/07/07	< .000	2015/07
CARBON TETRACHLORIDE	32102	012	2014/07/07	< .000	2015/07
CIS-1,2-DICHLOROETHYLENE	77093	012	2014/07/07	< .000	2015/07
DICHLOROMETHANE	34423	012	2014/07/07	< .000	2015/07
ETHYLBENZENE	34371	012	2014/07/07	< .000	2015/07
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/07/07	< .000	2015/07
MONOCHLOROENZENE	34301	012	2014/07/07	< .000	2015/07
STYRENE	77128	012	2014/07/07	< .000	2015/07
TETRACHLOROETHYLENE	34475	012	2014/07/07	. 1.580	2015/07
TOLUENE	34010	012	2014/07/07	< .000	2015/07
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/07/07	< .000	2015/07
TRICHLOROETHYLENE	39180	012	2014/07/07	. 1.490	2015/07
TRICHLOROFUOROMETHANE	34488	012	2014/07/07	< .000	2015/07
VINYL CHLORIDE	39175	012	2014/07/07	< .000	2015/07
XYLENES (TOTAL)	81551	012	2014/07/07	< .000	2015/07

SECONDARY/GP

BICARBONATE ALKALINITY	00440	036	2012/08/20	. 220.000	2015/08
CALCIUM	00916	036	2012/08/20	. 78.000	2015/08
CARBONATE ALKALINITY	00445	036	2012/08/20	< .000	2015/08
CHLORIDE	00940	036	2012/08/20	. 67.000	2015/08
COLOR	00081	036	2012/08/20	< .000	2015/08
COPPER	01042	036	2012/08/20	< .000	2015/08
FOAMING AGENTS (MBAS)	38260	036	2012/08/20	< .000	2015/08
HARDNESS (TOTAL) AS CaCO3	00900	036	2012/08/20	. 280.000	2015/08
HYDROXIDE ALKALINITY	71830	036	2012/08/20	< .000	2015/08

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910036

System Name: CALIFORNIA WATER SERVICE CO. - ELA

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910036-004

Source Name: WELL 10-03

Source Number: 004

Source Status: ACTIVE RAW

Water type: G

SECONDARY/GP

IRON	01045	036	2012/08/20	< .000	2015/08
MAGNESIUM	00927	036	2012/08/20	. 20.000	2015/08
MANGANESE	01055	036	2012/08/20	< .000	2015/08
ODOR THRESHOLD @ 60 C	00086	036	2012/08/20	< .000	2015/08
PH, LABORATORY	00403	036	2012/08/20	. 8.000	2015/08
SILVER	01077	036	2012/08/20	< .000	2015/08
SODIUM	00929	036	2012/08/20	57.000	2015/08
SPECIFIC CONDUCTANCE	00095	036	2012/08/20	. 760.000	2015/08
SULFATE	00945	036	2012/08/20	110.000	2015/08
TOTAL DISSOLVED SOLIDS	70300	036	2012/08/20	. 480.000	2015/08
TURBIDITY, LABORATORY	82079	036	2012/08/20	< .000	2015/08
ZINC	01092	036	2012/08/20	< .000	2015/08

PS Code: 1910036-006

Source Name: WELL 13-02

Source Number: 006

Source Status: ACTIVE RAW

Water type: G

INORGANIC

ALUMINUM	01105	036	2014/06/16	. 1.327	2017/06
ANTIMONY	01097	036	2014/06/16	. .068	2017/06
ARSENIC	01002	036	2014/06/16	. 6.046	2017/06
BARIUM	01007	036	2012/08/20	160.000	2015/08
BERYLLIUM	01012	036	2014/06/16	. .002	2017/06
CADMIUM	01027	036	2014/06/16	. .015	2017/06
CHROMIUM (TOTAL)	01034	036	2014/06/16	. 1.559	2017/06
CHROMIUM, HEXAVALENT	01032	036	2014/07/16	< 1.000	2017/07
CYANIDE	01291	036	2012/08/20	< .000	2015/08
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2012/08/20	. .350	2015/08

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910036

System Name: CALIFORNIA WATER SERVICE CO. - ELA

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910036-006

Source Name: WELL 13-02

Source Number: 006

Source Status: ACTIVE RAW

Water type: G

INORGANIC

MERCURY	71900	036	2012/08/20	< .000	2015/08
NICKEL	01067	036	2014/06/16	. 1.504	2017/06
PERCHLORATE	A-031	012	2013/08/12	< 4.000	2014/08
SELENIUM	01147	036	2014/06/16	. .228	2017/06
THALLIUM	01059	036	2014/06/16	. .001	2017/06

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2013/08/20	. 1.140	2014/08
NITRITE (AS N)	00620	036	2012/08/20	< .000	2015/08

RADIOLOGICAL

GROSS ALPHA	01501	072	2014/06/23	< 3.000	2020/06
-------------	-------	-----	------------	---------	---------

REGULATED SOC

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2013/07/23	< .000	2016/04
THIOBENCARB	A-001	033	2013/07/23	< .000	2016/04

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	012	2014/05/19	. .000	2015/05
1,1,2,2-TETRACHLOROETHANE	34516	012	2014/05/19	. .000	2015/05
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/05/19	. .000	2015/05
1,1,2-TRICHLOROETHANE	34511	012	2014/05/19	. .000	2015/05
1,1-DICHLOROETHANE	34496	012	2014/05/19	. .000	2015/05
1,1-DICHLOROETHYLENE	34501	012	2014/05/19	. .000	2015/05
1,2,4-TRICHLOROBENZENE	34551	012	2014/05/19	. .000	2015/05
1,2-DICHLOROBENZENE	34536	012	2014/05/19	. .000	2015/05
1,2-DICHLOROETHANE	34531	012	2014/05/19	. .000	2015/05
1,2-DICHLOROPROPANE	34541	012	2014/05/19	. .000	2015/05
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/05/19	. .000	2015/05
1,4-DICHLOROBENZENE	34571	012	2014/05/19	. .000	2015/05
BENZENE	34030	012	2014/05/19	. .000	2015/05
CARBON TETRACHLORIDE	32102	012	2014/05/19	. .000	2015/05

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910036

System Name: CALIFORNIA WATER SERVICE CO. - ELA

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910036-006

Source Name: WELL 13-02

Source Number: 006

Source Status: ACTIVE RAW

Water type: G

REGULATED VOC

CIS-1,2-DICHLOROETHYLENE	77093	012	2014/05/19	.000	2015/05
DICHLOROMETHANE	34423	012	2014/05/19	.000	2015/05
ETHYLBENZENE	34371	012	2014/05/19	.000	2015/05
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/05/19	.000	2015/05
MONOCHLOROBENZENE	34301	012	2014/05/19	.000	2015/05
STYRENE	77128	012	2014/05/19	.000	2015/05
TETRACHLOROETHYLENE	34475	012	2014/05/19	.000	2015/05
TOLUENE	34010	012	2014/05/19	.000	2015/05
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/05/19	.000	2015/05
TRICHLOROETHYLENE	39180	012	2014/05/19	.000	2015/05
TRICHLOROFUOROMETHANE	34488	012	2014/05/19	.000	2015/05
VINYL CHLORIDE	39175	012	2014/05/19	.000	2015/05
XYLENES (TOTAL)	81551	012	2014/05/19	.000	2015/05

SECONDARY/GP

BICARBONATE ALKALINITY	00440	036	2012/08/20	. 180.000	2015/08
CALCIUM	00916	036	2012/08/20	. 63.000	2015/08
CARBONATE ALKALINITY	00445	036	2012/08/20	< .000	2015/08
CHLORIDE	00940	036	2012/08/20	. 64.000	2015/08
COLOR	00081	036	2012/08/20	< .000	2015/08
COPPER	01042	036	2014/06/16	. 1.296	2017/06
FOAMING AGENTS (MBAS)	38260	036	2012/08/20	< .000	2015/08
HARDNESS (TOTAL) AS CaCO3	00900	036	2012/08/20	. 220.000	2015/08
HYDROXIDE ALKALINITY	71830	036	2012/08/20	< .000	2015/08
IRON	01045	036	2014/07/21	. 11.460	2017/07
MAGNESIUM	00927	036	2012/08/20	. 16.000	2015/08
MANGANESE	01055	001	2014/07/21	. 155.300	2014/08
ODOR THRESHOLD @ 60 C	00086	036	2012/08/20	< .000	2015/08
PH, LABORATORY	00403	036	2012/08/20	. 8.100	2015/08
SILVER	01077	036	2012/08/20	< .000	2015/08

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910036

System Name: CALIFORNIA WATER SERVICE CO. - ELA

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910036-006

Source Name: WELL 13-02

Source Number: 006

Source Status: ACTIVE RAW

Water type: G

SECONDARY/GP

SODIUM	00929	036	2012/08/20	68.000	2015/08
SPECIFIC CONDUCTANCE	00095	036	2012/08/20	720.000	2015/08
SULFATE	00945	036	2012/08/20	110.000	2015/08
TOTAL DISSOLVED SOLIDS	70300	036	2012/08/20	440.000	2015/08
TURBIDITY, LABORATORY	82079	036	2012/08/20	< .000	2015/08
ZINC	01092	036	2014/06/16	1.856	2017/06

PS Code: 1910036-011

Source Name: WELL 22-01

Source Number: 011

Source Status: ACTIVE RAW

Water type: G

INORGANIC

ALUMINUM	01105	036	2013/04/08	< .000	2016/04
ANTIMONY	01097	036	2013/04/08	< .000	2016/04
ARSENIC	01002	036	2013/04/08	< .000	2016/04
BARIUM	01007	036	2013/04/08	100.000	2016/04
BERYLLIUM	01012	036	2013/04/08	< .000	2016/04
CADMIUM	01027	036	2013/04/08	< .000	2016/04
CHROMIUM (TOTAL)	01034	036	2013/04/08	< .000	2016/04
CHROMIUM, HEXAVALENT	01032	036	2014/07/16	1.400	2017/07
CYANIDE	01291	036	2013/04/08	< .000	2016/04
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/04/08	.300	2016/04
MERCURY	71900	036	2013/04/08	< .000	2016/04
NICKEL	01067	036	2013/04/08	< .000	2016/04
PERCHLORATE	A-031	012	2014/07/07	< 4.000	2015/07
SELENIUM	01147	036	2013/04/08	< .000	2016/04
THALLIUM	01059	036	2013/04/08	< .000	2016/04

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910036

System Name: CALIFORNIA WATER SERVICE CO. - ELA

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910036-011

Source Name: WELL 22-01

Source Number: 011

Source Status: ACTIVE RAW

Water type: G

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2014/07/07	. 18.600	2015/07
NITRITE (AS N)	00620	036	2013/04/08	< .000	2016/04

RADIOLOGICAL

GROSS ALPHA	01501	108	2007/03/27	< 3.000	2016/03
-------------	-------	-----	------------	---------	---------

REGULATED SOC

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2013/07/23	< .000	2016/04
THIOBENCARB	A-001	033	2013/07/23	< .000	2016/04

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	012	2014/07/01	< .000	2015/07
1,1,2,2-TETRACHLOROETHANE	34516	012	2014/07/01	< .000	2015/07
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/07/01	< .000	2015/07
1,1,2-TRICHLOROETHANE	34511	012	2014/07/01	< .000	2015/07
1,1-DICHLOROETHANE	34496	012	2014/07/01	< .000	2015/07
1,1-DICHLOROETHYLENE	34501	012	2014/07/01	. 1.720	2015/07
1,2,4-TRICHLOROBENZENE	34551	012	2014/07/01	< .000	2015/07
1,2-DICHLOROBENZENE	34536	012	2014/07/01	< .000	2015/07
1,2-DICHLOROETHANE	34531	012	2014/07/01	< .000	2015/07
1,2-DICHLOROPROPANE	34541	012	2014/07/01	< .000	2015/07
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/07/01	< .000	2015/07
1,4-DICHLOROBENZENE	34571	012	2014/07/01	< .000	2015/07
BENZENE	34030	012	2014/07/01	< .000	2015/07
CARBON TETRACHLORIDE	32102	012	2014/07/01	< .000	2015/07
CIS-1,2-DICHLOROETHYLENE	77093	012	2014/07/01	< .000	2015/07
DICHLOROMETHANE	34423	012	2014/07/01	< .000	2015/07
ETHYLBENZENE	34371	012	2014/07/01	< .000	2015/07
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/07/01	< .000	2015/07
MONOCHLOROBENZENE	34301	012	2014/07/01	< .000	2015/07
STYRENE	77128	012	2014/07/01	< .000	2015/07

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910036

System Name: CALIFORNIA WATER SERVICE CO. - ELA

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910036-011

Source Name: WELL 22-01

Source Number: 011

Source Status: ACTIVE RAW

Water type: G

REGULATED VOC

TETRACHLOROETHYLENE	34475	012	2014/07/01	. 2.610	2015/07
TOLUENE	34010	012	2014/07/01	< .000	2015/07
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/07/01	< .000	2015/07
TRICHLOROETHYLENE	39180	012	2014/07/01	. .920	2015/07
TRICHLOROFUOROMETHANE	34488	012	2014/07/01	< .000	2015/07
VINYL CHLORIDE	39175	012	2014/07/01	< .000	2015/07
XYLENES (TOTAL)	81551	012	2014/07/01	< .000	2015/07

SECONDARY/GP

BICARBONATE ALKALINITY	00440	036	2013/04/08	. 250.000	2016/04
CALCIUM	00916	036	2013/04/08	. 89.000	2016/04
CARBONATE ALKALINITY	00445	036	2013/04/08	< .000	2016/04
CHLORIDE	00940	036	2013/04/08	. 87.000	2016/04
COLOR	00081	036	2013/04/08	< .000	2016/04
COPPER	01042	036	2013/04/08	< .000	2016/04
FOAMING AGENTS (MBAS)	38260	036	2013/04/08	< .000	2016/04
HARDNESS (TOTAL) AS CaCO3	00900	036	2013/04/08	. 300.000	2016/04
HYDROXIDE ALKALINITY	71830	036	2013/04/08	< .000	2016/04
IRON	01045	036	2014/06/09	. 1.521	2017/06
MAGNESIUM	00927	036	2013/04/08	. 20.000	2016/04
MANGANESE	01055	036	2014/06/09	. 15.550	2017/06
ODOR THRESHOLD @ 60 C	00086	036	2013/04/08	< .000	2016/04
PH, LABORATORY	00403	036	2013/04/08	. 8.100	2016/04
SILVER	01077	036	2013/04/08	< .000	2016/04
SODIUM	00929	036	2013/04/08	64.000	2016/04
SPECIFIC CONDUCTANCE	00095	036	2013/04/08	. 910.000	2016/04
SULFATE	00945	036	2013/04/08	110.000	2016/04
TOTAL DISSOLVED SOLIDS	70300	036	2013/04/08	. 540.000	2016/04
TURBIDITY, LABORATORY	82079	036	2013/04/08	< .000	2016/04
ZINC	01092	036	2013/04/08	< .000	2016/04

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910036

System Name: CALIFORNIA WATER SERVICE CO. - ELA

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910036-012

Source Name: WELL 25-01

Source Number: 012

Source Status: ACTIVE RAW

Water type: G

INORGANIC

ALUMINUM	01105	036	2012/04/16	< .000	2015/04
ANTIMONY	01097	036	2012/04/16	< .000	2015/04
ARSENIC	01002	036	2012/04/16	< .000	2015/04
BARIUM	01007	036	2012/04/16	< .000	2015/04
BERYLLIUM	01012	036	2012/04/16	< .000	2015/04
CADMIUM	01027	036	2012/04/16	< .000	2015/04
CHROMIUM (TOTAL)	01034	036	2012/04/16	< .000	2015/04
CHROMIUM, HEXAVALENT	01032	036	2014/07/16	< 1.000	2017/07
CYANIDE	01291	036	2012/04/16	< .000	2015/04
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2012/04/16	.290	2015/04
MERCURY	71900	036	2012/04/16	< .000	2015/04
NICKEL	01067	036	2012/04/16	< .000	2015/04
PERCHLORATE	A-031	012	2014/07/07	< 4.000	2015/07
SELENIUM	01147	036	2012/04/16	< .000	2015/04
THALLIUM	01059	036	2012/04/16	< .000	2015/04

NITRATE/NITRITE

NITRATE (AS NO3)	71850	003	2014/07/07	.29.111	2014/10
NITRITE (AS N)	00620	036	2012/04/16	< .000	2015/04

RADIOLOGICAL

GROSS ALPHA	01501	108	2014/03/10	< 3.000	2023/03
-------------	-------	-----	------------	---------	---------

REGULATED SOC

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2013/07/24	< .000	2016/04
THIOBENCARB	A-001	033	2013/07/24	< .000	2016/04

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	012	2014/07/07	< .000	2015/07
1,1,2,2-TETRACHLOROETHANE	34516	012	2014/07/07	< .000	2015/07
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/07/07	< .000	2015/07
1,1,2-TRICHLOROETHANE	34511	012	2014/07/07	< .000	2015/07

*Testing interval is in months;
 0 = No data for this constituent and is DUE NOW
 I = Invalid (NOT) valid analyses reported
 Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910036

System Name: CALIFORNIA WATER SERVICE CO. - ELA

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910036-012

Source Name: WELL 25-01

Source Number: 012

Source Status: ACTIVE RAW

Water type: G

REGULATED VOC

1,1-DICHLOROETHANE	34496	012	2014/07/07	< .000	2015/07
1,1-DICHLOROETHYLENE	34501	012	2014/07/07	< .000	2015/07
1,2,4-TRICHLOROBENZENE	34551	012	2014/07/07	< .000	2015/07
1,2-DICHLOROBENZENE	34536	012	2014/07/07	< .000	2015/07
1,2-DICHLOROETHANE	34531	012	2014/07/07	< .000	2015/07
1,2-DICHLOROPROPANE	34541	012	2014/07/07	< .000	2015/07
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/07/07	< .000	2015/07
1,4-DICHLOROBENZENE	34571	012	2014/07/07	< .000	2015/07
BENZENE	34030	012	2014/07/07	< .000	2015/07
CARBON TETRACHLORIDE	32102	012	2014/07/07	< .000	2015/07
CIS-1,2-DICHLOROETHYLENE	77093	012	2014/07/07	< .000	2015/07
DICHLOROMETHANE	34423	012	2014/07/07	< .000	2015/07
ETHYLBENZENE	34371	012	2014/07/07	< .000	2015/07
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/07/07	< .000	2015/07
MONOCHLOROBENZENE	34301	012	2014/07/07	< .000	2015/07
STYRENE	77128	012	2014/07/07	< .000	2015/07
TETRACHLOROETHYLENE	34475	012	2014/07/07	< .000	2015/07
TOLUENE	34010	012	2014/07/07	< .000	2015/07
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/07/07	< .000	2015/07
TRICHLOROETHYLENE	39180	012	2014/07/07	< .000	2015/07
TRICHLOROFUOROMETHANE	34488	012	2014/07/07	< .000	2015/07
VINYL CHLORIDE	39175	012	2014/07/07	< .000	2015/07
XYLENES (TOTAL)	81551	012	2014/07/07	< .000	2015/07

SECONDARY/GP

BICARBONATE ALKALINITY	00440	036	2012/04/16	. 240.000	2015/04
CALCIUM	00916	036	2012/04/16	. 100.000	2015/04
CARBONATE ALKALINITY	00445	036	2012/04/16	< .000	2015/04
CHLORIDE	00940	036	2012/04/16	. 150.000	2015/04
COLOR	00081	036	2012/04/16	< .000	2015/04

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910036

System Name: CALIFORNIA WATER SERVICE CO. - ELA

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910036-012

Source Name: WELL 25-01

Source Number: 012

Source Status: ACTIVE RAW

Water type: G

SECONDARY/GP

COPPER	01042	036	2012/04/16	< .000	2015/04
FOAMING AGENTS (MBAS)	38260	036	2012/04/16	< .000	2015/04
HARDNESS (TOTAL) AS CaCO3	00900	036	2012/04/16	. 360.000	2015/04
HYDROXIDE ALKALINITY	71830	036	2012/04/16	< .000	2015/04
IRON	01045	036	2012/04/16	< .000	2015/04
MAGNESIUM	00927	036	2012/04/16	. 27.000	2015/04
MANGANESE	01055	036	2012/04/16	< .000	2015/04
ODOR THRESHOLD @ 60 C	00086	036	2012/04/16	< .000	2015/04
PH, LABORATORY	00403	036	2012/04/16	. 8.100	2015/04
SILVER	01077	036	2012/04/16	< .000	2015/04
SODIUM	00929	036	2012/04/16	81.000	2015/04
SPECIFIC CONDUCTANCE	00095	036	2012/04/16	. 1000.000	2015/04
SULFATE	00945	036	2012/04/16	78.000	2015/04
TOTAL DISSOLVED SOLIDS	70300	036	2012/04/16	. 610.000	2015/04
TURBIDITY, LABORATORY	82079	036	2012/04/16	< .000	2015/04
ZINC	01092	036	2012/04/16	< .000	2015/04

PS Code: 1910036-023

Source Name: WELL 38-02

Source Number: 023

Source Status: ACTIVE RAW

Water type: G

INORGANIC

ALUMINUM	01105	036	2013/05/15	< .000	2016/05
ANTIMONY	01097	036	2013/05/15	< .000	2016/05
ARSENIC	01002	036	2013/05/15	. 8.200	2016/05
BARIUM	01007	036	2013/05/15	110.000	2016/05
BERYLLIUM	01012	036	2013/05/15	< .000	2016/05
CADMIUM	01027	036	2013/05/15	< .000	2016/05

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910036

System Name: CALIFORNIA WATER SERVICE CO. - ELA

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910036-023

Source Name: WELL 38-02

Source Number: 023

Source Status: ACTIVE RAW

Water type: G

INORGANIC

CHROMIUM (TOTAL)	01034	036	2013/05/15	< .000	2016/05
CHROMIUM, HEXAVALENT	01032	036	2014/07/16	< 1.000	2017/07
CYANIDE	01291	036	2013/05/15	< .000	2016/05
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/05/15	.320	2016/05
MERCURY	71900	036	2013/05/15	< .000	2016/05
NICKEL	01067	036	2013/05/15	< .000	2016/05
PERCHLORATE	A-031	012	2014/05/05	< 4.000	2015/05
SELENIUM	01147	036	2013/05/15	< .000	2016/05
THALLIUM	01059	036	2013/05/15	< .000	2016/05

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2014/05/19	. 2.768	2015/05
NITRITE (AS N)	00620	036	2013/05/15	< .000	2016/05

RADIOLOGICAL

GROSS ALPHA	01501	108	2014/05/12	< 3.000	2023/05
-------------	-------	-----	------------	---------	---------

REGULATED SOC

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2013/07/23	< .000	2016/04
THIOBENCARB	A-001	033	2013/07/23	< .000	2016/04

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	012	2014/05/19	. .000	2015/05
1,1,2,2-TETRACHLOROETHANE	34516	012	2014/05/19	. .000	2015/05
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/05/19	. .000	2015/05
1,1,2-TRICHLOROETHANE	34511	012	2014/05/19	. .000	2015/05
1,1-DICHLOROETHANE	34496	012	2014/05/19	. .000	2015/05
1,1-DICHLOROETHYLENE	34501	012	2014/05/19	. .000	2015/05
1,2,4-TRICHLOROBENZENE	34551	012	2014/05/19	. .000	2015/05
1,2-DICHLOROBENZENE	34536	012	2014/05/19	. .000	2015/05
1,2-DICHLOROETHANE	34531	012	2014/05/19	. .000	2015/05
1,2-DICHLOROPROPANE	34541	012	2014/05/19	. .000	2015/05

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910036

System Name: CALIFORNIA WATER SERVICE CO. - ELA

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

PS Code: 1910036-023

Source Name: WELL 38-02

Source Number: 023

Source Status: ACTIVE RAW

Water type: G

REGULATED VOC

1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/05/19	. .000	2015/05
1,4-DICHLOROENZENE	34571	012	2014/05/19	. .000	2015/05
BENZENE	34030	012	2014/05/19	. .000	2015/05
CARBON TETRACHLORIDE	32102	012	2014/05/19	. .000	2015/05
CIS-1,2-DICHLOROETHYLENE	77093	012	2014/05/19	. .000	2015/05
DICHLOROMETHANE	34423	012	2014/05/19	. .000	2015/05
ETHYLBENZENE	34371	012	2014/05/19	. .000	2015/05
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/05/19	. .000	2015/05
MONOCHLOROENZENE	34301	012	2014/05/19	. .000	2015/05
STYRENE	77128	012	2014/05/19	. .000	2015/05
TETRACHLOROETHYLENE	34475	012	2014/05/19	. .000	2015/05
TOLUENE	34010	012	2014/05/19	. .000	2015/05
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/05/19	. .000	2015/05
TRICHLOROETHYLENE	39180	012	2014/05/19	. .000	2015/05
TRICHLOROFUOROMETHANE	34488	012	2014/05/19	. .000	2015/05
VINYL CHLORIDE	39175	012	2014/05/19	. .000	2015/05
XYLENES (TOTAL)	81551	012	2014/05/19	. .000	2015/05

SECONDARY/GP

BICARBONATE ALKALINITY	00440	036	2013/05/15	. 190.000	2016/05
CALCIUM	00916	036	2013/05/15	. 66.000	2016/05
CARBONATE ALKALINITY	00445	036	2013/05/15	< .000	2016/05
CHLORIDE	00940	036	2013/05/15	. 63.000	2016/05
COLOR	00081	036	2013/05/15	< .000	2016/05
COPPER	01042	036	2013/05/15	< .000	2016/05
FOAMING AGENTS (MBAS)	38260	036	2013/05/15	< .000	2016/05
HARDNESS (TOTAL) AS CaCO3	00900	036	2013/05/15	. 210.000	2016/05
HYDROXIDE ALKALINITY	71830	036	2013/05/15	< .000	2016/05
IRON	01045	036	2014/07/07	. 4.624	2017/07
MAGNESIUM	00927	036	2013/05/15	. 11.000	2016/05

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910036

System Name: CALIFORNIA WATER SERVICE CO. - ELA

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

PS Code: 1910036-023

Source Name: WELL 38-02

Source Number: 023

Source Status: ACTIVE RAW

Water type: G

SECONDARY/GP

MANGANESE	01055	001	2014/07/07	. 429.900	2014/08
ODOR THRESHOLD @ 60 C	00086	036	2013/05/15	< .000	2016/05
PH, LABORATORY	00403	036	2013/05/15	. 8.200	2016/05
SILVER	01077	036	2013/05/15	< .000	2016/05
SODIUM	00929	036	2013/05/15	61.000	2016/05
SPECIFIC CONDUCTANCE	00095	036	2013/05/15	. 670.000	2016/05
SULFATE	00945	036	2013/05/15	98.000	2016/05
TOTAL DISSOLVED SOLIDS	70300	036	2013/05/15	. 400.000	2016/05
TURBIDITY, LABORATORY	82079	036	2013/05/15	< .000	2016/05
ZINC	01092	036	2013/05/15	< .000	2016/05

PS Code: 1910036-025

Source Name: WELL 43-01

Source Number: 025

Source Status: ACTIVE RAW

Water type: G

INORGANIC

ALUMINUM	01105	036	2013/07/16	< .000	2016/07
ANTIMONY	01097	036	2013/07/16	< .000	2016/07
ARSENIC	01002	036	2013/07/16	< .000	2016/07
BARIUM	01007	036	2013/07/16	< .000	2016/07
BERYLLIUM	01012	036	2013/07/16	< .000	2016/07
CADMIUM	01027	036	2013/07/16	< .000	2016/07
CHROMIUM (TOTAL)	01034	036	2013/07/16	< .000	2016/07
CHROMIUM, HEXAVALENT	01032	036	2014/07/15	. 1.700	2017/07
CYANIDE	01291	036	2013/07/16	< .000	2016/07
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/07/16	. .270	2016/07
MERCURY	71900	036	2013/07/16	< .000	2016/07
NICKEL	01067	036	2013/07/16	< .000	2016/07

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910036

System Name: CALIFORNIA WATER SERVICE CO. - ELA

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910036-025

Source Name: WELL 43-01

Source Number: 025

Source Status: ACTIVE RAW

Water type: G

INORGANIC

PERCHLORATE	A-031	012	2014/07/07	< 4.000	2015/07
SELENIUM	01147	036	2013/07/16	< .000	2016/07
THALLIUM	01059	036	2013/07/16	< .000	2016/07

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2014/07/23	. 27.000	2015/07
NITRITE (AS N)	00620	036	2013/07/16	< .000	2016/07

RADIOLOGICAL

GROSS ALPHA	01501	108	2013/07/22	< 3.000	2022/07
-------------	-------	-----	------------	---------	---------

REGULATED SOC

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2013/07/23	< .000	2016/04
THIOBENCARB	A-001	033	2013/07/23	< .000	2016/04

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	012	2014/07/21	< .000	2015/07
1,1,2,2-TETRACHLOROETHANE	34516	012	2014/07/21	< .000	2015/07
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/07/21	< .000	2015/07
1,1,2-TRICHLOROETHANE	34511	012	2014/07/21	< .000	2015/07
1,1-DICHLOROETHANE	34496	012	2014/07/21	< .000	2015/07
1,1-DICHLOROETHYLENE	34501	012	2014/07/21	. 3.030	2015/07
1,2,4-TRICHLOROBENZENE	34551	012	2014/07/21	< .000	2015/07
1,2-DICHLOROBENZENE	34536	012	2014/07/21	< .000	2015/07
1,2-DICHLOROETHANE	34531	012	2014/07/21	< .000	2015/07
1,2-DICHLOROPROPANE	34541	012	2014/07/21	< .000	2015/07
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/07/21	< .000	2015/07
1,4-DICHLOROBENZENE	34571	012	2014/07/21	< .000	2015/07
BENZENE	34030	012	2014/07/21	< .000	2015/07
CARBON TETRACHLORIDE	32102	012	2014/07/21	< .000	2015/07
CIS-1,2-DICHLOROETHYLENE	77093	012	2014/07/21	< .000	2015/07
DICHLOROMETHANE	34423	012	2014/07/21	< .000	2015/07

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910036

System Name: CALIFORNIA WATER SERVICE CO. - ELA

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910036-025

Source Name: WELL 43-01

Source Number: 025

Source Status: ACTIVE RAW

Water type: G

REGULATED VOC

ETHYLBENZENE	34371	012	2014/07/21	< .000	2015/07
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/07/21	< .000	2015/07
MONOCHLOROENZENE	34301	012	2014/07/21	< .000	2015/07
STYRENE	77128	012	2014/07/21	< .000	2015/07
TETRACHLOROETHYLENE	34475	012	2014/07/21	. 5.220	2015/07
TOLUENE	34010	012	2014/07/21	< .000	2015/07
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/07/21	< .000	2015/07
TRICHLOROETHYLENE	39180	012	2014/07/21	. .970	2015/07
TRICHLOROFUOROMETHANE	34488	012	2014/07/21	< .000	2015/07
VINYL CHLORIDE	39175	012	2014/07/21	< .000	2015/07
XYLENES (TOTAL)	81551	012	2014/07/21	< .000	2015/07

SECONDARY/GP

BICARBONATE ALKALINITY	00440	036	2013/07/16	. 250.000	2016/07
CALCIUM	00916	036	2013/07/16	. 95.000	2016/07
CARBONATE ALKALINITY	00445	036	2013/07/16	4.500	2016/07
CHLORIDE	00940	036	2013/07/16	. 100.000	2016/07
COLOR	00081	036	2013/07/16	< .000	2016/07
COPPER	01042	036	2013/07/16	< .000	2016/07
FOAMING AGENTS (MBAS)	38260	036	2013/07/16	< .000	2016/07
HARDNESS (TOTAL) AS CaCO3	00900	036	2013/07/16	. 330.000	2016/07
HYDROXIDE ALKALINITY	71830	036	2013/07/16	< .000	2016/07
IRON	01045	036	2013/07/16	< .000	2016/07
MAGNESIUM	00927	036	2013/07/16	. 23.000	2016/07
MANGANESE	01055	036	2013/07/16	< .000	2016/07
ODOR THRESHOLD @ 60 C	00086	036	2013/07/16	< .000	2016/07
PH, LABORATORY	00403	036	2013/07/16	. 8.300	2016/07
SILVER	01077	036	2013/07/16	< .000	2016/07
SODIUM	00929	036	2013/07/16	70.000	2016/07
SPECIFIC CONDUCTANCE	00095	036	2013/07/16	. 930.000	2016/07

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910036

System Name: CALIFORNIA WATER SERVICE CO. - ELA

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910036-025

Source Name: WELL 43-01

Source Number: 025

Source Status: ACTIVE RAW

Water type: G

SECONDARY/GP

SULFATE	00945	036	2013/07/16	110.000	2016/07
TOTAL DISSOLVED SOLIDS	70300	036	2013/07/16	. 550.000	2016/07
TURBIDITY, LABORATORY	82079	036	2013/07/16	. .140	2016/07
ZINC	01092	036	2013/07/16	< .000	2016/07

PS Code: 1910036-031

Source Name: WELL 51-01

Source Number: 031

Source Status: ACTIVE RAW

Water type: G

INORGANIC

ALUMINUM	01105	036	2013/07/16	< .000	2016/07
ANTIMONY	01097	036	2013/07/16	< .000	2016/07
ARSENIC	01002	036	2013/07/16	< .000	2016/07
BARIUM	01007	036	2013/07/16	< .000	2016/07
BERYLLIUM	01012	036	2013/07/16	< .000	2016/07
CADMIUM	01027	036	2013/07/16	< .000	2016/07
CHROMIUM (TOTAL)	01034	036	2013/07/16	< .000	2016/07
CHROMIUM, HEXAVALENT	01032	036	2014/07/16	< 1.000	2017/07
CYANIDE	01291	036	2013/07/16	< .000	2016/07
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/07/16	. .260	2016/07
MERCURY	71900	036	2013/07/16	< .000	2016/07
NICKEL	01067	036	2013/07/16	< .000	2016/07
PERCHLORATE	A-031	012	2014/07/07	< 4.000	2015/07
SELENIUM	01147	036	2013/07/16	< .000	2016/07
THALLIUM	01059	036	2013/07/16	< .000	2016/07

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2014/07/14	. 2.483	2015/07
NITRITE (AS N)	00620	036	2013/07/16	< .000	2016/07

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910036

System Name: CALIFORNIA WATER SERVICE CO. - ELA

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910036-031

Source Name: WELL 51-01

Source Number: 031

Source Status: ACTIVE RAW

Water type: G

RADIOLOGICAL

GROSS ALPHA	01501	108	2006/10/24	5.400	2015/10
-------------	-------	-----	------------	-------	---------

REGULATED SOC

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2013/07/25	< .000	2016/04
THIOBENCARB	A-001	033	2013/07/25	< .000	2016/04

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	012	2013/10/22	.000	2014/10
1,1,2,2-TETRACHLOROETHANE	34516	012	2013/10/22	.000	2014/10
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2013/10/22	.000	2014/10
1,1,2-TRICHLOROETHANE	34511	012	2013/10/22	.000	2014/10
1,1-DICHLOROETHANE	34496	012	2013/10/22	.000	2014/10
1,1-DICHLOROETHYLENE	34501	012	2013/10/22	.000	2014/10
1,2,4-TRICHLOROBENZENE	34551	012	2013/10/22	.000	2014/10
1,2-DICHLOROBENZENE	34536	012	2013/10/22	.000	2014/10
1,2-DICHLOROETHANE	34531	012	2013/10/22	.000	2014/10
1,2-DICHLOROPROPANE	34541	012	2013/10/22	.000	2014/10
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2013/10/22	.000	2014/10
1,4-DICHLOROBENZENE	34571	012	2013/10/22	.000	2014/10
BENZENE	34030	012	2013/10/22	.000	2014/10
CARBON TETRACHLORIDE	32102	012	2013/10/22	.000	2014/10
CIS-1,2-DICHLOROETHYLENE	77093	012	2013/10/22	.000	2014/10
DICHLOROMETHANE	34423	012	2013/10/22	.000	2014/10
ETHYLBENZENE	34371	012	2013/10/22	.000	2014/10
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2013/10/22	.000	2014/10
MONOCHLOROBENZENE	34301	012	2013/10/22	.000	2014/10
STYRENE	77128	012	2013/10/22	.000	2014/10
TETRACHLOROETHYLENE	34475	012	2013/10/22	.000	2014/10
TOLUENE	34010	012	2013/10/22	.000	2014/10
TRANS-1,2-DICHLOROETHYLENE	34546	012	2013/10/22	.000	2014/10
TRICHLOROETHYLENE	39180	012	2013/10/22	.000	2014/10

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910036

System Name: CALIFORNIA WATER SERVICE CO. - ELA

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910036-031

Source Name: WELL 51-01

Source Number: 031

Source Status: ACTIVE RAW

Water type: G

REGULATED VOC

TRICHLOROFUOROMETHANE	34488	012	2013/10/22	.000	2014/10
VINYL CHLORIDE	39175	012	2013/10/22	.000	2014/10
XYLENES (TOTAL)	81551	012	2013/10/22	.000	2014/10

SECONDARY/GP

BICARBONATE ALKALINITY	00440	036	2013/07/16	280.000	2016/07
CALCIUM	00916	036	2013/07/16	110.000	2016/07
CARBONATE ALKALINITY	00445	036	2013/07/16	<.000	2016/07
CHLORIDE	00940	036	2013/07/16	160.000	2016/07
COLOR	00081	036	2013/07/16	<.000	2016/07
COPPER	01042	036	2013/07/16	<.000	2016/07
FOAMING AGENTS (MBAS)	38260	036	2013/07/16	<.000	2016/07
HARDNESS (TOTAL) AS CaCO3	00900	036	2013/07/16	400.000	2016/07
HYDROXIDE ALKALINITY	71830	036	2013/07/16	<.000	2016/07
IRON	01045	036	2014/07/07	3.039	2017/07
MAGNESIUM	00927	036	2013/07/16	33.000	2016/07
MANGANESE	01055	001	2014/07/07	53.420	2014/08
ODOR THRESHOLD @ 60 C	00086	036	2013/07/16	1.000	2016/07
PH, LABORATORY	00403	036	2013/07/16	8.100	2016/07
SILVER	01077	036	2013/07/16	<.000	2016/07
SODIUM	00929	036	2013/07/16	75.000	2016/07
SPECIFIC CONDUCTANCE	00095	036	2013/07/16	1100.000	2016/07
SULFATE	00945	036	2013/07/16	120.000	2016/07
TOTAL DISSOLVED SOLIDS	70300	036	2013/07/16	670.000	2016/07
TURBIDITY, LABORATORY	82079	036	2013/07/16	<.000	2016/07
ZINC	01092	036	2013/07/16	<.000	2016/07

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910036

System Name: CALIFORNIA WATER SERVICE CO. - ELA

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910036-032

Source Name: WELL 52-01

Source Number: 032

Source Status: STANDBY RAW

Water type: G

INORGANIC

ALUMINUM	01105	108	2013/01/31	. 180.000	2022/01
ANTIMONY	01097	108	2013/01/31	< .000	2022/01
ARSENIC	01002	108	2013/01/31	< .000	2022/01
BARIUM	01007	108	2013/01/31	150.000	2022/01
BERYLLIUM	01012	108	2013/01/31	< .000	2022/01
CADMIUM	01027	108	2013/01/31	< .000	2022/01
CHROMIUM (TOTAL)	01034	108	2013/01/31	< .000	2022/01
CHROMIUM, HEXAVALENT	01032	108	2014/07/16	. 1.000	2023/07
CYANIDE	01291	108	2013/01/31	< .000	2022/01
FLUORIDE (F) (NATURAL-SOURCE)	00951	108	2013/01/31	. .250	2022/01
MERCURY	71900	108	2013/01/31	< .000	2022/01
NICKEL	01067	108	2013/01/31	< .000	2022/01
PERCHLORATE	A-031	108	2013/01/31	< 4.000	2022/01
SELENIUM	01147	108	2013/01/31	< .000	2022/01
THALLIUM	01059	108	2013/01/31	< .000	2022/01

NITRATE/NITRITE

NITRATE (AS NO3)	71850	108	2013/01/31	. 41.000	2022/01
NITRITE (AS N)	00620	108	2013/01/31	< .000	2022/01

RADIOLOGICAL

GROSS ALPHA	01501	108	2013/01/31	. 6.670	2022/01
RADIUM 226	09501	108	2013/01/31	< 1.000	2022/01
RADIUM 228	11501	108	2013/01/31	< 1.000	2022/01
URANIUM (PCI/L)	28012	108	2013/01/31	. 6.306	2022/01

REGULATED SOC

DI(2-ETHYLHEXYL)PHTHALATE	39100	108	2013/01/31	< .000	2022/01
THIOBENCARB	A-001	108	2013/01/31	< .000	2022/01

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	108	2013/01/31	.000	2022/01
-----------------------	-------	-----	------------	------	---------

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910036

System Name: CALIFORNIA WATER SERVICE CO. - ELA

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910036-032

Source Name: WELL 52-01

Source Number: 032

Source Status: STANDBY RAW

Water type: G

REGULATED VOC

1,1,2,2-TETRACHLOROETHANE	34516	108	2013/01/31	.000	2022/01
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	108	2013/01/31	.000	2022/01
1,1,2-TRICHLOROETHANE	34511	108	2013/01/31	.000	2022/01
1,1-DICHLOROETHANE	34496	108	2013/01/31	.000	2022/01
1,1-DICHLOROETHYLENE	34501	108	2013/01/31	.000	2022/01
1,2,4-TRICHLOROBENZENE	34551	108	2013/01/31	.000	2022/01
1,2-DICHLOROBENZENE	34536	108	2013/01/31	.000	2022/01
1,2-DICHLOROETHANE	34531	108	2013/01/31	.000	2022/01
1,2-DICHLOROPROPANE	34541	108	2013/01/31	.000	2022/01
1,3-DICHLOROPROPENE (TOTAL)	34561	108	2013/01/31	.000	2022/01
1,4-DICHLOROBENZENE	34571	108	2013/01/31	.000	2022/01
BENZENE	34030	108	2013/01/31	.000	2022/01
CARBON TETRACHLORIDE	32102	108	2013/01/31	.000	2022/01
CIS-1,2-DICHLOROETHYLENE	77093	108	2013/01/31	.000	2022/01
DICHLOROMETHANE	34423	108	2013/01/31	.000	2022/01
ETHYLBENZENE	34371	108	2013/01/31	.000	2022/01
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	108	2013/01/31	.000	2022/01
MONOCHLOROBENZENE	34301	108	2013/01/31	.000	2022/01
STYRENE	77128	108	2013/01/31	.000	2022/01
TETRACHLOROETHYLENE	34475	108	2013/01/31	.500	2022/01
TOLUENE	34010	108	2013/01/31	.000	2022/01
TRANS-1,2-DICHLOROETHYLENE	34546	108	2013/01/31	.000	2022/01
TRICHLOROETHYLENE	39180	108	2013/01/31	.000	2022/01
TRICHLOROFUOROMETHANE	34488	108	2013/01/31	.000	2022/01
VINYL CHLORIDE	39175	108	2013/01/31	.000	2022/01
XYLENES (TOTAL)	81551	108	2013/01/31	.000	2022/01

SECONDARY/GP

BICARBONATE ALKALINITY	00440	108	2013/01/31	. 330.000	2022/01
CALCIUM	00916	108	2013/01/31	. 130.000	2022/01

*Testing interval is in months;
 0 = No data for this constituent and is DUE NOW
 I = Invalid (NOT) valid analyses reported
 Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910036

System Name: CALIFORNIA WATER SERVICE CO. - ELA

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910036-032

Source Name: WELL 52-01

Source Number: 032

Source Status: STANDBY RAW

Water type: G

SECONDARY/GP

CARBONATE ALKALINITY	00445	108	2013/01/31	< .000	2022/01
CHLORIDE	00940	108	2013/01/31	. 190.000	2022/01
COLOR	00081	108	2013/01/31	. 10.000	2022/01
COPPER	01042	108	2013/01/31	< .000	2022/01
FOAMING AGENTS (MBAS)	38260	108	2013/01/31	< .000	2022/01
HARDNESS (TOTAL) AS CaCO3	00900	108	2013/01/31	. 500.000	2022/01
HYDROXIDE ALKALINITY	71830	108	2013/01/31	< .000	2022/01
IRON	01045	108	2013/01/31	1100.000	2022/01
MAGNESIUM	00927	108	2013/01/31	. 42.000	2022/01
MANGANESE	01055	001	2013/01/31	450.000	2013/02 DUE
ODOR THRESHOLD @ 60 C	00086	108	2013/01/31	1.000	2022/01
PH, LABORATORY	00403	108	2013/01/31	. 7.900	2022/01
SILVER	01077	108	2013/01/31	< .000	2022/01
SODIUM	00929	108	2013/01/31	92.000	2022/01
SPECIFIC CONDUCTANCE	00095	108	2013/01/31	. 1300.000	2022/01
SULFATE	00945	108	2013/01/31	150.000	2022/01
TOTAL DISSOLVED SOLIDS	70300	108	2013/01/31	. 890.000	2022/01
TURBIDITY, LABORATORY	82079	108	2013/01/31	. 4.300	2022/01
ZINC	01092	108	2013/01/31	< .000	2022/01

PS Code: 1910036-034

Source Name: WELL 54-01

Source Number: 034

Source Status: ACTIVE RAW

Water type: G

INORGANIC

ALUMINUM	01105	036	2014/07/07	. .509	2017/07
ANTIMONY	01097	036	2014/07/07	. .031	2017/07
ARSENIC	01002	036	2014/07/07	. .983	2017/07

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910036

System Name: CALIFORNIA WATER SERVICE CO. - ELA

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910036-034

Source Name: WELL 54-01

Source Number: 034

Source Status: ACTIVE RAW

Water type: G

INORGANIC

BARIUM	01007	036	2014/07/07	. 77.022	2017/07
BERYLLIUM	01012	036	2014/07/07	< .000	2017/07
CADMIUM	01027	036	2014/07/07	< .000	2017/07
CHROMIUM (TOTAL)	01034	036	2014/07/07	. 3.100	2017/07
CHROMIUM, HEXAVALENT	01032	036	2014/07/16	. 2.400	2017/07
CYANIDE	01291	036	2014/06/02	< .000	2017/06
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/06/02	. .300	2017/06
MERCURY	71900	036	2014/06/02	< .000	2017/06
NICKEL	01067	036	2014/07/07	. 1.482	2017/07
PERCHLORATE	A-031	012	2014/07/07	< 4.000	2015/07
SELENIUM	01147	036	2014/07/07	. .483	2017/07
THALLIUM	01059	036	2014/07/07	< .000	2017/07

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2014/07/07	. 19.008	2015/07
NITRITE (AS N)	00620	036	2014/06/02	< .000	2017/06

RADIOLOGICAL

GROSS ALPHA	01501	072	2014/07/07	< 3.000	2020/07
-------------	-------	-----	------------	---------	---------

REGULATED SOC

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2013/07/23	< .000	2016/04
THIOBENCARB	A-001	033	2013/07/23	< .000	2016/04

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	012	2014/07/07	< .000	2015/07
1,1,2,2-TETRACHLOROETHANE	34516	012	2014/07/07	< .000	2015/07
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/07/07	< .000	2015/07
1,1,2-TRICHLOROETHANE	34511	012	2014/07/07	< .000	2015/07
1,1-DICHLOROETHANE	34496	012	2014/07/07	< .000	2015/07
1,1-DICHLOROETHYLENE	34501	012	2014/07/07	. 1.210	2015/07
1,2,4-TRICHLOROBENZENE	34551	012	2014/07/07	< .000	2015/07

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910036

System Name: CALIFORNIA WATER SERVICE CO. - ELA

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910036-034

Source Name: WELL 54-01

Source Number: 034

Source Status: ACTIVE RAW

Water type: G

REGULATED VOC

1,2-DICHLOROBENZENE	34536	012	2014/07/07	< .000	2015/07
1,2-DICHLOROETHANE	34531	012	2014/07/07	< .000	2015/07
1,2-DICHLOROPROPANE	34541	012	2014/07/07	< .000	2015/07
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/07/07	< .000	2015/07
1,4-DICHLOROBENZENE	34571	012	2014/07/07	< .000	2015/07
BENZENE	34030	012	2014/07/07	< .000	2015/07
CARBON TETRACHLORIDE	32102	012	2014/07/07	< .000	2015/07
CIS-1,2-DICHLOROETHYLENE	77093	012	2014/07/07	< .000	2015/07
DICHLOROMETHANE	34423	012	2014/07/07	< .000	2015/07
ETHYLBENZENE	34371	012	2014/07/07	< .000	2015/07
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/07/07	< .000	2015/07
MONOCHLOROBENZENE	34301	012	2014/07/07	< .000	2015/07
STYRENE	77128	012	2014/07/07	< .000	2015/07
TETRACHLOROETHYLENE	34475	012	2014/07/07	. 3.560	2015/07
TOLUENE	34010	012	2014/07/07	< .000	2015/07
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/07/07	< .000	2015/07
TRICHLOROETHYLENE	39180	012	2014/07/07	. 7.460	2015/07
TRICHLOROFUOROMETHANE	34488	012	2014/07/07	< .000	2015/07
VINYL CHLORIDE	39175	012	2014/07/07	< .000	2015/07
XYLENES (TOTAL)	81551	012	2014/07/07	< .000	2015/07

SECONDARY/GP

BICARBONATE ALKALINITY	00440	036	2014/06/02	. 240.000	2017/06
CALCIUM	00916	036	2014/06/02	. 88.000	2017/06
CARBONATE ALKALINITY	00445	036	2014/06/02	< .000	2017/06
CHLORIDE	00940	036	2014/06/02	. 72.000	2017/06
COLOR	00081	036	2014/06/02	< .000	2017/06
COPPER	01042	036	2014/07/07	. 3.633	2017/07
FOAMING AGENTS (MBAS)	38260	036	2014/06/02	< .000	2017/06
HARDNESS (TOTAL) AS CaCO3	00900	036	2014/06/02	. 300.000	2017/06

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910036

System Name: CALIFORNIA WATER SERVICE CO. - ELA

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910036-034

Source Name: WELL 54-01

Source Number: 034

Source Status: ACTIVE RAW

Water type: G

SECONDARY/GP

HYDROXIDE ALKALINITY	71830	036	2014/06/02	< .000	2017/06
IRON	01045	036	2014/06/02	< .000	2017/06
MAGNESIUM	00927	036	2014/06/02	. 20.000	2017/06
MANGANESE	01055	036	2014/07/07	. 18.858	2017/07
ODOR THRESHOLD @ 60 C	00086	036	2014/06/02	< .000	2017/06
PH, LABORATORY	00403	036	2014/06/02	. 7.400	2017/06
SILVER	01077	036	2014/06/02	< .000	2017/06
SODIUM	00929	036	2014/06/02	. 58.000	2017/06
SPECIFIC CONDUCTANCE	00095	036	2014/06/02	. 820.000	2017/06
SULFATE	00945	036	2014/06/02	. 110.000	2017/06
TOTAL DISSOLVED SOLIDS	70300	036	2014/06/02	. 530.000	2017/06
TURBIDITY, LABORATORY	82079	036	2014/06/02	< .000	2017/06
ZINC	01092	036	2014/07/07	. .864	2017/07

PS Code: 1910036-036

Source Name: MWD CONNECTION ELA CB14 - TREATED

Source Number: 036

Source Status: PURCHASED TREATED

Water type: S

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

PS Code: 1910036-037

Source Name: MWD CONNECTION, CB 01 - TREATED

Source Number: 037

Source Status: PURCHASED TREATED

Water type: S

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

*Testing interval is in months;
 0 = No data for this constituent and is DUE NOW
 I = Invalid (NOT) valid analyses reported
 Any analyses not listed as required for testing has been Waive (not required)

System Number: **1910036**

System Name: **CALIFORNIA WATER SERVICE CO. - ELA**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

PS Code: **1910036-038**

Source Name: **MWD CONNECTION, CB 39 - TREATED**

Source Number: **038**

Source Status: **PURCHASED TREATED**

Water type: **S**

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

PS Code: **1910036-039**

Source Name: **WELL 38-02 MN TRTMNT EFFLUENT**

Source Number: **039**

Source Status: **ACTIVE TREATED**

Water type: **S**

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

PS Code: **1910036-042**

Source Name: **WELL 43-01 25% UPPER PORT**

Source Number: **042**

Source Status: **ACTIVE TREATED**

Water type: **S**

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

PS Code: **1910036-043**

Source Name: **WELL 43-01 50% MIDDLE PORT**

Source Number: **043**

Source Status: **ACTIVE TREATED**

Water type: **S**

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

*Testing interval is in months;
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910036

System Name: CALIFORNIA WATER SERVICE CO. - ELA

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

PS Code: 1910036-044

Source Name: WELL 43-01 75% LOWER PORT

Source Number: 044

Source Status: ACTIVE TREATED

Water type: S

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

PS Code: 1910036-045

Source Name: WELL 43-01 EFFLUENT (PRE-CHLORAMINATION)

Source Number: 045

Source Status: ACTIVE TREATED

Water type: S

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

PS Code: 1910036-046

Source Name: WELL 43-01 EFFLUENT (POST-CHLORAMINATION)

Source Number: 046

Source Status: ACTIVE TREATED

Water type: S

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

PS Code: 1910036-047

Source Name: WELL 10-03 GAC VESSELS INTERMEDIATE PORT

Source Number: 047

Source Status: ACTIVE TREATED

Water type: S

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

*Testing interval is in months;
 0 = No data for this constituent and is DUE NOW
 I = Invalid (NOT) valid analyses reported
 Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910036

System Name: CALIFORNIA WATER SERVICE CO. - ELA

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

PS Code: 1910036-048

Source Name: GAC EFFLUENT/IX INFLUENT WELL 10-03

Source Number: 048

Source Status: ACTIVE TREATED

Water type: S

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

PS Code: 1910036-049

Source Name: IX HIGHEST BED EFFLUENT WELL 10-03

Source Number: 049

Source Status: ACTIVE TREATED

Water type: S

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

PS Code: 1910036-050

Source Name: IX COMB EFFL PRECHLORAMINATION WELL10-03

Source Number: 050

Source Status: ACTIVE TREATED

Water type: S

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

PS Code: 1910036-051

Source Name: EFFLUENT POST CHLORAMINATION WELL 10-03

Source Number: 051

Source Status: ACTIVE TREATED

Water type: S

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

*Testing interval is in months;
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910036

System Name: CALIFORNIA WATER SERVICE CO. - ELA

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910036-052

Source Name: WELL 22-01 GAC INTERMEDIATE(BET.VESSELS)

Source Number: 052

Source Status: ACTIVE TREATED

Water type: S

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

PS Code: 1910036-053

Source Name: WELL 22-01 GAC EFF/PRE-CHLORAMINATION

Source Number: 053

Source Status: ACTIVE TREATED

Water type: S

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

PS Code: 1910036-054

Source Name: WELL 22-01 POST-CHLORAMINATION

Source Number: 054

Source Status: ACTIVE TREATED

Water type: S

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

PS Code: 1910036-055

Source Name: WELL 39-02

Source Number: 055

Source Status: ACTIVE RAW

Water type: G

INORGANIC

ALUMINUM	01105	036	2012/09/11	< .000	2015/09
ANTIMONY	01097	036	2012/09/11	< .000	2015/09
ARSENIC	01002	036	2012/09/11	< .000	2015/09
BARIUM	01007	036	2012/09/11	160.000	2015/09
BERYLLIUM	01012	036	2012/09/11	< .000	2015/09

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: **1910036**

System Name: **CALIFORNIA WATER SERVICE CO. - ELA**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: **1910036-055**

Source Name: **WELL 39-02**

Source Number: **055**

Source Status: **ACTIVE RAW**

Water type: **G**

INORGANIC

CADMIUM	01027	036	2012/09/11	< .000	2015/09
CHROMIUM (TOTAL)	01034	036	2012/09/11	< .000	2015/09
CHROMIUM, HEXAVALENT	01032	036	2014/07/16	< 1.000	2017/07
CYANIDE	01291	036	2012/09/11	< .000	2015/09
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2012/09/11	.390	2015/09
MERCURY	71900	036	2012/09/11	< .000	2015/09
NICKEL	01067	036	2012/09/11	< .000	2015/09
PERCHLORATE	A-031	012	2013/10/08	< 4.000	2014/10
SELENIUM	01147	036	2012/09/11	< .000	2015/09
THALLIUM	01059	036	2012/09/11	< .000	2015/09

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2013/10/15	.5999	2014/10
NITRITE (AS N)	00620	036	2012/09/11	< .000	2015/09

RADIOLOGICAL

GROSS ALPHA	01501	108	2010/07/06	< 3.000	2019/07
-------------	-------	-----	------------	---------	---------

REGULATED SOC

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2013/07/25	< .000	2016/04
PENTACHLOROPHENOL	39032	033	2010/10/04	< .000	2013/07 DUE
THIOBENCARB	A-001	033	2013/07/25	< .000	2016/04

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	012	2014/07/07	< .000	2015/07
1,1,2,2-TETRACHLOROETHANE	34516	012	2014/07/07	< .000	2015/07
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/07/07	< .000	2015/07
1,1,2-TRICHLOROETHANE	34511	012	2014/07/07	< .000	2015/07
1,1-DICHLOROETHANE	34496	012	2014/07/07	< .000	2015/07
1,1-DICHLOROETHYLENE	34501	012	2014/07/07	< .000	2015/07
1,2,4-TRICHLOROBENZENE	34551	012	2014/07/07	< .000	2015/07
1,2-DICHLOROBENZENE	34536	012	2014/07/07	< .000	2015/07

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910036

System Name: CALIFORNIA WATER SERVICE CO. - ELA

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910036-055

Source Name: WELL 39-02

Source Number: 055

Source Status: ACTIVE RAW

Water type: G

REGULATED VOC

1,2-DICHLOROETHANE	34531	012	2014/07/07	< .000	2015/07
1,2-DICHLOROPROPANE	34541	012	2014/07/07	< .000	2015/07
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/07/07	< .000	2015/07
1,4-DICHLOROBENZENE	34571	012	2014/07/07	< .000	2015/07
BENZENE	34030	012	2014/07/07	< .000	2015/07
CARBON TETRACHLORIDE	32102	012	2014/07/07	< .000	2015/07
CIS-1,2-DICHLOROETHYLENE	77093	012	2014/07/07	< .000	2015/07
DICHLOROMETHANE	34423	012	2014/07/07	< .000	2015/07
ETHYLBENZENE	34371	012	2014/07/07	< .000	2015/07
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/07/07	< .000	2015/07
MONOCHLOROBENZENE	34301	012	2014/07/07	< .000	2015/07
STYRENE	77128	012	2014/07/07	< .000	2015/07
TETRACHLOROETHYLENE	34475	012	2014/07/07	. 1.000	2015/07
TOLUENE	34010	012	2014/07/07	< .000	2015/07
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/07/07	< .000	2015/07
TRICHLOROETHYLENE	39180	012	2014/07/07	. .700	2015/07
TRICHLOROFLUOROMETHANE	34488	012	2014/07/07	< .000	2015/07
VINYL CHLORIDE	39175	012	2014/07/07	< .000	2015/07
XYLENES (TOTAL)	81551	012	2014/07/07	< .000	2015/07

SECONDARY/GP

BICARBONATE ALKALINITY	00440	036	2012/09/11	. 210.000	2015/09
CALCIUM	00916	036	2012/09/11	. 70.000	2015/09
CARBONATE ALKALINITY	00445	036	2012/09/11	1.900	2015/09
CHLORIDE	00940	036	2012/09/11	. 91.000	2015/09
COLOR	00081	036	2012/09/11	< .000	2015/09
COPPER	01042	036	2012/09/11	< .000	2015/09
FOAMING AGENTS (MBAS)	38260	036	2012/09/11	< .000	2015/09
HARDNESS (TOTAL) AS CaCO3	00900	036	2012/09/11	. 260.000	2015/09
HYDROXIDE ALKALINITY	71830	036	2012/09/11	< .000	2015/09

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910036

System Name: CALIFORNIA WATER SERVICE CO. - ELA

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910036-055

Source Name: WELL 39-02

Source Number: 055

Source Status: ACTIVE RAW

Water type: G

SECONDARY/GP

IRON	01045	036	2014/07/07	. 8.256	2017/07
MAGNESIUM	00927	036	2012/09/11	. 19.000	2015/09
MANGANESE	01055	036	2014/07/07	. 53.040	2017/07
ODOR THRESHOLD @ 60 C	00086	036	2012/09/11	< .000	2015/09
PH, LABORATORY	00403	036	2012/09/11	. 8.300	2015/09
SILVER	01077	036	2012/09/11	< .000	2015/09
SODIUM	00929	036	2012/09/11	81.000	2015/09
SPECIFIC CONDUCTANCE	00095	036	2012/09/11	. 830.000	2015/09
SULFATE	00945	036	2012/09/11	86.000	2015/09
TOTAL DISSOLVED SOLIDS	70300	036	2012/09/11	. 500.000	2015/09
TURBIDITY, LABORATORY	82079	036	2012/09/11	< .000	2015/09
ZINC	01092	036	2012/09/11	< .000	2015/09

PS Code: 1910036-056

Source Name: WELL 62-01 - PENDING

Source Number: 056

Source Status: PENDING

Water type: G

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED *** 999

PS Code: 1910036-057

Source Name: WELL 13-02 MN TRTMENT EFFLUENT

Source Number: 057

Source Status: ACTIVE TREATED

Water type: S

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED *** 999

*Testing interval is in months;
 0 = No data for this constituent and is DUE NOW
 I = Invalid (NOT) valid analyses reported
 Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910036

System Name: CALIFORNIA WATER SERVICE CO. - ELA

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

PS Code: 1910036-058

Source Name: STATION 13 PLANT EFFLUENT (POST-CHLOR)

Source Number: 058

Source Status: ACTIVE TREATED

Water type: S

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

PS Code: 1910036-063

Source Name: STATION 54 GAC LEAD VESSEL EFF/INTERMEDI

Source Number: 063

Source Status: ACTIVE TREATED

Water type: G

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

PS Code: 1910036-064

Source Name: STATION 54- GAC LAG VESSEL/75% POINT

Source Number: 064

Source Status: ACTIVE TREATED

Water type: G

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

PS Code: 1910036-065

Source Name: STAT.54 - GAC LAG VESSEL EFF/PRE-CHLORAM

Source Number: 065

Source Status: ACTIVE TREATED

Water type: G

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

*Testing interval is in months;
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910036

System Name: CALIFORNIA WATER SERVICE CO. - ELA

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

PS Code: 1910036-066

Source Name: STATION 54 PLANT EFF/POST-CHLORAMINATION

Source Number: 066

Source Status: ACTIVE TREATED

Water type: G

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

PS Code: 1910036-067

Source Name: WELL 62-02 - PENDING

Source Number: 067

Source Status: PENDING

Water type: G

INORGANIC

ALUMINUM	01105	000		DUE
ANTIMONY	01097	000		DUE
ARSENIC	01002	000		DUE
ASBESTOS	81855	000		DUE
BARIUM	01007	000		DUE
BERYLLIUM	01012	000		DUE
CADMIUM	01027	000		DUE
CHROMIUM (TOTAL)	01034	000		DUE
CHROMIUM, HEXAVALENT	01032	000		DUE
CYANIDE	01291	000		DUE
FLUORIDE (F) (NATURAL-SOURCE)	00951	000		DUE
MERCURY	71900	000		DUE
NICKEL	01067	000		DUE
PERCHLORATE	A-031	000		DUE
SELENIUM	01147	000		DUE
THALLIUM	01059	000		DUE

NITRATE/NITRITE

NITRATE (AS NO3)	71850	000		DUE
NITRITE (AS N)	00620	000		DUE

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: **1910036**

System Name: **CALIFORNIA WATER SERVICE CO. - ELA**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

PS Code: **1910036-067**

Source Name: **WELL 62-02 - PENDING**

Source Number: **067**

Source Status: **PENDING**

Water type: **G**

RADIOLOGICAL

GROSS ALPHA	01501	000		DUE
RADIUM 226	09501	000		DUE
RADIUM 228	11501	000		DUE
URANIUM (PCI/L)	28012	000		DUE

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	000		DUE
1,1,2,2-TETRACHLOROETHANE	34516	000		DUE
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	000		DUE
1,1,2-TRICHLOROETHANE	34511	000		DUE
1,1-DICHLOROETHANE	34496	000		DUE
1,1-DICHLOROETHYLENE	34501	000		DUE
1,2,4-TRICHLOROBENZENE	34551	000		DUE
1,2-DICHLOROBENZENE	34536	000		DUE
1,2-DICHLOROETHANE	34531	000		DUE
1,2-DICHLOROPROPANE	34541	000		DUE
1,3-DICHLOROPROPENE (TOTAL)	34561	000		DUE
1,4-DICHLOROBENZENE	34571	000		DUE
BENZENE	34030	000		DUE
CARBON TETRACHLORIDE	32102	000		DUE
CIS-1,2-DICHLOROETHYLENE	77093	000		DUE
DICHLOROMETHANE	34423	000		DUE
ETHYLBENZENE	34371	000		DUE
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	000		DUE
MONOCHLOROBENZENE	34301	000		DUE
STYRENE	77128	000		DUE
TETRACHLOROETHYLENE	34475	000		DUE
TOLUENE	34010	000		DUE
TRANS-1,2-DICHLOROETHYLENE	34546	000		DUE
TRICHLOROETHYLENE	39180	000		DUE

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910036

System Name: CALIFORNIA WATER SERVICE CO. - ELA

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910036-067

Source Name: WELL 62-02 - PENDING

Source Number: 067

Source Status: PENDING

Water type: G

REGULATED VOC

TRICHLOROFLUOROMETHANE	34488	000		DUE
VINYL CHLORIDE	39175	000		DUE
XYLENES (TOTAL)	81551	000		DUE

SECONDARY/GP

BICARBONATE ALKALINITY	00440	000		DUE
CALCIUM	00916	000		DUE
CARBONATE ALKALINITY	00445	000		DUE
CHLORIDE	00940	000		DUE
COLOR	00081	000		DUE
COPPER	01042	000		DUE
FOAMING AGENTS (MBAS)	38260	000		DUE
HARDNESS (TOTAL) AS CaCO3	00900	000		DUE
HYDROXIDE ALKALINITY	71830	000		DUE
IRON	01045	000		DUE
MAGNESIUM	00927	000		DUE
MANGANESE	01055	000		DUE
ODOR THRESHOLD @ 60 C	00086	000		DUE
PH, LABORATORY	00403	000		DUE
SILVER	01077	000		DUE
SODIUM	00929	000		DUE
SPECIFIC CONDUCTANCE	00095	000		DUE
SULFATE	00945	000		DUE
TOTAL DISSOLVED SOLIDS	70300	000		DUE
TURBIDITY, LABORATORY	82079	000		DUE
ZINC	01092	000		DUE

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910036

System Name: CALIFORNIA WATER SERVICE CO. - ELA

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910036-068

Source Name: WELL 63-01 - PENDING

Source Number: 068

Source Status: PENDING

Water type: G

INORGANIC

ALUMINUM	01105	000		DUE
ANTIMONY	01097	000		DUE
ARSENIC	01002	000		DUE
ASBESTOS	81855	000		DUE
BARIUM	01007	000		DUE
BERYLLIUM	01012	000		DUE
CADMIUM	01027	000		DUE
CHROMIUM (TOTAL)	01034	000		DUE
CHROMIUM, HEXAVALENT	01032	000		DUE
CYANIDE	01291	000		DUE
FLUORIDE (F) (NATURAL-SOURCE)	00951	000		DUE
MERCURY	71900	000		DUE
NICKEL	01067	000		DUE
PERCHLORATE	A-031	000		DUE
SELENIUM	01147	000		DUE
THALLIUM	01059	000		DUE

NITRATE/NITRITE

NITRATE (AS NO3)	71850	000		DUE
NITRITE (AS N)	00620	000		DUE

RADIOLOGICAL

GROSS ALPHA	01501	000		DUE
RADIUM 226	09501	000		DUE
RADIUM 228	11501	000		DUE
URANIUM (PCI/L)	28012	000		DUE

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	000		DUE
1,1,2,2-TETRACHLOROETHANE	34516	000		DUE
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	000		DUE

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: **1910036**

System Name: **CALIFORNIA WATER SERVICE CO. - ELA**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

PS Code: **1910036-068**

Source Name: **WELL 63-01 - PENDING**

Source Number: **068**

Source Status: **PENDING**

Water type: **G**

REGULATED VOC

1,1,2-TRICHLOROETHANE	34511	000		DUE
1,1-DICHLOROETHANE	34496	000		DUE
1,1-DICHLOROETHYLENE	34501	000		DUE
1,2,4-TRICHLOROBENZENE	34551	000		DUE
1,2-DICHLOROBENZENE	34536	000		DUE
1,2-DICHLOROETHANE	34531	000		DUE
1,2-DICHLOROPROPANE	34541	000		DUE
1,3-DICHLOROPROPENE (TOTAL)	34561	000		DUE
1,4-DICHLOROBENZENE	34571	000		DUE
BENZENE	34030	000		DUE
CARBON TETRACHLORIDE	32102	000		DUE
CIS-1,2-DICHLOROETHYLENE	77093	000		DUE
DICHLOROMETHANE	34423	000		DUE
ETHYLBENZENE	34371	000		DUE
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	000		DUE
MONOCHLOROBENZENE	34301	000		DUE
STYRENE	77128	000		DUE
TETRACHLOROETHYLENE	34475	000		DUE
TOLUENE	34010	000		DUE
TRANS-1,2-DICHLOROETHYLENE	34546	000		DUE
TRICHLOROETHYLENE	39180	000		DUE
TRICHLOROFLUOROMETHANE	34488	000		DUE
VINYL CHLORIDE	39175	000		DUE
XYLENES (TOTAL)	81551	000		DUE

SECONDARY/GP

BICARBONATE ALKALINITY	00440	000		DUE
CALCIUM	00916	000		DUE
CARBONATE ALKALINITY	00445	000		DUE
CHLORIDE	00940	000		DUE

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910036

System Name: CALIFORNIA WATER SERVICE CO. - ELA

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910036-068

Source Name: WELL 63-01 - PENDING

Source Number: 068

Source Status: PENDING

Water type: G

SECONDARY/GP

COLOR	00081	000		DUE
COPPER	01042	000		DUE
FOAMING AGENTS (MBAS)	38260	000		DUE
HARDNESS (TOTAL) AS CaCO3	00900	000		DUE
HYDROXIDE ALKALINITY	71830	000		DUE
IRON	01045	000		DUE
MAGNESIUM	00927	000		DUE
MANGANESE	01055	000		DUE
ODOR THRESHOLD @ 60 C	00086	000		DUE
PH, LABORATORY	00403	000		DUE
SILVER	01077	000		DUE
SODIUM	00929	000		DUE
SPECIFIC CONDUCTANCE	00095	000		DUE
SULFATE	00945	000		DUE
TOTAL DISSOLVED SOLIDS	70300	000		DUE
TURBIDITY, LABORATORY	82079	000		DUE
ZINC	01092	000		DUE

PS Code: 1910036-071

Source Name: WELL 53-02 - PENDING

Source Number: 071

Source Status: PENDING

Water type: G

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED *** 999

*Testing interval is in months;
 0 = No data for this constituent and is DUE NOW
 I = Invalid (NOT) valid analyses reported
 Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910036

System Name: CALIFORNIA WATER SERVICE CO. - ELA

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910036-072

Source Name: WELL 63-02

Source Number: 072

Source Status: PENDING

Water type: G

INORGANIC

ALUMINUM	01105	000		DUE
ANTIMONY	01097	000		DUE
ARSENIC	01002	000		DUE
BARIUM	01007	000		DUE
BERYLLIUM	01012	000		DUE
CADMIUM	01027	000		DUE
CHROMIUM (TOTAL)	01034	000		DUE
CHROMIUM, HEXAVALENT	01032	000		DUE
CYANIDE	01291	000		DUE
FLUORIDE (F) (NATURAL-SOURCE)	00951	000		DUE
MERCURY	71900	000		DUE
NICKEL	01067	000		DUE
PERCHLORATE	A-031	000		DUE
SELENIUM	01147	000		DUE
THALLIUM	01059	000		DUE

NITRATE/NITRITE

NITRATE (AS NO3)	71850	000		DUE
NITRITE (AS N)	00620	000		DUE

RADIOLOGICAL

GROSS ALPHA	01501	000		DUE
RADIUM 226	09501	000		DUE
RADIUM 228	11501	000		DUE
URANIUM (PCI/L)	28012	000		DUE

REGULATED SOC

DI(2-ETHYLHEXYL)PHTHALATE	39100	003		DUE
THIOBENCARB	A-001	003		DUE

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	000		DUE
-----------------------	-------	-----	--	-----

*Testing interval is in months;
 0 = No data for this constituent and is DUE NOW
 I = Invalid (NOT) valid analyses reported
 Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910036

System Name: CALIFORNIA WATER SERVICE CO. - ELA

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

PS Code: 1910036-072

Source Name: WELL 63-02

Source Number: 072

Source Status: PENDING

Water type: G

REGULATED VOC

1,1,2,2-TETRACHLOROETHANE	34516	000		DUE
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	000		DUE
1,1,2-TRICHLOROETHANE	34511	000		DUE
1,1-DICHLOROETHANE	34496	000		DUE
1,1-DICHLOROETHYLENE	34501	000		DUE
1,2,4-TRICHLOROBENZENE	34551	000		DUE
1,2-DICHLOROBENZENE	34536	000		DUE
1,2-DICHLOROETHANE	34531	000		DUE
1,2-DICHLOROPROPANE	34541	000		DUE
1,3-DICHLOROPROPENE (TOTAL)	34561	000		DUE
1,4-DICHLOROBENZENE	34571	000		DUE
BENZENE	34030	000		DUE
CARBON TETRACHLORIDE	32102	000		DUE
CIS-1,2-DICHLOROETHYLENE	77093	000		DUE
DICHLOROMETHANE	34423	000		DUE
ETHYLBENZENE	34371	000		DUE
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	000		DUE
MONOCHLOROBENZENE	34301	000		DUE
STYRENE	77128	000		DUE
TETRACHLOROETHYLENE	34475	000		DUE
TOLUENE	34010	000		DUE
TRANS-1,2-DICHLOROETHYLENE	34546	000		DUE
TRICHLOROETHYLENE	39180	000		DUE
TRICHLOROFLUOROMETHANE	34488	000		DUE
VINYL CHLORIDE	39175	000		DUE
XYLENES (TOTAL)	81551	000		DUE

SECONDARY/GP

BICARBONATE ALKALINITY	00440	000		DUE
CALCIUM	00916	000		DUE

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910036

System Name: CALIFORNIA WATER SERVICE CO. - ELA

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910036-072

Source Name: WELL 63-02

Source Number: 072

Source Status: PENDING

Water type: G

SECONDARY/GP

CARBONATE ALKALINITY	00445	000		DUE
CHLORIDE	00940	000		DUE
COLOR	00081	000		DUE
COPPER	01042	000		DUE
FOAMING AGENTS (MBAS)	38260	000		DUE
HARDNESS (TOTAL) AS CaCO3	00900	000		DUE
HYDROXIDE ALKALINITY	71830	000		DUE
IRON	01045	000		DUE
MAGNESIUM	00927	000		DUE
MANGANESE	01055	000		DUE
ODOR THRESHOLD @ 60 C	00086	000		DUE
PH, LABORATORY	00403	000		DUE
SILVER	01077	000		DUE
SODIUM	00929	000		DUE
SPECIFIC CONDUCTANCE	00095	000		DUE
SULFATE	00945	000		DUE
TOTAL DISSOLVED SOLIDS	70300	000		DUE
TURBIDITY, LABORATORY	82079	000		DUE
ZINC	01092	000		DUE

PS Code: 1910036-800

Source Name: ELA-D-003-4775 CESAR CHAVEZ AVE-STG2 DBP

Source Number: 800

Source Status: DISTRIBUTION TREATED

Water type: S

HALOACETIC ACIDS

DIBROMOACETIC ACID (DBAA)	82721	003	2014/04/08	. 3.100	2014/07
DICHLOROACETIC ACID (DCAA)	77288	003	2014/04/08	. 7.600	2014/07
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/04/08	. 15.000	2014/07

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910036

System Name: CALIFORNIA WATER SERVICE CO. - ELA

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910036-800

Source Name: ELA-D-003-4775 CESAR CHAVEZ AVE-STG2 DBP

Source Number: 800

Source Status: DISTRIBUTION TREATED

Water type: S

HALOACETIC ACIDS

MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/04/08	< .000	2014/07
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/04/08	< .000	2014/07
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/04/08	. 4.700	2014/07

STATE UCMR

BROMODICHLORMETHANE (THM)	32101	003	2014/07/08	. 11.070	2014/10
BROMOFORM (THM)	32104	003	2014/07/08	. 2.520	2014/10
CHLOROFORM (THM)	32106	003	2014/07/08	. 15.540	2014/10
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/07/08	. 9.780	2014/10

TRIHALOMETHANES

TOTAL TRIHALOMETHANES	82080	003	2014/07/08	. 38.900	2014/10
-----------------------	-------	-----	------------	----------	---------

PS Code: 1910036-801

Source Name: ELA-D-006- 4008 WHITTIER BLVD.- STG2 DBP

Source Number: 801

Source Status: DISTRIBUTION TREATED

Water type: S

HALOACETIC ACIDS

DIBROMOACETIC ACID (DBAA)	82721	003	2014/04/08	. 2.800	2014/07
DICHLOROACETIC ACID (DCAA)	77288	003	2014/04/08	. 5.000	2014/07
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/04/08	. 11.000	2014/07
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/04/08	< .000	2014/07
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/04/08	< .000	2014/07
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/04/08	. 3.100	2014/07

STATE UCMR

BROMODICHLORMETHANE (THM)	32101	003	2014/07/08	. 10.700	2014/10
BROMOFORM (THM)	32104	003	2014/07/08	. 2.300	2014/10
CHLOROFORM (THM)	32106	003	2014/07/08	. 16.000	2014/10
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/07/08	. 9.700	2014/10

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910036

System Name: CALIFORNIA WATER SERVICE CO. - ELA

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910036-801

Source Name: ELA-D-006- 4008 WHITTIER BLVD.- STG2 DBP

Source Number: 801

Source Status: DISTRIBUTION TREATED

Water type: S

TRihalOMETHANES

TOTAL TRIHALOMETHANES	82080	003	2014/07/08	. 38.700	2014/10
-----------------------	-------	-----	------------	----------	---------

PS Code: 1910036-802

Source Name: ELA-D-014- 205 KENSINGTON WAY - STG2 DBP

Source Number: 802

Source Status: DISTRIBUTION TREATED

Water type: S

HALOACETIC ACIDS

DIBROMOACETIC ACID (DBAA)	82721	003	2014/04/08	. 3.200	2014/07
DICHLOROACETIC ACID (DCAA)	77288	003	2014/04/08	. 8.600	2014/07
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/04/08	. 17.000	2014/07
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/04/08	< .000	2014/07
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/04/08	< .000	2014/07
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/04/08	. 4.800	2014/07

STATE UCMR

BROMODICHLORMETHANE (THM)	32101	003	2014/07/08	. 12.070	2014/10
BROMOFORM (THM)	32104	003	2014/07/08	. 2.510	2014/10
CHLOROFORM (THM)	32106	003	2014/07/08	. 18.320	2014/10
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/07/08	. 10.990	2014/10

TRihalOMETHANES

TOTAL TRIHALOMETHANES	82080	003	2014/07/08	. 43.900	2014/10
-----------------------	-------	-----	------------	----------	---------

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910036

System Name: CALIFORNIA WATER SERVICE CO. - ELA

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910036-803

Source Name: ELA-D-016- 904 N TOWNSEND AVE.- STG2 DBP

Source Number: 803

Source Status: DISTRIBUTION TREATED

Water type: S

HALOACETIC ACIDS

DIBROMOACETIC ACID (DBAA)	82721	003	2014/04/08	. 3.300	2014/07
DICHLOROACETIC ACID (DCAA)	77288	003	2014/04/08	. 8.000	2014/07
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/04/08	. 16.000	2014/07
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/04/08	< .000	2014/07
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/04/08	< .000	2014/07
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/04/08	. 4.700	2014/07

STATE UCMR

BROMODICHLORMETHANE (THM)	32101	003	2014/07/08	. 10.870	2014/10
BROMOFORM (THM)	32104	003	2014/07/08	. 2.210	2014/10
CHLOROFORM (THM)	32106	003	2014/07/08	. 14.800	2014/10
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/07/08	. 9.850	2014/10

TRIHALOMETHANES

TOTAL TRIHALOMETHANES	82080	003	2014/07/08	. 37.800	2014/10
-----------------------	-------	-----	------------	----------	---------

PS Code: 1910036-804

Source Name: ELA-D-030- 3875 BOSTWICK ST. - STG2 DBP

Source Number: 804

Source Status: DISTRIBUTION TREATED

Water type: S

HALOACETIC ACIDS

DIBROMOACETIC ACID (DBAA)	82721	003	2014/04/08	. 3.200	2014/07
DICHLOROACETIC ACID (DCAA)	77288	003	2014/04/08	. 8.100	2014/07
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/04/08	. 16.000	2014/07
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/04/08	< .000	2014/07
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/04/08	< .000	2014/07
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/04/08	. 4.800	2014/07

STATE UCMR

BROMODICHLORMETHANE (THM)	32101	003	2014/07/08	. 11.440	2014/10
---------------------------	-------	-----	------------	----------	---------

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910036

System Name: CALIFORNIA WATER SERVICE CO. - ELA

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910036-804

Source Name: ELA-D-030- 3875 BOSTWICK ST. - STG2 DBP

Source Number: 804

Source Status: DISTRIBUTION TREATED

Water type: S

STATE UCMR

BROMOFORM (THM)	32104	003	2014/07/08	. 2.290	2014/10
CHLOROFORM (THM)	32106	003	2014/07/08	. 16.600	2014/10
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/07/08	. 10.180	2014/10

TRIHALOMETHANES

TOTAL TRIHALOMETHANES	82080	003	2014/07/08	. 40.500	2014/10
-----------------------	-------	-----	------------	----------	---------

PS Code: 1910036-805

Source Name: ELA-D-032- STATION 30 BOOSTER - STG2 DBP

Source Number: 805

Source Status: DISTRIBUTION TREATED

Water type: S

HALOACETIC ACIDS

DIBROMOACETIC ACID (DBAA)	82721	003	2014/04/08	. 3.200	2014/07
DICHLOROACETIC ACID (DCAA)	77288	003	2014/04/08	. 8.900	2014/07
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/04/08	. 17.000	2014/07
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/04/08	< .000	2014/07
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/04/08	< .000	2014/07
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/04/08	. 4.800	2014/07

STATE UCMR

BROMODICHLORMETHANE (THM)	32101	003	2014/07/08	. 10.940	2014/10
BROMOFORM (THM)	32104	003	2014/07/08	. 2.450	2014/10
CHLOROFORM (THM)	32106	003	2014/07/08	. 17.230	2014/10
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/07/08	. 10.540	2014/10

TRIHALOMETHANES

TOTAL TRIHALOMETHANES	82080	003	2014/07/08	. 41.100	2014/10
-----------------------	-------	-----	------------	----------	---------

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910036

System Name: CALIFORNIA WATER SERVICE CO. - ELA

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910036-806

Source Name: ELA-D-033- 735 S HENDRICKS AVE.-STG2 DBP

Source Number: 806

Source Status: DISTRIBUTION TREATED

Water type: S

HALOACETIC ACIDS

DIBROMOACETIC ACID (DBAA)	82721	003	2014/04/08	. 3.300	2014/07
DICHLOROACETIC ACID (DCAA)	77288	003	2014/04/08	. 8.400	2014/07
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/04/08	. 16.000	2014/07
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/04/08	< .000	2014/07
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/04/08	< .000	2014/07
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/04/08	. 4.700	2014/07

STATE UCMR

BROMODICHLORMETHANE (THM)	32101	003	2014/07/08	. 11.260	2014/10
BROMOFORM (THM)	32104	003	2014/07/08	. 2.270	2014/10
CHLOROFORM (THM)	32106	003	2014/07/08	. 17.010	2014/10
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/07/08	. 10.120	2014/10

TRIHALOMETHANES

TOTAL TRIHALOMETHANES	82080	003	2014/07/08	. 40.700	2014/10
-----------------------	-------	-----	------------	----------	---------

PS Code: 1910036-807

Source Name: ELA-D-035- 4235 BLANCHARD ST. - STG2 DBP

Source Number: 807

Source Status: DISTRIBUTION TREATED

Water type: S

HALOACETIC ACIDS

DIBROMOACETIC ACID (DBAA)	82721	003	2014/04/08	. 3.300	2014/07
DICHLOROACETIC ACID (DCAA)	77288	003	2014/04/08	. 7.800	2014/07
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/04/08	. 16.000	2014/07
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/04/08	< .000	2014/07
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/04/08	< .000	2014/07
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/04/08	. 4.800	2014/07

STATE UCMR

BROMODICHLORMETHANE (THM)	32101	003	2014/07/08	. 11.590	2014/10
---------------------------	-------	-----	------------	----------	---------

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910036

System Name: CALIFORNIA WATER SERVICE CO. - ELA

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

PS Code: 1910036-807

Source Name: ELA-D-035- 4235 BLANCHARD ST. - STG2 DBP

Source Number: 807

Source Status: DISTRIBUTION TREATED

Water type: S

STATE UCMR

BROMOFORM (THM)	32104	003	2014/07/08	. 2.220	2014/10
CHLOROFORM (THM)	32106	003	2014/07/08	. 16.780	2014/10
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/07/08	. 9.980	2014/10

TRIHALOMETHANES

TOTAL TRIHALOMETHANES	82080	003	2014/07/08	. 40.600	2014/10
-----------------------	-------	-----	------------	----------	---------

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910039

System Name: SAN GABRIEL VALLEY WATER CO.-EL MONTE

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910039-001

Source Name: WELL 01B

Source Number: 001

Source Status: ACTIVE RAW

Water type: G

INORGANIC

ALUMINUM	01105	036	2011/08/08	< .000	2014/08
ANTIMONY	01097	036	2011/08/08	< .000	2014/08
ARSENIC	01002	036	2011/08/08	. 2.100	2014/08
BARIUM	01007	036	2011/08/08	170.000	2014/08
BERYLLIUM	01012	036	2011/08/08	< .000	2014/08
CADMIUM	01027	036	2011/08/08	< .000	2014/08
CHROMIUM (TOTAL)	01034	036	2011/08/08	< .000	2014/08
CYANIDE	01291	036	2011/08/08	< .000	2014/08
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2011/09/27	. .320	2014/09
MERCURY	71900	036	2011/08/08	< .000	2014/08
NICKEL	01067	036	2011/08/08	< .000	2014/08
PERCHLORATE	A-031	012	2013/08/21	< 4.000	2014/08
SELENIUM	01147	036	2011/08/08	< .000	2014/08
THALLIUM	01059	036	2011/08/08	< .000	2014/08

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2014/05/06	. 16.000	2015/05
NITRITE (AS N)	00620	036	2011/08/08	< .000	2014/08

RADIOLOGICAL

GROSS ALPHA	01501	108	2007/05/09	< 3.000	2016/05
RADIUM 226	09501	108	2007/05/09	< 1.000	2016/05
RADIUM 228	11501	108	2012/08/08	.000	2021/08
URANIUM (PCI/L)	28012	108	2007/05/09	< 2.000	2016/05

REGULATED SOC

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2013/05/17	< 3.000	2016/02
THIOBENCARB	A-001	033	2013/05/17	< 1.000	2016/02

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	012	2013/08/21	< .500	2014/08
1,1,2,2-TETRACHLOROETHANE	34516	012	2013/08/21	< .500	2014/08

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910039

System Name: SAN GABRIEL VALLEY WATER CO.-EL MONTE

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910039-001

Source Name: WELL 01B

Source Number: 001

Source Status: ACTIVE RAW

Water type: G

REGULATED VOC

1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/05/06	< 10.000	2015/05
1,1,2-TRICHLOROETHANE	34511	012	2013/08/21	< .500	2014/08
1,1-DICHLOROETHANE	34496	012	2013/08/21	< .500	2014/08
1,1-DICHLOROETHYLENE	34501	012	2014/05/06	< .500	2015/05
1,2,4-TRICHLOROBENZENE	34551	012	2013/08/21	< .500	2014/08
1,2-DICHLOROBENZENE	34536	012	2013/08/21	< .500	2014/08
1,2-DICHLOROETHANE	34531	012	2013/08/21	< .500	2014/08
1,2-DICHLOROPROPANE	34541	012	2013/08/21	< .500	2014/08
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2013/08/21	< .500	2014/08
1,4-DICHLOROBENZENE	34571	012	2013/08/21	< .500	2014/08
BENZENE	34030	012	2013/08/21	< .500	2014/08
CARBON TETRACHLORIDE	32102	012	2013/08/21	< .500	2014/08
CIS-1,2-DICHLOROETHYLENE	77093	012	2013/08/21	< .500	2014/08
DICHLOROMETHANE	34423	012	2013/08/21	< .500	2014/08
ETHYLBENZENE	34371	012	2013/08/21	< .500	2014/08
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2013/08/21	< 3.000	2014/08
MONOCHLOROBENZENE	34301	012	2013/08/21	< .500	2014/08
STYRENE	77128	012	2013/08/21	< .500	2014/08
TETRACHLOROETHYLENE	34475	001	2014/07/02	< .500	2014/08
TOLUENE	34010	012	2013/08/21	< .500	2014/08
TRANS-1,2-DICHLOROETHYLENE	34546	012	2013/08/21	< .500	2014/08
TRICHLOROETHYLENE	39180	012	2013/08/21	< .500	2014/08
TRICHLOROFUOROMETHANE	34488	012	2013/08/21	< 5.000	2014/08
VINYL CHLORIDE	39175	012	2013/08/21	< .500	2014/08
XYLENES (TOTAL)	81551	012	2013/08/21	< .000	2014/08

SECONDARY/GP

BICARBONATE ALKALINITY	00440	036	2011/09/27	. 230.000	2014/09
CALCIUM	00916	036	2011/09/27	. 78.000	2014/09
CARBONATE ALKALINITY	00445	036	2011/09/27	< .000	2014/09

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910039

System Name: SAN GABRIEL VALLEY WATER CO.-EL MONTE

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910039-001

Source Name: WELL 01B

Source Number: 001

Source Status: ACTIVE RAW

Water type: G

SECONDARY/GP

CHLORIDE	00940	036	2011/09/27	. 37.000	2014/09
COLOR	00081	036	2011/09/27	< .000	2014/09
COPPER	01042	036	2011/09/27	< .000	2014/09
FOAMING AGENTS (MBAS)	38260	036	2011/09/27	< .000	2014/09
HARDNESS (TOTAL) AS CaCO3	00900	036	2011/09/27	. 260.000	2014/09
HYDROXIDE ALKALINITY	71830	036	2011/09/27	< .000	2014/09
IRON	01045	036	2011/09/27	< .000	2014/09
MAGNESIUM	00927	036	2011/09/27	. 17.000	2014/09
MANGANESE	01055	036	2011/09/27	< .000	2014/09
ODOR THRESHOLD @ 60 C	00086	036	2011/09/27	1.000	2014/09
PH, LABORATORY	00403	036	2011/09/27	. 7.250	2014/09
SILVER	01077	036	2011/08/08	< .000	2014/08
SODIUM	00929	036	2011/09/27	19.000	2014/09
SPECIFIC CONDUCTANCE	00095	036	2011/09/27	. 510.000	2014/09
SULFATE	00945	036	2011/09/27	74.000	2014/09
TOTAL DISSOLVED SOLIDS	70300	036	2013/08/21	. 320.000	2016/08
TURBIDITY, LABORATORY	82079	036	2011/09/27	< .000	2014/09
ZINC	01092	036	2011/09/27	< .000	2014/09

PS Code: 1910039-002

Source Name: WELL 01C

Source Number: 002

Source Status: ACTIVE RAW

Water type: G

INORGANIC

ALUMINUM	01105	036	2012/08/08	< 50.000	2015/08
ANTIMONY	01097	036	2012/08/08	< 6.000	2015/08
ARSENIC	01002	036	2012/08/08	< 2.000	2015/08
BARIUM	01007	036	2012/08/08	110.000	2015/08

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910039

System Name: SAN GABRIEL VALLEY WATER CO.-EL MONTE

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910039-002

Source Name: WELL 01C

Source Number: 002

Source Status: ACTIVE RAW

Water type: G

INORGANIC

BERYLLIUM	01012	036	2012/08/08	< 1.000	2015/08
CADMIUM	01027	036	2012/08/08	< 1.000	2015/08
CHROMIUM (TOTAL)	01034	036	2012/08/08	< 10.000	2015/08
CYANIDE	01291	036	2012/08/08	< 100.000	2015/08
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/08/14	.300	2016/08
MERCURY	71900	036	2012/08/08	< 1.000	2015/08
NICKEL	01067	036	2012/08/08	< 10.000	2015/08
PERCHLORATE	A-031	012	2013/08/21	< 4.000	2014/08
SELENIUM	01147	036	2012/08/08	< 5.000	2015/08
THALLIUM	01059	036	2012/08/08	< 1.000	2015/08

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2013/08/21	. 4.500	2014/08
NITRITE (AS N)	00620	036	2012/08/08	< 400.000	2015/08

RADIOLOGICAL

GROSS ALPHA	01501	003	2007/05/09	< 3.000	2007/08	DUE
RADIUM 226	09501	108	2007/08/07	< 1.000	2016/08	
RADIUM 228	11501	108	2010/08/10	.000	2019/08	
URANIUM (PCI/L)	28012	072	2013/05/17	. 1.900	2019/05	

REGULATED SOC

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2013/05/17	< 3.000	2016/02
THIOBENCARB	A-001	033	2013/05/17	< 1.000	2016/02

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	012	2013/08/21	< .500	2014/08
1,1,2,2-TETRACHLOROETHANE	34516	012	2013/08/21	< .500	2014/08
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2013/08/21	< 10.000	2014/08
1,1,2-TRICHLOROETHANE	34511	012	2013/08/21	< .500	2014/08
1,1-DICHLOROETHANE	34496	012	2013/08/21	< .500	2014/08
1,1-DICHLOROETHYLENE	34501	012	2013/08/21	< .500	2014/08

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910039

System Name: SAN GABRIEL VALLEY WATER CO.-EL MONTE

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910039-002

Source Name: WELL 01C

Source Number: 002

Source Status: ACTIVE RAW

Water type: G

REGULATED VOC

1,2,4-TRICHLORO BENZENE	34551	012	2013/08/21	< .500	2014/08
1,2-DICHLORO BENZENE	34536	012	2013/08/21	< .500	2014/08
1,2-DICHLOROETHANE	34531	012	2013/08/21	< .500	2014/08
1,2-DICHLOROPROPANE	34541	012	2013/08/21	< .500	2014/08
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2013/08/21	< .500	2014/08
1,4-DICHLORO BENZENE	34571	012	2013/08/21	< .500	2014/08
BENZENE	34030	012	2013/08/21	< .500	2014/08
CARBON TETRACHLORIDE	32102	012	2013/08/21	< .500	2014/08
CIS-1,2-DICHLOROETHYLENE	77093	012	2013/08/21	< .500	2014/08
DICHLOROMETHANE	34423	012	2013/08/21	< .500	2014/08
ETHYLBENZENE	34371	012	2013/08/21	< .500	2014/08
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2013/08/21	< 3.000	2014/08
MONOCHLORO BENZENE	34301	012	2013/08/21	< .500	2014/08
STYRENE	77128	012	2013/08/21	< .500	2014/08
TETRACHLOROETHYLENE	34475	012	2013/08/21	< .500	2014/08
TOLUENE	34010	012	2013/08/21	< .500	2014/08
TRANS-1,2-DICHLOROETHYLENE	34546	012	2013/08/21	< .500	2014/08
TRICHLOROETHYLENE	39180	012	2013/08/21	< .500	2014/08
TRICHLOROFLUOROMETHANE	34488	012	2013/08/21	< 5.000	2014/08
VINYL CHLORIDE	39175	012	2013/08/21	< .500	2014/08
XYLENES (TOTAL)	81551	012	2013/08/21	< .000	2014/08

SECONDARY/GP

BICARBONATE ALKALINITY	00440	036	2013/08/14	. 210.000	2016/08
CALCIUM	00916	036	2013/08/14	. 61.000	2016/08
CARBONATE ALKALINITY	00445	036	2013/08/14	< .000	2016/08
CHLORIDE	00940	036	2013/08/14	. 17.000	2016/08
COLOR	00081	036	2013/08/14	< .000	2016/08
COPPER	01042	036	2013/08/14	< 50.000	2016/08
FOAMING AGENTS (MBAS)	38260	036	2013/08/14	< .000	2016/08

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910039

System Name: SAN GABRIEL VALLEY WATER CO.-EL MONTE

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910039-002

Source Name: WELL 01C

Source Number: 002

Source Status: ACTIVE RAW

Water type: G

SECONDARY/GP

HARDNESS (TOTAL) AS CaCO3	00900	036	2013/08/14	. 200.000	2016/08
HYDROXIDE ALKALINITY	71830	036	2013/08/14	< .000	2016/08
IRON	01045	036	2013/08/14	< 100.000	2016/08
MAGNESIUM	00927	036	2013/08/14	. 11.000	2016/08
MANGANESE	01055	036	2013/08/14	< 20.000	2016/08
ODOR THRESHOLD @ 60 C	00086	036	2013/08/14	1.000	2016/08
PH, LABORATORY	00403	036	2013/08/14	. 7.900	2016/08
SILVER	01077	036	2012/08/08	< 10.000	2015/08
SODIUM	00929	036	2013/08/14	12.000	2016/08
SPECIFIC CONDUCTANCE	00095	036	2013/08/14	. 430.000	2016/08
SULFATE	00945	036	2013/08/14	29.000	2016/08
TOTAL DISSOLVED SOLIDS	70300	036	2013/08/14	. 260.000	2016/08
TURBIDITY, LABORATORY	82079	036	2013/08/14	< .000	2016/08
ZINC	01092	036	2013/08/14	< 50.000	2016/08

PS Code: 1910039-003

Source Name: WELL 01D

Source Number: 003

Source Status: ACTIVE RAW

Water type: G

INORGANIC

ALUMINUM	01105	036	2012/11/15	< 50.000	2015/11
ANTIMONY	01097	036	2012/11/15	< 6.000	2015/11
ARSENIC	01002	036	2012/11/15	< 2.000	2015/11
BARIUM	01007	036	2012/11/15	120.000	2015/11
BERYLLIUM	01012	036	2012/11/15	< 1.000	2015/11
CADMIUM	01027	036	2012/11/15	< 1.000	2015/11
CHROMIUM (TOTAL)	01034	036	2012/11/15	< 10.000	2015/11
CYANIDE	01291	036	2012/11/15	< 100.000	2015/11

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910039

System Name: SAN GABRIEL VALLEY WATER CO.-EL MONTE

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910039-003

Source Name: WELL 01D

Source Number: 003

Source Status: ACTIVE RAW

Water type: G

INORGANIC

FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/06/18	.270	2017/06
MERCURY	71900	036	2012/11/15	< 1.000	2015/11
NICKEL	01067	036	2012/11/15	< 10.000	2015/11
PERCHLORATE	A-031	012	2013/08/21	< 4.000	2014/08
SELENIUM	01147	036	2012/11/15	< 5.000	2015/11
THALLIUM	01059	036	2012/11/15	< 1.000	2015/11

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2014/06/18	.3400	2015/06
NITRITE (AS N)	00620	036	2012/11/15	< 400.000	2015/11

RADIOLOGICAL

GROSS ALPHA	01501	108	2007/08/07	< 3.000	2016/08
RADIUM 226	09501	108	2007/08/07	< 1.000	2016/08
RADIUM 228	11501	108	2007/08/07	< 1.000	2016/08
URANIUM (PCI/L)	28012	072	2012/11/15	.2200	2018/11

REGULATED SOC

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2013/05/17	< 3.000	2016/02
THIOBENCARB	A-001	033	2013/05/17	< 1.000	2016/02

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	012	2013/08/21	< .500	2014/08
1,1,2,2-TETRACHLOROETHANE	34516	012	2013/08/21	< .500	2014/08
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2013/08/21	< 10.000	2014/08
1,1,2-TRICHLOROETHANE	34511	012	2013/08/21	< .500	2014/08
1,1-DICHLOROETHANE	34496	012	2013/08/21	< .500	2014/08
1,1-DICHLOROETHYLENE	34501	012	2013/08/21	< .500	2014/08
1,2,4-TRICHLOROBENZENE	34551	012	2013/08/21	< .500	2014/08
1,2-DICHLOROBENZENE	34536	012	2013/08/21	< .500	2014/08
1,2-DICHLOROETHANE	34531	012	2013/08/21	< .500	2014/08
1,2-DICHLOROPROPANE	34541	012	2013/08/21	< .500	2014/08

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910039

System Name: SAN GABRIEL VALLEY WATER CO.-EL MONTE

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

PS Code: 1910039-003

Source Name: WELL 01D

Source Number: 003

Source Status: ACTIVE RAW

Water type: G

REGULATED VOC

1,3-DICHLOROPROPENE (TOTAL)	34561	012	2013/08/21	< .500	2014/08
1,4-DICHLOROBENZENE	34571	012	2013/08/21	< .500	2014/08
BENZENE	34030	012	2013/08/21	< .500	2014/08
CARBON TETRACHLORIDE	32102	012	2013/08/21	< .500	2014/08
CIS-1,2-DICHLOROETHYLENE	77093	012	2013/08/21	< .500	2014/08
DICHLOROMETHANE	34423	012	2013/08/21	< .500	2014/08
ETHYLBENZENE	34371	012	2013/08/21	< .500	2014/08
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2013/08/21	< 3.000	2014/08
MONOCHLOROBENZENE	34301	012	2013/08/21	< .500	2014/08
STYRENE	77128	012	2013/08/21	< .500	2014/08
TETRACHLOROETHYLENE	34475	012	2013/08/21	< .500	2014/08
TOLUENE	34010	012	2013/08/21	< .500	2014/08
TRANS-1,2-DICHLOROETHYLENE	34546	012	2013/08/21	< .500	2014/08
TRICHLOROETHYLENE	39180	012	2013/08/21	< .500	2014/08
TRICHLOROFUOROMETHANE	34488	012	2013/08/21	< 5.000	2014/08
VINYL CHLORIDE	39175	012	2013/08/21	< .500	2014/08
XYLENES (TOTAL)	81551	012	2013/08/21	< .000	2014/08

SECONDARY/GP

BICARBONATE ALKALINITY	00440	036	2014/06/18	. 230.000	2017/06
CALCIUM	00916	036	2014/06/18	. 61.000	2017/06
CARBONATE ALKALINITY	00445	036	2014/06/18	< .000	2017/06
CHLORIDE	00940	036	2014/06/18	. 16.000	2017/06
COLOR	00081	036	2014/06/18	< .000	2017/06
COPPER	01042	036	2014/06/18	< 50.000	2017/06
FOAMING AGENTS (MBAS)	38260	036	2014/06/18	< .000	2017/06
HARDNESS (TOTAL) AS CaCO3	00900	036	2014/06/18	. 200.000	2017/06
HYDROXIDE ALKALINITY	71830	036	2014/06/18	< .000	2017/06
IRON	01045	036	2014/06/18	< 100.000	2017/06
MAGNESIUM	00927	036	2014/06/18	. 12.000	2017/06

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910039

System Name: SAN GABRIEL VALLEY WATER CO.-EL MONTE

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910039-003

Source Name: WELL 01D

Source Number: 003

Source Status: ACTIVE RAW

Water type: G

SECONDARY/GP

MANGANESE	01055	036	2014/06/18	< 20.000	2017/06
ODOR THRESHOLD @ 60 C	00086	036	2014/06/18	. 1.000	2017/06
PH, LABORATORY	00403	036	2014/06/18	. 7.710	2017/06
SILVER	01077	036	2012/11/15	< 10.000	2015/11
SODIUM	00929	036	2014/06/18	. 10.000	2017/06
SPECIFIC CONDUCTANCE	00095	036	2014/06/18	. 440.000	2017/06
SULFATE	00945	036	2014/06/18	. 33.000	2017/06
TOTAL DISSOLVED SOLIDS	70300	036	2014/06/18	. 270.000	2017/06
TURBIDITY, LABORATORY	82079	036	2014/06/18	< .000	2017/06
ZINC	01092	036	2014/06/18	< 50.000	2017/06

PS Code: 1910039-005

Source Name: WELL 02D

Source Number: 005

Source Status: ACTIVE RAW

Water type: G

INORGANIC

ALUMINUM	01105	036	2011/08/08	. 62.000	2014/08
ANTIMONY	01097	036	2011/08/08	< .000	2014/08
ARSENIC	01002	036	2011/08/08	< .000	2014/08
BARIUM	01007	036	2011/08/08	< .000	2014/08
BERYLLIUM	01012	036	2011/08/08	< .000	2014/08
CADMIUM	01027	036	2011/08/08	< .000	2014/08
CHROMIUM (TOTAL)	01034	036	2011/08/08	< .000	2014/08
CYANIDE	01291	036	2011/08/08	< .000	2014/08
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/08/14	. .570	2016/08
MERCURY	71900	036	2011/08/08	< .000	2014/08
NICKEL	01067	036	2011/08/08	< .000	2014/08
PERCHLORATE	A-031	012	2013/08/21	< 4.000	2014/08

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910039

System Name: SAN GABRIEL VALLEY WATER CO.-EL MONTE

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910039-005

Source Name: WELL 02D

Source Number: 005

Source Status: ACTIVE RAW

Water type: G

INORGANIC

SELENIUM	01147	036	2011/08/08	< .000	2014/08
THALLIUM	01059	036	2011/08/08	< .000	2014/08

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2013/08/21	. 3.400	2014/08
NITRITE (AS N)	00620	036	2011/08/08	< .000	2014/08

RADIOLOGICAL

GROSS ALPHA	01501	108	2007/05/09	< 3.000	2016/05
RADIUM 226	09501	108	2007/08/07	< 1.000	2016/08
RADIUM 228	11501	108	2010/08/10	.000	2019/08
URANIUM (PCI/L)	28012	108	2007/05/09	< 2.000	2016/05

REGULATED SOC

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2013/05/17	< 3.000	2016/02
THIOBENCARB	A-001	033	2013/05/17	< 1.000	2016/02

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	012	2013/08/21	< .500	2014/08
1,1,2,2-TETRACHLOROETHANE	34516	012	2013/08/21	< .500	2014/08
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2013/08/21	< 10.000	2014/08
1,1,2-TRICHLOROETHANE	34511	012	2013/08/21	< .500	2014/08
1,1-DICHLOROETHANE	34496	012	2013/08/21	< .500	2014/08
1,1-DICHLOROETHYLENE	34501	012	2013/08/21	< .500	2014/08
1,2,4-TRICHLOROBENZENE	34551	012	2013/08/21	< .500	2014/08
1,2-DICHLOROBENZENE	34536	012	2013/08/21	< .500	2014/08
1,2-DICHLOROETHANE	34531	012	2013/08/21	< .500	2014/08
1,2-DICHLOROPROPANE	34541	012	2013/08/21	< .500	2014/08
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2013/08/21	< .500	2014/08
1,4-DICHLOROBENZENE	34571	012	2013/08/21	< .500	2014/08
BENZENE	34030	012	2013/08/21	< .500	2014/08
CARBON TETRACHLORIDE	32102	012	2013/08/21	< .500	2014/08

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910039

System Name: SAN GABRIEL VALLEY WATER CO.-EL MONTE

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910039-005

Source Name: WELL 02D

Source Number: 005

Source Status: ACTIVE RAW

Water type: G

REGULATED VOC

CIS-1,2-DICHLOROETHYLENE	77093	012	2013/08/21	< .500	2014/08
DICHLOROMETHANE	34423	012	2013/08/21	< .500	2014/08
ETHYLBENZENE	34371	012	2013/08/21	< .500	2014/08
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2013/08/21	< 3.000	2014/08
MONOCHLOROBENZENE	34301	012	2013/08/21	< .500	2014/08
STYRENE	77128	012	2013/08/21	< .500	2014/08
TETRACHLOROETHYLENE	34475	012	2013/08/21	< .500	2014/08
TOLUENE	34010	012	2013/08/21	< .500	2014/08
TRANS-1,2-DICHLOROETHYLENE	34546	012	2013/08/21	< .500	2014/08
TRICHLOROETHYLENE	39180	003	2014/07/02	< .500	2014/10
TRICHLOROFUOROMETHANE	34488	012	2013/08/21	< 5.000	2014/08
VINYL CHLORIDE	39175	012	2013/08/21	< .500	2014/08
XYLENES (TOTAL)	81551	012	2013/08/21	< .000	2014/08

SECONDARY/GP

BICARBONATE ALKALINITY	00440	036	2013/08/14	. 200.000	2016/08
CALCIUM	00916	036	2013/08/14	. 45.000	2016/08
CARBONATE ALKALINITY	00445	036	2013/08/14	< .000	2016/08
CHLORIDE	00940	036	2013/08/14	. 11.000	2016/08
COLOR	00081	036	2013/08/14	< .000	2016/08
COPPER	01042	036	2013/08/14	< 50.000	2016/08
FOAMING AGENTS (MBAS)	38260	036	2013/08/14	< .000	2016/08
HARDNESS (TOTAL) AS CaCO3	00900	036	2013/08/14	. 160.000	2016/08
HYDROXIDE ALKALINITY	71830	036	2013/08/14	< .000	2016/08
IRON	01045	036	2013/08/14	< 100.000	2016/08
MAGNESIUM	00927	036	2013/08/14	. 12.000	2016/08
MANGANESE	01055	036	2013/08/14	< 20.000	2016/08
ODOR THRESHOLD @ 60 C	00086	036	2013/08/14	1.000	2016/08
PH, LABORATORY	00403	036	2013/08/14	. 7.880	2016/08
SILVER	01077	036	2011/08/08	< .000	2014/08

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910039

System Name: SAN GABRIEL VALLEY WATER CO.-EL MONTE

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910039-005

Source Name: WELL 02D

Source Number: 005

Source Status: ACTIVE RAW

Water type: G

SECONDARY/GP

SODIUM	00929	036	2013/08/14	17.000	2016/08
SPECIFIC CONDUCTANCE	00095	036	2013/08/14	370.000	2016/08
SULFATE	00945	036	2013/08/14	17.000	2016/08
TOTAL DISSOLVED SOLIDS	70300	036	2013/08/14	220.000	2016/08
TURBIDITY, LABORATORY	82079	036	2013/08/14	< .000	2016/08
ZINC	01092	036	2013/08/14	< 50.000	2016/08

PS Code: 1910039-006

Source Name: WELL 02E

Source Number: 006

Source Status: ACTIVE RAW

Water type: G

INORGANIC

ALUMINUM	01105	036	2011/08/08	< .000	2014/08
ANTIMONY	01097	036	2011/08/08	< .000	2014/08
ARSENIC	01002	036	2011/08/08	< .000	2014/08
BARIUM	01007	036	2011/08/08	< .000	2014/08
BERYLLIUM	01012	036	2011/08/08	< .000	2014/08
CADMIUM	01027	036	2011/08/08	< .000	2014/08
CHROMIUM (TOTAL)	01034	036	2011/08/08	< .000	2014/08
CYANIDE	01291	036	2011/08/08	< .000	2014/08
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/08/14	.600	2016/08
MERCURY	71900	036	2011/08/08	< .000	2014/08
NICKEL	01067	036	2011/08/08	< .000	2014/08
PERCHLORATE	A-031	012	2013/08/21	< 4.000	2014/08
SELENIUM	01147	036	2011/08/08	< .000	2014/08
THALLIUM	01059	036	2011/08/08	< .000	2014/08

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2013/08/21	. 5.800	2014/08
------------------	-------	-----	------------	---------	---------

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910039

System Name: SAN GABRIEL VALLEY WATER CO.-EL MONTE

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910039-006

Source Name: WELL 02E

Source Number: 006

Source Status: ACTIVE RAW

Water type: G

NITRATE/NITRITE

NITRITE (AS N)	00620	036	2011/08/08	< .000	2014/08
----------------	-------	-----	------------	--------	---------

RADIOLOGICAL

GROSS ALPHA	01501	108	2007/06/21	< 3.000	2016/06
RADIUM 226	09501	108	2007/06/21	< 1.000	2016/06
RADIUM 228	11501	108	2007/06/21	< 1.000	2016/06
URANIUM (PCI/L)	28012	072	2012/08/08	. 1.600	2018/08

REGULATED SOC

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2013/05/17	< 3.000	2016/02
THIOBENCARB	A-001	033	2013/05/17	< 1.000	2016/02

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	012	2013/08/21	< .500	2014/08
1,1,2,2-TETRACHLOROETHANE	34516	012	2013/08/21	< .500	2014/08
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2013/08/21	< 10.000	2014/08
1,1,2-TRICHLOROETHANE	34511	012	2013/08/21	< .500	2014/08
1,1-DICHLOROETHANE	34496	012	2013/08/21	< .500	2014/08
1,1-DICHLOROETHYLENE	34501	012	2013/08/21	< .500	2014/08
1,2,4-TRICHLOROBENZENE	34551	012	2013/08/21	< .500	2014/08
1,2-DICHLOROBENZENE	34536	012	2013/08/21	< .500	2014/08
1,2-DICHLOROETHANE	34531	012	2013/08/21	< .500	2014/08
1,2-DICHLOROPROPANE	34541	012	2013/08/21	< .500	2014/08
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2013/08/21	< .500	2014/08
1,4-DICHLOROBENZENE	34571	012	2013/08/21	< .500	2014/08
BENZENE	34030	012	2013/08/21	< .500	2014/08
CARBON TETRACHLORIDE	32102	012	2013/08/21	< .500	2014/08
CIS-1,2-DICHLOROETHYLENE	77093	012	2013/08/21	< .500	2014/08
DICHLOROMETHANE	34423	012	2013/08/21	< .500	2014/08
ETHYLBENZENE	34371	012	2013/08/21	< .500	2014/08
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2013/08/21	< 3.000	2014/08

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910039

System Name: SAN GABRIEL VALLEY WATER CO.-EL MONTE

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

PS Code: 1910039-006

Source Name: WELL 02E

Source Number: 006

Source Status: ACTIVE RAW

Water type: G

REGULATED VOC

MONOCHLOROENZENE	34301	012	2013/08/21	< .500	2014/08
STYRENE	77128	012	2013/08/21	< .500	2014/08
TETRACHLOROETHYLENE	34475	012	2014/05/06	. 610	2015/05
TOLUENE	34010	012	2013/08/21	< .500	2014/08
TRANS-1,2-DICHLOROETHYLENE	34546	012	2013/08/21	< .500	2014/08
TRICHLOROETHYLENE	39180	003	2014/07/02	< .500	2014/10
TRICHLOROFLUOROMETHANE	34488	012	2013/08/21	< 5.000	2014/08
VINYL CHLORIDE	39175	012	2013/08/21	< .500	2014/08
XYLENES (TOTAL)	81551	012	2013/08/21	< .000	2014/08

SECONDARY/GP

BICARBONATE ALKALINITY	00440	036	2013/08/14	. 200.000	2016/08
CALCIUM	00916	036	2013/08/14	. 48.000	2016/08
CARBONATE ALKALINITY	00445	036	2013/08/14	< .000	2016/08
CHLORIDE	00940	036	2013/08/14	. 15.000	2016/08
COLOR	00081	036	2013/08/14	< .000	2016/08
COPPER	01042	036	2013/08/14	< 50.000	2016/08
FOAMING AGENTS (MBAS)	38260	036	2013/08/14	< .000	2016/08
HARDNESS (TOTAL) AS CaCO3	00900	036	2013/08/14	. 170.000	2016/08
HYDROXIDE ALKALINITY	71830	036	2013/08/14	< .000	2016/08
IRON	01045	036	2013/08/14	< 100.000	2016/08
MAGNESIUM	00927	036	2013/08/14	. 12.000	2016/08
MANGANESE	01055	036	2013/08/14	< 20.000	2016/08
ODOR THRESHOLD @ 60 C	00086	036	2013/08/14	1.000	2016/08
PH, LABORATORY	00403	036	2013/08/14	. 7.860	2016/08
SILVER	01077	036	2011/08/08	< .000	2014/08
SODIUM	00929	036	2013/08/14	18.000	2016/08
SPECIFIC CONDUCTANCE	00095	036	2013/08/14	. 410.000	2016/08
SULFATE	00945	036	2013/08/14	24.000	2016/08
TOTAL DISSOLVED SOLIDS	70300	036	2013/08/14	. 240.000	2016/08

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910039

System Name: SAN GABRIEL VALLEY WATER CO.-EL MONTE

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910039-006

Source Name: WELL 02E

Source Number: 006

Source Status: ACTIVE RAW

Water type: G

SECONDARY/GP

TURBIDITY, LABORATORY	82079	036	2013/08/14	< .000	2016/08
ZINC	01092	036	2013/08/14	< 50.000	2016/08

PS Code: 1910039-009

Source Name: WELL 08B

Source Number: 009

Source Status: ACTIVE RAW

Water type: G

INORGANIC

ALUMINUM	01105	036	2012/08/08	< 50.000	2015/08
ANTIMONY	01097	036	2012/08/08	< 6.000	2015/08
ARSENIC	01002	036	2012/08/08	< 2.000	2015/08
BARIUM	01007	036	2012/08/08	< 100.000	2015/08
BERYLLIUM	01012	036	2012/08/08	< 1.000	2015/08
CADMIUM	01027	036	2012/08/08	< 1.000	2015/08
CHROMIUM (TOTAL)	01034	036	2012/08/08	< 10.000	2015/08
CYANIDE	01291	036	2012/08/08	< 100.000	2015/08
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2012/08/08	. 790	2015/08
MERCURY	71900	036	2012/08/08	< 1.000	2015/08
NICKEL	01067	036	2012/08/08	< 10.000	2015/08
PERCHLORATE	A-031	012	2014/07/02	< 4.000	2015/07
SELENIUM	01147	036	2012/08/08	< 5.000	2015/08
THALLIUM	01059	036	2012/08/08	< 1.000	2015/08

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2014/04/28	. 22.000	2015/04
NITRITE (AS N)	00620	036	2012/08/08	< 400.000	2015/08

RADIOLOGICAL

GROSS ALPHA	01501	036	2012/05/10	. 7.620	2015/05
-------------	-------	-----	------------	---------	---------

*Testing interval is in months;
 0 = No data for this constituent and is DUE NOW
 I = Invalid (NOT) valid analyses reported
 Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910039

System Name: SAN GABRIEL VALLEY WATER CO.-EL MONTE

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910039-009

Source Name: WELL 08B

Source Number: 009

Source Status: ACTIVE RAW

Water type: G

RADIOLOGICAL

RADIUM 226	09501	108	2007/02/21	< 1.000	2016/02
RADIUM 228	11501	108	2007/02/21	< 1.000	2016/02
URANIUM (PCI/L)	28012	072	2012/05/10	. 7.000	2018/05

REGULATED SOC

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2013/08/01	< 3.000	2016/05
THIOBENCARB	A-001	033	2013/05/17	< 1.000	2016/02

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	012	2014/07/02	< .500	2015/07
1,1,2,2-TETRACHLOROETHANE	34516	012	2014/07/02	< .500	2015/07
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/07/02	< 10.000	2015/07
1,1,2-TRICHLOROETHANE	34511	012	2014/07/02	< .500	2015/07
1,1-DICHLOROETHANE	34496	012	2014/07/02	< .500	2015/07
1,1-DICHLOROETHYLENE	34501	012	2014/07/02	< .500	2015/07
1,2,4-TRICHLOROBENZENE	34551	012	2014/07/02	< .500	2015/07
1,2-DICHLOROBENZENE	34536	012	2014/07/02	< .500	2015/07
1,2-DICHLOROETHANE	34531	012	2014/07/02	< .500	2015/07
1,2-DICHLOROPROPANE	34541	012	2014/07/02	< .500	2015/07
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/07/02	< .500	2015/07
1,4-DICHLOROBENZENE	34571	012	2014/07/02	< .500	2015/07
BENZENE	34030	012	2014/07/02	< .500	2015/07
CARBON TETRACHLORIDE	32102	012	2014/07/02	< .500	2015/07
CIS-1,2-DICHLOROETHYLENE	77093	012	2014/07/02	< .500	2015/07
DICHLOROMETHANE	34423	012	2014/07/02	< .500	2015/07
ETHYLBENZENE	34371	012	2014/07/02	< .500	2015/07
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/07/02	< 3.000	2015/07
MONOCHLOROBENZENE	34301	012	2014/07/02	< .500	2015/07
STYRENE	77128	012	2014/07/02	< .500	2015/07
TETRACHLOROETHYLENE	34475	001	2014/07/02	. 150.000	2014/08
TOLUENE	34010	012	2014/07/02	< .500	2015/07

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910039

System Name: SAN GABRIEL VALLEY WATER CO.-EL MONTE

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910039-009

Source Name: WELL 08B

Source Number: 009

Source Status: ACTIVE RAW

Water type: G

REGULATED VOC

TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/07/02	< .500	2015/07
TRICHLOROETHYLENE	39180	003	2014/07/02	.690	2014/10
TRICHLOROFUOROMETHANE	34488	012	2014/07/02	< 5.000	2015/07
VINYL CHLORIDE	39175	012	2014/07/02	< .500	2015/07
XYLENES (TOTAL)	81551	012	2014/07/02	< .000	2015/07

SECONDARY/GP

BICARBONATE ALKALINITY	00440	036	2011/08/17	. 240.000	2014/08
CALCIUM	00916	036	2011/08/17	. 76.000	2014/08
CARBONATE ALKALINITY	00445	036	2011/08/17	< .000	2014/08
CHLORIDE	00940	036	2011/08/17	. 24.000	2014/08
COLOR	00081	036	2011/08/17	< .000	2014/08
COPPER	01042	036	2011/08/17	< .000	2014/08
FOAMING AGENTS (MBAS)	38260	036	2011/08/17	< .000	2014/08
HARDNESS (TOTAL) AS CaCO3	00900	036	2011/08/17	. 290.000	2014/08
HYDROXIDE ALKALINITY	71830	036	2011/08/17	< .000	2014/08
IRON	01045	036	2011/08/17	< .000	2014/08
MAGNESIUM	00927	036	2011/08/17	. 25.000	2014/08
MANGANESE	01055	036	2011/08/17	< .000	2014/08
ODOR THRESHOLD @ 60 C	00086	036	2011/08/17	1.000	2014/08
PH, LABORATORY	00403	036	2011/08/17	. 7.450	2014/08
SILVER	01077	036	2012/08/08	< 10.000	2015/08
SODIUM	00929	036	2011/08/17	22.000	2014/08
SPECIFIC CONDUCTANCE	00095	036	2011/08/17	. 640.000	2014/08
SULFATE	00945	036	2011/08/17	88.000	2014/08
TOTAL DISSOLVED SOLIDS	70300	036	2013/08/21	. 410.000	2016/08
TURBIDITY, LABORATORY	82079	036	2011/08/17	< .000	2014/08
ZINC	01092	036	2011/08/17	< .000	2014/08

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910039

System Name: SAN GABRIEL VALLEY WATER CO.-EL MONTE

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910039-010

Source Name: WELL 08C

Source Number: 010

Source Status: ACTIVE RAW

Water type: G

INORGANIC

ALUMINUM	01105	036	2012/08/08	. 52.000	2015/08
ANTIMONY	01097	036	2012/08/08	< 6.000	2015/08
ARSENIC	01002	036	2012/08/08	< 2.000	2015/08
BARIUM	01007	036	2012/08/08	< 100.000	2015/08
BERYLLIUM	01012	036	2012/08/08	< 1.000	2015/08
CADMIUM	01027	036	2012/08/08	< 1.000	2015/08
CHROMIUM (TOTAL)	01034	036	2012/08/08	< 10.000	2015/08
CYANIDE	01291	036	2012/08/08	< 100.000	2015/08
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/08/14	. .650	2016/08
MERCURY	71900	036	2012/08/08	< 1.000	2015/08
NICKEL	01067	036	2012/08/08	< 10.000	2015/08
PERCHLORATE	A-031	012	2014/07/02	< 4.000	2015/07
SELENIUM	01147	036	2012/08/08	< 5.000	2015/08
THALLIUM	01059	036	2012/08/08	< 1.000	2015/08

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2014/04/28	. 12.000	2015/04
NITRITE (AS N)	00620	036	2012/08/08	< 400.000	2015/08

RADIOLOGICAL

GROSS ALPHA	01501	072	2013/08/21	. 6.380	2019/08
RADIUM 226	09501	108	2007/02/21	< 1.000	2016/02
RADIUM 228	11501	108	2007/02/21	< 1.000	2016/02
URANIUM (PCI/L)	28012	072	2009/05/07	8.200	2015/05

REGULATED SOC

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2013/08/01	< 3.000	2016/05
THIOBENCARB	A-001	033	2013/05/17	< 1.000	2016/02

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	012	2014/07/02	< .500	2015/07
1,1,2,2-TETRACHLOROETHANE	34516	012	2014/07/02	< .500	2015/07

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910039

System Name: SAN GABRIEL VALLEY WATER CO.-EL MONTE

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

PS Code: 1910039-010

Source Name: WELL 08C

Source Number: 010

Source Status: ACTIVE RAW

Water type: G

REGULATED VOC

1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/07/02	< 10.000	2015/07
1,1,2-TRICHLOROETHANE	34511	012	2014/07/02	< .500	2015/07
1,1-DICHLOROETHANE	34496	012	2014/07/02	< .500	2015/07
1,1-DICHLOROETHYLENE	34501	012	2014/07/02	< .500	2015/07
1,2,4-TRICHLOROBENZENE	34551	012	2014/07/02	< .500	2015/07
1,2-DICHLOROBENZENE	34536	012	2014/07/02	< .500	2015/07
1,2-DICHLOROETHANE	34531	012	2014/07/02	< .500	2015/07
1,2-DICHLOROPROPANE	34541	012	2014/07/02	< .500	2015/07
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/07/02	< .500	2015/07
1,4-DICHLOROBENZENE	34571	012	2014/07/02	< .500	2015/07
BENZENE	34030	012	2014/07/02	< .500	2015/07
CARBON TETRACHLORIDE	32102	012	2014/07/02	< .500	2015/07
CIS-1,2-DICHLOROETHYLENE	77093	012	2014/07/02	< .500	2015/07
DICHLOROMETHANE	34423	012	2014/07/02	< .500	2015/07
ETHYLBENZENE	34371	012	2014/07/02	< .500	2015/07
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/07/02	< 3.000	2015/07
MONOCHLOROBENZENE	34301	012	2014/07/02	< .500	2015/07
STYRENE	77128	012	2014/07/02	< .500	2015/07
TETRACHLOROETHYLENE	34475	001	2014/07/02	. 66.000	2014/08
TOLUENE	34010	012	2014/07/02	< .500	2015/07
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/07/02	< .500	2015/07
TRICHLOROETHYLENE	39180	003	2014/07/02	< .500	2014/10
TRICHLOROFUOROMETHANE	34488	012	2014/07/02	< 5.000	2015/07
VINYL CHLORIDE	39175	012	2014/07/02	< .500	2015/07
XYLENES (TOTAL)	81551	012	2014/07/02	< .000	2015/07

SECONDARY/GP

BICARBONATE ALKALINITY	00440	036	2013/08/14	. 210.000	2016/08
CALCIUM	00916	036	2013/08/14	. 55.000	2016/08
CARBONATE ALKALINITY	00445	036	2013/08/14	< .000	2016/08

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910039

System Name: SAN GABRIEL VALLEY WATER CO.-EL MONTE

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

PS Code: 1910039-010

Source Name: WELL 08C

Source Number: 010

Source Status: ACTIVE RAW

Water type: G

SECONDARY/GP

CHLORIDE	00940	036	2013/08/14	. 17.000	2016/08
COLOR	00081	036	2013/08/14	< .000	2016/08
COPPER	01042	036	2013/08/14	< 50.000	2016/08
FOAMING AGENTS (MBAS)	38260	036	2013/08/14	< .000	2016/08
HARDNESS (TOTAL) AS CaCO3	00900	036	2013/08/14	. 200.000	2016/08
HYDROXIDE ALKALINITY	71830	036	2013/08/14	< .000	2016/08
IRON	01045	036	2013/08/14	< 100.000	2016/08
MAGNESIUM	00927	036	2013/08/14	. 16.000	2016/08
MANGANESE	01055	036	2013/08/14	< 20.000	2016/08
ODOR THRESHOLD @ 60 C	00086	036	2013/08/14	1.000	2016/08
PH, LABORATORY	00403	036	2013/08/14	. 7.870	2016/08
SILVER	01077	036	2012/08/08	< 10.000	2015/08
SODIUM	00929	036	2013/08/14	22.000	2016/08
SPECIFIC CONDUCTANCE	00095	036	2013/08/14	. 480.000	2016/08
SULFATE	00945	036	2013/08/14	54.000	2016/08
TOTAL DISSOLVED SOLIDS	70300	036	2013/08/14	. 290.000	2016/08
TURBIDITY, LABORATORY	82079	036	2013/08/14	< .000	2016/08
ZINC	01092	036	2013/08/14	< 50.000	2016/08

PS Code: 1910039-011

Source Name: WELL 08D

Source Number: 011

Source Status: ACTIVE RAW

Water type: G

INORGANIC

ALUMINUM	01105	036	2014/05/06	< 50.000	2017/05
ANTIMONY	01097	036	2014/05/06	< 6.000	2017/05
ARSENIC	01002	036	2014/05/06	< 2.000	2017/05
BARIUM	01007	036	2014/05/06	< 100.000	2017/05

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910039

System Name: SAN GABRIEL VALLEY WATER CO.-EL MONTE

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910039-011

Source Name: WELL 08D

Source Number: 011

Source Status: ACTIVE RAW

Water type: G

INORGANIC

BERYLLIUM	01012	036	2014/05/06	< 1.000	2017/05
CADMIUM	01027	036	2014/05/06	< 1.000	2017/05
CHROMIUM (TOTAL)	01034	036	2014/05/06	< 10.000	2017/05
CYANIDE	01291	036	2014/05/06	< 100.000	2017/05
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/05/06	. 590	2017/05
MERCURY	71900	036	2014/05/06	< 1.000	2017/05
NICKEL	01067	036	2014/05/06	< 10.000	2017/05
PERCHLORATE	A-031	012	2014/07/02	< 4.000	2015/07
SELENIUM	01147	036	2014/05/06	< 5.000	2017/05
THALLIUM	01059	036	2014/05/06	< 1.000	2017/05

NITRATE/NITRITE

NITRATE (AS NO3)	71850	003	2014/05/06	. 22.000	2014/08
NITRITE (AS N)	00620	036	2014/05/06	< 400.000	2017/05

RADIOLOGICAL

GROSS ALPHA	01501	036	2012/05/10	. 8.690	2015/05
RADIUM 226	09501	108	2007/02/21	< 1.000	2016/02
RADIUM 228	11501	108	2007/02/21	< 1.000	2016/02
URANIUM (PCI/L)	28012	072	2012/05/10	. 6.600	2018/05

REGULATED SOC

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2013/08/01	< 3.000	2016/05
THIOBENCARB	A-001	033	2013/05/17	< 1.000	2016/02

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	012	2014/07/02	< .500	2015/07
1,1,2,2-TETRACHLOROETHANE	34516	012	2014/07/02	< .500	2015/07
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/07/02	< 10.000	2015/07
1,1,2-TRICHLOROETHANE	34511	012	2014/07/02	< .500	2015/07
1,1-DICHLOROETHANE	34496	012	2014/07/02	< .500	2015/07
1,1-DICHLOROETHYLENE	34501	012	2014/07/02	< .500	2015/07

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910039

System Name: SAN GABRIEL VALLEY WATER CO.-EL MONTE

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910039-011

Source Name: WELL 08D

Source Number: 011

Source Status: ACTIVE RAW

Water type: G

REGULATED VOC

1,2,4-TRICHLORO BENZENE	34551	012	2014/07/02	< .500	2015/07
1,2-DICHLORO BENZENE	34536	012	2014/07/02	< .500	2015/07
1,2-DICHLOROETHANE	34531	012	2014/07/02	< .500	2015/07
1,2-DICHLOROPROPANE	34541	012	2014/07/02	< .500	2015/07
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/07/02	< .500	2015/07
1,4-DICHLORO BENZENE	34571	012	2014/07/02	< .500	2015/07
BENZENE	34030	012	2014/07/02	< .500	2015/07
CARBON TETRACHLORIDE	32102	012	2014/07/02	< .500	2015/07
CIS-1,2-DICHLOROETHYLENE	77093	012	2014/07/02	< .500	2015/07
DICHLOROMETHANE	34423	012	2014/07/02	< .500	2015/07
ETHYLBENZENE	34371	012	2014/07/02	< .500	2015/07
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/07/02	< 3.000	2015/07
MONOCHLORO BENZENE	34301	012	2014/07/02	< .500	2015/07
STYRENE	77128	012	2014/07/02	< .500	2015/07
TETRACHLOROETHYLENE	34475	001	2014/07/02	. 73.000	2014/08
TOLUENE	34010	012	2014/07/02	< .500	2015/07
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/07/02	< .500	2015/07
TRICHLOROETHYLENE	39180	003	2014/07/02	. .730	2014/10
TRICHLOROFLUOROMETHANE	34488	012	2014/07/02	< 5.000	2015/07
VINYL CHLORIDE	39175	012	2014/07/02	< .500	2015/07
XYLENES (TOTAL)	81551	012	2014/07/02	< .000	2015/07

SECONDARY/GP

BICARBONATE ALKALINITY	00440	036	2013/08/14	. 260.000	2016/08
CALCIUM	00916	036	2013/08/14	. 75.000	2016/08
CARBONATE ALKALINITY	00445	036	2013/08/14	< .000	2016/08
CHLORIDE	00940	036	2013/08/14	. 24.000	2016/08
COLOR	00081	036	2013/08/14	< .000	2016/08
COPPER	01042	036	2013/08/14	< 50.000	2016/08
FOAMING AGENTS (MBAS)	38260	036	2013/08/14	< .000	2016/08

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910039

System Name: SAN GABRIEL VALLEY WATER CO.-EL MONTE

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910039-011

Source Name: WELL 08D

Source Number: 011

Source Status: ACTIVE RAW

Water type: G

SECONDARY/GP

HARDNESS (TOTAL) AS CaCO3	00900	036	2013/08/14	. 280.000	2016/08
HYDROXIDE ALKALINITY	71830	036	2013/08/14	< .000	2016/08
IRON	01045	036	2013/08/14	< 100.000	2016/08
MAGNESIUM	00927	036	2013/08/14	. 23.000	2016/08
MANGANESE	01055	036	2013/08/14	< 20.000	2016/08
ODOR THRESHOLD @ 60 C	00086	036	2013/08/14	1.000	2016/08
PH, LABORATORY	00403	036	2013/08/14	. 7.840	2016/08
SILVER	01077	036	2014/05/06	< 10.000	2017/05
SODIUM	00929	036	2013/08/14	23.000	2016/08
SPECIFIC CONDUCTANCE	00095	036	2013/08/14	. 630.000	2016/08
SULFATE	00945	036	2013/08/14	77.000	2016/08
TOTAL DISSOLVED SOLIDS	70300	036	2013/08/14	. 400.000	2016/08
TURBIDITY, LABORATORY	82079	036	2013/08/14	< .000	2016/08
ZINC	01092	036	2013/08/14	< 50.000	2016/08

PS Code: 1910039-012

Source Name: WELL 08E

Source Number: 012

Source Status: ACTIVE RAW

Water type: G

INORGANIC

ALUMINUM	01105	036	2013/08/21	< 50.000	2016/08
ANTIMONY	01097	036	2013/08/21	< 6.000	2016/08
ARSENIC	01002	036	2013/08/21	< 2.000	2016/08
BARIUM	01007	036	2013/08/21	< 100.000	2016/08
BERYLLIUM	01012	036	2013/08/21	< 1.000	2016/08
CADMIUM	01027	036	2013/08/21	< 1.000	2016/08
CHROMIUM (TOTAL)	01034	036	2013/08/21	< 10.000	2016/08
CYANIDE	01291	036	2013/08/21	< 100.000	2016/08

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910039

System Name: SAN GABRIEL VALLEY WATER CO.-EL MONTE

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910039-012

Source Name: WELL 08E

Source Number: 012

Source Status: ACTIVE RAW

Water type: G

INORGANIC

FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/08/21	.450	2016/08
MERCURY	71900	036	2013/08/21	< 1.000	2016/08
NICKEL	01067	036	2013/08/21	< 10.000	2016/08
PERCHLORATE	A-031	012	2014/07/02	< 4.000	2015/07
SELENIUM	01147	036	2013/08/21	< 5.000	2016/08
THALLIUM	01059	036	2013/08/21	< 1.000	2016/08

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2014/04/28	< 2.000	2015/04
NITRITE (AS N)	00620	036	2013/08/21	< 400.000	2016/08

RADIOLOGICAL

GROSS ALPHA	01501	108	2006/05/09	.000	2015/05
RADIUM 226	09501	108	2006/05/09	.000	2015/05
RADIUM 228	11501	108	2006/05/09	.000	2015/05
URANIUM (PCI/L)	28012	072	2011/08/08	.1600	2017/08

REGULATED SOC

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2013/08/01	< 3.000	2016/05
THIOBENCARB	A-001	033	2013/05/17	< 1.000	2016/02

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	012	2014/07/02	< .500	2015/07
1,1,2,2-TETRACHLOROETHANE	34516	012	2014/07/02	< .500	2015/07
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/07/02	< 10.000	2015/07
1,1,2-TRICHLOROETHANE	34511	012	2014/07/02	< .500	2015/07
1,1-DICHLOROETHANE	34496	012	2014/07/02	< .500	2015/07
1,1-DICHLOROETHYLENE	34501	012	2014/07/02	< .500	2015/07
1,2,4-TRICHLOROBENZENE	34551	012	2014/07/02	< .500	2015/07
1,2-DICHLOROBENZENE	34536	012	2014/07/02	< .500	2015/07
1,2-DICHLOROETHANE	34531	012	2014/07/02	< .500	2015/07
1,2-DICHLOROPROPANE	34541	012	2014/07/02	< .500	2015/07

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910039

System Name: SAN GABRIEL VALLEY WATER CO.-EL MONTE

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910039-012

Source Name: WELL 08E

Source Number: 012

Source Status: ACTIVE RAW

Water type: G

REGULATED VOC

1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/07/02	< .500	2015/07
1,4-DICHLOROBENZENE	34571	012	2014/07/02	< .500	2015/07
BENZENE	34030	012	2014/07/02	< .500	2015/07
CARBON TETRACHLORIDE	32102	012	2014/07/02	< .500	2015/07
CIS-1,2-DICHLOROETHYLENE	77093	012	2014/07/02	< .500	2015/07
DICHLOROMETHANE	34423	012	2014/07/02	< .500	2015/07
ETHYLBENZENE	34371	012	2014/07/02	< .500	2015/07
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/07/02	< 3.000	2015/07
MONOCHLOROBENZENE	34301	012	2014/07/02	< .500	2015/07
STYRENE	77128	012	2014/07/02	< .500	2015/07
TETRACHLOROETHYLENE	34475	003	2014/07/02	. .690	2014/10
TOLUENE	34010	012	2014/07/02	< .500	2015/07
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/07/02	< .500	2015/07
TRICHLOROETHYLENE	39180	012	2014/07/02	< .500	2015/07
TRICHLOROFUOROMETHANE	34488	012	2014/07/02	< 5.000	2015/07
VINYL CHLORIDE	39175	012	2014/07/02	< .500	2015/07
XYLENES (TOTAL)	81551	012	2014/07/02	< .000	2015/07

SECONDARY/GP

BICARBONATE ALKALINITY	00440	036	2013/08/14	. 190.000	2016/08
CALCIUM	00916	036	2013/08/14	. 37.000	2016/08
CARBONATE ALKALINITY	00445	036	2013/08/14	< .000	2016/08
CHLORIDE	00940	036	2013/08/14	. 4.000	2016/08
COLOR	00081	036	2013/08/14	< .000	2016/08
COPPER	01042	036	2013/08/14	< 50.000	2016/08
FOAMING AGENTS (MBAS)	38260	036	2013/08/14	< .000	2016/08
HARDNESS (TOTAL) AS CaCO3	00900	036	2013/08/14	. 110.000	2016/08
HYDROXIDE ALKALINITY	71830	036	2013/08/14	< .000	2016/08
IRON	01045	036	2013/08/14	< 100.000	2016/08
MAGNESIUM	00927	036	2013/08/14	. 5.200	2016/08

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910039

System Name: SAN GABRIEL VALLEY WATER CO.-EL MONTE

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910039-012

Source Name: WELL 08E

Source Number: 012

Source Status: ACTIVE RAW

Water type: G

SECONDARY/GP

MANGANESE	01055	036	2013/08/14	< 20.000	2016/08
ODOR THRESHOLD @ 60 C	00086	036	2013/08/14	1.000	2016/08
PH, LABORATORY	00403	036	2013/08/14	. 8.020	2016/08
SILVER	01077	036	2013/08/21	< 10.000	2016/08
SODIUM	00929	036	2013/08/14	26.000	2016/08
SPECIFIC CONDUCTANCE	00095	036	2013/08/14	. 330.000	2016/08
SULFATE	00945	036	2013/08/14	17.000	2016/08
TOTAL DISSOLVED SOLIDS	70300	036	2013/08/14	. 200.000	2016/08
TURBIDITY, LABORATORY	82079	036	2013/08/14	< .000	2016/08
ZINC	01092	036	2013/08/14	< 50.000	2016/08

PS Code: 1910039-013

Source Name: WELL 11A

Source Number: 013

Source Status: ACTIVE RAW

Water type: G

INORGANIC

ALUMINUM	01105	036	2012/08/08	< 50.000	2015/08
ANTIMONY	01097	036	2012/08/08	< 6.000	2015/08
ARSENIC	01002	036	2012/08/08	. 2.800	2015/08
BARIUM	01007	036	2012/08/08	120.000	2015/08
BERYLLIUM	01012	036	2012/08/08	< 1.000	2015/08
CADMIUM	01027	036	2012/08/08	< 1.000	2015/08
CHROMIUM (TOTAL)	01034	036	2012/08/08	< 10.000	2015/08
CYANIDE	01291	036	2012/08/08	< 100.000	2015/08
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2012/08/08	. .440	2015/08
MERCURY	71900	036	2012/08/08	< 1.000	2015/08
NICKEL	01067	036	2012/08/08	< 10.000	2015/08
PERCHLORATE	A-031	012	2013/08/21	< 4.000	2014/08

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910039

System Name: SAN GABRIEL VALLEY WATER CO.-EL MONTE

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910039-013

Source Name: WELL 11A

Source Number: 013

Source Status: ACTIVE RAW

Water type: G

INORGANIC

SELENIUM	01147	036	2012/08/08	< 5.000	2015/08
THALLIUM	01059	036	2012/08/08	< 1.000	2015/08

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2013/08/21	. 2.000	2014/08
NITRITE (AS N)	00620	036	2012/08/08	< 400.000	2015/08

RADIOLOGICAL

GROSS ALPHA	01501	108	2007/05/09	< 3.000	2016/05
RADIUM 226	09501	108	2007/05/09	< 1.000	2016/05
RADIUM 228	11501	108	2012/08/08	. .000	2021/08
URANIUM (PCI/L)	28012	108	2007/05/09	< 2.000	2016/05

REGULATED SOC

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2013/05/17	< 3.000	2016/02
THIOBENCARB	A-001	033	2013/05/17	< 1.000	2016/02

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	012	2013/08/21	< .500	2014/08
1,1,2,2-TETRACHLOROETHANE	34516	012	2013/08/21	< .500	2014/08
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2013/08/21	< 10.000	2014/08
1,1,2-TRICHLOROETHANE	34511	012	2013/08/21	< .500	2014/08
1,1-DICHLOROETHANE	34496	012	2013/08/21	< .500	2014/08
1,1-DICHLOROETHYLENE	34501	012	2013/08/21	< .500	2014/08
1,2,4-TRICHLOROBENZENE	34551	012	2013/08/21	< .500	2014/08
1,2-DICHLOROBENZENE	34536	012	2013/08/21	< .500	2014/08
1,2-DICHLOROETHANE	34531	012	2013/08/21	< .500	2014/08
1,2-DICHLOROPROPANE	34541	012	2013/08/21	< .500	2014/08
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2013/08/21	< .500	2014/08
1,4-DICHLOROBENZENE	34571	012	2013/08/21	< .500	2014/08
BENZENE	34030	012	2013/08/21	< .500	2014/08
CARBON TETRACHLORIDE	32102	012	2013/08/21	< .500	2014/08

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910039

System Name: SAN GABRIEL VALLEY WATER CO.-EL MONTE

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910039-013

Source Name: WELL 11A

Source Number: 013

Source Status: ACTIVE RAW

Water type: G

REGULATED VOC

CIS-1,2-DICHLOROETHYLENE	77093	012	2013/08/21	< .500	2014/08
DICHLOROMETHANE	34423	012	2013/08/21	< .500	2014/08
ETHYLBENZENE	34371	012	2013/08/21	< .500	2014/08
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2013/08/21	< 3.000	2014/08
MONOCHLOROBENZENE	34301	012	2013/08/21	< .500	2014/08
STYRENE	77128	012	2013/08/21	< .500	2014/08
TETRACHLOROETHYLENE	34475	003	2014/07/02	< .500	2014/10
TOLUENE	34010	012	2013/08/21	< .500	2014/08
TRANS-1,2-DICHLOROETHYLENE	34546	012	2013/08/21	< .500	2014/08
TRICHLOROETHYLENE	39180	003	2014/05/06	< .500	2014/08
TRICHLOROFUOROMETHANE	34488	012	2013/08/21	< 5.000	2014/08
VINYL CHLORIDE	39175	012	2013/08/21	< .500	2014/08
XYLENES (TOTAL)	81551	012	2013/08/21	< .000	2014/08

SECONDARY/GP

BICARBONATE ALKALINITY	00440	036	2011/09/27	. 200.000	2014/09
CALCIUM	00916	036	2011/09/27	. 43.000	2014/09
CARBONATE ALKALINITY	00445	036	2011/09/27	< .000	2014/09
CHLORIDE	00940	036	2011/09/27	. 10.000	2014/09
COLOR	00081	036	2011/09/27	< .000	2014/09
COPPER	01042	036	2011/09/27	< .000	2014/09
FOAMING AGENTS (MBAS)	38260	036	2011/09/27	< .000	2014/09
HARDNESS (TOTAL) AS CaCO3	00900	036	2011/09/27	. 140.000	2014/09
HYDROXIDE ALKALINITY	71830	036	2011/09/27	< .000	2014/09
IRON	01045	036	2011/09/27	< .000	2014/09
MAGNESIUM	00927	036	2011/09/27	. 8.200	2014/09
MANGANESE	01055	036	2011/09/27	< .000	2014/09
ODOR THRESHOLD @ 60 C	00086	036	2011/09/27	1.000	2014/09
PH, LABORATORY	00403	036	2011/09/27	. 7.710	2014/09
SILVER	01077	036	2012/08/08	< 10.000	2015/08

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910039

System Name: SAN GABRIEL VALLEY WATER CO.-EL MONTE

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910039-013

Source Name: WELL 11A

Source Number: 013

Source Status: ACTIVE RAW

Water type: G

SECONDARY/GP

SODIUM	00929	036	2011/09/27	25.000	2014/09
SPECIFIC CONDUCTANCE	00095	036	2011/09/27	330.000	2014/09
SULFATE	00945	036	2011/09/27	26.000	2014/09
TOTAL DISSOLVED SOLIDS	70300	036	2013/08/21	240.000	2016/08
TURBIDITY, LABORATORY	82079	036	2011/09/27	< .000	2014/09
ZINC	01092	036	2011/09/27	< .000	2014/09

PS Code: 1910039-014

Source Name: WELL 11B

Source Number: 014

Source Status: ACTIVE RAW

Water type: G

INORGANIC

ALUMINUM	01105	036	2012/11/15	< 50.000	2015/11
ANTIMONY	01097	036	2012/11/15	< 6.000	2015/11
ARSENIC	01002	036	2012/11/15	. 2.400	2015/11
BARIUM	01007	036	2012/11/15	130.000	2015/11
BERYLLIUM	01012	036	2012/11/15	< 1.000	2015/11
CADMIUM	01027	036	2012/11/15	< 1.000	2015/11
CHROMIUM (TOTAL)	01034	036	2012/11/15	< 10.000	2015/11
CYANIDE	01291	036	2012/11/15	< 100.000	2015/11
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2012/12/13	. .320	2015/12
MERCURY	71900	036	2012/11/15	< 1.000	2015/11
NICKEL	01067	036	2012/11/15	< 10.000	2015/11
PERCHLORATE	A-031	012	2013/08/21	< 4.000	2014/08
SELENIUM	01147	036	2012/11/15	< 5.000	2015/11
THALLIUM	01059	036	2012/11/15	< 1.000	2015/11

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2013/11/06	. 9.800	2014/11
------------------	-------	-----	------------	---------	---------

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910039

System Name: SAN GABRIEL VALLEY WATER CO.-EL MONTE

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910039-014

Source Name: WELL 11B

Source Number: 014

Source Status: ACTIVE RAW

Water type: G

NITRATE/NITRITE

NITRITE (AS N)	00620	036	2012/11/15	< 400.000	2015/11
----------------	-------	-----	------------	-----------	---------

RADIOLOGICAL

GROSS ALPHA	01501	108	2014/05/06	< 3.000	2023/05
RADIUM 226	09501	108	2005/05/04	.000	2014/05 DUE
RADIUM 228	11501	108	2014/05/06	.000	2023/05
URANIUM (PCI/L)	28012	072	2010/08/10	< .000	2016/08

REGULATED SOC

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2013/05/17	< 3.000	2016/02
THIOBENCARB	A-001	033	2013/05/17	< 1.000	2016/02

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	012	2013/11/06	< .500	2014/11
1,1,2,2-TETRACHLOROETHANE	34516	012	2013/11/06	< .500	2014/11
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2013/11/06	< 10.000	2014/11
1,1,2-TRICHLOROETHANE	34511	012	2013/11/06	< .500	2014/11
1,1-DICHLOROETHANE	34496	012	2013/11/06	< .500	2014/11
1,1-DICHLOROETHYLENE	34501	012	2013/11/06	< .500	2014/11
1,2,4-TRICHLOROBENZENE	34551	012	2013/11/06	< .500	2014/11
1,2-DICHLOROBENZENE	34536	012	2013/11/06	< .500	2014/11
1,2-DICHLOROETHANE	34531	012	2013/11/06	< .500	2014/11
1,2-DICHLOROPROPANE	34541	012	2013/11/06	< .500	2014/11
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2013/11/06	< .500	2014/11
1,4-DICHLOROBENZENE	34571	012	2013/11/06	< .500	2014/11
BENZENE	34030	012	2013/11/06	< .500	2014/11
CARBON TETRACHLORIDE	32102	012	2013/11/06	< .500	2014/11
CIS-1,2-DICHLOROETHYLENE	77093	001	2014/07/02	< .500	2014/08
DICHLOROMETHANE	34423	012	2013/11/06	< .500	2014/11
ETHYLBENZENE	34371	012	2013/11/06	< .500	2014/11
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2013/11/06	< 3.000	2014/11

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910039

System Name: SAN GABRIEL VALLEY WATER CO.-EL MONTE

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910039-014

Source Name: WELL 11B

Source Number: 014

Source Status: ACTIVE RAW

Water type: G

REGULATED VOC

MONOCHLORO BENZENE	34301	012	2013/11/06	< .500	2014/11
STYRENE	77128	012	2013/11/06	< .500	2014/11
TETRACHLOROETHYLENE	34475	001	2014/07/02	. 710	2014/08
TOLUENE	34010	012	2013/11/06	< .500	2014/11
TRANS-1,2-DICHLOROETHYLENE	34546	012	2013/11/06	< .500	2014/11
TRICHLOROETHYLENE	39180	001	2014/07/02	< .500	2014/08
TRICHLOROFLUOROMETHANE	34488	012	2013/11/06	< 5.000	2014/11
VINYL CHLORIDE	39175	012	2013/11/06	< .500	2014/11
XYLENES (TOTAL)	81551	012	2013/11/06	< .000	2014/11

SECONDARY/GP

BICARBONATE ALKALINITY	00440	036	2012/12/13	. 250.000	2015/12
CALCIUM	00916	036	2012/12/13	. 71.000	2015/12
CARBONATE ALKALINITY	00445	036	2012/12/13	< .000	2015/12
CHLORIDE	00940	036	2012/12/13	. 60.000	2015/12
COLOR	00081	036	2012/12/13	< .000	2015/12
COPPER	01042	036	2012/12/13	< 50.000	2015/12
FOAMING AGENTS (MBAS)	38260	036	2012/12/13	< .000	2015/12
HARDNESS (TOTAL) AS CaCO3	00900	036	2012/12/13	. 250.000	2015/12
HYDROXIDE ALKALINITY	71830	036	2012/12/13	< .000	2015/12
IRON	01045	036	2012/12/13	< 100.000	2015/12
MAGNESIUM	00927	036	2012/12/13	. 17.000	2015/12
MANGANESE	01055	036	2012/12/13	< 20.000	2015/12
ODOR THRESHOLD @ 60 C	00086	036	2012/12/13	1.000	2015/12
PH, LABORATORY	00403	036	2012/12/13	. 7.770	2015/12
SILVER	01077	036	2012/11/15	< 10.000	2015/11
SODIUM	00929	036	2012/12/13	49.000	2015/12
SPECIFIC CONDUCTANCE	00095	036	2012/12/13	. 720.000	2015/12
SULFATE	00945	036	2012/12/13	76.000	2015/12
TOTAL DISSOLVED SOLIDS	70300	036	2013/08/21	. 370.000	2016/08

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910039

System Name: SAN GABRIEL VALLEY WATER CO.-EL MONTE

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

PS Code: 1910039-014

Source Name: WELL 11B

Source Number: 014

Source Status: ACTIVE RAW

Water type: G

SECONDARY/GP

TURBIDITY, LABORATORY	82079	036	2012/12/13	< .000	2015/12
ZINC	01092	036	2012/12/13	. 100.000	2015/12

PS Code: 1910039-015

Source Name: WELL 11C

Source Number: 015

Source Status: ACTIVE RAW

Water type: G

INORGANIC

ALUMINUM	01105	036	2012/08/08	< 50.000	2015/08
ANTIMONY	01097	036	2012/08/08	< 6.000	2015/08
ARSENIC	01002	036	2012/08/08	. 3.800	2015/08
BARIUM	01007	036	2012/08/08	130.000	2015/08
BERYLLIUM	01012	036	2012/08/08	< 1.000	2015/08
CADMIUM	01027	036	2012/08/08	< 1.000	2015/08
CHROMIUM (TOTAL)	01034	036	2012/08/08	< 10.000	2015/08
CYANIDE	01291	036	2012/08/08	< 100.000	2015/08
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2012/08/08	. .410	2015/08
MERCURY	71900	036	2012/08/08	< 1.000	2015/08
NICKEL	01067	036	2012/08/08	< 10.000	2015/08
PERCHLORATE	A-031	012	2013/08/21	< 4.000	2014/08
SELENIUM	01147	036	2012/08/08	< 5.000	2015/08
THALLIUM	01059	036	2012/08/08	< 1.000	2015/08

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2013/08/21	. 6.700	2014/08
NITRITE (AS N)	00620	036	2012/08/08	< 400.000	2015/08

RADIOLOGICAL

GROSS ALPHA	01501	108	2014/05/06	< 3.000	2023/05
-------------	-------	-----	------------	---------	---------

*Testing interval is in months;
 0 = No data for this constituent and is DUE NOW
 I = Invalid (NOT) valid analyses reported
 Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910039

System Name: SAN GABRIEL VALLEY WATER CO.-EL MONTE

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910039-015

Source Name: WELL 11C

Source Number: 015

Source Status: ACTIVE RAW

Water type: G

RADIOLOGICAL

RADIUM 226	09501	108	2005/05/04	.000	2014/05	DUE
RADIUM 228	11501	108	2014/05/06	.000	2023/05	
URANIUM (PCI/L)	28012	072	2010/08/10	< .000	2016/08	

REGULATED SOC

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2013/05/17	< 3.000	2016/02	
THIOBENCARB	A-001	033	2013/05/17	< 1.000	2016/02	

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	012	2013/08/21	< .500	2014/08	
1,1,2,2-TETRACHLOROETHANE	34516	012	2013/08/21	< .500	2014/08	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2013/08/21	< 10.000	2014/08	
1,1,2-TRICHLOROETHANE	34511	012	2013/08/21	< .500	2014/08	
1,1-DICHLOROETHANE	34496	012	2013/08/21	< .500	2014/08	
1,1-DICHLOROETHYLENE	34501	012	2013/08/21	< .500	2014/08	
1,2,4-TRICHLOROBENZENE	34551	012	2013/08/21	< .500	2014/08	
1,2-DICHLOROBENZENE	34536	012	2013/08/21	< .500	2014/08	
1,2-DICHLOROETHANE	34531	012	2013/08/21	< .500	2014/08	
1,2-DICHLOROPROPANE	34541	012	2013/08/21	< .500	2014/08	
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2013/08/21	< .500	2014/08	
1,4-DICHLOROBENZENE	34571	012	2013/08/21	< .500	2014/08	
BENZENE	34030	012	2013/08/21	< .500	2014/08	
CARBON TETRACHLORIDE	32102	012	2013/08/21	< .500	2014/08	
CIS-1,2-DICHLOROETHYLENE	77093	003	2014/07/02	< .500	2014/10	
DICHLOROMETHANE	34423	012	2013/08/21	< .500	2014/08	
ETHYLBENZENE	34371	012	2013/08/21	< .500	2014/08	
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2013/08/21	< 3.000	2014/08	
MONOCHLOROBENZENE	34301	012	2013/08/21	< .500	2014/08	
STYRENE	77128	012	2013/08/21	< .500	2014/08	
TETRACHLOROETHYLENE	34475	003	2014/07/02	< .500	2014/10	
TOLUENE	34010	012	2013/08/21	< .500	2014/08	

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910039

System Name: SAN GABRIEL VALLEY WATER CO.-EL MONTE

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

PS Code: 1910039-015

Source Name: WELL 11C

Source Number: 015

Source Status: ACTIVE RAW

Water type: G

REGULATED VOC

TRANS-1,2-DICHLOROETHYLENE	34546	012	2013/08/21	< .500	2014/08
TRICHLOROETHYLENE	39180	012	2014/07/02	< .500	2015/07
TRICHLOROFUOROMETHANE	34488	012	2013/08/21	< 5.000	2014/08
VINYL CHLORIDE	39175	012	2013/08/21	< .500	2014/08
XYLENES (TOTAL)	81551	012	2013/08/21	< .000	2014/08

SECONDARY/GP

BICARBONATE ALKALINITY	00440	036	2011/09/27	. 170.000	2014/09
CALCIUM	00916	036	2011/09/27	. 36.000	2014/09
CARBONATE ALKALINITY	00445	036	2011/09/27	< .000	2014/09
CHLORIDE	00940	036	2011/09/27	. 40.000	2014/09
COLOR	00081	036	2011/09/27	< .000	2014/09
COPPER	01042	036	2011/09/27	< .000	2014/09
FOAMING AGENTS (MBAS)	38260	036	2011/09/27	< .000	2014/09
HARDNESS (TOTAL) AS CaCO3	00900	036	2011/09/27	. 120.000	2014/09
HYDROXIDE ALKALINITY	71830	036	2011/09/27	< .000	2014/09
IRON	01045	036	2011/09/27	< .000	2014/09
MAGNESIUM	00927	036	2011/09/27	. 6.600	2014/09
MANGANESE	01055	036	2011/09/27	< .000	2014/09
ODOR THRESHOLD @ 60 C	00086	036	2011/09/27	1.000	2014/09
PH, LABORATORY	00403	036	2011/09/27	. 7.830	2014/09
SILVER	01077	036	2012/08/08	< 10.000	2015/08
SODIUM	00929	036	2011/09/27	54.000	2014/09
SPECIFIC CONDUCTANCE	00095	036	2011/09/27	. 420.000	2014/09
SULFATE	00945	036	2011/09/27	50.000	2014/09
TOTAL DISSOLVED SOLIDS	70300	036	2013/08/21	. 420.000	2016/08
TURBIDITY, LABORATORY	82079	036	2011/09/27	< .000	2014/09
ZINC	01092	036	2011/09/27	< .000	2014/09

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910039

System Name: SAN GABRIEL VALLEY WATER CO.-EL MONTE

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910039-018

Source Name: WELL B11B

Source Number: 018

Source Status: ACTIVE RAW

Water type: G

INORGANIC

ALUMINUM	01105	036	2011/08/09	< .000	2014/08	
ANTIMONY	01097	036	2011/08/09	< .000	2014/08	
ARSENIC	01002	036	2011/08/09	< .000	2014/08	
BARIUM	01007	036	2011/08/09	< .000	2014/08	
BERYLLIUM	01012	036	2011/08/09	< .000	2014/08	
CADMIUM	01027	036	2011/08/09	< .000	2014/08	
CHROMIUM (TOTAL)	01034	036	2011/08/09	< .000	2014/08	
CHROMIUM, HEXAVALENT	01032	036	2011/05/26	. 8.900	2014/05	DUE
CYANIDE	01291	036	2011/08/09	< .000	2014/08	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2012/06/12	. .420	2015/06	
MERCURY	71900	036	2011/08/09	< .000	2014/08	
NICKEL	01067	036	2011/08/09	< .000	2014/08	
PERCHLORATE	A-031	012	2014/01/31	. 4.700	2015/01	
SELENIUM	01147	036	2011/08/09	< .000	2014/08	
THALLIUM	01059	036	2011/08/09	< .000	2014/08	

NITRATE/NITRITE

NITRATE (AS NO3)	71850	003	2014/05/06	. 17.000	2014/08	
NITRITE (AS N)	00620	036	2011/08/09	< .000	2014/08	

RADIOLOGICAL

GROSS ALPHA	01501	072	2010/08/11	3.840	2016/08	
RADIUM 226	09501	108				DUE
RADIUM 228	11501	108				DUE
URANIUM (PCI/L)	28012	072	2010/08/11	2.700	2016/08	

REGULATED SOC

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2013/05/16	< 3.000	2016/02	
THIOBENCARB	A-001	033	2013/05/16	< 1.000	2016/02	

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	012	2013/08/22	< .500	2014/08	
-----------------------	-------	-----	------------	--------	---------	--

*Testing interval is in months;
 0 = No data for this constituent and is DUE NOW
 I = Invalid (NOT) valid analyses reported
 Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910039

System Name: SAN GABRIEL VALLEY WATER CO.-EL MONTE

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910039-018

Source Name: WELL B11B

Source Number: 018

Source Status: ACTIVE RAW

Water type: G

REGULATED VOC

1,1,2,2-TETRACHLOROETHANE	34516	012	2013/08/22	< .500	2014/08
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2013/08/22	< 10.000	2014/08
1,1,2-TRICHLOROETHANE	34511	012	2013/08/22	< .500	2014/08
1,1-DICHLOROETHANE	34496	012	2014/07/30	< .500	2015/07
1,1-DICHLOROETHYLENE	34501	012	2014/07/30	. 4.800	2015/07
1,2,4-TRICHLOROBENZENE	34551	012	2013/08/22	< .500	2014/08
1,2-DICHLOROBENZENE	34536	012	2013/08/22	< .500	2014/08
1,2-DICHLOROETHANE	34531	012	2013/08/22	< .500	2014/08
1,2-DICHLOROPROPANE	34541	012	2013/08/22	< .500	2014/08
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2013/08/22	< .500	2014/08
1,4-DICHLOROBENZENE	34571	012	2013/08/22	< .500	2014/08
BENZENE	34030	012	2013/08/22	< .500	2014/08
CARBON TETRACHLORIDE	32102	012	2013/08/22	.700	2014/08
CIS-1,2-DICHLOROETHYLENE	77093	012	2014/07/30	< .500	2015/07
DICHLOROMETHANE	34423	012	2013/08/22	< .500	2014/08
ETHYLBENZENE	34371	012	2013/08/22	< .500	2014/08
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2013/08/22	< 3.000	2014/08
MONOCHLOROBENZENE	34301	012	2013/08/22	< .500	2014/08
STYRENE	77128	012	2013/08/22	< .500	2014/08
TETRACHLOROETHYLENE	34475	012	2014/07/30	. 4.000	2015/07
TOLUENE	34010	012	2013/08/22	< .500	2014/08
TRANS-1,2-DICHLOROETHYLENE	34546	012	2013/08/22	< .500	2014/08
TRICHLOROETHYLENE	39180	012	2014/07/30	. 3.900	2015/07
TRICHLOROFUOROMETHANE	34488	012	2013/08/22	< 5.000	2014/08
VINYL CHLORIDE	39175	012	2013/08/22	< .500	2014/08
XYLENES (TOTAL)	81551	012	2013/08/22	< .000	2014/08

SECONDARY/GP

BICARBONATE ALKALINITY	00440	036	2012/06/12	. 290.000	2015/06
CALCIUM	00916	036	2012/06/12	. 75.000	2015/06

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910039

System Name: SAN GABRIEL VALLEY WATER CO.-EL MONTE

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910039-018

Source Name: WELL B11B

Source Number: 018

Source Status: ACTIVE RAW

Water type: G

SECONDARY/GP

CARBONATE ALKALINITY	00445	036	2012/06/12	< .000	2015/06
CHLORIDE	00940	036	2012/06/12	. 37.000	2015/06
COLOR	00081	036	2012/06/12	< .000	2015/06
COPPER	01042	036	2012/06/12	< 50.000	2015/06
FOAMING AGENTS (MBAS)	38260	036	2012/06/12	< .000	2015/06
HARDNESS (TOTAL) AS CaCO3	00900	036	2012/06/12	. 270.000	2015/06
HYDROXIDE ALKALINITY	71830	036	2012/06/12	< .000	2015/06
IRON	01045	036	2012/06/12	< 100.000	2015/06
MAGNESIUM	00927	036	2012/06/12	. 20.000	2015/06
MANGANESE	01055	036	2012/06/12	< 20.000	2015/06
ODOR THRESHOLD @ 60 C	00086	036	2012/06/12	1.000	2015/06
PH, LABORATORY	00403	036	2012/06/12	. 7.680	2015/06
SILVER	01077	036	2011/08/09	< .000	2014/08
SODIUM	00929	036	2012/06/12	49.000	2015/06
SPECIFIC CONDUCTANCE	00095	036	2012/06/12	. 720.000	2015/06
SULFATE	00945	036	2012/06/12	93.000	2015/06
TOTAL DISSOLVED SOLIDS	70300	036	2013/08/22	. 380.000	2016/08
TURBIDITY, LABORATORY	82079	036	2012/06/12	< .000	2015/06
ZINC	01092	036	2012/06/12	< 50.000	2015/06

PS Code: 1910039-023

Source Name: WELL B5B

Source Number: 023

Source Status: ACTIVE RAW

Water type: G

INORGANIC

ALUMINUM	01105	036	2013/08/22	< 50.000	2016/08
ANTIMONY	01097	036	2013/08/22	< 6.000	2016/08
ARSENIC	01002	036	2013/08/22	. 2.400	2016/08

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910039

System Name: SAN GABRIEL VALLEY WATER CO.-EL MONTE

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910039-023

Source Name: WELL B5B

Source Number: 023

Source Status: ACTIVE RAW

Water type: G

INORGANIC

BARIUM	01007	036	2013/08/22	190.000	2016/08
BERYLLIUM	01012	036	2013/08/22	< 1.000	2016/08
CADMIUM	01027	036	2013/08/22	< 1.000	2016/08
CHROMIUM (TOTAL)	01034	036	2013/08/22	< 10.000	2016/08
CHROMIUM, HEXAVALENT	01032	036	2011/05/26	. 5.200	2014/05 DUE
CYANIDE	01291	036	2013/08/22	< 100.000	2016/08
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/04/10	. .230	2017/04
MERCURY	71900	036	2013/08/22	< 1.000	2016/08
NICKEL	01067	036	2013/08/22	< 10.000	2016/08
PERCHLORATE	A-031	001	2014/07/02	. 8.900	2014/08
SELENIUM	01147	036	2013/08/22	< 5.000	2016/08
THALLIUM	01059	036	2013/08/22	< 1.000	2016/08

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2014/07/02	. 49.000	2015/07
NITRITE (AS N)	00620	036	2013/08/22	< 400.000	2016/08

RADIOLOGICAL

GROSS ALPHA	01501	072	2009/05/07	4.990	2015/05
RADIUM 226	09501	108	2009/05/07	.000	2018/05
RADIUM 228	11501	108	2009/05/07	.129	2018/05
URANIUM (PCI/L)	28012	072	2009/05/07	5.800	2015/05

REGULATED SOC

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2013/05/16	< 3.000	2016/02
THIOBENCARB	A-001	033	2013/05/16	< 1.000	2016/02

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	012	2014/07/02	< .500	2015/07
1,1,2,2-TETRACHLOROETHANE	34516	012	2014/07/02	< .500	2015/07
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/07/02	< 10.000	2015/07
1,1,2-TRICHLOROETHANE	34511	012	2014/07/02	< .500	2015/07

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910039

System Name: SAN GABRIEL VALLEY WATER CO.-EL MONTE

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910039-023

Source Name: WELL B5B

Source Number: 023

Source Status: ACTIVE RAW

Water type: G

REGULATED VOC

1,1-DICHLOROETHANE	34496	012	2014/07/02	< .500	2015/07
1,1-DICHLOROETHYLENE	34501	012	2014/07/02	< .500	2015/07
1,2,4-TRICHLOROBENZENE	34551	012	2014/07/02	< .500	2015/07
1,2-DICHLOROBENZENE	34536	012	2014/07/02	< .500	2015/07
1,2-DICHLOROETHANE	34531	012	2014/07/02	< .500	2015/07
1,2-DICHLOROPROPANE	34541	012	2014/07/02	< .500	2015/07
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/07/02	< .500	2015/07
1,4-DICHLOROBENZENE	34571	012	2014/07/02	< .500	2015/07
BENZENE	34030	012	2014/07/02	< .500	2015/07
CARBON TETRACHLORIDE	32102	012	2014/07/02	< .500	2015/07
CIS-1,2-DICHLOROETHYLENE	77093	012	2014/07/02	< .500	2015/07
DICHLOROMETHANE	34423	012	2014/07/02	< .500	2015/07
ETHYLBENZENE	34371	012	2014/07/02	< .500	2015/07
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/07/02	< 3.000	2015/07
MONOCHLOROBENZENE	34301	012	2014/07/02	< .500	2015/07
STYRENE	77128	012	2014/07/02	< .500	2015/07
TETRACHLOROETHYLENE	34475	012	2014/07/02	. 3.100	2015/07
TOLUENE	34010	012	2014/07/02	< .500	2015/07
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/07/02	< .500	2015/07
TRICHLOROETHYLENE	39180	012	2014/07/02	. 3.700	2015/07
TRICHLOROFUOROMETHANE	34488	012	2014/07/02	< 5.000	2015/07
VINYL CHLORIDE	39175	012	2014/07/02	< .500	2015/07
XYLENES (TOTAL)	81551	012	2014/07/02	< .000	2015/07

SECONDARY/GP

BICARBONATE ALKALINITY	00440	036	2014/04/10	. 290.000	2017/04
CALCIUM	00916	036	2014/04/10	. 100.000	2017/04
CARBONATE ALKALINITY	00445	036	2014/04/10	< .000	2017/04
CHLORIDE	00940	036	2014/04/10	. 49.000	2017/04
COLOR	00081	036	2014/04/10	< .000	2017/04

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910039

System Name: SAN GABRIEL VALLEY WATER CO.-EL MONTE

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910039-023

Source Name: WELL B5B

Source Number: 023

Source Status: ACTIVE RAW

Water type: G

SECONDARY/GP

COPPER	01042	036	2014/04/10	< 50.000	2017/04
FOAMING AGENTS (MBAS)	38260	036	2014/04/10	< .000	2017/04
HARDNESS (TOTAL) AS CaCO3	00900	036	2014/04/10	. 330.000	2017/04
HYDROXIDE ALKALINITY	71830	036	2014/04/10	< .000	2017/04
IRON	01045	036	2014/04/10	< 100.000	2017/04
MAGNESIUM	00927	036	2014/04/10	. 19.000	2017/04
MANGANESE	01055	036	2014/04/10	< 20.000	2017/04
ODOR THRESHOLD @ 60 C	00086	036	2014/04/10	. 1.000	2017/04
PH, LABORATORY	00403	036	2014/04/10	. 7.820	2017/04
SILVER	01077	036	2013/08/22	< 10.000	2016/08
SODIUM	00929	036	2014/04/10	. 29.000	2017/04
SPECIFIC CONDUCTANCE	00095	036	2014/04/10	. 790.000	2017/04
SULFATE	00945	036	2014/04/10	. 75.000	2017/04
TOTAL DISSOLVED SOLIDS	70300	036	2014/04/10	. 480.000	2017/04
TURBIDITY, LABORATORY	82079	036	2014/04/10	< .000	2017/04
ZINC	01092	036	2014/04/10	< 50.000	2017/04

PS Code: 1910039-026

Source Name: WELL B6C

Source Number: 026

Source Status: ACTIVE RAW

Water type: G

INORGANIC

ALUMINUM	01105	036	2011/09/15	< .000	2014/09
ANTIMONY	01097	036	2011/09/15	< .000	2014/09
ARSENIC	01002	036	2011/09/15	. 2.400	2014/09
BARIUM	01007	036	2011/09/15	210.000	2014/09
BERYLLIUM	01012	036	2011/09/15	< .000	2014/09
CADMIUM	01027	036	2011/09/15	< .000	2014/09

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910039

System Name: SAN GABRIEL VALLEY WATER CO.-EL MONTE

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910039-026

Source Name: WELL B6C

Source Number: 026

Source Status: ACTIVE RAW

Water type: G

INORGANIC

CHROMIUM (TOTAL)	01034	036	2011/09/15	< .000	2014/09	
CHROMIUM, HEXAVALENT	01032	036	2011/06/01	. 3.600	2014/06	DUE
CYANIDE	01291	036	2011/09/15	< .000	2014/09	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/08/22	. .240	2016/08	
MERCURY	71900	036	2011/09/15	< .000	2014/09	
NICKEL	01067	036	2011/09/15	< .000	2014/09	
PERCHLORATE	A-031	001	2014/05/30	. 23.000	2014/06	DUE
SELENIUM	01147	036	2011/09/15	< .000	2014/09	
THALLIUM	01059	036	2011/09/15	< .000	2014/09	

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2014/05/30	. 93.000	2015/05	
NITRITE (AS N)	00620	036	2011/09/15	< .000	2014/09	

RADIOLOGICAL

GROSS ALPHA	01501	072	2011/09/15	. 6.360	2017/09	
RADIUM 226	09501	108	2006/05/16	.000	2015/05	
RADIUM 228	11501	108	2006/05/16	.000	2015/05	
URANIUM (PCI/L)	28012	072	2011/09/15	. 6.400	2017/09	

REGULATED SOC

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2013/05/16	< 3.000	2016/02	
THIOBENCARB	A-001	033	2013/05/16	< 1.000	2016/02	

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	012	2014/05/30	< .500	2015/05	
1,1,2,2-TETRACHLOROETHANE	34516	012	2014/05/30	< .500	2015/05	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/05/30	< 10.000	2015/05	
1,1,2-TRICHLOROETHANE	34511	012	2014/05/30	< .500	2015/05	
1,1-DICHLOROETHANE	34496	012	2014/05/30	< .500	2015/05	
1,1-DICHLOROETHYLENE	34501	012	2014/05/30	< .500	2015/05	
1,2,4-TRICHLOROBENZENE	34551	012	2014/05/30	< .500	2015/05	

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910039

System Name: SAN GABRIEL VALLEY WATER CO.-EL MONTE

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910039-026

Source Name: WELL B6C

Source Number: 026

Source Status: ACTIVE RAW

Water type: G

REGULATED VOC

1,2-DICHLOROBENZENE	34536	012	2014/05/30	< .500	2015/05
1,2-DICHLOROETHANE	34531	012	2014/05/30	< .500	2015/05
1,2-DICHLOROPROPANE	34541	012	2014/05/30	< .500	2015/05
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/05/30	< .500	2015/05
1,4-DICHLOROBENZENE	34571	012	2014/05/30	< .500	2015/05
BENZENE	34030	012	2014/05/30	< .500	2015/05
CARBON TETRACHLORIDE	32102	012	2014/05/30	< .500	2015/05
CIS-1,2-DICHLOROETHYLENE	77093	012	2014/05/30	< .500	2015/05
DICHLOROMETHANE	34423	012	2014/05/30	< .500	2015/05
ETHYLBENZENE	34371	012	2014/05/30	< .500	2015/05
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/05/30	< 3.000	2015/05
MONOCHLOROBENZENE	34301	012	2014/05/30	< .500	2015/05
STYRENE	77128	012	2014/05/30	< .500	2015/05
TETRACHLOROETHYLENE	34475	012	2014/05/30	< .500	2015/05
TOLUENE	34010	012	2014/05/30	< .500	2015/05
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/05/30	< .500	2015/05
TRICHLOROETHYLENE	39180	012	2014/05/30	. 3.100	2015/05
TRICHLOROFLUOROMETHANE	34488	012	2014/05/30	< 5.000	2015/05
VINYL CHLORIDE	39175	012	2014/05/30	< .500	2015/05
XYLENES (TOTAL)	81551	012	2014/05/30	< .000	2015/05

SECONDARY/GP

BICARBONATE ALKALINITY	00440	036	2013/08/22	. 310.000	2016/08
CALCIUM	00916	036	2013/08/22	. 120.000	2016/08
CARBONATE ALKALINITY	00445	036	2013/08/22	< .000	2016/08
CHLORIDE	00940	036	2013/08/22	. 40.000	2016/08
COLOR	00081	036	2013/08/22	< .000	2016/08
COPPER	01042	036	2013/08/22	< 50.000	2016/08
FOAMING AGENTS (MBAS)	38260	036	2013/08/22	< .000	2016/08
HARDNESS (TOTAL) AS CaCO3	00900	036	2013/08/22	. 380.000	2016/08

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910039

System Name: SAN GABRIEL VALLEY WATER CO.-EL MONTE

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910039-026

Source Name: WELL B6C

Source Number: 026

Source Status: ACTIVE RAW

Water type: G

SECONDARY/GP

HYDROXIDE ALKALINITY	71830	036	2013/08/22	< .000	2016/08
IRON	01045	036	2013/08/22	450.000	2016/08
MAGNESIUM	00927	036	2013/08/22	. 22.000	2016/08
MANGANESE	01055	036	2013/08/22	< 20.000	2016/08
ODOR THRESHOLD @ 60 C	00086	036	2013/08/22	1.000	2016/08
PH, LABORATORY	00403	036	2013/08/22	. 7.570	2016/08
SILVER	01077	036	2011/09/15	< .000	2014/09
SODIUM	00929	036	2013/08/22	24.000	2016/08
SPECIFIC CONDUCTANCE	00095	036	2013/08/22	. 830.000	2016/08
SULFATE	00945	036	2014/05/30	. 69.000	2017/05
TOTAL DISSOLVED SOLIDS	70300	036	2013/08/22	. 540.000	2016/08
TURBIDITY, LABORATORY	82079	036	2013/08/22	. 3.400	2016/08
ZINC	01092	036	2013/08/22	< 50.000	2016/08

PS Code: 1910039-027

Source Name: WELL B6D

Source Number: 027

Source Status: ACTIVE RAW

Water type: G

INORGANIC

ALUMINUM	01105	036	2011/09/15	< .000	2014/09
ANTIMONY	01097	036	2011/09/15	< .000	2014/09
ARSENIC	01002	036	2011/09/15	< .000	2014/09
BARIUM	01007	036	2011/09/15	110.000	2014/09
BERYLLIUM	01012	036	2011/09/15	< .000	2014/09
CADMIUM	01027	036	2011/09/15	< .000	2014/09
CHROMIUM (TOTAL)	01034	036	2011/09/15	< .000	2014/09
CHROMIUM, HEXAVALENT	01032	036	2011/06/01	. 1.500	2014/06 DUE
CYANIDE	01291	036	2011/09/15	< .000	2014/09

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910039

System Name: SAN GABRIEL VALLEY WATER CO.-EL MONTE

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910039-027

Source Name: WELL B6D

Source Number: 027

Source Status: ACTIVE RAW

Water type: G

INORGANIC

FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/08/22	.410	2016/08
MERCURY	71900	036	2011/09/15	< .000	2014/09
NICKEL	01067	036	2011/09/15	< .000	2014/09
PERCHLORATE	A-031	001	2014/05/30	.56.000	2014/06 DUE
SELENIUM	01147	036	2011/09/15	< .000	2014/09
THALLIUM	01059	036	2011/09/15	< .000	2014/09

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2014/05/30	.25.000	2015/05
NITRITE (AS N)	00620	036	2011/09/15	< .000	2014/09

RADIOLOGICAL

GROSS ALPHA	01501	108	2006/05/16	.000	2015/05
RADIUM 226	09501	108	2006/05/16	.000	2015/05
RADIUM 228	11501	108	2006/05/16	.000	2015/05
URANIUM (PCI/L)	28012	072	2011/09/15	.1.800	2017/09

REGULATED SOC

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2013/05/16	< 3.000	2016/02
THIOBENCARB	A-001	033	2013/05/16	< 1.000	2016/02

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	012	2014/05/30	< .500	2015/05
1,1,2,2-TETRACHLOROETHANE	34516	012	2014/05/30	< .500	2015/05
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/05/30	< 10.000	2015/05
1,1,2-TRICHLOROETHANE	34511	012	2014/05/30	< .500	2015/05
1,1-DICHLOROETHANE	34496	012	2014/05/30	.1.300	2015/05
1,1-DICHLOROETHYLENE	34501	012	2014/05/30	.820	2015/05
1,2,4-TRICHLOROBENZENE	34551	012	2014/05/30	< .500	2015/05
1,2-DICHLOROBENZENE	34536	012	2014/05/30	< .500	2015/05
1,2-DICHLOROETHANE	34531	012	2014/05/30	< .500	2015/05
1,2-DICHLOROPROPANE	34541	012	2014/05/30	< .500	2015/05

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910039

System Name: SAN GABRIEL VALLEY WATER CO.-EL MONTE

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910039-027

Source Name: WELL B6D

Source Number: 027

Source Status: ACTIVE RAW

Water type: G

REGULATED VOC

1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/05/30	< .500	2015/05
1,4-DICHLOROBENZENE	34571	012	2014/05/30	< .500	2015/05
BENZENE	34030	012	2014/05/30	< .500	2015/05
CARBON TETRACHLORIDE	32102	012	2014/05/30	. 2.500	2015/05
CIS-1,2-DICHLOROETHYLENE	77093	012	2014/05/30	. 2.600	2015/05
DICHLOROMETHANE	34423	012	2014/05/30	< .500	2015/05
ETHYLBENZENE	34371	012	2014/05/30	< .500	2015/05
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/05/30	< 3.000	2015/05
MONOCHLOROBENZENE	34301	012	2014/05/30	< .500	2015/05
STYRENE	77128	012	2014/05/30	< .500	2015/05
TETRACHLOROETHYLENE	34475	012	2014/05/30	. 6.600	2015/05
TOLUENE	34010	012	2014/05/30	< .500	2015/05
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/05/30	< .500	2015/05
TRICHLOROETHYLENE	39180	012	2014/05/30	. 55.000	2015/05
TRICHLOROFUOROMETHANE	34488	012	2014/05/30	< 5.000	2015/05
VINYL CHLORIDE	39175	012	2014/05/30	< .500	2015/05
XYLENES (TOTAL)	81551	012	2014/05/30	< .000	2015/05

SECONDARY/GP

BICARBONATE ALKALINITY	00440	036	2013/08/22	. 210.000	2016/08
CALCIUM	00916	036	2013/08/22	. 66.000	2016/08
CARBONATE ALKALINITY	00445	036	2013/08/22	< .000	2016/08
CHLORIDE	00940	036	2013/08/22	. 40.000	2016/08
COLOR	00081	036	2013/08/22	< .000	2016/08
COPPER	01042	036	2013/08/22	< 50.000	2016/08
FOAMING AGENTS (MBAS)	38260	036	2013/08/22	< .000	2016/08
HARDNESS (TOTAL) AS CaCO3	00900	036	2013/08/22	. 230.000	2016/08
HYDROXIDE ALKALINITY	71830	036	2013/08/22	< .000	2016/08
IRON	01045	036	2013/08/22	620.000	2016/08
MAGNESIUM	00927	036	2013/08/22	. 16.000	2016/08

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910039

System Name: SAN GABRIEL VALLEY WATER CO.-EL MONTE

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

PS Code: 1910039-027

Source Name: WELL B6D

Source Number: 027

Source Status: ACTIVE RAW

Water type: G

SECONDARY/GP

MANGANESE	01055	036	2013/08/22	. 38.000	2016/08
ODOR THRESHOLD @ 60 C	00086	036	2013/08/22	1.000	2016/08
PH, LABORATORY	00403	036	2013/08/22	. 7.570	2016/08
SILVER	01077	036	2011/09/15	< .000	2014/09
SODIUM	00929	036	2013/08/22	22.000	2016/08
SPECIFIC CONDUCTANCE	00095	036	2013/08/22	. 550.000	2016/08
SULFATE	00945	036	2014/05/30	. 44.000	2017/05
TOTAL DISSOLVED SOLIDS	70300	036	2013/08/22	. 320.000	2016/08
TURBIDITY, LABORATORY	82079	036	2013/08/22	. 3.000	2016/08
ZINC	01092	036	2013/08/22	< 50.000	2016/08

PS Code: 1910039-029

Source Name: WELL B7C

Source Number: 029

Source Status: ACTIVE RAW

Water type: G

INORGANIC

ALUMINUM	01105	036	2014/03/31	< 50.000	2017/03
ANTIMONY	01097	036	2014/03/31	< 6.000	2017/03
ARSENIC	01002	036	2014/03/31	< 2.000	2017/03
BARIUM	01007	036	2014/03/31	< 100.000	2017/03
BERYLLIUM	01012	036	2014/03/31	< 1.000	2017/03
CADMIUM	01027	036	2014/03/31	< 1.000	2017/03
CHROMIUM (TOTAL)	01034	036	2014/03/31	< 10.000	2017/03
CYANIDE	01291	036	2014/03/31	< 100.000	2017/03
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/03/31	. .280	2017/03
MERCURY	71900	036	2014/03/31	< 1.000	2017/03
NICKEL	01067	036	2014/03/31	< 10.000	2017/03
PERCHLORATE	A-031	012	2014/03/31	< 4.000	2015/03

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: **1910039**

System Name: **SAN GABRIEL VALLEY WATER CO.-EL MONTE**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: **1910039-029**

Source Name: **WELL B7C**

Source Number: **029**

Source Status: **ACTIVE RAW**

Water type: **G**

INORGANIC

SELENIUM	01147	036	2014/03/31	. 5.000	2017/03
THALLIUM	01059	036	2014/03/31	< 1.000	2017/03

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2014/03/31	. 16.000	2015/03
NITRITE (AS N)	00620	036	2014/03/31	< 400.000	2017/03

RADIOLOGICAL

GROSS ALPHA	01501	108	2014/05/06	. 3.880	2023/05
RADIUM 226	09501	108	2005/05/03	. .000	2014/05 DUE
RADIUM 228	11501	108	2014/05/06	. .000	2023/05
URANIUM (PCI/L)	28012	072	2014/03/31	. 4.900	2020/03

REGULATED SOC

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2014/03/31	< 3.000	2016/12
THIOBENCARB	A-001	033	2014/03/31	< 1.000	2016/12

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	012	2014/03/31	< .500	2015/03
1,1,2,2-TETRACHLOROETHANE	34516	012	2014/03/31	< .500	2015/03
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/03/31	< 10.000	2015/03
1,1,2-TRICHLOROETHANE	34511	012	2014/03/31	< .500	2015/03
1,1-DICHLOROETHANE	34496	012	2014/03/31	< .500	2015/03
1,1-DICHLOROETHYLENE	34501	001	2014/07/02	. 2.100	2014/08
1,2,4-TRICHLOROBENZENE	34551	012	2014/03/31	< .500	2015/03
1,2-DICHLOROBENZENE	34536	012	2014/03/31	< .500	2015/03
1,2-DICHLOROETHANE	34531	012	2014/03/31	< .500	2015/03
1,2-DICHLOROPROPANE	34541	012	2014/03/31	< .500	2015/03
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/03/31	< .500	2015/03
1,4-DICHLOROBENZENE	34571	012	2014/03/31	< .500	2015/03
BENZENE	34030	012	2014/03/31	< .500	2015/03
CARBON TETRACHLORIDE	32102	012	2014/03/31	< .500	2015/03

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910039

System Name: SAN GABRIEL VALLEY WATER CO.-EL MONTE

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910039-029

Source Name: WELL B7C

Source Number: 029

Source Status: ACTIVE RAW

Water type: G

REGULATED VOC

CIS-1,2-DICHLOROETHYLENE	77093	003	2014/05/06	.760	2014/08
DICHLOROMETHANE	34423	012	2014/03/31	< .500	2015/03
ETHYLBENZENE	34371	012	2014/03/31	< .500	2015/03
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/03/31	< 3.000	2015/03
MONOCHLOROBENZENE	34301	012	2014/03/31	< .500	2015/03
STYRENE	77128	012	2014/03/31	< .500	2015/03
TETRACHLOROETHYLENE	34475	001	2014/07/02	. 11.000	2014/08
TOLUENE	34010	012	2014/03/31	< .500	2015/03
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/03/31	< .500	2015/03
TRICHLOROETHYLENE	39180	001	2014/07/02	. 3.500	2014/08
TRICHLOROFUOROMETHANE	34488	012	2014/03/31	< 5.000	2015/03
VINYL CHLORIDE	39175	012	2014/03/31	< .500	2015/03
XYLENES (TOTAL)	81551	012	2014/03/31	< .000	2015/03

SECONDARY/GP

BICARBONATE ALKALINITY	00440	036	2014/03/31	. 310.000	2017/03
CALCIUM	00916	036	2014/03/31	. 90.200	2017/03
CARBONATE ALKALINITY	00445	036	2014/03/31	< .000	2017/03
CHLORIDE	00940	036	2014/03/31	. 68.000	2017/03
COLOR	00081	036	2014/03/31	< .000	2017/03
COPPER	01042	036	2014/03/31	< 50.000	2017/03
FOAMING AGENTS (MBAS)	38260	036	2014/03/31	< .000	2017/03
HARDNESS (TOTAL) AS CaCO3	00900	036	2014/03/31	. 340.000	2017/03
HYDROXIDE ALKALINITY	71830	036	2014/03/31	< .000	2017/03
IRON	01045	036	2014/03/31	< 100.000	2017/03
MAGNESIUM	00927	036	2014/03/31	. 27.000	2017/03
MANGANESE	01055	036	2014/03/31	< 20.000	2017/03
ODOR THRESHOLD @ 60 C	00086	036	2014/03/31	. 1.000	2017/03
PH, LABORATORY	00403	036	2014/03/31	. 7.760	2017/03
SILVER	01077	036	2014/03/31	< 10.000	2017/03

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910039

System Name: SAN GABRIEL VALLEY WATER CO.-EL MONTE

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910039-029

Source Name: WELL B7C

Source Number: 029

Source Status: ACTIVE RAW

Water type: G

SECONDARY/GP

SODIUM	00929	036	2014/03/31	. 78.000	2017/03
SPECIFIC CONDUCTANCE	00095	036	2014/03/31	. 990.000	2017/03
SULFATE	00945	036	2014/03/31	. 170.000	2017/03
TOTAL DISSOLVED SOLIDS	70300	036	2014/03/31	. 620.000	2017/03
TURBIDITY, LABORATORY	82079	036	2014/03/31	< .000	2017/03
ZINC	01092	036	2014/03/31	< 50.000	2017/03

PS Code: 1910039-030

Source Name: WELL B7E

Source Number: 030

Source Status: ACTIVE RAW

Water type: G

INORGANIC

ALUMINUM	01105	036	2012/05/09	< 50.000	2015/05
ANTIMONY	01097	036	2012/05/09	< 6.000	2015/05
ARSENIC	01002	036	2012/05/09	. 3.300	2015/05
BARIUM	01007	036	2012/05/09	< 100.000	2015/05
BERYLLIUM	01012	036	2012/05/09	< 1.000	2015/05
CADMIUM	01027	036	2012/05/09	< 1.000	2015/05
CHROMIUM (TOTAL)	01034	036	2012/05/09	< 10.000	2015/05
CYANIDE	01291	036	2012/05/09	< 100.000	2015/05
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2012/06/12	. .330	2015/06
MERCURY	71900	036	2012/05/09	< 1.000	2015/05
NICKEL	01067	036	2012/05/09	< 10.000	2015/05
PERCHLORATE	A-031	012	2013/08/22	< 4.000	2014/08
SELENIUM	01147	036	2012/05/09	< 5.000	2015/05
THALLIUM	01059	036	2012/05/09	< 1.000	2015/05

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2014/05/06	. 3.000	2015/05
------------------	-------	-----	------------	---------	---------

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910039

System Name: SAN GABRIEL VALLEY WATER CO.-EL MONTE

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

PS Code: 1910039-030

Source Name: WELL B7E

Source Number: 030

Source Status: ACTIVE RAW

Water type: G

NITRATE/NITRITE

NITRITE (AS N)	00620	036	2012/05/09	< 400.000	2015/05
----------------	-------	-----	------------	-----------	---------

RADIOLOGICAL

GROSS ALPHA	01501	072	2010/08/11	4.900	2016/08
RADIUM 226	09501	108	2007/05/10	< 1.000	2016/05
RADIUM 228	11501	108	2007/05/10	< 1.000	2016/05
URANIUM (PCI/L)	28012	108	2010/08/11	< .000	2019/08

REGULATED SOC

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2013/05/16	< 3.000	2016/02
THIOBENCARB	A-001	033	2013/05/16	< 1.000	2016/02

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	012	2013/08/22	< .500	2014/08
1,1,2,2-TETRACHLOROETHANE	34516	012	2013/08/22	< .500	2014/08
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2013/08/22	< 10.000	2014/08
1,1,2-TRICHLOROETHANE	34511	012	2013/08/22	< .500	2014/08
1,1-DICHLOROETHANE	34496	012	2013/08/22	< .500	2014/08
1,1-DICHLOROETHYLENE	34501	012	2013/08/22	< .500	2014/08
1,2,4-TRICHLOROBENZENE	34551	012	2013/08/22	< .500	2014/08
1,2-DICHLOROBENZENE	34536	012	2013/08/22	< .500	2014/08
1,2-DICHLOROETHANE	34531	012	2013/08/22	< .500	2014/08
1,2-DICHLOROPROPANE	34541	012	2013/08/22	< .500	2014/08
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2013/08/22	< .500	2014/08
1,4-DICHLOROBENZENE	34571	012	2013/08/22	< .500	2014/08
BENZENE	34030	012	2013/08/22	< .500	2014/08
CARBON TETRACHLORIDE	32102	012	2013/08/22	< .500	2014/08
CIS-1,2-DICHLOROETHYLENE	77093	012	2013/08/22	< .500	2014/08
DICHLOROMETHANE	34423	012	2013/08/22	< .500	2014/08
ETHYLBENZENE	34371	012	2013/08/22	< .500	2014/08
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2013/08/22	< 3.000	2014/08

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910039

System Name: SAN GABRIEL VALLEY WATER CO.-EL MONTE

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

PS Code: 1910039-030

Source Name: WELL B7E

Source Number: 030

Source Status: ACTIVE RAW

Water type: G

REGULATED VOC

MONOCHLOROENZENE	34301	012	2013/08/22	< .500	2014/08
STYRENE	77128	012	2013/08/22	< .500	2014/08
TETRACHLOROETHYLENE	34475	012	2013/08/22	< .500	2014/08
TOLUENE	34010	012	2013/08/22	< .500	2014/08
TRANS-1,2-DICHLOROETHYLENE	34546	012	2013/08/22	< .500	2014/08
TRICHLOROETHYLENE	39180	012	2013/08/22	< .500	2014/08
TRICHLOROFLUOROMETHANE	34488	012	2013/08/22	< 5.000	2014/08
VINYL CHLORIDE	39175	012	2013/08/22	< .500	2014/08
XYLENES (TOTAL)	81551	012	2013/08/22	< .000	2014/08

SECONDARY/GP

BICARBONATE ALKALINITY	00440	036	2012/06/12	. 170.000	2015/06
CALCIUM	00916	036	2012/06/12	. 27.000	2015/06
CARBONATE ALKALINITY	00445	036	2012/06/12	< .000	2015/06
CHLORIDE	00940	036	2012/06/12	. 31.000	2015/06
COLOR	00081	036	2012/06/12	< .000	2015/06
COPPER	01042	036	2012/06/12	< 50.000	2015/06
FOAMING AGENTS (MBAS)	38260	036	2012/06/12	< .000	2015/06
HARDNESS (TOTAL) AS CaCO3	00900	036	2012/06/12	. 84.000	2015/06
HYDROXIDE ALKALINITY	71830	036	2012/06/12	< .000	2015/06
IRON	01045	036	2012/06/12	< 100.000	2015/06
MAGNESIUM	00927	036	2012/06/12	. 3.800	2015/06
MANGANESE	01055	036	2012/06/12	< 20.000	2015/06
ODOR THRESHOLD @ 60 C	00086	036	2012/06/12	1.000	2015/06
PH, LABORATORY	00403	036	2012/06/12	. 7.890	2015/06
SILVER	01077	036	2012/05/09	< 10.000	2015/05
SODIUM	00929	036	2012/06/12	66.000	2015/06
SPECIFIC CONDUCTANCE	00095	036	2012/06/12	. 460.000	2015/06
SULFATE	00945	036	2012/06/12	51.000	2015/06
TOTAL DISSOLVED SOLIDS	70300	036	2013/08/22	. 260.000	2016/08

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910039

System Name: SAN GABRIEL VALLEY WATER CO.-EL MONTE

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910039-030

Source Name: WELL B7E

Source Number: 030

Source Status: ACTIVE RAW

Water type: G

SECONDARY/GP

TURBIDITY, LABORATORY	82079	036	2012/06/12	< .000	2015/06
ZINC	01092	036	2012/06/12	. 67.000	2015/06

PS Code: 1910039-033

Source Name: WELL B9B

Source Number: 033

Source Status: ACTIVE RAW

Water type: G

INORGANIC

ALUMINUM	01105	036	2013/08/22	< 50.000	2016/08
ANTIMONY	01097	036	2013/08/22	< 6.000	2016/08
ARSENIC	01002	036	2013/08/22	< 2.000	2016/08
BARIUM	01007	036	2013/08/22	< 100.000	2016/08
BERYLLIUM	01012	036	2013/08/22	< 1.000	2016/08
CADMIUM	01027	036	2013/08/22	< 1.000	2016/08
CHROMIUM (TOTAL)	01034	036	2013/08/22	< 10.000	2016/08
CYANIDE	01291	036	2013/08/22	< 100.000	2016/08
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/08/22	. .370	2016/08
MERCURY	71900	036	2013/08/22	< 1.000	2016/08
NICKEL	01067	036	2013/08/22	< 10.000	2016/08
PERCHLORATE	A-031	012	2013/08/22	< 4.000	2014/08
SELENIUM	01147	036	2013/08/22	< 5.000	2016/08
THALLIUM	01059	036	2013/08/22	< 1.000	2016/08

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2013/08/22	. 3.300	2014/08
NITRITE (AS N)	00620	036	2013/08/22	< 400.000	2016/08

RADIOLOGICAL

GROSS ALPHA	01501	108	2006/05/10	.000	2015/05
-------------	-------	-----	------------	------	---------

*Testing interval is in months;
 0 = No data for this constituent and is DUE NOW
 I = Invalid (NOT) valid analyses reported
 Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910039

System Name: SAN GABRIEL VALLEY WATER CO.-EL MONTE

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910039-033

Source Name: WELL B9B

Source Number: 033

Source Status: ACTIVE RAW

Water type: G

RADIOLOGICAL

RADIUM 226	09501	108	2006/05/10	.000	2015/05
RADIUM 228	11501	108	2006/05/10	.000	2015/05
URANIUM (PCI/L)	28012	108	2006/05/10	.000	2015/05

REGULATED SOC

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2013/05/16	< 3.000	2016/02
THIOBENCARB	A-001	033	2013/05/16	< 1.000	2016/02

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	012	2013/08/22	< .500	2014/08
1,1,2,2-TETRACHLOROETHANE	34516	012	2013/08/22	< .500	2014/08
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2013/08/22	< 10.000	2014/08
1,1,2-TRICHLOROETHANE	34511	012	2013/08/22	< .500	2014/08
1,1-DICHLOROETHANE	34496	012	2013/08/22	< .500	2014/08
1,1-DICHLOROETHYLENE	34501	012	2013/08/22	< .500	2014/08
1,2,4-TRICHLOROBENZENE	34551	012	2013/08/22	< .500	2014/08
1,2-DICHLOROBENZENE	34536	012	2013/08/22	< .500	2014/08
1,2-DICHLOROETHANE	34531	012	2013/08/22	< .500	2014/08
1,2-DICHLOROPROPANE	34541	012	2013/08/22	< .500	2014/08
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2013/08/22	< .500	2014/08
1,4-DICHLOROBENZENE	34571	012	2013/08/22	< .500	2014/08
BENZENE	34030	012	2013/08/22	< .500	2014/08
CARBON TETRACHLORIDE	32102	012	2013/08/22	< .500	2014/08
CIS-1,2-DICHLOROETHYLENE	77093	012	2013/08/22	< .500	2014/08
DICHLOROMETHANE	34423	012	2013/08/22	< .500	2014/08
ETHYLBENZENE	34371	012	2013/08/22	< .500	2014/08
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2013/08/22	< 3.000	2014/08
MONOCHLOROBENZENE	34301	012	2013/08/22	< .500	2014/08
STYRENE	77128	012	2013/08/22	< .500	2014/08
TETRACHLOROETHYLENE	34475	012	2013/08/22	< .500	2014/08
TOLUENE	34010	012	2013/08/22	< .500	2014/08

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910039

System Name: SAN GABRIEL VALLEY WATER CO.-EL MONTE

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910039-033

Source Name: WELL B9B

Source Number: 033

Source Status: ACTIVE RAW

Water type: G

REGULATED VOC

TRANS-1,2-DICHLOROETHYLENE	34546	012	2013/08/22	< .500	2014/08
TRICHLOROETHYLENE	39180	012	2013/08/22	< .500	2014/08
TRICHLOROFUOROMETHANE	34488	012	2013/08/22	< 5.000	2014/08
VINYL CHLORIDE	39175	012	2013/08/22	< .500	2014/08
XYLENES (TOTAL)	81551	012	2013/08/22	< .000	2014/08

SECONDARY/GP

BICARBONATE ALKALINITY	00440	036	2011/09/27	. 210.000	2014/09
CALCIUM	00916	036	2011/09/27	. 38.000	2014/09
CARBONATE ALKALINITY	00445	036	2011/09/27	< .000	2014/09
CHLORIDE	00940	036	2011/09/27	. 15.000	2014/09
COLOR	00081	036	2011/09/27	< .000	2014/09
COPPER	01042	036	2011/09/27	< .000	2014/09
FOAMING AGENTS (MBAS)	38260	036	2011/09/27	< .000	2014/09
HARDNESS (TOTAL) AS CaCO3	00900	036	2011/09/27	. 130.000	2014/09
HYDROXIDE ALKALINITY	71830	036	2011/09/27	< .000	2014/09
IRON	01045	036	2011/09/27	< .000	2014/09
MAGNESIUM	00927	036	2011/09/27	. 9.000	2014/09
MANGANESE	01055	036	2011/09/27	< .000	2014/09
ODOR THRESHOLD @ 60 C	00086	036	2011/09/27	1.000	2014/09
PH, LABORATORY	00403	036	2011/09/27	. 7.750	2014/09
SILVER	01077	036	2013/08/22	< 10.000	2016/08
SODIUM	00929	036	2011/09/27	39.000	2014/09
SPECIFIC CONDUCTANCE	00095	036	2011/09/27	. 360.000	2014/09
SULFATE	00945	036	2011/09/27	32.000	2014/09
TOTAL DISSOLVED SOLIDS	70300	036	2013/08/22	. 260.000	2016/08
TURBIDITY, LABORATORY	82079	036	2011/09/27	< .000	2014/09
ZINC	01092	036	2011/09/27	< .000	2014/09

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910039

System Name: SAN GABRIEL VALLEY WATER CO.-EL MONTE

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910039-036

Source Name: WELL G4A - ACTIVE

Source Number: 036

Source Status: ACTIVE RAW

Water type: G

INORGANIC

ALUMINUM	01105	036	2012/11/15	< 50.000	2015/11
ANTIMONY	01097	036	2012/11/15	< 6.000	2015/11
ARSENIC	01002	036	2012/11/15	< 2.000	2015/11
BARIUM	01007	036	2012/11/15	< 100.000	2015/11
BERYLLIUM	01012	036	2012/11/15	< 1.000	2015/11
CADMIUM	01027	036	2012/11/15	< 1.000	2015/11
CHROMIUM (TOTAL)	01034	036	2012/11/15	< 10.000	2015/11
CYANIDE	01291	036	2012/11/15	< 100.000	2015/11
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2012/12/13	. 800	2015/12
MERCURY	71900	036	2012/11/15	< 1.000	2015/11
NICKEL	01067	036	2012/11/15	< 10.000	2015/11
PERCHLORATE	A-031	012	2014/03/31	< 4.000	2015/03
SELENIUM	01147	036	2012/11/15	< 5.000	2015/11
THALLIUM	01059	036	2012/11/15	< 1.000	2015/11

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2014/05/06	. 28.000	2015/05
NITRITE (AS N)	00620	036	2012/11/15	< 400.000	2015/11

RADIOLOGICAL

GROSS ALPHA	01501	036	2011/11/07	. 10.800	2014/11
RADIUM 226	09501	108	2006/08/08	.000	2015/08
RADIUM 228	11501	108	2006/08/08	.000	2015/08
URANIUM (PCI/L)	28012	072	2011/11/07	. 7.500	2017/11

REGULATED SOC

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2013/05/17	< 3.000	2016/02
THIOBENCARB	A-001	033	2013/05/17	< 1.000	2016/02

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	012	2014/03/31	< .500	2015/03
1,1,2,2-TETRACHLOROETHANE	34516	012	2014/03/31	< .500	2015/03

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910039

System Name: SAN GABRIEL VALLEY WATER CO.-EL MONTE

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910039-036

Source Name: WELL G4A - ACTIVE

Source Number: 036

Source Status: ACTIVE RAW

Water type: G

REGULATED VOC

1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/03/31	< 10.000	2015/03
1,1,2-TRICHLOROETHANE	34511	012	2014/03/31	< .500	2015/03
1,1-DICHLOROETHANE	34496	012	2014/03/31	< .500	2015/03
1,1-DICHLOROETHYLENE	34501	012	2014/03/31	< .500	2015/03
1,2,4-TRICHLOROBENZENE	34551	012	2014/03/31	< .500	2015/03
1,2-DICHLOROBENZENE	34536	012	2014/03/31	< .500	2015/03
1,2-DICHLOROETHANE	34531	012	2014/03/31	< .500	2015/03
1,2-DICHLOROPROPANE	34541	012	2014/03/31	< .500	2015/03
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/03/31	< .500	2015/03
1,4-DICHLOROBENZENE	34571	012	2014/03/31	< .500	2015/03
BENZENE	34030	012	2014/03/31	< .500	2015/03
CARBON TETRACHLORIDE	32102	012	2014/03/31	< .500	2015/03
CIS-1,2-DICHLOROETHYLENE	77093	012	2014/03/31	< .500	2015/03
DICHLOROMETHANE	34423	012	2014/03/31	< .500	2015/03
ETHYLBENZENE	34371	012	2014/03/31	< .500	2015/03
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/03/31	< 3.000	2015/03
MONOCHLOROBENZENE	34301	012	2014/03/31	< .500	2015/03
STYRENE	77128	012	2014/03/31	< .500	2015/03
TETRACHLOROETHYLENE	34475	003	2014/07/02	. 6.200	2014/10
TOLUENE	34010	012	2014/03/31	< .500	2015/03
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/03/31	< .500	2015/03
TRICHLOROETHYLENE	39180	003	2014/07/02	< .500	2014/10
TRICHLOROFUOROMETHANE	34488	012	2014/03/31	< 5.000	2015/03
VINYL CHLORIDE	39175	012	2014/03/31	< .500	2015/03
XYLENES (TOTAL)	81551	012	2014/03/31	< .000	2015/03

SECONDARY/GP

BICARBONATE ALKALINITY	00440	036	2012/12/13	. 260.000	2015/12
CALCIUM	00916	036	2012/12/13	. 62.000	2015/12
CARBONATE ALKALINITY	00445	036	2012/12/13	< .000	2015/12

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910039

System Name: SAN GABRIEL VALLEY WATER CO.-EL MONTE

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910039-036

Source Name: WELL G4A - ACTIVE

Source Number: 036

Source Status: ACTIVE RAW

Water type: G

SECONDARY/GP

CHLORIDE	00940	036	2012/12/13	. 19.000	2015/12
COLOR	00081	036	2012/12/13	< .000	2015/12
COPPER	01042	036	2012/12/13	< 50.000	2015/12
FOAMING AGENTS (MBAS)	38260	036	2012/12/13	< .000	2015/12
HARDNESS (TOTAL) AS CaCO3	00900	036	2012/12/13	. 240.000	2015/12
HYDROXIDE ALKALINITY	71830	036	2012/12/13	< .000	2015/12
IRON	01045	036	2012/12/13	< 100.000	2015/12
MAGNESIUM	00927	036	2012/12/13	. 22.000	2015/12
MANGANESE	01055	036	2012/12/13	< 20.000	2015/12
ODOR THRESHOLD @ 60 C	00086	036	2012/12/13	1.000	2015/12
PH, LABORATORY	00403	036	2012/12/13	. 7.720	2015/12
SILVER	01077	036	2012/11/15	< 10.000	2015/11
SODIUM	00929	036	2012/12/13	23.000	2015/12
SPECIFIC CONDUCTANCE	00095	036	2012/12/13	. 570.000	2015/12
SULFATE	00945	036	2012/12/13	52.000	2015/12
TOTAL DISSOLVED SOLIDS	70300	036	2012/12/13	. 330.000	2015/12
TURBIDITY, LABORATORY	82079	036	2012/12/13	< .000	2015/12
ZINC	01092	036	2012/12/13	< 50.000	2015/12

PS Code: 1910039-038

Source Name: WELL W01C

Source Number: 038

Source Status: ACTIVE RAW

Water type: G

INORGANIC

ALUMINUM	01105	036	2013/10/30	< 50.000	2016/10
ANTIMONY	01097	036	2013/10/30	< 6.000	2016/10
ARSENIC	01002	036	2013/10/30	< 2.000	2016/10
BARIUM	01007	036	2013/10/30	< 100.000	2016/10

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910039

System Name: SAN GABRIEL VALLEY WATER CO.-EL MONTE

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910039-038

Source Name: WELL W01C

Source Number: 038

Source Status: ACTIVE RAW

Water type: G

INORGANIC

BERYLLIUM	01012	036	2013/10/30	< 1.000	2016/10
CADMIUM	01027	036	2013/10/30	< 1.000	2016/10
CHROMIUM (TOTAL)	01034	036	2013/10/30	< 10.000	2016/10
CYANIDE	01291	036	2013/10/30	< 100.000	2016/10
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/10/30	.370	2016/10
MERCURY	71900	036	2013/10/30	< 1.000	2016/10
NICKEL	01067	036	2013/10/30	< 10.000	2016/10
PERCHLORATE	A-031	012	2013/10/30	< 4.000	2014/10
SELENIUM	01147	036	2013/10/30	< 5.000	2016/10
THALLIUM	01059	036	2013/10/30	< 1.000	2016/10

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2013/10/30	.9700	2014/10
NITRITE (AS N)	00620	036	2013/10/30	< 400.000	2016/10

RADIOLOGICAL

GROSS ALPHA	01501	108	2008/06/09	1.010	2017/06
RADIUM 226	09501	108	2008/06/09	.055	2017/06
RADIUM 228	11501	108	2008/06/09	.042	2017/06
URANIUM (PCI/L)	28012	108	2008/06/09	2.800	2017/06

REGULATED SOC

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2013/10/30	< 3.000	2016/07
THIOBENCARB	A-001	033	2013/10/30	< 1.000	2016/07

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	012	2013/10/30	< .500	2014/10
1,1,2,2-TETRACHLOROETHANE	34516	012	2013/10/30	< .500	2014/10
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2013/10/30	< 10.000	2014/10
1,1,2-TRICHLOROETHANE	34511	012	2013/10/30	< .500	2014/10
1,1-DICHLOROETHANE	34496	012	2013/10/30	< .500	2014/10
1,1-DICHLOROETHYLENE	34501	012	2013/10/30	< .500	2014/10

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910039

System Name: SAN GABRIEL VALLEY WATER CO.-EL MONTE

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910039-038

Source Name: WELL W01C

Source Number: 038

Source Status: ACTIVE RAW

Water type: G

REGULATED VOC

1,2,4-TRICHLOROENZENE	34551	012	2013/10/30	< .500	2014/10
1,2-DICHLOROENZENE	34536	012	2013/10/30	< .500	2014/10
1,2-DICHLOROETHANE	34531	012	2013/10/30	< .500	2014/10
1,2-DICHLOROPROPANE	34541	012	2013/10/30	< .500	2014/10
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2013/10/30	< .500	2014/10
1,4-DICHLOROENZENE	34571	012	2013/10/30	< .500	2014/10
BENZENE	34030	012	2013/10/30	< .500	2014/10
CARBON TETRACHLORIDE	32102	012	2013/10/30	< .500	2014/10
CIS-1,2-DICHLOROETHYLENE	77093	012	2013/10/30	< .500	2014/10
DICHLOROMETHANE	34423	012	2013/10/30	< .500	2014/10
ETHYLBENZENE	34371	012	2013/10/30	< .500	2014/10
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2013/10/30	< 3.000	2014/10
MONOCHLOROENZENE	34301	012	2013/10/30	< .500	2014/10
STYRENE	77128	012	2013/10/30	< .500	2014/10
TETRACHLOROETHYLENE	34475	012	2014/07/23	< .500	2015/07
TOLUENE	34010	012	2013/10/30	< .500	2014/10
TRANS-1,2-DICHLOROETHYLENE	34546	012	2013/10/30	< .500	2014/10
TRICHLOROETHYLENE	39180	012	2014/07/23	< .500	2015/07
TRICHLOROFUOROMETHANE	34488	012	2013/10/30	< 5.000	2014/10
VINYL CHLORIDE	39175	012	2013/10/30	< .500	2014/10
XYLENES (TOTAL)	81551	012	2013/10/30	< .000	2014/10

SECONDARY/GP

BICARBONATE ALKALINITY	00440	036	2013/10/30	. 260.000	2016/10
CALCIUM	00916	036	2013/10/30	. 104.000	2016/10
CARBONATE ALKALINITY	00445	036	2013/10/30	< .000	2016/10
CHLORIDE	00940	036	2013/10/30	. 110.000	2016/10
COLOR	00081	036	2013/10/30	< .000	2016/10
COPPER	01042	036	2013/10/30	< 50.000	2016/10
FOAMING AGENTS (MBAS)	38260	036	2013/10/30	< .000	2016/10

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910039

System Name: SAN GABRIEL VALLEY WATER CO.-EL MONTE

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910039-038

Source Name: WELL W01C

Source Number: 038

Source Status: ACTIVE RAW

Water type: G

SECONDARY/GP

HARDNESS (TOTAL) AS CaCO3	00900	036	2013/10/30	. 360.000	2016/10
HYDROXIDE ALKALINITY	71830	036	2013/10/30	< .000	2016/10
IRON	01045	036	2013/10/30	< 100.000	2016/10
MAGNESIUM	00927	036	2013/10/30	. 24.500	2016/10
MANGANESE	01055	036	2013/10/30	24.000	2016/10
ODOR THRESHOLD @ 60 C	00086	036	2013/10/30	1.000	2016/10
PH, LABORATORY	00403	036	2013/10/30	. 7.170	2016/10
SILVER	01077	036	2013/10/30	< 10.000	2016/10
SODIUM	00929	036	2013/10/30	93.000	2016/10
SPECIFIC CONDUCTANCE	00095	036	2013/10/30	. 1100.000	2016/10
SULFATE	00945	036	2013/10/30	200.000	2016/10
TOTAL DISSOLVED SOLIDS	70300	036	2013/10/30	. 720.000	2016/10
TURBIDITY, LABORATORY	82079	036	2013/10/30	. .120	2016/10
ZINC	01092	036	2013/10/30	< 50.000	2016/10

PS Code: 1910039-044

Source Name: WELL W06C

Source Number: 044

Source Status: ACTIVE RAW

Water type: G

INORGANIC

ALUMINUM	01105	036	2013/10/30	< 50.000	2016/10
ANTIMONY	01097	036	2013/10/30	< 6.000	2016/10
ARSENIC	01002	036	2013/10/30	. 2.300	2016/10
BARIUM	01007	036	2013/10/30	< 100.000	2016/10
BERYLLIUM	01012	036	2013/10/30	< 1.000	2016/10
CADMIUM	01027	036	2013/10/30	< 1.000	2016/10
CHROMIUM (TOTAL)	01034	036	2013/10/30	< 10.000	2016/10
CYANIDE	01291	036	2013/10/30	< 100.000	2016/10

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910039

System Name: SAN GABRIEL VALLEY WATER CO.-EL MONTE

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910039-044

Source Name: WELL W06C

Source Number: 044

Source Status: ACTIVE RAW

Water type: G

INORGANIC

FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/10/30	.360	2016/10
MERCURY	71900	036	2013/10/30	< 1.000	2016/10
NICKEL	01067	036	2013/10/30	< 10.000	2016/10
PERCHLORATE	A-031	012	2013/10/30	< 4.000	2014/10
SELENIUM	01147	036	2013/10/30	< 5.000	2016/10
THALLIUM	01059	036	2013/10/30	< 1.000	2016/10

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2013/10/30	.13.000	2014/10
NITRITE (AS N)	00620	036	2013/10/30	< 400.000	2016/10

RADIOLOGICAL

GROSS ALPHA	01501	108	2008/06/09	.905	2017/06
RADIUM 226	09501	108	2008/06/09	.000	2017/06
RADIUM 228	11501	108	2008/06/09	.041	2017/06
URANIUM (PCI/L)	28012	108	2008/06/09	1.200	2017/06

REGULATED SOC

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2013/10/30	< 3.000	2016/07
THIOBENCARB	A-001	033	2013/10/30	< 1.000	2016/07

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	012	2013/10/30	< .500	2014/10
1,1,2,2-TETRACHLOROETHANE	34516	012	2013/10/30	< .500	2014/10
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2013/10/30	< 10.000	2014/10
1,1,2-TRICHLOROETHANE	34511	012	2013/10/30	< .500	2014/10
1,1-DICHLOROETHANE	34496	012	2013/10/30	< .500	2014/10
1,1-DICHLOROETHYLENE	34501	012	2013/10/30	< .500	2014/10
1,2,4-TRICHLOROBENZENE	34551	012	2013/10/30	< .500	2014/10
1,2-DICHLOROBENZENE	34536	012	2013/10/30	< .500	2014/10
1,2-DICHLOROETHANE	34531	012	2013/10/30	< .500	2014/10
1,2-DICHLOROPROPANE	34541	012	2013/10/30	< .500	2014/10

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910039

System Name: SAN GABRIEL VALLEY WATER CO.-EL MONTE

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910039-044

Source Name: WELL W06C

Source Number: 044

Source Status: ACTIVE RAW

Water type: G

REGULATED VOC

1,3-DICHLOROPROPENE (TOTAL)	34561	012	2013/10/30	< .500	2014/10
1,4-DICHLOROBENZENE	34571	012	2013/10/30	< .500	2014/10
BENZENE	34030	012	2013/10/30	< .500	2014/10
CARBON TETRACHLORIDE	32102	012	2013/10/30	< .500	2014/10
CIS-1,2-DICHLOROETHYLENE	77093	012	2013/10/30	< .500	2014/10
DICHLOROMETHANE	34423	012	2013/10/30	< .500	2014/10
ETHYLBENZENE	34371	012	2013/10/30	< .500	2014/10
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2013/10/30	< 3.000	2014/10
MONOCHLOROBENZENE	34301	012	2013/10/30	< .500	2014/10
STYRENE	77128	012	2013/10/30	< .500	2014/10
TETRACHLOROETHYLENE	34475	003	2014/07/23	< .500	2014/10
TOLUENE	34010	012	2013/10/30	< .500	2014/10
TRANS-1,2-DICHLOROETHYLENE	34546	012	2013/10/30	< .500	2014/10
TRICHLOROETHYLENE	39180	003	2014/07/23	< .500	2014/10
TRICHLOROFUOROMETHANE	34488	012	2013/10/30	< 5.000	2014/10
VINYL CHLORIDE	39175	012	2013/10/30	< .500	2014/10
XYLENES (TOTAL)	81551	012	2013/10/30	< .000	2014/10

SECONDARY/GP

BICARBONATE ALKALINITY	00440	036	2013/10/30	. 210.000	2016/10
CALCIUM	00916	036	2013/10/30	. 83.300	2016/10
CARBONATE ALKALINITY	00445	036	2013/10/30	< .000	2016/10
CHLORIDE	00940	036	2013/10/30	. 110.000	2016/10
COLOR	00081	036	2013/10/30	< .000	2016/10
COPPER	01042	036	2013/10/30	< 50.000	2016/10
FOAMING AGENTS (MBAS)	38260	036	2013/10/30	< .000	2016/10
HARDNESS (TOTAL) AS CaCO3	00900	036	2013/10/30	. 280.000	2016/10
HYDROXIDE ALKALINITY	71830	036	2013/10/30	< .000	2016/10
IRON	01045	036	2013/10/30	< 100.000	2016/10
MAGNESIUM	00927	036	2013/10/30	. 17.200	2016/10

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910039

System Name: SAN GABRIEL VALLEY WATER CO.-EL MONTE

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910039-044

Source Name: WELL W06C

Source Number: 044

Source Status: ACTIVE RAW

Water type: G

SECONDARY/GP

MANGANESE	01055	036	2013/10/30	< 20.000	2016/10
ODOR THRESHOLD @ 60 C	00086	036	2013/10/30	1.000	2016/10
PH, LABORATORY	00403	036	2013/10/30	. 7.400	2016/10
SILVER	01077	036	2013/10/30	< 10.000	2016/10
SODIUM	00929	036	2013/10/30	82.000	2016/10
SPECIFIC CONDUCTANCE	00095	036	2013/10/30	. 930.000	2016/10
SULFATE	00945	036	2013/10/30	130.000	2016/10
TOTAL DISSOLVED SOLIDS	70300	036	2013/10/30	. 570.000	2016/10
TURBIDITY, LABORATORY	82079	036	2013/10/30	. .180	2016/10
ZINC	01092	036	2013/10/30	< 50.000	2016/10

PS Code: 1910039-049

Source Name: WELL B7C AST - EFF

Source Number: 049

Source Status: ACTIVE TREATED

Water type: G

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

PS Code: 1910039-052

Source Name: RESV EFFL WELLS 1B,1C,1D,1E, BLEND-VOC

Source Number: 052

Source Status: COMBINATION OR BLEND TREATED

Water type: G

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

*Testing interval is in months;
 0 = No data for this constituent and is DUE NOW
 I = Invalid (NOT) valid analyses reported
 Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910039

System Name: SAN GABRIEL VALLEY WATER CO.-EL MONTE

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

PS Code: 1910039-054

Source Name: RESV EFF WELL 11B-AS EFFLNT;11A,11C-BLND

Source Number: 054

Source Status: COMBINATION OR BLEND TREATED

Water type: G

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

PS Code: 1910039-055

Source Name: WELL W1E - FE/MN REMOVAL EFF

Source Number: 055

Source Status: ACTIVE TREATED

Water type: G

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

PS Code: 1910039-056

Source Name: RESERVOIR B4 - NO3, WELLS B4B,B4C, BLEND

Source Number: 056

Source Status: COMBINATION OR BLEND TREATED

Water type: G

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

PS Code: 1910039-061

Source Name: AIR STRIPPING EFFLUENT - WELL 11B

Source Number: 061

Source Status: ACTIVE TREATED

Water type: G

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

*Testing interval is in months;
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910039

System Name: SAN GABRIEL VALLEY WATER CO.-EL MONTE

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910039-062

Source Name: AIR STRIPPING EFFLUENT - WELL B11B

Source Number: 062

Source Status: COMBINATION OR BLEND TREATED

Water type: G

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

PS Code: 1910039-064

Source Name: PLANT 8 - EFFLUENT, RESEROVIR

Source Number: 064

Source Status: ACTIVE TREATED

Water type: G

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

PS Code: 1910039-066

Source Name: WELL 08F

Source Number: 066

Source Status: ACTIVE RAW

Water type: G

INORGANIC

ALUMINUM	01105	001	2013/11/06	< 50.000	2013/12	DUE
ANTIMONY	01097	036	2013/11/06	< 6.000	2016/11	
ARSENIC	01002	036	2013/11/06	< 2.000	2016/11	
BARIUM	01007	036	2013/11/06	< 100.000	2016/11	
BERYLLIUM	01012	036	2013/11/06	< 1.000	2016/11	
CADMIUM	01027	036	2013/11/06	< 1.000	2016/11	
CHROMIUM (TOTAL)	01034	036	2013/11/06	< 10.000	2016/11	
CYANIDE	01291	036	2013/11/06	< 100.000	2016/11	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/11/06	. 480	2016/11	
MERCURY	71900	036	2013/11/06	< 1.000	2016/11	
NICKEL	01067	036	2013/11/06	< 10.000	2016/11	
PERCHLORATE	A-031	012	2014/07/02	< 4.000	2015/07	
SELENIUM	01147	036	2013/11/06	< 5.000	2016/11	

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910039

System Name: SAN GABRIEL VALLEY WATER CO.-EL MONTE

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910039-066

Source Name: WELL 08F

Source Number: 066

Source Status: ACTIVE RAW

Water type: G

INORGANIC

THALLIUM	01059	036	2013/11/06	< 1.000	2016/11
----------	-------	-----	------------	---------	---------

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2014/04/28	. 2.600	2015/04
NITRITE (AS N)	00620	036	2013/11/06	< 400.000	2016/11

RADIOLOGICAL

GROSS ALPHA	01501	108	2013/02/26	< 3.000	2022/02
RADIUM 226	09501	108	2007/11/14	< 1.000	2016/11
RADIUM 228	11501	108	2007/11/14	< 1.000	2016/11
URANIUM (PCI/L)	28012	072	2013/02/26	. 2.900	2019/02

REGULATED SOC

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2013/08/01	< 3.000	2016/05
THIOBENCARB	A-001	033	2013/05/17	< 1.000	2016/02

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	012	2014/07/02	< .500	2015/07
1,1,2,2-TETRACHLOROETHANE	34516	012	2014/07/02	< .500	2015/07
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/07/02	< 10.000	2015/07
1,1,2-TRICHLOROETHANE	34511	012	2014/07/02	< .500	2015/07
1,1-DICHLOROETHANE	34496	012	2014/07/02	< .500	2015/07
1,1-DICHLOROETHYLENE	34501	012	2014/07/02	< .500	2015/07
1,2,4-TRICHLOROBENZENE	34551	012	2014/07/02	< .500	2015/07
1,2-DICHLOROBENZENE	34536	012	2014/07/02	< .500	2015/07
1,2-DICHLOROETHANE	34531	012	2014/07/02	< .500	2015/07
1,2-DICHLOROPROPANE	34541	012	2014/07/02	< .500	2015/07
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/07/02	< .500	2015/07
1,4-DICHLOROBENZENE	34571	012	2014/07/02	< .500	2015/07
BENZENE	34030	012	2014/07/02	< .500	2015/07
CARBON TETRACHLORIDE	32102	012	2014/07/02	< .500	2015/07
CIS-1,2-DICHLOROETHYLENE	77093	012	2014/07/02	< .500	2015/07

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910039

System Name: SAN GABRIEL VALLEY WATER CO.-EL MONTE

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

PS Code: 1910039-066

Source Name: WELL 08F

Source Number: 066

Source Status: ACTIVE RAW

Water type: G

REGULATED VOC

DICHLOROMETHANE	34423	012	2014/07/02	< .500	2015/07
ETHYLBENZENE	34371	012	2014/07/02	< .500	2015/07
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/07/02	< 3.000	2015/07
MONOCHLOROENZENE	34301	012	2014/07/02	< .500	2015/07
STYRENE	77128	012	2014/07/02	< .500	2015/07
TETRACHLOROETHYLENE	34475	001	2014/07/02	< .500	2014/08
TOLUENE	34010	012	2014/07/02	< .500	2015/07
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/07/02	< .500	2015/07
TRICHLOROETHYLENE	39180	012	2014/07/02	< .500	2015/07
TRICHLOROFUOROMETHANE	34488	012	2014/07/02	< 5.000	2015/07
VINYL CHLORIDE	39175	012	2014/07/02	< .500	2015/07
XYLENES (TOTAL)	81551	012	2014/07/02	< .000	2015/07

SECONDARY/GP

BICARBONATE ALKALINITY	00440	036	2013/10/08	. 200.000	2016/10
CALCIUM	00916	036	2013/10/08	. 38.000	2016/10
CARBONATE ALKALINITY	00445	036	2013/10/08	< .000	2016/10
CHLORIDE	00940	036	2013/10/08	. 5.000	2016/10
COLOR	00081	036	2013/10/08	< .000	2016/10
COPPER	01042	036	2013/10/08	< 50.000	2016/10
FOAMING AGENTS (MBAS)	38260	036	2013/10/08	< .000	2016/10
HARDNESS (TOTAL) AS CaCO3	00900	036	2013/10/08	. 120.000	2016/10
HYDROXIDE ALKALINITY	71830	036	2013/10/08	< .000	2016/10
IRON	01045	036	2013/10/08	< 100.000	2016/10
MAGNESIUM	00927	036	2013/10/08	. 5.600	2016/10
MANGANESE	01055	036	2013/10/08	< 20.000	2016/10
ODOR THRESHOLD @ 60 C	00086	036	2013/10/08	1.000	2016/10
PH, LABORATORY	00403	036	2013/10/08	. 7.580	2016/10
SILVER	01077	036	2013/11/06	< 10.000	2016/11
SODIUM	00929	036	2013/10/08	27.000	2016/10

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910039

System Name: SAN GABRIEL VALLEY WATER CO.-EL MONTE

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910039-066

Source Name: WELL 08F

Source Number: 066

Source Status: ACTIVE RAW

Water type: G

SECONDARY/GP

SPECIFIC CONDUCTANCE	00095	036	2013/10/08	. 330.000	2016/10
SULFATE	00945	036	2013/10/08	20.000	2016/10
TOTAL DISSOLVED SOLIDS	70300	036	2013/10/08	. 220.000	2016/10
TURBIDITY, LABORATORY	82079	036	2013/10/08	< .000	2016/10
ZINC	01092	036	2013/10/08	< 50.000	2016/10

PS Code: 1910039-068

Source Name: WELL W06D

Source Number: 068

Source Status: ACTIVE RAW

Water type: G

INORGANIC

ALUMINUM	01105	036	2013/10/30	< 50.000	2016/10
ANTIMONY	01097	036	2013/10/30	< 6.000	2016/10
ARSENIC	01002	036	2013/10/30	. 2.100	2016/10
BARIUM	01007	036	2013/10/30	< 100.000	2016/10
BERYLLIUM	01012	036	2013/10/30	< 1.000	2016/10
CADMIUM	01027	036	2013/10/30	< 1.000	2016/10
CHROMIUM (TOTAL)	01034	036	2013/10/30	< 10.000	2016/10
CYANIDE	01291	036	2013/10/30	< 100.000	2016/10
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/10/30	. .360	2016/10
MERCURY	71900	036	2013/10/30	< 1.000	2016/10
NICKEL	01067	036	2013/10/30	< 10.000	2016/10
PERCHLORATE	A-031	012	2013/10/30	< 4.000	2014/10
SELENIUM	01147	036	2013/10/30	< 5.000	2016/10
THALLIUM	01059	036	2013/10/30	< 1.000	2016/10

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2013/10/30	. 13.000	2014/10
NITRITE (AS N)	00620	036	2013/10/30	< 400.000	2016/10

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910039

System Name: SAN GABRIEL VALLEY WATER CO.-EL MONTE

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910039-068

Source Name: WELL W06D

Source Number: 068

Source Status: ACTIVE RAW

Water type: G

RADIOLOGICAL

GROSS ALPHA	01501	072	2014/06/25	< 3.000	2020/06
RADIUM 226	09501	108	2008/06/09	.027	2017/06
RADIUM 228	11501	108	2008/06/09	.000	2017/06
URANIUM (PCI/L)	28012	072	2014/06/25	< 1.000	2020/06

REGULATED SOC

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2013/10/30	< 3.000	2016/07
THIOBENCARB	A-001	033	2013/10/30	< 1.000	2016/07

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	012	2013/10/30	< .500	2014/10
1,1,2,2-TETRACHLOROETHANE	34516	012	2013/10/30	< .500	2014/10
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2013/10/30	< 10.000	2014/10
1,1,2-TRICHLOROETHANE	34511	012	2013/10/30	< .500	2014/10
1,1-DICHLOROETHANE	34496	012	2013/10/30	< .500	2014/10
1,1-DICHLOROETHYLENE	34501	012	2013/10/30	< .500	2014/10
1,2,4-TRICHLOROBENZENE	34551	012	2013/10/30	< .500	2014/10
1,2-DICHLOROBENZENE	34536	012	2013/10/30	< .500	2014/10
1,2-DICHLOROETHANE	34531	012	2013/10/30	< .500	2014/10
1,2-DICHLOROPROPANE	34541	012	2013/10/30	< .500	2014/10
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2013/10/30	< .500	2014/10
1,4-DICHLOROBENZENE	34571	012	2013/10/30	< .500	2014/10
BENZENE	34030	012	2013/10/30	< .500	2014/10
CARBON TETRACHLORIDE	32102	012	2013/10/30	< .500	2014/10
CIS-1,2-DICHLOROETHYLENE	77093	012	2013/10/30	< .500	2014/10
DICHLOROMETHANE	34423	012	2013/10/30	< .500	2014/10
ETHYLBENZENE	34371	012	2013/10/30	< .500	2014/10
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2013/10/30	< 3.000	2014/10
MONOCHLOROBENZENE	34301	012	2013/10/30	< .500	2014/10
STYRENE	77128	012	2013/10/30	< .500	2014/10
TETRACHLOROETHYLENE	34475	003	2014/07/23	< .500	2014/10

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910039

System Name: SAN GABRIEL VALLEY WATER CO.-EL MONTE

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

PS Code: 1910039-068

Source Name: WELL W06D

Source Number: 068

Source Status: ACTIVE RAW

Water type: G

REGULATED VOC

TOLUENE	34010	012	2013/10/30	< .500	2014/10
TRANS-1,2-DICHLOROETHYLENE	34546	012	2013/10/30	< .500	2014/10
TRICHLOROETHYLENE	39180	012	2014/07/23	< .500	2015/07
TRICHLOROFUOROMETHANE	34488	012	2013/10/30	< 5.000	2014/10
VINYL CHLORIDE	39175	012	2013/10/30	< .500	2014/10
XYLENES (TOTAL)	81551	012	2013/10/30	< .000	2014/10

SECONDARY/GP

BICARBONATE ALKALINITY	00440	036	2013/10/30	. 210.000	2016/10
CALCIUM	00916	036	2013/10/30	. 86.100	2016/10
CARBONATE ALKALINITY	00445	036	2013/10/30	< .000	2016/10
CHLORIDE	00940	036	2013/10/30	. 110.000	2016/10
COLOR	00081	036	2013/10/30	< .000	2016/10
COPPER	01042	036	2013/10/30	< 50.000	2016/10
FOAMING AGENTS (MBAS)	38260	036	2013/10/30	< .000	2016/10
HARDNESS (TOTAL) AS CaCO3	00900	036	2013/10/30	. 290.000	2016/10
HYDROXIDE ALKALINITY	71830	036	2013/10/30	< .000	2016/10
IRON	01045	036	2013/10/30	< 100.000	2016/10
MAGNESIUM	00927	036	2013/10/30	. 17.400	2016/10
MANGANESE	01055	036	2013/10/30	< 20.000	2016/10
ODOR THRESHOLD @ 60 C	00086	036	2013/10/30	1.000	2016/10
PH, LABORATORY	00403	036	2013/10/30	. 7.350	2016/10
SILVER	01077	036	2013/10/30	< 10.000	2016/10
SODIUM	00929	036	2013/10/30	80.000	2016/10
SPECIFIC CONDUCTANCE	00095	036	2013/10/30	. 940.000	2016/10
SULFATE	00945	036	2013/10/30	130.000	2016/10
TOTAL DISSOLVED SOLIDS	70300	036	2013/10/30	. 580.000	2016/10
TURBIDITY, LABORATORY	82079	036	2013/10/30	< .000	2016/10
ZINC	01092	036	2013/10/30	< 50.000	2016/10

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910039

System Name: SAN GABRIEL VALLEY WATER CO.-EL MONTE

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910039-069

Source Name: WELL B5D

Source Number: 069

Source Status: ACTIVE RAW

Water type: G

INORGANIC

ALUMINUM	01105	036	2013/08/22	< 50.000	2016/08
ANTIMONY	01097	036	2013/08/22	< 6.000	2016/08
ARSENIC	01002	036	2013/08/22	. 2.400	2016/08
BARIUM	01007	036	2013/08/22	< 100.000	2016/08
BERYLLIUM	01012	036	2013/08/22	< 1.000	2016/08
CADMIUM	01027	036	2013/08/22	< 1.000	2016/08
CHROMIUM (TOTAL)	01034	036	2013/08/22	< 10.000	2016/08
CYANIDE	01291	036	2013/08/22	< 100.000	2016/08
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/08/22	. .430	2016/08
MERCURY	71900	036	2013/08/22	< 1.000	2016/08
NICKEL	01067	036	2013/08/22	< 10.000	2016/08
PERCHLORATE	A-031	001	2014/07/02	< 4.000	2014/08
SELENIUM	01147	036	2013/08/22	< 5.000	2016/08
THALLIUM	01059	036	2013/08/22	< 1.000	2016/08

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2014/07/02	. 3.700	2015/07
NITRITE (AS N)	00620	036	2013/08/22	< 400.000	2016/08

RADIOLOGICAL

GROSS ALPHA	01501	108	2006/12/05	< 1.000	2015/12
RADIUM 226	09501	108	2006/12/05	< 1.000	2015/12
RADIUM 228	11501	108	2006/12/05	< 1.000	2015/12
URANIUM (PCI/L)	28012	108	2006/12/05	< 2.000	2015/12

REGULATED SOC

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2013/05/16	< 3.000	2016/02
THIOBENCARB	A-001	033	2013/05/16	< 1.000	2016/02

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	012	2014/07/02	< .500	2015/07
1,1,2,2-TETRACHLOROETHANE	34516	012	2014/07/02	< .500	2015/07

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910039

System Name: SAN GABRIEL VALLEY WATER CO.-EL MONTE

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910039-069

Source Name: WELL B5D

Source Number: 069

Source Status: ACTIVE RAW

Water type: G

REGULATED VOC

1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/07/02	< 10.000	2015/07
1,1,2-TRICHLOROETHANE	34511	012	2014/07/02	< .500	2015/07
1,1-DICHLOROETHANE	34496	012	2014/07/02	< .500	2015/07
1,1-DICHLOROETHYLENE	34501	012	2014/07/02	< .500	2015/07
1,2,4-TRICHLOROBENZENE	34551	012	2014/07/02	< .500	2015/07
1,2-DICHLOROBENZENE	34536	012	2014/07/02	< .500	2015/07
1,2-DICHLOROETHANE	34531	012	2014/07/02	< .500	2015/07
1,2-DICHLOROPROPANE	34541	012	2014/07/02	< .500	2015/07
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/07/02	< .500	2015/07
1,4-DICHLOROBENZENE	34571	012	2014/07/02	< .500	2015/07
BENZENE	34030	012	2014/07/02	< .500	2015/07
CARBON TETRACHLORIDE	32102	012	2014/07/02	. 900	2015/07
CIS-1,2-DICHLOROETHYLENE	77093	012	2014/07/02	< .500	2015/07
DICHLOROMETHANE	34423	012	2014/07/02	< .500	2015/07
ETHYLBENZENE	34371	012	2014/07/02	< .500	2015/07
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/07/02	< 3.000	2015/07
MONOCHLOROBENZENE	34301	012	2014/07/02	< .500	2015/07
STYRENE	77128	012	2014/07/02	< .500	2015/07
TETRACHLOROETHYLENE	34475	012	2014/07/02	< .500	2015/07
TOLUENE	34010	012	2014/07/02	< .500	2015/07
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/07/02	< .500	2015/07
TRICHLOROETHYLENE	39180	012	2014/07/02	< .500	2015/07
TRICHLOROFUOROMETHANE	34488	012	2014/07/02	< 5.000	2015/07
VINYL CHLORIDE	39175	012	2014/07/02	< .500	2015/07
XYLENES (TOTAL)	81551	012	2014/07/02	< .000	2015/07

SECONDARY/GP

BICARBONATE ALKALINITY	00440	036	2013/08/14	. 190.000	2016/08
CALCIUM	00916	036	2013/08/14	. 54.000	2016/08
CARBONATE ALKALINITY	00445	036	2013/08/14	< .000	2016/08

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910039

System Name: SAN GABRIEL VALLEY WATER CO.-EL MONTE

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910039-069

Source Name: WELL B5D

Source Number: 069

Source Status: ACTIVE RAW

Water type: G

SECONDARY/GP

CHLORIDE	00940	036	2013/08/14	. 24.000	2016/08
COLOR	00081	036	2013/08/14	< .000	2016/08
COPPER	01042	036	2013/08/14	< 50.000	2016/08
FOAMING AGENTS (MBAS)	38260	036	2013/08/14	. .050	2016/08
HARDNESS (TOTAL) AS CaCO3	00900	036	2013/08/14	. 180.000	2016/08
HYDROXIDE ALKALINITY	71830	036	2013/08/14	< .000	2016/08
IRON	01045	036	2013/08/14	< 100.000	2016/08
MAGNESIUM	00927	036	2013/08/14	. 10.000	2016/08
MANGANESE	01055	036	2013/08/14	< 20.000	2016/08
ODOR THRESHOLD @ 60 C	00086	036	2013/08/14	1.000	2016/08
PH, LABORATORY	00403	036	2013/08/14	. 7.880	2016/08
SILVER	01077	036	2013/08/22	< 10.000	2016/08
SODIUM	00929	036	2013/08/14	15.000	2016/08
SPECIFIC CONDUCTANCE	00095	036	2013/08/14	. 410.000	2016/08
SULFATE	00945	036	2013/08/14	26.000	2016/08
TOTAL DISSOLVED SOLIDS	70300	036	2013/08/14	. 240.000	2016/08
TURBIDITY, LABORATORY	82079	036	2013/08/14	< .000	2016/08
ZINC	01092	036	2013/08/14	< 50.000	2016/08

PS Code: 1910039-070

Source Name: WELL 01E

Source Number: 070

Source Status: ACTIVE RAW

Water type: G

INORGANIC

ALUMINUM	01105	036	2011/11/07	< .000	2014/11
ANTIMONY	01097	036	2011/11/07	< .000	2014/11
ARSENIC	01002	036	2011/11/07	< .000	2014/11
BARIUM	01007	036	2011/11/07	120.000	2014/11

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910039

System Name: SAN GABRIEL VALLEY WATER CO.-EL MONTE

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910039-070

Source Name: WELL 01E

Source Number: 070

Source Status: ACTIVE RAW

Water type: G

INORGANIC

BERYLLIUM	01012	036	2011/11/07	< .000	2014/11
CADMIUM	01027	036	2011/11/07	< .000	2014/11
CHROMIUM (TOTAL)	01034	036	2011/11/07	< .000	2014/11
CYANIDE	01291	036	2011/11/07	< .000	2014/11
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2011/11/08	.330	2014/11
MERCURY	71900	036	2011/11/07	< .000	2014/11
NICKEL	01067	036	2011/11/07	< .000	2014/11
PERCHLORATE	A-031	012	2013/08/21	< 4.000	2014/08
SELENIUM	01147	036	2011/11/07	< .000	2014/11
THALLIUM	01059	036	2011/11/07	< .000	2014/11

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2013/11/06	.4500	2014/11
NITRITE (AS N)	00620	036	2011/11/07	< .000	2014/11

RADIOLOGICAL

GROSS ALPHA	01501	108	2007/05/09	< 3.000	2016/05
RADIUM 226	09501	108	2007/05/09	< 1.000	2016/05
RADIUM 228	11501	108	2012/08/08	.005	2021/08
URANIUM (PCI/L)	28012	072	2012/08/08	.2100	2018/08

REGULATED SOC

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2013/05/17	< 3.000	2016/02
THIOBENCARB	A-001	033	2013/05/17	< 1.000	2016/02

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	012	2013/08/21	< .500	2014/08
1,1,2,2-TETRACHLOROETHANE	34516	012	2013/08/21	< .500	2014/08
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2013/08/21	< 10.000	2014/08
1,1,2-TRICHLOROETHANE	34511	012	2013/08/21	< .500	2014/08
1,1-DICHLOROETHANE	34496	012	2013/08/21	< .500	2014/08
1,1-DICHLOROETHYLENE	34501	012	2013/08/21	< .500	2014/08

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910039

System Name: SAN GABRIEL VALLEY WATER CO.-EL MONTE

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910039-070

Source Name: WELL 01E

Source Number: 070

Source Status: ACTIVE RAW

Water type: G

REGULATED VOC

1,2,4-TRICHLORO BENZENE	34551	012	2013/08/21	< .500	2014/08
1,2-DICHLORO BENZENE	34536	012	2013/08/21	< .500	2014/08
1,2-DICHLOROETHANE	34531	012	2013/08/21	< .500	2014/08
1,2-DICHLOROPROPANE	34541	012	2013/08/21	< .500	2014/08
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2013/08/21	< .500	2014/08
1,4-DICHLORO BENZENE	34571	012	2013/08/21	< .500	2014/08
BENZENE	34030	012	2013/08/21	< .500	2014/08
CARBON TETRACHLORIDE	32102	012	2013/08/21	< .500	2014/08
CIS-1,2-DICHLOROETHYLENE	77093	012	2013/08/21	< .500	2014/08
DICHLOROMETHANE	34423	012	2013/08/21	< .500	2014/08
ETHYLBENZENE	34371	012	2013/08/21	< .500	2014/08
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2013/08/21	< 3.000	2014/08
MONOCHLORO BENZENE	34301	012	2013/08/21	< .500	2014/08
STYRENE	77128	012	2013/08/21	< .500	2014/08
TETRACHLOROETHYLENE	34475	012	2014/07/02	< .500	2015/07
TOLUENE	34010	012	2013/08/21	< .500	2014/08
TRANS-1,2-DICHLOROETHYLENE	34546	012	2013/08/21	< .500	2014/08
TRICHLOROETHYLENE	39180	012	2013/08/21	< .500	2014/08
TRICHLOROFLUOROMETHANE	34488	012	2013/08/21	< 5.000	2014/08
VINYL CHLORIDE	39175	012	2013/08/21	< .500	2014/08
XYLENES (TOTAL)	81551	012	2013/08/21	< .000	2014/08

SECONDARY/GP

BICARBONATE ALKALINITY	00440	036	2011/11/08	. 200.000	2014/11
CALCIUM	00916	036	2011/11/08	. 61.000	2014/11
CARBONATE ALKALINITY	00445	036	2011/11/08	< .000	2014/11
CHLORIDE	00940	036	2011/11/08	. 18.000	2014/11
COLOR	00081	036	2011/11/08	< .000	2014/11
COPPER	01042	036	2011/11/08	. 110.000	2014/11
FOAMING AGENTS (MBAS)	38260	036	2011/11/08	< .000	2014/11

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910039

System Name: SAN GABRIEL VALLEY WATER CO.-EL MONTE

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910039-070

Source Name: WELL 01E

Source Number: 070

Source Status: ACTIVE RAW

Water type: G

SECONDARY/GP

HARDNESS (TOTAL) AS CaCO3	00900	036	2011/11/08	. 200.000	2014/11
HYDROXIDE ALKALINITY	71830	036	2011/11/08	< .000	2014/11
IRON	01045	036	2011/11/08	< 100.000	2014/11
MAGNESIUM	00927	036	2011/11/08	. 12.000	2014/11
MANGANESE	01055	036	2011/11/08	< 20.000	2014/11
ODOR THRESHOLD @ 60 C	00086	036	2011/11/08	. 1.000	2014/11
PH, LABORATORY	00403	036	2011/11/08	. 7.570	2014/11
SILVER	01077	036	2011/11/07	< .000	2014/11
SODIUM	00929	036	2011/11/08	. 11.000	2014/11
SPECIFIC CONDUCTANCE	00095	036	2011/11/08	. 360.000	2014/11
SULFATE	00945	036	2011/11/08	. 32.000	2014/11
TOTAL DISSOLVED SOLIDS	70300	036	2013/08/21	. 260.000	2016/08
TURBIDITY, LABORATORY	82079	036	2011/11/08	< .000	2014/11
ZINC	01092	036	2011/11/08	. 130.000	2014/11

PS Code: 1910039-072

Source Name: PLANT 8 AIR STRIPPER INFLUENT

Source Number: 072

Source Status: COMBINATION OR BLEND RAW

Water type: G

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

*Testing interval is in months;
 0 = No data for this constituent and is DUE NOW
 I = Invalid (NOT) valid analyses reported
 Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910039

System Name: SAN GABRIEL VALLEY WATER CO.-EL MONTE

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910039-073

Source Name: PLANT 8 AIR STRIPPER EFFLUENT

Source Number: 073

Source Status: COMBINATION OR BLEND TREATED

Water type: G

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

PS Code: 1910039-076

Source Name: WELL 02F ACTIVE

Source Number: 076

Source Status: ACTIVE RAW

Water type: G

INORGANIC

ALUMINUM	01105	036	2012/08/08	< 50.000	2015/08	
ANTIMONY	01097	036	2012/08/08	< 6.000	2015/08	
ARSENIC	01002	036	2012/08/08	< 2.000	2015/08	
BARIUM	01007	036	2012/08/08	< 100.000	2015/08	
BERYLLIUM	01012	036	2012/08/08	< 1.000	2015/08	
CADMIUM	01027	036	2012/08/08	< 1.000	2015/08	
CHROMIUM (TOTAL)	01034	036	2012/08/08	< 10.000	2015/08	
CHROMIUM, HEXAVALENT	01032	036	2011/05/25	. 1.000	2014/05	DUE
CYANIDE	01291	036	2012/08/08	< 100.000	2015/08	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/08/14	. .520	2016/08	
MERCURY	71900	036	2012/08/08	< 1.000	2015/08	
NICKEL	01067	036	2012/08/08	< 10.000	2015/08	
PERCHLORATE	A-031	012	2013/08/21	< 4.000	2014/08	
SELENIUM	01147	036	2012/08/08	< 5.000	2015/08	
THALLIUM	01059	036	2012/08/08	< 1.000	2015/08	

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2013/08/21	. 3.800	2014/08	
NITRITE (AS N)	00620	036	2012/08/08	< 400.000	2015/08	

RADIOLOGICAL

GROSS ALPHA	01501	003	2007/05/09	< 3.000	2007/08	DUE
--------------------	--------------	------------	-------------------	-------------------	----------------	------------

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910039

System Name: SAN GABRIEL VALLEY WATER CO.-EL MONTE

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910039-076

Source Name: WELL 02F ACTIVE

Source Number: 076

Source Status: ACTIVE RAW

Water type: G

RADIOLOGICAL

RADIUM 226	09501	108	2007/05/09	< 1.000	2016/05
RADIUM 228	11501	108	2007/05/09	< 1.000	2016/05
URANIUM (PCI/L)	28012	108	2007/05/09	< 2.000	2016/05

REGULATED SOC

DI(2-ETHYLHEXYL)PHTHALATE	39100	003	2013/05/17	< 3.000	2013/08	DUE
THIOBENCARB	A-001	003	2013/05/17	< 1.000	2013/08	DUE

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	012	2014/05/06	< .500	2015/05
1,1,2,2-TETRACHLOROETHANE	34516	012	2014/05/06	< .500	2015/05
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/05/06	< 10.000	2015/05
1,1,2-TRICHLOROETHANE	34511	012	2014/05/06	< .500	2015/05
1,1-DICHLOROETHANE	34496	012	2014/05/06	< .500	2015/05
1,1-DICHLOROETHYLENE	34501	012	2014/05/06	< .500	2015/05
1,2,4-TRICHLOROBENZENE	34551	012	2014/05/06	< .500	2015/05
1,2-DICHLOROBENZENE	34536	012	2014/05/06	< .500	2015/05
1,2-DICHLOROETHANE	34531	012	2014/05/06	< .500	2015/05
1,2-DICHLOROPROPANE	34541	012	2014/05/06	< .500	2015/05
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/05/06	< .500	2015/05
1,4-DICHLOROBENZENE	34571	012	2014/05/06	< .500	2015/05
BENZENE	34030	012	2014/05/06	< .500	2015/05
CARBON TETRACHLORIDE	32102	012	2014/05/06	< .500	2015/05
CIS-1,2-DICHLOROETHYLENE	77093	012	2014/05/06	< .500	2015/05
DICHLOROMETHANE	34423	012	2014/05/06	< .500	2015/05
ETHYLBENZENE	34371	012	2014/05/06	< .500	2015/05
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/05/06	< 3.000	2015/05
MONOCHLOROBENZENE	34301	012	2014/05/06	< .500	2015/05
STYRENE	77128	012	2014/05/06	< .500	2015/05
TETRACHLOROETHYLENE	34475	012	2014/05/06	< .500	2015/05
TOLUENE	34010	012	2014/05/06	< .500	2015/05

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910039

System Name: SAN GABRIEL VALLEY WATER CO.-EL MONTE

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910039-076

Source Name: WELL 02F ACTIVE

Source Number: 076

Source Status: ACTIVE RAW

Water type: G

REGULATED VOC

TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/05/06	< .500	2015/05
TRICHLOROETHYLENE	39180	012	2014/07/02	. 710	2015/07
TRICHLOROFUOROMETHANE	34488	012	2014/05/06	< 5.000	2015/05
VINYL CHLORIDE	39175	012	2014/05/06	< .500	2015/05
XYLENES (TOTAL)	81551	012	2014/05/06	< .000	2015/05

SECONDARY/GP

BICARBONATE ALKALINITY	00440	036	2013/08/14	. 190.000	2016/08
CALCIUM	00916	036	2013/08/14	. 51.000	2016/08
CARBONATE ALKALINITY	00445	036	2013/08/14	< .000	2016/08
CHLORIDE	00940	036	2013/08/14	. 19.000	2016/08
COLOR	00081	036	2013/08/14	< .000	2016/08
COPPER	01042	036	2013/08/14	< 50.000	2016/08
FOAMING AGENTS (MBAS)	38260	036	2013/08/14	< .000	2016/08
HARDNESS (TOTAL) AS CaCO3	00900	036	2013/08/14	. 180.000	2016/08
HYDROXIDE ALKALINITY	71830	036	2013/08/14	< .000	2016/08
IRON	01045	036	2013/08/14	< 100.000	2016/08
MAGNESIUM	00927	036	2013/08/14	. 13.000	2016/08
MANGANESE	01055	036	2013/08/14	< 20.000	2016/08
ODOR THRESHOLD @ 60 C	00086	036	2013/08/14	1.000	2016/08
PH, LABORATORY	00403	036	2013/08/14	. 7.870	2016/08
SILVER	01077	036	2012/08/08	< 10.000	2015/08
SODIUM	00929	036	2013/08/14	15.000	2016/08
SPECIFIC CONDUCTANCE	00095	036	2013/08/14	. 410.000	2016/08
SULFATE	00945	036	2013/08/14	29.000	2016/08
TOTAL DISSOLVED SOLIDS	70300	036	2013/08/14	. 250.000	2016/08
TURBIDITY, LABORATORY	82079	036	2013/08/14	< .000	2016/08
ZINC	01092	036	2013/08/14	< 50.000	2016/08

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910039

System Name: SAN GABRIEL VALLEY WATER CO.-EL MONTE

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910039-077

Source Name: WELL B5E

Source Number: 077

Source Status: ACTIVE RAW

Water type: G

INORGANIC

ALUMINUM	01105	036	2013/08/22	< 50.000	2016/08
ANTIMONY	01097	036	2013/08/22	< 6.000	2016/08
ARSENIC	01002	036	2013/08/22	. 3.000	2016/08
BARIUM	01007	036	2013/08/22	120.000	2016/08
BERYLLIUM	01012	036	2013/08/22	< 1.000	2016/08
CADMIUM	01027	036	2013/08/22	< 1.000	2016/08
CHROMIUM (TOTAL)	01034	036	2013/08/22	< 10.000	2016/08
CHROMIUM, HEXAVALENT	01032	036	2011/05/26	. 5.900	2014/05 DUE
CYANIDE	01291	036	2013/08/22	< 100.000	2016/08
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/04/10	. .330	2017/04
MERCURY	71900	036	2013/08/22	< 1.000	2016/08
NICKEL	01067	036	2013/08/22	< 10.000	2016/08
PERCHLORATE	A-031	001	2014/07/02	. 17.000	2014/08
SELENIUM	01147	036	2013/08/22	< 5.000	2016/08
THALLIUM	01059	036	2013/08/22	< 1.000	2016/08

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2014/07/02	. 19.000	2015/07
NITRITE (AS N)	00620	036	2013/08/22	< 400.000	2016/08

RADIOLOGICAL

GROSS ALPHA	01501	108	2009/08/25	< .000	2018/08
RADIUM 226	09501	108	2009/05/07	.038	2018/05
RADIUM 228	11501	108	2009/08/25	.000	2018/08
URANIUM (PCI/L)	28012	072	2009/08/25	2.400	2015/08

REGULATED SOC

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2014/06/02	< 3.000	2017/03
THIOBENCARB	A-001	033	2013/05/16	< 1.000	2016/02

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	012	2014/07/02	< .500	2015/07
-----------------------	-------	-----	------------	--------	---------

*Testing interval is in months;
 0 = No data for this constituent and is DUE NOW
 I = Invalid (NOT) valid analyses reported
 Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910039

System Name: SAN GABRIEL VALLEY WATER CO.-EL MONTE

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910039-077

Source Name: WELL B5E

Source Number: 077

Source Status: ACTIVE RAW

Water type: G

REGULATED VOC

1,1,2,2-TETRACHLOROETHANE	34516	012	2014/07/02	< .500	2015/07
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/07/02	< 10.000	2015/07
1,1,2-TRICHLOROETHANE	34511	012	2014/07/02	< .500	2015/07
1,1-DICHLOROETHANE	34496	012	2014/07/02	< .500	2015/07
1,1-DICHLOROETHYLENE	34501	012	2014/07/02	. 830	2015/07
1,2,4-TRICHLOROBENZENE	34551	012	2014/07/02	< .500	2015/07
1,2-DICHLOROBENZENE	34536	012	2014/07/02	< .500	2015/07
1,2-DICHLOROETHANE	34531	012	2014/07/02	< .500	2015/07
1,2-DICHLOROPROPANE	34541	012	2014/07/02	< .500	2015/07
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/07/02	< .500	2015/07
1,4-DICHLOROBENZENE	34571	012	2014/07/02	< .500	2015/07
BENZENE	34030	012	2014/07/02	< .500	2015/07
CARBON TETRACHLORIDE	32102	012	2014/07/02	. 2.500	2015/07
CIS-1,2-DICHLOROETHYLENE	77093	012	2014/07/02	. 930	2015/07
DICHLOROMETHANE	34423	012	2014/07/02	< .500	2015/07
ETHYLBENZENE	34371	012	2014/07/02	< .500	2015/07
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/07/02	< 3.000	2015/07
MONOCHLOROBENZENE	34301	012	2014/07/02	< .500	2015/07
STYRENE	77128	012	2014/07/02	< .500	2015/07
TETRACHLOROETHYLENE	34475	012	2014/07/02	. 3.600	2015/07
TOLUENE	34010	012	2014/07/02	< .500	2015/07
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/07/02	< .500	2015/07
TRICHLOROETHYLENE	39180	012	2014/07/02	. 18.000	2015/07
TRICHLOROFUOROMETHANE	34488	012	2014/07/02	< 5.000	2015/07
VINYL CHLORIDE	39175	012	2014/07/02	< .500	2015/07
XYLENES (TOTAL)	81551	012	2014/07/02	< .000	2015/07

SECONDARY/GP

BICARBONATE ALKALINITY	00440	036	2014/04/10	. 240.000	2017/04
CALCIUM	00916	036	2014/04/10	. 67.000	2017/04

*Testing interval is in months;
 0 = No data for this constituent and is DUE NOW
 I = Invalid (NOT) valid analyses reported
 Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910039

System Name: SAN GABRIEL VALLEY WATER CO.-EL MONTE

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910039-077

Source Name: WELL B5E

Source Number: 077

Source Status: ACTIVE RAW

Water type: G

SECONDARY/GP

CARBONATE ALKALINITY	00445	036	2014/04/10	< .000	2017/04
CHLORIDE	00940	036	2014/04/10	. 21.000	2017/04
COLOR	00081	036	2014/04/10	< .000	2017/04
COPPER	01042	036	2014/04/10	< 50.000	2017/04
FOAMING AGENTS (MBAS)	38260	036	2014/04/10	< .000	2017/04
HARDNESS (TOTAL) AS CaCO3	00900	036	2014/04/10	. 220.000	2017/04
HYDROXIDE ALKALINITY	71830	036	2014/04/10	< .000	2017/04
IRON	01045	036	2014/04/10	< 100.000	2017/04
MAGNESIUM	00927	036	2014/04/10	. 12.000	2017/04
MANGANESE	01055	036	2014/04/10	< 20.000	2017/04
ODOR THRESHOLD @ 60 C	00086	036	2014/04/10	. 1.000	2017/04
PH, LABORATORY	00403	036	2014/04/10	. 7.850	2017/04
SILVER	01077	036	2013/08/22	< 10.000	2016/08
SODIUM	00929	036	2014/04/10	. 21.000	2017/04
SPECIFIC CONDUCTANCE	00095	036	2014/04/10	. 520.000	2017/04
SULFATE	00945	036	2014/04/10	. 38.000	2017/04
TOTAL DISSOLVED SOLIDS	70300	036	2014/04/10	. 310.000	2017/04
TURBIDITY, LABORATORY	82079	036	2014/04/10	< .000	2017/04
ZINC	01092	036	2014/04/10	< 50.000	2017/04

PS Code: 1910039-079

Source Name: PLANT B6 PTA 1 INFLUENT

Source Number: 079

Source Status: ACTIVE TREATED

Water type: G

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

*Testing interval is in months;
 0 = No data for this constituent and is DUE NOW
 I = Invalid (NOT) valid analyses reported
 Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910039

System Name: SAN GABRIEL VALLEY WATER CO.-EL MONTE

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

PS Code: 1910039-080

Source Name: PLANT B6 PTA 2 INFLUENT

Source Number: 080

Source Status: ACTIVE TREATED

Water type: G

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

PS Code: 1910039-081

Source Name: PLANT B6 PTA 3 INFLUENT

Source Number: 081

Source Status: ACTIVE TREATED

Water type: G

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

PS Code: 1910039-082

Source Name: PLANT B6 PTA 4 INFLUENT

Source Number: 082

Source Status: ACTIVE TREATED

Water type: G

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

PS Code: 1910039-083

Source Name: PLANT B6 PTA 1 EFFLUENT

Source Number: 083

Source Status: ACTIVE TREATED

Water type: G

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

*Testing interval is in months;
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910039

System Name: SAN GABRIEL VALLEY WATER CO.-EL MONTE

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

PS Code: 1910039-084

Source Name: PLANT B6 PTA 2 EFFLUENT

Source Number: 084

Source Status: ACTIVE TREATED

Water type: G

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

PS Code: 1910039-085

Source Name: PLANT B6 PTA 3 EFFLUENT

Source Number: 085

Source Status: ACTIVE TREATED

Water type: G

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

PS Code: 1910039-086

Source Name: PLANT B6 PTA 4 EFFLUENT

Source Number: 086

Source Status: ACTIVE TREATED

Water type: G

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

PS Code: 1910039-087

Source Name: PLANT B6 COMBINED PTA EFFLUENT

Source Number: 087

Source Status: ACTIVE TREATED

Water type: G

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

*Testing interval is in months;
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910039

System Name: SAN GABRIEL VALLEY WATER CO.-EL MONTE

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

PS Code: 1910039-088

Source Name: PLANT B6 ISEP A INFLUENT

Source Number: 088

Source Status: ACTIVE TREATED

Water type: G

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

PS Code: 1910039-089

Source Name: PLANT B6 ISEP B INFLUENT

Source Number: 089

Source Status: ACTIVE TREATED

Water type: G

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

PS Code: 1910039-090

Source Name: PLANT B6 ISEP A EFFLUENT

Source Number: 090

Source Status: ACTIVE TREATED

Water type: G

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

PS Code: 1910039-091

Source Name: PLANT B6 ISEP B EFFLUENT

Source Number: 091

Source Status: ACTIVE TREATED

Water type: G

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

*Testing interval is in months;
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910039

System Name: SAN GABRIEL VALLEY WATER CO.-EL MONTE

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

PS Code: 1910039-092

Source Name: PLANT B6 UV 3 EFFLUENT

Source Number: 092

Source Status: ACTIVE TREATED

Water type: G

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

PS Code: 1910039-093

Source Name: PLANT B6 UV 4 EFFLUENT

Source Number: 093

Source Status: ACTIVE TREATED

Water type: G

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

PS Code: 1910039-094

Source Name: B6 UV CHANNEL 1 (SP6D) EFF

Source Number: 094

Source Status: ACTIVE TREATED

Water type: G

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

PS Code: 1910039-095

Source Name: B6 UV CHANNEL 2 (SP6C) EFF

Source Number: 095

Source Status: ACTIVE TREATED

Water type: G

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

*Testing interval is in months;
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910039

System Name: SAN GABRIEL VALLEY WATER CO.-EL MONTE

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

PS Code: 1910039-096

Source Name: PLANT B6 COMBINED UV EFF

Source Number: 096

Source Status: ACTIVE TREATED

Water type: G

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

PS Code: 1910039-097

Source Name: PLANT B6 RESERVOIR EFFLUENT

Source Number: 097

Source Status: ACTIVE TREATED

Water type: G

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

PS Code: 1910039-098

Source Name: PLANT B6 SERVICE AREA MAX RESIDENCE TIME

Source Number: 098

Source Status: DISTRIBUTION TREATED

Water type: G

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

PS Code: 1910039-099

Source Name: PLANT B6 COMBINED PTA INFLUENT

Source Number: 099

Source Status: ACTIVE TREATED

Water type: G

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

*Testing interval is in months;
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910039

System Name: SAN GABRIEL VALLEY WATER CO.-EL MONTE

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

PS Code: 1910039-100

Source Name: G4 GAC LEAD VESSEL PAIR 01-2ND PORT 50%

Source Number: 100

Source Status: ACTIVE TREATED

Water type: G

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

PS Code: 1910039-101

Source Name: PLANT G4 LEAD VESEL PAIR 01-3RD PORT 50%

Source Number: 101

Source Status: COMBINATION OR BLEND TREATED

Water type: G

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

PS Code: 1910039-102

Source Name: PLANT G4 GAC LEAD VESSEL PAIR 01-EFLUENT

Source Number: 102

Source Status: ACTIVE TREATED

Water type: G

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

PS Code: 1910039-103

Source Name: PLANT G4 GAC LAG VESSEL PAIR 01-EFFLUENT

Source Number: 103

Source Status: ACTIVE TREATED

Water type: G

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910039

System Name: SAN GABRIEL VALLEY WATER CO.-EL MONTE

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

PS Code: 1910039-104

Source Name: G4 GAC LEAD VESSEL PAIR 02-2ND PORT 50%

Source Number: 104

Source Status: ACTIVE TREATED

Water type: G

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

PS Code: 1910039-105

Source Name: G4 GAC LEAD VESSEL PAIR 02-3RD PORT 75%

Source Number: 105

Source Status: ACTIVE TREATED

Water type: G

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

PS Code: 1910039-106

Source Name: G4 GAC LEAD VESSEL PAIR 02-EFFLUENT

Source Number: 106

Source Status: ACTIVE TREATED

Water type: G

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

PS Code: 1910039-107

Source Name: G4 GAC LAG VESSEL PAIR 02-EFFLUENT

Source Number: 107

Source Status: ACTIVE TREATED

Water type: G

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

*Testing interval is in months;
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910039

System Name: SAN GABRIEL VALLEY WATER CO.-EL MONTE

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

PS Code: 1910039-108

Source Name: PLANT G4 GAC-COMBINED EFFLUENT

Source Number: 108

Source Status: ACTIVE TREATED

Water type: G

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

PS Code: 1910039-109

Source Name: RESERVOIR G4-EFFLUENT (ENTRY PT TO SYS)

Source Number: 109

Source Status: ACTIVE TREATED

Water type: G

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

PS Code: 1910039-110

Source Name: G4 GAC LEAD VESSEL PAIR 01-1ST PORT 25%

Source Number: 110

Source Status: ACTIVE TREATED

Water type: G

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

PS Code: 1910039-111

Source Name: G4 GAC LEAD VESSEL PAIR 02-1ST PORT 25%

Source Number: 111

Source Status: ACTIVE TREATED

Water type: G

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

*Testing interval is in months;
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910039

System Name: SAN GABRIEL VALLEY WATER CO.-EL MONTE

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910039-112

Source Name: WELL B25A

Source Number: 112

Source Status: ACTIVE RAW

Water type: G

INORGANIC

ALUMINUM	01105	036	2013/05/16	< 50.000	2016/05	
ANTIMONY	01097	036	2013/05/16	< 6.000	2016/05	
ARSENIC	01002	036	2013/05/16	. 2.000	2016/05	
BARIUM	01007	036	2013/05/16	180.000	2016/05	
BERYLLIUM	01012	036	2013/05/16	< 1.000	2016/05	
CADMIUM	01027	036	2013/05/16	< 1.000	2016/05	
CHROMIUM (TOTAL)	01034	036	2013/05/16	< 10.000	2016/05	
CHROMIUM, HEXAVALENT	01032	036	2011/06/01	. 2.500	2014/06	DUE
CYANIDE	01291	036	2013/05/16	< 100.000	2016/05	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/05/16	. .270	2016/05	
MERCURY	71900	036	2013/05/16	< 1.000	2016/05	
NICKEL	01067	036	2013/05/16	< 10.000	2016/05	
PERCHLORATE	A-031	001	2014/05/30	. 37.000	2014/06	DUE
SELENIUM	01147	036	2013/05/16	< 5.000	2016/05	
THALLIUM	01059	036	2013/05/16	< 1.000	2016/05	

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2014/05/30	. 62.000	2015/05	
NITRITE (AS N)	00620	036	2013/05/16	< 400.000	2016/05	

RADIOLOGICAL

GROSS ALPHA	01501	036	2012/02/02	. 9.890	2015/02	
RADIUM 226	09501	108	2006/11/09	< 1.000	2015/11	
RADIUM 228	11501	108	2006/11/09	< 1.000	2015/11	
URANIUM (PCI/L)	28012	072	2012/02/02	. 4.800	2018/02	

REGULATED SOC

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2013/08/22	< 3.000	2016/05	
THIOBENCARB	A-001	033	2013/08/22	< 1.000	2016/05	

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	012	2014/05/30	< .500	2015/05	
-----------------------	-------	-----	------------	--------	---------	--

*Testing interval is in months;
 0 = No data for this constituent and is DUE NOW
 I = Invalid (NOT) valid analyses reported
 Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910039

System Name: SAN GABRIEL VALLEY WATER CO.-EL MONTE

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910039-112

Source Name: WELL B25A

Source Number: 112

Source Status: ACTIVE RAW

Water type: G

REGULATED VOC

1,1,2,2-TETRACHLOROETHANE	34516	012	2014/05/30	< .500	2015/05
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/05/30	< 10.000	2015/05
1,1,2-TRICHLOROETHANE	34511	012	2014/05/30	< .500	2015/05
1,1-DICHLOROETHANE	34496	012	2014/05/30	. 540	2015/05
1,1-DICHLOROETHYLENE	34501	012	2014/05/30	. 5.700	2015/05
1,2,4-TRICHLOROBENZENE	34551	012	2014/05/30	< .500	2015/05
1,2-DICHLOROBENZENE	34536	012	2014/05/30	< .500	2015/05
1,2-DICHLOROETHANE	34531	012	2014/05/30	< .500	2015/05
1,2-DICHLOROPROPANE	34541	012	2014/05/30	< .500	2015/05
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/05/30	< .500	2015/05
1,4-DICHLOROBENZENE	34571	012	2014/05/30	< .500	2015/05
BENZENE	34030	012	2014/05/30	< .500	2015/05
CARBON TETRACHLORIDE	32102	012	2014/05/30	. 1.900	2015/05
CIS-1,2-DICHLOROETHYLENE	77093	012	2014/05/30	. 4.600	2015/05
DICHLOROMETHANE	34423	012	2014/05/30	< .500	2015/05
ETHYLBENZENE	34371	012	2014/05/30	< .500	2015/05
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/05/30	< 3.000	2015/05
MONOCHLOROBENZENE	34301	012	2014/05/30	< .500	2015/05
STYRENE	77128	012	2014/05/30	< .500	2015/05
TETRACHLOROETHYLENE	34475	012	2014/05/30	. 33.000	2015/05
TOLUENE	34010	012	2014/05/30	< .500	2015/05
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/05/30	< .500	2015/05
TRICHLOROETHYLENE	39180	012	2014/05/30	. 39.000	2015/05
TRICHLOROFUOROMETHANE	34488	012	2014/05/30	< 5.000	2015/05
VINYL CHLORIDE	39175	012	2014/05/30	< .500	2015/05
XYLENES (TOTAL)	81551	012	2014/05/30	< .000	2015/05

SECONDARY/GP

BICARBONATE ALKALINITY	00440	036	2011/08/17	. 280.000	2014/08
CALCIUM	00916	036	2011/08/17	. 95.000	2014/08

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910039

System Name: SAN GABRIEL VALLEY WATER CO.-EL MONTE

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910039-112

Source Name: WELL B25A

Source Number: 112

Source Status: ACTIVE RAW

Water type: G

SECONDARY/GP

CARBONATE ALKALINITY	00445	036	2011/08/17	< .000	2014/08
CHLORIDE	00940	036	2011/08/17	. 33.000	2014/08
COLOR	00081	036	2011/08/17	< .000	2014/08
COPPER	01042	036	2011/08/17	< .000	2014/08
FOAMING AGENTS (MBAS)	38260	036	2011/08/17	< .000	2014/08
HARDNESS (TOTAL) AS CaCO3	00900	036	2011/08/17	. 310.000	2014/08
HYDROXIDE ALKALINITY	71830	036	2011/08/17	< .000	2014/08
IRON	01045	036	2011/08/17	< .000	2014/08
MAGNESIUM	00927	036	2011/08/17	. 18.000	2014/08
MANGANESE	01055	036	2011/08/17	< .000	2014/08
ODOR THRESHOLD @ 60 C	00086	036	2011/08/17	1.000	2014/08
PH, LABORATORY	00403	036	2011/08/17	. 7.610	2014/08
SILVER	01077	036	2013/05/16	< 10.000	2016/05
SODIUM	00929	036	2011/08/17	16.000	2014/08
SPECIFIC CONDUCTANCE	00095	036	2011/08/17	. 700.000	2014/08
SULFATE	00945	036	2013/03/04	. 54.000	2016/03
TOTAL DISSOLVED SOLIDS	70300	036	2013/08/22	. 450.000	2016/08
TURBIDITY, LABORATORY	82079	036	2011/08/17	< .000	2014/08
ZINC	01092	036	2011/08/17	< .000	2014/08

PS Code: 1910039-113

Source Name: WELL B25B

Source Number: 113

Source Status: ACTIVE RAW

Water type: G

INORGANIC

ALUMINUM	01105	036	2013/05/16	< 50.000	2016/05
ANTIMONY	01097	036	2013/05/16	< 6.000	2016/05
ARSENIC	01002	036	2013/05/16	. 2.600	2016/05

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910039

System Name: SAN GABRIEL VALLEY WATER CO.-EL MONTE

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910039-113

Source Name: WELL B25B

Source Number: 113

Source Status: ACTIVE RAW

Water type: G

INORGANIC

BARIUM	01007	036	2013/05/16	110.000	2016/05	
BERYLLIUM	01012	036	2013/05/16	< 1.000	2016/05	
CADMIUM	01027	036	2013/05/16	< 1.000	2016/05	
CHROMIUM (TOTAL)	01034	036	2013/05/16	< 10.000	2016/05	
CHROMIUM, HEXAVALENT	01032	036	2011/06/01	. 1.900	2014/06	DUE
CYANIDE	01291	036	2013/05/16	< 100.000	2016/05	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/05/16	. 360	2016/05	
MERCURY	71900	036	2013/05/16	< 1.000	2016/05	
NICKEL	01067	036	2013/05/16	< 10.000	2016/05	
PERCHLORATE	A-031	001	2014/05/30	. 11.000	2014/06	DUE
SELENIUM	01147	036	2013/05/16	< 5.000	2016/05	
THALLIUM	01059	036	2013/05/16	< 1.000	2016/05	

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2014/05/30	. 8.800	2015/05	
NITRITE (AS N)	00620	036	2013/05/16	< 400.000	2016/05	

RADIOLOGICAL

GROSS ALPHA	01501	036	2012/02/02	. 13.900	2015/02	
RADIUM 226	09501	108	2006/11/09	< 1.000	2015/11	
RADIUM 228	11501	108	2006/11/09	< 1.000	2015/11	
URANIUM (PCI/L)	28012	072	2012/02/02	. 2.300	2018/02	

REGULATED SOC

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2013/08/22	< 3.000	2016/05	
THIOBENCARB	A-001	033	2013/08/22	< 1.000	2016/05	

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	012	2014/05/30	< .500	2015/05	
1,1,2,2-TETRACHLOROETHANE	34516	012	2014/05/30	< .500	2015/05	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/05/30	< 10.000	2015/05	
1,1,2-TRICHLOROETHANE	34511	012	2014/05/30	< .500	2015/05	

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910039

System Name: SAN GABRIEL VALLEY WATER CO.-EL MONTE

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910039-113

Source Name: WELL B25B

Source Number: 113

Source Status: ACTIVE RAW

Water type: G

REGULATED VOC

1,1-DICHLOROETHANE	34496	012	2014/05/30	< .500	2015/05
1,1-DICHLOROETHYLENE	34501	012	2014/05/30	. 1.900	2015/05
1,2,4-TRICHLOROBENZENE	34551	012	2014/05/30	< .500	2015/05
1,2-DICHLOROBENZENE	34536	012	2014/05/30	< .500	2015/05
1,2-DICHLOROETHANE	34531	012	2014/05/30	< .500	2015/05
1,2-DICHLOROPROPANE	34541	012	2014/05/30	< .500	2015/05
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/05/30	< .500	2015/05
1,4-DICHLOROBENZENE	34571	012	2014/05/30	< .500	2015/05
BENZENE	34030	012	2014/05/30	< .500	2015/05
CARBON TETRACHLORIDE	32102	012	2014/05/30	. 7.400	2015/05
CIS-1,2-DICHLOROETHYLENE	77093	012	2014/05/30	. 1.600	2015/05
DICHLOROMETHANE	34423	012	2014/05/30	< .500	2015/05
ETHYLBENZENE	34371	012	2014/05/30	< .500	2015/05
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/05/30	< 3.000	2015/05
MONOCHLOROBENZENE	34301	012	2014/05/30	< .500	2015/05
STYRENE	77128	012	2014/05/30	< .500	2015/05
TETRACHLOROETHYLENE	34475	012	2014/05/30	. 7.000	2015/05
TOLUENE	34010	012	2014/05/30	< .500	2015/05
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/05/30	< .500	2015/05
TRICHLOROETHYLENE	39180	012	2014/05/30	. 21.000	2015/05
TRICHLOROFUOROMETHANE	34488	012	2014/05/30	< 5.000	2015/05
VINYL CHLORIDE	39175	012	2014/05/30	< .500	2015/05
XYLENES (TOTAL)	81551	012	2014/05/30	< .000	2015/05

SECONDARY/GP

BICARBONATE ALKALINITY	00440	036	2011/08/17	. 200.000	2014/08
CALCIUM	00916	036	2011/08/17	. 63.000	2014/08
CARBONATE ALKALINITY	00445	036	2011/08/17	< .000	2014/08
CHLORIDE	00940	036	2011/08/17	. 29.000	2014/08
COLOR	00081	036	2011/08/17	< .000	2014/08

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910039

System Name: SAN GABRIEL VALLEY WATER CO.-EL MONTE

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

PS Code: 1910039-113

Source Name: WELL B25B

Source Number: 113

Source Status: ACTIVE RAW

Water type: G

SECONDARY/GP

COPPER	01042	036	2011/08/17	< .000	2014/08
FOAMING AGENTS (MBAS)	38260	036	2011/08/17	< .000	2014/08
HARDNESS (TOTAL) AS CaCO3	00900	036	2011/08/17	. 200.000	2014/08
HYDROXIDE ALKALINITY	71830	036	2011/08/17	< .000	2014/08
IRON	01045	036	2011/08/17	< .000	2014/08
MAGNESIUM	00927	036	2011/08/17	. 11.000	2014/08
MANGANESE	01055	036	2011/08/17	< .000	2014/08
ODOR THRESHOLD @ 60 C PH, LABORATORY	00086	036	2011/08/17	1.000	2014/08
PH, LABORATORY	00403	036	2011/08/17	. 7.630	2014/08
SILVER	01077	036	2013/05/16	< 10.000	2016/05
SODIUM	00929	036	2011/08/17	13.000	2014/08
SPECIFIC CONDUCTANCE	00095	036	2011/08/17	. 470.000	2014/08
SULFATE	00945	036	2013/03/04	. 45.000	2016/03
TOTAL DISSOLVED SOLIDS	70300	036	2013/08/22	. 300.000	2016/08
TURBIDITY, LABORATORY	82079	036	2011/08/17	< .000	2014/08
ZINC	01092	036	2011/08/17	< .000	2014/08

PS Code: 1910039-114

Source Name: WELL B26A

Source Number: 114

Source Status: ACTIVE RAW

Water type: G

INORGANIC

ALUMINUM	01105	036	2012/02/02	< .000	2015/02
ANTIMONY	01097	036	2012/02/02	< .000	2015/02
ARSENIC	01002	036	2012/02/02	. 2.200	2015/02
BARIUM	01007	036	2012/02/02	160.000	2015/02
BERYLLIUM	01012	036	2012/02/02	< .000	2015/02
CADMIUM	01027	036	2012/02/02	< .000	2015/02

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910039

System Name: SAN GABRIEL VALLEY WATER CO.-EL MONTE

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910039-114

Source Name: WELL B26A

Source Number: 114

Source Status: ACTIVE RAW

Water type: G

INORGANIC

CHROMIUM (TOTAL)	01034	036	2012/02/02	< .000	2015/02	
CHROMIUM, HEXAVALENT	01032	036	2011/06/01	. 3.600	2014/06	DUE
CYANIDE	01291	036	2012/02/02	< .000	2015/02	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2012/02/02	. .300	2015/02	
MERCURY	71900	036	2012/02/02	< .000	2015/02	
NICKEL	01067	036	2012/02/02	< .000	2015/02	
PERCHLORATE	A-031	001	2014/05/30	. 34.000	2014/06	DUE
SELENIUM	01147	036	2012/02/02	< .000	2015/02	
THALLIUM	01059	036	2012/02/02	< .000	2015/02	

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2014/05/30	. 70.000	2015/05	
NITRITE (AS N)	00620	036	2012/02/02	< .000	2015/02	

RADIOLOGICAL

GROSS ALPHA	01501	036	2012/02/02	. 7.520	2015/02	
RADIUM 226	09501	108	2006/11/09	< 1.000	2015/11	
RADIUM 228	11501	108	2006/11/09	< 1.000	2015/11	
URANIUM (PCI/L)	28012	072	2012/02/02	. 3.800	2018/02	

REGULATED SOC

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2013/06/13	< 3.000	2016/03	
THIOBENCARB	A-001	033	2013/05/16	< 1.000	2016/02	

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	012	2014/05/30	< .500	2015/05	
1,1,2,2-TETRACHLOROETHANE	34516	012	2014/05/30	< .500	2015/05	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/05/30	< 10.000	2015/05	
1,1,2-TRICHLOROETHANE	34511	012	2014/05/30	< .500	2015/05	
1,1-DICHLOROETHANE	34496	012	2014/05/30	< .500	2015/05	
1,1-DICHLOROETHYLENE	34501	012	2014/05/30	< .500	2015/05	
1,2,4-TRICHLOROBENZENE	34551	012	2014/05/30	< .500	2015/05	

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910039

System Name: SAN GABRIEL VALLEY WATER CO.-EL MONTE

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910039-114

Source Name: WELL B26A

Source Number: 114

Source Status: ACTIVE RAW

Water type: G

REGULATED VOC

1,2-DICHLOROBENZENE	34536	012	2014/05/30	< .500	2015/05
1,2-DICHLOROETHANE	34531	012	2014/05/30	< .500	2015/05
1,2-DICHLOROPROPANE	34541	012	2014/05/30	< .500	2015/05
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/05/30	< .500	2015/05
1,4-DICHLOROBENZENE	34571	012	2014/05/30	< .500	2015/05
BENZENE	34030	012	2014/05/30	< .500	2015/05
CARBON TETRACHLORIDE	32102	012	2014/05/30	. .890	2015/05
CIS-1,2-DICHLOROETHYLENE	77093	012	2014/05/30	. .750	2015/05
DICHLOROMETHANE	34423	012	2014/05/30	< .500	2015/05
ETHYLBENZENE	34371	012	2014/05/30	< .500	2015/05
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/05/30	< 3.000	2015/05
MONOCHLOROBENZENE	34301	012	2014/05/30	< .500	2015/05
STYRENE	77128	012	2014/05/30	< .500	2015/05
TETRACHLOROETHYLENE	34475	012	2014/05/30	. 2.300	2015/05
TOLUENE	34010	012	2014/05/30	< .500	2015/05
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/05/30	< .500	2015/05
TRICHLOROETHYLENE	39180	012	2014/05/30	. 22.000	2015/05
TRICHLOROFLUOROMETHANE	34488	012	2014/05/30	< 5.000	2015/05
VINYL CHLORIDE	39175	012	2014/05/30	< .500	2015/05
XYLENES (TOTAL)	81551	012	2014/05/30	< .000	2015/05

SECONDARY/GP

BICARBONATE ALKALINITY	00440	036	2011/08/17	. 250.000	2014/08
CALCIUM	00916	036	2011/08/17	. 83.000	2014/08
CARBONATE ALKALINITY	00445	036	2011/08/17	< .000	2014/08
CHLORIDE	00940	036	2011/08/17	. 32.000	2014/08
COLOR	00081	036	2011/08/17	< .000	2014/08
COPPER	01042	036	2011/08/17	< .000	2014/08
FOAMING AGENTS (MBAS)	38260	036	2011/08/17	< .000	2014/08
HARDNESS (TOTAL) AS CaCO3	00900	036	2011/08/17	. 270.000	2014/08

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910039

System Name: SAN GABRIEL VALLEY WATER CO.-EL MONTE

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910039-114

Source Name: WELL B26A

Source Number: 114

Source Status: ACTIVE RAW

Water type: G

SECONDARY/GP

HYDROXIDE ALKALINITY	71830	036	2011/08/17	< .000	2014/08
IRON	01045	036	2011/08/17	< .000	2014/08
MAGNESIUM	00927	036	2011/08/17	. 16.000	2014/08
MANGANESE	01055	036	2011/08/17	< .000	2014/08
ODOR THRESHOLD @ 60 C	00086	036	2011/08/17	1.000	2014/08
PH, LABORATORY	00403	036	2011/08/17	. 7.620	2014/08
SILVER	01077	036	2012/02/02	< .000	2015/02
SODIUM	00929	036	2011/08/17	20.000	2014/08
SPECIFIC CONDUCTANCE	00095	036	2011/08/17	. 650.000	2014/08
SULFATE	00945	036	2013/03/04	. 50.000	2016/03
TOTAL DISSOLVED SOLIDS	70300	036	2013/08/22	. 440.000	2016/08
TURBIDITY, LABORATORY	82079	036	2011/08/17	< .000	2014/08
ZINC	01092	036	2011/08/17	< .000	2014/08

PS Code: 1910039-115

Source Name: WELL B26B

Source Number: 115

Source Status: ACTIVE RAW

Water type: G

INORGANIC

ALUMINUM	01105	036	2012/02/02	< .000	2015/02
ANTIMONY	01097	036	2012/02/02	< .000	2015/02
ARSENIC	01002	036	2012/02/02	. 2.200	2015/02
BARIUM	01007	036	2012/02/02	120.000	2015/02
BERYLLIUM	01012	036	2012/02/02	< .000	2015/02
CADMIUM	01027	036	2012/02/02	< .000	2015/02
CHROMIUM (TOTAL)	01034	036	2012/02/02	< .000	2015/02
CHROMIUM, HEXAVALENT	01032	036	2011/06/01	. 2.700	2014/06 DUE
CYANIDE	01291	036	2012/02/02	< .000	2015/02

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910039

System Name: SAN GABRIEL VALLEY WATER CO.-EL MONTE

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910039-115

Source Name: WELL B26B

Source Number: 115

Source Status: ACTIVE RAW

Water type: G

INORGANIC

FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2012/02/02	.400	2015/02
MERCURY	71900	036	2012/02/02	<.000	2015/02
NICKEL	01067	036	2012/02/02	<.000	2015/02
PERCHLORATE	A-031	001	2014/05/30	.57.000	2014/06 DUE
SELENIUM	01147	036	2012/02/02	<.000	2015/02
THALLIUM	01059	036	2012/02/02	<.000	2015/02

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2014/05/30	.16.000	2015/05
NITRITE (AS N)	00620	036	2012/02/02	<.000	2015/02

RADIOLOGICAL

GROSS ALPHA	01501	072	2012/02/02	.4.900	2018/02
RADIUM 226	09501	108	2006/11/09	<1.000	2015/11
RADIUM 228	11501	108	2006/11/09	<1.000	2015/11
URANIUM (PCI/L)	28012	072	2012/02/02	.2.000	2018/02

REGULATED SOC

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2013/05/16	<3.000	2016/02
THIOBENCARB	A-001	033	2013/05/16	<1.000	2016/02

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	012	2014/05/30	<.500	2015/05
1,1,2,2-TETRACHLOROETHANE	34516	012	2014/05/30	<.500	2015/05
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/05/30	<10.000	2015/05
1,1,2-TRICHLOROETHANE	34511	012	2014/05/30	<.500	2015/05
1,1-DICHLOROETHANE	34496	012	2014/05/30	<.500	2015/05
1,1-DICHLOROETHYLENE	34501	012	2014/05/30	<.500	2015/05
1,2,4-TRICHLOROBENZENE	34551	012	2014/05/30	<.500	2015/05
1,2-DICHLOROBENZENE	34536	012	2014/05/30	<.500	2015/05
1,2-DICHLOROETHANE	34531	012	2014/05/30	<.500	2015/05
1,2-DICHLOROPROPANE	34541	012	2014/05/30	<.500	2015/05

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910039

System Name: SAN GABRIEL VALLEY WATER CO.-EL MONTE

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

PS Code: 1910039-115

Source Name: WELL B26B

Source Number: 115

Source Status: ACTIVE RAW

Water type: G

REGULATED VOC

1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/05/30	< .500	2015/05
1,4-DICHLOROBENZENE	34571	012	2014/05/30	< .500	2015/05
BENZENE	34030	012	2014/05/30	< .500	2015/05
CARBON TETRACHLORIDE	32102	012	2014/05/30	. 15.000	2015/05
CIS-1,2-DICHLOROETHYLENE	77093	012	2014/05/30	. 1.200	2015/05
DICHLOROMETHANE	34423	012	2014/05/30	< .500	2015/05
ETHYLBENZENE	34371	012	2014/05/30	< .500	2015/05
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/05/30	< 3.000	2015/05
MONOCHLOROBENZENE	34301	012	2014/05/30	< .500	2015/05
STYRENE	77128	012	2014/05/30	< .500	2015/05
TETRACHLOROETHYLENE	34475	012	2014/05/30	. 2.300	2015/05
TOLUENE	34010	012	2014/05/30	< .500	2015/05
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/05/30	< .500	2015/05
TRICHLOROETHYLENE	39180	012	2014/05/30	. 56.000	2015/05
TRICHLOROFUOROMETHANE	34488	012	2014/05/30	< 5.000	2015/05
VINYL CHLORIDE	39175	012	2014/05/30	< .500	2015/05
XYLENES (TOTAL)	81551	012	2014/05/30	< .000	2015/05

SECONDARY/GP

BICARBONATE ALKALINITY	00440	036	2011/08/17	. 210.000	2014/08
CALCIUM	00916	036	2011/08/17	. 61.000	2014/08
CARBONATE ALKALINITY	00445	036	2011/08/17	< .000	2014/08
CHLORIDE	00940	036	2011/08/17	. 30.000	2014/08
COLOR	00081	036	2011/08/17	< .000	2014/08
COPPER	01042	036	2011/08/17	< .000	2014/08
FOAMING AGENTS (MBAS)	38260	036	2011/08/17	< .000	2014/08
HARDNESS (TOTAL) AS CaCO3	00900	036	2011/08/17	. 210.000	2014/08
HYDROXIDE ALKALINITY	71830	036	2011/08/17	< .000	2014/08
IRON	01045	036	2011/08/17	< .000	2014/08
MAGNESIUM	00927	036	2011/08/17	. 14.000	2014/08

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910039

System Name: SAN GABRIEL VALLEY WATER CO.-EL MONTE

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910039-115

Source Name: WELL B26B

Source Number: 115

Source Status: ACTIVE RAW

Water type: G

SECONDARY/GP

MANGANESE	01055	036	2011/08/17	< .000	2014/08
ODOR THRESHOLD @ 60 C	00086	036	2011/08/17	1.000	2014/08
PH, LABORATORY	00403	036	2011/08/17	. 7.600	2014/08
SILVER	01077	036	2012/02/02	< .000	2015/02
SODIUM	00929	036	2011/08/17	18.000	2014/08
SPECIFIC CONDUCTANCE	00095	036	2011/08/17	. 510.000	2014/08
SULFATE	00945	036	2013/03/04	. 42.000	2016/03
TOTAL DISSOLVED SOLIDS	70300	036	2013/08/22	. 320.000	2016/08
TURBIDITY, LABORATORY	82079	036	2011/08/17	< .000	2014/08
ZINC	01092	036	2011/08/17	< .000	2014/08

PS Code: 1910039-116

Source Name: WELL B24B

Source Number: 116

Source Status: ACTIVE RAW

Water type: G

INORGANIC

ALUMINUM	01105	036	2013/02/25	< 50.000	2016/02
ANTIMONY	01097	036	2013/02/25	< 6.000	2016/02
ARSENIC	01002	036	2013/02/25	. 2.700	2016/02
BARIUM	01007	036	2013/02/25	< 100.000	2016/02
BERYLLIUM	01012	036	2013/02/25	< 1.000	2016/02
CADMIUM	01027	036	2013/02/25	< 1.000	2016/02
CHROMIUM (TOTAL)	01034	036	2013/02/25	< 10.000	2016/02
CHROMIUM, HEXAVALENT	01032	036	2013/08/22	. 3.300	2016/08
CYANIDE	01291	036	2013/02/25	< 100.000	2016/02
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/02/25	. .320	2016/02
MERCURY	71900	036	2013/02/25	< 1.000	2016/02
NICKEL	01067	036	2013/02/25	< 10.000	2016/02

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910039

System Name: SAN GABRIEL VALLEY WATER CO.-EL MONTE

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910039-116

Source Name: WELL B24B

Source Number: 116

Source Status: ACTIVE RAW

Water type: G

INORGANIC

PERCHLORATE	A-031	012	2014/04/22	< 4.000	2015/04
SELENIUM	01147	036	2013/02/25	< 5.000	2016/02
THALLIUM	01059	036	2013/02/25	< 1.000	2016/02

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2014/02/10	. 15.000	2015/02
NITRITE (AS N)	00620	036	2013/02/25	< 400.000	2016/02

RADIOLOGICAL

GROSS ALPHA	01501	108	2013/08/22	< 3.000	2022/08
RADIUM 226	09501	108	2008/05/13	.134	2017/05
RADIUM 228	11501	108	2008/05/13	.223	2017/05
URANIUM (PCI/L)	28012	072	2013/08/22	. 1.900	2019/08

REGULATED SOC

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2013/05/16	< 3.000	2016/02
THIOBENCARB	A-001	033	2013/05/16	< 1.000	2016/02

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	012	2014/04/22	< .500	2015/04
1,1,2,2-TETRACHLOROETHANE	34516	012	2014/04/22	< .500	2015/04
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/04/22	< 10.000	2015/04
1,1,2-TRICHLOROETHANE	34511	012	2014/04/22	< .500	2015/04
1,1-DICHLOROETHANE	34496	012	2014/07/02	< .500	2015/07
1,1-DICHLOROETHYLENE	34501	012	2014/07/02	< .500	2015/07
1,2,4-TRICHLOROBENZENE	34551	012	2014/04/22	< .500	2015/04
1,2-DICHLOROBENZENE	34536	012	2014/04/22	< .500	2015/04
1,2-DICHLOROETHANE	34531	012	2014/04/22	< .500	2015/04
1,2-DICHLOROPROPANE	34541	012	2014/04/22	< .500	2015/04
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/04/22	< .500	2015/04
1,4-DICHLOROBENZENE	34571	012	2014/04/22	< .500	2015/04
BENZENE	34030	012	2014/04/22	< .500	2015/04

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910039

System Name: SAN GABRIEL VALLEY WATER CO.-EL MONTE

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910039-116

Source Name: WELL B24B

Source Number: 116

Source Status: ACTIVE RAW

Water type: G

REGULATED VOC

CARBON TETRACHLORIDE	32102	012	2014/04/22	< .500	2015/04
CIS-1,2-DICHLOROETHYLENE	77093	012	2014/07/02	< .500	2015/07
DICHLOROMETHANE	34423	012	2014/04/22	< .500	2015/04
ETHYLBENZENE	34371	012	2014/04/22	< .500	2015/04
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/04/22	< 3.000	2015/04
MONOCHLOROENZENE	34301	012	2014/04/22	< .500	2015/04
STYRENE	77128	012	2014/04/22	< .500	2015/04
TETRACHLOROETHYLENE	34475	012	2014/07/02	< .500	2015/07
TOLUENE	34010	012	2014/04/22	< .500	2015/04
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/04/22	< .500	2015/04
TRICHLOROETHYLENE	39180	012	2014/07/02	< .500	2015/07
TRICHLOROFLUOROMETHANE	34488	012	2014/04/22	< 5.000	2015/04
VINYL CHLORIDE	39175	012	2014/04/22	< .500	2015/04
XYLENES (TOTAL)	81551	012	2014/04/22	< .000	2015/04

SECONDARY/GP

BICARBONATE ALKALINITY	00440	036	2011/09/27	. 180.000	2014/09
CALCIUM	00916	036	2011/09/27	. 44.000	2014/09
CARBONATE ALKALINITY	00445	036	2011/09/27	< .000	2014/09
CHLORIDE	00940	036	2011/09/27	. 49.000	2014/09
COLOR	00081	036	2011/09/27	< .000	2014/09
COPPER	01042	036	2011/09/27	< .000	2014/09
FOAMING AGENTS (MBAS)	38260	036	2011/09/27	< .000	2014/09
HARDNESS (TOTAL) AS CaCO3	00900	036	2011/09/27	. 150.000	2014/09
HYDROXIDE ALKALINITY	71830	036	2011/09/27	< .000	2014/09
IRON	01045	036	2011/09/27	< .000	2014/09
MAGNESIUM	00927	036	2011/09/27	. 9.100	2014/09
MANGANESE	01055	036	2014/07/30	. 21.000	2017/07
ODOR THRESHOLD @ 60 C	00086	036	2011/09/27	1.000	2014/09
PH, LABORATORY	00403	036	2011/09/27	. 7.820	2014/09

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910039

System Name: SAN GABRIEL VALLEY WATER CO.-EL MONTE

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910039-116

Source Name: WELL B24B

Source Number: 116

Source Status: ACTIVE RAW

Water type: G

SECONDARY/GP

SILVER	01077	036	2013/02/25	< 10.000	2016/02
SODIUM	00929	036	2011/09/27	72.000	2014/09
SPECIFIC CONDUCTANCE	00095	036	2011/09/27	. 540.000	2014/09
SULFATE	00945	036	2011/09/27	110.000	2014/09
TOTAL DISSOLVED SOLIDS	70300	036	2013/08/22	. 420.000	2016/08
TURBIDITY, LABORATORY	82079	036	2011/09/27	< .000	2014/09
ZINC	01092	036	2011/09/27	< .000	2014/09

PS Code: 1910039-117

Source Name: WELL B24A

Source Number: 117

Source Status: ACTIVE RAW

Water type: G

INORGANIC

ALUMINUM	01105	036	2013/02/25	< 50.000	2016/02
ANTIMONY	01097	036	2013/02/25	< 6.000	2016/02
ARSENIC	01002	036	2013/02/25	. 2.600	2016/02
BARIUM	01007	036	2013/02/25	< 100.000	2016/02
BERYLLIUM	01012	036	2013/02/25	< 1.000	2016/02
CADMIUM	01027	036	2013/02/25	< 1.000	2016/02
CHROMIUM (TOTAL)	01034	036	2013/02/25	< 10.000	2016/02
CHROMIUM, HEXAVALENT	01032	036	2013/08/22	. 1.200	2016/08
CYANIDE	01291	036	2013/02/25	< 100.000	2016/02
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/02/25	. .310	2016/02
MERCURY	71900	036	2013/02/25	< 1.000	2016/02
NICKEL	01067	036	2013/02/25	< 10.000	2016/02
PERCHLORATE	A-031	012	2014/04/22	< 4.000	2015/04
SELENIUM	01147	036	2013/02/25	< 5.000	2016/02
THALLIUM	01059	036	2013/02/25	< 1.000	2016/02

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910039

System Name: SAN GABRIEL VALLEY WATER CO.-EL MONTE

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910039-117

Source Name: WELL B24A

Source Number: 117

Source Status: ACTIVE RAW

Water type: G

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2014/02/10	. 12.000	2015/02
NITRITE (AS N)	00620	036	2013/02/25	< 400.000	2016/02

RADIOLOGICAL

GROSS ALPHA	01501	108	2013/08/22	< 3.000	2022/08
RADIUM 226	09501	108	2008/05/13	.027	2017/05
RADIUM 228	11501	108	2008/05/13	.351	2017/05
URANIUM (PCI/L)	28012	072	2013/08/22	. 2.400	2019/08

REGULATED SOC

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2013/05/16	< 3.000	2016/02
THIOBENCARB	A-001	033	2013/05/16	< 1.000	2016/02

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	012	2014/04/22	< .500	2015/04
1,1,2,2-TETRACHLOROETHANE	34516	012	2014/04/22	< .500	2015/04
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/04/22	< 10.000	2015/04
1,1,2-TRICHLOROETHANE	34511	012	2014/04/22	< .500	2015/04
1,1-DICHLOROETHANE	34496	012	2014/07/02	< .500	2015/07
1,1-DICHLOROETHYLENE	34501	012	2014/07/02	< .500	2015/07
1,2,4-TRICHLOROBENZENE	34551	012	2014/04/22	< .500	2015/04
1,2-DICHLOROBENZENE	34536	012	2014/04/22	< .500	2015/04
1,2-DICHLOROETHANE	34531	012	2014/04/22	< .500	2015/04
1,2-DICHLOROPROPANE	34541	012	2014/04/22	< .500	2015/04
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/04/22	< .500	2015/04
1,4-DICHLOROBENZENE	34571	012	2014/04/22	< .500	2015/04
BENZENE	34030	012	2014/04/22	< .500	2015/04
CARBON TETRACHLORIDE	32102	012	2014/04/22	< .500	2015/04
CIS-1,2-DICHLOROETHYLENE	77093	012	2014/07/02	< .500	2015/07
DICHLOROMETHANE	34423	012	2014/04/22	< .500	2015/04
ETHYLBENZENE	34371	012	2014/04/22	< .500	2015/04

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910039

System Name: SAN GABRIEL VALLEY WATER CO.-EL MONTE

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910039-117

Source Name: WELL B24A

Source Number: 117

Source Status: ACTIVE RAW

Water type: G

REGULATED VOC

METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/04/22	< 3.000	2015/04
MONOCHLORO BENZENE	34301	012	2014/04/22	< .500	2015/04
STYRENE	77128	012	2014/04/22	< .500	2015/04
TETRACHLOROETHYLENE	34475	012	2014/07/02	< .500	2015/07
TOLUENE	34010	012	2014/04/22	< .500	2015/04
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/04/22	< .500	2015/04
TRICHLOROETHYLENE	39180	012	2014/07/02	< .500	2015/07
TRICHLOROFLUOROMETHANE	34488	012	2014/04/22	< 5.000	2015/04
VINYL CHLORIDE	39175	012	2014/04/22	< .500	2015/04
XYLENES (TOTAL)	81551	012	2014/04/22	< .000	2015/04

SECONDARY/GP

BICARBONATE ALKALINITY	00440	036	2011/09/27	. 190.000	2014/09
CALCIUM	00916	036	2011/09/27	. 54.000	2014/09
CARBONATE ALKALINITY	00445	036	2011/09/27	< .000	2014/09
CHLORIDE	00940	036	2011/09/27	. 54.000	2014/09
COLOR	00081	036	2011/09/27	< .000	2014/09
COPPER	01042	036	2011/09/27	< .000	2014/09
FOAMING AGENTS (MBAS)	38260	036	2011/09/27	< .000	2014/09
HARDNESS (TOTAL) AS CaCO3	00900	036	2011/09/27	. 180.000	2014/09
HYDROXIDE ALKALINITY	71830	036	2011/09/27	< .000	2014/09
IRON	01045	036	2011/09/27	< .000	2014/09
MAGNESIUM	00927	036	2011/09/27	. 12.000	2014/09
MANGANESE	01055	036	2014/07/30	< 20.000	2017/07
ODOR THRESHOLD @ 60 C	00086	036	2011/09/27	1.000	2014/09
PH, LABORATORY	00403	036	2011/09/27	. 7.740	2014/09
SILVER	01077	036	2013/02/25	< 10.000	2016/02
SODIUM	00929	036	2011/09/27	78.000	2014/09
SPECIFIC CONDUCTANCE	00095	036	2011/09/27	. 620.000	2014/09
SULFATE	00945	036	2011/09/27	140.000	2014/09

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910039

System Name: SAN GABRIEL VALLEY WATER CO.-EL MONTE

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910039-117

Source Name: WELL B24A

Source Number: 117

Source Status: ACTIVE RAW

Water type: G

SECONDARY/GP

TOTAL DISSOLVED SOLIDS	70300	036	2013/08/22	. 550.000	2016/08
TURBIDITY, LABORATORY	82079	036	2011/09/27	< .000	2014/09
ZINC	01092	036	2011/09/27	< .000	2014/09

PS Code: 1910039-118

Source Name: PLANT 8 LPGAC - COMBINED EFFLUENT

Source Number: 118

Source Status: ACTIVE TREATED

Water type: G

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED *** 999

PS Code: 1910039-119

Source Name: PLANT 8 LPGAC A1-50 PERCENT PORT

Source Number: 119

Source Status: ACTIVE TREATED

Water type: G

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED *** 999

PS Code: 1910039-120

Source Name: PLANT 8 LPGAC A2-50 PERCENT PORT

Source Number: 120

Source Status: ACTIVE TREATED

Water type: G

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED *** 999

*Testing interval is in months;
 0 = No data for this constituent and is DUE NOW
 I = Invalid (NOT) valid analyses reported
 Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910039

System Name: SAN GABRIEL VALLEY WATER CO.-EL MONTE

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

PS Code: 1910039-121

Source Name: PLANT 8 LPGAC A3-50 PERCENT PORT

Source Number: 121

Source Status: ACTIVE TREATED

Water type: G

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

PS Code: 1910039-122

Source Name: PLANT 8 LPGAC A4-50 PERCENT PORT

Source Number: 122

Source Status: ACTIVE TREATED

Water type: G

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

PS Code: 1910039-123

Source Name: PLANT 8 LPGAC A5-50 PERCENT PORT

Source Number: 123

Source Status: ACTIVE TREATED

Water type: G

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

PS Code: 1910039-124

Source Name: PLANT 8 LPGAC A6-50 PERCENT PORT

Source Number: 124

Source Status: ACTIVE TREATED

Water type: G

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

*Testing interval is in months;
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910039

System Name: SAN GABRIEL VALLEY WATER CO.-EL MONTE

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

PS Code: 1910039-125

Source Name: PLANT 8 LPGAC A1-75 PERCENT PORT

Source Number: 125

Source Status: ACTIVE TREATED

Water type: G

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

PS Code: 1910039-126

Source Name: PLANT 8 LPGAC A2-75 PERCENT PORT

Source Number: 126

Source Status: ACTIVE TREATED

Water type: G

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

PS Code: 1910039-127

Source Name: PLANT 8 LPGAC A3-75 PERCENT PORT

Source Number: 127

Source Status: ACTIVE TREATED

Water type: G

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

PS Code: 1910039-128

Source Name: PLANT 8 LPGAC A4-75 PERCENT PORT

Source Number: 128

Source Status: ACTIVE TREATED

Water type: G

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

*Testing interval is in months;
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910039

System Name: SAN GABRIEL VALLEY WATER CO.-EL MONTE

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

PS Code: 1910039-129

Source Name: PLANT 8 LPGAC A5-75 PERCENT PORT

Source Number: 129

Source Status: ACTIVE TREATED

Water type: G

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

PS Code: 1910039-130

Source Name: PLANT 8 LPGAC A6-75 PERCENT PORT

Source Number: 130

Source Status: ACTIVE TREATED

Water type: G

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

PS Code: 1910039-131

Source Name: PLANT 8 LPGAC A1-EFFLUENT PORT

Source Number: 131

Source Status: ACTIVE TREATED

Water type: G

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

PS Code: 1910039-132

Source Name: PLANT 8 LPGAC A2-EFFLUENT PORT

Source Number: 132

Source Status: ACTIVE TREATED

Water type: G

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

*Testing interval is in months;
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910039

System Name: SAN GABRIEL VALLEY WATER CO.-EL MONTE

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

PS Code: 1910039-133

Source Name: PLANT 8 LPGAC A3-EFFLUENT PORT

Source Number: 133

Source Status: ACTIVE TREATED

Water type: G

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

PS Code: 1910039-134

Source Name: PLANT 8 LPGAC A4-EFFLUENT PORT

Source Number: 134

Source Status: ACTIVE TREATED

Water type: G

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

PS Code: 1910039-135

Source Name: PLANT 8 LPGAC A5-EFFLUENT PORT

Source Number: 135

Source Status: ACTIVE TREATED

Water type: G

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

PS Code: 1910039-136

Source Name: PLANT 8 LPGAC A6-EFFLUENT PORT

Source Number: 136

Source Status: ACTIVE TREATED

Water type: G

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

*Testing interval is in months;
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910039

System Name: SAN GABRIEL VALLEY WATER CO.-EL MONTE

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

PS Code: 1910039-137

Source Name: PLANT 8 LPGAC B1-50 PERCENT PORT

Source Number: 137

Source Status: ACTIVE TREATED

Water type: G

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

PS Code: 1910039-138

Source Name: PLANT 8 LPGAC B2-50 PERCENT PORT

Source Number: 138

Source Status: ACTIVE TREATED

Water type: G

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

PS Code: 1910039-139

Source Name: PLANT 8 LPGAC B3-50 PERCENT PORT

Source Number: 139

Source Status: ACTIVE TREATED

Water type: G

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

PS Code: 1910039-140

Source Name: PLANT 8 LPGAC B4-50 PERCENT PORT

Source Number: 140

Source Status: ACTIVE TREATED

Water type: G

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

*Testing interval is in months;
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910039

System Name: SAN GABRIEL VALLEY WATER CO.-EL MONTE

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

PS Code: 1910039-141

Source Name: PLANT 8 LPGAC B5-50 PERCENT PORT

Source Number: 141

Source Status: ACTIVE TREATED

Water type: G

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

PS Code: 1910039-142

Source Name: PLANT 8 LPGAC B6-50 PERCENT PORT

Source Number: 142

Source Status: ACTIVE TREATED

Water type: G

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

PS Code: 1910039-143

Source Name: PLANT 8 LPGAC B1-75 PERCENT PORT

Source Number: 143

Source Status: ACTIVE TREATED

Water type: G

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

PS Code: 1910039-144

Source Name: PLANT 8 LPGAC B2-75 PERCENT PORT

Source Number: 144

Source Status: ACTIVE TREATED

Water type: G

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

*Testing interval is in months;
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910039

System Name: SAN GABRIEL VALLEY WATER CO.-EL MONTE

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

PS Code: 1910039-145

Source Name: PLANT 8 LPGAC B3-75 PERCENT PORT

Source Number: 145

Source Status: ACTIVE TREATED

Water type: G

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

PS Code: 1910039-146

Source Name: PLANT 8 LPGAC B4-75 PERCENT PORT

Source Number: 146

Source Status: ACTIVE TREATED

Water type: G

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

PS Code: 1910039-147

Source Name: PLANT 8 LPGAC B5-75 PERCENT PORT

Source Number: 147

Source Status: ACTIVE TREATED

Water type: G

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

PS Code: 1910039-148

Source Name: PLANT 8 LPGAC B6-75 PERCENT PORT

Source Number: 148

Source Status: ACTIVE TREATED

Water type: G

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

*Testing interval is in months;
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910039

System Name: SAN GABRIEL VALLEY WATER CO.-EL MONTE

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

PS Code: 1910039-149

Source Name: PLANT 8 LPGAC B1-EFFLUENT PORT

Source Number: 149

Source Status: ACTIVE TREATED

Water type: G

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

PS Code: 1910039-150

Source Name: PLANT 8 LPGAC B2-EFFLUENT PORT

Source Number: 150

Source Status: ACTIVE TREATED

Water type: G

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

PS Code: 1910039-151

Source Name: PLANT 8 LPGAC B3-EFFLUENT PORT

Source Number: 151

Source Status: ACTIVE TREATED

Water type: G

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

PS Code: 1910039-152

Source Name: PLANT 8 LPGAC B4-EFFLUENT PORT

Source Number: 152

Source Status: ACTIVE TREATED

Water type: G

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910039

System Name: SAN GABRIEL VALLEY WATER CO.-EL MONTE

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

PS Code: 1910039-153

Source Name: PLANT 8 LPGAC B5-EFFLUENT PORT

Source Number: 153

Source Status: ACTIVE TREATED

Water type: G

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

PS Code: 1910039-154

Source Name: PLANT 8 LPGAC B6-EFFLUENT PORT

Source Number: 154

Source Status: ACTIVE TREATED

Water type: G

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

PS Code: 1910039-155

Source Name: PLANT B24 RESERVOIR - MN BLENDING

Source Number: 155

Source Status: COMBINATION OR BLEND TREATED

Water type: G

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

PS Code: 1910039-156

Source Name: PLANT B5-LPGAC-COMBINED INF (SP-2)

Source Number: 156

Source Status: ACTIVE TREATED

Water type: G

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

*Testing interval is in months;
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910039

System Name: SAN GABRIEL VALLEY WATER CO.-EL MONTE

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

PS Code: 1910039-157

Source Name: PLANT B5-LPGAC VESSEL 1-LEAD EFF (SP-3A)

Source Number: 157

Source Status: ACTIVE TREATED

Water type: G

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

PS Code: 1910039-158

Source Name: PLANT B5-LPGAC VESSEL 2-LEA EFF (SP-3B)

Source Number: 158

Source Status: ACTIVE TREATED

Water type: G

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

PS Code: 1910039-159

Source Name: PLANT B5-LPGAC VESSEL 3-LEAD EFF (SP-3C)

Source Number: 159

Source Status: ACTIVE TREATED

Water type: G

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

PS Code: 1910039-160

Source Name: PLANT B5-LPGAC VESSEL 4-LEAD EFF (SP-3D)

Source Number: 160

Source Status: ACTIVE TREATED

Water type: G

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

*Testing interval is in months;
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910039

System Name: SAN GABRIEL VALLEY WATER CO.-EL MONTE

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

PS Code: 1910039-161

Source Name: PLANT B5-LPGAC VESSEL 5-LEAD EFF (SP-3E)

Source Number: 161

Source Status: ACTIVE TREATED

Water type: G

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

PS Code: 1910039-162

Source Name: PLANT B5-LPGAC VESSEL 6-LEAD EFF (SP-3F)

Source Number: 162

Source Status: ACTIVE TREATED

Water type: G

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

PS Code: 1910039-163

Source Name: PLANT B5-LPGAC VESSEL 7-LEAD EFF (SP-3G)

Source Number: 163

Source Status: ACTIVE TREATED

Water type: G

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

PS Code: 1910039-164

Source Name: PLANT B5-LPGAC VESSEL 8-LEAD EFF (SP-3H)

Source Number: 164

Source Status: ACTIVE TREATED

Water type: G

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910039

System Name: SAN GABRIEL VALLEY WATER CO.-EL MONTE

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

PS Code: 1910039-165

Source Name: PLANT B5-LPGAC-VESSEL 1 LAG 50% (SP-4A)

Source Number: 165

Source Status: ACTIVE TREATED

Water type: G

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

PS Code: 1910039-166

Source Name: PLANT B5-LPGAC-VESSEL 2 LAG 50% (SP-4B)

Source Number: 166

Source Status: ACTIVE TREATED

Water type: G

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

PS Code: 1910039-167

Source Name: PLANT B5-LPGAC VESSEL 3-LAG 50% (SP-4C)

Source Number: 167

Source Status: ACTIVE TREATED

Water type: G

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

PS Code: 1910039-168

Source Name: PLANT B5-LPGAC VESSEL 4-LAG 50% (SP-4D)

Source Number: 168

Source Status: ACTIVE TREATED

Water type: G

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

*Testing interval is in months;
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910039

System Name: SAN GABRIEL VALLEY WATER CO.-EL MONTE

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

PS Code: 1910039-169

Source Name: PLANT B5-LPGAC VESSEL 5-LAG 50% (SP-4E)

Source Number: 169

Source Status: ACTIVE TREATED

Water type: G

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

PS Code: 1910039-170

Source Name: PLANT B5-LPGAC VESSEL 6-LAG 50% (SP-4F)

Source Number: 170

Source Status: ACTIVE TREATED

Water type: G

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

PS Code: 1910039-171

Source Name: PLANT B5-LPGAC VESSEL 7-LAG 50% (SP-4G)

Source Number: 171

Source Status: ACTIVE TREATED

Water type: G

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

PS Code: 1910039-172

Source Name: PLANT B5-LPGAC VESSEL 8-LAG 50% (SP-4H)

Source Number: 172

Source Status: ACTIVE TREATED

Water type: G

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910039

System Name: SAN GABRIEL VALLEY WATER CO.-EL MONTE

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

PS Code: 1910039-173

Source Name: PLANT B5-LPGAC VESSEL 1-LAG EFF (SP-5A)

Source Number: 173

Source Status: ACTIVE TREATED

Water type: G

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

PS Code: 1910039-174

Source Name: PLANT B5-LPGAC VESSEL 2-LAG EFF (SP-5B)

Source Number: 174

Source Status: ACTIVE TREATED

Water type: G

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

PS Code: 1910039-175

Source Name: PLANT B5-LPGAC VESSEL 3-LAG EFF (SP-5C)

Source Number: 175

Source Status: ACTIVE TREATED

Water type: G

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

PS Code: 1910039-176

Source Name: PLANT B5-LPGAC VESSEL 4-LAG EFF (SP-5D)

Source Number: 176

Source Status: ACTIVE TREATED

Water type: G

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

*Testing interval is in months;
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910039

System Name: SAN GABRIEL VALLEY WATER CO.-EL MONTE

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

PS Code: 1910039-177

Source Name: PLANT B5-LPGAC VESSEL 5-LAG EFF (SP-5E)

Source Number: 177

Source Status: ACTIVE TREATED

Water type: G

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

PS Code: 1910039-178

Source Name: PLANT B5-LPGAC VESSEL 6-LAG EFF (SP-5F)

Source Number: 178

Source Status: ACTIVE TREATED

Water type: G

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

PS Code: 1910039-179

Source Name: PLANT B5-LPGAC VESSEL 7-LAG EFF (SP-5G)

Source Number: 179

Source Status: ACTIVE TREATED

Water type: G

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

PS Code: 1910039-180

Source Name: PLANT B5-LPGAC VESSEL 8-LAG EFF (SP-5H)

Source Number: 180

Source Status: ACTIVE TREATED

Water type: G

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910039

System Name: SAN GABRIEL VALLEY WATER CO.-EL MONTE

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

PS Code: 1910039-181

Source Name: PLANT B5-LPGAC-COMBINED EFFLUENT (SP-6)

Source Number: 181

Source Status: ACTIVE TREATED

Water type: G

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

PS Code: 1910039-182

Source Name: PLANT B5-IX VESSEL 1-LEAD EFF (SP-7A)

Source Number: 182

Source Status: ACTIVE TREATED

Water type: G

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

PS Code: 1910039-183

Source Name: PLANT B5-IX VESSEL 2-LEAD EFF (SP-7B)

Source Number: 183

Source Status: ACTIVE TREATED

Water type: G

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

PS Code: 1910039-184

Source Name: PLANT B5-IX VESSEL 3-LEAD EFF (SP-7C)

Source Number: 184

Source Status: ACTIVE TREATED

Water type: G

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910039

System Name: SAN GABRIEL VALLEY WATER CO.-EL MONTE

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

PS Code: 1910039-185

Source Name: PLANT B5-IX VESSEL 4-LEAD EFF (SP-7D)

Source Number: 185

Source Status: ACTIVE TREATED

Water type: G

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

PS Code: 1910039-186

Source Name: PLANT B5-IX VESSEL 5-LEAD EFF (SP-7E)

Source Number: 186

Source Status: ACTIVE TREATED

Water type: G

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

PS Code: 1910039-187

Source Name: PLANT B5-IX VESSEL 6-LEAD EFF (SP-7F)

Source Number: 187

Source Status: ACTIVE TREATED

Water type: G

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

PS Code: 1910039-188

Source Name: PLANT B5-IX VESSEL 7-LEAD EFF (SP-7G)

Source Number: 188

Source Status: ACTIVE TREATED

Water type: G

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910039

System Name: SAN GABRIEL VALLEY WATER CO.-EL MONTE

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

PS Code: 1910039-189

Source Name: PLANT B5-IX VESSEL 8-LEAD EFF (SP-7H)

Source Number: 189

Source Status: ACTIVE TREATED

Water type: G

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

PS Code: 1910039-190

Source Name: PLANT B5-IX VESSEL 1-LAG EFF (SP-9A)

Source Number: 190

Source Status: ACTIVE TREATED

Water type: G

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

PS Code: 1910039-191

Source Name: PLANT B5-IX VESSEL 2-LAG EFF (SP-9B)

Source Number: 191

Source Status: ACTIVE TREATED

Water type: G

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

PS Code: 1910039-192

Source Name: PLANT B5-IX VESSEL 3-LAG EFF (SP-9C)

Source Number: 192

Source Status: ACTIVE TREATED

Water type: G

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

*Testing interval is in months;
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910039

System Name: SAN GABRIEL VALLEY WATER CO.-EL MONTE

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

PS Code: 1910039-193

Source Name: PLANT B5-IX VESSEL 4-LAG EFF (SP-9D)

Source Number: 193

Source Status: ACTIVE TREATED

Water type: G

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

PS Code: 1910039-194

Source Name: PLANT B5-IX VESSEL 5-LEAD EFF (SP-9E)

Source Number: 194

Source Status: ACTIVE TREATED

Water type: G

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

PS Code: 1910039-195

Source Name: PLANT B5-IX VESSEL 6-LAG EFF (SP-9F)

Source Number: 195

Source Status: ACTIVE TREATED

Water type: G

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

PS Code: 1910039-196

Source Name: PLANT B5-IX VESSEL 7-LAG EFF (SP-9G)

Source Number: 196

Source Status: ACTIVE TREATED

Water type: G

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

*Testing interval is in months;
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910039

System Name: SAN GABRIEL VALLEY WATER CO.-EL MONTE

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

PS Code: 1910039-197

Source Name: PLANT B5-IX VESSEL 8-LAG EFF (SP-9H)

Source Number: 197

Source Status: ACTIVE TREATED

Water type: G

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

PS Code: 1910039-198

Source Name: PLANT B5-IX COMBINED EFFLUENT (SP-10)

Source Number: 198

Source Status: ACTIVE TREATED

Water type: G

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

PS Code: 1910039-199

Source Name: PLANT B5-UVPHOX TRAIN 1 EFFLUENT(SP-11A)

Source Number: 199

Source Status: ACTIVE TREATED

Water type: G

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

PS Code: 1910039-200

Source Name: PLANT B5-UVPHOX TRAIN 2 EFF (SP-11B)

Source Number: 200

Source Status: ACTIVE TREATED

Water type: G

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

*Testing interval is in months;
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910039

System Name: SAN GABRIEL VALLEY WATER CO.-EL MONTE

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910039-201

Source Name: PLANT B5-UVPHOX COMBINED EFF (SP-12)

Source Number: 201

Source Status: ACTIVE TREATED

Water type: G

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

PS Code: 1910039-202

Source Name: PLANT B5-EFFLUENT-RESEROVIR EFF (SP-13)

Source Number: 202

Source Status: ACTIVE TREATED

Water type: G

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

PS Code: 1910039-203

Source Name: PLANT B5 SERVICE AREA MAX RESIDENCE TIME

Source Number: 203

Source Status: DISTRIBUTION TREATED

Water type: G

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

PS Code: 1910039-800

Source Name: SITE1-5326 HAMMIL RD,EL MONTE-STG2 DBP

Source Number: 800

Source Status: DISTRIBUTION TREATED

Water type: G

HALOACETIC ACIDS

DIBROMOACETIC ACID (DBAA)	82721	003	2014/04/29	< 1.000	2014/07
DICHLOROACETIC ACID (DCAA)	77288	003	2014/04/29	< 1.000	2014/07
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/04/29	< .000	2014/07
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/04/29	< 1.000	2014/07
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/04/29	< 2.000	2014/07

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910039

System Name: SAN GABRIEL VALLEY WATER CO.-EL MONTE

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910039-800

Source Name: SITE1-5326 HAMMIL RD,EL MONTE-STG2 DBP

Source Number: 800

Source Status: DISTRIBUTION TREATED

Water type: G

HALOACETIC ACIDS

TRICHLOROACETIC ACID (TCAA)	82723	003	2014/04/29	< 1.000	2014/07
-----------------------------	-------	-----	------------	---------	---------

STATE UCMR

BROMODICHLORMETHANE (THM)	32101	003	2014/04/29	< 1.000	2014/07
BROMOFORM (THM)	32104	003	2014/04/29	< 1.000	2014/07
CHLOROFORM (THM)	32106	003	2014/04/29	< 1.000	2014/07
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/04/29	< 1.000	2014/07

TRIHALOMETHANES

TOTAL TRIHALOMETHANES	82080	003	2014/04/29	. 1.400	2014/07
-----------------------	-------	-----	------------	---------	---------

PS Code: 1910039-801

Source Name: SITE2-11832 POCASSET, WHITTIER- STG2 DBP

Source Number: 801

Source Status: DISTRIBUTION TREATED

Water type: G

HALOACETIC ACIDS

DIBROMOACETIC ACID (DBAA)	82721	003	2014/04/29	< 1.000	2014/07
DICHLOROACETIC ACID (DCAA)	77288	003	2014/04/29	< 1.000	2014/07
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/04/29	< .000	2014/07
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/04/29	< 1.000	2014/07
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/04/29	< 2.000	2014/07
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/04/29	< 1.000	2014/07

STATE UCMR

BROMODICHLORMETHANE (THM)	32101	003	2014/04/29	< 1.000	2014/07
BROMOFORM (THM)	32104	003	2014/04/29	. 1.000	2014/07
CHLOROFORM (THM)	32106	003	2014/04/29	< 1.000	2014/07
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/04/29	. 1.000	2014/07

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910039

System Name: SAN GABRIEL VALLEY WATER CO.-EL MONTE

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910039-801

Source Name: SITE2-11832 POCASSET, WHITTIER- STG2 DBP

Source Number: 801

Source Status: DISTRIBUTION TREATED

Water type: G

TRihalOMETHANES

TOTAL TRIHALOMETHANES	82080	003	2014/04/29	. 2.500	2014/07
-----------------------	-------	-----	------------	---------	---------

PS Code: 1910039-802

Source Name: SITE3-1785 ALISAR,MONTEREY PARK-STG2 DBP

Source Number: 802

Source Status: DISTRIBUTION TREATED

Water type: G

HALOACETIC ACIDS

DIBROMOACETIC ACID (DBAA)	82721	003	2014/04/29	< 1.000	2014/07
DICHLOROACETIC ACID (DCAA)	77288	003	2014/04/29	< 1.000	2014/07
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/04/29	< .000	2014/07
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/04/29	< 1.000	2014/07
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/04/29	< 2.000	2014/07
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/04/29	< 1.000	2014/07

STATE UCMR

BROMODICHLORMETHANE (THM)	32101	003	2014/04/29	< 1.000	2014/07
BROMOFORM (THM)	32104	003	2014/04/29	. 1.000	2014/07
CHLOROFORM (THM)	32106	003	2014/04/29	< 1.000	2014/07
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/04/29	< 1.000	2014/07

TRihalOMETHANES

TOTAL TRIHALOMETHANES	82080	003	2014/04/29	. 1.700	2014/07
-----------------------	-------	-----	------------	---------	---------

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910039

System Name: SAN GABRIEL VALLEY WATER CO.-EL MONTE

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910039-803

Source Name: SITE4-1015FINEGROVE,HACIENDA HT-STG2 DBP

Source Number: 803

Source Status: DISTRIBUTION TREATED

Water type: G

HALOACETIC ACIDS

DIBROMOACETIC ACID (DBAA)	82721	003	2014/04/29	< 1.000	2014/07
DICHLOROACETIC ACID (DCAA)	77288	003	2014/04/29	< 1.000	2014/07
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/04/29	< .000	2014/07
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/04/29	< 1.000	2014/07
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/04/29	< 2.000	2014/07
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/04/29	< 1.000	2014/07

STATE UCMR

BROMODICHLORMETHANE (THM)	32101	003	2014/04/29	< 1.000	2014/07
BROMOFORM (THM)	32104	003	2014/04/29	. 1.400	2014/07
CHLOROFORM (THM)	32106	003	2014/04/29	< 1.000	2014/07
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/04/29	. 1.000	2014/07

TRIHALOMETHANES

TOTAL TRIHALOMETHANES	82080	003	2014/04/29	. 2.400	2014/07
-----------------------	-------	-----	------------	---------	---------

PS Code: 1910039-804

Source Name: SITE5-3474 BUDLEIGH,HACIENDA HT-STG2 DBP

Source Number: 804

Source Status: DISTRIBUTION TREATED

Water type: G

HALOACETIC ACIDS

DIBROMOACETIC ACID (DBAA)	82721	003	2014/04/29	. 1.200	2014/07
DICHLOROACETIC ACID (DCAA)	77288	003	2014/04/29	< 1.000	2014/07
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/04/29	. 1.200	2014/07
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/04/29	< 1.000	2014/07
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/04/29	< 2.000	2014/07
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/04/29	< 1.000	2014/07

STATE UCMR

BROMODICHLORMETHANE (THM)	32101	003	2014/04/29	. 1.000	2014/07
---------------------------	-------	-----	------------	---------	---------

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910039

System Name: SAN GABRIEL VALLEY WATER CO.-EL MONTE

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910039-804

Source Name: SITE5-3474 BUDLEIGH,HACIENDA HT-STG2 DBP

Source Number: 804

Source Status: DISTRIBUTION TREATED

Water type: G

STATE UCMR

BROMOFORM (THM)	32104	003	2014/04/29	. 4.600	2014/07
CHLOROFORM (THM)	32106	003	2014/04/29	< 1.000	2014/07
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/04/29	. 3.300	2014/07

TRIHALOMETHANES

TOTAL TRIHALOMETHANES	82080	003	2014/04/29	. 8.900	2014/07
-----------------------	-------	-----	------------	---------	---------

PS Code: 1910039-805

Source Name: SITE6-8427 FALLON AVE,WHITTIER -STG2 DBP

Source Number: 805

Source Status: DISTRIBUTION TREATED

Water type: G

HALOACETIC ACIDS

DIBROMOACETIC ACID (DBAA)	82721	003	2014/04/29	< 1.000	2014/07
DICHLOROACETIC ACID (DCAA)	77288	003	2014/04/29	< 1.000	2014/07
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/04/29	< .000	2014/07
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/04/29	< 1.000	2014/07
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/04/29	< 2.000	2014/07
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/04/29	< 1.000	2014/07

STATE UCMR

BROMODICHLORMETHANE (THM)	32101	003	2014/04/29	< 1.000	2014/07
BROMOFORM (THM)	32104	003	2014/04/29	< 1.000	2014/07
CHLOROFORM (THM)	32106	003	2014/04/29	< 1.000	2014/07
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/04/29	< 1.000	2014/07

TRIHALOMETHANES

TOTAL TRIHALOMETHANES	82080	003	2014/04/29	. 1.500	2014/07
-----------------------	-------	-----	------------	---------	---------

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910047

System Name: HAWTHORNE-CITY WATER DEPT.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910047-004

Source Name: WELL 13-01

Source Number: 004

Source Status: ACTIVE RAW

Water type: G

INORGANIC

ALUMINUM	01105	036	2011/07/01	< 50.000	2014/07
ANTIMONY	01097	036	2011/07/01	< 6.000	2014/07
ARSENIC	01002	036	2011/07/01	< 2.000	2014/07
BARIUM	01007	036	2011/07/01	< 100.000	2014/07
BERYLLIUM	01012	036	2011/07/01	< 1.000	2014/07
CADMIUM	01027	036	2011/07/01	< 1.000	2014/07
CHROMIUM (TOTAL)	01034	036	2011/07/01	< 10.000	2014/07
CYANIDE	01291	036	2012/07/25	< .000	2015/07
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2011/07/01	.340	2014/07
MERCURY	71900	036	2011/07/01	< 1.000	2014/07
NICKEL	01067	036	2011/07/01	< 10.000	2014/07
PERCHLORATE	A-031	036	2014/07/02	< 4.000	2017/07
SELENIUM	01147	036	2011/07/01	< 5.000	2014/07
THALLIUM	01059	036	2011/07/01	< 1.000	2014/07

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2013/07/24	.000	2014/07
NITRITE (AS N)	00620	036	2011/07/01	< 400.000	2014/07

RADIOLOGICAL

GROSS ALPHA	01501	108	2005/10/12	< 3.000	2014/10
-------------	-------	-----	------------	---------	---------

REGULATED SOC

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2013/08/06	< .000	2016/05
THIOBENCARB	A-001	033	2013/08/06	< .000	2016/05

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	012	2014/05/21	.000	2015/05
1,1,2,2-TETRACHLOROETHANE	34516	012	2014/05/21	.000	2015/05
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/05/21	.000	2015/05
1,1,2-TRICHLOROETHANE	34511	012	2014/05/21	.000	2015/05
1,1-DICHLOROETHANE	34496	012	2014/05/21	.000	2015/05

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910047

System Name: HAWTHORNE-CITY WATER DEPT.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910047-004

Source Name: WELL 13-01

Source Number: 004

Source Status: ACTIVE RAW

Water type: G

REGULATED VOC

1,1-DICHLOROETHYLENE	34501	012	2014/05/21	. .000	2015/05
1,2,4-TRICHLOROBENZENE	34551	012	2014/05/21	. .000	2015/05
1,2-DICHLOROBENZENE	34536	012	2014/05/21	. .000	2015/05
1,2-DICHLOROETHANE	34531	012	2014/05/21	. .000	2015/05
1,2-DICHLOROPROPANE	34541	012	2014/05/21	. .000	2015/05
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/05/21	. .000	2015/05
1,4-DICHLOROBENZENE	34571	012	2014/05/21	. .000	2015/05
BENZENE	34030	012	2014/05/21	. .000	2015/05
CARBON TETRACHLORIDE	32102	012	2014/05/21	. .000	2015/05
CIS-1,2-DICHLOROETHYLENE	77093	012	2014/05/21	. .000	2015/05
DICHLOROMETHANE	34423	012	2014/05/21	. .000	2015/05
ETHYLBENZENE	34371	012	2014/05/21	. .000	2015/05
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/05/21	. .000	2015/05
MONOCHLOROBENZENE	34301	012	2014/05/21	. .000	2015/05
STYRENE	77128	012	2014/05/21	. .000	2015/05
TETRACHLOROETHYLENE	34475	012	2014/05/21	. .000	2015/05
TOLUENE	34010	012	2014/05/21	. .000	2015/05
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/05/21	. .000	2015/05
TRICHLOROETHYLENE	39180	012	2014/05/21	. .000	2015/05
TRICHLOROFUOROMETHANE	34488	012	2014/05/21	. .000	2015/05
VINYL CHLORIDE	39175	012	2014/05/21	. .000	2015/05
XYLENES (TOTAL)	81551	012	2014/05/21	. .000	2015/05

SECONDARY/GP

BICARBONATE ALKALINITY	00440	036	2011/07/01	. 360.000	2014/07
CALCIUM	00916	036	2011/08/11	. 66.000	2014/08
CARBONATE ALKALINITY	00445	036	2011/07/01	2.100	2014/07
CHLORIDE	00940	036	2011/07/01	. 130.000	2014/07
COLOR	00081	036	2014/07/30	. 15.000	2017/07
COPPER	01042	036	2011/07/01	< 50.000	2014/07

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910047

System Name: HAWTHORNE-CITY WATER DEPT.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910047-004

Source Name: WELL 13-01

Source Number: 004

Source Status: ACTIVE RAW

Water type: G

SECONDARY/GP

FOAMING AGENTS (MBAS)	38260	036	2011/07/01	< .050	2014/07
HARDNESS (TOTAL) AS CaCO3	00900	036	2011/08/11	. 270.000	2014/08
HYDROXIDE ALKALINITY	71830	036	2011/07/01	< 2.000	2014/07
IRON	01045	036	2014/07/23	. 35.930	2017/07
MAGNESIUM	00927	036	2011/08/11	. 26.000	2014/08
MANGANESE	01055	036	2014/07/23	. 55.080	2017/07
ODOR THRESHOLD @ 60 C	00086	036	2014/07/30	. 1.000	2017/07
PH, LABORATORY	00403	036	2013/11/06	. 8.200	2016/11
SILVER	01077	036	2011/07/01	< 10.000	2014/07
SODIUM	00929	036	2011/07/01	93.000	2014/07
SPECIFIC CONDUCTANCE	00095	036	2011/07/01	. 950.000	2014/07
SULFATE	00945	036	2011/07/01	< .500	2014/07
TOTAL DISSOLVED SOLIDS	70300	036	2011/07/01	. 570.000	2014/07
TURBIDITY, LABORATORY	82079	036	2014/07/30	. .100	2017/07
ZINC	01092	036	2011/07/01	< 50.000	2014/07

PS Code: 1910047-005

Source Name: MWD CONNECTION NO. WB-18 - TREATED

Source Number: 005

Source Status: PURCHASED TREATED

Water type: S

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

*Testing interval is in months;
 0 = No data for this constituent and is DUE NOW
 I = Invalid (NOT) valid analyses reported
 Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910047

System Name: HAWTHORNE-CITY WATER DEPT.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

PS Code: 1910047-006

Source Name: MWD CONNECTION NO. WB-20 - TREATED

Source Number: 006

Source Status: PURCHASED TREATED

Water type: S

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

PS Code: 1910047-007

Source Name: PLANT EFFLUENT - TREATED

Source Number: 007

Source Status: ACTIVE TREATED

Water type: S

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

PS Code: 1910047-008

Source Name: PLANT INFLUENT - TREATED

Source Number: 008

Source Status: ACTIVE TREATED

Water type: S

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

PS Code: 1910047-009

Source Name: PLANT POST AERATION - TREATED

Source Number: 009

Source Status: ACTIVE TREATED

Water type: S

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

*Testing interval is in months;
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910047

System Name: HAWTHORNE-CITY WATER DEPT.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910047-010

Source Name: PRETREATMENT TANK EFFLUENT - TREATED

Source Number: 010

Source Status: ACTIVE TREATED

Water type: S

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

PS Code: 1910047-800

Source Name: HAW-D-002- 4907 W BROADWAY AVE -STG2 DBP

Source Number: 800

Source Status: DISTRIBUTION TREATED

Water type: S

HALOACETIC ACIDS

DIBROMOACETIC ACID (DBAA)	82721	003	2014/05/13	. 5.300	2014/08
DICHLOROACETIC ACID (DCAA)	77288	003	2014/05/13	. 8.400	2014/08
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/05/13	. 19.000	2014/08
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/05/13	< .000	2014/08
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/05/13	< .000	2014/08
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/05/13	. 5.100	2014/08

STATE UCMR

BROMODICHLORMETHANE (THM)	32101	003	2014/05/13	. 10.050	2014/08
BROMOFORM (THM)	32104	003	2014/05/13	. 5.810	2014/08
CHLOROFORM (THM)	32106	003	2014/05/13	. 11.510	2014/08
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/05/13	. 10.600	2014/08

TRIHALOMETHANES

TOTAL TRIHALOMETHANES	82080	003	2014/05/13	. 38.000	2014/08
-----------------------	-------	-----	------------	----------	---------

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910047

System Name: HAWTHORNE-CITY WATER DEPT.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910047-801

Source Name: HAW-D-003- 4916 W 118TH STREET -STG2 DBP

Source Number: 801

Source Status: DISTRIBUTION TREATED

Water type: S

HALOACETIC ACIDS

DIBROMOACETIC ACID (DBAA)	82721	003	2014/05/13	. 5.700	2014/08
DICHLOROACETIC ACID (DCAA)	77288	003	2014/05/13	. 7.700	2014/08
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/05/13	. 19.000	2014/08
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/05/13	< .000	2014/08
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/05/13	< .000	2014/08
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/05/13	. 5.200	2014/08

STATE UCMR

BROMODICHLORMETHANE (THM)	32101	003	2014/05/13	. 10.450	2014/08
BROMOFORM (THM)	32104	003	2014/05/13	. 6.690	2014/08
CHLOROFORM (THM)	32106	003	2014/05/13	. 11.760	2014/08
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/05/13	. 11.640	2014/08

TRIHALOMETHANES

TOTAL TRIHALOMETHANES	82080	003	2014/05/13	. 40.600	2014/08
-----------------------	-------	-----	------------	----------	---------

PS Code: 1910047-802

Source Name: HAW-D-010- 4564 W 134TH STREET -STG2 DBP

Source Number: 802

Source Status: DISTRIBUTION TREATED

Water type: S

HALOACETIC ACIDS

DIBROMOACETIC ACID (DBAA)	82721	003	2014/05/13	. 6.600	2014/08
DICHLOROACETIC ACID (DCAA)	77288	003	2014/05/13	. 7.500	2014/08
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/05/13	. 20.000	2014/08
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/05/13	< .000	2014/08
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/05/13	< .000	2014/08
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/05/13	. 5.400	2014/08

STATE UCMR

BROMODICHLORMETHANE (THM)	32101	003	2014/05/13	. 11.930	2014/08
---------------------------	-------	-----	------------	----------	---------

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910047

System Name: HAWTHORNE-CITY WATER DEPT.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910047-802

Source Name: HAW-D-010- 4564 W 134TH STREET -STG2 DBP

Source Number: 802

Source Status: DISTRIBUTION TREATED

Water type: S

STATE UCMR

BROMOFORM (THM)	32104	003	2014/05/13	. 8.390	2014/08
CHLOROFORM (THM)	32106	003	2014/05/13	. 12.380	2014/08
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/05/13	. 13.900	2014/08

TRIHALOMETHANES

TOTAL TRIHALOMETHANES	82080	003	2014/05/13	. 46.600	2014/08
-----------------------	-------	-----	------------	----------	---------

PS Code: 1910047-803

Source Name: HAW-S-007-B-A- ST 7, BOOSTER A -STG2 DBP

Source Number: 803

Source Status: DISTRIBUTION TREATED

Water type: S

HALOACETIC ACIDS

DIBROMOACETIC ACID (DBAA)	82721	003	2014/05/13	. 5.600	2014/08
DICHLOROACETIC ACID (DCAA)	77288	003	2014/05/13	. 8.700	2014/08
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/05/13	. 20.000	2014/08
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/05/13	< .000	2014/08
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/05/13	< .000	2014/08
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/05/13	. 5.200	2014/08

STATE UCMR

BROMODICHLORMETHANE (THM)	32101	003	2014/05/13	. 10.520	2014/08
BROMOFORM (THM)	32104	003	2014/05/13	. 6.350	2014/08
CHLOROFORM (THM)	32106	003	2014/05/13	. 10.640	2014/08
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/05/13	. 11.770	2014/08

TRIHALOMETHANES

TOTAL TRIHALOMETHANES	82080	003	2014/05/13	. 39.300	2014/08
-----------------------	-------	-----	------------	----------	---------

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910048

System Name: CASTAIC LAKE WATER AGENCY

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910048-001

Source Name: CASTAIC LAKE - RAW

Source Number: 001

Source Status: ACTIVE RAW

Water type: S

INORGANIC

ALUMINUM	01105	012	2014/07/07	< 50.000	2015/07
ANTIMONY	01097	012	2014/07/07	< 6.000	2015/07
ARSENIC	01002	012	2014/07/07	. 3.100	2015/07
ASBESTOS	81855	108	2011/07/21	< .200	2020/07
BARIUM	01007	012	2014/07/07	< 100.000	2015/07
BERYLLIUM	01012	012	2014/07/07	< 1.000	2015/07
CADMIUM	01027	012	2014/07/07	< 1.000	2015/07
CHROMIUM (TOTAL)	01034	012	2014/07/07	< 10.000	2015/07
CYANIDE	01291	108	2011/07/21	< 100.000	2020/07
FLUORIDE (F) (NATURAL-SOURCE)	00951	012	2014/07/07	. .100	2015/07
MERCURY	71900	012	2012/09/06	< 1.000	2013/09 DUE
NICKEL	01067	012	2014/07/07	< 10.000	2015/07
PERCHLORATE	A-031	012	2013/07/29	< 4.000	2014/07
SELENIUM	01147	012	2014/07/07	< 5.000	2015/07
THALLIUM	01059	012	2014/07/07	< 1.000	2015/07

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2014/07/07	. 2.600	2015/07
NITRITE (AS N)	00620	036	2014/07/07	< 400.000	2017/07

RADIOLOGICAL

GROSS ALPHA	01501	108	2014/07/07	< 3.000	2023/07
GROSS BETA	03501	003	2014/07/07	< 4.000	2014/10
STRONTIUM-90	13501	012	2013/10/28	< 2.000	2014/10
TRITIUM	07000	012	2013/10/28	< 1000.000	2014/10

REGULATED SOC

2,3,7,8-TCDD (DIOXIN)	34676	033	2011/12/22	< 5.000	2014/09
2,4,5-TP (SILVEX)	39045	033	2011/12/22	< 1.000	2014/09
2,4-D	39730	033	2011/12/22	< 10.000	2014/09
ALACHLOR	77825	033	2011/12/22	< 1.000	2014/09

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910048

System Name: CASTAIC LAKE WATER AGENCY

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910048-001

Source Name: CASTAIC LAKE - RAW

Source Number: 001

Source Status: ACTIVE RAW

Water type: S

REGULATED SOC

ATRAZINE	39033	033	2011/12/22	< .500	2014/09
BENTAZON	38710	033	2011/12/22	< 2.000	2014/09
BENZO (A) PYRENE	34247	033	2011/12/22	< .100	2014/09
CARBOFURAN	81405	033	2011/12/22	< 5.000	2014/09
CHLORDANE	39350	033	2011/12/22	< .100	2014/09
DALAPON	38432	033	2011/12/22	< 10.000	2014/09
DI(2-ETHYLHEXYL)ADIPATE	A-026	033	2011/12/22	< 5.000	2014/09
DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2011/12/22	< 3.000	2014/09
DIBROMOCHLOROPROPANE (DBCP)	38761	033	2011/12/22	< .010	2014/09
DINOSEB	81287	033	2011/12/22	< 2.000	2014/09
DIQUAT	78885	033	2011/12/22	< 4.000	2014/09
ENDOTHALL	38926	033	2011/12/22	< 45.000	2014/09
ENDRIN	39390	033	2011/12/22	< .100	2014/09
ETHYLENE DIBROMIDE (EDB)	77651	033	2011/12/22	< .020	2014/09
GLYPHOSATE	79743	033	2011/12/22	< 25.000	2014/09
HEPTACHLOR	39410	033	2011/12/22	< .010	2014/09
HEPTACHLOR EPOXIDE	39420	033	2011/12/22	< .010	2014/09
HEXACHLOROBENZENE	39700	033	2011/12/22	< .500	2014/09
HEXACHLOROCYCLOPENTADIENE	34386	033	2011/12/22	< 1.000	2014/09
LINDANE	39340	033	2011/12/22	< .200	2014/09
METHOXYCHLOR	39480	033	2011/12/22	< 10.000	2014/09
MOLINATE	82199	033	2011/12/22	< 2.000	2014/09
OXAMYL	38865	033	2011/12/22	< 20.000	2014/09
PENTACHLOROPHENOL	39032	033	2011/12/22	< .200	2014/09
PICLORAM	39720	033	2011/12/22	< 1.000	2014/09
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	033	2011/12/22	< .500	2014/09
SIMAZINE	39055	033	2011/12/22	< 1.000	2014/09
THIOBENCARB	A-001	033	2011/12/22	< 1.000	2014/09
TOXAPHENE	39400	033	2011/12/22	< 1.000	2014/09

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910048

System Name: CASTAIC LAKE WATER AGENCY

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910048-001

Source Name: CASTAIC LAKE - RAW

Source Number: 001

Source Status: ACTIVE RAW

Water type: S

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	012	2013/09/26	.000	2014/09
1,1,2,2-TETRACHLOROETHANE	34516	012	2013/09/26	.000	2014/09
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2013/09/26	.000	2014/09
1,1,2-TRICHLOROETHANE	34511	012	2013/09/26	.000	2014/09
1,1-DICHLOROETHANE	34496	012	2013/09/26	.000	2014/09
1,1-DICHLOROETHYLENE	34501	012	2013/09/26	.000	2014/09
1,2,4-TRICHLOROBENZENE	34551	012	2013/09/26	.000	2014/09
1,2-DICHLOROBENZENE	34536	012	2013/09/26	.000	2014/09
1,2-DICHLOROETHANE	34531	012	2013/09/26	.000	2014/09
1,2-DICHLOROPROPANE	34541	012	2013/09/26	.000	2014/09
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2013/09/26	.000	2014/09
1,4-DICHLOROBENZENE	34571	012	2013/09/26	.000	2014/09
BENZENE	34030	012	2013/09/26	.000	2014/09
CARBON TETRACHLORIDE	32102	012	2013/09/26	.000	2014/09
CIS-1,2-DICHLOROETHYLENE	77093	012	2013/09/26	.000	2014/09
DICHLOROMETHANE	34423	012	2013/09/26	.000	2014/09
ETHYLBENZENE	34371	012	2013/09/26	.000	2014/09
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2013/09/26	.000	2014/09
MONOCHLOROBENZENE	34301	012	2013/09/26	.000	2014/09
STYRENE	77128	012	2013/09/26	.000	2014/09
TETRACHLOROETHYLENE	34475	012	2013/09/26	.000	2014/09
TOLUENE	34010	012	2013/09/26	.000	2014/09
TRANS-1,2-DICHLOROETHYLENE	34546	012	2013/09/26	.000	2014/09
TRICHLOROETHYLENE	39180	012	2013/09/26	.000	2014/09
TRICHLOROFUOROMETHANE	34488	012	2013/09/26	.000	2014/09
VINYL CHLORIDE	39175	012	2013/09/26	.000	2014/09
XYLENES (TOTAL)	81551	012	2013/09/26	.000	2014/09

SECONDARY/GP

BICARBONATE ALKALINITY	00440	012	2014/07/07	. 110.000	2015/07
------------------------	-------	-----	------------	-----------	---------

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910048

System Name: CASTAIC LAKE WATER AGENCY

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910048-001

Source Name: CASTAIC LAKE - RAW

Source Number: 001

Source Status: ACTIVE RAW

Water type: S

SECONDARY/GP

CALCIUM	00916	012	2014/07/07	. 29.000	2015/07	
CARBONATE ALKALINITY	00445	012	2014/07/07	< .000	2015/07	
CHLORIDE	00940	012	2014/07/07	. 85.100	2015/07	
COLOR	00081	012	2014/07/07	. 5.000	2015/07	
COPPER	01042	012	2014/07/07	< 50.000	2015/07	
FOAMING AGENTS (MBAS)	38260	012	2012/09/06	< .050	2013/09	DUE
HARDNESS (TOTAL) AS CaCO3	00900	012	2014/07/07	. 124.000	2015/07	
HYDROXIDE ALKALINITY	71830	012	2014/07/07	< .000	2015/07	
IRON	01045	012	2014/07/07	< 100.000	2015/07	
MAGNESIUM	00927	012	2014/07/07	. 12.500	2015/07	
MANGANESE	01055	012	2014/07/07	< 20.000	2015/07	
ODOR THRESHOLD @ 60 C	00086	012	2014/07/07	. 1.000	2015/07	
PH, LABORATORY	00403	012	2014/07/07	. 7.480	2015/07	
SILVER	01077	012	2014/07/07	< 10.000	2015/07	
SODIUM	00929	012	2014/07/07	. 64.000	2015/07	
SPECIFIC CONDUCTANCE	00095	012	2014/07/07	. 512.000	2015/07	
SULFATE	00945	012	2014/07/07	. 51.300	2015/07	
TOTAL DISSOLVED SOLIDS	70300	012	2014/07/07	. 302.000	2015/07	
TURBIDITY, LABORATORY	82079	012	2014/07/07	. .950	2015/07	
ZINC	01092	012	2014/07/07	< 50.000	2015/07	

PS Code: 1910048-002

Source Name: EARL SCHMIDT WTP EFFLUENT - TREATED

Source Number: 002

Source Status: ACTIVE TREATED

Water type: S

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910048

System Name: CASTAIC LAKE WATER AGENCY

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910048-003

Source Name: RIO VISTA WTP EFFLUENT - TREATED

Source Number: 003

Source Status: ACTIVE TREATED

Water type: S

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

PS Code: 1910048-004

Source Name: SAUGUS WELL 01

Source Number: 004

Source Status: ACTIVE RAW

Water type: G

INORGANIC

ALUMINUM	01105	036	2014/05/05	< 50.000	2017/05
ANTIMONY	01097	036	2014/05/05	< 6.000	2017/05
ARSENIC	01002	036	2014/05/05	< 2.000	2017/05
BARIUM	01007	036	2014/05/05	< 100.000	2017/05
BERYLLIUM	01012	036	2014/05/05	< 1.000	2017/05
CADMIUM	01027	036	2014/05/05	< 1.000	2017/05
CHROMIUM (TOTAL)	01034	036	2014/05/05	< 10.000	2017/05
CHROMIUM, HEXAVALENT	01032	036	2013/03/04	. 1.500	2016/03
CYANIDE	01291	036	2011/07/21	< 100.000	2014/07
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/05/05	. .300	2017/05
MERCURY	71900	036	2013/03/04	< 1.000	2016/03
NICKEL	01067	036	2014/05/05	< 10.000	2017/05
PERCHLORATE	A-031	001	2014/05/22	. 13.000	2014/06 DUE
SELENIUM	01147	036	2014/05/05	< 5.000	2017/05
THALLIUM	01059	036	2014/05/05	< 1.000	2017/05

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2014/05/05	. 15.100	2015/05
NITRITE (AS N)	00620	036	2014/05/05	< 400.000	2017/05

RADIOLOGICAL

GROSS ALPHA	01501	012	2012/01/09	< 3.000	2013/01 DUE
--------------------	--------------	------------	-------------------	-------------------	--------------------

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910048

System Name: CASTAIC LAKE WATER AGENCY

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

PS Code: 1910048-004

Source Name: SAUGUS WELL 01

Source Number: 004

Source Status: ACTIVE RAW

Water type: G

RADIOLOGICAL

GROSS BETA	03501	012	2012/01/09	< 4.000	2013/01	DUE
RADIUM 226	09501	012	2013/10/21	< 1.000	2014/10	
RADIUM 228	11501	012	2013/10/21	< 1.000	2014/10	
STRONTIUM-90	13501	012	2012/01/09	< 2.000	2013/01	DUE
TRITIUM	07000	012	2012/01/09	< 1000.000	2013/01	DUE
URANIUM (PCI/L)	28012	012	2013/02/14	. 2.200	2014/02	DUE

REGULATED SOC

2,3,7,8-TCDD (DIOXIN)	34676	033	2013/10/21	< 5.000	2016/07	
2,4,5-TP (SILVEX)	39045	033	2013/10/21	< 1.000	2016/07	
2,4-D	39730	033	2013/10/21	< 10.000	2016/07	
ALACHLOR	77825	033	2013/09/09	< 1.000	2016/06	
ATRAZINE	39033	033	2013/03/04	< .500	2015/12	
BENTAZON	38710	033	2013/10/21	< 2.000	2016/07	
BENZO (A) PYRENE	34247	033	2013/03/04	< .100	2015/12	
CARBOFURAN	81405	033	2013/09/09	< 5.000	2016/06	
CHLORDANE	39350	033	2013/09/09	< .100	2016/06	
DALAPON	38432	033	2013/10/21	< 10.000	2016/07	
DI(2-ETHYLHEXYL)ADIPATE	A-026	033	2013/03/04	< 5.000	2015/12	
DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2013/03/04	< 3.000	2015/12	
DIBROMOCHLOROPROPANE (DBCP)	38761	033	2013/09/09	< .010	2016/06	
DINOSEB	81287	033	2013/10/21	< 2.000	2016/07	
DIQUAT	78885	033	2013/10/21	< 4.000	2016/07	
ENDOTHALL	38926	033	2013/10/21	< 45.000	2016/07	
ENDRIN	39390	033	2013/09/09	< .100	2016/06	
ETHYLENE DIBROMIDE (EDB)	77651	033	2013/09/09	< .020	2016/06	
GLYPHOSATE	79743	033	2013/10/21	< 25.000	2016/07	
HEPTACHLOR	39410	033	2013/09/09	< .010	2016/06	
HEPTACHLOR EPOXIDE	39420	033	2013/09/09	< .010	2016/06	
HEXACHLOROBENZENE	39700	033	2013/03/04	< .500	2015/12	

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910048

System Name: CASTAIC LAKE WATER AGENCY

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910048-004

Source Name: SAUGUS WELL 01

Source Number: 004

Source Status: ACTIVE RAW

Water type: G

REGULATED SOC

HEXACHLOROCYCLOPENTADIENE	34386	033	2013/03/04	< 1.000	2015/12
LINDANE	39340	033	2013/09/09	< .200	2016/06
METHOXYCHLOR	39480	033	2013/09/09	< 10.000	2016/06
MOLINATE	82199	033	2013/03/04	< 2.000	2015/12
OXAMYL	38865	033	2013/09/09	< 20.000	2016/06
PENTACHLOROPHENOL	39032	033	2013/10/21	< .200	2016/07
PICLORAM	39720	033	2013/10/21	< 1.000	2016/07
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	033	2013/09/09	< .500	2016/06
SIMAZINE	39055	033	2013/03/04	< 1.000	2015/12
THIOBENCARB	A-001	033	2013/03/04	< 1.000	2015/12
TOXAPHENE	39400	033	2013/09/09	< 1.000	2016/06

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	012	2014/05/19	. .000	2015/05
1,1,2,2-TETRACHLOROETHANE	34516	012	2014/05/19	. .000	2015/05
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/05/19	. .000	2015/05
1,1,2-TRICHLOROETHANE	34511	012	2014/05/19	. .000	2015/05
1,1-DICHLOROETHANE	34496	012	2014/05/19	. .000	2015/05
1,1-DICHLOROETHYLENE	34501	012	2014/05/19	. .000	2015/05
1,2,4-TRICHLOROBENZENE	34551	012	2014/05/19	. .000	2015/05
1,2-DICHLOROBENZENE	34536	012	2014/05/19	. .000	2015/05
1,2-DICHLOROETHANE	34531	012	2014/05/19	. .000	2015/05
1,2-DICHLOROPROPANE	34541	012	2014/05/19	. .000	2015/05
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/05/19	. .000	2015/05
1,4-DICHLOROBENZENE	34571	012	2014/05/19	. .000	2015/05
BENZENE	34030	012	2014/05/19	. .000	2015/05
CARBON TETRACHLORIDE	32102	012	2014/05/19	. .000	2015/05
CIS-1,2-DICHLOROETHYLENE	77093	012	2014/05/19	. .000	2015/05
DICHLOROMETHANE	34423	012	2014/05/19	. .000	2015/05
ETHYLBENZENE	34371	012	2014/05/19	. .000	2015/05

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910048

System Name: CASTAIC LAKE WATER AGENCY

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910048-004

Source Name: SAUGUS WELL 01

Source Number: 004

Source Status: ACTIVE RAW

Water type: G

REGULATED VOC

METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/05/19	.000	2015/05
MONOCHLORO BENZENE	34301	012	2014/05/19	.000	2015/05
STYRENE	77128	012	2014/05/19	.000	2015/05
TETRACHLOROETHYLENE	34475	012	2014/05/19	.900	2015/05
TOLUENE	34010	012	2014/05/19	.000	2015/05
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/05/19	.000	2015/05
TRICHLOROETHYLENE	39180	012	2014/05/19	1.500	2015/05
TRICHLOROFLUOROMETHANE	34488	012	2014/05/19	.000	2015/05
VINYL CHLORIDE	39175	012	2014/05/19	.000	2015/05
XYLENES (TOTAL)	81551	012	2014/05/19	.000	2015/05

SECONDARY/GP

BICARBONATE ALKALINITY	00440	036	2014/05/05	254.000	2017/05
CALCIUM	00916	036	2014/05/05	92.200	2017/05
CARBONATE ALKALINITY	00445	036	2014/05/05	.000	2017/05
CHLORIDE	00940	036	2014/05/05	35.100	2017/05
COLOR	00081	036	2014/05/05	< 5.000	2017/05
COPPER	01042	036	2014/05/05	< 50.000	2017/05
FOAMING AGENTS (MBAS)	38260	036	2013/10/21	< .050	2016/10
HARDNESS (TOTAL) AS CaCO3	00900	036	2014/05/05	311.000	2017/05
HYDROXIDE ALKALINITY	71830	036	2014/05/05	.000	2017/05
IRON	01045	036	2014/05/05	< 100.000	2017/05
MAGNESIUM	00927	036	2014/05/05	19.700	2017/05
MANGANESE	01055	036	2014/05/05	< 20.000	2017/05
ODOR THRESHOLD @ 60 C	00086	036	2014/05/05	1.000	2017/05
PH, LABORATORY	00403	036	2014/05/05	7.610	2017/05
SILVER	01077	036	2014/05/05	< 10.000	2017/05
SODIUM	00929	036	2014/05/05	59.100	2017/05
SPECIFIC CONDUCTANCE	00095	036	2014/05/05	747.000	2017/05
SULFATE	00945	036	2014/05/05	134.000	2017/05

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910048

System Name: CASTAIC LAKE WATER AGENCY

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910048-004

Source Name: SAUGUS WELL 01

Source Number: 004

Source Status: ACTIVE RAW

Water type: G

SECONDARY/GP

TOTAL DISSOLVED SOLIDS	70300	036	2014/05/05	. 518.000	2017/05
TURBIDITY, LABORATORY	82079	036	2014/05/05	. .100	2017/05
ZINC	01092	036	2014/05/05	< 50.000	2017/05

PS Code: 1910048-005

Source Name: SAUGUS WELL 02

Source Number: 005

Source Status: ACTIVE RAW

Water type: G

INORGANIC

ALUMINUM	01105	036	2014/07/07	< 50.000	2017/07
ANTIMONY	01097	036	2014/07/07	< 6.000	2017/07
ARSENIC	01002	036	2014/07/07	< 2.000	2017/07
BARIUM	01007	036	2014/07/07	< 100.000	2017/07
BERYLLIUM	01012	036	2014/07/07	< 1.000	2017/07
CADMIUM	01027	036	2014/07/07	< 1.000	2017/07
CHROMIUM (TOTAL)	01034	036	2014/07/07	< 10.000	2017/07
CHROMIUM, HEXAVALENT	01032	036	2013/03/04	. 1.400	2016/03
CYANIDE	01291	036	2012/04/09	< 100.000	2015/04
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/07/07	. .200	2017/07
MERCURY	71900	036	2013/03/04	< 1.000	2016/03
NICKEL	01067	036	2014/07/07	< 10.000	2017/07
PERCHLORATE	A-031	001	2014/07/31	. 24.000	2014/08
SELENIUM	01147	036	2014/07/07	< 5.000	2017/07
THALLIUM	01059	036	2014/07/07	< 1.000	2017/07

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2014/07/07	. 11.600	2015/07
NITRITE (AS N)	00620	036	2014/07/07	< 400.000	2017/07

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910048

System Name: CASTAIC LAKE WATER AGENCY

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910048-005

Source Name: SAUGUS WELL 02

Source Number: 005

Source Status: ACTIVE RAW

Water type: G

RADIOLOGICAL

GROSS ALPHA	01501	012	2013/02/14	< 3.000	2014/02	DUE
GROSS BETA	03501	012	2013/02/14	< 4.000	2014/02	DUE
RADIUM 226	09501	012	2013/02/14	< 1.000	2014/02	DUE
RADIUM 228	11501	012	2013/02/14	< 1.000	2014/02	DUE
STRONTIUM-90	13501	012	2013/01/07	< 2.000	2014/01	DUE
TRITIUM	07000	012	2013/01/07	< 1000.000	2014/01	DUE
URANIUM (PCI/L)	28012	012	2013/02/14	. 1.800	2014/02	DUE

REGULATED SOC

2,3,7,8-TCDD (DIOXIN)	34676	033	2013/09/09	< 5.000	2016/06
2,4,5-TP (SILVEX)	39045	033	2013/09/09	< 1.000	2016/06
2,4-D	39730	033	2013/09/09	< 10.000	2016/06
ALACHLOR	77825	033	2013/09/09	< 1.000	2016/06
ATRAZINE	39033	033	2013/03/04	< .500	2015/12
BENTAZON	38710	033	2013/09/09	< 2.000	2016/06
BENZO (A) PYRENE	34247	033	2013/03/04	< .100	2015/12
CARBOFURAN	81405	033	2013/09/09	< 5.000	2016/06
CHLORDANE	39350	033	2013/09/09	< .100	2016/06
DALAPON	38432	033	2013/09/09	< 10.000	2016/06
DI(2-ETHYLHEXYL)ADIPATE	A-026	033	2013/03/04	< 5.000	2015/12
DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2013/03/04	< 3.000	2015/12
DIBROMOCHLOROPROPANE (DBCP)	38761	033	2013/09/09	< .010	2016/06
DINOSEB	81287	033	2013/09/09	< 2.000	2016/06
DIQUAT	78885	033	2013/09/09	< 4.000	2016/06
ENDOTHALL	38926	033	2013/09/09	< 45.000	2016/06
ENDRIN	39390	033	2013/09/09	< .100	2016/06
ETHYLENE DIBROMIDE (EDB)	77651	033	2013/09/09	< .020	2016/06
GLYPHOSATE	79743	033	2013/09/09	< 25.000	2016/06
HEPTACHLOR	39410	033	2013/09/09	< .010	2016/06
HEPTACHLOR EPOXIDE	39420	033	2013/09/09	< .010	2016/06

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910048

System Name: CASTAIC LAKE WATER AGENCY

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910048-005

Source Name: SAUGUS WELL 02

Source Number: 005

Source Status: ACTIVE RAW

Water type: G

REGULATED SOC

HEXACHLOROBENZENE	39700	033	2013/03/04	< .500	2015/12
HEXACHLOROCYCLOPENTADIENE	34386	033	2013/03/04	< 1.000	2015/12
LINDANE	39340	033	2013/09/09	< .200	2016/06
METHOXYCHLOR	39480	033	2013/09/09	< 10.000	2016/06
MOLINATE	82199	033	2013/03/04	< 2.000	2015/12
OXAMYL	38865	033	2013/09/09	< 20.000	2016/06
PENTACHLOROPHENOL	39032	033	2013/09/09	< .200	2016/06
PICLORAM	39720	033	2013/09/09	< 1.000	2016/06
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	033	2013/09/09	< .500	2016/06
SIMAZINE	39055	033	2013/03/04	< 1.000	2015/12
THIOBENCARB	A-001	033	2013/03/04	< 1.000	2015/12
TOXAPHENE	39400	033	2013/09/09	< 1.000	2016/06

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	012	2014/07/28	< .000	2015/07
1,1,2,2-TETRACHLOROETHANE	34516	012	2014/07/28	< .000	2015/07
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/07/28	< .000	2015/07
1,1,2-TRICHLOROETHANE	34511	012	2014/07/28	< .000	2015/07
1,1-DICHLOROETHANE	34496	012	2014/07/28	< .000	2015/07
1,1-DICHLOROETHYLENE	34501	012	2014/07/28	< .000	2015/07
1,2,4-TRICHLOROETHANE	34551	012	2014/07/28	< .000	2015/07
1,2-DICHLOROETHANE	34536	012	2014/07/28	< .000	2015/07
1,2-DICHLOROETHANE	34531	012	2014/07/28	< .000	2015/07
1,2-DICHLOROPROPANE	34541	012	2014/07/28	< .000	2015/07
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/07/28	< .000	2015/07
1,4-DICHLOROETHANE	34571	012	2014/07/28	< .000	2015/07
BENZENE	34030	012	2014/07/28	< .000	2015/07
CARBON TETRACHLORIDE	32102	012	2014/07/28	< .000	2015/07
CIS-1,2-DICHLOROETHYLENE	77093	012	2014/07/28	< .000	2015/07
DICHLOROMETHANE	34423	012	2014/07/28	< .000	2015/07

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910048

System Name: CASTAIC LAKE WATER AGENCY

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

PS Code: 1910048-005

Source Name: SAUGUS WELL 02

Source Number: 005

Source Status: ACTIVE RAW

Water type: G

REGULATED VOC

ETHYLBENZENE	34371	012	2014/07/28	< .000	2015/07
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/07/28	< .000	2015/07
MONOCHLORO BENZENE	34301	012	2014/07/28	< .000	2015/07
STYRENE	77128	012	2014/07/28	< .000	2015/07
TETRACHLOROETHYLENE	34475	012	2014/07/28	< .000	2015/07
TOLUENE	34010	012	2014/07/28	< .000	2015/07
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/07/28	< .000	2015/07
TRICHLOROETHYLENE	39180	012	2014/07/28	. 820	2015/07
TRICHLOROFUOROMETHANE	34488	012	2014/07/28	< .000	2015/07
VINYL CHLORIDE	39175	012	2014/07/28	< .000	2015/07
XYLENES (TOTAL)	81551	012	2014/07/28	< .000	2015/07

SECONDARY/GP

BICARBONATE ALKALINITY	00440	036	2014/07/07	. 250.000	2017/07
CALCIUM	00916	036	2014/07/07	. 73.600	2017/07
CARBONATE ALKALINITY	00445	036	2014/07/07	< .000	2017/07
CHLORIDE	00940	036	2014/07/07	. 30.400	2017/07
COLOR	00081	036	2014/07/07	< 5.000	2017/07
COPPER	01042	036	2014/07/07	< 50.000	2017/07
FOAMING AGENTS (MBAS)	38260	036	2013/10/21	< .050	2016/10
HARDNESS (TOTAL) AS CaCO3	00900	036	2014/07/07	. 248.000	2017/07
HYDROXIDE ALKALINITY	71830	036	2014/07/07	< .000	2017/07
IRON	01045	036	2014/07/07	< 100.000	2017/07
MAGNESIUM	00927	036	2014/07/07	. 15.600	2017/07
MANGANESE	01055	036	2014/07/07	< 20.000	2017/07
ODOR THRESHOLD @ 60 C	00086	036	2014/07/07	. 1.000	2017/07
PH, LABORATORY	00403	036	2014/07/07	. 7.640	2017/07
SILVER	01077	036	2014/07/07	< 10.000	2017/07
SODIUM	00929	036	2014/07/07	. 50.400	2017/07
SPECIFIC CONDUCTANCE	00095	036	2014/07/07	. 615.000	2017/07

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910048

System Name: CASTAIC LAKE WATER AGENCY

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910048-005

Source Name: SAUGUS WELL 02

Source Number: 005

Source Status: ACTIVE RAW

Water type: G

SECONDARY/GP

SULFATE	00945	036	2014/07/07	. 124.000	2017/07
TOTAL DISSOLVED SOLIDS	70300	036	2014/07/07	. 480.000	2017/07
TURBIDITY, LABORATORY	82079	036	2014/07/07	. .090	2017/07
ZINC	01092	036	2014/07/07	< 50.000	2017/07

PS Code: 1910048-006

Source Name: SAUGUS PERCHLORATE TREATMENT FACILITY

Source Number: 006

Source Status: ACTIVE TREATED

Water type: G

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED *** 999

PS Code: 1910048-007

Source Name: SC-1 (SPTF PERCHLORATE COMPLIANCE)

Source Number: 007

Source Status: ACTIVE TREATED

Water type: G

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED *** 999

PS Code: 1910048-008

Source Name: F (SPTF PERCHLORATE COMPLIANCE)

Source Number: 008

Source Status: ACTIVE TREATED

Water type: G

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED *** 999

*Testing interval is in months;
 0 = No data for this constituent and is DUE NOW
 I = Invalid (NOT) valid analyses reported
 Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910048

System Name: CASTAIC LAKE WATER AGENCY

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

PS Code: 1910048-009

Source Name: V-7 (SPTF PERCHLORATE COMPLIANCE)

Source Number: 009

Source Status: ACTIVE TREATED

Water type: G

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

PS Code: 1910048-010

Source Name: V-5 (SPTF PERCHLORATE COMPLIANCE)

Source Number: 010

Source Status: ACTIVE TREATED

Water type: G

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

PS Code: 1910048-011

Source Name: SC-2 (SPTF PERCHLORATE COMPLIANCE)

Source Number: 011

Source Status: ACTIVE TREATED

Water type: G

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

PS Code: 1910048-012

Source Name: V-4 (TEMP SPTF PERCHLORATE COMPLIANCE)

Source Number: 012

Source Status: ACTIVE TREATED

Water type: G

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910048

System Name: CASTAIC LAKE WATER AGENCY

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910048-800

Source Name: V-2- S.OF NEWHALL RNCH & AURORA-STG2 DBP

Source Number: 800

Source Status: DISTRIBUTION TREATED

Water type: S

HALOACETIC ACIDS

DIBROMOACETIC ACID (DBAA)	82721	003	2014/04/15	. 4.400	2014/07
DICHLOROACETIC ACID (DCAA)	77288	003	2014/04/15	. 2.300	2014/07
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/04/15	. 8.400	2014/07
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/04/15	< 1.000	2014/07
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/04/15	< 2.000	2014/07
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/04/15	. 1.700	2014/07

STATE UCMR

BROMODICHLORMETHANE (THM)	32101	003	2014/04/15	. 14.400	2014/07
BROMOFORM (THM)	32104	003	2014/04/15	. 12.900	2014/07
CHLOROFORM (THM)	32106	003	2014/04/15	. 7.800	2014/07
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/04/15	. 16.600	2014/07

TRIHALOMETHANES

TOTAL TRIHALOMETHANES	82080	003	2014/04/15	. 51.700	2014/07
-----------------------	-------	-----	------------	----------	---------

PS Code: 1910048-801

Source Name: N-1 - 31400 CASTAIC ROAD - STG2 DBP

Source Number: 801

Source Status: DISTRIBUTION TREATED

Water type: S

HALOACETIC ACIDS

DIBROMOACETIC ACID (DBAA)	82721	003	2014/04/15	. 4.200	2014/07
DICHLOROACETIC ACID (DCAA)	77288	003	2014/04/15	. 3.200	2014/07
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/04/15	. 9.100	2014/07
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/04/15	< 1.000	2014/07
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/04/15	< 2.000	2014/07
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/04/15	. 1.700	2014/07

STATE UCMR

BROMODICHLORMETHANE (THM)	32101	003	2014/04/15	. 15.000	2014/07
---------------------------	-------	-----	------------	----------	---------

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910048

System Name: CASTAIC LAKE WATER AGENCY

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910048-801

Source Name: N-1 - 31400 CASTAIC ROAD - STG2 DBP

Source Number: 801

Source Status: DISTRIBUTION TREATED

Water type: S

STATE UCMR

BROMOFORM (THM)	32104	003	2014/04/15	. 13.800	2014/07
CHLOROFORM (THM)	32106	003	2014/04/15	. 8.400	2014/07
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/04/15	. 17.100	2014/07

TRIHALOMETHANES

TOTAL TRIHALOMETHANES	82080	003	2014/04/15	. 54.300	2014/07
-----------------------	-------	-----	------------	----------	---------

PS Code: 1910048-802

Source Name: V-6 - NORTH OF MAGIC MOUNTAIN - STG2 DBP

Source Number: 802

Source Status: DISTRIBUTION TREATED

Water type: S

HALOACETIC ACIDS

DIBROMOACETIC ACID (DBAA)	82721	003	2014/04/16	. 4.800	2014/07
DICHLOROACETIC ACID (DCAA)	77288	003	2014/04/16	. 2.300	2014/07
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/04/16	. 8.500	2014/07
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/04/16	< 1.000	2014/07
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/04/16	< 2.000	2014/07
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/04/16	. 1.400	2014/07

STATE UCMR

BROMODICHLORMETHANE (THM)	32101	003	2014/04/16	. 12.900	2014/07
BROMOFORM (THM)	32104	003	2014/04/16	. 13.200	2014/07
CHLOROFORM (THM)	32106	003	2014/04/16	. 7.300	2014/07
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/04/16	. 15.200	2014/07

TRIHALOMETHANES

TOTAL TRIHALOMETHANES	82080	003	2014/04/16	. 48.600	2014/07
-----------------------	-------	-----	------------	----------	---------

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910048

System Name: CASTAIC LAKE WATER AGENCY

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910048-803

Source Name: LA-3- GARDEN AVE & BISCAILUZ RD-STG2 DBP

Source Number: 803

Source Status: DISTRIBUTION TREATED

Water type: S

HALOACETIC ACIDS

DIBROMOACETIC ACID (DBAA)	82721	003	2013/07/09	. 4.400	2013/10	DUE
DICHLOROACETIC ACID (DCAA)	77288	003	2013/07/09	. 1.500	2013/10	DUE
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2013/07/09	5.900	2013/10	DUE
MONOBROMOACETIC ACID (MBAA)	A-041	003	2013/07/09	< 1.000	2013/10	DUE
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2013/07/09	< 2.000	2013/10	DUE
TRICHLOROACETIC ACID (TCAA)	82723	003	2013/07/09	< 1.000	2013/10	DUE

STATE UCMR

BROMODICHLORMETHANE (THM)	32101	003	2013/04/09	. 1.800	2013/07	DUE
BROMOFORM (THM)	32104	003	2013/04/09	10.000	2013/07	DUE
CHLOROFORM (THM)	32106	003	2013/04/09	< 1.000	2013/07	DUE
DIBROMOCHLOROMETHANE (THM)	32105	003	2013/04/09	6.400	2013/07	DUE

TRIHALOMETHANES

TOTAL TRIHALOMETHANES	82080	003	2013/04/09	. 18.000	2013/07	DUE
-----------------------	-------	-----	------------	----------	---------	-----

PS Code: 1910048-804

Source Name: V-8-MCBEAN PKWY @ VALENCIA BLVD-STG2 DBP

Source Number: 804

Source Status: DISTRIBUTION TREATED

Water type: S

HALOACETIC ACIDS

DIBROMOACETIC ACID (DBAA)	82721	003	2014/04/16	. 4.200	2014/07	
DICHLOROACETIC ACID (DCAA)	77288	003	2014/04/16	. 2.800	2014/07	
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/04/16	. 8.700	2014/07	
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/04/16	< 1.000	2014/07	
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/04/16	< 2.000	2014/07	
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/04/16	. 1.700	2014/07	

STATE UCMR

BROMODICHLORMETHANE (THM)	32101	003	2014/04/16	. 15.400	2014/07	
---------------------------	-------	-----	------------	----------	---------	--

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910048

System Name: CASTAIC LAKE WATER AGENCY

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910048-804

Source Name: V-8-MCBEAN PKWY @ VALENCIA BLVD-STG2 DBP

Source Number: 804

Source Status: DISTRIBUTION TREATED

Water type: S

STATE UCMR

BROMOFORM (THM)	32104	003	2014/04/16	. 13.500	2014/07
CHLOROFORM (THM)	32106	003	2014/04/16	. 8.600	2014/07
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/04/16	. 17.100	2014/07

TRIHALOMETHANES

TOTAL TRIHALOMETHANES	82080	003	2014/04/16	. 54.600	2014/07
-----------------------	-------	-----	------------	----------	---------

PS Code: 1910048-805

Source Name: SC-2-EAST END OF SANTA CLARA ST-STG2 DBP

Source Number: 805

Source Status: DISTRIBUTION TREATED

Water type: S

HALOACETIC ACIDS

DIBROMOACETIC ACID (DBAA)	82721	003	2014/04/14	. 3.600	2014/07
DICHLOROACETIC ACID (DCAA)	77288	003	2014/04/14	. 1.800	2014/07
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/04/14	. 6.600	2014/07
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/04/14	< 1.000	2014/07
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/04/14	< 2.000	2014/07
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/04/14	. 1.200	2014/07

STATE UCMR

BROMODICHLORMETHANE (THM)	32101	003	2014/04/14	. 10.200	2014/07
BROMOFORM (THM)	32104	003	2014/04/14	. 11.100	2014/07
CHLOROFORM (THM)	32106	003	2014/04/14	. 5.400	2014/07
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/04/14	. 12.700	2014/07

TRIHALOMETHANES

TOTAL TRIHALOMETHANES	82080	003	2014/04/14	. 39.400	2014/07
-----------------------	-------	-----	------------	----------	---------

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910048

System Name: CASTAIC LAKE WATER AGENCY

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910048-806

Source Name: N-3 - SAN FERNANDO RD - STG2 DBP

Source Number: 806

Source Status: DISTRIBUTION TREATED

Water type: S

HALOACETIC ACIDS

DIBROMOACETIC ACID (DBAA)	82721	003	2014/04/16	. 4.400	2014/07
DICHLOROACETIC ACID (DCAA)	77288	003	2014/04/16	. 2.000	2014/07
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/04/16	. 7.700	2014/07
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/04/16	< 1.000	2014/07
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/04/16	< 2.000	2014/07
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/04/16	. 1.300	2014/07

STATE UCMR

BROMODICHLORMETHANE (THM)	32101	003	2014/04/16	. 11.900	2014/07
BROMOFORM (THM)	32104	003	2014/04/16	. 12.100	2014/07
CHLOROFORM (THM)	32106	003	2014/04/16	. 6.800	2014/07
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/04/16	. 14.000	2014/07

TRIHALOMETHANES

TOTAL TRIHALOMETHANES	82080	003	2014/04/16	. 44.800	2014/07
-----------------------	-------	-----	------------	----------	---------

PS Code: 1910048-807

Source Name: SC-12 - ROLLING HILLS DR - STG2 DBP

Source Number: 807

Source Status: DISTRIBUTION TREATED

Water type: S

HALOACETIC ACIDS

DIBROMOACETIC ACID (DBAA)	82721	003	2014/04/14	. 3.700	2014/07
DICHLOROACETIC ACID (DCAA)	77288	003	2014/04/14	. 2.300	2014/07
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/04/14	. 7.300	2014/07
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/04/14	< 1.000	2014/07
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/04/14	< 2.000	2014/07
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/04/14	. 1.300	2014/07

STATE UCMR

BROMODICHLORMETHANE (THM)	32101	003	2014/04/14	. 11.200	2014/07
---------------------------	-------	-----	------------	----------	---------

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910048

System Name: CASTAIC LAKE WATER AGENCY

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910048-807

Source Name: SC-12 - ROLLING HILLS DR - STG2 DBP

Source Number: 807

Source Status: DISTRIBUTION TREATED

Water type: S

STATE UCMR

BROMOFORM (THM)	32104	003	2014/04/14	. 12.200	2014/07
CHLOROFORM (THM)	32106	003	2014/04/14	. 5.500	2014/07
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/04/14	. 14.000	2014/07

TRIHALOMETHANES

TOTAL TRIHALOMETHANES	82080	003	2014/04/14	. 42.900	2014/07
-----------------------	-------	-----	------------	----------	---------

PS Code: 1910048-808

Source Name: LA-1-N.GATE PITCHESS DETEN.CNTR-STG2 DBP

Source Number: 808

Source Status: DISTRIBUTION TREATED

Water type: S

HALOACETIC ACIDS

DIBROMOACETIC ACID (DBAA)	82721	003	2013/10/15	. 4.400	2014/01	DUE
DICHLOROACETIC ACID (DCAA)	77288	003	2013/10/15	. 2.700	2014/01	DUE
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2013/10/15	. 7.100	2014/01	DUE
MONOBROMOACETIC ACID (MBAA)	A-041	003	2013/10/15	< 1.000	2014/01	DUE
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2013/10/15	< 2.000	2014/01	DUE
TRICHLOROACETIC ACID (TCAA)	82723	003	2013/10/15	< 1.000	2014/01	DUE

STATE UCMR

BROMODICHLORMETHANE (THM)	32101	003	2013/10/15	. 9.300	2014/01	DUE
BROMOFORM (THM)	32104	003	2013/10/15	11.100	2014/01	DUE
CHLOROFORM (THM)	32106	003	2013/10/15	4.100	2014/01	DUE
DIBROMOCHLOROMETHANE (THM)	32105	003	2013/10/15	17.800	2014/01	DUE

TRIHALOMETHANES

TOTAL TRIHALOMETHANES	82080	003	2013/10/15	. 42.300	2014/01	DUE
-----------------------	-------	-----	------------	----------	---------	-----

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910048

System Name: CASTAIC LAKE WATER AGENCY

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910048-809

Source Name: V-1- THE OLD ROAD & SEDONA WAY-STG2 DBP

Source Number: 809

Source Status: DISTRIBUTION TREATED

Water type: S

HALOACETIC ACIDS

DIBROMOACETIC ACID (DBAA)	82721	003	2014/01/14	. 3.800	2014/04	DUE
DICHLOROACETIC ACID (DCAA)	77288	003	2014/01/14	< 1.000	2014/04	DUE
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/01/14	. 3.800	2014/04	DUE
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/01/14	< 1.000	2014/04	DUE
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/01/14	< 2.000	2014/04	DUE
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/01/14	< 1.000	2014/04	DUE

STATE UCMR

BROMODICHLORMETHANE (THM)	32101	003	2014/04/15	. 13.900	2014/07
BROMOFORM (THM)	32104	003	2014/04/15	. 11.800	2014/07
CHLOROFORM (THM)	32106	003	2014/04/15	. 7.800	2014/07
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/04/15	. 15.800	2014/07

TRIHALOMETHANES

TOTAL TRIHALOMETHANES	82080	003	2014/04/15	. 49.300	2014/07
-----------------------	-------	-----	------------	----------	---------

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910049

System Name: HUNTINGTON PARK-CITY, WATER DEPT.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910049-004

Source Name: WELL 12

Source Number: 004

Source Status: ACTIVE RAW

Water type: G

INORGANIC

ALUMINUM	01105	036	2013/04/18	< 50.000	2016/04
ANTIMONY	01097	036	2013/04/18	< 6.000	2016/04
ARSENIC	01002	036	2013/04/18	. 2.600	2016/04
BARIUM	01007	036	2013/04/18	140.000	2016/04
BERYLLIUM	01012	036	2013/04/18	< 1.000	2016/04
CADMIUM	01027	036	2013/04/18	< 1.000	2016/04
CHROMIUM (TOTAL)	01034	036	2013/04/18	< 10.000	2016/04
CYANIDE	01291	036	2013/04/18	< 100.000	2016/04
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/04/18	. .400	2016/04
MERCURY	71900	036	2013/04/18	< 1.000	2016/04
NICKEL	01067	036	2013/04/18	< 10.000	2016/04
PERCHLORATE	A-031	012	2013/10/22	. .000	2014/10
SELENIUM	01147	036	2013/04/18	< 5.000	2016/04
THALLIUM	01059	036	2013/04/18	< 1.000	2016/04

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2014/04/01	. 2.100	2015/04
NITRITE (AS N)	00620	036	2013/04/18	< 400.000	2016/04

RADIOLOGICAL

GROSS ALPHA	01501	072	2013/10/22	. 2.500	2019/10
URANIUM (PCI/L)	28012	072	2013/10/22	. 1.400	2019/10

REGULATED SOC

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2012/07/27	< 3.000	2015/04
THIOBENCARB	A-001	033	2012/07/27	< 1.000	2015/04

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	012	2014/04/01	< .500	2015/04
1,1,2,2-TETRACHLOROETHANE	34516	012	2014/04/01	< .500	2015/04
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/04/01	< 10.000	2015/04
1,1,2-TRICHLOROETHANE	34511	012	2014/04/01	< .500	2015/04

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910049

System Name: HUNTINGTON PARK-CITY, WATER DEPT.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

PS Code: 1910049-004

Source Name: WELL 12

Source Number: 004

Source Status: ACTIVE RAW

Water type: G

REGULATED VOC

1,1-DICHLOROETHANE	34496	012	2014/04/01	< .500	2015/04
1,1-DICHLOROETHYLENE	34501	012	2014/04/01	< .500	2015/04
1,2,4-TRICHLOROBENZENE	34551	012	2014/04/01	< .500	2015/04
1,2-DICHLOROBENZENE	34536	012	2014/04/01	< .500	2015/04
1,2-DICHLOROETHANE	34531	012	2014/04/01	< .500	2015/04
1,2-DICHLOROPROPANE	34541	012	2014/04/01	< .500	2015/04
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/04/01	< .500	2015/04
1,4-DICHLOROBENZENE	34571	012	2014/04/01	< .500	2015/04
BENZENE	34030	012	2014/04/01	< .500	2015/04
CARBON TETRACHLORIDE	32102	012	2014/04/01	< .500	2015/04
CIS-1,2-DICHLOROETHYLENE	77093	012	2014/04/01	< .500	2015/04
DICHLOROMETHANE	34423	012	2014/04/01	< .500	2015/04
ETHYLBENZENE	34371	012	2014/04/01	< .500	2015/04
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/04/01	< 3.000	2015/04
MONOCHLOROBENZENE	34301	012	2014/04/01	< .500	2015/04
STYRENE	77128	012	2014/04/01	< .500	2015/04
TETRACHLOROETHYLENE	34475	012	2014/04/01	< .500	2015/04
TOLUENE	34010	012	2014/04/01	< .500	2015/04
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/04/01	< .500	2015/04
TRICHLOROETHYLENE	39180	012	2014/07/01	< .500	2015/07
TRICHLOROFUOROMETHANE	34488	012	2014/04/01	< 5.000	2015/04
VINYL CHLORIDE	39175	012	2014/04/01	< .500	2015/04
XYLENES (TOTAL)	81551	012	2014/04/01	< .000	2015/04

SECONDARY/GP

BICARBONATE ALKALINITY	00440	036	2013/04/18	. 200.000	2016/04
CALCIUM	00916	036	2013/04/18	. 64.000	2016/04
CARBONATE ALKALINITY	00445	036	2013/04/18	< 2.400	2016/04
CHLORIDE	00940	036	2013/04/18	. 38.000	2016/04
COLOR	00081	036	2013/04/18	< 1.000	2016/04

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910049

System Name: HUNTINGTON PARK-CITY, WATER DEPT.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910049-004

Source Name: WELL 12

Source Number: 004

Source Status: ACTIVE RAW

Water type: G

SECONDARY/GP

COPPER	01042	036	2013/04/18	< 50.000	2016/04
FOAMING AGENTS (MBAS)	38260	036	2013/04/18	< .100	2016/04
HARDNESS (TOTAL) AS CaCO3	00900	036	2013/04/18	. 220.000	2016/04
HYDROXIDE ALKALINITY	71830	036	2013/04/18	< 1.400	2016/04
IRON	01045	036	2013/04/18	< 100.000	2016/04
MAGNESIUM	00927	036	2013/04/18	. 13.000	2016/04
MANGANESE	01055	036	2014/07/01	. 46.000	2017/07
ODOR THRESHOLD @ 60 C	00086	036	2013/04/18	< 1.000	2016/04
PH, LABORATORY	00403	036	2013/04/18	. 8.290	2016/04
SILVER	01077	036	2013/04/18	< 10.000	2016/04
SODIUM	00929	036	2013/04/18	47.000	2016/04
SPECIFIC CONDUCTANCE	00095	036	2013/04/18	. 610.000	2016/04
SULFATE	00945	036	2013/04/18	85.000	2016/04
TOTAL DISSOLVED SOLIDS	70300	036	2013/04/18	. 350.000	2016/04
TURBIDITY, LABORATORY	82079	036	2013/04/18	< .100	2016/04
ZINC	01092	036	2013/04/18	< 50.000	2016/04

PS Code: 1910049-005

Source Name: WELL 14

Source Number: 005

Source Status: ACTIVE RAW

Water type: G

INORGANIC

ALUMINUM	01105	036	2013/04/18	< 50.000	2016/04
ANTIMONY	01097	036	2013/04/18	< 6.000	2016/04
ARSENIC	01002	036	2013/04/18	< 2.000	2016/04
BARIUM	01007	036	2013/04/18	< 100.000	2016/04
BERYLLIUM	01012	036	2013/04/18	< 1.000	2016/04
CADMIUM	01027	036	2013/04/18	< 1.000	2016/04

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910049

System Name: HUNTINGTON PARK-CITY, WATER DEPT.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910049-005

Source Name: WELL 14

Source Number: 005

Source Status: ACTIVE RAW

Water type: G

INORGANIC

CHROMIUM (TOTAL)	01034	036	2013/04/18	< 10.000	2016/04
CYANIDE	01291	036	2013/04/18	< 100.000	2016/04
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/04/18	. 380	2016/04
MERCURY	71900	036	2013/04/18	< 1.000	2016/04
NICKEL	01067	036	2013/04/18	< 10.000	2016/04
PERCHLORATE	A-031	012	2013/10/22	. 000	2014/10
SELENIUM	01147	036	2013/04/18	< 5.000	2016/04
THALLIUM	01059	036	2013/04/18	< 1.000	2016/04

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2014/04/01	. 2.400	2015/04
NITRITE (AS N)	00620	036	2013/04/18	< 400.000	2016/04

RADIOLOGICAL

GROSS ALPHA	01501	072	2013/10/22	. 2.850	2019/10
URANIUM (PCI/L)	28012	072	2013/10/22	. 2.700	2019/10

REGULATED SOC

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2012/07/27	< 3.000	2015/04
THIOBENCARB	A-001	033	2012/07/27	< 1.000	2015/04

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	012	2014/04/01	< .500	2015/04
1,1,2,2-TETRACHLOROETHANE	34516	012	2014/04/01	< .500	2015/04
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/04/01	< 10.000	2015/04
1,1,2-TRICHLOROETHANE	34511	012	2014/04/01	< .500	2015/04
1,1-DICHLOROETHANE	34496	012	2014/04/01	< .500	2015/04
1,1-DICHLOROETHYLENE	34501	012	2014/04/01	< .500	2015/04
1,2,4-TRICHLOROBENZENE	34551	012	2014/04/01	< .500	2015/04
1,2-DICHLOROBENZENE	34536	012	2014/04/01	< .500	2015/04
1,2-DICHLOROETHANE	34531	012	2014/04/01	< .500	2015/04
1,2-DICHLOROPROPANE	34541	012	2014/04/01	< .500	2015/04

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910049

System Name: HUNTINGTON PARK-CITY, WATER DEPT.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910049-005

Source Name: WELL 14

Source Number: 005

Source Status: ACTIVE RAW

Water type: G

REGULATED VOC

1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/04/01	< .500	2015/04
1,4-DICHLOROBENZENE	34571	012	2014/04/01	< .500	2015/04
BENZENE	34030	012	2014/04/01	< .500	2015/04
CARBON TETRACHLORIDE	32102	012	2014/04/01	< .500	2015/04
CIS-1,2-DICHLOROETHYLENE	77093	012	2014/04/01	< .500	2015/04
DICHLOROMETHANE	34423	012	2014/04/01	< .500	2015/04
ETHYLBENZENE	34371	012	2014/04/01	< .500	2015/04
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/04/01	< 3.000	2015/04
MONOCHLOROBENZENE	34301	012	2014/04/01	< .500	2015/04
STYRENE	77128	012	2014/04/01	< .500	2015/04
TETRACHLOROETHYLENE	34475	012	2014/04/01	< .500	2015/04
TOLUENE	34010	012	2014/04/01	< .500	2015/04
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/04/01	< .500	2015/04
TRICHLOROETHYLENE	39180	012	2014/07/01	< .500	2015/07
TRICHLOROFUOROMETHANE	34488	012	2014/04/01	< 5.000	2015/04
VINYL CHLORIDE	39175	012	2014/04/01	< .500	2015/04
XYLENES (TOTAL)	81551	012	2014/04/01	< .000	2015/04

SECONDARY/GP

BICARBONATE ALKALINITY	00440	036	2013/04/18	. 210.000	2016/04
CALCIUM	00916	036	2013/04/18	. 65.000	2016/04
CARBONATE ALKALINITY	00445	036	2013/04/18	< 2.400	2016/04
CHLORIDE	00940	036	2013/04/18	. 36.000	2016/04
COLOR	00081	036	2013/04/18	< 1.000	2016/04
COPPER	01042	036	2013/04/18	< 50.000	2016/04
FOAMING AGENTS (MBAS)	38260	036	2013/04/18	< .100	2016/04
HARDNESS (TOTAL) AS CaCO3	00900	036	2013/04/18	. 220.000	2016/04
HYDROXIDE ALKALINITY	71830	036	2013/04/18	< 1.400	2016/04
IRON	01045	036	2013/04/18	< 100.000	2016/04
MAGNESIUM	00927	036	2013/04/18	. 15.000	2016/04

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910049

System Name: HUNTINGTON PARK-CITY, WATER DEPT.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910049-005

Source Name: WELL 14

Source Number: 005

Source Status: ACTIVE RAW

Water type: G

SECONDARY/GP

MANGANESE	01055	036	2013/04/18	< 20.000	2016/04
ODOR THRESHOLD @ 60 C	00086	036	2013/04/18	< 1.000	2016/04
PH, LABORATORY	00403	036	2013/04/18	. 8.280	2016/04
SILVER	01077	036	2013/04/18	< 10.000	2016/04
SODIUM	00929	036	2013/04/18	47.000	2016/04
SPECIFIC CONDUCTANCE	00095	036	2013/04/18	. 610.000	2016/04
SULFATE	00945	036	2013/04/18	82.000	2016/04
TOTAL DISSOLVED SOLIDS	70300	036	2013/04/18	. 370.000	2016/04
TURBIDITY, LABORATORY	82079	036	2013/04/18	< .100	2016/04
ZINC	01092	036	2013/04/18	< 50.000	2016/04

PS Code: 1910049-006

Source Name: WELL 15

Source Number: 006

Source Status: ACTIVE RAW

Water type: G

INORGANIC

ALUMINUM	01105	036	2014/07/01	. 88.000	2017/07
ANTIMONY	01097	036	2014/07/01	< 6.000	2017/07
ARSENIC	01002	036	2014/07/01	< 2.000	2017/07
BARIUM	01007	036	2014/07/01	< 100.000	2017/07
BERYLLIUM	01012	036	2014/07/01	< 1.000	2017/07
CADMIUM	01027	036	2014/07/01	< 1.000	2017/07
CHROMIUM (TOTAL)	01034	036	2014/07/01	< 10.000	2017/07
CYANIDE	01291	036	2014/07/01	< 100.000	2017/07
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/07/01	. .340	2017/07
MERCURY	71900	036	2014/07/01	< 1.000	2017/07
NICKEL	01067	036	2014/07/01	< 10.000	2017/07
PERCHLORATE	A-031	012	2013/10/22	. .000	2014/10

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910049

System Name: HUNTINGTON PARK-CITY, WATER DEPT.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910049-006

Source Name: WELL 15

Source Number: 006

Source Status: ACTIVE RAW

Water type: G

INORGANIC

SELENIUM	01147	036	2014/07/01	< 5.000	2017/07
THALLIUM	01059	036	2014/07/01	< 1.000	2017/07

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2014/07/01	< 2.000	2015/07
NITRITE (AS N)	00620	036	2014/07/01	< 400.000	2017/07

RADIOLOGICAL

GROSS ALPHA	01501	072	2013/10/22	. 4.600	2019/10
RADIUM 226	09501	036	2007/12/10	.210	2010/12 DUE
RADIUM 228	11501	036	2013/10/22	. .000	2016/10
URANIUM (PCI/L)	28012	072	2013/10/22	. 2.900	2019/10

REGULATED SOC

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2012/07/27	< 3.000	2015/04
THIOBENCARB	A-001	033	2012/07/27	< 1.000	2015/04

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	012	2014/04/01	< .500	2015/04
1,1,2,2-TETRACHLOROETHANE	34516	012	2014/04/01	< .500	2015/04
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/04/01	< 10.000	2015/04
1,1,2-TRICHLOROETHANE	34511	012	2014/04/01	< .500	2015/04
1,1-DICHLOROETHANE	34496	012	2014/04/01	< .500	2015/04
1,1-DICHLOROETHYLENE	34501	012	2014/04/01	< .500	2015/04
1,2,4-TRICHLOROBENZENE	34551	012	2014/04/01	< .500	2015/04
1,2-DICHLOROBENZENE	34536	012	2014/04/01	< .500	2015/04
1,2-DICHLOROETHANE	34531	012	2014/04/01	< .500	2015/04
1,2-DICHLOROPROPANE	34541	012	2014/04/01	< .500	2015/04
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/04/01	< .500	2015/04
1,4-DICHLOROBENZENE	34571	012	2014/04/01	< .500	2015/04
BENZENE	34030	012	2014/04/01	< .500	2015/04
CARBON TETRACHLORIDE	32102	012	2014/04/01	< .500	2015/04

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910049

System Name: HUNTINGTON PARK-CITY, WATER DEPT.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910049-006

Source Name: WELL 15

Source Number: 006

Source Status: ACTIVE RAW

Water type: G

REGULATED VOC

CIS-1,2-DICHLOROETHYLENE	77093	012	2014/04/01	< .500	2015/04
DICHLOROMETHANE	34423	012	2014/04/01	< .500	2015/04
ETHYLBENZENE	34371	012	2014/04/01	< .500	2015/04
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/04/01	< 3.000	2015/04
MONOCHLOROBENZENE	34301	012	2014/04/01	< .500	2015/04
STYRENE	77128	012	2014/04/01	< .500	2015/04
TETRACHLOROETHYLENE	34475	012	2014/04/01	< .500	2015/04
TOLUENE	34010	012	2014/04/01	< .500	2015/04
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/04/01	< .500	2015/04
TRICHLOROETHYLENE	39180	012	2014/07/30	< .000	2015/07
TRICHLOROFUOROMETHANE	34488	012	2014/04/01	< 5.000	2015/04
VINYL CHLORIDE	39175	012	2014/04/01	< .500	2015/04
XYLENES (TOTAL)	81551	012	2014/04/01	< .000	2015/04

SECONDARY/GP

BICARBONATE ALKALINITY	00440	036	2014/07/01	. 230.000	2017/07
CALCIUM	00916	036	2014/07/01	. 60.000	2017/07
CARBONATE ALKALINITY	00445	036	2014/07/01	< .000	2017/07
CHLORIDE	00940	036	2014/07/01	. 25.000	2017/07
COLOR	00081	036	2014/07/01	< .000	2017/07
COPPER	01042	036	2014/07/01	< 50.000	2017/07
FOAMING AGENTS (MBAS)	38260	036	2014/07/01	. .054	2017/07
HARDNESS (TOTAL) AS CaCO3	00900	036	2014/07/01	. 200.000	2017/07
HYDROXIDE ALKALINITY	71830	036	2014/07/01	< .000	2017/07
IRON	01045	036	2014/07/01	. 210.000	2017/07
MAGNESIUM	00927	036	2014/07/01	. 13.000	2017/07
MANGANESE	01055	036	2014/07/01	< 20.000	2017/07
ODOR THRESHOLD @ 60 C	00086	036	2014/07/01	. 1.000	2017/07
PH, LABORATORY	00403	036	2014/07/01	. 7.890	2017/07
SILVER	01077	036	2014/07/01	< 10.000	2017/07

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910049

System Name: HUNTINGTON PARK-CITY, WATER DEPT.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910049-006

Source Name: WELL 15

Source Number: 006

Source Status: ACTIVE RAW

Water type: G

SECONDARY/GP

SODIUM	00929	036	2014/07/01	. 39.000	2017/07
SPECIFIC CONDUCTANCE	00095	036	2014/07/01	. 580.000	2017/07
SULFATE	00945	036	2014/07/01	. 79.000	2017/07
TOTAL DISSOLVED SOLIDS	70300	036	2014/07/01	. 370.000	2017/07
TURBIDITY, LABORATORY	82079	036	2014/07/01	< .000	2017/07
ZINC	01092	036	2014/07/01	< 50.000	2017/07

PS Code: 1910049-007

Source Name: WELL 16

Source Number: 007

Source Status: ACTIVE RAW

Water type: G

INORGANIC

ALUMINUM	01105	036	2014/04/28	< 50.000	2017/04
ANTIMONY	01097	036	2014/04/28	< 6.000	2017/04
ARSENIC	01002	036	2014/04/28	< 2.000	2017/04
BARIUM	01007	036	2014/04/28	. 110.000	2017/04
BERYLLIUM	01012	036	2014/04/28	< 1.000	2017/04
CADMIUM	01027	036	2014/04/28	< 1.000	2017/04
CHROMIUM (TOTAL)	01034	036	2014/04/28	< 10.000	2017/04
CYANIDE	01291	036	2014/04/28	< 100.000	2017/04
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/04/28	. .440	2017/04
MERCURY	71900	036	2014/04/28	< 1.000	2017/04
NICKEL	01067	036	2014/04/28	< 10.000	2017/04
PERCHLORATE	A-031	012	2014/04/28	< 4.000	2015/04
SELENIUM	01147	036	2014/04/28	< 5.000	2017/04
THALLIUM	01059	036	2014/04/28	< 1.000	2017/04

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2014/04/28	< 2.000	2015/04
------------------	-------	-----	------------	---------	---------

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910049

System Name: HUNTINGTON PARK-CITY, WATER DEPT.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910049-007

Source Name: WELL 16

Source Number: 007

Source Status: ACTIVE RAW

Water type: G

NITRATE/NITRITE

NITRITE (AS N)	00620	036	2014/04/28	< 400.000	2017/04
----------------	-------	-----	------------	-----------	---------

RADIOLOGICAL

GROSS ALPHA	01501	072	2014/04/28	< 3.000	2020/04
URANIUM (PCI/L)	28012	072	2014/04/28	< 1.000	2020/04

REGULATED SOC

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2012/07/27	< 3.000	2015/04
THIOBENCARB	A-001	033	2012/07/27	< 1.000	2015/04

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	012	2014/04/28	< .500	2015/04
1,1,2,2-TETRACHLOROETHANE	34516	012	2014/04/28	< .500	2015/04
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/04/28	< 10.000	2015/04
1,1,2-TRICHLOROETHANE	34511	012	2014/04/28	< .500	2015/04
1,1-DICHLOROETHANE	34496	012	2014/04/28	< .500	2015/04
1,1-DICHLOROETHYLENE	34501	012	2014/04/28	< .500	2015/04
1,2,4-TRICHLOROBENZENE	34551	012	2014/04/28	< .500	2015/04
1,2-DICHLOROBENZENE	34536	012	2014/04/28	< .500	2015/04
1,2-DICHLOROETHANE	34531	012	2014/04/28	< .500	2015/04
1,2-DICHLOROPROPANE	34541	012	2014/04/28	< .500	2015/04
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/04/28	< .500	2015/04
1,4-DICHLOROBENZENE	34571	012	2014/04/28	< .500	2015/04
BENZENE	34030	012	2014/04/28	< .500	2015/04
CARBON TETRACHLORIDE	32102	012	2014/04/28	< .500	2015/04
CIS-1,2-DICHLOROETHYLENE	77093	012	2014/04/28	< .500	2015/04
DICHLOROMETHANE	34423	012	2014/04/28	< .500	2015/04
ETHYLBENZENE	34371	012	2014/04/28	< .500	2015/04
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/04/28	< 3.000	2015/04
MONOCHLOROBENZENE	34301	012	2014/04/28	< .500	2015/04
STYRENE	77128	012	2014/04/28	< .500	2015/04

*Testing interval is in months;
 0 = No data for this constituent and is DUE NOW
 I = Invalid (NOT) valid analyses reported
 Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910049

System Name: HUNTINGTON PARK-CITY, WATER DEPT.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910049-007

Source Name: WELL 16

Source Number: 007

Source Status: ACTIVE RAW

Water type: G

REGULATED VOC

TETRACHLOROETHYLENE	34475	012	2014/04/28	< .500	2015/04
TOLUENE	34010	012	2014/04/28	< .500	2015/04
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/04/28	< .500	2015/04
TRICHLOROETHYLENE	39180	012	2014/04/28	< .500	2015/04
TRICHLOROFUOROMETHANE	34488	012	2014/04/28	< 5.000	2015/04
VINYL CHLORIDE	39175	012	2014/04/28	< .500	2015/04
XYLENES (TOTAL)	81551	012	2014/04/28	< .000	2015/04

SECONDARY/GP

BICARBONATE ALKALINITY	00440	036	2014/04/28	. 220.000	2017/04
CALCIUM	00916	036	2014/04/28	. 59.000	2017/04
CARBONATE ALKALINITY	00445	036	2014/04/28	< .000	2017/04
CHLORIDE	00940	036	2014/04/28	. 33.000	2017/04
COLOR	00081	036	2014/04/28	< .000	2017/04
COPPER	01042	036	2014/04/28	< 50.000	2017/04
FOAMING AGENTS (MBAS)	38260	036	2014/04/28	< .000	2017/04
HARDNESS (TOTAL) AS CaCO3	00900	036	2014/04/28	. 200.000	2017/04
HYDROXIDE ALKALINITY	71830	036	2014/04/28	< .000	2017/04
IRON	01045	036	2014/04/28	< 100.000	2017/04
MAGNESIUM	00927	036	2014/04/28	. 13.000	2017/04
MANGANESE	01055	036	2014/04/28	. 43.000	2017/04
ODOR THRESHOLD @ 60 C	00086	036	2014/04/28	. 1.000	2017/04
PH, LABORATORY	00403	036	2014/04/28	. 8.100	2017/04
SILVER	01077	036	2014/04/28	< 10.000	2017/04
SODIUM	00929	036	2014/04/28	. 42.000	2017/04
SPECIFIC CONDUCTANCE	00095	036	2014/04/28	. 560.000	2017/04
SULFATE	00945	036	2014/04/28	. 86.000	2017/04
TOTAL DISSOLVED SOLIDS	70300	036	2014/04/28	. 360.000	2017/04
TURBIDITY, LABORATORY	82079	036	2014/04/28	. .380	2017/04
ZINC	01092	036	2014/04/28	< 50.000	2017/04

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910049

System Name: HUNTINGTON PARK-CITY, WATER DEPT.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910049-009

Source Name: WELL 15 - AIR STRIPPING EFF -VOC & CL2

Source Number: 009

Source Status: ACTIVE TREATED

Water type: S

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

PS Code: 1910049-010

Source Name: WELL 18

Source Number: 010

Source Status: ACTIVE RAW

Water type: G

INORGANIC

ALUMINUM	01105	036	2013/04/18	< 50.000	2016/04
ANTIMONY	01097	036	2013/04/18	< 6.000	2016/04
ARSENIC	01002	036	2013/04/18	< 2.000	2016/04
BARIUM	01007	036	2013/04/18	100.000	2016/04
BERYLLIUM	01012	036	2013/04/18	< 1.000	2016/04
CADMIUM	01027	036	2013/04/18	< 1.000	2016/04
CHROMIUM (TOTAL)	01034	036	2013/04/18	< 10.000	2016/04
CYANIDE	01291	036	2013/04/18	< 100.000	2016/04
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/04/18	.380	2016/04
MERCURY	71900	036	2013/04/18	< 1.000	2016/04
NICKEL	01067	036	2013/04/18	< 10.000	2016/04
PERCHLORATE	A-031	012	2013/10/22	.000	2014/10
SELENIUM	01147	036	2013/04/18	< 5.000	2016/04
THALLIUM	01059	036	2013/04/18	< 1.000	2016/04

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2014/04/01	. 2.300	2015/04
NITRITE (AS N)	00620	036	2013/04/18	< 400.000	2016/04

RADIOLOGICAL

GROSS ALPHA	01501	072	2013/04/18	. 3.910	2019/04
URANIUM (PCI/L)	28012	072	2013/04/18	. 2.500	2019/04

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910049

System Name: HUNTINGTON PARK-CITY, WATER DEPT.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910049-010

Source Name: WELL 18

Source Number: 010

Source Status: ACTIVE RAW

Water type: G

REGULATED SOC

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2012/07/27	< 3.000	2015/04
THIOBENCARB	A-001	033	2012/07/27	< 1.000	2015/04

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	012	2014/04/01	< .500	2015/04
1,1,2,2-TETRACHLOROETHANE	34516	012	2014/04/01	< .500	2015/04
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/04/01	< 10.000	2015/04
1,1,2-TRICHLOROETHANE	34511	012	2014/04/01	< .500	2015/04
1,1-DICHLOROETHANE	34496	012	2014/04/01	< .500	2015/04
1,1-DICHLOROETHYLENE	34501	012	2014/04/01	< .500	2015/04
1,2,4-TRICHLOROBENZENE	34551	012	2014/04/01	< .500	2015/04
1,2-DICHLOROBENZENE	34536	012	2014/04/01	< .500	2015/04
1,2-DICHLOROETHANE	34531	012	2014/04/01	< .500	2015/04
1,2-DICHLOROPROPANE	34541	012	2014/04/01	< .500	2015/04
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/04/01	< .500	2015/04
1,4-DICHLOROBENZENE	34571	012	2014/04/01	< .500	2015/04
BENZENE	34030	012	2014/04/01	< .500	2015/04
CARBON TETRACHLORIDE	32102	012	2014/04/01	< .500	2015/04
CIS-1,2-DICHLOROETHYLENE	77093	012	2014/04/01	< .500	2015/04
DICHLOROMETHANE	34423	012	2014/04/01	< .500	2015/04
ETHYLBENZENE	34371	012	2014/04/01	< .500	2015/04
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/04/01	< 3.000	2015/04
MONOCHLOROBENZENE	34301	012	2014/04/01	< .500	2015/04
STYRENE	77128	012	2014/04/01	< .500	2015/04
TETRACHLOROETHYLENE	34475	012	2014/04/01	< .500	2015/04
TOLUENE	34010	012	2014/04/01	< .500	2015/04
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/04/01	< .500	2015/04
TRICHLOROETHYLENE	39180	012	2014/04/01	< .500	2015/04
TRICHLOROFUOROMETHANE	34488	012	2014/04/01	< 5.000	2015/04
VINYL CHLORIDE	39175	012	2014/04/01	< .500	2015/04

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910049

System Name: HUNTINGTON PARK-CITY, WATER DEPT.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910049-010

Source Name: WELL 18

Source Number: 010

Source Status: ACTIVE RAW

Water type: G

REGULATED VOC

XYLENES (TOTAL)	81551	012	2014/04/01	< .000	2015/04
-----------------	-------	-----	------------	--------	---------

SECONDARY/GP

BICARBONATE ALKALINITY	00440	036	2013/04/18	. 200.000	2016/04
CALCIUM	00916	036	2013/04/18	. 65.000	2016/04
CARBONATE ALKALINITY	00445	036	2013/04/18	< 2.400	2016/04
CHLORIDE	00940	036	2013/04/18	. 33.000	2016/04
COLOR	00081	036	2013/04/18	< 1.000	2016/04
COPPER	01042	036	2013/04/18	< 50.000	2016/04
FOAMING AGENTS (MBAS)	38260	036	2013/04/18	< .100	2016/04
HARDNESS (TOTAL) AS CaCO3	00900	036	2013/04/18	. 220.000	2016/04
HYDROXIDE ALKALINITY	71830	036	2013/04/18	< 1.400	2016/04
IRON	01045	036	2014/07/01	< 100.000	2017/07
MAGNESIUM	00927	036	2013/04/18	. 15.000	2016/04
MANGANESE	01055	036	2013/04/18	< 20.000	2016/04
ODOR THRESHOLD @ 60 C	00086	036	2013/04/18	< 1.000	2016/04
PH, LABORATORY	00403	036	2013/04/18	. 8.270	2016/04
SILVER	01077	036	2013/04/18	< 10.000	2016/04
SODIUM	00929	036	2013/04/18	44.000	2016/04
SPECIFIC CONDUCTANCE	00095	036	2013/04/18	. 630.000	2016/04
SULFATE	00945	036	2013/04/18	79.000	2016/04
TOTAL DISSOLVED SOLIDS	70300	036	2013/04/18	. 350.000	2016/04
TURBIDITY, LABORATORY	82079	036	2013/04/18	< .100	2016/04
ZINC	01092	036	2013/04/18	< 50.000	2016/04

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910049

System Name: HUNTINGTON PARK-CITY, WATER DEPT.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

PS Code: 1910049-011

Source Name: MWD CONNECTION CB-8 - TREATED

Source Number: 011

Source Status: PURCHASED TREATED

Water type: S

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

PS Code: 1910049-012

Source Name: WELL 17 - 50% PORT GAC VESSEL1

Source Number: 012

Source Status: ACTIVE TREATED

Water type: S

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

PS Code: 1910049-013

Source Name: WELL 17 - 50% PORT GAC VESSEL2

Source Number: 013

Source Status: ACTIVE TREATED

Water type: S

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

PS Code: 1910049-014

Source Name: WELL 17 - GAC VESSEL1 EFFLUENT

Source Number: 014

Source Status: ACTIVE TREATED

Water type: S

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910049

System Name: HUNTINGTON PARK-CITY, WATER DEPT.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

PS Code: 1910049-015

Source Name: WELL 17 - GAC VESSEL2 EFFLUENT

Source Number: 015

Source Status: ACTIVE TREATED

Water type: S

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

PS Code: 1910049-016

Source Name: WELL 17 - 75% PORT GAC VESSEL1

Source Number: 016

Source Status: ACTIVE TREATED

Water type: S

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

PS Code: 1910049-017

Source Name: WELL 17 - 75% PORT GAC VESSEL2

Source Number: 017

Source Status: ACTIVE TREATED

Water type: S

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

PS Code: 1910049-018

Source Name: WELL 17 - GAC EFFLUENT -COMBINED & CL2

Source Number: 018

Source Status: COMBINATION OR BLEND TREATED

Water type: S

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

*Testing interval is in months;
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910049

System Name: HUNTINGTON PARK-CITY, WATER DEPT.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

PS Code: 1910049-021

Source Name: WELL 17-50% PORT GAC VESSEL 3

Source Number: 021

Source Status: ACTIVE TREATED

Water type: G

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

PS Code: 1910049-024

Source Name: WELL 17-50% PORT GAC VESSEL 4

Source Number: 024

Source Status: ACTIVE TREATED

Water type: G

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

PS Code: 1910049-025

Source Name: WELL 17 -75% PORT GAC VESSEL 3

Source Number: 025

Source Status: ACTIVE TREATED

Water type: S

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

PS Code: 1910049-026

Source Name: WELL 17-75% PORT GAC VESSEL 4

Source Number: 026

Source Status: ACTIVE TREATED

Water type: S

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910049

System Name: HUNTINGTON PARK-CITY, WATER DEPT.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

PS Code: 1910049-027

Source Name: WELL 17-EFFLUENT GAC VESSEL 3

Source Number: 027

Source Status: ACTIVE TREATED

Water type: S

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

PS Code: 1910049-028

Source Name: WELL 17 EFFUENT GAC VESSEL 4

Source Number: 028

Source Status: ACTIVE TREATED

Water type: S

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

PS Code: 1910049-029

Source Name: WELL 17- NO3 BLENDING COMPL PT-SP4

Source Number: 029

Source Status: ACTIVE TREATED

Water type: G

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

PS Code: 1910049-030

Source Name: WELL 17- EAST RESERVOIR EFFLUENT-SP5

Source Number: 030

Source Status: ACTIVE TREATED

Water type: G

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

*Testing interval is in months;
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910049

System Name: HUNTINGTON PARK-CITY, WATER DEPT.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910049-800

Source Name: SITE 1 - 6133 MALABAR STREET - STG2 DBP

Source Number: 800

Source Status: DISTRIBUTION TREATED

Water type: S

HALOACETIC ACIDS

DIBROMOACETIC ACID (DBAA)	82721	003	2014/06/04	. 2.100	2014/09
DICHLOROACETIC ACID (DCAA)	77288	003	2014/06/04	. 4.700	2014/09
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/06/04	. 9.200	2014/09
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/06/04	< .000	2014/09
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/06/04	< .000	2014/09
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/06/04	. 2.400	2014/09

STATE UCMR

BROMODICHLORMETHANE (THM)	32101	003	2014/06/04	. 6.500	2014/09
BROMOFORM (THM)	32104	003	2014/06/04	. 2.200	2014/09
CHLOROFORM (THM)	32106	003	2014/06/04	. 9.700	2014/09
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/06/04	. 6.000	2014/09

TRIHALOMETHANES

TOTAL TRIHALOMETHANES	82080	003	2014/06/04	. 24.400	2014/09
-----------------------	-------	-----	------------	----------	---------

PS Code: 1910049-801

Source Name: SITE 2 - 2111 FLORENCE AVE - STG2 DBP

Source Number: 801

Source Status: DISTRIBUTION TREATED

Water type: S

HALOACETIC ACIDS

DIBROMOACETIC ACID (DBAA)	82721	003	2014/06/04	. 3.500	2014/09
DICHLOROACETIC ACID (DCAA)	77288	003	2014/06/04	. 10.800	2014/09
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/06/04	. 20.400	2014/09
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/06/04	< .000	2014/09
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/06/04	< .000	2014/09
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/06/04	. 6.100	2014/09

STATE UCMR

BROMODICHLORMETHANE (THM)	32101	003	2014/06/04	. 12.400	2014/09
---------------------------	-------	-----	------------	----------	---------

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910049

System Name: HUNTINGTON PARK-CITY, WATER DEPT.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910049-801

Source Name: SITE 2 - 2111 FLORENCE AVE - STG2 DBP

Source Number: 801

Source Status: DISTRIBUTION TREATED

Water type: S

STATE UCMR

BROMOFORM (THM)	32104	003	2014/06/04	. 2.400	2014/09
CHLOROFORM (THM)	32106	003	2014/06/04	. 18.700	2014/09
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/06/04	. 10.300	2014/09

TRIHALOMETHANES

TOTAL TRIHALOMETHANES	82080	003	2014/06/04	. 43.800	2014/09
-----------------------	-------	-----	------------	----------	---------

PS Code: 1910049-802

Source Name: SITE 3 - 6520 COTTAGE AVE - STG2 DBP

Source Number: 802

Source Status: DISTRIBUTION TREATED

Water type: S

HALOACETIC ACIDS

DIBROMOACETIC ACID (DBAA)	82721	003	2014/06/04	. 3.300	2014/09
DICHLOROACETIC ACID (DCAA)	77288	003	2014/06/04	. 10.600	2014/09
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/06/04	. 19.900	2014/09
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/06/04	< .000	2014/09
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/06/04	< .000	2014/09
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/06/04	. 6.000	2014/09

STATE UCMR

BROMODICHLORMETHANE (THM)	32101	003	2014/06/04	. 11.600	2014/09
BROMOFORM (THM)	32104	003	2014/06/04	. 2.500	2014/09
CHLOROFORM (THM)	32106	003	2014/06/04	. 18.300	2014/09
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/06/04	. 9.900	2014/09

TRIHALOMETHANES

TOTAL TRIHALOMETHANES	82080	003	2014/06/04	. 42.300	2014/09
-----------------------	-------	-----	------------	----------	---------

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910049

System Name: HUNTINGTON PARK-CITY, WATER DEPT.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910049-803

Source Name: SITE 4 - 2330 SLAUSON AVE - STG2 DBP

Source Number: 803

Source Status: DISTRIBUTION TREATED

Water type: S

HALOACETIC ACIDS

DIBROMOACETIC ACID (DBAA)	82721	003	2014/06/04	. 3.100	2014/09
DICHLOROACETIC ACID (DCAA)	77288	003	2014/06/04	. 9.400	2014/09
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/06/04	. 17.400	2014/09
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/06/04	< .000	2014/09
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/06/04	< .000	2014/09
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/06/04	. 4.900	2014/09

STATE UCMR

BROMODICHLORMETHANE (THM)	32101	003	2014/06/04	. 10.300	2014/09
BROMOFORM (THM)	32104	003	2014/06/04	. 2.700	2014/09
CHLOROFORM (THM)	32106	003	2014/06/04	. 14.700	2014/09
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/06/04	. 9.400	2014/09

TRIHALOMETHANES

TOTAL TRIHALOMETHANES	82080	003	2014/06/04	. 37.100	2014/09
-----------------------	-------	-----	------------	----------	---------

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910050

System Name: COMMERCE-CITY, WATER DEPT.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910050-005

Source Name: WELL 04L

Source Number: 005

Source Status: ACTIVE RAW

Water type: G

INORGANIC

ALUMINUM	01105	036	2012/05/09	< .000	2015/05
ANTIMONY	01097	036	2012/05/09	< .000	2015/05
ARSENIC	01002	036	2012/05/09	< .000	2015/05
BARIUM	01007	036	2012/05/09	< .000	2015/05
BERYLLIUM	01012	036	2012/05/09	< .000	2015/05
CADMIUM	01027	036	2012/05/09	< .000	2015/05
CHROMIUM (TOTAL)	01034	036	2012/05/09	< .000	2015/05
CHROMIUM, HEXAVALENT	01032	036	2014/07/18	< 1.000	2017/07
CYANIDE	01291	036	2012/05/09	< .000	2015/05
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2012/05/09	.340	2015/05
MERCURY	71900	036	2012/05/09	< .000	2015/05
NICKEL	01067	036	2012/05/09	< .000	2015/05
PERCHLORATE	A-031	012	2014/05/06	< 4.000	2015/05
SELENIUM	01147	036	2012/05/09	< .000	2015/05
THALLIUM	01059	036	2012/05/09	< .000	2015/05

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2014/05/06	.8180	2015/05
NITRITE (AS N)	00620	036	2012/05/09	< .000	2015/05

RADIOLOGICAL

GROSS ALPHA	01501	108	2013/05/07	< 3.000	2022/05
URANIUM (PCI/L)	28012	072	2013/05/06	.692	2019/05

REGULATED SOC

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2013/07/23	< .000	2016/04
THIOBENCARB	A-001	033	2013/07/23	< .000	2016/04

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	012	2014/07/22	< .000	2015/07
1,1,2,2-TETRACHLOROETHANE	34516	012	2014/07/22	< .000	2015/07
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/07/22	< .000	2015/07

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910050

System Name: COMMERCE-CITY, WATER DEPT.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910050-005

Source Name: WELL 04L

Source Number: 005

Source Status: ACTIVE RAW

Water type: G

REGULATED VOC

1,1,2-TRICHLOROETHANE	34511	012	2014/07/22	< .000	2015/07
1,1-DICHLOROETHANE	34496	012	2014/07/22	< .000	2015/07
1,1-DICHLOROETHYLENE	34501	012	2014/07/22	. 3.900	2015/07
1,2,4-TRICHLOROBENZENE	34551	012	2014/07/22	< .000	2015/07
1,2-DICHLOROBENZENE	34536	012	2014/07/22	< .000	2015/07
1,2-DICHLOROETHANE	34531	012	2014/07/22	< .000	2015/07
1,2-DICHLOROPROPANE	34541	012	2014/07/22	< .000	2015/07
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/07/22	< .000	2015/07
1,4-DICHLOROBENZENE	34571	012	2014/07/22	< .000	2015/07
BENZENE	34030	012	2014/07/22	< .000	2015/07
CARBON TETRACHLORIDE	32102	012	2014/07/22	< .000	2015/07
CIS-1,2-DICHLOROETHYLENE	77093	012	2014/07/22	< .000	2015/07
DICHLOROMETHANE	34423	012	2014/07/22	< .000	2015/07
ETHYLBENZENE	34371	012	2014/07/22	< .000	2015/07
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/07/22	< .000	2015/07
MONOCHLOROBENZENE	34301	012	2014/07/22	< .000	2015/07
STYRENE	77128	012	2014/07/22	< .000	2015/07
TETRACHLOROETHYLENE	34475	012	2014/07/22	. 18.240	2015/07
TOLUENE	34010	012	2014/07/22	< .000	2015/07
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/07/22	< .000	2015/07
TRICHLOROETHYLENE	39180	012	2014/07/22	. 30.650	2015/07
TRICHLOROFUOROMETHANE	34488	012	2014/07/22	< .000	2015/07
VINYL CHLORIDE	39175	012	2014/07/22	< .000	2015/07
XYLENES (TOTAL)	81551	012	2014/07/22	< .000	2015/07

SECONDARY/GP

BICARBONATE ALKALINITY	00440	036	2012/05/09	. 180.000	2015/05
CALCIUM	00916	036	2012/05/09	. 58.000	2015/05
CARBONATE ALKALINITY	00445	036	2012/05/09	< .000	2015/05
CHLORIDE	00940	036	2012/05/09	. 60.000	2015/05

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910050

System Name: COMMERCE-CITY, WATER DEPT.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910050-005

Source Name: WELL 04L

Source Number: 005

Source Status: ACTIVE RAW

Water type: G

SECONDARY/GP

COLOR	00081	036	2012/05/09	< .000	2015/05
COPPER	01042	036	2012/05/09	< .000	2015/05
FOAMING AGENTS (MBAS)	38260	036	2012/05/09	< .000	2015/05
HARDNESS (TOTAL) AS CaCO3	00900	036	2012/05/09	. 190.000	2015/05
HYDROXIDE ALKALINITY	71830	036	2012/05/09	< .000	2015/05
IRON	01045	036	2012/05/09	< .000	2015/05
MAGNESIUM	00927	036	2012/05/09	. 11.000	2015/05
MANGANESE	01055	036	2012/05/09	< .000	2015/05
ODOR THRESHOLD @ 60 C	00086	036	2012/05/09	< .000	2015/05
PH, LABORATORY	00403	036	2012/05/09	. 8.100	2015/05
SILVER	01077	036	2012/05/09	< .000	2015/05
SODIUM	00929	036	2012/05/09	57.000	2015/05
SPECIFIC CONDUCTANCE	00095	036	2012/05/09	. 660.000	2015/05
SULFATE	00945	036	2012/05/09	91.000	2015/05
TOTAL DISSOLVED SOLIDS	70300	036	2012/05/09	. 380.000	2015/05
TURBIDITY, LABORATORY	82079	036	2012/05/09	< .000	2015/05
ZINC	01092	036	2012/05/09	< .000	2015/05

PS Code: 1910050-007

Source Name: WELL 06-01

Source Number: 007

Source Status: ACTIVE RAW

Water type: G

INORGANIC

ALUMINUM	01105	036	2012/04/17	< .000	2015/04
ANTIMONY	01097	036	2012/04/17	< .000	2015/04
ARSENIC	01002	036	2012/04/17	< .000	2015/04
BARIUM	01007	036	2012/04/17	< .000	2015/04
BERYLLIUM	01012	036	2012/04/17	< .000	2015/04

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910050

System Name: COMMERCE-CITY, WATER DEPT.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910050-007

Source Name: WELL 06-01

Source Number: 007

Source Status: ACTIVE RAW

Water type: G

INORGANIC

CADMIUM	01027	036	2012/04/17	< .000	2015/04
CHROMIUM (TOTAL)	01034	036	2012/04/17	< .000	2015/04
CYANIDE	01291	036	2012/04/17	< .000	2015/04
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2012/04/17	.390	2015/04
MERCURY	71900	036	2012/04/17	< .000	2015/04
NICKEL	01067	036	2012/04/17	< .000	2015/04
PERCHLORATE	A-031	012	2014/04/15	< 4.000	2015/04
SELENIUM	01147	036	2012/04/17	< .000	2015/04
THALLIUM	01059	036	2012/04/17	< .000	2015/04

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2013/04/30	. 15.782	2014/04 DUE
NITRITE (AS N)	00620	036	2012/04/17	< .000	2015/04

RADIOLOGICAL

GROSS ALPHA	01501	108	2006/11/09	< 3.000	2015/11
-------------	-------	-----	------------	---------	---------

REGULATED SOC

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2013/07/30	< .000	2016/04
THIOBENCARB	A-001	033	2013/07/30	< .000	2016/04

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	012	2014/04/15	. .000	2015/04
1,1,2,2-TETRACHLOROETHANE	34516	012	2014/04/15	. .000	2015/04
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/04/15	. .000	2015/04
1,1,2-TRICHLOROETHANE	34511	012	2014/04/15	. .000	2015/04
1,1-DICHLOROETHANE	34496	012	2014/04/15	. .000	2015/04
1,1-DICHLOROETHYLENE	34501	012	2014/04/15	. .000	2015/04
1,2,4-TRICHLOROBENZENE	34551	012	2014/04/15	. .000	2015/04
1,2-DICHLOROBENZENE	34536	012	2014/04/15	. .000	2015/04
1,2-DICHLOROETHANE	34531	012	2014/04/15	. .000	2015/04
1,2-DICHLOROPROPANE	34541	012	2014/04/15	. .000	2015/04

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910050

System Name: COMMERCE-CITY, WATER DEPT.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910050-007

Source Name: WELL 06-01

Source Number: 007

Source Status: ACTIVE RAW

Water type: G

REGULATED VOC

1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/04/15	.000	2015/04
1,4-DICHLOROBENZENE	34571	012	2014/04/15	.000	2015/04
BENZENE	34030	012	2014/04/15	.000	2015/04
CARBON TETRACHLORIDE	32102	012	2014/04/15	.000	2015/04
CIS-1,2-DICHLOROETHYLENE	77093	012	2014/04/15	.000	2015/04
DICHLOROMETHANE	34423	012	2014/04/15	.000	2015/04
ETHYLBENZENE	34371	012	2014/04/15	.000	2015/04
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/04/15	.000	2015/04
MONOCHLOROBENZENE	34301	012	2014/04/15	.000	2015/04
STYRENE	77128	012	2014/04/15	.000	2015/04
TETRACHLOROETHYLENE	34475	012	2014/04/15	.750	2015/04
TOLUENE	34010	012	2014/04/15	.000	2015/04
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/04/15	.000	2015/04
TRICHLOROETHYLENE	39180	003	2014/04/15	5.870	2014/07
TRICHLOROFUOROMETHANE	34488	012	2014/04/15	.000	2015/04
VINYL CHLORIDE	39175	012	2014/04/15	.000	2015/04
XYLENES (TOTAL)	81551	012	2014/04/15	.000	2015/04

SECONDARY/GP

BICARBONATE ALKALINITY	00440	036	2012/04/17	200.000	2015/04
CALCIUM	00916	036	2012/04/17	68.000	2015/04
CARBONATE ALKALINITY	00445	036	2012/04/17	<.000	2015/04
CHLORIDE	00940	036	2012/04/17	62.000	2015/04
COLOR	00081	036	2012/04/17	<.000	2015/04
COPPER	01042	036	2012/04/17	<.000	2015/04
FOAMING AGENTS (MBAS)	38260	036	2012/04/17	<.000	2015/04
HARDNESS (TOTAL) AS CaCO3	00900	036	2012/04/17	220.000	2015/04
HYDROXIDE ALKALINITY	71830	036	2012/04/17	<.000	2015/04
IRON	01045	036	2012/04/17	<.000	2015/04
MAGNESIUM	00927	036	2012/04/17	13.000	2015/04

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910050

System Name: COMMERCE-CITY, WATER DEPT.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910050-007

Source Name: WELL 06-01

Source Number: 007

Source Status: ACTIVE RAW

Water type: G

SECONDARY/GP

MANGANESE	01055	036	2012/04/17	< .000	2015/04
ODOR THRESHOLD @ 60 C	00086	036	2012/04/17	< .000	2015/04
PH, LABORATORY	00403	036	2012/04/17	. 8.100	2015/04
SILVER	01077	036	2012/04/17	< .000	2015/04
SODIUM	00929	036	2012/04/17	60.000	2015/04
SPECIFIC CONDUCTANCE	00095	036	2012/04/17	. 720.000	2015/04
SULFATE	00945	036	2012/04/17	97.000	2015/04
TOTAL DISSOLVED SOLIDS	70300	036	2012/04/17	. 440.000	2015/04
TURBIDITY, LABORATORY	82079	036	2012/04/17	< .000	2015/04
ZINC	01092	036	2012/04/17	< .000	2015/04

PS Code: 1910050-008

Source Name: WELL 07-01

Source Number: 008

Source Status: ACTIVE RAW

Water type: G

INORGANIC

ALUMINUM	01105	036	2012/06/12	< .000	2015/06
ANTIMONY	01097	036	2012/06/12	< .000	2015/06
ARSENIC	01002	036	2012/06/12	< .000	2015/06
BARIUM	01007	036	2012/06/12	< .000	2015/06
BERYLLIUM	01012	036	2012/06/12	< .000	2015/06
CADMIUM	01027	036	2012/06/12	< .000	2015/06
CHROMIUM (TOTAL)	01034	036	2012/06/12	< .000	2015/06
CHROMIUM, HEXAVALENT	01032	036	2014/07/18	< 1.000	2017/07
CYANIDE	01291	036	2012/06/12	< .000	2015/06
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2012/06/12	. .340	2015/06
MERCURY	71900	036	2012/06/12	< .000	2015/06
NICKEL	01067	036	2012/06/12	< .000	2015/06

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910050

System Name: COMMERCE-CITY, WATER DEPT.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910050-008

Source Name: WELL 07-01

Source Number: 008

Source Status: ACTIVE RAW

Water type: G

INORGANIC

PERCHLORATE	A-031	012	2014/06/02	< 4.000	2015/06
SELENIUM	01147	036	2012/06/12	< .000	2015/06
THALLIUM	01059	036	2012/06/12	< .000	2015/06

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2014/06/02	.773	2015/06
NITRITE (AS N)	00620	036	2012/06/12	< .000	2015/06

RADIOLOGICAL

GROSS ALPHA	01501	108	2007/02/22	< 3.000	2016/02
URANIUM (PCI/L)	28012	072	2013/05/13	.733	2019/05

REGULATED SOC

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2013/07/23	< .000	2016/04
THIOBENCARB	A-001	033	2013/07/23	< .000	2016/04

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	012	2014/06/23	.000	2015/06
1,1,2,2-TETRACHLOROETHANE	34516	012	2014/06/23	.000	2015/06
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/06/23	.000	2015/06
1,1,2-TRICHLOROETHANE	34511	012	2014/06/23	.000	2015/06
1,1-DICHLOROETHANE	34496	012	2014/06/23	.000	2015/06
1,1-DICHLOROETHYLENE	34501	012	2014/06/23	.000	2015/06
1,2,4-TRICHLOROBENZENE	34551	012	2014/06/23	.000	2015/06
1,2-DICHLOROBENZENE	34536	012	2014/06/23	.000	2015/06
1,2-DICHLOROETHANE	34531	012	2014/06/23	.000	2015/06
1,2-DICHLOROPROPANE	34541	012	2014/06/23	.000	2015/06
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/06/23	.000	2015/06
1,4-DICHLOROBENZENE	34571	012	2014/06/23	.000	2015/06
BENZENE	34030	012	2014/06/23	.000	2015/06
CARBON TETRACHLORIDE	32102	012	2014/06/23	.000	2015/06
CIS-1,2-DICHLOROETHYLENE	77093	012	2014/06/23	.000	2015/06

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910050

System Name: COMMERCE-CITY, WATER DEPT.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910050-008

Source Name: WELL 07-01

Source Number: 008

Source Status: ACTIVE RAW

Water type: G

REGULATED VOC

DICHLOROMETHANE	34423	012	2014/06/23	. .000	2015/06
ETHYLBENZENE	34371	012	2014/06/23	. .000	2015/06
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/06/23	. .000	2015/06
MONOCHLORO BENZENE	34301	012	2014/06/23	. .000	2015/06
STYRENE	77128	012	2014/06/23	. .000	2015/06
TETRACHLOROETHYLENE	34475	012	2014/06/23	. .000	2015/06
TOLUENE	34010	012	2014/06/23	. .000	2015/06
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/06/23	. .000	2015/06
TRICHLOROETHYLENE	39180	012	2014/06/23	. .000	2015/06
TRICHLOROFUOROMETHANE	34488	012	2014/06/23	. .000	2015/06
VINYL CHLORIDE	39175	012	2014/06/23	. .000	2015/06
XYLENES (TOTAL)	81551	012	2014/06/23	. .000	2015/06

SECONDARY/GP

BICARBONATE ALKALINITY	00440	036	2012/06/12	. 170.000	2015/06
CALCIUM	00916	036	2012/06/12	. 60.000	2015/06
CARBONATE ALKALINITY	00445	036	2012/06/12	< .000	2015/06
CHLORIDE	00940	036	2012/06/12	. 59.000	2015/06
COLOR	00081	036	2012/06/12	< .000	2015/06
COPPER	01042	036	2012/06/12	< .000	2015/06
FOAMING AGENTS (MBAS)	38260	036	2012/06/12	< .000	2015/06
HARDNESS (TOTAL) AS CaCO3	00900	036	2012/06/12	. 190.000	2015/06
HYDROXIDE ALKALINITY	71830	036	2012/06/12	< .000	2015/06
IRON	01045	036	2014/07/07	. 20.210	2017/07
MAGNESIUM	00927	036	2012/06/12	. 9.600	2015/06
MANGANESE	01055	036	2014/07/07	. 176.000	2017/07
ODOR THRESHOLD @ 60 C	00086	036	2012/06/12	< .000	2015/06
PH, LABORATORY	00403	036	2012/06/12	. 8.200	2015/06
SILVER	01077	036	2012/06/12	< .000	2015/06
SODIUM	00929	036	2012/06/12	54.000	2015/06

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910050

System Name: COMMERCE-CITY, WATER DEPT.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910050-008

Source Name: WELL 07-01

Source Number: 008

Source Status: ACTIVE RAW

Water type: G

SECONDARY/GP

SPECIFIC CONDUCTANCE	00095	036	2012/06/12	. 640.000	2015/06
SULFATE	00945	036	2012/06/12	90.000	2015/06
TOTAL DISSOLVED SOLIDS	70300	036	2012/06/12	. 360.000	2015/06
TURBIDITY, LABORATORY	82079	036	2012/06/12	< .000	2015/06
ZINC	01092	036	2012/06/12	< .000	2015/06

PS Code: 1910050-009

Source Name: MWD CONNECTION - TREATED

Source Number: 009

Source Status: PURCHASED TREATED

Water type: S

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

PS Code: 1910050-013

Source Name: GAC TREAT FOR WELL 04L - INTER PT

Source Number: 013

Source Status: ACTIVE TREATED

Water type: S

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

PS Code: 1910050-014

Source Name: GAC TREAT FOR WELL 04L - EFFLU PT

Source Number: 014

Source Status: ACTIVE TREATED

Water type: S

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

*Testing interval is in months;
 0 = No data for this constituent and is DUE NOW
 I = Invalid (NOT) valid analyses reported
 Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910050

System Name: COMMERCE-CITY, WATER DEPT.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910050-015

Source Name: WELL 06-01 MN TREATMENT PLANT EFFLUENT

Source Number: 015

Source Status: ACTIVE TREATED

Water type: S

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

PS Code: 1910050-800

Source Name: CC-D-101 - 5800 TODD AVE. - STG2 DBP

Source Number: 800

Source Status: DISTRIBUTION TREATED

Water type: S

HALOACETIC ACIDS

DIBROMOACETIC ACID (DBAA)	82721	003	2014/04/15	< .000	2014/07
DICHLOROACETIC ACID (DCAA)	77288	003	2014/04/15	< .000	2014/07
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/04/15	< .000	2014/07
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/04/15	< .000	2014/07
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/04/15	< .000	2014/07
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/04/15	< .000	2014/07

STATE UCMR

BROMODICHLORMETHANE (THM)	32101	003	2014/07/15	. 10.630	2014/10
BROMOFORM (THM)	32104	003	2014/07/15	. 2.460	2014/10
CHLOROFORM (THM)	32106	003	2014/07/15	. 16.090	2014/10
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/07/15	. 9.360	2014/10

TRIHALOMETHANES

TOTAL TRIHALOMETHANES	82080	003	2014/07/15	. 38.600	2014/10
-----------------------	-------	-----	------------	----------	---------

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910050

System Name: COMMERCE-CITY, WATER DEPT.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

PS Code: 1910050-801

Source Name: CC-D-104 - 7000 BANDINI BLVD. - STG2 DBP

Source Number: 801

Source Status: DISTRIBUTION TREATED

Water type: S

HALOACETIC ACIDS

DIBROMOACETIC ACID (DBAA)	82721	003	2014/04/15	. 1.700	2014/07
DICHLOROACETIC ACID (DCAA)	77288	003	2014/04/15	< .000	2014/07
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/04/15	< .000	2014/07
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/04/15	< .000	2014/07
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/04/15	< .000	2014/07
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/04/15	< .000	2014/07

STATE UCMR

BROMODICHLORMETHANE (THM)	32101	003	2014/07/15	. 2.190	2014/10
BROMOFORM (THM)	32104	003	2014/07/15	. 2.480	2014/10
CHLOROFORM (THM)	32106	003	2014/07/15	. 1.370	2014/10
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/07/15	. 3.420	2014/10

TRIHALOMETHANES

TOTAL TRIHALOMETHANES	82080	003	2014/07/15	. 9.500	2014/10
-----------------------	-------	-----	------------	---------	---------

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910053

System Name: HEMLOCK MUTUAL WATER CO.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910053-001

Source Name: NORTH WELL

Source Number: 001

Source Status: ACTIVE RAW

Water type: G

INORGANIC

ALUMINUM	01105	036	2011/12/13	< .000	2014/12
ANTIMONY	01097	036	2011/12/13	< .000	2014/12
ARSENIC	01002	036	2011/12/13	< .000	2014/12
BARIUM	01007	036	2011/12/13	< .000	2014/12
BERYLLIUM	01012	036	2011/12/13	< .000	2014/12
CADMIUM	01027	036	2011/12/13	< .000	2014/12
CHROMIUM (TOTAL)	01034	036	2011/12/13	< .000	2014/12
CHROMIUM, HEXAVALENT	01032	036	2013/09/12	< 1.000	2016/09
CYANIDE	01291	036	2011/12/13	< .000	2014/12
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/12/17	.130	2016/12
MERCURY	71900	036	2011/12/13	< .000	2014/12
NICKEL	01067	036	2011/12/13	< .000	2014/12
PERCHLORATE	A-031	012	2013/09/12	< 4.000	2014/09
SELENIUM	01147	036	2011/12/13	< .000	2014/12
THALLIUM	01059	036	2011/12/13	< .000	2014/12

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2013/12/17	. 4.000	2014/12
NITRITE (AS N)	00620	036	2011/12/13	< .000	2014/12

RADIOLOGICAL

GROSS ALPHA	01501	108	2014/06/05	< 3.000	2023/06
RADIUM 226	09501	108	2005/06/13	. .000	2014/06 DUE
RADIUM 228	11501	108	2014/06/05	< .000	2023/06
URANIUM (PCI/L)	28012	003	2014/06/05	< 1.000	2014/09

REGULATED SOC

DI(2-ETHYLHEXYL)PHTHALATE	39100	036	2012/09/19	< 3.000	2015/09
---------------------------	-------	-----	------------	---------	---------

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	012	2013/09/12	< .500	2014/09
1,1,2,2-TETRACHLOROETHANE	34516	012	2013/09/12	< .500	2014/09

*Testing interval is in months;
 0 = No data for this constituent and is DUE NOW
 I = Invalid (NOT) valid analyses reported
 Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910053

System Name: HEMLOCK MUTUAL WATER CO.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910053-001

Source Name: NORTH WELL

Source Number: 001

Source Status: ACTIVE RAW

Water type: G

REGULATED VOC

1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2013/09/12	< 10.000	2014/09
1,1,2-TRICHLOROETHANE	34511	012	2013/09/12	< .500	2014/09
1,1-DICHLOROETHANE	34496	012	2013/09/12	< .500	2014/09
1,1-DICHLOROETHYLENE	34501	012	2013/09/12	< .500	2014/09
1,2,4-TRICHLOROBENZENE	34551	012	2013/09/12	< .500	2014/09
1,2-DICHLOROBENZENE	34536	012	2013/09/12	< .500	2014/09
1,2-DICHLOROETHANE	34531	012	2013/09/12	< .500	2014/09
1,2-DICHLOROPROPANE	34541	012	2013/09/12	< .500	2014/09
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2013/09/12	< .500	2014/09
1,4-DICHLOROBENZENE	34571	012	2013/09/12	< .500	2014/09
BENZENE	34030	012	2013/09/12	< .500	2014/09
CARBON TETRACHLORIDE	32102	012	2013/09/12	< .500	2014/09
CIS-1,2-DICHLOROETHYLENE	77093	012	2013/09/12	< .500	2014/09
DICHLOROMETHANE	34423	012	2013/09/12	< .500	2014/09
ETHYLBENZENE	34371	012	2013/09/12	< .500	2014/09
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2013/09/12	< 3.000	2014/09
MONOCHLOROBENZENE	34301	012	2013/09/12	< .500	2014/09
STYRENE	77128	012	2013/09/12	< .500	2014/09
TETRACHLOROETHYLENE	34475	012	2013/09/12	< .500	2014/09
TOLUENE	34010	012	2013/09/12	< .500	2014/09
TRANS-1,2-DICHLOROETHYLENE	34546	012	2013/09/12	< .500	2014/09
TRICHLOROETHYLENE	39180	012	2013/09/12	< .500	2014/09
TRICHLOROFUOROMETHANE	34488	012	2013/09/12	< 5.000	2014/09
VINYL CHLORIDE	39175	012	2013/09/12	< .500	2014/09
XYLENES (TOTAL)	81551	012	2013/09/12	< .000	2014/09

SECONDARY/GP

BICARBONATE ALKALINITY	00440	036	2013/12/17	. 170.000	2016/12
CALCIUM	00916	036	2013/12/17	. 43.000	2016/12
CARBONATE ALKALINITY	00445	036	2013/12/17	< .000	2016/12

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910053

System Name: HEMLOCK MUTUAL WATER CO.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910053-001

Source Name: NORTH WELL

Source Number: 001

Source Status: ACTIVE RAW

Water type: G

SECONDARY/GP

CHLORIDE	00940	036	2013/12/17	. 11.000	2016/12
COLOR	00081	036	2014/07/01	< .000	2017/07
COPPER	01042	036	2013/12/17	< .000	2016/12
FOAMING AGENTS (MBAS)	38260	036	2013/12/17	< .000	2016/12
HARDNESS (TOTAL) AS CaCO3	00900	036	2013/12/17	. 140.000	2016/12
HYDROXIDE ALKALINITY	71830	036	2013/12/17	< .000	2016/12
IRON	01045	036	2013/12/17	< .000	2016/12
MAGNESIUM	00927	036	2013/12/17	. 8.800	2016/12
MANGANESE	01055	036	2013/12/17	< .000	2016/12
ODOR THRESHOLD @ 60 C	00086	036	2014/07/01	. 1.000	2017/07
PH, LABORATORY	00403	036	2013/12/17	. 7.100	2016/12
SILVER	01077	036	2011/12/13	< .000	2014/12
SODIUM	00929	036	2013/12/17	. 11.000	2016/12
SPECIFIC CONDUCTANCE	00095	036	2013/12/17	. 320.000	2016/12
SULFATE	00945	036	2013/12/17	. 15.000	2016/12
TOTAL DISSOLVED SOLIDS	70300	036	2013/12/17	. 200.000	2016/12
TURBIDITY, LABORATORY	82079	036	2014/07/01	< .000	2017/07
ZINC	01092	036	2013/12/17	< .000	2016/12

PS Code: 1910053-002

Source Name: SOUTH WELL

Source Number: 002

Source Status: ACTIVE RAW

Water type: G

INORGANIC

ALUMINUM	01105	036	2011/12/12	< .000	2014/12
ANTIMONY	01097	036	2011/12/12	< .000	2014/12
ARSENIC	01002	036	2011/12/12	< .000	2014/12
BARIUM	01007	036	2011/12/12	< .000	2014/12

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910053

System Name: HEMLOCK MUTUAL WATER CO.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910053-002

Source Name: SOUTH WELL

Source Number: 002

Source Status: ACTIVE RAW

Water type: G

INORGANIC

BERYLLIUM	01012	036	2011/12/12	< .000	2014/12
CADMIUM	01027	036	2011/12/12	< .000	2014/12
CHROMIUM (TOTAL)	01034	036	2011/12/12	< .000	2014/12
CHROMIUM, HEXAVALENT	01032	036	2013/09/12	< 1.000	2016/09
CYANIDE	01291	036	2011/12/12	< .000	2014/12
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/12/17	.170	2016/12
MERCURY	71900	036	2011/12/12	< .000	2014/12
NICKEL	01067	036	2011/12/12	< .000	2014/12
PERCHLORATE	A-031	012	2013/09/12	< 4.000	2014/09
SELENIUM	01147	036	2011/12/12	< .000	2014/12
THALLIUM	01059	036	2011/12/12	< .000	2014/12

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2014/06/05	. 3.700	2015/06
NITRITE (AS N)	00620	036	2011/12/12	< .000	2014/12

RADIOLOGICAL

GROSS ALPHA	01501	108	2014/06/05	< 3.000	2023/06
RADIUM 226	09501	108	2005/06/13	. 000	2014/06 DUE
RADIUM 228	11501	108	2014/06/05	< .000	2023/06
URANIUM (PCI/L)	28012	003	2014/06/05	< 1.000	2014/09

REGULATED SOC

DI(2-ETHYLHEXYL)PHTHALATE	39100	036	2012/09/19	< 3.000	2015/09
THIOBENCARB	A-001	036	2012/09/19	< 1.000	2015/09

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	012	2013/09/12	< .500	2014/09
1,1,2,2-TETRACHLOROETHANE	34516	012	2013/09/12	< .500	2014/09
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2013/09/12	< 10.000	2014/09
1,1,2-TRICHLOROETHANE	34511	012	2013/09/12	< .500	2014/09
1,1-DICHLOROETHANE	34496	012	2013/09/12	< .500	2014/09

*Testing interval is in months;
 0 = No data for this constituent and is DUE NOW
 I = Invalid (NOT) valid analyses reported
 Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910053

System Name: HEMLOCK MUTUAL WATER CO.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910053-002

Source Name: SOUTH WELL

Source Number: 002

Source Status: ACTIVE RAW

Water type: G

REGULATED VOC

1,1-DICHLOROETHYLENE	34501	012	2013/09/12	< .500	2014/09
1,2,4-TRICHLOROBENZENE	34551	012	2013/09/12	< .500	2014/09
1,2-DICHLOROBENZENE	34536	012	2013/09/12	< .500	2014/09
1,2-DICHLOROETHANE	34531	012	2013/09/12	< .500	2014/09
1,2-DICHLOROPROPANE	34541	012	2013/09/12	< .500	2014/09
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2013/09/12	< .500	2014/09
1,4-DICHLOROBENZENE	34571	012	2013/09/12	< .500	2014/09
BENZENE	34030	012	2013/09/12	< .500	2014/09
CARBON TETRACHLORIDE	32102	012	2013/09/12	< .500	2014/09
CIS-1,2-DICHLOROETHYLENE	77093	012	2013/09/12	< .500	2014/09
DICHLOROMETHANE	34423	012	2013/09/12	< .500	2014/09
ETHYLBENZENE	34371	012	2013/09/12	< .500	2014/09
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2013/09/12	< 3.000	2014/09
MONOCHLOROENZENE	34301	012	2013/09/12	< .500	2014/09
STYRENE	77128	012	2013/09/12	< .500	2014/09
TETRACHLOROETHYLENE	34475	012	2014/06/05	< .500	2015/06
TOLUENE	34010	012	2013/09/12	< .500	2014/09
TRANS-1,2-DICHLOROETHYLENE	34546	012	2013/09/12	< .500	2014/09
TRICHLOROETHYLENE	39180	012	2013/09/12	< .500	2014/09
TRICHLOROFUOROMETHANE	34488	012	2013/09/12	< 5.000	2014/09
VINYL CHLORIDE	39175	012	2013/09/12	< .500	2014/09
XYLENES (TOTAL)	81551	012	2013/09/12	< .000	2014/09

SECONDARY/GP

BICARBONATE ALKALINITY	00440	036	2013/12/17	. 170.000	2016/12
CALCIUM	00916	036	2013/12/17	. 42.000	2016/12
CARBONATE ALKALINITY	00445	036	2013/12/17	< .000	2016/12
CHLORIDE	00940	036	2013/12/17	. 9.000	2016/12
COLOR	00081	036	2014/07/01	< .000	2017/07
COPPER	01042	036	2013/12/17	< .000	2016/12

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910053

System Name: HEMLOCK MUTUAL WATER CO.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910053-002

Source Name: SOUTH WELL

Source Number: 002

Source Status: ACTIVE RAW

Water type: G

SECONDARY/GP

FOAMING AGENTS (MBAS)	38260	036	2013/12/17	.130	2016/12
HARDNESS (TOTAL) AS CaCO3	00900	036	2013/12/17	140.000	2016/12
HYDROXIDE ALKALINITY	71830	036	2013/12/17	< .000	2016/12
IRON	01045	036	2013/12/17	< .000	2016/12
MAGNESIUM	00927	036	2013/12/17	9.300	2016/12
MANGANESE	01055	036	2013/12/17	< .000	2016/12
ODOR THRESHOLD @ 60 C	00086	036	2014/07/01	1.000	2017/07
PH, LABORATORY	00403	036	2013/12/17	7.100	2016/12
SILVER	01077	036	2011/12/12	< .000	2014/12
SODIUM	00929	036	2013/12/17	9.900	2016/12
SPECIFIC CONDUCTANCE	00095	036	2013/12/17	310.000	2016/12
SULFATE	00945	036	2013/12/17	15.000	2016/12
TOTAL DISSOLVED SOLIDS	70300	036	2013/12/17	210.000	2016/12
TURBIDITY, LABORATORY	82079	036	2014/07/01	.200	2017/07
ZINC	01092	036	2013/12/17	< .000	2016/12

PS Code: 1910053-006

Source Name: TREATMENT PLANT - NORTH FILTER

Source Number: 006

Source Status: ACTIVE TREATED

Water type: G

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

*Testing interval is in months;
 0 = No data for this constituent and is DUE NOW
 I = Invalid (NOT) valid analyses reported
 Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910053

System Name: HEMLOCK MUTUAL WATER CO.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910053-800

Source Name: HMWC-SITE 1- 5202 PECK RD - STG2 DBP

Source Number: 800

Source Status: DISTRIBUTION TREATED

Water type: G

HALOACETIC ACIDS

DIBROMOACETIC ACID (DBAA)	82721	000		DUE
DICHLOROACETIC ACID (DCAA)	77288	000		DUE
HALOACETIC ACIDS (5) (HAA5)	A-049	000		DUE
MONOBROMOACETIC ACID (MBAA)	A-041	000		DUE
MONOCHLOROACETIC ACID (MCAA)	A-042	000		DUE
TRICHLOROACETIC ACID (TCAA)	82723	000		DUE

STATE UCMR

BROMODICHLORMETHANE (THM)	32101	000		DUE
BROMOFORM (THM)	32104	000		DUE
CHLOROFORM (THM)	32106	000		DUE
DIBROMOCHLOROMETHANE (THM)	32105	000		DUE

TRIHALOMETHANES

TOTAL TRIHALOMETHANES	82080	000		DUE
-----------------------	-------	-----	--	-----

PS Code: 1910053-801

Source Name: HMWC-SITE 2- 5221 COGSWELL RD - STG2 DBP

Source Number: 801

Source Status: DISTRIBUTION TREATED

Water type: G

HALOACETIC ACIDS

DIBROMOACETIC ACID (DBAA)	82721	000		DUE
DICHLOROACETIC ACID (DCAA)	77288	000		DUE
HALOACETIC ACIDS (5) (HAA5)	A-049	000		DUE
MONOBROMOACETIC ACID (MBAA)	A-041	000		DUE
MONOCHLOROACETIC ACID (MCAA)	A-042	000		DUE
TRICHLOROACETIC ACID (TCAA)	82723	000		DUE

STATE UCMR

BROMODICHLORMETHANE (THM)	32101	000		DUE
---------------------------	-------	-----	--	-----

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910053

System Name: HEMLOCK MUTUAL WATER CO.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

PS Code: 1910053-801

Source Name: HMWC-SITE 2- 5221 COGSWELL RD - STG2 DBP

Source Number: 801

Source Status: DISTRIBUTION TREATED

Water type: G

STATE UCMR

BROMOFORM (THM)	32104	000		DUE
CHLOROFORM (THM)	32106	000		DUE
DIBROMOCHLOROMETHANE (THM)	32105	000		DUE

TRihalOMETHANES

TOTAL TRIHALOMETHANES	82080	000		DUE
------------------------------	--------------	------------	--	------------

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910066

System Name: LEISURE LAKE MOBILE ESTATES

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910066-001

Source Name: WELL 01

Source Number: 001

Source Status: ACTIVE RAW

Water type: G

INORGANIC

ALUMINUM	01105	036	2014/03/19	< 10.000	2017/03
ANTIMONY	01097	036	2014/03/19	< 1.000	2017/03
ARSENIC	01002	003	2014/07/16	. 7.000	2014/10
ASBESTOS	81855	108	2014/03/19	< .200	2023/03
BARIUM	01007	036	2014/03/19	. 100.000	2017/03
BERYLLIUM	01012	036	2014/03/19	< 1.000	2017/03
CADMIUM	01027	036	2014/03/19	< .200	2017/03
CHROMIUM (TOTAL)	01034	036	2014/03/19	. 6.000	2017/03
CYANIDE	01291	036	2014/03/19	< .004	2017/03
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/03/19	. .300	2017/03
MERCURY	71900	036	2014/03/19	< .020	2017/03
NICKEL	01067	036	2014/03/19	< 1.000	2017/03
PERCHLORATE	A-031	036	2013/06/19	< 2.000	2016/06
SELENIUM	01147	036	2014/03/19	. 2.000	2017/03
THALLIUM	01059	036	2014/03/19	< .200	2017/03

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2014/03/19	. 4.500	2015/03
NITRITE (AS N)	00620	036	2014/03/19	< .100	2017/03

RADIOLOGICAL

GROSS ALPHA	01501	072	2008/09/10	3.130	2014/09
-------------	-------	-----	------------	-------	---------

REGULATED SOC

DI(2-ETHYLHEXYL)PHTHALATE	39100	036	2013/08/14	< 3.000	2016/08
THIOBENCARB	A-001	036	2014/03/19	< 1.000	2017/03

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	012	2014/03/19	< .500	2015/03
1,1,2,2-TETRACHLOROETHANE	34516	012	2014/03/19	< .500	2015/03
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/03/19	< .500	2015/03
1,1,2-TRICHLOROETHANE	34511	012	2014/03/19	< .500	2015/03

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910066

System Name: LEISURE LAKE MOBILE ESTATES

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910066-001

Source Name: WELL 01

Source Number: 001

Source Status: ACTIVE RAW

Water type: G

REGULATED VOC

1,1-DICHLOROETHANE	34496	012	2014/03/19	< .500	2015/03
1,1-DICHLOROETHYLENE	34501	012	2014/03/19	< .500	2015/03
1,2,4-TRICHLOROBENZENE	34551	012	2014/03/19	< .500	2015/03
1,2-DICHLOROBENZENE	34536	012	2014/03/19	< .500	2015/03
1,2-DICHLOROETHANE	34531	012	2014/03/19	< .500	2015/03
1,2-DICHLOROPROPANE	34541	012	2014/03/19	< .500	2015/03
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/03/19	< .500	2015/03
1,4-DICHLOROBENZENE	34571	012	2014/03/19	< .500	2015/03
BENZENE	34030	012	2014/03/19	< .500	2015/03
CARBON TETRACHLORIDE	32102	012	2014/03/19	< .500	2015/03
CIS-1,2-DICHLOROETHYLENE	77093	012	2014/03/19	< .500	2015/03
DICHLOROMETHANE	34423	012	2014/03/19	< .500	2015/03
ETHYLBENZENE	34371	012	2014/03/19	< .500	2015/03
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/03/19	< 1.000	2015/03
MONOCHLOROBENZENE	34301	012	2014/03/19	< .500	2015/03
STYRENE	77128	012	2014/03/19	< .500	2015/03
TETRACHLOROETHYLENE	34475	012	2014/03/19	< .500	2015/03
TOLUENE	34010	012	2014/03/19	< .500	2015/03
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/03/19	< .500	2015/03
TRICHLOROETHYLENE	39180	012	2014/03/19	< .500	2015/03
TRICHLOROFUOROMETHANE	34488	012	2014/03/19	< .500	2015/03
VINYL CHLORIDE	39175	012	2014/03/19	< .500	2015/03
XYLENES (TOTAL)	81551	012	2014/03/19	< .500	2015/03

SECONDARY/GP

BICARBONATE ALKALINITY	00440	036	2014/03/19	. 130.000	2017/03
CALCIUM	00916	036	2014/03/19	. 80.000	2017/03
CARBONATE ALKALINITY	00445	036	2014/03/19	< 10.000	2017/03
CHLORIDE	00940	036	2014/03/19	. 153.000	2017/03
COLOR	00081	036	2014/06/18	< 5.000	2017/06

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910066

System Name: LEISURE LAKE MOBILE ESTATES

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910066-001

Source Name: WELL 01

Source Number: 001

Source Status: ACTIVE RAW

Water type: G

SECONDARY/GP

COPPER	01042	036	2014/03/19	< 10.000	2017/03
FOAMING AGENTS (MBAS)	38260	036	2014/03/19	< .100	2017/03
HARDNESS (TOTAL) AS CaCO3	00900	036	2014/03/19	. 253.000	2017/03
HYDROXIDE ALKALINITY	71830	036	2014/03/19	< 10.000	2017/03
IRON	01045	036	2014/03/19	. 50.000	2017/03
MAGNESIUM	00927	036	2014/03/19	. 13.000	2017/03
MANGANESE	01055	036	2014/03/19	< 10.000	2017/03
ODOR THRESHOLD @ 60 C	00086	036	2014/06/18	< 1.000	2017/06
PH, LABORATORY	00403	036	2014/03/19	. 7.300	2017/03
SILVER	01077	036	2014/03/19	< 1.000	2017/03
SODIUM	00929	036	2014/03/19	. 69.000	2017/03
SPECIFIC CONDUCTANCE	00095	036	2014/03/19	. 849.000	2017/03
SULFATE	00945	036	2014/03/19	. 57.000	2017/03
TOTAL DISSOLVED SOLIDS	70300	036	2014/03/19	. 550.000	2017/03
TURBIDITY, LABORATORY	82079	036	2014/06/18	. .200	2017/06
ZINC	01092	036	2014/03/19	< 20.000	2017/03

PS Code: 1910066-002

Source Name: WELL 02

Source Number: 002

Source Status: ACTIVE RAW

Water type: G

INORGANIC

ALUMINUM	01105	036	2014/03/19	. 10.000	2017/03
ANTIMONY	01097	036	2014/03/19	< 1.000	2017/03
ARSENIC	01002	003	2014/06/18	. 17.000	2014/09
ASBESTOS	81855	108	2014/03/19	< .200	2023/03
BARIUM	01007	036	2014/03/19	. 69.600	2017/03
BERYLLIUM	01012	036	2014/03/19	< 1.000	2017/03

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910066

System Name: LEISURE LAKE MOBILE ESTATES

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910066-002

Source Name: WELL 02

Source Number: 002

Source Status: ACTIVE RAW

Water type: G

INORGANIC

CADMIUM	01027	036	2014/03/19	< .200	2017/03
CHROMIUM (TOTAL)	01034	036	2014/03/19	. 15.000	2017/03
CYANIDE	01291	036	2014/03/19	< .004	2017/03
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/03/19	. .400	2017/03
MERCURY	71900	036	2014/03/19	< .020	2017/03
NICKEL	01067	036	2014/03/19	< 1.000	2017/03
PERCHLORATE	A-031	036	2013/06/19	< 2.000	2016/06
SELENIUM	01147	036	2014/03/19	. 1.000	2017/03
THALLIUM	01059	036	2014/03/19	< .200	2017/03

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2014/03/19	. 9.200	2015/03
NITRITE (AS N)	00620	036	2014/03/19	< .100	2017/03

RADIOLOGICAL

GROSS ALPHA	01501	072	2008/09/10	2.930	2014/09
-------------	-------	-----	------------	-------	---------

REGULATED SOC

DI(2-ETHYLHEXYL)PHTHALATE	39100	000			DUE
THIOBENCARB	A-001	036	2014/03/19	< 1.000	2017/03

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	012	2014/03/19	< .500	2015/03
1,1,2,2-TETRACHLOROETHANE	34516	012	2014/03/19	< .500	2015/03
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/03/19	< .500	2015/03
1,1,2-TRICHLOROETHANE	34511	012	2014/03/19	< .500	2015/03
1,1-DICHLOROETHANE	34496	012	2014/03/19	< .500	2015/03
1,1-DICHLOROETHYLENE	34501	012	2014/03/19	< .500	2015/03
1,2,4-TRICHLOROBENZENE	34551	012	2014/03/19	< .500	2015/03
1,2-DICHLOROBENZENE	34536	012	2014/03/19	< .500	2015/03
1,2-DICHLOROETHANE	34531	012	2014/03/19	< .500	2015/03
1,2-DICHLOROPROPANE	34541	012	2014/03/19	< .500	2015/03

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910066

System Name: LEISURE LAKE MOBILE ESTATES

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910066-002

Source Name: WELL 02

Source Number: 002

Source Status: ACTIVE RAW

Water type: G

REGULATED VOC

1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/03/19	< .500	2015/03
1,4-DICHLOROBENZENE	34571	012	2014/03/19	< .500	2015/03
BENZENE	34030	012	2014/03/19	< .500	2015/03
CARBON TETRACHLORIDE	32102	012	2014/03/19	< .500	2015/03
CIS-1,2-DICHLOROETHYLENE	77093	012	2014/03/19	< .500	2015/03
DICHLOROMETHANE	34423	012	2014/03/19	< .500	2015/03
ETHYLBENZENE	34371	012	2014/03/19	< .500	2015/03
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/03/19	< 1.000	2015/03
MONOCHLOROBENZENE	34301	012	2014/03/19	< .500	2015/03
STYRENE	77128	012	2014/03/19	< .500	2015/03
TETRACHLOROETHYLENE	34475	012	2014/03/19	< .500	2015/03
TOLUENE	34010	012	2014/03/19	< .500	2015/03
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/03/19	< .500	2015/03
TRICHLOROETHYLENE	39180	012	2014/03/19	< .500	2015/03
TRICHLOROFUOROMETHANE	34488	012	2014/03/19	< .500	2015/03
VINYL CHLORIDE	39175	012	2014/03/19	< .500	2015/03
XYLENES (TOTAL)	81551	012	2014/03/19	< .500	2015/03

SECONDARY/GP

BICARBONATE ALKALINITY	00440	036	2014/03/19	. 110.000	2017/03
CALCIUM	00916	036	2014/03/19	. 45.000	2017/03
CARBONATE ALKALINITY	00445	036	2014/03/19	< 10.000	2017/03
CHLORIDE	00940	036	2014/03/19	. 54.000	2017/03
COLOR	00081	036	2014/03/19	< 5.000	2017/03
COPPER	01042	036	2014/03/19	< 10.000	2017/03
FOAMING AGENTS (MBAS)	38260	036	2014/03/19	< .100	2017/03
HARDNESS (TOTAL) AS CaCO3	00900	036	2014/03/19	. 141.000	2017/03
HYDROXIDE ALKALINITY	71830	036	2014/03/19	< 10.000	2017/03
IRON	01045	036	2014/03/19	. 400.000	2017/03
MAGNESIUM	00927	036	2014/03/19	. 7.000	2017/03

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910066

System Name: LEISURE LAKE MOBILE ESTATES

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910066-002

Source Name: WELL 02

Source Number: 002

Source Status: ACTIVE RAW

Water type: G

SECONDARY/GP

MANGANESE	01055	036	2014/03/19	< 10.000	2017/03
ODOR THRESHOLD @ 60 C	00086	036	2014/03/19	< 1.000	2017/03
PH, LABORATORY	00403	036	2014/03/19	. 7.300	2017/03
SILVER	01077	036	2014/03/19	< 1.000	2017/03
SODIUM	00929	036	2014/03/19	. 48.000	2017/03
SPECIFIC CONDUCTANCE	00095	036	2014/03/19	. 510.000	2017/03
SULFATE	00945	036	2014/03/19	. 38.000	2017/03
TOTAL DISSOLVED SOLIDS	70300	036	2014/03/19	. 320.000	2017/03
TURBIDITY, LABORATORY	82079	036	2014/03/19	. 6.100	2017/03
ZINC	01092	036	2014/03/19	< 20.000	2017/03

PS Code: 1910066-005

Source Name: WELL 03

Source Number: 005

Source Status: ACTIVE RAW

Water type: G

INORGANIC

ALUMINUM	01105	036	2013/03/20	< 10.000	2016/03
ANTIMONY	01097	036	2013/03/20	< 1.000	2016/03
ARSENIC	01002	003	2014/06/18	. 13.000	2014/09
BARIUM	01007	036	2013/03/20	56.100	2016/03
BERYLLIUM	01012	036	2013/03/20	< 1.000	2016/03
CADMIUM	01027	036	2013/03/20	< .200	2016/03
CHROMIUM (TOTAL)	01034	036	2013/03/20	. 7.000	2016/03
CHROMIUM, HEXAVALENT	01032	036	2006/01/18	6.900	2009/01 DUE
CYANIDE	01291	036	2013/03/20	< .004	2016/03
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/03/20	. .500	2016/03
MERCURY	71900	036	2013/03/20	< .020	2016/03
NICKEL	01067	036	2013/03/20	< 1.000	2016/03

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910066

System Name: LEISURE LAKE MOBILE ESTATES

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910066-005

Source Name: WELL 03

Source Number: 005

Source Status: ACTIVE RAW

Water type: G

INORGANIC

PERCHLORATE	A-031	036	2013/06/19	< 2.000	2016/06
SELENIUM	01147	036	2013/03/20	< 2.000	2016/03
THALLIUM	01059	036	2013/03/20	< .200	2016/03

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2014/03/19	. 8.700	2015/03
NITRITE (AS N)	00620	036	2013/03/20	< .100	2016/03

RADIOLOGICAL

GROSS ALPHA	01501	072	2008/09/10	2.660	2014/09
-------------	-------	-----	------------	-------	---------

REGULATED SOC

DI(2-ETHYLHEXYL)PHTHALATE	39100	036	2013/08/14	< 3.000	2016/08
THIOBENCARB	A-001	036	2013/03/20	< 1.000	2016/03

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	012	2014/03/19	< .500	2015/03
1,1,2,2-TETRACHLOROETHANE	34516	012	2014/03/19	< .500	2015/03
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/03/19	< .500	2015/03
1,1,2-TRICHLOROETHANE	34511	012	2014/03/19	< .500	2015/03
1,1-DICHLOROETHANE	34496	012	2014/03/19	< .500	2015/03
1,1-DICHLOROETHYLENE	34501	012	2014/03/19	< .500	2015/03
1,2,4-TRICHLOROBENZENE	34551	012	2014/03/19	< .500	2015/03
1,2-DICHLOROBENZENE	34536	012	2014/03/19	< .500	2015/03
1,2-DICHLOROETHANE	34531	012	2014/03/19	< .500	2015/03
1,2-DICHLOROPROPANE	34541	012	2014/03/19	< .500	2015/03
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/03/19	< .500	2015/03
1,4-DICHLOROBENZENE	34571	012	2014/03/19	< .500	2015/03
BENZENE	34030	012	2014/03/19	< .500	2015/03
CARBON TETRACHLORIDE	32102	012	2014/03/19	< .500	2015/03
CIS-1,2-DICHLOROETHYLENE	77093	012	2014/03/19	< .500	2015/03
DICHLOROMETHANE	34423	012	2014/03/19	< .500	2015/03

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910066

System Name: LEISURE LAKE MOBILE ESTATES

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910066-005

Source Name: WELL 03

Source Number: 005

Source Status: ACTIVE RAW

Water type: G

REGULATED VOC

ETHYLBENZENE	34371	012	2014/03/19	< .500	2015/03
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/03/19	< 1.000	2015/03
MONOCHLORO BENZENE	34301	012	2014/03/19	< .500	2015/03
STYRENE	77128	012	2014/03/19	< .500	2015/03
TETRACHLOROETHYLENE	34475	012	2014/03/19	< .500	2015/03
TOLUENE	34010	012	2014/03/19	< .500	2015/03
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/03/19	< .500	2015/03
TRICHLOROETHYLENE	39180	012	2014/03/19	< .500	2015/03
TRICHLOROFUOROMETHANE	34488	012	2014/03/19	< .500	2015/03
VINYL CHLORIDE	39175	012	2014/03/19	< .500	2015/03
XYLENES (TOTAL)	81551	012	2014/03/19	< .500	2015/03

SECONDARY/GP

BICARBONATE ALKALINITY	00440	036	2013/03/20	. 140.000	2016/03
CALCIUM	00916	036	2013/03/20	. 40.000	2016/03
CARBONATE ALKALINITY	00445	036	2013/03/20	< 10.000	2016/03
CHLORIDE	00940	036	2013/03/20	. 52.000	2016/03
COLOR	00081	036	2013/03/20	< 5.000	2016/03
COPPER	01042	036	2013/03/20	< 10.000	2016/03
FOAMING AGENTS (MBAS)	38260	036	2013/03/20	< .100	2016/03
HARDNESS (TOTAL) AS CaCO3	00900	036	2013/03/20	. 124.000	2016/03
HYDROXIDE ALKALINITY	71830	036	2013/03/20	< 10.000	2016/03
IRON	01045	036	2013/03/20	< 50.000	2016/03
MAGNESIUM	00927	036	2013/03/20	. 6.000	2016/03
MANGANESE	01055	036	2013/03/20	< 10.000	2016/03
ODOR THRESHOLD @ 60 C	00086	036	2013/03/20	< 1.000	2016/03
PH, LABORATORY	00403	036	2013/03/20	. 7.900	2016/03
SILVER	01077	036	2013/03/20	< 1.000	2016/03
SODIUM	00929	036	2013/03/20	47.000	2016/03
SPECIFIC CONDUCTANCE	00095	036	2013/03/20	. 503.000	2016/03

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910066

System Name: LEISURE LAKE MOBILE ESTATES

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910066-005

Source Name: WELL 03

Source Number: 005

Source Status: ACTIVE RAW

Water type: G

SECONDARY/GP

SULFATE	00945	036	2013/03/20	38.000	2016/03
TOTAL DISSOLVED SOLIDS	70300	036	2013/03/20	. 310.000	2016/03
TURBIDITY, LABORATORY	82079	036	2013/03/20	. .300	2016/03
ZINC	01092	036	2013/03/20	< 20.000	2016/03

PS Code: 1910066-0070

Source Name: WELL 01 BLENDED WITH WELL 02

Source Number: 007

Source Status: COMBINATION OR BLEND RAW

Water type: G

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED *** 999

PS Code: 1910066-800

Source Name: SITE 1 - CLUB HOUSE - STG2 DBP

Source Number: 800

Source Status: DISTRIBUTION TREATED

Water type: G

HALOACETIC ACIDS

DIBROMOACETIC ACID (DBAA)	82721	000			DUE
DICHLOROACETIC ACID (DCAA)	77288	000			DUE
HALOACETIC ACIDS (5) (HAA5)	A-049	000			DUE
MONOBROMOACETIC ACID (MBAA)	A-041	000			DUE
MONOCHLOROACETIC ACID (MCAA)	A-042	000			DUE
TRICHLOROACETIC ACID (TCAA)	82723	000			DUE

STATE UCMR

BROMODICHLORMETHANE (THM)	32101	000			DUE
BROMOFORM (THM)	32104	000			DUE

*Testing interval is in months;
 0 = No data for this constituent and is DUE NOW
 I = Invalid (NOT) valid analyses reported
 Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910066

System Name: LEISURE LAKE MOBILE ESTATES

	<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
PS Code: 1910066-800					
Source Name: SITE 1 - CLUB HOUSE - STG2 DBP					
Source Number: 800					
Source Status: DISTRIBUTION TREATED					
Water type: G					
<u>STATE UCMR</u>					
CHLOROFORM (THM)	32106	000			DUE
DIBROMOCHLOROMETHANE (THM)	32105	000			DUE
<u>TRIHALOMETHANES</u>					
TOTAL TRIHALOMETHANES	82080	000			DUE

PS Code: 1910066-801

Source Name: SITE 2 - 173 - STG2 DBP

Source Number: 801

Source Status: DISTRIBUTION TREATED

Water type: G

HALOACETIC ACIDS

DIBROMOACETIC ACID (DBAA)	82721	000			DUE
DICHLOROACETIC ACID (DCAA)	77288	000			DUE
HALOACETIC ACIDS (5) (HAA5)	A-049	000			DUE
MONOBROMOACETIC ACID (MBAA)	A-041	000			DUE
MONOCHLOROACETIC ACID (MCAA)	A-042	000			DUE
TRICHLOROACETIC ACID (TCAA)	82723	000			DUE

STATE UCMR

BROMODICHLORMETHANE (THM)	32101	000			DUE
BROMOFORM (THM)	32104	000			DUE
CHLOROFORM (THM)	32106	000			DUE
DIBROMOCHLOROMETHANE (THM)	32105	000			DUE

TRIHALOMETHANES

TOTAL TRIHALOMETHANES	82080	000			DUE
-----------------------	-------	-----	--	--	-----

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910079

System Name: LYNWOOD-CITY, WATER DEPT.

	<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>	
PS Code: 1910079-005						
Source Name: WELL 05 - ACTIVE						
Source Number: 005						
Source Status: ACTIVE RAW						
Water type: G						
<u>INORGANIC</u>						
ALUMINUM	01105	036	2012/07/16	< 50.000	2015/07	
ANTIMONY	01097	036	2012/07/16	< 6.000	2015/07	
ARSENIC	01002	036	2012/07/16	. 3.500	2015/07	
BARIUM	01007	036	2012/07/16	130.000	2015/07	
BERYLLIUM	01012	036	2012/07/16	< 1.000	2015/07	
CADMIUM	01027	036	2012/07/16	< 1.000	2015/07	
CHROMIUM (TOTAL)	01034	036	2012/07/16	< 10.000	2015/07	
CYANIDE	01291	036	2012/07/16	< 100.000	2015/07	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2012/07/16	. .310	2015/07	
MERCURY	71900	036	2012/07/16	< 1.000	2015/07	
NICKEL	01067	036	2012/07/16	< 10.000	2015/07	
PERCHLORATE	A-031	012	2013/04/22	< 4.000	2014/04	DUE
SELENIUM	01147	036	2012/07/16	< 5.000	2015/07	
THALLIUM	01059	036	2012/07/16	< 1.000	2015/07	
<u>NITRATE/NITRITE</u>						
NITRATE (AS NO3)	71850	012	2013/07/15	. 6.900	2014/07	
NITRITE (AS N)	00620	036	2013/07/15	< 400.000	2016/07	
<u>RADIOLOGICAL</u>						
GROSS ALPHA	01501	072	2012/01/17	. 5.580	2018/01	
URANIUM (PCI/L)	28012	072	2012/01/17	. 2.700	2018/01	
<u>REGULATED SOC</u>						
DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2012/07/16	< 3.000	2015/04	
THIOBENCARB	A-001	033	2012/07/16	< 1.000	2015/04	
<u>REGULATED VOC</u>						
1,1,1-TRICHLOROETHANE	34506	012	2013/01/14	< .500	2014/01	DUE
1,1,2,2-TETRACHLOROETHANE	34516	012	2013/01/14	< .500	2014/01	DUE
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2013/01/14	< 10.000	2014/01	DUE
1,1,2-TRICHLOROETHANE	34511	012	2013/01/14	< .500	2014/01	DUE

*Testing interval is in months;
 0 = No data for this constituent and is DUE NOW
 I = Invalid (NOT) valid analyses reported
 Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910079

System Name: LYNWOOD-CITY, WATER DEPT.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910079-005

Source Name: WELL 05 - ACTIVE

Source Number: 005

Source Status: ACTIVE RAW

Water type: G

REGULATED VOC

1,1-DICHLOROETHANE	34496	012	2013/01/14	< .500	2014/01	DUE
1,1-DICHLOROETHYLENE	34501	012	2013/01/14	< .500	2014/01	DUE
1,2,4-TRICHLOROBENZENE	34551	012	2013/01/14	< .500	2014/01	DUE
1,2-DICHLOROBENZENE	34536	012	2013/01/14	< .500	2014/01	DUE
1,2-DICHLOROETHANE	34531	012	2013/01/14	< .500	2014/01	DUE
1,2-DICHLOROPROPANE	34541	012	2013/01/14	< .500	2014/01	DUE
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2013/01/14	< .500	2014/01	DUE
1,4-DICHLOROBENZENE	34571	012	2013/01/14	< .500	2014/01	DUE
BENZENE	34030	012	2013/01/14	< .500	2014/01	DUE
CARBON TETRACHLORIDE	32102	012	2013/01/14	< .500	2014/01	DUE
CIS-1,2-DICHLOROETHYLENE	77093	012	2013/01/14	< .500	2014/01	DUE
DICHLOROMETHANE	34423	012	2013/01/14	< .500	2014/01	DUE
ETHYLBENZENE	34371	012	2013/01/14	< .500	2014/01	DUE
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2013/01/14	< 3.000	2014/01	DUE
MONOCHLOROBENZENE	34301	012	2013/01/14	< .500	2014/01	DUE
STYRENE	77128	012	2013/01/14	< .500	2014/01	DUE
TETRACHLOROETHYLENE	34475	012	2013/10/21	. 740	2014/10	
TOLUENE	34010	012	2013/01/14	< .500	2014/01	DUE
TRANS-1,2-DICHLOROETHYLENE	34546	012	2013/01/14	< .500	2014/01	DUE
TRICHLOROETHYLENE	39180	012	2013/01/14	< .500	2014/01	DUE
TRICHLOROFLUOROMETHANE	34488	012	2013/01/14	< 5.000	2014/01	DUE
VINYL CHLORIDE	39175	012	2013/01/14	< .500	2014/01	DUE
XYLENES (TOTAL)	81551	012	2013/01/14	< 1.000	2014/01	DUE

SECONDARY/GP

BICARBONATE ALKALINITY	00440	036	2012/07/16	. 220.000	2015/07	
CALCIUM	00916	036	2012/07/16	. 77.000	2015/07	
CARBONATE ALKALINITY	00445	036	2012/07/16	< 2.400	2015/07	
CHLORIDE	00940	036	2012/07/16	. 47.000	2015/07	
COLOR	00081	036	2012/07/16	< 1.000	2015/07	

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910079

System Name: LYNWOOD-CITY, WATER DEPT.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910079-005

Source Name: WELL 05 - ACTIVE

Source Number: 005

Source Status: ACTIVE RAW

Water type: G

SECONDARY/GP

COPPER	01042	036	2012/07/16	< 50.000	2015/07
FOAMING AGENTS (MBAS)	38260	036	2012/07/16	< .100	2015/07
HARDNESS (TOTAL) AS CaCO3	00900	036	2012/07/16	. 260.000	2015/07
HYDROXIDE ALKALINITY	71830	036	2012/07/16	< 1.400	2015/07
IRON	01045	036	2012/07/16	< 100.000	2015/07
MAGNESIUM	00927	036	2012/07/16	. 16.000	2015/07
MANGANESE	01055	036	2012/07/16	< 20.000	2015/07
ODOR THRESHOLD @ 60 C	00086	036	2012/07/16	< 1.000	2015/07
PH, LABORATORY	00403	036	2012/07/16	. 7.950	2015/07
SILVER	01077	036	2012/07/16	< 10.000	2015/07
SODIUM	00929	036	2012/07/16	41.000	2015/07
SPECIFIC CONDUCTANCE	00095	036	2012/07/16	. 750.000	2015/07
SULFATE	00945	036	2012/07/16	100.000	2015/07
TOTAL DISSOLVED SOLIDS	70300	036	2012/07/16	. 480.000	2015/07
TURBIDITY, LABORATORY	82079	036	2012/07/16	< .100	2015/07
ZINC	01092	036	2012/07/16	< 50.000	2015/07

PS Code: 1910079-008

Source Name: WELL 08 - ACTIVE

Source Number: 008

Source Status: ACTIVE RAW

Water type: G

INORGANIC

ALUMINUM	01105	036	2013/04/22	< 50.000	2016/04
ANTIMONY	01097	036	2013/04/22	< 6.000	2016/04
ARSENIC	01002	036	2013/04/22	. 3.000	2016/04
BARIUM	01007	036	2013/04/22	150.000	2016/04
BERYLLIUM	01012	036	2013/04/22	< 1.000	2016/04
CADMIUM	01027	036	2013/04/22	< 1.000	2016/04

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910079

System Name: LYNWOOD-CITY, WATER DEPT.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910079-008

Source Name: WELL 08 - ACTIVE

Source Number: 008

Source Status: ACTIVE RAW

Water type: G

INORGANIC

CHROMIUM (TOTAL)	01034	036	2013/04/22	< 10.000	2016/04
CYANIDE	01291	036	2013/04/22	< 100.000	2016/04
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/04/22	. 360	2016/04
MERCURY	71900	036	2013/04/22	< 1.000	2016/04
NICKEL	01067	036	2013/04/22	< 10.000	2016/04
PERCHLORATE	A-031	012	2014/04/24	< 4.000	2015/04
SELENIUM	01147	036	2013/04/22	< 5.000	2016/04
THALLIUM	01059	036	2013/04/22	< 1.000	2016/04

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2014/04/24	. 6.400	2015/04
NITRITE (AS N)	00620	036	2013/04/22	< 400.000	2016/04

RADIOLOGICAL

GROSS ALPHA	01501	072	2012/01/17	. 7.140	2018/01
URANIUM (PCI/L)	28012	072	2012/01/17	. 3.600	2018/01

REGULATED SOC

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2012/07/16	< 3.000	2015/04
THIOBENCARB	A-001	033	2012/07/16	< 1.000	2015/04

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	012	2014/01/22	< .500	2015/01
1,1,2,2-TETRACHLOROETHANE	34516	012	2014/01/22	< .500	2015/01
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/01/22	< 10.000	2015/01
1,1,2-TRICHLOROETHANE	34511	012	2014/01/22	< .500	2015/01
1,1-DICHLOROETHANE	34496	012	2014/01/22	< .500	2015/01
1,1-DICHLOROETHYLENE	34501	012	2014/01/22	< .500	2015/01
1,2,4-TRICHLOROBENZENE	34551	012	2014/01/22	< .500	2015/01
1,2-DICHLOROBENZENE	34536	012	2014/01/22	< .500	2015/01
1,2-DICHLOROETHANE	34531	012	2014/01/22	< .500	2015/01
1,2-DICHLOROPROPANE	34541	012	2014/01/22	< .500	2015/01

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910079

System Name: LYNWOOD-CITY, WATER DEPT.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910079-008

Source Name: WELL 08 - ACTIVE

Source Number: 008

Source Status: ACTIVE RAW

Water type: G

REGULATED VOC

1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/01/22	< .500	2015/01
1,4-DICHLOROBENZENE	34571	012	2014/01/22	< .500	2015/01
BENZENE	34030	012	2014/01/22	< .500	2015/01
CARBON TETRACHLORIDE	32102	012	2014/01/22	< .500	2015/01
CIS-1,2-DICHLOROETHYLENE	77093	012	2014/01/22	< .500	2015/01
DICHLOROMETHANE	34423	012	2014/01/22	< .500	2015/01
ETHYLBENZENE	34371	012	2014/01/22	< .500	2015/01
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/01/22	< 3.000	2015/01
MONOCHLOROBENZENE	34301	012	2014/01/22	< .500	2015/01
STYRENE	77128	012	2014/01/22	< .500	2015/01
TETRACHLOROETHYLENE	34475	012	2014/04/24	. 2.800	2015/04
TOLUENE	34010	012	2014/01/22	< .500	2015/01
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/01/22	< .500	2015/01
TRICHLOROETHYLENE	39180	012	2014/01/22	< .500	2015/01
TRICHLOROFUOROMETHANE	34488	012	2014/01/22	< 5.000	2015/01
VINYL CHLORIDE	39175	012	2014/01/22	< .500	2015/01
XYLENES (TOTAL)	81551	012	2014/01/22	< .000	2015/01

SECONDARY/GP

BICARBONATE ALKALINITY	00440	036	2011/10/18	. 160.000	2014/10
CALCIUM	00916	036	2011/10/18	. 71.000	2014/10
CARBONATE ALKALINITY	00445	036	2011/10/18	< 2.000	2014/10
CHLORIDE	00940	036	2011/10/18	. 46.000	2014/10
COLOR	00081	036	2011/10/18	< 1.000	2014/10
COPPER	01042	036	2013/04/22	< 50.000	2016/04
FOAMING AGENTS (MBAS)	38260	036	2011/10/18	< .100	2014/10
HARDNESS (TOTAL) AS CaCO3	00900	036	2011/10/18	. 250.000	2014/10
HYDROXIDE ALKALINITY	71830	036	2011/10/18	< 2.000	2014/10
IRON	01045	036	2014/04/24	< 100.000	2017/04
MAGNESIUM	00927	036	2011/10/18	. 17.000	2014/10

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910079

System Name: LYNWOOD-CITY, WATER DEPT.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910079-008

Source Name: WELL 08 - ACTIVE

Source Number: 008

Source Status: ACTIVE RAW

Water type: G

SECONDARY/GP

MANGANESE	01055	036	2014/04/24	< 20.000	2017/04
ODOR THRESHOLD @ 60 C	00086	036	2011/10/18	< 1.000	2014/10
PH, LABORATORY	00403	036	2011/10/18	. 8.000	2014/10
SILVER	01077	036	2013/04/22	< 10.000	2016/04
SODIUM	00929	036	2011/10/18	38.000	2014/10
SPECIFIC CONDUCTANCE	00095	036	2011/10/18	. 660.000	2014/10
SULFATE	00945	036	2011/10/18	110.000	2014/10
TOTAL DISSOLVED SOLIDS	70300	036	2011/10/18	. 430.000	2014/10
TURBIDITY, LABORATORY	82079	036	2011/10/18	< .100	2014/10
ZINC	01092	036	2011/10/18	< 50.000	2014/10

PS Code: 1910079-009

Source Name: WELL 09 - ACTIVE

Source Number: 009

Source Status: ACTIVE RAW

Water type: G

INORGANIC

ALUMINUM	01105	036	2011/10/18	< 50.000	2014/10
ANTIMONY	01097	036	2011/10/18	< 6.000	2014/10
ARSENIC	01002	036	2011/10/18	. 5.600	2014/10
BARIUM	01007	036	2011/10/18	130.000	2014/10
BERYLLIUM	01012	036	2011/10/18	< 1.000	2014/10
CADMIUM	01027	036	2011/10/18	< 1.000	2014/10
CHROMIUM (TOTAL)	01034	036	2011/10/18	< 10.000	2014/10
CYANIDE	01291	036	2011/10/18	< 100.000	2014/10
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2011/10/18	. .330	2014/10
MERCURY	71900	036	2011/10/18	< 1.000	2014/10
NICKEL	01067	036	2011/10/18	< 10.000	2014/10
PERCHLORATE	A-031	012	2014/03/20	< 4.000	2015/03

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910079

System Name: LYNWOOD-CITY, WATER DEPT.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910079-009

Source Name: WELL 09 - ACTIVE

Source Number: 009

Source Status: ACTIVE RAW

Water type: G

INORGANIC

SELENIUM	01147	036	2011/10/18	< 5.000	2014/10
THALLIUM	01059	036	2011/10/18	< 1.000	2014/10

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2013/10/21	. 2.000	2014/10
NITRITE (AS N)	00620	036	2011/10/18	< 400.000	2014/10

RADIOLOGICAL

GROSS ALPHA	01501	072	2013/10/21	1.840	2019/10
URANIUM (PCI/L)	28012	072	2010/05/11	2.401	2016/05

REGULATED SOC

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2012/07/16	< 3.000	2015/04
THIOBENCARB	A-001	033	2012/07/16	< 1.000	2015/04

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	012	2014/01/22	< .500	2015/01
1,1,2,2-TETRACHLOROETHANE	34516	012	2014/01/22	< .500	2015/01
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/01/22	< 10.000	2015/01
1,1,2-TRICHLOROETHANE	34511	012	2014/01/22	< .500	2015/01
1,1-DICHLOROETHANE	34496	012	2014/01/22	< .500	2015/01
1,1-DICHLOROETHYLENE	34501	012	2014/01/22	< .500	2015/01
1,2,4-TRICHLOROBENZENE	34551	012	2014/01/22	< .500	2015/01
1,2-DICHLOROBENZENE	34536	012	2014/01/22	< .500	2015/01
1,2-DICHLOROETHANE	34531	012	2014/01/22	< .500	2015/01
1,2-DICHLOROPROPANE	34541	012	2014/01/22	< .500	2015/01
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/01/22	< .500	2015/01
1,4-DICHLOROBENZENE	34571	012	2014/01/22	< .500	2015/01
BENZENE	34030	012	2014/01/22	< .500	2015/01
CARBON TETRACHLORIDE	32102	012	2014/01/22	< .500	2015/01
CIS-1,2-DICHLOROETHYLENE	77093	012	2014/01/22	< .500	2015/01
DICHLOROMETHANE	34423	012	2014/01/22	< .500	2015/01

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910079

System Name: LYNWOOD-CITY, WATER DEPT.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910079-009

Source Name: WELL 09 - ACTIVE

Source Number: 009

Source Status: ACTIVE RAW

Water type: G

REGULATED VOC

ETHYLBENZENE	34371	012	2014/01/22	< .500	2015/01
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/01/22	< 3.000	2015/01
MONOCHLORO BENZENE	34301	012	2014/01/22	< .500	2015/01
STYRENE	77128	012	2014/01/22	< .500	2015/01
TETRACHLOROETHYLENE	34475	012	2014/04/24	< .500	2015/04
TOLUENE	34010	012	2014/01/22	< .500	2015/01
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/01/22	< .500	2015/01
TRICHLOROETHYLENE	39180	012	2014/01/22	< .500	2015/01
TRICHLOROFUOROMETHANE	34488	012	2014/01/22	< 5.000	2015/01
VINYL CHLORIDE	39175	012	2014/01/22	< .500	2015/01
XYLENES (TOTAL)	81551	012	2014/01/22	< .000	2015/01

SECONDARY/GP

BICARBONATE ALKALINITY	00440	036	2011/10/18	. 160.000	2014/10
CALCIUM	00916	036	2011/10/18	. 55.000	2014/10
CARBONATE ALKALINITY	00445	036	2011/10/18	< 2.000	2014/10
CHLORIDE	00940	036	2011/10/18	. 32.000	2014/10
COLOR	00081	036	2011/10/18	< 1.000	2014/10
COPPER	01042	036	2012/07/16	< .000	2015/07
FOAMING AGENTS (MBAS)	38260	036	2011/10/18	< .100	2014/10
HARDNESS (TOTAL) AS CaCO3	00900	036	2011/10/18	. 180.000	2014/10
HYDROXIDE ALKALINITY	71830	036	2011/10/18	< 2.000	2014/10
IRON	01045	036	2011/10/18	< 100.000	2014/10
MAGNESIUM	00927	036	2011/10/18	. 11.000	2014/10
MANGANESE	01055	036	2011/10/18	< 20.000	2014/10
ODOR THRESHOLD @ 60 C	00086	036	2011/10/18	< 1.000	2014/10
PH, LABORATORY	00403	036	2011/10/18	. 8.100	2014/10
SILVER	01077	036	2011/10/18	< 10.000	2014/10
SODIUM	00929	036	2011/10/18	39.000	2014/10
SPECIFIC CONDUCTANCE	00095	036	2011/10/18	. 540.000	2014/10

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910079

System Name: LYNWOOD-CITY, WATER DEPT.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910079-009

Source Name: WELL 09 - ACTIVE

Source Number: 009

Source Status: ACTIVE RAW

Water type: G

SECONDARY/GP

SULFATE	00945	036	2011/10/18	74.000	2014/10
TOTAL DISSOLVED SOLIDS	70300	036	2011/10/18	350.000	2014/10
TURBIDITY, LABORATORY	82079	036	2011/10/18	.120	2014/10
ZINC	01092	036	2011/10/18	< 50.000	2014/10

PS Code: 1910079-011

Source Name: WELL 11 - ACTIVE

Source Number: 011

Source Status: ACTIVE RAW

Water type: G

INORGANIC

ALUMINUM	01105	036	2013/07/15	< 50.000	2016/07
ANTIMONY	01097	036	2013/07/15	< 6.000	2016/07
ARSENIC	01002	036	2013/07/15	. 2.000	2016/07
BARIUM	01007	036	2013/07/15	110.000	2016/07
BERYLLIUM	01012	036	2013/07/15	< 1.000	2016/07
CADMIUM	01027	036	2013/07/15	< 1.000	2016/07
CHROMIUM (TOTAL)	01034	036	2013/07/15	< 10.000	2016/07
CYANIDE	01291	036	2013/07/15	< 100.000	2016/07
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/07/15	. 350	2016/07
MERCURY	71900	036	2013/07/15	< 1.000	2016/07
NICKEL	01067	036	2013/07/15	< 10.000	2016/07
PERCHLORATE	A-031	012	2013/07/15	< 4.000	2014/07
SELENIUM	01147	036	2013/07/15	< 5.000	2016/07
THALLIUM	01059	036	2013/07/15	< 1.000	2016/07

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2014/04/24	. 7.600	2015/04
NITRITE (AS N)	00620	036	2013/07/15	< 400.000	2016/07

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910079

System Name: LYNWOOD-CITY, WATER DEPT.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910079-011

Source Name: WELL 11 - ACTIVE

Source Number: 011

Source Status: ACTIVE RAW

Water type: G

RADIOLOGICAL

GROSS ALPHA	01501	072	2012/01/17	. 4.090	2018/01
URANIUM (PCI/L)	28012	072	2012/01/17	. 3.300	2018/01

REGULATED SOC

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2012/07/16	< 3.000	2015/04
THIOBENCARB	A-001	033	2012/07/16	< 1.000	2015/04

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	012	2013/07/15	< .500	2014/07
1,1,2,2-TETRACHLOROETHANE	34516	012	2013/07/15	< .500	2014/07
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2013/07/15	< 10.000	2014/07
1,1,2-TRICHLOROETHANE	34511	012	2013/07/15	< .500	2014/07
1,1-DICHLOROETHANE	34496	012	2013/07/15	< .500	2014/07
1,1-DICHLOROETHYLENE	34501	012	2013/07/15	< .500	2014/07
1,2,4-TRICHLOROBENZENE	34551	012	2013/07/15	< .500	2014/07
1,2-DICHLOROBENZENE	34536	012	2013/07/15	< .500	2014/07
1,2-DICHLOROETHANE	34531	012	2013/07/15	< .500	2014/07
1,2-DICHLOROPROPANE	34541	012	2013/07/15	< .500	2014/07
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2013/07/15	< .500	2014/07
1,4-DICHLOROBENZENE	34571	012	2013/07/15	< .500	2014/07
BENZENE	34030	012	2013/07/15	< .500	2014/07
CARBON TETRACHLORIDE	32102	012	2013/07/15	< .500	2014/07
CIS-1,2-DICHLOROETHYLENE	77093	012	2013/07/15	< .500	2014/07
DICHLOROMETHANE	34423	012	2013/07/15	< .500	2014/07
ETHYLBENZENE	34371	012	2013/07/15	< .500	2014/07
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2013/07/15	< 3.000	2014/07
MONOCHLOROBENZENE	34301	012	2013/07/15	< .500	2014/07
STYRENE	77128	012	2013/07/15	< .500	2014/07
TETRACHLOROETHYLENE	34475	012	2014/06/25	. 2.600	2015/06
TOLUENE	34010	012	2013/07/15	< .500	2014/07
TRANS-1,2-DICHLOROETHYLENE	34546	012	2013/07/15	< .500	2014/07

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910079

System Name: LYNWOOD-CITY, WATER DEPT.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910079-011

Source Name: WELL 11 - ACTIVE

Source Number: 011

Source Status: ACTIVE RAW

Water type: G

REGULATED VOC

TRICHLOROETHYLENE	39180	012	2014/04/24	. 1.900	2015/04
TRICHLOROFUOROMETHANE	34488	012	2013/07/15	< 5.000	2014/07
VINYL CHLORIDE	39175	012	2013/07/15	< .500	2014/07
XYLENES (TOTAL)	81551	012	2013/07/15	< 1.000	2014/07

SECONDARY/GP

BICARBONATE ALKALINITY	00440	036	2013/07/15	. 230.000	2016/07
CALCIUM	00916	036	2013/07/15	. 80.000	2016/07
CARBONATE ALKALINITY	00445	036	2013/07/15	< 2.400	2016/07
CHLORIDE	00940	036	2013/07/15	. 43.000	2016/07
COLOR	00081	036	2013/07/15	< 1.000	2016/07
COPPER	01042	036	2013/07/15	< 50.000	2016/07
FOAMING AGENTS (MBAS)	38260	036	2013/07/15	< .100	2016/07
HARDNESS (TOTAL) AS CaCO3	00900	036	2013/07/15	. 270.000	2016/07
HYDROXIDE ALKALINITY	71830	036	2013/07/15	< 1.400	2016/07
IRON	01045	036	2013/07/15	< 100.000	2016/07
MAGNESIUM	00927	036	2013/07/15	. 17.000	2016/07
MANGANESE	01055	036	2013/07/15	< 20.000	2016/07
ODOR THRESHOLD @ 60 C	00086	036	2013/07/15	< 1.000	2016/07
PH, LABORATORY	00403	036	2013/07/15	7.810	2016/07
SILVER	01077	036	2013/07/15	< 10.000	2016/07
SODIUM	00929	036	2013/07/15	39.000	2016/07
SPECIFIC CONDUCTANCE	00095	036	2013/07/15	. 690.000	2016/07
SULFATE	00945	036	2013/07/15	99.000	2016/07
TOTAL DISSOLVED SOLIDS	70300	036	2013/07/15	. 480.000	2016/07
TURBIDITY, LABORATORY	82079	036	2013/07/15	< .100	2016/07
ZINC	01092	036	2013/07/15	< 50.000	2016/07

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910079

System Name: LYNWOOD-CITY, WATER DEPT.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910079-016

Source Name: WELL 19 - ACTIVE

Source Number: 016

Source Status: ACTIVE RAW

Water type: G

INORGANIC

ALUMINUM	01105	036	2012/07/16	< 50.000	2015/07
ANTIMONY	01097	036	2012/07/16	< 6.000	2015/07
ARSENIC	01002	036	2012/07/16	. 2.400	2015/07
BARIUM	01007	036	2012/07/16	110.000	2015/07
BERYLLIUM	01012	036	2012/07/16	< 1.000	2015/07
CADMIUM	01027	036	2012/07/16	< 1.000	2015/07
CHROMIUM (TOTAL)	01034	036	2012/07/16	< 10.000	2015/07
CYANIDE	01291	036	2012/07/16	< 100.000	2015/07
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2012/07/16	. .320	2015/07
MERCURY	71900	036	2012/07/16	< 1.000	2015/07
NICKEL	01067	036	2012/07/16	< 10.000	2015/07
PERCHLORATE	A-031	012	2013/09/16	< 4.000	2014/09
SELENIUM	01147	036	2012/07/16	< 5.000	2015/07
THALLIUM	01059	036	2012/07/16	< 1.000	2015/07

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2013/10/21	. 3.100	2014/10
NITRITE (AS N)	00620	036	2012/07/16	< 400.000	2015/07

RADIOLOGICAL

GROSS ALPHA	01501	072	2011/05/16	. 5.890	2017/05
URANIUM (PCI/L)	28012	072	2012/01/31	< 1.000	2018/01

REGULATED SOC

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2012/07/16	< 3.000	2015/04
THIOBENCARB	A-001	033	2012/07/16	< 1.000	2015/04

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	012	2013/10/21	< .500	2014/10
1,1,2,2-TETRACHLOROETHANE	34516	012	2013/10/21	< .500	2014/10
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2013/10/21	< 10.000	2014/10
1,1,2-TRICHLOROETHANE	34511	012	2013/10/21	< .500	2014/10

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910079

System Name: LYNWOOD-CITY, WATER DEPT.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910079-016

Source Name: WELL 19 - ACTIVE

Source Number: 016

Source Status: ACTIVE RAW

Water type: G

REGULATED VOC

1,1-DICHLOROETHANE	34496	012	2013/10/21	< .500	2014/10
1,1-DICHLOROETHYLENE	34501	012	2013/10/21	< .500	2014/10
1,2,4-TRICHLOROBENZENE	34551	012	2013/10/21	< .500	2014/10
1,2-DICHLOROBENZENE	34536	012	2013/10/21	< .500	2014/10
1,2-DICHLOROETHANE	34531	012	2013/10/21	< .500	2014/10
1,2-DICHLOROPROPANE	34541	012	2013/10/21	< .500	2014/10
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2013/10/21	< .500	2014/10
1,4-DICHLOROBENZENE	34571	012	2013/10/21	< .500	2014/10
BENZENE	34030	012	2013/10/21	< .500	2014/10
CARBON TETRACHLORIDE	32102	012	2013/10/21	< .500	2014/10
CIS-1,2-DICHLOROETHYLENE	77093	012	2013/10/21	< .500	2014/10
DICHLOROMETHANE	34423	012	2013/10/21	< .500	2014/10
ETHYLBENZENE	34371	012	2013/10/21	< .500	2014/10
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2013/10/21	< 3.000	2014/10
MONOCHLOROBENZENE	34301	012	2013/10/21	< .500	2014/10
STYRENE	77128	012	2013/10/21	< .500	2014/10
TETRACHLOROETHYLENE	34475	012	2014/04/24	. 1.200	2015/04
TOLUENE	34010	012	2013/10/21	< .500	2014/10
TRANS-1,2-DICHLOROETHYLENE	34546	012	2013/10/21	< .500	2014/10
TRICHLOROETHYLENE	39180	012	2013/10/21	< .500	2014/10
TRICHLOROFUOROMETHANE	34488	012	2013/10/21	< 5.000	2014/10
VINYL CHLORIDE	39175	012	2013/10/21	< .500	2014/10
XYLENES (TOTAL)	81551	012	2013/10/21	< 1.000	2014/10

SECONDARY/GP

BICARBONATE ALKALINITY	00440	036	2012/01/31	. 180.000	2015/01
CALCIUM	00916	036	2012/01/31	. 67.000	2015/01
CARBONATE ALKALINITY	00445	036	2012/01/31	< 4.000	2015/01
CHLORIDE	00940	036	2012/01/31	. 35.000	2015/01
COLOR	00081	036	2012/01/31	< 1.000	2015/01

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910079

System Name: LYNWOOD-CITY, WATER DEPT.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910079-016

Source Name: WELL 19 - ACTIVE

Source Number: 016

Source Status: ACTIVE RAW

Water type: G

SECONDARY/GP

COPPER	01042	036	2012/07/16	< 50.000	2015/07
FOAMING AGENTS (MBAS)	38260	036	2012/01/31	< .100	2015/01
HARDNESS (TOTAL) AS CaCO3	00900	036	2012/01/31	. 230.000	2015/01
HYDROXIDE ALKALINITY	71830	036	2012/01/31	< 4.000	2015/01
IRON	01045	036	2012/01/31	< 100.000	2015/01
MAGNESIUM	00927	036	2012/01/31	. 15.000	2015/01
MANGANESE	01055	036	2014/06/25	< 20.000	2017/06
ODOR THRESHOLD @ 60 C	00086	036	2012/01/31	< 1.000	2015/01
PH, LABORATORY	00403	036	2012/01/31	. 7.800	2015/01
SILVER	01077	036	2012/07/16	< 10.000	2015/07
SODIUM	00929	036	2012/01/31	40.000	2015/01
SPECIFIC CONDUCTANCE	00095	036	2012/01/31	. 670.000	2015/01
SULFATE	00945	036	2012/01/31	87.000	2015/01
TOTAL DISSOLVED SOLIDS	70300	036	2012/01/31	. 410.000	2015/01
TURBIDITY, LABORATORY	82079	036	2012/01/31	< .100	2015/01
ZINC	01092	036	2012/07/16	< 50.000	2015/07

PS Code: 1910079-018

Source Name: MWD CONNECTION - TREATED

Source Number: 018

Source Status: PURCHASED TREATED

Water type: S

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

*Testing interval is in months;
 0 = No data for this constituent and is DUE NOW
 I = Invalid (NOT) valid analyses reported
 Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910079

System Name: LYNWOOD-CITY, WATER DEPT.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910079-026

Source Name: WELL 22

Source Number: 026

Source Status: PENDING

Water type: G

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

PS Code: 1910079-800

Source Name: SITE 1 - 3224 MINNESOTA AVE - STG2 DBP

Source Number: 800

Source Status: DISTRIBUTION TREATED

Water type: S

HALOACETIC ACIDS

DIBROMOACETIC ACID (DBAA)	82721	003	2014/07/08	. 1.900	2014/10
DICHLOROACETIC ACID (DCAA)	77288	003	2014/07/08	< .000	2014/10
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/07/08	. 1.900	2014/10
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/07/08	< .000	2014/10
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/07/08	< .000	2014/10
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/07/08	< .000	2014/10

STATE UCMR

BROMODICHLORMETHANE (THM)	32101	003	2014/07/08	. 2.000	2014/10
BROMOFORM (THM)	32104	003	2014/07/08	. 3.400	2014/10
CHLOROFORM (THM)	32106	003	2014/07/08	. 1.100	2014/10
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/07/08	. 3.800	2014/10

TRIHALOMETHANES

TOTAL TRIHALOMETHANES	82080	003	2014/07/08	. 10.300	2014/10
-----------------------	-------	-----	------------	----------	---------

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910079

System Name: LYNWOOD-CITY, WATER DEPT.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910079-801

Source Name: SITE 2 - 10933 CORNISH AVE - STG2 DBP

Source Number: 801

Source Status: DISTRIBUTION TREATED

Water type: S

HALOACETIC ACIDS

DIBROMOACETIC ACID (DBAA)	82721	003	2014/07/08	. 2.700	2014/10
DICHLOROACETIC ACID (DCAA)	77288	003	2014/07/08	. 2.200	2014/10
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/07/08	. 6.000	2014/10
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/07/08	< .000	2014/10
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/07/08	< .000	2014/10
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/07/08	. 1.100	2014/10

STATE UCMR

BROMODICHLORMETHANE (THM)	32101	003	2014/07/08	. 6.000	2014/10
BROMOFORM (THM)	32104	003	2014/07/08	. 6.500	2014/10
CHLOROFORM (THM)	32106	003	2014/07/08	. 5.400	2014/10
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/07/08	. 9.000	2014/10

TRIHALOMETHANES

TOTAL TRIHALOMETHANES	82080	003	2014/07/08	. 26.900	2014/10
-----------------------	-------	-----	------------	----------	---------

PS Code: 1910079-802

Source Name: SITE 3 - 3703 WALNUT AVE - STG2 DBP

Source Number: 802

Source Status: DISTRIBUTION TREATED

Water type: S

HALOACETIC ACIDS

DIBROMOACETIC ACID (DBAA)	82721	003	2014/07/08	. 3.300	2014/10
DICHLOROACETIC ACID (DCAA)	77288	003	2014/07/08	. 2.500	2014/10
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/07/08	. 7.100	2014/10
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/07/08	< .000	2014/10
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/07/08	< .000	2014/10
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/07/08	. 1.300	2014/10

STATE UCMR

BROMODICHLORMETHANE (THM)	32101	003	2014/07/08	. 5.900	2014/10
---------------------------	-------	-----	------------	---------	---------

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910079

System Name: LYNWOOD-CITY, WATER DEPT.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910079-802

Source Name: SITE 3 - 3703 WALNUT AVE - STG2 DBP

Source Number: 802

Source Status: DISTRIBUTION TREATED

Water type: S

STATE UCMR

BROMOFORM (THM)	32104	003	2014/07/08	. 5.900	2014/10
CHLOROFORM (THM)	32106	003	2014/07/08	. 5.100	2014/10
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/07/08	. 8.500	2014/10

TRIHALOMETHANES

TOTAL TRIHALOMETHANES	82080	003	2014/07/08	. 25.400	2014/10
-----------------------	-------	-----	------------	----------	---------

PS Code: 1910079-803

Source Name: SITE 4 - 10780 MCNERNEY AVE - STG2 DBP

Source Number: 803

Source Status: DISTRIBUTION TREATED

Water type: S

HALOACETIC ACIDS

DIBROMOACETIC ACID (DBAA)	82721	003	2014/07/08	. 3.100	2014/10
DICHLOROACETIC ACID (DCAA)	77288	003	2014/07/08	. 2.100	2014/10
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/07/08	. 6.300	2014/10
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/07/08	< .000	2014/10
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/07/08	< .000	2014/10
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/07/08	. 1.100	2014/10

STATE UCMR

BROMODICHLORMETHANE (THM)	32101	003	2014/07/08	. 6.100	2014/10
BROMOFORM (THM)	32104	003	2014/07/08	. 7.000	2014/10
CHLOROFORM (THM)	32106	003	2014/07/08	. 5.300	2014/10
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/07/08	. 9.800	2014/10

TRIHALOMETHANES

TOTAL TRIHALOMETHANES	82080	003	2014/07/08	. 28.200	2014/10
-----------------------	-------	-----	------------	----------	---------

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910079

System Name: LYNWOOD-CITY, WATER DEPT.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910079-804

Source Name: SITE 5 - 10941 ELM AVE - STG2 DBP

Source Number: 804

Source Status: DISTRIBUTION TREATED

Water type: S

HALOACETIC ACIDS

DIBROMOACETIC ACID (DBAA)	82721	003	2014/07/08	< .000	2014/10
DICHLOROACETIC ACID (DCAA)	77288	003	2014/07/08	< .000	2014/10
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/07/08	< .000	2014/10
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/07/08	< .000	2014/10
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/07/08	< .000	2014/10
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/07/08	< .000	2014/10

STATE UCMR

BROMODICHLORMETHANE (THM)	32101	003	2014/07/08	. 1.600	2014/10
BROMOFORM (THM)	32104	003	2014/07/08	. 1.600	2014/10
CHLOROFORM (THM)	32106	003	2014/07/08	. 1.300	2014/10
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/07/08	. 2.600	2014/10

TRIHALOMETHANES

TOTAL TRIHALOMETHANES	82080	003	2014/07/08	. 7.100	2014/10
-----------------------	-------	-----	------------	---------	---------

PS Code: 1910079-805

Source Name: SITE 6 - 10726 CAPISTRANO AVE - STG2 DBP

Source Number: 805

Source Status: DISTRIBUTION TREATED

Water type: S

HALOACETIC ACIDS

DIBROMOACETIC ACID (DBAA)	82721	003	2014/07/08	. 1.200	2014/10
DICHLOROACETIC ACID (DCAA)	77288	003	2014/07/08	< .000	2014/10
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/07/08	. 1.200	2014/10
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/07/08	< .000	2014/10
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/07/08	< .000	2014/10
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/07/08	< .000	2014/10

STATE UCMR

BROMODICHLORMETHANE (THM)	32101	003	2014/07/08	< .000	2014/10
---------------------------	-------	-----	------------	--------	---------

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910079

System Name: LYNWOOD-CITY, WATER DEPT.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910079-805

Source Name: SITE 6 - 10726 CAPISTRANO AVE - STG2 DBP

Source Number: 805

Source Status: DISTRIBUTION TREATED

Water type: S

STATE UCMR

BROMOFORM (THM)	32104	003	2014/07/08	. 1.900	2014/10
CHLOROFORM (THM)	32106	003	2014/07/08	< .000	2014/10
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/07/08	. 1.900	2014/10

TRIHALOMETHANES

TOTAL TRIHALOMETHANES	82080	003	2014/07/08	. 3.800	2014/10
-----------------------	-------	-----	------------	---------	---------

PS Code: 1910079-806

Source Name: SITE 7 - 10860 ALEXANDER AVE - STG2 DBP

Source Number: 806

Source Status: DISTRIBUTION TREATED

Water type: S

HALOACETIC ACIDS

DIBROMOACETIC ACID (DBAA)	82721	003	2014/07/08	. 3.100	2014/10
DICHLOROACETIC ACID (DCAA)	77288	003	2014/07/08	. 2.300	2014/10
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/07/08	. 6.600	2014/10
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/07/08	< .000	2014/10
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/07/08	< .000	2014/10
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/07/08	. 1.200	2014/10

STATE UCMR

BROMODICHLORMETHANE (THM)	32101	003	2014/07/08	. 6.500	2014/10
BROMOFORM (THM)	32104	003	2014/07/08	. 6.400	2014/10
CHLOROFORM (THM)	32106	003	2014/07/08	. 5.600	2014/10
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/07/08	. 9.900	2014/10

TRIHALOMETHANES

TOTAL TRIHALOMETHANES	82080	003	2014/07/08	. 28.400	2014/10
-----------------------	-------	-----	------------	----------	---------

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910079

System Name: LYNWOOD-CITY, WATER DEPT.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910079-807

Source Name: SITE 8 - 10011 STATE ST - STG2 DBP

Source Number: 807

Source Status: DISTRIBUTION TREATED

Water type: S

HALOACETIC ACIDS

DIBROMOACETIC ACID (DBAA)	82721	003	2014/07/08	. 1.500	2014/10
DICHLOROACETIC ACID (DCAA)	77288	003	2014/07/08	< .000	2014/10
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/07/08	. 1.500	2014/10
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/07/08	< .000	2014/10
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/07/08	< .000	2014/10
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/07/08	< .000	2014/10

STATE UCMR

BROMODICHLORMETHANE (THM)	32101	003	2014/07/08	. 1.400	2014/10
BROMOFORM (THM)	32104	003	2014/07/08	. 2.500	2014/10
CHLOROFORM (THM)	32106	003	2014/07/08	< .000	2014/10
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/07/08	. 2.700	2014/10

TRIHALOMETHANES

TOTAL TRIHALOMETHANES	82080	003	2014/07/08	. 6.600	2014/10
-----------------------	-------	-----	------------	---------	---------

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910090

System Name: MONROVIA-CITY, WATER DEPT.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910090-002

Source Name: MONROVIA WELL 02

Source Number: 002

Source Status: ACTIVE RAW

Water type: G

INORGANIC

ALUMINUM	01105	036	2014/05/06	< 50.000	2017/05
ANTIMONY	01097	036	2013/04/09	< 6.000	2016/04
ARSENIC	01002	036	2013/04/09	< 2.000	2016/04
BARIUM	01007	036	2013/04/09	< 100.000	2016/04
BERYLLIUM	01012	036	2013/04/09	< 1.000	2016/04
CADMIUM	01027	036	2013/04/09	< 1.000	2016/04
CHROMIUM (TOTAL)	01034	036	2013/04/09	< 10.000	2016/04
CYANIDE	01291	036	2013/04/09	< 100.000	2016/04
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/05/06	. 320	2017/05
MERCURY	71900	036	2013/04/09	< 1.000	2016/04
NICKEL	01067	036	2013/04/09	< 10.000	2016/04
PERCHLORATE	A-031	001	2014/07/07	. 5.800	2014/08
SELENIUM	01147	036	2013/04/09	< 5.000	2016/04
THALLIUM	01059	036	2013/04/09	< 1.000	2016/04

NITRATE/NITRITE

NITRATE (AS NO3)	71850	001	2014/07/07	. 60.000	2014/08
NITRITE (AS N)	00620	036	2014/05/06	< 400.000	2017/05

RADIOLOGICAL

GROSS ALPHA	01501	108	2014/04/09	. 4.490	2023/04
RADIUM 226	09501	108	2013/05/23	< 1.000	2022/05
RADIUM 228	11501	108	2014/04/09	. 000	2023/04
URANIUM (PCI/L)	28012	072	2013/05/23	. 4.000	2019/05

REGULATED SOC

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2012/10/03	< 3.000	2015/07
---------------------------	-------	-----	------------	---------	---------

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	012	2014/07/07	< .500	2015/07
1,1,2,2-TETRACHLOROETHANE	34516	012	2014/07/07	< .500	2015/07
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/07/07	< 10.000	2015/07

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910090

System Name: MONROVIA-CITY, WATER DEPT.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910090-002

Source Name: MONROVIA WELL 02

Source Number: 002

Source Status: ACTIVE RAW

Water type: G

REGULATED VOC

1,1,2-TRICHLOROETHANE	34511	012	2014/07/07	< .500	2015/07
1,1-DICHLOROETHANE	34496	012	2014/07/07	< .500	2015/07
1,1-DICHLOROETHYLENE	34501	012	2014/07/07	. 840	2015/07
1,2,4-TRICHLOROBENZENE	34551	012	2014/07/07	< .500	2015/07
1,2-DICHLOROBENZENE	34536	012	2014/07/07	< .500	2015/07
1,2-DICHLOROETHANE	34531	012	2014/07/07	< .500	2015/07
1,2-DICHLOROPROPANE	34541	012	2014/07/07	< .500	2015/07
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/07/07	< .500	2015/07
1,4-DICHLOROBENZENE	34571	012	2014/07/07	< .500	2015/07
BENZENE	34030	012	2014/07/07	< .500	2015/07
CARBON TETRACHLORIDE	32102	012	2014/07/07	< .500	2015/07
CIS-1,2-DICHLOROETHYLENE	77093	012	2014/07/07	< .500	2015/07
DICHLOROMETHANE	34423	012	2014/07/07	< .500	2015/07
ETHYLBENZENE	34371	012	2014/07/07	< .500	2015/07
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/07/07	< 3.000	2015/07
MONOCHLOROBENZENE	34301	012	2014/07/07	< .500	2015/07
STYRENE	77128	012	2014/07/07	< .500	2015/07
TETRACHLOROETHYLENE	34475	001	2014/07/07	. 610	2014/08
TOLUENE	34010	012	2014/07/07	< .500	2015/07
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/07/07	< .500	2015/07
TRICHLOROETHYLENE	39180	001	2014/07/07	. 12.000	2014/08
TRICHLOROFUOROMETHANE	34488	012	2014/07/07	< 5.000	2015/07
VINYL CHLORIDE	39175	012	2014/07/07	< .500	2015/07
XYLENES (TOTAL)	81551	012	2014/07/07	< .000	2015/07

SECONDARY/GP

BICARBONATE ALKALINITY	00440	036	2014/05/06	. 260.000	2017/05
CALCIUM	00916	036	2014/05/06	. 86.000	2017/05
CARBONATE ALKALINITY	00445	036	2014/05/06	< 2.000	2017/05
CHLORIDE	00940	036	2014/05/06	. 29.000	2017/05

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910090

System Name: MONROVIA-CITY, WATER DEPT.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910090-002

Source Name: MONROVIA WELL 02

Source Number: 002

Source Status: ACTIVE RAW

Water type: G

SECONDARY/GP

COLOR	00081	036	2014/05/06	< 3.000	2017/05
COPPER	01042	036	2014/05/06	< 50.000	2017/05
FOAMING AGENTS (MBAS)	38260	036	2014/05/06	< .050	2017/05
HARDNESS (TOTAL) AS CaCO3	00900	036	2014/05/06	. 320.000	2017/05
HYDROXIDE ALKALINITY	71830	036	2014/05/06	< 2.000	2017/05
IRON	01045	036	2014/05/06	< 100.000	2017/05
MAGNESIUM	00927	036	2014/05/06	. 26.000	2017/05
MANGANESE	01055	036	2014/05/06	< 20.000	2017/05
ODOR THRESHOLD @ 60 C	00086	036	2014/05/06	< 1.000	2017/05
PH, LABORATORY	00403	036	2014/05/06	. 7.800	2017/05
SILVER	01077	036	2013/04/09	< 10.000	2016/04
SODIUM	00929	036	2014/05/06	. 18.000	2017/05
SPECIFIC CONDUCTANCE	00095	036	2014/05/06	. 730.000	2017/05
SULFATE	00945	036	2014/05/06	. 42.000	2017/05
TOTAL DISSOLVED SOLIDS	70300	036	2014/05/06	. 440.000	2017/05
TURBIDITY, LABORATORY	82079	036	2014/05/06	. .064	2017/05
ZINC	01092	036	2014/05/06	< 50.000	2017/05

PS Code: 1910090-003

Source Name: MONROVIA WELL 03

Source Number: 003

Source Status: ACTIVE RAW

Water type: G

INORGANIC

ALUMINUM	01105	036	2014/05/06	< 50.000	2017/05
ANTIMONY	01097	036	2013/05/08	< 6.000	2016/05
ARSENIC	01002	036	2013/05/08	< 2.000	2016/05
BARIUM	01007	036	2013/05/08	< 100.000	2016/05
BERYLLIUM	01012	036	2013/05/08	< 1.000	2016/05

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910090

System Name: MONROVIA-CITY, WATER DEPT.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910090-003

Source Name: MONROVIA WELL 03

Source Number: 003

Source Status: ACTIVE RAW

Water type: G

INORGANIC

CADMIUM	01027	036	2013/05/08	< 1.000	2016/05
CHROMIUM (TOTAL)	01034	036	2013/05/08	< 10.000	2016/05
CHROMIUM, HEXAVALENT	01032	036	2013/08/09	. 5.800	2016/08
CYANIDE	01291	036	2013/05/08	< 100.000	2016/05
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/05/06	. .400	2017/05
MERCURY	71900	036	2013/05/08	< 1.000	2016/05
NICKEL	01067	036	2013/05/08	< 10.000	2016/05
PERCHLORATE	A-031	001	2014/07/07	< 4.000	2014/08
SELENIUM	01147	036	2013/05/08	< 5.000	2016/05
THALLIUM	01059	036	2013/05/08	< 1.000	2016/05

NITRATE/NITRITE

NITRATE (AS NO3)	71850	001	2014/07/07	. 17.000	2014/08
NITRITE (AS N)	00620	036	2014/05/06	< 400.000	2017/05

RADIOLOGICAL

GROSS ALPHA	01501	108	2013/05/23	< 3.000	2022/05
RADIUM 226	09501	108	2013/05/23	< 1.000	2022/05
RADIUM 228	11501	108	2013/05/23	< 1.000	2022/05
URANIUM (PCI/L)	28012	072	2013/05/23	. 2.000	2019/05

REGULATED SOC

DI(2-ETHYLHEXYL)PHthalate	39100	033	2012/10/03	< 3.000	2015/07
---------------------------	-------	-----	------------	---------	---------

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	012	2014/07/07	< .500	2015/07
1,1,2,2-TETRACHLOROETHANE	34516	012	2014/07/07	< .500	2015/07
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/07/07	< 10.000	2015/07
1,1,2-TRICHLOROETHANE	34511	012	2014/07/07	< .500	2015/07
1,1-DICHLOROETHANE	34496	012	2014/07/07	< .500	2015/07
1,1-DICHLOROETHYLENE	34501	012	2014/07/07	< .500	2015/07
1,2,4-TRICHLOROBENZENE	34551	012	2014/07/07	< .500	2015/07

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910090

System Name: MONROVIA-CITY, WATER DEPT.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910090-003

Source Name: MONROVIA WELL 03

Source Number: 003

Source Status: ACTIVE RAW

Water type: G

REGULATED VOC

1,2-DICHLOROBENZENE	34536	012	2014/07/07	< .500	2015/07
1,2-DICHLOROETHANE	34531	012	2014/07/07	< .500	2015/07
1,2-DICHLOROPROPANE	34541	012	2014/07/07	< .500	2015/07
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/07/07	< .500	2015/07
1,4-DICHLOROBENZENE	34571	012	2014/07/07	< .500	2015/07
BENZENE	34030	012	2014/07/07	< .500	2015/07
CARBON TETRACHLORIDE	32102	012	2014/07/07	< .500	2015/07
CIS-1,2-DICHLOROETHYLENE	77093	012	2014/07/07	< .500	2015/07
DICHLOROMETHANE	34423	012	2014/07/07	< .500	2015/07
ETHYLBENZENE	34371	012	2014/07/07	< .500	2015/07
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/07/07	< 3.000	2015/07
MONOCHLOROBENZENE	34301	012	2014/07/07	< .500	2015/07
STYRENE	77128	012	2014/07/07	< .500	2015/07
TETRACHLOROETHYLENE	34475	001	2014/07/07	. 530	2014/08
TOLUENE	34010	012	2014/07/07	< .500	2015/07
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/07/07	< .500	2015/07
TRICHLOROETHYLENE	39180	001	2014/07/07	. 4.100	2014/08
TRICHLOROFLUOROMETHANE	34488	012	2014/07/07	< 5.000	2015/07
VINYL CHLORIDE	39175	012	2014/07/07	< .500	2015/07
XYLENES (TOTAL)	81551	012	2014/07/07	< .000	2015/07

SECONDARY/GP

BICARBONATE ALKALINITY	00440	036	2014/05/06	. 190.000	2017/05
CALCIUM	00916	036	2014/05/06	. 63.000	2017/05
CARBONATE ALKALINITY	00445	036	2014/05/06	< 2.000	2017/05
CHLORIDE	00940	036	2014/05/06	. 23.000	2017/05
COLOR	00081	036	2014/05/06	< 3.000	2017/05
COPPER	01042	036	2014/05/06	< 50.000	2017/05
FOAMING AGENTS (MBAS)	38260	036	2014/05/06	< .050	2017/05
HARDNESS (TOTAL) AS CaCO3	00900	036	2014/05/06	. 220.000	2017/05

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910090

System Name: MONROVIA-CITY, WATER DEPT.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910090-003

Source Name: MONROVIA WELL 03

Source Number: 003

Source Status: ACTIVE RAW

Water type: G

SECONDARY/GP

HYDROXIDE ALKALINITY	71830	036	2014/05/06	< 2.000	2017/05
IRON	01045	036	2014/05/06	< 100.000	2017/05
MAGNESIUM	00927	036	2014/05/06	. 16.000	2017/05
MANGANESE	01055	036	2014/05/06	< 20.000	2017/05
ODOR THRESHOLD @ 60 C	00086	036	2014/05/06	. 1.000	2017/05
PH, LABORATORY	00403	036	2014/05/06	. 8.000	2017/05
SILVER	01077	036	2013/05/08	< 10.000	2016/05
SODIUM	00929	036	2014/05/06	. 15.000	2017/05
SPECIFIC CONDUCTANCE	00095	036	2014/05/06	. 520.000	2017/05
SULFATE	00945	036	2014/05/06	. 33.000	2017/05
TOTAL DISSOLVED SOLIDS	70300	036	2014/05/06	. 310.000	2017/05
TURBIDITY, LABORATORY	82079	036	2014/05/06	. .057	2017/05
ZINC	01092	036	2014/05/06	< 50.000	2017/05

PS Code: 1910090-004

Source Name: MONROVIA WELL 04

Source Number: 004

Source Status: ACTIVE RAW

Water type: G

HALOACETIC ACIDS

DIBROMOACETIC ACID (DBAA)	82721	199			DUE
----------------------------------	-------	-----	--	--	------------

INORGANIC

ALUMINUM	01105	036	2014/05/06	< 50.000	2017/05
ANTIMONY	01097	036	2013/04/09	< 6.000	2016/04
ARSENIC	01002	036	2013/04/09	< 2.000	2016/04
BARIUM	01007	036	2013/04/09	< 100.000	2016/04
BERYLLIUM	01012	036	2013/04/09	< 1.000	2016/04
CADMIUM	01027	036	2013/04/09	< 1.000	2016/04
CHROMIUM (TOTAL)	01034	036	2013/04/09	< 10.000	2016/04

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910090

System Name: MONROVIA-CITY, WATER DEPT.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910090-004

Source Name: MONROVIA WELL 04

Source Number: 004

Source Status: ACTIVE RAW

Water type: G

INORGANIC

CYANIDE	01291	036	2013/04/09	< 100.000	2016/04
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/05/06	.430	2017/05
MERCURY	71900	036	2013/04/09	< 1.000	2016/04
NICKEL	01067	036	2013/04/09	< 10.000	2016/04
PERCHLORATE	A-031	001	2014/07/07	< 4.000	2014/08
SELENIUM	01147	036	2013/04/09	< 5.000	2016/04
THALLIUM	01059	036	2013/04/09	< 1.000	2016/04

NITRATE/NITRITE

NITRATE (AS NO3)	71850	001	2014/07/07	. 8.800	2014/08
NITRITE (AS N)	00620	036	2014/05/06	< 400.000	2017/05

RADIOLOGICAL

GROSS ALPHA	01501	108	2013/05/23	< 3.000	2022/05
RADIUM 226	09501	108	2013/05/23	< 1.000	2022/05
RADIUM 228	11501	108	2013/05/23	< 1.000	2022/05
URANIUM (PCI/L)	28012	108	2013/05/23	. 1.700	2022/05

REGULATED SOC

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2012/10/03	< 3.000	2015/07
---------------------------	-------	-----	------------	---------	---------

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	012	2014/07/07	< .500	2015/07
1,1,2,2-TETRACHLOROETHANE	34516	012	2014/07/07	< .500	2015/07
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/07/07	< 10.000	2015/07
1,1,2-TRICHLOROETHANE	34511	012	2014/07/07	< .500	2015/07
1,1-DICHLOROETHANE	34496	012	2014/07/07	< .500	2015/07
1,1-DICHLOROETHYLENE	34501	012	2014/07/07	< .500	2015/07
1,2,4-TRICHLOROBENZENE	34551	012	2014/07/07	< .500	2015/07
1,2-DICHLOROBENZENE	34536	012	2014/07/07	< .500	2015/07
1,2-DICHLOROETHANE	34531	012	2014/07/07	< .500	2015/07
1,2-DICHLOROPROPANE	34541	012	2014/07/07	< .500	2015/07

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910090

System Name: MONROVIA-CITY, WATER DEPT.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910090-004

Source Name: MONROVIA WELL 04

Source Number: 004

Source Status: ACTIVE RAW

Water type: G

REGULATED VOC

1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/07/07	< .500	2015/07
1,4-DICHLOROBENZENE	34571	012	2014/07/07	< .500	2015/07
BENZENE	34030	012	2014/07/07	< .500	2015/07
CARBON TETRACHLORIDE	32102	012	2014/07/07	< .500	2015/07
CIS-1,2-DICHLOROETHYLENE	77093	012	2014/07/07	< .500	2015/07
DICHLOROMETHANE	34423	012	2014/07/07	< .500	2015/07
ETHYLBENZENE	34371	012	2014/07/07	< .500	2015/07
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/07/07	< 3.000	2015/07
MONOCHLOROBENZENE	34301	012	2014/07/07	< .500	2015/07
STYRENE	77128	012	2014/07/07	< .500	2015/07
TETRACHLOROETHYLENE	34475	001	2014/07/07	< .500	2014/08
TOLUENE	34010	012	2014/07/07	< .500	2015/07
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/07/07	< .500	2015/07
TRICHLOROETHYLENE	39180	001	2014/07/07	. 800	2014/08
TRICHLOROFUOROMETHANE	34488	012	2014/07/07	< 5.000	2015/07
VINYL CHLORIDE	39175	012	2014/07/07	< .500	2015/07
XYLENES (TOTAL)	81551	012	2014/07/07	< .000	2015/07

SECONDARY/GP

BICARBONATE ALKALINITY	00440	036	2014/05/06	. 160.000	2017/05
CALCIUM	00916	036	2014/05/06	. 51.000	2017/05
CARBONATE ALKALINITY	00445	036	2014/05/06	< 2.000	2017/05
CHLORIDE	00940	036	2014/05/06	. 20.000	2017/05
COLOR	00081	036	2014/05/06	< 3.000	2017/05
COPPER	01042	036	2014/05/06	< 50.000	2017/05
FOAMING AGENTS (MBAS)	38260	036	2014/05/06	< .050	2017/05
HARDNESS (TOTAL) AS CaCO3	00900	036	2014/05/06	. 180.000	2017/05
HYDROXIDE ALKALINITY	71830	036	2014/05/06	< 2.000	2017/05
IRON	01045	036	2014/05/06	< 100.000	2017/05
MAGNESIUM	00927	036	2014/05/06	. 12.000	2017/05

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910090

System Name: MONROVIA-CITY, WATER DEPT.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

PS Code: 1910090-004

Source Name: MONROVIA WELL 04

Source Number: 004

Source Status: ACTIVE RAW

Water type: G

SECONDARY/GP

MANGANESE	01055	036	2014/05/06	< 20.000	2017/05
ODOR THRESHOLD @ 60 C	00086	036	2014/05/06	< 1.000	2017/05
PH, LABORATORY	00403	036	2014/05/06	. 8.000	2017/05
SILVER	01077	036	2013/04/09	< 10.000	2016/04
SODIUM	00929	036	2014/05/06	. 15.000	2017/05
SPECIFIC CONDUCTANCE	00095	036	2014/05/06	. 420.000	2017/05
SULFATE	00945	036	2014/05/06	. 26.000	2017/05
TOTAL DISSOLVED SOLIDS	70300	036	2014/05/06	. 250.000	2017/05
TURBIDITY, LABORATORY	82079	036	2014/05/06	. .064	2017/05
ZINC	01092	036	2014/05/06	. 120.000	2017/05

PS Code: 1910090-005

Source Name: MONROVIA WELL 05

Source Number: 005

Source Status: ACTIVE RAW

Water type: G

INORGANIC

ALUMINUM	01105	036	2014/05/06	< 50.000	2017/05
ANTIMONY	01097	036	2013/04/09	< 6.000	2016/04
ARSENIC	01002	036	2013/04/09	< 2.000	2016/04
BARIUM	01007	036	2013/04/09	< 100.000	2016/04
BERYLLIUM	01012	036	2013/04/09	< 1.000	2016/04
CADMIUM	01027	036	2013/04/09	< 1.000	2016/04
CHROMIUM (TOTAL)	01034	036	2013/04/09	< 10.000	2016/04
CYANIDE	01291	036	2013/04/09	< 100.000	2016/04
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/05/06	. .430	2017/05
MERCURY	71900	036	2013/04/09	< 1.000	2016/04
NICKEL	01067	036	2013/04/09	< 10.000	2016/04
PERCHLORATE	A-031	001	2014/07/07	< 4.000	2014/08

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910090

System Name: MONROVIA-CITY, WATER DEPT.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910090-005

Source Name: MONROVIA WELL 05

Source Number: 005

Source Status: ACTIVE RAW

Water type: G

INORGANIC

SELENIUM	01147	036	2013/04/09	< 5.000	2016/04
THALLIUM	01059	036	2013/04/09	< 1.000	2016/04

NITRATE/NITRITE

NITRATE (AS NO3)	71850	001	2014/07/01	. 15.000	2014/08
NITRITE (AS N)	00620	036	2014/05/06	< 400.000	2017/05

RADIOLOGICAL

GROSS ALPHA	01501	108	2013/05/23	< 3.000	2022/05
RADIUM 226	09501	108	2013/05/23	< 1.000	2022/05
RADIUM 228	11501	108	2013/05/23	< 1.000	2022/05
URANIUM (PCI/L)	28012	108	2013/05/23	. 1.500	2022/05

REGULATED SOC

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2012/10/03	< 3.000	2015/07
---------------------------	-------	-----	------------	---------	---------

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	012	2014/07/07	< .500	2015/07
1,1,2,2-TETRACHLOROETHANE	34516	012	2014/07/07	< .500	2015/07
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/07/07	< 10.000	2015/07
1,1,2-TRICHLOROETHANE	34511	012	2014/07/07	< .500	2015/07
1,1-DICHLOROETHANE	34496	012	2014/07/07	< .500	2015/07
1,1-DICHLOROETHYLENE	34501	012	2014/07/07	< .500	2015/07
1,2,4-TRICHLOROBENZENE	34551	012	2014/07/07	< .500	2015/07
1,2-DICHLOROBENZENE	34536	012	2014/07/07	< .500	2015/07
1,2-DICHLOROETHANE	34531	012	2014/07/07	< .500	2015/07
1,2-DICHLOROPROPANE	34541	012	2014/07/07	< .500	2015/07
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/07/07	< .500	2015/07
1,4-DICHLOROBENZENE	34571	012	2014/07/07	< .500	2015/07
BENZENE	34030	012	2014/07/07	< .500	2015/07
CARBON TETRACHLORIDE	32102	012	2014/07/07	< .500	2015/07
CIS-1,2-DICHLOROETHYLENE	77093	012	2014/07/07	< .500	2015/07

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910090

System Name: MONROVIA-CITY, WATER DEPT.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910090-005

Source Name: MONROVIA WELL 05

Source Number: 005

Source Status: ACTIVE RAW

Water type: G

REGULATED VOC

DICHLOROMETHANE	34423	012	2014/07/07	< .500	2015/07
ETHYLBENZENE	34371	012	2014/07/07	< .500	2015/07
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/07/07	< 3.000	2015/07
MONOCHLOROENZENE	34301	012	2014/07/07	< .500	2015/07
STYRENE	77128	012	2014/07/07	< .500	2015/07
TETRACHLOROETHYLENE	34475	001	2014/07/07	. .650	2014/08
TOLUENE	34010	012	2014/07/07	< .500	2015/07
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/07/07	< .500	2015/07
TRICHLOROETHYLENE	39180	001	2014/07/07	. 2.200	2014/08
TRICHLOROFUOROMETHANE	34488	012	2014/07/07	< 5.000	2015/07
VINYL CHLORIDE	39175	012	2014/07/07	< .500	2015/07
XYLENES (TOTAL)	81551	012	2014/07/07	< .000	2015/07

SECONDARY/GP

BICARBONATE ALKALINITY	00440	036	2014/05/06	. 170.000	2017/05
CALCIUM	00916	036	2014/05/06	. 56.000	2017/05
CARBONATE ALKALINITY	00445	036	2014/05/06	< 2.000	2017/05
CHLORIDE	00940	036	2014/05/06	. 21.000	2017/05
COLOR	00081	036	2014/05/06	< 3.000	2017/05
COPPER	01042	036	2014/05/06	< 50.000	2017/05
FOAMING AGENTS (MBAS)	38260	036	2014/05/06	< .050	2017/05
HARDNESS (TOTAL) AS CaCO3	00900	036	2014/05/06	. 200.000	2017/05
HYDROXIDE ALKALINITY	71830	036	2014/05/06	< 2.000	2017/05
IRON	01045	036	2014/05/06	< 100.000	2017/05
MAGNESIUM	00927	036	2014/05/06	. 14.000	2017/05
MANGANESE	01055	036	2014/05/06	< 20.000	2017/05
ODOR THRESHOLD @ 60 C	00086	036	2014/05/06	< 1.000	2017/05
PH, LABORATORY	00403	036	2014/05/06	. 8.000	2017/05
SILVER	01077	036	2013/04/09	< 10.000	2016/04
SODIUM	00929	036	2014/05/06	. 15.000	2017/05

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910090

System Name: MONROVIA-CITY, WATER DEPT.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910090-005

Source Name: MONROVIA WELL 05

Source Number: 005

Source Status: ACTIVE RAW

Water type: G

SECONDARY/GP

SPECIFIC CONDUCTANCE	00095	036	2014/05/06	. 450.000	2017/05
SULFATE	00945	036	2014/05/06	. 28.000	2017/05
TOTAL DISSOLVED SOLIDS	70300	036	2014/05/06	. 270.000	2017/05
TURBIDITY, LABORATORY	82079	036	2014/05/06	. .050	2017/05
ZINC	01092	036	2014/05/06	< 50.000	2017/05

PS Code: 1910090-006

Source Name: WELL BLEND - TREATED

Source Number: 006

Source Status: COMBINATION OR BLEND TREATED

Water type: S

NITRATE/NITRITE

NITRATE (AS NO3)	71850	001	2014/07/29	. 18.000	2014/08
------------------	-------	-----	------------	----------	---------

PS Code: 1910090-007

Source Name: MWD CONNECTION NO. USG-7 - TREATED

Source Number: 007

Source Status: PURCHASED TREATED

Water type: S

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED *** 999

PS Code: 1910090-008

Source Name: WELL 06

Source Number: 008

Source Status: ACTIVE RAW

Water type: G

INORGANIC

ALUMINUM	01105	036	2014/05/06	< 50.000	2017/05
----------	-------	-----	------------	----------	---------

*Testing interval is in months;
 0 = No data for this constituent and is DUE NOW
 I = Invalid (NOT) valid analyses reported
 Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910090

System Name: MONROVIA-CITY, WATER DEPT.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910090-008

Source Name: WELL 06

Source Number: 008

Source Status: ACTIVE RAW

Water type: G

INORGANIC

ANTIMONY	01097	036	2013/06/27	< 6.000	2016/06
ARSENIC	01002	036	2013/06/27	< 2.000	2016/06
BARIUM	01007	036	2013/06/27	< 100.000	2016/06
BERYLLIUM	01012	036	2013/06/27	< 1.000	2016/06
CADMIUM	01027	036	2013/06/27	< 1.000	2016/06
CHROMIUM (TOTAL)	01034	036	2013/06/27	< 10.000	2016/06
CYANIDE	01291	036	2013/06/27	< 100.000	2016/06
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/05/06	.410	2017/05
MERCURY	71900	036	2013/06/27	< 1.000	2016/06
NICKEL	01067	036	2013/06/27	< 10.000	2016/06
PERCHLORATE	A-031	001	2014/07/07	< 4.000	2014/08
SELENIUM	01147	036	2013/06/27	< 5.000	2016/06
THALLIUM	01059	036	2013/06/27	< 1.000	2016/06

NITRATE/NITRITE

NITRATE (AS NO3)	71850	001	2014/07/07	. 30.000	2014/08
NITRITE (AS N)	00620	036	2014/05/06	< 400.000	2017/05

RADIOLOGICAL

GROSS ALPHA	01501	108	2013/07/10	< 3.000	2022/07
RADIUM 226	09501	108	2009/07/29	< 1.000	2018/07
RADIUM 228	11501	108	2013/07/10	. .000	2022/07
URANIUM (PCI/L)	28012	072	2010/07/14	2.000	2016/07

REGULATED SOC

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2012/10/03	< 3.000	2015/07
---------------------------	-------	-----	------------	---------	---------

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	012	2014/07/07	< .500	2015/07
1,1,2,2-TETRACHLOROETHANE	34516	012	2014/07/07	< .500	2015/07
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/07/07	< 10.000	2015/07
1,1,2-TRICHLOROETHANE	34511	012	2014/07/07	< .500	2015/07

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910090

System Name: MONROVIA-CITY, WATER DEPT.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910090-008

Source Name: WELL 06

Source Number: 008

Source Status: ACTIVE RAW

Water type: G

REGULATED VOC

1,1-DICHLOROETHANE	34496	012	2014/07/07	< .500	2015/07
1,1-DICHLOROETHYLENE	34501	012	2014/07/07	. 510	2015/07
1,2,4-TRICHLOROBENZENE	34551	012	2014/07/07	< .500	2015/07
1,2-DICHLOROBENZENE	34536	012	2014/07/07	< .500	2015/07
1,2-DICHLOROETHANE	34531	012	2014/07/07	< .500	2015/07
1,2-DICHLOROPROPANE	34541	012	2014/07/07	< .500	2015/07
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/07/07	< .500	2015/07
1,4-DICHLOROBENZENE	34571	012	2014/07/07	< .500	2015/07
BENZENE	34030	012	2014/07/07	< .500	2015/07
CARBON TETRACHLORIDE	32102	012	2014/07/07	< .500	2015/07
CIS-1,2-DICHLOROETHYLENE	77093	012	2014/07/07	< .500	2015/07
DICHLOROMETHANE	34423	012	2014/07/07	< .500	2015/07
ETHYLBENZENE	34371	012	2014/07/07	< .500	2015/07
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/07/07	< 3.000	2015/07
MONOCHLOROBENZENE	34301	012	2014/07/07	< .500	2015/07
STYRENE	77128	012	2014/07/07	< .500	2015/07
TETRACHLOROETHYLENE	34475	001	2014/07/07	. 1.500	2014/08
TOLUENE	34010	012	2014/07/07	< .500	2015/07
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/07/07	< .500	2015/07
TRICHLOROETHYLENE	39180	001	2014/07/07	. 14.000	2014/08
TRICHLOROFUOROMETHANE	34488	012	2014/07/07	< 5.000	2015/07
VINYL CHLORIDE	39175	012	2014/07/07	< .500	2015/07
XYLENES (TOTAL)	81551	012	2014/07/07	< .000	2015/07

SECONDARY/GP

BICARBONATE ALKALINITY	00440	036	2014/05/06	. 220.000	2017/05
CALCIUM	00916	036	2014/05/06	. 79.000	2017/05
CARBONATE ALKALINITY	00445	036	2014/05/06	< 2.000	2017/05
CHLORIDE	00940	036	2014/05/06	. 21.000	2017/05
COLOR	00081	036	2014/05/06	< 3.000	2017/05

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910090

System Name: MONROVIA-CITY, WATER DEPT.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910090-008

Source Name: WELL 06

Source Number: 008

Source Status: ACTIVE RAW

Water type: G

SECONDARY/GP

COPPER	01042	036	2014/05/06	< 50.000	2017/05
FOAMING AGENTS (MBAS)	38260	036	2014/05/06	< .050	2017/05
HARDNESS (TOTAL) AS CaCO3	00900	036	2014/05/06	. 280.000	2017/05
HYDROXIDE ALKALINITY	71830	036	2014/05/06	< 2.000	2017/05
IRON	01045	036	2014/05/06	< 100.000	2017/05
MAGNESIUM	00927	036	2014/05/06	. 19.000	2017/05
MANGANESE	01055	036	2014/05/06	< 20.000	2017/05
ODOR THRESHOLD @ 60 C	00086	036	2014/05/06	< 1.000	2017/05
PH, LABORATORY	00403	036	2014/05/06	. 8.000	2017/05
SILVER	01077	036	2013/06/27	< 10.000	2016/06
SODIUM	00929	036	2014/05/06	. 18.000	2017/05
SPECIFIC CONDUCTANCE	00095	036	2014/05/06	. 600.000	2017/05
SULFATE	00945	036	2014/05/06	. 37.000	2017/05
TOTAL DISSOLVED SOLIDS	70300	036	2014/05/06	. 390.000	2017/05
TURBIDITY, LABORATORY	82079	036	2014/05/06	. .061	2017/05
ZINC	01092	036	2014/05/06	< 50.000	2017/05

PS Code: 1910090-009

Source Name: PTA TOWER 1 EFFLUENT

Source Number: 009

Source Status: ACTIVE TREATED

Water type: S

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

*Testing interval is in months;
 0 = No data for this constituent and is DUE NOW
 I = Invalid (NOT) valid analyses reported
 Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910090

System Name: MONROVIA-CITY, WATER DEPT.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910090-010

Source Name: PTA TOWER 2 EFFLUENT

Source Number: 010

Source Status: ACTIVE TREATED

Water type: S

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

PS Code: 1910090-011

Source Name: PTA TOWER 3 EFFLUENT

Source Number: 011

Source Status: ACTIVE TREATED

Water type: S

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

PS Code: 1910090-012

Source Name: PTA TOWER 4 EFFLUENT

Source Number: 012

Source Status: ACTIVE TREATED

Water type: S

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

PS Code: 1910090-800

Source Name: SITE 1 - 706 NORTH CANYON BL. - STG2 DBP

Source Number: 800

Source Status: DISTRIBUTION TREATED

Water type: S

HALOACETIC ACIDS

DIBROMOACETIC ACID (DBAA)	82721	003	2014/04/30	< 1.000	2014/07
DICHLOROACETIC ACID (DCAA)	77288	003	2014/04/30	< 1.000	2014/07
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/04/30	< .000	2014/07
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/04/30	< 1.000	2014/07
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/04/30	< 2.000	2014/07

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910090

System Name: MONROVIA-CITY, WATER DEPT.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910090-800

Source Name: SITE 1 - 706 NORTH CANYON BL. - STG2 DBP

Source Number: 800

Source Status: DISTRIBUTION TREATED

Water type: S

HALOACETIC ACIDS

TRICHLOROACETIC ACID (TCAA)	82723	003	2014/04/30	< 1.000	2014/07
-----------------------------	-------	-----	------------	---------	---------

STATE UCMR

BROMODICHLORMETHANE (THM)	32101	003	2014/04/30	. 1.100	2014/07
BROMOFORM (THM)	32104	003	2014/04/30	. 2.600	2014/07
CHLOROFORM (THM)	32106	003	2014/04/30	< 1.000	2014/07
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/04/30	. 2.200	2014/07

TRIHALOMETHANES

TOTAL TRIHALOMETHANES	82080	003	2014/04/30	. 6.500	2014/07
-----------------------	-------	-----	------------	---------	---------

PS Code: 1910090-801

Source Name: SITE 2 -1200 NORTH CANYON BL. - STG2 DBP

Source Number: 801

Source Status: DISTRIBUTION TREATED

Water type: S

HALOACETIC ACIDS

DIBROMOACETIC ACID (DBAA)	82721	003	2014/04/30	. 1.900	2014/07
DICHLOROACETIC ACID (DCAA)	77288	003	2014/04/30	< 1.000	2014/07
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/04/30	. 1.900	2014/07
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/04/30	< 1.000	2014/07
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/04/30	< 2.000	2014/07
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/04/30	< 1.000	2014/07

STATE UCMR

BROMODICHLORMETHANE (THM)	32101	003	2014/04/30	. 2.300	2014/07
BROMOFORM (THM)	32104	003	2014/04/30	. 11.000	2014/07
CHLOROFORM (THM)	32106	003	2014/04/30	< 1.000	2014/07
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/04/30	. 7.400	2014/07

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910090

System Name: MONROVIA-CITY, WATER DEPT.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910090-801

Source Name: SITE 2 -1200 NORTH CANYON BL. - STG2 DBP

Source Number: 801

Source Status: DISTRIBUTION TREATED

Water type: S

TRihalOMETHANES

TOTAL TRIHALOMETHANES	82080	003	2014/04/30	. 21.000	2014/07
-----------------------	-------	-----	------------	----------	---------

PS Code: 1910090-802

Source Name: SITE 3 - 840 EL DORADO ST. - STG2 DBP

Source Number: 802

Source Status: DISTRIBUTION TREATED

Water type: S

HALOACETIC ACIDS

DIBROMOACETIC ACID (DBAA)	82721	003	2014/04/30	< 1.000	2014/07
DICHLOROACETIC ACID (DCAA)	77288	003	2014/04/30	< 1.000	2014/07
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/04/30	< .000	2014/07
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/04/30	< 1.000	2014/07
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/04/30	< 2.000	2014/07
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/04/30	< 1.000	2014/07

STATE UCMR

BROMODICHLORMETHANE (THM)	32101	003	2014/04/30	< 1.000	2014/07
BROMOFORM (THM)	32104	003	2014/04/30	. 1.200	2014/07
CHLOROFORM (THM)	32106	003	2014/04/30	< 1.000	2014/07
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/04/30	< 1.000	2014/07

TRihalOMETHANES

TOTAL TRIHALOMETHANES	82080	003	2014/04/30	. 2.700	2014/07
-----------------------	-------	-----	------------	---------	---------

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910090

System Name: MONROVIA-CITY, WATER DEPT.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

PS Code: 1910090-803

Source Name: SITE 4 - 729 OCEAN VIEW AVE . - STG2 DBP

Source Number: 803

Source Status: DISTRIBUTION TREATED

Water type: S

HALOACETIC ACIDS

DIBROMOACETIC ACID (DBAA)	82721	003	2014/04/30	< 1.000	2014/07
DICHLOROACETIC ACID (DCAA)	77288	003	2014/04/30	< 1.000	2014/07
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/04/30	< .000	2014/07
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/04/30	< 1.000	2014/07
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/04/30	< 2.000	2014/07
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/04/30	< 1.000	2014/07

STATE UCMR

BROMODICHLORMETHANE (THM)	32101	003	2014/04/30	. 1.400	2014/07
BROMOFORM (THM)	32104	003	2014/04/30	. 2.100	2014/07
CHLOROFORM (THM)	32106	003	2014/04/30	< 1.000	2014/07
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/04/30	. 2.200	2014/07

TRIHALOMETHANES

TOTAL TRIHALOMETHANES	82080	003	2014/04/30	. 6.600	2014/07
-----------------------	-------	-----	------------	---------	---------

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910097

System Name: NORTHROP GRUMMAN CORP.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910097-001

Source Name: SITE 4 - EAST WELL

Source Number: 001

Source Status: ACTIVE RAW

Water type: G

INORGANIC

ALUMINUM	01105	036	2012/10/30	< .000	2015/10	
ANTIMONY	01097	036	2012/10/30	< .000	2015/10	
ARSENIC	01002	036	2012/10/30	< .000	2015/10	
BARIUM	01007	036	2012/10/30	< .000	2015/10	
BERYLLIUM	01012	036	2012/10/30	< .000	2015/10	
CADMIUM	01027	036	2012/10/30	< .000	2015/10	
CHROMIUM (TOTAL)	01034	036	2012/10/30	< .000	2015/10	
CHROMIUM, HEXAVALENT	01032	036	2001/10/31	. 2.600	2004/10	DUE
CYANIDE	01291	036	2013/03/15	< .000	2016/03	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/01/24	. .130	2016/01	
MERCURY	71900	036	2012/10/30	< .000	2015/10	
NICKEL	01067	036	2012/10/30	< .000	2015/10	
PERCHLORATE	A-031	012	2013/11/08	< .000	2014/11	
SELENIUM	01147	036	2012/10/30	< .000	2015/10	
THALLIUM	01059	036	2012/10/30	< .000	2015/10	

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2014/03/21	. 23.000	2015/03	
NITRITE (AS N)	00620	036	2012/10/30	< .000	2015/10	

RADIOLOGICAL

GROSS ALPHA	01501	108	2007/12/27	.000	2016/12	
URANIUM (PCI/L)	28012	003	2007/12/27	1.100	2008/03	DUE

REGULATED SOC

DI(2-ETHYLHEXYL)PHTHALATE	39100	036	2011/09/28	< .000	2014/09	
THIOBENCARB	A-001	036	2012/09/21	< .000	2015/09	

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	012	2013/06/21	< .000	2014/06	DUE
1,1,2,2-TETRACHLOROETHANE	34516	012	2013/06/21	< .000	2014/06	DUE
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2013/06/21	< .000	2014/06	DUE

*Testing interval is in months;
 0 = No data for this constituent and is DUE NOW
 I = Invalid (NOT) valid analyses reported
 Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910097

System Name: NORTHROP GRUMMAN CORP.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

PS Code: 1910097-001

Source Name: SITE 4 - EAST WELL

Source Number: 001

Source Status: ACTIVE RAW

Water type: G

REGULATED VOC

1,1,2-TRICHLOROETHANE	34511	012	2013/06/21	< .000	2014/06	DUE
1,1-DICHLOROETHANE	34496	012	2013/06/21	< .000	2014/06	DUE
1,1-DICHLOROETHYLENE	34501	012	2013/06/21	< .000	2014/06	DUE
1,2,4-TRICHLOROBENZENE	34551	012	2013/06/21	< .000	2014/06	DUE
1,2-DICHLOROBENZENE	34536	012	2013/06/21	< .000	2014/06	DUE
1,2-DICHLOROETHANE	34531	012	2013/06/21	< .000	2014/06	DUE
1,2-DICHLOROPROPANE	34541	012	2013/06/21	< .000	2014/06	DUE
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2013/06/21	< .000	2014/06	DUE
1,4-DICHLOROBENZENE	34571	012	2013/06/21	< .000	2014/06	DUE
BENZENE	34030	012	2013/06/21	< .000	2014/06	DUE
CARBON TETRACHLORIDE	32102	012	2013/06/21	< .000	2014/06	DUE
CIS-1,2-DICHLOROETHYLENE	77093	012	2013/06/21	< .000	2014/06	DUE
DICHLOROMETHANE	34423	012	2013/06/21	< .000	2014/06	DUE
ETHYLBENZENE	34371	012	2013/06/21	< .000	2014/06	DUE
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2013/06/21	< .000	2014/06	DUE
MONOCHLOROBENZENE	34301	012	2013/06/21	< .000	2014/06	DUE
STYRENE	77128	012	2013/06/21	< .000	2014/06	DUE
TETRACHLOROETHYLENE	34475	012	2013/06/21	< .000	2014/06	DUE
TOLUENE	34010	012	2013/06/21	< .000	2014/06	DUE
TRANS-1,2-DICHLOROETHYLENE	34546	012	2013/06/21	< .000	2014/06	DUE
TRICHLOROETHYLENE	39180	012	2013/06/21	< .000	2014/06	DUE
TRICHLOROFLUOROMETHANE	34488	012	2013/06/21	< .000	2014/06	DUE
VINYL CHLORIDE	39175	012	2013/06/21	< .000	2014/06	DUE
XYLENES (TOTAL)	81551	012	2013/06/21	< .000	2014/06	DUE

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910097

System Name: NORTHROP GRUMMAN CORP.

	<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>	
PS Code: 1910097-002						
Source Name: SITE 4 - WEST WELL						
Source Number: 002						
Source Status: ACTIVE RAW						
Water type: G						
<u>INORGANIC</u>						
ALUMINUM	01105	036	2012/10/30	< .000	2015/10	
ANTIMONY	01097	036	2012/10/30	< .000	2015/10	
ARSENIC	01002	036	2012/10/30	< .000	2015/10	
BARIUM	01007	036	2012/10/30	< .000	2015/10	
BERYLLIUM	01012	036	2012/10/30	< .000	2015/10	
CADMIUM	01027	036	2012/10/30	< .000	2015/10	
CHROMIUM (TOTAL)	01034	036	2012/10/30	< .000	2015/10	
CHROMIUM, HEXAVALENT	01032	036	2001/10/31	. 1.900	2004/10	DUE
CYANIDE	01291	036	2013/03/15	< .000	2016/03	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/01/24	. .130	2016/01	
MERCURY	71900	036	2012/10/30	< .000	2015/10	
NICKEL	01067	036	2012/10/30	< .000	2015/10	
PERCHLORATE	A-031	012	2013/11/08	< .000	2014/11	
SELENIUM	01147	036	2012/10/30	< .000	2015/10	
THALLIUM	01059	036	2012/10/30	< .000	2015/10	
<u>NITRATE/NITRITE</u>						
NITRATE (AS NO3)	71850	012	2013/11/08	. 21.000	2014/11	
NITRITE (AS N)	00620	036	2012/10/30	< .000	2015/10	
<u>RADIOLOGICAL</u>						
GROSS ALPHA	01501	108	2007/12/27	.000	2016/12	
URANIUM (PCI/L)	28012	003	2007/12/27	1.600	2008/03	DUE
<u>REGULATED SOC</u>						
DI(2-ETHYLHEXYL)PHTHALATE	39100	036	2011/09/28	< .000	2014/09	
THIOBENCARB	A-001	036	2012/09/21	< .000	2015/09	
<u>REGULATED VOC</u>						
1,1,1-TRICHLOROETHANE	34506	012	2013/06/21	< .000	2014/06	DUE
1,1,2,2-TETRACHLOROETHANE	34516	012	2013/06/21	< .000	2014/06	DUE
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2013/06/21	< .000	2014/06	DUE

*Testing interval is in months;
 0 = No data for this constituent and is DUE NOW
 I = Invalid (NOT) valid analyses reported
 Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910097

System Name: NORTHROP GRUMMAN CORP.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910097-002

Source Name: SITE 4 - WEST WELL

Source Number: 002

Source Status: ACTIVE RAW

Water type: G

REGULATED VOC

1,1,2-TRICHLOROETHANE	34511	012	2013/06/21	< .000	2014/06	DUE
1,1-DICHLOROETHANE	34496	012	2013/06/21	< .000	2014/06	DUE
1,1-DICHLOROETHYLENE	34501	012	2013/06/21	< .000	2014/06	DUE
1,2,4-TRICHLOROBENZENE	34551	012	2013/06/21	< .000	2014/06	DUE
1,2-DICHLOROBENZENE	34536	012	2013/06/21	< .000	2014/06	DUE
1,2-DICHLOROETHANE	34531	012	2013/06/21	< .000	2014/06	DUE
1,2-DICHLOROPROPANE	34541	012	2013/06/21	< .000	2014/06	DUE
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2013/06/21	< .000	2014/06	DUE
1,4-DICHLOROBENZENE	34571	012	2013/06/21	< .000	2014/06	DUE
BENZENE	34030	012	2013/06/21	< .000	2014/06	DUE
CARBON TETRACHLORIDE	32102	012	2013/06/21	< .000	2014/06	DUE
CIS-1,2-DICHLOROETHYLENE	77093	012	2013/06/21	< .000	2014/06	DUE
DICHLOROMETHANE	34423	012	2013/06/21	< .000	2014/06	DUE
ETHYLBENZENE	34371	012	2013/06/21	< .000	2014/06	DUE
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2013/06/21	< .000	2014/06	DUE
MONOCHLOROBENZENE	34301	012	2013/06/21	< .000	2014/06	DUE
STYRENE	77128	012	2013/06/21	< .000	2014/06	DUE
TETRACHLOROETHYLENE	34475	012	2013/06/21	< .000	2014/06	DUE
TOLUENE	34010	012	2013/06/21	< .000	2014/06	DUE
TRANS-1,2-DICHLOROETHYLENE	34546	012	2013/06/21	< .000	2014/06	DUE
TRICHLOROETHYLENE	39180	012	2013/06/21	< .000	2014/06	DUE
TRICHLOROFLUOROMETHANE	34488	012	2013/06/21	< .000	2014/06	DUE
VINYL CHLORIDE	39175	012	2013/06/21	< .000	2014/06	DUE
XYLENES (TOTAL)	81551	012	2013/06/21	< .000	2014/06	DUE

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: **1910097**

System Name: **NORTHROP GRUMMAN CORP.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: **1910097-003**

Source Name: **SITE 03 - WELL 02 (SOUTH)**

Source Number: **003**

Source Status: **ACTIVE RAW**

Water type: **G**

INORGANIC

ALUMINUM	01105	036	2012/10/30	. 130.000	2015/10	
ANTIMONY	01097	036	2012/10/30	< .000	2015/10	
ARSENIC	01002	036	2012/10/30	< .000	2015/10	
BARIUM	01007	036	2012/10/30	< .000	2015/10	
BERYLLIUM	01012	036	2012/10/30	< .000	2015/10	
CADMIUM	01027	036	2012/10/30	< .000	2015/10	
CHROMIUM (TOTAL)	01034	036	2012/10/30	< .000	2015/10	
CHROMIUM, HEXAVALENT	01032	036	2001/10/31	. 4.100	2004/10	DUE
CYANIDE	01291	036	2013/03/15	< .000	2016/03	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/01/24	. .140	2016/01	
MERCURY	71900	036	2012/10/30	< .000	2015/10	
NICKEL	01067	036	2012/10/30	< .000	2015/10	
PERCHLORATE	A-031	012	2013/11/08	< .000	2014/11	
SELENIUM	01147	036	2012/10/30	< .000	2015/10	
THALLIUM	01059	036	2012/10/30	< .000	2015/10	

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2014/03/21	. 4.300	2015/03	
NITRITE (AS N)	00620	036	2012/10/30	< .000	2015/10	

RADIOLOGICAL

GROSS ALPHA	01501	108	2007/12/27	.000	2016/12	
URANIUM (PCI/L)	28012	003	2007/12/27	.000	2008/03	DUE

REGULATED SOC

DI(2-ETHYLHEXYL)PHTHALATE	39100	036	2011/09/28	< .000	2014/09	
THIOBENCARB	A-001	036	2012/09/21	< .000	2015/09	

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	012	2013/06/21	< .000	2014/06	DUE
1,1,2,2-TETRACHLOROETHANE	34516	012	2013/06/21	< .000	2014/06	DUE
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2013/06/21	< .000	2014/06	DUE

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910097

System Name: NORTHROP GRUMMAN CORP.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

PS Code: 1910097-003

Source Name: SITE 03 - WELL 02 (SOUTH)

Source Number: 003

Source Status: ACTIVE RAW

Water type: G

REGULATED VOC

1,1,2-TRICHLOROETHANE	34511	012	2013/06/21	< .000	2014/06	DUE
1,1-DICHLOROETHANE	34496	012	2013/06/21	< .000	2014/06	DUE
1,1-DICHLOROETHYLENE	34501	012	2013/06/21	< .000	2014/06	DUE
1,2,4-TRICHLOROBENZENE	34551	012	2013/06/21	< .000	2014/06	DUE
1,2-DICHLOROBENZENE	34536	012	2013/06/21	< .000	2014/06	DUE
1,2-DICHLOROETHANE	34531	012	2013/06/21	< .000	2014/06	DUE
1,2-DICHLOROPROPANE	34541	012	2013/06/21	< .000	2014/06	DUE
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2013/06/21	< .000	2014/06	DUE
1,4-DICHLOROBENZENE	34571	012	2013/06/21	< .000	2014/06	DUE
BENZENE	34030	012	2013/06/21	< .000	2014/06	DUE
CARBON TETRACHLORIDE	32102	012	2013/06/21	< .000	2014/06	DUE
CIS-1,2-DICHLOROETHYLENE	77093	012	2013/06/21	< .000	2014/06	DUE
DICHLOROMETHANE	34423	012	2013/06/21	< .000	2014/06	DUE
ETHYLBENZENE	34371	012	2013/06/21	< .000	2014/06	DUE
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2013/06/21	< .000	2014/06	DUE
MONOCHLOROBENZENE	34301	012	2013/06/21	< .000	2014/06	DUE
STYRENE	77128	012	2013/06/21	< .000	2014/06	DUE
TETRACHLOROETHYLENE	34475	012	2013/06/21	< .000	2014/06	DUE
TOLUENE	34010	012	2013/06/21	< .000	2014/06	DUE
TRANS-1,2-DICHLOROETHYLENE	34546	012	2013/06/21	< .000	2014/06	DUE
TRICHLOROETHYLENE	39180	012	2013/06/21	< .000	2014/06	DUE
TRICHLOROFLUOROMETHANE	34488	012	2013/06/21	< .000	2014/06	DUE
VINYL CHLORIDE	39175	012	2013/06/21	< .000	2014/06	DUE
XYLENES (TOTAL)	81551	012	2013/06/21	< .000	2014/06	DUE

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910097

System Name: NORTHROP GRUMMAN CORP.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910097-004

Source Name: SITE 03 - WELL 02 (NORTH)

Source Number: 004

Source Status: ACTIVE RAW

Water type: G

INORGANIC

ALUMINUM	01105	036	2012/10/30	< .000	2015/10	
ANTIMONY	01097	036	2012/10/30	< .000	2015/10	
ARSENIC	01002	036	2012/10/30	< .000	2015/10	
BARIUM	01007	036	2012/10/30	< .000	2015/10	
BERYLLIUM	01012	036	2012/10/30	< .000	2015/10	
CADMIUM	01027	036	2012/10/30	< .000	2015/10	
CHROMIUM (TOTAL)	01034	036	2012/10/30	< .000	2015/10	
CHROMIUM, HEXAVALENT	01032	036	2001/10/31	. 5.700	2004/10	DUE
CYANIDE	01291	036	2013/03/15	< .000	2016/03	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/01/24	. .180	2016/01	
MERCURY	71900	036	2012/10/30	< .000	2015/10	
NICKEL	01067	036	2012/10/30	< .000	2015/10	
PERCHLORATE	A-031	012	2013/11/08	< .000	2014/11	
SELENIUM	01147	036	2012/10/30	< .000	2015/10	
THALLIUM	01059	036	2012/10/30	< .000	2015/10	

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2014/03/21	. 3.200	2015/03	
NITRITE (AS N)	00620	036	2012/10/30	< .000	2015/10	

RADIOLOGICAL

GROSS ALPHA	01501	108	2007/12/27	.000	2016/12	
URANIUM (PCI/L)	28012	003	2007/12/27	.000	2008/03	DUE

REGULATED SOC

DI(2-ETHYLHEXYL)PHTHALATE	39100	036	2011/09/28	< .000	2014/09	
THIOBENCARB	A-001	036	2012/09/21	< .000	2015/09	

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	012	2013/06/21	< .000	2014/06	DUE
1,1,2,2-TETRACHLOROETHANE	34516	012	2013/06/21	< .000	2014/06	DUE
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2013/06/21	< .000	2014/06	DUE

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910097

System Name: NORTHROP GRUMMAN CORP.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910097-004

Source Name: SITE 03 - WELL 02 (NORTH)

Source Number: 004

Source Status: ACTIVE RAW

Water type: G

REGULATED VOC

1,1,2-TRICHLOROETHANE	34511	012	2013/06/21	< .000	2014/06	DUE
1,1-DICHLOROETHANE	34496	012	2013/06/21	< .000	2014/06	DUE
1,1-DICHLOROETHYLENE	34501	012	2013/06/21	< .000	2014/06	DUE
1,2,4-TRICHLOROBENZENE	34551	012	2013/06/21	< .000	2014/06	DUE
1,2-DICHLOROBENZENE	34536	012	2013/06/21	< .000	2014/06	DUE
1,2-DICHLOROETHANE	34531	012	2013/06/21	< .000	2014/06	DUE
1,2-DICHLOROPROPANE	34541	012	2013/06/21	< .000	2014/06	DUE
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2013/06/21	< .000	2014/06	DUE
1,4-DICHLOROBENZENE	34571	012	2013/06/21	< .000	2014/06	DUE
BENZENE	34030	012	2013/06/21	< .000	2014/06	DUE
CARBON TETRACHLORIDE	32102	012	2013/06/21	< .000	2014/06	DUE
CIS-1,2-DICHLOROETHYLENE	77093	012	2013/06/21	< .000	2014/06	DUE
DICHLOROMETHANE	34423	012	2013/06/21	< .000	2014/06	DUE
ETHYLBENZENE	34371	012	2013/06/21	< .000	2014/06	DUE
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2013/06/21	< .000	2014/06	DUE
MONOCHLOROBENZENE	34301	012	2013/06/21	< .000	2014/06	DUE
STYRENE	77128	012	2013/06/21	< .000	2014/06	DUE
TETRACHLOROETHYLENE	34475	012	2013/06/21	< .000	2014/06	DUE
TOLUENE	34010	012	2013/06/21	< .000	2014/06	DUE
TRANS-1,2-DICHLOROETHYLENE	34546	012	2013/06/21	< .000	2014/06	DUE
TRICHLOROETHYLENE	39180	012	2013/06/21	< .000	2014/06	DUE
TRICHLOROFLUOROMETHANE	34488	012	2013/06/21	< .000	2014/06	DUE
VINYL CHLORIDE	39175	012	2013/06/21	< .000	2014/06	DUE
XYLENES (TOTAL)	81551	012	2013/06/21	< .000	2014/06	DUE

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910097

System Name: NORTHROP GRUMMAN CORP.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910097-800

Source Name: NG-SITE 3 BUILDING 333 - STG2 DBP

Source Number: 800

Source Status: DISTRIBUTION TREATED

Water type: G

HALOACETIC ACIDS

DIBROMOACETIC ACID (DBAA)	82721	012	2013/09/27	< .000	2014/09
DICHLOROACETIC ACID (DCAA)	77288	012	2013/09/27	< .000	2014/09
HALOACETIC ACIDS (5) (HAA5)	A-049	012	2013/09/27	< .000	2014/09
MONOBROMOACETIC ACID (MBAA)	A-041	012	2013/09/27	< .000	2014/09
MONOCHLOROACETIC ACID (MCAA)	A-042	012	2013/09/27	< .000	2014/09
TRICHLOROACETIC ACID (TCAA)	82723	012	2013/09/27	< .000	2014/09

STATE UCMR

BROMODICHLORMETHANE (THM)	32101	012	2013/09/27	< .000	2014/09
BROMOFORM (THM)	32104	012	2013/09/27	< .000	2014/09
CHLOROFORM (THM)	32106	012	2013/09/27	< .000	2014/09
DIBROMOCHLOROMETHANE (THM)	32105	012	2013/09/27	< .000	2014/09

TRIHALOMETHANES

TOTAL TRIHALOMETHANES	82080	012	2013/09/27	< .000	2014/09
-----------------------	-------	-----	------------	--------	---------

PS Code: 1910097-801

Source Name: NG-SITE 4 BUILDING 460 - STG2 DBP

Source Number: 801

Source Status: DISTRIBUTION TREATED

Water type: G

HALOACETIC ACIDS

DIBROMOACETIC ACID (DBAA)	82721	012	2013/09/27	. 2.300	2014/09
DICHLOROACETIC ACID (DCAA)	77288	012	2013/09/27	< .000	2014/09
HALOACETIC ACIDS (5) (HAA5)	A-049	012	2013/09/27	. 2.300	2014/09
MONOBROMOACETIC ACID (MBAA)	A-041	012	2013/09/27	< .000	2014/09
MONOCHLOROACETIC ACID (MCAA)	A-042	012	2013/09/27	< .000	2014/09
TRICHLOROACETIC ACID (TCAA)	82723	012	2013/09/27	< .000	2014/09

STATE UCMR

BROMODICHLORMETHANE (THM)	32101	012	2013/09/27	. 4.000	2014/09
---------------------------	-------	-----	------------	---------	---------

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910097

System Name: NORTHROP GRUMMAN CORP.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910097-801

Source Name: NG-SITE 4 BUILDING 460 - STG2 DBP

Source Number: 801

Source Status: DISTRIBUTION TREATED

Water type: G

STATE UCMR

BROMOFORM (THM)	32104	012	2013/09/27	. 10.900	2014/09
CHLOROFORM (THM)	32106	012	2013/09/27	. 1.500	2014/09
DIBROMOCHLOROMETHANE (THM)	32105	012	2013/09/27	. 9.600	2014/09

TRIHALOMETHANES

TOTAL TRIHALOMETHANES	82080	012	2013/09/27	. 26.000	2014/09
-----------------------	-------	-----	------------	----------	---------

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910104

System Name: CALIFORNIA WATER SERVICE CO. - PALOS VER

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

PS Code: 1910104-001

Source Name: MWD CONNECTION, WB 40 - TREATED

Source Number: 001

Source Status: PURCHASED TREATED

Water type: S

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

PS Code: 1910104-002

Source Name: MWD CONNECTION, WB 6A - TREATED

Source Number: 002

Source Status: PURCHASED TREATED

Water type: S

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

PS Code: 1910104-003

Source Name: MWD CONNECTION, WB 6B - TREATED

Source Number: 003

Source Status: PURCHASED TREATED

Water type: S

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

PS Code: 1910104-004

Source Name: MWD CONNECTION, WB 32 - TREATED

Source Number: 004

Source Status: PURCHASED TREATED

Water type: S

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

*Testing interval is in months;
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910104

System Name: CALIFORNIA WATER SERVICE CO. - PALOS VER

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910104-800

Source Name: PV-C-WB6A - WB-6A CONNECTION - STG2 DBP

Source Number: 800

Source Status: DISTRIBUTION TREATED

Water type: S

HALOACETIC ACIDS

DIBROMOACETIC ACID (DBAA)	82721	003	2014/05/21	. 3.500	2014/08
DICHLOROACETIC ACID (DCAA)	77288	003	2014/05/21	. 11.000	2014/08
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/05/21	. 20.000	2014/08
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/05/21	< .000	2014/08
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/05/21	< .000	2014/08
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/05/21	. 5.000	2014/08

STATE UCMR

BROMODICHLORMETHANE (THM)	32101	003	2014/05/21	. 9.810	2014/08
BROMOFORM (THM)	32104	003	2014/05/21	. 2.230	2014/08
CHLOROFORM (THM)	32106	003	2014/05/21	. 13.000	2014/08
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/05/21	. 9.050	2014/08

TRIHALOMETHANES

TOTAL TRIHALOMETHANES	82080	003	2014/05/21	. 34.100	2014/08
-----------------------	-------	-----	------------	----------	---------

PS Code: 1910104-801

Source Name: PV-C-WB32 - WB-32 CONNECTION - STG2 DBP

Source Number: 801

Source Status: DISTRIBUTION TREATED

Water type: S

HALOACETIC ACIDS

DIBROMOACETIC ACID (DBAA)	82721	003	2014/05/21	. 3.600	2014/08
DICHLOROACETIC ACID (DCAA)	77288	003	2014/05/21	. 10.000	2014/08
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/05/21	. 19.000	2014/08
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/05/21	< .000	2014/08
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/05/21	< .000	2014/08
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/05/21	. 5.200	2014/08

STATE UCMR

BROMODICHLORMETHANE (THM)	32101	003	2014/05/21	. 10.040	2014/08
---------------------------	-------	-----	------------	----------	---------

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910104

System Name: CALIFORNIA WATER SERVICE CO. - PALOS VER

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910104-801

Source Name: PV-C-WB32 - WB-32 CONNECTION - STG2 DBP

Source Number: 801

Source Status: DISTRIBUTION TREATED

Water type: S

STATE UCMR

BROMOFORM (THM)	32104	003	2014/05/21	. 2.260	2014/08
CHLOROFORM (THM)	32106	003	2014/05/21	. 13.030	2014/08
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/05/21	. 9.280	2014/08

TRIHALOMETHANES

TOTAL TRIHALOMETHANES	82080	003	2014/05/21	. 34.600	2014/08
-----------------------	-------	-----	------------	----------	---------

PS Code: 1910104-802

Source Name: PV-D-003 - SEAHILL/SEALPOINT - STG2 DBP

Source Number: 802

Source Status: DISTRIBUTION TREATED

Water type: S

HALOACETIC ACIDS

DIBROMOACETIC ACID (DBAA)	82721	003	2014/05/21	. 3.400	2014/08
DICHLOROACETIC ACID (DCAA)	77288	003	2014/05/21	. 9.300	2014/08
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/05/21	. 18.000	2014/08
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/05/21	< .000	2014/08
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/05/21	< .000	2014/08
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/05/21	. 4.800	2014/08

STATE UCMR

BROMODICHLORMETHANE (THM)	32101	003	2014/05/21	. 9.280	2014/08
BROMOFORM (THM)	32104	003	2014/05/21	. 2.240	2014/08
CHLOROFORM (THM)	32106	003	2014/05/21	. 12.450	2014/08
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/05/21	. 9.000	2014/08

TRIHALOMETHANES

TOTAL TRIHALOMETHANES	82080	003	2014/05/21	. 33.000	2014/08
-----------------------	-------	-----	------------	----------	---------

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910104

System Name: CALIFORNIA WATER SERVICE CO. - PALOS VER

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910104-803

Source Name: PV-D-021-30001/30002 VIA RIVERA-STG2 DBP

Source Number: 803

Source Status: DISTRIBUTION TREATED

Water type: S

HALOACETIC ACIDS

DIBROMOACETIC ACID (DBAA)	82721	003	2014/05/21	. 3.300	2014/08
DICHLOROACETIC ACID (DCAA)	77288	003	2014/05/21	. 9.100	2014/08
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/05/21	. 17.000	2014/08
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/05/21	< .000	2014/08
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/05/21	< .000	2014/08
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/05/21	. 4.800	2014/08

STATE UCMR

BROMODICHLORMETHANE (THM)	32101	003	2014/05/21	. 9.220	2014/08
BROMOFORM (THM)	32104	003	2014/05/21	. 2.450	2014/08
CHLOROFORM (THM)	32106	003	2014/05/21	. 12.240	2014/08
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/05/21	. 9.290	2014/08

TRIHALOMETHANES

TOTAL TRIHALOMETHANES	82080	003	2014/05/21	. 33.200	2014/08
-----------------------	-------	-----	------------	----------	---------

PS Code: 1910104-804

Source Name: PV-D-026 - 6744 CREST ROAD WEST-STG2 DBP

Source Number: 804

Source Status: DISTRIBUTION TREATED

Water type: S

HALOACETIC ACIDS

DIBROMOACETIC ACID (DBAA)	82721	003	2014/05/21	. 3.200	2014/08
DICHLOROACETIC ACID (DCAA)	77288	003	2014/05/21	. 8.800	2014/08
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/05/21	. 16.000	2014/08
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/05/21	< .000	2014/08
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/05/21	< .000	2014/08
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/05/21	. 4.500	2014/08

STATE UCMR

BROMODICHLORMETHANE (THM)	32101	003	2014/05/21	. 9.080	2014/08
---------------------------	-------	-----	------------	---------	---------

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910104

System Name: CALIFORNIA WATER SERVICE CO. - PALOS VER

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910104-804

Source Name: PV-D-026 - 6744 CREST ROAD WEST-STG2 DBP

Source Number: 804

Source Status: DISTRIBUTION TREATED

Water type: S

STATE UCMR

BROMOFORM (THM)	32104	003	2014/05/21	. 2.250	2014/08
CHLOROFORM (THM)	32106	003	2014/05/21	. 10.580	2014/08
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/05/21	. 8.820	2014/08

TRIHALOMETHANES

TOTAL TRIHALOMETHANES	82080	003	2014/05/21	. 30.800	2014/08
-----------------------	-------	-----	------------	----------	---------

PS Code: 1910104-805

Source Name: PV-D-027 - 20 CINNAMON LANE - STG2 DBP

Source Number: 805

Source Status: DISTRIBUTION TREATED

Water type: S

HALOACETIC ACIDS

DIBROMOACETIC ACID (DBAA)	82721	003	2014/05/21	. 3.300	2014/08
DICHLOROACETIC ACID (DCAA)	77288	003	2014/05/21	. 9.200	2014/08
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/05/21	. 18.000	2014/08
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/05/21	< .000	2014/08
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/05/21	< .000	2014/08
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/05/21	. 5.000	2014/08

STATE UCMR

BROMODICHLORMETHANE (THM)	32101	003	2014/05/21	. 9.990	2014/08
BROMOFORM (THM)	32104	003	2014/05/21	. 2.500	2014/08
CHLOROFORM (THM)	32106	003	2014/05/21	. 12.420	2014/08
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/05/21	. 9.540	2014/08

TRIHALOMETHANES

TOTAL TRIHALOMETHANES	82080	003	2014/05/21	. 34.400	2014/08
-----------------------	-------	-----	------------	----------	---------

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910104

System Name: CALIFORNIA WATER SERVICE CO. - PALOS VER

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910104-806

Source Name: PV-D-029 - 609 YARMOUTH ROAD - STG2 DBP

Source Number: 806

Source Status: DISTRIBUTION TREATED

Water type: S

HALOACETIC ACIDS

DIBROMOACETIC ACID (DBAA)	82721	003	2014/05/21	. 3.200	2014/08
DICHLOROACETIC ACID (DCAA)	77288	003	2014/05/21	. 11.000	2014/08
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/05/21	. 19.000	2014/08
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/05/21	< .000	2014/08
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/05/21	< .000	2014/08
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/05/21	. 4.900	2014/08

STATE UCMR

BROMODICHLORMETHANE (THM)	32101	003	2014/05/21	. 10.000	2014/08
BROMOFORM (THM)	32104	003	2014/05/21	. 2.370	2014/08
CHLOROFORM (THM)	32106	003	2014/05/21	. 12.930	2014/08
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/05/21	. 9.450	2014/08

TRIHALOMETHANES

TOTAL TRIHALOMETHANES	82080	003	2014/05/21	. 34.800	2014/08
-----------------------	-------	-----	------------	----------	---------

PS Code: 1910104-807

Source Name: PV-D-031-LAROTUNDA @ CAPE POINT-STG2 DBP

Source Number: 807

Source Status: DISTRIBUTION TREATED

Water type: S

HALOACETIC ACIDS

DIBROMOACETIC ACID (DBAA)	82721	003	2014/05/21	. 3.200	2014/08
DICHLOROACETIC ACID (DCAA)	77288	003	2014/05/21	. 8.300	2014/08
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/05/21	. 16.000	2014/08
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/05/21	< .000	2014/08
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/05/21	< .000	2014/08
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/05/21	. 4.600	2014/08

STATE UCMR

BROMODICHLORMETHANE (THM)	32101	003	2014/05/21	. 9.610	2014/08
---------------------------	-------	-----	------------	---------	---------

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910104

System Name: CALIFORNIA WATER SERVICE CO. - PALOS VER

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

PS Code: 1910104-807

Source Name: PV-D-031-LAROTUNDA @ CAPE POINT-STG2 DBP

Source Number: 807

Source Status: DISTRIBUTION TREATED

Water type: S

STATE UCMR

BROMOFORM (THM)	32104	003	2014/05/21	. 2.430	2014/08
CHLOROFORM (THM)	32106	003	2014/05/21	. 11.860	2014/08
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/05/21	. 9.620	2014/08

TRIHALOMETHANES

TOTAL TRIHALOMETHANES	82080	003	2014/05/21	. 33.500	2014/08
-----------------------	-------	-----	------------	----------	---------

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910117

System Name: MONTEBELLO-CITY, WATER DEPT.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910117-004

Source Name: MONTEBELLO WELL 01

Source Number: 004

Source Status: ACTIVE RAW

Water type: G

INORGANIC

ALUMINUM	01105	036	2012/08/20	< .000	2015/08
ANTIMONY	01097	036	2012/08/20	< .000	2015/08
ARSENIC	01002	036	2012/08/20	< .000	2015/08
BARIUM	01007	036	2012/08/20	< .000	2015/08
BERYLLIUM	01012	036	2012/08/20	< .000	2015/08
CADMIUM	01027	036	2012/08/20	< .000	2015/08
CHROMIUM (TOTAL)	01034	036	2012/08/20	< .000	2015/08
CYANIDE	01291	036	2012/08/20	< .000	2015/08
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2012/08/20	.350	2015/08
MERCURY	71900	036	2012/08/20	< .000	2015/08
NICKEL	01067	036	2012/08/20	< .000	2015/08
PERCHLORATE	A-031	012	2013/08/12	< 4.000	2014/08
SELENIUM	01147	036	2012/08/20	< .000	2015/08
THALLIUM	01059	036	2012/08/20	< .000	2015/08

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2013/08/12	. 8.117	2014/08
NITRITE (AS N)	00620	036	2012/08/20	< .000	2015/08

RADIOLOGICAL

GROSS ALPHA	01501	108	2007/06/05	3.200	2016/06
-------------	-------	-----	------------	-------	---------

REGULATED SOC

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2013/07/23	< .000	2016/04
PENTACHLOROPHENOL	39032	033	2014/01/14	< .200	2016/10
THIOBENCARB	A-001	033	2013/07/23	< .000	2016/04

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	012	2013/08/27	.000	2014/08
1,1,2,2-TETRACHLOROETHANE	34516	012	2013/08/27	.000	2014/08
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2013/08/27	.000	2014/08
1,1,2-TRICHLOROETHANE	34511	012	2013/08/27	.000	2014/08

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910117

System Name: MONTEBELLO-CITY, WATER DEPT.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910117-004

Source Name: MONTEBELLO WELL 01

Source Number: 004

Source Status: ACTIVE RAW

Water type: G

REGULATED VOC

1,1-DICHLOROETHANE	34496	012	2013/08/27	.000	2014/08
1,1-DICHLOROETHYLENE	34501	012	2013/08/27	.000	2014/08
1,2,4-TRICHLOROBENZENE	34551	012	2013/08/27	.000	2014/08
1,2-DICHLOROBENZENE	34536	012	2013/08/27	.000	2014/08
1,2-DICHLOROETHANE	34531	012	2013/08/27	.000	2014/08
1,2-DICHLOROPROPANE	34541	012	2013/08/27	.000	2014/08
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2013/08/27	.000	2014/08
1,4-DICHLOROBENZENE	34571	012	2013/08/27	.000	2014/08
BENZENE	34030	012	2013/08/27	.000	2014/08
CARBON TETRACHLORIDE	32102	012	2013/08/27	.000	2014/08
CIS-1,2-DICHLOROETHYLENE	77093	012	2013/08/27	.000	2014/08
DICHLOROMETHANE	34423	012	2013/08/27	.000	2014/08
ETHYLBENZENE	34371	012	2013/08/27	.000	2014/08
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2013/08/27	.000	2014/08
MONOCHLOROBENZENE	34301	012	2013/08/27	.000	2014/08
STYRENE	77128	012	2013/08/27	.000	2014/08
TETRACHLOROETHYLENE	34475	012	2013/08/27	.000	2014/08
TOLUENE	34010	012	2013/08/27	.000	2014/08
TRANS-1,2-DICHLOROETHYLENE	34546	012	2013/08/27	.000	2014/08
TRICHLOROETHYLENE	39180	012	2013/08/27	.000	2014/08
TRICHLOROFUOROMETHANE	34488	012	2013/08/27	.000	2014/08
VINYL CHLORIDE	39175	012	2013/08/27	.000	2014/08
XYLENES (TOTAL)	81551	012	2013/08/27	.000	2014/08

SECONDARY/GP

BICARBONATE ALKALINITY	00440	036	2012/08/20	. 160.000	2015/08
CALCIUM	00916	036	2012/08/20	. 63.000	2015/08
CARBONATE ALKALINITY	00445	036	2012/08/20	< .000	2015/08
CHLORIDE	00940	036	2012/08/20	. 55.000	2015/08
COLOR	00081	036	2012/08/20	< .000	2015/08

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910117

System Name: MONTEBELLO-CITY, WATER DEPT.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910117-004

Source Name: MONTEBELLO WELL 01

Source Number: 004

Source Status: ACTIVE RAW

Water type: G

SECONDARY/GP

COPPER	01042	036	2012/08/20	< .000	2015/08
FOAMING AGENTS (MBAS)	38260	036	2012/08/20	< .000	2015/08
HARDNESS (TOTAL) AS CaCO3	00900	036	2012/08/20	. 210.000	2015/08
HYDROXIDE ALKALINITY	71830	036	2012/08/20	< .000	2015/08
IRON	01045	036	2012/08/20	< .000	2015/08
MAGNESIUM	00927	036	2012/08/20	. 12.000	2015/08
MANGANESE	01055	036	2012/08/20	< .000	2015/08
ODOR THRESHOLD @ 60 C	00086	036	2012/08/20	< .000	2015/08
PH, LABORATORY	00403	036	2012/08/20	. 8.000	2015/08
SILVER	01077	036	2012/08/20	< .000	2015/08
SODIUM	00929	036	2012/08/20	44.000	2015/08
SPECIFIC CONDUCTANCE	00095	036	2012/08/20	. 610.000	2015/08
SULFATE	00945	036	2012/08/20	86.000	2015/08
TOTAL DISSOLVED SOLIDS	70300	036	2012/08/20	. 400.000	2015/08
TURBIDITY, LABORATORY	82079	036	2012/08/20	. .120	2015/08
ZINC	01092	036	2012/08/20	< .000	2015/08

PS Code: 1910117-007

Source Name: MWD CONNECTION CB-22 - TREATED

Source Number: 007

Source Status: PURCHASED TREATED

Water type: S

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

*Testing interval is in months;
 0 = No data for this constituent and is DUE NOW
 I = Invalid (NOT) valid analyses reported
 Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910117

System Name: MONTEBELLO-CITY, WATER DEPT.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910117-008

Source Name: MWD CONNECTION CB-24 - TREATED

Source Number: 008

Source Status: PURCHASED TREATED

Water type: S

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

PS Code: 1910117-800

Source Name: MTB-D-008 - 1745 APPIAN WAY - STG2 DBP

Source Number: 800

Source Status: DISTRIBUTION TREATED

Water type: S

HALOACETIC ACIDS

DIBROMOACETIC ACID (DBAA)	82721	003	2014/04/22	. 2.700	2014/07
DICHLOROACETIC ACID (DCAA)	77288	003	2014/04/22	. 11.000	2014/07
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/04/22	. 18.000	2014/07
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/04/22	< 1.000	2014/07
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/04/22	< 2.000	2014/07
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/04/22	. 4.200	2014/07

STATE UCMR

BROMODICHLORMETHANE (THM)	32101	003	2014/04/22	. 12.000	2014/07
BROMOFORM (THM)	32104	003	2014/04/22	. 2.700	2014/07
CHLOROFORM (THM)	32106	003	2014/04/22	. 14.000	2014/07
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/04/22	. 11.000	2014/07

TRIHALOMETHANES

TOTAL TRIHALOMETHANES	82080	003	2014/04/22	. 40.000	2014/07
-----------------------	-------	-----	------------	----------	---------

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910117

System Name: MONTEBELLO-CITY, WATER DEPT.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

PS Code: 1910117-801

Source Name: MTB-D-010-1485 N MONTEBELLO BLV-STG2 DBP

Source Number: 801

Source Status: DISTRIBUTION TREATED

Water type: S

HALOACETIC ACIDS

DIBROMOACETIC ACID (DBAA)	82721	003	2014/04/22	. 2.700	2014/07
DICHLOROACETIC ACID (DCAA)	77288	003	2014/04/22	. 9.900	2014/07
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/04/22	. 17.000	2014/07
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/04/22	< 1.000	2014/07
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/04/22	< 2.000	2014/07
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/04/22	. 4.200	2014/07

STATE UCMR

BROMODICHLORMETHANE (THM)	32101	003	2014/04/22	. 12.000	2014/07
BROMOFORM (THM)	32104	003	2014/04/22	. 2.800	2014/07
CHLOROFORM (THM)	32106	003	2014/04/22	. 14.000	2014/07
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/04/22	. 11.000	2014/07

TRIHALOMETHANES

TOTAL TRIHALOMETHANES	82080	003	2014/04/22	. 40.000	2014/07
-----------------------	-------	-----	------------	----------	---------

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910134

System Name: CALIFORNIA WATER SERVICE CO. - HERM/REDO

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910134-001

Source Name: WELL 08-02

Source Number: 001

Source Status: ACTIVE RAW

Water type: G

INORGANIC

ALUMINUM	01105	036	2014/06/11	< .000	2017/06
ANTIMONY	01097	036	2014/06/11	< .000	2017/06
ARSENIC	01002	036	2014/06/11	< .000	2017/06
BARIUM	01007	036	2014/06/11	. 280.000	2017/06
BERYLLIUM	01012	036	2014/06/11	< .000	2017/06
CADMIUM	01027	036	2014/06/11	< .000	2017/06
CHROMIUM (TOTAL)	01034	036	2014/06/11	< .000	2017/06
CYANIDE	01291	036	2014/06/11	< .000	2017/06
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/06/11	. .270	2017/06
MERCURY	71900	036	2014/06/11	< .000	2017/06
NICKEL	01067	036	2014/06/11	< .000	2017/06
PERCHLORATE	A-031	036	2014/06/11	< 4.000	2017/06
SELENIUM	01147	036	2014/06/11	. 6.500	2017/06
THALLIUM	01059	036	2014/06/11	< .000	2017/06

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2014/06/17	. .015	2015/06
NITRITE (AS N)	00620	036	2014/06/11	< .000	2017/06

RADIOLOGICAL

GROSS ALPHA	01501	108	2007/08/08	< 3.000	2016/08
-------------	-------	-----	------------	---------	---------

REGULATED SOC

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2013/09/11	< .000	2016/06
THIOBENCARB	A-001	033	2013/09/11	< .000	2016/06

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	012	2013/08/07	< .500	2014/08
1,1,2,2-TETRACHLOROETHANE	34516	012	2013/08/07	< .500	2014/08
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2013/08/07	< 10.000	2014/08
1,1,2-TRICHLOROETHANE	34511	012	2013/08/07	< .500	2014/08
1,1-DICHLOROETHANE	34496	012	2013/08/07	< .500	2014/08

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910134

System Name: CALIFORNIA WATER SERVICE CO. - HERM/REDO

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910134-001

Source Name: WELL 08-02

Source Number: 001

Source Status: ACTIVE RAW

Water type: G

REGULATED VOC

1,1-DICHLOROETHYLENE	34501	012	2013/08/07	< .500	2014/08
1,2,4-TRICHLOROBENZENE	34551	012	2013/08/07	< .500	2014/08
1,2-DICHLOROBENZENE	34536	012	2013/08/07	< .500	2014/08
1,2-DICHLOROETHANE	34531	012	2013/08/07	< .500	2014/08
1,2-DICHLOROPROPANE	34541	012	2013/08/07	< .500	2014/08
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2013/08/07	< .500	2014/08
1,4-DICHLOROBENZENE	34571	012	2013/08/07	< .500	2014/08
BENZENE	34030	012	2013/08/07	< .500	2014/08
CARBON TETRACHLORIDE	32102	012	2013/08/07	< .500	2014/08
CIS-1,2-DICHLOROETHYLENE	77093	012	2013/08/07	< .500	2014/08
DICHLOROMETHANE	34423	012	2013/08/07	< .500	2014/08
ETHYLBENZENE	34371	012	2013/08/07	< .500	2014/08
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2013/08/07	< 3.000	2014/08
MONOCHLOROENZENE	34301	012	2013/08/07	< .500	2014/08
STYRENE	77128	012	2013/08/07	< .500	2014/08
TETRACHLOROETHYLENE	34475	012	2013/08/07	< .500	2014/08
TOLUENE	34010	012	2013/08/07	< .500	2014/08
TRANS-1,2-DICHLOROETHYLENE	34546	012	2013/08/07	< .500	2014/08
TRICHLOROETHYLENE	39180	012	2013/08/07	< .500	2014/08
TRICHLOROFUOROMETHANE	34488	012	2013/08/07	< 5.000	2014/08
VINYL CHLORIDE	39175	012	2013/08/07	< .500	2014/08
XYLENES (TOTAL)	81551	012	2013/08/07	< .500	2014/08

SECONDARY/GP

BICARBONATE ALKALINITY	00440	036	2014/06/11	. 180.000	2017/06
CALCIUM	00916	036	2014/06/11	. 160.000	2017/06
CARBONATE ALKALINITY	00445	036	2014/06/11	< .000	2017/06
CHLORIDE	00940	036	2014/07/09	. 370.000	2017/07
COLOR	00081	036	2014/06/11	. 5.000	2017/06
COPPER	01042	036	2014/06/11	< .000	2017/06

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910134

System Name: CALIFORNIA WATER SERVICE CO. - HERM/REDO

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910134-001

Source Name: WELL 08-02

Source Number: 001

Source Status: ACTIVE RAW

Water type: G

SECONDARY/GP

FOAMING AGENTS (MBAS)	38260	036	2014/06/11	< .000	2017/06
HARDNESS (TOTAL) AS CaCO3	00900	036	2014/06/11	. 580.000	2017/06
HYDROXIDE ALKALINITY	71830	036	2014/06/11	< .000	2017/06
IRON	01045	036	2014/07/09	. 266.100	2017/07
MAGNESIUM	00927	036	2014/06/11	. 41.000	2017/06
MANGANESE	01055	036	2014/07/09	. 176.300	2017/07
ODOR THRESHOLD @ 60 C	00086	036	2014/06/11	< .000	2017/06
PH, LABORATORY	00403	036	2014/06/11	. 7.400	2017/06
SILVER	01077	036	2014/06/11	< .000	2017/06
SODIUM	00929	036	2014/06/11	. 140.000	2017/06
SPECIFIC CONDUCTANCE	00095	036	2014/07/09	. 1800.000	2017/07
SULFATE	00945	036	2014/06/11	. 170.000	2017/06
TOTAL DISSOLVED SOLIDS	70300	036	2014/07/09	. 1200.000	2017/07
TURBIDITY, LABORATORY	82079	036	2014/06/11	. .850	2017/06
ZINC	01092	036	2014/06/11	< .000	2017/06

PS Code: 1910134-005

Source Name: WELL 22-01

Source Number: 005

Source Status: ACTIVE RAW

Water type: G

INORGANIC

ALUMINUM	01105	036	2012/06/21	< .000	2015/06
ANTIMONY	01097	036	2012/06/21	< .000	2015/06
ARSENIC	01002	036	2012/06/21	< .000	2015/06
BARIUM	01007	036	2012/06/21	140.000	2015/06
BERYLLIUM	01012	036	2012/06/21	< .000	2015/06
CADMIUM	01027	036	2012/06/21	< .000	2015/06
CHROMIUM (TOTAL)	01034	036	2012/06/21	< .000	2015/06

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910134

System Name: CALIFORNIA WATER SERVICE CO. - HERM/REDO

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910134-005

Source Name: WELL 22-01

Source Number: 005

Source Status: ACTIVE RAW

Water type: G

INORGANIC

CYANIDE	01291	036	2012/06/21	< .000	2015/06
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2012/06/21	.350	2015/06
MERCURY	71900	036	2012/06/21	< .000	2015/06
NICKEL	01067	036	2012/06/21	< .000	2015/06
PERCHLORATE	A-031	036	2012/06/21	< 4.000	2015/06
SELENIUM	01147	036	2012/06/21	.5800	2015/06
THALLIUM	01059	036	2012/06/21	< .000	2015/06

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2014/06/17	.2345	2015/06
NITRITE (AS N)	00620	036	2012/06/21	< .000	2015/06

RADIOLOGICAL

GROSS ALPHA	01501	036	2012/12/12	.8400	2015/12
RADIUM 226	09501	003	2012/12/12	< 1.000	2013/03 DUE
RADIUM 228	11501	003	2012/12/12	< 1.000	2013/03 DUE
URANIUM (PCI/L)	28012	036	2012/12/12	.9950	2015/12

REGULATED SOC

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2013/09/11	< .000	2016/06
THIOBENCARB	A-001	033	2013/09/11	< .000	2016/06

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	012	2014/06/25	< .000	2015/06
1,1,2,2-TETRACHLOROETHANE	34516	012	2014/06/25	< .000	2015/06
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/06/25	< .000	2015/06
1,1,2-TRICHLOROETHANE	34511	012	2014/06/25	< .000	2015/06
1,1-DICHLOROETHANE	34496	012	2014/06/25	< .000	2015/06
1,1-DICHLOROETHYLENE	34501	012	2014/06/25	< .000	2015/06
1,2,4-TRICHLOROBENZENE	34551	012	2014/06/25	< .000	2015/06
1,2-DICHLOROBENZENE	34536	012	2014/06/25	< .000	2015/06
1,2-DICHLOROETHANE	34531	012	2014/06/25	< .000	2015/06

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910134

System Name: CALIFORNIA WATER SERVICE CO. - HERM/REDO

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910134-005

Source Name: WELL 22-01

Source Number: 005

Source Status: ACTIVE RAW

Water type: G

REGULATED VOC

1,2-DICHLOROPROPANE	34541	012	2014/06/25	< .000	2015/06
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/06/25	< .000	2015/06
1,4-DICHLOROBENZENE	34571	012	2014/06/25	< .000	2015/06
BENZENE	34030	012	2014/06/25	< .000	2015/06
CARBON TETRACHLORIDE	32102	012	2014/06/25	< .000	2015/06
CIS-1,2-DICHLOROETHYLENE	77093	012	2014/06/25	< .000	2015/06
DICHLOROMETHANE	34423	012	2014/06/25	< .000	2015/06
ETHYLBENZENE	34371	012	2014/06/25	< .000	2015/06
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/06/25	< .000	2015/06
MONOCHLOROBENZENE	34301	012	2014/06/25	< .000	2015/06
STYRENE	77128	012	2014/06/25	< .000	2015/06
TETRACHLOROETHYLENE	34475	012	2014/06/25	< .000	2015/06
TOLUENE	34010	012	2014/06/25	< .000	2015/06
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/06/25	< .000	2015/06
TRICHLOROETHYLENE	39180	012	2014/06/25	< .000	2015/06
TRICHLOROFUOROMETHANE	34488	012	2014/06/25	< .000	2015/06
VINYL CHLORIDE	39175	012	2014/06/25	< .000	2015/06
XYLENES (TOTAL)	81551	012	2014/06/25	< .000	2015/06

SECONDARY/GP

BICARBONATE ALKALINITY	00440	036	2012/06/21	. 210.000	2015/06
CALCIUM	00916	036	2012/06/21	. 110.000	2015/06
CARBONATE ALKALINITY	00445	036	2012/06/21	< .000	2015/06
CHLORIDE	00940	036	2014/07/09	. 250.000	2017/07
COLOR	00081	036	2012/06/21	< .000	2015/06
COPPER	01042	036	2012/06/21	< .000	2015/06
FOAMING AGENTS (MBAS)	38260	036	2012/06/21	< .000	2015/06
HARDNESS (TOTAL) AS CaCO3	00900	036	2012/06/21	. 410.000	2015/06
HYDROXIDE ALKALINITY	71830	036	2012/06/21	< .000	2015/06
IRON	01045	001	2014/07/09	. 24.750	2014/08

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910134

System Name: CALIFORNIA WATER SERVICE CO. - HERM/REDO

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910134-005

Source Name: WELL 22-01

Source Number: 005

Source Status: ACTIVE RAW

Water type: G

SECONDARY/GP

MAGNESIUM	00927	036	2012/06/21	. 32.000	2015/06
MANGANESE	01055	001	2014/07/09	. 92.740	2014/08
ODOR THRESHOLD @ 60 C	00086	036	2012/06/21	1.000	2015/06
PH, LABORATORY	00403	036	2012/06/21	. 8.100	2015/06
SILVER	01077	036	2012/06/21	< .000	2015/06
SODIUM	00929	036	2012/06/21	130.000	2015/06
SPECIFIC CONDUCTANCE	00095	036	2014/07/09	. 1500.000	2017/07
SULFATE	00945	036	2012/06/21	180.000	2015/06
TOTAL DISSOLVED SOLIDS	70300	036	2014/07/09	. 1200.000	2017/07
TURBIDITY, LABORATORY	82079	036	2012/06/21	< .000	2015/06
ZINC	01092	036	2012/06/21	< .000	2015/06

PS Code: 1910134-007

Source Name: WELL 30-01 - STANDBY

Source Number: 007

Source Status: STANDBY RAW

Water type: G

INORGANIC

ALUMINUM	01105	108	2013/01/23	< .000	2022/01
ANTIMONY	01097	108	2013/01/23	< .000	2022/01
ARSENIC	01002	108	2013/01/23	< .000	2022/01
BARIUM	01007	108	2013/01/23	< .000	2022/01
BERYLLIUM	01012	108	2013/01/23	< .000	2022/01
CADMIUM	01027	108	2013/01/23	< .000	2022/01
CHROMIUM (TOTAL)	01034	108	2013/01/23	< .000	2022/01
CYANIDE	01291	108	2013/01/23	< .000	2022/01
FLUORIDE (F) (NATURAL-SOURCE)	00951	108	2013/01/23	. .690	2022/01
MERCURY	71900	108	2013/01/23	< .000	2022/01
NICKEL	01067	108	2013/01/23	< .000	2022/01

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910134

System Name: CALIFORNIA WATER SERVICE CO. - HERM/REDO

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910134-007

Source Name: WELL 30-01 - STANDBY

Source Number: 007

Source Status: STANDBY RAW

Water type: G

INORGANIC

PERCHLORATE	A-031	108	2013/01/23	< 4.000	2022/01
SELENIUM	01147	108	2013/01/23	< .000	2022/01
THALLIUM	01059	108	2013/01/23	< .000	2022/01

NITRATE/NITRITE

NITRATE (AS NO3)	71850	108	2013/01/23	< .000	2022/01
NITRITE (AS N)	00620	108	2013/01/23	< .000	2022/01

RADIOLOGICAL

GROSS ALPHA	01501	108	2013/01/23	. 5.600	2022/01
RADIUM 226	09501	108	2013/01/23	< 1.000	2022/01
RADIUM 228	11501	108	2013/01/23	< 1.000	2022/01
URANIUM (PCI/L)	28012	108	2013/01/23	. 1.610	2022/01

REGULATED SOC

DI(2-ETHYLHEXYL)PHTHALATE	39100	108	2013/01/23	< .000	2022/01
THIOBENCARB	A-001	108	2013/01/23	< .000	2022/01

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	108	2013/01/24	.000	2022/01
1,1,2,2-TETRACHLOROETHANE	34516	108	2013/01/24	.000	2022/01
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	108	2013/01/24	. .000	2022/01
1,1,2-TRICHLOROETHANE	34511	108	2013/01/24	. .000	2022/01
1,1-DICHLOROETHANE	34496	108	2013/01/24	. .000	2022/01
1,1-DICHLOROETHYLENE	34501	108	2013/01/24	. .000	2022/01
1,2,4-TRICHLOROBENZENE	34551	108	2013/01/24	. .000	2022/01
1,2-DICHLOROBENZENE	34536	108	2013/01/24	.000	2022/01
1,2-DICHLOROETHANE	34531	108	2013/01/24	. .000	2022/01
1,2-DICHLOROPROPANE	34541	108	2013/01/24	. .000	2022/01
1,3-DICHLOROPROPENE (TOTAL)	34561	108	2013/01/24	. .000	2022/01
1,4-DICHLOROBENZENE	34571	108	2013/01/24	. .000	2022/01
BENZENE	34030	108	2013/01/24	. .000	2022/01

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910134

System Name: CALIFORNIA WATER SERVICE CO. - HERM/REDO

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

PS Code: 1910134-007

Source Name: WELL 30-01 - STANDBY

Source Number: 007

Source Status: STANDBY RAW

Water type: G

REGULATED VOC

CARBON TETRACHLORIDE	32102	108	2013/01/24	.000	2022/01
CIS-1,2-DICHLOROETHYLENE	77093	108	2013/01/24	.000	2022/01
DICHLOROMETHANE	34423	108	2013/01/24	.000	2022/01
ETHYLBENZENE	34371	108	2013/01/24	.000	2022/01
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	108	2013/01/24	.000	2022/01
MONOCHLOROENZENE	34301	108	2013/01/24	.000	2022/01
STYRENE	77128	108	2013/01/24	.000	2022/01
TETRACHLOROETHYLENE	34475	108	2013/01/24	.000	2022/01
TOLUENE	34010	108	2013/01/24	.000	2022/01
TRANS-1,2-DICHLOROETHYLENE	34546	108	2013/01/24	.000	2022/01
TRICHLOROETHYLENE	39180	108	2013/01/24	.000	2022/01
TRICHLOROFLUOROMETHANE	34488	108	2013/01/24	.000	2022/01
VINYL CHLORIDE	39175	108	2013/01/24	.000	2022/01
XYLENES (TOTAL)	81551	108	2013/01/24	.000	2022/01

SECONDARY/GP

BICARBONATE ALKALINITY	00440	108	2013/01/23	. 130.000	2022/01
CALCIUM	00916	108	2013/01/23	. 48.000	2022/01
CARBONATE ALKALINITY	00445	108	2013/01/23	< .000	2022/01
CHLORIDE	00940	108	2013/01/23	. 100.000	2022/01
COLOR	00081	108	2013/01/23	< .000	2022/01
COPPER	01042	108	2013/01/23	< .000	2022/01
FOAMING AGENTS (MBAS)	38260	108	2013/01/23	< .000	2022/01
HARDNESS (TOTAL) AS CaCO3	00900	108	2013/01/23	. 190.000	2022/01
HYDROXIDE ALKALINITY	71830	108	2013/01/23	< .000	2022/01
IRON	01045	108	2013/01/23	< .000	2022/01
MAGNESIUM	00927	108	2013/01/23	. 18.000	2022/01
MANGANESE	01055	001	2013/01/23	< .000	2013/02 DUE
ODOR THRESHOLD @ 60 C	00086	108	2013/01/23	1.000	2022/01
PH, LABORATORY	00403	108	2013/01/23	. 8.000	2022/01

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910134

System Name: CALIFORNIA WATER SERVICE CO. - HERM/REDO

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910134-007

Source Name: WELL 30-01 - STANDBY

Source Number: 007

Source Status: STANDBY RAW

Water type: G

SECONDARY/GP

SILVER	01077	108	2013/01/23	< .000	2022/01
SODIUM	00929	108	2013/01/23	71.000	2022/01
SPECIFIC CONDUCTANCE	00095	108	2013/01/23	. 700.000	2022/01
SULFATE	00945	108	2013/01/23	100.000	2022/01
TOTAL DISSOLVED SOLIDS	70300	108	2013/01/23	. 420.000	2022/01
TURBIDITY, LABORATORY	82079	108	2013/01/23	. .570	2022/01
ZINC	01092	108	2013/01/23	< .000	2022/01

PS Code: 1910134-008

Source Name: MWD CONNECTION HR WB16 - TREATED

Source Number: 008

Source Status: PURCHASED TREATED

Water type: S

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED *** 999

PS Code: 1910134-009

Source Name: WELL 08-02 - FE & MN TREATMENT-EFFLUENT

Source Number: 009

Source Status: ACTIVE TREATED

Water type: S

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED *** 999

*Testing interval is in months;
 0 = No data for this constituent and is DUE NOW
 I = Invalid (NOT) valid analyses reported
 Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910134

System Name: CALIFORNIA WATER SERVICE CO. - HERM/REDO

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

PS Code: 1910134-010

Source Name: MWD CONNECTION, WB 2B - TREATED

Source Number: 010

Source Status: PURCHASED TREATED

Water type: S

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

PS Code: 1910134-011

Source Name: MWD CONNECTION, WB 05 - TREATED

Source Number: 011

Source Status: PURCHASED TREATED

Water type: S

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

PS Code: 1910134-013

Source Name: MWD CONNECTION, WB 29 - TREATED

Source Number: 013

Source Status: PURCHASED TREATED

Water type: S

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

PS Code: 1910134-014

Source Name: MWD CONNECTION, WB 16 - TREATED

Source Number: 014

Source Status: PURCHASED TREATED

Water type: S

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

*Testing interval is in months;
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910134

System Name: CALIFORNIA WATER SERVICE CO. - HERM/REDO

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910134-800

Source Name: HR-D-001 - 528 N LUCIA AVE - STG2 DBP

Source Number: 800

Source Status: DISTRIBUTION TREATED

Water type: S

HALOACETIC ACIDS

DIBROMOACETIC ACID (DBAA)	82721	003	2014/06/03	. 3.700	2014/09
DICHLOROACETIC ACID (DCAA)	77288	003	2014/06/03	. 11.000	2014/09
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/06/03	. 19.000	2014/09
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/06/03	< .000	2014/09
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/06/03	< .000	2014/09
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/06/03	. 4.500	2014/09

STATE UCMR

BROMODICHLORMETHANE (THM)	32101	003	2014/06/03	. 10.630	2014/09
BROMOFORM (THM)	32104	003	2014/06/03	. 2.680	2014/09
CHLOROFORM (THM)	32106	003	2014/06/03	. 13.600	2014/09
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/06/03	. 10.060	2014/09

TRIHALOMETHANES

TOTAL TRIHALOMETHANES	82080	003	2014/06/03	. 37.000	2014/09
-----------------------	-------	-----	------------	----------	---------

PS Code: 1910134-801

Source Name: HR-D-003-501 PASEO DE ESTRELLAS-STG2 DBP

Source Number: 801

Source Status: DISTRIBUTION TREATED

Water type: S

HALOACETIC ACIDS

DIBROMOACETIC ACID (DBAA)	82721	003	2014/06/03	. 3.500	2014/09
DICHLOROACETIC ACID (DCAA)	77288	003	2014/06/03	. 12.000	2014/09
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/06/03	. 20.000	2014/09
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/06/03	< .000	2014/09
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/06/03	< .000	2014/09
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/06/03	. 5.000	2014/09

STATE UCMR

BROMODICHLORMETHANE (THM)	32101	003	2014/06/03	. 11.570	2014/09
---------------------------	-------	-----	------------	----------	---------

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910134

System Name: CALIFORNIA WATER SERVICE CO. - HERM/REDO

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910134-801

Source Name: HR-D-003-501 PASEO DE ESTRELLAS-STG2 DBP

Source Number: 801

Source Status: DISTRIBUTION TREATED

Water type: S

STATE UCMR

BROMOFORM (THM)	32104	003	2014/06/03	. 2.620	2014/09
CHLOROFORM (THM)	32106	003	2014/06/03	. 15.660	2014/09
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/06/03	. 10.690	2014/09

TRIHALOMETHANES

TOTAL TRIHALOMETHANES	82080	003	2014/06/03	. 40.600	2014/09
-----------------------	-------	-----	------------	----------	---------

PS Code: 1910134-802

Source Name: HR-D-006- 471 CALLE DE ARAGON - STG2 DBP

Source Number: 802

Source Status: DISTRIBUTION TREATED

Water type: S

HALOACETIC ACIDS

DIBROMOACETIC ACID (DBAA)	82721	003	2014/06/03	. 3.500	2014/09
DICHLOROACETIC ACID (DCAA)	77288	003	2014/06/03	. 14.000	2014/09
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/06/03	. 22.000	2014/09
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/06/03	< .000	2014/09
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/06/03	< .000	2014/09
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/06/03	. 5.000	2014/09

STATE UCMR

BROMODICHLORMETHANE (THM)	32101	003	2014/06/03	. 9.960	2014/09
BROMOFORM (THM)	32104	003	2014/06/03	. 2.240	2014/09
CHLOROFORM (THM)	32106	003	2014/06/03	. 13.960	2014/09
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/06/03	. 9.860	2014/09

TRIHALOMETHANES

TOTAL TRIHALOMETHANES	82080	003	2014/06/03	. 36.100	2014/09
-----------------------	-------	-----	------------	----------	---------

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910134

System Name: CALIFORNIA WATER SERVICE CO. - HERM/REDO

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910134-803

Source Name: HR-D-008- 2405 ROBINSON ST. - STG2 DBP

Source Number: 803

Source Status: DISTRIBUTION TREATED

Water type: S

HALOACETIC ACIDS

DIBROMOACETIC ACID (DBAA)	82721	003	2014/06/03	. 4.900	2014/09
DICHLOROACETIC ACID (DCAA)	77288	003	2014/06/03	. 2.700	2014/09
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/06/03	. 9.100	2014/09
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/06/03	< .000	2014/09
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/06/03	< .000	2014/09
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/06/03	. 1.500	2014/09

STATE UCMR

BROMODICHLORMETHANE (THM)	32101	003	2014/06/03	. 3.960	2014/09
BROMOFORM (THM)	32104	003	2014/06/03	. 4.910	2014/09
CHLOROFORM (THM)	32106	003	2014/06/03	. 3.500	2014/09
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/06/03	. 5.670	2014/09

TRIHALOMETHANES

TOTAL TRIHALOMETHANES	82080	003	2014/06/03	. 18.100	2014/09
-----------------------	-------	-----	------------	----------	---------

PS Code: 1910134-804

Source Name: HR-D-023- 1319 S GERTRUDA AVE - STG2 DBP

Source Number: 804

Source Status: DISTRIBUTION TREATED

Water type: S

HALOACETIC ACIDS

DIBROMOACETIC ACID (DBAA)	82721	003	2014/06/03	. 3.800	2014/09
DICHLOROACETIC ACID (DCAA)	77288	003	2014/06/03	. 9.500	2014/09
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/06/03	. 18.000	2014/09
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/06/03	< .000	2014/09
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/06/03	< .000	2014/09
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/06/03	. 4.700	2014/09

STATE UCMR

BROMODICHLORMETHANE (THM)	32101	003	2014/06/03	. 9.980	2014/09
---------------------------	-------	-----	------------	---------	---------

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910134

System Name: CALIFORNIA WATER SERVICE CO. - HERM/REDO

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910134-804

Source Name: HR-D-023- 1319 S GERTRUDA AVE - STG2 DBP

Source Number: 804

Source Status: DISTRIBUTION TREATED

Water type: S

STATE UCMR

BROMOFORM (THM)	32104	003	2014/06/03	. 2.290	2014/09
CHLOROFORM (THM)	32106	003	2014/06/03	. 13.350	2014/09
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/06/03	. 10.260	2014/09

TRIHALOMETHANES

TOTAL TRIHALOMETHANES	82080	003	2014/06/03	. 36.000	2014/09
-----------------------	-------	-----	------------	----------	---------

PS Code: 1910134-805

Source Name: HR-D-024- 2214 RIPLEY AVE - STG2 DBP

Source Number: 805

Source Status: DISTRIBUTION TREATED

Water type: S

HALOACETIC ACIDS

DIBROMOACETIC ACID (DBAA)	82721	003	2014/06/03	. 3.900	2014/09
DICHLOROACETIC ACID (DCAA)	77288	003	2014/06/03	. 10.000	2014/09
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/06/03	. 19.000	2014/09
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/06/03	< .000	2014/09
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/06/03	< .000	2014/09
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/06/03	. 4.700	2014/09

STATE UCMR

BROMODICHLORMETHANE (THM)	32101	003	2014/06/03	. 10.540	2014/09
BROMOFORM (THM)	32104	003	2014/06/03	. 2.620	2014/09
CHLOROFORM (THM)	32106	003	2014/06/03	. 13.380	2014/09
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/06/03	. 9.550	2014/09

TRIHALOMETHANES

TOTAL TRIHALOMETHANES	82080	003	2014/06/03	. 36.100	2014/09
-----------------------	-------	-----	------------	----------	---------

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910134

System Name: CALIFORNIA WATER SERVICE CO. - HERM/REDO

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910134-806

Source Name: HR-D-025- 516 FAYE LANE - STG2 DBP

Source Number: 806

Source Status: DISTRIBUTION TREATED

Water type: S

HALOACETIC ACIDS

DIBROMOACETIC ACID (DBAA)	82721	003	2014/06/03	. 3.800	2014/09
DICHLOROACETIC ACID (DCAA)	77288	003	2014/06/03	. 9.700	2014/09
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/06/03	. 18.000	2014/09
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/06/03	< .000	2014/09
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/06/03	< .000	2014/09
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/06/03	. 4.700	2014/09

STATE UCMR

BROMODICHLORMETHANE (THM)	32101	003	2014/06/03	. 10.150	2014/09
BROMOFORM (THM)	32104	003	2014/06/03	. 2.380	2014/09
CHLOROFORM (THM)	32106	003	2014/06/03	. 12.560	2014/09
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/06/03	. 10.230	2014/09

TRIHALOMETHANES

TOTAL TRIHALOMETHANES	82080	003	2014/06/03	. 35.400	2014/09
-----------------------	-------	-----	------------	----------	---------

PS Code: 1910134-807

Source Name: HR-D-026- 2810 CARLSBAD ST. - STG2 DBP

Source Number: 807

Source Status: DISTRIBUTION TREATED

Water type: S

HALOACETIC ACIDS

DIBROMOACETIC ACID (DBAA)	82721	003	2014/06/03	. 4.900	2014/09
DICHLOROACETIC ACID (DCAA)	77288	003	2014/06/03	< .000	2014/09
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/06/03	. 4.900	2014/09
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/06/03	< .000	2014/09
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/06/03	< .000	2014/09
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/06/03	< .000	2014/09

STATE UCMR

BROMODICHLORMETHANE (THM)	32101	003	2014/06/03	. 2.550	2014/09
---------------------------	-------	-----	------------	---------	---------

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910134

System Name: CALIFORNIA WATER SERVICE CO. - HERM/REDO

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

PS Code: 1910134-807

Source Name: HR-D-026- 2810 CARLSBAD ST. - STG2 DBP

Source Number: 807

Source Status: DISTRIBUTION TREATED

Water type: S

STATE UCMR

BROMOFORM (THM)	32104	003	2014/06/03	. 11.760	2014/09
CHLOROFORM (THM)	32106	003	2014/06/03	. 1.120	2014/09
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/06/03	. 4.960	2014/09

TRIHALOMETHANES

TOTAL TRIHALOMETHANES	82080	003	2014/06/03	. 20.500	2014/09
-----------------------	-------	-----	------------	----------	---------

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910141

System Name: RURBAN HOMES MUTUAL WATER CO.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910141-001

Source Name: WELL 01

Source Number: 001

Source Status: ACTIVE RAW

Water type: G

INORGANIC

ALUMINUM	01105	036	2012/09/10	< 50.000	2015/09
ANTIMONY	01097	036	2012/09/10	< 6.000	2015/09
ARSENIC	01002	036	2012/09/10	. 2.300	2015/09
BARIUM	01007	036	2012/09/10	170.000	2015/09
BERYLLIUM	01012	036	2012/09/10	< 1.000	2015/09
CADMIUM	01027	036	2012/09/10	< 1.000	2015/09
CHROMIUM (TOTAL)	01034	036	2012/09/10	< 10.000	2015/09
CHROMIUM, HEXAVALENT	01032	036	2013/09/12	< 1.000	2016/09
CYANIDE	01291	036	2012/09/10	< 100.000	2015/09
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2012/09/10	. .260	2015/09
MERCURY	71900	036	2012/09/10	< 1.000	2015/09
NICKEL	01067	036	2012/09/10	< 10.000	2015/09
PERCHLORATE	A-031	012	2013/09/12	< 4.000	2014/09
SELENIUM	01147	036	2012/09/10	< 5.000	2015/09
THALLIUM	01059	036	2012/09/10	< 1.000	2015/09

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2013/09/12	. 16.000	2014/09
NITRITE (AS N)	00620	036	2012/09/10	< 400.000	2015/09

RADIOLOGICAL

GROSS ALPHA	01501	108	2013/09/12	< 3.000	2022/09
RADIUM 226	09501	108	2005/06/27	. .000	2014/06 DUE
RADIUM 228	11501	108	2013/09/12	. .226	2022/09
URANIUM (PCI/L)	28012	003	2010/09/15	2.400	2010/12 DUE

REGULATED SOC

DI(2-ETHYLHEXYL)PHTHALATE	39100	036	2012/09/10	< 3.000	2015/09
---------------------------	-------	-----	------------	---------	---------

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	012	2013/09/12	< .500	2014/09
1,1,2,2-TETRACHLOROETHANE	34516	012	2013/09/12	< .500	2014/09

*Testing interval is in months;
 0 = No data for this constituent and is DUE NOW
 I = Invalid (NOT) valid analyses reported
 Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910141

System Name: RURBAN HOMES MUTUAL WATER CO.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910141-001

Source Name: WELL 01

Source Number: 001

Source Status: ACTIVE RAW

Water type: G

REGULATED VOC

1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/06/05	. 10.000	2015/06
1,1,2-TRICHLOROETHANE	34511	012	2013/09/12	< .500	2014/09
1,1-DICHLOROETHANE	34496	012	2013/09/12	< .500	2014/09
1,1-DICHLOROETHYLENE	34501	012	2014/06/05	< .500	2015/06
1,2,4-TRICHLOROBENZENE	34551	012	2013/09/12	< .500	2014/09
1,2-DICHLOROBENZENE	34536	012	2013/09/12	< .500	2014/09
1,2-DICHLOROETHANE	34531	012	2013/09/12	< .500	2014/09
1,2-DICHLOROPROPANE	34541	012	2013/09/12	< .500	2014/09
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2013/09/12	< .500	2014/09
1,4-DICHLOROBENZENE	34571	012	2013/09/12	< .500	2014/09
BENZENE	34030	012	2013/09/12	< .500	2014/09
CARBON TETRACHLORIDE	32102	012	2013/09/12	< .500	2014/09
CIS-1,2-DICHLOROETHYLENE	77093	012	2013/09/12	< .500	2014/09
DICHLOROMETHANE	34423	012	2013/09/12	< .500	2014/09
ETHYLBENZENE	34371	012	2013/09/12	< .500	2014/09
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2013/09/12	< 3.000	2014/09
MONOCHLOROBENZENE	34301	012	2013/09/12	< .500	2014/09
STYRENE	77128	012	2013/09/12	< .500	2014/09
TETRACHLOROETHYLENE	34475	012	2014/06/05	< .500	2015/06
TOLUENE	34010	012	2013/09/12	< .500	2014/09
TRANS-1,2-DICHLOROETHYLENE	34546	012	2013/09/12	< .500	2014/09
TRICHLOROETHYLENE	39180	012	2013/09/12	< .500	2014/09
TRICHLOROFUOROMETHANE	34488	012	2014/06/05	< 5.000	2015/06
VINYL CHLORIDE	39175	012	2013/09/12	< .500	2014/09
XYLENES (TOTAL)	81551	012	2013/09/12	< .000	2014/09

SECONDARY/GP

BICARBONATE ALKALINITY	00440	036	2012/05/29	. 210.000	2015/05
CALCIUM	00916	036	2012/05/29	. 69.000	2015/05
CARBONATE ALKALINITY	00445	036	2012/05/29	< .000	2015/05

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910141

System Name: RURBAN HOMES MUTUAL WATER CO.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910141-001

Source Name: WELL 01

Source Number: 001

Source Status: ACTIVE RAW

Water type: G

SECONDARY/GP

CHLORIDE	00940	036	2012/05/29	. 34.000	2015/05
COLOR	00081	036	2012/05/29	< .000	2015/05
COPPER	01042	036	2012/05/29	< 50.000	2015/05
FOAMING AGENTS (MBAS)	38260	036	2012/05/29	< .000	2015/05
HARDNESS (TOTAL) AS CaCO3	00900	036	2012/05/29	. 230.000	2015/05
HYDROXIDE ALKALINITY	71830	036	2012/05/29	< .000	2015/05
IRON	01045	036	2012/05/29	500.000	2015/05
MAGNESIUM	00927	036	2012/05/29	. 14.000	2015/05
MANGANESE	01055	036	2012/05/29	< 20.000	2015/05
ODOR THRESHOLD @ 60 C	00086	036	2012/05/29	1.000	2015/05
PH, LABORATORY	00403	036	2012/05/29	. 7.600	2015/05
SILVER	01077	036	2012/09/10	< 10.000	2015/09
SODIUM	00929	036	2012/05/29	24.000	2015/05
SPECIFIC CONDUCTANCE	00095	036	2012/05/29	. 570.000	2015/05
SULFATE	00945	036	2012/05/29	74.000	2015/05
TOTAL DISSOLVED SOLIDS	70300	036	2013/09/12	. 360.000	2016/09
TURBIDITY, LABORATORY	82079	036	2012/05/29	. .720	2015/05
ZINC	01092	036	2012/05/29	< 50.000	2015/05

PS Code: 1910141-002

Source Name: WELL 02

Source Number: 002

Source Status: ACTIVE RAW

Water type: G

INORGANIC

ALUMINUM	01105	036	2012/09/10	< 50.000	2015/09
ANTIMONY	01097	036	2012/09/10	< 6.000	2015/09
ARSENIC	01002	036	2012/09/10	. 2.100	2015/09
BARIUM	01007	036	2012/09/10	200.000	2015/09

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910141

System Name: RURBAN HOMES MUTUAL WATER CO.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910141-002

Source Name: WELL 02

Source Number: 002

Source Status: ACTIVE RAW

Water type: G

INORGANIC

BERYLLIUM	01012	036	2012/09/10	< 1.000	2015/09	
CADMIUM	01027	036	2012/09/10	< 1.000	2015/09	
CHROMIUM (TOTAL)	01034	036	2012/09/10	< 10.000	2015/09	
CHROMIUM, HEXAVALENT	01032	036	2001/12/13	.000	2004/12	DUE
CYANIDE	01291	036	2012/09/10	< 100.000	2015/09	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2012/09/10	.240	2015/09	
MERCURY	71900	036	2012/09/10	< 1.000	2015/09	
NICKEL	01067	036	2012/09/10	< 10.000	2015/09	
PERCHLORATE	A-031	012	2011/06/15	< .000	2012/06	DUE
SELENIUM	01147	036	2012/09/10	< 5.000	2015/09	
THALLIUM	01059	036	2012/09/10	< 1.000	2015/09	

NITRATE/NITRITE

NITRATE (AS NO3)	71850	003	2013/03/07	. 21.000	2013/06	DUE
NITRITE (AS N)	00620	036	2012/09/10	< 400.000	2015/09	

RADIOLOGICAL

GROSS ALPHA	01501	108	2011/06/15	< .000	2020/06	
RADIUM 226	09501	108	2005/06/27	.000	2014/06	DUE
RADIUM 228	11501	108	2005/06/27	.000	2014/06	DUE
URANIUM (PCI/L)	28012	072	2011/06/15	. 1.800	2017/06	

REGULATED SOC

DI(2-ETHYLHEXYL)PHTHALATE	39100	036	2012/09/10	< 3.000	2015/09	
---------------------------	-------	-----	------------	---------	---------	--

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	012	2012/09/10	< .500	2013/09	DUE
1,1,2,2-TETRACHLOROETHANE	34516	012	2012/09/10	< .500	2013/09	DUE
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2013/03/07	< 10.000	2014/03	DUE
1,1,2-TRICHLOROETHANE	34511	012	2012/09/10	< .500	2013/09	DUE
1,1-DICHLOROETHANE	34496	012	2012/09/10	< .500	2013/09	DUE
1,1-DICHLOROETHYLENE	34501	012	2013/03/07	< .500	2014/03	DUE

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910141

System Name: RURBAN HOMES MUTUAL WATER CO.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910141-002

Source Name: WELL 02

Source Number: 002

Source Status: ACTIVE RAW

Water type: G

REGULATED VOC

1,2,4-TRICHLOROBENZENE	34551	012	2012/09/10	< .500	2013/09	DUE
1,2-DICHLOROBENZENE	34536	012	2012/09/10	< .500	2013/09	DUE
1,2-DICHLOROETHANE	34531	012	2012/09/10	< .500	2013/09	DUE
1,2-DICHLOROPROPANE	34541	012	2012/09/10	< .500	2013/09	DUE
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2012/09/10	< .500	2013/09	DUE
1,4-DICHLOROBENZENE	34571	012	2012/09/10	< .500	2013/09	DUE
BENZENE	34030	012	2012/09/10	< .500	2013/09	DUE
CARBON TETRACHLORIDE	32102	012	2012/09/10	< .500	2013/09	DUE
CIS-1,2-DICHLOROETHYLENE	77093	012	2012/09/10	< .500	2013/09	DUE
DICHLOROMETHANE	34423	012	2012/09/10	< .500	2013/09	DUE
ETHYLBENZENE	34371	012	2012/09/10	< .500	2013/09	DUE
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2012/09/10	< 3.000	2013/09	DUE
MONOCHLOROBENZENE	34301	012	2012/09/10	< .500	2013/09	DUE
STYRENE	77128	012	2012/09/10	< .500	2013/09	DUE
TETRACHLOROETHYLENE	34475	012	2013/03/07	< .500	2014/03	DUE
TOLUENE	34010	012	2012/09/10	< .500	2013/09	DUE
TRANS-1,2-DICHLOROETHYLENE	34546	012	2012/09/10	< .500	2013/09	DUE
TRICHLOROETHYLENE	39180	012	2012/09/10	< .500	2013/09	DUE
TRICHLOROFLUOROMETHANE	34488	012	2013/03/07	< 5.000	2014/03	DUE
VINYL CHLORIDE	39175	012	2012/09/10	< .500	2013/09	DUE
XYLENES (TOTAL)	81551	012	2012/09/10	< .000	2013/09	DUE

SECONDARY/GP

BICARBONATE ALKALINITY	00440	036	2012/05/29	. 250.000	2015/05
CALCIUM	00916	036	2012/05/29	. 79.000	2015/05
CARBONATE ALKALINITY	00445	036	2012/05/29	< .000	2015/05
CHLORIDE	00940	036	2012/05/29	. 39.000	2015/05
COLOR	00081	036	2012/05/29	< .000	2015/05
COPPER	01042	036	2012/05/29	< 50.000	2015/05
FOAMING AGENTS (MBAS)	38260	036	2012/05/29	< .000	2015/05

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910141

System Name: RURBAN HOMES MUTUAL WATER CO.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910141-002

Source Name: WELL 02

Source Number: 002

Source Status: ACTIVE RAW

Water type: G

SECONDARY/GP

HARDNESS (TOTAL) AS CaCO3	00900	036	2012/05/29	. 270.000	2015/05
HYDROXIDE ALKALINITY	71830	036	2012/05/29	< .000	2015/05
IRON	01045	036	2012/05/29	< 100.000	2015/05
MAGNESIUM	00927	036	2012/05/29	. 17.000	2015/05
MANGANESE	01055	036	2012/05/29	< 20.000	2015/05
ODOR THRESHOLD @ 60 C	00086	036	2012/05/29	1.000	2015/05
PH, LABORATORY	00403	036	2012/05/29	. 7.430	2015/05
SILVER	01077	036	2012/09/10	< 10.000	2015/09
SODIUM	00929	036	2012/05/29	25.000	2015/05
SPECIFIC CONDUCTANCE	00095	036	2012/05/29	. 650.000	2015/05
SULFATE	00945	036	2012/05/29	74.000	2015/05
TOTAL DISSOLVED SOLIDS	70300	036	2012/09/10	. 420.000	2015/09
TURBIDITY, LABORATORY	82079	036	2012/05/29	. .220	2015/05
ZINC	01092	036	2012/05/29	< 50.000	2015/05

PS Code: 1910141-800

Source Name: SITE 1 - 11630 HALLWOOD DR. - STG2 DBP

Source Number: 800

Source Status: DISTRIBUTION TREATED

Water type: G

HALOACETIC ACIDS

DIBROMOACETIC ACID (DBAA)	82721	000			DUE
DICHLOROACETIC ACID (DCAA)	77288	000			DUE
HALOACETIC ACIDS (5) (HAA5)	A-049	000			DUE
MONOBROMOACETIC ACID (MBAA)	A-041	000			DUE
MONOCHLOROACETIC ACID (MCAA)	A-042	000			DUE
TRICHLOROACETIC ACID (TCAA)	82723	000			DUE

STATE UCMR

BROMODICHLORMETHANE (THM)	32101	000			DUE
---------------------------	-------	-----	--	--	-----

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910141

System Name: RURBAN HOMES MUTUAL WATER CO.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910141-800

Source Name: SITE 1 - 11630 HALLWOOD DR. - STG2 DBP

Source Number: 800

Source Status: DISTRIBUTION TREATED

Water type: G

STATE UCMR

BROMOFORM (THM)	32104	000		DUE
CHLOROFORM (THM)	32106	000		DUE
DIBROMOCHLOROMETHANE (THM)	32105	000		DUE

TRIHALOMETHANES

TOTAL TRIHALOMETHANES	82080	000		DUE
------------------------------	-------	-----	--	------------

PS Code: 1910141-801

Source Name: SITE 2 - 12142 CHERRYLEE DR. - STG2 DBP

Source Number: 801

Source Status: DISTRIBUTION TREATED

Water type: G

HALOACETIC ACIDS

DIBROMOACETIC ACID (DBAA)	82721	000		DUE
DICHLOROACETIC ACID (DCAA)	77288	000		DUE
HALOACETIC ACIDS (5) (HAA5)	A-049	000		DUE
MONOBROMOACETIC ACID (MBAA)	A-041	000		DUE
MONOCHLOROACETIC ACID (MCAA)	A-042	000		DUE
TRICHLOROACETIC ACID (TCAA)	82723	000		DUE

STATE UCMR

BROMODICHLORMETHANE (THM)	32101	000		DUE
BROMOFORM (THM)	32104	000		DUE
CHLOROFORM (THM)	32106	000		DUE
DIBROMOCHLOROMETHANE (THM)	32105	000		DUE

TRIHALOMETHANES

TOTAL TRIHALOMETHANES	82080	000		DUE
------------------------------	-------	-----	--	------------

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910147

System Name: SATIVA-L.A. CWD

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910147-001

Source Name: WELL 02

Source Number: 001

Source Status: ACTIVE RAW

Water type: G

INORGANIC

ALUMINUM	01105	036	2013/04/22	< 50.000	2016/04
ANTIMONY	01097	036	2013/04/22	< 6.000	2016/04
ARSENIC	01002	036	2013/04/22	. 2.400	2016/04
BARIUM	01007	036	2013/04/22	100.000	2016/04
BERYLLIUM	01012	036	2013/04/22	< 1.000	2016/04
CADMIUM	01027	036	2013/04/22	< 1.000	2016/04
CHROMIUM (TOTAL)	01034	036	2013/04/22	< 10.000	2016/04
CYANIDE	01291	036	2013/04/22	< 100.000	2016/04
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/04/22	. .410	2016/04
MERCURY	71900	036	2013/04/22	< 1.000	2016/04
NICKEL	01067	036	2013/04/22	< 10.000	2016/04
PERCHLORATE	A-031	012	2014/07/07	< 4.000	2015/07
SELENIUM	01147	036	2013/04/22	< 5.000	2016/04
THALLIUM	01059	036	2013/04/22	< 1.000	2016/04

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2014/04/24	< 2.000	2015/04
NITRITE (AS N)	00620	036	2013/04/22	< 400.000	2016/04

RADIOLOGICAL

GROSS ALPHA	01501	072	2009/04/23	4.200	2015/04
URANIUM (PCI/L)	28012	072	2009/04/23	3.468	2015/04

REGULATED SOC

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2012/07/27	< 3.000	2015/04
THIOBENCARB	A-001	033	2012/07/27	< 1.000	2015/04

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	012	2014/01/27	< .500	2015/01
1,1,2,2-TETRACHLOROETHANE	34516	012	2014/01/27	< .500	2015/01
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/01/27	< 10.000	2015/01
1,1,2-TRICHLOROETHANE	34511	012	2014/01/27	< .500	2015/01

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910147

System Name: SATIVA-L.A. CWD

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910147-001

Source Name: WELL 02

Source Number: 001

Source Status: ACTIVE RAW

Water type: G

REGULATED VOC

1,1-DICHLOROETHANE	34496	012	2014/01/27	< .500	2015/01
1,1-DICHLOROETHYLENE	34501	012	2014/01/27	< .500	2015/01
1,2,4-TRICHLOROBENZENE	34551	012	2014/01/27	< .500	2015/01
1,2-DICHLOROBENZENE	34536	012	2014/01/27	< .500	2015/01
1,2-DICHLOROETHANE	34531	012	2014/01/27	< .500	2015/01
1,2-DICHLOROPROPANE	34541	012	2014/01/27	< .500	2015/01
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/01/27	< .500	2015/01
1,4-DICHLOROBENZENE	34571	012	2014/01/27	< .500	2015/01
BENZENE	34030	012	2014/01/27	< .500	2015/01
CARBON TETRACHLORIDE	32102	012	2014/01/27	< .500	2015/01
CIS-1,2-DICHLOROETHYLENE	77093	012	2014/01/27	< .500	2015/01
DICHLOROMETHANE	34423	012	2014/01/27	< .500	2015/01
ETHYLBENZENE	34371	012	2014/01/27	< .500	2015/01
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/01/27	< 3.000	2015/01
MONOCHLOROBENZENE	34301	012	2014/01/27	< .500	2015/01
STYRENE	77128	012	2014/01/27	< .500	2015/01
TETRACHLOROETHYLENE	34475	012	2014/01/27	< .500	2015/01
TOLUENE	34010	012	2014/01/27	< .500	2015/01
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/01/27	< .500	2015/01
TRICHLOROETHYLENE	39180	012	2014/01/27	< .500	2015/01
TRICHLOROFUOROMETHANE	34488	012	2014/01/27	< 5.000	2015/01
VINYL CHLORIDE	39175	012	2014/01/27	< .500	2015/01
XYLENES (TOTAL)	81551	012	2014/01/27	< .000	2015/01

SECONDARY/GP

BICARBONATE ALKALINITY	00440	036	2011/10/18	. 180.000	2014/10
CALCIUM	00916	036	2011/10/18	. 48.000	2014/10
CARBONATE ALKALINITY	00445	036	2011/10/18	< 2.000	2014/10
CHLORIDE	00940	036	2011/10/18	. 26.000	2014/10
COLOR	00081	036	2011/10/18	< 1.000	2014/10

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910147

System Name: SATIVA-L.A. CWD

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910147-001

Source Name: WELL 02

Source Number: 001

Source Status: ACTIVE RAW

Water type: G

SECONDARY/GP

COPPER	01042	036	2013/04/22	< 50.000	2016/04
FOAMING AGENTS (MBAS)	38260	036	2011/10/18	< .100	2014/10
HARDNESS (TOTAL) AS CaCO3	00900	036	2011/10/18	. 180.000	2014/10
HYDROXIDE ALKALINITY	71830	036	2011/10/18	< 2.000	2014/10
IRON	01045	036	2013/06/18	< 100.000	2016/06
MAGNESIUM	00927	036	2011/10/18	. 13.000	2014/10
MANGANESE	01055	036	2011/10/18	< 20.000	2014/10
ODOR THRESHOLD @ 60 C	00086	036	2011/10/18	< 1.000	2014/10
PH, LABORATORY	00403	036	2011/10/18	. 8.100	2014/10
SILVER	01077	036	2013/04/22	< 10.000	2016/04
SODIUM	00929	036	2011/10/18	35.000	2014/10
SPECIFIC CONDUCTANCE	00095	036	2011/10/18	. 550.000	2014/10
SULFATE	00945	036	2011/10/18	76.000	2014/10
TOTAL DISSOLVED SOLIDS	70300	036	2011/10/18	. 360.000	2014/10
TURBIDITY, LABORATORY	82079	036	2011/10/18	. .440	2014/10
ZINC	01092	036	2011/10/18	< 50.000	2014/10

PS Code: 1910147-002

Source Name: WELL 03

Source Number: 002

Source Status: ACTIVE RAW

Water type: G

INORGANIC

ALUMINUM	01105	036	2013/10/21	< 50.000	2016/10
ANTIMONY	01097	036	2013/10/21	< 6.000	2016/10
ARSENIC	01002	036	2013/10/21	. 2.400	2016/10
BARIUM	01007	036	2013/10/21	110.000	2016/10
BERYLLIUM	01012	036	2013/10/21	< 1.000	2016/10
CADMIUM	01027	036	2013/10/21	< 1.000	2016/10

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910147

System Name: SATIVA-L.A. CWD

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910147-002

Source Name: WELL 03

Source Number: 002

Source Status: ACTIVE RAW

Water type: G

INORGANIC

CHROMIUM (TOTAL)	01034	036	2013/10/21	< 10.000	2016/10
CYANIDE	01291	036	2013/10/21	< 100.000	2016/10
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/10/21	.360	2016/10
MERCURY	71900	036	2013/10/21	< 1.000	2016/10
NICKEL	01067	036	2013/10/21	< 10.000	2016/10
PERCHLORATE	A-031	012	2014/04/24	< 4.000	2015/04
SELENIUM	01147	036	2013/10/21	< 5.000	2016/10
THALLIUM	01059	036	2013/10/21	< 1.000	2016/10

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2013/10/21	.4000	2014/10
NITRITE (AS N)	00620	036	2013/10/21	< 400.000	2016/10

RADIOLOGICAL

GROSS ALPHA	01501	072	2009/05/07	- .100	2015/05
URANIUM (PCI/L)	28012	072	2009/04/23	3.935	2015/04

REGULATED SOC

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2012/07/27	< 3.000	2015/04
THIOBENCARB	A-001	033	2012/07/27	< 1.000	2015/04

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	012	2014/04/24	< .500	2015/04
1,1,2,2-TETRACHLOROETHANE	34516	012	2014/04/24	< .500	2015/04
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/04/24	< 10.000	2015/04
1,1,2-TRICHLOROETHANE	34511	012	2014/04/24	< .500	2015/04
1,1-DICHLOROETHANE	34496	012	2014/04/24	< .500	2015/04
1,1-DICHLOROETHYLENE	34501	012	2014/04/24	< .500	2015/04
1,2,4-TRICHLOROBENZENE	34551	012	2014/04/24	< .500	2015/04
1,2-DICHLOROBENZENE	34536	012	2014/04/24	< .500	2015/04
1,2-DICHLOROETHANE	34531	012	2014/04/24	< .500	2015/04
1,2-DICHLOROPROPANE	34541	012	2014/04/24	< .500	2015/04

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910147

System Name: SATIVA-L.A. CWD

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910147-002

Source Name: WELL 03

Source Number: 002

Source Status: ACTIVE RAW

Water type: G

REGULATED VOC

1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/04/24	< .500	2015/04
1,4-DICHLOROBENZENE	34571	012	2014/04/24	< .500	2015/04
BENZENE	34030	012	2014/04/24	< .500	2015/04
CARBON TETRACHLORIDE	32102	012	2014/04/24	< .500	2015/04
CIS-1,2-DICHLOROETHYLENE	77093	012	2014/04/24	< .500	2015/04
DICHLOROMETHANE	34423	012	2014/04/24	< .500	2015/04
ETHYLBENZENE	34371	012	2014/04/24	< .500	2015/04
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/04/24	< 3.000	2015/04
MONOCHLOROBENZENE	34301	012	2014/04/24	< .500	2015/04
STYRENE	77128	012	2014/04/24	< .500	2015/04
TETRACHLOROETHYLENE	34475	012	2014/07/07	. 540	2015/07
TOLUENE	34010	012	2014/04/24	< .500	2015/04
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/04/24	< .500	2015/04
TRICHLOROETHYLENE	39180	012	2014/04/24	< .500	2015/04
TRICHLOROFUOROMETHANE	34488	012	2014/04/24	< 5.000	2015/04
VINYL CHLORIDE	39175	012	2014/04/24	< .500	2015/04
XYLENES (TOTAL)	81551	012	2014/04/24	< .000	2015/04

SECONDARY/GP

BICARBONATE ALKALINITY	00440	036	2013/10/21	. 240.000	2016/10
CALCIUM	00916	036	2013/10/21	. 76.000	2016/10
CARBONATE ALKALINITY	00445	036	2013/10/21	< 2.400	2016/10
CHLORIDE	00940	036	2013/10/21	. 39.000	2016/10
COLOR	00081	036	2013/10/21	< 1.000	2016/10
COPPER	01042	036	2013/10/21	< 50.000	2016/10
FOAMING AGENTS (MBAS)	38260	036	2013/10/21	< .100	2016/10
HARDNESS (TOTAL) AS CaCO3	00900	036	2013/10/21	. 260.000	2016/10
HYDROXIDE ALKALINITY	71830	036	2013/10/21	< 1.400	2016/10
IRON	01045	036	2013/10/21	< 100.000	2016/10
MAGNESIUM	00927	036	2013/10/21	. 17.000	2016/10

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910147

System Name: SATIVA-L.A. CWD

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

PS Code: 1910147-002

Source Name: WELL 03

Source Number: 002

Source Status: ACTIVE RAW

Water type: G

SECONDARY/GP

MANGANESE	01055	036	2013/10/21	< 20.000	2016/10
ODOR THRESHOLD @ 60 C	00086	036	2013/10/21	< 1.000	2016/10
PH, LABORATORY	00403	036	2013/10/21	. 7.700	2016/10
SILVER	01077	036	2013/10/21	< 10.000	2016/10
SODIUM	00929	036	2013/10/21	40.000	2016/10
SPECIFIC CONDUCTANCE	00095	036	2013/10/21	. 630.000	2016/10
SULFATE	00945	036	2013/10/21	95.000	2016/10
TOTAL DISSOLVED SOLIDS	70300	036	2013/10/21	. 440.000	2016/10
TURBIDITY, LABORATORY	82079	036	2013/10/21	< .100	2016/10
ZINC	01092	036	2013/10/21	< 50.000	2016/10

PS Code: 1910147-005

Source Name: WELL 05

Source Number: 005

Source Status: ACTIVE RAW

Water type: G

INORGANIC

ALUMINUM	01105	036	2013/10/21	< 50.000	2016/10
ANTIMONY	01097	036	2013/10/21	< 6.000	2016/10
ARSENIC	01002	036	2013/10/21	. 2.000	2016/10
BARIUM	01007	036	2013/10/21	120.000	2016/10
BERYLLIUM	01012	036	2013/10/21	< 1.000	2016/10
CADMIUM	01027	036	2013/10/21	< 1.000	2016/10
CHROMIUM (TOTAL)	01034	036	2013/10/21	< 10.000	2016/10
CYANIDE	01291	036	2013/10/21	< 100.000	2016/10
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/10/21	. .390	2016/10
MERCURY	71900	036	2013/10/21	< 1.000	2016/10
NICKEL	01067	036	2013/10/21	< 10.000	2016/10
PERCHLORATE	A-031	012	2014/07/07	< 4.000	2015/07

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910147

System Name: SATIVA-L.A. CWD

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910147-005

Source Name: WELL 05

Source Number: 005

Source Status: ACTIVE RAW

Water type: G

INORGANIC

SELENIUM	01147	036	2013/10/21	< 5.000	2016/10
THALLIUM	01059	036	2013/10/21	< 1.000	2016/10

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2013/10/21	. 2.800	2014/10
NITRITE (AS N)	00620	036	2013/10/21	< 400.000	2016/10

RADIOLOGICAL

GROSS ALPHA	01501	072	2009/01/16	4.500	2015/01
URANIUM (PCI/L)	28012	072	2009/04/23	2.668	2015/04

REGULATED SOC

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2012/07/27	< 3.000	2015/04
THIOBENCARB	A-001	033	2012/07/27	< 1.000	2015/04

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	012	2014/04/24	< .500	2015/04
1,1,2,2-TETRACHLOROETHANE	34516	012	2014/04/24	< .500	2015/04
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/04/24	< 10.000	2015/04
1,1,2-TRICHLOROETHANE	34511	012	2014/04/24	< .500	2015/04
1,1-DICHLOROETHANE	34496	012	2014/04/24	< .500	2015/04
1,1-DICHLOROETHYLENE	34501	012	2014/04/24	< .500	2015/04
1,2,4-TRICHLOROBENZENE	34551	012	2014/04/24	< .500	2015/04
1,2-DICHLOROBENZENE	34536	012	2014/04/24	< .500	2015/04
1,2-DICHLOROETHANE	34531	012	2014/04/24	< .500	2015/04
1,2-DICHLOROPROPANE	34541	012	2014/04/24	< .500	2015/04
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/04/24	< .500	2015/04
1,4-DICHLOROBENZENE	34571	012	2014/04/24	< .500	2015/04
BENZENE	34030	012	2014/04/24	< .500	2015/04
CARBON TETRACHLORIDE	32102	012	2014/04/24	< .500	2015/04
CIS-1,2-DICHLOROETHYLENE	77093	012	2014/04/24	< .500	2015/04
DICHLOROMETHANE	34423	012	2014/04/24	< .500	2015/04

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910147

System Name: SATIVA-L.A. CWD

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910147-005

Source Name: WELL 05

Source Number: 005

Source Status: ACTIVE RAW

Water type: G

REGULATED VOC

ETHYLBENZENE	34371	012	2014/04/24	< .500	2015/04
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/04/24	< 3.000	2015/04
MONOCHLORO BENZENE	34301	012	2014/04/24	< .500	2015/04
STYRENE	77128	012	2014/04/24	< .500	2015/04
TETRACHLOROETHYLENE	34475	012	2014/07/07	< .500	2015/07
TOLUENE	34010	012	2014/04/24	< .500	2015/04
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/04/24	< .500	2015/04
TRICHLOROETHYLENE	39180	012	2014/04/24	< .500	2015/04
TRICHLOROFUOROMETHANE	34488	012	2014/04/24	< 5.000	2015/04
VINYL CHLORIDE	39175	012	2014/04/24	< .500	2015/04
XYLENES (TOTAL)	81551	012	2014/04/24	< .000	2015/04

SECONDARY/GP

BICARBONATE ALKALINITY	00440	036	2013/10/21	. 240.000	2016/10
CALCIUM	00916	036	2013/10/21	. 74.000	2016/10
CARBONATE ALKALINITY	00445	036	2013/10/21	< 2.400	2016/10
CHLORIDE	00940	036	2013/10/21	. 35.000	2016/10
COLOR	00081	036	2013/10/21	< 1.000	2016/10
COPPER	01042	036	2013/10/21	< 50.000	2016/10
FOAMING AGENTS (MBAS)	38260	036	2013/10/21	< .100	2016/10
HARDNESS (TOTAL) AS CaCO3	00900	036	2013/10/21	. 250.000	2016/10
HYDROXIDE ALKALINITY	71830	036	2013/10/21	< 1.400	2016/10
IRON	01045	036	2013/10/21	< 100.000	2016/10
MAGNESIUM	00927	036	2013/10/21	. 16.000	2016/10
MANGANESE	01055	036	2014/07/07	. 25.000	2017/07
ODOR THRESHOLD @ 60 C	00086	036	2013/10/21	< 1.000	2016/10
PH, LABORATORY	00403	036	2013/10/21	. 7.710	2016/10
SILVER	01077	036	2013/10/21	< 10.000	2016/10
SODIUM	00929	036	2013/10/21	40.000	2016/10
SPECIFIC CONDUCTANCE	00095	036	2013/10/21	. 620.000	2016/10

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910147

System Name: SATIVA-L.A. CWD

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910147-005

Source Name: WELL 05

Source Number: 005

Source Status: ACTIVE RAW

Water type: G

SECONDARY/GP

SULFATE	00945	036	2013/10/21	91.000	2016/10
TOTAL DISSOLVED SOLIDS	70300	036	2013/10/21	400.000	2016/10
TURBIDITY, LABORATORY	82079	036	2013/10/21	< .100	2016/10
ZINC	01092	036	2013/10/21	< 50.000	2016/10

PS Code: 1910147-009

Source Name: CITY OF COMPTON EMERGENCY CONN

Source Number: 009

Source Status: STANDBY RAW

Water type: G

INORGANIC

ALUMINUM	01105	000			DUE
ANTIMONY	01097	000			DUE
ARSENIC	01002	000			DUE
BARIUM	01007	000			DUE
BERYLLIUM	01012	000			DUE
CADMIUM	01027	000			DUE
CHROMIUM (TOTAL)	01034	000			DUE
CHROMIUM, HEXAVALENT	01032	000			DUE
CYANIDE	01291	000			DUE
FLUORIDE (F) (NATURAL-SOURCE)	00951	000			DUE
MERCURY	71900	000			DUE
NICKEL	01067	000			DUE
PERCHLORATE	A-031	000			DUE
SELENIUM	01147	000			DUE
THALLIUM	01059	000			DUE

NITRATE/NITRITE

NITRATE (AS NO3)	71850	000			DUE
NITRITE (AS N)	00620	000			DUE

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910147

System Name: SATIVA-L.A. CWD

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910147-009

Source Name: CITY OF COMPTON EMERGENCY CONN

Source Number: 009

Source Status: STANDBY RAW

Water type: G

RADIOLOGICAL

GROSS ALPHA	01501	000		DUE
RADIUM 226	09501	000		DUE
RADIUM 228	11501	000		DUE
URANIUM (PCI/L)	28012	000		DUE

REGULATED SOC

DI(2-ETHYLHEXYL)PHTHALATE	39100	003		DUE
THIOBENCARB	A-001	003		DUE

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	000		DUE
1,1,2,2-TETRACHLOROETHANE	34516	000		DUE
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	000		DUE
1,1,2-TRICHLOROETHANE	34511	000		DUE
1,1-DICHLOROETHANE	34496	000		DUE
1,1-DICHLOROETHYLENE	34501	000		DUE
1,2,4-TRICHLOROBENZENE	34551	000		DUE
1,2-DICHLOROBENZENE	34536	000		DUE
1,2-DICHLOROETHANE	34531	000		DUE
1,2-DICHLOROPROPANE	34541	000		DUE
1,3-DICHLOROPROPENE (TOTAL)	34561	000		DUE
1,4-DICHLOROBENZENE	34571	000		DUE
BENZENE	34030	000		DUE
CARBON TETRACHLORIDE	32102	000		DUE
CIS-1,2-DICHLOROETHYLENE	77093	000		DUE
DICHLOROMETHANE	34423	000		DUE
ETHYLBENZENE	34371	000		DUE
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	000		DUE
MONOCHLOROBENZENE	34301	000		DUE
STYRENE	77128	000		DUE
TETRACHLOROETHYLENE	34475	000		DUE

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910147

System Name: SATIVA-L.A. CWD

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910147-009

Source Name: CITY OF COMPTON EMERGENCY CONN

Source Number: 009

Source Status: STANDBY RAW

Water type: G

REGULATED VOC

TOLUENE	34010	000		DUE
TRANS-1,2-DICHLOROETHYLENE	34546	000		DUE
TRICHLOROETHYLENE	39180	000		DUE
TRICHLOROFLUOROMETHANE	34488	000		DUE
VINYL CHLORIDE	39175	000		DUE
XYLENES (TOTAL)	81551	000		DUE

SECONDARY/GP

BICARBONATE ALKALINITY	00440	000		DUE
CALCIUM	00916	000		DUE
CARBONATE ALKALINITY	00445	000		DUE
CHLORIDE	00940	000		DUE
COLOR	00081	000		DUE
COPPER	01042	000		DUE
FOAMING AGENTS (MBAS)	38260	000		DUE
HARDNESS (TOTAL) AS CaCO3	00900	000		DUE
HYDROXIDE ALKALINITY	71830	000		DUE
IRON	01045	000		DUE
MAGNESIUM	00927	000		DUE
MANGANESE	01055	000		DUE
ODOR THRESHOLD @ 60 C	00086	000		DUE
PH, LABORATORY	00403	000		DUE
SILVER	01077	000		DUE
SODIUM	00929	000		DUE
SPECIFIC CONDUCTANCE	00095	000		DUE
SULFATE	00945	000		DUE
TOTAL DISSOLVED SOLIDS	70300	000		DUE
TURBIDITY, LABORATORY	82079	000		DUE
ZINC	01092	000		DUE

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910147

System Name: SATIVA-L.A. CWD

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910147-800

Source Name: SITE1 - 2423 EAST BLISS STREET- STG2 DBP

Source Number: 800

Source Status: DISTRIBUTION TREATED

Water type: G

HALOACETIC ACIDS

DIBROMOACETIC ACID (DBAA)	82721	000		DUE
DICHLOROACETIC ACID (DCAA)	77288	000		DUE
HALOACETIC ACIDS (5) (HAA5)	A-049	000		DUE
MONOBROMOACETIC ACID (MBAA)	A-041	000		DUE
MONOCHLOROACETIC ACID (MCAA)	A-042	000		DUE
TRICHLOROACETIC ACID (TCAA)	82723	000		DUE

STATE UCMR

BROMODICHLORMETHANE (THM)	32101	000		DUE
BROMOFORM (THM)	32104	000		DUE
CHLOROFORM (THM)	32106	000		DUE
DIBROMOCHLOROMETHANE (THM)	32105	000		DUE

TRIHALOMETHANES

TOTAL TRIHALOMETHANES	82080	000		DUE
-----------------------	-------	-----	--	-----

PS Code: 1910147-801

Source Name: SITE2 - 2045 EAST 131ST STREET- STG2 DBP

Source Number: 801

Source Status: DISTRIBUTION TREATED

Water type: G

HALOACETIC ACIDS

DIBROMOACETIC ACID (DBAA)	82721	000		DUE
DICHLOROACETIC ACID (DCAA)	77288	000		DUE
HALOACETIC ACIDS (5) (HAA5)	A-049	000		DUE
MONOBROMOACETIC ACID (MBAA)	A-041	000		DUE
MONOCHLOROACETIC ACID (MCAA)	A-042	000		DUE
TRICHLOROACETIC ACID (TCAA)	82723	000		DUE

STATE UCMR

BROMODICHLORMETHANE (THM)	32101	000		DUE
---------------------------	-------	-----	--	-----

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910147

System Name: SATIVA-L.A. CWD

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

PS Code: 1910147-801

Source Name: SITE2 - 2045 EAST 131ST STREET- STG2 DBP

Source Number: 801

Source Status: DISTRIBUTION TREATED

Water type: G

STATE UCMR

BROMOFORM (THM)	32104	000		DUE
CHLOROFORM (THM)	32106	000		DUE
DIBROMOCHLOROMETHANE (THM)	32105	000		DUE

TRIHALOMETHANES

TOTAL TRIHALOMETHANES	82080	000		DUE
------------------------------	--------------	------------	--	------------

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910152

System Name: SOUTH GATE-CITY, WATER DEPT.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910152-006

Source Name: WELL 13 - STANDBY

Source Number: 006

Source Status: STANDBY RAW

Water type: G

INORGANIC

ALUMINUM	01105	108	2010/05/13	< 50.000	2019/05
ANTIMONY	01097	108	2010/05/13	< 6.000	2019/05
ARSENIC	01002	108	2010/05/13	< 2.000	2019/05
BARIUM	01007	108	2010/05/13	< 100.000	2019/05
BERYLLIUM	01012	108	2010/05/13	< 1.000	2019/05
CADMIUM	01027	108	2010/05/13	< 1.000	2019/05
CHROMIUM (TOTAL)	01034	108	2010/05/13	< 10.000	2019/05
CYANIDE	01291	108	2010/05/13	< 100.000	2019/05
FLUORIDE (F) (NATURAL-SOURCE)	00951	108	2010/05/13	.390	2019/05
MERCURY	71900	108	2010/05/13	< 1.000	2019/05
NICKEL	01067	108	2010/05/13	< 10.000	2019/05
PERCHLORATE	A-031	108	2010/10/14	< 4.000	2019/10
SELENIUM	01147	108	2010/05/13	< 5.000	2019/05
THALLIUM	01059	108	2010/05/13	< 1.000	2019/05

NITRATE/NITRITE

NITRATE (AS NO3)	71850	108	2011/04/07	. 6.900	2020/04
NITRITE (AS N)	00620	108	2010/05/13	< 400.000	2019/05

RADIOLOGICAL

GROSS ALPHA	01501	108	2013/10/17	. 2.810	2022/10
RADIUM 226	09501	108	2007/12/06	.150	2016/12
RADIUM 228	11501	108	2013/10/17	. .070	2022/10
URANIUM (PCI/L)	28012	108	2013/10/17	. 2.300	2022/10

REGULATED SOC

2,4-D	39730	108	2008/02/21	< 10.000	2017/02
ALACHLOR	77825	108	2008/02/21	< 1.000	2017/02
ATRAZINE	39033	108	2008/02/21	< .500	2017/02
BENTAZON	38710	108	2008/02/21	< 2.000	2017/02
DI(2-ETHYLHEXYL)PHTHALATE	39100	108	2008/02/21	< 3.000	2017/02

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910152

System Name: SOUTH GATE-CITY, WATER DEPT.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910152-006

Source Name: WELL 13 - STANDBY

Source Number: 006

Source Status: STANDBY RAW

Water type: G

REGULATED SOC

DINOSEB	81287	108	2008/02/21	< 2.000	2017/02
DIQUAT	78885	108	2008/02/21	< 4.000	2017/02
ENDOTHALL	38926	108	2008/02/21	< 45.000	2017/02
GLYPHOSATE	79743	108	2008/02/21	< 25.000	2017/02
PENTACHLOROPHENOL	39032	108	2008/02/21	< .200	2017/02
SIMAZINE	39055	108	2008/02/21	< 1.000	2017/02
THIOBENCARB	A-001	108	2008/02/21	< 1.000	2017/02
TOXAPHENE	39400	108	2008/02/21	< 1.000	2017/02

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	108	2011/04/07	< .500	2020/04
1,1,2,2-TETRACHLOROETHANE	34516	108	2011/04/07	< .500	2020/04
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	108	2011/04/07	< 10.000	2020/04
1,1,2-TRICHLOROETHANE	34511	108	2011/04/07	< .500	2020/04
1,1-DICHLOROETHANE	34496	108	2011/04/07	< .500	2020/04
1,1-DICHLOROETHYLENE	34501	108	2011/04/07	< .500	2020/04
1,2,4-TRICHLOROBENZENE	34551	108	2011/04/07	< .500	2020/04
1,2-DICHLOROBENZENE	34536	108	2011/04/07	< .500	2020/04
1,2-DICHLOROETHANE	34531	108	2011/04/07	< .500	2020/04
1,2-DICHLOROPROPANE	34541	108	2011/04/07	< .500	2020/04
1,3-DICHLOROPROPENE (TOTAL)	34561	108	2011/04/07	< .500	2020/04
1,4-DICHLOROBENZENE	34571	108	2011/04/07	< .500	2020/04
BENZENE	34030	108	2011/04/07	< .500	2020/04
CARBON TETRACHLORIDE	32102	108	2011/04/07	< .500	2020/04
CIS-1,2-DICHLOROETHYLENE	77093	108	2011/04/07	< .500	2020/04
DICHLOROMETHANE	34423	108	2011/04/07	< .500	2020/04
ETHYLBENZENE	34371	108	2011/04/07	< .500	2020/04
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	108	2011/04/07	< 3.000	2020/04
MONOCHLOROBENZENE	34301	108	2011/04/07	< .500	2020/04
STYRENE	77128	108	2011/04/07	< .500	2020/04

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910152

System Name: SOUTH GATE-CITY, WATER DEPT.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910152-006

Source Name: WELL 13 - STANDBY

Source Number: 006

Source Status: STANDBY RAW

Water type: G

REGULATED VOC

TETRACHLOROETHYLENE	34475	108	2014/06/12	. 6.900	2023/06
TOLUENE	34010	108	2011/04/07	< .500	2020/04
TRANS-1,2-DICHLOROETHYLENE	34546	108	2011/04/07	< .500	2020/04
TRICHLOROETHYLENE	39180	003	2014/04/17	. 1.600	2014/07
TRICHLOROFUOROMETHANE	34488	108	2011/04/07	< 5.000	2020/04
VINYL CHLORIDE	39175	108	2011/04/07	< .500	2020/04
XYLENES (TOTAL)	81551	108	2011/04/07	< 1.000	2020/04

SECONDARY/GP

BICARBONATE ALKALINITY	00440	108	2010/05/13	180.000	2019/05
CALCIUM	00916	108	2010/05/13	80.000	2019/05
CARBONATE ALKALINITY	00445	108	2010/05/13	< 2.000	2019/05
CHLORIDE	00940	108	2010/05/13	59.000	2019/05
COLOR	00081	108	2010/05/13	< 1.000	2019/05
COPPER	01042	108	2010/05/13	< 50.000	2019/05
FOAMING AGENTS (MBAS)	38260	108	2010/05/13	< .100	2019/05
HARDNESS (TOTAL) AS CaCO3	00900	108	2010/05/13	270.000	2019/05
HYDROXIDE ALKALINITY	71830	108	2010/05/13	< 2.000	2019/05
IRON	01045	108	2010/05/13	< 100.000	2019/05
MAGNESIUM	00927	108	2010/05/13	17.000	2019/05
MANGANESE	01055	108	2010/05/13	< 20.000	2019/05
ODOR THRESHOLD @ 60 C	00086	108	2010/05/13	< 1.000	2019/05
PH, LABORATORY	00403	108	2010/05/13	8.050	2019/05
SILVER	01077	108	2010/05/13	< 10.000	2019/05
SODIUM	00929	108	2010/05/13	47.000	2019/05
SPECIFIC CONDUCTANCE	00095	108	2010/05/13	780.000	2019/05
SULFATE	00945	108	2010/05/13	120.000	2019/05
TOTAL DISSOLVED SOLIDS	70300	108	2010/05/13	480.000	2019/05
TURBIDITY, LABORATORY	82079	108	2010/05/13	.110	2019/05
ZINC	01092	108	2010/05/13	< 50.000	2019/05

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910152

System Name: SOUTH GATE-CITY, WATER DEPT.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910152-007

Source Name: WELL 14

Source Number: 007

Source Status: ACTIVE RAW

Water type: G

INORGANIC

ALUMINUM	01105	036	2012/04/12	< 50.000	2015/04
ANTIMONY	01097	036	2012/04/12	< 6.000	2015/04
ARSENIC	01002	036	2012/04/12	. 1.400	2015/04
BARIUM	01007	036	2012/04/12	71.000	2015/04
BERYLLIUM	01012	036	2012/04/12	< 1.000	2015/04
CADMIUM	01027	036	2012/04/12	< 1.000	2015/04
CHROMIUM (TOTAL)	01034	036	2012/04/12	< 10.000	2015/04
CYANIDE	01291	036	2012/04/12	< 100.000	2015/04
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2012/04/12	. .300	2015/04
MERCURY	71900	036	2012/04/12	< 1.000	2015/04
NICKEL	01067	036	2012/04/12	< 10.000	2015/04
PERCHLORATE	A-031	012	2013/07/11	< 4.000	2014/07
SELENIUM	01147	036	2012/04/12	< 5.000	2015/04
THALLIUM	01059	036	2012/04/12	< 1.000	2015/04

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2014/04/17	. 7.900	2015/04
NITRITE (AS N)	00620	036	2012/04/12	< 400.000	2015/04

RADIOLOGICAL

GROSS ALPHA	01501	108	2013/10/17	. 2.820	2022/10
-------------	-------	-----	------------	---------	---------

REGULATED SOC

2,4-D	39730	033	2012/07/12	< 10.000	2015/04
ALACHLOR	77825	033	2012/07/12	< 1.000	2015/04
ATRAZINE	39033	033	2012/07/12	< .500	2015/04
BENTAZON	38710	033	2012/07/12	< 2.000	2015/04
DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2012/07/12	< 3.000	2015/04
DINOSEB	81287	033	2012/07/12	< 2.000	2015/04
DIQUAT	78885	033	2012/07/12	< 4.000	2015/04
ENDOTHALL	38926	033	2012/07/12	< 45.000	2015/04

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910152

System Name: SOUTH GATE-CITY, WATER DEPT.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

PS Code: 1910152-007

Source Name: WELL 14

Source Number: 007

Source Status: ACTIVE RAW

Water type: G

REGULATED SOC

GLYPHOSATE	79743	033	2012/07/12	< 25.000	2015/04
PENTACHLOROPHENOL	39032	033	2012/07/12	< .200	2015/04
SIMAZINE	39055	033	2012/07/12	< 1.000	2015/04
TOXAPHENE	39400	033	2012/07/12	< 1.000	2015/04

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	012	2014/04/17	< .500	2015/04
1,1,2,2-TETRACHLOROETHANE	34516	012	2014/04/17	< .500	2015/04
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/04/17	< 10.000	2015/04
1,1,2-TRICHLOROETHANE	34511	012	2014/04/17	< .500	2015/04
1,1-DICHLOROETHANE	34496	012	2014/04/17	< .500	2015/04
1,1-DICHLOROETHYLENE	34501	012	2014/04/17	< .500	2015/04
1,2,4-TRICHLOROBENZENE	34551	012	2014/04/17	< .500	2015/04
1,2-DICHLOROBENZENE	34536	012	2014/04/17	< .500	2015/04
1,2-DICHLOROETHANE	34531	012	2014/04/17	< .500	2015/04
1,2-DICHLOROPROPANE	34541	012	2014/04/17	< .500	2015/04
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/04/17	< .500	2015/04
1,4-DICHLOROBENZENE	34571	012	2014/04/17	< .500	2015/04
BENZENE	34030	012	2014/04/17	< .500	2015/04
CARBON TETRACHLORIDE	32102	012	2014/04/17	< .500	2015/04
CIS-1,2-DICHLOROETHYLENE	77093	012	2014/04/17	< .500	2015/04
DICHLOROMETHANE	34423	012	2014/04/17	< .500	2015/04
ETHYLBENZENE	34371	012	2014/04/17	< .500	2015/04
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/04/17	< 3.000	2015/04
MONOCHLOROBENZENE	34301	012	2014/04/17	< .500	2015/04
STYRENE	77128	012	2014/04/17	< .500	2015/04
TETRACHLOROETHYLENE	34475	012	2014/06/12	. 3.600	2015/06
TOLUENE	34010	012	2014/04/17	< .500	2015/04
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/04/17	< .500	2015/04
TRICHLOROETHYLENE	39180	003	2014/04/17	. .970	2014/07

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910152

System Name: SOUTH GATE-CITY, WATER DEPT.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910152-007

Source Name: WELL 14

Source Number: 007

Source Status: ACTIVE RAW

Water type: G

REGULATED VOC

TRICHLOROFUOROMETHANE	34488	012	2014/04/17	< 5.000	2015/04
VINYL CHLORIDE	39175	012	2014/04/17	< .500	2015/04
XYLENES (TOTAL)	81551	012	2014/04/17	< .000	2015/04

SECONDARY/GP

BICARBONATE ALKALINITY	00440	036	2012/04/12	. 160.000	2015/04
CALCIUM	00916	036	2012/04/12	. 69.000	2015/04
CARBONATE ALKALINITY	00445	036	2012/04/12	< 4.000	2015/04
CHLORIDE	00940	036	2012/04/12	. 50.000	2015/04
COLOR	00081	036	2012/04/12	< 1.000	2015/04
COPPER	01042	036	2012/04/12	. 2.700	2015/04
FOAMING AGENTS (MBAS)	38260	036	2012/04/12	< .100	2015/04
HARDNESS (TOTAL) AS CaCO3	00900	036	2012/04/12	. 230.000	2015/04
HYDROXIDE ALKALINITY	71830	036	2012/04/12	< 4.000	2015/04
IRON	01045	036	2012/04/12	< 100.000	2015/04
MAGNESIUM	00927	036	2012/04/12	. 13.000	2015/04
MANGANESE	01055	036	2012/04/12	2.200	2015/04
ODOR THRESHOLD @ 60 C	00086	036	2012/04/12	< 1.000	2015/04
PH, LABORATORY	00403	036	2012/04/12	. 7.980	2015/04
SILVER	01077	036	2012/04/12	< 10.000	2015/04
SODIUM	00929	036	2012/04/12	45.000	2015/04
SPECIFIC CONDUCTANCE	00095	036	2012/04/12	. 620.000	2015/04
SULFATE	00945	036	2012/04/12	88.000	2015/04
TOTAL DISSOLVED SOLIDS	70300	036	2012/04/12	. 400.000	2015/04
TURBIDITY, LABORATORY	82079	036	2012/04/12	< .100	2015/04
ZINC	01092	036	2012/04/12	< 50.000	2015/04

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910152

System Name: SOUTH GATE-CITY, WATER DEPT.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910152-008

Source Name: WELL 18

Source Number: 008

Source Status: ACTIVE RAW

Water type: G

INORGANIC

ALUMINUM	01105	036	2012/01/19	< 50.000	2015/01
ANTIMONY	01097	036	2012/01/19	< 6.000	2015/01
ARSENIC	01002	036	2012/01/19	. 2.000	2015/01
BARIUM	01007	036	2012/01/19	< 100.000	2015/01
BERYLLIUM	01012	036	2012/01/19	< 1.000	2015/01
CADMIUM	01027	036	2012/01/19	< 1.000	2015/01
CHROMIUM (TOTAL)	01034	036	2012/01/19	< 10.000	2015/01
CYANIDE	01291	036	2012/01/19	< 100.000	2015/01
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2012/01/19	. .340	2015/01
MERCURY	71900	036	2012/01/19	< 1.000	2015/01
NICKEL	01067	036	2012/01/19	< 10.000	2015/01
PERCHLORATE	A-031	012	2013/07/11	< 4.000	2014/07
SELENIUM	01147	036	2012/01/19	< 5.000	2015/01
THALLIUM	01059	036	2012/01/19	< 1.000	2015/01

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2014/04/17	. 6.700	2015/04
NITRITE (AS N)	00620	036	2012/01/19	< 400.000	2015/01

RADIOLOGICAL

GROSS ALPHA	01501	108	2007/12/06	2.800	2016/12
-------------	-------	-----	------------	-------	---------

REGULATED SOC

2,4-D	39730	033	2012/07/12	< 10.000	2015/04
ALACHLOR	77825	033	2012/07/12	< 1.000	2015/04
ATRAZINE	39033	033	2012/07/12	< .500	2015/04
BENTAZON	38710	033	2012/07/12	< 2.000	2015/04
DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2012/07/12	< 3.000	2015/04
DINOSEB	81287	033	2012/07/12	< 2.000	2015/04
DIQUAT	78885	033	2012/07/12	< 4.000	2015/04
ENDOTHALL	38926	033	2012/07/12	< 45.000	2015/04

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910152

System Name: SOUTH GATE-CITY, WATER DEPT.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910152-008

Source Name: WELL 18

Source Number: 008

Source Status: ACTIVE RAW

Water type: G

REGULATED SOC

GLYPHOSATE	79743	033	2012/07/12	< 25.000	2015/04
PENTACHLOROPHENOL	39032	033	2012/07/12	< .200	2015/04
SIMAZINE	39055	033	2012/07/12	< 1.000	2015/04
TOXAPHENE	39400	033	2012/07/12	< 1.000	2015/04

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	012	2014/04/17	< .500	2015/04
1,1,2,2-TETRACHLOROETHANE	34516	012	2014/04/17	< .500	2015/04
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/04/17	< 10.000	2015/04
1,1,2-TRICHLOROETHANE	34511	012	2014/04/17	< .500	2015/04
1,1-DICHLOROETHANE	34496	012	2014/04/17	< .500	2015/04
1,1-DICHLOROETHYLENE	34501	012	2014/04/17	< .500	2015/04
1,2,4-TRICHLOROBENZENE	34551	012	2014/04/17	< .500	2015/04
1,2-DICHLOROBENZENE	34536	012	2014/04/17	< .500	2015/04
1,2-DICHLOROETHANE	34531	012	2014/04/17	< .500	2015/04
1,2-DICHLOROPROPANE	34541	012	2014/04/17	< .500	2015/04
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/04/17	< .500	2015/04
1,4-DICHLOROBENZENE	34571	012	2014/04/17	< .500	2015/04
BENZENE	34030	012	2014/04/17	< .500	2015/04
CARBON TETRACHLORIDE	32102	012	2014/04/17	< .500	2015/04
CIS-1,2-DICHLOROETHYLENE	77093	012	2014/04/17	< .500	2015/04
DICHLOROMETHANE	34423	012	2014/04/17	< .500	2015/04
ETHYLBENZENE	34371	012	2014/04/17	< .500	2015/04
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/04/17	< 3.000	2015/04
MONOCHLOROBENZENE	34301	012	2014/04/17	< .500	2015/04
STYRENE	77128	012	2014/04/17	< .500	2015/04
TETRACHLOROETHYLENE	34475	012	2014/06/12	. 6.200	2015/06
TOLUENE	34010	012	2014/04/17	< .500	2015/04
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/04/17	< .500	2015/04
TRICHLOROETHYLENE	39180	003	2014/04/17	. 1.500	2014/07

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910152

System Name: SOUTH GATE-CITY, WATER DEPT.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910152-008

Source Name: WELL 18

Source Number: 008

Source Status: ACTIVE RAW

Water type: G

REGULATED VOC

TRICHLOROFUOROMETHANE	34488	012	2014/04/17	< 5.000	2015/04
VINYL CHLORIDE	39175	012	2014/04/17	< .500	2015/04
XYLENES (TOTAL)	81551	012	2014/04/17	< .000	2015/04

SECONDARY/GP

BICARBONATE ALKALINITY	00440	036	2011/07/21	. 180.000	2014/07
CALCIUM	00916	036	2011/07/21	. 83.000	2014/07
CARBONATE ALKALINITY	00445	036	2011/07/21	< 2.000	2014/07
CHLORIDE	00940	036	2011/07/21	. 53.000	2014/07
COLOR	00081	036	2011/07/21	< 1.000	2014/07
COPPER	01042	036	2012/01/19	< 50.000	2015/01
FOAMING AGENTS (MBAS)	38260	036	2011/07/21	< .100	2014/07
HARDNESS (TOTAL) AS CaCO3	00900	036	2011/07/21	. 270.000	2014/07
HYDROXIDE ALKALINITY	71830	036	2011/07/21	< 2.000	2014/07
IRON	01045	036	2011/07/21	< 100.000	2014/07
MAGNESIUM	00927	036	2011/07/21	. 16.000	2014/07
MANGANESE	01055	036	2011/07/21	< 20.000	2014/07
ODOR THRESHOLD @ 60 C	00086	036	2011/07/21	< 1.000	2014/07
PH, LABORATORY	00403	036	2011/07/21	. 8.200	2014/07
SILVER	01077	036	2012/01/19	< 10.000	2015/01
SODIUM	00929	036	2011/07/21	47.000	2014/07
SPECIFIC CONDUCTANCE	00095	036	2011/07/21	. 640.000	2014/07
SULFATE	00945	036	2011/07/21	110.000	2014/07
TOTAL DISSOLVED SOLIDS	70300	036	2011/07/21	. 480.000	2014/07
TURBIDITY, LABORATORY	82079	036	2011/07/21	< .100	2014/07
ZINC	01092	036	2011/07/21	< 50.000	2014/07

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910152

System Name: SOUTH GATE-CITY, WATER DEPT.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910152-009

Source Name: WELL 19

Source Number: 009

Source Status: ACTIVE RAW

Water type: G

INORGANIC

ALUMINUM	01105	036	2013/04/18	< 50.000	2016/04
ANTIMONY	01097	036	2013/04/18	< 6.000	2016/04
ARSENIC	01002	036	2013/04/18	. 2.800	2016/04
BARIUM	01007	036	2013/04/18	< 100.000	2016/04
BERYLLIUM	01012	036	2013/04/18	< 1.000	2016/04
CADMIUM	01027	036	2013/04/18	< 1.000	2016/04
CHROMIUM (TOTAL)	01034	036	2013/04/18	< 10.000	2016/04
CYANIDE	01291	036	2013/04/18	< 100.000	2016/04
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/04/18	. .330	2016/04
MERCURY	71900	036	2013/04/18	< 1.000	2016/04
NICKEL	01067	036	2013/04/18	< 10.000	2016/04
PERCHLORATE	A-031	012	2014/04/17	< 4.000	2015/04
SELENIUM	01147	036	2013/04/18	< 5.000	2016/04
THALLIUM	01059	036	2013/04/18	< 1.000	2016/04

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2014/04/17	. 9.000	2015/04
NITRITE (AS N)	00620	036	2013/04/18	< 400.000	2016/04

RADIOLOGICAL

GROSS ALPHA	01501	108	2007/12/06	3.390	2016/12
-------------	-------	-----	------------	-------	---------

REGULATED SOC

2,4-D	39730	033	2012/07/12	< 10.000	2015/04
ALACHLOR	77825	033	2012/07/12	< 1.000	2015/04
ATRAZINE	39033	033	2012/07/12	< .500	2015/04
BENTAZON	38710	033	2012/07/12	< 2.000	2015/04
DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2012/07/12	< 3.000	2015/04
DINOSEB	81287	033	2012/07/12	< 2.000	2015/04
DIQUAT	78885	033	2012/07/12	< 4.000	2015/04
ENDOTHALL	38926	033	2012/07/12	< 45.000	2015/04

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910152

System Name: SOUTH GATE-CITY, WATER DEPT.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910152-009

Source Name: WELL 19

Source Number: 009

Source Status: ACTIVE RAW

Water type: G

REGULATED SOC

GLYPHOSATE	79743	033	2012/07/12	< 25.000	2015/04
PENTACHLOROPHENOL	39032	033	2012/07/12	< .200	2015/04
SIMAZINE	39055	033	2012/07/12	< 1.000	2015/04
TOXAPHENE	39400	033	2012/07/12	< 1.000	2015/04

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	012	2014/04/17	< .500	2015/04
1,1,2,2-TETRACHLOROETHANE	34516	012	2014/04/17	< .500	2015/04
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/04/17	< 10.000	2015/04
1,1,2-TRICHLOROETHANE	34511	012	2014/04/17	< .500	2015/04
1,1-DICHLOROETHANE	34496	012	2014/04/17	< .500	2015/04
1,1-DICHLOROETHYLENE	34501	012	2014/04/17	. 510	2015/04
1,2,4-TRICHLOROBENZENE	34551	012	2014/04/17	< .500	2015/04
1,2-DICHLOROBENZENE	34536	012	2014/04/17	< .500	2015/04
1,2-DICHLOROETHANE	34531	012	2014/04/17	< .500	2015/04
1,2-DICHLOROPROPANE	34541	012	2014/04/17	< .500	2015/04
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/04/17	< .500	2015/04
1,4-DICHLOROBENZENE	34571	012	2014/04/17	< .500	2015/04
BENZENE	34030	012	2014/04/17	< .500	2015/04
CARBON TETRACHLORIDE	32102	012	2014/04/17	< .500	2015/04
CIS-1,2-DICHLOROETHYLENE	77093	012	2014/04/17	< .500	2015/04
DICHLOROMETHANE	34423	012	2014/04/17	< .500	2015/04
ETHYLBENZENE	34371	012	2014/04/17	< .500	2015/04
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/04/17	< 3.000	2015/04
MONOCHLOROBENZENE	34301	012	2014/04/17	< .500	2015/04
STYRENE	77128	012	2014/04/17	< .500	2015/04
TETRACHLOROETHYLENE	34475	012	2014/06/12	. 3.100	2015/06
TOLUENE	34010	012	2014/04/17	< .500	2015/04
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/04/17	< .500	2015/04
TRICHLOROETHYLENE	39180	003	2014/04/17	. 3.600	2014/07

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910152

System Name: SOUTH GATE-CITY, WATER DEPT.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910152-009

Source Name: WELL 19

Source Number: 009

Source Status: ACTIVE RAW

Water type: G

REGULATED VOC

TRICHLOROFUOROMETHANE	34488	012	2014/04/17	< 5.000	2015/04
VINYL CHLORIDE	39175	012	2014/04/17	< .500	2015/04
XYLENES (TOTAL)	81551	012	2014/04/17	< .000	2015/04

SECONDARY/GP

BICARBONATE ALKALINITY	00440	036	2013/04/18	. 220.000	2016/04
CALCIUM	00916	036	2013/04/18	. 76.000	2016/04
CARBONATE ALKALINITY	00445	036	2013/04/18	< 2.400	2016/04
CHLORIDE	00940	036	2013/04/18	. 48.000	2016/04
COLOR	00081	036	2013/04/18	< 1.000	2016/04
COPPER	01042	036	2013/04/18	< 50.000	2016/04
FOAMING AGENTS (MBAS)	38260	036	2013/04/18	< .100	2016/04
HARDNESS (TOTAL) AS CaCO3	00900	036	2013/04/18	. 260.000	2016/04
HYDROXIDE ALKALINITY	71830	036	2013/04/18	< 1.400	2016/04
IRON	01045	036	2013/04/18	< 100.000	2016/04
MAGNESIUM	00927	036	2013/04/18	. 16.000	2016/04
MANGANESE	01055	036	2013/04/18	< 20.000	2016/04
ODOR THRESHOLD @ 60 C	00086	036	2013/04/18	< 1.000	2016/04
PH, LABORATORY	00403	036	2013/04/18	. 8.260	2016/04
SILVER	01077	036	2013/04/18	< 10.000	2016/04
SODIUM	00929	036	2013/04/18	49.000	2016/04
SPECIFIC CONDUCTANCE	00095	036	2013/04/18	. 650.000	2016/04
SULFATE	00945	036	2013/04/18	92.000	2016/04
TOTAL DISSOLVED SOLIDS	70300	036	2013/04/18	. 410.000	2016/04
TURBIDITY, LABORATORY	82079	036	2013/04/18	< .100	2016/04
ZINC	01092	036	2013/04/18	< 50.000	2016/04

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910152

System Name: SOUTH GATE-CITY, WATER DEPT.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910152-013

Source Name: WELL 23 - STANDBY

Source Number: 013

Source Status: STANDBY UNTREATED

Water type: G

INORGANIC

ALUMINUM	01105	108	2009/05/14	< 50.000	2018/05
ANTIMONY	01097	108	2009/05/14	< 6.000	2018/05
ARSENIC	01002	108	2009/05/14	< 2.000	2018/05
BARIUM	01007	108	2009/05/14	290.000	2018/05
BERYLLIUM	01012	108	2009/05/14	< 1.000	2018/05
CADMIUM	01027	108	2009/05/14	< 1.000	2018/05
CHROMIUM (TOTAL)	01034	108	2009/05/14	< 10.000	2018/05
CYANIDE	01291	108	2009/05/14	< 100.000	2018/05
FLUORIDE (F) (NATURAL-SOURCE)	00951	108	2009/05/14	.330	2018/05
MERCURY	71900	108	2009/05/14	< 1000.000	2018/05
NICKEL	01067	108	2009/05/14	< 10.000	2018/05
PERCHLORATE	A-031	108	2011/07/21	< 4.000	2020/07
SELENIUM	01147	108	2009/05/14	< 5.000	2018/05
THALLIUM	01059	108	2009/05/14	< 1.000	2018/05

NITRATE/NITRITE

NITRATE (AS NO3)	71850	108	2014/04/17	. 5.800	2023/04
NITRITE (AS N)	00620	108	2010/05/13	< 400.000	2019/05

RADIOLOGICAL

GROSS ALPHA	01501	108	2007/12/06	2.230	2016/12
RADIUM 226	09501	108	2007/12/06	.140	2016/12
RADIUM 228	11501	108	2007/12/06	.670	2016/12
URANIUM (PCI/L)	28012	108	2007/12/06	< 1.000	2016/12

REGULATED SOC

2,4-D	39730	108	2011/07/21	< 10.000	2020/07
ALACHLOR	77825	108	2011/07/21	< 1.000	2020/07
ATRAZINE	39033	108	2011/07/21	< .500	2020/07
BENTAZON	38710	108	2011/07/21	< 2.000	2020/07
DI(2-ETHYLHEXYL)PHTHALATE	39100	108	2011/07/21	< 3.000	2020/07

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910152

System Name: SOUTH GATE-CITY, WATER DEPT.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910152-013

Source Name: WELL 23 - STANDBY

Source Number: 013

Source Status: STANDBY UNTREATED

Water type: G

REGULATED SOC

DINOSEB	81287	108	2011/07/21	< 2.000	2020/07
DIQUAT	78885	108	2011/07/21	< 4.000	2020/07
ENDOTHALL	38926	108	2011/07/21	< 45.000	2020/07
GLYPHOSATE	79743	108	2011/07/21	< 25.000	2020/07
PENTACHLOROPHENOL	39032	108	2011/07/21	< .200	2020/07
SIMAZINE	39055	108	2011/07/21	< 1.000	2020/07
TOXAPHENE	39400	108	2011/07/21	< 1.000	2020/07

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	108	2014/04/17	< .500	2023/04
1,1,2,2-TETRACHLOROETHANE	34516	108	2014/04/17	< .500	2023/04
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	108	2014/04/17	< 10.000	2023/04
1,1,2-TRICHLOROETHANE	34511	108	2014/04/17	< .500	2023/04
1,1-DICHLOROETHANE	34496	108	2014/04/17	< .500	2023/04
1,1-DICHLOROETHYLENE	34501	108	2014/04/17	< .500	2023/04
1,2,4-TRICHLOROBENZENE	34551	108	2014/04/17	< .500	2023/04
1,2-DICHLOROBENZENE	34536	108	2014/04/17	< .500	2023/04
1,2-DICHLOROETHANE	34531	108	2014/04/17	< .500	2023/04
1,2-DICHLOROPROPANE	34541	108	2014/04/17	< .500	2023/04
1,3-DICHLOROPROPENE (TOTAL)	34561	108	2014/04/17	< .500	2023/04
1,4-DICHLOROBENZENE	34571	108	2014/04/17	< .500	2023/04
BENZENE	34030	108	2014/04/17	< .500	2023/04
CARBON TETRACHLORIDE	32102	108	2014/04/17	< .500	2023/04
CIS-1,2-DICHLOROETHYLENE	77093	108	2014/04/17	< .500	2023/04
DICHLOROMETHANE	34423	108	2014/04/17	< .500	2023/04
ETHYLBENZENE	34371	108	2014/04/17	< .500	2023/04
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	108	2014/04/17	< 3.000	2023/04
MONOCHLOROBENZENE	34301	108	2014/04/17	< .500	2023/04
STYRENE	77128	108	2014/04/17	< .500	2023/04
TETRACHLOROETHYLENE	34475	108	2014/04/17	. 1.700	2023/04

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910152

System Name: SOUTH GATE-CITY, WATER DEPT.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910152-013

Source Name: WELL 23 - STANDBY

Source Number: 013

Source Status: STANDBY UNTREATED

Water type: G

REGULATED VOC

TOLUENE	34010	108	2014/04/17	< .500	2023/04
TRANS-1,2-DICHLOROETHYLENE	34546	108	2014/04/17	< .500	2023/04
TRICHLOROETHYLENE	39180	108	2014/04/17	< .500	2023/04
TRICHLOROFUOROMETHANE	34488	108	2014/04/17	< 5.000	2023/04
VINYL CHLORIDE	39175	108	2014/04/17	< .500	2023/04
XYLENES (TOTAL)	81551	108	2014/04/17	< .000	2023/04

SECONDARY/GP

BICARBONATE ALKALINITY	00440	108	2009/05/14	160.000	2018/05
CALCIUM	00916	108	2009/05/14	80.000	2018/05
CARBONATE ALKALINITY	00445	108	2009/05/14	< 2.000	2018/05
CHLORIDE	00940	108	2009/05/14	50.000	2018/05
COLOR	00081	108	2009/05/14	< 1.000	2018/05
COPPER	01042	108	2009/05/14	< 50.000	2018/05
FOAMING AGENTS (MBAS)	38260	108	2009/05/14	< .100	2018/05
HARDNESS (TOTAL) AS CaCO3	00900	108	2009/05/14	260.000	2018/05
HYDROXIDE ALKALINITY	71830	108	2009/05/14	< 2.000	2018/05
IRON	01045	108	2014/06/12	< 100.000	2023/06
MAGNESIUM	00927	108	2009/05/14	16.000	2018/05
MANGANESE	01055	108	2014/06/12	. 74.000	2023/06
ODOR THRESHOLD @ 60 C	00086	108	2009/05/14	< 1.000	2018/05
PH, LABORATORY	00403	108	2009/05/14	8.000	2018/05
SILVER	01077	108	2009/05/14	< 10.000	2018/05
SODIUM	00929	108	2009/05/14	38.000	2018/05
SPECIFIC CONDUCTANCE	00095	108	2009/05/14	730.000	2018/05
SULFATE	00945	108	2009/05/14	120.000	2018/05
TOTAL DISSOLVED SOLIDS	70300	108	2009/05/14	480.000	2018/05
TURBIDITY, LABORATORY	82079	108	2009/05/14	.400	2018/05
ZINC	01092	108	2009/05/14	< 50.000	2018/05

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910152

System Name: SOUTH GATE-CITY, WATER DEPT.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

PS Code: 1910152-014

Source Name: WELL 24

Source Number: 014

Source Status: ACTIVE UNTREATED

Water type: G

INORGANIC

ALUMINUM	01105	036	2014/04/17	< 50.000	2017/04
ANTIMONY	01097	036	2014/04/17	< 6.000	2017/04
ARSENIC	01002	036	2014/04/17	. 2.100	2017/04
BARIUM	01007	036	2014/04/17	. 130.000	2017/04
BERYLLIUM	01012	036	2014/04/17	< 1.000	2017/04
CADMIUM	01027	036	2014/04/17	< 1.000	2017/04
CHROMIUM (TOTAL)	01034	036	2014/04/17	< 10.000	2017/04
CYANIDE	01291	036	2014/04/17	< 100.000	2017/04
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/04/17	. .310	2017/04
MERCURY	71900	036	2014/04/17	< 1.000	2017/04
NICKEL	01067	036	2014/04/17	< 10.000	2017/04
PERCHLORATE	A-031	012	2013/07/11	< 4.000	2014/07
SELENIUM	01147	036	2014/04/17	< 5.000	2017/04
THALLIUM	01059	036	2014/04/17	< 1.000	2017/04

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2014/04/17	. 7.600	2015/04
NITRITE (AS N)	00620	036	2014/04/17	< 400.000	2017/04

RADIOLOGICAL

GROSS ALPHA	01501	108	2007/12/06	1.580	2016/12
-------------	-------	-----	------------	-------	---------

REGULATED SOC

2,4-D	39730	033	2012/07/12	< 10.000	2015/04
ALACHLOR	77825	033	2012/07/12	< 1.000	2015/04
ATRAZINE	39033	033	2012/07/12	< .500	2015/04
BENTAZON	38710	033	2012/07/12	< 2.000	2015/04
DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2012/07/12	< 3.000	2015/04
DINOSEB	81287	033	2012/07/12	< 2.000	2015/04
DIQUAT	78885	033	2012/07/12	< 4.000	2015/04
ENDOTHALL	38926	033	2012/07/12	< 45.000	2015/04

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910152

System Name: SOUTH GATE-CITY, WATER DEPT.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

PS Code: 1910152-014

Source Name: WELL 24

Source Number: 014

Source Status: ACTIVE UNTREATED

Water type: G

REGULATED SOC

GLYPHOSATE	79743	033	2012/07/12	< 25.000	2015/04
PENTACHLOROPHENOL	39032	033	2012/07/12	< .200	2015/04
SIMAZINE	39055	033	2012/07/12	< 1.000	2015/04
TOXAPHENE	39400	033	2012/07/12	< 1.000	2015/04

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	012	2014/04/17	< .500	2015/04
1,1,2,2-TETRACHLOROETHANE	34516	012	2014/04/17	< .500	2015/04
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/04/17	< 10.000	2015/04
1,1,2-TRICHLOROETHANE	34511	012	2014/04/17	< .500	2015/04
1,1-DICHLOROETHANE	34496	012	2014/04/17	< .500	2015/04
1,1-DICHLOROETHYLENE	34501	012	2014/04/17	< .500	2015/04
1,2,4-TRICHLOROBENZENE	34551	012	2014/04/17	< .500	2015/04
1,2-DICHLOROBENZENE	34536	012	2014/04/17	< .500	2015/04
1,2-DICHLOROETHANE	34531	012	2014/04/17	< .500	2015/04
1,2-DICHLOROPROPANE	34541	012	2014/04/17	< .500	2015/04
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/04/17	< .500	2015/04
1,4-DICHLOROBENZENE	34571	012	2014/04/17	< .500	2015/04
BENZENE	34030	012	2014/04/17	< .500	2015/04
CARBON TETRACHLORIDE	32102	012	2014/04/17	< .500	2015/04
CIS-1,2-DICHLOROETHYLENE	77093	012	2014/04/17	< .500	2015/04
DICHLOROMETHANE	34423	012	2014/04/17	< .500	2015/04
ETHYLBENZENE	34371	012	2014/04/17	< .500	2015/04
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/04/17	< 3.000	2015/04
MONOCHLOROBENZENE	34301	012	2014/04/17	< .500	2015/04
STYRENE	77128	012	2014/04/17	< .500	2015/04
TETRACHLOROETHYLENE	34475	012	2014/06/12	. 720	2015/06
TOLUENE	34010	012	2014/04/17	< .500	2015/04
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/04/17	< .500	2015/04
TRICHLOROETHYLENE	39180	012	2014/04/17	. 850	2015/04

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910152

System Name: SOUTH GATE-CITY, WATER DEPT.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910152-014

Source Name: WELL 24

Source Number: 014

Source Status: ACTIVE UNTREATED

Water type: G

REGULATED VOC

TRICHLOROFUOROMETHANE	34488	012	2014/04/17	< 5.000	2015/04
VINYL CHLORIDE	39175	012	2014/04/17	< .500	2015/04
XYLENES (TOTAL)	81551	012	2014/04/17	< .000	2015/04

SECONDARY/GP

BICARBONATE ALKALINITY	00440	036	2014/04/17	. 200.000	2017/04
CALCIUM	00916	036	2014/04/17	. 65.000	2017/04
CARBONATE ALKALINITY	00445	036	2014/04/17	< .000	2017/04
CHLORIDE	00940	036	2014/04/17	. 49.000	2017/04
COLOR	00081	036	2014/04/17	< .000	2017/04
COPPER	01042	036	2014/04/17	< 50.000	2017/04
FOAMING AGENTS (MBAS)	38260	036	2014/04/17	< .000	2017/04
HARDNESS (TOTAL) AS CaCO3	00900	036	2014/04/17	. 210.000	2017/04
HYDROXIDE ALKALINITY	71830	036	2014/04/17	< .000	2017/04
IRON	01045	036	2014/04/17	< 100.000	2017/04
MAGNESIUM	00927	036	2014/04/17	. 13.000	2017/04
MANGANESE	01055	036	2014/04/17	< 20.000	2017/04
ODOR THRESHOLD @ 60 C	00086	036	2014/04/17	. 1.000	2017/04
PH, LABORATORY	00403	036	2014/04/17	. 7.800	2017/04
SILVER	01077	036	2014/04/17	< 10.000	2017/04
SODIUM	00929	036	2014/04/17	. 47.000	2017/04
SPECIFIC CONDUCTANCE	00095	036	2014/04/17	. 660.000	2017/04
SULFATE	00945	036	2014/04/17	. 100.000	2017/04
TOTAL DISSOLVED SOLIDS	70300	036	2014/04/17	. 390.000	2017/04
TURBIDITY, LABORATORY	82079	036	2014/04/17	< .000	2017/04
ZINC	01092	036	2014/04/17	< 50.000	2017/04

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910152

System Name: SOUTH GATE-CITY, WATER DEPT.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910152-015

Source Name: WELL 25 - STANDBY

Source Number: 015

Source Status: STANDBY TREATED

Water type: G

INORGANIC

ALUMINUM	01105	108	2011/05/19	< 50.000	2020/05
ANTIMONY	01097	108	2011/05/19	< 6.000	2020/05
ARSENIC	01002	108	2011/05/19	. 2.900	2020/05
BARIUM	01007	108	2011/05/19	140.000	2020/05
BERYLLIUM	01012	108	2011/05/19	< 1.000	2020/05
CADMIUM	01027	108	2011/05/19	< 1.000	2020/05
CHROMIUM (TOTAL)	01034	108	2011/05/19	< 10.000	2020/05
CYANIDE	01291	108	2011/05/19	< 100.000	2020/05
FLUORIDE (F) (NATURAL-SOURCE)	00951	108	2011/05/19	. .380	2020/05
MERCURY	71900	108	2011/05/19	< 1.000	2020/05
NICKEL	01067	108	2011/05/19	< 10.000	2020/05
PERCHLORATE	A-031	108	2013/07/11	< 4.000	2022/07
SELENIUM	01147	108	2011/05/19	< 5.000	2020/05
THALLIUM	01059	108	2011/05/19	< 1.000	2020/05

NITRATE/NITRITE

NITRATE (AS NO3)	71850	108	2014/04/17	< 2.000	2023/04
NITRITE (AS N)	00620	108	2014/04/17	< 400.000	2023/04

RADIOLOGICAL

GROSS ALPHA	01501	108	2012/07/12	. 2.310	2021/07
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	108	2012/07/12	. .025	2021/07
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	108	2012/07/12	.110	2021/07
URANIUM (PCI/L)	28012	108	2012/07/12	< 1.000	2021/07

REGULATED SOC

2,3,7,8-TCDD (DIOXIN)	34676	036	2012/07/12	. .000	2015/07
2,4,5-TP (SILVEX)	39045	036	2012/07/12	< 1.000	2015/07
2,4-D	39730	036	2012/07/12	< 10.000	2015/07
ALACHLOR	77825	108	2012/07/12	< 1.000	2021/07
ATRAZINE	39033	108	2012/07/12	< .500	2021/07

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910152

System Name: SOUTH GATE-CITY, WATER DEPT.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910152-015

Source Name: WELL 25 - STANDBY

Source Number: 015

Source Status: STANDBY TREATED

Water type: G

REGULATED SOC

BENTAZON	38710	108	2012/07/12	< 2.000	2021/07
DI(2-ETHYLHEXYL)ADIPATE	A-026	036	2012/07/12	< 5.000	2015/07
DI(2-ETHYLHEXYL)PHTHALATE	39100	036	2012/07/12	< 3.000	2015/07
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2012/07/12	< .010	2015/07
DINOSEB	81287	036	2012/07/12	< 2.000	2015/07
DIQUAT	78885	036	2012/07/12	< 4.000	2015/07
ENDOTHALL	38926	036	2012/07/12	< 45.000	2015/07
ENDRIN	39390	036	2012/07/12	< .100	2015/07
ETHYLENE DIBROMIDE (EDB)	77651	036	2012/07/12	< .020	2015/07
GLYPHOSATE	79743	036	2012/07/12	< 25.000	2015/07
HEPTACHLOR	39410	036	2012/07/12	< .010	2015/07
HEPTACHLOR EPOXIDE	39420	036	2012/07/12	< .010	2015/07
HEXACHLOROBENZENE	39700	036	2012/07/12	< .500	2015/07
HEXACHLOROCYCLOPENTADIENE	34386	036	2012/07/12	< 1.000	2015/07
LINDANE	39340	036	2012/07/12	< .200	2015/07
METHOXYCHLOR	39480	036	2012/07/12	< 10.000	2015/07
MOLINATE	82199	036	2012/07/12	< 2.000	2015/07
OXAMYL	38865	036	2012/07/12	< 20.000	2015/07
PENTACHLOROPHENOL	39032	036	2012/07/12	< .200	2015/07
PICLORAM	39720	036	2012/07/12	< 1.000	2015/07
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	036	2012/07/12	< .500	2015/07
SIMAZINE	39055	036	2012/07/12	< 1.000	2015/07
TOXAPHENE	39400	036	2012/07/12	< 1.000	2015/07

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	108	2014/04/17	< .500	2023/04
1,1,2,2-TETRACHLOROETHANE	34516	108	2014/04/17	< .500	2023/04
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	108	2014/04/17	< 10.000	2023/04
1,1,2-TRICHLOROETHANE	34511	108	2014/04/17	< .500	2023/04
1,1-DICHLOROETHANE	34496	108	2014/04/17	< .500	2023/04

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910152

System Name: SOUTH GATE-CITY, WATER DEPT.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910152-015

Source Name: WELL 25 - STANDBY

Source Number: 015

Source Status: STANDBY TREATED

Water type: G

REGULATED VOC

1,1-DICHLOROETHYLENE	34501	108	2014/04/17	< .500	2023/04
1,2,4-TRICHLOROBENZENE	34551	012	2014/04/17	< .500	2015/04
1,2-DICHLOROBENZENE	34536	108	2014/04/17	< .500	2023/04
1,2-DICHLOROETHANE	34531	012	2014/04/17	< .500	2015/04
1,2-DICHLOROPROPANE	34541	012	2014/04/17	< .500	2015/04
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/04/17	< .500	2015/04
1,4-DICHLOROBENZENE	34571	012	2014/04/17	< .500	2015/04
BENZENE	34030	108	2014/04/17	< .500	2023/04
CARBON TETRACHLORIDE	32102	108	2014/04/17	< .500	2023/04
CIS-1,2-DICHLOROETHYLENE	77093	108	2014/04/17	< .500	2023/04
DICHLOROMETHANE	34423	108	2014/04/17	< .500	2023/04
ETHYLBENZENE	34371	108	2014/04/17	< .500	2023/04
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	108	2014/04/17	< 3.000	2023/04
MONOCHLOROENZENE	34301	108	2014/04/17	< .500	2023/04
STYRENE	77128	108	2014/04/17	< .500	2023/04
TETRACHLOROETHYLENE	34475	012	2014/04/17	< .500	2015/04
TOLUENE	34010	108	2014/04/17	< .500	2023/04
TRANS-1,2-DICHLOROETHYLENE	34546	108	2014/04/17	< .500	2023/04
TRICHLOROETHYLENE	39180	003	2014/04/17	< .500	2014/07
TRICHLOROFUOROMETHANE	34488	108	2014/04/17	< 5.000	2023/04
VINYL CHLORIDE	39175	108	2014/04/17	< .500	2023/04
XYLENES (TOTAL)	81551	108	2014/04/17	< .000	2023/04

SECONDARY/GP

BICARBONATE ALKALINITY	00440	108	2014/04/17	. 240.000	2023/04
CALCIUM	00916	108	2014/04/17	. 55.000	2023/04
CARBONATE ALKALINITY	00445	108	2014/04/17	< .000	2023/04
CHLORIDE	00940	108	2014/04/17	. 26.000	2023/04
COLOR	00081	108	2014/04/17	< .000	2023/04
COPPER	01042	108	2014/04/17	< 50.000	2023/04

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910152

System Name: SOUTH GATE-CITY, WATER DEPT.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910152-015

Source Name: WELL 25 - STANDBY

Source Number: 015

Source Status: STANDBY TREATED

Water type: G

SECONDARY/GP

FOAMING AGENTS (MBAS)	38260	108	2014/04/17	< .000	2023/04
HARDNESS (TOTAL) AS CaCO3	00900	108	2014/04/17	. 190.000	2023/04
HYDROXIDE ALKALINITY	71830	108	2014/04/17	< .000	2023/04
IRON	01045	108	2014/04/17	. 200.000	2023/04
MAGNESIUM	00927	108	2014/04/17	. 14.000	2023/04
MANGANESE	01055	108	2014/04/17	. 73.000	2023/04
ODOR THRESHOLD @ 60 C	00086	108	2014/04/17	. 1.000	2023/04
PH, LABORATORY	00403	108	2014/04/17	. 7.650	2023/04
SILVER	01077	108	2011/05/19	< 10.000	2020/05
SODIUM	00929	108	2014/04/17	. 39.000	2023/04
SPECIFIC CONDUCTANCE	00095	108	2014/04/17	. 560.000	2023/04
SULFATE	00945	108	2014/04/17	. 52.000	2023/04
TOTAL DISSOLVED SOLIDS	70300	108	2014/04/17	. 300.000	2023/04
TURBIDITY, LABORATORY	82079	108	2014/04/17	. .910	2023/04
ZINC	01092	108	2014/04/17	< 50.000	2023/04

PS Code: 1910152-016

Source Name: WELL 26

Source Number: 016

Source Status: ACTIVE RAW

Water type: G

INORGANIC

ALUMINUM	01105	036	2014/01/16	< 50.000	2017/01
ANTIMONY	01097	036	2014/01/16	< 6.000	2017/01
ARSENIC	01002	036	2014/01/16	< 2.000	2017/01
BARIUM	01007	036	2014/01/16	110.000	2017/01
BERYLLIUM	01012	036	2014/01/16	< 1.000	2017/01
CADMIUM	01027	036	2014/01/16	< 1.000	2017/01
CHROMIUM (TOTAL)	01034	036	2014/01/16	< 10.000	2017/01

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910152

System Name: SOUTH GATE-CITY, WATER DEPT.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910152-016

Source Name: WELL 26

Source Number: 016

Source Status: ACTIVE RAW

Water type: G

INORGANIC

CYANIDE	01291	036	2014/01/16	< 100.000	2017/01
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/01/16	.470	2017/01
MERCURY	71900	036	2014/01/16	< 1.000	2017/01
NICKEL	01067	036	2014/01/16	< 10.000	2017/01
PERCHLORATE	A-031	012	2013/07/11	< 4.000	2014/07
SELENIUM	01147	036	2014/01/16	< 5.000	2017/01
THALLIUM	01059	036	2014/01/16	< 1.000	2017/01

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2014/04/17	. 2.300	2015/04
NITRITE (AS N)	00620	036	2014/01/16	< 400.000	2017/01

RADIOLOGICAL

GROSS ALPHA	01501	108	2007/09/13	1.700	2016/09
-------------	-------	-----	------------	-------	---------

REGULATED SOC

2,4-D	39730	033	2012/07/12	< 10.000	2015/04
ALACHLOR	77825	033	2012/07/12	< 1.000	2015/04
ATRAZINE	39033	033	2012/07/12	< .500	2015/04
BENTAZON	38710	033	2012/07/12	< 2.000	2015/04
DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2012/07/12	< 3.000	2015/04
DINOSEB	81287	033	2012/07/12	< 2.000	2015/04
DIQUAT	78885	033	2012/07/12	< 4.000	2015/04
ENDOTHALL	38926	033	2012/07/12	< 45.000	2015/04
GLYPHOSATE	79743	033	2012/07/12	< 25.000	2015/04
PENTACHLOROPHENOL	39032	033	2012/07/12	< .200	2015/04
SIMAZINE	39055	033	2012/07/12	< 1.000	2015/04
TOXAPHENE	39400	033	2012/07/12	< 1.000	2015/04

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	012	2014/01/16	< .500	2015/01
1,1,2,2-TETRACHLOROETHANE	34516	012	2014/01/16	< .500	2015/01

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910152

System Name: SOUTH GATE-CITY, WATER DEPT.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

PS Code: 1910152-016

Source Name: WELL 26

Source Number: 016

Source Status: ACTIVE RAW

Water type: G

REGULATED VOC

1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/01/16	< 10.000	2015/01
1,1,2-TRICHLOROETHANE	34511	012	2014/01/16	< .500	2015/01
1,1-DICHLOROETHANE	34496	012	2014/01/16	< .500	2015/01
1,1-DICHLOROETHYLENE	34501	012	2014/01/16	< .500	2015/01
1,2,4-TRICHLOROBENZENE	34551	012	2014/01/16	< .500	2015/01
1,2-DICHLOROBENZENE	34536	012	2014/01/16	< .500	2015/01
1,2-DICHLOROETHANE	34531	012	2014/01/16	< .500	2015/01
1,2-DICHLOROPROPANE	34541	012	2014/01/16	< .500	2015/01
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/01/16	< .500	2015/01
1,4-DICHLOROBENZENE	34571	012	2014/01/16	< .500	2015/01
BENZENE	34030	012	2014/01/16	< .500	2015/01
CARBON TETRACHLORIDE	32102	012	2014/01/16	< .500	2015/01
CIS-1,2-DICHLOROETHYLENE	77093	012	2014/01/16	< .500	2015/01
DICHLOROMETHANE	34423	012	2014/01/16	< .500	2015/01
ETHYLBENZENE	34371	012	2014/01/16	< .500	2015/01
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/01/16	< 3.000	2015/01
MONOCHLOROBENZENE	34301	012	2014/01/16	< .500	2015/01
STYRENE	77128	012	2014/01/16	< .500	2015/01
TETRACHLOROETHYLENE	34475	012	2014/01/16	< .500	2015/01
TOLUENE	34010	012	2014/01/16	< .500	2015/01
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/01/16	< .500	2015/01
TRICHLOROETHYLENE	39180	012	2014/04/17	. 800	2015/04
TRICHLOROFUOROMETHANE	34488	012	2014/01/16	< 5.000	2015/01
VINYL CHLORIDE	39175	012	2014/01/16	< .500	2015/01
XYLENES (TOTAL)	81551	012	2014/01/16	< .000	2015/01

SECONDARY/GP

BICARBONATE ALKALINITY	00440	036	2014/01/16	. 240.000	2017/01
CALCIUM	00916	036	2014/01/16	. 75.800	2017/01
CARBONATE ALKALINITY	00445	036	2014/01/16	< .000	2017/01

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910152

System Name: SOUTH GATE-CITY, WATER DEPT.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910152-016

Source Name: WELL 26

Source Number: 016

Source Status: ACTIVE RAW

Water type: G

SECONDARY/GP

CHLORIDE	00940	036	2014/01/16	. 47.000	2017/01
COLOR	00081	036	2014/01/16	< .000	2017/01
COPPER	01042	036	2014/01/16	< 50.000	2017/01
FOAMING AGENTS (MBAS)	38260	036	2014/01/16	< .000	2017/01
HARDNESS (TOTAL) AS CaCO3	00900	036	2014/01/16	. 260.000	2017/01
HYDROXIDE ALKALINITY	71830	036	2014/01/16	< .000	2017/01
IRON	01045	036	2014/01/16	< 100.000	2017/01
MAGNESIUM	00927	036	2014/01/16	. 16.600	2017/01
MANGANESE	01055	036	2014/01/16	< 20.000	2017/01
ODOR THRESHOLD @ 60 C	00086	036	2014/01/16	1.000	2017/01
PH, LABORATORY	00403	036	2014/01/16	. 7.500	2017/01
SILVER	01077	036	2014/01/16	< 10.000	2017/01
SODIUM	00929	036	2014/01/16	48.000	2017/01
SPECIFIC CONDUCTANCE	00095	036	2014/01/16	. 700.000	2017/01
SULFATE	00945	036	2014/01/16	96.000	2017/01
TOTAL DISSOLVED SOLIDS	70300	036	2014/01/16	. 410.000	2017/01
TURBIDITY, LABORATORY	82079	036	2014/01/16	< .000	2017/01
ZINC	01092	036	2014/01/16	< 50.000	2017/01

PS Code: 1910152-017

Source Name: WELL 27 - STANDBY

Source Number: 017

Source Status: STANDBY RAW

Water type: G

INORGANIC

ALUMINUM	01105	108	2011/07/21	< 50.000	2020/07
ANTIMONY	01097	108	2011/07/21	< 6.000	2020/07
ARSENIC	01002	108	2011/07/21	. 2.700	2020/07
BARIUM	01007	108	2011/07/21	130.000	2020/07

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910152

System Name: SOUTH GATE-CITY, WATER DEPT.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910152-017

Source Name: WELL 27 - STANDBY

Source Number: 017

Source Status: STANDBY RAW

Water type: G

INORGANIC

BERYLLIUM	01012	108	2011/07/21	< 1.000	2020/07
CADMIUM	01027	108	2011/07/21	< 1.000	2020/07
CHROMIUM (TOTAL)	01034	108	2011/07/21	< 10.000	2020/07
CYANIDE	01291	108	2011/07/21	< 100.000	2020/07
FLUORIDE (F) (NATURAL-SOURCE)	00951	108	2011/07/21	.290	2020/07
MERCURY	71900	108	2011/07/21	< 1.000	2020/07
NICKEL	01067	108	2011/07/21	< 10.000	2020/07
PERCHLORATE	A-031	108	2012/10/30	< 4.000	2021/10
SELENIUM	01147	108	2011/07/21	< 5.000	2020/07
THALLIUM	01059	108	2011/07/21	< 1.000	2020/07

NITRATE/NITRITE

NITRATE (AS NO3)	71850	108	2013/07/11	< 2.000	2022/07
NITRITE (AS N)	00620	108	2011/07/21	< 400.000	2020/07

RADIOLOGICAL

GROSS ALPHA	01501	108	2009/11/30	.400	2018/11
RADIUM 226	09501	108	2007/09/13	.310	2016/09
RADIUM 228	11501	108	2007/09/13	.580	2016/09
URANIUM (PCI/L)	28012	108	2007/09/13	2.700	2016/09

REGULATED SOC

2,4-D	39730	108	2012/07/12	< 10.000	2021/07
ALACHLOR	77825	108	2012/07/12	< 1.000	2021/07
ATRAZINE	39033	108	2012/07/12	< .500	2021/07
BENTAZON	38710	108	2012/07/12	< 2.000	2021/07
DI(2-ETHYLHEXYL)PHTHALATE	39100	108	2012/07/12	< 3.000	2021/07
DINOSEB	81287	108	2012/07/12	< 2.000	2021/07
DIQUAT	78885	108	2012/07/12	< 4.000	2021/07
ENDOTHALL	38926	108	2012/07/12	< 45.000	2021/07
GLYPHOSATE	79743	108	2012/07/12	< 25.000	2021/07

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910152

System Name: SOUTH GATE-CITY, WATER DEPT.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910152-017

Source Name: WELL 27 - STANDBY

Source Number: 017

Source Status: STANDBY RAW

Water type: G

REGULATED SOC

PENTACHLOROPHENOL	39032	108	2012/07/12	< .200	2021/07
SIMAZINE	39055	108	2012/07/12	< 1.000	2021/07
TOXAPHENE	39400	108	2012/07/12	< 1.000	2021/07

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	108	2013/07/11	< .500	2022/07
1,1,2,2-TETRACHLOROETHANE	34516	108	2013/07/11	< .500	2022/07
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	108	2013/07/11	< 10.000	2022/07
1,1,2-TRICHLOROETHANE	34511	108	2013/07/11	< .500	2022/07
1,1-DICHLOROETHANE	34496	108	2013/07/11	< .500	2022/07
1,1-DICHLOROETHYLENE	34501	108	2013/07/11	< .500	2022/07
1,2,4-TRICHLOROBENZENE	34551	108	2013/07/11	< .500	2022/07
1,2-DICHLOROBENZENE	34536	108	2013/07/11	< .500	2022/07
1,2-DICHLOROETHANE	34531	108	2013/07/11	< .500	2022/07
1,2-DICHLOROPROPANE	34541	108	2013/07/11	< .500	2022/07
1,3-DICHLOROPROPENE (TOTAL)	34561	108	2013/07/11	< .500	2022/07
1,4-DICHLOROBENZENE	34571	108	2013/07/11	< .500	2022/07
BENZENE	34030	108	2013/07/11	< .500	2022/07
CARBON TETRACHLORIDE	32102	108	2013/07/11	< .500	2022/07
CIS-1,2-DICHLOROETHYLENE	77093	108	2013/07/11	< .500	2022/07
DICHLOROMETHANE	34423	108	2013/07/11	< .500	2022/07
ETHYLBENZENE	34371	108	2013/07/11	< .500	2022/07
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	108	2013/07/11	< 3.000	2022/07
MONOCHLOROBENZENE	34301	108	2013/07/11	< .500	2022/07
STYRENE	77128	108	2013/07/11	< .500	2022/07
TETRACHLOROETHYLENE	34475	108	2013/07/11	< .500	2022/07
TOLUENE	34010	108	2013/07/11	< .500	2022/07
TRANS-1,2-DICHLOROETHYLENE	34546	108	2013/07/11	< .500	2022/07
TRICHLOROETHYLENE	39180	108	2013/07/11	< .500	2022/07
TRICHLOROFUOROMETHANE	34488	108	2013/07/11	< 5.000	2022/07

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910152

System Name: SOUTH GATE-CITY, WATER DEPT.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910152-017

Source Name: WELL 27 - STANDBY

Source Number: 017

Source Status: STANDBY RAW

Water type: G

REGULATED VOC

VINYL CHLORIDE	39175	108	2013/07/11	< .500	2022/07
XYLENES (TOTAL)	81551	108	2013/07/11	< 1.000	2022/07

SECONDARY/GP

BICARBONATE ALKALINITY	00440	108	2011/07/21	. 170.000	2020/07
CALCIUM	00916	108	2011/07/21	. 57.000	2020/07
CARBONATE ALKALINITY	00445	108	2011/07/21	< 2.000	2020/07
CHLORIDE	00940	108	2011/07/21	. 22.000	2020/07
COLOR	00081	108	2011/07/21	7.500	2020/07
COPPER	01042	108	2011/07/21	< 50.000	2020/07
FOAMING AGENTS (MBAS)	38260	108	2011/07/21	< .100	2020/07
HARDNESS (TOTAL) AS CaCO3	00900	108	2011/07/21	. 180.000	2020/07
HYDROXIDE ALKALINITY	71830	108	2011/07/21	< 2.000	2020/07
IRON	01045	108	2014/06/12	. 140.000	2023/06
MAGNESIUM	00927	108	2011/07/21	. 10.000	2020/07
MANGANESE	01055	108	2014/06/12	. 140.000	2023/06
ODOR THRESHOLD @ 60 C	00086	108	2011/07/21	< 1.000	2020/07
PH, LABORATORY	00403	108	2011/07/21	. 8.300	2020/07
SILVER	01077	108	2011/07/21	< 10.000	2020/07
SODIUM	00929	108	2011/07/21	42.000	2020/07
SPECIFIC CONDUCTANCE	00095	108	2011/07/21	. 380.000	2020/07
SULFATE	00945	108	2011/07/21	76.000	2020/07
TOTAL DISSOLVED SOLIDS	70300	108	2011/07/21	. 350.000	2020/07
TURBIDITY, LABORATORY	82079	108	2011/07/21	. 4.600	2020/07
ZINC	01092	108	2011/07/21	< 50.000	2020/07

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910152

System Name: SOUTH GATE-CITY, WATER DEPT.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910152-021

Source Name: PARK RESERVOIR EFF-PCE,FE,MN TREATMENT

Source Number: 021

Source Status: ACTIVE TREATED

Water type: G

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

PS Code: 1910152-023

Source Name: MWD CONN. CB-11 - TREATED

Source Number: 023

Source Status: PURCHASED TREATED

Water type: S

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

PS Code: 1910152-024

Source Name: WELL 28

Source Number: 024

Source Status: ACTIVE RAW

Water type: G

INORGANIC

ALUMINUM	01105	036	2013/10/17	< 50.000	2016/10
ANTIMONY	01097	036	2013/10/17	< 6.000	2016/10
ARSENIC	01002	036	2013/10/17	< 2.000	2016/10
BARIUM	01007	036	2013/10/17	120.000	2016/10
BERYLLIUM	01012	036	2013/10/17	< 1.000	2016/10
CADMIUM	01027	036	2013/10/17	< 1.000	2016/10
CHROMIUM (TOTAL)	01034	036	2013/10/17	< 10.000	2016/10
CHROMIUM, HEXAVALENT	01032	000			
CYANIDE	01291	036	2013/10/17	< 100.000	2016/10
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/10/17	.330	2016/10
MERCURY	71900	036	2013/10/17	< 1.000	2016/10
NICKEL	01067	036	2013/10/17	< 10.000	2016/10
PERCHLORATE	A-031	012	2013/07/11	< 4.000	2014/07

DUE

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910152

System Name: SOUTH GATE-CITY, WATER DEPT.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910152-024

Source Name: WELL 28

Source Number: 024

Source Status: ACTIVE RAW

Water type: G

INORGANIC

SELENIUM	01147	036	2013/10/17	< 5.000	2016/10
THALLIUM	01059	036	2013/10/17	< 1.000	2016/10

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2014/04/17	. 2.500	2015/04
NITRITE (AS N)	00620	036	2013/10/17	< 400.000	2016/10

RADIOLOGICAL

GROSS ALPHA	01501	072	2012/07/12	. 8.180	2018/07
RADIUM 226	09501	108	2010/05/13	.000	2019/05
RADIUM 228	11501	108	2012/07/12	. .043	2021/07
URANIUM (PCI/L)	28012	072	2012/07/12	. 3.300	2018/07

REGULATED SOC

2,4-D	39730	033	2012/07/12	< 10.000	2015/04
ALACHLOR	77825	033	2012/07/12	< 1.000	2015/04
ATRAZINE	39033	033	2012/07/12	< .500	2015/04
BENTAZON	38710	033	2012/07/12	< 2.000	2015/04
DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2012/07/12	< 3.000	2015/04
DINOSEB	81287	033	2012/07/12	< 2.000	2015/04
DIQUAT	78885	033	2012/07/12	< 4.000	2015/04
ENDOTHALL	38926	033	2012/07/12	< 45.000	2015/04
GLYPHOSATE	79743	033	2012/07/12	< 25.000	2015/04
PENTACHLOROPHENOL	39032	033	2012/07/12	< .200	2015/04
SIMAZINE	39055	033	2012/07/12	< 1.000	2015/04
THIOBENCARB	A-001	033	2012/07/12	< 1.000	2015/04
TOXAPHENE	39400	033	2012/07/12	< 1.000	2015/04

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	012	2013/07/11	< .500	2014/07
1,1,2,2-TETRACHLOROETHANE	34516	012	2013/07/11	< .500	2014/07
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2013/07/11	< 10.000	2014/07

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910152

System Name: SOUTH GATE-CITY, WATER DEPT.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910152-024

Source Name: WELL 28

Source Number: 024

Source Status: ACTIVE RAW

Water type: G

REGULATED VOC

1,1,2-TRICHLOROETHANE	34511	012	2013/07/11	< .500	2014/07
1,1-DICHLOROETHANE	34496	012	2013/07/11	< .500	2014/07
1,1-DICHLOROETHYLENE	34501	012	2013/07/11	< .500	2014/07
1,2,4-TRICHLOROBENZENE	34551	012	2013/07/11	< .500	2014/07
1,2-DICHLOROBENZENE	34536	012	2013/07/11	< .500	2014/07
1,2-DICHLOROETHANE	34531	012	2013/07/11	< .500	2014/07
1,2-DICHLOROPROPANE	34541	012	2013/07/11	< .500	2014/07
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2013/07/11	< .500	2014/07
1,4-DICHLOROBENZENE	34571	012	2013/07/11	< .500	2014/07
BENZENE	34030	012	2013/07/11	< .500	2014/07
CARBON TETRACHLORIDE	32102	012	2013/07/11	< .500	2014/07
CIS-1,2-DICHLOROETHYLENE	77093	012	2013/07/11	< .500	2014/07
DICHLOROMETHANE	34423	012	2013/07/11	< .500	2014/07
ETHYLBENZENE	34371	012	2013/07/11	< .500	2014/07
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2013/07/11	< 3.000	2014/07
MONOCHLOROBENZENE	34301	012	2013/07/11	< .500	2014/07
STYRENE	77128	012	2013/07/11	< .500	2014/07
TETRACHLOROETHYLENE	34475	012	2013/07/11	< .500	2014/07
TOLUENE	34010	012	2013/07/11	< .500	2014/07
TRANS-1,2-DICHLOROETHYLENE	34546	012	2013/07/11	< .500	2014/07
TRICHLOROETHYLENE	39180	012	2013/07/11	< .500	2014/07
TRICHLOROFUOROMETHANE	34488	012	2013/07/11	< 5.000	2014/07
VINYL CHLORIDE	39175	012	2013/07/11	< .500	2014/07
XYLENES (TOTAL)	81551	012	2013/07/11	< 1.000	2014/07

SECONDARY/GP

BICARBONATE ALKALINITY	00440	036	2013/10/17	< 4.800	2016/10
CALCIUM	00916	036	2013/10/17	. 74.000	2016/10
CARBONATE ALKALINITY	00445	036	2013/10/17	< 2.400	2016/10
CHLORIDE	00940	036	2013/10/17	. 46.000	2016/10

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910152

System Name: SOUTH GATE-CITY, WATER DEPT.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910152-024

Source Name: WELL 28

Source Number: 024

Source Status: ACTIVE RAW

Water type: G

SECONDARY/GP

COLOR	00081	036	2013/10/17	< 1.000	2016/10
COPPER	01042	036	2013/10/17	< 50.000	2016/10
FOAMING AGENTS (MBAS)	38260	036	2013/10/17	< .100	2016/10
HARDNESS (TOTAL) AS CaCO3	00900	036	2013/10/17	. 250.000	2016/10
HYDROXIDE ALKALINITY	71830	036	2013/10/17	< 1.400	2016/10
IRON	01045	036	2014/04/17	< 100.000	2017/04
MAGNESIUM	00927	036	2013/10/17	. 16.000	2016/10
MANGANESE	01055	036	2014/04/17	< 20.000	2017/04
ODOR THRESHOLD @ 60 C	00086	036	2013/10/17	< 1.000	2016/10
PH, LABORATORY	00403	036	2013/10/17	7.890	2016/10
SILVER	01077	036	2013/10/17	< 10.000	2016/10
SODIUM	00929	036	2013/10/17	50.000	2016/10
SPECIFIC CONDUCTANCE	00095	036	2013/10/17	. 640.000	2016/10
SULFATE	00945	036	2013/10/17	100.000	2016/10
TOTAL DISSOLVED SOLIDS	70300	036	2013/10/17	. 420.000	2016/10
TURBIDITY, LABORATORY	82079	036	2013/10/17	< .100	2016/10
ZINC	01092	036	2013/10/17	< 50.000	2016/10

PS Code: 1910152-025

Source Name: MWD CONN. CB-7 - TREATED

Source Number: 025

Source Status: PURCHASED TREATED

Water type: S

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

*Testing interval is in months;
 0 = No data for this constituent and is DUE NOW
 I = Invalid (NOT) valid analyses reported
 Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910152

System Name: SOUTH GATE-CITY, WATER DEPT.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

PS Code: 1910152-029

Source Name: MANGANESE TREATMENT - WELL 27

Source Number: 029

Source Status: ACTIVE TREATED

Water type: G

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

PS Code: 1910152-800

Source Name: 10307 SAN VINCENTE - STG2 DBP

Source Number: 800

Source Status: DISTRIBUTION TREATED

Water type: G

HALOACETIC ACIDS

DIBROMOACETIC ACID (DBAA)	82721	000		DUE
DICHLOROACETIC ACID (DCAA)	77288	000		DUE
HALOACETIC ACIDS (5) (HAA5)	A-049	000		DUE
MONOBROMOACETIC ACID (MBAA)	A-041	000		DUE
MONOCHLOROACETIC ACID (MCAA)	A-042	000		DUE
TRICHLOROACETIC ACID (TCAA)	82723	000		DUE

STATE UCMR

BROMODICHLORMETHANE (THM)	32101	000		DUE
BROMOFORM (THM)	32104	000		DUE
CHLOROFORM (THM)	32106	000		DUE
DIBROMOCHLOROMETHANE (THM)	32105	000		DUE

TRIHALOMETHANES

TOTAL TRIHALOMETHANES	82080	000		DUE
-----------------------	-------	-----	--	-----

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910152

System Name: SOUTH GATE-CITY, WATER DEPT.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910152-801

Source Name: 5603 BORWICK - STG2 DBP

Source Number: 801

Source Status: DISTRIBUTION TREATED

Water type: G

HALOACETIC ACIDS

DIBROMOACETIC ACID (DBAA)	82721	000		DUE
DICHLOROACETIC ACID (DCAA)	77288	000		DUE
HALOACETIC ACIDS (5) (HAA5)	A-049	000		DUE
MONOBROMOACETIC ACID (MBAA)	A-041	000		DUE
MONOCHLOROACETIC ACID (MCAA)	A-042	000		DUE
TRICHLOROACETIC ACID (TCAA)	82723	000		DUE

STATE UCMR

BROMODICHLORMETHANE (THM)	32101	000		DUE
BROMOFORM (THM)	32104	000		DUE
CHLOROFORM (THM)	32106	000		DUE
DIBROMOCHLOROMETHANE (THM)	32105	000		DUE

TRIHALOMETHANES

TOTAL TRIHALOMETHANES	82080	000		DUE
-----------------------	-------	-----	--	-----

PS Code: 1910152-802

Source Name: 8147 MOUNTAIN VIEW - STG2 DBP

Source Number: 802

Source Status: DISTRIBUTION TREATED

Water type: G

HALOACETIC ACIDS

DIBROMOACETIC ACID (DBAA)	82721	000		DUE
DICHLOROACETIC ACID (DCAA)	77288	000		DUE
HALOACETIC ACIDS (5) (HAA5)	A-049	000		DUE
MONOBROMOACETIC ACID (MBAA)	A-041	000		DUE
MONOCHLOROACETIC ACID (MCAA)	A-042	000		DUE
TRICHLOROACETIC ACID (TCAA)	82723	000		DUE

STATE UCMR

BROMODICHLORMETHANE (THM)	32101	000		DUE
---------------------------	-------	-----	--	-----

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910152

System Name: SOUTH GATE-CITY, WATER DEPT.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910152-802

Source Name: 8147 MOUNTAIN VIEW - STG2 DBP

Source Number: 802

Source Status: DISTRIBUTION TREATED

Water type: G

STATE UCMR

BROMOFORM (THM)	32104	000		DUE
CHLOROFORM (THM)	32106	000		DUE
DIBROMOCHLOROMETHANE (THM)	32105	000		DUE

TRIHALOMETHANES

TOTAL TRIHALOMETHANES	82080	000		DUE
------------------------------	-------	-----	--	------------

PS Code: 1910152-803

Source Name: 2800 KANSAS - STG2 DBP

Source Number: 803

Source Status: DISTRIBUTION TREATED

Water type: G

HALOACETIC ACIDS

DIBROMOACETIC ACID (DBAA)	82721	000		DUE
DICHLOROACETIC ACID (DCAA)	77288	000		DUE
HALOACETIC ACIDS (5) (HAA5)	A-049	000		DUE
MONOBROMOACETIC ACID (MBAA)	A-041	000		DUE
MONOCHLOROACETIC ACID (MCAA)	A-042	000		DUE
TRICHLOROACETIC ACID (TCAA)	82723	000		DUE

STATE UCMR

BROMODICHLORMETHANE (THM)	32101	000		DUE
BROMOFORM (THM)	32104	000		DUE
CHLOROFORM (THM)	32106	000		DUE
DIBROMOCHLOROMETHANE (THM)	32105	000		DUE

TRIHALOMETHANES

TOTAL TRIHALOMETHANES	82080	000		DUE
------------------------------	-------	-----	--	------------

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910153

System Name: SOUTH MONTEBELLO IRRIGATION DIST.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910153-003

Source Name: WELL 03

Source Number: 003

Source Status: ACTIVE RAW

Water type: G

INORGANIC

ALUMINUM	01105	036	2013/11/18	< 50.000	2016/11
ANTIMONY	01097	036	2013/11/18	< 6.000	2016/11
ARSENIC	01002	036	2014/07/08	. 2.300	2017/07
BARIUM	01007	036	2013/11/18	< 100.000	2016/11
BERYLLIUM	01012	036	2013/11/18	< 1.000	2016/11
CADMIUM	01027	036	2013/11/18	< 1.000	2016/11
CHROMIUM (TOTAL)	01034	036	2013/11/18	< 10.000	2016/11
CYANIDE	01291	036	2013/11/18	< 100.000	2016/11
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/11/18	. .310	2016/11
MERCURY	71900	036	2013/11/18	< 1.000	2016/11
NICKEL	01067	036	2013/11/18	< 10.000	2016/11
PERCHLORATE	A-031	012	2013/08/13	< 4.000	2014/08
SELENIUM	01147	036	2013/11/18	< 5.000	2016/11
THALLIUM	01059	036	2013/11/18	< 1.000	2016/11

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2013/11/18	. 5.800	2014/11
NITRITE (AS N)	00620	036	2013/11/18	< 400.000	2016/11

RADIOLOGICAL

GROSS ALPHA	01501	108	2010/11/09	1.790	2019/11
-------------	-------	-----	------------	-------	---------

REGULATED SOC

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2011/11/15	< 3.000	2014/08
---------------------------	-------	-----	------------	---------	---------

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	012	2013/08/13	< .500	2014/08
1,1,2,2-TETRACHLOROETHANE	34516	012	2013/08/13	< .500	2014/08
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2013/08/13	< 10.000	2014/08
1,1,2-TRICHLOROETHANE	34511	012	2013/08/13	< .500	2014/08
1,1-DICHLOROETHANE	34496	012	2013/08/13	< .500	2014/08
1,1-DICHLOROETHYLENE	34501	012	2013/08/13	< .500	2014/08

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910153

System Name: SOUTH MONTEBELLO IRRIGATION DIST.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910153-003

Source Name: WELL 03

Source Number: 003

Source Status: ACTIVE RAW

Water type: G

REGULATED VOC

1,2,4-TRICHLOROENZENE	34551	012	2013/08/13	< .500	2014/08
1,2-DICHLOROENZENE	34536	012	2013/08/13	< .500	2014/08
1,2-DICHLOROETHANE	34531	012	2013/08/13	< .500	2014/08
1,2-DICHLOROPROPANE	34541	012	2013/08/13	< .500	2014/08
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2013/08/13	< .500	2014/08
1,4-DICHLOROENZENE	34571	012	2013/08/13	< .500	2014/08
BENZENE	34030	012	2013/08/13	< .500	2014/08
CARBON TETRACHLORIDE	32102	012	2013/08/13	< .500	2014/08
CIS-1,2-DICHLOROETHYLENE	77093	012	2013/08/13	< .500	2014/08
DICHLOROMETHANE	34423	012	2013/08/13	< .500	2014/08
ETHYLBENZENE	34371	012	2013/08/13	< .500	2014/08
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2013/08/13	< 3.000	2014/08
MONOCHLOROENZENE	34301	012	2013/08/13	< .500	2014/08
STYRENE	77128	012	2013/08/13	< .500	2014/08
TETRACHLOROETHYLENE	34475	012	2013/08/13	< .500	2014/08
TOLUENE	34010	012	2013/08/13	< .500	2014/08
TRANS-1,2-DICHLOROETHYLENE	34546	012	2013/08/13	< .500	2014/08
TRICHLOROETHYLENE	39180	012	2013/08/13	< .500	2014/08
TRICHLOROFUOROMETHANE	34488	012	2013/08/13	< 5.000	2014/08
VINYL CHLORIDE	39175	012	2013/08/13	< .500	2014/08
XYLENES (TOTAL)	81551	012	2013/08/13	< 1.000	2014/08

SECONDARY/GP

BICARBONATE ALKALINITY	00440	036	2013/11/18	. 170.000	2016/11
CALCIUM	00916	036	2013/11/18	. 49.000	2016/11
CARBONATE ALKALINITY	00445	036	2013/11/18	< 2.400	2016/11
CHLORIDE	00940	036	2013/11/18	. 44.000	2016/11
COLOR	00081	036	2013/11/18	< 1.000	2016/11
COPPER	01042	036	2013/11/18	< 50.000	2016/11
FOAMING AGENTS (MBAS)	38260	036	2013/11/18	< .100	2016/11

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910153

System Name: SOUTH MONTEBELLO IRRIGATION DIST.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

PS Code: 1910153-003

Source Name: WELL 03

Source Number: 003

Source Status: ACTIVE RAW

Water type: G

SECONDARY/GP

HARDNESS (TOTAL) AS CaCO3	00900	036	2013/11/18	. 160.000	2016/11
HYDROXIDE ALKALINITY	71830	036	2013/11/18	< 1.400	2016/11
IRON	01045	036	2014/05/07	< .000	2017/05
MAGNESIUM	00927	036	2013/11/18	. 10.000	2016/11
MANGANESE	01055	036	2013/11/18	< 20.000	2016/11
ODOR THRESHOLD @ 60 C	00086	036	2013/11/18	< 1.000	2016/11
PH, LABORATORY	00403	036	2013/11/18	7.610	2016/11
SILVER	01077	036	2013/11/18	< 10.000	2016/11
SODIUM	00929	036	2013/11/18	55.000	2016/11
SPECIFIC CONDUCTANCE	00095	036	2013/11/18	. 670.000	2016/11
SULFATE	00945	036	2013/11/18	77.000	2016/11
TOTAL DISSOLVED SOLIDS	70300	036	2013/11/18	. 370.000	2016/11
TURBIDITY, LABORATORY	82079	036	2013/11/18	< .100	2016/11
ZINC	01092	036	2013/11/18	< 50.000	2016/11

PS Code: 1910153-005

Source Name: WELL 05

Source Number: 005

Source Status: ACTIVE RAW

Water type: G

INORGANIC

ALUMINUM	01105	036	2013/11/18	< 50.000	2016/11
ANTIMONY	01097	036	2013/11/18	< 6.000	2016/11
ARSENIC	01002	036	2014/07/08	. 5.400	2017/07
BARIUM	01007	036	2013/11/18	< 100.000	2016/11
BERYLLIUM	01012	036	2013/11/18	< 1.000	2016/11
CADMIUM	01027	036	2013/11/18	< 1.000	2016/11
CHROMIUM (TOTAL)	01034	036	2013/11/18	< 10.000	2016/11
CYANIDE	01291	036	2013/11/18	< 100.000	2016/11

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910153

System Name: SOUTH MONTEBELLO IRRIGATION DIST.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910153-005

Source Name: WELL 05

Source Number: 005

Source Status: ACTIVE RAW

Water type: G

INORGANIC

FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/11/18	.330	2016/11
MERCURY	71900	036	2013/11/18	< 1.000	2016/11
NICKEL	01067	036	2013/11/18	< 10.000	2016/11
PERCHLORATE	A-031	012	2013/08/13	< 4.000	2014/08
SELENIUM	01147	036	2013/11/18	< 5.000	2016/11
THALLIUM	01059	036	2013/11/18	< 1.000	2016/11

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2013/11/18	10.000	2014/11
NITRITE (AS N)	00620	036	2013/11/18	< 400.000	2016/11

RADIOLOGICAL

GROSS ALPHA	01501	108	2008/12/18	.500	2017/12
-------------	-------	-----	------------	------	---------

REGULATED SOC

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2011/11/15	< 3.000	2014/08
---------------------------	-------	-----	------------	---------	---------

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	012	2014/05/23	< .500	2015/05
1,1,2,2-TETRACHLOROETHANE	34516	012	2014/05/23	< .500	2015/05
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/05/23	< 10.000	2015/05
1,1,2-TRICHLOROETHANE	34511	012	2014/05/23	< .500	2015/05
1,1-DICHLOROETHANE	34496	012	2014/05/23	< .500	2015/05
1,1-DICHLOROETHYLENE	34501	012	2014/05/23	< .500	2015/05
1,2,4-TRICHLOROBENZENE	34551	012	2014/05/23	< .500	2015/05
1,2-DICHLOROBENZENE	34536	012	2014/05/23	< .500	2015/05
1,2-DICHLOROETHANE	34531	012	2014/05/23	< .500	2015/05
1,2-DICHLOROPROPANE	34541	012	2014/05/23	< .500	2015/05
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/05/23	< .500	2015/05
1,4-DICHLOROBENZENE	34571	012	2014/05/23	< .500	2015/05
BENZENE	34030	012	2014/05/23	< .500	2015/05
CARBON TETRACHLORIDE	32102	012	2014/05/23	< .500	2015/05

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910153

System Name: SOUTH MONTEBELLO IRRIGATION DIST.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910153-005

Source Name: WELL 05

Source Number: 005

Source Status: ACTIVE RAW

Water type: G

REGULATED VOC

CIS-1,2-DICHLOROETHYLENE	77093	012	2014/05/23	< .500	2015/05
DICHLOROMETHANE	34423	012	2014/05/23	< .500	2015/05
ETHYLBENZENE	34371	012	2014/05/23	< .500	2015/05
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/05/23	< 3.000	2015/05
MONOCHLOROBENZENE	34301	012	2014/05/23	< .500	2015/05
STYRENE	77128	012	2014/05/23	< .500	2015/05
TETRACHLOROETHYLENE	34475	012	2014/05/23	< .500	2015/05
TOLUENE	34010	012	2014/05/23	< .500	2015/05
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/05/23	< .500	2015/05
TRICHLOROETHYLENE	39180	012	2014/05/23	< .500	2015/05
TRICHLOROFUOROMETHANE	34488	012	2014/05/23	< 5.000	2015/05
VINYL CHLORIDE	39175	012	2014/05/23	< .500	2015/05
XYLENES (TOTAL)	81551	012	2014/05/23	< 1.000	2015/05

SECONDARY/GP

BICARBONATE ALKALINITY	00440	036	2013/11/18	. 220.000	2016/11
CALCIUM	00916	036	2013/11/18	. 53.000	2016/11
CARBONATE ALKALINITY	00445	036	2013/11/18	< 2.400	2016/11
CHLORIDE	00940	036	2013/11/18	. 53.000	2016/11
COLOR	00081	036	2013/11/18	< 1.000	2016/11
COPPER	01042	036	2013/11/18	< 50.000	2016/11
FOAMING AGENTS (MBAS)	38260	036	2013/11/18	. .240	2016/11
HARDNESS (TOTAL) AS CaCO3	00900	036	2013/11/18	. 190.000	2016/11
HYDROXIDE ALKALINITY	71830	036	2013/11/18	< 1.400	2016/11
IRON	01045	036	2013/11/18	< 100.000	2016/11
MAGNESIUM	00927	036	2013/11/18	. 13.000	2016/11
MANGANESE	01055	036	2013/11/18	< 20.000	2016/11
ODOR THRESHOLD @ 60 C	00086	036	2013/11/18	< 1.000	2016/11
PH, LABORATORY	00403	036	2013/11/18	7.510	2016/11
SILVER	01077	036	2013/11/18	< 10.000	2016/11

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910153

System Name: SOUTH MONTEBELLO IRRIGATION DIST.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910153-005

Source Name: WELL 05

Source Number: 005

Source Status: ACTIVE RAW

Water type: G

SECONDARY/GP

SODIUM	00929	036	2013/11/18	56.000	2016/11
SPECIFIC CONDUCTANCE	00095	036	2013/11/18	670.000	2016/11
SULFATE	00945	036	2013/11/18	73.000	2016/11
TOTAL DISSOLVED SOLIDS	70300	036	2013/11/18	390.000	2016/11
TURBIDITY, LABORATORY	82079	036	2013/11/18	< .100	2016/11
ZINC	01092	036	2013/11/18	< 50.000	2016/11

PS Code: 1910153-007

Source Name: WELL 06

Source Number: 007

Source Status: ACTIVE RAW

Water type: G

INORGANIC

ALUMINUM	01105	036	2013/08/13	< 50.000	2016/08
ANTIMONY	01097	036	2013/08/13	< 6.000	2016/08
ARSENIC	01002	036	2013/08/13	< 2.000	2016/08
BARIUM	01007	036	2013/08/13	< 100.000	2016/08
BERYLLIUM	01012	036	2013/08/13	< 1.000	2016/08
CADMIUM	01027	036	2013/08/13	< 1.000	2016/08
CHROMIUM (TOTAL)	01034	036	2013/08/13	< 10.000	2016/08
CYANIDE	01291	036	2013/08/13	< 100.000	2016/08
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/08/13	.290	2016/08
MERCURY	71900	036	2013/08/13	< 1.000	2016/08
NICKEL	01067	036	2013/08/13	< 10.000	2016/08
PERCHLORATE	A-031	012	2013/08/13	< 4.000	2014/08
SELENIUM	01147	036	2013/08/13	< 5.000	2016/08
THALLIUM	01059	036	2013/08/13	< 1.000	2016/08

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2013/08/13	. 4.400	2014/08
------------------	-------	-----	------------	---------	---------

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910153

System Name: SOUTH MONTEBELLO IRRIGATION DIST.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910153-007

Source Name: WELL 06

Source Number: 007

Source Status: ACTIVE RAW

Water type: G

NITRATE/NITRITE

NITRITE (AS N)	00620	036	2013/08/13	< 400.000	2016/08
----------------	-------	-----	------------	-----------	---------

RADIOLOGICAL

GROSS ALPHA	01501	108	2011/11/15	.277	2020/11
-------------	-------	-----	------------	------	---------

REGULATED SOC

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2011/11/15	< 3.000	2014/08
---------------------------	-------	-----	------------	---------	---------

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	012	2013/08/13	< .500	2014/08
1,1,2,2-TETRACHLOROETHANE	34516	012	2013/08/13	< .500	2014/08
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2013/08/13	< 10.000	2014/08
1,1,2-TRICHLOROETHANE	34511	012	2013/08/13	< .500	2014/08
1,1-DICHLOROETHANE	34496	012	2013/08/13	< .500	2014/08
1,1-DICHLOROETHYLENE	34501	012	2013/08/13	< .500	2014/08
1,2,4-TRICHLOROBENZENE	34551	012	2013/08/13	< .500	2014/08
1,2-DICHLOROBENZENE	34536	012	2013/08/13	< .500	2014/08
1,2-DICHLOROETHANE	34531	012	2013/08/13	< .500	2014/08
1,2-DICHLOROPROPANE	34541	012	2013/08/13	< .500	2014/08
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2013/08/13	< .500	2014/08
1,4-DICHLOROBENZENE	34571	012	2013/08/13	< .500	2014/08
BENZENE	34030	012	2013/08/13	< .500	2014/08
CARBON TETRACHLORIDE	32102	012	2013/08/13	< .500	2014/08
CIS-1,2-DICHLOROETHYLENE	77093	012	2013/08/13	< .500	2014/08
DICHLOROMETHANE	34423	012	2013/08/13	< .500	2014/08
ETHYLBENZENE	34371	012	2013/08/13	< .500	2014/08
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2013/08/13	< 3.000	2014/08
MONOCHLOROBENZENE	34301	012	2013/08/13	< .500	2014/08
STYRENE	77128	012	2013/08/13	< .500	2014/08
TETRACHLOROETHYLENE	34475	012	2013/08/13	< .500	2014/08
TOLUENE	34010	012	2013/08/13	< .500	2014/08

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910153

System Name: SOUTH MONTEBELLO IRRIGATION DIST.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910153-007

Source Name: WELL 06

Source Number: 007

Source Status: ACTIVE RAW

Water type: G

REGULATED VOC

TRANS-1,2-DICHLOROETHYLENE	34546	012	2013/08/13	< .500	2014/08
TRICHLOROETHYLENE	39180	012	2013/08/13	< .500	2014/08
TRICHLOROFUOROMETHANE	34488	012	2013/08/13	< 5.000	2014/08
VINYL CHLORIDE	39175	012	2013/08/13	< .500	2014/08
XYLENES (TOTAL)	81551	012	2013/08/13	< 1.000	2014/08

SECONDARY/GP

BICARBONATE ALKALINITY	00440	036	2013/08/13	. 150.000	2016/08
CALCIUM	00916	036	2013/08/13	. 55.000	2016/08
CARBONATE ALKALINITY	00445	036	2013/08/13	< 2.400	2016/08
CHLORIDE	00940	036	2013/08/13	. 49.000	2016/08
COLOR	00081	036	2013/08/13	< 1.000	2016/08
COPPER	01042	036	2013/08/20	< .000	2016/08
FOAMING AGENTS (MBAS)	38260	036	2013/08/13	< .100	2016/08
HARDNESS (TOTAL) AS CaCO3	00900	036	2013/08/13	. 180.000	2016/08
HYDROXIDE ALKALINITY	71830	036	2013/08/13	< 1.400	2016/08
IRON	01045	036	2013/08/13	< 100.000	2016/08
MAGNESIUM	00927	036	2013/08/13	. 10.000	2016/08
MANGANESE	01055	036	2013/08/13	23.000	2016/08
ODOR THRESHOLD @ 60 C	00086	036	2013/08/13	< 1.000	2016/08
PH, LABORATORY	00403	036	2013/08/13	7.830	2016/08
SILVER	01077	036	2013/08/13	< 10.000	2016/08
SODIUM	00929	036	2013/08/13	45.000	2016/08
SPECIFIC CONDUCTANCE	00095	036	2013/08/13	. 560.000	2016/08
SULFATE	00945	036	2013/08/13	84.000	2016/08
TOTAL DISSOLVED SOLIDS	70300	036	2013/08/13	. 370.000	2016/08
TURBIDITY, LABORATORY	82079	036	2013/08/13	< .100	2016/08
ZINC	01092	036	2013/08/13	< 50.000	2016/08

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910153

System Name: SOUTH MONTEBELLO IRRIGATION DIST.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910153-009

Source Name: WELL 07

Source Number: 009

Source Status: ACTIVE RAW

Water type: G

INORGANIC

ALUMINUM	01105	036	2013/11/18	< 50.000	2016/11
ANTIMONY	01097	036	2013/11/18	< 6.000	2016/11
ARSENIC	01002	036	2013/11/18	< 2.000	2016/11
BARIUM	01007	036	2013/11/18	< 100.000	2016/11
BERYLLIUM	01012	036	2013/11/18	< 1.000	2016/11
CADMIUM	01027	036	2013/11/18	< 1.000	2016/11
CHROMIUM (TOTAL)	01034	036	2013/11/18	< 10.000	2016/11
CYANIDE	01291	036	2013/11/18	< 100.000	2016/11
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/11/18	. 280	2016/11
MERCURY	71900	036	2013/11/18	< 1.000	2016/11
NICKEL	01067	036	2013/11/18	< 10.000	2016/11
PERCHLORATE	A-031	012	2013/08/13	< 4.000	2014/08
SELENIUM	01147	036	2013/11/18	< 5.000	2016/11
THALLIUM	01059	036	2013/11/18	< 1.000	2016/11

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2013/12/17	< 2.000	2014/12
NITRITE (AS N)	00620	036	2013/11/18	< 400.000	2016/11

RADIOLOGICAL

GROSS ALPHA	01501	108	2011/12/13	. 443	2020/12
-------------	-------	-----	------------	-------	---------

REGULATED SOC

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2011/12/13	< 3.000	2014/09
THIOBENCARB	A-001	033	2011/12/13	< 1.000	2014/09

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	012	2013/08/13	< .500	2014/08
1,1,2,2-TETRACHLOROETHANE	34516	012	2013/08/13	< .500	2014/08
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2013/08/13	< 10.000	2014/08
1,1,2-TRICHLOROETHANE	34511	012	2013/08/13	< .500	2014/08
1,1-DICHLOROETHANE	34496	012	2013/08/13	< .500	2014/08

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910153

System Name: SOUTH MONTEBELLO IRRIGATION DIST.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910153-009

Source Name: WELL 07

Source Number: 009

Source Status: ACTIVE RAW

Water type: G

REGULATED VOC

1,1-DICHLOROETHYLENE	34501	012	2013/08/13	< .500	2014/08
1,2,4-TRICHLOROBENZENE	34551	012	2013/08/13	< .500	2014/08
1,2-DICHLOROBENZENE	34536	012	2013/08/13	< .500	2014/08
1,2-DICHLOROETHANE	34531	012	2013/08/13	< .500	2014/08
1,2-DICHLOROPROPANE	34541	012	2013/08/13	< .500	2014/08
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2013/08/13	< .500	2014/08
1,4-DICHLOROBENZENE	34571	012	2013/08/13	< .500	2014/08
BENZENE	34030	012	2013/08/13	< .500	2014/08
CARBON TETRACHLORIDE	32102	012	2013/08/13	< .500	2014/08
CIS-1,2-DICHLOROETHYLENE	77093	012	2013/08/13	< .500	2014/08
DICHLOROMETHANE	34423	012	2013/08/13	< .500	2014/08
ETHYLBENZENE	34371	012	2013/08/13	< .500	2014/08
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2013/08/13	< 3.000	2014/08
MONOCHLOROENZENE	34301	012	2013/08/13	< .500	2014/08
STYRENE	77128	012	2013/08/13	< .500	2014/08
TETRACHLOROETHYLENE	34475	012	2013/08/13	< .500	2014/08
TOLUENE	34010	012	2013/08/13	< .500	2014/08
TRANS-1,2-DICHLOROETHYLENE	34546	012	2013/08/13	< .500	2014/08
TRICHLOROETHYLENE	39180	012	2013/08/13	< .500	2014/08
TRICHLOROFUOROMETHANE	34488	012	2013/08/13	< 5.000	2014/08
VINYL CHLORIDE	39175	012	2013/08/13	< .500	2014/08
XYLENES (TOTAL)	81551	012	2013/08/13	< 1.000	2014/08

SECONDARY/GP

BICARBONATE ALKALINITY	00440	036	2013/11/18	. 210.000	2016/11
CALCIUM	00916	036	2013/11/18	. 49.000	2016/11
CARBONATE ALKALINITY	00445	036	2013/11/18	< 2.400	2016/11
CHLORIDE	00940	036	2013/11/18	. 21.000	2016/11
COLOR	00081	036	2013/11/18	< 1.000	2016/11
COPPER	01042	036	2013/11/18	< 50.000	2016/11

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910153

System Name: SOUTH MONTEBELLO IRRIGATION DIST.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910153-009

Source Name: WELL 07

Source Number: 009

Source Status: ACTIVE RAW

Water type: G

SECONDARY/GP

FOAMING AGENTS (MBAS)	38260	036	2013/11/18	< .100	2016/11
HARDNESS (TOTAL) AS CaCO3	00900	036	2013/11/18	. 160.000	2016/11
HYDROXIDE ALKALINITY	71830	036	2013/11/18	< 1.400	2016/11
IRON	01045	036	2013/11/18	< 100.000	2016/11
MAGNESIUM	00927	036	2013/11/18	. 10.000	2016/11
MANGANESE	01055	036	2013/11/18	< 20.000	2016/11
ODOR THRESHOLD @ 60 C	00086	036	2013/11/18	< 1.000	2016/11
PH, LABORATORY	00403	036	2013/11/18	8.120	2016/11
SILVER	01077	036	2013/11/18	< 10.000	2016/11
SODIUM	00929	036	2013/11/18	37.000	2016/11
SPECIFIC CONDUCTANCE	00095	036	2013/11/18	. 480.000	2016/11
SULFATE	00945	036	2013/11/18	51.000	2016/11
TOTAL DISSOLVED SOLIDS	70300	036	2013/11/18	. 280.000	2016/11
TURBIDITY, LABORATORY	82079	036	2013/11/18	< .100	2016/11
ZINC	01092	036	2013/11/18	< 50.000	2016/11

PS Code: 1910153-011

Source Name: WELL 03 BLENDED WITH WELL 05 (ARSENIC)

Source Number: 011

Source Status: COMBINATION OR BLEND RAW

Water type: G

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

*Testing interval is in months;
 0 = No data for this constituent and is DUE NOW
 I = Invalid (NOT) valid analyses reported
 Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910153

System Name: SOUTH MONTEBELLO IRRIGATION DIST.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910153-800

Source Name: SMID - 552 6 STREET - STG2 DBP

Source Number: 800

Source Status: DISTRIBUTION TREATED

Water type: G

HALOACETIC ACIDS

DIBROMOACETIC ACID (DBAA)	82721	012	2014/07/01	. 1.500	2015/07
DICHLOROACETIC ACID (DCAA)	77288	012	2014/07/01	< .000	2015/07
HALOACETIC ACIDS (5) (HAA5)	A-049	012	2014/07/01	. 1.500	2015/07
MONOBROMOACETIC ACID (MBAA)	A-041	012	2014/07/01	< .000	2015/07
MONOCHLOROACETIC ACID (MCAA)	A-042	012	2014/07/01	< .000	2015/07
TRICHLOROACETIC ACID (TCAA)	82723	012	2014/07/01	< .000	2015/07

STATE UCMR

BROMODICHLORMETHANE (THM)	32101	012	2014/07/01	. 1.500	2015/07
BROMOFORM (THM)	32104	012	2014/07/01	. 2.300	2015/07
CHLOROFORM (THM)	32106	012	2014/07/01	< .000	2015/07
DIBROMOCHLOROMETHANE (THM)	32105	012	2014/07/01	. 2.800	2015/07

TRIHALOMETHANES

TOTAL TRIHALOMETHANES	82080	012	2014/07/01	. 6.600	2015/07
-----------------------	-------	-----	------------	---------	---------

PS Code: 1910153-801

Source Name: SMID - 432 OAKWOOD STREET - STG2 DBP

Source Number: 801

Source Status: DISTRIBUTION TREATED

Water type: G

HALOACETIC ACIDS

DIBROMOACETIC ACID (DBAA)	82721	012	2014/07/01	. 1.500	2015/07
DICHLOROACETIC ACID (DCAA)	77288	012	2014/07/01	< .000	2015/07
HALOACETIC ACIDS (5) (HAA5)	A-049	012	2014/07/01	. 1.500	2015/07
MONOBROMOACETIC ACID (MBAA)	A-041	012	2014/07/01	< .000	2015/07
MONOCHLOROACETIC ACID (MCAA)	A-042	012	2014/07/01	< .000	2015/07
TRICHLOROACETIC ACID (TCAA)	82723	012	2014/07/01	< .000	2015/07

STATE UCMR

BROMODICHLORMETHANE (THM)	32101	012	2014/07/01	. 1.000	2015/07
---------------------------	-------	-----	------------	---------	---------

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910153

System Name: SOUTH MONTEBELLO IRRIGATION DIST.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

PS Code: 1910153-801

Source Name: SMID - 432 OAKWOOD STREET - STG2 DBP

Source Number: 801

Source Status: DISTRIBUTION TREATED

Water type: G

STATE UCMR

BROMOFORM (THM)	32104	012	2014/07/01	. 2.200	2015/07
CHLOROFORM (THM)	32106	012	2014/07/01	< .000	2015/07
DIBROMOCHLOROMETHANE (THM)	32105	012	2014/07/01	. 2.200	2015/07

TRIHALOMETHANES

TOTAL TRIHALOMETHANES	82080	012	2014/07/01	. 5.400	2015/07
-----------------------	-------	-----	------------	---------	---------

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910156

System Name: BEVERLY HILLS-CITY, WATER DEPT.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910156-010

Source Name: MWD CONNECTION BH-1/TREATED

Source Number: 010

Source Status: PURCHASED TREATED

Water type: S

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

PS Code: 1910156-011

Source Name: MWD CONNECTION BH-2/TREATED

Source Number: 011

Source Status: PURCHASED TREATED

Water type: S

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

PS Code: 1910156-012

Source Name: WELL 02

Source Number: 012

Source Status: ACTIVE RAW

Water type: G

INORGANIC

ALUMINUM	01105	036	2013/06/24	.000	2016/06
ANTIMONY	01097	036	2013/06/24	.000	2016/06
ARSENIC	01002	036	2014/07/03	4.900	2017/07
BARIUM	01007	036	2013/06/24	.000	2016/06
BERYLLIUM	01012	036	2013/06/24	.000	2016/06
CADMIUM	01027	036	2013/06/24	.000	2016/06
CHROMIUM (TOTAL)	01034	036	2013/06/24	.000	2016/06
CYANIDE	01291	036	2013/06/24	.000	2016/06
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/07/03	1.420	2017/07
MERCURY	71900	036	2013/06/24	.000	2016/06
NICKEL	01067	036	2013/06/24	.000	2016/06
PERCHLORATE	A-031	036	2013/06/19	< 4.000	2016/06
SELENIUM	01147	036	2013/06/24	.000	2016/06

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910156

System Name: BEVERLY HILLS-CITY, WATER DEPT.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910156-012

Source Name: WELL 02

Source Number: 012

Source Status: ACTIVE RAW

Water type: G

INORGANIC

THALLIUM	01059	036	2013/06/24	.000	2016/06
----------	-------	-----	------------	------	---------

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2013/11/07	.000	2014/11
NITRITE (AS N)	00620	036	2013/11/07	.000	2016/11

RADIOLOGICAL

GROSS ALPHA	01501	108	2008/04/07	.660	2017/04
URANIUM (PCI/L)	28012	003	2008/04/07	- .030	2008/07 DUE

REGULATED SOC

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2014/06/10	< .000	2017/03
THIOBENCARB	A-001	033	2014/06/10	< .000	2017/03

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	012	2013/11/07	.000	2014/11
1,1,2,2-TETRACHLOROETHANE	34516	012	2013/11/07	.000	2014/11
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2013/11/07	.000	2014/11
1,1,2-TRICHLOROETHANE	34511	012	2013/11/07	.000	2014/11
1,1-DICHLOROETHANE	34496	012	2013/11/07	.000	2014/11
1,1-DICHLOROETHYLENE	34501	012	2013/11/07	.000	2014/11
1,2,4-TRICHLOROBENZENE	34551	012	2013/11/07	.000	2014/11
1,2-DICHLOROBENZENE	34536	012	2013/11/07	.000	2014/11
1,2-DICHLOROETHANE	34531	012	2013/11/07	.000	2014/11
1,2-DICHLOROPROPANE	34541	012	2013/11/07	.000	2014/11
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2013/11/07	.000	2014/11
1,4-DICHLOROBENZENE	34571	012	2013/11/07	.000	2014/11
BENZENE	34030	012	2013/11/07	.000	2014/11
CARBON TETRACHLORIDE	32102	012	2013/11/07	.000	2014/11
CIS-1,2-DICHLOROETHYLENE	77093	012	2013/11/07	.000	2014/11
DICHLOROMETHANE	34423	012	2013/11/07	.000	2014/11
ETHYLBENZENE	34371	012	2013/11/07	.000	2014/11

*Testing interval is in months;
 0 = No data for this constituent and is DUE NOW
 I = Invalid (NOT) valid analyses reported
 Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910156

System Name: BEVERLY HILLS-CITY, WATER DEPT.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910156-012

Source Name: WELL 02

Source Number: 012

Source Status: ACTIVE RAW

Water type: G

REGULATED VOC

METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2013/11/07	.000	2014/11
MONOCHLORO BENZENE	34301	012	2013/11/07	.000	2014/11
STYRENE	77128	012	2013/11/07	.000	2014/11
TETRACHLOROETHYLENE	34475	012	2013/11/07	.000	2014/11
TOLUENE	34010	012	2013/11/07	.000	2014/11
TRANS-1,2-DICHLOROETHYLENE	34546	012	2013/11/07	.000	2014/11
TRICHLOROETHYLENE	39180	012	2013/11/07	.000	2014/11
TRICHLOROFLUOROMETHANE	34488	012	2013/11/07	.000	2014/11
VINYL CHLORIDE	39175	012	2013/11/07	.000	2014/11
XYLENES (TOTAL)	81551	012	2013/11/07	.000	2014/11

SECONDARY/GP

BICARBONATE ALKALINITY	00440	036	2013/06/24	114.000	2016/06
CALCIUM	00916	036	2013/06/24	11.300	2016/06
CARBONATE ALKALINITY	00445	036	2013/06/24	.000	2016/06
CHLORIDE	00940	036	2014/07/03	65.300	2017/07
COLOR	00081	036	2013/06/24	< 1.000	2016/06
COPPER	01042	036	2013/06/24	.000	2016/06
FOAMING AGENTS (MBAS)	38260	036	2013/06/24	.000	2016/06
HARDNESS (TOTAL) AS CaCO3	00900	036	2014/06/05	125.000	2017/06
HYDROXIDE ALKALINITY	71830	036	2013/06/24	.000	2016/06
IRON	01045	036	2013/06/24	.000	2016/06
MAGNESIUM	00927	036	2013/06/24	9.270	2016/06
MANGANESE	01055	036	2014/07/03	< 20.000	2017/07
ODOR THRESHOLD @ 60 C	00086	036	2013/06/24	.000	2016/06
PH, LABORATORY	00403	036	2013/06/24	7.950	2016/06
SILVER	01077	036	2013/06/24	.000	2016/06
SODIUM	00929	036	2013/06/24	169.000	2016/06
SPECIFIC CONDUCTANCE	00095	036	2013/06/24	802.000	2016/06
SULFATE	00945	036	2014/07/03	38.800	2017/07

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910156

System Name: BEVERLY HILLS-CITY, WATER DEPT.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910156-012

Source Name: WELL 02

Source Number: 012

Source Status: ACTIVE RAW

Water type: G

SECONDARY/GP

TOTAL DISSOLVED SOLIDS	70300	036	2014/07/03	. 511.000	2017/07
TURBIDITY, LABORATORY	82079	036	2013/06/24	. .118	2016/06
ZINC	01092	036	2013/06/24	. .000	2016/06

PS Code: 1910156-013

Source Name: WELL 04

Source Number: 013

Source Status: ACTIVE RAW

Water type: G

INORGANIC

ALUMINUM	01105	036	2013/06/24	. .000	2016/06
ANTIMONY	01097	036	2013/06/24	. .000	2016/06
ARSENIC	01002	036	2014/07/03	. 31.700	2017/07
BARIUM	01007	036	2013/06/24	. 115.000	2016/06
BERYLLIUM	01012	036	2013/06/24	. .000	2016/06
CADMIUM	01027	036	2013/06/24	. .000	2016/06
CHROMIUM (TOTAL)	01034	036	2013/06/24	. .000	2016/06
CYANIDE	01291	036	2013/06/24	. .000	2016/06
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/07/03	. .816	2017/07
MERCURY	71900	036	2013/06/24	. .000	2016/06
NICKEL	01067	036	2013/06/24	. .000	2016/06
PERCHLORATE	A-031	036	2013/06/19	< 4.000	2016/06
SELENIUM	01147	036	2013/06/24	. .000	2016/06
THALLIUM	01059	036	2013/06/24	. .000	2016/06

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2013/11/07	. .000	2014/11
NITRITE (AS N)	00620	036	2013/11/07	. .000	2016/11

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910156

System Name: BEVERLY HILLS-CITY, WATER DEPT.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910156-013

Source Name: WELL 04

Source Number: 013

Source Status: ACTIVE RAW

Water type: G

RADIOLOGICAL

GROSS ALPHA	01501	108	2008/04/14	1.220	2017/04
URANIUM (PCI/L)	28012	003	2008/04/14	.250	2008/07 DUE

REGULATED SOC

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2014/06/10	< .000	2017/03
THIOBENCARB	A-001	033	2014/06/10	< .000	2017/03

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	012	2013/11/07	.000	2014/11
1,1,2,2-TETRACHLOROETHANE	34516	012	2013/11/07	.000	2014/11
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2013/11/07	.000	2014/11
1,1,2-TRICHLOROETHANE	34511	012	2013/11/07	.000	2014/11
1,1-DICHLOROETHANE	34496	012	2013/11/07	.000	2014/11
1,1-DICHLOROETHYLENE	34501	012	2013/11/07	.000	2014/11
1,2,4-TRICHLOROBENZENE	34551	012	2013/11/07	.000	2014/11
1,2-DICHLOROBENZENE	34536	012	2013/11/07	.000	2014/11
1,2-DICHLOROETHANE	34531	012	2013/11/07	.000	2014/11
1,2-DICHLOROPROPANE	34541	012	2013/11/07	.000	2014/11
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2013/11/07	.000	2014/11
1,4-DICHLOROBENZENE	34571	012	2013/11/07	.000	2014/11
BENZENE	34030	012	2013/11/07	.000	2014/11
CARBON TETRACHLORIDE	32102	012	2013/11/07	.000	2014/11
CIS-1,2-DICHLOROETHYLENE	77093	012	2013/11/07	.000	2014/11
DICHLOROMETHANE	34423	012	2013/11/07	.000	2014/11
ETHYLBENZENE	34371	012	2013/11/07	.000	2014/11
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2013/11/07	.000	2014/11
MONOCHLOROBENZENE	34301	012	2013/11/07	.000	2014/11
STYRENE	77128	012	2013/11/07	.000	2014/11
TETRACHLOROETHYLENE	34475	012	2013/11/07	.000	2014/11
TOLUENE	34010	012	2013/11/07	.000	2014/11
TRANS-1,2-DICHLOROETHYLENE	34546	012	2013/11/07	.000	2014/11

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910156

System Name: BEVERLY HILLS-CITY, WATER DEPT.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910156-013

Source Name: WELL 04

Source Number: 013

Source Status: ACTIVE RAW

Water type: G

REGULATED VOC

TRICHLOROETHYLENE	39180	012	2013/11/07	.000	2014/11
TRICHLOROFUOROMETHANE	34488	012	2013/11/07	.000	2014/11
VINYL CHLORIDE	39175	012	2013/11/07	.000	2014/11
XYLENES (TOTAL)	81551	012	2013/11/07	.000	2014/11

SECONDARY/GP

BICARBONATE ALKALINITY	00440	036	2013/06/24	360.000	2016/06
CALCIUM	00916	036	2013/06/24	43.600	2016/06
CARBONATE ALKALINITY	00445	036	2013/06/24	.000	2016/06
CHLORIDE	00940	036	2014/07/03	68.900	2017/07
COLOR	00081	036	2013/06/24	9.000	2016/06
COPPER	01042	036	2013/06/24	.000	2016/06
FOAMING AGENTS (MBAS)	38260	036	2013/06/24	.000	2016/06
HARDNESS (TOTAL) AS CaCO3	00900	036	2014/06/05	208.000	2017/06
HYDROXIDE ALKALINITY	71830	036	2013/06/24	.000	2016/06
IRON	01045	036	2013/06/24	143.000	2016/06
MAGNESIUM	00927	036	2013/06/24	21.600	2016/06
MANGANESE	01055	036	2014/07/03	84.100	2017/07
ODOR THRESHOLD @ 60 C	00086	036	2013/06/24	.000	2016/06
PH, LABORATORY	00403	036	2013/06/24	7.480	2016/06
SILVER	01077	036	2013/06/24	.000	2016/06
SODIUM	00929	036	2013/06/24	131.000	2016/06
SPECIFIC CONDUCTANCE	00095	036	2013/06/24	863.000	2016/06
SULFATE	00945	036	2014/07/03	22.400	2017/07
TOTAL DISSOLVED SOLIDS	70300	036	2014/07/03	511.000	2017/07
TURBIDITY, LABORATORY	82079	036	2013/06/24	1.650	2016/06
ZINC	01092	036	2013/06/24	.000	2016/06

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910156

System Name: BEVERLY HILLS-CITY, WATER DEPT.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910156-014

Source Name: WELL 05

Source Number: 014

Source Status: ACTIVE RAW

Water type: G

INORGANIC

ALUMINUM	01105	036	2013/06/24	.000	2016/06
ANTIMONY	01097	036	2013/06/24	.000	2016/06
ARSENIC	01002	036	2014/07/03	< 2.000	2017/07
BARIUM	01007	036	2013/06/24	.000	2016/06
BERYLLIUM	01012	036	2013/06/24	.000	2016/06
CADMIUM	01027	036	2013/06/24	.000	2016/06
CHROMIUM (TOTAL)	01034	036	2013/06/24	.000	2016/06
CYANIDE	01291	036	2013/06/24	.000	2016/06
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/07/03	.481	2017/07
MERCURY	71900	036	2013/06/24	.000	2016/06
NICKEL	01067	036	2013/06/24	.000	2016/06
PERCHLORATE	A-031	036	2013/06/19	< 4.000	2016/06
SELENIUM	01147	036	2013/06/24	.000	2016/06
THALLIUM	01059	036	2013/06/24	.000	2016/06

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2013/11/07	.000	2014/11
NITRITE (AS N)	00620	036	2013/11/07	.000	2016/11

RADIOLOGICAL

GROSS ALPHA	01501	108	2008/04/07	1.640	2017/04
URANIUM (PCI/L)	28012	003	2008/04/07	.700	2008/07 DUE

REGULATED SOC

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2014/06/10	< .000	2017/03
THIOBENCARB	A-001	033	2014/06/10	< .000	2017/03

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	012	2013/11/07	.000	2014/11
1,1,2,2-TETRACHLOROETHANE	34516	012	2013/11/07	.000	2014/11
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2013/11/07	.000	2014/11
1,1,2-TRICHLOROETHANE	34511	012	2013/11/07	.000	2014/11

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910156

System Name: BEVERLY HILLS-CITY, WATER DEPT.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910156-014

Source Name: WELL 05

Source Number: 014

Source Status: ACTIVE RAW

Water type: G

REGULATED VOC

1,1-DICHLOROETHANE	34496	012	2013/11/07	.000	2014/11
1,1-DICHLOROETHYLENE	34501	012	2013/11/07	.000	2014/11
1,2,4-TRICHLOROBENZENE	34551	012	2013/11/07	.000	2014/11
1,2-DICHLOROBENZENE	34536	012	2013/11/07	.000	2014/11
1,2-DICHLOROETHANE	34531	012	2013/11/07	.000	2014/11
1,2-DICHLOROPROPANE	34541	012	2013/11/07	.000	2014/11
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2013/11/07	.000	2014/11
1,4-DICHLOROBENZENE	34571	012	2013/11/07	.000	2014/11
BENZENE	34030	012	2013/11/07	.000	2014/11
CARBON TETRACHLORIDE	32102	012	2013/11/07	.000	2014/11
CIS-1,2-DICHLOROETHYLENE	77093	012	2013/11/07	.000	2014/11
DICHLOROMETHANE	34423	012	2013/11/07	.000	2014/11
ETHYLBENZENE	34371	012	2013/11/07	.000	2014/11
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2013/11/07	.000	2014/11
MONOCHLOROBENZENE	34301	012	2013/11/07	.000	2014/11
STYRENE	77128	012	2013/11/07	.000	2014/11
TETRACHLOROETHYLENE	34475	012	2013/11/07	.000	2014/11
TOLUENE	34010	012	2013/11/07	.000	2014/11
TRANS-1,2-DICHLOROETHYLENE	34546	012	2013/11/07	.000	2014/11
TRICHLOROETHYLENE	39180	012	2013/11/07	.000	2014/11
TRICHLOROFUOROMETHANE	34488	012	2013/11/07	.000	2014/11
VINYL CHLORIDE	39175	012	2013/11/07	.000	2014/11
XYLENES (TOTAL)	81551	012	2013/11/07	.000	2014/11

SECONDARY/GP

BICARBONATE ALKALINITY	00440	036	2013/06/24	287.000	2016/06
CALCIUM	00916	036	2013/06/24	61.600	2016/06
CARBONATE ALKALINITY	00445	036	2013/06/24	.000	2016/06
CHLORIDE	00940	036	2014/07/03	51.200	2017/07
COLOR	00081	036	2014/06/10	<.000	2017/06

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910156

System Name: BEVERLY HILLS-CITY, WATER DEPT.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910156-014

Source Name: WELL 05

Source Number: 014

Source Status: ACTIVE RAW

Water type: G

SECONDARY/GP

COPPER	01042	036	2013/06/24	.000	2016/06
FOAMING AGENTS (MBAS)	38260	036	2013/06/24	.000	2016/06
HARDNESS (TOTAL) AS CaCO3	00900	036	2014/06/05	292.000	2017/06
HYDROXIDE ALKALINITY	71830	036	2013/06/24	.000	2016/06
IRON	01045	036	2013/06/24	.000	2016/06
MAGNESIUM	00927	036	2013/06/24	31.100	2016/06
MANGANESE	01055	036	2014/07/03	53.500	2017/07
ODOR THRESHOLD @ 60 C	00086	036	2013/06/24	.000	2016/06
PH, LABORATORY	00403	036	2013/06/24	7.360	2016/06
SILVER	01077	036	2013/06/24	.000	2016/06
SODIUM	00929	036	2013/06/24	82.000	2016/06
SPECIFIC CONDUCTANCE	00095	036	2013/06/24	793.000	2016/06
SULFATE	00945	036	2014/07/03	77.300	2017/07
TOTAL DISSOLVED SOLIDS	70300	036	2014/07/03	501.000	2017/07
TURBIDITY, LABORATORY	82079	036	2013/06/24	.431	2016/06
ZINC	01092	036	2013/06/24	.000	2016/06

PS Code: 1910156-015

Source Name: WELL 06

Source Number: 015

Source Status: ACTIVE RAW

Water type: G

INORGANIC

ALUMINUM	01105	036	2013/06/24	.000	2016/06
ANTIMONY	01097	036	2013/06/24	.000	2016/06
ARSENIC	01002	036	2014/07/03	< 2.000	2017/07
BARIUM	01007	036	2013/06/24	.000	2016/06
BERYLLIUM	01012	036	2013/06/24	.000	2016/06
CADMIUM	01027	036	2013/06/24	.000	2016/06

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910156

System Name: BEVERLY HILLS-CITY, WATER DEPT.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910156-015

Source Name: WELL 06

Source Number: 015

Source Status: ACTIVE RAW

Water type: G

INORGANIC

CHROMIUM (TOTAL)	01034	036	2013/06/24	.000	2016/06
CYANIDE	01291	036	2013/06/24	.000	2016/06
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/07/03	.226	2017/07
MERCURY	71900	036	2013/06/24	.000	2016/06
NICKEL	01067	036	2013/06/24	.000	2016/06
PERCHLORATE	A-031	036	2013/06/19	< 4.000	2016/06
SELENIUM	01147	036	2013/06/24	.000	2016/06
THALLIUM	01059	036	2013/06/24	.000	2016/06

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2013/11/07	.000	2014/11
NITRITE (AS N)	00620	036	2013/11/07	.000	2016/11

RADIOLOGICAL

GROSS ALPHA	01501	108	2008/04/07	.230	2017/04
URANIUM (PCI/L)	28012	003	2008/04/07	1.360	2008/07 DUE

REGULATED SOC

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2014/06/10	< .000	2017/03
THIOBENCARB	A-001	033	2014/06/10	< .000	2017/03

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	012	2013/11/07	.000	2014/11
1,1,2,2-TETRACHLOROETHANE	34516	012	2013/11/07	.000	2014/11
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2013/11/07	.000	2014/11
1,1,2-TRICHLOROETHANE	34511	012	2013/11/07	.000	2014/11
1,1-DICHLOROETHANE	34496	012	2013/11/07	.000	2014/11
1,1-DICHLOROETHYLENE	34501	012	2013/11/07	.000	2014/11
1,2,4-TRICHLOROBENZENE	34551	012	2013/11/07	.000	2014/11
1,2-DICHLOROBENZENE	34536	012	2013/11/07	.000	2014/11
1,2-DICHLOROETHANE	34531	012	2013/11/07	.000	2014/11
1,2-DICHLOROPROPANE	34541	012	2013/11/07	.000	2014/11

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910156

System Name: BEVERLY HILLS-CITY, WATER DEPT.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910156-015

Source Name: WELL 06

Source Number: 015

Source Status: ACTIVE RAW

Water type: G

REGULATED VOC

1,3-DICHLOROPROPENE (TOTAL)	34561	012	2013/11/07	.000	2014/11
1,4-DICHLOROBENZENE	34571	012	2013/11/07	.000	2014/11
BENZENE	34030	012	2013/11/07	.000	2014/11
CARBON TETRACHLORIDE	32102	012	2013/11/07	.000	2014/11
CIS-1,2-DICHLOROETHYLENE	77093	012	2013/11/07	.000	2014/11
DICHLOROMETHANE	34423	012	2013/11/07	.000	2014/11
ETHYLBENZENE	34371	012	2013/11/07	.000	2014/11
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2013/11/07	.000	2014/11
MONOCHLOROBENZENE	34301	012	2013/11/07	.000	2014/11
STYRENE	77128	012	2013/11/07	.000	2014/11
TETRACHLOROETHYLENE	34475	012	2013/11/07	.000	2014/11
TOLUENE	34010	012	2013/11/07	.000	2014/11
TRANS-1,2-DICHLOROETHYLENE	34546	012	2013/11/07	.000	2014/11
TRICHLOROETHYLENE	39180	012	2013/11/07	.000	2014/11
TRICHLOROFUOROMETHANE	34488	012	2013/11/07	.000	2014/11
VINYL CHLORIDE	39175	012	2013/11/07	.000	2014/11
XYLENES (TOTAL)	81551	012	2013/11/07	.000	2014/11

SECONDARY/GP

BICARBONATE ALKALINITY	00440	036	2013/06/24	292.000	2016/06
CALCIUM	00916	036	2013/06/24	49.700	2016/06
CARBONATE ALKALINITY	00445	036	2013/06/24	.000	2016/06
CHLORIDE	00940	036	2014/07/03	47.000	2017/07
COLOR	00081	036	2013/06/24	3.000	2016/06
COPPER	01042	036	2013/06/24	.000	2016/06
FOAMING AGENTS (MBAS)	38260	036	2013/06/24	.000	2016/06
HARDNESS (TOTAL) AS CaCO3	00900	036	2014/06/05	282.000	2017/06
HYDROXIDE ALKALINITY	71830	036	2013/06/24	.000	2016/06
IRON	01045	036	2013/06/24	.000	2016/06
MAGNESIUM	00927	036	2013/06/24	21.200	2016/06

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910156

System Name: BEVERLY HILLS-CITY, WATER DEPT.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910156-015

Source Name: WELL 06

Source Number: 015

Source Status: ACTIVE RAW

Water type: G

SECONDARY/GP

MANGANESE	01055	036	2014/07/03	. 137.000	2017/07
ODOR THRESHOLD @ 60 C	00086	036	2013/06/24	.000	2016/06
PH, LABORATORY	00403	036	2013/06/24	. 7.530	2016/06
SILVER	01077	036	2013/06/24	. .000	2016/06
SODIUM	00929	036	2013/06/24	97.500	2016/06
SPECIFIC CONDUCTANCE	00095	036	2013/06/24	. 779.000	2016/06
SULFATE	00945	036	2014/07/03	. 114.000	2017/07
TOTAL DISSOLVED SOLIDS	70300	036	2014/07/03	. 517.000	2017/07
TURBIDITY, LABORATORY	82079	036	2013/06/24	. .312	2016/06
ZINC	01092	036	2013/06/24	. .000	2016/06

PS Code: 1910156-016

Source Name: RO EFFLUENT - PRIOR TO BLENDING

Source Number: 016

Source Status: ACTIVE TREATED

Water type: S

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED *** 999

PS Code: 1910156-017

Source Name: TREATMENT PLANT EFFLUENT

Source Number: 017

Source Status: ACTIVE TREATED

Water type: S

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED *** 999

*Testing interval is in months;
 0 = No data for this constituent and is DUE NOW
 I = Invalid (NOT) valid analyses reported
 Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910156

System Name: BEVERLY HILLS-CITY, WATER DEPT.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

PS Code: 1910156-018

Source Name: PLANT INFLUENT/BLEND RAW WELL WATER

Source Number: 018

Source Status: COMBINATION OR BLEND RAW

Water type: G

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

PS Code: 1910156-019

Source Name: CLEARWELL EFFLUENT-PRETREATMENT

Source Number: 019

Source Status: COMBINATION OR BLEND MIXED

Water type: G

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

PS Code: 1910156-800

Source Name: SITE 1 - 410 WALKER DR. - STG2 DBP

Source Number: 800

Source Status: DISTRIBUTION TREATED

Water type: S

HALOACETIC ACIDS

DIBROMOACETIC ACID (DBAA)	82721	003	2014/07/17	. 4.210	2014/10
DICHLOROACETIC ACID (DCAA)	77288	003	2014/07/17	. 11.400	2014/10
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/07/17	. 21.900	2014/10
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/07/17	< .000	2014/10
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/07/17	< .000	2014/10
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/07/17	. 6.240	2014/10

STATE UCMR

BROMODICHLORMETHANE (THM)	32101	003	2014/07/17	. 10.200	2014/10
BROMOFORM (THM)	32104	003	2014/07/17	. 1.620	2014/10
CHLOROFORM (THM)	32106	003	2014/07/17	. 15.300	2014/10
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/07/17	. 9.980	2014/10

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910156

System Name: BEVERLY HILLS-CITY, WATER DEPT.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910156-800

Source Name: SITE 1 - 410 WALKER DR. - STG2 DBP

Source Number: 800

Source Status: DISTRIBUTION TREATED

Water type: S

TRihalOMETHANES

TOTAL TRIHALOMETHANES	82080	003	2014/07/17	. 37.200	2014/10
-----------------------	-------	-----	------------	----------	---------

PS Code: 1910156-801

Source Name: SITE 2 - 9598 SUNSET BL. BH-2 - STG2 DBP

Source Number: 801

Source Status: DISTRIBUTION TREATED

Water type: S

HALOAcETIC ACIDS

DIBROMOACETIC ACID (DBAA)	82721	003	2014/07/17	. 3.840	2014/10
DICHLOROACETIC ACID (DCAA)	77288	003	2014/07/17	. 7.950	2014/10
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/07/17	. 17.700	2014/10
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/07/17	< .000	2014/10
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/07/17	< .000	2014/10
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/07/17	. 5.910	2014/10

STATE UCMR

BROMODICHLORMETHANE (THM)	32101	003	2014/07/17	. 10.300	2014/10
BROMOFORM (THM)	32104	003	2014/07/17	. 1.660	2014/10
CHLOROFORM (THM)	32106	003	2014/07/17	. 13.200	2014/10
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/07/17	. 10.300	2014/10

TRihalOMETHANES

TOTAL TRIHALOMETHANES	82080	003	2014/07/17	. 35.400	2014/10
-----------------------	-------	-----	------------	----------	---------

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910156

System Name: BEVERLY HILLS-CITY, WATER DEPT.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910156-802

Source Name: SITE 3 - 1022 WOODLAND DR. - STG2 DBP

Source Number: 802

Source Status: DISTRIBUTION TREATED

Water type: S

HALOACETIC ACIDS

DIBROMOACETIC ACID (DBAA)	82721	003	2014/07/17	. 3.540	2014/10
DICHLOROACETIC ACID (DCAA)	77288	003	2014/07/17	. 10.000	2014/10
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/07/17	. 19.800	2014/10
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/07/17	< .000	2014/10
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/07/17	< .000	2014/10
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/07/17	. 6.260	2014/10

STATE UCMR

BROMODICHLORMETHANE (THM)	32101	003	2014/07/17	. 10.200	2014/10
BROMOFORM (THM)	32104	003	2014/07/17	. 1.130	2014/10
CHLOROFORM (THM)	32106	003	2014/07/17	. 15.400	2014/10
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/07/17	. 9.140	2014/10

TRIHALOMETHANES

TOTAL TRIHALOMETHANES	82080	003	2014/07/17	. 35.900	2014/10
-----------------------	-------	-----	------------	----------	---------

PS Code: 1910156-803

Source Name: SITE 4 - 124 S. MAPLE DR. - STG2 DBP

Source Number: 803

Source Status: DISTRIBUTION TREATED

Water type: S

HALOACETIC ACIDS

DIBROMOACETIC ACID (DBAA)	82721	003	2014/07/17	. 4.430	2014/10
DICHLOROACETIC ACID (DCAA)	77288	003	2014/07/17	. 8.360	2014/10
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/07/17	. 19.600	2014/10
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/07/17	< .000	2014/10
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/07/17	< .000	2014/10
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/07/17	. 6.770	2014/10

STATE UCMR

BROMODICHLORMETHANE (THM)	32101	003	2014/07/17	. 11.700	2014/10
---------------------------	-------	-----	------------	----------	---------

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910156

System Name: BEVERLY HILLS-CITY, WATER DEPT.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

PS Code: 1910156-803

Source Name: SITE 4 - 124 S. MAPLE DR. - STG2 DBP

Source Number: 803

Source Status: DISTRIBUTION TREATED

Water type: S

STATE UCMR

BROMOFORM (THM)	32104	003	2014/07/17	. 1.780	2014/10
CHLOROFORM (THM)	32106	003	2014/07/17	. 16.000	2014/10
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/07/17	. 11.000	2014/10

TRIHALOMETHANES

TOTAL TRIHALOMETHANES	82080	003	2014/07/17	. 40.400	2014/10
-----------------------	-------	-----	------------	----------	---------

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910161

System Name: PARK WC - LYNWOOD

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910161-005

Source Name: WELL 04B

Source Number: 005

Source Status: ACTIVE RAW

Water type: G

INORGANIC

ALUMINUM	01105	036	2012/02/23	< .000	2015/02
ANTIMONY	01097	036	2012/02/23	< .000	2015/02
ARSENIC	01002	036	2012/02/23	. 6.100	2015/02
BARIUM	01007	036	2012/02/23	130.000	2015/02
BERYLLIUM	01012	036	2012/02/23	< .000	2015/02
CADMIUM	01027	036	2012/02/23	< .000	2015/02
CHROMIUM (TOTAL)	01034	036	2012/02/23	< .000	2015/02
CYANIDE	01291	036	2012/02/23	< .000	2015/02
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/02/13	. .350	2017/02
MERCURY	71900	036	2012/02/23	< .000	2015/02
NICKEL	01067	036	2012/02/23	< .000	2015/02
PERCHLORATE	A-031	012	2014/02/13	< 4.000	2015/02
SELENIUM	01147	036	2012/02/23	< .000	2015/02
THALLIUM	01059	036	2012/02/23	< .000	2015/02

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2014/02/13	. 2.300	2015/02
NITRITE (AS N)	00620	036	2012/02/23	< .000	2015/02

RADIOLOGICAL

GROSS ALPHA	01501	072	2011/02/17	. 5.200	2017/02
URANIUM (PCI/L)	28012	072	2011/02/17	. 2.900	2017/02

REGULATED SOC

2,4-D	39730	033	2014/03/27	< 10.000	2016/12
ALACHLOR	77825	033	2014/03/27	< 1.000	2016/12
ATRAZINE	39033	033	2014/03/27	< .500	2016/12
BENTAZON	38710	033	2014/03/27	< 2.000	2016/12
DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2014/03/27	< 3.000	2016/12
DINOSEB	81287	033	2014/03/27	< 2.000	2016/12
DIQUAT	78885	033	2014/03/27	< 4.000	2016/12

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910161

System Name: PARK WC - LYNWOOD

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

PS Code: 1910161-005

Source Name: WELL 04B

Source Number: 005

Source Status: ACTIVE RAW

Water type: G

REGULATED SOC

ENDOTHALL	38926	033	2014/03/27	< 45.000	2016/12
GLYPHOSATE	79743	033	2014/03/27	< 25.000	2016/12
PENTACHLOROPHENOL	39032	033	2014/03/27	< .200	2016/12
SIMAZINE	39055	033	2014/03/27	< 1.000	2016/12
THIOBENCARB	A-001	033	2014/03/27	< 1.000	2016/12
TOXAPHENE	39400	033	2014/03/27	< 1.000	2016/12

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	012	2014/05/29	< .500	2015/05
1,1,2,2-TETRACHLOROETHANE	34516	012	2014/05/29	< .500	2015/05
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/05/29	< 10.000	2015/05
1,1,2-TRICHLOROETHANE	34511	012	2014/05/29	< .500	2015/05
1,1-DICHLOROETHANE	34496	012	2014/05/29	< .500	2015/05
1,1-DICHLOROETHYLENE	34501	012	2014/05/29	< .500	2015/05
1,2,4-TRICHLOROBENZENE	34551	012	2014/05/29	< .500	2015/05
1,2-DICHLOROBENZENE	34536	012	2014/05/29	< .500	2015/05
1,2-DICHLOROETHANE	34531	012	2014/05/29	< .500	2015/05
1,2-DICHLOROPROPANE	34541	012	2014/05/29	< .500	2015/05
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/05/29	< .500	2015/05
1,4-DICHLOROBENZENE	34571	012	2014/05/29	< .500	2015/05
BENZENE	34030	012	2014/05/29	< .500	2015/05
CARBON TETRACHLORIDE	32102	012	2014/05/29	< .500	2015/05
CIS-1,2-DICHLOROETHYLENE	77093	012	2014/05/29	< .500	2015/05
DICHLOROMETHANE	34423	012	2014/05/29	< .500	2015/05
ETHYLBENZENE	34371	012	2014/05/29	< .500	2015/05
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/05/29	< 3.000	2015/05
MONOCHLOROBENZENE	34301	012	2014/05/29	< .500	2015/05
STYRENE	77128	012	2014/05/29	< .500	2015/05
TETRACHLOROETHYLENE	34475	003	2014/05/29	.620	2014/08
TOLUENE	34010	012	2014/05/29	< .500	2015/05

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910161

System Name: PARK WC - LYNWOOD

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910161-005

Source Name: WELL 04B

Source Number: 005

Source Status: ACTIVE RAW

Water type: G

REGULATED VOC

TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/05/29	< .500	2015/05
TRICHLOROETHYLENE	39180	012	2014/05/29	< .500	2015/05
TRICHLOROFUOROMETHANE	34488	012	2014/05/29	< 5.000	2015/05
VINYL CHLORIDE	39175	012	2014/05/29	< .500	2015/05
XYLENES (TOTAL)	81551	012	2014/05/29	< .000	2015/05

SECONDARY/GP

BICARBONATE ALKALINITY	00440	036	2012/02/23	. 230.000	2015/02
CALCIUM	00916	036	2012/02/23	. 70.000	2015/02
CARBONATE ALKALINITY	00445	036	2012/02/23	< .000	2015/02
CHLORIDE	00940	036	2012/02/23	. 33.000	2015/02
COLOR	00081	036	2012/02/23	< .000	2015/02
COPPER	01042	036	2012/02/23	< .000	2015/02
FOAMING AGENTS (MBAS)	38260	036	2012/02/23	< .000	2015/02
HARDNESS (TOTAL) AS CaCO3	00900	036	2012/02/23	. 230.000	2015/02
HYDROXIDE ALKALINITY	71830	036	2012/02/23	< .000	2015/02
IRON	01045	036	2012/02/23	< .000	2015/02
MAGNESIUM	00927	036	2012/02/23	. 14.000	2015/02
MANGANESE	01055	036	2012/02/23	< .000	2015/02
ODOR THRESHOLD @ 60 C	00086	036	2012/02/23	1.000	2015/02
PH, LABORATORY	00403	036	2012/02/23	. 7.710	2015/02
SILVER	01077	036	2012/02/23	< .000	2015/02
SODIUM	00929	036	2012/02/23	36.000	2015/02
SPECIFIC CONDUCTANCE	00095	036	2012/02/23	. 600.000	2015/02
SULFATE	00945	036	2012/02/23	77.000	2015/02
TOTAL DISSOLVED SOLIDS	70300	036	2012/02/23	. 320.000	2015/02
TURBIDITY, LABORATORY	82079	036	2012/02/23	< .000	2015/02
ZINC	01092	036	2012/02/23	< .000	2015/02

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910161

System Name: PARK WC - LYNWOOD

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910161-015

Source Name: MWD CONN.-CB-25-WEST COAST FEEDER/TREAT

Source Number: 015

Source Status: PURCHASED TREATED

Water type: S

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

PS Code: 1910161-016

Source Name: WELL 09D

Source Number: 016

Source Status: ACTIVE RAW

Water type: G

INORGANIC

ALUMINUM	01105	036	2013/05/15	< 50.000	2016/05
ANTIMONY	01097	036	2013/05/15	< 6.000	2016/05
ARSENIC	01002	036	2014/07/17	. 6.100	2017/07
BARIUM	01007	036	2013/05/15	150.000	2016/05
BERYLLIUM	01012	036	2013/05/15	< 1.000	2016/05
CADMIUM	01027	036	2013/05/15	< 1.000	2016/05
CHROMIUM (TOTAL)	01034	036	2013/05/15	< 10.000	2016/05
CYANIDE	01291	036	2013/05/15	< 100.000	2016/05
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/05/15	. .320	2016/05
MERCURY	71900	036	2013/05/15	< 1.000	2016/05
NICKEL	01067	036	2013/05/15	< 10.000	2016/05
PERCHLORATE	A-031	012	2014/05/29	< 4.000	2015/05
SELENIUM	01147	036	2013/05/15	< 5.000	2016/05
THALLIUM	01059	036	2013/05/15	< 1.000	2016/05

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2013/05/15	< 2.000	2014/05 DUE
NITRITE (AS N)	00620	036	2013/05/15	< 400.000	2016/05

RADIOLOGICAL

GROSS ALPHA	01501	108	2014/05/29	< 3.000	2023/05
RADIUM 226	09501	108	2007/10/04	.020	2016/10

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910161

System Name: PARK WC - LYNWOOD

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910161-016

Source Name: WELL 09D

Source Number: 016

Source Status: ACTIVE RAW

Water type: G

RADIOLOGICAL

RADIUM 228	11501	108	2014/05/29	< .000	2023/05
URANIUM (PC/L)	28012	003	2014/05/29	< 1.000	2014/08

REGULATED SOC

2,4-D	39730	033	2014/04/11	< 10.000	2017/01
ALACHLOR	77825	033	2014/04/11	< 1.000	2017/01
ATRAZINE	39033	033	2014/04/11	< .500	2017/01
BENTAZON	38710	033	2014/04/11	< 2.000	2017/01
CARBOFURAN	81405	033	2014/04/11	< 5.000	2017/01
CHLORDANE	39350	033	2014/04/11	< .100	2017/01
DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2014/04/11	< 3.000	2017/01
DINOSEB	81287	033	2014/04/11	< 2.000	2017/01
DIQUAT	78885	033	2014/04/11	< 4.000	2017/01
ENDOTHALL	38926	033	2014/04/11	< 45.000	2017/01
ENDRIN	39390	033	2014/04/11	< .100	2017/01
GLYPHOSATE	79743	033	2014/04/11	< 25.000	2017/01
LINDANE	39340	033	2014/04/11	< .200	2017/01
METHOXYCHLOR	39480	033	2014/04/11	< 10.000	2017/01
OXAMYL	38865	033	2014/04/11	< 20.000	2017/01
PENTACHLOROPHENOL	39032	033	2014/04/11	< .200	2017/01
SIMAZINE	39055	033	2014/04/11	< 1.000	2017/01
THIOBENCARB	A-001	033	2014/04/11	< 1.000	2017/01
TOXAPHENE	39400	033	2014/04/11	< 1.000	2017/01

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	012	2014/05/29	< .500	2015/05
1,1,2,2-TETRACHLOROETHANE	34516	012	2014/05/29	< .500	2015/05
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/05/29	< 10.000	2015/05
1,1,2-TRICHLOROETHANE	34511	012	2014/05/29	< .500	2015/05
1,1-DICHLOROETHANE	34496	012	2014/05/29	< .500	2015/05
1,1-DICHLOROETHYLENE	34501	012	2014/05/29	< .500	2015/05

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910161

System Name: PARK WC - LYNWOOD

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910161-016

Source Name: WELL 09D

Source Number: 016

Source Status: ACTIVE RAW

Water type: G

REGULATED VOC

1,2,4-TRICHLOROENZENE	34551	012	2014/05/29	< .500	2015/05
1,2-DICHLOROENZENE	34536	012	2014/05/29	< .500	2015/05
1,2-DICHLOROETHANE	34531	012	2014/05/29	< .500	2015/05
1,2-DICHLOROPROPANE	34541	012	2014/05/29	< .500	2015/05
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/05/29	< .500	2015/05
1,4-DICHLOROENZENE	34571	012	2014/05/29	< .500	2015/05
BENZENE	34030	012	2014/05/29	< .500	2015/05
CARBON TETRACHLORIDE	32102	012	2014/05/29	< .500	2015/05
CIS-1,2-DICHLOROETHYLENE	77093	012	2014/05/29	< .500	2015/05
DICHLOROMETHANE	34423	012	2014/05/29	< .500	2015/05
ETHYLBENZENE	34371	012	2014/05/29	< .500	2015/05
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/05/29	< 3.000	2015/05
MONOCHLOROENZENE	34301	012	2014/05/29	< .500	2015/05
STYRENE	77128	012	2014/05/29	< .500	2015/05
TETRACHLOROETHYLENE	34475	012	2014/05/29	< .500	2015/05
TOLUENE	34010	012	2014/05/29	< .500	2015/05
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/05/29	< .500	2015/05
TRICHLOROETHYLENE	39180	012	2014/05/29	< .500	2015/05
TRICHLOROFUOROMETHANE	34488	012	2014/05/29	< 5.000	2015/05
VINYL CHLORIDE	39175	012	2014/05/29	< .500	2015/05
XYLENES (TOTAL)	81551	012	2014/05/29	< .000	2015/05

SECONDARY/GP

BICARBONATE ALKALINITY	00440	036	2013/05/15	. 230.000	2016/05
CALCIUM	00916	036	2013/05/15	. 55.600	2016/05
CARBONATE ALKALINITY	00445	036	2013/05/15	< .000	2016/05
CHLORIDE	00940	036	2013/05/15	. 29.000	2016/05
COLOR	00081	036	2013/05/15	< .000	2016/05
COPPER	01042	036	2013/05/15	< 50.000	2016/05
FOAMING AGENTS (MBAS)	38260	036	2013/05/15	< .000	2016/05

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910161

System Name: PARK WC - LYNWOOD

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910161-016

Source Name: WELL 09D

Source Number: 016

Source Status: ACTIVE RAW

Water type: G

SECONDARY/GP

HARDNESS (TOTAL) AS CaCO3	00900	036	2013/05/15	. 170.000	2016/05
HYDROXIDE ALKALINITY	71830	036	2013/05/15	< .000	2016/05
IRON	01045	036	2014/07/17	< 100.000	2017/07
MAGNESIUM	00927	036	2013/05/15	. 6.680	2016/05
MANGANESE	01055	036	2014/07/17	. 62.000	2017/07
ODOR THRESHOLD @ 60 C	00086	036	2013/05/15	. 1.000	2016/05
PH, LABORATORY	00403	036	2013/05/15	. 7.890	2016/05
SILVER	01077	036	2013/05/15	< 10.000	2016/05
SODIUM	00929	036	2013/05/15	44.000	2016/05
SPECIFIC CONDUCTANCE	00095	036	2013/05/15	. 540.000	2016/05
SULFATE	00945	036	2013/05/15	71.000	2016/05
TOTAL DISSOLVED SOLIDS	70300	036	2013/05/15	. 350.000	2016/05
TURBIDITY, LABORATORY	82079	036	2014/07/17	< .000	2017/07
ZINC	01092	036	2013/05/15	< 50.000	2016/05

PS Code: 1910161-021

Source Name: WELL 9D TREATED (AS/MN)

Source Number: 021

Source Status: COMBINATION OR BLEND TREATED

Water type: G

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

*Testing interval is in months;
 0 = No data for this constituent and is DUE NOW
 I = Invalid (NOT) valid analyses reported
 Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910161

System Name: PARK WC - LYNWOOD

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910161-800

Source Name: S1 - 4205 ALONDRA BLVD, - STG2 DBP

Source Number: 800

Source Status: DISTRIBUTION TREATED

Water type: S

HALOACETIC ACIDS

DIBROMOACETIC ACID (DBAA)	82721	003	2014/07/10	< 1.000	2014/10
DICHLOROACETIC ACID (DCAA)	77288	003	2014/07/10	< 1.000	2014/10
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/07/10	< .000	2014/10
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/07/10	< 1.000	2014/10
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/07/10	< 2.000	2014/10
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/07/10	< 1.000	2014/10

STATE UCMR

BROMODICHLORMETHANE (THM)	32101	003	2014/07/10	. 1.400	2014/10
BROMOFORM (THM)	32104	003	2014/07/10	. 1.300	2014/10
CHLOROFORM (THM)	32106	003	2014/07/10	< 1.000	2014/10
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/07/10	. 2.100	2014/10

TRIHALOMETHANES

TOTAL TRIHALOMETHANES	82080	003	2014/07/10	. 4.800	2014/10
-----------------------	-------	-----	------------	---------	---------

PS Code: 1910161-801

Source Name: S2 - 4244 COMPTON BLVD, - STG2 DBP

Source Number: 801

Source Status: DISTRIBUTION TREATED

Water type: S

HALOACETIC ACIDS

DIBROMOACETIC ACID (DBAA)	82721	003	2014/07/10	. 1.600	2014/10
DICHLOROACETIC ACID (DCAA)	77288	003	2014/07/10	< 1.000	2014/10
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/07/10	. 1.600	2014/10
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/07/10	< 1.000	2014/10
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/07/10	< 2.000	2014/10
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/07/10	< 1.000	2014/10

STATE UCMR

BROMODICHLORMETHANE (THM)	32101	003	2014/07/10	. 2.300	2014/10
---------------------------	-------	-----	------------	---------	---------

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910161

System Name: PARK WC - LYNWOOD

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910161-801

Source Name: S2 - 4244 COMPTON BLVD, - STG2 DBP

Source Number: 801

Source Status: DISTRIBUTION TREATED

Water type: S

STATE UCMR

BROMOFORM (THM)	32104	003	2014/07/10	. 3.100	2014/10
CHLOROFORM (THM)	32106	003	2014/07/10	< 1.000	2014/10
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/07/10	. 4.500	2014/10

TRIHALOMETHANES

TOTAL TRIHALOMETHANES	82080	003	2014/07/10	. 11.000	2014/10
-----------------------	-------	-----	------------	----------	---------

PS Code: 1910161-802

Source Name: S3 - 12415 WALDORF DR, - STG2 DBP

Source Number: 802

Source Status: DISTRIBUTION TREATED

Water type: S

HALOACETIC ACIDS

DIBROMOACETIC ACID (DBAA)	82721	003	2014/07/10	. 2.100	2014/10
DICHLOROACETIC ACID (DCAA)	77288	003	2014/07/10	. 6.500	2014/10
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/07/10	. 14.000	2014/10
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/07/10	< 1.000	2014/10
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/07/10	< 2.000	2014/10
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/07/10	. 5.000	2014/10

STATE UCMR

BROMODICHLORMETHANE (THM)	32101	003	2014/07/10	. 9.200	2014/10
BROMOFORM (THM)	32104	003	2014/07/10	. 2.300	2014/10
CHLOROFORM (THM)	32106	003	2014/07/10	. 12.000	2014/10
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/07/10	. 9.300	2014/10

TRIHALOMETHANES

TOTAL TRIHALOMETHANES	82080	003	2014/07/10	. 33.000	2014/10
-----------------------	-------	-----	------------	----------	---------

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910161

System Name: PARK WC - LYNWOOD

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

PS Code: 1910161-803

Source Name: S4 - 12639 MANETTER PL, - STG2 DBP

Source Number: 803

Source Status: DISTRIBUTION TREATED

Water type: S

HALOACETIC ACIDS

DIBROMOACETIC ACID (DBAA)	82721	003	2014/07/10	. 2.700	2014/10
DICHLOROACETIC ACID (DCAA)	77288	003	2014/07/10	. 9.300	2014/10
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/07/10	. 18.000	2014/10
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/07/10	< 1.000	2014/10
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/07/10	< 2.000	2014/10
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/07/10	. 5.800	2014/10

STATE UCMR

BROMODICHLORMETHANE (THM)	32101	003	2014/07/10	. 12.000	2014/10
BROMOFORM (THM)	32104	003	2014/07/10	. 2.600	2014/10
CHLOROFORM (THM)	32106	003	2014/07/10	. 16.000	2014/10
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/07/10	. 11.000	2014/10

TRIHALOMETHANES

TOTAL TRIHALOMETHANES	82080	003	2014/07/10	. 42.000	2014/10
-----------------------	-------	-----	------------	----------	---------

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910189

System Name: SAN GABRIEL VALLEY WATER CO.-MONTEBELLO

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910189-003

Source Name: MWD CB-40 - EMERGENCY ONLY

Source Number: 003

Source Status: PURCHASED TREATED

Water type: S

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

PS Code: 1910189-004

Source Name: M2 CONN-EL MONTE/WHITTIER SYSTEM

Source Number: 004

Source Status: PURCHASED TREATED

Water type: G

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

PS Code: 1910189-800

Source Name: SITE A - 868 MAPLE AVE. - STG2 DBP

Source Number: 800

Source Status: DISTRIBUTION TREATED

Water type: G

HALOACETIC ACIDS

DIBROMOACETIC ACID (DBAA)	82721	012	2013/09/11	< 1.000	2014/09
DICHLOROACETIC ACID (DCAA)	77288	012	2013/09/11	< 1.000	2014/09
HALOACETIC ACIDS (5) (HAA5)	A-049	012	2013/09/11	< .000	2014/09
MONOBROMOACETIC ACID (MBAA)	A-041	012	2013/09/11	< 1.000	2014/09
MONOCHLOROACETIC ACID (MCAA)	A-042	012	2013/09/11	< 2.000	2014/09
TRICHLOROACETIC ACID (TCAA)	82723	012	2013/09/11	< 1.000	2014/09

STATE UCMR

BROMODICHLORMETHANE (THM)	32101	012	2013/09/11	< 1.100	2014/09
BROMOFORM (THM)	32104	012	2013/09/11	< 1.800	2014/09
CHLOROFORM (THM)	32106	012	2013/09/11	< 1.000	2014/09
DIBROMOCHLOROMETHANE (THM)	32105	012	2013/09/11	< 2.100	2014/09

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910189

System Name: SAN GABRIEL VALLEY WATER CO.-MONTEBELLO

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910189-800

Source Name: SITE A - 868 MAPLE AVE. - STG2 DBP

Source Number: 800

Source Status: DISTRIBUTION TREATED

Water type: G

TRihalOMETHANES

TOTAL TRIHALOMETHANES	82080	012	2013/09/11	< 5.000	2014/09
-----------------------	-------	-----	------------	---------	---------

PS Code: 1910189-801

Source Name: SITE B-1508 WESTMORELAND DR. - STG2 DBP

Source Number: 801

Source Status: DISTRIBUTION TREATED

Water type: G

HALOAcETIC ACIDS

DIBROMOACETIC ACID (DBAA)	82721	012	2013/09/11	< 1.000	2014/09
DICHLOROACETIC ACID (DCAA)	77288	012	2013/09/11	< 1.000	2014/09
HALOACETIC ACIDS (5) (HAA5)	A-049	012	2013/09/11	< .000	2014/09
MONOBROMOACETIC ACID (MBAA)	A-041	012	2013/09/11	< 1.000	2014/09
MONOCHLOROACETIC ACID (MCAA)	A-042	012	2013/09/11	< 2.000	2014/09
TRICHLOROACETIC ACID (TCAA)	82723	012	2013/09/11	< 1.000	2014/09

STATE UCMR

BROMODICHLORMETHANE (THM)	32101	012	2013/09/11	< 1.000	2014/09
BROMOFORM (THM)	32104	012	2013/09/11	< 1.600	2014/09
CHLOROFORM (THM)	32106	012	2013/09/11	< 1.000	2014/09
DIBROMOCHLOROMETHANE (THM)	32105	012	2013/09/11	< 1.900	2014/09

TRihalOMETHANES

TOTAL TRIHALOMETHANES	82080	012	2013/09/11	< 4.400	2014/09
-----------------------	-------	-----	------------	---------	---------

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910194

System Name: ROWLAND WATER DISTRICT

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

PS Code: 1910194-001

Source Name: PURCHASED TREATED WATER - TVMWD

Source Number: 001

Source Status: PURCHASED TREATED

Water type: S

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

PS Code: 1910194-002M

Source Name: PURCHASED TREATED WATER - PM9

Source Number: 002

Source Status: PURCHASED TREATED

Water type: S

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

PS Code: 1910194-003M

Source Name: PURCHASED TREATED WATER - PM22

Source Number: 003

Source Status: PURCHASED TREATED

Water type: S

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

PS Code: 1910194-004L

Source Name: PURCHASED LHCWD GW (RWD/LHCWD INTERCOI

Source Number: 004

Source Status: PURCHASED TREATED

Water type: G

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

*Testing interval is in months;
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910194

System Name: ROWLAND WATER DISTRICT

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

PS Code: 1910194-005

Source Name: RWD/LHHCWD CONNECTION TREATMENT FACILITY

Source Number: 005

Source Status: PURCHASED TREATED

Water type: G

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

PS Code: 1910194-800

Source Name: SITE1-WELLINGTON LN,ROWLAND HTS-STG2 DBP

Source Number: 800

Source Status: DISTRIBUTION TREATED

Water type: S

HALOACETIC ACIDS

DIBROMOACETIC ACID (DBAA)	82721	003	2014/06/09	. 4.400	2014/09
DICHLOROACETIC ACID (DCAA)	77288	003	2014/06/09	. 10.200	2014/09
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/06/09	. 19.300	2014/09
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/06/09	< .000	2014/09
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/06/09	< .000	2014/09
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/06/09	. 4.700	2014/09

STATE UCMR

BROMODICHLORMETHANE (THM)	32101	003	2014/06/09	. 9.300	2014/09
BROMOFORM (THM)	32104	003	2014/06/09	. 3.700	2014/09
CHLOROFORM (THM)	32106	003	2014/06/09	. 11.700	2014/09
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/06/09	. 9.900	2014/09

TRIHALOMETHANES

TOTAL TRIHALOMETHANES	82080	003	2014/06/09	. 34.600	2014/09
-----------------------	-------	-----	------------	----------	---------

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910194

System Name: ROWLAND WATER DISTRICT

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910194-801

Source Name: SITE2 - NORWICH PL, ROWLAND HTS-STG2 DBP

Source Number: 801

Source Status: DISTRIBUTION TREATED

Water type: S

HALOACETIC ACIDS

DIBROMOACETIC ACID (DBAA)	82721	003	2014/06/09	. 3.200	2014/09
DICHLOROACETIC ACID (DCAA)	77288	003	2014/06/09	. 8.200	2014/09
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/06/09	. 16.100	2014/09
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/06/09	< .000	2014/09
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/06/09	< .000	2014/09
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/06/09	. 4.700	2014/09

STATE UCMR

BROMODICHLORMETHANE (THM)	32101	003	2014/06/09	. 6.900	2014/09
BROMOFORM (THM)	32104	003	2014/06/09	. 2.800	2014/09
CHLOROFORM (THM)	32106	003	2014/06/09	. 8.300	2014/09
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/06/09	. 7.300	2014/09

TRIHALOMETHANES

TOTAL TRIHALOMETHANES	82080	003	2014/06/09	. 25.300	2014/09
-----------------------	-------	-----	------------	----------	---------

PS Code: 1910194-802

Source Name: SITE4-BUTTONWOOD LN,ROWLAND HTS-STG2 DBP

Source Number: 802

Source Status: DISTRIBUTION TREATED

Water type: S

HALOACETIC ACIDS

DIBROMOACETIC ACID (DBAA)	82721	003	2014/06/09	. 3.300	2014/09
DICHLOROACETIC ACID (DCAA)	77288	003	2014/06/09	. 10.200	2014/09
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/06/09	. 19.200	2014/09
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/06/09	< .000	2014/09
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/06/09	< .000	2014/09
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/06/09	. 5.700	2014/09

STATE UCMR

BROMODICHLORMETHANE (THM)	32101	003	2014/06/09	. 10.700	2014/09
---------------------------	-------	-----	------------	----------	---------

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910194

System Name: ROWLAND WATER DISTRICT

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910194-802

Source Name: SITE4-BUTTONWOOD LN,ROWLAND HTS-STG2 DBP

Source Number: 802

Source Status: DISTRIBUTION TREATED

Water type: S

STATE UCMR

BROMOFORM (THM)	32104	003	2014/06/09	. 3.000	2014/09
CHLOROFORM (THM)	32106	003	2014/06/09	. 16.300	2014/09
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/06/09	. 10.500	2014/09

TRIHALOMETHANES

TOTAL TRIHALOMETHANES	82080	003	2014/06/09	. 40.500	2014/09
-----------------------	-------	-----	------------	----------	---------

PS Code: 1910194-803

Source Name: SITE5 - AGUIRO ST, ROWLAND HTS -STG2 DBP

Source Number: 803

Source Status: DISTRIBUTION TREATED

Water type: S

HALOACETIC ACIDS

DIBROMOACETIC ACID (DBAA)	82721	003	2014/06/09	. 3.700	2014/09
DICHLOROACETIC ACID (DCAA)	77288	003	2014/06/09	. 9.900	2014/09
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/06/09	. 18.400	2014/09
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/06/09	< .000	2014/09
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/06/09	< .000	2014/09
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/06/09	. 4.800	2014/09

STATE UCMR

BROMODICHLORMETHANE (THM)	32101	003	2014/06/09	. 10.300	2014/09
BROMOFORM (THM)	32104	003	2014/06/09	. 3.900	2014/09
CHLOROFORM (THM)	32106	003	2014/06/09	. 13.400	2014/09
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/06/09	. 10.400	2014/09

TRIHALOMETHANES

TOTAL TRIHALOMETHANES	82080	003	2014/06/09	. 38.000	2014/09
-----------------------	-------	-----	------------	----------	---------

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910194

System Name: ROWLAND WATER DISTRICT

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910194-804

Source Name: SITE6-HEATHERTON AVE,ROWLAND HT-STG2 DBP

Source Number: 804

Source Status: DISTRIBUTION TREATED

Water type: S

HALOACETIC ACIDS

DIBROMOACETIC ACID (DBAA)	82721	003	2014/06/09	. 2.700	2014/09
DICHLOROACETIC ACID (DCAA)	77288	003	2014/06/09	. 6.500	2014/09
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/06/09	. 13.900	2014/09
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/06/09	< .000	2014/09
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/06/09	< .000	2014/09
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/06/09	. 4.700	2014/09

STATE UCMR

BROMODICHLORMETHANE (THM)	32101	003	2014/06/09	. 9.800	2014/09
BROMOFORM (THM)	32104	003	2014/06/09	. 3.300	2014/09
CHLOROFORM (THM)	32106	003	2014/06/09	. 11.700	2014/09
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/06/09	. 10.200	2014/09

TRIHALOMETHANES

TOTAL TRIHALOMETHANES	82080	003	2014/06/09	. 35.000	2014/09
-----------------------	-------	-----	------------	----------	---------

PS Code: 1910194-805

Source Name: SITE9- SONGBIRD LN, ROWLAND HTS-STG2 DBP

Source Number: 805

Source Status: DISTRIBUTION TREATED

Water type: S

HALOACETIC ACIDS

DIBROMOACETIC ACID (DBAA)	82721	003	2014/06/09	. 3.500	2014/09
DICHLOROACETIC ACID (DCAA)	77288	003	2014/06/09	. 10.300	2014/09
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/06/09	. 19.500	2014/09
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/06/09	< .000	2014/09
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/06/09	< .000	2014/09
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/06/09	. 5.700	2014/09

STATE UCMR

BROMODICHLORMETHANE (THM)	32101	003	2014/06/09	. 12.600	2014/09
---------------------------	-------	-----	------------	----------	---------

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910194

System Name: ROWLAND WATER DISTRICT

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910194-805

Source Name: SITE9- SONGBIRD LN, ROWLAND HTS-STG2 DBP

Source Number: 805

Source Status: DISTRIBUTION TREATED

Water type: S

STATE UCMR

BROMOFORM (THM)	32104	003	2014/06/09	. 3.300	2014/09
CHLOROFORM (THM)	32106	003	2014/06/09	. 17.400	2014/09
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/06/09	. 11.800	2014/09

TRIHALOMETHANES

TOTAL TRIHALOMETHANES	82080	003	2014/06/09	. 45.100	2014/09
-----------------------	-------	-----	------------	----------	---------

PS Code: 1910194-806

Source Name: SITE15-ELBERGLEN DR,HACIENDA HT-STG2 DBP

Source Number: 806

Source Status: DISTRIBUTION TREATED

Water type: S

HALOACETIC ACIDS

DIBROMOACETIC ACID (DBAA)	82721	003	2014/06/09	. 5.000	2014/09
DICHLOROACETIC ACID (DCAA)	77288	003	2014/06/09	. 9.500	2014/09
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/06/09	. 18.800	2014/09
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/06/09	< .000	2014/09
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/06/09	< .000	2014/09
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/06/09	. 4.300	2014/09

STATE UCMR

BROMODICHLORMETHANE (THM)	32101	003	2014/06/09	. 9.400	2014/09
BROMOFORM (THM)	32104	003	2014/06/09	. 4.200	2014/09
CHLOROFORM (THM)	32106	003	2014/06/09	. 11.300	2014/09
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/06/09	. 10.000	2014/09

TRIHALOMETHANES

TOTAL TRIHALOMETHANES	82080	003	2014/06/09	. 34.900	2014/09
-----------------------	-------	-----	------------	----------	---------

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910194

System Name: ROWLAND WATER DISTRICT

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910194-807

Source Name: SITE18-CRIMSON CREST,ROWLAND HT-STG2 DBP

Source Number: 807

Source Status: DISTRIBUTION TREATED

Water type: S

HALOACETIC ACIDS

DIBROMOACETIC ACID (DBAA)	82721	003	2014/06/09	. 4.100	2014/09
DICHLOROACETIC ACID (DCAA)	77288	003	2014/06/09	. 9.600	2014/09
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/06/09	. 18.300	2014/09
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/06/09	< .000	2014/09
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/06/09	< .000	2014/09
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/06/09	. 4.600	2014/09

STATE UCMR

BROMODICHLORMETHANE (THM)	32101	003	2014/06/09	. 10.400	2014/09
BROMOFORM (THM)	32104	003	2014/06/09	. 4.100	2014/09
CHLOROFORM (THM)	32106	003	2014/06/09	. 13.200	2014/09
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/06/09	. 10.200	2014/09

TRIHALOMETHANES

TOTAL TRIHALOMETHANES	82080	003	2014/06/09	. 37.900	2014/09
-----------------------	-------	-----	------------	----------	---------

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910211

System Name: PARK WC - BELLFLOWER-NORWALK

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910211-005

Source Name: WELL 06-E - STANDBY

Source Number: 005

Source Status: STANDBY RAW

Water type: G

INORGANIC

ALUMINUM	01105	108	2012/05/16	< .000	2021/05
ANTIMONY	01097	108	2012/05/16	< .000	2021/05
ARSENIC	01002	108	2012/05/16	< .000	2021/05
BARIUM	01007	108	2012/05/16	< .000	2021/05
BERYLLIUM	01012	108	2012/05/16	< .000	2021/05
CADMIUM	01027	108	2012/05/16	< .000	2021/05
CHROMIUM (TOTAL)	01034	108	2012/05/16	< .000	2021/05
CYANIDE	01291	108	2012/05/16	< .000	2021/05
FLUORIDE (F) (NATURAL-SOURCE)	00951	108	2012/05/16	.340	2021/05
MERCURY	71900	108	2012/05/16	< .000	2021/05
NICKEL	01067	108	2012/05/16	< .000	2021/05
PERCHLORATE	A-031	108	2012/05/16	< .000	2021/05
SELENIUM	01147	108	2012/05/16	< .000	2021/05
THALLIUM	01059	108	2012/05/16	< .000	2021/05

NITRATE/NITRITE

NITRATE (AS NO3)	71850	108	2014/05/29	< 2.000	2023/05
NITRITE (AS N)	00620	108	2012/05/16	< .000	2021/05

RADIOLOGICAL

GROSS ALPHA	01501	108	2013/05/15	. 7.810	2022/05
RADIUM 226	09501	108	2004/11/18	.000	2013/11 DUE
RADIUM 228	11501	108	2013/05/15	.102	2022/05
URANIUM (PCI/L)	28012	108	2013/05/15	. 9.300	2022/05

REGULATED SOC

2,4-D	39730	108	2012/05/16	< .000	2021/05
ALACHLOR	77825	108	2012/05/16	< .000	2021/05
ATRAZINE	39033	108	2012/05/16	< .000	2021/05
BENTAZON	38710	108	2012/05/16	< .000	2021/05
DI(2-ETHYLHEXYL)PHTHALATE	39100	108	2012/05/16	< .000	2021/05

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910211

System Name: PARK WC - BELLFLOWER-NORWALK

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910211-005

Source Name: WELL 06-E - STANDBY

Source Number: 005

Source Status: STANDBY RAW

Water type: G

REGULATED SOC

DINOSEB	81287	108	2012/05/16	< .000	2021/05
DIQUAT	78885	108	2012/05/16	< .000	2021/05
ENDOTHALL	38926	108	2012/05/16	< .000	2021/05
GLYPHOSATE	79743	108	2012/05/16	< .000	2021/05
PENTACHLOROPHENOL	39032	108	2012/05/16	< .000	2021/05
SIMAZINE	39055	108	2012/05/16	< .000	2021/05
THIOBENCARB	A-001	108	2012/05/16	< .000	2021/05
TOXAPHENE	39400	108	2012/05/16	< .000	2021/05

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	108	2014/05/29	< .500	2023/05
1,1,2,2-TETRACHLOROETHANE	34516	108	2014/05/29	< .500	2023/05
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	108	2014/05/29	< 10.000	2023/05
1,1,2-TRICHLOROETHANE	34511	108	2014/05/29	< .500	2023/05
1,1-DICHLOROETHANE	34496	108	2014/05/29	< .500	2023/05
1,1-DICHLOROETHYLENE	34501	108	2014/05/29	< .500	2023/05
1,2,4-TRICHLOROBENZENE	34551	108	2014/05/29	< .500	2023/05
1,2-DICHLOROBENZENE	34536	108	2014/05/29	< .500	2023/05
1,2-DICHLOROETHANE	34531	108	2014/05/29	< .500	2023/05
1,2-DICHLOROPROPANE	34541	108	2014/05/29	< .500	2023/05
1,3-DICHLOROPROPENE (TOTAL)	34561	108	2014/05/29	< .500	2023/05
1,4-DICHLOROBENZENE	34571	108	2014/05/29	< .500	2023/05
BENZENE	34030	108	2014/05/29	< .500	2023/05
CARBON TETRACHLORIDE	32102	108	2014/05/29	< .500	2023/05
CIS-1,2-DICHLOROETHYLENE	77093	108	2014/05/29	< .500	2023/05
DICHLOROMETHANE	34423	108	2014/05/29	< .500	2023/05
ETHYLBENZENE	34371	108	2014/05/29	< .500	2023/05
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	108	2014/05/29	< 3.000	2023/05
MONOCHLOROBENZENE	34301	108	2014/05/29	< .500	2023/05
STYRENE	77128	108	2014/05/29	< .500	2023/05

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910211

System Name: PARK WC - BELLFLOWER-NORWALK

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

PS Code: 1910211-005

Source Name: WELL 06-E - STANDBY

Source Number: 005

Source Status: STANDBY RAW

Water type: G

REGULATED VOC

TETRACHLOROETHYLENE	34475	108	2014/05/29	< .500	2023/05
TOLUENE	34010	108	2014/05/29	< .500	2023/05
TRANS-1,2-DICHLOROETHYLENE	34546	108	2014/05/29	< .500	2023/05
TRICHLOROETHYLENE	39180	108	2014/05/29	. 3.000	2023/05
TRICHLOROFUOROMETHANE	34488	108	2014/05/29	< 5.000	2023/05
VINYL CHLORIDE	39175	108	2014/05/29	< .500	2023/05
XYLENES (TOTAL)	81551	108	2014/05/29	< .000	2023/05

SECONDARY/GP

BICARBONATE ALKALINITY	00440	108	2012/05/16	. 480.000	2021/05
CALCIUM	00916	108	2012/05/16	. 180.000	2021/05
CARBONATE ALKALINITY	00445	108	2012/05/16	< .000	2021/05
CHLORIDE	00940	108	2012/05/16	. 90.000	2021/05
COLOR	00081	108	2012/05/16	< .000	2021/05
COPPER	01042	108	2012/05/16	< .000	2021/05
FOAMING AGENTS (MBAS)	38260	108	2012/05/16	< .000	2021/05
HARDNESS (TOTAL) AS CaCO3	00900	108	2012/05/16	. 580.000	2021/05
HYDROXIDE ALKALINITY	71830	108	2012/05/16	< .000	2021/05
IRON	01045	108	2014/05/29	. 910.000	2023/05
MAGNESIUM	00927	108	2012/05/16	. 35.000	2021/05
MANGANESE	01055	108	2012/05/16	< .000	2021/05
ODOR THRESHOLD @ 60 C	00086	108	2012/05/16	1.000	2021/05
PH, LABORATORY	00403	108	2012/05/16	. 7.510	2021/05
SILVER	01077	108	2012/05/16	< .000	2021/05
SODIUM	00929	108	2012/05/16	63.000	2021/05
SPECIFIC CONDUCTANCE	00095	108	2012/05/16	. 1300.000	2021/05
SULFATE	00945	108	2012/05/16	250.000	2021/05
TOTAL DISSOLVED SOLIDS	70300	108	2012/05/16	. 710.000	2021/05
TURBIDITY, LABORATORY	82079	108	2012/05/16	. 2.100	2021/05
ZINC	01092	108	2012/05/16	< .000	2021/05

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910211

System Name: PARK WC - BELLFLOWER-NORWALK

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910211-016

Source Name: WELL 28-B

Source Number: 016

Source Status: ACTIVE RAW

Water type: G

INORGANIC

ALUMINUM	01105	036	2012/04/12	< .000	2015/04	
ANTIMONY	01097	036	2012/04/12	< .000	2015/04	
ARSENIC	01002	036	2012/04/12	. 2.100	2015/04	
BARIUM	01007	036	2012/04/12	< .000	2015/04	
BERYLLIUM	01012	036	2012/04/12	< .000	2015/04	
CADMIUM	01027	036	2012/04/12	< .000	2015/04	
CHROMIUM (TOTAL)	01034	036	2012/04/12	< .000	2015/04	
CYANIDE	01291	036	2012/04/12	< .000	2015/04	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/06/16	. .350	2017/06	
MERCURY	71900	036	2012/04/12	< .000	2015/04	
NICKEL	01067	036	2012/04/12	< .000	2015/04	
PERCHLORATE	A-031	012	2013/04/17	< 4.000	2014/04	DUE
SELENIUM	01147	036	2012/04/12	< .000	2015/04	
THALLIUM	01059	036	2012/04/12	< .000	2015/04	

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2013/04/17	. 13.000	2014/04	DUE
NITRITE (AS N)	00620	036	2012/04/12	< .000	2015/04	

RADIOLOGICAL

GROSS ALPHA	01501	108	2013/04/25	< 3.000	2022/04	
URANIUM (PCI/L)	28012	072	2013/04/17	. 2.300	2019/04	

REGULATED SOC

2,4-D	39730	033	2013/04/17	< 10.000	2016/01	
ALACHLOR	77825	033	2013/04/17	< 1.000	2016/01	
ATRAZINE	39033	033	2013/04/17	< .500	2016/01	
BENTAZON	38710	033	2013/04/17	< 2.000	2016/01	
DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2013/04/17	< 3.000	2016/01	
DINOSEB	81287	033	2013/04/17	< 2.000	2016/01	
DIQUAT	78885	033	2013/04/17	< 4.000	2016/01	

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910211

System Name: PARK WC - BELLFLOWER-NORWALK

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910211-016

Source Name: WELL 28-B

Source Number: 016

Source Status: ACTIVE RAW

Water type: G

REGULATED SOC

ENDOTHALL	38926	033	2013/04/17	< 45.000	2016/01
GLYPHOSATE	79743	033	2013/04/17	< 25.000	2016/01
PENTACHLOROPHENOL	39032	033	2013/04/17	< .200	2016/01
SIMAZINE	39055	033	2013/04/17	< 1.000	2016/01
THIOBENCARB	A-001	033	2013/04/17	< 1.000	2016/01
TOXAPHENE	39400	033	2013/04/17	< 1.000	2016/01

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	012	2013/04/17	< .500	2014/04	DUE
1,1,2,2-TETRACHLOROETHANE	34516	012	2013/04/17	< .500	2014/04	DUE
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2013/04/17	< 10.000	2014/04	DUE
1,1,2-TRICHLOROETHANE	34511	012	2013/04/17	< .500	2014/04	DUE
1,1-DICHLOROETHANE	34496	012	2013/04/17	< .500	2014/04	DUE
1,1-DICHLOROETHYLENE	34501	012	2013/04/17	< .500	2014/04	DUE
1,2,4-TRICHLOROBENZENE	34551	012	2013/04/17	< .500	2014/04	DUE
1,2-DICHLOROBENZENE	34536	012	2013/04/17	< .500	2014/04	DUE
1,2-DICHLOROETHANE	34531	012	2013/04/17	< .500	2014/04	DUE
1,2-DICHLOROPROPANE	34541	012	2013/04/17	< .500	2014/04	DUE
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2013/04/17	< .500	2014/04	DUE
1,4-DICHLOROBENZENE	34571	012	2013/04/17	< .500	2014/04	DUE
BENZENE	34030	012	2013/04/17	< .500	2014/04	DUE
CARBON TETRACHLORIDE	32102	012	2013/04/17	< .500	2014/04	DUE
CIS-1,2-DICHLOROETHYLENE	77093	012	2013/04/17	< .500	2014/04	DUE
DICHLOROMETHANE	34423	012	2013/04/17	< .500	2014/04	DUE
ETHYLBENZENE	34371	012	2013/04/17	< .500	2014/04	DUE
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2013/04/17	< 3.000	2014/04	DUE
MONOCHLOROBENZENE	34301	012	2013/04/17	< .500	2014/04	DUE
STYRENE	77128	012	2013/04/17	< .500	2014/04	DUE
TETRACHLOROETHYLENE	34475	012	2013/04/17	< .500	2014/04	DUE
TOLUENE	34010	012	2013/04/17	< .500	2014/04	DUE

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910211

System Name: PARK WC - BELLFLOWER-NORWALK

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910211-016

Source Name: WELL 28-B

Source Number: 016

Source Status: ACTIVE RAW

Water type: G

REGULATED VOC

TRANS-1,2-DICHLOROETHYLENE	34546	012	2013/04/17	< .500	2014/04	DUE
TRICHLOROETHYLENE	39180	012	2013/04/17	< .500	2014/04	DUE
TRICHLOROFLUOROMETHANE	34488	012	2013/04/17	< 5.000	2014/04	DUE
VINYL CHLORIDE	39175	012	2013/04/17	< .500	2014/04	DUE
XYLENES (TOTAL)	81551	012	2013/04/17	< .000	2014/04	DUE

SECONDARY/GP

BICARBONATE ALKALINITY	00440	036	2012/04/12	. 220.000	2015/04
CALCIUM	00916	036	2012/04/12	. 87.000	2015/04
CARBONATE ALKALINITY	00445	036	2012/04/12	< .000	2015/04
CHLORIDE	00940	036	2012/04/12	. 76.000	2015/04
COLOR	00081	036	2012/04/12	< .000	2015/04
COPPER	01042	036	2012/04/12	< .000	2015/04
FOAMING AGENTS (MBAS)	38260	036	2012/04/12	< .000	2015/04
HARDNESS (TOTAL) AS CaCO3	00900	036	2012/04/12	. 290.000	2015/04
HYDROXIDE ALKALINITY	71830	036	2012/04/12	< .000	2015/04
IRON	01045	036	2012/04/12	< .000	2015/04
MAGNESIUM	00927	036	2012/04/12	. 17.000	2015/04
MANGANESE	01055	036	2012/04/12	< .000	2015/04
ODOR THRESHOLD @ 60 C	00086	036	2012/04/12	1.000	2015/04
PH, LABORATORY	00403	036	2012/04/12	. 7.590	2015/04
SILVER	01077	036	2012/04/12	< .000	2015/04
SODIUM	00929	036	2012/04/12	64.000	2015/04
SPECIFIC CONDUCTANCE	00095	036	2012/04/12	. 840.000	2015/04
SULFATE	00945	036	2012/04/12	130.000	2015/04
TOTAL DISSOLVED SOLIDS	70300	036	2012/04/12	. 500.000	2015/04
TURBIDITY, LABORATORY	82079	036	2012/04/12	< .000	2015/04
ZINC	01092	036	2012/04/12	< .000	2015/04

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910211

System Name: PARK WC - BELLFLOWER-NORWALK

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910211-020

Source Name: WELL 29-H - STANDBY

Source Number: 020

Source Status: STANDBY RAW

Water type: G

INORGANIC

ALUMINUM	01105	108	2011/08/17	. 140.000	2020/08
ANTIMONY	01097	108	2011/08/17	< .000	2020/08
ARSENIC	01002	108	2011/08/17	. 2.600	2020/08
BARIUM	01007	108	2011/08/17	290.000	2020/08
BERYLLIUM	01012	108	2011/08/17	< .000	2020/08
CADMIUM	01027	108	2011/08/17	< .000	2020/08
CHROMIUM (TOTAL)	01034	108	2011/08/17	< .000	2020/08
CYANIDE	01291	108	2011/08/17	< .000	2020/08
FLUORIDE (F) (NATURAL-SOURCE)	00951	108	2011/08/17	. .330	2020/08
MERCURY	71900	108	2011/08/17	< .000	2020/08
NICKEL	01067	108	2011/08/17	< .000	2020/08
PERCHLORATE	A-031	108	2011/08/17	< .000	2020/08
SELENIUM	01147	108	2011/08/17	< .000	2020/08
THALLIUM	01059	108	2011/08/17	< .000	2020/08

NITRATE/NITRITE

NITRATE (AS NO3)	71850	108	2013/08/29	< 2.000	2022/08
NITRITE (AS N)	00620	108	2011/08/17	< .000	2020/08

RADIOLOGICAL

GROSS ALPHA	01501	108	2009/08/13	3.640	2018/08
RADIUM 226	09501	108	2007/03/22	.750	2016/03
RADIUM 228	11501	108	2007/03/22	.480	2016/03
URANIUM (PCI/L)	28012	108	2009/08/13	3.600	2018/08

REGULATED SOC

2,4-D	39730	108	2012/08/23	< 10.000	2021/08
ALACHLOR	77825	108	2012/08/23	< 1.000	2021/08
ATRAZINE	39033	108	2012/08/23	< .500	2021/08
BENTAZON	38710	108	2012/08/23	< 2.000	2021/08
DI(2-ETHYLHEXYL)PHTHALATE	39100	108	2012/08/23	< 3.000	2021/08

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910211

System Name: PARK WC - BELLFLOWER-NORWALK

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910211-020

Source Name: WELL 29-H - STANDBY

Source Number: 020

Source Status: STANDBY RAW

Water type: G

REGULATED SOC

DINOSEB	81287	108	2012/08/23	< 2.000	2021/08
DIQUAT	78885	108	2012/08/23	< 4.000	2021/08
ENDOTHALL	38926	108	2012/08/23	< 45.000	2021/08
GLYPHOSATE	79743	108	2012/08/23	< 25.000	2021/08
PENTACHLOROPHENOL	39032	108	2012/08/23	< .200	2021/08
SIMAZINE	39055	108	2012/08/23	< 1.000	2021/08
THIOBENCARB	A-001	108	2012/08/23	< 1.000	2021/08
TOXAPHENE	39400	108	2012/08/23	< 1.000	2021/08

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	108	2013/08/29	< .500	2022/08
1,1,2,2-TETRACHLOROETHANE	34516	108	2013/08/29	< .500	2022/08
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	108	2013/08/29	< 10.000	2022/08
1,1,2-TRICHLOROETHANE	34511	108	2013/08/29	< .500	2022/08
1,1-DICHLOROETHANE	34496	108	2013/08/29	< .500	2022/08
1,1-DICHLOROETHYLENE	34501	108	2013/08/29	< .500	2022/08
1,2,4-TRICHLOROBENZENE	34551	108	2013/08/29	< .500	2022/08
1,2-DICHLOROBENZENE	34536	108	2013/08/29	< .500	2022/08
1,2-DICHLOROETHANE	34531	108	2013/08/29	< .500	2022/08
1,2-DICHLOROPROPANE	34541	108	2013/08/29	< .500	2022/08
1,3-DICHLOROPROPENE (TOTAL)	34561	108	2013/08/29	< .500	2022/08
1,4-DICHLOROBENZENE	34571	108	2013/08/29	< .500	2022/08
BENZENE	34030	108	2013/08/29	< .500	2022/08
CARBON TETRACHLORIDE	32102	108	2013/08/29	< .500	2022/08
CIS-1,2-DICHLOROETHYLENE	77093	108	2013/08/29	< .500	2022/08
DICHLOROMETHANE	34423	108	2013/08/29	< .500	2022/08
ETHYLBENZENE	34371	108	2013/08/29	< .500	2022/08
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	108	2013/08/29	< 3.000	2022/08
MONOCHLOROBENZENE	34301	108	2013/08/29	< .500	2022/08
STYRENE	77128	108	2013/08/29	< .500	2022/08

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910211

System Name: PARK WC - BELLFLOWER-NORWALK

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910211-020

Source Name: WELL 29-H - STANDBY

Source Number: 020

Source Status: STANDBY RAW

Water type: G

REGULATED VOC

TETRACHLOROETHYLENE	34475	108	2013/08/29	< .500	2022/08
TOLUENE	34010	108	2013/08/29	< .500	2022/08
TRANS-1,2-DICHLOROETHYLENE	34546	108	2013/08/29	< .500	2022/08
TRICHLOROETHYLENE	39180	108	2013/08/29	< .500	2022/08
TRICHLOROFUOROMETHANE	34488	108	2013/08/29	< 5.000	2022/08
VINYL CHLORIDE	39175	108	2013/08/29	< .500	2022/08
XYLENES (TOTAL)	81551	108	2013/08/29	< .000	2022/08

SECONDARY/GP

BICARBONATE ALKALINITY	00440	108	2011/08/17	. 270.000	2020/08
CALCIUM	00916	108	2011/08/17	. 94.000	2020/08
CARBONATE ALKALINITY	00445	108	2011/08/17	< .000	2020/08
CHLORIDE	00940	108	2011/08/17	. 72.000	2020/08
COLOR	00081	108	2011/08/17	< .000	2020/08
COPPER	01042	108	2011/08/17	< .000	2020/08
FOAMING AGENTS (MBAS)	38260	108	2011/08/17	< .000	2020/08
HARDNESS (TOTAL) AS CaCO3	00900	108	2011/08/17	. 300.000	2020/08
HYDROXIDE ALKALINITY	71830	108	2011/08/17	< .000	2020/08
IRON	01045	108	2011/08/17	170.000	2020/08
MAGNESIUM	00927	108	2011/08/17	. 16.000	2020/08
MANGANESE	01055	108	2013/08/29	. 75.000	2022/08
ODOR THRESHOLD @ 60 C	00086	108	2011/08/17	1.000	2020/08
PH, LABORATORY	00403	108	2011/08/17	. 7.740	2020/08
SILVER	01077	108	2011/08/17	< .000	2020/08
SODIUM	00929	108	2011/08/17	39.000	2020/08
SPECIFIC CONDUCTANCE	00095	108	2011/08/17	. 790.000	2020/08
SULFATE	00945	108	2011/08/17	72.000	2020/08
TOTAL DISSOLVED SOLIDS	70300	108	2011/08/17	. 460.000	2020/08
TURBIDITY, LABORATORY	82079	108	2011/08/17	. .980	2020/08
ZINC	01092	108	2011/08/17	< .000	2020/08

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910211

System Name: PARK WC - BELLFLOWER-NORWALK

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910211-024

Source Name: WELL 40-B - STANDBY

Source Number: 024

Source Status: STANDBY RAW

Water type: G

INORGANIC

ALUMINUM	01105	108	2012/05/16	< .000	2021/05
ANTIMONY	01097	108	2012/05/16	< .000	2021/05
ARSENIC	01002	108	2012/05/16	. 2.000	2021/05
BARIUM	01007	108	2012/05/16	180.000	2021/05
BERYLLIUM	01012	108	2012/05/16	< .000	2021/05
CADMIUM	01027	108	2012/05/16	< .000	2021/05
CHROMIUM (TOTAL)	01034	108	2012/05/16	< .000	2021/05
CYANIDE	01291	108	2012/05/16	< .000	2021/05
FLUORIDE (F) (NATURAL-SOURCE)	00951	108	2012/05/16	. .450	2021/05
MERCURY	71900	108	2012/05/16	< .000	2021/05
NICKEL	01067	108	2012/05/16	< .000	2021/05
PERCHLORATE	A-031	108	2012/05/16	< .000	2021/05
SELENIUM	01147	108	2012/05/16	< .000	2021/05
THALLIUM	01059	108	2012/05/16	< .000	2021/05

NITRATE/NITRITE

NITRATE (AS NO3)	71850	108	2014/05/29	. 7.900	2023/05
NITRITE (AS N)	00620	108	2012/05/16	< .000	2021/05

RADIOLOGICAL

GROSS ALPHA	01501	108	2009/05/14	.000	2018/05
RADIUM 226	09501	108	2006/09/14	.140	2015/09
RADIUM 228	11501	108	2006/09/14	.220	2015/09
URANIUM (PCI/L)	28012	108	2009/05/14	2.001	2018/05

REGULATED SOC

2,4-D	39730	108	2012/05/16	< .000	2021/05
ALACHLOR	77825	108	2012/05/16	< .000	2021/05
ATRAZINE	39033	108	2012/05/16	< .000	2021/05
BENTAZON	38710	108	2012/05/16	< .000	2021/05
DI(2-ETHYLHEXYL)PHTHALATE	39100	108	2012/05/16	< .000	2021/05

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910211

System Name: PARK WC - BELLFLOWER-NORWALK

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

PS Code: 1910211-024

Source Name: WELL 40-B - STANDBY

Source Number: 024

Source Status: STANDBY RAW

Water type: G

REGULATED SOC

DINOSEB	81287	108	2012/05/16	< .000	2021/05
DIQUAT	78885	108	2012/05/16	< .000	2021/05
ENDOTHALL	38926	108	2012/05/16	< .000	2021/05
GLYPHOSATE	79743	108	2012/05/16	< .000	2021/05
PENTACHLOROPHENOL	39032	108	2012/05/16	< .000	2021/05
SIMAZINE	39055	108	2012/05/16	< .000	2021/05
THIOBENCARB	A-001	108	2012/05/16	< .000	2021/05
TOXAPHENE	39400	108	2012/05/16	< .000	2021/05

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	108	2014/05/29	< .500	2023/05
1,1,2,2-TETRACHLOROETHANE	34516	108	2014/05/29	< .500	2023/05
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	108	2014/05/29	< 10.000	2023/05
1,1,2-TRICHLOROETHANE	34511	108	2014/05/29	< .500	2023/05
1,1-DICHLOROETHANE	34496	108	2014/05/29	< .500	2023/05
1,1-DICHLOROETHYLENE	34501	108	2014/05/29	< .500	2023/05
1,2,4-TRICHLOROBENZENE	34551	108	2014/05/29	< .500	2023/05
1,2-DICHLOROBENZENE	34536	108	2014/05/29	< .500	2023/05
1,2-DICHLOROETHANE	34531	108	2014/05/29	< .500	2023/05
1,2-DICHLOROPROPANE	34541	108	2014/05/29	< .500	2023/05
1,3-DICHLOROPROPENE (TOTAL)	34561	108	2014/05/29	< .500	2023/05
1,4-DICHLOROBENZENE	34571	108	2014/05/29	< .500	2023/05
BENZENE	34030	108	2014/05/29	< .500	2023/05
CARBON TETRACHLORIDE	32102	108	2014/05/29	< .500	2023/05
CIS-1,2-DICHLOROETHYLENE	77093	108	2014/05/29	< .500	2023/05
DICHLOROMETHANE	34423	108	2014/05/29	< .500	2023/05
ETHYLBENZENE	34371	108	2014/05/29	< .500	2023/05
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	108	2014/05/29	< 3.000	2023/05
MONOCHLOROBENZENE	34301	108	2014/05/29	< .500	2023/05
STYRENE	77128	108	2014/05/29	< .500	2023/05

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910211

System Name: PARK WC - BELLFLOWER-NORWALK

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910211-024

Source Name: WELL 40-B - STANDBY

Source Number: 024

Source Status: STANDBY RAW

Water type: G

REGULATED VOC

TETRACHLOROETHYLENE	34475	108	2014/05/29	< .500	2023/05
TOLUENE	34010	108	2014/05/29	< .500	2023/05
TRANS-1,2-DICHLOROETHYLENE	34546	108	2014/05/29	< .500	2023/05
TRICHLOROETHYLENE	39180	108	2014/05/29	< .500	2023/05
TRICHLOROFUOROMETHANE	34488	108	2014/05/29	< 5.000	2023/05
VINYL CHLORIDE	39175	108	2014/05/29	< .500	2023/05
XYLENES (TOTAL)	81551	108	2014/05/29	< .000	2023/05

SECONDARY/GP

BICARBONATE ALKALINITY	00440	108	2012/05/16	. 280.000	2021/05
CALCIUM	00916	108	2012/05/16	. 98.000	2021/05
CARBONATE ALKALINITY	00445	108	2012/05/16	< .000	2021/05
CHLORIDE	00940	108	2012/05/16	. 58.000	2021/05
COLOR	00081	108	2012/05/16	< .000	2021/05
COPPER	01042	108	2012/05/16	< .000	2021/05
FOAMING AGENTS (MBAS)	38260	108	2012/05/16	< .000	2021/05
HARDNESS (TOTAL) AS CaCO3	00900	108	2012/05/16	. 330.000	2021/05
HYDROXIDE ALKALINITY	71830	108	2012/05/16	< .000	2021/05
IRON	01045	108	2014/05/29	. 3300.000	2023/05
MAGNESIUM	00927	108	2012/05/16	. 20.000	2021/05
MANGANESE	01055	108	2014/05/29	. 24.000	2023/05
ODOR THRESHOLD @ 60 C	00086	108	2012/05/16	1.000	2021/05
PH, LABORATORY	00403	108	2012/05/16	. 7.550	2021/05
SILVER	01077	108	2012/05/16	< .000	2021/05
SODIUM	00929	108	2012/05/16	34.000	2021/05
SPECIFIC CONDUCTANCE	00095	108	2012/05/16	. 800.000	2021/05
SULFATE	00945	108	2012/05/16	120.000	2021/05
TOTAL DISSOLVED SOLIDS	70300	108	2012/05/16	. 480.000	2021/05
TURBIDITY, LABORATORY	82079	108	2012/05/16	. 1.600	2021/05
ZINC	01092	108	2012/05/16	< .000	2021/05

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: **1910211**

System Name: **PARK WC - BELLFLOWER-NORWALK**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: **1910211-025**

Source Name: **WELL 40-D**

Source Number: **025**

Source Status: **ACTIVE RAW**

Water type: **G**

INORGANIC

ALUMINUM	01105	036	2012/04/12	< .000	2015/04	
ANTIMONY	01097	036	2012/04/12	< .000	2015/04	
ARSENIC	01002	036	2012/04/12	< .000	2015/04	
BARIUM	01007	036	2012/04/12	140.000	2015/04	
BERYLLIUM	01012	036	2012/04/12	< .000	2015/04	
CADMIUM	01027	036	2012/04/12	< .000	2015/04	
CHROMIUM (TOTAL)	01034	036	2012/04/12	< .000	2015/04	
CYANIDE	01291	036	2012/04/12	< .000	2015/04	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/06/16	.350	2017/06	
MERCURY	71900	036	2012/04/12	< .000	2015/04	
NICKEL	01067	036	2012/04/12	< .000	2015/04	
PERCHLORATE	A-031	012	2013/04/17	< 4.000	2014/04	DUE
SELENIUM	01147	036	2012/04/12	< .000	2015/04	
THALLIUM	01059	036	2012/04/12	< .000	2015/04	

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2013/04/17	. 5.600	2014/04	DUE
NITRITE (AS N)	00620	036	2012/04/12	< .000	2015/04	

RADIOLOGICAL

GROSS ALPHA	01501	072	2010/04/15	5.680	2016/04	
URANIUM (PCI/L)	28012	072	2010/04/15	3.000	2016/04	

REGULATED SOC

2,4-D	39730	033	2012/07/30	< 10.000	2015/04	
ALACHLOR	77825	033	2012/07/30	< 1.000	2015/04	
ATRAZINE	39033	033	2012/07/30	< .500	2015/04	
BENTAZON	38710	033	2012/07/30	< 2.000	2015/04	
DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2012/07/30	< 3.000	2015/04	
DINOSEB	81287	033	2012/07/30	< 2.000	2015/04	
DIQUAT	78885	033	2012/07/30	< 4.000	2015/04	

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910211

System Name: PARK WC - BELLFLOWER-NORWALK

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910211-025

Source Name: WELL 40-D

Source Number: 025

Source Status: ACTIVE RAW

Water type: G

REGULATED SOC

ENDOTHALL	38926	033	2012/07/30	< 45.000	2015/04
GLYPHOSATE	79743	033	2012/07/30	< 25.000	2015/04
PENTACHLOROPHENOL	39032	033	2012/07/30	< .200	2015/04
SIMAZINE	39055	033	2012/07/30	< 1.000	2015/04
THIOBENCARB	A-001	033	2012/07/30	< 1.000	2015/04
TOXAPHENE	39400	033	2012/07/30	< 1.000	2015/04

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	012	2013/04/17	< .500	2014/04	DUE
1,1,2,2-TETRACHLOROETHANE	34516	012	2013/04/17	< .500	2014/04	DUE
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2013/04/17	< 10.000	2014/04	DUE
1,1,2-TRICHLOROETHANE	34511	012	2013/04/17	< .500	2014/04	DUE
1,1-DICHLOROETHANE	34496	012	2013/04/17	< .500	2014/04	DUE
1,1-DICHLOROETHYLENE	34501	012	2013/04/17	< .500	2014/04	DUE
1,2,4-TRICHLOROBENZENE	34551	012	2013/04/17	< .500	2014/04	DUE
1,2-DICHLOROBENZENE	34536	012	2013/04/17	< .500	2014/04	DUE
1,2-DICHLOROETHANE	34531	012	2013/04/17	< .500	2014/04	DUE
1,2-DICHLOROPROPANE	34541	012	2013/04/17	< .500	2014/04	DUE
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2013/04/17	< .500	2014/04	DUE
1,4-DICHLOROBENZENE	34571	012	2013/04/17	< .500	2014/04	DUE
BENZENE	34030	012	2013/04/17	< .500	2014/04	DUE
CARBON TETRACHLORIDE	32102	012	2013/04/17	< .500	2014/04	DUE
CIS-1,2-DICHLOROETHYLENE	77093	012	2013/04/17	< .500	2014/04	DUE
DICHLOROMETHANE	34423	012	2013/04/17	< .500	2014/04	DUE
ETHYLBENZENE	34371	012	2013/04/17	< .500	2014/04	DUE
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2013/04/17	< 3.000	2014/04	DUE
MONOCHLOROBENZENE	34301	012	2013/04/17	< .500	2014/04	DUE
STYRENE	77128	012	2013/04/17	< .500	2014/04	DUE
TETRACHLOROETHYLENE	34475	012	2013/04/17	< .500	2014/04	DUE
TOLUENE	34010	012	2013/04/17	< .500	2014/04	DUE

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910211

System Name: PARK WC - BELLFLOWER-NORWALK

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910211-025

Source Name: WELL 40-D

Source Number: 025

Source Status: ACTIVE RAW

Water type: G

REGULATED VOC

TRANS-1,2-DICHLOROETHYLENE	34546	012	2013/04/17	< .500	2014/04	DUE
TRICHLOROETHYLENE	39180	012	2013/04/17	< .500	2014/04	DUE
TRICHLOROFLUOROMETHANE	34488	012	2013/04/17	< 5.000	2014/04	DUE
VINYL CHLORIDE	39175	012	2013/04/17	< .500	2014/04	DUE
XYLENES (TOTAL)	81551	012	2013/04/17	< .000	2014/04	DUE

SECONDARY/GP

BICARBONATE ALKALINITY	00440	036	2012/04/12	. 270.000	2015/04
CALCIUM	00916	036	2012/04/12	. 100.000	2015/04
CARBONATE ALKALINITY	00445	036	2012/04/12	< .000	2015/04
CHLORIDE	00940	036	2012/04/12	. 68.000	2015/04
COLOR	00081	036	2012/04/12	< .000	2015/04
COPPER	01042	036	2012/04/12	< .000	2015/04
FOAMING AGENTS (MBAS)	38260	036	2012/04/12	< .000	2015/04
HARDNESS (TOTAL) AS CaCO3	00900	036	2012/04/12	. 340.000	2015/04
HYDROXIDE ALKALINITY	71830	036	2012/04/12	< .000	2015/04
IRON	01045	036	2013/04/17	< 100.000	2016/04
MAGNESIUM	00927	036	2012/04/12	. 20.000	2015/04
MANGANESE	01055	036	2012/04/12	< .000	2015/04
ODOR THRESHOLD @ 60 C	00086	036	2012/04/12	1.000	2015/04
PH, LABORATORY	00403	036	2012/04/12	. 7.590	2015/04
SILVER	01077	036	2012/04/12	< .000	2015/04
SODIUM	00929	036	2012/04/12	51.000	2015/04
SPECIFIC CONDUCTANCE	00095	036	2012/04/12	. 870.000	2015/04
SULFATE	00945	036	2012/04/12	140.000	2015/04
TOTAL DISSOLVED SOLIDS	70300	036	2012/04/12	. 520.000	2015/04
TURBIDITY, LABORATORY	82079	036	2012/04/12	< .000	2015/04
ZINC	01092	036	2012/04/12	< .000	2015/04

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: **1910211**

System Name: **PARK WC - BELLFLOWER-NORWALK**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: **1910211-026**

Source Name: **WELL 41-A**

Source Number: **026**

Source Status: **ACTIVE RAW**

Water type: **G**

INORGANIC

ALUMINUM	01105	036	2011/04/21	< .000	2014/04	DUE
ANTIMONY	01097	036	2011/04/21	< .000	2014/04	DUE
ARSENIC	01002	036	2011/04/21	< .000	2014/04	DUE
BARIUM	01007	036	2011/04/21	< .000	2014/04	DUE
BERYLLIUM	01012	036	2011/04/21	< .000	2014/04	DUE
CADMIUM	01027	036	2011/04/21	< .000	2014/04	DUE
CHROMIUM (TOTAL)	01034	036	2011/04/21	< .000	2014/04	DUE
CYANIDE	01291	036	2011/04/21	< .000	2014/04	DUE
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/04/17	.370	2016/04	
MERCURY	71900	036	2011/04/21	< .000	2014/04	DUE
NICKEL	01067	036	2011/04/21	< .000	2014/04	DUE
PERCHLORATE	A-031	012	2013/04/17	< 4.000	2014/04	DUE
SELENIUM	01147	036	2011/04/21	< .000	2014/04	DUE
THALLIUM	01059	036	2011/04/21	< .000	2014/04	DUE

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2013/04/17	.13.000	2014/04	DUE
NITRITE (AS N)	00620	036	2011/04/21	< .000	2014/04	DUE

RADIOLOGICAL

GROSS ALPHA	01501	108	2010/04/15	< .000	2019/04	
URANIUM (PCI/L)	28012	072	2010/04/15	1.400	2016/04	

REGULATED SOC

2,4-D	39730	033	2012/07/30	< 10.000	2015/04	
ALACHLOR	77825	033	2012/07/30	< 1.000	2015/04	
ATRAZINE	39033	033	2012/07/30	< .500	2015/04	
BENTAZON	38710	033	2012/07/30	< 2.000	2015/04	
DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2012/07/30	< 3.000	2015/04	
DINOSEB	81287	033	2012/07/30	< 2.000	2015/04	
DIQUAT	78885	033	2012/07/30	< 4.000	2015/04	

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910211

System Name: PARK WC - BELLFLOWER-NORWALK

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910211-026

Source Name: WELL 41-A

Source Number: 026

Source Status: ACTIVE RAW

Water type: G

REGULATED SOC

ENDOTHALL	38926	033	2012/07/30	< 45.000	2015/04
GLYPHOSATE	79743	033	2012/07/30	< 25.000	2015/04
PENTACHLOROPHENOL	39032	033	2012/07/30	< .200	2015/04
SIMAZINE	39055	033	2012/07/30	< 1.000	2015/04
THIOBENCARB	A-001	033	2012/07/30	< 1.000	2015/04
TOXAPHENE	39400	033	2012/07/30	< 1.000	2015/04

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	012	2013/04/17	< .500	2014/04	DUE
1,1,2,2-TETRACHLOROETHANE	34516	012	2013/04/17	< .500	2014/04	DUE
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2013/04/17	< 10.000	2014/04	DUE
1,1,2-TRICHLOROETHANE	34511	012	2013/04/17	< .500	2014/04	DUE
1,1-DICHLOROETHANE	34496	012	2013/04/17	< .500	2014/04	DUE
1,1-DICHLOROETHYLENE	34501	012	2013/04/17	< .500	2014/04	DUE
1,2,4-TRICHLOROBENZENE	34551	012	2013/04/17	< .500	2014/04	DUE
1,2-DICHLOROBENZENE	34536	012	2013/04/17	< .500	2014/04	DUE
1,2-DICHLOROETHANE	34531	012	2013/04/17	< .500	2014/04	DUE
1,2-DICHLOROPROPANE	34541	012	2013/04/17	< .500	2014/04	DUE
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2013/04/17	< .500	2014/04	DUE
1,4-DICHLOROBENZENE	34571	012	2013/04/17	< .500	2014/04	DUE
BENZENE	34030	012	2013/04/17	< .500	2014/04	DUE
CARBON TETRACHLORIDE	32102	012	2013/04/17	< .500	2014/04	DUE
CIS-1,2-DICHLOROETHYLENE	77093	012	2013/04/17	< .500	2014/04	DUE
DICHLOROMETHANE	34423	012	2013/04/17	< .500	2014/04	DUE
ETHYLBENZENE	34371	012	2013/04/17	< .500	2014/04	DUE
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2013/04/17	< 3.000	2014/04	DUE
MONOCHLOROBENZENE	34301	012	2013/04/17	< .500	2014/04	DUE
STYRENE	77128	012	2013/04/17	< .500	2014/04	DUE
TETRACHLOROETHYLENE	34475	012	2013/04/17	< .500	2014/04	DUE
TOLUENE	34010	012	2013/04/17	< .500	2014/04	DUE

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910211

System Name: PARK WC - BELLFLOWER-NORWALK

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

PS Code: 1910211-026

Source Name: WELL 41-A

Source Number: 026

Source Status: ACTIVE RAW

Water type: G

REGULATED VOC

TRANS-1,2-DICHLOROETHYLENE	34546	012	2013/04/17	< .500	2014/04	DUE
TRICHLOROETHYLENE	39180	012	2013/04/17	< .500	2014/04	DUE
TRICHLOROFUOROMETHANE	34488	012	2013/04/17	< 5.000	2014/04	DUE
VINYL CHLORIDE	39175	012	2013/04/17	< .500	2014/04	DUE
XYLENES (TOTAL)	81551	012	2013/04/17	< .000	2014/04	DUE

SECONDARY/GP

BICARBONATE ALKALINITY	00440	036	2011/04/21	. 200.000	2014/04	DUE
CALCIUM	00916	036	2011/04/21	. 68.000	2014/04	DUE
CARBONATE ALKALINITY	00445	036	2011/04/21	< .000	2014/04	DUE
CHLORIDE	00940	036	2011/04/21	. 79.000	2014/04	DUE
COLOR	00081	036	2011/04/21	< .000	2014/04	DUE
COPPER	01042	036	2011/04/21	< .000	2014/04	DUE
FOAMING AGENTS (MBAS)	38260	036	2011/04/21	< .000	2014/04	DUE
HARDNESS (TOTAL) AS CaCO3	00900	036	2011/04/21	. 230.000	2014/04	DUE
HYDROXIDE ALKALINITY	71830	036	2011/04/21	< .000	2014/04	DUE
IRON	01045	036	2011/04/21	< .000	2014/04	DUE
MAGNESIUM	00927	036	2011/04/21	. 13.000	2014/04	DUE
MANGANESE	01055	036	2011/04/21	< .000	2014/04	DUE
ODOR THRESHOLD @ 60 C	00086	036	2011/04/21	1.000	2014/04	DUE
PH, LABORATORY	00403	036	2011/04/21	. 7.690	2014/04	DUE
SILVER	01077	036	2011/04/21	< .000	2014/04	DUE
SODIUM	00929	036	2011/04/21	62.000	2014/04	DUE
SPECIFIC CONDUCTANCE	00095	036	2011/04/21	. 660.000	2014/04	DUE
SULFATE	00945	036	2011/04/21	110.000	2014/04	DUE
TOTAL DISSOLVED SOLIDS	70300	036	2011/04/21	. 490.000	2014/04	DUE
TURBIDITY, LABORATORY	82079	036	2011/04/21	. .200	2014/04	DUE
ZINC	01092	036	2011/04/21	< .000	2014/04	DUE

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910211

System Name: PARK WC - BELLFLOWER-NORWALK

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910211-031

Source Name: WELL 46-C

Source Number: 031

Source Status: ACTIVE RAW

Water type: G

INORGANIC

ALUMINUM	01105	036	2011/04/21	< .000	2014/04	DUE
ANTIMONY	01097	036	2011/04/21	< .000	2014/04	DUE
ARSENIC	01002	036	2011/04/21	< .000	2014/04	DUE
BARIUM	01007	036	2011/04/21	< .000	2014/04	DUE
BERYLLIUM	01012	036	2011/04/21	< .000	2014/04	DUE
CADMIUM	01027	036	2011/04/21	< .000	2014/04	DUE
CHROMIUM (TOTAL)	01034	036	2011/04/21	< .000	2014/04	DUE
CYANIDE	01291	036	2011/04/21	< .000	2014/04	DUE
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/04/17	.370	2016/04	
MERCURY	71900	036	2011/04/21	< .000	2014/04	DUE
NICKEL	01067	036	2011/04/21	< .000	2014/04	DUE
PERCHLORATE	A-031	012	2013/04/17	< 4.000	2014/04	DUE
SELENIUM	01147	036	2011/04/21	< .000	2014/04	DUE
THALLIUM	01059	036	2011/04/21	< .000	2014/04	DUE

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2013/04/17	.15.000	2014/04	DUE
NITRITE (AS N)	00620	036	2011/04/21	< .000	2014/04	DUE

RADIOLOGICAL

GROSS ALPHA	01501	072	2010/04/15	3.790	2016/04	
URANIUM (PCI/L)	28012	072	2010/04/15	2.600	2016/04	

REGULATED SOC

2,4-D	39730	033	2012/07/30	< 10.000	2015/04	
ALACHLOR	77825	033	2012/07/30	< 1.000	2015/04	
ATRAZINE	39033	033	2012/07/30	< .500	2015/04	
BENTAZON	38710	033	2012/07/30	< 2.000	2015/04	
DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2012/07/30	< 3.000	2015/04	
DINOSEB	81287	033	2012/07/30	< 2.000	2015/04	
DIQUAT	78885	033	2012/07/30	< 4.000	2015/04	

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910211

System Name: PARK WC - BELLFLOWER-NORWALK

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910211-031

Source Name: WELL 46-C

Source Number: 031

Source Status: ACTIVE RAW

Water type: G

REGULATED SOC

ENDOTHALL	38926	033	2012/07/30	< 45.000	2015/04
GLYPHOSATE	79743	033	2012/07/30	< 25.000	2015/04
PENTACHLOROPHENOL	39032	033	2012/07/30	< .200	2015/04
SIMAZINE	39055	033	2012/07/30	< 1.000	2015/04
THIOBENCARB	A-001	033	2012/07/30	< 1.000	2015/04
TOXAPHENE	39400	033	2012/07/30	< 1.000	2015/04

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	012	2013/04/17	< .500	2014/04	DUE
1,1,2,2-TETRACHLOROETHANE	34516	012	2013/04/17	< .500	2014/04	DUE
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2013/04/17	< 10.000	2014/04	DUE
1,1,2-TRICHLOROETHANE	34511	012	2013/04/17	< .500	2014/04	DUE
1,1-DICHLOROETHANE	34496	012	2013/04/17	< .500	2014/04	DUE
1,1-DICHLOROETHYLENE	34501	012	2013/04/17	< .500	2014/04	DUE
1,2,4-TRICHLOROBENZENE	34551	012	2013/04/17	< .500	2014/04	DUE
1,2-DICHLOROBENZENE	34536	012	2013/04/17	< .500	2014/04	DUE
1,2-DICHLOROETHANE	34531	012	2013/04/17	< .500	2014/04	DUE
1,2-DICHLOROPROPANE	34541	012	2013/04/17	< .500	2014/04	DUE
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2013/04/17	< .500	2014/04	DUE
1,4-DICHLOROBENZENE	34571	012	2013/04/17	< .500	2014/04	DUE
BENZENE	34030	012	2013/04/17	< .500	2014/04	DUE
CARBON TETRACHLORIDE	32102	012	2013/04/17	< .500	2014/04	DUE
CIS-1,2-DICHLOROETHYLENE	77093	012	2013/04/17	< .500	2014/04	DUE
DICHLOROMETHANE	34423	012	2013/04/17	< .500	2014/04	DUE
ETHYLBENZENE	34371	012	2013/04/17	< .500	2014/04	DUE
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2013/04/17	< 3.000	2014/04	DUE
MONOCHLOROBENZENE	34301	012	2013/04/17	< .500	2014/04	DUE
STYRENE	77128	012	2013/04/17	< .500	2014/04	DUE
TETRACHLOROETHYLENE	34475	012	2013/04/17	< .500	2014/04	DUE
TOLUENE	34010	012	2013/04/17	< .500	2014/04	DUE

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910211

System Name: PARK WC - BELLFLOWER-NORWALK

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910211-031

Source Name: WELL 46-C

Source Number: 031

Source Status: ACTIVE RAW

Water type: G

REGULATED VOC

TRANS-1,2-DICHLOROETHYLENE	34546	012	2013/04/17	< .500	2014/04	DUE
TRICHLOROETHYLENE	39180	012	2013/04/17	< .500	2014/04	DUE
TRICHLOROFUOROMETHANE	34488	012	2013/04/17	< 5.000	2014/04	DUE
VINYL CHLORIDE	39175	012	2013/04/17	< .500	2014/04	DUE
XYLENES (TOTAL)	81551	012	2013/04/17	< .000	2014/04	DUE

SECONDARY/GP

BICARBONATE ALKALINITY	00440	036	2011/04/21	. 240.000	2014/04	DUE
CALCIUM	00916	036	2011/04/21	. 87.000	2014/04	DUE
CARBONATE ALKALINITY	00445	036	2011/04/21	< .000	2014/04	DUE
CHLORIDE	00940	036	2011/04/21	. 78.000	2014/04	DUE
COLOR	00081	036	2011/04/21	< .000	2014/04	DUE
COPPER	01042	036	2011/04/21	< .000	2014/04	DUE
FOAMING AGENTS (MBAS)	38260	036	2011/04/21	< .000	2014/04	DUE
HARDNESS (TOTAL) AS CaCO3	00900	036	2011/04/21	. 290.000	2014/04	DUE
HYDROXIDE ALKALINITY	71830	036	2011/04/21	< .000	2014/04	DUE
IRON	01045	036	2011/04/21	< .000	2014/04	DUE
MAGNESIUM	00927	036	2011/04/21	. 17.000	2014/04	DUE
MANGANESE	01055	036	2011/04/21	< .000	2014/04	DUE
ODOR THRESHOLD @ 60 C	00086	036	2011/04/21	1.000	2014/04	DUE
PH, LABORATORY	00403	036	2011/04/21	. 7.750	2014/04	DUE
SILVER	01077	036	2011/04/21	< .000	2014/04	DUE
SODIUM	00929	036	2011/04/21	65.000	2014/04	DUE
SPECIFIC CONDUCTANCE	00095	036	2011/04/21	. 740.000	2014/04	DUE
SULFATE	00945	036	2011/04/21	120.000	2014/04	DUE
TOTAL DISSOLVED SOLIDS	70300	036	2011/04/21	. 500.000	2014/04	DUE
TURBIDITY, LABORATORY	82079	036	2011/04/21	< .000	2014/04	DUE
ZINC	01092	036	2011/04/21	< .000	2014/04	DUE

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910211

System Name: PARK WC - BELLFLOWER-NORWALK

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

PS Code: 1910211-033

Source Name: CONN #1 - BELLFLOWER SOMERSET MWC

Source Number: 033

Source Status: PURCHASED TREATED

Water type: S

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

PS Code: 1910211-034

Source Name: MWD CONN. CB-26 - LOWER FEEDER/TREATED

Source Number: 034

Source Status: PURCHASED TREATED

Water type: S

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

PS Code: 1910211-035

Source Name: MWD CONN. CB-27 - LOWER FEEDER/TREATED

Source Number: 035

Source Status: PURCHASED TREATED

Water type: S

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

PS Code: 1910211-036

Source Name: MWD CONN. CB-53 - TREATED

Source Number: 036

Source Status: PURCHASED TREATED

Water type: S

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

*Testing interval is in months;
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910211

System Name: PARK WC - BELLFLOWER-NORWALK

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

PS Code: 1910211-045

Source Name: WELL 28B-FLUORIDATION

Source Number: 045

Source Status: ACTIVE TREATED

Water type: G

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

PS Code: 1910211-046

Source Name: WELL 40D-FLUORIDATION

Source Number: 046

Source Status: ACTIVE TREATED

Water type: G

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

PS Code: 1910211-047

Source Name: WELL 41A-FLUORIDATION

Source Number: 047

Source Status: ACTIVE TREATED

Water type: G

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

PS Code: 1910211-048

Source Name: WELL 46C-FLUORIDATION

Source Number: 048

Source Status: ACTIVE TREATED

Water type: G

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

*Testing interval is in months;
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910211

System Name: PARK WC - BELLFLOWER-NORWALK

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910211-800

Source Name: S1-9045 DALBERG ST, BF-STG2 DBP

Source Number: 800

Source Status: DISTRIBUTION TREATED

Water type: S

HALOACETIC ACIDS

DIBROMOACETIC ACID (DBAA)	82721	003	2014/07/10	. 2.700	2014/10
DICHLOROACETIC ACID (DCAA)	77288	003	2014/07/10	. 5.600	2014/10
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/07/10	. 12.000	2014/10
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/07/10	< 1.000	2014/10
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/07/10	< 2.000	2014/10
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/07/10	. 4.000	2014/10

STATE UCMR

BROMODICHLORMETHANE (THM)	32101	003	2014/07/10	. 9.100	2014/10
BROMOFORM (THM)	32104	003	2014/07/10	. 4.000	2014/10
CHLOROFORM (THM)	32106	003	2014/07/10	. 11.000	2014/10
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/07/10	. 9.800	2014/10

TRIHALOMETHANES

TOTAL TRIHALOMETHANES	82080	003	2014/07/10	. 34.000	2014/10
-----------------------	-------	-----	------------	----------	---------

PS Code: 1910211-801

Source Name: S2-RENDALIA ST/VIRGINIA AVE, BF-STG2 DBP

Source Number: 801

Source Status: DISTRIBUTION TREATED

Water type: S

HALOACETIC ACIDS

DIBROMOACETIC ACID (DBAA)	82721	003	2014/07/10	. 2.300	2014/10
DICHLOROACETIC ACID (DCAA)	77288	003	2014/07/10	. 5.700	2014/10
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/07/10	. 12.000	2014/10
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/07/10	< 1.000	2014/10
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/07/10	< 2.000	2014/10
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/07/10	. 4.100	2014/10

STATE UCMR

BROMODICHLORMETHANE (THM)	32101	003	2014/07/10	. 9.800	2014/10
---------------------------	-------	-----	------------	---------	---------

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910211

System Name: PARK WC - BELLFLOWER-NORWALK

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910211-801

Source Name: S2-RENDALIA ST/VIRGINIA AVE, BF-STG2 DBP

Source Number: 801

Source Status: DISTRIBUTION TREATED

Water type: S

STATE UCMR

BROMOFORM (THM)	32104	003	2014/07/10	. 3.200	2014/10
CHLOROFORM (THM)	32106	003	2014/07/10	. 12.000	2014/10
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/07/10	. 9.800	2014/10

TRIHALOMETHANES

TOTAL TRIHALOMETHANES	82080	003	2014/07/10	. 35.000	2014/10
-----------------------	-------	-----	------------	----------	---------

PS Code: 1910211-802

Source Name: S3-13831 CORNUTA AVE, BF-STG2 DBP

Source Number: 802

Source Status: DISTRIBUTION TREATED

Water type: S

HALOACETIC ACIDS

DIBROMOACETIC ACID (DBAA)	82721	003	2014/07/10	. 1.600	2014/10
DICHLOROACETIC ACID (DCAA)	77288	003	2014/07/10	. 2.800	2014/10
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/07/10	. 6.900	2014/10
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/07/10	< 1.000	2014/10
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/07/10	< 2.000	2014/10
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/07/10	. 2.500	2014/10

STATE UCMR

BROMODICHLORMETHANE (THM)	32101	003	2014/07/10	. 4.700	2014/10
BROMOFORM (THM)	32104	003	2014/07/10	. 1.900	2014/10
CHLOROFORM (THM)	32106	003	2014/07/10	. 5.100	2014/10
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/07/10	. 5.600	2014/10

TRIHALOMETHANES

TOTAL TRIHALOMETHANES	82080	003	2014/07/10	. 17.000	2014/10
-----------------------	-------	-----	------------	----------	---------

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910211

System Name: PARK WC - BELLFLOWER-NORWALK

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910211-803

Source Name: S4-11929 LESSER ST, NW -STG2 DBP

Source Number: 803

Source Status: DISTRIBUTION TREATED

Water type: S

HALOACETIC ACIDS

DIBROMOACETIC ACID (DBAA)	82721	003	2014/07/10	. 1.800	2014/10
DICHLOROACETIC ACID (DCAA)	77288	003	2014/07/10	. 3.600	2014/10
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/07/10	. 8.000	2014/10
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/07/10	< 1.000	2014/10
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/07/10	< 2.000	2014/10
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/07/10	. 2.600	2014/10

STATE UCMR

BROMODICHLORMETHANE (THM)	32101	003	2014/07/10	. 5.700	2014/10
BROMOFORM (THM)	32104	003	2014/07/10	. 3.400	2014/10
CHLOROFORM (THM)	32106	003	2014/07/10	. 6.300	2014/10
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/07/10	. 6.200	2014/10

TRIHALOMETHANES

TOTAL TRIHALOMETHANES	82080	003	2014/07/10	. 22.000	2014/10
-----------------------	-------	-----	------------	----------	---------

PS Code: 1910211-804

Source Name: S5-12748 FOSTER RD, NW -STG2 DBP

Source Number: 804

Source Status: DISTRIBUTION TREATED

Water type: S

HALOACETIC ACIDS

DIBROMOACETIC ACID (DBAA)	82721	003	2014/07/10	. 2.300	2014/10
DICHLOROACETIC ACID (DCAA)	77288	003	2014/07/10	. 6.700	2014/10
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/07/10	. 14.000	2014/10
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/07/10	< 1.000	2014/10
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/07/10	< 2.000	2014/10
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/07/10	. 5.200	2014/10

STATE UCMR

BROMODICHLORMETHANE (THM)	32101	003	2014/07/10	. 9.700	2014/10
---------------------------	-------	-----	------------	---------	---------

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910211

System Name: PARK WC - BELLFLOWER-NORWALK

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910211-804

Source Name: S5-12748 FOSTER RD, NW -STG2 DBP

Source Number: 804

Source Status: DISTRIBUTION TREATED

Water type: S

STATE UCMR

BROMOFORM (THM)	32104	003	2014/07/10	. 2.800	2014/10
CHLOROFORM (THM)	32106	003	2014/07/10	. 12.000	2014/10
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/07/10	. 11.000	2014/10

TRIHALOMETHANES

TOTAL TRIHALOMETHANES	82080	003	2014/07/10	. 36.000	2014/10
-----------------------	-------	-----	------------	----------	---------

PS Code: 1910211-805

Source Name: S6-16434 PIONEER BLVD, NW -STG2 DBP

Source Number: 805

Source Status: DISTRIBUTION TREATED

Water type: S

HALOACETIC ACIDS

DIBROMOACETIC ACID (DBAA)	82721	003	2014/07/10	. 1.700	2014/10
DICHLOROACETIC ACID (DCAA)	77288	003	2014/07/10	. 3.500	2014/10
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/07/10	. 8.000	2014/10
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/07/10	< 1.000	2014/10
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/07/10	< 2.000	2014/10
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/07/10	. 2.800	2014/10

STATE UCMR

BROMODICHLORMETHANE (THM)	32101	003	2014/07/10	. 6.000	2014/10
BROMOFORM (THM)	32104	003	2014/07/10	. 3.100	2014/10
CHLOROFORM (THM)	32106	003	2014/07/10	. 6.800	2014/10
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/07/10	. 6.800	2014/10

TRIHALOMETHANES

TOTAL TRIHALOMETHANES	82080	003	2014/07/10	. 23.000	2014/10
-----------------------	-------	-----	------------	----------	---------

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910211

System Name: PARK WC - BELLFLOWER-NORWALK

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910211-806

Source Name: S7-11528 DARTMOUTH DR, NW -STG2 DBP

Source Number: 806

Source Status: DISTRIBUTION TREATED

Water type: S

HALOACETIC ACIDS

DIBROMOACETIC ACID (DBAA)	82721	003	2014/07/10	< 1.000	2014/10
DICHLOROACETIC ACID (DCAA)	77288	003	2014/07/10	. 1.400	2014/10
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/07/10	. 2.800	2014/10
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/07/10	< 1.000	2014/10
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/07/10	< 2.000	2014/10
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/07/10	. 1.400	2014/10

STATE UCMR

BROMODICHLORMETHANE (THM)	32101	003	2014/07/10	. 3.200	2014/10
BROMOFORM (THM)	32104	003	2014/07/10	. 2.900	2014/10
CHLOROFORM (THM)	32106	003	2014/07/10	. 2.900	2014/10
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/07/10	. 3.800	2014/10

TRIHALOMETHANES

TOTAL TRIHALOMETHANES	82080	003	2014/07/10	. 13.000	2014/10
-----------------------	-------	-----	------------	----------	---------

PS Code: 1910211-807

Source Name: S8-15123 PIUMA AVE, BF -STG2 DBP

Source Number: 807

Source Status: DISTRIBUTION TREATED

Water type: S

HALOACETIC ACIDS

DIBROMOACETIC ACID (DBAA)	82721	003	2014/07/10	< 1.000	2014/10
DICHLOROACETIC ACID (DCAA)	77288	003	2014/07/10	. 1.100	2014/10
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/07/10	. 1.100	2014/10
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/07/10	< 1.000	2014/10
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/07/10	< 2.000	2014/10
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/07/10	< 1.000	2014/10

STATE UCMR

BROMODICHLORMETHANE (THM)	32101	003	2014/07/10	. 2.000	2014/10
---------------------------	-------	-----	------------	---------	---------

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910211

System Name: PARK WC - BELLFLOWER-NORWALK

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

PS Code: 1910211-807

Source Name: S8-15123 PIUMA AVE, BF -STG2 DBP

Source Number: 807

Source Status: DISTRIBUTION TREATED

Water type: S

STATE UCMR

BROMOFORM (THM)	32104	003	2014/07/10	. 1.500	2014/10
CHLOROFORM (THM)	32106	003	2014/07/10	. 1.600	2014/10
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/07/10	. 2.500	2014/10

TRIHALOMETHANES

TOTAL TRIHALOMETHANES	82080	003	2014/07/10	. 7.600	2014/10
-----------------------	-------	-----	------------	---------	---------

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910213

System Name: TORRANCE-CITY, WATER DEPT.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910213-007

Source Name: MWD CONNECTION T1 - TREATED

Source Number: 007

Source Status: PURCHASED TREATED

Water type: S

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

PS Code: 1910213-008

Source Name: WELL 06 - CHLORINATION XCLD

Source Number: 008

Source Status: ACTIVE TREATED

Water type: S

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

PS Code: 1910213-009

Source Name: MADRONA WELL 2

Source Number: 009

Source Status: ACTIVE RAW

Water type: G

INORGANIC

ALUMINUM	01105	036	2014/02/05	< 50.000	2017/02
ANTIMONY	01097	036	2014/02/05	< 6.000	2017/02
ARSENIC	01002	036	2014/03/19	< 2.000	2017/03
BARIUM	01007	036	2014/02/05	< 100.000	2017/02
BERYLLIUM	01012	036	2014/02/05	< 1.000	2017/02
CADMIUM	01027	036	2014/02/05	< 1.000	2017/02
CHROMIUM (TOTAL)	01034	036	2014/02/05	< 10.000	2017/02
CYANIDE	01291	036	2014/02/05	< 100.000	2017/02
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/02/05	.140	2017/02
MERCURY	71900	036	2014/02/05	< 1.000	2017/02
NICKEL	01067	036	2014/02/05	< 10.000	2017/02
PERCHLORATE	A-031	036	2014/02/05	< 4.000	2017/02
SELENIUM	01147	036	2014/02/05	< 5.000	2017/02

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910213

System Name: TORRANCE-CITY, WATER DEPT.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910213-009

Source Name: MADRONA WELL 2

Source Number: 009

Source Status: ACTIVE RAW

Water type: G

INORGANIC

THALLIUM	01059	036	2014/02/05	< 1.000	2017/02
----------	-------	-----	------------	---------	---------

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2014/02/05	< 2.000	2015/02
------------------	-------	-----	------------	---------	---------

NITRITE (AS N)	00620	036	2014/02/05	< 400.000	2017/02
----------------	-------	-----	------------	-----------	---------

RADIOLOGICAL

GROSS ALPHA	01501	108	2011/02/17	< .000	2020/02
-------------	-------	-----	------------	--------	---------

REGULATED SOC

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2011/11/22	< .000	2014/08
---------------------------	-------	-----	------------	--------	---------

THIOBENCARB	A-001	033	2011/11/22	< .000	2014/08
-------------	-------	-----	------------	--------	---------

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	012	2014/06/24	< .500	2015/06
-----------------------	-------	-----	------------	--------	---------

1,1,2,2-TETRACHLOROETHANE	34516	012	2014/06/24	< .500	2015/06
---------------------------	-------	-----	------------	--------	---------

1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/06/24	< 10.000	2015/06
---------------------------------------	-------	-----	------------	----------	---------

1,1,2-TRICHLOROETHANE	34511	012	2014/06/24	< .500	2015/06
-----------------------	-------	-----	------------	--------	---------

1,1-DICHLOROETHANE	34496	012	2014/06/24	< .500	2015/06
--------------------	-------	-----	------------	--------	---------

1,1-DICHLOROETHYLENE	34501	012	2014/06/24	< .500	2015/06
----------------------	-------	-----	------------	--------	---------

1,2,4-TRICHLOROBENZENE	34551	012	2014/06/24	< .500	2015/06
------------------------	-------	-----	------------	--------	---------

1,2-DICHLOROBENZENE	34536	012	2014/06/24	< .500	2015/06
---------------------	-------	-----	------------	--------	---------

1,2-DICHLOROETHANE	34531	012	2014/06/24	< .500	2015/06
--------------------	-------	-----	------------	--------	---------

1,2-DICHLOROPROPANE	34541	012	2014/06/24	< .500	2015/06
---------------------	-------	-----	------------	--------	---------

1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/06/24	< .500	2015/06
-----------------------------	-------	-----	------------	--------	---------

1,4-DICHLOROBENZENE	34571	012	2014/06/24	< .500	2015/06
---------------------	-------	-----	------------	--------	---------

BENZENE	34030	012	2014/06/24	< .500	2015/06
---------	-------	-----	------------	--------	---------

CARBON TETRACHLORIDE	32102	012	2014/06/24	< .500	2015/06
----------------------	-------	-----	------------	--------	---------

CIS-1,2-DICHLOROETHYLENE	77093	012	2014/06/24	< .500	2015/06
--------------------------	-------	-----	------------	--------	---------

DICHLOROMETHANE	34423	012	2014/06/24	< .500	2015/06
-----------------	-------	-----	------------	--------	---------

ETHYLBENZENE	34371	012	2014/06/24	< .500	2015/06
--------------	-------	-----	------------	--------	---------

METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/06/24	< 3.000	2015/06
--------------------------------	-------	-----	------------	---------	---------

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910213

System Name: TORRANCE-CITY, WATER DEPT.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910213-009

Source Name: MADRONA WELL 2

Source Number: 009

Source Status: ACTIVE RAW

Water type: G

REGULATED VOC

MONOCHLOROENZENE	34301	012	2014/06/24	< .500	2015/06
STYRENE	77128	012	2014/06/24	< .500	2015/06
TETRACHLOROETHYLENE	34475	012	2014/06/24	< .500	2015/06
TOLUENE	34010	012	2014/06/24	< .500	2015/06
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/06/24	< .500	2015/06
TRICHLOROETHYLENE	39180	012	2014/06/24	< .500	2015/06
TRICHLOROFUOROMETHANE	34488	012	2014/06/24	< 5.000	2015/06
VINYL CHLORIDE	39175	012	2014/06/24	< .500	2015/06
XYLENES (TOTAL)	81551	012	2014/06/24	< .000	2015/06

SECONDARY/GP

BICARBONATE ALKALINITY	00440	036	2014/02/05	. 230.000	2017/02
CALCIUM	00916	036	2014/02/05	. 200.000	2017/02
CARBONATE ALKALINITY	00445	036	2014/02/05	< .000	2017/02
CHLORIDE	00940	036	2014/07/02	. 800.000	2017/07
COLOR	00081	036	2014/02/05	. 5.000	2017/02
COPPER	01042	036	2014/02/05	< 50.000	2017/02
FOAMING AGENTS (MBAS)	38260	036	2014/02/05	< .000	2017/02
HARDNESS (TOTAL) AS CaCO3	00900	036	2014/02/05	. 720.000	2017/02
HYDROXIDE ALKALINITY	71830	036	2014/02/05	< .000	2017/02
IRON	01045	036	2014/06/24	< 100.000	2017/06
MAGNESIUM	00927	036	2014/02/05	. 55.000	2017/02
MANGANESE	01055	036	2014/07/02	. 130.000	2017/07
ODOR THRESHOLD @ 60 C	00086	036	2014/02/05	1.000	2017/02
PH, LABORATORY	00403	036	2014/07/16	. 7.400	2017/07
SILVER	01077	036	2014/02/05	< 10.000	2017/02
SODIUM	00929	036	2014/02/05	330.000	2017/02
SPECIFIC CONDUCTANCE	00095	036	2014/02/05	. 2800.000	2017/02
SULFATE	00945	036	2014/07/02	. 320.000	2017/07
TOTAL DISSOLVED SOLIDS	70300	036	2014/07/02	. 2100.000	2017/07

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910213

System Name: TORRANCE-CITY, WATER DEPT.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910213-009

Source Name: MADRONA WELL 2

Source Number: 009

Source Status: ACTIVE RAW

Water type: G

SECONDARY/GP

TURBIDITY, LABORATORY

82079	036	2014/02/05	< .000	2017/02
-------	-----	------------	--------	---------

ZINC

01092	036	2014/02/05	< 50.000	2017/02
-------	-----	------------	----------	---------

PS Code: 1910213-012

Source Name: MWD CONNECTION T5 - TREATED

Source Number: 012

Source Status: PURCHASED TREATED

Water type: S

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

PS Code: 1910213-013

Source Name: MWD CONNECTION T6 - TREATED

Source Number: 013

Source Status: PURCHASED TREATED

Water type: S

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

PS Code: 1910213-014

Source Name: MWD CONNECTION T7 - TREATED

Source Number: 014

Source Status: PURCHASED TREATED

Water type: S

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

*Testing interval is in months;
 0 = No data for this constituent and is DUE NOW
 I = Invalid (NOT) valid analyses reported
 Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910213

System Name: TORRANCE-CITY, WATER DEPT.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910213-015

Source Name: MWD CONNECTION T8 - TREATED

Source Number: 015

Source Status: PURCHASED TREATED

Water type: S

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

PS Code: 1910213-016

Source Name: WELL 09

Source Number: 016

Source Status: ACTIVE RAW

Water type: G

INORGANIC

ALUMINUM	01105	036	2014/02/05	< 50.000	2017/02	
ANTIMONY	01097	036	2014/02/05	< 6.000	2017/02	
ARSENIC	01002	036	2014/02/05	< 2.000	2017/02	
BARIUM	01007	036	2014/02/05	< 100.000	2017/02	
BERYLLIUM	01012	036	2014/02/05	< 1.000	2017/02	
CADMIUM	01027	036	2014/02/05	< 1.000	2017/02	
CHROMIUM (TOTAL)	01034	036	2014/02/05	< 10.000	2017/02	
CHROMIUM, HEXAVALENT	01032	036	2011/01/14	< 1.000	2014/01	DUE
CYANIDE	01291	036	2014/02/05	< 100.000	2017/02	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/02/05	.240	2017/02	
MERCURY	71900	036	2014/02/05	< 1.000	2017/02	
NICKEL	01067	036	2014/02/05	< 10.000	2017/02	
PERCHLORATE	A-031	036	2014/04/22	< 4.000	2017/04	
SELENIUM	01147	036	2014/02/05	< 5.000	2017/02	
THALLIUM	01059	036	2014/02/05	< 1.000	2017/02	

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2014/02/05	< 2.000	2015/02	
NITRITE (AS N)	00620	036	2014/02/05	< 400.000	2017/02	

RADIOLOGICAL

GROSS ALPHA	01501	003	2012/02/28	< .000	2012/05	DUE
--------------------	--------------	------------	-------------------	------------------	----------------	------------

*Testing interval is in months;
 0 = No data for this constituent and is DUE NOW
 I = Invalid (NOT) valid analyses reported
 Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910213

System Name: TORRANCE-CITY, WATER DEPT.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910213-016

Source Name: WELL 09

Source Number: 016

Source Status: ACTIVE RAW

Water type: G

REGULATED SOC

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2014/04/22	< 3.000	2017/01
THIOBENCARB	A-001	033	2014/04/22	< 1.000	2017/01

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	012	2014/04/22	< .500	2015/04
1,1,2,2-TETRACHLOROETHANE	34516	012	2014/04/22	< .500	2015/04
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/04/22	< 10.000	2015/04
1,1,2-TRICHLOROETHANE	34511	012	2014/04/22	< .500	2015/04
1,1-DICHLOROETHANE	34496	012	2014/04/22	< .500	2015/04
1,1-DICHLOROETHYLENE	34501	012	2014/04/22	< .500	2015/04
1,2,4-TRICHLOROBENZENE	34551	012	2014/04/22	< .500	2015/04
1,2-DICHLOROBENZENE	34536	012	2014/04/22	< .500	2015/04
1,2-DICHLOROETHANE	34531	012	2014/04/22	< .500	2015/04
1,2-DICHLOROPROPANE	34541	012	2014/04/22	< .500	2015/04
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/04/22	< .500	2015/04
1,4-DICHLOROBENZENE	34571	012	2014/04/22	< .500	2015/04
BENZENE	34030	012	2014/04/22	< .500	2015/04
CARBON TETRACHLORIDE	32102	012	2014/04/22	< .500	2015/04
CIS-1,2-DICHLOROETHYLENE	77093	012	2014/04/22	< .500	2015/04
DICHLOROMETHANE	34423	012	2014/04/22	< .500	2015/04
ETHYLBENZENE	34371	012	2014/04/22	< .500	2015/04
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/04/22	< 3.000	2015/04
MONOCHLOROBENZENE	34301	012	2014/04/22	< .500	2015/04
STYRENE	77128	012	2014/04/22	< .500	2015/04
TETRACHLOROETHYLENE	34475	012	2014/04/22	< .500	2015/04
TOLUENE	34010	012	2014/04/22	< .500	2015/04
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/04/22	< .500	2015/04
TRICHLOROETHYLENE	39180	012	2014/04/22	< .500	2015/04
TRICHLOROFUOROMETHANE	34488	012	2014/04/22	< 5.000	2015/04
VINYL CHLORIDE	39175	012	2014/04/22	< .500	2015/04

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910213

System Name: TORRANCE-CITY, WATER DEPT.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

PS Code: 1910213-016

Source Name: WELL 09

Source Number: 016

Source Status: ACTIVE RAW

Water type: G

REGULATED VOC

XYLENES (TOTAL)	81551	012	2014/04/22	< .000	2015/04
-----------------	-------	-----	------------	--------	---------

SECONDARY/GP

BICARBONATE ALKALINITY	00440	036	2014/02/05	. 250.000	2017/02
CALCIUM	00916	036	2014/04/22	. 85.200	2017/04
CARBONATE ALKALINITY	00445	036	2014/02/05	< .000	2017/02
CHLORIDE	00940	036	2014/02/05	. 180.000	2017/02
COLOR	00081	036	2014/02/05	. 3.000	2017/02
COPPER	01042	036	2014/02/05	< 50.000	2017/02
FOAMING AGENTS (MBAS)	38260	036	2014/02/05	< .000	2017/02
HARDNESS (TOTAL) AS CaCO3	00900	036	2014/04/22	. 331.000	2017/04
HYDROXIDE ALKALINITY	71830	036	2014/02/05	< .000	2017/02
IRON	01045	036	2014/04/22	< 100.000	2017/04
MAGNESIUM	00927	036	2014/04/22	. 28.700	2017/04
MANGANESE	01055	036	2014/04/22	. 57.000	2017/04
ODOR THRESHOLD @ 60 C	00086	036	2014/02/05	1.000	2017/02
PH, LABORATORY	00403	036	2014/07/21	. 8.000	2017/07
SILVER	01077	036	2014/02/05	< 10.000	2017/02
SODIUM	00929	036	2014/02/05	80.000	2017/02
SPECIFIC CONDUCTANCE	00095	036	2014/04/22	. 1000.000	2017/04
SULFATE	00945	036	2014/02/05	59.000	2017/02
TOTAL DISSOLVED SOLIDS	70300	036	2014/04/22	. 570.000	2017/04
TURBIDITY, LABORATORY	82079	036	2014/02/05	< .000	2017/02
ZINC	01092	036	2014/02/05	< 50.000	2017/02

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910213

System Name: TORRANCE-CITY, WATER DEPT.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

PS Code: 1910213-017

Source Name: WELL 06 TREATMENT PLANT EFFLUENT

Source Number: 017

Source Status: ACTIVE TREATED

Water type: S

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

PS Code: 1910213-019

Source Name: WELL 12 - (PILOT TESTING)

Source Number: 019

Source Status: PENDING

Water type: G

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

PS Code: 1910213-020

Source Name: WELL 13 - (PILOT TESTING)

Source Number: 020

Source Status: PENDING

Water type: G

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

PS Code: 1910213-021

Source Name: WELL 10 - (PENDING)

Source Number: 021

Source Status: PENDING

Water type: G

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910213

System Name: TORRANCE-CITY, WATER DEPT.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910213-022

Source Name: WELL 11 - (PENDING)

Source Number: 022

Source Status: PENDING

Water type: G

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

PS Code: 1910213-800

Source Name: SITE 1-3730 171ST ST- STG2 DBP

Source Number: 800

Source Status: DISTRIBUTION TREATED

Water type: S

HALOACETIC ACIDS

DIBROMOACETIC ACID (DBAA)	82721	003	2014/06/05	. 7.600	2014/09
DICHLOROACETIC ACID (DCAA)	77288	003	2014/06/05	< .000	2014/09
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/06/05	. 7.600	2014/09
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/06/05	< .000	2014/09
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/06/05	< .000	2014/09
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/06/05	< .000	2014/09

STATE UCMR

BROMODICHLORMETHANE (THM)	32101	003	2014/06/05	. 4.700	2014/09
BROMOFORM (THM)	32104	003	2014/06/05	. 26.800	2014/09
CHLOROFORM (THM)	32106	003	2014/06/05	. 2.900	2014/09
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/06/05	. 10.000	2014/09

TRIHALOMETHANES

TOTAL TRIHALOMETHANES	82080	003	2014/06/05	. 44.400	2014/09
-----------------------	-------	-----	------------	----------	---------

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910213

System Name: TORRANCE-CITY, WATER DEPT.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910213-801

Source Name: SITE 2-1735 235TH ST - STG2 DBP

Source Number: 801

Source Status: DISTRIBUTION TREATED

Water type: S

HALOACETIC ACIDS

DIBROMOACETIC ACID (DBAA)	82721	003	2014/06/05	. 3.400	2014/09
DICHLOROACETIC ACID (DCAA)	77288	003	2014/06/05	. 10.600	2014/09
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/06/05	. 19.100	2014/09
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/06/05	< .000	2014/09
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/06/05	< .000	2014/09
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/06/05	. 5.100	2014/09

STATE UCMR

BROMODICHLORMETHANE (THM)	32101	003	2014/06/05	. 11.100	2014/09
BROMOFORM (THM)	32104	003	2014/06/05	. 3.500	2014/09
CHLOROFORM (THM)	32106	003	2014/06/05	. 15.400	2014/09
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/06/05	. 10.600	2014/09

TRIHALOMETHANES

TOTAL TRIHALOMETHANES	82080	003	2014/06/05	. 40.600	2014/09
-----------------------	-------	-----	------------	----------	---------

PS Code: 1910213-802

Source Name: SITE 3-22313 REDBEAM AVE - STG2 DBP

Source Number: 802

Source Status: DISTRIBUTION TREATED

Water type: S

HALOACETIC ACIDS

DIBROMOACETIC ACID (DBAA)	82721	003	2014/06/05	. 3.300	2014/09
DICHLOROACETIC ACID (DCAA)	77288	003	2014/06/05	. 10.900	2014/09
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/06/05	. 19.400	2014/09
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/06/05	< .000	2014/09
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/06/05	< .000	2014/09
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/06/05	. 5.200	2014/09

STATE UCMR

BROMODICHLORMETHANE (THM)	32101	003	2014/06/05	. 11.000	2014/09
---------------------------	-------	-----	------------	----------	---------

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910213

System Name: TORRANCE-CITY, WATER DEPT.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910213-802

Source Name: SITE 3-22313 REDBEAM AVE - STG2 DBP

Source Number: 802

Source Status: DISTRIBUTION TREATED

Water type: S

STATE UCMR

BROMOFORM (THM)	32104	003	2014/06/05	. 3.300	2014/09
CHLOROFORM (THM)	32106	003	2014/06/05	. 15.400	2014/09
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/06/05	. 11.300	2014/09

TRIHALOMETHANES

TOTAL TRIHALOMETHANES	82080	003	2014/06/05	. 41.000	2014/09
-----------------------	-------	-----	------------	----------	---------

PS Code: 1910213-803

Source Name: SITE 4-4232 172ND ST - STG2 DBP

Source Number: 803

Source Status: DISTRIBUTION TREATED

Water type: S

HALOACETIC ACIDS

DIBROMOACETIC ACID (DBAA)	82721	003	2014/06/05	. 3.200	2014/09
DICHLOROACETIC ACID (DCAA)	77288	003	2014/06/05	. 1.100	2014/09
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/06/05	. 4.300	2014/09
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/06/05	< .000	2014/09
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/06/05	< .000	2014/09
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/06/05	< .000	2014/09

STATE UCMR

BROMODICHLORMETHANE (THM)	32101	003	2014/06/05	. 3.400	2014/09
BROMOFORM (THM)	32104	003	2014/06/05	. 9.000	2014/09
CHLOROFORM (THM)	32106	003	2014/06/05	. 3.200	2014/09
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/06/05	. 4.800	2014/09

TRIHALOMETHANES

TOTAL TRIHALOMETHANES	82080	003	2014/06/05	. 20.400	2014/09
-----------------------	-------	-----	------------	----------	---------

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910213

System Name: TORRANCE-CITY, WATER DEPT.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910213-804

Source Name: SITE 5-3546 REDONDO BEACH BLVD- STG2 DBP

Source Number: 804

Source Status: DISTRIBUTION TREATED

Water type: S

HALOACETIC ACIDS

DIBROMOACETIC ACID (DBAA)	82721	003	2014/06/05	. 5.800	2014/09
DICHLOROACETIC ACID (DCAA)	77288	003	2014/06/05	< .000	2014/09
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/06/05	. 6.900	2014/09
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/06/05	< .000	2014/09
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/06/05	< .000	2014/09
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/06/05	. 1.100	2014/09

STATE UCMR

BROMODICHLORMETHANE (THM)	32101	003	2014/06/05	. 5.300	2014/09
BROMOFORM (THM)	32104	003	2014/06/05	. 26.700	2014/09
CHLOROFORM (THM)	32106	003	2014/06/05	. 3.600	2014/09
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/06/05	. 10.900	2014/09

TRIHALOMETHANES

TOTAL TRIHALOMETHANES	82080	003	2014/06/05	. 46.500	2014/09
-----------------------	-------	-----	------------	----------	---------

PS Code: 1910213-805

Source Name: SITE 6- 1714 SCHILLING CT - STG2 DBP

Source Number: 805

Source Status: DISTRIBUTION TREATED

Water type: S

HALOACETIC ACIDS

DIBROMOACETIC ACID (DBAA)	82721	003	2014/06/05	. 3.000	2014/09
DICHLOROACETIC ACID (DCAA)	77288	003	2014/06/05	. 9.500	2014/09
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/06/05	. 17.000	2014/09
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/06/05	< .000	2014/09
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/06/05	< .000	2014/09
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/06/05	. 4.500	2014/09

STATE UCMR

BROMODICHLORMETHANE (THM)	32101	003	2014/06/05	. 11.100	2014/09
---------------------------	-------	-----	------------	----------	---------

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910213

System Name: TORRANCE-CITY, WATER DEPT.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910213-805

Source Name: SITE 6- 1714 SCHILLING CT - STG2 DBP

Source Number: 805

Source Status: DISTRIBUTION TREATED

Water type: S

STATE UCMR

BROMOFORM (THM)	32104	003	2014/06/05	. 3.500	2014/09
CHLOROFORM (THM)	32106	003	2014/06/05	. 14.800	2014/09
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/06/05	. 11.000	2014/09

TRIHALOMETHANES

TOTAL TRIHALOMETHANES	82080	003	2014/06/05	. 40.400	2014/09
-----------------------	-------	-----	------------	----------	---------

PS Code: 1910213-806

Source Name: SITE 7-15910 ILLINOIS CT - STG2 DBP

Source Number: 806

Source Status: DISTRIBUTION TREATED

Water type: S

HALOACETIC ACIDS

DIBROMOACETIC ACID (DBAA)	82721	003	2014/06/05	. 5.700	2014/09
DICHLOROACETIC ACID (DCAA)	77288	003	2014/06/05	. 6.500	2014/09
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/06/05	. 15.600	2014/09
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/06/05	< .000	2014/09
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/06/05	< .000	2014/09
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/06/05	. 3.400	2014/09

STATE UCMR

BROMODICHLORMETHANE (THM)	32101	003	2014/06/05	. 10.000	2014/09
BROMOFORM (THM)	32104	003	2014/06/05	. 16.600	2014/09
CHLOROFORM (THM)	32106	003	2014/06/05	. 10.800	2014/09
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/06/05	. 13.100	2014/09

TRIHALOMETHANES

TOTAL TRIHALOMETHANES	82080	003	2014/06/05	. 50.500	2014/09
-----------------------	-------	-----	------------	----------	---------

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910213

System Name: TORRANCE-CITY, WATER DEPT.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910213-807

Source Name: SITE 8-421 VIA COLUSA - STG2 DBP

Source Number: 807

Source Status: DISTRIBUTION TREATED

Water type: S

HALOACETIC ACIDS

DIBROMOACETIC ACID (DBAA)	82721	003	2014/06/05	. 3.500	2014/09
DICHLOROACETIC ACID (DCAA)	77288	003	2014/06/05	. 10.900	2014/09
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/06/05	. 19.700	2014/09
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/06/05	< .000	2014/09
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/06/05	< .000	2014/09
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/06/05	. 5.300	2014/09

STATE UCMR

BROMODICHLORMETHANE (THM)	32101	003	2014/06/05	. 12.100	2014/09
BROMOFORM (THM)	32104	003	2014/06/05	. 3.600	2014/09
CHLOROFORM (THM)	32106	003	2014/06/05	. 16.700	2014/09
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/06/05	. 11.300	2014/09

TRIHALOMETHANES

TOTAL TRIHALOMETHANES	82080	003	2014/06/05	. 43.700	2014/09
-----------------------	-------	-----	------------	----------	---------

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910225

System Name: LAS VIRGENES MWD

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910225-002

Source Name: WESTLAKE FILTRATION PLANT INFLUENT

Source Number: 002

Source Status: ACTIVE RAW

Water type: S

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

PS Code: 1910225-003

Source Name: MWD CONNECTION - TREATED

Source Number: 003

Source Status: PURCHASED TREATED

Water type: S

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

PS Code: 1910225-004

Source Name: WESTLAKE FILTRATION PLANT EFFLUENT

Source Number: 004

Source Status: ACTIVE TREATED

Water type: S

INORGANIC

ALUMINUM	01105	012	2014/05/13	< 50.000	2015/05
ANTIMONY	01097	012	2014/05/13	< 6.000	2015/05
ARSENIC	01002	012	2014/05/13	. 2.100	2015/05
ASBESTOS	81855	108	2011/02/09	< .200	2020/02
BARIUM	01007	012	2014/05/13	< 100.000	2015/05
BERYLLIUM	01012	012	2014/05/13	< 1.000	2015/05
CADMIUM	01027	012	2014/05/13	< 1.000	2015/05
CHROMIUM (TOTAL)	01034	012	2014/05/13	< 10.000	2015/05
CHROMIUM, HEXAVALENT	01032	000			
CYANIDE	01291	012	2014/05/13	< 100.000	2015/05
FLUORIDE (F) (NATURAL-SOURCE)	00951	012	2014/05/13	. .680	2015/05
MERCURY	71900	012	2014/05/13	< 1.000	2015/05
NICKEL	01067	012	2014/05/13	< 10.000	2015/05

DUE

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910225

System Name: LAS VIRGENES MWD

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910225-004

Source Name: WESTLAKE FILTRATION PLANT EFFLUENT

Source Number: 004

Source Status: ACTIVE TREATED

Water type: S

INORGANIC

PERCHLORATE	A-031	012	2014/02/19	< 4.000	2015/02
SELENIUM	01147	012	2014/05/13	< 5.000	2015/05
THALLIUM	01059	012	2014/05/13	< 1.000	2015/05

NITRATE/NITRITE

NITRATE (AS NO3)	71850	003	2014/05/13	. 2.600	2014/08
NITRITE (AS N)	00620	036	2013/11/19	. 500.000	2016/11

RADIOLOGICAL

GROSS ALPHA	01501	108	2010/11/02	< 3.000	2019/11
-------------	-------	-----	------------	---------	---------

REGULATED SOC

2,3,7,8-TCDD (DIOXIN)	34676	033	2014/05/13	< 5.000	2017/02
2,4,5-TP (SILVEX)	39045	033	2014/05/13	< 1.000	2017/02
2,4-D	39730	033	2014/05/13	< 10.000	2017/02
ALACHLOR	77825	033	2014/05/13	< 1.000	2017/02
ATRAZINE	39033	033	2014/05/13	< .500	2017/02
BENTAZON	38710	033	2014/05/13	< 2.000	2017/02
BENZO (A) PYRENE	34247	033	2014/05/13	< .100	2017/02
CARBOFURAN	81405	033	2014/05/13	< 5.000	2017/02
CHLORDANE	39350	033	2014/05/13	< .100	2017/02
DALAPON	38432	033	2014/05/13	< 10.000	2017/02
DI(2-ETHYLHEXYL)ADIPATE	A-026	033	2014/05/13	< 5.000	2017/02
DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2014/05/13	< 3.000	2017/02
DIBROMOCHLOROPROPANE (DBCP)	38761	033	2014/05/13	< .010	2017/02
DINOSEB	81287	033	2014/05/13	< 2.000	2017/02
DIQUAT	78885	033	2014/05/13	< 4.000	2017/02
ENDOTHALL	38926	033	2014/05/13	< 45.000	2017/02
ENDRIN	39390	033	2014/05/13	< .100	2017/02
ETHYLENE DIBROMIDE (EDB)	77651	033	2014/05/13	< .020	2017/02
GLYPHOSATE	79743	033	2014/05/13	< 25.000	2017/02

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910225

System Name: LAS VIRGENES MWD

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910225-004

Source Name: WESTLAKE FILTRATION PLANT EFFLUENT

Source Number: 004

Source Status: ACTIVE TREATED

Water type: S

REGULATED SOC

HEPTACHLOR	39410	033	2014/05/13	< .010	2017/02
HEPTACHLOR EPOXIDE	39420	033	2014/05/13	< .010	2017/02
HEXACHLOROBENZENE	39700	033	2014/05/13	< .500	2017/02
HEXACHLOROCYCLOPENTADIENE	34386	033	2014/05/13	< 1.000	2017/02
LINDANE	39340	033	2014/05/13	< .200	2017/02
METHOXYCHLOR	39480	033	2014/05/13	< 10.000	2017/02
MOLINATE	82199	033	2014/05/13	< 2.000	2017/02
OXAMYL	38865	033	2014/05/13	< 20.000	2017/02
PENTACHLOROPHENOL	39032	033	2014/05/13	< .200	2017/02
PICLORAM	39720	033	2014/05/13	< 1.000	2017/02
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	033	2014/05/13	< .500	2017/02
SIMAZINE	39055	033	2014/05/13	< 1.000	2017/02
THIOBENCARB	A-001	033	2014/05/13	< 1.000	2017/02
TOXAPHENE	39400	033	2014/05/13	< 1.000	2017/02

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	012	2014/02/19	< .500	2015/02
1,1,2,2-TETRACHLOROETHANE	34516	012	2014/02/19	< .500	2015/02
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/02/19	< 10.000	2015/02
1,1,2-TRICHLOROETHANE	34511	012	2014/02/19	< .500	2015/02
1,1-DICHLOROETHANE	34496	012	2014/02/19	< .500	2015/02
1,1-DICHLOROETHYLENE	34501	012	2014/02/19	< .500	2015/02
1,2,4-TRICHLOROBENZENE	34551	012	2014/02/19	< .500	2015/02
1,2-DICHLOROBENZENE	34536	012	2014/02/19	< .500	2015/02
1,2-DICHLOROETHANE	34531	012	2014/02/19	< .500	2015/02
1,2-DICHLOROPROPANE	34541	012	2014/02/19	< .500	2015/02
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/02/19	< .500	2015/02
1,4-DICHLOROBENZENE	34571	012	2014/02/19	< .500	2015/02
BENZENE	34030	012	2014/02/19	< .500	2015/02
CARBON TETRACHLORIDE	32102	012	2014/02/19	< .500	2015/02

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910225

System Name: LAS VIRGENES MWD

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910225-004

Source Name: WESTLAKE FILTRATION PLANT EFFLUENT

Source Number: 004

Source Status: ACTIVE TREATED

Water type: S

REGULATED VOC

CIS-1,2-DICHLOROETHYLENE	77093	012	2014/02/19	< .500	2015/02
DICHLOROMETHANE	34423	012	2014/02/19	< .500	2015/02
ETHYLBENZENE	34371	012	2014/02/19	< .500	2015/02
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/02/19	< 3.000	2015/02
MONOCHLOROBENZENE	34301	012	2014/02/19	< .500	2015/02
STYRENE	77128	012	2014/02/19	< .500	2015/02
TETRACHLOROETHYLENE	34475	012	2014/02/19	< .500	2015/02
TOLUENE	34010	012	2014/02/19	< .500	2015/02
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/02/19	< .500	2015/02
TRICHLOROETHYLENE	39180	012	2014/02/19	< .500	2015/02
TRICHLOROFUOROMETHANE	34488	012	2014/02/19	< 5.000	2015/02
VINYL CHLORIDE	39175	012	2014/02/19	< .500	2015/02
XYLENES (TOTAL)	81551	012	2014/02/19	< .000	2015/02

SECONDARY/GP

BICARBONATE ALKALINITY	00440	012	2014/05/13	. 120.000	2015/05
CALCIUM	00916	012	2014/05/13	. 37.800	2015/05
CARBONATE ALKALINITY	00445	012	2014/05/13	< .000	2015/05
CHLORIDE	00940	012	2014/05/13	. 88.000	2015/05
COLOR	00081	012	2014/05/13	< .000	2015/05
COPPER	01042	012	2014/05/13	< 50.000	2015/05
FOAMING AGENTS (MBAS)	38260	012	2014/05/13	< .000	2015/05
HARDNESS (TOTAL) AS CaCO3	00900	012	2014/05/13	. 157.000	2015/05
HYDROXIDE ALKALINITY	71830	012	2014/05/13	< .000	2015/05
IRON	01045	012	2014/05/13	< 100.000	2015/05
MAGNESIUM	00927	012	2014/05/13	. 15.100	2015/05
MANGANESE	01055	012	2014/05/13	< 20.000	2015/05
ODOR THRESHOLD @ 60 C	00086	012	2014/05/13	. 1.000	2015/05
PH, LABORATORY	00403	012	2014/05/13	. 7.970	2015/05
SILVER	01077	012	2014/05/13	< 10.000	2015/05

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910225

System Name: LAS VIRGENES MWD

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910225-004

Source Name: WESTLAKE FILTRATION PLANT EFFLUENT

Source Number: 004

Source Status: ACTIVE TREATED

Water type: S

SECONDARY/GP

SODIUM	00929	012	2014/05/13	. 71.000	2015/05
SPECIFIC CONDUCTANCE	00095	012	2014/05/13	. 650.000	2015/05
SULFATE	00945	012	2014/05/13	. 86.000	2015/05
TOTAL DISSOLVED SOLIDS	70300	012	2014/02/19	. 300.000	2015/02
TURBIDITY, LABORATORY	82079	012	2014/05/13	< .000	2015/05
ZINC	01092	012	2014/02/19	< 50.000	2015/02

PS Code: 1910225-800

Source Name: 1 - 2973 VALMERE ST, MALIBU- STG2 DBP

Source Number: 800

Source Status: DISTRIBUTION TREATED

Water type: S

HALOACETIC ACIDS

DIBROMOACETIC ACID (DBAA)	82721	003	2013/02/04	< 1.000	2013/05	DUE
DICHLOROACETIC ACID (DCAA)	77288	003	2013/02/04	< 1.000	2013/05	DUE
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2013/02/04	< 2.000	2013/05	DUE
MONOBROMOACETIC ACID (MBAA)	A-041	003	2013/02/04	< 1.000	2013/05	DUE
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2013/02/04	< 2.000	2013/05	DUE
TRICHLOROACETIC ACID (TCAA)	82723	003	2013/02/04	< 1.000	2013/05	DUE

STATE UCMR

BROMODICHLORMETHANE (THM)	32101	003	2013/02/04	. 2.400	2013/05	DUE
BROMOFORM (THM)	32104	003	2013/02/04	10.000	2013/05	DUE
CHLOROFORM (THM)	32106	003	2013/02/04	1.400	2013/05	DUE
DIBROMOCHLOROMETHANE (THM)	32105	003	2013/02/04	6.700	2013/05	DUE

TRIHALOMETHANES

TOTAL TRIHALOMETHANES	82080	003	2013/02/04	. 20.000	2013/05	DUE
-----------------------	-------	-----	------------	----------	---------	-----

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910225

System Name: LAS VIRGENES MWD

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910225-801

Source Name: 2-3014 TRIUNFO CYN DR, AGOURA -STG2 DBP

Source Number: 801

Source Status: DISTRIBUTION TREATED

Water type: S

HALOACETIC ACIDS

DIBROMOACETIC ACID (DBAA)	82721	003	2013/02/04	. 4.900	2013/05	DUE
DICHLOROACETIC ACID (DCAA)	77288	003	2013/02/04	. 1.200	2013/05	DUE
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2013/02/04	6.100	2013/05	DUE
MONOBROMOACETIC ACID (MBAA)	A-041	003	2013/02/04	< 1.000	2013/05	DUE
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2013/02/04	< 2.000	2013/05	DUE
TRICHLOROACETIC ACID (TCAA)	82723	003	2013/02/04	< 1.000	2013/05	DUE

STATE UCMR

BROMODICHLORMETHANE (THM)	32101	003	2013/02/04	. 2.700	2013/05	DUE
BROMOFORM (THM)	32104	003	2013/02/04	11.000	2013/05	DUE
CHLOROFORM (THM)	32106	003	2013/02/04	< 1.000	2013/05	DUE
DIBROMOCHLOROMETHANE (THM)	32105	003	2013/02/04	8.000	2013/05	DUE

TRIHALOMETHANES

TOTAL TRIHALOMETHANES	82080	003	2013/02/04	. 22.000	2013/05	DUE
-----------------------	-------	-----	------------	----------	---------	-----

PS Code: 1910225-802

Source Name: 3-1848 KIRSTEN LEE DR, WESTLAKE-STG2 DBP

Source Number: 802

Source Status: DISTRIBUTION TREATED

Water type: S

HALOACETIC ACIDS

DIBROMOACETIC ACID (DBAA)	82721	003	2013/02/14	. 3.600	2013/05	DUE
DICHLOROACETIC ACID (DCAA)	77288	003	2013/02/14	< 1.000	2013/05	DUE
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2013/02/14	3.600	2013/05	DUE
MONOBROMOACETIC ACID (MBAA)	A-041	003	2013/02/14	< 1.000	2013/05	DUE
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2013/02/14	< 2.000	2013/05	DUE
TRICHLOROACETIC ACID (TCAA)	82723	003	2013/02/14	< 1.000	2013/05	DUE

STATE UCMR

BROMODICHLORMETHANE (THM)	32101	003	2013/02/14	. 2.000	2013/05	DUE
---------------------------	-------	-----	------------	---------	---------	-----

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910225

System Name: LAS VIRGENES MWD

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910225-802

Source Name: 3-1848 KIRSTEN LEE DR, WESTLAKE-STG2 DBP

Source Number: 802

Source Status: DISTRIBUTION TREATED

Water type: S

STATE UCMR

BROMOFORM (THM)	32104	003	2013/02/14	12.000	2013/05	DUE
CHLOROFORM (THM)	32106	003	2013/02/14	< 1.000	2013/05	DUE
DIBROMOCHLOROMETHANE (THM)	32105	003	2013/02/14	6.600	2013/05	DUE

TRIHALOMETHANES

TOTAL TRIHALOMETHANES	82080	003	2013/02/14	. 21.000	2013/05	DUE
------------------------------	--------------	------------	-------------------	-----------------	----------------	------------

PS Code: 1910225-803

Source Name: 4-26134 ROYMOR DR, CALABASAS -STG2 DBP

Source Number: 803

Source Status: DISTRIBUTION TREATED

Water type: S

HALOACETIC ACIDS

DIBROMOACETIC ACID (DBAA)	82721	003	2013/02/04	. 4.100	2013/05	DUE
DICHLOROACETIC ACID (DCAA)	77288	003	2013/02/04	. 1.000	2013/05	DUE
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2013/02/04	5.100	2013/05	DUE
MONOBROMOACETIC ACID (MBAA)	A-041	003	2013/02/04	< 1.000	2013/05	DUE
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2013/02/04	< 2.000	2013/05	DUE
TRICHLOROACETIC ACID (TCAA)	82723	003	2013/02/04	< 1.000	2013/05	DUE

STATE UCMR

BROMODICHLORMETHANE (THM)	32101	003	2013/02/04	. 3.000	2013/05	DUE
BROMOFORM (THM)	32104	003	2013/02/04	12.000	2013/05	DUE
CHLOROFORM (THM)	32106	003	2013/02/04	< 1.000	2013/05	DUE
DIBROMOCHLOROMETHANE (THM)	32105	003	2013/02/04	8.500	2013/05	DUE

TRIHALOMETHANES

TOTAL TRIHALOMETHANES	82080	003	2013/02/04	. 24.000	2013/05	DUE
------------------------------	--------------	------------	-------------------	-----------------	----------------	------------

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910225

System Name: LAS VIRGENES MWD

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910225-804

Source Name: 5-2200 E LAKESHORE DR, AGOURA-STG2 DBP

Source Number: 804

Source Status: DISTRIBUTION TREATED

Water type: S

HALOACETIC ACIDS

DIBROMOACETIC ACID (DBAA)	82721	003	2013/02/04	. 4.900	2013/05	DUE
DICHLOROACETIC ACID (DCAA)	77288	003	2013/02/04	. 1.200	2013/05	DUE
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2013/02/04	6.100	2013/05	DUE
MONOBROMOACETIC ACID (MBAA)	A-041	003	2013/02/04	< 1.000	2013/05	DUE
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2013/02/04	< 2.000	2013/05	DUE
TRICHLOROACETIC ACID (TCAA)	82723	003	2013/02/04	< 1.000	2013/05	DUE

STATE UCMR

BROMODICHLORMETHANE (THM)	32101	003	2013/02/04	. 3.000	2013/05	DUE
BROMOFORM (THM)	32104	003	2013/02/04	12.000	2013/05	DUE
CHLOROFORM (THM)	32106	003	2013/02/04	< 1.000	2013/05	DUE
DIBROMOCHLOROMETHANE (THM)	32105	003	2013/02/04	8.700	2013/05	DUE

TRIHALOMETHANES

TOTAL TRIHALOMETHANES	82080	003	2013/02/04	. 24.000	2013/05	DUE
-----------------------	-------	-----	------------	----------	---------	-----

PS Code: 1910225-805

Source Name: 6-5860 LAKE LINDERO DR, AGOURA -STG2 DBP

Source Number: 805

Source Status: DISTRIBUTION TREATED

Water type: S

HALOACETIC ACIDS

DIBROMOACETIC ACID (DBAA)	82721	003	2013/02/04	. 4.400	2013/05	DUE
DICHLOROACETIC ACID (DCAA)	77288	003	2013/02/04	. 1.100	2013/05	DUE
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2013/02/04	5.500	2013/05	DUE
MONOBROMOACETIC ACID (MBAA)	A-041	003	2013/02/04	< 1.000	2013/05	DUE
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2013/02/04	< 2.000	2013/05	DUE
TRICHLOROACETIC ACID (TCAA)	82723	003	2013/02/04	< 1.000	2013/05	DUE

STATE UCMR

BROMODICHLORMETHANE (THM)	32101	003	2013/02/04	. 2.800	2013/05	DUE
---------------------------	-------	-----	------------	---------	---------	-----

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910225

System Name: LAS VIRGENES MWD

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910225-805

Source Name: 6-5860 LAKE LINDERO DR, AGOURA -STG2 DBP

Source Number: 805

Source Status: DISTRIBUTION TREATED

Water type: S

STATE UCMR

BROMOFORM (THM)	32104	003	2013/02/04	11.000	2013/05	DUE
CHLOROFORM (THM)	32106	003	2013/02/04	< 1.000	2013/05	DUE
DIBROMOCHLOROMETHANE (THM)	32105	003	2013/02/04	8.100	2013/05	DUE

TRIHALOMETHANES

TOTAL TRIHALOMETHANES	82080	003	2013/02/04	. 23.000	2013/05	DUE
------------------------------	--------------	------------	-------------------	-----------------	----------------	------------

PS Code: 1910225-806

Source Name: 7-6139 CHESEBRO RD, AGOURA-STG2 DBP

Source Number: 806

Source Status: DISTRIBUTION TREATED

Water type: S

HALOACETIC ACIDS

DIBROMOACETIC ACID (DBAA)	82721	003	2013/02/04	. 5.200	2013/05	DUE
DICHLOROACETIC ACID (DCAA)	77288	003	2013/02/04	. 1.200	2013/05	DUE
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2013/02/04	6.400	2013/05	DUE
MONOBROMOACETIC ACID (MBAA)	A-041	003	2013/02/04	< 1.000	2013/05	DUE
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2013/02/04	< 2.000	2013/05	DUE
TRICHLOROACETIC ACID (TCAA)	82723	003	2013/02/04	< 1.000	2013/05	DUE

STATE UCMR

BROMODICHLORMETHANE (THM)	32101	003	2013/02/04	. 3.100	2013/05	DUE
BROMOFORM (THM)	32104	003	2013/02/04	12.000	2013/05	DUE
CHLOROFORM (THM)	32106	003	2013/02/04	< 1.000	2013/05	DUE
DIBROMOCHLOROMETHANE (THM)	32105	003	2013/02/04	8.900	2013/05	DUE

TRIHALOMETHANES

TOTAL TRIHALOMETHANES	82080	003	2013/02/04	. 25.000	2013/05	DUE
------------------------------	--------------	------------	-------------------	-----------------	----------------	------------

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910225

System Name: LAS VIRGENES MWD

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910225-807

Source Name: 8-SAUGUS RD@COMANCHE,CHATSWRT-STG2 DBP

Source Number: 807

Source Status: DISTRIBUTION TREATED

Water type: S

HALOACETIC ACIDS

DIBROMOACETIC ACID (DBAA)	82721	003	2013/02/04	. 4.000	2013/05	DUE
DICHLOROACETIC ACID (DCAA)	77288	003	2013/02/04	. 1.300	2013/05	DUE
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2013/02/04	5.300	2013/05	DUE
MONOBROMOACETIC ACID (MBAA)	A-041	003	2013/02/04	< 1.000	2013/05	DUE
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2013/02/04	< 2.000	2013/05	DUE
TRICHLOROACETIC ACID (TCAA)	82723	003	2013/02/04	< 1.000	2013/05	DUE

STATE UCMR

BROMODICHLORMETHANE (THM)	32101	003	2013/02/04	. 2.700	2013/05	DUE
BROMOFORM (THM)	32104	003	2013/02/04	10.000	2013/05	DUE
CHLOROFORM (THM)	32106	003	2013/02/04	1.300	2013/05	DUE
DIBROMOCHLOROMETHANE (THM)	32105	003	2013/02/04	7.200	2013/05	DUE

TRIHALOMETHANES

TOTAL TRIHALOMETHANES	82080	003	2013/02/04	. 21.000	2013/05	DUE
-----------------------	-------	-----	------------	----------	---------	-----

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910238

System Name: LOCKHEED MARTIN SKUNK WORKS

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910238-004

Source Name: SITE 02 - WELL 02

Source Number: 004

Source Status: ACTIVE RAW

Water type: G

INORGANIC

ALUMINUM	01105	036	2014/06/18	.000	2017/06
ANTIMONY	01097	036	2014/06/18	.000	2017/06
ARSENIC	01002	036	2014/06/18	.000	2017/06
BARIUM	01007	036	2014/06/18	.000	2017/06
BERYLLIUM	01012	036	2014/06/18	.000	2017/06
CADMIUM	01027	036	2014/06/18	.000	2017/06
CHROMIUM (TOTAL)	01034	036	2014/06/18	.000	2017/06
CYANIDE	01291	036	2014/06/18	.000	2017/06
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/06/18	.160	2017/06
MERCURY	71900	036	2014/06/18	.000	2017/06
NICKEL	01067	036	2014/06/18	.000	2017/06
PERCHLORATE	A-031	012	2014/06/18	.000	2015/06
SELENIUM	01147	036	2014/06/18	.000	2017/06
THALLIUM	01059	036	2014/06/18	.000	2017/06

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2014/06/18	.000	2015/06
NITRITE (AS N)	00620	036	2014/06/18	.000	2017/06

RADIOLOGICAL

GROSS ALPHA	01501	108	2006/03/14	< 3.000	2015/03
URANIUM (PCI/L)	28012	003	2007/02/18	.172	2007/05 DUE

REGULATED SOC

DI(2-ETHYLHEXYL)PHTHALATE	39100	036	2014/06/18	< 3.000	2017/06
THIOBENCARB	A-001	036	2014/06/18	< 1.000	2017/06

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	012	2014/06/18	.000	2015/06
1,1,2,2-TETRACHLOROETHANE	34516	012	2014/06/18	.000	2015/06
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/06/18	.000	2015/06
1,1,2-TRICHLOROETHANE	34511	012	2014/06/18	.000	2015/06

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910238

System Name: LOCKHEED MARTIN SKUNK WORKS

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910238-004

Source Name: SITE 02 - WELL 02

Source Number: 004

Source Status: ACTIVE RAW

Water type: G

REGULATED VOC

1,1-DICHLOROETHANE	34496	012	2014/06/18	.000	2015/06
1,1-DICHLOROETHYLENE	34501	012	2014/06/18	.000	2015/06
1,2,4-TRICHLOROBENZENE	34551	012	2014/06/18	.000	2015/06
1,2-DICHLOROBENZENE	34536	012	2014/06/18	.000	2015/06
1,2-DICHLOROETHANE	34531	012	2014/06/18	.000	2015/06
1,2-DICHLOROPROPANE	34541	012	2014/06/18	.000	2015/06
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/06/18	.000	2015/06
1,4-DICHLOROBENZENE	34571	012	2014/06/18	.000	2015/06
BENZENE	34030	012	2014/06/18	.000	2015/06
CARBON TETRACHLORIDE	32102	012	2014/06/18	.000	2015/06
CIS-1,2-DICHLOROETHYLENE	77093	012	2014/06/18	.000	2015/06
DICHLOROMETHANE	34423	012	2014/06/18	.000	2015/06
ETHYLBENZENE	34371	012	2014/06/18	.000	2015/06
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/06/18	.000	2015/06
MONOCHLOROBENZENE	34301	012	2014/06/18	.000	2015/06
STYRENE	77128	012	2014/06/18	.000	2015/06
TETRACHLOROETHYLENE	34475	012	2014/06/18	.000	2015/06
TOLUENE	34010	012	2014/06/18	.000	2015/06
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/06/18	.000	2015/06
TRICHLOROETHYLENE	39180	012	2014/06/18	.000	2015/06
TRICHLOROFUOROMETHANE	34488	012	2014/06/18	.000	2015/06
VINYL CHLORIDE	39175	012	2014/06/18	.000	2015/06
XYLENES (TOTAL)	81551	012	2013/06/18	.000	2014/06 DUE

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910238

System Name: LOCKHEED MARTIN SKUNK WORKS

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910238-800

Source Name: LM-B211 REST ROOM - STG2 DBP

Source Number: 800

Source Status: DISTRIBUTION TREATED

Water type: G

HALOACETIC ACIDS

DIBROMOACETIC ACID (DBAA)	82721	000		DUE
DICHLOROACETIC ACID (DCAA)	77288	000		DUE
HALOACETIC ACIDS (5) (HAA5)	A-049	000		DUE
MONOBROMOACETIC ACID (MBAA)	A-041	000		DUE
MONOCHLOROACETIC ACID (MCAA)	A-042	000		DUE
TRICHLOROACETIC ACID (TCAA)	82723	000		DUE

STATE UCMR

BROMODICHLORMETHANE (THM)	32101	000		DUE
BROMOFORM (THM)	32104	000		DUE
CHLOROFORM (THM)	32106	000		DUE
DIBROMOCHLOROMETHANE (THM)	32105	000		DUE

TRihalOMETHANES

TOTAL TRIHALOMETHANES	82080	000		DUE
-----------------------	-------	-----	--	-----

PS Code: 1910238-801

Source Name: LM-B212 REST ROOM - STG2 DBP

Source Number: 801

Source Status: DISTRIBUTION TREATED

Water type: G

HALOACETIC ACIDS

DIBROMOACETIC ACID (DBAA)	82721	000		DUE
DICHLOROACETIC ACID (DCAA)	77288	000		DUE
HALOACETIC ACIDS (5) (HAA5)	A-049	000		DUE
MONOBROMOACETIC ACID (MBAA)	A-041	000		DUE
MONOCHLOROACETIC ACID (MCAA)	A-042	000		DUE
TRICHLOROACETIC ACID (TCAA)	82723	000		DUE

STATE UCMR

BROMODICHLORMETHANE (THM)	32101	000		DUE
---------------------------	-------	-----	--	-----

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910238

System Name: LOCKHEED MARTIN SKUNK WORKS

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910238-801

Source Name: LM-B212 REST ROOM - STG2 DBP

Source Number: 801

Source Status: DISTRIBUTION TREATED

Water type: G

STATE UCMR

BROMOFORM (THM)	32104	000		DUE
CHLOROFORM (THM)	32106	000		DUE
DIBROMOCHLOROMETHANE (THM)	32105	000		DUE

TRIHALOMETHANES

TOTAL TRIHALOMETHANES	82080	000		DUE
------------------------------	--------------	------------	--	------------

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910242

System Name: CALIFORNIA WATER SERVICE CO-LAKE HUGHES

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910242-001

Source Name: WELL 01-01

Source Number: 001

Source Status: ACTIVE RAW

Water type: G

INORGANIC

ALUMINUM	01105	036	2012/08/01	< .000	2015/08
ANTIMONY	01097	036	2012/08/01	< .000	2015/08
ARSENIC	01002	036	2012/08/01	< .000	2015/08
ASBESTOS	81855	108	2012/07/25	.000	2021/07
BARIUM	01007	036	2012/08/01	110.000	2015/08
BERYLLIUM	01012	036	2012/08/01	< .000	2015/08
CADMIUM	01027	036	2012/08/01	< .000	2015/08
CHROMIUM (TOTAL)	01034	036	2012/08/01	< .000	2015/08
CYANIDE	01291	036	2012/08/01	< .000	2015/08
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2012/08/01	.660	2015/08
MERCURY	71900	036	2012/08/01	< .000	2015/08
NICKEL	01067	036	2012/08/01	< .000	2015/08
PERCHLORATE	A-031	036	2014/01/06	< 4.000	2017/01
SELENIUM	01147	036	2012/08/01	< .000	2015/08
THALLIUM	01059	036	2012/08/01	< .000	2015/08

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2013/07/16	.16.141	2014/07
NITRITE (AS N)	00620	036	2012/08/01	< .000	2015/08

RADIOLOGICAL

GROSS ALPHA	01501	108	2005/10/25	< 3.000	2014/10
-------------	-------	-----	------------	---------	---------

REGULATED SOC

DI(2-ETHYLHEXYL)PHTHALATE	39100	036	2012/07/19	< .000	2015/07
THIOBENCARB	A-001	036	2012/07/19	< .000	2015/07

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	012	2013/11/12	.000	2014/11
1,1,2,2-TETRACHLOROETHANE	34516	012	2013/11/12	.000	2014/11
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2013/11/12	.000	2014/11
1,1,2-TRICHLOROETHANE	34511	012	2013/11/12	.000	2014/11

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910242

System Name: CALIFORNIA WATER SERVICE CO-LAKE HUGHES

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910242-001

Source Name: WELL 01-01

Source Number: 001

Source Status: ACTIVE RAW

Water type: G

REGULATED VOC

1,1-DICHLOROETHANE	34496	012	2013/11/12	.000	2014/11
1,1-DICHLOROETHYLENE	34501	012	2013/11/12	.000	2014/11
1,2,4-TRICHLOROBENZENE	34551	012	2013/11/12	.000	2014/11
1,2-DICHLOROBENZENE	34536	012	2013/11/12	.000	2014/11
1,2-DICHLOROETHANE	34531	012	2013/11/12	.000	2014/11
1,2-DICHLOROPROPANE	34541	012	2013/11/12	.000	2014/11
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2013/11/12	.000	2014/11
1,4-DICHLOROBENZENE	34571	012	2013/11/12	.000	2014/11
BENZENE	34030	012	2013/11/12	.000	2014/11
CARBON TETRACHLORIDE	32102	012	2013/11/12	.000	2014/11
CIS-1,2-DICHLOROETHYLENE	77093	012	2013/11/12	.000	2014/11
DICHLOROMETHANE	34423	012	2013/11/12	.000	2014/11
ETHYLBENZENE	34371	012	2013/11/12	.000	2014/11
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2013/11/12	.000	2014/11
MONOCHLOROBENZENE	34301	012	2013/11/12	.000	2014/11
STYRENE	77128	012	2013/11/12	.000	2014/11
TETRACHLOROETHYLENE	34475	012	2013/11/12	.000	2014/11
TOLUENE	34010	012	2013/11/12	.000	2014/11
TRANS-1,2-DICHLOROETHYLENE	34546	012	2013/11/12	.000	2014/11
TRICHLOROETHYLENE	39180	012	2013/11/12	.000	2014/11
TRICHLOROFUOROMETHANE	34488	012	2013/11/12	.000	2014/11
VINYL CHLORIDE	39175	012	2013/11/12	.000	2014/11
XYLENES (TOTAL)	81551	012	2013/11/12	.000	2014/11

SECONDARY/GP

BICARBONATE ALKALINITY	00440	036	2012/08/01	. 410.000	2015/08
CALCIUM	00916	036	2012/08/01	. 83.000	2015/08
CARBONATE ALKALINITY	00445	036	2012/08/01	< .000	2015/08
CHLORIDE	00940	036	2012/08/01	. 69.000	2015/08
COLOR	00081	036	2012/08/01	< .000	2015/08

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910242

System Name: CALIFORNIA WATER SERVICE CO-LAKE HUGHES

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

PS Code: 1910242-001

Source Name: WELL 01-01

Source Number: 001

Source Status: ACTIVE RAW

Water type: G

SECONDARY/GP

COPPER	01042	036	2012/08/01	< .000	2015/08
FOAMING AGENTS (MBAS)	38260	036	2012/08/01	< .000	2015/08
HARDNESS (TOTAL) AS CaCO3	00900	036	2012/08/01	. 360.000	2015/08
HYDROXIDE ALKALINITY	71830	036	2012/08/01	< .000	2015/08
IRON	01045	036	2012/08/01	< .000	2015/08
MAGNESIUM	00927	036	2012/08/01	. 37.000	2015/08
MANGANESE	01055	036	2012/08/01	< .000	2015/08
ODOR THRESHOLD @ 60 C PH, LABORATORY	00086	036	2012/08/01	< .000	2015/08
SILVER	01077	036	2012/08/01	< .000	2015/08
SODIUM	00929	036	2012/08/01	59.000	2015/08
SPECIFIC CONDUCTANCE	00095	036	2012/08/01	. 920.000	2015/08
SULFATE	00945	036	2012/08/01	54.000	2015/08
TOTAL DISSOLVED SOLIDS	70300	036	2012/08/01	. 540.000	2015/08
TURBIDITY, LABORATORY	82079	036	2012/08/01	< .000	2015/08
ZINC	01092	036	2012/08/01	< .000	2015/08

PS Code: 1910242-002

Source Name: WELL 02-01 - STANDBY

Source Number: 002

Source Status: STANDBY RAW

Water type: G

INORGANIC

ALUMINUM	01105	108	2013/01/16	< .000	2022/01
ANTIMONY	01097	108	2013/01/16	< .000	2022/01
ARSENIC	01002	108	2013/01/16	< .000	2022/01
ASBESTOS	81855	108	2013/01/16	. 000	2022/01
BARIUM	01007	108	2013/01/16	< .000	2022/01
BERYLLIUM	01012	108	2013/01/16	< .000	2022/01

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910242

System Name: CALIFORNIA WATER SERVICE CO-LAKE HUGHES

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910242-002

Source Name: WELL 02-01 - STANDBY

Source Number: 002

Source Status: STANDBY RAW

Water type: G

INORGANIC

CADMIUM	01027	108	2013/01/16	< .000	2022/01
CHROMIUM (TOTAL)	01034	108	2013/01/16	< .000	2022/01
CYANIDE	01291	108	2013/01/16	< .000	2022/01
FLUORIDE (F) (NATURAL-SOURCE)	00951	108	2013/01/16	. .620	2022/01
MERCURY	71900	108	2013/01/16	< .000	2022/01
NICKEL	01067	108	2013/01/16	< .000	2022/01
PERCHLORATE	A-031	108	2013/01/16	< 4.000	2022/01
SELENIUM	01147	108	2013/01/16	< .000	2022/01
THALLIUM	01059	108	2013/01/16	< .000	2022/01

NITRATE/NITRITE

NITRATE (AS NO3)	71850	108	2013/01/16	. 4.100	2022/01
NITRITE (AS N)	00620	108	2013/01/16	< .000	2022/01

RADIOLOGICAL

GROSS ALPHA	01501	108	2013/01/16	. 17.000	2022/01
RADIUM 226	09501	108	2013/01/16	< 1.000	2022/01
RADIUM 228	11501	108	2013/01/16	< 1.000	2022/01
URANIUM (PCI/L)	28012	108	2013/01/16	. 5.400	2022/01

REGULATED SOC

DI(2-ETHYLHEXYL)PHTHALATE	39100	108	2013/01/10	< .000	2022/01
THIOBENCARB	A-001	108	2013/01/10	< .000	2022/01

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	108	2013/01/22	.000	2022/01
1,1,2,2-TETRACHLOROETHANE	34516	108	2013/01/22	.000	2022/01
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	108	2013/01/22	. .000	2022/01
1,1,2-TRICHLOROETHANE	34511	108	2013/01/22	. .000	2022/01
1,1-DICHLOROETHANE	34496	108	2013/01/22	. .000	2022/01
1,1-DICHLOROETHYLENE	34501	108	2013/01/22	. .000	2022/01
1,2,4-TRICHLOROBENZENE	34551	108	2013/01/22	. .000	2022/01

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910242

System Name: CALIFORNIA WATER SERVICE CO-LAKE HUGHES

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910242-002

Source Name: WELL 02-01 - STANDBY

Source Number: 002

Source Status: STANDBY RAW

Water type: G

REGULATED VOC

1,2-DICHLOROBENZENE	34536	108	2013/01/22	.000	2022/01
1,2-DICHLOROETHANE	34531	108	2013/01/22	.000	2022/01
1,2-DICHLOROPROPANE	34541	108	2013/01/22	.000	2022/01
1,3-DICHLOROPROPENE (TOTAL)	34561	108	2013/01/22	.000	2022/01
1,4-DICHLOROBENZENE	34571	108	2013/01/22	.000	2022/01
BENZENE	34030	108	2013/01/22	.000	2022/01
CARBON TETRACHLORIDE	32102	108	2013/01/22	.000	2022/01
CIS-1,2-DICHLOROETHYLENE	77093	108	2013/01/22	.000	2022/01
DICHLOROMETHANE	34423	108	2013/01/22	.000	2022/01
ETHYLBENZENE	34371	108	2013/01/22	.000	2022/01
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	108	2013/01/22	.000	2022/01
MONOCHLOROBENZENE	34301	108	2013/01/22	.000	2022/01
STYRENE	77128	108	2013/01/22	.000	2022/01
TETRACHLOROETHYLENE	34475	108	2013/01/22	.000	2022/01
TOLUENE	34010	108	2013/01/22	.000	2022/01
TRANS-1,2-DICHLOROETHYLENE	34546	108	2013/01/22	.000	2022/01
TRICHLOROETHYLENE	39180	108	2013/01/22	.000	2022/01
TRICHLOROFLUOROMETHANE	34488	108	2013/01/22	.000	2022/01
VINYL CHLORIDE	39175	108	2013/01/22	.000	2022/01
XYLENES (TOTAL)	81551	108	2013/01/22	.000	2022/01

SECONDARY/GP

BICARBONATE ALKALINITY	00440	108	2013/01/16	. 310.000	2022/01
CALCIUM	00916	108	2013/01/16	. 77.000	2022/01
CARBONATE ALKALINITY	00445	108	2013/01/16	< .000	2022/01
CHLORIDE	00940	108	2013/01/16	. 9.500	2022/01
COLOR	00081	108	2013/01/16	. 50.000	2022/01
COPPER	01042	108	2013/01/16	< .000	2022/01
FOAMING AGENTS (MBAS)	38260	108	2013/01/16	< .000	2022/01
HARDNESS (TOTAL) AS CaCO3	00900	108	2013/01/16	. 280.000	2022/01

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910242

System Name: CALIFORNIA WATER SERVICE CO-LAKE HUGHES

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910242-002

Source Name: WELL 02-01 - STANDBY

Source Number: 002

Source Status: STANDBY RAW

Water type: G

SECONDARY/GP

HYDROXIDE ALKALINITY	71830	108	2013/01/16	< .000	2022/01
IRON	01045	108	2013/01/16	5400.000	2022/01
MAGNESIUM	00927	108	2013/01/16	. 21.000	2022/01
MANGANESE	01055	108	2013/01/16	270.000	2022/01
ODOR THRESHOLD @ 60 C	00086	108	2013/01/16	1.000	2022/01
PH, LABORATORY	00403	108	2013/01/16	. 8.100	2022/01
SILVER	01077	108	2013/01/16	< .000	2022/01
SODIUM	00929	108	2013/01/16	22.000	2022/01
SPECIFIC CONDUCTANCE	00095	108	2013/01/16	. 580.000	2022/01
SULFATE	00945	108	2013/01/16	43.000	2022/01
TOTAL DISSOLVED SOLIDS	70300	108	2013/01/16	. 340.000	2022/01
TURBIDITY, LABORATORY	82079	108	2013/01/16	. 32.000	2022/01
ZINC	01092	108	2013/01/16	. 57.000	2022/01

PS Code: 1910242-005

Source Name: WELL 02-02

Source Number: 005

Source Status: ACTIVE RAW

Water type: G

INORGANIC

ALUMINUM	01105	036	2012/08/01	< .000	2015/08
ANTIMONY	01097	036	2012/08/01	< .000	2015/08
ARSENIC	01002	036	2012/08/01	< .000	2015/08
ASBESTOS	81855	108	2012/07/25	. .000	2021/07
BARIUM	01007	036	2012/08/01	< .000	2015/08
BERYLLIUM	01012	036	2012/08/01	< .000	2015/08
CADMIUM	01027	036	2012/08/01	< .000	2015/08
CHROMIUM (TOTAL)	01034	036	2012/08/01	< .000	2015/08
CYANIDE	01291	036	2012/08/01	< .000	2015/08

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910242

System Name: CALIFORNIA WATER SERVICE CO-LAKE HUGHES

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910242-005

Source Name: WELL 02-02

Source Number: 005

Source Status: ACTIVE RAW

Water type: G

INORGANIC

FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2012/08/01	.630	2015/08
MERCURY	71900	036	2012/08/01	< .000	2015/08
NICKEL	01067	036	2012/08/01	< .000	2015/08
PERCHLORATE	A-031	036	2012/07/18	< 4.000	2015/07
SELENIUM	01147	036	2012/08/01	< .000	2015/08
THALLIUM	01059	036	2012/08/01	< .000	2015/08

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2014/07/22	3.101	2015/07
NITRITE (AS N)	00620	036	2012/08/01	< .000	2015/08

RADIOLOGICAL

GROSS ALPHA	01501	036	2013/07/22	11.000	2016/07
RADIUM 226	09501	108	2013/07/22	< 1.000	2022/07
RADIUM 228	11501	108	2013/07/22	< 1.000	2022/07
URANIUM (PCI/L)	28012	072	2013/07/23	4.554	2019/07

REGULATED SOC

DI(2-ETHYLHEXYL)PHTHALATE	39100	036	2012/12/10	< .000	2015/12
THIOBENCARB	A-001	036	2012/12/10	< .000	2015/12

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	012	2012/07/24	.000	2013/07	DUE
1,1,2,2-TETRACHLOROETHANE	34516	012	2012/07/24	.000	2013/07	DUE
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2012/07/24	.000	2013/07	DUE
1,1,2-TRICHLOROETHANE	34511	012	2012/07/24	.000	2013/07	DUE
1,1-DICHLOROETHANE	34496	012	2012/07/24	.000	2013/07	DUE
1,1-DICHLOROETHYLENE	34501	012	2012/07/24	.000	2013/07	DUE
1,2,4-TRICHLOROBENZENE	34551	012	2012/07/24	.000	2013/07	DUE
1,2-DICHLOROBENZENE	34536	012	2012/07/24	.000	2013/07	DUE
1,2-DICHLOROETHANE	34531	012	2012/07/24	.000	2013/07	DUE
1,2-DICHLOROPROPANE	34541	012	2012/07/24	.000	2013/07	DUE

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910242

System Name: CALIFORNIA WATER SERVICE CO-LAKE HUGHES

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910242-005

Source Name: WELL 02-02

Source Number: 005

Source Status: ACTIVE RAW

Water type: G

REGULATED VOC

1,3-DICHLOROPROPENE (TOTAL)	34561	012	2012/07/24	.000	2013/07	DUE
1,4-DICHLOROBENZENE	34571	012	2012/07/24	.000	2013/07	DUE
BENZENE	34030	012	2012/07/24	.000	2013/07	DUE
CARBON TETRACHLORIDE	32102	012	2012/07/24	.000	2013/07	DUE
CIS-1,2-DICHLOROETHYLENE	77093	012	2012/07/24	.000	2013/07	DUE
DICHLOROMETHANE	34423	012	2012/07/24	.000	2013/07	DUE
ETHYLBENZENE	34371	012	2012/07/24	.000	2013/07	DUE
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2012/07/24	.000	2013/07	DUE
MONOCHLOROBENZENE	34301	012	2012/07/24	.000	2013/07	DUE
STYRENE	77128	012	2012/07/24	.000	2013/07	DUE
TETRACHLOROETHYLENE	34475	012	2012/07/24	.000	2013/07	DUE
TOLUENE	34010	012	2012/07/24	.000	2013/07	DUE
TRANS-1,2-DICHLOROETHYLENE	34546	012	2012/07/24	.000	2013/07	DUE
TRICHLOROETHYLENE	39180	012	2012/07/24	.000	2013/07	DUE
TRICHLOROFLUOROMETHANE	34488	012	2012/07/24	.000	2013/07	DUE
VINYL CHLORIDE	39175	012	2012/07/24	.000	2013/07	DUE
XYLENES (TOTAL)	81551	012	2012/07/24	.000	2013/07	DUE

SECONDARY/GP

BICARBONATE ALKALINITY	00440	036	2012/08/01	. 310.000	2015/08
CALCIUM	00916	036	2012/08/01	. 77.000	2015/08
CARBONATE ALKALINITY	00445	036	2012/08/01	< .000	2015/08
CHLORIDE	00940	036	2012/08/01	. 8.100	2015/08
COLOR	00081	036	2012/08/01	< .000	2015/08
COPPER	01042	036	2012/08/01	< .000	2015/08
FOAMING AGENTS (MBAS)	38260	036	2012/08/01	< .000	2015/08
HARDNESS (TOTAL) AS CaCO3	00900	036	2012/08/01	. 270.000	2015/08
HYDROXIDE ALKALINITY	71830	036	2012/08/01	< .000	2015/08
IRON	01045	036	2014/07/07	. 98.680	2017/07
MAGNESIUM	00927	036	2012/08/01	. 20.000	2015/08

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910242

System Name: CALIFORNIA WATER SERVICE CO-LAKE HUGHES

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910242-005

Source Name: WELL 02-02

Source Number: 005

Source Status: ACTIVE RAW

Water type: G

SECONDARY/GP

MANGANESE	01055	036	2014/07/07	. 66.270	2017/07
ODOR THRESHOLD @ 60 C	00086	036	2012/08/01	< .000	2015/08
PH, LABORATORY	00403	036	2012/08/01	. 8.100	2015/08
SILVER	01077	036	2012/08/01	< .000	2015/08
SODIUM	00929	036	2012/08/01	22.000	2015/08
SPECIFIC CONDUCTANCE	00095	036	2012/08/01	. 580.000	2015/08
SULFATE	00945	036	2012/08/01	43.000	2015/08
TOTAL DISSOLVED SOLIDS	70300	036	2012/08/01	. 340.000	2015/08
TURBIDITY, LABORATORY	82079	036	2012/08/01	< .000	2015/08
ZINC	01092	036	2012/08/01	< .000	2015/08

PS Code: 1910242-007

Source Name: WELL 02-02 - FE/MN REMOVAL EFF.

Source Number: 007

Source Status: ACTIVE TREATED

Water type: G

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

PS Code: 1910242-008

Source Name: WELL 01-02

Source Number: 008

Source Status: ACTIVE RAW

Water type: G

INORGANIC

ALUMINUM	01105	036	2013/10/14	< .000	2016/10
ANTIMONY	01097	036	2013/10/14	< .000	2016/10
ARSENIC	01002	036	2013/10/14	< .000	2016/10
ASBESTOS	81855	108	2010/10/19	.000	2019/10

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: **1910242**

System Name: **CALIFORNIA WATER SERVICE CO-LAKE HUGHES**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: **1910242-008**

Source Name: **WELL 01-02**

Source Number: **008**

Source Status: **ACTIVE RAW**

Water type: **G**

INORGANIC

BARIUM	01007	036	2013/10/14	200.000	2016/10
BERYLLIUM	01012	036	2013/10/14	< .000	2016/10
CADMIUM	01027	036	2013/10/14	< .000	2016/10
CHROMIUM (TOTAL)	01034	036	2013/10/14	< .000	2016/10
CHROMIUM, HEXAVALENT	01032	036	2011/05/19	< 1.000	2014/05 DUE
CYANIDE	01291	036	2013/10/14	< .000	2016/10
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/10/14	.620	2016/10
MERCURY	71900	036	2013/10/14	< .000	2016/10
NICKEL	01067	036	2013/10/14	< .000	2016/10
PERCHLORATE	A-031	036	2013/10/14	< 4.000	2016/10
SELENIUM	01147	036	2013/10/14	< .000	2016/10
THALLIUM	01059	036	2013/10/14	< .000	2016/10

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2013/10/14	.6200	2014/10
NITRITE (AS N)	00620	036	2013/10/14	< .000	2016/10

RADIOLOGICAL

GROSS ALPHA	01501	072	2011/10/19	< 3.000	2017/10
RADIUM 226	09501	108	2011/10/19	< 1.000	2020/10
RADIUM 228	11501	108	2011/10/19	< 1.000	2020/10
URANIUM (PCI/L)	28012	072	2011/10/17	.2132	2017/10

REGULATED SOC

DI(2-ETHYLHEXYL)PHTHALATE	39100	036	2013/10/17	< .000	2016/10
THIOBENCARB	A-001	036	2013/10/17	< .000	2016/10

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	012	2013/10/22	.000	2014/10
1,1,2,2-TETRACHLOROETHANE	34516	012	2013/10/22	.000	2014/10
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2013/10/22	.000	2014/10
1,1,2-TRICHLOROETHANE	34511	012	2013/10/22	.000	2014/10

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910242

System Name: CALIFORNIA WATER SERVICE CO-LAKE HUGHES

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910242-008

Source Name: WELL 01-02

Source Number: 008

Source Status: ACTIVE RAW

Water type: G

REGULATED VOC

1,1-DICHLOROETHANE	34496	012	2013/10/22	.000	2014/10
1,1-DICHLOROETHYLENE	34501	012	2013/10/22	.000	2014/10
1,2,4-TRICHLOROBENZENE	34551	012	2013/10/22	.000	2014/10
1,2-DICHLOROBENZENE	34536	012	2013/10/22	.000	2014/10
1,2-DICHLOROETHANE	34531	012	2013/10/22	.000	2014/10
1,2-DICHLOROPROPANE	34541	012	2013/10/22	.000	2014/10
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2013/10/22	.000	2014/10
1,4-DICHLOROBENZENE	34571	012	2013/10/22	.000	2014/10
BENZENE	34030	012	2013/10/22	.000	2014/10
CARBON TETRACHLORIDE	32102	012	2013/10/22	.000	2014/10
CIS-1,2-DICHLOROETHYLENE	77093	012	2013/10/22	.000	2014/10
DICHLOROMETHANE	34423	012	2013/10/22	.000	2014/10
ETHYLBENZENE	34371	012	2013/10/22	.000	2014/10
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2013/10/22	.000	2014/10
MONOCHLOROBENZENE	34301	012	2013/10/22	.000	2014/10
STYRENE	77128	012	2013/10/22	.000	2014/10
TETRACHLOROETHYLENE	34475	012	2013/10/22	.000	2014/10
TOLUENE	34010	012	2013/10/22	.000	2014/10
TRANS-1,2-DICHLOROETHYLENE	34546	012	2013/10/22	.000	2014/10
TRICHLOROETHYLENE	39180	012	2013/10/22	.000	2014/10
TRICHLOROFUOROMETHANE	34488	012	2013/10/22	.000	2014/10
VINYL CHLORIDE	39175	012	2013/10/22	.000	2014/10
XYLENES (TOTAL)	81551	012	2013/10/22	.000	2014/10

SECONDARY/GP

BICARBONATE ALKALINITY	00440	036	2013/10/14	. 450.000	2016/10
CALCIUM	00916	036	2013/10/14	. 93.000	2016/10
CARBONATE ALKALINITY	00445	036	2013/10/14	< .000	2016/10
CHLORIDE	00940	036	2013/10/14	. 110.000	2016/10
COLOR	00081	036	2013/10/14	< .000	2016/10

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910242

System Name: CALIFORNIA WATER SERVICE CO-LAKE HUGHES

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910242-008

Source Name: WELL 01-02

Source Number: 008

Source Status: ACTIVE RAW

Water type: G

SECONDARY/GP

COPPER	01042	036	2013/10/14	< .000	2016/10
FOAMING AGENTS (MBAS)	38260	036	2013/10/14	< .000	2016/10
HARDNESS (TOTAL) AS CaCO3	00900	036	2013/10/14	. 400.000	2016/10
HYDROXIDE ALKALINITY	71830	036	2013/10/14	< .000	2016/10
IRON	01045	036	2013/10/14	< .000	2016/10
MAGNESIUM	00927	036	2013/10/14	. 41.000	2016/10
MANGANESE	01055	036	2013/10/14	< .000	2016/10
ODOR THRESHOLD @ 60 C	00086	036	2013/10/14	< .000	2016/10
PH, LABORATORY	00403	036	2013/10/14	. 7.400	2016/10
SILVER	01077	036	2013/10/14	< .000	2016/10
SODIUM	00929	036	2013/10/14	77.000	2016/10
SPECIFIC CONDUCTANCE	00095	036	2013/10/14	. 1100.000	2016/10
SULFATE	00945	036	2013/10/14	79.000	2016/10
TOTAL DISSOLVED SOLIDS	70300	036	2013/10/14	. 630.000	2016/10
TURBIDITY, LABORATORY	82079	036	2013/10/14	< .000	2016/10
ZINC	01092	036	2013/10/14	< .000	2016/10

PS Code: 1910242-800

Source Name: SITE 1 - 18152 NEW VIEW RD. - STG2 DBP

Source Number: 800

Source Status: DISTRIBUTION TREATED

Water type: G

HALOACETIC ACIDS

DIBROMOACETIC ACID (DBAA)	82721	000			DUE
DICHLOROACETIC ACID (DCAA)	77288	000			DUE
HALOACETIC ACIDS (5) (HAA5)	A-049	000			DUE
MONOBROMOACETIC ACID (MBAA)	A-041	000			DUE
MONOCHLOROACETIC ACID (MCAA)	A-042	000			DUE
TRICHLOROACETIC ACID (TCAA)	82723	000			DUE

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: **1910242**

System Name: **CALIFORNIA WATER SERVICE CO-LAKE HUGHES**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: **1910242-800**

Source Name: **SITE 1 - 18152 NEW VIEW RD. - STG2 DBP**

Source Number: **800**

Source Status: **DISTRIBUTION TREATED**

Water type: **G**

STATE UCMR

BROMODICHLORMETHANE (THM)	32101	000		DUE
BROMOFORM (THM)	32104	000		DUE
CHLOROFORM (THM)	32106	000		DUE
DIBROMOCHLOROMETHANE (THM)	32105	000		DUE

TRIHALOMETHANES

TOTAL TRIHALOMETHANES	82080	000		DUE
-----------------------	-------	-----	--	-----

PS Code: **1910242-801**

Source Name: **SITE 2 - 17712 HIGH TRAIL. - STG2 DBP**

Source Number: **801**

Source Status: **DISTRIBUTION TREATED**

Water type: **G**

HALOACETIC ACIDS

DIBROMOACETIC ACID (DBAA)	82721	000		DUE
DICHLOROACETIC ACID (DCAA)	77288	000		DUE
HALOACETIC ACIDS (5) (HAA5)	A-049	000		DUE
MONOBROMOACETIC ACID (MBAA)	A-041	000		DUE
MONOCHLOROACETIC ACID (MCAA)	A-042	000		DUE
TRICHLOROACETIC ACID (TCAA)	82723	000		DUE

STATE UCMR

BROMODICHLORMETHANE (THM)	32101	000		DUE
BROMOFORM (THM)	32104	000		DUE
CHLOROFORM (THM)	32106	000		DUE
DIBROMOCHLOROMETHANE (THM)	32105	000		DUE

TRIHALOMETHANES

TOTAL TRIHALOMETHANES	82080	000		DUE
-----------------------	-------	-----	--	-----

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910243

System Name: CALIFORNIA WATER SERVICE CO-LEONA VALLEY

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910243-001

Source Name: WELL 01-07 (FORMERLY WELL 01)

Source Number: 001

Source Status: ACTIVE RAW

Water type: G

INORGANIC

ALUMINUM	01105	036	2014/07/07	< 50.000	2017/07
ANTIMONY	01097	036	2014/05/06	< .000	2017/05
ARSENIC	01002	036	2014/05/06	< .000	2017/05
ASBESTOS	81855	108	2007/09/17	< .200	2016/09
BARIUM	01007	036	2014/05/06	. 110.000	2017/05
BERYLLIUM	01012	036	2014/05/06	< .000	2017/05
CADMIUM	01027	036	2014/05/06	< .000	2017/05
CHROMIUM (TOTAL)	01034	036	2014/05/06	< .000	2017/05
CHROMIUM, HEXAVALENT	01032	036	2014/08/04	. 1.400	2017/08
CYANIDE	01291	036	2014/05/06	< .000	2017/05
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/07/07	. .920	2017/07
MERCURY	71900	036	2014/05/06	< .000	2017/05
NICKEL	01067	036	2014/05/06	< .000	2017/05
PERCHLORATE	A-031	036	2014/05/06	< 4.000	2017/05
SELENIUM	01147	036	2014/05/06	< .000	2017/05
THALLIUM	01059	036	2014/05/06	< .000	2017/05

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2014/07/08	. 34.228	2015/07
NITRITE (AS N)	00620	036	2014/05/06	< .000	2017/05

RADIOLOGICAL

GROSS ALPHA	01501	072	2009/12/14	< 3.000	2015/12
URANIUM (PCI/L)	28012	072	2009/12/08	2.015	2015/12

REGULATED SOC

DI(2-ETHYLHEXYL)PHTHALATE	39100	036	2012/05/15	< .000	2015/05
THIOBENCARB	A-001	036	2012/05/15	< .000	2015/05

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	012	2014/05/27	. .000	2015/05
1,1,2,2-TETRACHLOROETHANE	34516	012	2014/05/27	. .000	2015/05

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910243

System Name: CALIFORNIA WATER SERVICE CO-LEONA VALLEY

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

PS Code: 1910243-001

Source Name: WELL 01-07 (FORMERLY WELL 01)

Source Number: 001

Source Status: ACTIVE RAW

Water type: G

REGULATED VOC

1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/05/27	.000	2015/05
1,1,2-TRICHLOROETHANE	34511	012	2014/05/27	.000	2015/05
1,1-DICHLOROETHANE	34496	012	2014/05/27	.000	2015/05
1,1-DICHLOROETHYLENE	34501	012	2014/05/27	.000	2015/05
1,2,4-TRICHLOROBENZENE	34551	012	2014/05/27	.000	2015/05
1,2-DICHLOROBENZENE	34536	012	2014/05/27	.000	2015/05
1,2-DICHLOROETHANE	34531	012	2014/05/27	.000	2015/05
1,2-DICHLOROPROPANE	34541	012	2014/05/27	.000	2015/05
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/05/27	.000	2015/05
1,4-DICHLOROBENZENE	34571	012	2014/05/27	.000	2015/05
BENZENE	34030	012	2014/05/27	.000	2015/05
CARBON TETRACHLORIDE	32102	012	2014/05/27	.000	2015/05
CIS-1,2-DICHLOROETHYLENE	77093	012	2014/05/27	.000	2015/05
DICHLOROMETHANE	34423	012	2014/05/27	.000	2015/05
ETHYLBENZENE	34371	012	2014/05/27	.000	2015/05
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/05/27	.000	2015/05
MONOCHLOROBENZENE	34301	012	2014/05/27	.000	2015/05
STYRENE	77128	012	2014/05/27	.000	2015/05
TETRACHLOROETHYLENE	34475	012	2014/05/27	.000	2015/05
TOLUENE	34010	012	2014/05/27	.000	2015/05
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/05/27	.000	2015/05
TRICHLOROETHYLENE	39180	012	2014/05/27	.000	2015/05
TRICHLOROFUOROMETHANE	34488	012	2014/05/27	.000	2015/05
VINYL CHLORIDE	39175	012	2014/05/27	.000	2015/05
XYLENES (TOTAL)	81551	012	2014/05/27	.000	2015/05

SECONDARY/GP

BICARBONATE ALKALINITY	00440	036	2014/05/06	310.000	2017/05
CALCIUM	00916	036	2014/05/06	85.000	2017/05
CARBONATE ALKALINITY	00445	036	2014/05/06	<.000	2017/05

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910243

System Name: CALIFORNIA WATER SERVICE CO-LEONA VALLEY

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910243-001

Source Name: WELL 01-07 (FORMERLY WELL 01)

Source Number: 001

Source Status: ACTIVE RAW

Water type: G

SECONDARY/GP

CHLORIDE	00940	036	2014/05/06	. 54.000	2017/05
COLOR	00081	036	2014/07/07	< 3.000	2017/07
COPPER	01042	036	2014/05/06	< .000	2017/05
FOAMING AGENTS (MBAS)	38260	036	2014/05/06	< .000	2017/05
HARDNESS (TOTAL) AS CaCO3	00900	036	2014/05/06	. 350.000	2017/05
HYDROXIDE ALKALINITY	71830	036	2014/05/06	< .000	2017/05
IRON	01045	036	2014/07/07	< 100.000	2017/07
MAGNESIUM	00927	036	2014/05/06	. 34.000	2017/05
MANGANESE	01055	036	2014/07/07	< 20.000	2017/07
ODOR THRESHOLD @ 60 C	00086	036	2014/07/07	< 1.000	2017/07
PH, LABORATORY	00403	036	2014/05/06	. 7.200	2017/05
SILVER	01077	036	2014/05/06	< .000	2017/05
SODIUM	00929	036	2014/05/06	. 50.000	2017/05
SPECIFIC CONDUCTANCE	00095	036	2014/05/06	. 850.000	2017/05
SULFATE	00945	036	2014/05/06	. 120.000	2017/05
TOTAL DISSOLVED SOLIDS	70300	036	2014/05/06	. 530.000	2017/05
TURBIDITY, LABORATORY	82079	036	2014/07/07	. .068	2017/07
ZINC	01092	036	2014/05/06	< .000	2017/05

PS Code: 1910243-005

Source Name: AVEK CONNECTION - TREATED

Source Number: 005

Source Status: PURCHASED TREATED

Water type: S

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

*Testing interval is in months;
 0 = No data for this constituent and is DUE NOW
 I = Invalid (NOT) valid analyses reported
 Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910243

System Name: CALIFORNIA WATER SERVICE CO-LEONA VALLEY

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910243-006

Source Name: WELL 01-01 (FORMERLY WELL 05)

Source Number: 006

Source Status: ACTIVE RAW

Water type: G

INORGANIC

ALUMINUM	01105	036	2014/07/07	< 50.000	2017/07
ANTIMONY	01097	036	2012/02/08	< .000	2015/02
ARSENIC	01002	036	2012/02/08	< .000	2015/02
ASBESTOS	81855	108	2007/09/12	< .200	2016/09
BARIUM	01007	036	2012/02/08	< .000	2015/02
BERYLLIUM	01012	036	2012/02/08	< .000	2015/02
CADMIUM	01027	036	2012/02/08	< .000	2015/02
CHROMIUM (TOTAL)	01034	036	2012/02/08	< .000	2015/02
CHROMIUM, HEXAVALENT	01032	036	2014/08/04	< 1.000	2017/08
CYANIDE	01291	036	2012/02/08	< .000	2015/02
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/07/07	. 2.700	2017/07
MERCURY	71900	036	2012/02/08	< .000	2015/02
NICKEL	01067	036	2012/02/08	< .000	2015/02
PERCHLORATE	A-031	036	2012/02/08	< .000	2015/02
SELENIUM	01147	036	2012/02/08	< .000	2015/02
THALLIUM	01059	036	2012/02/08	< .000	2015/02

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2014/07/08	. 17.745	2015/07
NITRITE (AS N)	00620	036	2012/02/08	< .000	2015/02

RADIOLOGICAL

GROSS ALPHA	01501	072	2014/02/06	. 3.340	2020/02
RADIUM 226	09501	108	2014/02/06	< 1.000	2023/02
RADIUM 228	11501	108	2014/02/06	< 1.000	2023/02
URANIUM (PCI/L)	28012	072	2014/02/04	. 1.562	2020/02

REGULATED SOC

2,4-D	39730	036	2012/02/14	< .000	2015/02
ALACHLOR	77825	036	2012/02/14	< .000	2015/02
ATRAZINE	39033	036	2012/02/14	< .000	2015/02

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910243

System Name: CALIFORNIA WATER SERVICE CO-LEONA VALLEY

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910243-006

Source Name: WELL 01-01 (FORMERLY WELL 05)

Source Number: 006

Source Status: ACTIVE RAW

Water type: G

REGULATED SOC

BENTAZON	38710	036	2012/02/14	< .000	2015/02
CARBOFURAN	81405	036	2012/02/14	< .000	2015/02
CHLORDANE	39350	036	2013/12/09	< .000	2016/12
DI(2-ETHYLHEXYL)PHTHALATE	39100	036	2012/02/14	< .000	2015/02
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2012/02/14	.000	2015/02
DINOSEB	81287	036	2012/02/14	< .000	2015/02
DIQUAT	78885	036	2012/02/14	< .000	2015/02
ENDOTHALL	38926	036	2012/02/14	< .000	2015/02
ENDRIN	39390	036	2013/12/09	< .000	2016/12
ETHYLENE DIBROMIDE (EDB)	77651	036	2012/02/14	.000	2015/02
GLYPHOSATE	79743	036	2012/02/14	< .000	2015/02
LINDANE	39340	036	2013/12/09	< .000	2016/12
METHOXYCHLOR	39480	036	2013/12/09	< .000	2016/12
OXAMYL	38865	036	2012/02/14	< .000	2015/02
PENTACHLOROPHENOL	39032	036	2012/02/14	< .000	2015/02
SIMAZINE	39055	036	2012/02/14	< .000	2015/02
THIOBENCARB	A-001	036	2012/02/14	< .000	2015/02
TOXAPHENE	39400	036	2013/12/09	< .000	2016/12

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	012	2014/05/27	.000	2015/05
1,1,2,2-TETRACHLOROETHANE	34516	012	2014/05/27	.000	2015/05
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/05/27	.000	2015/05
1,1,2-TRICHLOROETHANE	34511	012	2014/05/27	.000	2015/05
1,1-DICHLOROETHANE	34496	012	2014/05/27	.000	2015/05
1,1-DICHLOROETHYLENE	34501	012	2014/05/27	.000	2015/05
1,2,4-TRICHLOROBENZENE	34551	012	2014/05/27	.000	2015/05
1,2-DICHLOROBENZENE	34536	012	2014/05/27	.000	2015/05
1,2-DICHLOROETHANE	34531	012	2014/05/27	.000	2015/05
1,2-DICHLOROPROPANE	34541	012	2014/05/27	.000	2015/05

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910243

System Name: CALIFORNIA WATER SERVICE CO-LEONA VALLEY

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910243-006

Source Name: WELL 01-01 (FORMERLY WELL 05)

Source Number: 006

Source Status: ACTIVE RAW

Water type: G

REGULATED VOC

1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/05/27	.000	2015/05
1,4-DICHLOROBENZENE	34571	012	2014/05/27	.000	2015/05
BENZENE	34030	012	2014/05/27	.000	2015/05
CARBON TETRACHLORIDE	32102	012	2014/05/27	.000	2015/05
CIS-1,2-DICHLOROETHYLENE	77093	012	2014/05/27	.000	2015/05
DICHLOROMETHANE	34423	012	2014/05/27	.000	2015/05
ETHYLBENZENE	34371	012	2014/05/27	.000	2015/05
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/05/27	.000	2015/05
MONOCHLOROBENZENE	34301	012	2014/05/27	.000	2015/05
STYRENE	77128	012	2014/05/27	.000	2015/05
TETRACHLOROETHYLENE	34475	012	2014/05/27	.000	2015/05
TOLUENE	34010	012	2014/05/27	.000	2015/05
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/05/27	.000	2015/05
TRICHLOROETHYLENE	39180	012	2014/05/27	.000	2015/05
TRICHLOROFUOROMETHANE	34488	012	2014/05/27	.000	2015/05
VINYL CHLORIDE	39175	012	2014/05/27	.000	2015/05
XYLENES (TOTAL)	81551	012	2014/05/27	.000	2015/05

SECONDARY/GP

BICARBONATE ALKALINITY	00440	036	2012/02/08	240.000	2015/02
CALCIUM	00916	036	2012/02/08	120.000	2015/02
CARBONATE ALKALINITY	00445	036	2012/02/08	<.000	2015/02
CHLORIDE	00940	036	2012/02/08	120.000	2015/02
COLOR	00081	036	2014/07/07	<3.000	2017/07
COPPER	01042	036	2012/02/08	<.000	2015/02
FOAMING AGENTS (MBAS)	38260	036	2012/02/08	<.000	2015/02
HARDNESS (TOTAL) AS CaCO3	00900	036	2012/02/08	370.000	2015/02
HYDROXIDE ALKALINITY	71830	036	2012/02/08	<.000	2015/02
IRON	01045	036	2014/07/07	<100.000	2017/07
MAGNESIUM	00927	036	2012/02/08	19.000	2015/02

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910243

System Name: CALIFORNIA WATER SERVICE CO-LEONA VALLEY

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910243-006

Source Name: WELL 01-01 (FORMERLY WELL 05)

Source Number: 006

Source Status: ACTIVE RAW

Water type: G

SECONDARY/GP

MANGANESE	01055	036	2014/07/07	< 20.000	2017/07
ODOR THRESHOLD @ 60 C	00086	036	2014/07/07	< 1.000	2017/07
PH, LABORATORY	00403	036	2012/02/08	. 8.100	2015/02
SILVER	01077	036	2012/02/08	< .000	2015/02
SODIUM	00929	036	2012/02/08	180.000	2015/02
SPECIFIC CONDUCTANCE	00095	036	2012/02/08	. 1500.000	2015/02
SULFATE	00945	036	2012/02/08	360.000	2015/02
TOTAL DISSOLVED SOLIDS	70300	036	2012/02/08	. 940.000	2015/02
TURBIDITY, LABORATORY	82079	036	2014/07/07	. .057	2017/07
ZINC	01092	036	2012/02/08	< .000	2015/02

PS Code: 1910243-008

Source Name: STAT 1 BOOSTERS EFF-WELL 1-01 BLEND& CL2

Source Number: 008

Source Status: COMBINATION OR BLEND TREATED

Water type: S

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

PS Code: 1910243-009

Source Name: WELL 01-06 - PENDING

Source Number: 009

Source Status: PENDING

Water type: G

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

*Testing interval is in months;
 0 = No data for this constituent and is DUE NOW
 I = Invalid (NOT) valid analyses reported
 Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910243

System Name: CALIFORNIA WATER SERVICE CO-LEONA VALLEY

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910243-010

Source Name: STAT 1 TANK 1 EFFLUENT

Source Number: 010

Source Status: COMBINATION OR BLEND TREATED

Water type: G

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

PS Code: 1910243-011

Source Name: STAT 1 TANK 2 EFFLUENT

Source Number: 011

Source Status: COMBINATION OR BLEND TREATED

Water type: G

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

PS Code: 1910243-800

Source Name: LEO-D-806 - 40201 W. 107TH ST.- STG2 DBP

Source Number: 800

Source Status: DISTRIBUTION TREATED

Water type: S

HALOACETIC ACIDS

DIBROMOACETIC ACID (DBAA)	82721	003	2014/05/13	. 6.100	2014/08
DICHLOROACETIC ACID (DCAA)	77288	003	2014/05/13	. 1.300	2014/08
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/05/13	. 7.400	2014/08
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/05/13	< .000	2014/08
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/05/13	< .000	2014/08
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/05/13	< .000	2014/08

STATE UCMR

BROMODICHLORMETHANE (THM)	32101	000			DUE
BROMOFORM (THM)	32104	000			DUE
CHLOROFORM (THM)	32106	000			DUE
DIBROMOCHLOROMETHANE (THM)	32105	000			DUE

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910243

System Name: CALIFORNIA WATER SERVICE CO-LEONA VALLEY

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910243-800

Source Name: LEO-D-806 - 40201 W. 107TH ST.- STG2 DBP

Source Number: 800

Source Status: DISTRIBUTION TREATED

Water type: S

TRICHALOMETHANES

TOTAL TRICHALOMETHANES	82080	000		DUE
-------------------------------	--------------	------------	--	------------

PS Code: 1910243-801

Source Name: LEO-D-813 - 40057 W. 98TH ST. - STG2 DBP

Source Number: 801

Source Status: DISTRIBUTION TREATED

Water type: S

HALOACETIC ACIDS

DIBROMOACETIC ACID (DBAA)	82721	003	2014/05/13	. 4.500	2014/08
DICHLOROACETIC ACID (DCAA)	77288	003	2014/05/13	< .000	2014/08
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/05/13	. 4.500	2014/08
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/05/13	< .000	2014/08
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/05/13	< .000	2014/08
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/05/13	< .000	2014/08

STATE UCMR

BROMODICHLORMETHANE (THM)	32101	000			DUE
BROMOFORM (THM)	32104	000			DUE
CHLOROFORM (THM)	32106	000			DUE
DIBROMOCHLOROMETHANE (THM)	32105	000			DUE

TRICHALOMETHANES

TOTAL TRICHALOMETHANES	82080	000			DUE
-------------------------------	--------------	------------	--	--	------------

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910245

System Name: SANTA FE SPRINGS - CITY, WATER DEPT.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910245-004

Source Name: WELL 01

Source Number: 004

Source Status: STANDBY RAW

Water type: G

INORGANIC

ALUMINUM	01105	108	2011/08/05	< 50.000	2020/08
ANTIMONY	01097	108	2011/08/05	< 6.000	2020/08
ARSENIC	01002	108	2011/08/05	< 2.000	2020/08
BARIUM	01007	108	2011/08/05	< 100.000	2020/08
BERYLLIUM	01012	108	2011/08/05	< 1.000	2020/08
CADMIUM	01027	108	2011/08/05	< 1.000	2020/08
CHROMIUM (TOTAL)	01034	108	2011/08/05	< 10.000	2020/08
CYANIDE	01291	108	2011/08/05	< 100.000	2020/08
FLUORIDE (F) (NATURAL-SOURCE)	00951	108	2011/08/05	. 270	2020/08
MERCURY	71900	108	2011/08/05	< 1.000	2020/08
NICKEL	01067	108	2011/08/05	< 10.000	2020/08
PERCHLORATE	A-031	012	2013/08/19	< 4.000	2014/08
SELENIUM	01147	108	2011/08/05	< 5.000	2020/08
THALLIUM	01059	108	2011/08/05	< 1.000	2020/08

NITRATE/NITRITE

NITRATE (AS NO3)	71850	108	2013/08/19	. 14.000	2022/08
NITRITE (AS N)	00620	108	2011/08/05	< 400.000	2020/08

RADIOLOGICAL

GROSS ALPHA	01501	036	2012/05/17	. 5.180	2015/05
RADIUM 226	09501	108	2006/02/03	< 1.000	2015/02
RADIUM 228	11501	108	2006/05/04	< 1.000	2015/05
URANIUM (PCI/L)	28012	036	2009/11/25	3.869	2012/11 DUE

REGULATED SOC

DI(2-ETHYLHEXYL)PHTHALATE	39100	108	2012/05/17	< 3.000	2021/05
---------------------------	-------	-----	------------	---------	---------

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	108	2013/11/25	< .500	2022/11
1,1,2,2-TETRACHLOROETHANE	34516	108	2013/11/25	< .500	2022/11
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	108	2013/11/25	< 10.000	2022/11

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910245

System Name: SANTA FE SPRINGS - CITY, WATER DEPT.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910245-004

Source Name: WELL 01

Source Number: 004

Source Status: STANDBY RAW

Water type: G

REGULATED VOC

1,1,2-TRICHLOROETHANE	34511	108	2013/11/25	< .500	2022/11
1,1-DICHLOROETHANE	34496	108	2013/11/25	< .500	2022/11
1,1-DICHLOROETHYLENE	34501	108	2013/11/25	. 3.000	2022/11
1,2,4-TRICHLOROBENZENE	34551	108	2013/11/25	< .500	2022/11
1,2-DICHLOROBENZENE	34536	108	2013/11/25	< .500	2022/11
1,2-DICHLOROETHANE	34531	108	2013/11/25	< .500	2022/11
1,2-DICHLOROPROPANE	34541	108	2013/11/25	< .500	2022/11
1,3-DICHLOROPROPENE (TOTAL)	34561	108	2013/11/25	< .500	2022/11
1,4-DICHLOROBENZENE	34571	108	2013/11/25	< .500	2022/11
BENZENE	34030	108	2013/11/25	< .500	2022/11
CARBON TETRACHLORIDE	32102	108	2013/11/25	< .500	2022/11
CIS-1,2-DICHLOROETHYLENE	77093	108	2013/11/25	< .500	2022/11
DICHLOROMETHANE	34423	108	2013/11/25	< .500	2022/11
ETHYLBENZENE	34371	108	2013/11/25	< .500	2022/11
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	108	2013/11/25	< 3.000	2022/11
MONOCHLOROBENZENE	34301	108	2013/11/25	< .500	2022/11
STYRENE	77128	108	2013/11/25	< .500	2022/11
TETRACHLOROETHYLENE	34475	108	2014/01/09	. 5.100	2023/01
TOLUENE	34010	108	2013/11/25	< .500	2022/11
TRANS-1,2-DICHLOROETHYLENE	34546	108	2013/11/25	< .500	2022/11
TRICHLOROETHYLENE	39180	003	2013/11/25	. 7.600	2014/02 DUE
TRICHLOROFUOROMETHANE	34488	108	2013/11/25	< 5.000	2022/11
VINYL CHLORIDE	39175	108	2013/11/25	< .500	2022/11
XYLENES (TOTAL)	81551	108	2013/11/25	< 1.000	2022/11

SECONDARY/GP

BICARBONATE ALKALINITY	00440	108	2011/08/05	. 240.000	2020/08
CALCIUM	00916	108	2011/08/05	. 110.000	2020/08
CARBONATE ALKALINITY	00445	108	2011/08/05	< 1.200	2020/08
CHLORIDE	00940	108	2011/08/05	. 71.000	2020/08

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910245

System Name: SANTA FE SPRINGS - CITY, WATER DEPT.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910245-004

Source Name: WELL 01

Source Number: 004

Source Status: STANDBY RAW

Water type: G

SECONDARY/GP

COLOR	00081	108	2011/08/05	< 1.000	2020/08
COPPER	01042	108	2011/08/05	< 50.000	2020/08
FOAMING AGENTS (MBAS)	38260	108	2011/08/05	< .100	2020/08
HARDNESS (TOTAL) AS CaCO3	00900	108	2011/08/05	. 360.000	2020/08
HYDROXIDE ALKALINITY	71830	108	2011/08/05	< .700	2020/08
IRON	01045	108	2011/08/05	< 100.000	2020/08
MAGNESIUM	00927	108	2011/08/05	. 24.000	2020/08
MANGANESE	01055	108	2011/08/05	< 20.000	2020/08
ODOR THRESHOLD @ 60 C	00086	108	2011/08/05	< 1.000	2020/08
PH, LABORATORY	00403	108	2011/08/05	. 7.700	2020/08
SILVER	01077	108	2011/08/05	< 10.000	2020/08
SODIUM	00929	108	2011/08/05	56.000	2020/08
SPECIFIC CONDUCTANCE	00095	108	2011/08/05	. 910.000	2020/08
SULFATE	00945	108	2011/08/05	190.000	2020/08
TOTAL DISSOLVED SOLIDS	70300	108	2011/08/05	. 630.000	2020/08
TURBIDITY, LABORATORY	82079	108	2011/08/05	< .100	2020/08
ZINC	01092	108	2011/08/05	< 50.000	2020/08

PS Code: 1910245-005

Source Name: WELL 02 - STANDBY

Source Number: 005

Source Status: STANDBY RAW

Water type: G

INORGANIC

ALUMINUM	01105	108	2013/02/19	< 50.000	2022/02
ANTIMONY	01097	108	2013/02/19	< 6.000	2022/02
ARSENIC	01002	108	2013/02/19	. 13.000	2022/02
BARIUM	01007	108	2013/02/19	< 100.000	2022/02
BERYLLIUM	01012	108	2013/02/19	< 1.000	2022/02

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910245

System Name: SANTA FE SPRINGS - CITY, WATER DEPT.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910245-005

Source Name: WELL 02 - STANDBY

Source Number: 005

Source Status: STANDBY RAW

Water type: G

INORGANIC

CADMIUM	01027	108	2013/02/19	< 1.000	2022/02
CHROMIUM (TOTAL)	01034	108	2013/02/19	< 10.000	2022/02
CYANIDE	01291	108	2013/02/19	< 100.000	2022/02
FLUORIDE (F) (NATURAL-SOURCE)	00951	108	2013/02/19	.470	2022/02
MERCURY	71900	108	2013/02/19	< 1.000	2022/02
NICKEL	01067	108	2013/02/19	< 10.000	2022/02
PERCHLORATE	A-031	108	2013/02/19	< 4.000	2022/02
SELENIUM	01147	108	2013/02/19	< 5.000	2022/02
THALLIUM	01059	108	2013/02/19	< 1.000	2022/02

NITRATE/NITRITE

NITRATE (AS NO3)	71850	108	2013/02/19	< 2.000	2022/02
NITRITE (AS N)	00620	108	2013/02/19	< 400.000	2022/02

RADIOLOGICAL

GROSS ALPHA	01501	108	2013/02/19	. 2.580	2022/02
RADIUM 228	11501	108	2013/02/19	. .045	2022/02

REGULATED SOC

DI(2-ETHYLHEXYL)PHTHALATE	39100	108	2013/02/19	< 3.000	2022/02
THIOBENCARB	A-001	108	2013/02/19	< 1.000	2022/02

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	108	2013/02/19	< .500	2022/02
1,1,2,2-TETRACHLOROETHANE	34516	108	2013/02/19	< .500	2022/02
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	108	2013/02/19	< 10.000	2022/02
1,1,2-TRICHLOROETHANE	34511	108	2013/02/19	< .500	2022/02
1,1-DICHLOROETHANE	34496	108	2013/02/19	< .500	2022/02
1,1-DICHLOROETHYLENE	34501	108	2013/02/19	< .500	2022/02
1,2,4-TRICHLOROBENZENE	34551	108	2013/02/19	< .500	2022/02
1,2-DICHLOROBENZENE	34536	108	2013/02/19	< .500	2022/02
1,2-DICHLOROETHANE	34531	108	2013/02/19	< .500	2022/02

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910245

System Name: SANTA FE SPRINGS - CITY, WATER DEPT.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910245-005

Source Name: WELL 02 - STANDBY

Source Number: 005

Source Status: STANDBY RAW

Water type: G

REGULATED VOC

1,2-DICHLOROPROPANE	34541	108	2013/02/19	< .500	2022/02
1,3-DICHLOROPROPENE (TOTAL)	34561	108	2013/02/19	< .500	2022/02
1,4-DICHLOROBENZENE	34571	108	2013/02/19	< .500	2022/02
BENZENE	34030	108	2013/02/19	< .500	2022/02
CARBON TETRACHLORIDE	32102	108	2013/02/19	< .500	2022/02
CIS-1,2-DICHLOROETHYLENE	77093	108	2013/02/19	< .500	2022/02
DICHLOROMETHANE	34423	108	2013/02/19	< .500	2022/02
ETHYLBENZENE	34371	108	2013/02/19	< .500	2022/02
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	108	2013/02/19	< 3.000	2022/02
MONOCHLOROBENZENE	34301	108	2013/02/19	< .500	2022/02
STYRENE	77128	108	2013/02/19	< .500	2022/02
TETRACHLOROETHYLENE	34475	108	2013/02/19	< .500	2022/02
TOLUENE	34010	108	2013/02/19	< .500	2022/02
TRANS-1,2-DICHLOROETHYLENE	34546	108	2013/02/19	< .500	2022/02
TRICHLOROETHYLENE	39180	108	2013/02/19	< .500	2022/02
TRICHLOROFUOROMETHANE	34488	108	2013/02/19	< 5.000	2022/02
VINYL CHLORIDE	39175	108	2013/02/19	< .500	2022/02
XYLENES (TOTAL)	81551	108	2013/02/19	< 1.000	2022/02

SECONDARY/GP

BICARBONATE ALKALINITY	00440	108	2013/02/19	. 120.000	2022/02
CALCIUM	00916	108	2013/02/19	. 15.000	2022/02
CARBONATE ALKALINITY	00445	108	2013/02/19	< 2.400	2022/02
CHLORIDE	00940	108	2013/02/19	. 22.000	2022/02
COLOR	00081	108	2013/02/19	< 1.000	2022/02
COPPER	01042	108	2013/02/19	< 50.000	2022/02
FOAMING AGENTS (MBAS)	38260	108	2013/02/19	< .100	2022/02
HARDNESS (TOTAL) AS CaCO3	00900	108	2013/02/19	. 44.000	2022/02
HYDROXIDE ALKALINITY	71830	108	2013/02/19	< 1.400	2022/02
IRON	01045	108	2013/02/19	< 100.000	2022/02

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910245

System Name: SANTA FE SPRINGS - CITY, WATER DEPT.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910245-005

Source Name: WELL 02 - STANDBY

Source Number: 005

Source Status: STANDBY RAW

Water type: G

SECONDARY/GP

MAGNESIUM	00927	108	2013/02/19	. 1.400	2022/02
MANGANESE	01055	108	2013/02/19	< 20.000	2022/02
ODOR THRESHOLD @ 60 C	00086	108	2013/02/19	< 1.000	2022/02
PH, LABORATORY	00403	108	2013/02/19	. 8.460	2022/02
SILVER	01077	108	2013/02/19	< 10.000	2022/02
SODIUM	00929	108	2013/02/19	71.000	2022/02
SPECIFIC CONDUCTANCE	00095	108	2013/02/19	. 430.000	2022/02
SULFATE	00945	108	2013/02/19	67.000	2022/02
TOTAL DISSOLVED SOLIDS	70300	108	2013/02/19	. 240.000	2022/02
TURBIDITY, LABORATORY	82079	108	2013/02/19	. .550	2022/02
ZINC	01092	108	2013/02/19	< 50.000	2022/02

PS Code: 1910245-011

Source Name: MWD CONNECTION

Source Number: 011

Source Status: PURCHASED TREATED

Water type: S

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

PS Code: 1910245-012

Source Name: WELL 12 - PENDING

Source Number: 012

Source Status: PENDING

Water type: G

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

*Testing interval is in months;
 0 = No data for this constituent and is DUE NOW
 I = Invalid (NOT) valid analyses reported
 Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910245

System Name: SANTA FE SPRINGS - CITY, WATER DEPT.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910245-014

Source Name: MWDSC CB-30

Source Number: 014

Source Status: PURCHASED TREATED

Water type:

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

PS Code: 1910245-015

Source Name: MWDSC CB-40

Source Number: 015

Source Status: PURCHASED TREATED

Water type:

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

PS Code: 1910245-016

Source Name: CITY OF WHITTIER CONNECTION

Source Number: 016

Source Status: PURCHASED TREATED

Water type:

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

PS Code: 1910245-800

Source Name: SITE1-13833 FREEWAY DR,(SITE#8)-STG2 DBP

Source Number: 800

Source Status: DISTRIBUTION TREATED

Water type: S

HALOACETIC ACIDS

DIBROMOACETIC ACID (DBAA)	82721	003	2014/07/02	. 3.400	2014/10
DICHLOROACETIC ACID (DCAA)	77288	003	2014/07/02	. 8.400	2014/10
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/07/02	. 17.900	2014/10
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/07/02	< .000	2014/10
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/07/02	< .000	2014/10

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910245

System Name: SANTA FE SPRINGS - CITY, WATER DEPT.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910245-800

Source Name: SITE1-13833 FREEWAY DR,(SITE#8)-STG2 DBP

Source Number: 800

Source Status: DISTRIBUTION TREATED

Water type: S

HALOACETIC ACIDS

TRICHLOROACETIC ACID (TCAA)	82723	003	2014/07/02	. 6.100	2014/10
-----------------------------	-------	-----	------------	---------	---------

STATE UCMR

BROMODICHLORMETHANE (THM)	32101	003	2014/07/02	. 12.200	2014/10
BROMOFORM (THM)	32104	003	2014/07/02	. 2.100	2014/10
CHLOROFORM (THM)	32106	003	2014/07/02	. 17.200	2014/10
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/07/02	. 10.700	2014/10

TRIHALOMETHANES

TOTAL TRIHALOMETHANES	82080	003	2014/07/02	. 42.200	2014/10
-----------------------	-------	-----	------------	----------	---------

PS Code: 1910245-801

Source Name: SITE2-12636 EMMENS WAY,(SITE#5)-STG2 DBP

Source Number: 801

Source Status: DISTRIBUTION TREATED

Water type: S

HALOACETIC ACIDS

DIBROMOACETIC ACID (DBAA)	82721	003	2014/07/02	. 3.900	2014/10
DICHLOROACETIC ACID (DCAA)	77288	003	2014/07/02	. 11.300	2014/10
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/07/02	. 22.000	2014/10
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/07/02	< .000	2014/10
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/07/02	< .000	2014/10
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/07/02	. 6.800	2014/10

STATE UCMR

BROMODICHLORMETHANE (THM)	32101	003	2014/07/02	. 11.500	2014/10
BROMOFORM (THM)	32104	003	2014/07/02	. 2.300	2014/10
CHLOROFORM (THM)	32106	003	2014/07/02	. 18.800	2014/10
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/07/02	. 10.100	2014/10

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910245

System Name: SANTA FE SPRINGS - CITY, WATER DEPT.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910245-801

Source Name: SITE2-12636 EMMENS WAY,(SITE#5)-STG2 DBP

Source Number: 801

Source Status: DISTRIBUTION TREATED

Water type: S

TRihalOMETHANES

TOTAL TRIHALOMETHANES	82080	003	2014/07/02	. 42.700	2014/10
-----------------------	-------	-----	------------	----------	---------

PS Code: 1910245-802

Source Name: SITE3-NW EXCLSR/SHMKR,(SITE#6)-STG2 DBP

Source Number: 802

Source Status: DISTRIBUTION TREATED

Water type: S

HALOACETIC ACIDS

DIBROMOACETIC ACID (DBAA)	82721	003	2014/07/02	. 4.200	2014/10
DICHLOROACETIC ACID (DCAA)	77288	003	2014/07/02	. 10.600	2014/10
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/07/02	. 22.000	2014/10
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/07/02	< .000	2014/10
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/07/02	< .000	2014/10
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/07/02	. 7.200	2014/10

STATE UCMR

BROMODICHLORMETHANE (THM)	32101	003	2014/07/02	. 12.600	2014/10
BROMOFORM (THM)	32104	003	2014/07/02	. 2.400	2014/10
CHLOROFORM (THM)	32106	003	2014/07/02	. 20.000	2014/10
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/07/02	. 11.300	2014/10

TRihalOMETHANES

TOTAL TRIHALOMETHANES	82080	003	2014/07/02	. 46.300	2014/10
-----------------------	-------	-----	------------	----------	---------

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910245

System Name: SANTA FE SPRINGS - CITY, WATER DEPT.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910245-803

Source Name: SITE4-11528 CECILIA ST,(SITE#3)-STG2 DBP

Source Number: 803

Source Status: DISTRIBUTION TREATED

Water type: S

HALOACETIC ACIDS

DIBROMOACETIC ACID (DBAA)	82721	003	2014/07/02	. 4.000	2014/10
DICHLOROACETIC ACID (DCAA)	77288	003	2014/07/02	. 9.600	2014/10
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/07/02	. 20.300	2014/10
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/07/02	< .000	2014/10
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/07/02	< .000	2014/10
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/07/02	. 6.700	2014/10

STATE UCMR

BROMODICHLORMETHANE (THM)	32101	003	2014/07/02	. 12.200	2014/10
BROMOFORM (THM)	32104	003	2014/07/02	. 2.400	2014/10
CHLOROFORM (THM)	32106	003	2014/07/02	. 19.500	2014/10
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/07/02	. 9.800	2014/10

TRIHALOMETHANES

TOTAL TRIHALOMETHANES	82080	003	2014/07/02	. 43.900	2014/10
-----------------------	-------	-----	------------	----------	---------

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910249

System Name: WHITE FENCE FARMS MUTUAL WATER CO.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910249-004

Source Name: WELL 02B

Source Number: 004

Source Status: ACTIVE RAW

Water type: G

INORGANIC

ALUMINUM	01105	036	2014/03/11	< .000	2017/03
ANTIMONY	01097	036	2014/03/11	< .000	2017/03
ARSENIC	01002	036	2014/06/10	. 5.800	2017/06
ASBESTOS	81855	108	2014/03/11	. .000	2023/03
BARIUM	01007	036	2014/03/11	. 100.000	2017/03
BERYLLIUM	01012	036	2014/03/11	< .000	2017/03
CADMIUM	01027	036	2014/03/11	< .000	2017/03
CHROMIUM (TOTAL)	01034	036	2014/03/11	< .000	2017/03
CHROMIUM, HEXAVALENT	01032	036	2014/07/08	. 3.200	2017/07
CYANIDE	01291	036	2014/03/11	< .000	2017/03
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/03/11	. .370	2017/03
MERCURY	71900	036	2014/03/11	< .000	2017/03
NICKEL	01067	036	2014/03/11	< .000	2017/03
PERCHLORATE	A-031	036	2014/03/11	< .000	2017/03
SELENIUM	01147	036	2014/03/11	< .000	2017/03
THALLIUM	01059	036	2014/03/11	< .000	2017/03

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2014/03/11	. 6.100	2015/03
NITRITE (AS N)	00620	036	2014/03/11	< .000	2017/03

RADIOLOGICAL

GROSS ALPHA	01501	072	2014/06/10	. 11.000	2020/06
RADIUM 226	09501	108	2008/06/17	.120	2017/06
RADIUM 228	11501	108	2008/06/17	.314	2017/06
URANIUM (PCI/L)	28012	108	2014/06/10	. 10.000	2023/06

REGULATED SOC

2,4-D	39730	036	2011/03/08	< .000	2014/03	DUE
ALACHLOR	77825	036	2011/03/08	< .000	2014/03	DUE
ATRAZINE	39033	036	2011/03/08	< .000	2014/03	DUE

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: **1910249**

System Name: **WHITE FENCE FARMS MUTUAL WATER CO.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: **1910249-004**

Source Name: **WELL 02B**

Source Number: **004**

Source Status: **ACTIVE RAW**

Water type: **G**

REGULATED SOC

BENTAZON	38710	036	2011/03/08	< .000	2014/03	DUE
DI(2-ETHYLHEXYL)PHTHALATE	39100	036	2011/03/08	< .000	2014/03	DUE
DINOSEB	81287	036	2011/03/08	< .000	2014/03	DUE
DIQUAT	78885	036	2011/03/08	< .000	2014/03	DUE
ENDOTHALL	38926	036	2011/03/08	< .000	2014/03	DUE
GLYPHOSATE	79743	036	2011/03/08	< .000	2014/03	DUE
LINDANE	39340	036	2011/03/08	< .000	2014/03	DUE
METHOXYCHLOR	39480	036	2011/03/08	< .000	2014/03	DUE
SIMAZINE	39055	036	2011/03/08	< .000	2014/03	DUE
THIOBENCARB	A-001	036	2011/03/08	< .000	2014/03	DUE
TOXAPHENE	39400	036	2011/03/08	< .000	2014/03	DUE

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	012	2014/06/10	< .000	2015/06
1,1,2,2-TETRACHLOROETHANE	34516	012	2014/06/10	< .000	2015/06
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/06/10	< .000	2015/06
1,1,2-TRICHLOROETHANE	34511	012	2014/06/10	< .000	2015/06
1,1-DICHLOROETHANE	34496	012	2014/06/10	< .000	2015/06
1,1-DICHLOROETHYLENE	34501	012	2014/06/10	< .000	2015/06
1,2,4-TRICHLOROBENZENE	34551	012	2014/06/10	< .000	2015/06
1,2-DICHLOROBENZENE	34536	012	2014/06/10	< .000	2015/06
1,2-DICHLOROETHANE	34531	012	2014/06/10	< .000	2015/06
1,2-DICHLOROPROPANE	34541	012	2014/06/10	< .000	2015/06
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/06/10	< .000	2015/06
1,4-DICHLOROBENZENE	34571	012	2014/06/10	< .000	2015/06
BENZENE	34030	012	2014/06/10	< .000	2015/06
CARBON TETRACHLORIDE	32102	012	2014/06/10	< .000	2015/06
CIS-1,2-DICHLOROETHYLENE	77093	012	2014/06/10	< .000	2015/06
DICHLOROMETHANE	34423	012	2014/06/10	< .000	2015/06
ETHYLBENZENE	34371	012	2014/06/10	< .000	2015/06

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910249

System Name: WHITE FENCE FARMS MUTUAL WATER CO.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910249-004

Source Name: WELL 02B

Source Number: 004

Source Status: ACTIVE RAW

Water type: G

REGULATED VOC

METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/06/10	< .000	2015/06
MONOCHLORO BENZENE	34301	012	2014/06/10	< .000	2015/06
STYRENE	77128	012	2014/06/10	< .000	2015/06
TETRACHLOROETHYLENE	34475	012	2014/06/10	< .000	2015/06
TOLUENE	34010	012	2014/06/10	< .000	2015/06
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/06/10	< .000	2015/06
TRICHLOROETHYLENE	39180	012	2014/06/10	< .000	2015/06
TRICHLOROFLUOROMETHANE	34488	012	2014/06/10	< .000	2015/06
VINYL CHLORIDE	39175	012	2014/06/10	< .000	2015/06
XYLENES (TOTAL)	81551	012	2014/06/10	< .000	2015/06

SECONDARY/GP

BICARBONATE ALKALINITY	00440	036	2014/03/11	. 290.000	2017/03
CALCIUM	00916	036	2014/03/11	. 95.000	2017/03
CARBONATE ALKALINITY	00445	036	2014/03/11	< .000	2017/03
CHLORIDE	00940	036	2014/03/11	. 95.000	2017/03
COLOR	00081	036	2014/03/11	< .000	2017/03
COPPER	01042	036	2014/03/11	< .000	2017/03
FOAMING AGENTS (MBAS)	38260	036	2014/03/11	< .000	2017/03
HARDNESS (TOTAL) AS CaCO3	00900	036	2014/03/11	. 310.000	2017/03
HYDROXIDE ALKALINITY	71830	036	2014/03/11	< .000	2017/03
IRON	01045	036	2014/03/11	< .000	2017/03
MAGNESIUM	00927	036	2014/03/11	. 18.000	2017/03
MANGANESE	01055	036	2014/03/11	< .000	2017/03
ODOR THRESHOLD @ 60 C	00086	036	2014/03/11	. 1.000	2017/03
PH, LABORATORY	00403	036	2014/03/11	. 7.800	2017/03
SILVER	01077	036	2014/03/11	< .000	2017/03
SODIUM	00929	036	2014/03/11	. 140.000	2017/03
SPECIFIC CONDUCTANCE	00095	036	2014/03/11	. 1200.000	2017/03
SULFATE	00945	036	2014/03/11	. 260.000	2017/03

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910249

System Name: WHITE FENCE FARMS MUTUAL WATER CO.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910249-004

Source Name: WELL 02B

Source Number: 004

Source Status: ACTIVE RAW

Water type: G

SECONDARY/GP

TOTAL DISSOLVED SOLIDS	70300	036	2014/06/10	. 770.000	2017/06
TURBIDITY, LABORATORY	82079	036	2014/03/11	< .000	2017/03
ZINC	01092	036	2014/03/11	< .000	2017/03

PS Code: 1910249-005

Source Name: AVEK CONNECTION-N/20TH WEST - TREATED

Source Number: 005

Source Status: PURCHASED TREATED

Water type: S

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

PS Code: 1910249-009

Source Name: WELL 03B

Source Number: 009

Source Status: ACTIVE RAW

Water type: G

INORGANIC

ALUMINUM	01105	036	2013/12/10	< .000	2016/12
ANTIMONY	01097	036	2013/12/10	< .000	2016/12
ARSENIC	01002	036	2013/12/10	< .000	2016/12
ASBESTOS	81855	108	2014/03/04	. 000	2023/03
BARIUM	01007	036	2013/12/10	< .000	2016/12
BERYLLIUM	01012	036	2013/12/10	< .000	2016/12
CADMIUM	01027	036	2013/12/10	< .000	2016/12
CHROMIUM (TOTAL)	01034	036	2013/12/10	< .000	2016/12
CHROMIUM, HEXAVALENT	01032	036	2014/07/01	. 4.100	2017/07
CYANIDE	01291	036	2013/12/10	< .000	2016/12
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/12/10	. .210	2016/12

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910249

System Name: WHITE FENCE FARMS MUTUAL WATER CO.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910249-009

Source Name: WELL 03B

Source Number: 009

Source Status: ACTIVE RAW

Water type: G

INORGANIC

MERCURY	71900	036	2013/12/10	< .000	2016/12
NICKEL	01067	036	2013/12/10	< .000	2016/12
PERCHLORATE	A-031	036	2013/12/10	. 4.500	2016/12
SELENIUM	01147	036	2013/12/10	< .000	2016/12
THALLIUM	01059	036	2013/12/10	< .000	2016/12

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2014/07/01	. 58.000	2015/07
NITRITE (AS N)	00620	036	2013/12/10	< .000	2016/12

RADIOLOGICAL

GROSS ALPHA	01501	108	2009/10/27	.000	2018/10
URANIUM (PCI/L)	28012	072	2010/07/06	1.800	2016/07

REGULATED SOC

2,4-D	39730	036	2011/03/01	< .000	2014/03	DUE
ALACHLOR	77825	036	2011/03/01	< .000	2014/03	DUE
ATRAZINE	39033	036	2011/03/01	< .000	2014/03	DUE
BENTAZON	38710	036	2011/03/01	< .000	2014/03	DUE
DI(2-ETHYLHEXYL)PHTHALATE	39100	036	2011/03/01	< .000	2014/03	DUE
DINOSEB	81287	036	2011/03/01	< .000	2014/03	DUE
DIQUAT	78885	036	2011/03/01	< .000	2014/03	DUE
ENDOTHALL	38926	036	2011/03/01	< .000	2014/03	DUE
GLYPHOSATE	79743	036	2011/03/01	< .000	2014/03	DUE
LINDANE	39340	036	2011/03/01	< .000	2014/03	DUE
METHOXYCHLOR	39480	036	2011/03/01	< .000	2014/03	DUE
SIMAZINE	39055	036	2011/03/01	< .000	2014/03	DUE
THIOBENCARB	A-001	036	2011/03/01	< .000	2014/03	DUE
TOXAPHENE	39400	036	2011/03/01	< .000	2014/03	DUE

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	012	2014/06/03	< .000	2015/06
-----------------------	-------	-----	------------	--------	---------

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910249

System Name: WHITE FENCE FARMS MUTUAL WATER CO.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910249-009

Source Name: WELL 03B

Source Number: 009

Source Status: ACTIVE RAW

Water type: G

REGULATED VOC

1,1,2,2-TETRACHLOROETHANE	34516	012	2014/06/03	< .000	2015/06
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/06/03	< .000	2015/06
1,1,2-TRICHLOROETHANE	34511	012	2014/06/03	< .000	2015/06
1,1-DICHLOROETHANE	34496	012	2014/06/03	< .000	2015/06
1,1-DICHLOROETHYLENE	34501	012	2014/06/03	< .000	2015/06
1,2,4-TRICHLOROBENZENE	34551	012	2014/06/03	< .000	2015/06
1,2-DICHLOROBENZENE	34536	012	2014/06/03	< .000	2015/06
1,2-DICHLOROETHANE	34531	012	2014/06/03	< .000	2015/06
1,2-DICHLOROPROPANE	34541	012	2014/06/03	< .000	2015/06
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/06/03	< .000	2015/06
1,4-DICHLOROBENZENE	34571	012	2014/06/03	< .000	2015/06
BENZENE	34030	012	2014/06/03	< .000	2015/06
CARBON TETRACHLORIDE	32102	012	2014/06/03	< .000	2015/06
CIS-1,2-DICHLOROETHYLENE	77093	012	2014/06/03	< .000	2015/06
DICHLOROMETHANE	34423	012	2014/06/03	< .000	2015/06
ETHYLBENZENE	34371	012	2014/06/03	< .000	2015/06
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/06/03	< .000	2015/06
MONOCHLOROBENZENE	34301	012	2014/06/03	< .000	2015/06
STYRENE	77128	012	2014/06/03	< .000	2015/06
TETRACHLOROETHYLENE	34475	012	2014/06/03	< .000	2015/06
TOLUENE	34010	012	2014/06/03	< .000	2015/06
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/06/03	< .000	2015/06
TRICHLOROETHYLENE	39180	012	2014/06/03	< .000	2015/06
TRICHLOROFUOROMETHANE	34488	012	2014/06/03	< .000	2015/06
VINYL CHLORIDE	39175	012	2014/06/03	< .000	2015/06
XYLENES (TOTAL)	81551	012	2014/06/03	< .000	2015/06

SECONDARY/GP

BICARBONATE ALKALINITY	00440	036	2013/12/10	. 190.000	2016/12
CALCIUM	00916	036	2013/12/10	. 95.000	2016/12

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910249

System Name: WHITE FENCE FARMS MUTUAL WATER CO.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910249-009

Source Name: WELL 03B

Source Number: 009

Source Status: ACTIVE RAW

Water type: G

SECONDARY/GP

CARBONATE ALKALINITY	00445	036	2013/12/10	< .000	2016/12
CHLORIDE	00940	036	2013/12/10	. 110.000	2016/12
COLOR	00081	036	2013/12/10	< .000	2016/12
COPPER	01042	036	2013/12/10	< .000	2016/12
FOAMING AGENTS (MBAS)	38260	036	2013/12/10	< .000	2016/12
HARDNESS (TOTAL) AS CaCO3	00900	036	2013/12/10	. 340.000	2016/12
HYDROXIDE ALKALINITY	71830	036	2013/12/10	< .000	2016/12
IRON	01045	036	2013/12/10	< .000	2016/12
MAGNESIUM	00927	036	2013/12/10	. 25.000	2016/12
MANGANESE	01055	036	2013/12/10	< .000	2016/12
ODOR THRESHOLD @ 60 C	00086	036	2013/12/10	1.000	2016/12
PH, LABORATORY	00403	036	2013/12/10	. 7.300	2016/12
SILVER	01077	036	2013/12/10	< .000	2016/12
SODIUM	00929	036	2013/12/10	94.000	2016/12
SPECIFIC CONDUCTANCE	00095	036	2013/12/10	. 1100.000	2016/12
SULFATE	00945	036	2013/12/10	170.000	2016/12
TOTAL DISSOLVED SOLIDS	70300	036	2014/06/03	. 710.000	2017/06
TURBIDITY, LABORATORY	82079	036	2013/12/10	< .000	2016/12
ZINC	01092	036	2013/12/10	< .000	2016/12

PS Code: 1910249-010

Source Name: NITRATE BLEND - WELL 03B & AVEK

Source Number: 010

Source Status: ACTIVE TREATED

Water type: S

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

*Testing interval is in months;
 0 = No data for this constituent and is DUE NOW
 I = Invalid (NOT) valid analyses reported
 Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910249

System Name: WHITE FENCE FARMS MUTUAL WATER CO.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910249-800

Source Name: SITE 1 - 30TH ST. W & AVE N - STG2 DBP

Source Number: 800

Source Status: DISTRIBUTION TREATED

Water type: S

HALOACETIC ACIDS

DIBROMOACETIC ACID (DBAA)	82721	003	2014/06/09	. 2.600	2014/09
DICHLOROACETIC ACID (DCAA)	77288	003	2014/06/09	< .000	2014/09
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/06/09	. 2.600	2014/09
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/06/09	< .000	2014/09
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/06/09	< .000	2014/09
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/06/09	< .000	2014/09

STATE UCMR

BROMODICHLORMETHANE (THM)	32101	003	2014/06/09	. 1.300	2014/09
BROMOFORM (THM)	32104	003	2014/06/09	. 7.500	2014/09
CHLOROFORM (THM)	32106	003	2014/06/09	< .000	2014/09
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/06/09	. 4.900	2014/09

TRIALOMETHANES

TOTAL TRIHALOMETHANES	82080	003	2014/06/09	. 13.700	2014/09
-----------------------	-------	-----	------------	----------	---------

PS Code: 1910249-801

Source Name: SITE 2 - 30TH ST. W & AVE M-2 - STG2 DBP

Source Number: 801

Source Status: DISTRIBUTION TREATED

Water type: S

HALOACETIC ACIDS

DIBROMOACETIC ACID (DBAA)	82721	003	2014/06/09	< .000	2014/09
DICHLOROACETIC ACID (DCAA)	77288	003	2014/06/09	< .000	2014/09
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/06/09	< .000	2014/09
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/06/09	< .000	2014/09
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/06/09	< .000	2014/09
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/06/09	< .000	2014/09

STATE UCMR

BROMODICHLORMETHANE (THM)	32101	003	2014/06/09	< .000	2014/09
---------------------------	-------	-----	------------	--------	---------

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910249

System Name: WHITE FENCE FARMS MUTUAL WATER CO.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

PS Code: 1910249-801

Source Name: SITE 2 - 30TH ST. W & AVE M-2 - STG2 DBP

Source Number: 801

Source Status: DISTRIBUTION TREATED

Water type: S

STATE UCMR

BROMOFORM (THM)	32104	003	2014/06/09	< .000	2014/09
CHLOROFORM (THM)	32106	003	2014/06/09	< .000	2014/09
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/06/09	< .000	2014/09

TRIHALOMETHANES

TOTAL TRIHALOMETHANES	82080	003	2014/06/09	< .000	2014/09
-----------------------	-------	-----	------------	--------	---------

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910254

System Name: HUNGRY VALLEY STATE VEHICULAR REC AREA

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910254-006

Source Name: DORM WELL

Source Number: 006

Source Status: ACTIVE RAW

Water type: G

INORGANIC

ALUMINUM	01105	036	2013/06/11	< 50.000	2016/06
ANTIMONY	01097	036	2013/06/11	< 2.000	2016/06
ARSENIC	01002	036	2013/06/11	< 2.000	2016/06
BARIUM	01007	036	2013/06/11	59.000	2016/06
BERYLLIUM	01012	036	2013/06/11	< 1.000	2016/06
CADMIUM	01027	036	2013/06/11	< 1.000	2016/06
CHROMIUM (TOTAL)	01034	036	2013/06/11	< 10.000	2016/06
CHROMIUM, HEXAVALENT	01032	000			
CYANIDE	01291	036	2013/06/11	< .005	2016/06
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/04/14	. 1.900	2017/04
MERCURY	71900	036	2013/06/11	< .200	2016/06
NICKEL	01067	036	2013/06/11	< 10.000	2016/06
PERCHLORATE	A-031	036	2013/06/11	< 4.000	2016/06
SELENIUM	01147	036	2013/06/11	< 4.000	2016/06
THALLIUM	01059	036	2013/06/11	< 1.000	2016/06

DUE

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2014/01/08	. 11.000	2015/01
NITRITE (AS N)	00620	036	2014/01/08	< 50.000	2017/01

RADIOLOGICAL

GROSS ALPHA	01501	036	2014/01/08	. 12.100	2017/01
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	003	2011/06/13	.251	2011/09
URANIUM (PCI/L)	28012	036	2014/01/08	. 12.000	2017/01

DUE

REGULATED SOC

DI(2-ETHYLHEXYL)PHTHALATE	39100	036	2012/05/09	< 3.000	2015/05
THIOBENCARB	A-001	036	2012/05/09	< .500	2015/05

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	012	2014/01/08	< .500	2015/01
1,1,2,2-TETRACHLOROETHANE	34516	012	2014/01/08	< .500	2015/01

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910254

System Name: HUNGRY VALLEY STATE VEHICULAR REC AREA

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

PS Code: 1910254-006

Source Name: DORM WELL

Source Number: 006

Source Status: ACTIVE RAW

Water type: G

REGULATED VOC

1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/01/08	< .500	2015/01
1,1,2-TRICHLOROETHANE	34511	012	2014/01/08	< .500	2015/01
1,1-DICHLOROETHANE	34496	012	2014/01/08	< .500	2015/01
1,1-DICHLOROETHYLENE	34501	012	2014/01/08	< .500	2015/01
1,2,4-TRICHLOROBENZENE	34551	012	2014/01/08	< .500	2015/01
1,2-DICHLOROBENZENE	34536	012	2014/01/08	< .500	2015/01
1,2-DICHLOROETHANE	34531	012	2014/01/08	< .500	2015/01
1,2-DICHLOROPROPANE	34541	012	2014/01/08	< .500	2015/01
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/01/08	< .500	2015/01
1,4-DICHLOROBENZENE	34571	012	2014/01/08	< .500	2015/01
BENZENE	34030	012	2014/01/08	< .500	2015/01
CARBON TETRACHLORIDE	32102	012	2014/01/08	< .500	2015/01
CIS-1,2-DICHLOROETHYLENE	77093	012	2014/01/08	< .500	2015/01
DICHLOROMETHANE	34423	012	2014/01/08	< .500	2015/01
ETHYLBENZENE	34371	012	2014/01/08	< .500	2015/01
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/01/08	< .500	2015/01
MONOCHLOROBENZENE	34301	012	2014/01/08	< .500	2015/01
STYRENE	77128	012	2014/01/08	< .500	2015/01
TETRACHLOROETHYLENE	34475	012	2014/01/08	< .500	2015/01
TOLUENE	34010	012	2014/01/08	< .500	2015/01
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/01/08	< .500	2015/01
TRICHLOROETHYLENE	39180	012	2014/01/08	< .500	2015/01
TRICHLOROFUOROMETHANE	34488	012	2014/01/08	< .500	2015/01
VINYL CHLORIDE	39175	012	2014/01/08	< .500	2015/01
XYLENES (TOTAL)	81551	012	2014/01/08	< 1.000	2015/01

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910254

System Name: HUNGRY VALLEY STATE VEHICULAR REC AREA

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: 1910254-009

Source Name: QUAIL CANYON WELL-FOR HANDWASHING ONLY

Source Number: 009

Source Status: ACTIVE RAW

Water type: G

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***

999

PS Code: 1910254-800

Source Name: 1 - OPERATIONS BUILDING - STG2 DBP

Source Number: 800

Source Status: DISTRIBUTION TREATED

Water type: G

HALOACETIC ACIDS

DIBROMOACETIC ACID (DBAA)	82721	000		DUE
DICHLOROACETIC ACID (DCAA)	77288	000		DUE
HALOACETIC ACIDS (5) (HAA5)	A-049	000		DUE
MONOBROMOACETIC ACID (MBAA)	A-041	000		DUE
MONOCHLOROACETIC ACID (MCAA)	A-042	000		DUE
TRICHLOROACETIC ACID (TCAA)	82723	000		DUE

STATE UCMR

BROMODICHLORMETHANE (THM)	32101	000		DUE
BROMOFORM (THM)	32104	000		DUE
CHLOROFORM (THM)	32106	000		DUE
DIBROMOCHLOROMETHANE (THM)	32105	000		DUE

TRIHALOMETHANES

TOTAL TRIHALOMETHANES	82080	000		DUE
-----------------------	-------	-----	--	-----

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910305

System Name: QUAIL CANYON SEA

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

PS Code: 1910305-001

Source Name: QUAIL CANYON WELL

Source Number: 001

Source Status: PENDING

Water type: G

INORGANIC

FLUORIDE (F) (NATURAL-SOURCE)	00951	000		DUE
--------------------------------------	--------------	------------	--	------------

NITRATE/NITRITE

NITRATE (AS NO3)	71850	000		DUE
-------------------------	--------------	------------	--	------------

NITRITE (AS N)	00620	000		DUE
-----------------------	--------------	------------	--	------------

SECONDARY/GP

BICARBONATE ALKALINITY	00440	000		DUE
-------------------------------	--------------	------------	--	------------

CALCIUM	00916	000		DUE
----------------	--------------	------------	--	------------

CARBONATE ALKALINITY	00445	000		DUE
-----------------------------	--------------	------------	--	------------

HARDNESS (TOTAL) AS CaCO3	00900	000		DUE
----------------------------------	--------------	------------	--	------------

HYDROXIDE ALKALINITY	71830	000		DUE
-----------------------------	--------------	------------	--	------------

IRON	01045	000		DUE
-------------	--------------	------------	--	------------

MAGNESIUM	00927	000		DUE
------------------	--------------	------------	--	------------

MANGANESE	01055	000		DUE
------------------	--------------	------------	--	------------

PH, LABORATORY	00403	000		DUE
-----------------------	--------------	------------	--	------------

SODIUM	00929	000		DUE
---------------	--------------	------------	--	------------

SPECIFIC CONDUCTANCE	00095	000		DUE
-----------------------------	--------------	------------	--	------------

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: 1910604

System Name: DWR. VISTA DEL LAGO VISITOR CTR, VAQUERRO

	<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>	
PS Code: 1910604-001						
Source Name: STATE PROJECT WATER - SURFACE INTAKE						
Source Number: 001						
Source Status: ACTIVE RAW						
Water type: S						
<u>NITRATE/NITRITE</u>						
NITRATE (AS NO3)	71850	012	2013/11/13	< 2.000	2014/11	
NITRITE (AS N)	00620	036	2004/11/17	.000	2007/11	DUE

PS Code: 1910604-002

Source Name: STATE WATER PROJECT - TREATED EFFLUENT

Source Number: 002

Source Status: ACTIVE TREATED

Water type: S

INORGANIC

ALUMINUM	01105	001	2008/03/14	100.000	2008/04	DUE
----------	-------	-----	------------	---------	---------	-----

*Testing interval is in months;
 0 = No data for this constituent and is DUE NOW
 I = Invalid (NOT) valid analyses reported
 Any analyses not listed as required for testing has been Waive (not required)