

## DISTRICT 07

## HOLLYWOOD

### DRINKING WATER MONITORING SCHEDULE

**THE CALIFORNIA DEPARTMENT OF PUBLIC HEALTH (CDPH) MONITORING SCHEDULER LISTS REQUIRED CONTAMINANT TESTING OF DRINKING WATER FOR PUBLIC WATER SYSTEMS IN CALIFORNIA. THE SCHEDULE INCLUDES REQUIRED UPCOMING TESTING, AND PAST DUE REQUIRED. IF NO TESTING IS LISTED ALL TESTING HAS BEEN WAIVED.**

**THIS INFORMATION IS VALID AS OF AUGUST 22, 2014.**

**UPDATES WILL BE REGULARLY PERFORMED REFLECTING CHANGES IN THE WATER QUALITY MONITORING DATABASE. THESE DOCUMENTS SHOULD BE CONSIDERED "DRAFT" IN THAT THEY MAY CHANGE WITH SUBSEQUENT UPDATES AS NEW DATA ARE SUBMITTED, OR AS MONITORING SCHEDULES ARE REVISED. THIS MONITORING SCHEDULE SHOULD NOT BE USED TO DETERMINE IF SYSTEMS ARE IN COMPLETE COMPLIANCE WITH MONITORING REQUIREMENTS. THE PURPOSE IS TO ASSIST SYSTEMS IN THEIR PLANNING FOR SAMPLING EVENTS, AND VERIFICATION OF SCHEDULED MONITORING WITH CDHS RECORDS.**

**THE TELEPHONE NUMBER FOR THE LOCAL DRINKING WATER OFFICE IS:**

**(213) 580-5723**

**Please be aware that the monitoring schedules do not reflect compliance with initial monitoring for newly regulated constituents (such as MTBE), or constituents that require special monitoring frequencies. Specifically, the database is unable to accurately forecast the following for the Monitoring Schedules:**

**The SOC frequency for large water systems serving over 3,300 people of 2 quarters every 3 years. In addition, if you have been advised of any increased monitoring that is not reflected in the Monitoring Schedule for a particular source, please contact your local Drinking Water office**

**Some older data may not be present in the database, and these are indicated in the schedule as "DUE." If these samples were taken, have your laboratory submit the data. Since January 1, 2001, data have been required to be submitted directly to CDPH via electronic data transfer (EDT).**

**If sampled after January 1, 2001, have your lab submit those data (and data prior to 2001 if possible) electronically as required to CDPH via EDT. Your laboratory can contact Anthony Meeks in the CDPH Monitoring and Evaluation Unit at (916) 449-5568 or at [edt@cdph.ca.gov](mailto:edt@cdph.ca.gov) for further information. Changes in the monitoring notification documents will be seen in the next update.**

**System Number: 1900563**

**System Name: SUNDALE MUTUAL WATER COMPANY A, B**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1900563-003**

**Source Name: WELL 03**

**Source Number: 003**

**Source Status: ACTIVE UNTREATED**

**Water type: G**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

**PS Code: 1900563-004**

**Source Name: WELL 04**

**Source Number: 004**

**Source Status: ACTIVE UNTREATED**

**Water type: G**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

**PS Code: 1900563-005**

**Source Name: REPRESENTATIVE SAMPLE POINT - ZONE A**

**Source Number: 005**

**Source Status: ACTIVE UNTREATED**

**Water type: G**

**INORGANIC**

ALUMINUM	01105	036	2012/04/03	< .000	2015/04
ANTIMONY	01097	036	2012/04/03	< .000	2015/04
ARSENIC	01002	036	2012/04/03	. 6.400	2015/04
BARIUM	01007	036	2012/04/03	< .000	2015/04
BERYLLIUM	01012	036	2012/04/03	< .000	2015/04
CADMIUM	01027	036	2012/04/03	< .000	2015/04
CHROMIUM (TOTAL)	01034	036	2014/03/11	. 17.000	2017/03
CHROMIUM, HEXAVALENT	01032	036	2014/03/11	. 15.000	2017/03
CYANIDE	01291	036	2012/04/03	< .000	2015/04
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2012/04/03	. .250	2015/04
MERCURY	71900	036	2012/04/03	< .000	2015/04
NICKEL	01067	036	2012/04/03	< .000	2015/04
PERCHLORATE	A-031	036	2013/08/07	< .000	2016/08

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1900563**

**System Name: SUNDALE MUTUAL WATER COMPANY A, B**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1900563-005**

**Source Name: REPRESENTATIVE SAMPLE POINT - ZONE A**

**Source Number: 005**

**Source Status: ACTIVE UNTREATED**

**Water type: G**

**INORGANIC**

SELENIUM	01147	036	2012/04/03	< .000	2015/04
THALLIUM	01059	036	2012/04/03	< .000	2015/04

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	012	2014/02/04	. 11.000	2015/02
NITRITE (AS N)	00620	036	2012/04/03	< .000	2015/04

**RADIOLOGICAL**

<b>GROSS ALPHA</b>	01501	003	<b>2012/04/03</b>	. 8.200	<b>2012/07</b>	<b>DUE</b>
<b>RADIUM 226</b>	09501	003	<b>2009/06/09</b>	.000	<b>2009/09</b>	<b>DUE</b>
<b>RADIUM 228</b>	11501	003	<b>2009/12/01</b>	.002	<b>2010/03</b>	<b>DUE</b>
<b>URANIUM (PCI/L)</b>	28012	003	<b>2009/12/01</b>	1.800	<b>2010/03</b>	<b>DUE</b>

**REGULATED SOC**

DI(2-ETHYLHEXYL)PHTHALATE	39100	036	2012/04/03	< .000	2015/04
---------------------------	-------	-----	------------	--------	---------

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	012	2014/05/20	< .000	2015/05
1,1,2,2-TETRACHLOROETHANE	34516	012	2014/05/20	< .000	2015/05
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/05/20	< .000	2015/05
1,1,2-TRICHLOROETHANE	34511	012	2014/05/20	< .000	2015/05
1,1-DICHLOROETHANE	34496	012	2014/05/20	< .000	2015/05
1,1-DICHLOROETHYLENE	34501	012	2014/05/20	< .000	2015/05
1,2,4-TRICHLOROBENZENE	34551	012	2014/05/20	< .000	2015/05
1,2-DICHLOROBENZENE	34536	012	2014/05/20	< .000	2015/05
1,2-DICHLOROETHANE	34531	012	2014/05/20	< .000	2015/05
1,2-DICHLOROPROPANE	34541	012	2014/05/20	< .000	2015/05
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/05/20	< .000	2015/05
1,4-DICHLOROBENZENE	34571	012	2014/05/20	< .000	2015/05
BENZENE	34030	012	2014/05/20	< .000	2015/05
CARBON TETRACHLORIDE	32102	012	2014/05/20	< .000	2015/05
CIS-1,2-DICHLOROETHYLENE	77093	012	2014/05/20	< .000	2015/05

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1900563**

**System Name: SUNDALE MUTUAL WATER COMPANY A, B**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1900563-005**

**Source Name: REPRESENTATIVE SAMPLE POINT - ZONE A**

**Source Number: 005**

**Source Status: ACTIVE UNTREATED**

**Water type: G**

**REGULATED VOC**

DICHLOROMETHANE	34423	012	2014/05/20	< .000	2015/05
ETHYLBENZENE	34371	012	2014/05/20	< .000	2015/05
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/05/20	< .000	2015/05
MONOCHLOROENZENE	34301	012	2014/05/20	< .000	2015/05
STYRENE	77128	012	2014/05/20	< .000	2015/05
TETRACHLOROETHYLENE	34475	012	2014/05/20	< .000	2015/05
TOLUENE	34010	012	2014/05/20	< .000	2015/05
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/05/20	< .000	2015/05
TRICHLOROETHYLENE	39180	012	2014/05/20	< .000	2015/05
TRICHLOROFUOROMETHANE	34488	012	2014/05/20	< .000	2015/05
VINYL CHLORIDE	39175	012	2014/05/20	< .000	2015/05
XYLENES (TOTAL)	81551	012	2014/05/20	< .000	2015/05

**SECONDARY/GP**

BICARBONATE ALKALINITY	00440	036	2012/04/03	. 180.000	2015/04
CALCIUM	00916	036	2012/04/03	. 64.000	2015/04
CARBONATE ALKALINITY	00445	036	2012/04/03	< .000	2015/04
CHLORIDE	00940	036	2012/04/03	. 52.000	2015/04
COLOR	00081	036	2012/04/03	< .000	2015/04
COPPER	01042	036	2012/04/03	< .000	2015/04
FOAMING AGENTS (MBAS)	38260	036	2012/04/03	< .000	2015/04
HARDNESS (TOTAL) AS CaCO3	00900	036	2012/04/03	. 190.000	2015/04
HYDROXIDE ALKALINITY	71830	036	2012/04/03	< .000	2015/04
IRON	01045	036	2012/04/03	< .000	2015/04
MAGNESIUM	00927	036	2012/04/03	. 8.200	2015/04
MANGANESE	01055	036	2012/04/03	< .000	2015/04
ODOR THRESHOLD @ 60 C	00086	036	2012/04/03	1.000	2015/04
PH, LABORATORY	00403	036	2012/04/03	. 7.800	2015/04
SILVER	01077	036	2012/04/03	< .000	2015/04
SODIUM	00929	036	2012/04/03	46.000	2015/04

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1900563**

**System Name: SUNDALE MUTUAL WATER COMPANY A, B**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1900563-005**

**Source Name: REPRESENTATIVE SAMPLE POINT - ZONE A**

**Source Number: 005**

**Source Status: ACTIVE UNTREATED**

**Water type: G**

**SECONDARY/GP**

SPECIFIC CONDUCTANCE	00095	036	2012/04/03	. 590.000	2015/04
SULFATE	00945	036	2012/04/03	46.000	2015/04
TOTAL DISSOLVED SOLIDS	70300	036	2012/04/03	. 350.000	2015/04
TURBIDITY, LABORATORY	82079	036	2012/04/03	. .800	2015/04
ZINC	01092	036	2012/04/03	< .000	2015/04

**PS Code: 1900563-006**

**Source Name: REPRESENTATIVE SAMPLE POINT - ZONE B**

**Source Number: 006**

**Source Status: ACTIVE UNTREATED**

**Water type: G**

**INORGANIC**

ALUMINUM	01105	036	2012/04/03	< .000	2015/04
ANTIMONY	01097	036	2012/04/03	< .000	2015/04
ARSENIC	01002	036	2012/04/03	. 3.700	2015/04
BARIUM	01007	036	2012/04/03	< .000	2015/04
BERYLLIUM	01012	036	2012/04/03	< .000	2015/04
CADMIUM	01027	036	2012/04/03	< .000	2015/04
CHROMIUM (TOTAL)	01034	036	2014/03/11	< .000	2017/03
CHROMIUM, HEXAVALENT	01032	036	2014/03/11	. 2.700	2017/03
CYANIDE	01291	036	2012/04/03	< .000	2015/04
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2012/04/03	. .260	2015/04
MERCURY	71900	036	2012/04/03	< .000	2015/04
NICKEL	01067	036	2012/04/03	< .000	2015/04
PERCHLORATE	A-031	036	2013/08/07	< .000	2016/08
SELENIUM	01147	036	2012/04/03	< .000	2015/04
THALLIUM	01059	036	2012/04/03	< .000	2015/04

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	012	2014/03/11	. 21.000	2015/03
------------------	-------	-----	------------	----------	---------

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1900563**

**System Name: SUNDALE MUTUAL WATER COMPANY A, B**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1900563-006**

**Source Name: REPRESENTATIVE SAMPLE POINT - ZONE B**

**Source Number: 006**

**Source Status: ACTIVE UNTREATED**

**Water type: G**

**NITRATE/NITRITE**

NITRITE (AS N)	00620	036	2012/04/03	< .000	2015/04
----------------	-------	-----	------------	--------	---------

**RADIOLOGICAL**

GROSS ALPHA	01501	003	2012/04/03	< .000	2012/07	DUE
RADIUM 226	09501	003	2009/06/09	.000	2009/09	DUE
RADIUM 228	11501	003	2012/04/03	.337	2012/07	DUE
URANIUM (PCI/L)	28012	003	2012/04/03	.7400	2012/07	DUE

**REGULATED SOC**

DI(2-ETHYLHEXYL)PHTHALATE	39100	036	2012/04/03	< .000	2015/04
---------------------------	-------	-----	------------	--------	---------

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	012	2014/03/11	< .000	2015/03
1,1,2,2-TETRACHLOROETHANE	34516	012	2014/03/11	< .000	2015/03
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/03/11	< .000	2015/03
1,1,2-TRICHLOROETHANE	34511	012	2014/03/11	< .000	2015/03
1,1-DICHLOROETHANE	34496	012	2014/03/11	< .000	2015/03
1,1-DICHLOROETHYLENE	34501	012	2014/03/11	< .000	2015/03
1,2,4-TRICHLOROBENZENE	34551	012	2014/03/11	< .000	2015/03
1,2-DICHLOROBENZENE	34536	012	2014/03/11	< .000	2015/03
1,2-DICHLOROETHANE	34531	012	2014/03/11	< .000	2015/03
1,2-DICHLOROPROPANE	34541	012	2014/03/11	< .000	2015/03
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/03/11	< .000	2015/03
1,4-DICHLOROBENZENE	34571	012	2014/03/11	< .000	2015/03
BENZENE	34030	012	2014/03/11	< .000	2015/03
CARBON TETRACHLORIDE	32102	012	2014/03/11	< .000	2015/03
CIS-1,2-DICHLOROETHYLENE	77093	012	2014/03/11	< .000	2015/03
DICHLOROMETHANE	34423	012	2014/03/11	< .000	2015/03
ETHYLBENZENE	34371	012	2014/03/11	< .000	2015/03
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/03/11	< .000	2015/03
MONOCHLOROBENZENE	34301	012	2014/03/11	< .000	2015/03

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1900563**

**System Name: SUNDALE MUTUAL WATER COMPANY A, B**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

**PS Code: 1900563-006**

**Source Name: REPRESENTATIVE SAMPLE POINT - ZONE B**

**Source Number: 006**

**Source Status: ACTIVE UNTREATED**

**Water type: G**

**REGULATED VOC**

STYRENE	77128	012	2014/03/11	< .000	2015/03
TETRACHLOROETHYLENE	34475	012	2014/03/11	< .000	2015/03
TOLUENE	34010	012	2014/03/11	< .000	2015/03
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/03/11	< .000	2015/03
TRICHLOROETHYLENE	39180	012	2014/03/11	< .000	2015/03
TRICHLOROFUOROMETHANE	34488	012	2014/03/11	< .000	2015/03
VINYL CHLORIDE	39175	012	2014/03/11	< .000	2015/03
XYLENES (TOTAL)	81551	012	2014/03/11	< .000	2015/03

**SECONDARY/GP**

BICARBONATE ALKALINITY	00440	036	2012/04/03	. 130.000	2015/04
CALCIUM	00916	036	2012/04/03	. 37.000	2015/04
CARBONATE ALKALINITY	00445	036	2012/04/03	< .000	2015/04
CHLORIDE	00940	036	2012/04/03	. 29.000	2015/04
COLOR	00081	036	2012/04/03	< .000	2015/04
COPPER	01042	036	2012/04/03	< .000	2015/04
FOAMING AGENTS (MBAS)	38260	036	2012/04/03	< .000	2015/04
HARDNESS (TOTAL) AS CaCO3	00900	036	2012/04/03	. 110.000	2015/04
HYDROXIDE ALKALINITY	71830	036	2012/04/03	< .000	2015/04
IRON	01045	036	2012/04/03	< .000	2015/04
MAGNESIUM	00927	036	2012/04/03	. 5.500	2015/04
MANGANESE	01055	036	2012/04/03	< .000	2015/04
ODOR THRESHOLD @ 60 C	00086	036	2012/04/03	1.000	2015/04
PH, LABORATORY	00403	036	2012/04/03	. 8.000	2015/04
SILVER	01077	036	2012/04/03	< .000	2015/04
SODIUM	00929	036	2012/04/03	45.000	2015/04
SPECIFIC CONDUCTANCE	00095	036	2012/04/03	. 440.000	2015/04
SULFATE	00945	036	2012/04/03	48.000	2015/04
TOTAL DISSOLVED SOLIDS	70300	036	2012/04/03	. 250.000	2015/04
TURBIDITY, LABORATORY	82079	036	2012/04/03	. .200	2015/04

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1900563**

**System Name: SUNDALE MUTUAL WATER COMPANY A, B**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

**PS Code: 1900563-006**

**Source Name: REPRESENTATIVE SAMPLE POINT - ZONE B**

**Source Number: 006**

**Source Status: ACTIVE UNTREATED**

**Water type: G**

SECONDARY/GP

ZINC

01092

036

2012/04/03

< .000

2015/04

**PS Code: 1900563-007**

**Source Name: WELL 06**

**Source Number: 007**

**Source Status: ACTIVE UNTREATED**

**Water type: G**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

**PS Code: 1900563-008**

**Source Name: WELL 05**

**Source Number: 008**

**Source Status: ACTIVE UNTREATED**

**Water type: G**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

\*Testing interval is in months;  
 0 = No data for this constituent and is DUE NOW  
 I = Invalid (NOT) valid analyses reported  
 Any analyses not listed as required for testing has been Waive (not required)



**System Number: 1910002**

**System Name: AMARILLO MUTUAL WATER COMPANY**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910002-001**

**Source Name: WELL 01**

**Source Number: 001**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

ALUMINUM	01105	036	2013/08/21	< 50.000	2016/08
ANTIMONY	01097	036	2013/08/21	< 6.000	2016/08
ARSENIC	01002	036	2013/08/21	< 2.000	2016/08
BARIUM	01007	036	2013/08/21	< 100.000	2016/08
BERYLLIUM	01012	036	2013/08/21	< 1.000	2016/08
CADMIUM	01027	036	2013/08/21	< 1.000	2016/08
CHROMIUM (TOTAL)	01034	036	2013/08/21	< 10.000	2016/08
CYANIDE	01291	036	2013/08/21	< 100.000	2016/08
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/08/21	. 770	2016/08
MERCURY	71900	036	2013/08/21	< 1.000	2016/08
NICKEL	01067	036	2013/08/21	< 10.000	2016/08
PERCHLORATE	A-031	012	2013/08/21	< 4.000	2014/08
SELENIUM	01147	036	2013/08/21	< 5.000	2016/08
THALLIUM	01059	036	2013/08/21	< 1.000	2016/08

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	003	2014/06/25	. 10.000	2014/09
NITRITE (AS N)	00620	036	2013/08/21	< 400.000	2016/08

**RADIOLOGICAL**

<b>GROSS ALPHA</b>	01501	003	<b>2008/08/21</b>	4.900	<b>2008/11</b>	<b>DUE</b>
<b>RADIUM 226</b>	09501	003	<b>2006/05/10</b>	.000	<b>2006/08</b>	<b>DUE</b>
<b>RADIUM 228</b>	11501	003	<b>2006/05/10</b>	.000	<b>2006/08</b>	<b>DUE</b>
<b>URANIUM (PCI/L)</b>	28012	003	<b>2012/05/10</b>	. 9.900	<b>2012/08</b>	<b>DUE</b>

**REGULATED SOC**

DI(2-ETHYLHEXYL)PHTHALATE	39100	036	2013/02/26	< 3.000	2016/02
---------------------------	-------	-----	------------	---------	---------

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	012	2013/08/21	< .500	2014/08
1,1,2,2-TETRACHLOROETHANE	34516	012	2013/08/21	< .500	2014/08
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2013/08/21	< 10.000	2014/08

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910002**

**System Name: AMARILLO MUTUAL WATER COMPANY**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910002-001**

**Source Name: WELL 01**

**Source Number: 001**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED VOC**

1,1,2-TRICHLOROETHANE	34511	012	2013/08/21	< .500	2014/08
1,1-DICHLOROETHANE	34496	012	2013/08/21	< .500	2014/08
1,1-DICHLOROETHYLENE	34501	012	2013/08/21	< .500	2014/08
1,2,4-TRICHLOROBENZENE	34551	012	2013/08/21	< .500	2014/08
1,2-DICHLOROBENZENE	34536	012	2013/08/21	< .500	2014/08
1,2-DICHLOROETHANE	34531	012	2013/08/21	< .500	2014/08
1,2-DICHLOROPROPANE	34541	012	2013/08/21	< .500	2014/08
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2013/08/21	< .500	2014/08
1,4-DICHLOROBENZENE	34571	012	2013/08/21	< .500	2014/08
BENZENE	34030	012	2013/08/21	< .500	2014/08
CARBON TETRACHLORIDE	32102	012	2013/08/21	< .500	2014/08
CIS-1,2-DICHLOROETHYLENE	77093	012	2013/08/21	< .500	2014/08
DICHLOROMETHANE	34423	012	2013/08/21	< .500	2014/08
ETHYLBENZENE	34371	012	2013/08/21	< .500	2014/08
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2013/08/21	< 3.000	2014/08
MONOCHLOROBENZENE	34301	012	2013/08/21	< .500	2014/08
STYRENE	77128	012	2013/08/21	< .500	2014/08
TETRACHLOROETHYLENE	34475	003	2014/06/25	. 990	2014/09
TOLUENE	34010	012	2013/08/21	< .500	2014/08
TRANS-1,2-DICHLOROETHYLENE	34546	012	2013/08/21	< .500	2014/08
TRICHLOROETHYLENE	39180	003	2014/06/25	< .500	2014/09
TRICHLOROFUOROMETHANE	34488	012	2013/08/21	< 5.000	2014/08
VINYL CHLORIDE	39175	012	2013/08/21	< .500	2014/08
XYLENES (TOTAL)	81551	012	2013/08/21	< .000	2014/08

**SECONDARY/GP**

BICARBONATE ALKALINITY	00440	036	2013/05/17	. 280.000	2016/05
CALCIUM	00916	036	2013/05/17	. 63.000	2016/05
CARBONATE ALKALINITY	00445	036	2013/05/17	< .000	2016/05
CHLORIDE	00940	036	2013/05/17	. 21.000	2016/05

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910002**

**System Name: AMARILLO MUTUAL WATER COMPANY**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910002-001**

**Source Name: WELL 01**

**Source Number: 001**

**Source Status: ACTIVE RAW**

**Water type: G**

**SECONDARY/GP**

COLOR	00081	036	2013/05/17	< .000	2016/05
COPPER	01042	036	2013/05/17	< 50.000	2016/05
FOAMING AGENTS (MBAS)	38260	036	2013/05/17	< .000	2016/05
HARDNESS (TOTAL) AS CaCO3	00900	036	2013/05/17	. 240.000	2016/05
HYDROXIDE ALKALINITY	71830	036	2013/05/17	< .000	2016/05
IRON	01045	036	2013/05/17	< 100.000	2016/05
MAGNESIUM	00927	036	2013/05/17	. 22.000	2016/05
MANGANESE	01055	036	2013/05/17	< 20.000	2016/05
ODOR THRESHOLD @ 60 C	00086	036	2013/05/17	1.000	2016/05
PH, LABORATORY	00403	036	2013/05/17	. 7.730	2016/05
SILVER	01077	036	2013/08/21	< 10.000	2016/08
SODIUM	00929	036	2013/05/17	22.000	2016/05
SPECIFIC CONDUCTANCE	00095	036	2013/05/17	. 600.000	2016/05
SULFATE	00945	036	2013/05/17	57.000	2016/05
TOTAL DISSOLVED SOLIDS	70300	036	2013/08/21	. 370.000	2016/08
TURBIDITY, LABORATORY	82079	036	2013/05/17	< .000	2016/05
ZINC	01092	036	2013/05/17	< 50.000	2016/05

**PS Code: 1910002-002**

**Source Name: WELL 02**

**Source Number: 002**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

ALUMINUM	01105	036	2013/08/21	< 50.000	2016/08
ANTIMONY	01097	036	2013/08/21	< 6.000	2016/08
ARSENIC	01002	036	2013/08/21	< 2.000	2016/08
BARIUM	01007	036	2013/08/21	< 100.000	2016/08
BERYLLIUM	01012	036	2013/08/21	< 1.000	2016/08

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910002**

**System Name: AMARILLO MUTUAL WATER COMPANY**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910002-002**

**Source Name: WELL 02**

**Source Number: 002**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

CADMIUM	01027	036	2013/08/21	< 1.000	2016/08
CHROMIUM (TOTAL)	01034	036	2013/08/21	< 10.000	2016/08
CYANIDE	01291	036	2013/08/21	< 100.000	2016/08
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/08/21	.650	2016/08
MERCURY	71900	036	2013/08/21	< 1.000	2016/08
NICKEL	01067	036	2013/08/21	< 10.000	2016/08
PERCHLORATE	A-031	012	2013/08/21	< 4.000	2014/08
SELENIUM	01147	036	2013/08/21	< 5.000	2016/08
THALLIUM	01059	036	2013/08/21	< 1.000	2016/08

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	003	2014/05/06	. 21.000	2014/08
NITRITE (AS N)	00620	036	2013/08/21	< 400.000	2016/08

**RADIOLOGICAL**

<b>GROSS ALPHA</b>	01501	003	<b>2012/05/10</b>	. 9.410	<b>2012/08</b>	<b>DUE</b>
<b>RADIUM 226</b>	09501	003	<b>2006/05/10</b>	.000	<b>2006/08</b>	<b>DUE</b>
<b>RADIUM 228</b>	11501	003	<b>2006/05/10</b>	.000	<b>2006/08</b>	<b>DUE</b>
<b>URANIUM (PCI/L)</b>	28012	003	<b>2012/05/10</b>	. 9.800	<b>2012/08</b>	<b>DUE</b>

**REGULATED SOC**

DI(2-ETHYLHEXYL)PHTHALATE	39100	036	2013/02/26	< 3.000	2016/02
---------------------------	-------	-----	------------	---------	---------

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	012	2013/08/21	< .500	2014/08
1,1,2,2-TETRACHLOROETHANE	34516	012	2013/08/21	< .500	2014/08
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2013/08/21	< 10.000	2014/08
1,1,2-TRICHLOROETHANE	34511	012	2013/08/21	< .500	2014/08
1,1-DICHLOROETHANE	34496	012	2013/08/21	< .500	2014/08
1,1-DICHLOROETHYLENE	34501	012	2013/08/21	< .500	2014/08
1,2,4-TRICHLOROBENZENE	34551	012	2013/08/21	< .500	2014/08
1,2-DICHLOROBENZENE	34536	012	2013/08/21	< .500	2014/08

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910002**

**System Name: AMARILLO MUTUAL WATER COMPANY**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910002-002**

**Source Name: WELL 02**

**Source Number: 002**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED VOC**

1,2-DICHLOROETHANE	34531	012	2013/08/21	< .500	2014/08
1,2-DICHLOROPROPANE	34541	012	2013/08/21	< .500	2014/08
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2013/08/21	< .500	2014/08
1,4-DICHLOROBENZENE	34571	012	2013/08/21	< .500	2014/08
BENZENE	34030	012	2013/08/21	< .500	2014/08
CARBON TETRACHLORIDE	32102	012	2013/08/21	< .500	2014/08
CIS-1,2-DICHLOROETHYLENE	77093	012	2013/08/21	< .500	2014/08
DICHLOROMETHANE	34423	012	2013/08/21	< .500	2014/08
ETHYLBENZENE	34371	012	2013/08/21	< .500	2014/08
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2013/08/21	< 3.000	2014/08
MONOCHLOROENZENE	34301	012	2013/08/21	< .500	2014/08
STYRENE	77128	012	2013/08/21	< .500	2014/08
TETRACHLOROETHYLENE	34475	003	2014/05/06	. 3.700	2014/08
TOLUENE	34010	012	2013/08/21	< .500	2014/08
TRANS-1,2-DICHLOROETHYLENE	34546	012	2013/08/21	< .500	2014/08
TRICHLOROETHYLENE	39180	003	2014/05/06	< .500	2014/08
TRICHLOROFUOROMETHANE	34488	012	2013/08/21	< 5.000	2014/08
VINYL CHLORIDE	39175	012	2013/08/21	< .500	2014/08
XYLENES (TOTAL)	81551	012	2013/08/21	< .000	2014/08

**SECONDARY/GP**

BICARBONATE ALKALINITY	00440	036	2013/05/17	. 210.000	2016/05
CALCIUM	00916	036	2013/05/17	. 39.000	2016/05
CARBONATE ALKALINITY	00445	036	2013/05/17	< .000	2016/05
CHLORIDE	00940	036	2013/05/17	. 15.000	2016/05
COLOR	00081	036	2013/05/17	< .000	2016/05
COPPER	01042	036	2013/05/17	< 50.000	2016/05
FOAMING AGENTS (MBAS)	38260	036	2013/05/17	< .000	2016/05
HARDNESS (TOTAL) AS CaCO3	00900	036	2013/05/17	. 150.000	2016/05
HYDROXIDE ALKALINITY	71830	036	2013/05/17	< .000	2016/05

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910002**

**System Name: AMARILLO MUTUAL WATER COMPANY**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910002-002**

**Source Name: WELL 02**

**Source Number: 002**

**Source Status: ACTIVE RAW**

**Water type: G**

**SECONDARY/GP**

IRON	01045	036	2013/05/17	< 100.000	2016/05
MAGNESIUM	00927	036	2013/05/17	. 14.000	2016/05
MANGANESE	01055	036	2013/05/17	< 20.000	2016/05
ODOR THRESHOLD @ 60 C	00086	036	2013/05/17	1.000	2016/05
PH, LABORATORY	00403	036	2013/05/17	. 7.500	2016/05
SILVER	01077	036	2013/08/21	< 10.000	2016/08
SODIUM	00929	036	2013/05/17	23.000	2016/05
SPECIFIC CONDUCTANCE	00095	036	2013/05/17	. 420.000	2016/05
SULFATE	00945	036	2013/05/17	27.000	2016/05
TOTAL DISSOLVED SOLIDS	70300	036	2013/08/21	. 240.000	2016/08
TURBIDITY, LABORATORY	82079	036	2013/05/17	. .460	2016/05
ZINC	01092	036	2013/05/17	< 50.000	2016/05

**PS Code: 1910002-004**

**Source Name: SAN GABRIEL VWC CONNECTION - TREATED**

**Source Number: 004**

**Source Status: PURCHASED TREATED**

**Water type: G**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\* 999

**PS Code: 1910002-800**

**Source Name: SITE 1-3033 WILLARD AVENUE-STG2 DBP**

**Source Number: 800**

**Source Status: DISTRIBUTION TREATED**

**Water type: G**

**HALOACETIC ACIDS**

DIBROMOACETIC ACID (DBAA)	82721	012	2013/07/26	< 1.000	2014/07
DICHLOROACETIC ACID (DCAA)	77288	012	2013/07/26	< 1.000	2014/07

\*Testing interval is in months;  
 0 = No data for this constituent and is DUE NOW  
 I = Invalid (NOT) valid analyses reported  
 Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910002**

**System Name: AMARILLO MUTUAL WATER COMPANY**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910002-800**

**Source Name: SITE 1-3033 WILLARD AVENUE-STG2 DBP**

**Source Number: 800**

**Source Status: DISTRIBUTION TREATED**

**Water type: G**

**HALOACETIC ACIDS**

HALOACETIC ACIDS (5) (HAA5)	A-049	012	2013/07/26	< .000	2014/07
MONOBROMOACETIC ACID (MBAA)	A-041	012	2013/07/26	< 1.000	2014/07
MONOCHLOROACETIC ACID (MCAA)	A-042	012	2013/07/26	< 2.000	2014/07
TRICHLOROACETIC ACID (TCAA)	82723	012	2013/07/26	< 1.000	2014/07

**STATE UCMR**

BROMODICHLORMETHANE (THM)	32101	012	2013/07/26	< 1.000	2014/07
BROMOFORM (THM)	32104	012	2013/07/26	< 1.000	2014/07
CHLOROFORM (THM)	32106	012	2013/07/26	< 1.000	2014/07
DIBROMOCHLOROMETHANE (THM)	32105	012	2013/07/26	< 1.000	2014/07

**TRISHALOMETHANES**

TOTAL TRIHALOMETHANES	82080	012	2013/07/26	.580	2014/07
-----------------------	-------	-----	------------	------	---------

**PS Code: 1910002-801**

**Source Name: SITE 2-3239 IVAR AVENUE-STG2 DBP**

**Source Number: 801**

**Source Status: DISTRIBUTION TREATED**

**Water type: G**

**HALOACETIC ACIDS**

DIBROMOACETIC ACID (DBAA)	82721	012	2013/07/26	< 1.000	2014/07
DICHLOROACETIC ACID (DCAA)	77288	012	2013/07/26	< 1.000	2014/07
HALOACETIC ACIDS (5) (HAA5)	A-049	012	2013/07/26	< .000	2014/07
MONOBROMOACETIC ACID (MBAA)	A-041	012	2013/07/26	< 1.000	2014/07
MONOCHLOROACETIC ACID (MCAA)	A-042	012	2013/07/26	< 2.000	2014/07
TRICHLOROACETIC ACID (TCAA)	82723	012	2013/07/26	< 1.000	2014/07

**STATE UCMR**

BROMODICHLORMETHANE (THM)	32101	012	2013/07/26	< 1.000	2014/07
BROMOFORM (THM)	32104	012	2013/07/26	< 1.000	2014/07
CHLOROFORM (THM)	32106	012	2013/07/26	< 1.000	2014/07

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910002**

**System Name: AMARILLO MUTUAL WATER COMPANY**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

**PS Code: 1910002-801**

**Source Name: SITE 2-3239 IVAR AVENUE-STG2 DBP**

**Source Number: 801**

**Source Status: DISTRIBUTION TREATED**

**Water type: G**

**STATE UCMR**

DIBROMOCHLOROMETHANE (THM)	32105	012	2013/07/26	< 1.000	2014/07
----------------------------	-------	-----	------------	---------	---------

**TRihalOMETHANES**

TOTAL TRIHALOMETHANES	82080	012	2013/07/26	.570	2014/07
-----------------------	-------	-----	------------	------	---------

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)



**System Number: 1910013**

**System Name: BELLFLOWER - SOMERSET MWC**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910013-008**

**Source Name: WELL 587**

**Source Number: 008**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

ALUMINUM	01105	036	2011/07/19	< 50.000	2014/07
ANTIMONY	01097	036	2011/07/19	< 6.000	2014/07
ARSENIC	01002	036	2011/07/19	. 2.000	2014/07
BARIIUM	01007	036	2011/07/19	160.000	2014/07
BERYLLIUM	01012	036	2011/07/19	< 1.000	2014/07
CADMIUM	01027	036	2011/07/19	< 1.000	2014/07
CHROMIUM (TOTAL)	01034	036	2011/07/19	< 10.000	2014/07
CYANIDE	01291	036	2011/07/19	< 100.000	2014/07
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/07/23	. .360	2016/07
MERCURY	71900	036	2011/07/19	< 1.000	2014/07
NICKEL	01067	036	2011/07/19	< 10.000	2014/07
PERCHLORATE	A-031	012	2013/07/23	< 4.000	2014/07
SELENIUM	01147	036	2011/07/19	< 5.000	2014/07
THALLIUM	01059	036	2011/07/19	< 1.000	2014/07

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	012	2014/04/14	. 7.400	2015/04
NITRITE (AS N)	00620	036	2011/07/19	< 400.000	2014/07

**RADIOLOGICAL**

<b>GROSS ALPHA</b>	01501	003	<b>2012/07/23</b>	. 4.450	<b>2012/10 DUE</b>
<b>RADIUM 226</b>	09501	003	<b>2009/02/23</b>	.210	<b>2009/05 DUE</b>
<b>RADIUM 228</b>	11501	003	<b>2012/07/23</b>	. .000	<b>2012/10 DUE</b>
<b>URANIUM (PCI/L)</b>	28012	003	<b>2012/07/23</b>	. 2.300	<b>2012/10 DUE</b>

**REGULATED SOC**

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2012/09/20	< 3.000	2015/06
THIOBENCARB	A-001	033	2012/09/20	< 1.000	2015/06

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	012	2013/07/23	< .500	2014/07
1,1,2,2-TETRACHLOROETHANE	34516	012	2013/07/23	< .500	2014/07

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910013**

**System Name: BELLFLOWER - SOMERSET MWC**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910013-008**

**Source Name: WELL 587**

**Source Number: 008**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED VOC**

1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2013/07/23	< 10.000	2014/07
1,1,2-TRICHLOROETHANE	34511	012	2013/07/23	< .500	2014/07
1,1-DICHLOROETHANE	34496	012	2013/07/23	< .500	2014/07
1,1-DICHLOROETHYLENE	34501	012	2013/07/23	< .500	2014/07
1,2,4-TRICHLOROBENZENE	34551	012	2013/07/23	< .500	2014/07
1,2-DICHLOROBENZENE	34536	012	2013/07/23	< .500	2014/07
1,2-DICHLOROETHANE	34531	012	2013/07/23	< .500	2014/07
1,2-DICHLOROPROPANE	34541	012	2013/07/23	< .500	2014/07
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2013/07/23	< .500	2014/07
1,4-DICHLOROBENZENE	34571	012	2013/07/23	< .500	2014/07
BENZENE	34030	012	2013/07/23	< .500	2014/07
CARBON TETRACHLORIDE	32102	012	2013/07/23	< .500	2014/07
CIS-1,2-DICHLOROETHYLENE	77093	012	2013/07/23	< .500	2014/07
DICHLOROMETHANE	34423	012	2013/07/23	< .500	2014/07
ETHYLBENZENE	34371	012	2013/07/23	< .500	2014/07
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2013/07/23	< 3.000	2014/07
MONOCHLOROBENZENE	34301	012	2013/07/23	< .500	2014/07
STYRENE	77128	012	2013/07/23	< .500	2014/07
TETRACHLOROETHYLENE	34475	012	2013/07/23	< .500	2014/07
TOLUENE	34010	012	2013/07/23	< .500	2014/07
TRANS-1,2-DICHLOROETHYLENE	34546	012	2013/07/23	< .500	2014/07
TRICHLOROETHYLENE	39180	012	2013/07/23	< .500	2014/07
TRICHLOROFUOROMETHANE	34488	012	2013/07/23	< 5.000	2014/07
VINYL CHLORIDE	39175	012	2013/07/23	< .500	2014/07
XYLENES (TOTAL)	81551	012	2013/07/23	< 1.000	2014/07

**SECONDARY/GP**

BICARBONATE ALKALINITY	00440	036	2013/07/23	. 220.000	2016/07
CALCIUM	00916	036	2013/07/23	. 85.000	2016/07
CARBONATE ALKALINITY	00445	036	2013/07/23	< 2.400	2016/07

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910013**

**System Name: BELLFLOWER - SOMERSET MWC**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910013-008**

**Source Name: WELL 587**

**Source Number: 008**

**Source Status: ACTIVE RAW**

**Water type: G**

**SECONDARY/GP**

CHLORIDE	00940	036	2013/07/23	. 41.000	2016/07
COLOR	00081	036	2013/07/23	< 1.000	2016/07
COPPER	01042	036	2013/07/23	< 50.000	2016/07
FOAMING AGENTS (MBAS)	38260	036	2013/07/23	< .100	2016/07
HARDNESS (TOTAL) AS CaCO3	00900	036	2013/07/23	. 280.000	2016/07
HYDROXIDE ALKALINITY	71830	036	2013/07/23	< 1.400	2016/07
IRON	01045	036	2013/07/23	< 100.000	2016/07
MAGNESIUM	00927	036	2013/07/23	. 16.000	2016/07
MANGANESE	01055	036	2013/07/23	< 20.000	2016/07
ODOR THRESHOLD @ 60 C	00086	036	2013/07/23	< 1.000	2016/07
PH, LABORATORY	00403	036	2013/07/23	7.770	2016/07
SILVER	01077	036	2011/07/19	< 10.000	2014/07
SODIUM	00929	036	2013/07/23	30.000	2016/07
SPECIFIC CONDUCTANCE	00095	036	2013/07/23	. 620.000	2016/07
SULFATE	00945	036	2013/07/23	92.000	2016/07
TOTAL DISSOLVED SOLIDS	70300	036	2013/07/23	. 450.000	2016/07
TURBIDITY, LABORATORY	82079	036	2013/07/23	< .100	2016/07
ZINC	01092	036	2013/07/23	< 50.000	2016/07

**PS Code: 1910013-009**

**Source Name: WELL 615**

**Source Number: 009**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

ALUMINUM	01105	036	2013/12/20	< 50.000	2016/12
ANTIMONY	01097	036	2013/12/20	< 6.000	2016/12
ARSENIC	01002	036	2013/12/20	. 5.100	2016/12
BARIUM	01007	036	2013/12/20	160.000	2016/12

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910013**

**System Name: BELLFLOWER - SOMERSET MWC**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910013-009**

**Source Name: WELL 615**

**Source Number: 009**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

BERYLLIUM	01012	036	2013/12/20	< 1.000	2016/12
CADMIUM	01027	036	2013/12/20	< 1.000	2016/12
CHROMIUM (TOTAL)	01034	036	2013/12/20	< 10.000	2016/12
CYANIDE	01291	036	2013/12/20	< 100.000	2016/12
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/12/20	.410	2016/12
MERCURY	71900	036	2013/12/20	< 1.000	2016/12
NICKEL	01067	036	2013/12/20	< 10.000	2016/12
PERCHLORATE	A-031	012	2013/12/20	< 4.000	2014/12
SELENIUM	01147	036	2013/12/20	< 5.000	2016/12
THALLIUM	01059	036	2013/12/20	< 1.000	2016/12

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	012	2013/12/20	< 2.000	2014/12
NITRITE (AS N)	00620	036	2013/12/20	< 400.000	2016/12

**RADIOLOGICAL**

<b>GROSS ALPHA</b>	01501	003	2009/05/11	2.200	2009/08	<b>DUE</b>
<b>RADIUM 226</b>	09501	003	2008/12/19	.200	2009/03	<b>DUE</b>
<b>RADIUM 228</b>	11501	003	2009/08/21	-.005	2009/11	<b>DUE</b>
<b>URANIUM (PCI/L)</b>	28012	003	2008/12/22	2.200	2009/03	<b>DUE</b>

**REGULATED SOC**

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2012/07/23	< 3.000	2015/04
THIOBENCARB	A-001	033	2012/07/23	< 1.000	2015/04

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	012	2013/12/20	< .500	2014/12
1,1,2,2-TETRACHLOROETHANE	34516	012	2013/12/20	< .500	2014/12
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2013/12/20	< 10.000	2014/12
1,1,2-TRICHLOROETHANE	34511	012	2013/12/20	< .500	2014/12
1,1-DICHLOROETHANE	34496	012	2013/12/20	< .500	2014/12
1,1-DICHLOROETHYLENE	34501	012	2013/12/20	< .500	2014/12

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910013**

**System Name: BELLFLOWER - SOMERSET MWC**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910013-009**

**Source Name: WELL 615**

**Source Number: 009**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED VOC**

1,2,4-TRICHLORO BENZENE	34551	012	2013/12/20	< .500	2014/12
1,2-DICHLORO BENZENE	34536	012	2013/12/20	< .500	2014/12
1,2-DICHLOROETHANE	34531	012	2013/12/20	< .500	2014/12
1,2-DICHLOROPROPANE	34541	012	2013/12/20	< .500	2014/12
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2013/12/20	< .500	2014/12
1,4-DICHLORO BENZENE	34571	012	2013/12/20	< .500	2014/12
BENZENE	34030	012	2013/12/20	< .500	2014/12
CARBON TETRACHLORIDE	32102	012	2013/12/20	< .500	2014/12
CIS-1,2-DICHLOROETHYLENE	77093	012	2013/12/20	< .500	2014/12
DICHLOROMETHANE	34423	012	2013/12/20	< .500	2014/12
ETHYLBENZENE	34371	012	2013/12/20	< .500	2014/12
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2013/12/20	< 3.000	2014/12
MONOCHLORO BENZENE	34301	012	2013/12/20	< .500	2014/12
STYRENE	77128	012	2013/12/20	< .500	2014/12
TETRACHLOROETHYLENE	34475	012	2013/12/20	< .500	2014/12
TOLUENE	34010	012	2013/12/20	< .500	2014/12
TRANS-1,2-DICHLOROETHYLENE	34546	012	2013/12/20	< .500	2014/12
TRICHLOROETHYLENE	39180	012	2013/12/20	< .500	2014/12
TRICHLOROFLUOROMETHANE	34488	012	2013/12/20	< 5.000	2014/12
VINYL CHLORIDE	39175	012	2013/12/20	< .500	2014/12
XYLENES (TOTAL)	81551	012	2013/12/20	< 1.000	2014/12

**SECONDARY/GP**

BICARBONATE ALKALINITY	00440	036	2013/12/20	. 260.000	2016/12
CALCIUM	00916	036	2013/12/20	. 70.000	2016/12
CARBONATE ALKALINITY	00445	036	2013/12/20	< 2.400	2016/12
CHLORIDE	00940	036	2013/12/20	. 23.000	2016/12
COLOR	00081	036	2013/12/20	< 1.000	2016/12
COPPER	01042	036	2013/12/20	< 50.000	2016/12
FOAMING AGENTS (MBAS)	38260	036	2013/12/20	< .100	2016/12

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910013**

**System Name: BELLFLOWER - SOMERSET MWC**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910013-009**

**Source Name: WELL 615**

**Source Number: 009**

**Source Status: ACTIVE RAW**

**Water type: G**

**SECONDARY/GP**

HARDNESS (TOTAL) AS CaCO3	00900	036	2013/12/20	. 230.000	2016/12
HYDROXIDE ALKALINITY	71830	036	2013/12/20	< 1.400	2016/12
IRON	01045	036	2013/12/20	130.000	2016/12
MAGNESIUM	00927	036	2013/12/20	. 13.000	2016/12
MANGANESE	01055	036	2013/12/20	47.000	2016/12
ODOR THRESHOLD @ 60 C	00086	036	2013/12/20	< 1.000	2016/12
PH, LABORATORY	00403	036	2013/12/20	7.760	2016/12
SILVER	01077	036	2013/12/20	< 10.000	2016/12
SODIUM	00929	036	2013/12/20	27.000	2016/12
SPECIFIC CONDUCTANCE	00095	036	2013/12/20	. 530.000	2016/12
SULFATE	00945	036	2013/12/20	58.000	2016/12
TOTAL DISSOLVED SOLIDS	70300	036	2013/12/20	. 360.000	2016/12
TURBIDITY, LABORATORY	82079	036	2013/12/20	. 820	2016/12
ZINC	01092	036	2013/12/20	< 50.000	2016/12

**PS Code: 1910013-011**

**Source Name: WELL 759**

**Source Number: 011**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

ALUMINUM	01105	036	2013/01/22	< 50.000	2016/01
ANTIMONY	01097	036	2013/01/22	< 6.000	2016/01
ARSENIC	01002	036	2013/01/22	. 2.900	2016/01
BARIUM	01007	036	2013/01/22	180.000	2016/01
BERYLLIUM	01012	036	2013/01/22	< 1.000	2016/01
CADMIUM	01027	036	2013/01/22	< 1.000	2016/01
CHROMIUM (TOTAL)	01034	036	2013/01/22	< 10.000	2016/01
CYANIDE	01291	036	2013/01/22	< 100.000	2016/01

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910013**

**System Name: BELLFLOWER - SOMERSET MWC**

	<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>	
<b>PS Code: 1910013-011</b>						
<b>Source Name: WELL 759</b>						
<b>Source Number: 011</b>						
<b>Source Status: ACTIVE RAW</b>						
<b>Water type: G</b>						
<b><u>INORGANIC</u></b>						
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/01/22	.400	2016/01	
MERCURY	71900	036	2013/01/22	< 1.000	2016/01	
NICKEL	01067	036	2013/01/22	< 10.000	2016/01	
<b>PERCHLORATE</b>	A-031	012	<b>2012/07/23</b>	< 4.000	<b>2013/07</b>	<b>DUE</b>
SELENIUM	01147	036	2013/01/22	< 5.000	2016/01	
THALLIUM	01059	036	2013/01/22	< 1.000	2016/01	
<b><u>NITRATE/NITRITE</u></b>						
<b>NITRATE (AS NO3)</b>	71850	012	<b>2013/01/22</b>	. 9.100	<b>2014/01</b>	<b>DUE</b>
NITRITE (AS N)	00620	036	2013/01/22	< 400.000	2016/01	
<b><u>RADIOLOGICAL</u></b>						
<b>GROSS ALPHA</b>	01501	003	<b>2010/02/25</b>	3.500	<b>2010/05</b>	<b>DUE</b>
<b>RADIUM 226</b>	09501	003	<b>2010/02/25</b>	.039	<b>2010/05</b>	<b>DUE</b>
<b>RADIUM 228</b>	11501	003	<b>2010/02/25</b>	.140	<b>2010/05</b>	<b>DUE</b>
<b>URANIUM (PCI/L)</b>	28012	003	<b>2012/04/19</b>	. 3.700	<b>2012/07</b>	<b>DUE</b>
<b><u>REGULATED SOC</u></b>						
DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2012/07/23	< 3.000	2015/04	
THIOBENCARB	A-001	033	2012/07/23	< 1.000	2015/04	
<b><u>REGULATED VOC</u></b>						
<b>1,1,1-TRICHLOROETHANE</b>	34506	012	<b>2013/01/22</b>	< .500	<b>2014/01</b>	<b>DUE</b>
<b>1,1,2,2-TETRACHLOROETHANE</b>	34516	012	<b>2013/01/22</b>	< .500	<b>2014/01</b>	<b>DUE</b>
<b>1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE</b>	81611	012	<b>2013/01/22</b>	< 10.000	<b>2014/01</b>	<b>DUE</b>
<b>1,1,2-TRICHLOROETHANE</b>	34511	012	<b>2013/01/22</b>	< .500	<b>2014/01</b>	<b>DUE</b>
<b>1,1-DICHLOROETHANE</b>	34496	012	<b>2013/01/22</b>	< .500	<b>2014/01</b>	<b>DUE</b>
<b>1,1-DICHLOROETHYLENE</b>	34501	012	<b>2013/01/22</b>	< .500	<b>2014/01</b>	<b>DUE</b>
<b>1,2,4-TRICHLOROBENZENE</b>	34551	012	<b>2013/01/22</b>	< .500	<b>2014/01</b>	<b>DUE</b>
<b>1,2-DICHLOROBENZENE</b>	34536	012	<b>2013/01/22</b>	< .500	<b>2014/01</b>	<b>DUE</b>
<b>1,2-DICHLOROETHANE</b>	34531	012	<b>2013/01/22</b>	< .500	<b>2014/01</b>	<b>DUE</b>
<b>1,2-DICHLOROPROPANE</b>	34541	012	<b>2013/01/22</b>	< .500	<b>2014/01</b>	<b>DUE</b>

\*Testing interval is in months;  
 0 = No data for this constituent and is DUE NOW  
 I = Invalid (NOT) valid analyses reported  
 Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910013**

**System Name: BELLFLOWER - SOMERSET MWC**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910013-011**

**Source Name: WELL 759**

**Source Number: 011**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED VOC**

1,3-DICHLOROPROPENE (TOTAL)	34561	012	2013/01/22	< .500	2014/01	DUE
1,4-DICHLOROBENZENE	34571	012	2013/01/22	< .500	2014/01	DUE
BENZENE	34030	012	2013/01/22	< .500	2014/01	DUE
CARBON TETRACHLORIDE	32102	012	2013/01/22	< .500	2014/01	DUE
CIS-1,2-DICHLOROETHYLENE	77093	012	2013/01/22	< .500	2014/01	DUE
DICHLOROMETHANE	34423	012	2013/01/22	< .500	2014/01	DUE
ETHYLBENZENE	34371	012	2013/01/22	< .500	2014/01	DUE
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2013/01/22	< 3.000	2014/01	DUE
MONOCHLOROBENZENE	34301	012	2013/01/22	< .500	2014/01	DUE
STYRENE	77128	012	2013/01/22	< .500	2014/01	DUE
TETRACHLOROETHYLENE	34475	012	2013/01/22	< .500	2014/01	DUE
TOLUENE	34010	012	2013/01/22	< .500	2014/01	DUE
TRANS-1,2-DICHLOROETHYLENE	34546	012	2013/01/22	< .500	2014/01	DUE
TRICHLOROETHYLENE	39180	012	2013/01/22	< .500	2014/01	DUE
TRICHLOROFLUOROMETHANE	34488	012	2013/01/22	< 5.000	2014/01	DUE
VINYL CHLORIDE	39175	012	2013/01/22	< .500	2014/01	DUE
XYLENES (TOTAL)	81551	012	2013/01/22	< 1.000	2014/01	DUE

**SECONDARY/GP**

BICARBONATE ALKALINITY	00440	036	2013/01/22	. 220.000	2016/01
CALCIUM	00916	036	2013/01/22	. 93.000	2016/01
CARBONATE ALKALINITY	00445	036	2013/01/22	< 2.400	2016/01
CHLORIDE	00940	036	2013/01/22	. 54.000	2016/01
COLOR	00081	036	2013/01/22	< 1.000	2016/01
COPPER	01042	036	2013/01/22	< 50.000	2016/01
FOAMING AGENTS (MBAS)	38260	036	2013/01/22	< .100	2016/01
HARDNESS (TOTAL) AS CaCO3	00900	036	2013/01/22	. 300.000	2016/01
HYDROXIDE ALKALINITY	71830	036	2013/01/22	< 1.400	2016/01
IRON	01045	036	2013/01/22	< 100.000	2016/01
MAGNESIUM	00927	036	2013/01/22	. 17.000	2016/01

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)



**System Number: 1910013**

**System Name: BELLFLOWER - SOMERSET MWC**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910013-011**

**Source Name: WELL 759**

**Source Number: 011**

**Source Status: ACTIVE RAW**

**Water type: G**

**SECONDARY/GP**

MANGANESE	01055	036	2013/01/22	< 20.000	2016/01
ODOR THRESHOLD @ 60 C	00086	036	2013/01/22	< 1.000	2016/01
PH, LABORATORY	00403	036	2013/01/22	. 7.700	2016/01
SILVER	01077	036	2013/01/22	< 10.000	2016/01
SODIUM	00929	036	2013/01/22	33.000	2016/01
SPECIFIC CONDUCTANCE	00095	036	2013/01/22	. 740.000	2016/01
SULFATE	00945	036	2013/01/22	100.000	2016/01
TOTAL DISSOLVED SOLIDS	70300	036	2013/01/22	. 470.000	2016/01
TURBIDITY, LABORATORY	82079	036	2013/01/22	. .810	2016/01
ZINC	01092	036	2013/01/22	< 50.000	2016/01

**PS Code: 1910013-021**

**Source Name: WELL 833**

**Source Number: 021**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

ALUMINUM	01105	036	2013/07/23	< 50.000	2016/07
ANTIMONY	01097	036	2013/07/23	< 6.000	2016/07
ARSENIC	01002	036	2013/07/23	< 2.000	2016/07
BARIUM	01007	036	2013/07/23	190.000	2016/07
BERYLLIUM	01012	036	2013/07/23	< 1.000	2016/07
CADMIUM	01027	036	2013/07/23	< 1.000	2016/07
CHROMIUM (TOTAL)	01034	036	2013/07/23	< 10.000	2016/07
CYANIDE	01291	036	2013/07/23	< 100.000	2016/07
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/07/23	. .340	2016/07
MERCURY	71900	036	2013/07/23	< 1.000	2016/07
NICKEL	01067	036	2013/07/23	< 10.000	2016/07
PERCHLORATE	A-031	012	2013/07/23	< 4.000	2014/07

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910013**

**System Name: BELLFLOWER - SOMERSET MWC**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910013-021**

**Source Name: WELL 833**

**Source Number: 021**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

SELENIUM	01147	036	2013/07/23	< 5.000	2016/07
THALLIUM	01059	036	2013/07/23	< 1.000	2016/07

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	012	2013/07/23	. 12.000	2014/07
NITRITE (AS N)	00620	036	2013/07/23	< 400.000	2016/07

**RADIOLOGICAL**

GROSS ALPHA	01501	003	2014/04/14	< 3.000	2014/07
<b>RADIUM 226</b>	09501	003	<b>2008/08/21</b>	.150	<b>2008/11 DUE</b>
RADIUM 228	11501	003	2014/04/14	. .000	2014/07
URANIUM (PCI/L)	28012	003	2014/04/14	. 2.700	2014/07

**REGULATED SOC**

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2012/07/23	< 3.000	2015/04
THIOBENCARB	A-001	033	2012/07/23	< 1.000	2015/04

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	012	2013/07/23	< .500	2014/07
1,1,2,2-TETRACHLOROETHANE	34516	012	2013/07/23	< .500	2014/07
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2013/07/23	< 10.000	2014/07
1,1,2-TRICHLOROETHANE	34511	012	2013/07/23	< .500	2014/07
1,1-DICHLOROETHANE	34496	012	2013/07/23	< .500	2014/07
1,1-DICHLOROETHYLENE	34501	012	2013/07/23	< .500	2014/07
1,2,4-TRICHLOROBENZENE	34551	012	2013/07/23	< .500	2014/07
1,2-DICHLOROBENZENE	34536	012	2013/07/23	< .500	2014/07
1,2-DICHLOROETHANE	34531	012	2013/07/23	< .500	2014/07
1,2-DICHLOROPROPANE	34541	012	2013/07/23	< .500	2014/07
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2013/07/23	< .500	2014/07
1,4-DICHLOROBENZENE	34571	012	2013/07/23	< .500	2014/07
BENZENE	34030	012	2013/07/23	< .500	2014/07
CARBON TETRACHLORIDE	32102	012	2013/07/23	< .500	2014/07

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910013**

**System Name: BELLFLOWER - SOMERSET MWC**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910013-021**

**Source Name: WELL 833**

**Source Number: 021**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED VOC**

CIS-1,2-DICHLOROETHYLENE	77093	012	2013/07/23	< .500	2014/07
DICHLOROMETHANE	34423	012	2013/07/23	< .500	2014/07
ETHYLBENZENE	34371	012	2013/07/23	< .500	2014/07
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2013/07/23	< 3.000	2014/07
MONOCHLOROBENZENE	34301	012	2013/07/23	< .500	2014/07
STYRENE	77128	012	2013/07/23	< .500	2014/07
TETRACHLOROETHYLENE	34475	012	2013/07/23	< .500	2014/07
TOLUENE	34010	012	2013/07/23	< .500	2014/07
TRANS-1,2-DICHLOROETHYLENE	34546	012	2013/07/23	< .500	2014/07
TRICHLOROETHYLENE	39180	012	2013/07/23	< .500	2014/07
TRICHLOROFUOROMETHANE	34488	012	2013/07/23	< 5.000	2014/07
VINYL CHLORIDE	39175	012	2013/07/23	< .500	2014/07
XYLENES (TOTAL)	81551	012	2013/07/23	< 1.000	2014/07

**SECONDARY/GP**

BICARBONATE ALKALINITY	00440	036	2013/07/23	. 78.000	2016/07
CALCIUM	00916	036	2013/07/23	. 99.000	2016/07
CARBONATE ALKALINITY	00445	036	2013/07/23	< 2.400	2016/07
CHLORIDE	00940	036	2013/07/23	. 59.000	2016/07
COLOR	00081	036	2013/07/23	< 1.000	2016/07
COPPER	01042	036	2013/07/23	< 50.000	2016/07
FOAMING AGENTS (MBAS)	38260	036	2013/07/23	< .100	2016/07
HARDNESS (TOTAL) AS CaCO3	00900	036	2013/07/23	. 320.000	2016/07
HYDROXIDE ALKALINITY	71830	036	2013/07/23	< 1.400	2016/07
IRON	01045	036	2013/07/23	< 100.000	2016/07
MAGNESIUM	00927	036	2013/07/23	. 17.000	2016/07
MANGANESE	01055	036	2013/07/23	< 20.000	2016/07
ODOR THRESHOLD @ 60 C	00086	036	2013/07/23	< 1.000	2016/07
PH, LABORATORY	00403	036	2013/07/23	7.810	2016/07
SILVER	01077	036	2013/07/23	< 10.000	2016/07

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910013**

**System Name: BELLFLOWER - SOMERSET MWC**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910013-021**

**Source Name: WELL 833**

**Source Number: 021**

**Source Status: ACTIVE RAW**

**Water type: G**

**SECONDARY/GP**

SODIUM	00929	036	2013/07/23	34.000	2016/07
SPECIFIC CONDUCTANCE	00095	036	2013/07/23	. 730.000	2016/07
SULFATE	00945	036	2013/07/23	100.000	2016/07
TOTAL DISSOLVED SOLIDS	70300	036	2013/07/23	. 480.000	2016/07
TURBIDITY, LABORATORY	82079	036	2013/07/23	< .100	2016/07
ZINC	01092	036	2013/07/23	< 50.000	2016/07

**PS Code: 1910013-022**

**Source Name: WELL 944**

**Source Number: 022**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

ALUMINUM	01105	036	2013/07/23	< 50.000	2016/07
ANTIMONY	01097	036	2013/07/23	< 6.000	2016/07
ARSENIC	01002	036	2013/07/23	. 2.000	2016/07
BARIUM	01007	036	2013/07/23	160.000	2016/07
BERYLLIUM	01012	036	2013/07/23	< 1.000	2016/07
CADMIUM	01027	036	2013/07/23	< 1.000	2016/07
CHROMIUM (TOTAL)	01034	036	2013/07/23	< 10.000	2016/07
CYANIDE	01291	036	2013/07/23	< 100.000	2016/07
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/07/23	. .390	2016/07
MERCURY	71900	036	2013/07/23	< 1.000	2016/07
NICKEL	01067	036	2013/07/23	< 10.000	2016/07
PERCHLORATE	A-031	012	2013/07/23	< 4.000	2014/07
SELENIUM	01147	036	2013/07/23	< 5.000	2016/07
THALLIUM	01059	036	2013/07/23	< 1.000	2016/07

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	012	2013/07/23	. 6.100	2014/07
------------------	-------	-----	------------	---------	---------

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910013**

**System Name: BELLFLOWER - SOMERSET MWC**

	<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>	
<b>PS Code: 1910013-022</b>						
<b>Source Name: WELL 944</b>						
<b>Source Number: 022</b>						
<b>Source Status: ACTIVE RAW</b>						
<b>Water type: G</b>						
<b><u>NITRATE/NITRITE</u></b>						
NITRITE (AS N)	00620	036	2013/07/23	< 400.000	2016/07	
<b><u>RADIOLOGICAL</u></b>						
GROSS ALPHA	01501	003	2008/08/21	4.100	2008/11	DUE
URANIUM (PCI/L)	28012	003	2008/05/19	2.700	2008/08	DUE
<b><u>REGULATED SOC</u></b>						
DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2012/07/23	< 3.000	2015/04	
THIOBENCARB	A-001	033	2012/07/23	< 1.000	2015/04	
<b><u>REGULATED VOC</u></b>						
1,1,1-TRICHLOROETHANE	34506	012	2014/04/14	< .500	2015/04	
1,1,2,2-TETRACHLOROETHANE	34516	012	2014/04/14	< .500	2015/04	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/04/14	< 10.000	2015/04	
1,1,2-TRICHLOROETHANE	34511	012	2014/04/14	< .500	2015/04	
1,1-DICHLOROETHANE	34496	012	2014/04/14	< .500	2015/04	
1,1-DICHLOROETHYLENE	34501	012	2014/04/14	< .500	2015/04	
1,2,4-TRICHLOROBENZENE	34551	012	2014/04/14	< .500	2015/04	
1,2-DICHLOROBENZENE	34536	012	2014/04/14	< .500	2015/04	
1,2-DICHLOROETHANE	34531	012	2014/04/14	< .500	2015/04	
1,2-DICHLOROPROPANE	34541	012	2014/04/14	< .500	2015/04	
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/04/14	< .500	2015/04	
1,4-DICHLOROBENZENE	34571	012	2014/04/14	< .500	2015/04	
BENZENE	34030	012	2014/04/14	< .500	2015/04	
CARBON TETRACHLORIDE	32102	012	2014/04/14	< .500	2015/04	
CIS-1,2-DICHLOROETHYLENE	77093	012	2014/04/14	< .500	2015/04	
DICHLOROMETHANE	34423	012	2014/04/14	< .500	2015/04	
ETHYLBENZENE	34371	012	2014/04/14	< .500	2015/04	
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/04/14	< 3.000	2015/04	
MONOCHLOROBENZENE	34301	012	2014/04/14	< .500	2015/04	
STYRENE	77128	012	2014/04/14	< .500	2015/04	

\*Testing interval is in months;  
 0 = No data for this constituent and is DUE NOW  
 I = Invalid (NOT) valid analyses reported  
 Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910013**

**System Name: BELLFLOWER - SOMERSET MWC**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910013-022**

**Source Name: WELL 944**

**Source Number: 022**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED VOC**

TETRACHLOROETHYLENE	34475	012	2014/04/14	< .500	2015/04
TOLUENE	34010	012	2014/04/14	< .500	2015/04
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/04/14	< .500	2015/04
TRICHLOROETHYLENE	39180	012	2014/04/14	< .500	2015/04
TRICHLOROFUOROMETHANE	34488	012	2014/04/14	< 5.000	2015/04
VINYL CHLORIDE	39175	012	2014/04/14	< .500	2015/04
XYLENES (TOTAL)	81551	012	2014/04/14	< .000	2015/04

**SECONDARY/GP**

BICARBONATE ALKALINITY	00440	036	2013/07/23	. 210.000	2016/07
CALCIUM	00916	036	2013/07/23	. 85.000	2016/07
CARBONATE ALKALINITY	00445	036	2013/07/23	< 2.400	2016/07
CHLORIDE	00940	036	2013/07/23	. 37.000	2016/07
COLOR	00081	036	2013/07/23	< 1.000	2016/07
COPPER	01042	036	2013/07/23	< 50.000	2016/07
FOAMING AGENTS (MBAS)	38260	036	2013/07/23	< .100	2016/07
HARDNESS (TOTAL) AS CaCO3	00900	036	2013/07/23	. 280.000	2016/07
HYDROXIDE ALKALINITY	71830	036	2013/07/23	< 1.400	2016/07
IRON	01045	036	2013/07/23	< 100.000	2016/07
MAGNESIUM	00927	036	2013/07/23	. 16.000	2016/07
MANGANESE	01055	036	2013/07/23	< 20.000	2016/07
ODOR THRESHOLD @ 60 C	00086	036	2013/07/23	< 1.000	2016/07
PH, LABORATORY	00403	036	2013/07/23	7.790	2016/07
SILVER	01077	036	2013/07/23	< 10.000	2016/07
SODIUM	00929	036	2013/07/23	29.000	2016/07
SPECIFIC CONDUCTANCE	00095	036	2013/07/23	. 620.000	2016/07
SULFATE	00945	036	2013/07/23	83.000	2016/07
TOTAL DISSOLVED SOLIDS	70300	036	2013/07/23	. 400.000	2016/07
TURBIDITY, LABORATORY	82079	036	2013/07/23	< .100	2016/07
ZINC	01092	036	2013/07/23	< 50.000	2016/07

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910013**

**System Name: BELLFLOWER - SOMERSET MWC**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910013-026**

**Source Name: WELL 955**

**Source Number: 026**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

ALUMINUM	01105	036	2011/07/19	< 50.000	2014/07
ANTIMONY	01097	036	2011/07/19	< 6.000	2014/07
ARSENIC	01002	036	2011/07/19	. 3.000	2014/07
BARIUM	01007	036	2011/07/19	150.000	2014/07
BERYLLIUM	01012	036	2011/07/19	< 1.000	2014/07
CADMIUM	01027	036	2011/07/19	< 1.000	2014/07
CHROMIUM (TOTAL)	01034	036	2011/07/19	< 10.000	2014/07
CYANIDE	01291	036	2011/07/19	< 100.000	2014/07
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2011/10/21	. .490	2014/10
MERCURY	71900	006	2014/05/30	< 1.000	2014/11
NICKEL	01067	036	2011/07/19	< 10.000	2014/07
PERCHLORATE	A-031	012	2013/07/23	< 4.000	2014/07
SELENIUM	01147	036	2011/07/19	< 5.000	2014/07
THALLIUM	01059	036	2011/07/19	< 1.000	2014/07

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	012	2013/07/23	< 2.000	2014/07
NITRITE (AS N)	00620	036	2011/07/19	< 400.000	2014/07

**RADIOLOGICAL**

<b>GROSS ALPHA</b>	01501	003	<b>2008/11/18</b>	1.800	<b>2009/02 DUE</b>
--------------------	-------	-----	-------------------	-------	--------------------

**REGULATED SOC**

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2012/07/23	< 3.000	2015/04
THIOBENCARB	A-001	033	2012/07/23	< 1.000	2015/04

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	012	2014/04/14	< .500	2015/04
1,1,2,2-TETRACHLOROETHANE	34516	012	2014/04/14	< .500	2015/04
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/04/14	< 10.000	2015/04
1,1,2-TRICHLOROETHANE	34511	012	2014/04/14	< .500	2015/04
1,1-DICHLOROETHANE	34496	012	2014/04/14	< .500	2015/04

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910013**

**System Name: BELLFLOWER - SOMERSET MWC**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910013-026**

**Source Name: WELL 955**

**Source Number: 026**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED VOC**

1,1-DICHLOROETHYLENE	34501	012	2014/04/14	< .500	2015/04
1,2,4-TRICHLOROBENZENE	34551	012	2014/04/14	< .500	2015/04
1,2-DICHLOROBENZENE	34536	012	2014/04/14	< .500	2015/04
1,2-DICHLOROETHANE	34531	012	2014/04/14	< .500	2015/04
1,2-DICHLOROPROPANE	34541	012	2014/04/14	< .500	2015/04
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/04/14	< .500	2015/04
1,4-DICHLOROBENZENE	34571	012	2014/04/14	< .500	2015/04
BENZENE	34030	012	2014/04/14	< .500	2015/04
CARBON TETRACHLORIDE	32102	012	2014/04/14	< .500	2015/04
CIS-1,2-DICHLOROETHYLENE	77093	012	2014/04/14	< .500	2015/04
DICHLOROMETHANE	34423	012	2014/04/14	< .500	2015/04
ETHYLBENZENE	34371	012	2014/04/14	< .500	2015/04
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/04/14	< 3.000	2015/04
MONOCHLOROENZENE	34301	012	2014/04/14	< .500	2015/04
STYRENE	77128	012	2014/04/14	< .500	2015/04
TETRACHLOROETHYLENE	34475	012	2014/04/14	< .500	2015/04
TOLUENE	34010	012	2014/04/14	< .500	2015/04
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/04/14	< .500	2015/04
TRICHLOROETHYLENE	39180	012	2014/04/14	< .500	2015/04
TRICHLOROFUOROMETHANE	34488	012	2014/04/14	< 5.000	2015/04
VINYL CHLORIDE	39175	012	2014/04/14	< .500	2015/04
XYLENES (TOTAL)	81551	012	2014/04/14	< .000	2015/04

**SECONDARY/GP**

BICARBONATE ALKALINITY	00440	036	2011/10/21	. 200.000	2014/10
CALCIUM	00916	036	2011/10/21	. 91.000	2014/10
CARBONATE ALKALINITY	00445	036	2011/10/21	< 2.000	2014/10
CHLORIDE	00940	036	2011/10/21	. 48.000	2014/10
COLOR	00081	036	2011/10/21	. 2.500	2014/10
COPPER	01042	036	2011/10/21	< 50.000	2014/10

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)



**System Number: 1910013**

**System Name: BELLFLOWER - SOMERSET MWC**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910013-026**

**Source Name: WELL 955**

**Source Number: 026**

**Source Status: ACTIVE RAW**

**Water type: G**

**SECONDARY/GP**

FOAMING AGENTS (MBAS)	38260	036	2011/11/17	< .100	2014/11
HARDNESS (TOTAL) AS CaCO3	00900	036	2011/10/21	. 290.000	2014/10
HYDROXIDE ALKALINITY	71830	036	2011/10/21	< 2.000	2014/10
IRON	01045	036	2011/10/21	290.000	2014/10
MAGNESIUM	00927	036	2011/10/21	. 16.000	2014/10
MANGANESE	01055	006	2014/05/30	. 23.000	2014/11
ODOR THRESHOLD @ 60 C	00086	036	2011/10/21	< 1.000	2014/10
PH, LABORATORY	00403	036	2011/10/21	. 7.800	2014/10
SILVER	01077	036	2011/07/19	< 10.000	2014/07
SODIUM	00929	036	2011/10/21	36.000	2014/10
SPECIFIC CONDUCTANCE	00095	036	2011/10/21	. 660.000	2014/10
SULFATE	00945	036	2011/10/21	92.000	2014/10
TOTAL DISSOLVED SOLIDS	70300	036	2011/10/21	. 470.000	2014/10
TURBIDITY, LABORATORY	82079	036	2011/10/21	. 1.600	2014/10
ZINC	01092	036	2011/10/21	< 50.000	2014/10

**PS Code: 1910013-027**

**Source Name: WELL 884**

**Source Number: 027**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

ALUMINUM	01105	036	2013/07/23	< 50.000	2016/07
ANTIMONY	01097	036	2013/07/23	< 6.000	2016/07
ARSENIC	01002	036	2013/07/23	. 2.500	2016/07
BARIUM	01007	036	2013/07/23	160.000	2016/07
BERYLLIUM	01012	036	2013/07/23	< 1.000	2016/07
CADMIUM	01027	036	2013/07/23	< 1.000	2016/07
CHROMIUM (TOTAL)	01034	036	2013/07/23	< 10.000	2016/07

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910013**

**System Name: BELLFLOWER - SOMERSET MWC**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910013-027**

**Source Name: WELL 884**

**Source Number: 027**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

CYANIDE	01291	036	2013/07/23	< 100.000	2016/07
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/07/23	.320	2016/07
MERCURY	71900	036	2013/07/23	< 1.000	2016/07
NICKEL	01067	036	2013/07/23	< 10.000	2016/07
PERCHLORATE	A-031	012	2013/07/23	< 4.000	2014/07
SELENIUM	01147	036	2013/07/23	< 5.000	2016/07
THALLIUM	01059	036	2013/07/23	< 1.000	2016/07

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	012	2013/07/23	.7100	2014/07
NITRITE (AS N)	00620	036	2013/07/23	< 400.000	2016/07

**RADIOLOGICAL**

<b>GROSS ALPHA</b>	01501	003	2008/08/21	4.000	2008/11	<b>DUE</b>
<b>RADIUM 226</b>	09501	003	2008/08/21	.140	2008/11	<b>DUE</b>
<b>RADIUM 228</b>	11501	003	2008/08/21	.060	2008/11	<b>DUE</b>
<b>URANIUM (PCI/L)</b>	28012	003	2008/08/21	2.100	2008/11	<b>DUE</b>

**REGULATED SOC**

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2013/09/17	< 3.000	2016/06
THIOBENCARB	A-001	033	2013/09/17	< 1.000	2016/06

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	012	2013/07/23	< .500	2014/07
1,1,2,2-TETRACHLOROETHANE	34516	012	2013/07/23	< .500	2014/07
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2013/07/23	< 10.000	2014/07
1,1,2-TRICHLOROETHANE	34511	012	2013/07/23	< .500	2014/07
1,1-DICHLOROETHANE	34496	012	2013/07/23	< .500	2014/07
1,1-DICHLOROETHYLENE	34501	012	2013/07/23	< .500	2014/07
1,2,4-TRICHLOROBENZENE	34551	012	2013/07/23	< .500	2014/07
1,2-DICHLOROBENZENE	34536	012	2013/07/23	< .500	2014/07
1,2-DICHLOROETHANE	34531	012	2013/07/23	< .500	2014/07

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910013**

**System Name: BELLFLOWER - SOMERSET MWC**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910013-027**

**Source Name: WELL 884**

**Source Number: 027**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED VOC**

1,2-DICHLOROPROPANE	34541	012	2013/07/23	< .500	2014/07
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2013/07/23	< .500	2014/07
1,4-DICHLOROBENZENE	34571	012	2013/07/23	< .500	2014/07
BENZENE	34030	012	2013/07/23	< .500	2014/07
CARBON TETRACHLORIDE	32102	012	2013/07/23	< .500	2014/07
CIS-1,2-DICHLOROETHYLENE	77093	012	2013/07/23	< .500	2014/07
DICHLOROMETHANE	34423	012	2013/07/23	< .500	2014/07
ETHYLBENZENE	34371	012	2013/07/23	< .500	2014/07
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2013/07/23	< 3.000	2014/07
MONOCHLOROBENZENE	34301	012	2013/07/23	< .500	2014/07
STYRENE	77128	012	2013/07/23	< .500	2014/07
TETRACHLOROETHYLENE	34475	012	2013/07/23	< .500	2014/07
TOLUENE	34010	012	2013/07/23	< .500	2014/07
TRANS-1,2-DICHLOROETHYLENE	34546	012	2013/07/23	< .500	2014/07
TRICHLOROETHYLENE	39180	012	2013/07/23	< .500	2014/07
TRICHLOROFUOROMETHANE	34488	012	2013/07/23	< 5.000	2014/07
VINYL CHLORIDE	39175	012	2013/07/23	< .500	2014/07
XYLENES (TOTAL)	81551	012	2013/07/23	< 1.000	2014/07

**SECONDARY/GP**

BICARBONATE ALKALINITY	00440	036	2013/07/23	. 200.000	2016/07
CALCIUM	00916	036	2013/07/23	. 72.000	2016/07
CARBONATE ALKALINITY	00445	036	2013/07/23	< 2.400	2016/07
CHLORIDE	00940	036	2013/07/23	. 40.000	2016/07
COLOR	00081	036	2013/07/23	< 1.000	2016/07
COPPER	01042	036	2013/07/23	< 50.000	2016/07
FOAMING AGENTS (MBAS)	38260	036	2013/07/23	< .100	2016/07
HARDNESS (TOTAL) AS CaCO3	00900	036	2013/07/23	. 230.000	2016/07
HYDROXIDE ALKALINITY	71830	036	2013/07/23	< 1.400	2016/07
IRON	01045	036	2013/07/23	< 100.000	2016/07

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910013**

**System Name: BELLFLOWER - SOMERSET MWC**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910013-027**

**Source Name: WELL 884**

**Source Number: 027**

**Source Status: ACTIVE RAW**

**Water type: G**

**SECONDARY/GP**

MAGNESIUM	00927	036	2013/07/23	. 11.000	2016/07
MANGANESE	01055	036	2013/07/23	< 20.000	2016/07
ODOR THRESHOLD @ 60 C	00086	036	2013/07/23	< 1.000	2016/07
PH, LABORATORY	00403	036	2013/07/23	7.890	2016/07
SILVER	01077	036	2013/07/23	< 10.000	2016/07
SODIUM	00929	036	2013/07/23	33.000	2016/07
SPECIFIC CONDUCTANCE	00095	036	2013/07/23	. 580.000	2016/07
SULFATE	00945	036	2013/07/23	73.000	2016/07
TOTAL DISSOLVED SOLIDS	70300	036	2013/07/23	. 350.000	2016/07
TURBIDITY, LABORATORY	82079	036	2013/07/23	< .100	2016/07
ZINC	01092	036	2013/07/23	< 50.000	2016/07

**PS Code: 1910013-028**

**Source Name: MWD CONNECTION - TREATED**

**Source Number: 028**

**Source Status: PURCHASED TREATED**

**Water type: S**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

**PS Code: 1910013-029**

**Source Name: WELL 903**

**Source Number: 029**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

ALUMINUM	01105	036	2013/07/23	< 50.000	2016/07
ANTIMONY	01097	036	2013/07/23	< 6.000	2016/07
ARSENIC	01002	036	2013/07/23	< 2.000	2016/07

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910013**

**System Name: BELLFLOWER - SOMERSET MWC**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910013-029**

**Source Name: WELL 903**

**Source Number: 029**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

BARIUM	01007	036	2013/07/23	160.000	2016/07
BERYLLIUM	01012	036	2013/07/23	< 1.000	2016/07
CADMIUM	01027	036	2013/07/23	< 1.000	2016/07
CHROMIUM (TOTAL)	01034	036	2013/07/23	< 10.000	2016/07
CYANIDE	01291	036	2013/07/23	< 100.000	2016/07
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/07/23	.340	2016/07
MERCURY	71900	036	2013/07/23	< 1.000	2016/07
NICKEL	01067	036	2013/07/23	< 10.000	2016/07
PERCHLORATE	A-031	012	2014/01/15	< 4.000	2015/01
SELENIUM	01147	036	2013/07/23	< 5.000	2016/07
THALLIUM	01059	036	2013/07/23	< 1.000	2016/07

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	012	2013/07/23	. 11.000	2014/07
NITRITE (AS N)	00620	036	2013/07/23	< 400.000	2016/07

**RADIOLOGICAL**

<b>GROSS ALPHA</b>	01501	003	2010/05/07	5.400	2010/08	<b>DUE</b>
<b>RADIUM 226</b>	09501	003	2009/08/21	.080	2009/11	<b>DUE</b>
<b>RADIUM 228</b>	11501	003	2009/08/21	.140	2009/11	<b>DUE</b>
<b>URANIUM (PCI/L)</b>	28012	003	2009/08/21	2.201	2009/11	<b>DUE</b>

**REGULATED SOC**

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2012/07/26	< 3.000	2015/04
THIOBENCARB	A-001	033	2012/07/26	< 1.000	2015/04

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	012	2013/07/23	< .500	2014/07
1,1,2,2-TETRACHLOROETHANE	34516	012	2013/07/23	< .500	2014/07
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2013/07/23	< 10.000	2014/07
1,1,2-TRICHLOROETHANE	34511	012	2013/07/23	< .500	2014/07
1,1-DICHLOROETHANE	34496	012	2013/07/23	< .500	2014/07

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910013**

**System Name: BELLFLOWER - SOMERSET MWC**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910013-029**

**Source Name: WELL 903**

**Source Number: 029**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED VOC**

1,1-DICHLOROETHYLENE	34501	012	2013/07/23	< .500	2014/07
1,2,4-TRICHLOROBENZENE	34551	012	2013/07/23	< .500	2014/07
1,2-DICHLOROBENZENE	34536	012	2013/07/23	< .500	2014/07
1,2-DICHLOROETHANE	34531	012	2013/07/23	< .500	2014/07
1,2-DICHLOROPROPANE	34541	012	2013/07/23	< .500	2014/07
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2013/07/23	< .500	2014/07
1,4-DICHLOROBENZENE	34571	012	2013/07/23	< .500	2014/07
BENZENE	34030	012	2013/07/23	< .500	2014/07
CARBON TETRACHLORIDE	32102	012	2013/07/23	< .500	2014/07
CIS-1,2-DICHLOROETHYLENE	77093	012	2013/07/23	< .500	2014/07
DICHLOROMETHANE	34423	012	2013/07/23	< .500	2014/07
ETHYLBENZENE	34371	012	2013/07/23	< .500	2014/07
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2013/07/23	< 3.000	2014/07
MONOCHLOROENZENE	34301	012	2013/07/23	< .500	2014/07
STYRENE	77128	012	2013/07/23	< .500	2014/07
TETRACHLOROETHYLENE	34475	012	2013/07/23	< .500	2014/07
TOLUENE	34010	012	2013/07/23	< .500	2014/07
TRANS-1,2-DICHLOROETHYLENE	34546	012	2013/07/23	< .500	2014/07
TRICHLOROETHYLENE	39180	012	2013/07/23	< .500	2014/07
TRICHLOROFUOROMETHANE	34488	012	2013/07/23	< 5.000	2014/07
VINYL CHLORIDE	39175	012	2013/07/23	< .500	2014/07
XYLENES (TOTAL)	81551	012	2013/07/23	< 1.000	2014/07

**SECONDARY/GP**

BICARBONATE ALKALINITY	00440	036	2013/07/23	. 210.000	2016/07
CALCIUM	00916	036	2013/07/23	. 94.000	2016/07
CARBONATE ALKALINITY	00445	036	2013/07/23	< 2.400	2016/07
CHLORIDE	00940	036	2013/07/23	. 62.000	2016/07
COLOR	00081	036	2013/07/23	< 1.000	2016/07
COPPER	01042	036	2013/07/23	< 50.000	2016/07

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910013**

**System Name: BELLFLOWER - SOMERSET MWC**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910013-029**

**Source Name: WELL 903**

**Source Number: 029**

**Source Status: ACTIVE RAW**

**Water type: G**

**SECONDARY/GP**

FOAMING AGENTS (MBAS)	38260	036	2013/07/23	< .100	2016/07
HARDNESS (TOTAL) AS CaCO3	00900	036	2013/07/23	. 300.000	2016/07
HYDROXIDE ALKALINITY	71830	036	2013/07/23	< 1.400	2016/07
IRON	01045	036	2013/07/23	< 100.000	2016/07
MAGNESIUM	00927	036	2013/07/23	. 15.000	2016/07
MANGANESE	01055	036	2013/07/23	< 20.000	2016/07
ODOR THRESHOLD @ 60 C	00086	036	2013/07/23	< 1.000	2016/07
PH, LABORATORY	00403	036	2013/07/23	7.840	2016/07
SILVER	01077	036	2013/07/23	< 10.000	2016/07
SODIUM	00929	036	2013/07/23	40.000	2016/07
SPECIFIC CONDUCTANCE	00095	036	2013/07/23	. 740.000	2016/07
SULFATE	00945	036	2013/07/23	110.000	2016/07
TOTAL DISSOLVED SOLIDS	70300	036	2013/07/23	. 490.000	2016/07
TURBIDITY, LABORATORY	82079	036	2013/07/23	< .100	2016/07
ZINC	01092	036	2013/07/23	< 50.000	2016/07

**PS Code: 1910013-030**

**Source Name: WELL 955 - TREATMENT**

**Source Number: 030**

**Source Status: ACTIVE TREATED**

**Water type: S**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

\*Testing interval is in months;  
 0 = No data for this constituent and is DUE NOW  
 I = Invalid (NOT) valid analyses reported  
 Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910013**

**System Name: BELLFLOWER - SOMERSET MWC**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

**PS Code: 1910013-031**

**Source Name: WELL 944 - TREATMENT**

**Source Number: 031**

**Source Status: ACTIVE TREATED**

**Water type: S**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

**PS Code: 1910013-032**

**Source Name: WELL 903 - TREATMENT**

**Source Number: 032**

**Source Status: ACTIVE TREATED**

**Water type: S**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

**PS Code: 1910013-033**

**Source Name: WELL 884 - TREATMENT**

**Source Number: 033**

**Source Status: ACTIVE TREATED**

**Water type: S**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

**PS Code: 1910013-034**

**Source Name: WELL 833 - TREATMENT**

**Source Number: 034**

**Source Status: ACTIVE TREATED**

**Water type: S**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

\*Testing interval is in months;  
0 = No data for this constituent and is DUE NOW  
I = Invalid (NOT) valid analyses reported  
Any analyses not listed as required for testing has been Waive (not required)



**System Number: 1910013**

**System Name: BELLFLOWER - SOMERSET MWC**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910013-035**

**Source Name: WELL 759 - TREATMENT**

**Source Number: 035**

**Source Status: ACTIVE TREATED**

**Water type: S**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

**PS Code: 1910013-036**

**Source Name: WELL 615 - TREATMENT**

**Source Number: 036**

**Source Status: ACTIVE TREATED**

**Water type: S**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

**PS Code: 1910013-037**

**Source Name: WELL 587 - TREATMENT**

**Source Number: 037**

**Source Status: ACTIVE TREATED**

**Water type: S**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

**PS Code: 1910013-800**

**Source Name: SITE 1-9956 FLORA VISTA AVE-STG2 DBP**

**Source Number: 800**

**Source Status: DISTRIBUTION TREATED**

**Water type: S**

**HALOACETIC ACIDS**

DIBROMOACETIC ACID (DBAA)	82721	003	2014/07/15	.	1.000	2014/10
DICHLOROACETIC ACID (DCAA)	77288	003	2014/07/15	<	.000	2014/10
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/07/15	.	1.000	2014/10
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/07/15	<	.000	2014/10
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/07/15	<	.000	2014/10

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910013**

**System Name: BELLFLOWER - SOMERSET MWC**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910013-800**

**Source Name: SITE 1-9956 FLORA VISTA AVE-STG2 DBP**

**Source Number: 800**

**Source Status: DISTRIBUTION TREATED**

**Water type: S**

**HALOACETIC ACIDS**

TRICHLOROACETIC ACID (TCAA)	82723	003	2014/07/15	< .000	2014/10
-----------------------------	-------	-----	------------	--------	---------

**STATE UCMR**

BROMODICHLORMETHANE (THM)	32101	003	2014/07/15	. 1.000	2014/10
BROMOFORM (THM)	32104	003	2014/07/15	. 3.100	2014/10
CHLOROFORM (THM)	32106	003	2014/07/15	< .000	2014/10
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/07/15	. 3.300	2014/10

**TRIHALOMETHANES**

TOTAL TRIHALOMETHANES	82080	003	2014/07/15	. 7.400	2014/10
-----------------------	-------	-----	------------	---------	---------

**PS Code: 1910013-801**

**Source Name: SITE 2-9903 BELMONT ST-STG2 DBP**

**Source Number: 801**

**Source Status: DISTRIBUTION TREATED**

**Water type: S**

**HALOACETIC ACIDS**

DIBROMOACETIC ACID (DBAA)	82721	003	2014/07/15	< .000	2014/10
DICHLOROACETIC ACID (DCAA)	77288	003	2014/07/15	< .000	2014/10
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/07/15	< .000	2014/10
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/07/15	< .000	2014/10
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/07/15	< .000	2014/10
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/07/15	< .000	2014/10

**STATE UCMR**

BROMODICHLORMETHANE (THM)	32101	003	2014/07/15	< .000	2014/10
BROMOFORM (THM)	32104	003	2014/07/15	. 1.100	2014/10
CHLOROFORM (THM)	32106	003	2014/07/15	< .000	2014/10
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/07/15	. 1.300	2014/10

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910013**

**System Name: BELLFLOWER - SOMERSET MWC**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910013-801**

**Source Name: SITE 2-9903 BELMONT ST-STG2 DBP**

**Source Number: 801**

**Source Status: DISTRIBUTION TREATED**

**Water type: S**

**TRihalOMETHANES**

TOTAL TRIHALOMETHANES	82080	003	2014/07/15	. 2.400	2014/10
-----------------------	-------	-----	------------	---------	---------

**PS Code: 1910013-802**

**Source Name: SITE 3-17636 ARDMORE AVE-STG2 DBP**

**Source Number: 802**

**Source Status: DISTRIBUTION TREATED**

**Water type: S**

**HALOACETIC ACIDS**

DIBROMOACETIC ACID (DBAA)	82721	003	2014/07/15	< .000	2014/10
DICHLOROACETIC ACID (DCAA)	77288	003	2014/07/15	< .000	2014/10
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/07/15	< .000	2014/10
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/07/15	< .000	2014/10
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/07/15	< .000	2014/10
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/07/15	< .000	2014/10

**STATE UCMR**

BROMODICHLORMETHANE (THM)	32101	003	2014/07/15	< .000	2014/10
BROMOFORM (THM)	32104	003	2014/07/15	< .000	2014/10
CHLOROFORM (THM)	32106	003	2014/07/15	< .000	2014/10
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/07/15	< .000	2014/10

**TRihalOMETHANES**

TOTAL TRIHALOMETHANES	82080	003	2014/07/15	< .000	2014/10
-----------------------	-------	-----	------------	--------	---------

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910013**

**System Name: BELLFLOWER - SOMERSET MWC**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910013-803**

**Source Name: SITE 4-COKE AVE X ARTESIA BLVD-STG2 DBP**

**Source Number: 803**

**Source Status: DISTRIBUTION TREATED**

**Water type: S**

**HALOACETIC ACIDS**

DIBROMOACETIC ACID (DBAA)	82721	003	2014/07/15	< .000	2014/10
DICHLOROACETIC ACID (DCAA)	77288	003	2014/07/15	< .000	2014/10
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/07/15	< .000	2014/10
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/07/15	< .000	2014/10
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/07/15	< .000	2014/10
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/07/15	< .000	2014/10

**STATE UCMR**

BROMODICHLORMETHANE (THM)	32101	003	2014/07/15	< .000	2014/10
BROMOFORM (THM)	32104	003	2014/07/15	< .000	2014/10
CHLOROFORM (THM)	32106	003	2014/07/15	< .000	2014/10
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/07/15	. 1.100	2014/10

**TRIHALOMETHANES**

TOTAL TRIHALOMETHANES	82080	003	2014/07/15	. 1.100	2014/10
-----------------------	-------	-----	------------	---------	---------

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910024**

**System Name: GSWC - CLAREMONT**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910024-001**

**Source Name: ALAMOSA 02**

**Source Number: 001**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

ALUMINUM	01105	036	2013/09/18	< 50.000	2016/09
ANTIMONY	01097	036	2013/09/18	< 6.000	2016/09
ARSENIC	01002	036	2013/09/18	< 2.000	2016/09
BARIUM	01007	036	2013/09/18	< 100.000	2016/09
BERYLLIUM	01012	036	2013/09/18	< 1.000	2016/09
CADMIUM	01027	036	2013/09/18	< 1.000	2016/09
CHROMIUM (TOTAL)	01034	036	2013/09/18	< 10.000	2016/09
CYANIDE	01291	036	2013/09/18	< 100.000	2016/09
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/09/18	. 280	2016/09
MERCURY	71900	036	2013/09/18	< 1.000	2016/09
NICKEL	01067	036	2013/09/18	< 10.000	2016/09
PERCHLORATE	A-031	012	2013/08/20	< 4.000	2014/08
SELENIUM	01147	036	2013/09/18	< 5.000	2016/09
THALLIUM	01059	036	2013/09/18	< 1.000	2016/09

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	003	2014/05/20	. 23.000	2014/08
NITRITE (AS N)	00620	036	2013/09/18	< 400.000	2016/09

**RADIOLOGICAL**

<b>GROSS ALPHA</b>	01501	003	<b>2013/06/28</b>	. 3.000	<b>2013/09 DUE</b>
<b>RADIUM 226</b>	09501	000			<b>DUE</b>
<b>RADIUM 228</b>	11501	003	<b>2006/11/22</b>	< 1.000	<b>2007/02 DUE</b>
<b>URANIUM (PCI/L)</b>	28012	000			<b>DUE</b>

**REGULATED SOC**

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2012/08/21	< 3.000	2015/05
DIBROMOCHLOROPROPANE (DBCP)	38761	033	2014/05/20	< .010	2017/02
ETHYLENE DIBROMIDE (EDB)	77651	033	2014/05/20	< .020	2017/02

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	012	2013/08/20	< .500	2014/08
-----------------------	-------	-----	------------	--------	---------

\*Testing interval is in months;  
 0 = No data for this constituent and is DUE NOW  
 I = Invalid (NOT) valid analyses reported  
 Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910024**

**System Name: GSWC - CLAREMONT**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910024-001**

**Source Name: ALAMOSA 02**

**Source Number: 001**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED VOC**

1,1,2,2-TETRACHLOROETHANE	34516	012	2013/08/20	< .500	2014/08
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2013/08/20	< 10.000	2014/08
1,1,2-TRICHLOROETHANE	34511	012	2013/08/20	< .500	2014/08
1,1-DICHLOROETHANE	34496	012	2013/08/20	< .500	2014/08
1,1-DICHLOROETHYLENE	34501	012	2013/08/20	< .500	2014/08
1,2,4-TRICHLOROBENZENE	34551	012	2013/08/20	< .500	2014/08
1,2-DICHLOROBENZENE	34536	012	2013/08/20	< .500	2014/08
1,2-DICHLOROETHANE	34531	012	2013/08/20	< .500	2014/08
1,2-DICHLOROPROPANE	34541	012	2013/08/20	< .500	2014/08
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2013/08/20	< .500	2014/08
1,4-DICHLOROBENZENE	34571	012	2013/08/20	< .500	2014/08
BENZENE	34030	012	2013/08/20	< .500	2014/08
CARBON TETRACHLORIDE	32102	012	2013/08/20	< .500	2014/08
CIS-1,2-DICHLOROETHYLENE	77093	012	2013/08/20	< .500	2014/08
DICHLOROMETHANE	34423	012	2013/08/20	< .500	2014/08
ETHYLBENZENE	34371	012	2013/08/20	< .500	2014/08
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2013/08/20	< 3.000	2014/08
MONOCHLOROBENZENE	34301	012	2013/08/20	< .500	2014/08
STYRENE	77128	012	2013/08/20	< .500	2014/08
TETRACHLOROETHYLENE	34475	012	2013/08/20	< .500	2014/08
TOLUENE	34010	012	2013/08/20	< .500	2014/08
TRANS-1,2-DICHLOROETHYLENE	34546	012	2013/08/20	< .500	2014/08
TRICHLOROETHYLENE	39180	012	2013/08/20	< .500	2014/08
TRICHLOROFUOROMETHANE	34488	012	2013/08/20	< 5.000	2014/08
VINYL CHLORIDE	39175	012	2013/08/20	< .500	2014/08
XYLENES (TOTAL)	81551	012	2013/08/20	< 1.000	2014/08

**SECONDARY/GP**

BICARBONATE ALKALINITY	00440	036	2013/09/18	. 260.000	2016/09
CALCIUM	00916	036	2013/09/18	. 78.000	2016/09

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910024**

**System Name: GSWC - CLAREMONT**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910024-001**

**Source Name: ALAMOSA 02**

**Source Number: 001**

**Source Status: ACTIVE RAW**

**Water type: G**

**SECONDARY/GP**

CARBONATE ALKALINITY	00445	036	2013/09/18	< 2.400	2016/09
CHLORIDE	00940	036	2013/09/18	. 23.000	2016/09
COLOR	00081	036	2013/09/18	< 1.000	2016/09
COPPER	01042	036	2013/09/18	< 50.000	2016/09
FOAMING AGENTS (MBAS)	38260	036	2013/09/18	< .100	2016/09
HARDNESS (TOTAL) AS CaCO3	00900	036	2013/09/18	. 270.000	2016/09
HYDROXIDE ALKALINITY	71830	036	2013/09/18	< 1.400	2016/09
IRON	01045	036	2013/09/18	< 100.000	2016/09
MAGNESIUM	00927	036	2013/09/18	. 17.000	2016/09
MANGANESE	01055	036	2013/09/18	< 20.000	2016/09
ODOR THRESHOLD @ 60 C	00086	036	2013/09/18	< 1.000	2016/09
PH, LABORATORY	00403	036	2013/09/18	. 7.440	2016/09
SILVER	01077	036	2013/09/18	< 10.000	2016/09
SODIUM	00929	036	2013/09/18	12.000	2016/09
SPECIFIC CONDUCTANCE	00095	036	2013/09/18	. 540.000	2016/09
SULFATE	00945	036	2013/09/18	33.000	2016/09
TOTAL DISSOLVED SOLIDS	70300	036	2013/09/18	. 350.000	2016/09
TURBIDITY, LABORATORY	82079	036	2013/09/18	< .100	2016/09
ZINC	01092	036	2013/09/18	< 50.000	2016/09

**PS Code: 1910024-002**

**Source Name: BERKELEY WELL 01**

**Source Number: 002**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

ALUMINUM	01105	036	2013/09/17	< 50.000	2016/09
ANTIMONY	01097	036	2013/09/17	< 6.000	2016/09
ARSENIC	01002	036	2013/09/17	< 2.000	2016/09

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910024**

**System Name: GSWC - CLAREMONT**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910024-002**

**Source Name: BERKELEY WELL 01**

**Source Number: 002**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

BARIUM	01007	036	2013/09/17	< 100.000	2016/09
BERYLLIUM	01012	036	2013/09/17	< 1.000	2016/09
CADMIUM	01027	036	2013/09/17	< 1.000	2016/09
CHROMIUM (TOTAL)	01034	036	2013/09/17	< 10.000	2016/09
CYANIDE	01291	036	2013/09/17	< 100.000	2016/09
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/09/17	. 250	2016/09
MERCURY	71900	036	2013/09/17	< 1.000	2016/09
NICKEL	01067	036	2013/09/17	< 10.000	2016/09
PERCHLORATE	A-031	012	2013/08/20	< 4.000	2014/08
SELENIUM	01147	036	2013/09/17	< 5.000	2016/09
THALLIUM	01059	036	2013/09/17	< 1.000	2016/09

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	012	2014/05/20	. 12.000	2015/05
NITRITE (AS N)	00620	036	2013/09/17	< 400.000	2016/09

**RADIOLOGICAL**

<b>GROSS ALPHA</b>	01501	003	<b>2013/06/18</b>	. 3.300	<b>2013/09 DUE</b>
<b>RADIUM 226</b>	09501	000			<b>DUE</b>
<b>RADIUM 228</b>	11501	003	<b>2006/11/22</b>	< 1.000	<b>2007/02 DUE</b>
<b>URANIUM (PCI/L)</b>	28012	003	<b>2013/09/17</b>	. 2.700	<b>2013/12 DUE</b>

**REGULATED SOC**

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2012/08/21	< 3.000	2015/05
DIBROMOCHLOROPROPANE (DBCP)	38761	033	2012/08/21	< .010	2015/05
ETHYLENE DIBROMIDE (EDB)	77651	033	2012/08/21	< .020	2015/05
THIOBENCARB	A-001	033	2012/08/21	< 1.000	2015/05

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	012	2013/08/20	< .500	2014/08
1,1,2,2-TETRACHLOROETHANE	34516	012	2013/08/20	< .500	2014/08
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2013/08/20	< 10.000	2014/08

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)



**System Number: 1910024**

**System Name: GSWC - CLAREMONT**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910024-002**

**Source Name: BERKELEY WELL 01**

**Source Number: 002**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED VOC**

1,1,2-TRICHLOROETHANE	34511	012	2013/08/20	< .500	2014/08
1,1-DICHLOROETHANE	34496	012	2013/08/20	< .500	2014/08
1,1-DICHLOROETHYLENE	34501	012	2013/08/20	< .500	2014/08
1,2,4-TRICHLOROBENZENE	34551	012	2013/08/20	< .500	2014/08
1,2-DICHLOROBENZENE	34536	012	2013/08/20	< .500	2014/08
1,2-DICHLOROETHANE	34531	012	2013/08/20	< .500	2014/08
1,2-DICHLOROPROPANE	34541	012	2013/08/20	< .500	2014/08
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2013/08/20	< .500	2014/08
1,4-DICHLOROBENZENE	34571	012	2013/08/20	< .500	2014/08
BENZENE	34030	012	2013/08/20	< .500	2014/08
CARBON TETRACHLORIDE	32102	012	2013/08/20	< .500	2014/08
CIS-1,2-DICHLOROETHYLENE	77093	012	2013/08/20	< .500	2014/08
DICHLOROMETHANE	34423	012	2013/08/20	< .500	2014/08
ETHYLBENZENE	34371	012	2013/08/20	< .500	2014/08
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/02/18	< 3.000	2015/02
MONOCHLOROBENZENE	34301	012	2013/08/20	< .500	2014/08
STYRENE	77128	012	2013/08/20	< .500	2014/08
TETRACHLOROETHYLENE	34475	012	2013/08/20	< .500	2014/08
TOLUENE	34010	012	2013/08/20	< .500	2014/08
TRANS-1,2-DICHLOROETHYLENE	34546	012	2013/08/20	< .500	2014/08
TRICHLOROETHYLENE	39180	012	2013/08/20	< .500	2014/08
TRICHLOROFUOROMETHANE	34488	012	2013/08/20	< 5.000	2014/08
VINYL CHLORIDE	39175	012	2013/08/20	< .500	2014/08
XYLENES (TOTAL)	81551	012	2013/08/20	< 1.000	2014/08

**SECONDARY/GP**

BICARBONATE ALKALINITY	00440	036	2013/09/17	. 280.000	2016/09
CALCIUM	00916	036	2013/09/17	. 67.000	2016/09
CARBONATE ALKALINITY	00445	036	2013/09/17	.000	2016/09
CHLORIDE	00940	036	2013/09/17	. 21.000	2016/09

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910024**

**System Name: GSWC - CLAREMONT**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910024-002**

**Source Name: BERKELEY WELL 01**

**Source Number: 002**

**Source Status: ACTIVE RAW**

**Water type: G**

**SECONDARY/GP**

COLOR	00081	036	2013/09/17	< 1.000	2016/09
COPPER	01042	036	2013/09/17	< 50.000	2016/09
FOAMING AGENTS (MBAS)	38260	036	2013/09/17	< .100	2016/09
HARDNESS (TOTAL) AS CaCO3	00900	036	2013/09/17	. 230.000	2016/09
HYDROXIDE ALKALINITY	71830	036	2013/09/17	. .000	2016/09
IRON	01045	036	2013/09/17	< 100.000	2016/09
MAGNESIUM	00927	036	2013/09/17	. 14.000	2016/09
MANGANESE	01055	036	2013/09/17	< 20.000	2016/09
ODOR THRESHOLD @ 60 C	00086	036	2013/09/17	< 1.000	2016/09
PH, LABORATORY	00403	036	2013/09/17	. 7.540	2016/09
SILVER	01077	036	2013/09/17	< 10.000	2016/09
SODIUM	00929	036	2013/09/17	11.000	2016/09
SPECIFIC CONDUCTANCE	00095	036	2013/09/17	. 490.000	2016/09
SULFATE	00945	036	2013/09/17	32.000	2016/09
TOTAL DISSOLVED SOLIDS	70300	036	2013/09/17	. 300.000	2016/09
TURBIDITY, LABORATORY	82079	036	2013/09/17	< .100	2016/09
ZINC	01092	036	2013/09/17	< 50.000	2016/09

**PS Code: 1910024-006**

**Source Name: COLLEGE WELL 01**

**Source Number: 006**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

ALUMINUM	01105	036	2013/09/18	< 50.000	2016/09
ANTIMONY	01097	036	2013/09/18	< 6.000	2016/09
ARSENIC	01002	036	2013/09/18	< 2.000	2016/09
BARIUM	01007	036	2013/09/18	< 100.000	2016/09
BERYLLIUM	01012	036	2013/09/18	< 1.000	2016/09

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910024**

**System Name: GSWC - CLAREMONT**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910024-006**

**Source Name: COLLEGE WELL 01**

**Source Number: 006**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

CADMIUM	01027	036	2013/09/18	< 1.000	2016/09
CHROMIUM (TOTAL)	01034	036	2013/09/18	< 10.000	2016/09
CYANIDE	01291	036	2013/09/18	< 100.000	2016/09
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/09/18	.280	2016/09
MERCURY	71900	036	2013/09/18	< 1.000	2016/09
NICKEL	01067	036	2013/09/18	< 10.000	2016/09
PERCHLORATE	A-031	012	2014/02/18	< 4.000	2015/02
SELENIUM	01147	036	2013/09/18	< 5.000	2016/09
THALLIUM	01059	036	2013/09/18	< 1.000	2016/09

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	012	2014/02/18	6.200	2015/02
NITRITE (AS N)	00620	036	2013/09/18	< 400.000	2016/09

**RADIOLOGICAL**

GROSS ALPHA	01501	003	2014/05/20	. 1.560	2014/08
<b>RADIUM 226</b>	09501	000			<b>DUE</b>
<b>RADIUM 228</b>	11501	003	<b>2006/11/22</b>	< 1.000	<b>2007/02</b>
<b>URANIUM (PCI/L)</b>	28012	000			<b>DUE</b>

**REGULATED SOC**

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2013/05/21	< 3.000	2016/02
DIBROMOCHLOROPROPANE (DBCP)	38761	033	2013/05/21	< .010	2016/02
ETHYLENE DIBROMIDE (EDB)	77651	033	2013/05/21	< .020	2016/02
PENTACHLOROPHENOL	39032	033	2013/05/21	< .200	2016/02

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	012	2014/02/18	< .500	2015/02
1,1,2,2-TETRACHLOROETHANE	34516	012	2014/02/18	< .500	2015/02
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/02/18	< 10.000	2015/02
1,1,2-TRICHLOROETHANE	34511	012	2014/02/18	< .500	2015/02
1,1-DICHLOROETHANE	34496	012	2014/02/18	< .500	2015/02

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910024**

**System Name: GSWC - CLAREMONT**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910024-006**

**Source Name: COLLEGE WELL 01**

**Source Number: 006**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED VOC**

1,1-DICHLOROETHYLENE	34501	012	2014/02/18	< .500	2015/02
1,2,4-TRICHLOROBENZENE	34551	012	2014/02/18	< .500	2015/02
1,2-DICHLOROBENZENE	34536	012	2014/02/18	< .500	2015/02
1,2-DICHLOROETHANE	34531	012	2014/02/18	< .500	2015/02
1,2-DICHLOROPROPANE	34541	012	2014/02/18	< .500	2015/02
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/02/18	< .500	2015/02
1,4-DICHLOROBENZENE	34571	012	2014/02/18	< .500	2015/02
BENZENE	34030	012	2014/02/18	< .500	2015/02
CARBON TETRACHLORIDE	32102	012	2014/02/18	< .500	2015/02
CIS-1,2-DICHLOROETHYLENE	77093	012	2014/02/18	< .500	2015/02
DICHLOROMETHANE	34423	012	2014/02/18	< .500	2015/02
ETHYLBENZENE	34371	012	2014/02/18	< .500	2015/02
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/02/18	< 3.000	2015/02
MONOCHLOROBENZENE	34301	012	2014/02/18	< .500	2015/02
STYRENE	77128	012	2014/02/18	< .500	2015/02
TETRACHLOROETHYLENE	34475	012	2014/02/18	< .500	2015/02
TOLUENE	34010	012	2014/02/18	< .500	2015/02
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/02/18	< .500	2015/02
TRICHLOROETHYLENE	39180	012	2014/02/18	< .500	2015/02
TRICHLOROFUOROMETHANE	34488	012	2014/02/18	< 5.000	2015/02
VINYL CHLORIDE	39175	012	2014/02/18	< .500	2015/02
XYLENES (TOTAL)	81551	012	2014/02/18	< 1.000	2015/02

**SECONDARY/GP**

BICARBONATE ALKALINITY	00440	036	2013/09/18	280.000	2016/09
CALCIUM	00916	036	2013/09/18	58.000	2016/09
CARBONATE ALKALINITY	00445	036	2013/09/18	< 2.400	2016/09
CHLORIDE	00940	036	2013/09/18	6.500	2016/09
COLOR	00081	036	2013/09/18	< 1.000	2016/09
COPPER	01042	036	2013/09/18	< 50.000	2016/09

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910024**

**System Name: GSWC - CLAREMONT**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910024-006**

**Source Name: COLLEGE WELL 01**

**Source Number: 006**

**Source Status: ACTIVE RAW**

**Water type: G**

**SECONDARY/GP**

FOAMING AGENTS (MBAS)	38260	036	2013/09/18	< .100	2016/09
HARDNESS (TOTAL) AS CaCO3	00900	036	2013/09/18	190.000	2016/09
HYDROXIDE ALKALINITY	71830	036	2013/09/18	< 1.400	2016/09
IRON	01045	036	2013/09/18	< 100.000	2016/09
MAGNESIUM	00927	036	2013/09/18	10.000	2016/09
MANGANESE	01055	036	2013/09/18	< 20.000	2016/09
ODOR THRESHOLD @ 60 C	00086	036	2013/09/18	< 1.000	2016/09
PH, LABORATORY	00403	036	2013/09/18	7.790	2016/09
SILVER	01077	036	2013/09/18	< 10.000	2016/09
SODIUM	00929	036	2013/09/18	9.300	2016/09
SPECIFIC CONDUCTANCE	00095	036	2014/07/09	. 420.000	2017/07
SULFATE	00945	036	2013/09/18	24.000	2016/09
TOTAL DISSOLVED SOLIDS	70300	036	2013/09/18	250.000	2016/09
TURBIDITY, LABORATORY	82079	036	2014/07/09	< .100	2017/07
ZINC	01092	036	2013/09/18	< 50.000	2016/09

**PS Code: 1910024-007**

**Source Name: DEL MONTE WELL 01**

**Source Number: 007**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

ALUMINUM	01105	036	2013/09/17	< 50.000	2016/09
ANTIMONY	01097	036	2013/09/17	< 6.000	2016/09
ARSENIC	01002	036	2013/09/17	. 2.400	2016/09
BARIUM	01007	036	2013/09/17	< 100.000	2016/09
BERYLLIUM	01012	036	2013/09/17	< 1.000	2016/09
CADMIUM	01027	036	2013/09/17	< 1.000	2016/09
CHROMIUM (TOTAL)	01034	036	2013/09/17	< 10.000	2016/09

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910024**

**System Name: GSWC - CLAREMONT**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910024-007**

**Source Name: DEL MONTE WELL 01**

**Source Number: 007**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

CYANIDE	01291	036	2013/09/17	< 100.000	2016/09
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/09/17	< .100	2016/09
MERCURY	71900	036	2013/09/17	< 1.000	2016/09
NICKEL	01067	036	2013/09/17	< 10.000	2016/09
PERCHLORATE	A-031	012	2013/10/07	< 4.000	2014/10
SELENIUM	01147	036	2013/09/17	< 5.000	2016/09
THALLIUM	01059	036	2013/09/17	< 1.000	2016/09

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	003	2014/05/20	. 25.000	2014/08
NITRITE (AS N)	00620	036	2013/09/17	< 400.000	2016/09

**RADIOLOGICAL**

<b>GROSS ALPHA</b>	01501	003	2012/10/31	. 1.900	2013/01	<b>DUE</b>
<b>RADIUM 226</b>	09501	000				<b>DUE</b>
<b>RADIUM 228</b>	11501	003	2006/11/22	< 1.000	2007/02	<b>DUE</b>
<b>URANIUM (PCI/L)</b>	28012	003	2006/08/15	4.500	2006/11	<b>DUE</b>

**REGULATED SOC**

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2013/01/22	< 3.000	2015/10
DIBROMOCHLOROPROPANE (DBCP)	38761	033	2013/01/22	< .010	2015/10
ETHYLENE DIBROMIDE (EDB)	77651	033	2013/01/22	< .020	2015/10

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	012	2014/07/08	< .500	2015/07
1,1,2,2-TETRACHLOROETHANE	34516	012	2014/07/08	< .500	2015/07
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/07/08	< 10.000	2015/07
1,1,2-TRICHLOROETHANE	34511	012	2014/07/08	< .500	2015/07
1,1-DICHLOROETHANE	34496	012	2014/07/08	< .500	2015/07
1,1-DICHLOROETHYLENE	34501	001	2014/07/08	< .500	2014/08
1,2,4-TRICHLOROBENZENE	34551	012	2014/07/08	< .500	2015/07
1,2-DICHLOROBENZENE	34536	012	2014/07/08	< .500	2015/07

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910024**

**System Name: GSWC - CLAREMONT**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910024-007**

**Source Name: DEL MONTE WELL 01**

**Source Number: 007**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED VOC**

1,2-DICHLOROETHANE	34531	012	2014/07/08	< .500	2015/07
1,2-DICHLOROPROPANE	34541	012	2014/07/08	< .500	2015/07
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/07/08	< .500	2015/07
1,4-DICHLOROBENZENE	34571	012	2014/07/08	< .500	2015/07
BENZENE	34030	012	2014/07/08	< .500	2015/07
CARBON TETRACHLORIDE	32102	012	2014/07/08	< .500	2015/07
CIS-1,2-DICHLOROETHYLENE	77093	012	2014/07/08	< .500	2015/07
DICHLOROMETHANE	34423	012	2014/07/08	< .500	2015/07
ETHYLBENZENE	34371	012	2014/07/08	< .500	2015/07
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/07/08	< 3.000	2015/07
MONOCHLOROENZENE	34301	012	2014/07/08	< .500	2015/07
STYRENE	77128	012	2014/07/08	< .500	2015/07
TETRACHLOROETHYLENE	34475	012	2014/07/08	< .500	2015/07
TOLUENE	34010	012	2014/07/08	< .500	2015/07
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/07/08	< .500	2015/07
TRICHLOROETHYLENE	39180	001	2014/07/08	. 29.000	2014/08
TRICHLOROFLUOROMETHANE	34488	012	2014/07/08	< 5.000	2015/07
VINYL CHLORIDE	39175	012	2014/07/08	< .500	2015/07
XYLENES (TOTAL)	81551	012	2014/07/08	< 1.000	2015/07

**SECONDARY/GP**

BICARBONATE ALKALINITY	00440	036	2013/09/17	. 170.000	2016/09
CALCIUM	00916	036	2013/09/17	. 53.000	2016/09
CARBONATE ALKALINITY	00445	036	2013/09/17	.000	2016/09
CHLORIDE	00940	036	2013/09/17	. 20.000	2016/09
COLOR	00081	036	2013/09/17	< 1.000	2016/09
COPPER	01042	036	2013/09/17	< 50.000	2016/09
FOAMING AGENTS (MBAS)	38260	036	2013/09/17	< .100	2016/09
HARDNESS (TOTAL) AS CaCO3	00900	036	2013/09/17	. 150.000	2016/09
HYDROXIDE ALKALINITY	71830	036	2013/09/17	. .000	2016/09

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910024**

**System Name: GSWC - CLAREMONT**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910024-007**

**Source Name: DEL MONTE WELL 01**

**Source Number: 007**

**Source Status: ACTIVE RAW**

**Water type: G**

**SECONDARY/GP**

IRON	01045	036	2013/09/17	< 100.000	2016/09
MAGNESIUM	00927	036	2013/09/17	. 4.000	2016/09
MANGANESE	01055	036	2013/09/17	< 20.000	2016/09
ODOR THRESHOLD @ 60 C	00086	036	2013/09/17	< 1.000	2016/09
PH, LABORATORY	00403	036	2013/09/17	. 7.730	2016/09
SILVER	01077	036	2013/09/17	< 10.000	2016/09
SODIUM	00929	036	2013/09/17	28.000	2016/09
SPECIFIC CONDUCTANCE	00095	036	2013/09/17	. 420.000	2016/09
SULFATE	00945	036	2013/09/17	48.000	2016/09
TOTAL DISSOLVED SOLIDS	70300	036	2013/09/17	. 290.000	2016/09
TURBIDITY, LABORATORY	82079	036	2013/09/17	< .100	2016/09
ZINC	01092	036	2013/09/17	< 50.000	2016/09

**PS Code: 1910024-008**

**Source Name: DEL MONTE WELL 02**

**Source Number: 008**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

ALUMINUM	01105	036	2014/02/18	< 50.000	2017/02
ANTIMONY	01097	036	2014/02/18	< 6.000	2017/02
ARSENIC	01002	036	2014/02/18	. 3.400	2017/02
BARIUM	01007	036	2014/02/18	< 100.000	2017/02
BERYLLIUM	01012	036	2014/02/18	< 1.000	2017/02
CADMIUM	01027	036	2014/02/18	< 1.000	2017/02
CHROMIUM (TOTAL)	01034	036	2014/02/18	< 10.000	2017/02
<b>CHROMIUM, HEXAVALENT</b>	01032	036	<b>2002/11/20</b>	. 3.700	<b>2005/11 DUE</b>
CYANIDE	01291	036	2014/02/18	< 100.000	2017/02
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/02/18	. .210	2017/02

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)



**System Number: 1910024**

**System Name: GSWC - CLAREMONT**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910024-008**

**Source Name: DEL MONTE WELL 02**

**Source Number: 008**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

MERCURY	71900	036	2014/02/18	< 1.000	2017/02
NICKEL	01067	036	2014/02/18	< 10.000	2017/02
PERCHLORATE	A-031	012	2013/08/20	< 4.000	2014/08
SELENIUM	01147	036	2014/02/18	< 5.000	2017/02
THALLIUM	01059	036	2014/02/18	< 1.000	2017/02

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	012	2014/05/20	. 16.000	2015/05
NITRITE (AS N)	00620	036	2014/02/18	< 400.000	2017/02

**RADIOLOGICAL**

<b>GROSS ALPHA</b>	01501	003	2012/11/26	. 3.170	2013/02	<b>DUE</b>
<b>RADIUM 226</b>	09501	000				<b>DUE</b>
<b>RADIUM 228</b>	11501	003	2012/11/26	. .000	2013/02	<b>DUE</b>
<b>URANIUM (PCI/L)</b>	28012	003	2012/11/26	. 1.200	2013/02	<b>DUE</b>

**REGULATED SOC**

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2012/08/21	< 3.000	2015/05
DIBROMOCHLOROPROPANE (DBCP)	38761	033	2012/08/21	< .010	2015/05
ETHYLENE DIBROMIDE (EDB)	77651	033	2012/08/21	< .020	2015/05

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	012	2013/08/20	< .500	2014/08
1,1,2,2-TETRACHLOROETHANE	34516	012	2013/08/20	< .500	2014/08
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2013/08/20	< 10.000	2014/08
1,1,2-TRICHLOROETHANE	34511	012	2013/08/20	< .500	2014/08
1,1-DICHLOROETHANE	34496	012	2013/08/20	< .500	2014/08
1,1-DICHLOROETHYLENE	34501	012	2014/05/20	< .500	2015/05
1,2,4-TRICHLOROBENZENE	34551	012	2013/08/20	< .500	2014/08
1,2-DICHLOROBENZENE	34536	012	2013/08/20	< .500	2014/08
1,2-DICHLOROETHANE	34531	012	2013/08/20	< .500	2014/08
1,2-DICHLOROPROPANE	34541	012	2013/08/20	< .500	2014/08

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910024**

**System Name: GSWC - CLAREMONT**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910024-008**

**Source Name: DEL MONTE WELL 02**

**Source Number: 008**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED VOC**

1,3-DICHLOROPROPENE (TOTAL)	34561	012	2013/08/20	< .500	2014/08
1,4-DICHLOROBENZENE	34571	012	2013/08/20	< .500	2014/08
BENZENE	34030	012	2013/08/20	< .500	2014/08
CARBON TETRACHLORIDE	32102	012	2013/08/20	< .500	2014/08
CIS-1,2-DICHLOROETHYLENE	77093	012	2013/08/20	< .500	2014/08
DICHLOROMETHANE	34423	012	2013/08/20	< .500	2014/08
ETHYLBENZENE	34371	012	2013/08/20	< .500	2014/08
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2013/08/20	< 3.000	2014/08
MONOCHLOROBENZENE	34301	012	2013/08/20	< .500	2014/08
STYRENE	77128	012	2013/08/20	< .500	2014/08
TETRACHLOROETHYLENE	34475	012	2013/08/20	< .500	2014/08
TOLUENE	34010	012	2013/08/20	< .500	2014/08
TRANS-1,2-DICHLOROETHYLENE	34546	012	2013/08/20	< .500	2014/08
TRICHLOROETHYLENE	39180	012	2014/05/20	< .500	2015/05
TRICHLOROFUOROMETHANE	34488	012	2013/08/20	< 5.000	2014/08
VINYL CHLORIDE	39175	012	2013/08/20	< .500	2014/08
XYLENES (TOTAL)	81551	012	2013/08/20	< 1.000	2014/08

**SECONDARY/GP**

BICARBONATE ALKALINITY	00440	036	2014/02/18	. 170.000	2017/02
CALCIUM	00916	036	2014/02/18	. 43.000	2017/02
CARBONATE ALKALINITY	00445	036	2014/02/18	< 2.400	2017/02
CHLORIDE	00940	036	2014/02/18	. 11.000	2017/02
COLOR	00081	036	2014/02/18	< 1.000	2017/02
COPPER	01042	036	2014/02/18	< 50.000	2017/02
FOAMING AGENTS (MBAS)	38260	036	2014/02/18	< .100	2017/02
HARDNESS (TOTAL) AS CaCO3	00900	036	2014/02/18	. 130.000	2017/02
HYDROXIDE ALKALINITY	71830	036	2014/02/18	< 1.400	2017/02
IRON	01045	036	2014/02/18	< 100.000	2017/02
MAGNESIUM	00927	036	2014/02/18	. 5.500	2017/02

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910024**

**System Name: GSWC - CLAREMONT**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910024-008**

**Source Name: DEL MONTE WELL 02**

**Source Number: 008**

**Source Status: ACTIVE RAW**

**Water type: G**

**SECONDARY/GP**

MANGANESE	01055	036	2014/02/18	< 20.000	2017/02
ODOR THRESHOLD @ 60 C	00086	036	2014/02/18	< 1.000	2017/02
PH, LABORATORY	00403	036	2014/02/18	. 7.990	2017/02
SILVER	01077	036	2014/02/18	< 10.000	2017/02
SODIUM	00929	036	2014/02/18	26.000	2017/02
SPECIFIC CONDUCTANCE	00095	036	2014/02/18	. 370.000	2017/02
SULFATE	00945	036	2014/02/18	33.000	2017/02
TOTAL DISSOLVED SOLIDS	70300	036	2014/02/18	. 240.000	2017/02
TURBIDITY, LABORATORY	82079	036	2014/02/18	< .100	2017/02
ZINC	01092	036	2014/02/18	< 50.000	2017/02

**PS Code: 1910024-011**

**Source Name: FAIR OAKS WELL 01**

**Source Number: 011**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

ALUMINUM	01105	036	2013/09/18	< 50.000	2016/09
ANTIMONY	01097	036	2013/09/18	< 6.000	2016/09
ARSENIC	01002	036	2013/09/18	. 2.900	2016/09
BARIUM	01007	036	2013/09/18	< 100.000	2016/09
BERYLLIUM	01012	036	2013/09/18	< 1.000	2016/09
CADMIUM	01027	036	2013/09/18	< 1.000	2016/09
CHROMIUM (TOTAL)	01034	036	2013/09/18	. 16.000	2016/09
<b>CHROMIUM, HEXAVALENT</b>	01032	036	<b>2002/11/21</b>	. 7.800	<b>2005/11 DUE</b>
CYANIDE	01291	036	2013/09/18	< 100.000	2016/09
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/09/18	. .150	2016/09
MERCURY	71900	036	2013/09/18	< 1.000	2016/09
NICKEL	01067	036	2013/09/18	< 10.000	2016/09

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: **1910024**

System Name: **GSWC - CLAREMONT**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: **1910024-011**

Source Name: **FAIR OAKS WELL 01**

Source Number: **011**

Source Status: **ACTIVE RAW**

Water type: **G**

**INORGANIC**

PERCHLORATE	A-031	012	2013/09/04	< 4.000	2014/09
SELENIUM	01147	036	2013/09/18	< 5.000	2016/09
THALLIUM	01059	036	2013/09/18	< 1.000	2016/09

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	012	2014/05/20	. 24.000	2015/05
NITRITE (AS N)	00620	036	2013/09/18	< 400.000	2016/09

**RADIOLOGICAL**

GROSS ALPHA	01501	003	2014/05/20	. 1.330	2014/08
<b>RADIUM 226</b>	09501	000			<b>DUE</b>
<b>RADIUM 228</b>	11501	003	<b>2006/11/22</b>	< 1.000	<b>2007/02</b>
<b>URANIUM (PCI/L)</b>	28012	000			<b>DUE</b>

**REGULATED SOC**

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2013/12/23	< 3.000	2016/09
DIBROMOCHLOROPROPANE (DBCP)	38761	033	2013/12/23	< .010	2016/09
ETHYLENE DIBROMIDE (EDB)	77651	033	2013/12/23	< .020	2016/09

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	012	2014/05/20	< .500	2015/05
1,1,2,2-TETRACHLOROETHANE	34516	012	2014/05/20	< .500	2015/05
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/05/20	< 10.000	2015/05
1,1,2-TRICHLOROETHANE	34511	012	2014/05/20	< .500	2015/05
1,1-DICHLOROETHANE	34496	012	2014/05/20	< .500	2015/05
1,1-DICHLOROETHYLENE	34501	012	2014/05/20	. 1.500	2015/05
1,2,4-TRICHLOROBENZENE	34551	012	2014/05/20	< .500	2015/05
1,2-DICHLOROBENZENE	34536	012	2014/05/20	< .500	2015/05
1,2-DICHLOROETHANE	34531	012	2014/05/20	< .500	2015/05
1,2-DICHLOROPROPANE	34541	012	2014/05/20	< .500	2015/05
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/05/20	< .500	2015/05
1,4-DICHLOROBENZENE	34571	012	2014/05/20	< .500	2015/05

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910024**

**System Name: GSWC - CLAREMONT**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910024-011**

**Source Name: FAIR OAKS WELL 01**

**Source Number: 011**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED VOC**

BENZENE	34030	012	2014/05/20	< .500	2015/05
CARBON TETRACHLORIDE	32102	012	2014/05/20	< .500	2015/05
CIS-1,2-DICHLOROETHYLENE	77093	012	2014/05/20	< .500	2015/05
DICHLOROMETHANE	34423	012	2014/05/20	< .500	2015/05
ETHYLBENZENE	34371	012	2014/05/20	< .500	2015/05
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/05/20	< 3.000	2015/05
MONOCHLOROBENZENE	34301	012	2014/05/20	< .500	2015/05
STYRENE	77128	012	2014/05/20	< .500	2015/05
TETRACHLOROETHYLENE	34475	012	2014/05/20	< .500	2015/05
TOLUENE	34010	012	2014/05/20	< .500	2015/05
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/05/20	< .500	2015/05
TRICHLOROETHYLENE	39180	012	2014/05/20	. 1.600	2015/05
TRICHLOROFUOROMETHANE	34488	012	2014/05/20	< 5.000	2015/05
VINYL CHLORIDE	39175	012	2014/05/20	< .500	2015/05
XYLENES (TOTAL)	81551	012	2014/05/20	< 1.000	2015/05

**SECONDARY/GP**

BICARBONATE ALKALINITY	00440	036	2013/09/18	. 160.000	2016/09
CALCIUM	00916	036	2013/09/18	. 44.000	2016/09
CARBONATE ALKALINITY	00445	036	2013/09/18	< 2.400	2016/09
CHLORIDE	00940	036	2013/09/18	. 15.000	2016/09
COLOR	00081	036	2013/09/18	< 1.000	2016/09
COPPER	01042	036	2013/09/18	< 50.000	2016/09
FOAMING AGENTS (MBAS)	38260	036	2013/09/18	< .100	2016/09
HARDNESS (TOTAL) AS CaCO3	00900	036	2013/09/18	. 130.000	2016/09
HYDROXIDE ALKALINITY	71830	036	2013/09/18	< 1.400	2016/09
IRON	01045	036	2013/09/18	< 100.000	2016/09
MAGNESIUM	00927	036	2013/09/18	. 5.900	2016/09
MANGANESE	01055	036	2013/09/18	< 20.000	2016/09
ODOR THRESHOLD @ 60 C	00086	036	2013/09/18	< 1.000	2016/09

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910024**

**System Name: GSWC - CLAREMONT**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910024-011**

**Source Name: FAIR OAKS WELL 01**

**Source Number: 011**

**Source Status: ACTIVE RAW**

**Water type: G**

**SECONDARY/GP**

PH, LABORATORY	00403	036	2013/09/18	. 7.830	2016/09
SILVER	01077	036	2013/09/18	< 10.000	2016/09
SODIUM	00929	036	2013/09/18	33.000	2016/09
SPECIFIC CONDUCTANCE	00095	036	2013/09/18	. 400.000	2016/09
SULFATE	00945	036	2013/09/18	37.000	2016/09
TOTAL DISSOLVED SOLIDS	70300	036	2013/09/18	. 270.000	2016/09
TURBIDITY, LABORATORY	82079	036	2013/09/18	< .100	2016/09
ZINC	01092	036	2013/09/18	< 50.000	2016/09

**PS Code: 1910024-017**

**Source Name: INDIAN HILL WELL 03**

**Source Number: 017**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

ALUMINUM	01105	036	2013/09/17	< 50.000	2016/09
ANTIMONY	01097	036	2013/09/17	< 6.000	2016/09
ARSENIC	01002	036	2013/09/17	< 2.000	2016/09
BARIUM	01007	036	2013/09/17	< 100.000	2016/09
BERYLLIUM	01012	036	2013/09/17	< 1.000	2016/09
CADMIUM	01027	036	2013/09/17	< 1.000	2016/09
CHROMIUM (TOTAL)	01034	036	2013/09/17	< 10.000	2016/09
CYANIDE	01291	036	2013/09/17	< 100.000	2016/09
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/09/17	. .350	2016/09
MERCURY	71900	036	2013/09/17	< 1.000	2016/09
NICKEL	01067	036	2013/09/17	< 10.000	2016/09
PERCHLORATE	A-031	012	2013/08/20	< 4.000	2014/08
SELENIUM	01147	036	2013/09/17	< 5.000	2016/09
THALLIUM	01059	036	2013/09/17	< 1.000	2016/09

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910024**

**System Name: GSWC - CLAREMONT**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910024-017**

**Source Name: INDIAN HILL WELL 03**

**Source Number: 017**

**Source Status: ACTIVE RAW**

**Water type: G**

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	001	2014/07/08	. 36.000	2014/08
NITRITE (AS N)	00620	036	2013/09/17	< 400.000	2016/09

**RADIOLOGICAL**

GROSS ALPHA	01501	003	2014/05/28	. 2.620	2014/08
<b>RADIUM 226</b>	09501	000			<b>DUE</b>
<b>RADIUM 228</b>	11501	003	<b>2006/11/22</b>	< 1.000	<b>2007/02 DUE</b>
<b>URANIUM (PCI/L)</b>	28012	003	<b>1997/07/08</b>	2.300	<b>1997/10 DUE</b>

**REGULATED SOC**

2,4-D	39730	033	2012/08/21	< 10.000	2015/05
ALACHLOR	77825	033	2012/08/21	< 1.000	2015/05
ATRAZINE	39033	033	2012/08/21	< .500	2015/05
BENTAZON	38710	033	2012/08/21	< 2.000	2015/05
CARBOFURAN	81405	033	2012/08/21	< 5.000	2015/05
CHLORDANE	39350	033	2012/08/21	< .100	2015/05
DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2012/08/21	< 3.000	2015/05
DIBROMOCHLOROPROPANE (DBCP)	38761	033	2012/08/21	< .010	2015/05
DINOSEB	81287	033	2012/08/21	< 2.000	2015/05
DIQUAT	78885	033	2012/08/21	< 4.000	2015/05
ENDOTHALL	38926	033	2012/08/21	< 45.000	2015/05
ENDRIN	39390	033	2012/08/21	< .100	2015/05
ETHYLENE DIBROMIDE (EDB)	77651	033	2012/08/21	< .020	2015/05
GLYPHOSATE	79743	033	2012/08/21	< 25.000	2015/05
LINDANE	39340	033	2012/08/21	< .200	2015/05
METHOXYCHLOR	39480	033	2012/08/21	< 10.000	2015/05
OXAMYL	38865	033	2012/08/21	< 20.000	2015/05
PENTACHLOROPHENOL	39032	033	2012/08/21	< .200	2015/05
SIMAZINE	39055	033	2012/08/21	< 1.000	2015/05
TOXAPHENE	39400	033	2012/08/21	< 1.000	2015/05

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910024**

**System Name: GSWC - CLAREMONT**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910024-017**

**Source Name: INDIAN HILL WELL 03**

**Source Number: 017**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	012	2013/08/20	< .500	2014/08
1,1,2,2-TETRACHLOROETHANE	34516	012	2013/08/20	< .500	2014/08
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2013/08/20	< 10.000	2014/08
1,1,2-TRICHLOROETHANE	34511	012	2013/08/20	< .500	2014/08
1,1-DICHLOROETHANE	34496	012	2013/08/20	< .500	2014/08
1,1-DICHLOROETHYLENE	34501	012	2013/08/20	< .500	2014/08
1,2,4-TRICHLOROBENZENE	34551	012	2013/08/20	< .500	2014/08
1,2-DICHLOROBENZENE	34536	012	2013/08/20	< .500	2014/08
1,2-DICHLOROETHANE	34531	012	2013/08/20	< .500	2014/08
1,2-DICHLOROPROPANE	34541	012	2013/08/20	< .500	2014/08
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2013/08/20	< .500	2014/08
1,4-DICHLOROBENZENE	34571	012	2013/08/20	< .500	2014/08
BENZENE	34030	012	2013/08/20	< .500	2014/08
CARBON TETRACHLORIDE	32102	012	2013/08/20	< .500	2014/08
CIS-1,2-DICHLOROETHYLENE	77093	012	2013/08/20	< .500	2014/08
DICHLOROMETHANE	34423	012	2013/08/20	< .500	2014/08
ETHYLBENZENE	34371	012	2013/08/20	< .500	2014/08
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2013/08/20	< 3.000	2014/08
MONOCHLOROBENZENE	34301	012	2013/08/20	< .500	2014/08
STYRENE	77128	012	2013/08/20	< .500	2014/08
TETRACHLOROETHYLENE	34475	012	2013/08/20	< .500	2014/08
TOLUENE	34010	012	2013/08/20	< .500	2014/08
TRANS-1,2-DICHLOROETHYLENE	34546	012	2013/08/20	< .500	2014/08
TRICHLOROETHYLENE	39180	012	2013/08/20	< .500	2014/08
TRICHLOROFUOROMETHANE	34488	012	2013/08/20	< 5.000	2014/08
VINYL CHLORIDE	39175	012	2013/08/20	< .500	2014/08
XYLENES (TOTAL)	81551	012	2013/08/20	< 1.000	2014/08

**SECONDARY/GP**

BICARBONATE ALKALINITY	00440	036	2013/09/17	. 260.000	2016/09
------------------------	-------	-----	------------	-----------	---------

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)



**System Number: 1910024**

**System Name: GSWC - CLAREMONT**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910024-017**

**Source Name: INDIAN HILL WELL 03**

**Source Number: 017**

**Source Status: ACTIVE RAW**

**Water type: G**

**SECONDARY/GP**

CALCIUM	00916	036	2013/09/17	. 72.000	2016/09
CARBONATE ALKALINITY	00445	036	2013/09/17	.000	2016/09
CHLORIDE	00940	036	2013/09/17	. 24.000	2016/09
COLOR	00081	036	2013/09/17	< 1.000	2016/09
COPPER	01042	036	2013/09/17	< 50.000	2016/09
FOAMING AGENTS (MBAS)	38260	036	2013/09/17	< .100	2016/09
HARDNESS (TOTAL) AS CaCO3	00900	036	2013/09/17	. 250.000	2016/09
HYDROXIDE ALKALINITY	71830	036	2013/09/17	. .000	2016/09
IRON	01045	036	2013/09/17	< 100.000	2016/09
MAGNESIUM	00927	036	2013/09/17	. 18.000	2016/09
MANGANESE	01055	036	2013/09/17	< 20.000	2016/09
ODOR THRESHOLD @ 60 C	00086	036	2013/09/17	< 1.000	2016/09
PH, LABORATORY	00403	036	2013/09/17	. 7.340	2016/09
SILVER	01077	036	2013/09/17	< 10.000	2016/09
SODIUM	00929	036	2013/09/17	20.000	2016/09
SPECIFIC CONDUCTANCE	00095	036	2013/09/17	. 560.000	2016/09
SULFATE	00945	036	2013/09/17	43.000	2016/09
TOTAL DISSOLVED SOLIDS	70300	036	2013/09/17	. 370.000	2016/09
TURBIDITY, LABORATORY	82079	036	2013/09/17	< .100	2016/09
ZINC	01092	036	2013/09/17	< 50.000	2016/09

**PS Code: 1910024-018**

**Source Name: MARGARITA WELL 01**

**Source Number: 018**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

ALUMINUM	01105	036	2013/09/17	< 50.000	2016/09
ANTIMONY	01097	036	2013/09/17	< 6.000	2016/09

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910024**

**System Name: GSWC - CLAREMONT**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910024-018**

**Source Name: MARGARITA WELL 01**

**Source Number: 018**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

ARSENIC	01002	036	2013/09/17	< 2.000	2016/09
BARIUM	01007	036	2013/09/17	< 100.000	2016/09
BERYLLIUM	01012	036	2013/09/17	< 1.000	2016/09
CADMIUM	01027	036	2013/09/17	< 1.000	2016/09
CHROMIUM (TOTAL)	01034	036	2013/09/17	< 10.000	2016/09
CYANIDE	01291	036	2013/09/17	< 100.000	2016/09
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/09/17	.220	2016/09
MERCURY	71900	036	2013/09/17	< 1.000	2016/09
NICKEL	01067	036	2013/09/17	< 10.000	2016/09
PERCHLORATE	A-031	012	2013/08/20	< 4.000	2014/08
SELENIUM	01147	036	2013/09/17	< 5.000	2016/09
THALLIUM	01059	036	2013/09/17	< 1.000	2016/09

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	012	2013/09/17	. 11.000	2014/09
NITRITE (AS N)	00620	036	2013/09/17	< 400.000	2016/09

**RADIOLOGICAL**

<b>GROSS ALPHA</b>	01501	003	2005/05/19	< 3.000	2005/08	<b>DUE</b>
<b>RADIUM 226</b>	09501	000				<b>DUE</b>
<b>RADIUM 228</b>	11501	003	2006/11/22	< 1.000	2007/02	<b>DUE</b>
<b>URANIUM (PCI/L)</b>	28012	003	1994/12/13	< 2.000	1995/03	<b>DUE</b>

**REGULATED SOC**

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2012/08/21	< 3.000	2015/05
DIBROMOCHLOROPROPANE (DBCP)	38761	033	2012/08/21	< .010	2015/05
ETHYLENE DIBROMIDE (EDB)	77651	033	2012/08/21	< .020	2015/05

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	012	2013/08/20	< .500	2014/08
1,1,2,2-TETRACHLOROETHANE	34516	012	2013/08/20	< .500	2014/08
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2013/08/20	< 10.000	2014/08

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910024**

**System Name: GSWC - CLAREMONT**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910024-018**

**Source Name: MARGARITA WELL 01**

**Source Number: 018**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED VOC**

1,1,2-TRICHLOROETHANE	34511	012	2013/08/20	< .500	2014/08
1,1-DICHLOROETHANE	34496	012	2013/08/20	< .500	2014/08
1,1-DICHLOROETHYLENE	34501	012	2013/08/20	< .500	2014/08
1,2,4-TRICHLOROBENZENE	34551	012	2013/08/20	< .500	2014/08
1,2-DICHLOROBENZENE	34536	012	2013/08/20	< .500	2014/08
1,2-DICHLOROETHANE	34531	012	2013/08/20	< .500	2014/08
1,2-DICHLOROPROPANE	34541	012	2013/08/20	< .500	2014/08
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2013/08/20	< .500	2014/08
1,4-DICHLOROBENZENE	34571	012	2013/08/20	< .500	2014/08
BENZENE	34030	012	2013/08/20	< .500	2014/08
CARBON TETRACHLORIDE	32102	012	2013/08/20	< .500	2014/08
CIS-1,2-DICHLOROETHYLENE	77093	012	2013/08/20	< .500	2014/08
DICHLOROMETHANE	34423	012	2013/08/20	< .500	2014/08
ETHYLBENZENE	34371	012	2013/08/20	< .500	2014/08
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2013/08/20	< 3.000	2014/08
MONOCHLOROBENZENE	34301	012	2013/08/20	< .500	2014/08
STYRENE	77128	012	2013/08/20	< .500	2014/08
TETRACHLOROETHYLENE	34475	012	2013/08/20	< .500	2014/08
TOLUENE	34010	012	2013/08/20	< .500	2014/08
TRANS-1,2-DICHLOROETHYLENE	34546	012	2013/08/20	< .500	2014/08
TRICHLOROETHYLENE	39180	012	2013/08/20	< .500	2014/08
TRICHLOROFUOROMETHANE	34488	012	2013/08/20	< 5.000	2014/08
VINYL CHLORIDE	39175	012	2013/08/20	< .500	2014/08
XYLENES (TOTAL)	81551	012	2013/08/20	< 1.000	2014/08

**SECONDARY/GP**

BICARBONATE ALKALINITY	00440	036	2013/09/17	. 150.000	2016/09
CALCIUM	00916	036	2013/09/17	. 62.000	2016/09
CARBONATE ALKALINITY	00445	036	2013/09/17	.000	2016/09
CHLORIDE	00940	036	2013/09/17	. 40.000	2016/09

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910024**

**System Name: GSWC - CLAREMONT**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910024-018**

**Source Name: MARGARITA WELL 01**

**Source Number: 018**

**Source Status: ACTIVE RAW**

**Water type: G**

**SECONDARY/GP**

COLOR	00081	036	2013/09/17	< 1.000	2016/09
COPPER	01042	036	2013/09/17	< 50.000	2016/09
FOAMING AGENTS (MBAS)	38260	036	2013/09/17	< .100	2016/09
HARDNESS (TOTAL) AS CaCO3	00900	036	2013/09/17	. 200.000	2016/09
HYDROXIDE ALKALINITY	71830	036	2013/09/17	. .000	2016/09
IRON	01045	036	2013/09/17	< 100.000	2016/09
MAGNESIUM	00927	036	2013/09/17	. 12.000	2016/09
MANGANESE	01055	036	2013/09/17	< 20.000	2016/09
ODOR THRESHOLD @ 60 C	00086	036	2013/09/17	< 1.000	2016/09
PH, LABORATORY	00403	036	2013/09/17	. 7.910	2016/09
SILVER	01077	036	2013/09/17	< 10.000	2016/09
SODIUM	00929	036	2013/09/17	14.000	2016/09
SPECIFIC CONDUCTANCE	00095	036	2013/09/17	. 480.000	2016/09
SULFATE	00945	036	2013/09/17	56.000	2016/09
TOTAL DISSOLVED SOLIDS	70300	036	2013/09/17	. 300.000	2016/09
TURBIDITY, LABORATORY	82079	036	2013/09/17	< .100	2016/09
ZINC	01092	036	2013/09/17	< 50.000	2016/09

**PS Code: 1910024-019**

**Source Name: MARLBORO WELL**

**Source Number: 019**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

ALUMINUM	01105	036	2013/09/18	< 50.000	2016/09
ANTIMONY	01097	036	2013/09/18	< 6.000	2016/09
ARSENIC	01002	036	2013/09/18	< 2.000	2016/09
BARIUM	01007	036	2013/09/18	< 100.000	2016/09
BERYLLIUM	01012	036	2013/09/18	< 1.000	2016/09

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910024**

**System Name: GSWC - CLAREMONT**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910024-019**

**Source Name: MARLBORO WELL**

**Source Number: 019**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

CADMIUM	01027	036	2013/09/18	< 1.000	2016/09
CHROMIUM (TOTAL)	01034	036	2013/09/18	< 10.000	2016/09
CYANIDE	01291	036	2013/09/18	< 100.000	2016/09
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/09/18	.520	2016/09
MERCURY	71900	036	2013/09/18	< 1.000	2016/09
NICKEL	01067	036	2013/09/18	< 10.000	2016/09
PERCHLORATE	A-031	012	2013/08/20	< 4.000	2014/08
SELENIUM	01147	036	2013/09/18	< 5.000	2016/09
THALLIUM	01059	036	2013/09/18	< 1.000	2016/09

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	003	2014/05/20	. 18.000	2014/08
NITRITE (AS N)	00620	036	2013/09/18	< 400.000	2016/09

**RADIOLOGICAL**

GROSS ALPHA	01501	003	2014/05/20	. 1.740	2014/08
<b>RADIUM 226</b>	09501	000			<b>DUE</b>
<b>RADIUM 228</b>	11501	003	<b>2006/11/22</b>	< 1.000	<b>2007/02 DUE</b>
<b>URANIUM (PCI/L)</b>	28012	003	<b>1994/12/13</b>	3.000	<b>1995/03 DUE</b>

**REGULATED SOC**

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2012/08/21	< 3.000	2015/05
DIBROMOCHLOROPROPANE (DBCP)	38761	033	2014/05/20	< .010	2017/02
ETHYLENE DIBROMIDE (EDB)	77651	033	2014/05/20	< .020	2017/02

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	012	2013/08/20	< .500	2014/08
1,1,2,2-TETRACHLOROETHANE	34516	012	2013/08/20	< .500	2014/08
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2013/08/20	< 10.000	2014/08
1,1,2-TRICHLOROETHANE	34511	012	2013/08/20	< .500	2014/08
1,1-DICHLOROETHANE	34496	012	2013/08/20	< .500	2014/08
1,1-DICHLOROETHYLENE	34501	012	2013/08/20	< .500	2014/08

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910024**

**System Name: GSWC - CLAREMONT**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910024-019**

**Source Name: MARLBORO WELL**

**Source Number: 019**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED VOC**

1,2,4-TRICHLORO BENZENE	34551	012	2013/08/20	< .500	2014/08
1,2-DICHLORO BENZENE	34536	012	2013/08/20	< .500	2014/08
1,2-DICHLOROETHANE	34531	012	2013/08/20	< .500	2014/08
1,2-DICHLOROPROPANE	34541	012	2013/08/20	< .500	2014/08
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2013/08/20	< .500	2014/08
1,4-DICHLORO BENZENE	34571	012	2013/08/20	< .500	2014/08
BENZENE	34030	012	2013/08/20	< .500	2014/08
CARBON TETRACHLORIDE	32102	012	2013/08/20	< .500	2014/08
CIS-1,2-DICHLOROETHYLENE	77093	012	2013/08/20	< .500	2014/08
DICHLOROMETHANE	34423	012	2013/08/20	< .500	2014/08
ETHYLBENZENE	34371	012	2013/08/20	< .500	2014/08
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2013/08/20	< 3.000	2014/08
MONOCHLORO BENZENE	34301	012	2013/08/20	< .500	2014/08
STYRENE	77128	012	2013/08/20	< .500	2014/08
TETRACHLOROETHYLENE	34475	012	2013/08/20	< .500	2014/08
TOLUENE	34010	012	2013/08/20	< .500	2014/08
TRANS-1,2-DICHLOROETHYLENE	34546	012	2013/08/20	< .500	2014/08
TRICHLOROETHYLENE	39180	012	2013/08/20	< .500	2014/08
TRICHLOROFLUOROMETHANE	34488	012	2013/08/20	< 5.000	2014/08
VINYL CHLORIDE	39175	012	2013/08/20	< .500	2014/08
XYLENES (TOTAL)	81551	012	2013/08/20	< 1.000	2014/08

**SECONDARY/GP**

BICARBONATE ALKALINITY	00440	036	2013/09/18	. 200.000	2016/09
CALCIUM	00916	036	2013/09/18	. 53.000	2016/09
CARBONATE ALKALINITY	00445	036	2013/09/18	< 2.400	2016/09
CHLORIDE	00940	036	2013/09/18	. 8.000	2016/09
COLOR	00081	036	2013/09/18	< 1.000	2016/09
COPPER	01042	036	2013/09/18	< 50.000	2016/09
FOAMING AGENTS (MBAS)	38260	036	2013/09/18	< .100	2016/09

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910024**

**System Name: GSWC - CLAREMONT**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910024-019**

**Source Name: MARLBORO WELL**

**Source Number: 019**

**Source Status: ACTIVE RAW**

**Water type: G**

**SECONDARY/GP**

HARDNESS (TOTAL) AS CaCO3	00900	036	2013/09/18	. 170.000	2016/09
HYDROXIDE ALKALINITY	71830	036	2013/09/18	< 1.400	2016/09
IRON	01045	036	2013/09/18	< 100.000	2016/09
MAGNESIUM	00927	036	2013/09/18	. 8.500	2016/09
MANGANESE	01055	036	2013/09/18	< 20.000	2016/09
ODOR THRESHOLD @ 60 C	00086	036	2013/09/18	< 1.000	2016/09
PH, LABORATORY	00403	036	2013/09/18	. 7.890	2016/09
SILVER	01077	036	2013/09/18	< 10.000	2016/09
SODIUM	00929	036	2013/09/18	19.000	2016/09
SPECIFIC CONDUCTANCE	00095	036	2013/09/18	. 370.000	2016/09
SULFATE	00945	036	2013/09/18	29.000	2016/09
TOTAL DISSOLVED SOLIDS	70300	036	2013/09/18	. 250.000	2016/09
TURBIDITY, LABORATORY	82079	036	2013/09/18	< .100	2016/09
ZINC	01092	036	2013/09/18	< 50.000	2016/09

**PS Code: 1910024-020**

**Source Name: MILL WELL 01**

**Source Number: 020**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

ALUMINUM	01105	036	2013/09/18	< 50.000	2016/09
ANTIMONY	01097	036	2013/09/18	< 6.000	2016/09
ARSENIC	01002	036	2013/09/18	< 2.000	2016/09
BARIUM	01007	036	2013/09/18	< 100.000	2016/09
BERYLLIUM	01012	036	2013/09/18	< 1.000	2016/09
CADMIUM	01027	036	2013/09/18	< 1.000	2016/09
CHROMIUM (TOTAL)	01034	036	2013/09/18	< 10.000	2016/09
<b>CHROMIUM, HEXAVALENT</b>	01032	036	<b>2002/11/21</b>	. .000	<b>2005/11 DUE</b>

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910024**

**System Name: GSWC - CLAREMONT**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910024-020**

**Source Name: MILL WELL 01**

**Source Number: 020**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

CYANIDE	01291	036	2013/09/18	< 100.000	2016/09
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/09/18	.290	2016/09
MERCURY	71900	036	2013/09/18	< 1.000	2016/09
NICKEL	01067	036	2013/09/18	< 10.000	2016/09
PERCHLORATE	A-031	012	2013/08/20	< 4.000	2014/08
SELENIUM	01147	036	2013/09/18	< 5.000	2016/09
THALLIUM	01059	036	2013/09/18	< 1.000	2016/09

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	012	2014/05/20	. 9.800	2015/05
NITRITE (AS N)	00620	036	2013/09/18	< 400.000	2016/09

**RADIOLOGICAL**

<b>GROSS ALPHA</b>	01501	003	2010/02/16	1.900	2010/05	<b>DUE</b>
<b>RADIUM 226</b>	09501	003	2010/02/16	.110	2010/05	<b>DUE</b>
<b>RADIUM 228</b>	11501	003	2010/02/16	- .002	2010/05	<b>DUE</b>
<b>URANIUM (PCI/L)</b>	28012	003	2010/02/16	1.201	2010/05	<b>DUE</b>

**REGULATED SOC**

2,4-D	39730	033	2012/08/21	< 10.000	2015/05
ALACHLOR	77825	033	2012/08/21	< 1.000	2015/05
ATRAZINE	39033	033	2012/08/21	< .500	2015/05
BENTAZON	38710	033	2012/08/21	< 2.000	2015/05
CARBOFURAN	81405	033	2012/08/21	< 5.000	2015/05
CHLORDANE	39350	033	2012/08/21	< .100	2015/05
DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2012/08/21	< 3.000	2015/05
DIBROMOCHLOROPROPANE (DBCP)	38761	033	2012/08/21	< .010	2015/05
DINOSEB	81287	033	2012/08/21	< 2.000	2015/05
DIQUAT	78885	033	2012/08/21	< 4.000	2015/05
ENDOTHALL	38926	033	2012/08/21	< 45.000	2015/05
ENDRIN	39390	033	2012/08/21	< .100	2015/05

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)



**System Number: 1910024**

**System Name: GSWC - CLAREMONT**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910024-020**

**Source Name: MILL WELL 01**

**Source Number: 020**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED SOC**

ETHYLENE DIBROMIDE (EDB)	77651	033	2012/08/21	< .020	2015/05
GLYPHOSATE	79743	033	2012/08/21	< 25.000	2015/05
LINDANE	39340	033	2012/08/21	< .200	2015/05
METHOXYCHLOR	39480	033	2012/08/21	< 10.000	2015/05
OXAMYL	38865	033	2012/08/21	< 20.000	2015/05
PENTACHLOROPHENOL	39032	033	2012/08/21	< .200	2015/05
SIMAZINE	39055	033	2012/08/21	< 1.000	2015/05
TOXAPHENE	39400	033	2012/08/21	< 1.000	2015/05

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	012	2013/08/20	< .500	2014/08
1,1,2,2-TETRACHLOROETHANE	34516	012	2013/08/20	< .500	2014/08
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2013/08/20	< 10.000	2014/08
1,1,2-TRICHLOROETHANE	34511	012	2013/08/20	< .500	2014/08
1,1-DICHLOROETHANE	34496	012	2013/08/20	< .500	2014/08
1,1-DICHLOROETHYLENE	34501	012	2013/08/20	< .500	2014/08
1,2,4-TRICHLOROBENZENE	34551	012	2013/08/20	< .500	2014/08
1,2-DICHLOROBENZENE	34536	012	2013/08/20	< .500	2014/08
1,2-DICHLOROETHANE	34531	012	2013/08/20	< .500	2014/08
1,2-DICHLOROPROPANE	34541	012	2013/08/20	< .500	2014/08
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2013/08/20	< .500	2014/08
1,4-DICHLOROBENZENE	34571	012	2013/08/20	< .500	2014/08
BENZENE	34030	012	2013/08/20	< .500	2014/08
CARBON TETRACHLORIDE	32102	012	2013/08/20	< .500	2014/08
CIS-1,2-DICHLOROETHYLENE	77093	012	2013/08/20	< .500	2014/08
DICHLOROMETHANE	34423	012	2013/08/20	< .500	2014/08
ETHYLBENZENE	34371	012	2013/08/20	< .500	2014/08
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2013/08/20	< 3.000	2014/08
MONOCHLOROBENZENE	34301	012	2013/08/20	< .500	2014/08
STYRENE	77128	012	2013/08/20	< .500	2014/08

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910024**

**System Name: GSWC - CLAREMONT**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910024-020**

**Source Name: MILL WELL 01**

**Source Number: 020**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED VOC**

TETRACHLOROETHYLENE	34475	012	2013/08/20	< .500	2014/08
TOLUENE	34010	012	2013/08/20	< .500	2014/08
TRANS-1,2-DICHLOROETHYLENE	34546	012	2013/08/20	< .500	2014/08
TRICHLOROETHYLENE	39180	012	2013/08/20	< .500	2014/08
TRICHLOROFUOROMETHANE	34488	012	2013/08/20	< 5.000	2014/08
VINYL CHLORIDE	39175	012	2013/08/20	< .500	2014/08
XYLENES (TOTAL)	81551	012	2013/08/20	< 1.000	2014/08

**SECONDARY/GP**

BICARBONATE ALKALINITY	00440	036	2013/09/18	. 240.000	2016/09
CALCIUM	00916	036	2013/09/18	. 62.000	2016/09
CARBONATE ALKALINITY	00445	036	2013/09/18	< 2.400	2016/09
CHLORIDE	00940	036	2013/09/18	. 19.000	2016/09
COLOR	00081	036	2013/09/18	< 1.000	2016/09
COPPER	01042	036	2013/09/18	< 50.000	2016/09
FOAMING AGENTS (MBAS)	38260	036	2013/09/18	< .100	2016/09
HARDNESS (TOTAL) AS CaCO3	00900	036	2013/09/18	. 210.000	2016/09
HYDROXIDE ALKALINITY	71830	036	2013/09/18	< 1.400	2016/09
IRON	01045	036	2013/09/18	< 100.000	2016/09
MAGNESIUM	00927	036	2013/09/18	. 13.000	2016/09
MANGANESE	01055	036	2013/09/18	< 20.000	2016/09
ODOR THRESHOLD @ 60 C	00086	036	2013/09/18	< 1.000	2016/09
PH, LABORATORY	00403	036	2013/09/18	. 7.650	2016/09
SILVER	01077	036	2013/09/18	< 10.000	2016/09
SODIUM	00929	036	2013/09/18	8.000	2016/09
SPECIFIC CONDUCTANCE	00095	036	2013/09/18	. 420.000	2016/09
SULFATE	00945	036	2013/09/18	27.000	2016/09
TOTAL DISSOLVED SOLIDS	70300	036	2013/09/18	. 260.000	2016/09
TURBIDITY, LABORATORY	82079	036	2013/09/18	. .410	2016/09
ZINC	01092	036	2013/09/18	< 50.000	2016/09

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910024**

**System Name: GSWC - CLAREMONT**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910024-021**

**Source Name: MIRAMAR WELL 03**

**Source Number: 021**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

ALUMINUM	01105	036	2013/09/18	< 50.000	2016/09
ANTIMONY	01097	036	2013/09/18	< 6.000	2016/09
ARSENIC	01002	036	2013/09/18	< 2.000	2016/09
BARIUM	01007	036	2013/09/18	< 100.000	2016/09
BERYLLIUM	01012	036	2013/09/18	< 1.000	2016/09
CADMIUM	01027	036	2013/09/18	< 1.000	2016/09
CHROMIUM (TOTAL)	01034	036	2013/09/18	< 10.000	2016/09
CYANIDE	01291	036	2013/09/18	< 100.000	2016/09
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/09/18	. 750	2016/09
MERCURY	71900	036	2013/09/18	< 1.000	2016/09
NICKEL	01067	036	2013/09/18	< 10.000	2016/09
PERCHLORATE	A-031	012	2013/08/20	< 4.000	2014/08
SELENIUM	01147	036	2013/09/18	< 5.000	2016/09
THALLIUM	01059	036	2013/09/18	< 1.000	2016/09

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	012	2014/05/20	. 22.000	2015/05
NITRITE (AS N)	00620	036	2013/09/18	< 400.000	2016/09

**RADIOLOGICAL**

GROSS ALPHA	01501	003	2014/05/20	. 1.450	2014/08
<b>RADIUM 226</b>	09501	000			<b>DUE</b>
<b>RADIUM 228</b>	11501	003	<b>2006/11/22</b>	< 1.000	<b>2007/02 DUE</b>
<b>URANIUM (PCI/L)</b>	28012	000			<b>DUE</b>

**REGULATED SOC**

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2012/08/28	< 3.000	2015/05
DIBROMOCHLOROPROPANE (DBCP)	38761	033	2014/05/20	. .013	2017/02
ETHYLENE DIBROMIDE (EDB)	77651	033	2014/05/20	< .020	2017/02

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	012	2013/08/20	< .500	2014/08
-----------------------	-------	-----	------------	--------	---------

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910024**

**System Name: GSWC - CLAREMONT**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910024-021**

**Source Name: MIRAMAR WELL 03**

**Source Number: 021**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED VOC**

1,1,2,2-TETRACHLOROETHANE	34516	012	2013/08/20	< .500	2014/08
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2013/08/20	< 10.000	2014/08
1,1,2-TRICHLOROETHANE	34511	012	2013/08/20	< .500	2014/08
1,1-DICHLOROETHANE	34496	012	2013/08/20	< .500	2014/08
1,1-DICHLOROETHYLENE	34501	012	2013/08/20	< .500	2014/08
1,2,4-TRICHLOROBENZENE	34551	012	2013/08/20	< .500	2014/08
1,2-DICHLOROBENZENE	34536	012	2013/08/20	< .500	2014/08
1,2-DICHLOROETHANE	34531	012	2013/08/20	< .500	2014/08
1,2-DICHLOROPROPANE	34541	012	2013/08/20	< .500	2014/08
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2013/08/20	< .500	2014/08
1,4-DICHLOROBENZENE	34571	012	2013/08/20	< .500	2014/08
BENZENE	34030	012	2013/08/20	< .500	2014/08
CARBON TETRACHLORIDE	32102	012	2013/08/20	< .500	2014/08
CIS-1,2-DICHLOROETHYLENE	77093	012	2013/08/20	< .500	2014/08
DICHLOROMETHANE	34423	012	2013/08/20	< .500	2014/08
ETHYLBENZENE	34371	012	2013/08/20	< .500	2014/08
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2013/08/20	< 3.000	2014/08
MONOCHLOROBENZENE	34301	012	2013/08/20	< .500	2014/08
STYRENE	77128	012	2013/08/20	< .500	2014/08
TETRACHLOROETHYLENE	34475	012	2013/08/20	< .500	2014/08
TOLUENE	34010	012	2013/08/20	< .500	2014/08
TRANS-1,2-DICHLOROETHYLENE	34546	012	2013/08/20	< .500	2014/08
TRICHLOROETHYLENE	39180	012	2013/08/20	< .500	2014/08
TRICHLOROFUOROMETHANE	34488	012	2013/08/20	< 5.000	2014/08
VINYL CHLORIDE	39175	012	2013/08/20	< .500	2014/08
XYLENES (TOTAL)	81551	012	2013/08/20	< 1.000	2014/08

**SECONDARY/GP**

BICARBONATE ALKALINITY	00440	036	2013/09/18	. 210.000	2016/09
CALCIUM	00916	036	2013/09/18	. 48.000	2016/09

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910024**

**System Name: GSWC - CLAREMONT**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910024-021**

**Source Name: MIRAMAR WELL 03**

**Source Number: 021**

**Source Status: ACTIVE RAW**

**Water type: G**

**SECONDARY/GP**

CARBONATE ALKALINITY	00445	036	2013/09/18	< 2.400	2016/09
CHLORIDE	00940	036	2013/09/18	. 9.200	2016/09
COLOR	00081	036	2013/09/18	< 1.000	2016/09
COPPER	01042	036	2013/09/18	< 50.000	2016/09
FOAMING AGENTS (MBAS)	38260	036	2013/09/18	< .100	2016/09
HARDNESS (TOTAL) AS CaCO3	00900	036	2013/09/18	. 160.000	2016/09
HYDROXIDE ALKALINITY	71830	036	2013/09/18	< 1.400	2016/09
IRON	01045	036	2013/09/18	< 100.000	2016/09
MAGNESIUM	00927	036	2013/09/18	. 10.000	2016/09
MANGANESE	01055	036	2013/09/18	< 20.000	2016/09
ODOR THRESHOLD @ 60 C	00086	036	2013/09/18	< 1.000	2016/09
PH, LABORATORY	00403	036	2013/09/18	. 7.870	2016/09
SILVER	01077	036	2013/09/18	< 10.000	2016/09
SODIUM	00929	036	2013/09/18	27.000	2016/09
SPECIFIC CONDUCTANCE	00095	036	2013/09/18	. 400.000	2016/09
SULFATE	00945	036	2013/09/18	34.000	2016/09
TOTAL DISSOLVED SOLIDS	70300	036	2013/09/18	. 270.000	2016/09
TURBIDITY, LABORATORY	82079	036	2013/09/18	< .100	2016/09
ZINC	01092	036	2013/09/18	< 50.000	2016/09

**PS Code: 1910024-022**

**Source Name: MIRAMAR WELL 05**

**Source Number: 022**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

ALUMINUM	01105	036	2013/10/08	< 50.000	2016/10
ANTIMONY	01097	036	2013/10/08	< 6.000	2016/10
ARSENIC	01002	036	2013/10/08	< 2.000	2016/10

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910024**

**System Name: GSWC - CLAREMONT**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910024-022**

**Source Name: MIRAMAR WELL 05**

**Source Number: 022**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

BARIUM	01007	036	2013/10/08	< 100.000	2016/10
BERYLLIUM	01012	036	2013/10/08	< 1.000	2016/10
CADMIUM	01027	036	2013/10/08	< 1.000	2016/10
CHROMIUM (TOTAL)	01034	036	2013/10/08	< 10.000	2016/10
CYANIDE	01291	036	2013/10/08	< 100.000	2016/10
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/10/08	.330	2016/10
MERCURY	71900	036	2013/10/08	< 1.000	2016/10
NICKEL	01067	036	2013/10/08	< 10.000	2016/10
PERCHLORATE	A-031	012	2013/10/08	< 4.000	2014/10
SELENIUM	01147	036	2013/10/08	< 5.000	2016/10
THALLIUM	01059	036	2013/10/08	< 1.000	2016/10

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	012	2014/05/20	. 26.000	2015/05
NITRITE (AS N)	00620	036	2013/10/08	< 400.000	2016/10

**RADIOLOGICAL**

<b>GROSS ALPHA</b>	01501	003	<b>2013/10/08</b>	. 3.340	<b>2014/01</b>	<b>DUE</b>
<b>RADIUM 226</b>	09501	000				<b>DUE</b>
<b>RADIUM 228</b>	11501	003	<b>2006/11/22</b>	< 1.000	<b>2007/02</b>	<b>DUE</b>
<b>URANIUM (PCI/L)</b>	28012	000				<b>DUE</b>

**REGULATED SOC**

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2012/08/21	< 3.000	2015/05
DIBROMOCHLOROPROPANE (DBCP)	38761	033	2014/05/20	< .010	2017/02
ETHYLENE DIBROMIDE (EDB)	77651	033	2014/05/20	< .020	2017/02

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	012	2013/10/08	< .500	2014/10
1,1,2,2-TETRACHLOROETHANE	34516	012	2013/10/08	< .500	2014/10
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2013/10/08	< 10.000	2014/10
1,1,2-TRICHLOROETHANE	34511	012	2013/10/08	< .500	2014/10

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910024**

**System Name: GSWC - CLAREMONT**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

**PS Code: 1910024-022**

**Source Name: MIRAMAR WELL 05**

**Source Number: 022**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED VOC**

1,1-DICHLOROETHANE	34496	012	2013/10/08	< .500	2014/10
1,1-DICHLOROETHYLENE	34501	012	2013/10/08	< .500	2014/10
1,2,4-TRICHLOROBENZENE	34551	012	2013/10/08	< .500	2014/10
1,2-DICHLOROBENZENE	34536	012	2013/10/08	< .500	2014/10
1,2-DICHLOROETHANE	34531	012	2013/10/08	< .500	2014/10
1,2-DICHLOROPROPANE	34541	012	2013/10/08	< .500	2014/10
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2013/10/08	< .500	2014/10
1,4-DICHLOROBENZENE	34571	012	2013/10/08	< .500	2014/10
BENZENE	34030	012	2013/10/08	< .500	2014/10
CARBON TETRACHLORIDE	32102	012	2013/10/08	< .500	2014/10
CIS-1,2-DICHLOROETHYLENE	77093	012	2013/10/08	< .500	2014/10
DICHLOROMETHANE	34423	012	2013/10/08	< .500	2014/10
ETHYLBENZENE	34371	012	2013/10/08	< .500	2014/10
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2013/10/08	< 3.000	2014/10
MONOCHLOROBENZENE	34301	012	2013/10/08	< .500	2014/10
STYRENE	77128	012	2013/10/08	< .500	2014/10
TETRACHLOROETHYLENE	34475	012	2013/10/08	< .500	2014/10
TOLUENE	34010	012	2013/10/08	< .500	2014/10
TRANS-1,2-DICHLOROETHYLENE	34546	012	2013/10/08	< .500	2014/10
TRICHLOROETHYLENE	39180	012	2013/10/08	< .500	2014/10
TRICHLOROFUOROMETHANE	34488	012	2013/10/08	< 5.000	2014/10
VINYL CHLORIDE	39175	012	2013/10/08	< .500	2014/10
XYLENES (TOTAL)	81551	012	2013/10/08	< 1.000	2014/10

**SECONDARY/GP**

BICARBONATE ALKALINITY	00440	036	2013/10/08	. 230.000	2016/10
CALCIUM	00916	036	2013/10/08	. 61.000	2016/10
CARBONATE ALKALINITY	00445	036	2013/10/08	.000	2016/10
CHLORIDE	00940	036	2013/10/08	. 10.000	2016/10
COLOR	00081	036	2013/10/08	< 1.000	2016/10

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910024**

**System Name: GSWC - CLAREMONT**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910024-022**

**Source Name: MIRAMAR WELL 05**

**Source Number: 022**

**Source Status: ACTIVE RAW**

**Water type: G**

**SECONDARY/GP**

COPPER	01042	036	2013/10/08	< 50.000	2016/10
FOAMING AGENTS (MBAS)	38260	036	2013/10/08	< .100	2016/10
HARDNESS (TOTAL) AS CaCO3	00900	036	2013/10/08	. 210.000	2016/10
HYDROXIDE ALKALINITY	71830	036	2013/10/08	. .000	2016/10
IRON	01045	036	2013/10/08	< 100.000	2016/10
MAGNESIUM	00927	036	2013/10/08	. 13.000	2016/10
MANGANESE	01055	036	2013/10/08	< 20.000	2016/10
ODOR THRESHOLD @ 60 C	00086	036	2013/10/08	< 1.000	2016/10
PH, LABORATORY	00403	036	2013/10/08	. 8.030	2016/10
SILVER	01077	036	2013/10/08	< 10.000	2016/10
SODIUM	00929	036	2013/10/08	8.200	2016/10
SPECIFIC CONDUCTANCE	00095	036	2013/10/08	. 430.000	2016/10
SULFATE	00945	036	2013/10/08	25.000	2016/10
TOTAL DISSOLVED SOLIDS	70300	036	2013/10/08	. 280.000	2016/10
TURBIDITY, LABORATORY	82079	036	2013/10/08	< .100	2016/10
ZINC	01092	036	2013/10/08	< 50.000	2016/10

**PS Code: 1910024-024**

**Source Name: POMELLO WELL 01**

**Source Number: 024**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

ALUMINUM	01105	036	2013/09/18	< 50.000	2016/09
ANTIMONY	01097	036	2013/09/18	< 6.000	2016/09
ARSENIC	01002	036	2013/09/18	< 2.000	2016/09
BARIUM	01007	036	2013/09/18	< 100.000	2016/09
BERYLLIUM	01012	036	2013/09/18	< 1.000	2016/09
CADMIUM	01027	036	2013/09/18	< 1.000	2016/09

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)



**System Number: 1910024**

**System Name: GSWC - CLAREMONT**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910024-024**

**Source Name: POMELLO WELL 01**

**Source Number: 024**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

CHROMIUM (TOTAL)	01034	036	2013/09/18	< 10.000	2016/09
CYANIDE	01291	036	2013/09/18	< 100.000	2016/09
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/09/18	.400	2016/09
MERCURY	71900	036	2013/09/18	< 1.000	2016/09
NICKEL	01067	036	2013/09/18	< 10.000	2016/09
PERCHLORATE	A-031	012	2013/08/20	< 4.000	2014/08
SELENIUM	01147	036	2013/09/18	< 5.000	2016/09
THALLIUM	01059	036	2013/09/18	< 1.000	2016/09

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	012	2014/05/20	. 18.000	2015/05
NITRITE (AS N)	00620	036	2013/09/18	< 400.000	2016/09

**RADIOLOGICAL**

<b>GROSS ALPHA</b>	01501	003	<b>2013/06/18</b>	. 3.420	<b>2013/09</b>	<b>DUE</b>
<b>RADIUM 226</b>	09501	000				<b>DUE</b>
<b>RADIUM 228</b>	11501	003	<b>2006/11/22</b>	< 1.000	<b>2007/02</b>	<b>DUE</b>
<b>URANIUM (PCI/L)</b>	28012	000				<b>DUE</b>

**REGULATED SOC**

2,4-D	39730	033	2012/08/21	< 10.000	2015/05
ALACHLOR	77825	033	2012/08/21	< 1.000	2015/05
ATRAZINE	39033	033	2012/08/21	< .500	2015/05
BENTAZON	38710	033	2012/08/21	< 2.000	2015/05
CARBOFURAN	81405	033	2012/08/21	< 5.000	2015/05
CHLORDANE	39350	033	2012/08/21	< .100	2015/05
DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2012/08/21	< 3.000	2015/05
DIBROMOCHLOROPROPANE (DBCP)	38761	033	2012/08/21	< .010	2015/05
DINOSEB	81287	033	2012/08/21	< 2.000	2015/05
DIQUAT	78885	033	2012/08/21	< 4.000	2015/05
ENDOTHALL	38926	033	2012/08/21	< 45.000	2015/05

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910024**

**System Name: GSWC - CLAREMONT**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910024-024**

**Source Name: POMELLO WELL 01**

**Source Number: 024**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED SOC**

ENDRIN	39390	033	2012/08/21	< .100	2015/05
ETHYLENE DIBROMIDE (EDB)	77651	033	2012/08/21	< .020	2015/05
GLYPHOSATE	79743	033	2012/08/21	< 25.000	2015/05
LINDANE	39340	033	2012/08/21	< .200	2015/05
METHOXYCHLOR	39480	033	2012/08/21	< 10.000	2015/05
OXAMYL	38865	033	2012/08/21	< 20.000	2015/05
PENTACHLOROPHENOL	39032	033	2012/08/21	< .200	2015/05
SIMAZINE	39055	033	2012/08/21	< 1.000	2015/05
TOXAPHENE	39400	033	2012/08/21	< 1.000	2015/05

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	012	2013/08/20	< .500	2014/08
1,1,2,2-TETRACHLOROETHANE	34516	012	2013/08/20	< .500	2014/08
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2013/08/20	< 10.000	2014/08
1,1,2-TRICHLOROETHANE	34511	012	2013/08/20	< .500	2014/08
1,1-DICHLOROETHANE	34496	012	2013/08/20	< .500	2014/08
1,1-DICHLOROETHYLENE	34501	012	2013/08/20	< .500	2014/08
1,2,4-TRICHLOROBENZENE	34551	012	2013/08/20	< .500	2014/08
1,2-DICHLOROBENZENE	34536	012	2013/08/20	< .500	2014/08
1,2-DICHLOROETHANE	34531	012	2013/08/20	< .500	2014/08
1,2-DICHLOROPROPANE	34541	012	2013/08/20	< .500	2014/08
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2013/08/20	< .500	2014/08
1,4-DICHLOROBENZENE	34571	012	2013/08/20	< .500	2014/08
BENZENE	34030	012	2013/08/20	< .500	2014/08
CARBON TETRACHLORIDE	32102	012	2013/08/20	< .500	2014/08
CIS-1,2-DICHLOROETHYLENE	77093	012	2013/08/20	< .500	2014/08
DICHLOROMETHANE	34423	012	2013/08/20	< .500	2014/08
ETHYLBENZENE	34371	012	2013/08/20	< .500	2014/08
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2013/08/20	< 3.000	2014/08
MONOCHLOROBENZENE	34301	012	2013/08/20	< .500	2014/08

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910024**

**System Name: GSWC - CLAREMONT**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910024-024**

**Source Name: POMELLO WELL 01**

**Source Number: 024**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED VOC**

STYRENE	77128	012	2013/08/20	< .500	2014/08
TETRACHLOROETHYLENE	34475	012	2013/08/20	< .500	2014/08
TOLUENE	34010	012	2013/08/20	< .500	2014/08
TRANS-1,2-DICHLOROETHYLENE	34546	012	2013/08/20	< .500	2014/08
TRICHLOROETHYLENE	39180	012	2013/08/20	< .500	2014/08
TRICHLOROFUOROMETHANE	34488	012	2013/08/20	< 5.000	2014/08
VINYL CHLORIDE	39175	012	2013/08/20	< .500	2014/08
XYLENES (TOTAL)	81551	012	2013/08/20	< 1.000	2014/08

**SECONDARY/GP**

BICARBONATE ALKALINITY	00440	036	2013/09/18	. 260.000	2016/09
CALCIUM	00916	036	2013/09/18	. 67.000	2016/09
CARBONATE ALKALINITY	00445	036	2013/09/18	< 2.400	2016/09
CHLORIDE	00940	036	2013/09/18	. 18.000	2016/09
COLOR	00081	036	2013/09/18	< 1.000	2016/09
COPPER	01042	036	2013/09/18	< 50.000	2016/09
FOAMING AGENTS (MBAS)	38260	036	2013/09/18	< .100	2016/09
HARDNESS (TOTAL) AS CaCO3	00900	036	2013/09/18	. 240.000	2016/09
HYDROXIDE ALKALINITY	71830	036	2013/09/18	< 1.400	2016/09
IRON	01045	036	2013/09/18	< 100.000	2016/09
MAGNESIUM	00927	036	2013/09/18	. 17.000	2016/09
MANGANESE	01055	036	2013/09/18	< 20.000	2016/09
ODOR THRESHOLD @ 60 C	00086	036	2013/09/18	< 1.000	2016/09
PH, LABORATORY	00403	036	2013/09/18	. 7.420	2016/09
SILVER	01077	036	2013/09/18	< 10.000	2016/09
SODIUM	00929	036	2013/09/18	16.000	2016/09
SPECIFIC CONDUCTANCE	00095	036	2013/09/18	. 500.000	2016/09
SULFATE	00945	036	2013/09/18	35.000	2016/09
TOTAL DISSOLVED SOLIDS	70300	036	2013/09/18	. 310.000	2016/09
TURBIDITY, LABORATORY	82079	036	2013/09/18	< .100	2016/09

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: **1910024**

System Name: **GSWC - CLAREMONT**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: **1910024-024**

Source Name: **POMELLO WELL 01**

Source Number: **024**

Source Status: **ACTIVE RAW**

Water type: **G**

SECONDARY/GP

ZINC	01092	036	2013/09/18	< 50.000	2016/09
------	-------	-----	------------	----------	---------

PS Code: **1910024-031**

Source Name: **DEL MONTE BLENDING RESERVOIR - TREATED**

Source Number: **031**

Source Status: **COMBINATION OR BLEND TREATED**

Water type: **S**

INORGANIC

ALUMINUM	01105	000			DUE
ANTIMONY	01097	000			DUE
ARSENIC	01002	036	2003/08/15	. 2.900	2006/08 DUE
ASBESTOS	81855	000			DUE
BARIUM	01007	000			DUE
BERYLLIUM	01012	000			DUE
CADMIUM	01027	000			DUE
CHROMIUM (TOTAL)	01034	000			DUE
CHROMIUM, HEXAVALENT	01032	000			DUE
CYANIDE	01291	000			DUE
FLUORIDE (F) (NATURAL-SOURCE)	00951	000			DUE
MERCURY	71900	000			DUE
NICKEL	01067	000			DUE
PERCHLORATE	A-031	000			DUE
SELENIUM	01147	000			DUE
THALLIUM	01059	000			DUE

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2003/09/08	. 21.000	2004/09 DUE
NITRITE (AS N)	00620	000			DUE

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910024**

**System Name: GSWC - CLAREMONT**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910024-031**

**Source Name: DEL MONTE BLENDING RESERVOIR - TREATED**

**Source Number: 031**

**Source Status: COMBINATION OR BLEND TREATED**

**Water type: S**

**RADIOLOGICAL**

<b>GROSS ALPHA</b>	<b>01501</b>	<b>000</b>			<b>DUE</b>
--------------------	--------------	------------	--	--	------------

**REGULATED SOC**

<b>DIBROMOCHLOROPROPANE (DBCP)</b>	<b>38761</b>	<b>036</b>	<b>1995/12/20</b>	<b>.000</b>	<b>1998/12 DUE</b>
<b>ETHYLENE DIBROMIDE (EDB)</b>	<b>77651</b>	<b>036</b>	<b>1995/12/20</b>	<b>.000</b>	<b>1998/12 DUE</b>

**REGULATED VOC**

<b>1,1,1-TRICHLOROETHANE</b>	<b>34506</b>	<b>012</b>	<b>2000/03/27</b>	<b>.000</b>	<b>2001/03 DUE</b>
<b>1,1,2,2-TETRACHLOROETHANE</b>	<b>34516</b>	<b>012</b>	<b>2000/03/27</b>	<b>.000</b>	<b>2001/03 DUE</b>
<b>1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE</b>	<b>81611</b>	<b>012</b>	<b>2000/03/27</b>	<b>.000</b>	<b>2001/03 DUE</b>
<b>1,1,2-TRICHLOROETHANE</b>	<b>34511</b>	<b>012</b>	<b>2000/03/27</b>	<b>.000</b>	<b>2001/03 DUE</b>
<b>1,1-DICHLOROETHANE</b>	<b>34496</b>	<b>012</b>	<b>2000/03/27</b>	<b>.000</b>	<b>2001/03 DUE</b>
<b>1,1-DICHLOROETHYLENE</b>	<b>34501</b>	<b>012</b>	<b>2000/07/05</b>	<b>.000</b>	<b>2001/07 DUE</b>
<b>1,2,4-TRICHLOROBENZENE</b>	<b>34551</b>	<b>012</b>	<b>2000/03/27</b>	<b>.000</b>	<b>2001/03 DUE</b>
<b>1,2-DICHLOROBENZENE</b>	<b>34536</b>	<b>012</b>	<b>2000/03/27</b>	<b>.000</b>	<b>2001/03 DUE</b>
<b>1,2-DICHLOROETHANE</b>	<b>34531</b>	<b>012</b>	<b>2000/03/27</b>	<b>.000</b>	<b>2001/03 DUE</b>
<b>1,2-DICHLOROPROPANE</b>	<b>34541</b>	<b>012</b>	<b>2000/03/27</b>	<b>.000</b>	<b>2001/03 DUE</b>
<b>1,3-DICHLOROPROPENE (TOTAL)</b>	<b>34561</b>	<b>012</b>	<b>2000/03/27</b>	<b>.000</b>	<b>2001/03 DUE</b>
<b>1,4-DICHLOROBENZENE</b>	<b>34571</b>	<b>012</b>	<b>2000/03/27</b>	<b>.000</b>	<b>2001/03 DUE</b>
<b>BENZENE</b>	<b>34030</b>	<b>012</b>	<b>2000/03/27</b>	<b>.000</b>	<b>2001/03 DUE</b>
<b>CARBON TETRACHLORIDE</b>	<b>32102</b>	<b>012</b>	<b>2000/03/27</b>	<b>.000</b>	<b>2001/03 DUE</b>
<b>CIS-1,2-DICHLOROETHYLENE</b>	<b>77093</b>	<b>012</b>	<b>2000/03/27</b>	<b>.000</b>	<b>2001/03 DUE</b>
<b>DICHLOROMETHANE</b>	<b>34423</b>	<b>012</b>	<b>2000/03/27</b>	<b>.000</b>	<b>2001/03 DUE</b>
<b>ETHYLBENZENE</b>	<b>34371</b>	<b>012</b>	<b>2000/03/27</b>	<b>.000</b>	<b>2001/03 DUE</b>
<b>METHYL-TERT-BUTYL-ETHER (MTBE)</b>	<b>46491</b>	<b>012</b>	<b>2000/03/27</b>	<b>.000</b>	<b>2001/03 DUE</b>
<b>MONOCHLOROBENZENE</b>	<b>34301</b>	<b>012</b>	<b>2000/03/27</b>	<b>.000</b>	<b>2001/03 DUE</b>
<b>STYRENE</b>	<b>77128</b>	<b>012</b>	<b>2000/03/27</b>	<b>.000</b>	<b>2001/03 DUE</b>
<b>TETRACHLOROETHYLENE</b>	<b>34475</b>	<b>012</b>	<b>2000/03/27</b>	<b>.000</b>	<b>2001/03 DUE</b>
<b>TOLUENE</b>	<b>34010</b>	<b>012</b>	<b>2000/03/27</b>	<b>.000</b>	<b>2001/03 DUE</b>
<b>TRANS-1,2-DICHLOROETHYLENE</b>	<b>34546</b>	<b>012</b>	<b>2000/03/27</b>	<b>.000</b>	<b>2001/03 DUE</b>
<b>TRICHLOROETHYLENE</b>	<b>39180</b>	<b>012</b>	<b>2000/07/05</b>	<b>.000</b>	<b>2001/07 DUE</b>

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910024**

**System Name: GSWC - CLAREMONT**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910024-031**

**Source Name: DEL MONTE BLENDING RESERVOIR - TREATED**

**Source Number: 031**

**Source Status: COMBINATION OR BLEND TREATED**

**Water type: S**

**REGULATED VOC**

TRICHLOROFLUOROMETHANE	34488	012	2000/03/27	.000	2001/03	DUE
VINYL CHLORIDE	39175	012	2000/03/27	.000	2001/03	DUE
XYLENES (TOTAL)	81551	012	2000/03/27	1.000	2001/03	DUE

**SECONDARY/GP**

BICARBONATE ALKALINITY	00440	000				DUE
CALCIUM	00916	000				DUE
CARBONATE ALKALINITY	00445	000				DUE
CHLORIDE	00940	000				DUE
COLOR	00081	036	2004/04/13	< 3.000	2007/04	DUE
COPPER	01042	000				DUE
FOAMING AGENTS (MBAS)	38260	000				DUE
HARDNESS (TOTAL) AS CaCO3	00900	000				DUE
HYDROXIDE ALKALINITY	71830	000				DUE
IRON	01045	000				DUE
MAGNESIUM	00927	000				DUE
MANGANESE	01055	000				DUE
ODOR THRESHOLD @ 60 C	00086	036	2004/04/13	. 1.000	2007/04	DUE
PH, LABORATORY	00403	000				DUE
SILVER	01077	000				DUE
SODIUM	00929	000				DUE
SPECIFIC CONDUCTANCE	00095	000				DUE
SULFATE	00945	000				DUE
TOTAL DISSOLVED SOLIDS	70300	000				DUE
TURBIDITY, LABORATORY	82079	036	2004/04/13	< .100	2007/04	DUE
ZINC	01092	000				DUE

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910024**

**System Name: GSWC - CLAREMONT**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910024-032**

**Source Name: MOUNTAIN VIEW BLENDING RESERVOIR - TRTD**

**Source Number: 032**

**Source Status: COMBINATION OR BLEND TREATED**

**Water type: S**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

**PS Code: 1910024-033**

**Source Name: INDIAN HILL BLENDING RESERVOIR - TREATED**

**Source Number: 033**

**Source Status: COMBINATION OR BLEND TREATED**

**Water type: S**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

**PS Code: 1910024-034**

**Source Name: POMELLO BLENDING RESERVOIRS (2)-TREATED**

**Source Number: 034**

**Source Status: COMBINATION OR BLEND TREATED**

**Water type: S**

**INORGANIC**

ALUMINUM	01105	000	DUE
ANTIMONY	01097	000	DUE
ARSENIC	01002	000	DUE
ASBESTOS	81855	000	DUE
BARIUM	01007	000	DUE
BERYLLIUM	01012	000	DUE
CADMIUM	01027	000	DUE
CHROMIUM (TOTAL)	01034	000	DUE
CHROMIUM, HEXAVALENT	01032	000	DUE
CYANIDE	01291	000	DUE
FLUORIDE (F) (NATURAL-SOURCE)	00951	000	DUE
MERCURY	71900	000	DUE
NICKEL	01067	000	DUE

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910024**

**System Name: GSWC - CLAREMONT**

	<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>	
<b>PS Code: 1910024-034</b>						
<b>Source Name: POMELLO BLENDING RESERVOIRS (2)-TREATED</b>						
<b>Source Number: 034</b>						
<b>Source Status: COMBINATION OR BLEND TREATED</b>						
<b>Water type: S</b>						
<b><u>INORGANIC</u></b>						
PERCHLORATE	A-031	000				DUE
SELENIUM	01147	000				DUE
THALLIUM	01059	000				DUE
<b><u>NITRATE/NITRITE</u></b>						
NITRATE (AS NO3)	71850	012	1999/09/29	6.130	2000/09	DUE
NITRITE (AS N)	00620	036	1997/02/19	< 400.000	2000/02	DUE
<b><u>RADIOLOGICAL</u></b>						
GROSS ALPHA	01501	000				DUE
<b><u>REGULATED SOC</u></b>						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2000/02/02	.039	2003/02	DUE
ETHYLENE DIBROMIDE (EDB)	77651	036	2000/02/02	.000	2003/02	DUE
<b><u>REGULATED VOC</u></b>						
1,1,1-TRICHLOROETHANE	34506	012	1995/02/15	.000	1996/02	DUE
1,1,2,2-TETRACHLOROETHANE	34516	012	1995/02/15	.000	1996/02	DUE
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	1995/02/15	.000	1996/02	DUE
1,1,2-TRICHLOROETHANE	34511	012	1995/02/15	.000	1996/02	DUE
1,1-DICHLOROETHANE	34496	012	1995/02/15	.000	1996/02	DUE
1,1-DICHLOROETHYLENE	34501	012	1998/04/15	.000	1999/04	DUE
1,2,4-TRICHLOROBENZENE	34551	012	1995/02/15	.000	1996/02	DUE
1,2-DICHLOROBENZENE	34536	012	1995/02/15	.000	1996/02	DUE
1,2-DICHLOROETHANE	34531	012	1995/02/15	.000	1996/02	DUE
1,2-DICHLOROPROPANE	34541	012	1995/02/15	.000	1996/02	DUE
1,3-DICHLOROPROPENE (TOTAL)	34561	012	1995/02/15	.000	1996/02	DUE
1,4-DICHLOROBENZENE	34571	012	1995/02/15	.000	1996/02	DUE
BENZENE	34030	012	1995/02/15	.000	1996/02	DUE
CARBON TETRACHLORIDE	32102	012	1995/02/15	.000	1996/02	DUE
CIS-1,2-DICHLOROETHYLENE	77093	012	1995/02/15	.000	1996/02	DUE
DICHLOROMETHANE	34423	012	1995/02/15	.000	1996/02	DUE

\*Testing interval is in months;  
 0 = No data for this constituent and is DUE NOW  
 I = Invalid (NOT) valid analyses reported  
 Any analyses not listed as required for testing has been Waive (not required)



**System Number: 1910024**

**System Name: GSWC - CLAREMONT**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910024-034**

**Source Name: POMELLO BLENDING RESERVOIRS (2)-TREATED**

**Source Number: 034**

**Source Status: COMBINATION OR BLEND TREATED**

**Water type: S**

**REGULATED VOC**

ETHYLBENZENE	34371	012	1995/02/15	.000	1996/02	DUE
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	000				DUE
MONOCHLOROBENZENE	34301	012	1995/02/15	.000	1996/02	DUE
STYRENE	77128	012	1995/02/15	.000	1996/02	DUE
TETRACHLOROETHYLENE	34475	012	1996/09/04	.000	1997/09	DUE
TOLUENE	34010	012	1995/02/15	.000	1996/02	DUE
TRANS-1,2-DICHLOROETHYLENE	34546	012	1995/02/15	.000	1996/02	DUE
TRICHLOROETHYLENE	39180	012	1996/09/04	.000	1997/09	DUE
TRICHLOROFLUOROMETHANE	34488	012	1995/02/15	.000	1996/02	DUE
VINYL CHLORIDE	39175	012	1995/02/15	.000	1996/02	DUE
XYLENES (TOTAL)	81551	012	1995/02/15	.000	1996/02	DUE

**SECONDARY/GP**

BICARBONATE ALKALINITY	00440	000				DUE
CALCIUM	00916	000				DUE
CARBONATE ALKALINITY	00445	000				DUE
CHLORIDE	00940	000				DUE
COLOR	00081	036	2004/04/13	< 3.000	2007/04	DUE
COPPER	01042	000				DUE
FOAMING AGENTS (MBAS)	38260	000				DUE
HARDNESS (TOTAL) AS CaCO3	00900	000				DUE
HYDROXIDE ALKALINITY	71830	000				DUE
IRON	01045	000				DUE
MAGNESIUM	00927	000				DUE
MANGANESE	01055	000				DUE
ODOR THRESHOLD @ 60 C	00086	036	2004/04/13	1.000	2007/04	DUE
PH, LABORATORY	00403	000				DUE
SILVER	01077	000				DUE
SODIUM	00929	000				DUE
SPECIFIC CONDUCTANCE	00095	000				DUE

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910024**

**System Name: GSWC - CLAREMONT**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910024-034**

**Source Name: POMELLO BLENDING RESERVOIRS (2)-TREATED**

**Source Number: 034**

**Source Status: COMBINATION OR BLEND TREATED**

**Water type: S**

**SECONDARY/GP**

<b>SULFATE</b>	<b>00945</b>	<b>000</b>			<b>DUE</b>
<b>TOTAL DISSOLVED SOLIDS</b>	<b>70300</b>	<b>000</b>			<b>DUE</b>
<b>TURBIDITY, LABORATORY</b>	<b>82079</b>	<b>036</b>	<b>2004/04/13</b>	<b>.170</b>	<b>2007/04 DUE</b>
<b>ZINC</b>	<b>01092</b>	<b>000</b>			<b>DUE</b>

**PS Code: 1910024-035**

**Source Name: TVMWD CONNECTION PM4 @MOUNTAIN BL-TREATE**

**Source Number: 035**

**Source Status: PURCHASED TREATED**

**Water type: S**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\* 999

**PS Code: 1910024-036**

**Source Name: TVMWD CONNECTION PM4 @ MILL ST - TREATED**

**Source Number: 036**

**Source Status: PURCHASED TREATED**

**Water type: S**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\* 999

**PS Code: 1910024-037**

**Source Name: TVMWD CONNECTION PM4 @ INDIAN HILL-TRTD**

**Source Number: 037**

**Source Status: PURCHASED TREATED**

**Water type: S**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\* 999

\*Testing interval is in months;  
 0 = No data for this constituent and is DUE NOW  
 I = Invalid (NOT) valid analyses reported  
 Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910024**

**System Name: GSWC - CLAREMONT**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910024-038**

**Source Name: TVMWD CONNECTION PM21,MIRAMAR PLANT-TRTD**

**Source Number: 038**

**Source Status: PURCHASED TREATED**

**Water type: S**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

**PS Code: 1910024-039**

**Source Name: HARRISON WELL 02**

**Source Number: 039**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

ALUMINUM	01105	036	2013/09/17	< 50.000	2016/09	
ANTIMONY	01097	036	2013/09/17	< 6.000	2016/09	
ARSENIC	01002	036	2013/09/17	< 2.000	2016/09	
BARIUM	01007	036	2013/09/17	< 100.000	2016/09	
BERYLLIUM	01012	036	2013/09/17	< 1.000	2016/09	
CADMIUM	01027	036	2013/09/17	< 1.000	2016/09	
CHROMIUM (TOTAL)	01034	036	2013/09/17	< 10.000	2016/09	
<b>CHROMIUM, HEXAVALENT</b>	<b>01032</b>	<b>036</b>	<b>2002/11/20</b>	<b>.000</b>	<b>2005/11</b>	<b>DUE</b>
CYANIDE	01291	036	2013/09/17	< 100.000	2016/09	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/09/17	.190	2016/09	
MERCURY	71900	036	2013/09/17	< 1.000	2016/09	
NICKEL	01067	036	2013/09/17	< 10.000	2016/09	
PERCHLORATE	A-031	012	2013/08/20	< 4.000	2014/08	
SELENIUM	01147	036	2013/09/17	< 5.000	2016/09	
THALLIUM	01059	036	2013/09/17	< 1.000	2016/09	

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	012	2014/05/20	. 22.000	2015/05	
NITRITE (AS N)	00620	036	2013/09/17	< 400.000	2016/09	

**RADIOLOGICAL**

<b>GROSS ALPHA</b>	<b>01501</b>	<b>003</b>	<b>2009/05/19</b>	<b>2.200</b>	<b>2009/08</b>	<b>DUE</b>
--------------------	--------------	------------	-------------------	--------------	----------------	------------

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910024**

**System Name: GSWC - CLAREMONT**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910024-039**

**Source Name: HARRISON WELL 02**

**Source Number: 039**

**Source Status: ACTIVE RAW**

**Water type: G**

**RADIOLOGICAL**

<b>RADIUM 226</b>	<b>09501</b>	<b>003</b>	<b>2009/05/19</b>	<b>.140</b>	<b>2009/08</b>	<b>DUE</b>
<b>RADIUM 228</b>	<b>11501</b>	<b>003</b>	<b>2009/05/19</b>	<b>.190</b>	<b>2009/08</b>	<b>DUE</b>
<b>URANIUM (PCI/L)</b>	<b>28012</b>	<b>003</b>	<b>2009/02/17</b>	<b>4.400</b>	<b>2009/05</b>	<b>DUE</b>

**REGULATED SOC**

2,4-D	39730	033	2012/08/21	< 10.000	2015/05
ALACHLOR	77825	033	2012/08/21	< 1.000	2015/05
ATRAZINE	39033	033	2012/08/21	< .500	2015/05
BENTAZON	38710	033	2012/08/21	< 2.000	2015/05
CARBOFURAN	81405	033	2012/08/21	< 5.000	2015/05
CHLORDANE	39350	033	2012/08/21	< .100	2015/05
DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2012/08/21	< 3.000	2015/05
DIBROMOCHLOROPROPANE (DBCP)	38761	033	2012/08/21	< .010	2015/05
DINOSEB	81287	033	2012/08/21	< 2.000	2015/05
DIQUAT	78885	033	2012/08/21	< 4.000	2015/05
ENDOTHALL	38926	033	2012/08/21	< 45.000	2015/05
ENDRIN	39390	033	2012/08/21	< .100	2015/05
ETHYLENE DIBROMIDE (EDB)	77651	033	2012/08/21	< .020	2015/05
GLYPHOSATE	79743	033	2012/08/21	< 25.000	2015/05
LINDANE	39340	033	2012/08/21	< .200	2015/05
METHOXYCHLOR	39480	033	2012/08/21	< 10.000	2015/05
OXAMYL	38865	033	2012/08/21	< 20.000	2015/05
PENTACHLOROPHENOL	39032	033	2012/08/21	< .200	2015/05
SIMAZINE	39055	033	2012/08/21	< 1.000	2015/05
TOXAPHENE	39400	033	2012/08/21	< 1.000	2015/05

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	012	2013/08/20	< .500	2014/08
1,1,2,2-TETRACHLOROETHANE	34516	012	2013/08/20	< .500	2014/08
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2013/08/20	< 10.000	2014/08
1,1,2-TRICHLOROETHANE	34511	012	2013/08/20	< .500	2014/08

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910024**

**System Name: GSWC - CLAREMONT**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910024-039**

**Source Name: HARRISON WELL 02**

**Source Number: 039**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED VOC**

1,1-DICHLOROETHANE	34496	012	2013/08/20	< .500	2014/08
1,1-DICHLOROETHYLENE	34501	012	2013/08/20	< .500	2014/08
1,2,4-TRICHLOROBENZENE	34551	012	2013/08/20	< .500	2014/08
1,2-DICHLOROBENZENE	34536	012	2013/08/20	< .500	2014/08
1,2-DICHLOROETHANE	34531	012	2013/08/20	< .500	2014/08
1,2-DICHLOROPROPANE	34541	012	2013/08/20	< .500	2014/08
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2013/08/20	< .500	2014/08
1,4-DICHLOROBENZENE	34571	012	2013/08/20	< .500	2014/08
BENZENE	34030	012	2013/08/20	< .500	2014/08
CARBON TETRACHLORIDE	32102	012	2013/08/20	< .500	2014/08
CIS-1,2-DICHLOROETHYLENE	77093	012	2013/08/20	< .500	2014/08
DICHLOROMETHANE	34423	012	2013/08/20	< .500	2014/08
ETHYLBENZENE	34371	012	2013/08/20	< .500	2014/08
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/02/18	< 3.000	2015/02
MONOCHLOROBENZENE	34301	012	2013/08/20	< .500	2014/08
STYRENE	77128	012	2013/08/20	< .500	2014/08
TETRACHLOROETHYLENE	34475	012	2013/08/20	< .500	2014/08
TOLUENE	34010	012	2013/08/20	< .500	2014/08
TRANS-1,2-DICHLOROETHYLENE	34546	012	2013/08/20	< .500	2014/08
TRICHLOROETHYLENE	39180	012	2013/08/20	< .500	2014/08
TRICHLOROFUOROMETHANE	34488	012	2013/08/20	< 5.000	2014/08
VINYL CHLORIDE	39175	012	2013/08/20	< .500	2014/08
XYLENES (TOTAL)	81551	012	2013/08/20	< 1.000	2014/08

**SECONDARY/GP**

BICARBONATE ALKALINITY	00440	036	2013/09/17	. 220.000	2016/09
CALCIUM	00916	036	2013/09/17	. 62.000	2016/09
CARBONATE ALKALINITY	00445	036	2013/09/17	.000	2016/09
CHLORIDE	00940	036	2013/09/17	. 15.000	2016/09
COLOR	00081	036	2013/09/17	< 1.000	2016/09

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910024**

**System Name: GSWC - CLAREMONT**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910024-039**

**Source Name: HARRISON WELL 02**

**Source Number: 039**

**Source Status: ACTIVE RAW**

**Water type: G**

**SECONDARY/GP**

COPPER	01042	036	2013/09/17	< 50.000	2016/09
FOAMING AGENTS (MBAS)	38260	036	2013/09/17	< .100	2016/09
HARDNESS (TOTAL) AS CaCO3	00900	036	2013/09/17	. 200.000	2016/09
HYDROXIDE ALKALINITY	71830	036	2013/09/17	. .000	2016/09
IRON	01045	036	2013/09/17	< 100.000	2016/09
MAGNESIUM	00927	036	2013/09/17	. 9.500	2016/09
MANGANESE	01055	036	2013/09/17	< 20.000	2016/09
ODOR THRESHOLD @ 60 C	00086	036	2013/09/17	< 1.000	2016/09
PH, LABORATORY	00403	036	2013/09/17	. 7.970	2016/09
SILVER	01077	036	2013/09/17	< 10.000	2016/09
SODIUM	00929	036	2013/09/17	15.000	2016/09
SPECIFIC CONDUCTANCE	00095	036	2013/09/17	. 450.000	2016/09
SULFATE	00945	036	2013/09/17	39.000	2016/09
TOTAL DISSOLVED SOLIDS	70300	036	2013/09/17	. 300.000	2016/09
TURBIDITY, LABORATORY	82079	036	2013/09/17	< .100	2016/09
ZINC	01092	036	2013/09/17	< 50.000	2016/09

**PS Code: 1910024-040**

**Source Name: COLLEGE WELL 02**

**Source Number: 040**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

ALUMINUM	01105	036	2013/11/05	< 50.000	2016/11
ANTIMONY	01097	036	2013/11/05	< 6.000	2016/11
ARSENIC	01002	036	2014/05/20	. 3.300	2017/05
BARIUM	01007	036	2013/11/05	< 100.000	2016/11
BERYLLIUM	01012	036	2013/11/05	< 1.000	2016/11
CADMIUM	01027	036	2013/11/05	< 1.000	2016/11

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910024**

**System Name: GSWC - CLAREMONT**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910024-040**

**Source Name: COLLEGE WELL 02**

**Source Number: 040**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

CHROMIUM (TOTAL)	01034	036	2013/11/05	< 10.000	2016/11
CYANIDE	01291	036	2013/11/05	< 100.000	2016/11
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/11/05	.170	2016/11
MERCURY	71900	036	2013/11/05	< 1.000	2016/11
NICKEL	01067	036	2013/11/05	< 10.000	2016/11
<b>PERCHLORATE</b>	<b>A-031</b>	<b>012</b>	<b>2012/08/21</b>	<b>&lt; 4.000</b>	<b>2013/08 DUE</b>
SELENIUM	01147	036	2013/11/05	< 5.000	2016/11
THALLIUM	01059	036	2013/11/05	< 1.000	2016/11

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	012	2013/11/05	. 15.000	2014/11
NITRITE (AS N)	00620	036	2013/11/05	< 400.000	2016/11

**RADIOLOGICAL**

<b>GROSS ALPHA</b>	01501	003	<b>2013/11/05</b>	. 7.700	<b>2014/02 DUE</b>
<b>RADIUM 226</b>	09501	000			<b>DUE</b>
RADIUM 228	11501	003	2014/04/09	. .000	2014/07
URANIUM (PCI/L)	28012	003	2014/04/09	. 1.300	2014/07

**REGULATED SOC**

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2012/08/21	< 3.000	2015/05
DIBROMOCHLOROPROPANE (DBCP)	38761	033	2012/08/21	< .010	2015/05
ETHYLENE DIBROMIDE (EDB)	77651	033	2012/08/21	< .020	2015/05
THIOBENCARB	A-001	033	2012/08/21	< 1.000	2015/05

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	012	2013/11/05	< .500	2014/11
1,1,2,2-TETRACHLOROETHANE	34516	012	2013/11/05	< .500	2014/11
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2013/11/05	< 10.000	2014/11
1,1,2-TRICHLOROETHANE	34511	012	2013/11/05	< .500	2014/11
1,1-DICHLOROETHANE	34496	012	2013/11/05	< .500	2014/11
1,1-DICHLOROETHYLENE	34501	012	2014/05/20	< .500	2015/05

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910024**

**System Name: GSWC - CLAREMONT**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910024-040**

**Source Name: COLLEGE WELL 02**

**Source Number: 040**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED VOC**

1,2,4-TRICHLORO BENZENE	34551	012	2013/11/05	< .500	2014/11
1,2-DICHLORO BENZENE	34536	012	2013/11/05	< .500	2014/11
1,2-DICHLOROETHANE	34531	012	2013/11/05	< .500	2014/11
1,2-DICHLOROPROPANE	34541	012	2013/11/05	< .500	2014/11
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2013/11/05	< .500	2014/11
1,4-DICHLORO BENZENE	34571	012	2013/11/05	< .500	2014/11
BENZENE	34030	012	2013/11/05	< .500	2014/11
CARBON TETRACHLORIDE	32102	012	2013/11/05	< .500	2014/11
CIS-1,2-DICHLOROETHYLENE	77093	012	2013/11/05	< .500	2014/11
DICHLOROMETHANE	34423	012	2013/11/05	< .500	2014/11
ETHYLBENZENE	34371	012	2013/11/05	< .500	2014/11
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2013/11/05	< 3.000	2014/11
MONOCHLORO BENZENE	34301	012	2013/11/05	< .500	2014/11
STYRENE	77128	012	2013/11/05	< .500	2014/11
TETRACHLOROETHYLENE	34475	012	2013/11/05	< .500	2014/11
TOLUENE	34010	012	2013/11/05	< .500	2014/11
TRANS-1,2-DICHLOROETHYLENE	34546	012	2013/11/05	< .500	2014/11
TRICHLOROETHYLENE	39180	012	2013/11/05	< .500	2014/11
TRICHLOROFLUOROMETHANE	34488	012	2013/11/05	< 5.000	2014/11
VINYL CHLORIDE	39175	012	2013/11/05	< .500	2014/11
XYLENES (TOTAL)	81551	012	2013/11/05	< 1.000	2014/11

**SECONDARY/GP**

BICARBONATE ALKALINITY	00440	036	2013/11/05	. 230.000	2016/11
CALCIUM	00916	036	2013/11/05	. 59.000	2016/11
CARBONATE ALKALINITY	00445	036	2013/11/05	< 2.400	2016/11
CHLORIDE	00940	036	2013/11/05	. 11.000	2016/11
COLOR	00081	036	2013/11/05	< 1.000	2016/11
COPPER	01042	036	2013/11/05	< 50.000	2016/11
FOAMING AGENTS (MBAS)	38260	036	2013/11/05	< .100	2016/11

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)



**System Number: 1910024**

**System Name: GSWC - CLAREMONT**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910024-040**

**Source Name: COLLEGE WELL 02**

**Source Number: 040**

**Source Status: ACTIVE RAW**

**Water type: G**

**SECONDARY/GP**

HARDNESS (TOTAL) AS CaCO3	00900	036	2013/11/05	. 190.000	2016/11
HYDROXIDE ALKALINITY	71830	036	2013/11/05	< 1.400	2016/11
IRON	01045	036	2013/11/05	< 100.000	2016/11
MAGNESIUM	00927	036	2013/11/05	. 9.600	2016/11
MANGANESE	01055	036	2013/11/05	< 20.000	2016/11
ODOR THRESHOLD @ 60 C	00086	036	2013/11/05	< 1.000	2016/11
PH, LABORATORY	00403	036	2013/11/05	. 7.810	2016/11
SILVER	01077	036	2013/11/05	< 10.000	2016/11
SODIUM	00929	036	2013/11/05	16.000	2016/11
SPECIFIC CONDUCTANCE	00095	036	2013/11/05	. 450.000	2016/11
SULFATE	00945	036	2013/11/05	33.000	2016/11
TOTAL DISSOLVED SOLIDS	70300	036	2013/11/05	. 290.000	2016/11
TURBIDITY, LABORATORY	82079	036	2013/11/05	< .100	2016/11
ZINC	01092	036	2013/11/05	< 50.000	2016/11

**PS Code: 1910024-064**

**Source Name: MONTANA LANE WELL - PENDING**

**Source Number: 064**

**Source Status: PENDING**

**Water type: G**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

\*Testing interval is in months;  
 0 = No data for this constituent and is DUE NOW  
 I = Invalid (NOT) valid analyses reported  
 Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910024**

**System Name: GSWC - CLAREMONT**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910024-065**

**Source Name: INDIAN HILL WELL 04**

**Source Number: 065**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

ALUMINUM	01105	036	2013/02/12	< 50.000	2016/02
ANTIMONY	01097	036	2013/02/12	< 6.000	2016/02
ARSENIC	01002	036	2013/02/12	< 2.000	2016/02
BARIUM	01007	036	2013/02/12	< 100.000	2016/02
BERYLLIUM	01012	036	2013/02/12	< 1.000	2016/02
CADMIUM	01027	036	2013/02/12	< 1.000	2016/02
CHROMIUM (TOTAL)	01034	036	2013/02/12	< 10.000	2016/02
CHROMIUM, HEXAVALENT	01032	036	2013/02/12	. 1.200	2016/02
CYANIDE	01291	036	2013/02/12	< 100.000	2016/02
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/02/12	. .490	2016/02
MERCURY	71900	036	2013/02/12	< 1.000	2016/02
NICKEL	01067	036	2013/02/12	< 10.000	2016/02
PERCHLORATE	A-031	036	2013/02/12	< 4.000	2016/02
SELENIUM	01147	036	2013/02/12	< 5.000	2016/02
THALLIUM	01059	036	2013/02/12	< 1.000	2016/02

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	012	2014/07/08	. 54.000	2015/07
NITRITE (AS N)	00620	036	2013/02/12	< 400.000	2016/02

**RADIOLOGICAL**

GROSS ALPHA	01501	003	2014/05/20	. 2.180	2014/08
<b>RADIUM 226</b>	09501	000			<b>DUE</b>
RADIUM 228	11501	003	2014/05/20	. .000	2014/08
URANIUM (PCI/L)	28012	003	2014/05/20	. 2.600	2014/08

**REGULATED SOC**

<b>DI(2-ETHYLHEXYL)PHTHALATE</b>	39100	003	<b>2013/02/12</b>	< 3.000	<b>2013/05</b>	<b>DUE</b>
<b>DIBROMOCHLOROPROPANE (DBCP)</b>	38761	003	<b>2013/02/12</b>	< .010	<b>2013/05</b>	<b>DUE</b>
<b>ETHYLENE DIBROMIDE (EDB)</b>	77651	003	<b>2013/02/12</b>	< .020	<b>2013/05</b>	<b>DUE</b>
<b>THIOBENCARB</b>	A-001	003	<b>2013/02/12</b>	< 1.000	<b>2013/05</b>	<b>DUE</b>

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910024**

**System Name: GSWC - CLAREMONT**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910024-065**

**Source Name: INDIAN HILL WELL 04**

**Source Number: 065**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	012	2014/05/20	< .500	2015/05
1,1,2,2-TETRACHLOROETHANE	34516	012	2014/05/20	< .500	2015/05
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/05/20	< 10.000	2015/05
1,1,2-TRICHLOROETHANE	34511	012	2014/05/20	< .500	2015/05
1,1-DICHLOROETHANE	34496	012	2014/05/20	< .500	2015/05
1,1-DICHLOROETHYLENE	34501	012	2014/05/20	< .500	2015/05
1,2,4-TRICHLOROBENZENE	34551	012	2014/05/20	< .500	2015/05
1,2-DICHLOROBENZENE	34536	012	2014/05/20	< .500	2015/05
1,2-DICHLOROETHANE	34531	012	2014/05/20	< .500	2015/05
1,2-DICHLOROPROPANE	34541	012	2014/05/20	< .500	2015/05
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/05/20	< .500	2015/05
1,4-DICHLOROBENZENE	34571	012	2014/05/20	< .500	2015/05
BENZENE	34030	012	2014/05/20	< .500	2015/05
CARBON TETRACHLORIDE	32102	012	2014/05/20	< .500	2015/05
CIS-1,2-DICHLOROETHYLENE	77093	012	2014/05/20	< .500	2015/05
DICHLOROMETHANE	34423	012	2014/05/20	< .500	2015/05
ETHYLBENZENE	34371	012	2014/05/20	< .500	2015/05
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/05/20	< 3.000	2015/05
MONOCHLOROBENZENE	34301	012	2014/05/20	< .500	2015/05
STYRENE	77128	012	2014/05/20	< .500	2015/05
TETRACHLOROETHYLENE	34475	012	2014/05/20	< .500	2015/05
TOLUENE	34010	012	2014/05/20	< .500	2015/05
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/05/20	< .500	2015/05
TRICHLOROETHYLENE	39180	012	2014/05/20	< .500	2015/05
TRICHLOROFUOROMETHANE	34488	012	2014/05/20	< 5.000	2015/05
VINYL CHLORIDE	39175	012	2014/05/20	< .500	2015/05
XYLENES (TOTAL)	81551	012	2014/05/20	< 1.000	2015/05

**SECONDARY/GP**

BICARBONATE ALKALINITY	00440	036	2013/02/12	. 160.000	2016/02
------------------------	-------	-----	------------	-----------	---------

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910024**

**System Name: GSWC - CLAREMONT**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910024-065**

**Source Name: INDIAN HILL WELL 04**

**Source Number: 065**

**Source Status: ACTIVE RAW**

**Water type: G**

**SECONDARY/GP**

CALCIUM	00916	036	2013/02/12	. 65.000	2016/02
CARBONATE ALKALINITY	00445	036	2013/02/12	< 4.000	2016/02
CHLORIDE	00940	036	2013/02/12	. 22.000	2016/02
<b>COLOR</b>	00081	000			<b>DUE</b>
COPPER	01042	036	2013/02/12	< 50.000	2016/02
FOAMING AGENTS (MBAS)	38260	036	2013/02/12	. .150	2016/02
HARDNESS (TOTAL) AS CaCO3	00900	036	2013/02/12	. 220.000	2016/02
HYDROXIDE ALKALINITY	71830	036	2013/02/12	< 4.000	2016/02
IRON	01045	036	2013/02/12	< 100.000	2016/02
MAGNESIUM	00927	036	2013/02/12	. 13.000	2016/02
MANGANESE	01055	036	2013/02/12	< 20.000	2016/02
ODOR THRESHOLD @ 60 C	00086	036	2013/02/12	< 1.000	2016/02
PH, LABORATORY	00403	036	2013/02/12	. 7.800	2016/02
SILVER	01077	036	2013/02/12	< 10.000	2016/02
SODIUM	00929	036	2013/02/12	21.000	2016/02
SPECIFIC CONDUCTANCE	00095	036	2013/02/12	. 600.000	2016/02
SULFATE	00945	036	2013/02/12	55.000	2016/02
TOTAL DISSOLVED SOLIDS	70300	036	2013/02/12	. 410.000	2016/02
TURBIDITY, LABORATORY	82079	036	2013/02/12	. .170	2016/02
ZINC	01092	036	2013/02/12	< 50.000	2016/02

**PS Code: 1910024-067**

**Source Name: CITY OF UPLAND CONNECTION**

**Source Number: 067**

**Source Status: PURCHASED TREATED**

**Water type: S**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

\*Testing interval is in months;  
 0 = No data for this constituent and is DUE NOW  
 I = Invalid (NOT) valid analyses reported  
 Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910024**

**System Name: GSWC - CLAREMONT**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910024-068**

**Source Name: MARGARITA WELL 2 - PENDING**

**Source Number: 068**

**Source Status: PENDING**

**Water type: G**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

**PS Code: 1910024-800**

**Source Name: SITE 1-358 ROCKFORD DR-STG2 DBP**

**Source Number: 800**

**Source Status: DISTRIBUTION TREATED**

**Water type: S**

**HALOACETIC ACIDS**

DIBROMOACETIC ACID (DBAA)	82721	003	2014/05/12	. 1.900	2014/08
DICHLOROACETIC ACID (DCAA)	77288	003	2014/05/12	< 1.000	2014/08
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/05/12	. 4.000	2014/08
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/05/12	< 1.000	2014/08
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/05/12	. 2.100	2014/08
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/05/12	< 1.000	2014/08

**STATE UCMR**

BROMODICHLORMETHANE (THM)	32101	003	2014/05/12	. 2.600	2014/08
BROMOFORM (THM)	32104	003	2014/05/12	. 4.900	2014/08
CHLOROFORM (THM)	32106	003	2014/05/12	. 1.000	2014/08
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/05/12	. 5.700	2014/08

**TRIHALOMETHANES**

TOTAL TRIHALOMETHANES	82080	003	2014/05/12	. 14.000	2014/08
-----------------------	-------	-----	------------	----------	---------

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910024**

**System Name: GSWC - CLAREMONT**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910024-801**

**Source Name: SITE 2-2273 INDIAN HILL BLVD-STG2 DBP**

**Source Number: 801**

**Source Status: DISTRIBUTION TREATED**

**Water type: S**

**HALOACETIC ACIDS**

DIBROMOACETIC ACID (DBAA)	82721	003	2014/05/12	. 2.900	2014/08
DICHLOROACETIC ACID (DCAA)	77288	003	2014/05/12	. 1.200	2014/08
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/05/12	. 9.600	2014/08
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/05/12	. 1.000	2014/08
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/05/12	. 4.500	2014/08
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/05/12	< 1.000	2014/08

**STATE UCMR**

BROMODICHLORMETHANE (THM)	32101	003	2014/05/12	. 3.800	2014/08
BROMOFORM (THM)	32104	003	2014/05/12	. 6.000	2014/08
CHLOROFORM (THM)	32106	003	2014/05/12	. 1.300	2014/08
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/05/12	. 7.700	2014/08

**TRIHALOMETHANES**

TOTAL TRIHALOMETHANES	82080	003	2014/05/12	. 19.000	2014/08
-----------------------	-------	-----	------------	----------	---------

**PS Code: 1910024-802**

**Source Name: SITE 3-1535 BENEDICT AVE-STG2 DBP**

**Source Number: 802**

**Source Status: DISTRIBUTION TREATED**

**Water type: S**

**HALOACETIC ACIDS**

DIBROMOACETIC ACID (DBAA)	82721	003	2014/05/12	. 2.600	2014/08
DICHLOROACETIC ACID (DCAA)	77288	003	2014/05/12	< 1.000	2014/08
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/05/12	. 2.600	2014/08
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/05/12	< 1.000	2014/08
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/05/12	< 2.000	2014/08
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/05/12	< 1.000	2014/08

**STATE UCMR**

BROMODICHLORMETHANE (THM)	32101	003	2014/05/12	. 3.000	2014/08
---------------------------	-------	-----	------------	---------	---------

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910024**

**System Name: GSWC - CLAREMONT**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910024-802**

**Source Name: SITE 3-1535 BENEDICT AVE-STG2 DBP**

**Source Number: 802**

**Source Status: DISTRIBUTION TREATED**

**Water type: S**

**STATE UCMR**

BROMOFORM (THM)	32104	003	2014/05/12	. 5.200	2014/08
CHLOROFORM (THM)	32106	003	2014/05/12	. 1.100	2014/08
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/05/12	. 6.500	2014/08

**TRIHALOMETHANES**

TOTAL TRIHALOMETHANES	82080	003	2014/05/12	. 16.000	2014/08
-----------------------	-------	-----	------------	----------	---------

**PS Code: 1910024-803**

**Source Name: SITE 4-1665 SHENANDOAH DR-STG2 DBP**

**Source Number: 803**

**Source Status: DISTRIBUTION TREATED**

**Water type: S**

**HALOACETIC ACIDS**

DIBROMOACETIC ACID (DBAA)	82721	003	2014/05/12	. 2.300	2014/08
DICHLOROACETIC ACID (DCAA)	77288	003	2014/05/12	< 1.000	2014/08
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/05/12	. 2.300	2014/08
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/05/12	< 1.000	2014/08
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/05/12	< 2.000	2014/08
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/05/12	< 1.000	2014/08

**STATE UCMR**

BROMODICHLORMETHANE (THM)	32101	003	2014/05/12	. 3.000	2014/08
BROMOFORM (THM)	32104	003	2014/05/12	. 5.200	2014/08
CHLOROFORM (THM)	32106	003	2014/05/12	. 1.100	2014/08
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/05/12	. 6.100	2014/08

**TRIHALOMETHANES**

TOTAL TRIHALOMETHANES	82080	003	2014/05/12	. 15.000	2014/08
-----------------------	-------	-----	------------	----------	---------

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910029**

**System Name: CITY OF INDUSTRY WATERWORKS SYSTEMS**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910029-005**

**Source Name: WELL 03 - STANDBY**

**Source Number: 005**

**Source Status: STANDBY RAW**

**Water type: G**

**INORGANIC**

ALUMINUM	01105	108	2004/08/10	.000	2013/08	DUE
ANTIMONY	01097	108	2004/08/10	.000	2013/08	DUE
ARSENIC	01002	108	2004/08/10	.000	2013/08	DUE
BARIUM	01007	108	2004/08/10	135.000	2013/08	DUE
BERYLLIUM	01012	108	2004/08/10	.000	2013/08	DUE
CADMIUM	01027	108	2004/08/10	.000	2013/08	DUE
CHROMIUM (TOTAL)	01034	108	2004/08/10	.000	2013/08	DUE
CYANIDE	01291	108	2004/08/10	.000	2013/08	DUE
FLUORIDE (F) (NATURAL-SOURCE)	00951	108	2004/08/10	.280	2013/08	DUE
MERCURY	71900	108	2004/08/10	.000	2013/08	DUE
NICKEL	01067	108	2004/08/10	.000	2013/08	DUE
PERCHLORATE	A-031	108	2006/07/13	.000	2015/07	
SELENIUM	01147	108	2004/08/10	.000	2013/08	DUE
THALLIUM	01059	108	2004/08/10	.000	2013/08	DUE

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	001	2006/07/13	.000	2006/08	DUE
NITRITE (AS N)	00620	108	2004/08/10	.000	2013/08	DUE

**RADIOLOGICAL**

GROSS ALPHA	01501	108	2005/04/14	.000	2014/04	DUE
RADIUM 226	09501	108	2005/04/14	.000	2014/04	DUE
RADIUM 228	11501	108	2005/04/14	.000	2014/04	DUE
URANIUM (PCI/L)	28012	108	2005/04/14	.000	2014/04	DUE

**REGULATED SOC**

DI(2-ETHYLHEXYL)PHTHALATE	39100	108	2002/09/26	.000	2011/09	DUE
THIOBENCARB	A-001	108	2002/09/26	.000	2011/09	DUE

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	108	2006/07/13	.000	2015/07	
1,1,2,2-TETRACHLOROETHANE	34516	108	2006/07/13	.000	2015/07	

\*Testing interval is in months;  
 0 = No data for this constituent and is DUE NOW  
 I = Invalid (NOT) valid analyses reported  
 Any analyses not listed as required for testing has been Waive (not required)



**System Number: 1910029**

**System Name: CITY OF INDUSTRY WATERWORKS SYSTEMS**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910029-005**

**Source Name: WELL 03 - STANDBY**

**Source Number: 005**

**Source Status: STANDBY RAW**

**Water type: G**

**REGULATED VOC**

1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	108	2006/07/13	.000	2015/07
1,1,2-TRICHLOROETHANE	34511	108	2006/07/13	.000	2015/07
1,1-DICHLOROETHANE	34496	108	2006/07/13	.000	2015/07
1,1-DICHLOROETHYLENE	34501	108	2006/07/13	.000	2015/07
1,2,4-TRICHLOROBENZENE	34551	108	2006/07/13	.000	2015/07
1,2-DICHLOROBENZENE	34536	108	2006/07/13	.000	2015/07
1,2-DICHLOROETHANE	34531	108	2006/07/13	.500	2015/07
1,2-DICHLOROPROPANE	34541	108	2006/07/13	.000	2015/07
1,3-DICHLOROPROPENE (TOTAL)	34561	108	2006/07/13	.000	2015/07
1,4-DICHLOROBENZENE	34571	108	2006/07/13	.000	2015/07
BENZENE	34030	108	2006/07/13	.000	2015/07
CARBON TETRACHLORIDE	32102	108	2006/07/13	.500	2015/07
CIS-1,2-DICHLOROETHYLENE	77093	108	2006/07/13	.000	2015/07
DICHLOROMETHANE	34423	108	2006/07/13	.000	2015/07
ETHYLBENZENE	34371	108	2006/07/13	.000	2015/07
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	108	2006/07/13	.000	2015/07
MONOCHLOROBENZENE	34301	108	2006/07/13	.000	2015/07
STYRENE	77128	108	2006/07/13	.000	2015/07
TETRACHLOROETHYLENE	34475	108	2006/07/13	1.600	2015/07
TOLUENE	34010	108	2006/07/13	.000	2015/07
TRANS-1,2-DICHLOROETHYLENE	34546	108	2006/07/13	.000	2015/07
TRICHLOROETHYLENE	39180	108	2006/07/13	12.000	2015/07
TRICHLOROFUOROMETHANE	34488	108	2006/07/13	.000	2015/07
VINYL CHLORIDE	39175	108	2006/07/13	.000	2015/07
XYLENES (TOTAL)	81551	108	2006/07/13	.000	2015/07

**SECONDARY/GP**

<b>BICARBONATE ALKALINITY</b>	00440	108	2004/08/10	. 140.000	2013/08	DUE
<b>CALCIUM</b>	00916	108	2004/08/10	. 35.000	2013/08	DUE
<b>CARBONATE ALKALINITY</b>	00445	108	2004/08/10	.000	2013/08	DUE

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910029**

**System Name: CITY OF INDUSTRY WATERWORKS SYSTEMS**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910029-005**

**Source Name: WELL 03 - STANDBY**

**Source Number: 005**

**Source Status: STANDBY RAW**

**Water type: G**

**SECONDARY/GP**

CHLORIDE	00940	108	2004/08/10	. 26.000	2013/08	DUE
COLOR	00081	108	2004/08/10	. 30.000	2013/08	DUE
COPPER	01042	108	2004/08/10	. 76.000	2013/08	DUE
FOAMING AGENTS (MBAS)	38260	108	2004/08/10	. .000	2013/08	DUE
HARDNESS (TOTAL) AS CaCO3	00900	108	2004/08/10	. 149.000	2013/08	DUE
HYDROXIDE ALKALINITY	71830	108	2004/08/10	. .000	2013/08	DUE
IRON	01045	108	2004/08/10	2450.000	2013/08	DUE
MAGNESIUM	00927	108	2004/08/10	. 14.900	2013/08	DUE
MANGANESE	01055	108	2004/08/10	. 157.000	2013/08	DUE
ODOR THRESHOLD @ 60 C	00086	108	2004/08/10	.000	2013/08	DUE
PH, LABORATORY	00403	108	2004/08/10	. 8.210	2013/08	DUE
SILVER	01077	108	2004/08/10	. .000	2013/08	DUE
SODIUM	00929	108	2004/08/10	24.200	2013/08	DUE
SPECIFIC CONDUCTANCE	00095	108	2004/08/10	. 325.000	2013/08	DUE
SULFATE	00945	108	2004/08/10	33.000	2013/08	DUE
TOTAL DISSOLVED SOLIDS	70300	108	2004/08/10	. 232.000	2013/08	DUE
TURBIDITY, LABORATORY	82079	108	2004/08/10	. 20.400	2013/08	DUE
ZINC	01092	108	2004/08/10	. 80.000	2013/08	DUE

**PS Code: 1910029-006**

**Source Name: WELL 4 - STANDBY (12-27-01)**

**Source Number: 006**

**Source Status: STANDBY RAW**

**Water type: G**

**INORGANIC**

ALUMINUM	01105	108	2007/04/04	< 50.000	2016/04	
ANTIMONY	01097	108	2001/08/14	. .000	2010/08	DUE
ARSENIC	01002	108	2001/08/14	. 2.800	2010/08	DUE
BARIUM	01007	108	2001/08/14	170.000	2010/08	DUE

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: **1910029**

System Name: **CITY OF INDUSTRY WATERWORKS SYSTEMS**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: **1910029-006**

Source Name: **WELL 4 - STANDBY (12-27-01)**

Source Number: **006**

Source Status: **STANDBY RAW**

Water type: **G**

**INORGANIC**

<b>BERYLLIUM</b>	01012	108	2001/08/14	.000	2010/08	DUE
<b>CADMIUM</b>	01027	108	2001/08/14	.000	2010/08	DUE
<b>CHROMIUM (TOTAL)</b>	01034	108	2001/11/30	.000	2010/11	DUE
<b>CYANIDE</b>	01291	108	2001/08/14	.000	2010/08	DUE
FLUORIDE (F) (NATURAL-SOURCE)	00951	108	2007/04/04	.380	2016/04	
<b>MERCURY</b>	71900	108	2001/08/14	.000	2010/08	DUE
<b>NICKEL</b>	01067	108	2001/08/14	.000	2010/08	DUE
PERCHLORATE	A-031	108	2006/01/12	6.500	2015/01	
<b>SELENIUM</b>	01147	108	2001/08/14	.000	2010/08	DUE
<b>THALLIUM</b>	01059	108	2001/08/14	.000	2010/08	DUE

**NITRATE/NITRITE**

<b>NITRATE (AS NO3)</b>	71850	001	2007/04/04	33.000	2007/05	DUE
NITRITE (AS N)	00620	108	2007/04/04	< 400.000	2016/04	

**RADIOLOGICAL**

GROSS ALPHA	01501	108	2006/04/18	< 3.000	2015/04	
RADIUM 226	09501	108	2006/04/18	.000	2015/04	
RADIUM 228	11501	108	2006/04/18	2.800	2015/04	
URANIUM (PCI/L)	28012	108	2006/04/18	4.700	2015/04	

**REGULATED SOC**

<b>DI(2-ETHYLHEXYL)PHTHALATE</b>	39100	108	2000/02/08	< 3.000	2009/02	DUE
<b>THIOBENCARB</b>	A-001	108	2002/09/26	.000	2011/09	DUE

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	108	2006/07/13	.000	2015/07	
1,1,2,2-TETRACHLOROETHANE	34516	108	2006/07/13	.000	2015/07	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	108	2006/07/13	.000	2015/07	
1,1,2-TRICHLOROETHANE	34511	108	2006/07/13	.000	2015/07	
<b>1,1-DICHLOROETHANE</b>	34496	001	2006/07/13	.000	2006/08	DUE
1,1-DICHLOROETHYLENE	34501	108	2006/07/13	.600	2015/07	

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910029**

**System Name: CITY OF INDUSTRY WATERWORKS SYSTEMS**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910029-006**

**Source Name: WELL 4 - STANDBY (12-27-01)**

**Source Number: 006**

**Source Status: STANDBY RAW**

**Water type: G**

**REGULATED VOC**

1,2,4-TRICHLORO BENZENE	34551	108	2006/07/13	.000	2015/07
1,2-DICHLORO BENZENE	34536	108	2006/07/13	.000	2015/07
1,2-DICHLOROETHANE	34531	108	2006/07/13	.000	2015/07
1,2-DICHLOROPROPANE	34541	108	2006/07/13	.000	2015/07
1,3-DICHLOROPROPENE (TOTAL)	34561	108	2006/07/13	.000	2015/07
1,4-DICHLORO BENZENE	34571	108	2006/07/13	.000	2015/07
BENZENE	34030	108	2006/07/13	.000	2015/07
CARBON TETRACHLORIDE	32102	108	2006/07/13	.000	2015/07
CIS-1,2-DICHLOROETHYLENE	77093	108	2006/07/13	.000	2015/07
DICHLOROMETHANE	34423	108	2006/07/13	.000	2015/07
ETHYLBENZENE	34371	108	2006/07/13	.000	2015/07
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	108	2006/07/13	.000	2015/07
MONOCHLORO BENZENE	34301	108	2006/07/13	.000	2015/07
STYRENE	77128	108	2006/07/13	.000	2015/07
TETRACHLOROETHYLENE	34475	108	2006/07/13	.500	2015/07
TOLUENE	34010	108	2006/07/13	.000	2015/07
TRANS-1,2-DICHLOROETHYLENE	34546	108	2006/07/13	.000	2015/07
TRICHLOROETHYLENE	39180	108	2006/07/13	1.700	2015/07
TRICHLOROFLUOROMETHANE	34488	108	2006/07/13	.000	2015/07
VINYL CHLORIDE	39175	108	2006/07/13	.000	2015/07
XYLENES (TOTAL)	81551	108	2006/07/13	.000	2015/07

**SECONDARY/GP**

BICARBONATE ALKALINITY	00440	108	2007/04/04	270.000	2016/04
CALCIUM	00916	108	2007/04/04	88.000	2016/04
CARBONATE ALKALINITY	00445	108	2007/04/04	2.200	2016/04
CHLORIDE	00940	108	2007/04/04	30.000	2016/04
COLOR	00081	108	2007/04/04	< 3.000	2016/04
COPPER	01042	108	2007/04/04	< 50.000	2016/04
FOAMING AGENTS (MBAS)	38260	108	2007/04/04	.052	2016/04

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910029**

**System Name: CITY OF INDUSTRY WATERWORKS SYSTEMS**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910029-006**

**Source Name: WELL 4 - STANDBY (12-27-01)**

**Source Number: 006**

**Source Status: STANDBY RAW**

**Water type: G**

**SECONDARY/GP**

HARDNESS (TOTAL) AS CaCO3	00900	108	2007/04/04	310.000	2016/04	
HYDROXIDE ALKALINITY	71830	108	2007/04/04	< 2.000	2016/04	
IRON	01045	108	2007/04/04	< 100.000	2016/04	
MAGNESIUM	00927	108	2007/04/04	21.000	2016/04	
MANGANESE	01055	108	2007/04/04	< 20.000	2016/04	
ODOR THRESHOLD @ 60 C	00086	108	2007/04/04	1.000	2016/04	
PH, LABORATORY	00403	108	2007/04/04	8.100	2016/04	
<b>SILVER</b>	01077	108	2001/08/14	.000	2010/08	<b>DUE</b>
SODIUM	00929	108	2007/04/04	29.000	2016/04	
SPECIFIC CONDUCTANCE	00095	108	2007/04/04	704.000	2016/04	
SULFATE	00945	108	2007/04/04	64.000	2016/04	
TOTAL DISSOLVED SOLIDS	70300	108	2007/04/04	440.000	2016/04	
TURBIDITY, LABORATORY	82079	108	2007/04/04	.400	2016/04	
ZINC	01092	108	2007/04/04	< 50.000	2016/04	

**PS Code: 1910029-007**

**Source Name: WELL 5**

**Source Number: 007**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

ALUMINUM	01105	036	2012/11/14	< 50.000	2015/11	
ANTIMONY	01097	036	2012/11/14	< 6.000	2015/11	
ARSENIC	01002	036	2012/11/14	. 2.300	2015/11	
BARIUM	01007	036	2012/11/14	140.000	2015/11	
BERYLLIUM	01012	036	2012/11/14	< 1.000	2015/11	
CADMIUM	01027	036	2012/11/14	< 1.000	2015/11	
CHROMIUM (TOTAL)	01034	036	2012/11/14	< 10.000	2015/11	
CYANIDE	01291	036	2012/11/14	< 100.000	2015/11	

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910029**

**System Name: CITY OF INDUSTRY WATERWORKS SYSTEMS**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910029-007**

**Source Name: WELL 5**

**Source Number: 007**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2012/11/14	.420	2015/11
MERCURY	71900	036	2012/11/14	< 1.000	2015/11
NICKEL	01067	036	2012/11/14	< 10.000	2015/11
PERCHLORATE	A-031	012	2014/07/02	.4500	2015/07
SELENIUM	01147	036	2012/11/14	< 5.000	2015/11
THALLIUM	01059	036	2012/11/14	< 1.000	2015/11

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	001	2014/07/02	.28000	2014/08
NITRITE (AS N)	00620	036	2012/11/14	< 400.000	2015/11

**RADIOLOGICAL**

<b>GROSS ALPHA</b>	01501	003	2006/04/18	.000	2006/07	<b>DUE</b>
<b>RADIUM 226</b>	09501	072	2006/04/18	.000	2012/04	<b>DUE</b>
RADIUM 228	11501	072	2012/04/16	.000	2018/04	
<b>URANIUM (PCI/L)</b>	28012	003	2006/04/18	.000	2006/07	<b>DUE</b>

**REGULATED SOC**

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2014/07/14	< 3.000	2017/04
THIOBENCARB	A-001	033	2012/11/14	< 1.000	2015/08

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	012	2014/07/02	< .500	2015/07
1,1,2,2-TETRACHLOROETHANE	34516	012	2014/07/02	< .500	2015/07
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/07/02	< 10.000	2015/07
1,1,2-TRICHLOROETHANE	34511	012	2014/07/02	< .500	2015/07
1,1-DICHLOROETHANE	34496	001	2014/07/02	< .500	2014/08
1,1-DICHLOROETHYLENE	34501	012	2014/07/02	.1600	2015/07
1,2,4-TRICHLOROBENZENE	34551	012	2014/07/02	< .500	2015/07
1,2-DICHLOROBENZENE	34536	012	2014/07/02	< .500	2015/07
1,2-DICHLOROETHANE	34531	012	2014/07/02	< .500	2015/07
1,2-DICHLOROPROPANE	34541	012	2014/07/02	< .500	2015/07

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910029**

**System Name: CITY OF INDUSTRY WATERWORKS SYSTEMS**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

**PS Code: 1910029-007**

**Source Name: WELL 5**

**Source Number: 007**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED VOC**

1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/07/02	< .500	2015/07
1,4-DICHLOROBENZENE	34571	012	2014/07/02	< .500	2015/07
BENZENE	34030	012	2014/07/02	< .500	2015/07
CARBON TETRACHLORIDE	32102	012	2014/07/02	< .500	2015/07
CIS-1,2-DICHLOROETHYLENE	77093	012	2014/07/02	< .500	2015/07
DICHLOROMETHANE	34423	012	2014/07/02	< .500	2015/07
ETHYLBENZENE	34371	012	2014/07/02	< .500	2015/07
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/07/02	< 3.000	2015/07
MONOCHLOROBENZENE	34301	012	2014/07/02	< .500	2015/07
STYRENE	77128	012	2014/07/02	< .500	2015/07
TETRACHLOROETHYLENE	34475	012	2014/07/02	. 9.100	2015/07
TOLUENE	34010	012	2014/07/02	< .500	2015/07
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/07/02	< .500	2015/07
TRICHLOROETHYLENE	39180	001	2014/07/02	. 3.500	2014/08
TRICHLOROFUOROMETHANE	34488	012	2014/07/02	< 5.000	2015/07
VINYL CHLORIDE	39175	012	2014/07/02	< .500	2015/07
XYLENES (TOTAL)	81551	012	2014/07/02	< .000	2015/07

**SECONDARY/GP**

<b>BICARBONATE ALKALINITY</b>	00440	036	2010/04/19	240.000	2013/04	DUE
<b>CALCIUM</b>	00916	036	2010/04/19	70.000	2013/04	DUE
<b>CARBONATE ALKALINITY</b>	00445	036	2010/04/19	< .000	2013/04	DUE
<b>CHLORIDE</b>	00940	036	2010/04/19	32.000	2013/04	DUE
<b>COLOR</b>	00081	036	2010/04/19	< .000	2013/04	DUE
<b>COPPER</b>	01042	036	2010/04/19	< .000	2013/04	DUE
<b>FOAMING AGENTS (MBAS)</b>	38260	036	2010/04/19	< .000	2013/04	DUE
<b>HARDNESS (TOTAL) AS CaCO3</b>	00900	036	2010/04/19	250.000	2013/04	DUE
<b>HYDROXIDE ALKALINITY</b>	71830	036	2010/04/19	< .000	2013/04	DUE
<b>IRON</b>	01045	036	2014/07/23	< 100.000	2017/07	
<b>MAGNESIUM</b>	00927	036	2010/04/19	18.000	2013/04	DUE

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910029**

**System Name: CITY OF INDUSTRY WATERWORKS SYSTEMS**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910029-007**

**Source Name: WELL 5**

**Source Number: 007**

**Source Status: ACTIVE RAW**

**Water type: G**

**SECONDARY/GP**

<b>MANGANESE</b>	01055	036	2010/04/19	< .000	2013/04	DUE
<b>ODOR THRESHOLD @ 60 C</b>	00086	036	2010/04/19	1.000	2013/04	DUE
<b>PH, LABORATORY</b>	00403	036	2010/04/19	7.700	2013/04	DUE
SILVER	01077	036	2012/11/14	< 10.000	2015/11	
<b>SODIUM</b>	00929	036	2010/04/19	30.000	2013/04	DUE
<b>SPECIFIC CONDUCTANCE</b>	00095	036	2010/04/19	580.000	2013/04	DUE
<b>SULFATE</b>	00945	036	2010/04/19	52.000	2013/04	DUE
TOTAL DISSOLVED SOLIDS	70300	036	2013/07/25	. 450.000	2016/07	
<b>TURBIDITY, LABORATORY</b>	82079	036	2010/04/19	< .000	2013/04	DUE
<b>ZINC</b>	01092	036	2010/04/19	< .000	2013/04	DUE

**PS Code: 1910029-008**

**Source Name: WELL(S) VIA LA PUENTE VALLEY CWD**

**Source Number: 008**

**Source Status: PURCHASED TREATED**

**Water type: G**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\* 999

**PS Code: 1910029-009**

**Source Name: SGVWC SUPPLY-TREATED H2O FROM SGVWC**

**Source Number: 009**

**Source Status: PURCHASED TREATED**

**Water type: G**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\* 999

\*Testing interval is in months;  
 0 = No data for this constituent and is DUE NOW  
 I = Invalid (NOT) valid analyses reported  
 Any analyses not listed as required for testing has been Waive (not required)



**System Number: 1910029**

**System Name: CITY OF INDUSTRY WATERWORKS SYSTEMS**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

**PS Code: 1910029-010**

**Source Name: LOMITAS RESERVOIR-TREATED H2O FROM SGVWC**

**Source Number: 010**

**Source Status: PURCHASED TREATED**

**Water type: G**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\* 999

**PS Code: 1910029-013**

**Source Name: WELL 03 - STANDBY - CHLORINATION**

**Source Number: 013**

**Source Status: STANDBY TREATED**

**Water type: G**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\* 999

**PS Code: 1910029-016**

**Source Name: 2ND SGVWC SUPPLY -TREATED H2O FROM SGVWC**

**Source Number: 016**

**Source Status: PURCHASED TREATED**

**Water type: G**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\* 999

**PS Code: 1910029-800**

**Source Name: SITE 1-16242 TEMPLE AVE INDUSTRY-STG2DBP**

**Source Number: 800**

**Source Status: DISTRIBUTION TREATED**

**Water type: G**

**HALOACETIC ACIDS**

DIBROMOACETIC ACID (DBAA)	82721	012	2014/07/25	< 1.000	2015/07
DICHLOROACETIC ACID (DCAA)	77288	012	2014/07/25	< 1.000	2015/07
HALOACETIC ACIDS (5) (HAA5)	A-049	012	2014/07/25	< .000	2015/07
MONOBROMOACETIC ACID (MBAA)	A-041	012	2014/07/25	< 1.000	2015/07
MONOCHLOROACETIC ACID (MCAA)	A-042	012	2014/07/25	< 2.000	2015/07

\*Testing interval is in months;  
 0 = No data for this constituent and is DUE NOW  
 I = Invalid (NOT) valid analyses reported  
 Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910029**

**System Name: CITY OF INDUSTRY WATERWORKS SYSTEMS**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910029-800**

**Source Name: SITE 1-16242 TEMPLE AVE INDUSTRY-STG2DBP**

**Source Number: 800**

**Source Status: DISTRIBUTION TREATED**

**Water type: G**

**HALOACETIC ACIDS**

TRICHLOROACETIC ACID (TCAA)	82723	012	2014/07/25	< 1.000	2015/07
-----------------------------	-------	-----	------------	---------	---------

**STATE UCMR**

BROMODICHLORMETHANE (THM)	32101	012	2014/07/25	< 1.000	2015/07
BROMOFORM (THM)	32104	012	2014/07/25	< 1.000	2015/07
CHLOROFORM (THM)	32106	012	2014/07/25	< 1.000	2015/07
DIBROMOCHLOROMETHANE (THM)	32105	012	2014/07/25	< 1.000	2015/07

**TRIHALOMETHANES**

TOTAL TRIHALOMETHANES	82080	012	2014/07/25	. 1.600	2015/07
-----------------------	-------	-----	------------	---------	---------

**PS Code: 1910029-801**

**Source Name: SITE2-320 S. 4TH AVENUE LA PUEN-STG2 DBP**

**Source Number: 801**

**Source Status: DISTRIBUTION TREATED**

**Water type: G**

**HALOACETIC ACIDS**

DIBROMOACETIC ACID (DBAA)	82721	012	2014/07/25	< 1.000	2015/07
DICHLOROACETIC ACID (DCAA)	77288	012	2014/07/25	< 1.000	2015/07
HALOACETIC ACIDS (5) (HAA5)	A-049	012	2014/07/25	< .000	2015/07
MONOBROMOACETIC ACID (MBAA)	A-041	012	2014/07/25	< 1.000	2015/07
MONOCHLOROACETIC ACID (MCAA)	A-042	012	2014/07/25	< 2.000	2015/07
TRICHLOROACETIC ACID (TCAA)	82723	012	2014/07/25	< 1.000	2015/07

**STATE UCMR**

BROMODICHLORMETHANE (THM)	32101	012	2014/07/25	< 1.000	2015/07
BROMOFORM (THM)	32104	012	2014/07/25	< 1.000	2015/07
CHLOROFORM (THM)	32106	012	2014/07/25	< 1.000	2015/07
DIBROMOCHLOROMETHANE (THM)	32105	012	2014/07/25	< 1.000	2015/07

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910029**

**System Name: CITY OF INDUSTRY WATERWORKS SYSTEMS**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

**PS Code: 1910029-801**

**Source Name: SITE2-320 S. 4TH AVENUE LA PUEN-STG2 DBP**

**Source Number: 801**

**Source Status: DISTRIBUTION TREATED**

**Water type: G**

TRihalOMETHANES

TOTAL TRIHALOMETHANES	82080	012	2014/07/25	.530	2015/07
-----------------------	-------	-----	------------	------	---------

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910032**

**System Name: FOOTHILL MUNICIPAL WATER DIST.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910032-001**

**Source Name: PURCHASED TREATED WATER - MWD (WEYMOUTH)**

**Source Number: 001**

**Source Status: PURCHASED TREATED**

**Water type: S**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

**PS Code: 1910032-800**

**Source Name: SITE 1-1630 ROSEMONT AVE-STG2 DBP**

**Source Number: 800**

**Source Status: DISTRIBUTION TREATED**

**Water type: S**

**HALOACETIC ACIDS**

DIBROMOACETIC ACID (DBAA)	82721	003	2014/07/08	. 2.100	2014/10
DICHLOROACETIC ACID (DCAA)	77288	003	2014/07/08	. 4.900	2014/10
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/07/08	. 12.000	2014/10
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/07/08	< 1.000	2014/10
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/07/08	< 2.000	2014/10
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/07/08	. 5.500	2014/10

**STATE UCMR**

BROMODICHLORMETHANE (THM)	32101	003	2014/07/08	. 9.500	2014/10
BROMOFORM (THM)	32104	003	2014/07/08	. 3.000	2014/10
CHLOROFORM (THM)	32106	003	2014/07/08	. 13.000	2014/10
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/07/08	. 10.000	2014/10

**TRIHALOMETHANES**

TOTAL TRIHALOMETHANES	82080	003	2014/07/08	. 36.000	2014/10
-----------------------	-------	-----	------------	----------	---------

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910032**

**System Name: FOOTHILL MUNICIPAL WATER DIST.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910032-801**

**Source Name: SITE 2-4536 HAMPTON RD-STG2 DBP**

**Source Number: 801**

**Source Status: DISTRIBUTION TREATED**

**Water type: S**

**HALOACETIC ACIDS**

DIBROMOACETIC ACID (DBAA)	82721	003	2014/07/08	. 2.800	2014/10
DICHLOROACETIC ACID (DCAA)	77288	003	2014/07/08	. 7.400	2014/10
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/07/08	. 16.000	2014/10
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/07/08	< 1.000	2014/10
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/07/08	< 2.000	2014/10
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/07/08	. 6.300	2014/10

**STATE UCMR**

BROMODICHLORMETHANE (THM)	32101	003	2014/07/08	. 11.000	2014/10
BROMOFORM (THM)	32104	003	2014/07/08	. 3.000	2014/10
CHLOROFORM (THM)	32106	003	2014/07/08	. 17.000	2014/10
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/07/08	. 11.000	2014/10

**TRIHALOMETHANES**

TOTAL TRIHALOMETHANES	82080	003	2014/07/08	. 42.000	2014/10
-----------------------	-------	-----	------------	----------	---------

**PS Code: 1910032-802**

**Source Name: SITE 3-4632 BRIGGS AVE-STG2 DBP**

**Source Number: 802**

**Source Status: DISTRIBUTION TREATED**

**Water type: S**

**HALOACETIC ACIDS**

DIBROMOACETIC ACID (DBAA)	82721	003	2014/07/08	. 2.900	2014/10
DICHLOROACETIC ACID (DCAA)	77288	003	2014/07/08	. 8.200	2014/10
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/07/08	. 18.000	2014/10
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/07/08	< 1.000	2014/10
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/07/08	< 2.000	2014/10
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/07/08	. 6.700	2014/10

**STATE UCMR**

BROMODICHLORMETHANE (THM)	32101	003	2014/07/08	. 12.000	2014/10
---------------------------	-------	-----	------------	----------	---------

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910032**

**System Name: FOOTHILL MUNICIPAL WATER DIST.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910032-802**

**Source Name: SITE 3-4632 BRIGGS AVE-STG2 DBP**

**Source Number: 802**

**Source Status: DISTRIBUTION TREATED**

**Water type: S**

**STATE UCMR**

BROMOFORM (THM)	32104	003	2014/07/08	. 3.000	2014/10
CHLOROFORM (THM)	32106	003	2014/07/08	. 19.000	2014/10
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/07/08	. 12.000	2014/10

**TRIHALOMETHANES**

TOTAL TRIHALOMETHANES	82080	003	2014/07/08	. 46.000	2014/10
-----------------------	-------	-----	------------	----------	---------

**PS Code: 1910032-803**

**Source Name: SITE 4-253 W HARRIET ST-STG2 DBP**

**Source Number: 803**

**Source Status: DISTRIBUTION TREATED**

**Water type: S**

**HALOACETIC ACIDS**

DIBROMOACETIC ACID (DBAA)	82721	003	2014/07/08	. 2.900	2014/10
DICHLOROACETIC ACID (DCAA)	77288	003	2014/07/08	. 7.700	2014/10
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/07/08	. 17.000	2014/10
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/07/08	< 1.000	2014/10
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/07/08	< 2.000	2014/10
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/07/08	. 6.100	2014/10

**STATE UCMR**

BROMODICHLORMETHANE (THM)	32101	003	2014/07/08	. 9.800	2014/10
BROMOFORM (THM)	32104	003	2014/07/08	. 2.900	2014/10
CHLOROFORM (THM)	32106	003	2014/07/08	. 15.000	2014/10
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/07/08	. 9.900	2014/10

**TRIHALOMETHANES**

TOTAL TRIHALOMETHANES	82080	003	2014/07/08	. 38.000	2014/10
-----------------------	-------	-----	------------	----------	---------

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910035**

**System Name: KINNELOA IRRIGATION DIST.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910035-002**

**Source Name: DOLORES TUNNEL**

**Source Number: 002**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

ALUMINUM	01105	036	2013/04/11	< 50.000	2016/04
ANTIMONY	01097	036	2013/04/11	< 6.000	2016/04
ARSENIC	01002	036	2013/04/11	. 7.200	2016/04
BARIUM	01007	036	2013/04/11	< 100.000	2016/04
BERYLLIUM	01012	036	2013/04/11	< 1.000	2016/04
CADMIUM	01027	036	2013/04/11	< 1.000	2016/04
CHROMIUM (TOTAL)	01034	036	2013/04/11	< 10.000	2016/04
CYANIDE	01291	036	2013/04/11	< 100.000	2016/04
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/04/07	. 2.300	2017/04
MERCURY	71900	036	2013/04/11	< 1.000	2016/04
NICKEL	01067	036	2013/04/11	< 10.000	2016/04
PERCHLORATE	A-031	036	2011/07/19	< .000	2014/07
SELENIUM	01147	036	2013/04/11	< 5.000	2016/04
THALLIUM	01059	036	2013/04/11	< 1.000	2016/04

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	012	2014/04/07	. 7.300	2015/04
NITRITE (AS N)	00620	036	2013/04/11	< 400.000	2016/04

**RADIOLOGICAL**

GROSS ALPHA	01501	072	2009/03/09	.000	2015/03
<b>URANIUM (PCI/L)</b>	<b>28012</b>	<b>003</b>	<b>2012/10/16</b>	<b>. 2.500</b>	<b>2013/01 DUE</b>

**REGULATED SOC**

DI(2-ETHYLHEXYL)PHTHALATE	39100	036	2013/01/17	< 3.000	2016/01
THIOBENCARB	A-001	036	2013/01/17	< 1.000	2016/01

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	012	2014/04/07	< .500	2015/04
1,1,2,2-TETRACHLOROETHANE	34516	012	2014/04/07	< .500	2015/04
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/04/07	< 10.000	2015/04
1,1,2-TRICHLOROETHANE	34511	012	2014/04/07	< .500	2015/04

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910035**

**System Name: KINNELOA IRRIGATION DIST.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910035-002**

**Source Name: DOLORES TUNNEL**

**Source Number: 002**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED VOC**

1,1-DICHLOROETHANE	34496	012	2014/04/07	< .500	2015/04
1,1-DICHLOROETHYLENE	34501	012	2014/04/07	< .500	2015/04
1,2,4-TRICHLOROBENZENE	34551	012	2014/04/07	< .500	2015/04
1,2-DICHLOROBENZENE	34536	012	2014/04/07	< .500	2015/04
1,2-DICHLOROETHANE	34531	012	2014/04/07	< .500	2015/04
1,2-DICHLOROPROPANE	34541	012	2014/04/07	< .500	2015/04
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/04/07	< .500	2015/04
1,4-DICHLOROBENZENE	34571	012	2014/04/07	< .500	2015/04
BENZENE	34030	012	2014/04/07	< .500	2015/04
CARBON TETRACHLORIDE	32102	012	2014/04/07	< .500	2015/04
CIS-1,2-DICHLOROETHYLENE	77093	012	2014/04/07	< .500	2015/04
DICHLOROMETHANE	34423	012	2014/04/07	< .500	2015/04
ETHYLBENZENE	34371	012	2014/04/07	< .500	2015/04
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/04/07	< 3.000	2015/04
MONOCHLOROBENZENE	34301	012	2014/04/07	< .500	2015/04
STYRENE	77128	012	2014/04/07	< .500	2015/04
TETRACHLOROETHYLENE	34475	012	2014/04/07	< .500	2015/04
TOLUENE	34010	012	2014/04/07	< .500	2015/04
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/04/07	< .500	2015/04
TRICHLOROETHYLENE	39180	012	2014/04/07	< .500	2015/04
TRICHLOROFUOROMETHANE	34488	012	2014/04/07	< 5.000	2015/04
VINYL CHLORIDE	39175	012	2014/04/07	< .500	2015/04
XYLENES (TOTAL)	81551	012	2014/04/07	< .000	2015/04

**SECONDARY/GP**

BICARBONATE ALKALINITY	00440	036	2013/04/11	. 190.000	2016/04
CALCIUM	00916	036	2013/04/11	. 39.000	2016/04
CARBONATE ALKALINITY	00445	036	2013/04/11	< .000	2016/04
CHLORIDE	00940	036	2013/04/11	. 7.000	2016/04
COLOR	00081	036	2013/04/11	< .000	2016/04

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)



**System Number: 1910035**

**System Name: KINNELOA IRRIGATION DIST.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910035-002**

**Source Name: DOLORES TUNNEL**

**Source Number: 002**

**Source Status: ACTIVE RAW**

**Water type: G**

**SECONDARY/GP**

COPPER	01042	036	2013/04/11	< 50.000	2016/04
FOAMING AGENTS (MBAS)	38260	036	2013/04/11	< .000	2016/04
HARDNESS (TOTAL) AS CaCO3	00900	036	2013/04/11	. 157.000	2016/04
HYDROXIDE ALKALINITY	71830	036	2013/04/11	< .000	2016/04
IRON	01045	036	2013/04/11	< 100.000	2016/04
MAGNESIUM	00927	036	2013/04/11	. 14.400	2016/04
MANGANESE	01055	036	2013/04/11	< 20.000	2016/04
ODOR THRESHOLD @ 60 C	00086	036	2013/04/11	1.000	2016/04
PH, LABORATORY	00403	036	2013/04/11	. 8.050	2016/04
SILVER	01077	036	2013/04/11	< 10.000	2016/04
SODIUM	00929	036	2013/04/11	13.000	2016/04
SPECIFIC CONDUCTANCE	00095	036	2013/04/11	. 350.000	2016/04
SULFATE	00945	036	2013/04/11	16.000	2016/04
TOTAL DISSOLVED SOLIDS	70300	036	2013/04/11	. 210.000	2016/04
TURBIDITY, LABORATORY	82079	036	2013/04/11	< .000	2016/04
ZINC	01092	036	2013/04/11	< 50.000	2016/04

**PS Code: 1910035-003**

**Source Name: EUCALYPTUS TUNNEL**

**Source Number: 003**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

ALUMINUM	01105	036	2013/04/11	< 50.000	2016/04
ANTIMONY	01097	036	2013/04/11	< 6.000	2016/04
ARSENIC	01002	036	2013/04/11	< 2.000	2016/04
BARIUM	01007	036	2013/04/11	< 100.000	2016/04
BERYLLIUM	01012	036	2013/04/11	< 1.000	2016/04
CADMIUM	01027	036	2013/04/11	< 1.000	2016/04

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910035**

**System Name: KINNELOA IRRIGATION DIST.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910035-003**

**Source Name: EUCALYPTUS TUNNEL**

**Source Number: 003**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

CHROMIUM (TOTAL)	01034	036	2013/04/11	< 10.000	2016/04
CYANIDE	01291	036	2013/04/11	< 100.000	2016/04
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/04/07	. 1.900	2017/04
MERCURY	71900	036	2013/04/11	< 1.000	2016/04
NICKEL	01067	036	2013/04/11	< 10.000	2016/04
PERCHLORATE	A-031	036	2011/07/19	< .000	2014/07
SELENIUM	01147	036	2013/04/11	< 5.000	2016/04
THALLIUM	01059	036	2013/04/11	< 1.000	2016/04

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	003	2014/04/07	. 20.000	2014/07
NITRITE (AS N)	00620	036	2013/10/07	< .000	2016/10

**RADIOLOGICAL**

GROSS ALPHA	01501	072	2012/10/16	. 6.260	2018/10
<b>RADIUM 228</b>	11501	012	<b>2006/11/20</b>	< 1.000	<b>2007/11 DUE</b>

**REGULATED SOC**

DI(2-ETHYLHEXYL)PHTHALATE	39100	036	2013/01/17	< 3.000	2016/01
THIOBENCARB	A-001	036	2013/01/17	< 1.000	2016/01

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	012	2014/04/07	< .500	2015/04
1,1,2,2-TETRACHLOROETHANE	34516	012	2014/04/07	< .500	2015/04
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/04/07	< 10.000	2015/04
1,1,2-TRICHLOROETHANE	34511	012	2014/04/07	< .500	2015/04
1,1-DICHLOROETHANE	34496	012	2014/04/07	< .500	2015/04
1,1-DICHLOROETHYLENE	34501	012	2014/04/07	< .500	2015/04
1,2,4-TRICHLOROBENZENE	34551	012	2014/04/07	< .500	2015/04
1,2-DICHLOROBENZENE	34536	012	2014/04/07	< .500	2015/04
1,2-DICHLOROETHANE	34531	012	2014/04/07	< .500	2015/04
1,2-DICHLOROPROPANE	34541	012	2014/04/07	< .500	2015/04

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910035**

**System Name: KINNELOA IRRIGATION DIST.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

**PS Code: 1910035-003**

**Source Name: EUCALYPTUS TUNNEL**

**Source Number: 003**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED VOC**

1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/04/07	< .500	2015/04
1,4-DICHLOROBENZENE	34571	012	2014/04/07	< .500	2015/04
BENZENE	34030	012	2014/04/07	< .500	2015/04
CARBON TETRACHLORIDE	32102	012	2014/04/07	< .500	2015/04
CIS-1,2-DICHLOROETHYLENE	77093	012	2014/04/07	< .500	2015/04
DICHLOROMETHANE	34423	012	2014/04/07	< .500	2015/04
ETHYLBENZENE	34371	012	2014/04/07	< .500	2015/04
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/04/07	< 3.000	2015/04
MONOCHLOROBENZENE	34301	012	2014/04/07	< .500	2015/04
STYRENE	77128	012	2014/04/07	< .500	2015/04
TETRACHLOROETHYLENE	34475	012	2014/04/07	< .500	2015/04
TOLUENE	34010	012	2014/04/07	< .500	2015/04
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/04/07	< .500	2015/04
TRICHLOROETHYLENE	39180	012	2014/04/07	< .500	2015/04
TRICHLOROFUOROMETHANE	34488	012	2014/04/07	< 5.000	2015/04
VINYL CHLORIDE	39175	012	2014/04/07	< .500	2015/04
XYLENES (TOTAL)	81551	012	2014/04/07	< .000	2015/04

**SECONDARY/GP**

BICARBONATE ALKALINITY	00440	036	2013/10/07	. 300.000	2016/10
CALCIUM	00916	036	2013/10/07	. 65.000	2016/10
CARBONATE ALKALINITY	00445	036	2013/10/07	< .000	2016/10
CHLORIDE	00940	036	2013/10/07	. 28.000	2016/10
COLOR	00081	036	2013/04/11	< .000	2016/04
COPPER	01042	036	2013/10/07	< .000	2016/10
FOAMING AGENTS (MBAS)	38260	036	2013/10/07	< .000	2016/10
HARDNESS (TOTAL) AS CaCO3	00900	036	2013/10/07	. 260.000	2016/10
HYDROXIDE ALKALINITY	71830	036	2013/10/07	< .000	2016/10
IRON	01045	036	2013/10/07	< .000	2016/10
MAGNESIUM	00927	036	2013/10/07	. 25.000	2016/10

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910035**

**System Name: KINNELOA IRRIGATION DIST.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910035-003**

**Source Name: EUCALYPTUS TUNNEL**

**Source Number: 003**

**Source Status: ACTIVE RAW**

**Water type: G**

**SECONDARY/GP**

MANGANESE	01055	036	2013/10/07	< .000	2016/10
ODOR THRESHOLD @ 60 C	00086	036	2013/04/11	1.000	2016/04
PH, LABORATORY	00403	036	2013/10/07	. 7.100	2016/10
SILVER	01077	036	2013/04/11	< 10.000	2016/04
SODIUM	00929	036	2013/10/07	19.000	2016/10
SPECIFIC CONDUCTANCE	00095	036	2013/10/07	. 600.000	2016/10
SULFATE	00945	036	2013/10/07	45.000	2016/10
TOTAL DISSOLVED SOLIDS	70300	036	2013/10/07	. 420.000	2016/10
TURBIDITY, LABORATORY	82079	036	2013/04/11	< .000	2016/04
ZINC	01092	036	2013/10/07	< .000	2016/10

**PS Code: 1910035-005**

**Source Name: FAR MESA TUNNEL**

**Source Number: 005**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

ALUMINUM	01105	036	2013/04/11	< 50.000	2016/04
ANTIMONY	01097	036	2013/04/11	< 6.000	2016/04
ARSENIC	01002	036	2013/04/11	< 2.000	2016/04
BARIUM	01007	036	2013/04/11	< 100.000	2016/04
BERYLLIUM	01012	036	2013/04/11	< 1.000	2016/04
CADMIUM	01027	036	2013/04/11	< 1.000	2016/04
CHROMIUM (TOTAL)	01034	036	2013/04/11	< 10.000	2016/04
CYANIDE	01291	036	2013/04/11	< 100.000	2016/04
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/04/07	. 2.600	2017/04
MERCURY	71900	036	2013/04/11	< 1.000	2016/04
NICKEL	01067	036	2013/04/11	< 10.000	2016/04
PERCHLORATE	A-031	036	2011/07/19	< .000	2014/07

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910035**

**System Name: KINNELOA IRRIGATION DIST.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910035-005**

**Source Name: FAR MESA TUNNEL**

**Source Number: 005**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

SELENIUM	01147	036	2013/04/11	< 5.000	2016/04
THALLIUM	01059	036	2013/04/11	< 1.000	2016/04

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	012	2014/04/07	. 3.900	2015/04
NITRITE (AS N)	00620	036	2013/04/11	< 400.000	2016/04

**RADIOLOGICAL**

GROSS ALPHA	01501	108	2012/10/16	< 3.000	2021/10
<b>URANIUM (PCI/L)</b>	28012	003	<b>2009/11/18</b>	1.900	<b>2010/02 DUE</b>

**REGULATED SOC**

DI(2-ETHYLHEXYL)PHTHALATE	39100	036	2013/01/17	< 3.000	2016/01
THIOBENCARB	A-001	036	2013/01/17	< 1.000	2016/01

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	012	2014/04/07	< .500	2015/04
1,1,2,2-TETRACHLOROETHANE	34516	012	2014/04/07	< .500	2015/04
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/04/07	< 10.000	2015/04
1,1,2-TRICHLOROETHANE	34511	012	2014/04/07	< .500	2015/04
1,1-DICHLOROETHANE	34496	012	2014/04/07	< .500	2015/04
1,1-DICHLOROETHYLENE	34501	012	2014/04/07	< .500	2015/04
1,2,4-TRICHLOROBENZENE	34551	012	2014/04/07	< .500	2015/04
1,2-DICHLOROBENZENE	34536	012	2014/04/07	< .500	2015/04
1,2-DICHLOROETHANE	34531	012	2014/04/07	< .500	2015/04
1,2-DICHLOROPROPANE	34541	012	2014/04/07	< .500	2015/04
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/04/07	< .500	2015/04
1,4-DICHLOROBENZENE	34571	012	2014/04/07	< .500	2015/04
BENZENE	34030	012	2014/04/07	< .500	2015/04
CARBON TETRACHLORIDE	32102	012	2014/04/07	< .500	2015/04
CIS-1,2-DICHLOROETHYLENE	77093	012	2014/04/07	< .500	2015/04
DICHLOROMETHANE	34423	012	2014/04/07	< .500	2015/04

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910035**

**System Name: KINNELOA IRRIGATION DIST.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910035-005**

**Source Name: FAR MESA TUNNEL**

**Source Number: 005**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED VOC**

ETHYLBENZENE	34371	012	2014/04/07	< .500	2015/04
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/04/07	< 3.000	2015/04
MONOCHLORO BENZENE	34301	012	2014/04/07	< .500	2015/04
STYRENE	77128	012	2014/04/07	< .500	2015/04
TETRACHLOROETHYLENE	34475	012	2014/04/07	< .500	2015/04
TOLUENE	34010	012	2014/04/07	< .500	2015/04
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/04/07	< .500	2015/04
TRICHLOROETHYLENE	39180	012	2014/04/07	< .500	2015/04
TRICHLOROFUOROMETHANE	34488	012	2014/04/07	< 5.000	2015/04
VINYL CHLORIDE	39175	012	2014/04/07	< .500	2015/04
XYLENES (TOTAL)	81551	012	2014/04/07	< .000	2015/04

**SECONDARY/GP**

BICARBONATE ALKALINITY	00440	036	2013/04/11	. 190.000	2016/04
CALCIUM	00916	036	2013/04/11	. 45.400	2016/04
CARBONATE ALKALINITY	00445	036	2013/04/11	< .000	2016/04
CHLORIDE	00940	036	2013/04/11	. 10.000	2016/04
COLOR	00081	036	2013/04/11	< .000	2016/04
COPPER	01042	036	2013/04/11	< 50.000	2016/04
FOAMING AGENTS (MBAS)	38260	036	2013/04/11	< .000	2016/04
HARDNESS (TOTAL) AS CaCO3	00900	036	2013/04/11	. 167.000	2016/04
HYDROXIDE ALKALINITY	71830	036	2013/04/11	< .000	2016/04
IRON	01045	036	2013/04/11	< 100.000	2016/04
MAGNESIUM	00927	036	2013/04/11	. 13.000	2016/04
MANGANESE	01055	036	2013/04/11	< 20.000	2016/04
ODOR THRESHOLD @ 60 C	00086	036	2013/04/11	1.000	2016/04
PH, LABORATORY	00403	036	2013/04/11	. 7.960	2016/04
SILVER	01077	036	2013/04/11	< 10.000	2016/04
SODIUM	00929	036	2013/04/11	15.000	2016/04
SPECIFIC CONDUCTANCE	00095	036	2013/04/11	. 380.000	2016/04

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910035**

**System Name: KINNELOA IRRIGATION DIST.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910035-005**

**Source Name: FAR MESA TUNNEL**

**Source Number: 005**

**Source Status: ACTIVE RAW**

**Water type: G**

**SECONDARY/GP**

SULFATE	00945	036	2013/04/11	24.000	2016/04
TOTAL DISSOLVED SOLIDS	70300	036	2013/04/11	230.000	2016/04
TURBIDITY, LABORATORY	82079	036	2013/04/11	< .000	2016/04
ZINC	01092	036	2013/04/11	< 50.000	2016/04

**PS Code: 1910035-007**

**Source Name: HIGH/LOW PRESSURE TUNNELS**

**Source Number: 007**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

ALUMINUM	01105	036	2013/04/11	< 50.000	2016/04
ANTIMONY	01097	036	2013/04/11	< 6.000	2016/04
ARSENIC	01002	036	2013/04/11	. 2.600	2016/04
BARIUM	01007	036	2013/04/11	< 100.000	2016/04
BERYLLIUM	01012	036	2013/04/11	< 1.000	2016/04
CADMIUM	01027	036	2013/04/11	< 1.000	2016/04
CHROMIUM (TOTAL)	01034	036	2013/04/11	< 10.000	2016/04
CYANIDE	01291	036	2013/04/11	< 100.000	2016/04
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/04/07	. 2.200	2017/04
MERCURY	71900	036	2013/04/11	< 1.000	2016/04
NICKEL	01067	036	2013/04/11	< 10.000	2016/04
PERCHLORATE	A-031	036	2011/07/19	< .000	2014/07
SELENIUM	01147	036	2013/04/11	< 5.000	2016/04
THALLIUM	01059	036	2013/04/11	< 1.000	2016/04

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	012	2014/04/07	. 8.100	2015/04
NITRITE (AS N)	00620	036	2013/04/11	< 400.000	2016/04

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910035**

**System Name: KINNELOA IRRIGATION DIST.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910035-007**

**Source Name: HIGH/LOW PRESSURE TUNNELS**

**Source Number: 007**

**Source Status: ACTIVE RAW**

**Water type: G**

**RADIOLOGICAL**

<b>GROSS ALPHA</b>	<b>01501</b>	<b>036</b>	<b>2009/11/18</b>	<b>6.400</b>	<b>2012/11</b>	<b>DUE</b>
<b>RADIUM 226</b>	<b>09501</b>	<b>036</b>	<b>2003/11/12</b>	<b>.000</b>	<b>2006/11</b>	<b>DUE</b>
RADIUM 228	11501	036	2012/10/16	.000	2015/10	
URANIUM (PCI/L)	28012	093	2012/10/16	5.600	2020/07	

**REGULATED SOC**

DI(2-ETHYLHEXYL)PHTHALATE	39100	036	2013/01/17	< 3.000	2016/01	
THIOBENCARB	A-001	036	2013/01/17	< 1.000	2016/01	

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	012	2014/04/07	< .500	2015/04	
1,1,2,2-TETRACHLOROETHANE	34516	012	2014/04/07	< .500	2015/04	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/04/07	< 10.000	2015/04	
1,1,2-TRICHLOROETHANE	34511	012	2014/04/07	< .500	2015/04	
1,1-DICHLOROETHANE	34496	012	2014/04/07	< .500	2015/04	
1,1-DICHLOROETHYLENE	34501	012	2014/04/07	< .500	2015/04	
1,2,4-TRICHLOROBENZENE	34551	012	2014/04/07	< .500	2015/04	
1,2-DICHLOROBENZENE	34536	012	2014/04/07	< .500	2015/04	
1,2-DICHLOROETHANE	34531	012	2014/04/07	< .500	2015/04	
1,2-DICHLOROPROPANE	34541	012	2014/04/07	< .500	2015/04	
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/04/07	< .500	2015/04	
1,4-DICHLOROBENZENE	34571	012	2014/04/07	< .500	2015/04	
BENZENE	34030	012	2014/04/07	< .500	2015/04	
CARBON TETRACHLORIDE	32102	012	2014/04/07	< .500	2015/04	
CIS-1,2-DICHLOROETHYLENE	77093	012	2014/04/07	< .500	2015/04	
DICHLOROMETHANE	34423	012	2014/04/07	< .500	2015/04	
ETHYLBENZENE	34371	012	2014/04/07	< .500	2015/04	
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/04/07	< 3.000	2015/04	
MONOCHLOROBENZENE	34301	012	2014/04/07	< .500	2015/04	
STYRENE	77128	012	2014/04/07	< .500	2015/04	
TETRACHLOROETHYLENE	34475	012	2014/04/07	< .500	2015/04	

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)



**System Number: 1910035**

**System Name: KINNELOA IRRIGATION DIST.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910035-007**

**Source Name: HIGH/LOW PRESSURE TUNNELS**

**Source Number: 007**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED VOC**

TOLUENE	34010	012	2014/04/07	< .500	2015/04
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/04/07	< .500	2015/04
TRICHLOROETHYLENE	39180	012	2014/04/07	< .500	2015/04
TRICHLOROFUOROMETHANE	34488	012	2014/04/07	< 5.000	2015/04
VINYL CHLORIDE	39175	012	2014/04/07	< .500	2015/04
XYLENES (TOTAL)	81551	012	2014/04/07	< .000	2015/04

**SECONDARY/GP**

BICARBONATE ALKALINITY	00440	036	2013/04/11	. 200.000	2016/04
CALCIUM	00916	036	2013/04/11	. 40.800	2016/04
CARBONATE ALKALINITY	00445	036	2013/04/11	< .000	2016/04
CHLORIDE	00940	036	2013/04/11	. 8.900	2016/04
COLOR	00081	036	2013/04/11	< .000	2016/04
COPPER	01042	036	2013/04/11	< 50.000	2016/04
FOAMING AGENTS (MBAS)	38260	036	2013/04/11	< .000	2016/04
HARDNESS (TOTAL) AS CaCO3	00900	036	2013/04/11	. 168.000	2016/04
HYDROXIDE ALKALINITY	71830	036	2013/04/11	< .000	2016/04
IRON	01045	036	2013/04/11	< 100.000	2016/04
MAGNESIUM	00927	036	2013/04/11	. 16.000	2016/04
MANGANESE	01055	036	2013/04/11	< 20.000	2016/04
ODOR THRESHOLD @ 60 C	00086	036	2013/04/11	1.000	2016/04
PH, LABORATORY	00403	036	2013/04/11	. 8.060	2016/04
SILVER	01077	036	2013/04/11	< 10.000	2016/04
SODIUM	00929	036	2013/04/11	14.000	2016/04
SPECIFIC CONDUCTANCE	00095	036	2013/04/11	. 380.000	2016/04
SULFATE	00945	036	2013/04/11	17.000	2016/04
TOTAL DISSOLVED SOLIDS	70300	036	2013/04/11	. 190.000	2016/04
TURBIDITY, LABORATORY	82079	036	2013/04/11	< .000	2016/04
ZINC	01092	036	2013/04/11	< 50.000	2016/04

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910035**

**System Name: KINNELOA IRRIGATION DIST.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910035-008**

**Source Name: HOUSE TUNNEL**

**Source Number: 008**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

ALUMINUM	01105	036	2013/04/11	< 50.000	2016/04
ANTIMONY	01097	036	2013/04/11	< 6.000	2016/04
ARSENIC	01002	036	2013/04/11	. 2.700	2016/04
BARIUM	01007	036	2013/04/11	< 100.000	2016/04
BERYLLIUM	01012	036	2013/04/11	< 1.000	2016/04
CADMIUM	01027	036	2013/04/11	< 1.000	2016/04
CHROMIUM (TOTAL)	01034	036	2013/04/11	< 10.000	2016/04
CYANIDE	01291	036	2013/04/11	< 100.000	2016/04
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/04/07	. 3.100	2017/04
MERCURY	71900	036	2013/04/11	< 1.000	2016/04
NICKEL	01067	036	2013/04/11	< 10.000	2016/04
PERCHLORATE	A-031	036	2011/07/19	< .000	2014/07
SELENIUM	01147	036	2013/04/11	< 5.000	2016/04
THALLIUM	01059	036	2013/04/11	< 1.000	2016/04

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	012	2014/04/07	. 2.300	2015/04
NITRITE (AS N)	00620	036	2013/04/11	< 400.000	2016/04

**RADIOLOGICAL**

GROSS ALPHA	01501	072	2009/11/18	< .000	2015/11
-------------	-------	-----	------------	--------	---------

**REGULATED SOC**

DI(2-ETHYLHEXYL)PHTHALATE	39100	036	2013/01/17	< 3.000	2016/01
THIOBENCARB	A-001	036	2013/01/17	< 1.000	2016/01

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	012	2014/04/07	< .500	2015/04
1,1,2,2-TETRACHLOROETHANE	34516	012	2014/04/07	< .500	2015/04
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/04/07	< 10.000	2015/04
1,1,2-TRICHLOROETHANE	34511	012	2014/04/07	< .500	2015/04
1,1-DICHLOROETHANE	34496	012	2014/04/07	< .500	2015/04

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910035**

**System Name: KINNELOA IRRIGATION DIST.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910035-008**

**Source Name: HOUSE TUNNEL**

**Source Number: 008**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED VOC**

1,1-DICHLOROETHYLENE	34501	012	2014/04/07	< .500	2015/04
1,2,4-TRICHLOROBENZENE	34551	012	2014/04/07	< .500	2015/04
1,2-DICHLOROBENZENE	34536	012	2014/04/07	< .500	2015/04
1,2-DICHLOROETHANE	34531	012	2014/04/07	< .500	2015/04
1,2-DICHLOROPROPANE	34541	012	2014/04/07	< .500	2015/04
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/04/07	< .500	2015/04
1,4-DICHLOROBENZENE	34571	012	2014/04/07	< .500	2015/04
BENZENE	34030	012	2014/04/07	< .500	2015/04
CARBON TETRACHLORIDE	32102	012	2014/04/07	< .500	2015/04
CIS-1,2-DICHLOROETHYLENE	77093	012	2014/04/07	< .500	2015/04
DICHLOROMETHANE	34423	012	2014/04/07	< .500	2015/04
ETHYLBENZENE	34371	012	2014/04/07	< .500	2015/04
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/04/07	< 3.000	2015/04
MONOCHLOROBENZENE	34301	012	2014/04/07	< .500	2015/04
STYRENE	77128	012	2014/04/07	< .500	2015/04
TETRACHLOROETHYLENE	34475	012	2014/04/07	< .500	2015/04
TOLUENE	34010	012	2014/04/07	< .500	2015/04
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/04/07	< .500	2015/04
TRICHLOROETHYLENE	39180	012	2014/04/07	< .500	2015/04
TRICHLOROFUOROMETHANE	34488	012	2014/04/07	< 5.000	2015/04
VINYL CHLORIDE	39175	012	2014/04/07	< .500	2015/04
XYLENES (TOTAL)	81551	012	2014/04/07	< .000	2015/04

**SECONDARY/GP**

BICARBONATE ALKALINITY	00440	036	2013/04/11	. 180.000	2016/04
CALCIUM	00916	036	2013/04/11	. 38.400	2016/04
CARBONATE ALKALINITY	00445	036	2013/04/11	< .000	2016/04
CHLORIDE	00940	036	2013/04/11	. 8.200	2016/04
COLOR	00081	036	2013/04/11	< .000	2016/04
COPPER	01042	036	2013/04/11	< 50.000	2016/04

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910035**

**System Name: KINNELOA IRRIGATION DIST.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910035-008**

**Source Name: HOUSE TUNNEL**

**Source Number: 008**

**Source Status: ACTIVE RAW**

**Water type: G**

**SECONDARY/GP**

FOAMING AGENTS (MBAS)	38260	036	2013/04/11	< .000	2016/04
HARDNESS (TOTAL) AS CaCO3	00900	036	2013/04/11	. 152.000	2016/04
HYDROXIDE ALKALINITY	71830	036	2013/04/11	< .000	2016/04
IRON	01045	036	2013/04/11	< 100.000	2016/04
MAGNESIUM	00927	036	2013/04/11	. 13.700	2016/04
MANGANESE	01055	036	2013/04/11	< 20.000	2016/04
ODOR THRESHOLD @ 60 C	00086	036	2013/04/11	1.000	2016/04
PH, LABORATORY	00403	036	2013/04/11	. 8.050	2016/04
SILVER	01077	036	2013/04/11	< 10.000	2016/04
SODIUM	00929	036	2013/04/11	15.000	2016/04
SPECIFIC CONDUCTANCE	00095	036	2013/04/11	. 350.000	2016/04
SULFATE	00945	036	2013/04/11	25.000	2016/04
TOTAL DISSOLVED SOLIDS	70300	036	2013/04/11	. 210.000	2016/04
TURBIDITY, LABORATORY	82079	036	2013/04/11	< .000	2016/04
ZINC	01092	036	2013/04/11	< 50.000	2016/04

**PS Code: 1910035-009**

**Source Name: KINNELOA WELL 03**

**Source Number: 009**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

ALUMINUM	01105	036	2013/04/11	< 50.000	2016/04
ANTIMONY	01097	036	2013/04/11	< 6.000	2016/04
ARSENIC	01002	036	2013/04/11	< 2.000	2016/04
BARIUM	01007	036	2013/04/11	< 100.000	2016/04
BERYLLIUM	01012	036	2013/04/11	< 1.000	2016/04
CADMIUM	01027	036	2013/04/11	< 1.000	2016/04
CHROMIUM (TOTAL)	01034	036	2013/04/11	< 10.000	2016/04

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910035**

**System Name: KINNELOA IRRIGATION DIST.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910035-009**

**Source Name: KINNELOA WELL 03**

**Source Number: 009**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

CHROMIUM, HEXAVALENT	01032	036	2013/09/16	. 2.000	2016/09
CYANIDE	01291	036	2013/04/11	< 100.000	2016/04
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/04/07	. 1.000	2017/04
MERCURY	71900	036	2013/04/11	< 1.000	2016/04
NICKEL	01067	036	2013/04/11	< 10.000	2016/04
PERCHLORATE	A-031	036	2011/07/19	< .000	2014/07
SELENIUM	01147	036	2013/04/11	< 5.000	2016/04
THALLIUM	01059	036	2013/04/11	< 1.000	2016/04

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	012	2014/04/07	. 19.000	2015/04
NITRITE (AS N)	00620	036	2013/04/11	< 400.000	2016/04

**RADIOLOGICAL**

GROSS ALPHA	01501	036	2012/01/18	. 4.500	2015/01
<b>RADIUM 226</b>	09501	036	<b>2003/11/12</b>	. .300	<b>2006/11 DUE</b>
RADIUM 228	11501	036	2012/10/16	. .179	2015/10
URANIUM (PCI/L)	28012	094	2012/10/16	. 13.000	2020/08

**REGULATED SOC**

DI(2-ETHYLHEXYL)PHTHALATE	39100	036	2013/01/17	< 3.000	2016/01
THIOBENCARB	A-001	036	2013/01/17	< 1.000	2016/01

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	012	2014/04/07	< .500	2015/04
1,1,2,2-TETRACHLOROETHANE	34516	012	2014/04/07	< .500	2015/04
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/04/07	< 10.000	2015/04
1,1,2-TRICHLOROETHANE	34511	012	2014/04/07	< .500	2015/04
1,1-DICHLOROETHANE	34496	012	2014/04/07	< .500	2015/04
1,1-DICHLOROETHYLENE	34501	012	2014/04/07	< .500	2015/04
1,2,4-TRICHLOROBENZENE	34551	012	2014/04/07	< .500	2015/04
1,2-DICHLOROBENZENE	34536	012	2014/04/07	< .500	2015/04

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910035**

**System Name: KINNELOA IRRIGATION DIST.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910035-009**

**Source Name: KINNELOA WELL 03**

**Source Number: 009**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED VOC**

1,2-DICHLOROETHANE	34531	012	2014/04/07	< .500	2015/04
1,2-DICHLOROPROPANE	34541	012	2014/04/07	< .500	2015/04
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/04/07	< .500	2015/04
1,4-DICHLOROBENZENE	34571	012	2014/04/07	< .500	2015/04
BENZENE	34030	012	2014/04/07	< .500	2015/04
CARBON TETRACHLORIDE	32102	012	2014/04/07	< .500	2015/04
CIS-1,2-DICHLOROETHYLENE	77093	012	2014/04/07	< .500	2015/04
DICHLOROMETHANE	34423	012	2014/04/07	< .500	2015/04
ETHYLBENZENE	34371	012	2014/04/07	< .500	2015/04
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/04/07	< 3.000	2015/04
MONOCHLOROBENZENE	34301	012	2014/04/07	< .500	2015/04
STYRENE	77128	012	2014/04/07	< .500	2015/04
TETRACHLOROETHYLENE	34475	012	2014/04/07	< .500	2015/04
TOLUENE	34010	012	2014/04/07	< .500	2015/04
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/04/07	< .500	2015/04
TRICHLOROETHYLENE	39180	012	2014/04/07	< .500	2015/04
TRICHLOROFUOROMETHANE	34488	012	2014/04/07	< 5.000	2015/04
VINYL CHLORIDE	39175	012	2014/04/07	< .500	2015/04
XYLENES (TOTAL)	81551	012	2014/04/07	< .000	2015/04

**SECONDARY/GP**

BICARBONATE ALKALINITY	00440	036	2013/04/11	. 190.000	2016/04
CALCIUM	00916	036	2013/04/11	. 58.500	2016/04
CARBONATE ALKALINITY	00445	036	2013/04/11	< .000	2016/04
CHLORIDE	00940	036	2013/04/11	. 33.000	2016/04
COLOR	00081	036	2013/04/11	< .000	2016/04
COPPER	01042	036	2013/04/11	< 50.000	2016/04
FOAMING AGENTS (MBAS)	38260	036	2013/04/11	< .000	2016/04
HARDNESS (TOTAL) AS CaCO3	00900	036	2013/04/11	. 222.000	2016/04
HYDROXIDE ALKALINITY	71830	036	2013/04/11	< .000	2016/04

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910035**

**System Name: KINNELOA IRRIGATION DIST.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910035-009**

**Source Name: KINNELOA WELL 03**

**Source Number: 009**

**Source Status: ACTIVE RAW**

**Water type: G**

**SECONDARY/GP**

IRON	01045	036	2013/04/11	< 100.000	2016/04
MAGNESIUM	00927	036	2013/04/11	. 18.400	2016/04
MANGANESE	01055	036	2013/04/11	< 20.000	2016/04
ODOR THRESHOLD @ 60 C	00086	036	2013/04/11	1.000	2016/04
PH, LABORATORY	00403	036	2013/04/11	. 7.980	2016/04
SILVER	01077	036	2013/04/11	< 10.000	2016/04
SODIUM	00929	036	2013/04/11	24.000	2016/04
SPECIFIC CONDUCTANCE	00095	036	2013/04/11	. 540.000	2016/04
SULFATE	00945	036	2013/04/11	62.000	2016/04
TOTAL DISSOLVED SOLIDS	70300	036	2013/04/11	. 320.000	2016/04
TURBIDITY, LABORATORY	82079	036	2013/04/11	< .000	2016/04
ZINC	01092	036	2013/04/11	< 50.000	2016/04

**PS Code: 1910035-015**

**Source Name: WILCOX WELL**

**Source Number: 015**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

ALUMINUM	01105	036	2013/04/11	< 50.000	2016/04
ANTIMONY	01097	036	2013/04/11	< 6.000	2016/04
ARSENIC	01002	036	2013/04/11	. 2.100	2016/04
BARIUM	01007	036	2013/04/11	< 100.000	2016/04
BERYLLIUM	01012	036	2013/04/11	< 1.000	2016/04
CADMIUM	01027	036	2013/04/11	< 1.000	2016/04
CHROMIUM (TOTAL)	01034	036	2013/04/11	< 10.000	2016/04
CHROMIUM, HEXAVALENT	01032	036	2013/09/16	. 2.100	2016/09
CYANIDE	01291	036	2013/04/11	< 100.000	2016/04
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/04/07	. 2.000	2017/04

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: **1910035**

System Name: **KINNELOA IRRIGATION DIST.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: **1910035-015**

Source Name: **WILCOX WELL**

Source Number: **015**

Source Status: **ACTIVE RAW**

Water type: **G**

**INORGANIC**

MERCURY	71900	036	2013/04/11	< 1.000	2016/04
NICKEL	01067	036	2013/04/11	< 10.000	2016/04
PERCHLORATE	A-031	036	2011/07/19	< .000	2014/07
SELENIUM	01147	036	2013/04/11	< 5.000	2016/04
THALLIUM	01059	036	2013/04/11	< 1.000	2016/04

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	012	2014/04/07	. 15.000	2015/04
NITRITE (AS N)	00620	036	2013/04/11	< 400.000	2016/04

**RADIOLOGICAL**

GROSS ALPHA	01501	108	2012/10/16	< 3.000	2021/10
<b>RADIUM 226</b>	09501	000			<b>DUE</b>
<b>URANIUM (PCI/L)</b>	28012	003	<b>2009/11/18</b>	1.100	<b>2010/02 DUE</b>

**REGULATED SOC**

DI(2-ETHYLHEXYL)PHTHALATE	39100	036	2013/01/17	< 3.000	2016/01
THIOBENCARB	A-001	036	2013/01/17	< 1.000	2016/01

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	012	2014/04/07	< .500	2015/04
1,1,2,2-TETRACHLOROETHANE	34516	012	2014/04/07	< .500	2015/04
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/04/07	< 10.000	2015/04
1,1,2-TRICHLOROETHANE	34511	012	2014/04/07	< .500	2015/04
1,1-DICHLOROETHANE	34496	012	2014/04/07	< .500	2015/04
1,1-DICHLOROETHYLENE	34501	012	2014/04/07	< .500	2015/04
1,2,4-TRICHLOROBENZENE	34551	012	2014/04/07	< .500	2015/04
1,2-DICHLOROBENZENE	34536	012	2014/04/07	< .500	2015/04
1,2-DICHLOROETHANE	34531	012	2014/04/07	< .500	2015/04
1,2-DICHLOROPROPANE	34541	012	2014/04/07	< .500	2015/04
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/04/07	< .500	2015/04
1,4-DICHLOROBENZENE	34571	012	2014/04/07	< .500	2015/04

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)



**System Number: 1910035**

**System Name: KINNELOA IRRIGATION DIST.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910035-015**

**Source Name: WILCOX WELL**

**Source Number: 015**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED VOC**

BENZENE	34030	012	2014/04/07	< .500	2015/04
CARBON TETRACHLORIDE	32102	012	2014/04/07	< .500	2015/04
CIS-1,2-DICHLOROETHYLENE	77093	012	2014/04/07	< .500	2015/04
DICHLOROMETHANE	34423	012	2014/04/07	< .500	2015/04
ETHYLBENZENE	34371	012	2014/04/07	< .500	2015/04
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/04/07	< 3.000	2015/04
MONOCHLOROBENZENE	34301	012	2014/04/07	< .500	2015/04
STYRENE	77128	012	2014/04/07	< .500	2015/04
TETRACHLOROETHYLENE	34475	012	2014/04/07	< .500	2015/04
TOLUENE	34010	012	2014/04/07	< .500	2015/04
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/04/07	< .500	2015/04
TRICHLOROETHYLENE	39180	012	2014/04/07	< .500	2015/04
TRICHLOROFUOROMETHANE	34488	012	2014/04/07	< 5.000	2015/04
VINYL CHLORIDE	39175	012	2014/04/07	< .500	2015/04
XYLENES (TOTAL)	81551	012	2014/04/07	< .000	2015/04

**SECONDARY/GP**

BICARBONATE ALKALINITY	00440	036	2013/04/11	. 160.000	2016/04
CALCIUM	00916	036	2013/04/11	. 24.800	2016/04
CARBONATE ALKALINITY	00445	036	2013/04/11	< .000	2016/04
CHLORIDE	00940	036	2013/04/11	. 14.000	2016/04
COLOR	00081	036	2013/04/11	< .000	2016/04
COPPER	01042	036	2013/04/11	< 50.000	2016/04
FOAMING AGENTS (MBAS)	38260	036	2013/04/11	< .000	2016/04
HARDNESS (TOTAL) AS CaCO3	00900	036	2013/04/11	. 77.300	2016/04
HYDROXIDE ALKALINITY	71830	036	2013/04/11	< .000	2016/04
IRON	01045	036	2013/04/11	< 100.000	2016/04
MAGNESIUM	00927	036	2013/04/11	. 3.740	2016/04
MANGANESE	01055	036	2013/04/11	< 20.000	2016/04
ODOR THRESHOLD @ 60 C	00086	036	2013/04/11	1.000	2016/04

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910035**

**System Name: KINNELOA IRRIGATION DIST.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910035-015**

**Source Name: WILCOX WELL**

**Source Number: 015**

**Source Status: ACTIVE RAW**

**Water type: G**

**SECONDARY/GP**

PH, LABORATORY	00403	036	2013/04/11	. 8.130	2016/04
SILVER	01077	036	2013/04/11	< 10.000	2016/04
SODIUM	00929	036	2013/04/11	54.000	2016/04
SPECIFIC CONDUCTANCE	00095	036	2013/04/11	. 380.000	2016/04
SULFATE	00945	036	2013/04/11	35.000	2016/04
TOTAL DISSOLVED SOLIDS	70300	036	2013/04/11	. 240.000	2016/04
TURBIDITY, LABORATORY	82079	036	2013/04/11	< .000	2016/04
ZINC	01092	036	2013/04/11	< 50.000	2016/04

**PS Code: 1910035-017**

**Source Name: P25 FLUORIDE SAMP SITE-2014 WINDOVER RD**

**Source Number: 017**

**Source Status: DISTRIBUTION TREATED**

**Water type: G**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\* 999

**PS Code: 1910035-018**

**Source Name: P24 FLUORIDE SAMP SITE-1939 KINNELOA CYN**

**Source Number: 018**

**Source Status: DISTRIBUTION TREATED**

**Water type: G**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\* 999

\*Testing interval is in months;  
 0 = No data for this constituent and is DUE NOW  
 I = Invalid (NOT) valid analyses reported  
 Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910035**

**System Name: KINNELOA IRRIGATION DIST.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

**PS Code: 1910035-019**

**Source Name: P23 FLUORIDE SAMP SITE - 3338 BARHITE**

**Source Number: 019**

**Source Status: DISTRIBUTION TREATED**

**Water type: G**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

**PS Code: 1910035-020**

**Source Name: P22 FLUORIDE SAMP SITE-3315 VILLA KNOLLS**

**Source Number: 020**

**Source Status: DISTRIBUTION TREATED**

**Water type: G**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

**PS Code: 1910035-021**

**Source Name: P21 FLUORIDE SAMP SITE - 2764 EATON CYN**

**Source Number: 021**

**Source Status: DISTRIBUTION TREATED**

**Water type: G**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

**PS Code: 1910035-022**

**Source Name: P22 FLUORIDE SAMP SITE - 2341 KINCLAIR D**

**Source Number: 022**

**Source Status: DISTRIBUTION TREATED**

**Water type: G**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

\*Testing interval is in months;  
0 = No data for this constituent and is DUE NOW  
I = Invalid (NOT) valid analyses reported  
Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910035**

**System Name: KINNELOA IRRIGATION DIST.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910035-800**

**Source Name: SITE 1-1501A CREEKSIDE COURT-STG2 DBP**

**Source Number: 800**

**Source Status: DISTRIBUTION TREATED**

**Water type: G**

**HALOACETIC ACIDS**

DIBROMOACETIC ACID (DBAA)	82721	000		DUE
DICHLOROACETIC ACID (DCAA)	77288	000		DUE
HALOACETIC ACIDS (5) (HAA5)	A-049	000		DUE
MONOBROMOACETIC ACID (MBAA)	A-041	000		DUE
MONOCHLOROACETIC ACID (MCAA)	A-042	000		DUE
TRICHLOROACETIC ACID (TCAA)	82723	000		DUE

**STATE UCMR**

BROMODICHLORMETHANE (THM)	32101	000		DUE
BROMOFORM (THM)	32104	000		DUE
CHLOROFORM (THM)	32106	000		DUE
DIBROMOCHLOROMETHANE (THM)	32105	000		DUE

**TRIHALOMETHANES**

TOTAL TRIHALOMETHANES	82080	000		DUE
-----------------------	-------	-----	--	-----

**PS Code: 1910035-801**

**Source Name: SITE 2-2312 KINCLAIR DRIVE-STG2 DBP**

**Source Number: 801**

**Source Status: DISTRIBUTION TREATED**

**Water type: G**

**HALOACETIC ACIDS**

DIBROMOACETIC ACID (DBAA)	82721	000		DUE
DICHLOROACETIC ACID (DCAA)	77288	000		DUE
HALOACETIC ACIDS (5) (HAA5)	A-049	000		DUE
MONOBROMOACETIC ACID (MBAA)	A-041	000		DUE
MONOCHLOROACETIC ACID (MCAA)	A-042	000		DUE
TRICHLOROACETIC ACID (TCAA)	82723	000		DUE

**STATE UCMR**

BROMODICHLORMETHANE (THM)	32101	000		DUE
---------------------------	-------	-----	--	-----

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910035**

**System Name: KINNELOA IRRIGATION DIST.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

**PS Code: 1910035-801**

**Source Name: SITE 2-2312 KINCLAIR DRIVE-STG2 DBP**

**Source Number: 801**

**Source Status: DISTRIBUTION TREATED**

**Water type: G**

**STATE UCMR**

<b>BROMOFORM (THM)</b>	<b>32104</b>	<b>000</b>		<b>DUE</b>
<b>CHLOROFORM (THM)</b>	<b>32106</b>	<b>000</b>		<b>DUE</b>
<b>DIBROMOCHLOROMETHANE (THM)</b>	<b>32105</b>	<b>000</b>		<b>DUE</b>

**TRihalOMETHANES**

<b>TOTAL TRIHALOMETHANES</b>	<b>82080</b>	<b>000</b>		<b>DUE</b>
------------------------------	--------------	------------	--	------------

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910041**

**System Name: THREE VALLEYS MWD**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910041-001**

**Source Name: INFLUENT TO THE TREATMENT PLANT**

**Source Number: 001**

**Source Status: ACTIVE RAW**

**Water type: S**

**INORGANIC**

ALUMINUM	01105	012	2014/01/21	< .000	2015/01	
ANTIMONY	01097	012	2013/07/16	< .000	2014/07	
ARSENIC	01002	012	2014/02/18	. 3.200	2015/02	
ASBESTOS	81855	108	2013/03/06	. .000	2022/03	
BARIUM	01007	012	2013/07/16	< .000	2014/07	
BERYLLIUM	01012	012	2013/07/16	< .000	2014/07	
CADMIUM	01027	012	2013/07/16	< .000	2014/07	
CHROMIUM (TOTAL)	01034	012	2013/07/16	< .000	2014/07	
<b>CHROMIUM, HEXAVALENT</b>	<b>01032</b>	<b>012</b>	<b>2012/12/12</b>	<b>&lt; .000</b>	<b>2013/12</b>	<b>DUE</b>
CYANIDE	01291	012	2013/07/16	< .000	2014/07	
FLUORIDE (F) (NATURAL-SOURCE)	00951	012	2013/07/16	. .130	2014/07	
MERCURY	71900	012	2013/07/16	< .000	2014/07	
NICKEL	01067	012	2013/07/16	< .000	2014/07	
PERCHLORATE	A-031	012	2014/05/13	< .000	2015/05	
SELENIUM	01147	012	2013/07/16	< .000	2014/07	
THALLIUM	01059	012	2013/07/16	< .000	2014/07	

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	003	2014/06/10	. 3.100	2014/09	
NITRITE (AS N)	00620	036	2013/07/16	< .000	2016/07	

**RADIOLOGICAL**

<b>GROSS ALPHA</b>	<b>01501</b>	<b>003</b>	<b>2014/01/21</b>	<b>. 4.900</b>	<b>2014/04</b>	<b>DUE</b>
GROSS BETA	03501	003	2014/06/10	< .000	2014/09	
<b>RADIUM 226</b>	<b>09501</b>	<b>000</b>				<b>DUE</b>
<b>RADIUM 228</b>	<b>11501</b>	<b>003</b>	<b>2014/01/21</b>	<b>&lt; .000</b>	<b>2014/04</b>	<b>DUE</b>
STRONTIUM-90	13501	012	2014/06/10	. .429	2015/06	
TRITIUM	07000	012	2014/06/10	< .000	2015/06	
<b>URANIUM (PCI/L)</b>	<b>28012</b>	<b>003</b>	<b>2014/01/21</b>	<b>. 2.700</b>	<b>2014/04</b>	<b>DUE</b>

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910041**

**System Name: THREE VALLEYS MWD**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

**PS Code: 1910041-001**

**Source Name: INFLUENT TO THE TREATMENT PLANT**

**Source Number: 001**

**Source Status: ACTIVE RAW**

**Water type: S**

**REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	033	2014/06/10	< 5.000	2017/03
2,4,5-TP (SILVEX)	39045	033	2014/06/10	< .000	2017/03
2,4-D	39730	033	2014/06/10	< .000	2017/03
ALACHLOR	77825	033	2014/06/10	< .000	2017/03
ATRAZINE	39033	033	2014/06/10	< .000	2017/03
BENTAZON	38710	033	2014/06/10	< .000	2017/03
BENZO (A) PYRENE	34247	033	2014/06/10	< .000	2017/03
CARBOFURAN	81405	033	2014/06/10	< .000	2017/03
CHLORDANE	39350	033	2014/06/10	< .000	2017/03
DALAPON	38432	033	2014/06/10	< .000	2017/03
DI(2-ETHYLHEXYL)ADIPATE	A-026	033	2014/06/10	< .000	2017/03
DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2014/06/10	< .000	2017/03
DIBROMOCHLOROPROPANE (DBCP)	38761	033	2014/06/10	< .000	2017/03
DINOSEB	81287	033	2014/06/10	< .000	2017/03
DIQUAT	78885	033	2014/06/10	< 4.000	2017/03
ENDOTHALL	38926	033	2014/06/10	< .000	2017/03
ENDRIN	39390	033	2014/06/10	< .000	2017/03
ETHYLENE DIBROMIDE (EDB)	77651	033	2014/06/10	< .000	2017/03
GLYPHOSATE	79743	033	2014/06/10	< .000	2017/03
HEPTACHLOR	39410	033	2014/06/10	< .000	2017/03
HEPTACHLOR EPOXIDE	39420	033	2014/06/10	< .000	2017/03
HEXACHLOROBENZENE	39700	033	2014/06/10	< .000	2017/03
HEXACHLOROCYCLOPENTADIENE	34386	033	2014/06/10	< .000	2017/03
LINDANE	39340	033	2014/06/10	< .000	2017/03
METHOXYCHLOR	39480	033	2014/06/10	< .000	2017/03
MOLINATE	82199	033	2014/06/10	< .000	2017/03
OXAMYL	38865	033	2014/06/10	< .000	2017/03
PENTACHLOROPHENOL	39032	033	2014/06/10	< .000	2017/03
PICLORAM	39720	033	2014/06/10	< .000	2017/03
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	033	2014/06/10	< .000	2017/03

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910041**

**System Name: THREE VALLEYS MWD**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910041-001**

**Source Name: INFLUENT TO THE TREATMENT PLANT**

**Source Number: 001**

**Source Status: ACTIVE RAW**

**Water type: S**

**REGULATED SOC**

SIMAZINE	39055	033	2014/06/10	< .000	2017/03
THIOBENCARB	A-001	033	2014/06/10	< .000	2017/03
TOXAPHENE	39400	033	2014/06/10	< .000	2017/03

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	012	2013/07/16	< .000	2014/07
1,1,2,2-TETRACHLOROETHANE	34516	012	2013/07/16	< .000	2014/07
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2013/07/16	< .000	2014/07
1,1,2-TRICHLOROETHANE	34511	012	2013/07/16	< .000	2014/07
1,1-DICHLOROETHANE	34496	012	2013/07/16	< .000	2014/07
1,1-DICHLOROETHYLENE	34501	012	2013/07/16	< .000	2014/07
1,2,4-TRICHLOROBENZENE	34551	012	2013/07/16	< .000	2014/07
1,2-DICHLOROBENZENE	34536	012	2013/07/16	< .000	2014/07
1,2-DICHLOROETHANE	34531	012	2013/07/16	< .000	2014/07
1,2-DICHLOROPROPANE	34541	012	2013/07/16	< .000	2014/07
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2013/07/16	< .000	2014/07
1,4-DICHLOROBENZENE	34571	012	2013/07/16	< .000	2014/07
BENZENE	34030	012	2013/07/16	< .000	2014/07
CARBON TETRACHLORIDE	32102	012	2013/07/16	< .000	2014/07
CIS-1,2-DICHLOROETHYLENE	77093	012	2013/07/16	< .000	2014/07
DICHLOROMETHANE	34423	012	2013/07/16	< .000	2014/07
ETHYLBENZENE	34371	012	2013/07/16	< .000	2014/07
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/03/11	< .000	2015/03
MONOCHLOROBENZENE	34301	012	2013/07/16	< .000	2014/07
STYRENE	77128	012	2013/07/16	< .000	2014/07
TETRACHLOROETHYLENE	34475	012	2013/07/16	< .000	2014/07
TOLUENE	34010	012	2013/07/16	< .000	2014/07
TRANS-1,2-DICHLOROETHYLENE	34546	012	2013/07/16	< .000	2014/07
TRICHLOROETHYLENE	39180	012	2013/07/16	< .000	2014/07
TRICHLOROFLUOROMETHANE	34488	012	2013/07/16	< .000	2014/07

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)



**System Number: 1910041**

**System Name: THREE VALLEYS MWD**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

**PS Code: 1910041-001**

**Source Name: INFLUENT TO THE TREATMENT PLANT**

**Source Number: 001**

**Source Status: ACTIVE RAW**

**Water type: S**

**REGULATED VOC**

VINYL CHLORIDE	39175	012	2013/07/16	< .000	2014/07
XYLENES (TOTAL)	81551	012	2013/07/16	< .000	2014/07

**SECONDARY/GP**

BICARBONATE ALKALINITY	00440	012	2013/07/16	. 69.000	2014/07
CALCIUM	00916	012	2013/07/16	. 26.000	2014/07
CARBONATE ALKALINITY	00445	012	2013/07/16	18.000	2014/07
CHLORIDE	00940	012	2013/07/16	. 72.000	2014/07
COLOR	00081	012	2013/07/16	. 12.500	2014/07
COPPER	01042	012	2013/07/16	< .000	2014/07
FOAMING AGENTS (MBAS)	38260	012	2013/07/16	. .100	2014/07
HARDNESS (TOTAL) AS CaCO3	00900	012	2013/07/16	. 120.000	2014/07
HYDROXIDE ALKALINITY	71830	012	2013/07/16	< .000	2014/07
IRON	01045	012	2013/07/16	< .000	2014/07
MAGNESIUM	00927	012	2013/07/16	. 13.000	2014/07
MANGANESE	01055	012	2013/07/16	32.000	2014/07
ODOR THRESHOLD @ 60 C	00086	012	2013/07/16	1.000	2014/07
PH, LABORATORY	00403	012	2013/07/16	. 8.800	2014/07
SILVER	01077	012	2013/07/16	< .000	2014/07
SODIUM	00929	012	2013/07/16	57.000	2014/07
SPECIFIC CONDUCTANCE	00095	012	2013/07/16	. 500.000	2014/07
SULFATE	00945	012	2013/07/16	45.000	2014/07
TOTAL DISSOLVED SOLIDS	70300	012	2013/07/16	. 290.000	2014/07
TURBIDITY, LABORATORY	82079	012	2013/07/16	. 3.100	2014/07
ZINC	01092	012	2013/07/16	< .000	2014/07

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910041**

**System Name: THREE VALLEYS MWD**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910041-002**

**Source Name: EFFLUENT OF THE TREATMENT PLANT**

**Source Number: 002**

**Source Status: ACTIVE TREATED**

**Water type: S**

**INORGANIC**

ALUMINUM	01105	012	2014/06/10	< .000	2015/06
ANTIMONY	01097	012	2014/03/11	< .000	2015/03
ARSENIC	01002	012	2014/03/11	< .000	2015/03
ASBESTOS	81855	108	2014/03/11	.000	2023/03
BARIUM	01007	012	2014/03/11	< .000	2015/03
BERYLLIUM	01012	012	2014/03/11	< .000	2015/03
CADMIUM	01027	012	2014/03/11	< .000	2015/03
CHROMIUM (TOTAL)	01034	012	2014/03/11	< .000	2015/03
CHROMIUM, HEXAVALENT	01032	012	2013/08/20	< .000	2014/08
CYANIDE	01291	012	2014/03/11	< .000	2015/03
FLUORIDE (F) (NATURAL-SOURCE)	00951	012	2014/03/11	.160	2015/03
MERCURY	71900	012	2014/03/11	< .000	2015/03
NICKEL	01067	012	2014/03/11	< .000	2015/03
PERCHLORATE	A-031	012	2014/05/13	< .000	2015/05
SELENIUM	01147	012	2014/03/11	< .000	2015/03
THALLIUM	01059	012	2014/03/11	< .000	2015/03

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	003	2014/06/10	.3100	2014/09
NITRITE (AS N)	00620	036	2014/03/11	< .000	2017/03

**RADIOLOGICAL**

GROSS ALPHA	01501	048	2014/04/15	< .000	2018/04
GROSS BETA	03501	003	2014/06/10	< .000	2014/09
<b>RADIUM 226</b>	09501	048	<b>2009/03/10</b>	<b>.060</b>	<b>2013/03 DUE</b>
RADIUM 228	11501	048	2014/04/15	.000	2018/04
STRONTIUM-90	13501	012	2013/12/17	.000	2014/12
TRITIUM	07000	012	2013/12/17	.105.000	2014/12
URANIUM (PCI/L)	28012	048	2014/04/15	< .000	2018/04

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910041**

**System Name: THREE VALLEYS MWD**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

**PS Code: 1910041-002**

**Source Name: EFFLUENT OF THE TREATMENT PLANT**

**Source Number: 002**

**Source Status: ACTIVE TREATED**

**Water type: S**

**REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	036	2014/02/18	< 5.000	2017/02
2,4,5-TP (SILVEX)	39045	036	2013/12/17	< .000	2016/12
2,4-D	39730	036	2013/12/17	< .000	2016/12
ALACHLOR	77825	036	2014/05/13	< .000	2017/05
ATRAZINE	39033	036	2014/05/13	< .000	2017/05
BENTAZON	38710	036	2013/12/17	< .000	2016/12
BENZO (A) PYRENE	34247	036	2013/12/17	< .000	2016/12
CARBOFURAN	81405	036	2013/12/17	< .000	2016/12
CHLORDANE	39350	036	2014/04/15	< .000	2017/04
DALAPON	38432	036	2013/12/17	< .000	2016/12
DI(2-ETHYLHEXYL)ADIPATE	A-026	036	2013/12/17	< .000	2016/12
DI(2-ETHYLHEXYL)PHTHALATE	39100	036	2013/12/17	< .000	2016/12
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2013/12/17	< .000	2016/12
DINOSEB	81287	036	2013/12/17	< .000	2016/12
DIQUAT	78885	036	2014/02/18	< 4.000	2017/02
ENDOTHALL	38926	036	2013/12/17	< .000	2016/12
ENDRIN	39390	036	2014/04/15	< .000	2017/04
ETHYLENE DIBROMIDE (EDB)	77651	036	2013/12/17	< .000	2016/12
GLYPHOSATE	79743	036	2013/12/17	< .000	2016/12
HEPTACHLOR	39410	036	2014/04/15	< .000	2017/04
HEPTACHLOR EPOXIDE	39420	036	2014/04/15	< .000	2017/04
HEXACHLOROBENZENE	39700	036	2014/04/15	< .000	2017/04
HEXACHLOROCYCLOPENTADIENE	34386	036	2014/04/15	< .000	2017/04
LINDANE	39340	036	2014/04/15	< .000	2017/04
METHOXYCHLOR	39480	036	2014/04/15	< .000	2017/04
MOLINATE	82199	036	2014/05/13	< .000	2017/05
OXAMYL	38865	036	2013/12/17	< .000	2016/12
PENTACHLOROPHENOL	39032	036	2013/12/17	< .000	2016/12
PICLORAM	39720	036	2013/12/17	< .000	2016/12
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	036	2014/04/15	< .000	2017/04

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910041**

**System Name: THREE VALLEYS MWD**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910041-002**

**Source Name: EFFLUENT OF THE TREATMENT PLANT**

**Source Number: 002**

**Source Status: ACTIVE TREATED**

**Water type: S**

**REGULATED SOC**

SIMAZINE	39055	036	2014/05/13	< .000	2017/05
THIOBENCARB	A-001	036	2014/05/13	< .000	2017/05
TOXAPHENE	39400	036	2014/04/15	< .000	2017/04

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	012	2013/07/16	< .000	2014/07
1,1,2,2-TETRACHLOROETHANE	34516	012	2013/07/16	< .000	2014/07
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2013/07/16	< .000	2014/07
1,1,2-TRICHLOROETHANE	34511	012	2013/07/16	< .000	2014/07
1,1-DICHLOROETHANE	34496	012	2013/07/16	< .000	2014/07
1,1-DICHLOROETHYLENE	34501	012	2013/07/16	< .000	2014/07
1,2,4-TRICHLOROBENZENE	34551	012	2013/07/16	< .000	2014/07
1,2-DICHLOROBENZENE	34536	012	2013/07/16	< .000	2014/07
1,2-DICHLOROETHANE	34531	012	2013/07/16	< .000	2014/07
1,2-DICHLOROPROPANE	34541	012	2013/07/16	< .000	2014/07
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2013/07/16	< .000	2014/07
1,4-DICHLOROBENZENE	34571	012	2013/07/16	< .000	2014/07
BENZENE	34030	012	2013/07/16	< .000	2014/07
CARBON TETRACHLORIDE	32102	012	2013/07/16	< .000	2014/07
CIS-1,2-DICHLOROETHYLENE	77093	012	2013/07/16	< .000	2014/07
DICHLOROMETHANE	34423	012	2013/07/16	< .000	2014/07
ETHYLBENZENE	34371	012	2013/07/16	< .000	2014/07
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/03/11	< .000	2015/03
MONOCHLOROBENZENE	34301	012	2013/07/16	< .000	2014/07
STYRENE	77128	012	2013/07/16	< .000	2014/07
TETRACHLOROETHYLENE	34475	012	2013/07/16	< .000	2014/07
TOLUENE	34010	012	2013/07/16	< .000	2014/07
TRANS-1,2-DICHLOROETHYLENE	34546	012	2013/07/16	< .000	2014/07
TRICHLOROETHYLENE	39180	012	2013/07/16	< .000	2014/07
TRICHLOROFLUOROMETHANE	34488	012	2013/07/16	< .000	2014/07

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910041**

**System Name: THREE VALLEYS MWD**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910041-002**

**Source Name: EFFLUENT OF THE TREATMENT PLANT**

**Source Number: 002**

**Source Status: ACTIVE TREATED**

**Water type: S**

**REGULATED VOC**

VINYL CHLORIDE	39175	012	2013/07/16	< .000	2014/07
XYLENES (TOTAL)	81551	012	2013/07/16	< .000	2014/07

**SECONDARY/GP**

BICARBONATE ALKALINITY	00440	012	2014/03/11	. 110.000	2015/03
CALCIUM	00916	012	2014/04/15	. 27.000	2015/04
CARBONATE ALKALINITY	00445	012	2014/03/11	< .000	2015/03
CHLORIDE	00940	012	2014/03/11	. 88.000	2015/03
COLOR	00081	012	2014/03/11	< .000	2015/03
COPPER	01042	012	2014/03/11	< .000	2015/03
FOAMING AGENTS (MBAS)	38260	012	2014/06/10	< .000	2015/06
HARDNESS (TOTAL) AS CaCO3	00900	012	2014/03/11	. 110.000	2015/03
HYDROXIDE ALKALINITY	71830	012	2014/03/11	< .000	2015/03
IRON	01045	012	2014/03/11	< .000	2015/03
MAGNESIUM	00927	012	2014/03/11	. 9.400	2015/03
MANGANESE	01055	012	2014/03/11	< .000	2015/03
ODOR THRESHOLD @ 60 C	00086	012	2014/03/11	. 1.000	2015/03
PH, LABORATORY	00403	012	2014/04/15	. 8.200	2015/04
SILVER	01077	012	2014/03/11	< .000	2015/03
SODIUM	00929	012	2014/03/11	. 64.000	2015/03
SPECIFIC CONDUCTANCE	00095	012	2014/04/15	. 560.000	2015/04
SULFATE	00945	012	2014/03/11	. 51.000	2015/03
TOTAL DISSOLVED SOLIDS	70300	012	2014/03/11	. 340.000	2015/03
TURBIDITY, LABORATORY	82079	012	2014/03/11	< .000	2015/03
ZINC	01092	012	2014/03/11	< .000	2015/03

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910041**

**System Name: THREE VALLEYS MWD**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910041-003**

**Source Name: PWR LINE AT 2ND/E ST. - NITRATE BLEND**

**Source Number: 003**

**Source Status: COMBINATION OR BLEND TREATED**

**Water type: S**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

**PS Code: 1910041-004**

**Source Name: TVMWD WELL 01**

**Source Number: 004**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

ALUMINUM	01105	036	2014/01/21	< .000	2017/01
ANTIMONY	01097	036	2012/07/18	< .000	2015/07
ARSENIC	01002	036	2012/07/18	< .000	2015/07
BARIUM	01007	036	2012/07/18	< .000	2015/07
BERYLLIUM	01012	036	2012/07/18	< .000	2015/07
CADMIUM	01027	036	2012/07/18	< .000	2015/07
CHROMIUM (TOTAL)	01034	036	2012/07/18	< .000	2015/07
CHROMIUM, HEXAVALENT	01032	036	2012/08/29	< .000	2015/08
CYANIDE	01291	036	2012/07/18	< .000	2015/07
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2012/07/18	.560	2015/07
MERCURY	71900	036	2012/07/18	< .000	2015/07
NICKEL	01067	036	2012/07/18	< .000	2015/07
PERCHLORATE	A-031	012	2014/05/13	< .000	2015/05
SELENIUM	01147	036	2012/07/18	< .000	2015/07
THALLIUM	01059	036	2012/07/18	< .000	2015/07

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	012	2014/03/11	.12.000	2015/03
NITRITE (AS N)	00620	036	2014/01/21	< .000	2017/01

**RADIOLOGICAL**

<b>GROSS ALPHA</b>	01501	003	2010/01/15	1.270	2010/04	<b>DUE</b>
--------------------	-------	-----	------------	-------	---------	------------

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910041**

**System Name: THREE VALLEYS MWD**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910041-004**

**Source Name: TVMWD WELL 01**

**Source Number: 004**

**Source Status: ACTIVE RAW**

**Water type: G**

**RADIOLOGICAL**

<b>RADIUM 226</b>	<b>09501</b>	<b>003</b>	<b>2010/01/15</b>	<b>- .030</b>	<b>2010/04</b>	<b>DUE</b>
<b>RADIUM 228</b>	<b>11501</b>	<b>003</b>	<b>2010/01/15</b>	<b>.350</b>	<b>2010/04</b>	<b>DUE</b>
<b>URANIUM (PCI/L)</b>	<b>28012</b>	<b>003</b>	<b>2009/01/13</b>	<b>1.690</b>	<b>2009/04</b>	<b>DUE</b>

**REGULATED SOC**

2,4-D	39730	033	2014/06/10	< .000	2017/03
ALACHLOR	77825	033	2014/06/10	< .000	2017/03
ATRAZINE	39033	033	2014/06/10	< .000	2017/03
BENTAZON	38710	033	2014/06/10	< .000	2017/03
CARBOFURAN	81405	033	2014/06/10	< .000	2017/03
CHLORDANE	39350	033	2014/06/10	< .000	2017/03
DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2014/06/10	< .000	2017/03
DIBROMOCHLOROPROPANE (DBCP)	38761	033	2014/06/10	.043	2017/03
DINOSEB	81287	033	2014/06/10	< .000	2017/03
DIQUAT	78885	033	2014/06/10	< 4.000	2017/03
ENDOTHALL	38926	033	2014/06/10	< .000	2017/03
ENDRIN	39390	033	2014/06/10	< .000	2017/03
ETHYLENE DIBROMIDE (EDB)	77651	033	2014/06/10	< .000	2017/03
GLYPHOSATE	79743	033	2014/06/10	< .000	2017/03
LINDANE	39340	033	2014/06/10	< .000	2017/03
METHOXYCHLOR	39480	033	2014/06/10	< .000	2017/03
OXAMYL	38865	033	2014/06/10	< .000	2017/03
PENTACHLOROPHENOL	39032	033	2014/06/10	< .000	2017/03
SIMAZINE	39055	033	2014/06/10	< .000	2017/03
THIOBENCARB	A-001	033	2014/06/10	< .000	2017/03
TOXAPHENE	39400	033	2014/06/10	< .000	2017/03

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	012	2013/07/16	< .000	2014/07
1,1,2,2-TETRACHLOROETHANE	34516	012	2013/07/16	< .000	2014/07
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2013/07/16	< .000	2014/07

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910041**

**System Name: THREE VALLEYS MWD**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910041-004**

**Source Name: TVMWD WELL 01**

**Source Number: 004**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED VOC**

1,1,2-TRICHLOROETHANE	34511	012	2013/07/16	< .000	2014/07
1,1-DICHLOROETHANE	34496	012	2013/07/16	< .000	2014/07
1,1-DICHLOROETHYLENE	34501	012	2013/07/16	< .000	2014/07
1,2,4-TRICHLOROBENZENE	34551	012	2013/07/16	< .000	2014/07
1,2-DICHLOROBENZENE	34536	012	2013/07/16	< .000	2014/07
1,2-DICHLOROETHANE	34531	012	2013/07/16	< .000	2014/07
1,2-DICHLOROPROPANE	34541	012	2013/07/16	< .000	2014/07
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2013/07/16	< .000	2014/07
1,4-DICHLOROBENZENE	34571	012	2013/07/16	< .000	2014/07
BENZENE	34030	012	2013/07/16	< .000	2014/07
CARBON TETRACHLORIDE	32102	012	2013/07/16	< .000	2014/07
CIS-1,2-DICHLOROETHYLENE	77093	012	2013/07/16	< .000	2014/07
DICHLOROMETHANE	34423	012	2013/07/16	< .000	2014/07
ETHYLBENZENE	34371	012	2013/07/16	< .000	2014/07
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/03/11	< .000	2015/03
MONOCHLOROBENZENE	34301	012	2013/07/16	< .000	2014/07
STYRENE	77128	012	2013/07/16	< .000	2014/07
TETRACHLOROETHYLENE	34475	012	2013/07/16	< .000	2014/07
TOLUENE	34010	012	2013/07/16	< .000	2014/07
TRANS-1,2-DICHLOROETHYLENE	34546	012	2013/07/16	< .000	2014/07
TRICHLOROETHYLENE	39180	012	2013/07/16	< .000	2014/07
TRICHLOROFUOROMETHANE	34488	012	2013/07/16	< .000	2014/07
VINYL CHLORIDE	39175	012	2013/07/16	< .000	2014/07
XYLENES (TOTAL)	81551	012	2013/07/16	< .000	2014/07

**SECONDARY/GP**

BICARBONATE ALKALINITY	00440	036	2012/07/18	. 180.000	2015/07
CALCIUM	00916	036	2013/09/05	. 48.000	2016/09
CARBONATE ALKALINITY	00445	036	2012/07/18	< .000	2015/07
CHLORIDE	00940	036	2012/07/18	. 7.300	2015/07

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)



**System Number: 1910041**

**System Name: THREE VALLEYS MWD**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910041-004**

**Source Name: TVMWD WELL 01**

**Source Number: 004**

**Source Status: ACTIVE RAW**

**Water type: G**

**SECONDARY/GP**

COLOR	00081	036	2012/07/18	< .000	2015/07
COPPER	01042	036	2012/07/18	< .000	2015/07
FOAMING AGENTS (MBAS)	38260	036	2012/07/18	< .000	2015/07
HARDNESS (TOTAL) AS CaCO3	00900	036	2012/07/18	. 150.000	2015/07
HYDROXIDE ALKALINITY	71830	036	2012/07/18	< .000	2015/07
IRON	01045	036	2012/07/18	< .000	2015/07
MAGNESIUM	00927	036	2012/07/18	. 8.000	2015/07
MANGANESE	01055	036	2012/07/18	< .000	2015/07
ODOR THRESHOLD @ 60 C	00086	036	2012/07/18	1.000	2015/07
PH, LABORATORY	00403	036	2012/07/18	. 7.900	2015/07
SILVER	01077	036	2012/07/18	< .000	2015/07
SODIUM	00929	036	2012/07/18	19.000	2015/07
SPECIFIC CONDUCTANCE	00095	036	2013/09/05	. 380.000	2016/09
SULFATE	00945	036	2012/07/18	28.000	2015/07
TOTAL DISSOLVED SOLIDS	70300	036	2013/09/05	. 240.000	2016/09
TURBIDITY, LABORATORY	82079	036	2012/07/18	. .100	2015/07
ZINC	01092	036	2012/07/18	< .000	2015/07

**PS Code: 1910041-005**

**Source Name: TVMWD WELL 02**

**Source Number: 005**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

ALUMINUM	01105	000			DUE
ANTIMONY	01097	000			DUE
ARSENIC	01002	000			DUE
BARIUM	01007	000			DUE
BERYLLIUM	01012	000			DUE

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: **1910041**

System Name: **THREE VALLEYS MWD**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: **1910041-005**

Source Name: **TVMWD WELL 02**

Source Number: **005**

Source Status: **ACTIVE RAW**

Water type: **G**

**INORGANIC**

CADMIUM	01027	000		DUE
CHROMIUM (TOTAL)	01034	000		DUE
CHROMIUM, HEXAVALENT	01032	000		DUE
CYANIDE	01291	000		DUE
FLUORIDE (F) (NATURAL-SOURCE)	00951	000		DUE
MERCURY	71900	000		DUE
NICKEL	01067	000		DUE
PERCHLORATE	A-031	000		DUE
SELENIUM	01147	000		DUE
THALLIUM	01059	000		DUE

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	000		DUE
NITRITE (AS N)	00620	000		DUE

**RADIOLOGICAL**

GROSS ALPHA	01501	000		DUE
RADIUM 226	09501	000		DUE
RADIUM 228	11501	000		DUE
URANIUM (PCI/L)	28012	000		DUE

**REGULATED SOC**

2,4-D	39730	003		DUE
ALACHLOR	77825	003		DUE
ATRAZINE	39033	003		DUE
BENTAZON	38710	003		DUE
CARBOFURAN	81405	003		DUE
CHLORDANE	39350	003		DUE
DI(2-ETHYLHEXYL)PHTHALATE	39100	003		DUE
DIBROMOCHLOROPROPANE (DBCP)	38761	003		DUE
DINOSEB	81287	003		DUE

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: **1910041**

System Name: **THREE VALLEYS MWD**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: **1910041-005**

Source Name: **TVMWD WELL 02**

Source Number: **005**

Source Status: **ACTIVE RAW**

Water type: **G**

**REGULATED SOC**

DIQUAT	78885	003	2013/09/13	< 4.000	2013/12	DUE
ENDOTHALL	38926	003				DUE
ENDRIN	39390	003				DUE
ETHYLENE DIBROMIDE (EDB)	77651	003				DUE
GLYPHOSATE	79743	003				DUE
LINDANE	39340	003				DUE
METHOXYCHLOR	39480	003				DUE
OXAMYL	38865	003				DUE
PENTACHLOROPHENOL	39032	003				DUE
SIMAZINE	39055	003				DUE
THIOBENCARB	A-001	003				DUE
TOXAPHENE	39400	003				DUE

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	000				DUE
1,1,2,2-TETRACHLOROETHANE	34516	000				DUE
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	000				DUE
1,1,2-TRICHLOROETHANE	34511	000				DUE
1,1-DICHLOROETHANE	34496	000				DUE
1,1-DICHLOROETHYLENE	34501	000				DUE
1,2,4-TRICHLOROBENZENE	34551	000				DUE
1,2-DICHLOROBENZENE	34536	000				DUE
1,2-DICHLOROETHANE	34531	000				DUE
1,2-DICHLOROPROPANE	34541	000				DUE
1,3-DICHLOROPROPENE (TOTAL)	34561	000				DUE
1,4-DICHLOROBENZENE	34571	000				DUE
BENZENE	34030	000				DUE
CARBON TETRACHLORIDE	32102	000				DUE
CIS-1,2-DICHLOROETHYLENE	77093	000				DUE
DICHLOROMETHANE	34423	000				DUE

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: **1910041**

System Name: **THREE VALLEYS MWD**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: **1910041-005**

Source Name: **TVMWD WELL 02**

Source Number: **005**

Source Status: **ACTIVE RAW**

Water type: **G**

**REGULATED VOC**

<b>ETHYLBENZENE</b>	34371	000		<b>DUE</b>
<b>METHYL-TERT-BUTYL-ETHER (MTBE)</b>	46491	000		<b>DUE</b>
<b>MONOCHLOROBENZENE</b>	34301	000		<b>DUE</b>
<b>STYRENE</b>	77128	000		<b>DUE</b>
<b>TETRACHLOROETHYLENE</b>	34475	000		<b>DUE</b>
<b>TOLUENE</b>	34010	000		<b>DUE</b>
<b>TRANS-1,2-DICHLOROETHYLENE</b>	34546	000		<b>DUE</b>
<b>TRICHLOROETHYLENE</b>	39180	000		<b>DUE</b>
<b>TRICHLOROFLUOROMETHANE</b>	34488	000		<b>DUE</b>
<b>VINYL CHLORIDE</b>	39175	000		<b>DUE</b>
<b>XYLENES (TOTAL)</b>	81551	000		<b>DUE</b>

**SECONDARY/GP**

<b>BICARBONATE ALKALINITY</b>	00440	000		<b>DUE</b>
<b>CALCIUM</b>	00916	000		<b>DUE</b>
<b>CARBONATE ALKALINITY</b>	00445	000		<b>DUE</b>
<b>CHLORIDE</b>	00940	000		<b>DUE</b>
<b>COLOR</b>	00081	000		<b>DUE</b>
<b>COPPER</b>	01042	000		<b>DUE</b>
<b>FOAMING AGENTS (MBAS)</b>	38260	000		<b>DUE</b>
<b>HARDNESS (TOTAL) AS CaCO3</b>	00900	000		<b>DUE</b>
<b>HYDROXIDE ALKALINITY</b>	71830	000		<b>DUE</b>
<b>IRON</b>	01045	000		<b>DUE</b>
<b>MAGNESIUM</b>	00927	000		<b>DUE</b>
<b>MANGANESE</b>	01055	000		<b>DUE</b>
<b>ODOR THRESHOLD @ 60 C</b>	00086	000		<b>DUE</b>
<b>PH, LABORATORY</b>	00403	000		<b>DUE</b>
<b>SILVER</b>	01077	000		<b>DUE</b>
<b>SODIUM</b>	00929	000		<b>DUE</b>
<b>SPECIFIC CONDUCTANCE</b>	00095	000		<b>DUE</b>

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910041**

**System Name: THREE VALLEYS MWD**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910041-005**

**Source Name: TVMWD WELL 02**

**Source Number: 005**

**Source Status: ACTIVE RAW**

**Water type: G**

**SECONDARY/GP**

<b>SULFATE</b>	<b>00945</b>	<b>000</b>			<b>DUE</b>
<b>TOTAL DISSOLVED SOLIDS</b>	<b>70300</b>	<b>000</b>			<b>DUE</b>
<b>TURBIDITY, LABORATORY</b>	<b>82079</b>	<b>000</b>			<b>DUE</b>
<b>ZINC</b>	<b>01092</b>	<b>000</b>			<b>DUE</b>

**PS Code: 1910041-800**

**Source Name: SITE 1-INDIAN HILL CONNECTION-STG2 DBP**

**Source Number: 800**

**Source Status: DISTRIBUTION TREATED**

**Water type: S**

**HALOACETIC ACIDS**

<b>DIBROMOACETIC ACID (DBAA)</b>	<b>82721</b>	<b>003</b>	<b>2014/03/11</b>	<b>. 5.960</b>	<b>2014/06</b>	<b>DUE</b>
<b>DICHLOROACETIC ACID (DCAA)</b>	<b>77288</b>	<b>003</b>	<b>2014/03/11</b>	<b>. 2.010</b>	<b>2014/06</b>	<b>DUE</b>
<b>HALOACETIC ACIDS (5) (HAA5)</b>	<b>A-049</b>	<b>003</b>	<b>2014/03/11</b>	<b>. 9.190</b>	<b>2014/06</b>	<b>DUE</b>
<b>MONOBROMOACETIC ACID (MBAA)</b>	<b>A-041</b>	<b>003</b>	<b>2014/03/11</b>	<b>. .000</b>	<b>2014/06</b>	<b>DUE</b>
<b>MONOCHLOROACETIC ACID (MCAA)</b>	<b>A-042</b>	<b>003</b>	<b>2014/03/11</b>	<b>. .000</b>	<b>2014/06</b>	<b>DUE</b>
<b>TRICHLOROACETIC ACID (TCAA)</b>	<b>82723</b>	<b>003</b>	<b>2014/03/11</b>	<b>. 1.230</b>	<b>2014/06</b>	<b>DUE</b>

**STATE UCMR**

<b>BROMODICHLORMETHANE (THM)</b>	<b>32101</b>	<b>003</b>	<b>2014/03/11</b>	<b>. 7.420</b>	<b>2014/06</b>	<b>DUE</b>
<b>BROMOFORM (THM)</b>	<b>32104</b>	<b>003</b>	<b>2014/03/11</b>	<b>. 9.960</b>	<b>2014/06</b>	<b>DUE</b>
<b>CHLOROFORM (THM)</b>	<b>32106</b>	<b>003</b>	<b>2014/03/11</b>	<b>. 1.410</b>	<b>2014/06</b>	<b>DUE</b>
<b>DIBROMOCHLOROMETHANE (THM)</b>	<b>32105</b>	<b>003</b>	<b>2014/03/11</b>	<b>. 15.000</b>	<b>2014/06</b>	<b>DUE</b>

**TRIHALOMETHANES**

<b>TOTAL TRIHALOMETHANES</b>	<b>82080</b>	<b>003</b>	<b>2014/03/11</b>	<b>. 33.800</b>	<b>2014/06</b>	<b>DUE</b>
------------------------------	--------------	------------	-------------------	-----------------	----------------	------------

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910041**

**System Name: THREE VALLEYS MWD**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910041-801**

**Source Name: SITE 2-6TH & WHITE CONNECTION-STG2 DBP**

**Source Number: 801**

**Source Status: DISTRIBUTION TREATED**

**Water type: S**

**HALOACETIC ACIDS**

DIBROMOACETIC ACID (DBAA)	82721	003	2014/03/11	. 6.850	2014/06	DUE
DICHLOROACETIC ACID (DCAA)	77288	003	2014/03/11	. 2.330	2014/06	DUE
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/03/11	. 10.600	2014/06	DUE
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/03/11	. .000	2014/06	DUE
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/03/11	. .000	2014/06	DUE
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/03/11	. 1.430	2014/06	DUE

**STATE UCMR**

BROMODICHLORMETHANE (THM)	32101	003	2014/03/11	. 7.860	2014/06	DUE
BROMOFORM (THM)	32104	003	2014/03/11	. 11.000	2014/06	DUE
CHLOROFORM (THM)	32106	003	2014/03/11	. 1.540	2014/06	DUE
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/03/11	. 15.600	2014/06	DUE

**TRIHALOMETHANES**

TOTAL TRIHALOMETHANES	82080	003	2014/03/11	. 36.000	2014/06	DUE
-----------------------	-------	-----	------------	----------	---------	-----

**PS Code: 1910041-802**

**Source Name: SITE3-WILLIAMSBASELINECONNECTION-STG2DBP**

**Source Number: 802**

**Source Status: DISTRIBUTION TREATED**

**Water type: S**

**HALOACETIC ACIDS**

DIBROMOACETIC ACID (DBAA)	82721	003	2014/03/11	. 6.780	2014/06	DUE
DICHLOROACETIC ACID (DCAA)	77288	003	2014/03/11	. 2.590	2014/06	DUE
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/03/11	. 10.700	2014/06	DUE
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/03/11	. .000	2014/06	DUE
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/03/11	. .000	2014/06	DUE
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/03/11	. 1.300	2014/06	DUE

**STATE UCMR**

BROMODICHLORMETHANE (THM)	32101	003	2014/03/11	. 7.940	2014/06	DUE
---------------------------	-------	-----	------------	---------	---------	-----

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: **1910041**

System Name: **THREE VALLEYS MWD**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: **1910041-802**

Source Name: **SITE3-WILLIAMSBASELINECONNECTION-STG2DBP**

Source Number: **802**

Source Status: **DISTRIBUTION TREATED**

Water type: **S**

STATE UCMR

<b>BROMOFORM (THM)</b>	<b>32104</b>	<b>003</b>	<b>2014/03/11</b>	<b>. 10.800</b>	<b>2014/06</b>	<b>DUE</b>
<b>CHLOROFORM (THM)</b>	<b>32106</b>	<b>003</b>	<b>2014/03/11</b>	<b>. 1.620</b>	<b>2014/06</b>	<b>DUE</b>
<b>DIBROMOCHLOROMETHANE (THM)</b>	<b>32105</b>	<b>003</b>	<b>2014/03/11</b>	<b>. 16.400</b>	<b>2014/06</b>	<b>DUE</b>

TRIHALOMETHANES

<b>TOTAL TRIHALOMETHANES</b>	<b>82080</b>	<b>003</b>	<b>2014/03/11</b>	<b>. 36.800</b>	<b>2014/06</b>	<b>DUE</b>
------------------------------	--------------	------------	-------------------	-----------------	----------------	------------

PS Code: **1910041-803**

Source Name: **SITE4-WHEELER-BASELINECONNECTION-STG2DBP**

Source Number: **803**

Source Status: **DISTRIBUTION TREATED**

Water type: **S**

HALOACETIC ACIDS

<b>DIBROMOACETIC ACID (DBAA)</b>	<b>82721</b>	<b>003</b>	<b>2014/03/11</b>	<b>. 6.470</b>	<b>2014/06</b>	<b>DUE</b>
<b>DICHLOROACETIC ACID (DCAA)</b>	<b>77288</b>	<b>003</b>	<b>2014/03/11</b>	<b>. 2.190</b>	<b>2014/06</b>	<b>DUE</b>
<b>HALOACETIC ACIDS (5) (HAA5)</b>	<b>A-049</b>	<b>003</b>	<b>2014/03/11</b>	<b>. 10.000</b>	<b>2014/06</b>	<b>DUE</b>
<b>MONOBROMOACETIC ACID (MBAA)</b>	<b>A-041</b>	<b>003</b>	<b>2014/03/11</b>	<b>. .000</b>	<b>2014/06</b>	<b>DUE</b>
<b>MONOCHLOROACETIC ACID (MCAA)</b>	<b>A-042</b>	<b>003</b>	<b>2014/03/11</b>	<b>. .000</b>	<b>2014/06</b>	<b>DUE</b>
<b>TRICHLOROACETIC ACID (TCAA)</b>	<b>82723</b>	<b>003</b>	<b>2014/03/11</b>	<b>. 1.370</b>	<b>2014/06</b>	<b>DUE</b>

STATE UCMR

<b>BROMODICHLORMETHANE (THM)</b>	<b>32101</b>	<b>003</b>	<b>2014/03/11</b>	<b>. 8.310</b>	<b>2014/06</b>	<b>DUE</b>
<b>BROMOFORM (THM)</b>	<b>32104</b>	<b>003</b>	<b>2014/03/11</b>	<b>. 11.300</b>	<b>2014/06</b>	<b>DUE</b>
<b>CHLOROFORM (THM)</b>	<b>32106</b>	<b>003</b>	<b>2014/03/11</b>	<b>. 1.620</b>	<b>2014/06</b>	<b>DUE</b>
<b>DIBROMOCHLOROMETHANE (THM)</b>	<b>32105</b>	<b>003</b>	<b>2014/03/11</b>	<b>. 16.900</b>	<b>2014/06</b>	<b>DUE</b>

TRIHALOMETHANES

<b>TOTAL TRIHALOMETHANES</b>	<b>82080</b>	<b>003</b>	<b>2014/03/11</b>	<b>. 38.100</b>	<b>2014/06</b>	<b>DUE</b>
------------------------------	--------------	------------	-------------------	-----------------	----------------	------------

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910042**

**System Name: PICO RIVERA - CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910042-002**

**Source Name: WELL W1**

**Source Number: 002**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

ALUMINUM	01105	036	2014/04/23	< 50.000	2017/04
ANTIMONY	01097	036	2014/04/23	< 6.000	2017/04
ARSENIC	01002	036	2014/04/23	< 2.000	2017/04
BARIUM	01007	036	2014/04/23	. 100.000	2017/04
BERYLLIUM	01012	036	2014/04/23	< 1.000	2017/04
CADMIUM	01027	036	2014/04/23	< 1.000	2017/04
CHROMIUM (TOTAL)	01034	036	2014/04/23	< 10.000	2017/04
CYANIDE	01291	036	2014/04/23	< 100.000	2017/04
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/04/23	. .290	2017/04
MERCURY	71900	036	2014/04/23	< 1.000	2017/04
NICKEL	01067	036	2014/04/23	< 10.000	2017/04
PERCHLORATE	A-031	012	2013/07/16	< 4.000	2014/07
SELENIUM	01147	036	2014/04/23	< 5.000	2017/04
THALLIUM	01059	036	2014/04/23	< 1.000	2017/04

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	012	2014/04/23	. 3.700	2015/04
NITRITE (AS N)	00620	036	2014/04/23	< 400.000	2017/04

**RADIOLOGICAL**

<b>GROSS ALPHA</b>	01501	003	<b>2013/10/28</b>	. 6.830	<b>2014/01</b>	<b>DUE</b>
<b>RADIUM 226</b>	09501	003	<b>2007/10/23</b>	.090	<b>2008/01</b>	<b>DUE</b>
<b>RADIUM 228</b>	11501	003	<b>2013/10/28</b>	. .000	<b>2014/01</b>	<b>DUE</b>
URANIUM (PCI/L)	28012	072	2013/10/28	. 2.900	2019/10	

**REGULATED SOC**

2,4-D	39730	033	2013/10/28	< 10.000	2016/07
ALACHLOR	77825	033	2013/10/28	< 1.000	2016/07
ATRAZINE	39033	033	2013/10/28	< .500	2016/07
BENTAZON	38710	033	2013/10/28	< 2.000	2016/07
CARBOFURAN	81405	033	2013/10/28	< 5.000	2016/07

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)



**System Number: 1910042**

**System Name: PICO RIVERA - CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910042-002**

**Source Name: WELL W1**

**Source Number: 002**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED SOC**

CHLORDANE	39350	033	2013/07/16	< .100	2016/04
DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2013/10/28	< 3.000	2016/07
DIBROMOCHLOROPROPANE (DBCP)	38761	033	2013/10/28	< .010	2016/07
DINOSEB	81287	033	2013/10/28	< 2.000	2016/07
DIQUAT	78885	033	2013/10/28	< 4.000	2016/07
ENDOTHALL	38926	033	2013/10/28	< 45.000	2016/07
ENDRIN	39390	033	2013/07/16	< .100	2016/04
ETHYLENE DIBROMIDE (EDB)	77651	033	2013/10/28	< .020	2016/07
GLYPHOSATE	79743	033	2013/10/28	< 25.000	2016/07
LINDANE	39340	033	2013/07/16	< .200	2016/04
METHOXYCHLOR	39480	033	2013/07/16	< 10.000	2016/04
OXAMYL	38865	033	2013/10/28	< 20.000	2016/07
PENTACHLOROPHENOL	39032	033	2013/10/28	< .200	2016/07
SIMAZINE	39055	033	2013/10/28	< 1.000	2016/07
THIOBENCARB	A-001	033	2013/10/28	< 1.000	2016/07
TOXAPHENE	39400	033	2013/07/16	< 1.000	2016/04

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	012	2014/04/23	< .500	2015/04
1,1,2,2-TETRACHLOROETHANE	34516	012	2014/04/23	< .500	2015/04
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/04/23	< 10.000	2015/04
1,1,2-TRICHLOROETHANE	34511	012	2014/04/23	< .500	2015/04
1,1-DICHLOROETHANE	34496	012	2014/04/23	< .500	2015/04
1,1-DICHLOROETHYLENE	34501	012	2014/04/23	< .500	2015/04
1,2,4-TRICHLOROBENZENE	34551	012	2014/04/23	< .500	2015/04
1,2-DICHLOROBENZENE	34536	012	2014/04/23	< .500	2015/04
1,2-DICHLOROETHANE	34531	012	2014/04/23	< .500	2015/04
1,2-DICHLOROPROPANE	34541	012	2014/04/23	< .500	2015/04
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/04/23	< .500	2015/04
1,4-DICHLOROBENZENE	34571	012	2014/04/23	< .500	2015/04

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910042**

**System Name: PICO RIVERA - CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910042-002**

**Source Name: WELL W1**

**Source Number: 002**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED VOC**

BENZENE	34030	012	2014/04/23	< .500	2015/04
CARBON TETRACHLORIDE	32102	012	2014/04/23	< .500	2015/04
CIS-1,2-DICHLOROETHYLENE	77093	003	2014/04/23	< .500	2014/07
DICHLOROMETHANE	34423	012	2014/04/23	< .500	2015/04
ETHYLBENZENE	34371	012	2014/04/23	< .500	2015/04
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/04/23	< 3.000	2015/04
MONOCHLOROENZENE	34301	012	2014/04/23	< .500	2015/04
STYRENE	77128	012	2014/04/23	< .500	2015/04
TETRACHLOROETHYLENE	34475	003	2014/04/23	< .500	2014/07
TOLUENE	34010	012	2014/04/23	< .500	2015/04
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/04/23	< .500	2015/04
TRICHLOROETHYLENE	39180	003	2014/04/23	< .500	2014/07
TRICHLOROFUOROMETHANE	34488	012	2014/04/23	< 5.000	2015/04
VINYL CHLORIDE	39175	012	2014/04/23	< .500	2015/04
XYLENES (TOTAL)	81551	012	2014/04/23	< .000	2015/04

**SECONDARY/GP**

BICARBONATE ALKALINITY	00440	036	2014/04/23	. 240.000	2017/04
CALCIUM	00916	036	2014/04/23	. 88.000	2017/04
CARBONATE ALKALINITY	00445	036	2014/04/23	< .000	2017/04
CHLORIDE	00940	036	2014/04/23	. 88.000	2017/04
COLOR	00081	036	2014/04/23	< .000	2017/04
COPPER	01042	036	2014/04/23	< 50.000	2017/04
FOAMING AGENTS (MBAS)	38260	036	2014/04/23	. .071	2017/04
HARDNESS (TOTAL) AS CaCO3	00900	036	2014/04/23	. 280.000	2017/04
HYDROXIDE ALKALINITY	71830	036	2014/04/23	< .000	2017/04
IRON	01045	036	2014/04/23	< 100.000	2017/04
MAGNESIUM	00927	036	2014/04/23	. 14.000	2017/04
MANGANESE	01055	036	2014/04/23	< 20.000	2017/04
ODOR THRESHOLD @ 60 C	00086	036	2014/04/23	. 1.000	2017/04

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910042**

**System Name: PICO RIVERA - CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910042-002**

**Source Name: WELL W1**

**Source Number: 002**

**Source Status: ACTIVE RAW**

**Water type: G**

**SECONDARY/GP**

PH, LABORATORY	00403	036	2014/04/23	. 7.950	2017/04
SILVER	01077	036	2014/04/23	< 10.000	2017/04
SODIUM	00929	036	2014/04/23	. 69.000	2017/04
SPECIFIC CONDUCTANCE	00095	036	2014/04/23	. 870.000	2017/04
SULFATE	00945	036	2014/04/23	. 110.000	2017/04
TOTAL DISSOLVED SOLIDS	70300	036	2014/04/23	. 500.000	2017/04
TURBIDITY, LABORATORY	82079	036	2014/04/23	< .000	2017/04
ZINC	01092	036	2014/04/23	< 50.000	2017/04

**PS Code: 1910042-004**

**Source Name: WELL W11**

**Source Number: 004**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

ALUMINUM	01105	036	2014/01/17	< 50.000	2017/01
ANTIMONY	01097	036	2014/01/17	< 6.000	2017/01
ARSENIC	01002	036	2014/01/17	< 2.000	2017/01
BARIUM	01007	036	2014/01/17	< 100.000	2017/01
BERYLLIUM	01012	036	2014/01/17	< 1.000	2017/01
CADMIUM	01027	036	2014/01/17	< 1.000	2017/01
CHROMIUM (TOTAL)	01034	036	2014/01/17	< 10.000	2017/01
CYANIDE	01291	036	2014/01/17	< 100.000	2017/01
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/01/17	. .290	2017/01
MERCURY	71900	036	2014/01/17	< 1.000	2017/01
NICKEL	01067	036	2014/01/17	< 10.000	2017/01
PERCHLORATE	A-031	012	2013/07/16	< 4.000	2014/07
SELENIUM	01147	036	2014/01/17	< 5.000	2017/01
THALLIUM	01059	036	2014/01/17	< 1.000	2017/01

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910042**

**System Name: PICO RIVERA - CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910042-004**

**Source Name: WELL W11**

**Source Number: 004**

**Source Status: ACTIVE RAW**

**Water type: G**

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	003	2014/04/24	. 17.000	2014/07
NITRITE (AS N)	00620	036	2014/04/24	< 400.000	2017/04

**RADIOLOGICAL**

GROSS ALPHA	01501	003	2014/01/17	< 3.000	2014/04	DUE
RADIUM 226	09501	003	2008/02/19	.140	2008/05	DUE
RADIUM 228	11501	003	2014/01/17	. .041	2014/04	DUE
URANIUM (PCI/L)	28012	003	2014/01/17	< 1.000	2014/04	DUE

**REGULATED SOC**

2,4-D	39730	033	2012/07/24	< 10.000	2015/04
ALACHLOR	77825	033	2012/07/24	< 1.000	2015/04
ATRAZINE	39033	033	2012/07/24	< .500	2015/04
BENTAZON	38710	033	2012/07/24	< 2.000	2015/04
DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2012/07/24	< 3.000	2015/04
DIBROMOCHLOROPROPANE (DBCP)	38761	033	2012/07/24	< .010	2015/04
DINOSEB	81287	033	2012/07/24	< 2.000	2015/04
DIQUAT	78885	033	2012/07/24	< 4.000	2015/04
ENDOTHALL	38926	033	2012/07/24	< 45.000	2015/04
ETHYLENE DIBROMIDE (EDB)	77651	033	2012/07/24	< .020	2015/04
GLYPHOSATE	79743	033	2012/07/24	< 25.000	2015/04
SIMAZINE	39055	033	2012/07/24	< 1.000	2015/04
THIOBENCARB	A-001	033	2012/07/24	< 1.000	2015/04
TOXAPHENE	39400	033	2012/07/24	< 1.000	2015/04

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	012	2013/07/16	< .500	2014/07
1,1,2,2-TETRACHLOROETHANE	34516	012	2013/07/16	< .500	2014/07
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2013/07/16	< 10.000	2014/07
1,1,2-TRICHLOROETHANE	34511	012	2013/07/16	< .500	2014/07
1,1-DICHLOROETHANE	34496	012	2013/07/16	< .500	2014/07

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910042**

**System Name: PICO RIVERA - CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910042-004**

**Source Name: WELL W11**

**Source Number: 004**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED VOC**

1,1-DICHLOROETHYLENE	34501	012	2013/07/16	< .500	2014/07
1,2,4-TRICHLOROBENZENE	34551	012	2013/07/16	< .500	2014/07
1,2-DICHLOROBENZENE	34536	012	2013/07/16	< .500	2014/07
1,2-DICHLOROETHANE	34531	012	2013/07/16	< .500	2014/07
1,2-DICHLOROPROPANE	34541	012	2013/07/16	< .500	2014/07
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2013/07/16	< .500	2014/07
1,4-DICHLOROBENZENE	34571	012	2013/07/16	< .500	2014/07
BENZENE	34030	012	2013/07/16	< .500	2014/07
CARBON TETRACHLORIDE	32102	012	2013/07/16	< .500	2014/07
CIS-1,2-DICHLOROETHYLENE	77093	012	2013/07/16	< .500	2014/07
DICHLOROMETHANE	34423	012	2013/07/16	< .500	2014/07
ETHYLBENZENE	34371	012	2013/07/16	< .500	2014/07
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2013/07/16	< 3.000	2014/07
MONOCHLOROENZENE	34301	012	2013/07/16	< .500	2014/07
STYRENE	77128	012	2013/07/16	< .500	2014/07
TETRACHLOROETHYLENE	34475	012	2013/07/16	< .500	2014/07
TOLUENE	34010	012	2013/07/16	< .500	2014/07
TRANS-1,2-DICHLOROETHYLENE	34546	012	2013/07/16	< .500	2014/07
TRICHLOROETHYLENE	39180	012	2013/07/16	< .500	2014/07
TRICHLOROFUOROMETHANE	34488	012	2013/07/16	< 5.000	2014/07
VINYL CHLORIDE	39175	012	2013/07/16	< .500	2014/07
XYLENES (TOTAL)	81551	012	2013/07/16	< 1.000	2014/07

**SECONDARY/GP**

BICARBONATE ALKALINITY	00440	036	2014/01/17	. 170.000	2017/01
CALCIUM	00916	036	2014/01/17	. 61.800	2017/01
CARBONATE ALKALINITY	00445	036	2014/01/17	< .000	2017/01
CHLORIDE	00940	036	2014/01/17	. 89.000	2017/01
COLOR	00081	036	2014/01/17	< .000	2017/01
COPPER	01042	036	2014/01/17	< 50.000	2017/01

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910042**

**System Name: PICO RIVERA - CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

**PS Code: 1910042-004**

**Source Name: WELL W11**

**Source Number: 004**

**Source Status: ACTIVE RAW**

**Water type: G**

**SECONDARY/GP**

FOAMING AGENTS (MBAS)	38260	036	2014/01/17	< .000	2017/01
HARDNESS (TOTAL) AS CaCO3	00900	036	2014/01/17	. 211.000	2017/01
HYDROXIDE ALKALINITY	71830	036	2014/01/17	< .000	2017/01
IRON	01045	036	2014/01/17	< 100.000	2017/01
MAGNESIUM	00927	036	2014/01/17	. 14.000	2017/01
MANGANESE	01055	036	2014/01/17	< 20.000	2017/01
ODOR THRESHOLD @ 60 C	00086	036	2014/01/17	1.000	2017/01
PH, LABORATORY	00403	036	2014/01/17	. 7.300	2017/01
SILVER	01077	036	2014/01/17	< 10.000	2017/01
SODIUM	00929	036	2014/01/17	74.000	2017/01
SPECIFIC CONDUCTANCE	00095	036	2014/01/17	. 780.000	2017/01
SULFATE	00945	036	2014/01/17	100.000	2017/01
TOTAL DISSOLVED SOLIDS	70300	036	2014/01/17	. 460.000	2017/01
TURBIDITY, LABORATORY	82079	036	2014/01/17	. .290	2017/01
ZINC	01092	036	2014/01/17	< 50.000	2017/01

**PS Code: 1910042-005**

**Source Name: WELL W12**

**Source Number: 005**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

ALUMINUM	01105	036	2013/04/25	< 50.000	2016/04
ANTIMONY	01097	036	2013/04/25	< 6.000	2016/04
ARSENIC	01002	036	2013/04/25	< 2.000	2016/04
BARIUM	01007	036	2013/04/25	< 100.000	2016/04
BERYLLIUM	01012	036	2013/04/25	< 1.000	2016/04
CADMIUM	01027	036	2013/04/25	< 1.000	2016/04
CHROMIUM (TOTAL)	01034	036	2013/04/25	< 10.000	2016/04

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910042**

**System Name: PICO RIVERA - CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910042-005**

**Source Name: WELL W12**

**Source Number: 005**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

CYANIDE	01291	036	2013/04/25	< 100.000	2016/04
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/04/25	.310	2016/04
MERCURY	71900	036	2013/04/25	< 1.000	2016/04
NICKEL	01067	036	2013/04/25	< 10.000	2016/04
PERCHLORATE	A-031	012	2013/07/16	< 4.000	2014/07
SELENIUM	01147	036	2013/04/25	< 5.000	2016/04
THALLIUM	01059	036	2013/04/25	< 1.000	2016/04

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	012	2014/06/02	.17.000	2015/06
NITRITE (AS N)	00620	036	2013/04/25	< 400.000	2016/04

**RADIOLOGICAL**

<b>GROSS ALPHA</b>	01501	003	2012/04/17	.000	2012/07	<b>DUE</b>
<b>RADIUM 226</b>	09501	003	2009/02/26	.070	2009/05	<b>DUE</b>
<b>RADIUM 228</b>	11501	003	2012/04/17	.000	2012/07	<b>DUE</b>
<b>URANIUM (PCI/L)</b>	28012	003	2012/04/17	< 1.000	2012/07	<b>DUE</b>

**REGULATED SOC**

2,4-D	39730	033	2012/07/24	< 10.000	2015/04
ALACHLOR	77825	033	2012/07/24	< 1.000	2015/04
ATRAZINE	39033	033	2012/07/24	< .500	2015/04
BENTAZON	38710	033	2012/07/24	< 2.000	2015/04
DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2012/07/24	< 3.000	2015/04
DIBROMOCHLOROPROPANE (DBCP)	38761	033	2012/07/24	< .010	2015/04
DINOSEB	81287	033	2012/07/24	< 2.000	2015/04
DIQUAT	78885	033	2012/07/24	< 4.000	2015/04
ENDOTHALL	38926	033	2012/07/24	< 45.000	2015/04
ETHYLENE DIBROMIDE (EDB)	77651	033	2012/07/24	< .020	2015/04
GLYPHOSATE	79743	033	2012/07/24	< 25.000	2015/04
SIMAZINE	39055	033	2012/07/24	< 1.000	2015/04

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910042**

**System Name: PICO RIVERA - CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910042-005**

**Source Name: WELL W12**

**Source Number: 005**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED SOC**

THIOBENCARB	A-001	033	2012/07/24	< 1.000	2015/04
TOXAPHENE	39400	033	2012/07/24	< 1.000	2015/04

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	012	2013/07/16	< .500	2014/07
1,1,2,2-TETRACHLOROETHANE	34516	012	2013/07/16	< .500	2014/07
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2013/07/16	< 10.000	2014/07
1,1,2-TRICHLOROETHANE	34511	012	2013/07/16	< .500	2014/07
1,1-DICHLOROETHANE	34496	012	2013/07/16	< .500	2014/07
1,1-DICHLOROETHYLENE	34501	012	2013/07/16	< .500	2014/07
1,2,4-TRICHLOROBENZENE	34551	012	2013/07/16	< .500	2014/07
1,2-DICHLOROBENZENE	34536	012	2013/07/16	< .500	2014/07
1,2-DICHLOROETHANE	34531	012	2013/07/16	< .500	2014/07
1,2-DICHLOROPROPANE	34541	012	2013/07/16	< .500	2014/07
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2013/07/16	< .500	2014/07
1,4-DICHLOROBENZENE	34571	012	2013/07/16	< .500	2014/07
BENZENE	34030	012	2013/07/16	< .500	2014/07
CARBON TETRACHLORIDE	32102	012	2013/07/16	< .500	2014/07
CIS-1,2-DICHLOROETHYLENE	77093	012	2013/07/16	< .500	2014/07
DICHLOROMETHANE	34423	012	2013/07/16	< .500	2014/07
ETHYLBENZENE	34371	012	2013/07/16	< .500	2014/07
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2013/07/16	< 3.000	2014/07
MONOCHLOROBENZENE	34301	012	2013/07/16	< .500	2014/07
STYRENE	77128	012	2013/07/16	< .500	2014/07
TETRACHLOROETHYLENE	34475	012	2013/07/16	< .500	2014/07
TOLUENE	34010	012	2013/07/16	< .500	2014/07
TRANS-1,2-DICHLOROETHYLENE	34546	012	2013/07/16	< .500	2014/07
TRICHLOROETHYLENE	39180	012	2013/07/16	< .500	2014/07
TRICHLOROFUOROMETHANE	34488	012	2013/07/16	< 5.000	2014/07
VINYL CHLORIDE	39175	012	2013/07/16	< .500	2014/07

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)



**System Number: 1910042**

**System Name: PICO RIVERA - CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910042-005**

**Source Name: WELL W12**

**Source Number: 005**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED VOC**

XYLENES (TOTAL)	81551	012	2013/07/16	< 1.000	2014/07
-----------------	-------	-----	------------	---------	---------

**SECONDARY/GP**

BICARBONATE ALKALINITY	00440	036	2013/04/25	. 140.000	2016/04
CALCIUM	00916	036	2013/04/25	. 53.000	2016/04
CARBONATE ALKALINITY	00445	036	2013/04/25	< 2.400	2016/04
CHLORIDE	00940	036	2013/04/25	. 75.000	2016/04
COLOR	00081	036	2013/04/25	< 1.000	2016/04
COPPER	01042	036	2013/04/25	< 50.000	2016/04
FOAMING AGENTS (MBAS)	38260	036	2013/04/25	< .100	2016/04
HARDNESS (TOTAL) AS CaCO3	00900	036	2013/04/25	. 180.000	2016/04
HYDROXIDE ALKALINITY	71830	036	2013/04/25	< 1.400	2016/04
IRON	01045	036	2013/04/25	< 100.000	2016/04
MAGNESIUM	00927	036	2013/04/25	. 12.000	2016/04
MANGANESE	01055	036	2013/04/25	< 20.000	2016/04
ODOR THRESHOLD @ 60 C	00086	036	2013/04/25	< 1.000	2016/04
PH, LABORATORY	00403	036	2013/04/25	. 7.600	2016/04
SILVER	01077	036	2013/04/25	< 10.000	2016/04
SODIUM	00929	036	2013/04/25	72.000	2016/04
SPECIFIC CONDUCTANCE	00095	036	2013/04/25	. 710.000	2016/04
SULFATE	00945	036	2013/04/25	100.000	2016/04
TOTAL DISSOLVED SOLIDS	70300	036	2013/04/25	. 460.000	2016/04
TURBIDITY, LABORATORY	82079	036	2013/04/25	. .110	2016/04
ZINC	01092	036	2013/04/25	< 50.000	2016/04

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910042**

**System Name: PICO RIVERA - CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910042-006**

**Source Name: WELL W2**

**Source Number: 006**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

ALUMINUM	01105	036	2013/04/25	< 50.000	2016/04
ANTIMONY	01097	036	2013/04/25	< 6.000	2016/04
ARSENIC	01002	036	2013/04/25	< 2.000	2016/04
BARIUM	01007	036	2013/04/25	< 100.000	2016/04
BERYLLIUM	01012	036	2013/04/25	< 1.000	2016/04
CADMIUM	01027	036	2013/04/25	< 1.000	2016/04
CHROMIUM (TOTAL)	01034	036	2013/04/25	< 10.000	2016/04
CYANIDE	01291	036	2013/04/25	< 100.000	2016/04
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/04/25	.310	2016/04
MERCURY	71900	036	2013/04/25	< 1.000	2016/04
NICKEL	01067	036	2013/04/25	< 10.000	2016/04
PERCHLORATE	A-031	012	2013/07/16	< 4.000	2014/07
SELENIUM	01147	036	2013/04/25	< 5.000	2016/04
THALLIUM	01059	036	2013/04/25	< 1.000	2016/04

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	012	2014/04/23	. 6.600	2015/04
NITRITE (AS N)	00620	036	2013/04/25	< 400.000	2016/04

**RADIOLOGICAL**

<b>GROSS ALPHA</b>	01501	003	<b>2009/11/19</b>	3.100	<b>2010/02</b>	<b>DUE</b>
<b>RADIUM 226</b>	09501	003	<b>2009/11/19</b>	.060	<b>2010/02</b>	<b>DUE</b>
<b>RADIUM 228</b>	11501	003	<b>2012/10/23</b>	.000	<b>2013/01</b>	<b>DUE</b>
URANIUM (PCI/L)	28012	072	2011/10/21	. 3.100	2017/10	

**REGULATED SOC**

2,4-D	39730	033	2012/07/24	< 10.000	2015/04
ALACHLOR	77825	033	2012/07/24	< 1.000	2015/04
ATRAZINE	39033	033	2012/07/24	< .500	2015/04
BENTAZON	38710	033	2012/07/24	< 2.000	2015/04
CARBOFURAN	81405	033	2012/07/24	< 5.000	2015/04

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910042**

**System Name: PICO RIVERA - CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910042-006**

**Source Name: WELL W2**

**Source Number: 006**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED SOC**

CHLORDANE	39350	033	2012/07/24	< .100	2015/04
DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2012/07/24	< 3.000	2015/04
DIBROMOCHLOROPROPANE (DBCP)	38761	033	2012/07/24	< .010	2015/04
DINOSEB	81287	033	2012/07/24	< 2.000	2015/04
DIQUAT	78885	033	2012/07/24	< 4.000	2015/04
ENDOTHALL	38926	033	2012/07/24	< 45.000	2015/04
ENDRIN	39390	033	2012/07/24	< .100	2015/04
ETHYLENE DIBROMIDE (EDB)	77651	033	2012/07/24	< .020	2015/04
GLYPHOSATE	79743	033	2012/07/24	< 25.000	2015/04
LINDANE	39340	033	2012/07/24	< .200	2015/04
METHOXYCHLOR	39480	033	2012/07/24	< 10.000	2015/04
OXAMYL	38865	033	2012/07/24	< 20.000	2015/04
PENTACHLOROPHENOL	39032	033	2012/07/24	< .200	2015/04
SIMAZINE	39055	033	2012/07/24	< 1.000	2015/04
THIOBENCARB	A-001	033	2012/07/24	< 1.000	2015/04
TOXAPHENE	39400	033	2012/07/24	< 1.000	2015/04

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	012	2014/01/23	< .500	2015/01
1,1,2,2-TETRACHLOROETHANE	34516	012	2014/01/23	< .500	2015/01
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/01/23	< 10.000	2015/01
1,1,2-TRICHLOROETHANE	34511	012	2014/01/23	< .500	2015/01
1,1-DICHLOROETHANE	34496	012	2014/01/23	< .500	2015/01
1,1-DICHLOROETHYLENE	34501	012	2014/01/23	< .500	2015/01
1,2,4-TRICHLOROBENZENE	34551	012	2014/01/23	< .500	2015/01
1,2-DICHLOROBENZENE	34536	012	2014/01/23	< .500	2015/01
1,2-DICHLOROETHANE	34531	012	2014/01/23	< .500	2015/01
1,2-DICHLOROPROPANE	34541	012	2014/01/23	< .500	2015/01
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/01/23	< .500	2015/01
1,4-DICHLOROBENZENE	34571	012	2014/01/23	< .500	2015/01

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910042**

**System Name: PICO RIVERA - CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910042-006**

**Source Name: WELL W2**

**Source Number: 006**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED VOC**

BENZENE	34030	012	2014/01/23	< .500	2015/01
CARBON TETRACHLORIDE	32102	012	2014/01/23	< .500	2015/01
CIS-1,2-DICHLOROETHYLENE	77093	012	2014/01/23	< .500	2015/01
DICHLOROMETHANE	34423	012	2014/01/23	< .500	2015/01
ETHYLBENZENE	34371	012	2014/01/23	< .500	2015/01
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/01/23	< 3.000	2015/01
MONOCHLOROBENZENE	34301	012	2014/01/23	< .500	2015/01
STYRENE	77128	012	2014/01/23	< .500	2015/01
TETRACHLOROETHYLENE	34475	003	2014/04/23	< .500	2014/07
TOLUENE	34010	012	2014/01/23	< .500	2015/01
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/01/23	< .500	2015/01
TRICHLOROETHYLENE	39180	003	2014/04/23	< .500	2014/07
TRICHLOROFUOROMETHANE	34488	012	2014/01/23	< 5.000	2015/01
VINYL CHLORIDE	39175	012	2014/01/23	< .500	2015/01
XYLENES (TOTAL)	81551	012	2014/01/23	< .000	2015/01

**SECONDARY/GP**

BICARBONATE ALKALINITY	00440	036	2013/04/25	. 210.000	2016/04
CALCIUM	00916	036	2013/04/25	. 82.000	2016/04
CARBONATE ALKALINITY	00445	036	2013/04/25	< 2.400	2016/04
CHLORIDE	00940	036	2013/04/25	. 76.000	2016/04
COLOR	00081	036	2013/04/25	< 1.000	2016/04
COPPER	01042	036	2013/04/25	< 50.000	2016/04
FOAMING AGENTS (MBAS)	38260	036	2013/04/25	< .100	2016/04
HARDNESS (TOTAL) AS CaCO3	00900	036	2013/04/25	. 250.000	2016/04
HYDROXIDE ALKALINITY	71830	036	2013/04/25	< 1.400	2016/04
IRON	01045	036	2013/04/25	< 100.000	2016/04
MAGNESIUM	00927	036	2013/04/25	. 12.000	2016/04
MANGANESE	01055	036	2013/04/25	< 20.000	2016/04
ODOR THRESHOLD @ 60 C	00086	036	2013/04/25	< 1.000	2016/04

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910042**

**System Name: PICO RIVERA - CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

**PS Code: 1910042-006**

**Source Name: WELL W2**

**Source Number: 006**

**Source Status: ACTIVE RAW**

**Water type: G**

**SECONDARY/GP**

PH, LABORATORY	00403	036	2013/04/25	. 7.710	2016/04
SILVER	01077	036	2013/04/25	< 10.000	2016/04
SODIUM	00929	036	2013/04/25	65.000	2016/04
SPECIFIC CONDUCTANCE	00095	036	2013/04/25	. 840.000	2016/04
SULFATE	00945	036	2013/04/25	100.000	2016/04
TOTAL DISSOLVED SOLIDS	70300	036	2013/04/25	. 520.000	2016/04
TURBIDITY, LABORATORY	82079	036	2013/04/25	< .100	2016/04
ZINC	01092	036	2013/04/25	< 50.000	2016/04

**PS Code: 1910042-007**

**Source Name: WELL W3**

**Source Number: 007**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

ALUMINUM	01105	036	2011/07/19	< 50.000	2014/07
ANTIMONY	01097	036	2011/07/19	< 6.000	2014/07
ARSENIC	01002	036	2011/07/19	< 2.000	2014/07
BARIUM	01007	036	2011/07/19	< 100.000	2014/07
BERYLLIUM	01012	036	2011/07/19	< 1.000	2014/07
CADMIUM	01027	036	2011/07/19	< 1.000	2014/07
CHROMIUM (TOTAL)	01034	036	2011/07/19	< 10.000	2014/07
CYANIDE	01291	036	2011/07/19	< 100.000	2014/07
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2011/07/19	. .160	2014/07
MERCURY	71900	036	2011/07/19	< 1.000	2014/07
NICKEL	01067	036	2011/07/19	< 10.000	2014/07
PERCHLORATE	A-031	012	2013/07/16	< 4.000	2014/07
SELENIUM	01147	036	2011/07/19	< 5.000	2014/07
THALLIUM	01059	036	2011/07/19	< 1.000	2014/07

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910042**

**System Name: PICO RIVERA - CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910042-007**

**Source Name: WELL W3**

**Source Number: 007**

**Source Status: ACTIVE RAW**

**Water type: G**

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	012	2014/04/24	. 16.000	2015/04
NITRITE (AS N)	00620	036	2011/07/19	< 400.000	2014/07

**RADIOLOGICAL**

GROSS ALPHA	01501	003	2013/10/28	. 2.370	2014/01	DUE
RADIUM 226	09501	003	2007/10/23	.140	2008/01	DUE
RADIUM 228	11501	003	2013/10/28	. .000	2014/01	DUE
URANIUM (PCI/L)	28012	072	2013/10/28	. 1.600	2019/10	

**REGULATED SOC**

2,4-D	39730	033	2012/07/24	< 10.000	2015/04
ALACHLOR	77825	033	2012/07/24	< 1.000	2015/04
ATRAZINE	39033	033	2012/07/24	< .500	2015/04
BENTAZON	38710	033	2012/07/24	< 2.000	2015/04
DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2012/07/24	< 3.000	2015/04
DIBROMOCHLOROPROPANE (DBCP)	38761	033	2012/07/24	< .010	2015/04
DINOSEB	81287	033	2012/07/24	< 2.000	2015/04
DIQUAT	78885	033	2012/07/24	< 4.000	2015/04
ENDOTHALL	38926	033	2012/07/24	< 45.000	2015/04
ETHYLENE DIBROMIDE (EDB)	77651	033	2012/07/24	< .020	2015/04
GLYPHOSATE	79743	033	2012/07/24	< 25.000	2015/04
SIMAZINE	39055	033	2012/07/24	< 1.000	2015/04
THIOBENCARB	A-001	033	2012/07/24	< 1.000	2015/04
TOXAPHENE	39400	033	2012/07/24	< 1.000	2015/04

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	012	2014/04/24	< .500	2015/04
1,1,2,2-TETRACHLOROETHANE	34516	012	2014/04/24	< .500	2015/04
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/04/24	< 10.000	2015/04
1,1,2-TRICHLOROETHANE	34511	012	2014/04/24	< .500	2015/04
1,1-DICHLOROETHANE	34496	012	2014/04/24	< .500	2015/04

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910042**

**System Name: PICO RIVERA - CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910042-007**

**Source Name: WELL W3**

**Source Number: 007**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED VOC**

1,1-DICHLOROETHYLENE	34501	012	2014/04/24	< .500	2015/04
1,2,4-TRICHLOROBENZENE	34551	012	2014/04/24	< .500	2015/04
1,2-DICHLOROBENZENE	34536	012	2014/04/24	< .500	2015/04
1,2-DICHLOROETHANE	34531	012	2014/04/24	< .500	2015/04
1,2-DICHLOROPROPANE	34541	012	2014/04/24	< .500	2015/04
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/04/24	< .500	2015/04
1,4-DICHLOROBENZENE	34571	012	2014/04/24	< .500	2015/04
BENZENE	34030	012	2014/04/24	< .500	2015/04
CARBON TETRACHLORIDE	32102	012	2014/04/24	< .500	2015/04
CIS-1,2-DICHLOROETHYLENE	77093	012	2014/04/24	< .500	2015/04
DICHLOROMETHANE	34423	012	2014/04/24	< .500	2015/04
ETHYLBENZENE	34371	012	2014/04/24	< .500	2015/04
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/04/24	< 3.000	2015/04
MONOCHLOROENZENE	34301	012	2014/04/24	< .500	2015/04
STYRENE	77128	012	2014/04/24	< .500	2015/04
TETRACHLOROETHYLENE	34475	012	2014/04/24	< .500	2015/04
TOLUENE	34010	012	2014/04/24	< .500	2015/04
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/04/24	< .500	2015/04
TRICHLOROETHYLENE	39180	012	2014/04/24	< .500	2015/04
TRICHLOROFUOROMETHANE	34488	012	2014/04/24	< 5.000	2015/04
VINYL CHLORIDE	39175	012	2014/04/24	< .500	2015/04
XYLENES (TOTAL)	81551	012	2014/04/24	< .000	2015/04

**SECONDARY/GP**

BICARBONATE ALKALINITY	00440	036	2011/07/19	. 100.000	2014/07
CALCIUM	00916	036	2011/07/19	. 43.000	2014/07
CARBONATE ALKALINITY	00445	036	2011/07/19	< 2.000	2014/07
CHLORIDE	00940	036	2011/07/19	. 64.000	2014/07
COLOR	00081	036	2011/07/19	< 1.000	2014/07
COPPER	01042	036	2011/07/19	< 50.000	2014/07

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910042**

**System Name: PICO RIVERA - CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910042-007**

**Source Name: WELL W3**

**Source Number: 007**

**Source Status: ACTIVE RAW**

**Water type: G**

**SECONDARY/GP**

FOAMING AGENTS (MBAS)	38260	036	2011/07/19	< .100	2014/07
HARDNESS (TOTAL) AS CaCO3	00900	036	2011/07/19	. 150.000	2014/07
HYDROXIDE ALKALINITY	71830	036	2011/07/19	< 2.000	2014/07
IRON	01045	036	2011/07/19	< 100.000	2014/07
MAGNESIUM	00927	036	2011/07/19	. 9.800	2014/07
MANGANESE	01055	036	2011/07/19	< 20.000	2014/07
ODOR THRESHOLD @ 60 C	00086	036	2011/07/19	< 1.000	2014/07
PH, LABORATORY	00403	036	2011/07/19	. 7.500	2014/07
SILVER	01077	036	2011/07/19	< 10.000	2014/07
SODIUM	00929	036	2011/07/19	55.000	2014/07
SPECIFIC CONDUCTANCE	00095	036	2011/07/19	. 540.000	2014/07
SULFATE	00945	036	2011/07/19	94.000	2014/07
TOTAL DISSOLVED SOLIDS	70300	036	2011/07/19	. 370.000	2014/07
TURBIDITY, LABORATORY	82079	036	2011/07/19	< .100	2014/07
ZINC	01092	036	2011/07/19	< 50.000	2014/07

**PS Code: 1910042-008**

**Source Name: WELL W4**

**Source Number: 008**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

ALUMINUM	01105	036	2013/05/21	< 50.000	2016/05
ANTIMONY	01097	036	2013/05/21	< 6.000	2016/05
ARSENIC	01002	036	2013/05/21	< 2.000	2016/05
BARIUM	01007	036	2013/05/21	< 100.000	2016/05
BERYLLIUM	01012	036	2013/05/21	< 1.000	2016/05
CADMIUM	01027	036	2013/05/21	< 1.000	2016/05
CHROMIUM (TOTAL)	01034	036	2013/05/21	< 10.000	2016/05

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)



**System Number: 1910042**

**System Name: PICO RIVERA - CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910042-008**

**Source Name: WELL W4**

**Source Number: 008**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

CYANIDE	01291	036	2013/05/21	< 100.000	2016/05
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/05/21	.280	2016/05
MERCURY	71900	036	2013/05/21	< 1.000	2016/05
NICKEL	01067	036	2013/05/21	< 10.000	2016/05
PERCHLORATE	A-031	012	2014/04/23	< 4.000	2015/04
SELENIUM	01147	036	2013/05/21	< 5.000	2016/05
THALLIUM	01059	036	2013/05/21	< 1.000	2016/05

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	012	2014/04/23	.17.000	2015/04
NITRITE (AS N)	00620	036	2013/05/21	< 400.000	2016/05

**RADIOLOGICAL**

<b>GROSS ALPHA</b>	01501	003	2007/12/06	1.630	2008/03	<b>DUE</b>
<b>RADIUM 226</b>	09501	003	2007/12/06	.090	2008/03	<b>DUE</b>
<b>RADIUM 228</b>	11501	003	2007/12/06	.760	2008/03	<b>DUE</b>
<b>URANIUM (PCI/L)</b>	28012	003	2007/12/06	< 1.000	2008/03	<b>DUE</b>

**REGULATED SOC**

2,4-D	39730	033	2013/08/12	< 10.000	2016/05
ALACHLOR	77825	033	2013/08/12	< 1.000	2016/05
ATRAZINE	39033	033	2013/08/12	< .500	2016/05
BENTAZON	38710	033	2013/08/12	< 2.000	2016/05
DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2013/08/12	< 3.000	2016/05
DIBROMOCHLOROPROPANE (DBCP)	38761	033	2013/08/12	< .010	2016/05
DINOSEB	81287	033	2013/08/12	< 2.000	2016/05
DIQUAT	78885	033	2013/08/12	< 4.000	2016/05
ENDOTHALL	38926	033	2013/08/12	< 45.000	2016/05
ETHYLENE DIBROMIDE (EDB)	77651	033	2013/08/12	< .020	2016/05
GLYPHOSATE	79743	033	2013/08/12	< 25.000	2016/05
SIMAZINE	39055	033	2013/08/12	< 1.000	2016/05

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910042**

**System Name: PICO RIVERA - CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910042-008**

**Source Name: WELL W4**

**Source Number: 008**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED SOC**

THIOBENCARB	A-001	033	2013/08/12	< 1.000	2016/05
TOXAPHENE	39400	033	2013/08/12	< 1.000	2016/05

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	012	2014/04/23	< .500	2015/04
1,1,2,2-TETRACHLOROETHANE	34516	012	2014/04/23	< .500	2015/04
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/04/23	< 10.000	2015/04
1,1,2-TRICHLOROETHANE	34511	012	2014/04/23	< .500	2015/04
1,1-DICHLOROETHANE	34496	012	2014/04/23	< .500	2015/04
1,1-DICHLOROETHYLENE	34501	012	2014/04/23	< .500	2015/04
1,2,4-TRICHLOROBENZENE	34551	012	2014/04/23	< .500	2015/04
1,2-DICHLOROBENZENE	34536	012	2014/04/23	< .500	2015/04
1,2-DICHLOROETHANE	34531	012	2014/04/23	< .500	2015/04
1,2-DICHLOROPROPANE	34541	012	2014/04/23	< .500	2015/04
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/04/23	< .500	2015/04
1,4-DICHLOROBENZENE	34571	012	2014/04/23	< .500	2015/04
BENZENE	34030	012	2014/04/23	< .500	2015/04
CARBON TETRACHLORIDE	32102	012	2014/04/23	< .500	2015/04
CIS-1,2-DICHLOROETHYLENE	77093	012	2014/04/23	< .500	2015/04
DICHLOROMETHANE	34423	012	2014/04/23	< .500	2015/04
ETHYLBENZENE	34371	012	2014/04/23	< .500	2015/04
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/04/23	< 3.000	2015/04
MONOCHLOROBENZENE	34301	012	2014/04/23	< .500	2015/04
STYRENE	77128	012	2014/04/23	< .500	2015/04
TETRACHLOROETHYLENE	34475	012	2014/04/23	< .500	2015/04
TOLUENE	34010	012	2014/04/23	< .500	2015/04
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/04/23	< .500	2015/04
TRICHLOROETHYLENE	39180	012	2014/04/23	< .500	2015/04
TRICHLOROFUOROMETHANE	34488	012	2014/04/23	< 5.000	2015/04
VINYL CHLORIDE	39175	012	2014/04/23	< .500	2015/04

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910042**

**System Name: PICO RIVERA - CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910042-008**

**Source Name: WELL W4**

**Source Number: 008**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED VOC**

XYLENES (TOTAL)	81551	012	2014/04/23	< .000	2015/04
-----------------	-------	-----	------------	--------	---------

**SECONDARY/GP**

BICARBONATE ALKALINITY	00440	036	2013/05/21	. 130.000	2016/05
CALCIUM	00916	036	2013/05/21	. 32.000	2016/05
CARBONATE ALKALINITY	00445	036	2013/05/21	< 2.400	2016/05
CHLORIDE	00940	036	2013/05/21	. 46.000	2016/05
COLOR	00081	036	2013/05/21	< 1.000	2016/05
COPPER	01042	036	2013/05/21	< 50.000	2016/05
FOAMING AGENTS (MBAS)	38260	036	2013/05/21	< .100	2016/05
HARDNESS (TOTAL) AS CaCO3	00900	036	2013/05/21	. 110.000	2016/05
HYDROXIDE ALKALINITY	71830	036	2013/05/21	< 1.400	2016/05
IRON	01045	036	2013/05/21	330.000	2016/05
MAGNESIUM	00927	036	2013/05/21	. 7.300	2016/05
MANGANESE	01055	036	2013/05/21	< 20.000	2016/05
ODOR THRESHOLD @ 60 C	00086	036	2013/05/21	< 1.000	2016/05
PH, LABORATORY	00403	036	2013/05/21	. 7.360	2016/05
SILVER	01077	036	2013/05/21	< 10.000	2016/05
SODIUM	00929	036	2013/05/21	43.000	2016/05
SPECIFIC CONDUCTANCE	00095	036	2013/05/21	. 490.000	2016/05
SULFATE	00945	036	2013/05/21	60.000	2016/05
TOTAL DISSOLVED SOLIDS	70300	036	2013/05/21	. 340.000	2016/05
TURBIDITY, LABORATORY	82079	036	2013/05/21	. 2.000	2016/05
ZINC	01092	036	2013/05/21	< 50.000	2016/05

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910042**

**System Name: PICO RIVERA - CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910042-009**

**Source Name: WELL W5**

**Source Number: 009**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

ALUMINUM	01105	036	2013/04/25	< 50.000	2016/04
ANTIMONY	01097	036	2013/04/25	< 6.000	2016/04
ARSENIC	01002	036	2013/04/25	< 2.000	2016/04
BARIUM	01007	036	2013/04/25	< 100.000	2016/04
BERYLLIUM	01012	036	2013/04/25	< 1.000	2016/04
CADMIUM	01027	036	2013/04/25	< 1.000	2016/04
CHROMIUM (TOTAL)	01034	036	2013/04/25	< 10.000	2016/04
CYANIDE	01291	036	2013/04/25	< 100.000	2016/04
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/04/25	. 310	2016/04
MERCURY	71900	036	2013/04/25	< 1.000	2016/04
NICKEL	01067	036	2013/04/25	< 10.000	2016/04
PERCHLORATE	A-031	012	2014/04/23	< 4.000	2015/04
SELENIUM	01147	036	2013/04/25	< 5.000	2016/04
THALLIUM	01059	036	2013/04/25	< 1.000	2016/04

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	012	2014/04/23	. 9.800	2015/04
NITRITE (AS N)	00620	036	2013/04/25	< 400.000	2016/04

**RADIOLOGICAL**

<b>GROSS ALPHA</b>	01501	003	<b>2013/10/28</b>	. 1.750	<b>2014/01</b>	<b>DUE</b>
<b>RADIUM 226</b>	09501	003	<b>2007/12/06</b>	.150	<b>2008/03</b>	<b>DUE</b>
<b>RADIUM 228</b>	11501	003	<b>2013/10/28</b>	. .006	<b>2014/01</b>	<b>DUE</b>
<b>URANIUM (PCI/L)</b>	28012	003	<b>2013/10/28</b>	< 1.000	<b>2014/01</b>	<b>DUE</b>

**REGULATED SOC**

2,4-D	39730	033	2012/07/24	< 10.000	2015/04
ALACHLOR	77825	033	2012/07/24	< 1.000	2015/04
ATRAZINE	39033	033	2012/07/24	< .500	2015/04
BENTAZON	38710	033	2012/07/24	< 2.000	2015/04
DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2012/07/24	< 3.000	2015/04

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910042**

**System Name: PICO RIVERA - CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910042-009**

**Source Name: WELL W5**

**Source Number: 009**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED SOC**

DIBROMOCHLOROPROPANE (DBCP)	38761	033	2012/07/24	< .010	2015/04
DINOSEB	81287	033	2012/07/24	< 2.000	2015/04
DIQUAT	78885	033	2012/07/24	< 4.000	2015/04
ENDOTHALL	38926	033	2012/07/24	< 45.000	2015/04
ETHYLENE DIBROMIDE (EDB)	77651	033	2012/07/24	< .020	2015/04
GLYPHOSATE	79743	033	2012/07/24	< 25.000	2015/04
SIMAZINE	39055	033	2012/07/24	< 1.000	2015/04
THIOBENCARB	A-001	033	2012/07/24	< 1.000	2015/04
TOXAPHENE	39400	033	2012/07/24	< 1.000	2015/04

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	012	2013/10/28	< .500	2014/10
1,1,2,2-TETRACHLOROETHANE	34516	012	2013/10/28	< .500	2014/10
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2013/10/28	< 10.000	2014/10
1,1,2-TRICHLOROETHANE	34511	012	2013/10/28	< .500	2014/10
1,1-DICHLOROETHANE	34496	012	2013/10/28	< .500	2014/10
1,1-DICHLOROETHYLENE	34501	012	2013/10/28	< .500	2014/10
1,2,4-TRICHLOROBENZENE	34551	012	2013/10/28	< .500	2014/10
1,2-DICHLOROBENZENE	34536	012	2013/10/28	< .500	2014/10
1,2-DICHLOROETHANE	34531	012	2013/10/28	< .500	2014/10
1,2-DICHLOROPROPANE	34541	012	2013/10/28	< .500	2014/10
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2013/10/28	< .500	2014/10
1,4-DICHLOROBENZENE	34571	012	2013/10/28	< .500	2014/10
BENZENE	34030	012	2013/10/28	< .500	2014/10
CARBON TETRACHLORIDE	32102	012	2013/10/28	< .500	2014/10
CIS-1,2-DICHLOROETHYLENE	77093	012	2013/10/28	< .500	2014/10
DICHLOROMETHANE	34423	012	2013/10/28	< .500	2014/10
ETHYLBENZENE	34371	012	2013/10/28	< .500	2014/10
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2013/10/28	< 3.000	2014/10
MONOCHLOROBENZENE	34301	012	2013/10/28	< .500	2014/10

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910042**

**System Name: PICO RIVERA - CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910042-009**

**Source Name: WELL W5**

**Source Number: 009**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED VOC**

STYRENE	77128	012	2013/10/28	< .500	2014/10
TETRACHLOROETHYLENE	34475	012	2013/10/28	< .500	2014/10
TOLUENE	34010	012	2013/10/28	< .500	2014/10
TRANS-1,2-DICHLOROETHYLENE	34546	012	2013/10/28	< .500	2014/10
TRICHLOROETHYLENE	39180	012	2013/10/28	< .500	2014/10
TRICHLOROFUOROMETHANE	34488	012	2013/10/28	< 5.000	2014/10
VINYL CHLORIDE	39175	012	2013/10/28	< .500	2014/10
XYLENES (TOTAL)	81551	012	2013/10/28	< 1.000	2014/10

**SECONDARY/GP**

BICARBONATE ALKALINITY	00440	036	2013/04/25	. 110.000	2016/04
CALCIUM	00916	036	2013/04/25	. 35.000	2016/04
CARBONATE ALKALINITY	00445	036	2013/04/25	< 2.400	2016/04
CHLORIDE	00940	036	2013/04/25	. 37.000	2016/04
COLOR	00081	036	2013/04/25	< 1.000	2016/04
COPPER	01042	036	2013/04/25	< 50.000	2016/04
FOAMING AGENTS (MBAS)	38260	036	2013/04/25	< .100	2016/04
HARDNESS (TOTAL) AS CaCO3	00900	036	2013/04/25	. 120.000	2016/04
HYDROXIDE ALKALINITY	71830	036	2013/04/25	< 1.400	2016/04
IRON	01045	036	2013/04/25	< 100.000	2016/04
MAGNESIUM	00927	036	2013/04/25	. 8.000	2016/04
MANGANESE	01055	036	2013/04/25	< 20.000	2016/04
ODOR THRESHOLD @ 60 C	00086	036	2013/04/25	< 1.000	2016/04
PH, LABORATORY	00403	036	2013/04/25	. 7.500	2016/04
SILVER	01077	036	2013/04/25	< 10.000	2016/04
SODIUM	00929	036	2013/04/25	39.000	2016/04
SPECIFIC CONDUCTANCE	00095	036	2013/04/25	. 410.000	2016/04
SULFATE	00945	036	2013/04/25	54.000	2016/04
TOTAL DISSOLVED SOLIDS	70300	036	2013/04/25	. 290.000	2016/04
TURBIDITY, LABORATORY	82079	036	2013/04/25	. .120	2016/04

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910042**

**System Name: PICO RIVERA - CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910042-009**

**Source Name: WELL W5**

**Source Number: 009**

**Source Status: ACTIVE RAW**

**Water type: G**

**SECONDARY/GP**

ZINC	01092	036	2013/04/25	< 50.000	2016/04
------	-------	-----	------------	----------	---------

**PS Code: 1910042-010**

**Source Name: WELL W6 - STANDBY**

**Source Number: 010**

**Source Status: STANDBY RAW**

**Water type: G**

**INORGANIC**

ALUMINUM	01105	108	2014/06/04	< 50.000	2023/06
ANTIMONY	01097	108	2014/06/04	< 6.000	2023/06
ARSENIC	01002	108	2014/06/04	< 2.000	2023/06
BARIUM	01007	108	2014/06/04	< 100.000	2023/06
BERYLLIUM	01012	108	2014/06/04	< 1.000	2023/06
CADMIUM	01027	108	2014/06/04	< 1.000	2023/06
CHROMIUM (TOTAL)	01034	108	2014/06/04	< 10.000	2023/06
CYANIDE	01291	108	2014/06/04	< 100.000	2023/06
FLUORIDE (F) (NATURAL-SOURCE)	00951	108	2014/06/04	.280	2023/06
MERCURY	71900	108	2014/06/04	< 1.000	2023/06
NICKEL	01067	108	2014/06/04	< 10.000	2023/06
PERCHLORATE	A-031	108	2014/06/04	< 4.000	2023/06
SELENIUM	01147	108	2014/06/04	< 5.000	2023/06
THALLIUM	01059	108	2014/06/04	< 1.000	2023/06

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	108	2014/06/04	. 16.000	2023/06
NITRITE (AS N)	00620	108	2014/06/04	< 400.000	2023/06

**RADIOLOGICAL**

GROSS ALPHA	01501	108	2014/06/04	< 3.000	2023/06
RADIUM 226	09501	108	2007/10/23	.180	2016/10

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: **1910042**

System Name: **PICO RIVERA - CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: **1910042-010**

Source Name: **WELL W6 - STANDBY**

Source Number: **010**

Source Status: **STANDBY RAW**

Water type: **G**

**RADIOLOGICAL**

RADIUM 228	11501	108	2014/06/04	< .000	2023/06
<b>URANIUM (PCI/L)</b>	28012	072	<b>2007/10/23</b>	< 1.000	<b>2013/10 DUE</b>

**REGULATED SOC**

2,4-D	39730	108	2014/06/04	< 10.000	2023/06
<b>ALACHLOR</b>	77825	108	<b>1996/12/10</b>	.000	<b>2005/12 DUE</b>
ATRAZINE	39033	108	2006/02/02	< .500	2015/02
BENTAZON	38710	108	2014/06/04	< 2.000	2023/06
DI(2-ETHYLHEXYL)PHTHALATE	39100	108	2014/06/04	< 3.000	2023/06
DIBROMOCHLOROPROPANE (DBCP)	38761	108	2014/06/04	< .010	2023/06
DINOSEB	81287	108	2014/06/04	< 2.000	2023/06
DIQUAT	78885	108	2014/06/04	< 4.000	2023/06
ENDOTHALL	38926	108	2014/06/04	< 45.000	2023/06
ETHYLENE DIBROMIDE (EDB)	77651	108	2014/06/04	< .020	2023/06
GLYPHOSATE	79743	108	2014/06/04	< 25.000	2023/06
SIMAZINE	39055	108	2006/02/02	< 1.000	2015/02
THIOBENCARB	A-001	108	2006/02/02	< 1.000	2015/02
TOXAPHENE	39400	108	2014/06/04	< 1.000	2023/06

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	108	2014/06/04	< .500	2023/06
1,1,2,2-TETRACHLOROETHANE	34516	108	2014/06/04	< .500	2023/06
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	108	2014/06/04	< 10.000	2023/06
1,1,2-TRICHLOROETHANE	34511	108	2014/06/04	< .500	2023/06
1,1-DICHLOROETHANE	34496	108	2014/06/04	< .500	2023/06
1,1-DICHLOROETHYLENE	34501	108	2014/06/04	< .500	2023/06
1,2,4-TRICHLOROBENZENE	34551	108	2014/06/04	< .500	2023/06
1,2-DICHLOROBENZENE	34536	108	2014/06/04	< .500	2023/06
1,2-DICHLOROETHANE	34531	108	2014/06/04	< .500	2023/06
1,2-DICHLOROPROPANE	34541	108	2014/06/04	< .500	2023/06
1,3-DICHLOROPROPENE (TOTAL)	34561	108	2014/06/04	< .500	2023/06

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)



**System Number: 1910042**

**System Name: PICO RIVERA - CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910042-010**

**Source Name: WELL W6 - STANDBY**

**Source Number: 010**

**Source Status: STANDBY RAW**

**Water type: G**

**REGULATED VOC**

1,4-DICHLOROBENZENE	34571	108	2014/06/04	< .500	2023/06
BENZENE	34030	108	2014/06/04	< .500	2023/06
CARBON TETRACHLORIDE	32102	108	2014/06/04	< .500	2023/06
CIS-1,2-DICHLOROETHYLENE	77093	108	2014/06/04	< .500	2023/06
DICHLOROMETHANE	34423	108	2014/06/04	< .500	2023/06
ETHYLBENZENE	34371	108	2014/06/04	< .500	2023/06
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	108	2014/06/04	< 3.000	2023/06
MONOCHLOROENZENE	34301	108	2014/06/04	< .500	2023/06
STYRENE	77128	108	2014/06/04	< .500	2023/06
TETRACHLOROETHYLENE	34475	003	2014/06/04	< .500	2014/09
TOLUENE	34010	108	2014/06/04	< .500	2023/06
TRANS-1,2-DICHLOROETHYLENE	34546	108	2014/06/04	< .500	2023/06
TRICHLOROETHYLENE	39180	108	2014/06/04	< .500	2023/06
TRICHLOROFUOROMETHANE	34488	108	2014/06/04	< 5.000	2023/06
VINYL CHLORIDE	39175	108	2014/06/04	< .500	2023/06
XYLENES (TOTAL)	81551	108	2014/06/04	< .000	2023/06

**SECONDARY/GP**

BICARBONATE ALKALINITY	00440	108	2014/06/04	. 180.000	2023/06
CALCIUM	00916	108	2014/06/04	. 69.000	2023/06
CARBONATE ALKALINITY	00445	108	2014/06/04	< .000	2023/06
CHLORIDE	00940	108	2014/06/04	. 78.000	2023/06
COLOR	00081	108	2014/06/04	< .000	2023/06
COPPER	01042	108	2014/06/04	< 50.000	2023/06
FOAMING AGENTS (MBAS)	38260	108	2014/06/04	< .000	2023/06
HARDNESS (TOTAL) AS CaCO3	00900	108	2014/06/04	. 240.000	2023/06
HYDROXIDE ALKALINITY	71830	108	2014/06/04	< .000	2023/06
IRON	01045	108	2014/06/04	< 100.000	2023/06
MAGNESIUM	00927	108	2014/06/04	. 16.000	2023/06
MANGANESE	01055	108	2014/06/04	< 20.000	2023/06

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910042**

**System Name: PICO RIVERA - CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910042-010**

**Source Name: WELL W6 - STANDBY**

**Source Number: 010**

**Source Status: STANDBY RAW**

**Water type: G**

**SECONDARY/GP**

ODOR THRESHOLD @ 60 C	00086	108	2014/06/04	. 1.000	2023/06
PH, LABORATORY	00403	108	2014/06/04	. 7.470	2023/06
SILVER	01077	108	2014/06/04	< 10.000	2023/06
SODIUM	00929	108	2014/06/04	. 58.000	2023/06
SPECIFIC CONDUCTANCE	00095	108	2014/06/04	. 740.000	2023/06
SULFATE	00945	108	2014/06/04	. 100.000	2023/06
TOTAL DISSOLVED SOLIDS	70300	108	2014/06/04	. 440.000	2023/06
TURBIDITY, LABORATORY	82079	108	2014/06/04	. .260	2023/06
ZINC	01092	108	2014/06/04	< 50.000	2023/06

**PS Code: 1910042-011**

**Source Name: WELL W7 - STANDBY**

**Source Number: 011**

**Source Status: STANDBY RAW**

**Water type: G**

**INORGANIC**

ALUMINUM	01105	108	2006/06/27	780.000	2015/06
ANTIMONY	01097	108	2006/06/27	< 2.000	2015/06
ARSENIC	01002	108	2006/06/27	4.200	2015/06
BARIUM	01007	108	2006/06/27	140.000	2015/06
BERYLLIUM	01012	108	2006/06/27	< .500	2015/06
CADMIUM	01027	108	2006/06/27	< 1.000	2015/06
CHROMIUM (TOTAL)	01034	108	2006/06/27	2.100	2015/06
CYANIDE	01291	108	2006/06/27	< 25.000	2015/06
FLUORIDE (F) (NATURAL-SOURCE)	00951	108	2006/06/27	.430	2015/06
MERCURY	71900	108	2006/06/27	< .200	2015/06
NICKEL	01067	108	2008/11/24	< 10.000	2017/11
PERCHLORATE	A-031	108	2008/10/30	< 4.000	2017/10
SELENIUM	01147	108	2006/06/27	< 2.000	2015/06

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: **1910042**

System Name: **PICO RIVERA - CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: **1910042-011**

Source Name: **WELL W7 - STANDBY**

Source Number: **011**

Source Status: **STANDBY RAW**

Water type: **G**

**INORGANIC**

THALLIUM	01059	108	2006/06/27	< 1.000	2015/06
----------	-------	-----	------------	---------	---------

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	108	2008/11/24	11.000	2017/11
NITRITE (AS N)	00620	108	2006/06/27	< 150.000	2015/06

**RADIOLOGICAL**

GROSS ALPHA	01501	108	2008/06/19	.900	2017/06
<b>RADIUM 226</b>	<b>09501</b>	<b>000</b>			<b>DUE</b>
RADIUM 228	11501	108	2012/02/24	.000	2021/02
URANIUM (PCI/L)	28012	108	2008/06/19	1.360	2017/06

**REGULATED SOC**

<b>2,4-D</b>	39730	108	<b>1998/04/02</b>	.000	<b>2007/04</b>	<b>DUE</b>
<b>ALACHLOR</b>	77825	108	<b>1995/05/03</b>	.000	<b>2004/05</b>	<b>DUE</b>
ATRAZINE	39033	108	2006/06/27	< .500	2015/06	
<b>BENTAZON</b>	38710	000				<b>DUE</b>
<b>CARBOFURAN</b>	81405	108	<b>1991/02/25</b>	< 5.000	<b>2000/02</b>	<b>DUE</b>
<b>CHLORDANE</b>	39350	108	<b>1998/04/02</b>	.000	<b>2007/04</b>	<b>DUE</b>
<b>DI(2-ETHYLHEXYL)PHTHALATE</b>	39100	000				<b>DUE</b>
DIBROMOCHLOROPROPANE (DBCP)	38761	108	2006/06/27	< .010	2015/06	
<b>DINOSEB</b>	81287	000				<b>DUE</b>
<b>DIQUAT</b>	78885	108	<b>1998/04/02</b>	.000	<b>2007/04</b>	<b>DUE</b>
<b>ENDOTHALL</b>	38926	000				<b>DUE</b>
<b>ENDRIN</b>	39390	108	<b>1991/02/25</b>	< .010	<b>2000/02</b>	<b>DUE</b>
ETHYLENE DIBROMIDE (EDB)	77651	108	2006/06/27	< .020	2015/06	
<b>GLYPHOSATE</b>	79743	108	<b>1998/04/02</b>	.000	<b>2007/04</b>	<b>DUE</b>
<b>LINDANE</b>	39340	108	<b>1991/02/25</b>	< .400	<b>2000/02</b>	<b>DUE</b>
<b>METHOXYCHLOR</b>	39480	108	<b>1991/02/25</b>	< 10.000	<b>2000/02</b>	<b>DUE</b>
<b>OXAMYL</b>	38865	000				<b>DUE</b>
<b>PENTACHLOROPHENOL</b>	39032	000				<b>DUE</b>

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910042**

**System Name: PICO RIVERA - CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910042-011**

**Source Name: WELL W7 - STANDBY**

**Source Number: 011**

**Source Status: STANDBY RAW**

**Water type: G**

**REGULATED SOC**

SIMAZINE	39055	108	2006/06/27	< 1.000	2015/06
THIOBENCARB	A-001	108	2006/06/27	< 1.000	2015/06
<b>TOXAPHENE</b>	39400	108	<b>1991/02/25</b>	< .500	<b>2000/02 DUE</b>

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	108	2008/07/31	< .500	2017/07
1,1,2,2-TETRACHLOROETHANE	34516	108	2008/07/31	< .500	2017/07
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	108	2008/07/31	< 10.000	2017/07
1,1,2-TRICHLOROETHANE	34511	108	2008/07/31	< .500	2017/07
1,1-DICHLOROETHANE	34496	108	2008/07/31	< .500	2017/07
1,1-DICHLOROETHYLENE	34501	108	2008/07/31	< .500	2017/07
1,2,4-TRICHLOROBENZENE	34551	108	2008/07/31	< .500	2017/07
1,2-DICHLOROBENZENE	34536	108	2008/07/31	< .500	2017/07
1,2-DICHLOROETHANE	34531	108	2008/07/31	< .500	2017/07
1,2-DICHLOROPROPANE	34541	108	2008/07/31	< .500	2017/07
1,3-DICHLOROPROPENE (TOTAL)	34561	108	2008/07/31	< .500	2017/07
1,4-DICHLOROBENZENE	34571	108	2008/07/31	< .500	2017/07
BENZENE	34030	108	2008/07/31	< .500	2017/07
CARBON TETRACHLORIDE	32102	108	2008/07/31	< .500	2017/07
CIS-1,2-DICHLOROETHYLENE	77093	108	2008/07/31	< .500	2017/07
DICHLOROMETHANE	34423	108	2008/07/31	< .500	2017/07
ETHYLBENZENE	34371	108	2008/07/31	< .500	2017/07
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	108	2008/07/31	< 3.000	2017/07
MONOCHLOROBENZENE	34301	108	2008/07/31	< .500	2017/07
STYRENE	77128	108	2008/07/31	< .500	2017/07
TETRACHLOROETHYLENE	34475	108	2008/07/31	< .500	2017/07
TOLUENE	34010	108	2008/07/31	< .500	2017/07
TRANS-1,2-DICHLOROETHYLENE	34546	108	2008/07/31	< .500	2017/07
TRICHLOROETHYLENE	39180	108	2008/07/31	< .500	2017/07
TRICHLOROFLUOROMETHANE	34488	108	2008/07/31	< 5.000	2017/07

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910042**

**System Name: PICO RIVERA - CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910042-011**

**Source Name: WELL W7 - STANDBY**

**Source Number: 011**

**Source Status: STANDBY RAW**

**Water type: G**

**REGULATED VOC**

VINYL CHLORIDE	39175	108	2008/07/31	< .500	2017/07
XYLENES (TOTAL)	81551	108	2008/07/31	< 1.000	2017/07

**SECONDARY/GP**

BICARBONATE ALKALINITY	00440	108	2006/06/27	160.000	2015/06
CALCIUM	00916	108	2006/06/27	78.000	2015/06
CARBONATE ALKALINITY	00445	108	2006/06/27	< 2.000	2015/06
CHLORIDE	00940	108	2006/06/27	91.000	2015/06
COLOR	00081	108	2006/06/27	< 1.000	2015/06
COPPER	01042	108	2006/06/27	3.800	2015/06
FOAMING AGENTS (MBAS)	38260	108	2006/06/27	< .100	2015/06
HARDNESS (TOTAL) AS CaCO3	00900	108	2006/06/27	260.000	2015/06
HYDROXIDE ALKALINITY	71830	108	2006/06/27	< 2.000	2015/06
IRON	01045	108	2006/06/27	93.000	2015/06
MAGNESIUM	00927	108	2006/06/27	15.000	2015/06
MANGANESE	01055	108	2006/06/27	34.000	2015/06
ODOR THRESHOLD @ 60 C	00086	108	2006/06/27	< 1.000	2015/06
PH, LABORATORY	00403	108	2006/06/27	7.580	2015/06
SILVER	01077	108	2006/06/27	< 1.000	2015/06
SODIUM	00929	108	2006/06/27	72.000	2015/06
SPECIFIC CONDUCTANCE	00095	108	2006/06/27	880.000	2015/06
SULFATE	00945	108	2006/06/27	130.000	2015/06
TOTAL DISSOLVED SOLIDS	70300	108	2006/06/27	530.000	2015/06
TURBIDITY, LABORATORY	82079	108	2006/06/27	< .100	2015/06
ZINC	01092	108	2006/06/27	< 20.000	2015/06

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910042**

**System Name: PICO RIVERA - CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910042-012**

**Source Name: WELL W8**

**Source Number: 012**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

ALUMINUM	01105	036	2013/04/25	< 50.000	2016/04
ANTIMONY	01097	036	2013/04/25	< 6.000	2016/04
ARSENIC	01002	036	2013/04/25	< 2.000	2016/04
BARIUM	01007	036	2013/04/25	< 100.000	2016/04
BERYLLIUM	01012	036	2013/04/25	< 1.000	2016/04
CADMIUM	01027	036	2013/04/25	< 1.000	2016/04
CHROMIUM (TOTAL)	01034	036	2013/04/25	< 10.000	2016/04
CYANIDE	01291	036	2013/04/25	< 100.000	2016/04
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/04/25	.280	2016/04
MERCURY	71900	036	2013/04/25	< 1.000	2016/04
NICKEL	01067	036	2013/04/25	< 10.000	2016/04
PERCHLORATE	A-031	012	2013/07/16	< 4.000	2014/07
SELENIUM	01147	036	2013/04/25	< 5.000	2016/04
THALLIUM	01059	036	2013/04/25	< 1.000	2016/04

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	012	2014/04/24	. 14.000	2015/04
NITRITE (AS N)	00620	036	2013/04/25	< 400.000	2016/04

**RADIOLOGICAL**

<b>GROSS ALPHA</b>	01501	003	<b>2009/02/26</b>	.900	<b>2009/05 DUE</b>
<b>RADIUM 226</b>	09501	003	<b>2008/11/24</b>	.210	<b>2009/02 DUE</b>
<b>RADIUM 228</b>	11501	003	<b>2006/02/02</b>	< 1.000	<b>2006/05 DUE</b>
<b>URANIUM (PCI/L)</b>	28012	003	<b>2008/11/24</b>	1.360	<b>2009/02 DUE</b>

**REGULATED SOC**

2,4-D	39730	033	2012/07/24	< 10.000	2015/04
ALACHLOR	77825	033	2012/07/24	< 1.000	2015/04
ATRAZINE	39033	033	2012/07/24	< .500	2015/04
BENTAZON	38710	033	2012/07/24	< 2.000	2015/04
DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2012/07/24	< 3.000	2015/04

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910042**

**System Name: PICO RIVERA - CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910042-012**

**Source Name: WELL W8**

**Source Number: 012**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED SOC**

DIBROMOCHLOROPROPANE (DBCP)	38761	033	2012/07/24	< .010	2015/04
DINOSEB	81287	033	2012/07/24	< 2.000	2015/04
DIQUAT	78885	033	2012/07/24	< 4.000	2015/04
ENDOTHALL	38926	033	2012/07/24	< 45.000	2015/04
ETHYLENE DIBROMIDE (EDB)	77651	033	2012/07/24	< .020	2015/04
GLYPHOSATE	79743	033	2012/07/24	< 25.000	2015/04
SIMAZINE	39055	033	2012/07/24	< 1.000	2015/04
THIOBENCARB	A-001	033	2012/07/24	< 1.000	2015/04
TOXAPHENE	39400	033	2012/07/24	< 1.000	2015/04

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	012	2014/04/24	< .500	2015/04
1,1,2,2-TETRACHLOROETHANE	34516	012	2014/04/24	< .500	2015/04
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/04/24	< 10.000	2015/04
1,1,2-TRICHLOROETHANE	34511	012	2014/04/24	< .500	2015/04
1,1-DICHLOROETHANE	34496	012	2014/04/24	< .500	2015/04
1,1-DICHLOROETHYLENE	34501	012	2014/04/24	< .500	2015/04
1,2,4-TRICHLOROBENZENE	34551	012	2014/04/24	< .500	2015/04
1,2-DICHLOROBENZENE	34536	012	2014/04/24	< .500	2015/04
1,2-DICHLOROETHANE	34531	012	2014/04/24	< .500	2015/04
1,2-DICHLOROPROPANE	34541	012	2014/04/24	< .500	2015/04
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/04/24	< .500	2015/04
1,4-DICHLOROBENZENE	34571	012	2014/04/24	< .500	2015/04
BENZENE	34030	012	2014/04/24	< .500	2015/04
CARBON TETRACHLORIDE	32102	012	2014/04/24	< .500	2015/04
CIS-1,2-DICHLOROETHYLENE	77093	012	2014/04/24	< .500	2015/04
DICHLOROMETHANE	34423	012	2014/04/24	< .500	2015/04
ETHYLBENZENE	34371	012	2014/04/24	< .500	2015/04
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/04/24	< 3.000	2015/04
MONOCHLOROBENZENE	34301	012	2014/04/24	< .500	2015/04

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910042**

**System Name: PICO RIVERA - CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910042-012**

**Source Name: WELL W8**

**Source Number: 012**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED VOC**

STYRENE	77128	012	2014/04/24	< .500	2015/04
TETRACHLOROETHYLENE	34475	003	2014/04/24	. 2.900	2014/07
TOLUENE	34010	012	2014/04/24	< .500	2015/04
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/04/24	< .500	2015/04
TRICHLOROETHYLENE	39180	012	2014/04/24	< .500	2015/04
TRICHLOROFUOROMETHANE	34488	012	2014/04/24	< 5.000	2015/04
VINYL CHLORIDE	39175	012	2014/04/24	< .500	2015/04
XYLENES (TOTAL)	81551	012	2014/04/24	< .000	2015/04

**SECONDARY/GP**

BICARBONATE ALKALINITY	00440	036	2013/04/25	. 200.000	2016/04
CALCIUM	00916	036	2013/04/25	. 82.000	2016/04
CARBONATE ALKALINITY	00445	036	2013/04/25	< 2.400	2016/04
CHLORIDE	00940	036	2013/04/25	. 80.000	2016/04
COLOR	00081	036	2013/04/25	< 1.000	2016/04
COPPER	01042	036	2013/04/25	< 50.000	2016/04
FOAMING AGENTS (MBAS)	38260	036	2013/04/25	< .100	2016/04
HARDNESS (TOTAL) AS CaCO3	00900	036	2013/04/25	. 270.000	2016/04
HYDROXIDE ALKALINITY	71830	036	2013/04/25	< 1.400	2016/04
IRON	01045	036	2013/04/25	< 100.000	2016/04
MAGNESIUM	00927	036	2013/04/25	. 17.000	2016/04
MANGANESE	01055	036	2013/04/25	< 20.000	2016/04
ODOR THRESHOLD @ 60 C	00086	036	2013/04/25	< 1.000	2016/04
PH, LABORATORY	00403	036	2013/04/25	. 7.630	2016/04
SILVER	01077	036	2013/04/25	< 10.000	2016/04
SODIUM	00929	036	2013/04/25	60.000	2016/04
SPECIFIC CONDUCTANCE	00095	036	2013/04/25	. 830.000	2016/04
SULFATE	00945	036	2013/04/25	120.000	2016/04
TOTAL DISSOLVED SOLIDS	70300	036	2013/04/25	. 530.000	2016/04
TURBIDITY, LABORATORY	82079	036	2013/04/25	. .120	2016/04

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)



**System Number: 1910042**

**System Name: PICO RIVERA - CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910042-012**

**Source Name: WELL W8**

**Source Number: 012**

**Source Status: ACTIVE RAW**

**Water type: G**

SECONDARY/GP

ZINC	01092	036	2013/04/25	< 50.000	2016/04
------	-------	-----	------------	----------	---------

**PS Code: 1910042-029**

**Source Name: CBPR-01 - WHITTIER CONNECTION - TREATED**

**Source Number: 029**

**Source Status: PURCHASED TREATED**

**Water type: G**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\* 999

**PS Code: 1910042-800**

**Source Name: SITE 1-9720 LA DOCENA LANE-STG2 DBP**

**Source Number: 800**

**Source Status: DISTRIBUTION TREATED**

**Water type: G**

HALOACETIC ACIDS

DIBROMOACETIC ACID (DBAA)	82721	003	2014/07/07	. 3.900	2014/10
DICHLOROACETIC ACID (DCAA)	77288	003	2014/07/07	< .000	2014/10
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/07/07	. 3.900	2014/10
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/07/07	< .000	2014/10
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/07/07	< .000	2014/10
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/07/07	< .000	2014/10

STATE UCMR

BROMODICHLORMETHANE (THM)	32101	003	2014/07/07	. 2.900	2014/10
BROMOFORM (THM)	32104	003	2014/07/07	. 5.400	2014/10
CHLOROFORM (THM)	32106	003	2014/07/07	. 1.000	2014/10
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/07/07	. 6.100	2014/10

\*Testing interval is in months;  
 0 = No data for this constituent and is DUE NOW  
 I = Invalid (NOT) valid analyses reported  
 Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910042**

**System Name: PICO RIVERA - CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910042-800**

**Source Name: SITE 1-9720 LA DOCENA LANE-STG2 DBP**

**Source Number: 800**

**Source Status: DISTRIBUTION TREATED**

**Water type: G**

**TRihalOMETHANES**

TOTAL TRIHALOMETHANES	82080	003	2014/07/07	. 15.400	2014/10
-----------------------	-------	-----	------------	----------	---------

**PS Code: 1910042-801**

**Source Name: SITE2-8432LEXINGTON-GALLATIN RD-STG2 DBP**

**Source Number: 801**

**Source Status: DISTRIBUTION TREATED**

**Water type: G**

**HALOACETIC ACIDS**

DIBROMOACETIC ACID (DBAA)	82721	003	2014/07/07	. 1.600	2014/10
DICHLOROACETIC ACID (DCAA)	77288	003	2014/07/07	< .000	2014/10
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/07/07	. 1.600	2014/10
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/07/07	< .000	2014/10
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/07/07	< .000	2014/10
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/07/07	< .000	2014/10

**STATE UCMR**

BROMODICHLORMETHANE (THM)	32101	003	2014/07/07	. 1.200	2014/10
BROMOFORM (THM)	32104	003	2014/07/07	. 1.900	2014/10
CHLOROFORM (THM)	32106	003	2014/07/07	< .000	2014/10
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/07/07	. 2.300	2014/10

**TRihalOMETHANES**

TOTAL TRIHALOMETHANES	82080	003	2014/07/07	. 5.400	2014/10
-----------------------	-------	-----	------------	---------	---------

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910042**

**System Name: PICO RIVERA - CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910042-802**

**Source Name: SITE 3-4729 IVY ST.-STG2 DBP**

**Source Number: 802**

**Source Status: DISTRIBUTION TREATED**

**Water type: G**

**HALOACETIC ACIDS**

DIBROMOACETIC ACID (DBAA)	82721	003	2014/07/07	. 2.500	2014/10
DICHLOROACETIC ACID (DCAA)	77288	003	2014/07/07	< .000	2014/10
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/07/07	. 2.500	2014/10
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/07/07	< .000	2014/10
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/07/07	< .000	2014/10
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/07/07	< .000	2014/10

**STATE UCMR**

BROMODICHLORMETHANE (THM)	32101	003	2014/07/07	. 1.300	2014/10
BROMOFORM (THM)	32104	003	2014/07/07	. 2.800	2014/10
CHLOROFORM (THM)	32106	003	2014/07/07	< .000	2014/10
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/07/07	. 2.900	2014/10

**TRihalOMETHANES**

TOTAL TRIHALOMETHANES	82080	003	2014/07/07	. 7.000	2014/10
-----------------------	-------	-----	------------	---------	---------

**PS Code: 1910042-803**

**Source Name: SITE 4-3405 SANDOVAL AVE.-STG2 DBP**

**Source Number: 803**

**Source Status: DISTRIBUTION TREATED**

**Water type: G**

**HALOACETIC ACIDS**

DIBROMOACETIC ACID (DBAA)	82721	003	2014/07/07	. 2.600	2014/10
DICHLOROACETIC ACID (DCAA)	77288	003	2014/07/07	< .000	2014/10
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/07/07	. 2.600	2014/10
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/07/07	< .000	2014/10
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/07/07	< .000	2014/10
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/07/07	< .000	2014/10

**STATE UCMR**

BROMODICHLORMETHANE (THM)	32101	003	2014/07/07	. 1.000	2014/10
---------------------------	-------	-----	------------	---------	---------

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910042**

**System Name: PICO RIVERA - CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

**PS Code: 1910042-803**

**Source Name: SITE 4-3405 SANDOVAL AVE.-STG2 DBP**

**Source Number: 803**

**Source Status: DISTRIBUTION TREATED**

**Water type: G**

**STATE UCMR**

BROMOFORM (THM)	32104	003	2014/07/07	. 2.500	2014/10
CHLOROFORM (THM)	32106	003	2014/07/07	< .000	2014/10
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/07/07	. 2.400	2014/10

**TRIHALOMETHANES**

TOTAL TRIHALOMETHANES	82080	003	2014/07/07	. 5.900	2014/10
-----------------------	-------	-----	------------	---------	---------

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910044**

**System Name: GLENDORA-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910044-002**

**Source Name: WELL 02E**

**Source Number: 002**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

ALUMINUM	01105	036	2013/09/09	< 50.000	2016/09
ANTIMONY	01097	036	2013/09/09	< 6.000	2016/09
ARSENIC	01002	036	2013/09/09	< 2.000	2016/09
BARIUM	01007	036	2013/09/09	< 140.000	2016/09
BERYLLIUM	01012	036	2013/09/09	< 1.000	2016/09
CADMIUM	01027	036	2013/09/09	< 1.000	2016/09
CHROMIUM (TOTAL)	01034	036	2013/09/09	< 10.000	2016/09
CYANIDE	01291	036	2013/09/09	< 100.000	2016/09
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/06/24	.460	2017/06
MERCURY	71900	036	2013/09/09	< 1.000	2016/09
NICKEL	01067	036	2013/09/09	< 10.000	2016/09
PERCHLORATE	A-031	012	2013/09/09	< 4.000	2014/09
SELENIUM	01147	036	2013/09/09	< 5.000	2016/09
THALLIUM	01059	036	2013/09/09	< 1.000	2016/09

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	003	2014/07/01	.7600	2014/10
NITRITE (AS N)	00620	036	2013/09/09	< 400.000	2016/09

**RADIOLOGICAL**

<b>GROSS ALPHA</b>	01501	003	2013/12/05	< 3.000	2014/03	<b>DUE</b>
<b>RADIUM 226</b>	09501	003	2004/12/07	.000	2005/03	<b>DUE</b>
<b>RADIUM 228</b>	11501	003	2013/12/05	.119	2014/03	<b>DUE</b>
<b>URANIUM (PCI/L)</b>	28012	003	2013/12/05	< 1.000	2014/03	<b>DUE</b>

**REGULATED SOC**

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2012/12/10	< 3.000	2015/09
THIOBENCARB	A-001	033	2012/12/10	< 1.000	2015/09

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	012	2013/09/09	< .500	2014/09
1,1,2,2-TETRACHLOROETHANE	34516	012	2013/09/09	< .500	2014/09

\*Testing interval is in months;  
 0 = No data for this constituent and is DUE NOW  
 I = Invalid (NOT) valid analyses reported  
 Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910044**

**System Name: GLENDORA-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910044-002**

**Source Name: WELL 02E**

**Source Number: 002**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED VOC**

1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2013/09/09	< 10.000	2014/09
1,1,2-TRICHLOROETHANE	34511	012	2013/09/09	< .500	2014/09
1,1-DICHLOROETHANE	34496	012	2013/09/09	< .500	2014/09
1,1-DICHLOROETHYLENE	34501	012	2013/09/09	< .500	2014/09
1,2,4-TRICHLOROBENZENE	34551	012	2013/09/09	< .500	2014/09
1,2-DICHLOROBENZENE	34536	012	2013/09/09	< .500	2014/09
1,2-DICHLOROETHANE	34531	012	2013/09/09	< .500	2014/09
1,2-DICHLOROPROPANE	34541	012	2013/09/09	< .500	2014/09
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2013/09/09	< .500	2014/09
1,4-DICHLOROBENZENE	34571	012	2013/09/09	< .500	2014/09
BENZENE	34030	012	2013/09/09	< .500	2014/09
CARBON TETRACHLORIDE	32102	012	2013/09/09	< .500	2014/09
CIS-1,2-DICHLOROETHYLENE	77093	012	2013/09/09	< .500	2014/09
DICHLOROMETHANE	34423	012	2013/09/09	< .500	2014/09
ETHYLBENZENE	34371	012	2013/09/09	< .500	2014/09
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2013/09/09	< 3.000	2014/09
MONOCHLOROBENZENE	34301	012	2013/09/09	< .500	2014/09
STYRENE	77128	012	2013/09/09	< .500	2014/09
TETRACHLOROETHYLENE	34475	012	2013/09/09	< .500	2014/09
TOLUENE	34010	012	2013/09/09	< .500	2014/09
TRANS-1,2-DICHLOROETHYLENE	34546	012	2013/09/09	< .500	2014/09
TRICHLOROETHYLENE	39180	012	2013/09/09	< .500	2014/09
TRICHLOROFUOROMETHANE	34488	012	2013/09/09	< 5.000	2014/09
VINYL CHLORIDE	39175	012	2013/09/09	< .500	2014/09
XYLENES (TOTAL)	81551	012	2013/09/09	< .000	2014/09

**SECONDARY/GP**

BICARBONATE ALKALINITY	00440	036	2014/06/24	. 260.000	2017/06
CALCIUM	00916	036	2014/06/24	. 65.000	2017/06
CARBONATE ALKALINITY	00445	036	2014/06/24	< .000	2017/06

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910044**

**System Name: GLENDORA-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910044-002**

**Source Name: WELL 02E**

**Source Number: 002**

**Source Status: ACTIVE RAW**

**Water type: G**

**SECONDARY/GP**

CHLORIDE	00940	036	2014/06/24	. 42.000	2017/06
COLOR	00081	036	2014/06/24	< .000	2017/06
COPPER	01042	036	2014/06/24	< .000	2017/06
FOAMING AGENTS (MBAS)	38260	036	2014/06/24	< .000	2017/06
HARDNESS (TOTAL) AS CaCO3	00900	036	2014/06/24	. 250.000	2017/06
HYDROXIDE ALKALINITY	71830	036	2014/06/24	< .000	2017/06
IRON	01045	036	2014/06/24	< .000	2017/06
MAGNESIUM	00927	036	2014/06/24	. 22.000	2017/06
MANGANESE	01055	036	2014/06/24	< .000	2017/06
ODOR THRESHOLD @ 60 C	00086	036	2014/06/24	. 1.000	2017/06
PH, LABORATORY	00403	036	2014/06/24	. 7.500	2017/06
SILVER	01077	036	2013/09/09	< 10.000	2016/09
SODIUM	00929	036	2014/06/24	. 32.000	2017/06
SPECIFIC CONDUCTANCE	00095	036	2014/06/24	. 630.000	2017/06
SULFATE	00945	036	2014/06/24	. 49.000	2017/06
TOTAL DISSOLVED SOLIDS	70300	036	2014/06/24	. 380.000	2017/06
TURBIDITY, LABORATORY	82079	036	2014/06/24	. 1.300	2017/06
ZINC	01092	036	2014/06/24	< .000	2017/06

**PS Code: 1910044-006**

**Source Name: WELL 08E**

**Source Number: 006**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

ALUMINUM	01105	036	2011/09/07	< .000	2014/09
ANTIMONY	01097	036	2011/09/07	< .000	2014/09
ARSENIC	01002	036	2011/09/07	. 2.000	2014/09
BARIUM	01007	036	2011/09/07	< .000	2014/09

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910044**

**System Name: GLENDORA-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910044-006**

**Source Name: WELL 08E**

**Source Number: 006**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

BERYLLIUM	01012	036	2011/09/07	< .000	2014/09
CADMIUM	01027	036	2011/09/07	< .000	2014/09
CHROMIUM (TOTAL)	01034	036	2011/09/07	< .000	2014/09
CYANIDE	01291	036	2011/09/07	< .000	2014/09
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2011/09/07	.270	2014/09
MERCURY	71900	036	2011/09/07	< .000	2014/09
NICKEL	01067	036	2011/09/07	< .000	2014/09
PERCHLORATE	A-031	012	2013/09/09	< 4.000	2014/09
SELENIUM	01147	036	2011/09/07	< .000	2014/09
THALLIUM	01059	036	2011/09/07	< .000	2014/09

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	012	2013/09/09	< 2.000	2014/09
NITRITE (AS N)	00620	036	2011/09/07	< .000	2014/09

**RADIOLOGICAL**

<b>GROSS ALPHA</b>	01501	003	2007/06/11	< 3.000	2007/09	<b>DUE</b>
<b>RADIUM 226</b>	09501	003	2007/06/11	< 1.000	2007/09	<b>DUE</b>
<b>RADIUM 228</b>	11501	003	2007/06/11	< 1.000	2007/09	<b>DUE</b>
<b>URANIUM (PCI/L)</b>	28012	003	2007/06/11	< 2.000	2007/09	<b>DUE</b>

**REGULATED SOC**

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2012/12/10	< 3.000	2015/09
THIOBENCARB	A-001	033	2012/12/10	< 1.000	2015/09

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	012	2014/03/04	< .500	2015/03
1,1,2,2-TETRACHLOROETHANE	34516	012	2014/03/04	< .500	2015/03
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/03/04	< 10.000	2015/03
1,1,2-TRICHLOROETHANE	34511	012	2014/03/04	< .500	2015/03
1,1-DICHLOROETHANE	34496	012	2014/03/04	< .500	2015/03
1,1-DICHLOROETHYLENE	34501	012	2014/03/04	< .500	2015/03

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)



**System Number: 1910044**

**System Name: GLENDORA-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910044-006**

**Source Name: WELL 08E**

**Source Number: 006**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED VOC**

1,2,4-TRICHLOROENZENE	34551	012	2014/03/04	< .500	2015/03
1,2-DICHLOROENZENE	34536	012	2014/03/04	< .500	2015/03
1,2-DICHLOROETHANE	34531	012	2014/03/04	< .500	2015/03
1,2-DICHLOROPROPANE	34541	012	2014/03/04	< .500	2015/03
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/03/04	< .500	2015/03
1,4-DICHLOROENZENE	34571	012	2014/03/04	< .500	2015/03
BENZENE	34030	012	2014/03/04	< .500	2015/03
CARBON TETRACHLORIDE	32102	012	2014/03/04	< .500	2015/03
CIS-1,2-DICHLOROETHYLENE	77093	012	2014/03/04	< .500	2015/03
DICHLOROMETHANE	34423	012	2014/03/04	< .500	2015/03
ETHYLBENZENE	34371	012	2014/03/04	< .500	2015/03
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/03/04	< 3.000	2015/03
MONOCHLOROENZENE	34301	012	2014/03/04	< .500	2015/03
STYRENE	77128	012	2014/03/04	< .500	2015/03
TETRACHLOROETHYLENE	34475	012	2014/03/04	< .500	2015/03
TOLUENE	34010	012	2014/03/04	< .500	2015/03
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/03/04	< .500	2015/03
TRICHLOROETHYLENE	39180	012	2014/03/04	< .500	2015/03
TRICHLOROFUOROMETHANE	34488	012	2014/03/04	< 5.000	2015/03
VINYL CHLORIDE	39175	012	2014/03/04	< .500	2015/03
XYLENES (TOTAL)	81551	012	2014/03/04	< .000	2015/03

**SECONDARY/GP**

<b>BICARBONATE ALKALINITY</b>	00440	036	2011/06/14	. 160.000	2014/06	DUE
<b>CALCIUM</b>	00916	036	2011/06/14	. 34.000	2014/06	DUE
<b>CARBONATE ALKALINITY</b>	00445	036	2011/06/14	< .000	2014/06	DUE
<b>CHLORIDE</b>	00940	036	2011/06/14	. 14.000	2014/06	DUE
<b>COLOR</b>	00081	036	2011/06/14	< .000	2014/06	DUE
<b>COPPER</b>	01042	036	2011/06/14	< .000	2014/06	DUE
<b>FOAMING AGENTS (MBAS)</b>	38260	036	2011/06/14	< .000	2014/06	DUE

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910044**

**System Name: GLENDORA-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910044-006**

**Source Name: WELL 08E**

**Source Number: 006**

**Source Status: ACTIVE RAW**

**Water type: G**

**SECONDARY/GP**

<b>HARDNESS (TOTAL) AS CaCO3</b>	00900	036	2011/06/14	. 120.000	2014/06	DUE
<b>HYDROXIDE ALKALINITY</b>	71830	036	2011/06/14	< .000	2014/06	DUE
<b>IRON</b>	01045	036	2011/06/14	< .000	2014/06	DUE
<b>MAGNESIUM</b>	00927	036	2011/06/14	. 10.000	2014/06	DUE
<b>MANGANESE</b>	01055	036	2011/06/14	< .000	2014/06	DUE
<b>ODOR THRESHOLD @ 60 C</b>	00086	036	2011/06/14	1.000	2014/06	DUE
<b>PH, LABORATORY</b>	00403	036	2011/06/14	. 7.700	2014/06	DUE
<b>SILVER</b>	01077	036	2011/09/07	< .000	2014/09	
<b>SODIUM</b>	00929	036	2011/06/14	22.000	2014/06	DUE
<b>SPECIFIC CONDUCTANCE</b>	00095	036	2011/06/14	. 330.000	2014/06	DUE
<b>SULFATE</b>	00945	036	2011/06/14	17.000	2014/06	DUE
<b>TOTAL DISSOLVED SOLIDS</b>	70300	036	2013/09/09	< 300.000	2016/09	
<b>TURBIDITY, LABORATORY</b>	82079	036	2011/06/14	< .000	2014/06	DUE
<b>ZINC</b>	01092	036	2011/06/14	< .000	2014/06	DUE

**PS Code: 1910044-007**

**Source Name: WELL 09E**

**Source Number: 007**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

<b>ALUMINUM</b>	01105	036	2011/09/07	< .000	2014/09	
<b>ANTIMONY</b>	01097	036	2011/09/07	< .000	2014/09	
<b>ARSENIC</b>	01002	036	2011/09/07	. 2.200	2014/09	
<b>BARIUM</b>	01007	036	2011/09/07	< .000	2014/09	
<b>BERYLLIUM</b>	01012	036	2011/09/07	< .000	2014/09	
<b>CADMIUM</b>	01027	036	2011/09/07	< .000	2014/09	
<b>CHROMIUM (TOTAL)</b>	01034	036	2011/09/07	< .000	2014/09	
<b>CYANIDE</b>	01291	036	2011/09/07	< .000	2014/09	

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910044**

**System Name: GLENDORA-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910044-007**

**Source Name: WELL 09E**

**Source Number: 007**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/06/24	.230	2017/06
MERCURY	71900	036	2011/09/07	< .000	2014/09
NICKEL	01067	036	2011/09/07	< .000	2014/09
PERCHLORATE	A-031	012	2013/09/09	< 4.000	2014/09
SELENIUM	01147	036	2011/09/07	< .000	2014/09
THALLIUM	01059	036	2011/09/07	< .000	2014/09

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	012	2014/06/24	< .000	2015/06
NITRITE (AS N)	00620	036	2011/09/07	< .000	2014/09

**RADIOLOGICAL**

<b>GROSS ALPHA</b>	01501	003	<b>2008/03/03</b>	< 3.000	<b>2008/06</b>	<b>DUE</b>
<b>RADIUM 226</b>	09501	003	<b>2008/03/03</b>	< 1.000	<b>2008/06</b>	<b>DUE</b>
<b>RADIUM 228</b>	11501	003	<b>2008/03/03</b>	< 1.000	<b>2008/06</b>	<b>DUE</b>
URANIUM (PCI/L)	28012	072	2014/03/04	< 1.000	2020/03	

**REGULATED SOC**

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2012/12/10	< 3.000	2015/09
THIOBENCARB	A-001	033	2012/12/10	< 1.000	2015/09

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	012	2013/09/09	< .500	2014/09
1,1,2,2-TETRACHLOROETHANE	34516	012	2013/09/09	< .500	2014/09
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2013/09/09	< 10.000	2014/09
1,1,2-TRICHLOROETHANE	34511	012	2013/09/09	< .500	2014/09
1,1-DICHLOROETHANE	34496	012	2013/09/09	< .500	2014/09
1,1-DICHLOROETHYLENE	34501	012	2013/09/09	< .500	2014/09
1,2,4-TRICHLOROBENZENE	34551	012	2013/09/09	< .500	2014/09
1,2-DICHLOROBENZENE	34536	012	2013/09/09	< .500	2014/09
1,2-DICHLOROETHANE	34531	012	2013/09/09	< .500	2014/09
1,2-DICHLOROPROPANE	34541	012	2013/09/09	< .500	2014/09

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910044**

**System Name: GLENDORA-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910044-007**

**Source Name: WELL 09E**

**Source Number: 007**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED VOC**

1,3-DICHLOROPROPENE (TOTAL)	34561	012	2013/09/09	< .500	2014/09
1,4-DICHLOROBENZENE	34571	012	2013/09/09	< .500	2014/09
BENZENE	34030	012	2013/09/09	< .500	2014/09
CARBON TETRACHLORIDE	32102	012	2013/09/09	< .500	2014/09
CIS-1,2-DICHLOROETHYLENE	77093	012	2013/09/09	< .500	2014/09
DICHLOROMETHANE	34423	012	2013/09/09	< .500	2014/09
ETHYLBENZENE	34371	012	2013/09/09	< .500	2014/09
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2013/09/09	< 3.000	2014/09
MONOCHLOROBENZENE	34301	012	2013/09/09	< .500	2014/09
STYRENE	77128	012	2013/09/09	< .500	2014/09
TETRACHLOROETHYLENE	34475	012	2013/09/09	< .500	2014/09
TOLUENE	34010	012	2013/09/09	< .500	2014/09
TRANS-1,2-DICHLOROETHYLENE	34546	012	2013/09/09	< .500	2014/09
TRICHLOROETHYLENE	39180	012	2013/09/09	< .500	2014/09
TRICHLOROFUOROMETHANE	34488	012	2013/09/09	< 5.000	2014/09
VINYL CHLORIDE	39175	012	2013/09/09	< .500	2014/09
XYLENES (TOTAL)	81551	012	2013/09/09	< .000	2014/09

**SECONDARY/GP**

BICARBONATE ALKALINITY	00440	036	2014/06/24	. 160.000	2017/06
CALCIUM	00916	036	2014/06/24	. 40.000	2017/06
CARBONATE ALKALINITY	00445	036	2014/06/24	< .000	2017/06
CHLORIDE	00940	036	2014/06/24	. 65.000	2017/06
COLOR	00081	036	2014/06/24	< .000	2017/06
COPPER	01042	036	2014/06/24	< .000	2017/06
FOAMING AGENTS (MBAS)	38260	036	2014/06/24	< .000	2017/06
HARDNESS (TOTAL) AS CaCO3	00900	036	2014/06/24	. 150.000	2017/06
HYDROXIDE ALKALINITY	71830	036	2014/06/24	< .000	2017/06
IRON	01045	036	2014/06/24	< .000	2017/06
MAGNESIUM	00927	036	2014/06/24	. 13.000	2017/06

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910044**

**System Name: GLENDORA-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910044-007**

**Source Name: WELL 09E**

**Source Number: 007**

**Source Status: ACTIVE RAW**

**Water type: G**

**SECONDARY/GP**

MANGANESE	01055	036	2014/06/24	< .000	2017/06
ODOR THRESHOLD @ 60 C	00086	036	2014/06/24	. 1.000	2017/06
PH, LABORATORY	00403	036	2014/06/24	. 7.600	2017/06
SILVER	01077	036	2011/09/07	< .000	2014/09
SODIUM	00929	036	2014/06/24	. 47.000	2017/06
SPECIFIC CONDUCTANCE	00095	036	2014/06/24	. 530.000	2017/06
SULFATE	00945	036	2014/06/24	. 36.000	2017/06
TOTAL DISSOLVED SOLIDS	70300	036	2014/06/24	. 280.000	2017/06
TURBIDITY, LABORATORY	82079	036	2014/06/24	. .200	2017/06
ZINC	01092	036	2014/06/24	< .000	2017/06

**PS Code: 1910044-008**

**Source Name: WELL 10E**

**Source Number: 008**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

ALUMINUM	01105	036	2014/03/04	< 50.000	2017/03
ANTIMONY	01097	036	2014/03/04	< 6.000	2017/03
ARSENIC	01002	036	2014/03/04	< 2.000	2017/03
BARIUM	01007	036	2014/03/04	. 260.000	2017/03
BERYLLIUM	01012	036	2014/03/04	< 1.000	2017/03
CADMIUM	01027	036	2014/03/04	< 1.000	2017/03
CHROMIUM (TOTAL)	01034	036	2014/03/04	< 10.000	2017/03
CYANIDE	01291	036	2014/03/04	< 100.000	2017/03
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/03/04	. .220	2017/03
MERCURY	71900	036	2014/03/04	< 1.000	2017/03
NICKEL	01067	036	2014/03/04	< 10.000	2017/03
PERCHLORATE	A-031	012	2014/03/04	< 4.000	2015/03

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910044**

**System Name: GLENDORA-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910044-008**

**Source Name: WELL 10E**

**Source Number: 008**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

SELENIUM	01147	036	2014/03/04	< 5.000	2017/03
THALLIUM	01059	036	2014/03/04	< 1.000	2017/03

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	012	2014/06/09	. 34.000	2015/06
NITRITE (AS N)	00620	036	2014/03/04	< 400.000	2017/03

**RADIOLOGICAL**

GROSS ALPHA	01501	003	2014/06/09	< 3.000	2014/09
<b>RADIUM 226</b>	09501	003	<b>2005/06/14</b>	. .000	<b>2005/09 DUE</b>
RADIUM 228	11501	003	2014/06/09	< .000	2014/09
URANIUM (PCI/L)	28012	072	2011/06/21	. 1.900	2017/06

**REGULATED SOC**

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2013/06/19	< 3.000	2016/03
THIOBENCARB	A-001	033	2013/06/19	< 1.000	2016/03

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	012	2014/03/04	< .500	2015/03
1,1,2,2-TETRACHLOROETHANE	34516	012	2014/03/04	< .500	2015/03
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/03/04	< 10.000	2015/03
1,1,2-TRICHLOROETHANE	34511	012	2014/03/04	< .500	2015/03
1,1-DICHLOROETHANE	34496	012	2014/03/04	< .500	2015/03
1,1-DICHLOROETHYLENE	34501	012	2014/03/04	< .500	2015/03
1,2,4-TRICHLOROBENZENE	34551	012	2014/03/04	< .500	2015/03
1,2-DICHLOROBENZENE	34536	012	2014/03/04	< .500	2015/03
1,2-DICHLOROETHANE	34531	012	2014/03/04	< .500	2015/03
1,2-DICHLOROPROPANE	34541	012	2014/03/04	< .500	2015/03
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/03/04	< .500	2015/03
1,4-DICHLOROBENZENE	34571	012	2014/03/04	< .500	2015/03
BENZENE	34030	012	2014/03/04	< .500	2015/03
CARBON TETRACHLORIDE	32102	012	2014/03/04	< .500	2015/03

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910044**

**System Name: GLENDORA-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910044-008**

**Source Name: WELL 10E**

**Source Number: 008**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED VOC**

CIS-1,2-DICHLOROETHYLENE	77093	012	2014/03/04	< .500	2015/03
DICHLOROMETHANE	34423	012	2014/03/04	< .500	2015/03
ETHYLBENZENE	34371	012	2014/03/04	< .500	2015/03
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/03/04	< 3.000	2015/03
MONOCHLOROBENZENE	34301	012	2014/03/04	< .500	2015/03
STYRENE	77128	012	2014/03/04	< .500	2015/03
TETRACHLOROETHYLENE	34475	012	2014/03/04	< .500	2015/03
TOLUENE	34010	012	2014/03/04	< .500	2015/03
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/03/04	< .500	2015/03
TRICHLOROETHYLENE	39180	012	2014/03/04	< .500	2015/03
TRICHLOROFUOROMETHANE	34488	012	2014/03/04	< 5.000	2015/03
VINYL CHLORIDE	39175	012	2014/03/04	< .500	2015/03
XYLENES (TOTAL)	81551	012	2014/03/04	< .000	2015/03

**SECONDARY/GP**

BICARBONATE ALKALINITY	00440	036	2011/06/14	. 300.000	2014/06	DUE
CALCIUM	00916	036	2011/06/14	. 110.000	2014/06	DUE
CARBONATE ALKALINITY	00445	036	2011/06/14	< .000	2014/06	DUE
CHLORIDE	00940	036	2011/06/14	. 54.000	2014/06	DUE
COLOR	00081	036	2011/06/14	< .000	2014/06	DUE
COPPER	01042	036	2011/06/14	< .000	2014/06	DUE
FOAMING AGENTS (MBAS)	38260	036	2011/06/14	< .000	2014/06	DUE
HARDNESS (TOTAL) AS CaCO3	00900	036	2011/06/14	. 370.000	2014/06	DUE
HYDROXIDE ALKALINITY	71830	036	2011/06/14	< .000	2014/06	DUE
IRON	01045	036	2011/06/14	< .000	2014/06	DUE
MAGNESIUM	00927	036	2011/06/14	. 28.000	2014/06	DUE
MANGANESE	01055	036	2011/06/14	< .000	2014/06	DUE
ODOR THRESHOLD @ 60 C	00086	036	2011/06/14	1.000	2014/06	DUE
PH, LABORATORY	00403	036	2011/06/14	. 7.400	2014/06	DUE
SILVER	01077	036	2014/03/04	< 10.000	2017/03	

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910044**

**System Name: GLENDORA-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910044-008**

**Source Name: WELL 10E**

**Source Number: 008**

**Source Status: ACTIVE RAW**

**Water type: G**

**SECONDARY/GP**

<b>SODIUM</b>	00929	036	2011/06/14	24.000	2014/06	DUE
<b>SPECIFIC CONDUCTANCE</b>	00095	036	2011/06/14	820.000	2014/06	DUE
<b>SULFATE</b>	00945	036	2011/06/14	73.000	2014/06	DUE
TOTAL DISSOLVED SOLIDS	70300	036	2013/09/09	< 520.000	2016/09	
<b>TURBIDITY, LABORATORY</b>	82079	036	2011/06/14	.200	2014/06	DUE
<b>ZINC</b>	01092	036	2011/06/14	< .000	2014/06	DUE

**PS Code: 1910044-009**

**Source Name: WELL 11E**

**Source Number: 009**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

ALUMINUM	01105	036	2013/09/09	< 50.000	2016/09	
ANTIMONY	01097	036	2013/09/09	< 6.000	2016/09	
ARSENIC	01002	036	2013/09/09	< 2.000	2016/09	
BARIUM	01007	036	2013/09/09	290.000	2016/09	
BERYLLIUM	01012	036	2013/09/09	< 1.000	2016/09	
CADMIUM	01027	036	2013/09/09	< 1.000	2016/09	
CHROMIUM (TOTAL)	01034	036	2013/09/09	< 10.000	2016/09	
CYANIDE	01291	036	2013/09/09	< 100.000	2016/09	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/06/24	.320	2017/06	
MERCURY	71900	036	2013/09/09	< 1.000	2016/09	
NICKEL	01067	036	2013/09/09	< 10.000	2016/09	
PERCHLORATE	A-031	012	2014/06/09	< 4.000	2015/06	
SELENIUM	01147	036	2013/09/09	< 5.000	2016/09	
THALLIUM	01059	036	2013/09/09	< 1.000	2016/09	

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	012	2014/07/01	. 38.000	2015/07	
------------------	-------	-----	------------	----------	---------	--

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)



**System Number: 1910044**

**System Name: GLENDORA-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910044-009**

**Source Name: WELL 11E**

**Source Number: 009**

**Source Status: ACTIVE RAW**

**Water type: G**

**NITRATE/NITRITE**

NITRITE (AS N)	00620	036	2013/09/09	< 400.000	2016/09
----------------	-------	-----	------------	-----------	---------

**RADIOLOGICAL**

GROSS ALPHA	01501	003	2013/03/11	< 3.000	2013/06	DUE
RADIUM 226	09501	003	2007/03/19	< 1.000	2007/06	DUE
RADIUM 228	11501	003	2007/03/19	< 1.000	2007/06	DUE
URANIUM (PCI/L)	28012	003	2013/03/11	. 1.900	2013/06	DUE

**REGULATED SOC**

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2012/12/10	< 3.000	2015/09
THIOBENCARB	A-001	033	2012/12/10	< 1.000	2015/09

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	012	2013/09/09	< .500	2014/09
1,1,2,2-TETRACHLOROETHANE	34516	012	2013/09/09	< .500	2014/09
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2013/09/09	< 10.000	2014/09
1,1,2-TRICHLOROETHANE	34511	012	2013/09/09	< .500	2014/09
1,1-DICHLOROETHANE	34496	012	2013/09/09	< .500	2014/09
1,1-DICHLOROETHYLENE	34501	012	2013/09/09	< .500	2014/09
1,2,4-TRICHLOROBENZENE	34551	012	2013/09/09	< .500	2014/09
1,2-DICHLOROBENZENE	34536	012	2013/09/09	< .500	2014/09
1,2-DICHLOROETHANE	34531	012	2013/09/09	< .500	2014/09
1,2-DICHLOROPROPANE	34541	012	2013/09/09	< .500	2014/09
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2013/09/09	< .500	2014/09
1,4-DICHLOROBENZENE	34571	012	2013/09/09	< .500	2014/09
BENZENE	34030	012	2013/09/09	< .500	2014/09
CARBON TETRACHLORIDE	32102	012	2013/09/09	< .500	2014/09
CIS-1,2-DICHLOROETHYLENE	77093	012	2013/09/09	< .500	2014/09
DICHLOROMETHANE	34423	012	2013/09/09	< .500	2014/09
ETHYLBENZENE	34371	012	2013/09/09	< .500	2014/09
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2013/09/09	< 3.000	2014/09

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910044**

**System Name: GLENDORA-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910044-009**

**Source Name: WELL 11E**

**Source Number: 009**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED VOC**

MONOCHLOROENZENE	34301	012	2013/09/09	< .500	2014/09
STYRENE	77128	012	2013/09/09	< .500	2014/09
TETRACHLOROETHYLENE	34475	012	2013/09/09	< .500	2014/09
TOLUENE	34010	012	2013/09/09	< .500	2014/09
TRANS-1,2-DICHLOROETHYLENE	34546	012	2013/09/09	< .500	2014/09
TRICHLOROETHYLENE	39180	012	2013/09/09	< .500	2014/09
TRICHLOROFLUOROMETHANE	34488	012	2013/09/09	< 5.000	2014/09
VINYL CHLORIDE	39175	012	2013/09/09	< .500	2014/09
XYLENES (TOTAL)	81551	012	2013/09/09	< .000	2014/09

**SECONDARY/GP**

BICARBONATE ALKALINITY	00440	036	2014/06/24	. 290.000	2017/06
CALCIUM	00916	036	2014/06/24	. 99.000	2017/06
CARBONATE ALKALINITY	00445	036	2014/06/24	< .000	2017/06
CHLORIDE	00940	036	2014/06/24	. 59.000	2017/06
COLOR	00081	036	2014/06/24	< .000	2017/06
COPPER	01042	036	2014/06/24	< .000	2017/06
FOAMING AGENTS (MBAS)	38260	036	2014/06/24	. .110	2017/06
HARDNESS (TOTAL) AS CaCO3	00900	036	2014/06/24	. 370.000	2017/06
HYDROXIDE ALKALINITY	71830	036	2014/06/24	< .000	2017/06
IRON	01045	036	2014/06/24	< .000	2017/06
MAGNESIUM	00927	036	2014/06/24	. 29.000	2017/06
MANGANESE	01055	036	2014/06/24	< .000	2017/06
ODOR THRESHOLD @ 60 C	00086	036	2014/06/24	. 1.000	2017/06
PH, LABORATORY	00403	036	2014/06/24	. 7.200	2017/06
SILVER	01077	036	2013/09/09	< 10.000	2016/09
SODIUM	00929	036	2014/06/24	. 28.000	2017/06
SPECIFIC CONDUCTANCE	00095	036	2014/06/24	. 840.000	2017/06
SULFATE	00945	036	2014/06/24	. 83.000	2017/06
TOTAL DISSOLVED SOLIDS	70300	036	2014/06/24	. 520.000	2017/06

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910044**

**System Name: GLENDORA-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910044-009**

**Source Name: WELL 11E**

**Source Number: 009**

**Source Status: ACTIVE RAW**

**Water type: G**

**SECONDARY/GP**

TURBIDITY, LABORATORY	82079	036	2014/06/24	< .000	2017/06
ZINC	01092	036	2014/06/24	< .000	2017/06

**PS Code: 1910044-010**

**Source Name: WELL 12G**

**Source Number: 010**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

ALUMINUM	01105	036	2012/09/06	< 50.000	2015/09
ANTIMONY	01097	036	2012/09/06	< 6.000	2015/09
ARSENIC	01002	036	2012/09/06	. 2.000	2015/09
BARIUM	01007	036	2012/09/06	< 100.000	2015/09
BERYLLIUM	01012	036	2012/09/06	< 1.000	2015/09
CADMIUM	01027	036	2012/09/06	< 1.000	2015/09
CHROMIUM (TOTAL)	01034	036	2012/09/06	< 10.000	2015/09
CYANIDE	01291	036	2012/09/06	< 100.000	2015/09
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2012/09/06	. .260	2015/09
MERCURY	71900	036	2012/09/06	< 1.000	2015/09
NICKEL	01067	036	2012/09/06	< 10.000	2015/09
PERCHLORATE	A-031	012	2013/09/09	< 4.000	2014/09
SELENIUM	01147	036	2012/09/06	< 5.000	2015/09
THALLIUM	01059	036	2012/09/06	< 1.000	2015/09

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	012	2013/09/09	< 2.000	2014/09
NITRITE (AS N)	00620	036	2012/09/06	< 400.000	2015/09

**RADIOLOGICAL**

<b>GROSS ALPHA</b>	01501	003	2007/06/11	< 3.000	2007/09	<b>DUE</b>
--------------------	-------	-----	------------	---------	---------	------------

\*Testing interval is in months;  
 0 = No data for this constituent and is DUE NOW  
 I = Invalid (NOT) valid analyses reported  
 Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910044**

**System Name: GLENDORA-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910044-010**

**Source Name: WELL 12G**

**Source Number: 010**

**Source Status: ACTIVE RAW**

**Water type: G**

**RADIOLOGICAL**

<b>RADIUM 226</b>	<b>09501</b>	<b>003</b>	<b>2007/06/11</b>	<b>&lt; 1.000</b>	<b>2007/09</b>	<b>DUE</b>
<b>RADIUM 228</b>	<b>11501</b>	<b>003</b>	<b>2007/06/11</b>	<b>&lt; 1.000</b>	<b>2007/09</b>	<b>DUE</b>
<b>URANIUM (PCI/L)</b>	<b>28012</b>	<b>003</b>	<b>2007/06/11</b>	<b>&lt; 2.000</b>	<b>2007/09</b>	<b>DUE</b>

**REGULATED SOC**

DI(2-ETHYLHEXYL)PHTHALATE	<b>39100</b>	<b>033</b>	2012/12/10	<b>&lt; 3.000</b>	2015/09
THIOBENCARB	<b>A-001</b>	<b>033</b>	2012/12/10	<b>&lt; 1.000</b>	2015/09

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	<b>34506</b>	<b>012</b>	2013/09/09	<b>&lt; .500</b>	2014/09
1,1,2,2-TETRACHLOROETHANE	<b>34516</b>	<b>012</b>	2013/09/09	<b>&lt; .500</b>	2014/09
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	<b>81611</b>	<b>012</b>	2013/09/09	<b>&lt; 10.000</b>	2014/09
1,1,2-TRICHLOROETHANE	<b>34511</b>	<b>012</b>	2013/09/09	<b>&lt; .500</b>	2014/09
1,1-DICHLOROETHANE	<b>34496</b>	<b>012</b>	2013/09/09	<b>&lt; .500</b>	2014/09
1,1-DICHLOROETHYLENE	<b>34501</b>	<b>012</b>	2013/09/09	<b>&lt; .500</b>	2014/09
1,2,4-TRICHLOROBENZENE	<b>34551</b>	<b>012</b>	2013/09/09	<b>&lt; .500</b>	2014/09
1,2-DICHLOROBENZENE	<b>34536</b>	<b>012</b>	2013/09/09	<b>&lt; .500</b>	2014/09
1,2-DICHLOROETHANE	<b>34531</b>	<b>012</b>	2013/09/09	<b>&lt; .500</b>	2014/09
1,2-DICHLOROPROPANE	<b>34541</b>	<b>012</b>	2013/09/09	<b>&lt; .500</b>	2014/09
1,3-DICHLOROPROPENE (TOTAL)	<b>34561</b>	<b>012</b>	2013/09/09	<b>&lt; .500</b>	2014/09
1,4-DICHLOROBENZENE	<b>34571</b>	<b>012</b>	2013/09/09	<b>&lt; .500</b>	2014/09
BENZENE	<b>34030</b>	<b>012</b>	2013/09/09	<b>&lt; .500</b>	2014/09
CARBON TETRACHLORIDE	<b>32102</b>	<b>012</b>	2013/09/09	<b>&lt; .500</b>	2014/09
CIS-1,2-DICHLOROETHYLENE	<b>77093</b>	<b>012</b>	2013/09/09	<b>&lt; .500</b>	2014/09
DICHLOROMETHANE	<b>34423</b>	<b>012</b>	2013/09/09	<b>&lt; .500</b>	2014/09
ETHYLBENZENE	<b>34371</b>	<b>012</b>	2013/09/09	<b>&lt; .500</b>	2014/09
METHYL-TERT-BUTYL-ETHER (MTBE)	<b>46491</b>	<b>012</b>	2013/09/09	<b>&lt; 3.000</b>	2014/09
MONOCHLOROBENZENE	<b>34301</b>	<b>012</b>	2013/09/09	<b>&lt; .500</b>	2014/09
STYRENE	<b>77128</b>	<b>012</b>	2013/09/09	<b>&lt; .500</b>	2014/09
TETRACHLOROETHYLENE	<b>34475</b>	<b>012</b>	2013/09/09	<b>&lt; .500</b>	2014/09
TOLUENE	<b>34010</b>	<b>012</b>	2013/09/09	<b>&lt; .500</b>	2014/09

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910044**

**System Name: GLENDORA-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910044-010**

**Source Name: WELL 12G**

**Source Number: 010**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED VOC**

TRANS-1,2-DICHLOROETHYLENE	34546	012	2013/09/09	< .500	2014/09
TRICHLOROETHYLENE	39180	012	2013/09/09	< .500	2014/09
TRICHLOROFUOROMETHANE	34488	012	2013/09/09	< 5.000	2014/09
VINYL CHLORIDE	39175	012	2013/09/09	< .500	2014/09
XYLENES (TOTAL)	81551	012	2013/09/09	< .000	2014/09

**SECONDARY/GP**

<b>BICARBONATE ALKALINITY</b>	00440	036	2011/06/14	. 160.000	2014/06	DUE
<b>CALCIUM</b>	00916	036	2011/06/14	. 36.000	2014/06	DUE
<b>CARBONATE ALKALINITY</b>	00445	036	2011/06/14	< .000	2014/06	DUE
<b>CHLORIDE</b>	00940	036	2011/06/14	. 14.000	2014/06	DUE
<b>COLOR</b>	00081	036	2011/06/14	< .000	2014/06	DUE
<b>COPPER</b>	01042	036	2011/06/14	< .000	2014/06	DUE
<b>FOAMING AGENTS (MBAS)</b>	38260	036	2011/06/14	< .000	2014/06	DUE
<b>HARDNESS (TOTAL) AS CaCO3</b>	00900	036	2011/06/14	. 130.000	2014/06	DUE
<b>HYDROXIDE ALKALINITY</b>	71830	036	2011/06/14	< .000	2014/06	DUE
<b>IRON</b>	01045	036	2011/06/14	< .000	2014/06	DUE
<b>MAGNESIUM</b>	00927	036	2011/06/14	. 11.000	2014/06	DUE
<b>MANGANESE</b>	01055	036	2011/06/14	< .000	2014/06	DUE
<b>ODOR THRESHOLD @ 60 C</b>	00086	036	2011/06/14	1.000	2014/06	DUE
<b>PH, LABORATORY</b>	00403	036	2011/06/14	. 7.800	2014/06	DUE
<b>SILVER</b>	01077	036	2012/09/06	< 10.000	2015/09	
<b>SODIUM</b>	00929	036	2011/06/14	20.000	2014/06	DUE
<b>SPECIFIC CONDUCTANCE</b>	00095	036	2011/06/14	. 340.000	2014/06	DUE
<b>SULFATE</b>	00945	036	2011/06/14	17.000	2014/06	DUE
<b>TOTAL DISSOLVED SOLIDS</b>	70300	036	2013/09/09	< 290.000	2016/09	
<b>TURBIDITY, LABORATORY</b>	82079	036	2011/06/14	< .000	2014/06	DUE
<b>ZINC</b>	01092	036	2011/06/14	< .000	2014/06	DUE

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910044**

**System Name: GLENDORA-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

**PS Code: 1910044-011**

**Source Name: HIDDEN SPRING BOOSERS(?)- NO3 MONITORING**

**Source Number: 011**

**Source Status: DISTRIBUTION TREATED**

**Water type: S**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

**PS Code: 1910044-012**

**Source Name: SIERRA MADRE BLVE - NO3 MONITORING**

**Source Number: 012**

**Source Status: DISTRIBUTION TREATED**

**Water type: S**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

**PS Code: 1910044-013**

**Source Name: NITRATE BLENDING SAMP SITE-FOOTHILL BLV**

**Source Number: 013**

**Source Status: DISTRIBUTION TREATED**

**Water type: S**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

**PS Code: 1910044-014**

**Source Name: NITRATE BLENDING SAMP SITE-GLENDORA AVE**

**Source Number: 014**

**Source Status: DISTRIBUTION TREATED**

**Water type: S**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

\*Testing interval is in months;  
0 = No data for this constituent and is DUE NOW  
I = Invalid (NOT) valid analyses reported  
Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910044**

**System Name: GLENDORA-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910044-015**

**Source Name: WELL 05E**

**Source Number: 015**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

ALUMINUM	01105	036	2013/06/19	< 50.000	2016/06
ANTIMONY	01097	036	2013/06/19	< 6.000	2016/06
ARSENIC	01002	036	2013/06/19	. 3.000	2016/06
BARIUM	01007	036	2013/06/19	100.000	2016/06
BERYLLIUM	01012	036	2013/06/19	< 1.000	2016/06
CADMIUM	01027	036	2013/06/19	< 1.000	2016/06
CHROMIUM (TOTAL)	01034	036	2013/06/19	< 10.000	2016/06
CYANIDE	01291	036	2013/06/19	< 100.000	2016/06
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/06/24	. .410	2017/06
MERCURY	71900	036	2013/06/19	< 1.000	2016/06
NICKEL	01067	036	2013/06/19	< 10.000	2016/06
PERCHLORATE	A-031	012	2013/09/09	< 4.000	2014/09
SELENIUM	01147	036	2013/06/19	< 5.000	2016/06
THALLIUM	01059	036	2013/06/19	< 1.000	2016/06

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	012	2014/06/24	. 2.100	2015/06
NITRITE (AS N)	00620	036	2013/06/19	< 400.000	2016/06

**RADIOLOGICAL**

<b>GROSS ALPHA</b>	01501	003	<b>2007/06/11</b>	< 3.000	<b>2007/09 DUE</b>
<b>RADIUM 226</b>	09501	003	<b>2007/06/11</b>	< 1.000	<b>2007/09 DUE</b>
<b>RADIUM 228</b>	11501	003	<b>2007/06/11</b>	< 1.000	<b>2007/09 DUE</b>
<b>URANIUM (PCI/L)</b>	28012	003	<b>2007/06/11</b>	< 2.000	<b>2007/09 DUE</b>

**REGULATED SOC**

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2012/12/10	< 3.000	2015/09
THIOBENCARB	A-001	033	2012/12/10	< 1.000	2015/09

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	012	2013/09/09	< .500	2014/09
1,1,2,2-TETRACHLOROETHANE	34516	012	2013/09/09	< .500	2014/09

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910044**

**System Name: GLENDORA-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910044-015**

**Source Name: WELL 05E**

**Source Number: 015**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED VOC**

1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2013/09/09	< 10.000	2014/09
1,1,2-TRICHLOROETHANE	34511	012	2013/09/09	< .500	2014/09
1,1-DICHLOROETHANE	34496	012	2013/09/09	< .500	2014/09
1,1-DICHLOROETHYLENE	34501	012	2013/09/09	< .500	2014/09
1,2,4-TRICHLOROBENZENE	34551	012	2013/09/09	< .500	2014/09
1,2-DICHLOROBENZENE	34536	012	2013/09/09	< .500	2014/09
1,2-DICHLOROETHANE	34531	012	2013/09/09	< .500	2014/09
1,2-DICHLOROPROPANE	34541	012	2013/09/09	< .500	2014/09
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2013/09/09	< .500	2014/09
1,4-DICHLOROBENZENE	34571	012	2013/09/09	< .500	2014/09
BENZENE	34030	012	2013/09/09	< .500	2014/09
CARBON TETRACHLORIDE	32102	012	2013/09/09	< .500	2014/09
CIS-1,2-DICHLOROETHYLENE	77093	012	2013/09/09	< .500	2014/09
DICHLOROMETHANE	34423	012	2013/09/09	< .500	2014/09
ETHYLBENZENE	34371	012	2013/09/09	< .500	2014/09
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2013/09/09	< 3.000	2014/09
MONOCHLOROBENZENE	34301	012	2013/09/09	< .500	2014/09
STYRENE	77128	012	2013/09/09	< .500	2014/09
TETRACHLOROETHYLENE	34475	012	2013/09/09	< .500	2014/09
TOLUENE	34010	012	2013/09/09	< .500	2014/09
TRANS-1,2-DICHLOROETHYLENE	34546	012	2013/09/09	< .500	2014/09
TRICHLOROETHYLENE	39180	012	2013/09/09	< .500	2014/09
TRICHLOROFUOROMETHANE	34488	012	2013/09/09	< 5.000	2014/09
VINYL CHLORIDE	39175	012	2013/09/09	< .500	2014/09
XYLENES (TOTAL)	81551	012	2013/09/09	< .000	2014/09

**SECONDARY/GP**

BICARBONATE ALKALINITY	00440	036	2014/06/24	. 170.000	2017/06
CALCIUM	00916	036	2014/06/24	. 45.000	2017/06
CARBONATE ALKALINITY	00445	036	2014/06/24	< .000	2017/06

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)



**System Number: 1910044**

**System Name: GLENDORA-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910044-015**

**Source Name: WELL 05E**

**Source Number: 015**

**Source Status: ACTIVE RAW**

**Water type: G**

**SECONDARY/GP**

CHLORIDE	00940	036	2014/06/24	. 43.000	2017/06
COLOR	00081	036	2014/06/24	< .000	2017/06
COPPER	01042	036	2014/06/24	< .000	2017/06
FOAMING AGENTS (MBAS)	38260	036	2014/06/24	< .000	2017/06
HARDNESS (TOTAL) AS CaCO3	00900	036	2014/06/24	. 160.000	2017/06
HYDROXIDE ALKALINITY	71830	036	2014/06/24	< .000	2017/06
IRON	01045	036	2014/06/24	< .000	2017/06
MAGNESIUM	00927	036	2014/06/24	. 11.000	2017/06
MANGANESE	01055	036	2014/06/24	< .000	2017/06
ODOR THRESHOLD @ 60 C	00086	036	2014/06/24	. 1.000	2017/06
PH, LABORATORY	00403	036	2014/06/24	. 7.700	2017/06
SILVER	01077	036	2013/06/19	< 10.000	2016/06
SODIUM	00929	036	2014/06/24	. 25.000	2017/06
SPECIFIC CONDUCTANCE	00095	036	2014/06/24	. 450.000	2017/06
SULFATE	00945	036	2014/06/24	. 25.000	2017/06
TOTAL DISSOLVED SOLIDS	70300	036	2014/06/24	. 250.000	2017/06
TURBIDITY, LABORATORY	82079	036	2014/06/24	. .200	2017/06
ZINC	01092	036	2014/06/24	< .000	2017/06

**PS Code: 1910044-016**

**Source Name: MWD CONNECTION NO. PM-6 - TREATED**

**Source Number: 016**

**Source Status: PURCHASED TREATED**

**Water type: S**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

\*Testing interval is in months;  
 0 = No data for this constituent and is DUE NOW  
 I = Invalid (NOT) valid analyses reported  
 Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910044**

**System Name: GLENDORA-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910044-017**

**Source Name: MWD CONNECTION NO. PM-18 - TREATED**

**Source Number: 017**

**Source Status: PURCHASED TREATED**

**Water type: S**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\* 999

**PS Code: 1910044-018**

**Source Name: MWD CONNECTION NO. PM-23 - TREATED**

**Source Number: 018**

**Source Status: PURCHASED TREATED**

**Water type: S**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\* 999

**PS Code: 1910044-019**

**Source Name: NITRATE BLENDING SITE-702 BROWNSAGE-TRTD**

**Source Number: 019**

**Source Status: DISTRIBUTION TREATED**

**Water type: S**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\* 999

**PS Code: 1910044-020**

**Source Name: WELL 13E**

**Source Number: 020**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

ALUMINUM	01105	036	2013/06/19	< 50.000	2016/06
ANTIMONY	01097	036	2013/06/19	< 6.000	2016/06
ARSENIC	01002	036	2013/06/19	< 2.000	2016/06
BARIUM	01007	036	2013/06/19	140.000	2016/06
BERYLLIUM	01012	036	2013/06/19	< 1.000	2016/06

\*Testing interval is in months;  
 0 = No data for this constituent and is DUE NOW  
 I = Invalid (NOT) valid analyses reported  
 Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910044**

**System Name: GLENDORA-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910044-020**

**Source Name: WELL 13E**

**Source Number: 020**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

CADMIUM	01027	036	2013/06/19	< 1.000	2016/06
CHROMIUM (TOTAL)	01034	036	2013/06/19	< 10.000	2016/06
CHROMIUM, HEXAVALENT	01032	036	2013/09/20	< .000	2016/09
CYANIDE	01291	036	2013/06/19	< 100.000	2016/06
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/06/24	.460	2017/06
MERCURY	71900	036	2013/06/19	< 1.000	2016/06
NICKEL	01067	036	2013/06/19	< 10.000	2016/06
PERCHLORATE	A-031	012	2013/09/09	< 4.000	2014/09
SELENIUM	01147	036	2013/06/19	< 5.000	2016/06
THALLIUM	01059	036	2013/06/19	< 1.000	2016/06

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	012	2014/07/01	. 13.000	2015/07
NITRITE (AS N)	00620	036	2013/06/19	< 400.000	2016/06

**RADIOLOGICAL**

<b>GROSS ALPHA</b>	01501	003	2014/03/04	< 3.000	2014/06	<b>DUE</b>
<b>RADIUM 226</b>	09501	003	2005/03/08	. .000	2005/06	<b>DUE</b>
<b>RADIUM 228</b>	11501	003	2014/03/04	. .000	2014/06	<b>DUE</b>
<b>URANIUM (PCI/L)</b>	28012	003	2014/03/04	< 1.000	2014/06	<b>DUE</b>

**REGULATED SOC**

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2012/12/10	< 3.000	2015/09
THIOBENCARB	A-001	033	2012/12/10	< 1.000	2015/09

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	012	2014/03/04	< .500	2015/03
1,1,2,2-TETRACHLOROETHANE	34516	012	2014/03/04	< .500	2015/03
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/03/04	< 10.000	2015/03
1,1,2-TRICHLOROETHANE	34511	012	2014/03/04	< .500	2015/03
1,1-DICHLOROETHANE	34496	012	2014/03/04	< .500	2015/03
1,1-DICHLOROETHYLENE	34501	012	2014/03/04	< .500	2015/03

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910044**

**System Name: GLENDORA-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910044-020**

**Source Name: WELL 13E**

**Source Number: 020**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED VOC**

1,2,4-TRICHLOROENZENE	34551	012	2014/03/04	< .500	2015/03
1,2-DICHLOROENZENE	34536	012	2014/03/04	< .500	2015/03
1,2-DICHLOROETHANE	34531	012	2014/03/04	< .500	2015/03
1,2-DICHLOROPROPANE	34541	012	2014/03/04	< .500	2015/03
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/03/04	< .500	2015/03
1,4-DICHLOROENZENE	34571	012	2014/03/04	< .500	2015/03
BENZENE	34030	012	2014/03/04	< .500	2015/03
CARBON TETRACHLORIDE	32102	012	2014/03/04	< .500	2015/03
CIS-1,2-DICHLOROETHYLENE	77093	012	2014/03/04	< .500	2015/03
DICHLOROMETHANE	34423	012	2014/03/04	< .500	2015/03
ETHYLBENZENE	34371	012	2014/03/04	< .500	2015/03
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/03/04	< 3.000	2015/03
MONOCHLOROENZENE	34301	012	2014/03/04	< .500	2015/03
STYRENE	77128	012	2014/03/04	< .500	2015/03
TETRACHLOROETHYLENE	34475	012	2014/03/04	< .500	2015/03
TOLUENE	34010	012	2014/03/04	< .500	2015/03
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/03/04	< .500	2015/03
TRICHLOROETHYLENE	39180	012	2014/03/04	< .500	2015/03
TRICHLOROFUOROMETHANE	34488	012	2014/03/04	< 5.000	2015/03
VINYL CHLORIDE	39175	012	2014/03/04	< .500	2015/03
XYLENES (TOTAL)	81551	012	2014/03/04	< .000	2015/03

**SECONDARY/GP**

BICARBONATE ALKALINITY	00440	036	2014/06/24	. 240.000	2017/06
CALCIUM	00916	036	2014/06/24	. 64.000	2017/06
CARBONATE ALKALINITY	00445	036	2014/06/24	< .000	2017/06
CHLORIDE	00940	036	2014/06/24	. 44.000	2017/06
COLOR	00081	036	2014/06/24	< .000	2017/06
COPPER	01042	036	2014/06/24	< .000	2017/06
FOAMING AGENTS (MBAS)	38260	036	2014/06/24	< .000	2017/06

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910044**

**System Name: GLENDORA-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910044-020**

**Source Name: WELL 13E**

**Source Number: 020**

**Source Status: ACTIVE RAW**

**Water type: G**

**SECONDARY/GP**

HARDNESS (TOTAL) AS CaCO3	00900	036	2014/06/24	. 250.000	2017/06
HYDROXIDE ALKALINITY	71830	036	2014/06/24	< .000	2017/06
IRON	01045	036	2014/06/24	< .000	2017/06
MAGNESIUM	00927	036	2014/06/24	. 22.000	2017/06
MANGANESE	01055	036	2014/06/24	< .000	2017/06
ODOR THRESHOLD @ 60 C	00086	036	2014/06/24	. 1.000	2017/06
PH, LABORATORY	00403	036	2014/06/24	. 7.400	2017/06
SILVER	01077	036	2013/06/19	< 10.000	2016/06
SODIUM	00929	036	2014/06/24	. 32.000	2017/06
SPECIFIC CONDUCTANCE	00095	036	2014/06/24	. 630.000	2017/06
SULFATE	00945	036	2014/06/24	. 50.000	2017/06
TOTAL DISSOLVED SOLIDS	70300	036	2014/06/24	. 360.000	2017/06
TURBIDITY, LABORATORY	82079	036	2014/06/24	. .200	2017/06
ZINC	01092	036	2014/06/24	< .000	2017/06

**PS Code: 1910044-026**

**Source Name: SIERRA MADRE RESERVOIR NITRATE BLENDING**

**Source Number: 026**

**Source Status: ACTIVE TREATED**

**Water type: S**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

\*Testing interval is in months;  
 0 = No data for this constituent and is DUE NOW  
 I = Invalid (NOT) valid analyses reported  
 Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910044**

**System Name: GLENDORA-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910044-027**

**Source Name: WELL 14E - PENDING**

**Source Number: 027**

**Source Status: PENDING**

**Water type: G**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

**PS Code: 1910044-800**

**Source Name: SITE 1-825 E ARROW HWY-STG2 DBP**

**Source Number: 800**

**Source Status: DISTRIBUTION TREATED**

**Water type: S**

**HALOACETIC ACIDS**

DIBROMOACETIC ACID (DBAA)	82721	003	2014/04/23	. 1.300	2014/07
DICHLOROACETIC ACID (DCAA)	77288	003	2014/04/23	. 1.400	2014/07
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/04/23	. 5.000	2014/07
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/04/23	< 1.000	2014/07
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/04/23	< 2.000	2014/07
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/04/23	. 2.300	2014/07

**STATE UCMR**

BROMODICHLORMETHANE (THM)	32101	003	2014/04/23	. 6.400	2014/07
BROMOFORM (THM)	32104	003	2014/04/23	. 4.700	2014/07
CHLOROFORM (THM)	32106	003	2014/04/23	. 4.100	2014/07
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/04/23	. 7.900	2014/07

**TRIHALOMETHANES**

TOTAL TRIHALOMETHANES	82080	003	2014/04/23	. 23.000	2014/07
-----------------------	-------	-----	------------	----------	---------

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910044**

**System Name: GLENDORA-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910044-801**

**Source Name: SITE 2-2244 E ROUTE 66-STG2 DBP**

**Source Number: 801**

**Source Status: DISTRIBUTION TREATED**

**Water type: S**

**HALOACETIC ACIDS**

DIBROMOACETIC ACID (DBAA)	82721	003	2014/04/23	. 2.600	2014/07
DICHLOROACETIC ACID (DCAA)	77288	003	2014/04/23	< 1.000	2014/07
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/04/23	. 2.600	2014/07
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/04/23	< 1.000	2014/07
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/04/23	< 2.000	2014/07
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/04/23	< 1.000	2014/07

**STATE UCMR**

BROMODICHLORMETHANE (THM)	32101	003	2014/04/23	. 1.900	2014/07
BROMOFORM (THM)	32104	003	2014/04/23	. 6.800	2014/07
CHLOROFORM (THM)	32106	003	2014/04/23	< 1.000	2014/07
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/04/23	. 8.300	2014/07

**TRIHALOMETHANES**

TOTAL TRIHALOMETHANES	82080	003	2014/04/23	. 18.000	2014/07
-----------------------	-------	-----	------------	----------	---------

**PS Code: 1910044-802**

**Source Name: SITE 3-2624 COUNTRY CLUB DR-STG2 DBP**

**Source Number: 802**

**Source Status: DISTRIBUTION TREATED**

**Water type: S**

**HALOACETIC ACIDS**

DIBROMOACETIC ACID (DBAA)	82721	003	2014/04/23	. 1.100	2014/07
DICHLOROACETIC ACID (DCAA)	77288	003	2014/04/23	< 1.000	2014/07
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/04/23	. 1.100	2014/07
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/04/23	< 1.000	2014/07
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/04/23	< 2.000	2014/07
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/04/23	< 1.000	2014/07

**STATE UCMR**

BROMODICHLORMETHANE (THM)	32101	003	2014/04/23	. 1.400	2014/07
---------------------------	-------	-----	------------	---------	---------

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910044**

**System Name: GLENDORA-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910044-802**

**Source Name: SITE 3-2624 COUNTRY CLUB DR-STG2 DBP**

**Source Number: 802**

**Source Status: DISTRIBUTION TREATED**

**Water type: S**

**STATE UCMR**

BROMOFORM (THM)	32104	003	2014/04/23	. 7.600	2014/07
CHLOROFORM (THM)	32106	003	2014/04/23	< 1.000	2014/07
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/04/23	. 4.400	2014/07

**TRIHALOMETHANES**

TOTAL TRIHALOMETHANES	82080	003	2014/04/23	. 13.000	2014/07
-----------------------	-------	-----	------------	----------	---------

**PS Code: 1910044-803**

**Source Name: SITE 4-1425 S JENNIFER AVE-STG2 DBP**

**Source Number: 803**

**Source Status: DISTRIBUTION TREATED**

**Water type: S**

**HALOACETIC ACIDS**

DIBROMOACETIC ACID (DBAA)	82721	003	2014/04/23	. 3.000	2014/07
DICHLOROACETIC ACID (DCAA)	77288	003	2014/04/23	. 3.200	2014/07
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/04/23	. 8.700	2014/07
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/04/23	< 1.000	2014/07
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/04/23	< 2.000	2014/07
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/04/23	. 2.500	2014/07

**STATE UCMR**

BROMODICHLORMETHANE (THM)	32101	003	2014/04/23	. 7.100	2014/07
BROMOFORM (THM)	32104	003	2014/04/23	. 5.400	2014/07
CHLOROFORM (THM)	32106	003	2014/04/23	. 4.200	2014/07
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/04/23	. 12.000	2014/07

**TRIHALOMETHANES**

TOTAL TRIHALOMETHANES	82080	003	2014/04/23	. 29.000	2014/07
-----------------------	-------	-----	------------	----------	---------

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)



**System Number: 1910044**

**System Name: GLENDORA-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910044-804**

**Source Name: SITE 5-453 W KIRKWALL RD-STG2 DBP**

**Source Number: 804**

**Source Status: DISTRIBUTION TREATED**

**Water type: S**

**HALOACETIC ACIDS**

DIBROMOACETIC ACID (DBAA)	82721	003	2014/04/23	. 2.500	2014/07
DICHLOROACETIC ACID (DCAA)	77288	003	2014/04/23	. 2.700	2014/07
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/04/23	. 7.400	2014/07
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/04/23	< 1.000	2014/07
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/04/23	< 2.000	2014/07
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/04/23	. 2.200	2014/07

**STATE UCMR**

BROMODICHLORMETHANE (THM)	32101	003	2014/04/23	. 6.100	2014/07
BROMOFORM (THM)	32104	003	2014/04/23	. 4.200	2014/07
CHLOROFORM (THM)	32106	003	2014/04/23	. 3.700	2014/07
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/04/23	. 7.400	2014/07

**TRIHALOMETHANES**

TOTAL TRIHALOMETHANES	82080	003	2014/04/23	. 21.000	2014/07
-----------------------	-------	-----	------------	----------	---------

**PS Code: 1910044-805**

**Source Name: SITE 6-142 RONWOOD ST-STG2 DBP**

**Source Number: 805**

**Source Status: DISTRIBUTION TREATED**

**Water type: S**

**HALOACETIC ACIDS**

DIBROMOACETIC ACID (DBAA)	82721	003	2014/04/23	. 2.400	2014/07
DICHLOROACETIC ACID (DCAA)	77288	003	2014/04/23	. 3.900	2014/07
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/04/23	. 9.300	2014/07
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/04/23	< 1.000	2014/07
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/04/23	< 2.000	2014/07
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/04/23	. 3.000	2014/07

**STATE UCMR**

BROMODICHLORMETHANE (THM)	32101	003	2014/04/23	. 6.400	2014/07
---------------------------	-------	-----	------------	---------	---------

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910044**

**System Name: GLENDORA-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910044-805**

**Source Name: SITE 6-142 RONWOOD ST-STG2 DBP**

**Source Number: 805**

**Source Status: DISTRIBUTION TREATED**

**Water type: S**

**STATE UCMR**

BROMOFORM (THM)	32104	003	2014/04/23	. 2.600	2014/07
CHLOROFORM (THM)	32106	003	2014/04/23	. 4.000	2014/07
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/04/23	. 8.900	2014/07

**TRIHALOMETHANES**

TOTAL TRIHALOMETHANES	82080	003	2014/04/23	. 22.000	2014/07
-----------------------	-------	-----	------------	----------	---------

**PS Code: 1910044-806**

**Source Name: SITE 7-1335 S PROSPERO DR-STG2 DBP**

**Source Number: 806**

**Source Status: DISTRIBUTION TREATED**

**Water type: S**

**HALOACETIC ACIDS**

DIBROMOACETIC ACID (DBAA)	82721	003	2014/04/23	. 2.800	2014/07
DICHLOROACETIC ACID (DCAA)	77288	003	2014/04/23	. 2.400	2014/07
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/04/23	. 7.300	2014/07
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/04/23	< 1.000	2014/07
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/04/23	< 2.000	2014/07
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/04/23	. 2.100	2014/07

**STATE UCMR**

BROMODICHLORMETHANE (THM)	32101	003	2014/04/23	. 6.300	2014/07
BROMOFORM (THM)	32104	003	2014/04/23	. 4.200	2014/07
CHLOROFORM (THM)	32106	003	2014/04/23	. 3.600	2014/07
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/04/23	. 7.600	2014/07

**TRIHALOMETHANES**

TOTAL TRIHALOMETHANES	82080	003	2014/04/23	. 22.000	2014/07
-----------------------	-------	-----	------------	----------	---------

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910044**

**System Name: GLENDORA-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

**PS Code: 1910044-807**

**Source Name: SITE 8-427 W NORTHRIDGE AVE-STG2 DBP**

**Source Number: 807**

**Source Status: DISTRIBUTION TREATED**

**Water type: S**

**HALOACETIC ACIDS**

DIBROMOACETIC ACID (DBAA)	82721	003	2014/04/23	. 3.500	2014/07
DICHLOROACETIC ACID (DCAA)	77288	003	2014/04/23	< 1.000	2014/07
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/04/23	. 3.500	2014/07
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/04/23	< 1.000	2014/07
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/04/23	< 2.000	2014/07
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/04/23	< 1.000	2014/07

**STATE UCMR**

BROMODICHLORMETHANE (THM)	32101	003	2014/04/23	< 1.000	2014/07
BROMOFORM (THM)	32104	003	2014/04/23	. 3.900	2014/07
CHLOROFORM (THM)	32106	003	2014/04/23	< 1.000	2014/07
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/04/23	. 2.200	2014/07

**TRIHALOMETHANES**

TOTAL TRIHALOMETHANES	82080	003	2014/04/23	. 6.600	2014/07
-----------------------	-------	-----	------------	---------	---------

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910046**

**System Name: SUBURBAN WATER SYSTEMS-GLENDORA**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910046-001**

**Source Name: PURCHASED TREATED WATER - COVINA IC**

**Source Number: 001**

**Source Status: PURCHASED TREATED**

**Water type: S**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

**PS Code: 1910046-800**

**Source Name: SITE 1-849 WEST GALATEA ST-STG2 DBP**

**Source Number: 800**

**Source Status: DISTRIBUTION TREATED**

**Water type: S**

**HALOACETIC ACIDS**

DIBROMOACETIC ACID (DBAA)	82721	003	2014/07/22	< 1.000	2014/10
DICHLOROACETIC ACID (DCAA)	77288	003	2014/07/22	. 16.000	2014/10
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/07/22	. 26.000	2014/10
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/07/22	< 1.000	2014/10
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/07/22	< 2.000	2014/10
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/07/22	. 9.600	2014/10

**STATE UCMR**

BROMODICHLORMETHANE (THM)	32101	003	2014/07/22	. 11.000	2014/10
BROMOFORM (THM)	32104	003	2014/07/22	< 1.000	2014/10
CHLOROFORM (THM)	32106	003	2014/07/22	. 49.000	2014/10
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/07/22	. 1.500	2014/10

**TRIHALOMETHANES**

TOTAL TRIHALOMETHANES	82080	003	2014/07/22	. 62.000	2014/10
-----------------------	-------	-----	------------	----------	---------

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910046**

**System Name: SUBURBAN WATER SYSTEMS-GLENDORA**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910046-801**

**Source Name: SITE 2-702 LAXFORD ST-STG2 DBP**

**Source Number: 801**

**Source Status: DISTRIBUTION TREATED**

**Water type: S**

**HALOACETIC ACIDS**

DIBROMOACETIC ACID (DBAA)	82721	003	2014/07/22	< 1.000	2014/10
DICHLOROACETIC ACID (DCAA)	77288	003	2014/07/22	. 18.000	2014/10
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/07/22	. 29.000	2014/10
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/07/22	< 1.000	2014/10
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/07/22	< 2.000	2014/10
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/07/22	. 11.000	2014/10

**STATE UCMR**

BROMODICHLORMETHANE (THM)	32101	003	2014/07/22	. 11.000	2014/10
BROMOFORM (THM)	32104	003	2014/07/22	< 1.000	2014/10
CHLOROFORM (THM)	32106	003	2014/07/22	. 48.000	2014/10
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/07/22	. 1.500	2014/10

**TRIHALOMETHANES**

TOTAL TRIHALOMETHANES	82080	003	2014/07/22	. 60.000	2014/10
-----------------------	-------	-----	------------	----------	---------

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910052**

**System Name: CAL/AM WATER COMPANY - BALDWIN HILLS**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910052-001**

**Source Name: 48TH STREET**

**Source Number: 001**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

ALUMINUM	01105	036	2014/06/23	< 50.000	2017/06
ANTIMONY	01097	036	2014/06/23	< 6.000	2017/06
ARSENIC	01002	036	2014/06/23	< 2.000	2017/06
BARIIUM	01007	036	2014/06/23	. 100.000	2017/06
BERYLLIUM	01012	036	2014/06/23	< 1.000	2017/06
CADMIUM	01027	036	2014/06/23	< 1.000	2017/06
CHROMIUM (TOTAL)	01034	036	2014/06/23	< 10.000	2017/06
CHROMIUM, HEXAVALENT	01032	036	2013/09/16	. 1.200	2016/09
CYANIDE	01291	036	2014/06/23	< 100.000	2017/06
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/06/23	. .390	2017/06
MERCURY	71900	036	2014/06/23	< 1.000	2017/06
NICKEL	01067	036	2014/06/23	< 10.000	2017/06
PERCHLORATE	A-031	036	2014/06/23	< 4.000	2017/06
SELENIUM	01147	036	2014/06/23	< 5.000	2017/06
THALLIUM	01059	036	2014/06/23	< 1.000	2017/06

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	012	2014/06/23	. 11.820	2015/06
NITRITE (AS N)	00620	036	2014/06/23	< 400.000	2017/06

**RADIOLOGICAL**

<b>GROSS ALPHA</b>	01501	003	2012/10/05	. 4.100	2013/01	<b>DUE</b>
<b>RADIUM 226</b>	09501	000				<b>DUE</b>
<b>RADIUM 228</b>	11501	003	2006/03/02	< 1.000	2006/06	<b>DUE</b>
<b>URANIUM (PCI/L)</b>	28012	003	2012/10/05	3.400	2013/01	<b>DUE</b>

**REGULATED SOC**

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2014/04/14	< 3.000	2017/01
---------------------------	-------	-----	------------	---------	---------

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	012	2014/06/23	< .500	2015/06
1,1,2,2-TETRACHLOROETHANE	34516	012	2014/06/23	< .500	2015/06

\*Testing interval is in months;  
 0 = No data for this constituent and is DUE NOW  
 I = Invalid (NOT) valid analyses reported  
 Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910052**

**System Name: CAL/AM WATER COMPANY - BALDWIN HILLS**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910052-001**

**Source Name: 48TH STREET**

**Source Number: 001**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED VOC**

1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/06/23	< 10.000	2015/06
1,1,2-TRICHLOROETHANE	34511	012	2014/06/23	< .500	2015/06
1,1-DICHLOROETHANE	34496	012	2014/06/23	< .500	2015/06
1,1-DICHLOROETHYLENE	34501	012	2014/06/23	< .500	2015/06
1,2,4-TRICHLOROBENZENE	34551	012	2014/06/23	< .500	2015/06
1,2-DICHLOROBENZENE	34536	012	2014/06/23	< .500	2015/06
1,2-DICHLOROETHANE	34531	012	2014/06/23	< .500	2015/06
1,2-DICHLOROPROPANE	34541	012	2014/06/23	< .500	2015/06
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/06/23	< .500	2015/06
1,4-DICHLOROBENZENE	34571	012	2014/06/23	< .500	2015/06
BENZENE	34030	012	2014/06/23	< .500	2015/06
CARBON TETRACHLORIDE	32102	012	2014/06/23	< .500	2015/06
CIS-1,2-DICHLOROETHYLENE	77093	012	2014/06/23	< .500	2015/06
DICHLOROMETHANE	34423	012	2014/06/23	< .500	2015/06
ETHYLBENZENE	34371	012	2014/06/23	< .500	2015/06
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/06/23	< 3.000	2015/06
MONOCHLOROBENZENE	34301	012	2014/06/23	< .500	2015/06
STYRENE	77128	012	2014/06/02	< .500	2015/06
TETRACHLOROETHYLENE	34475	012	2014/06/23	< .500	2015/06
TOLUENE	34010	012	2014/06/23	< .500	2015/06
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/06/23	< .500	2015/06
TRICHLOROETHYLENE	39180	012	2014/06/23	. 1.500	2015/06
TRICHLOROFUOROMETHANE	34488	012	2014/06/23	< 5.000	2015/06
VINYL CHLORIDE	39175	012	2014/06/23	< .500	2015/06
XYLENES (TOTAL)	81551	012	2014/06/23	< .500	2015/06

**SECONDARY/GP**

BICARBONATE ALKALINITY	00440	036	2013/09/16	. 230.000	2016/09
CALCIUM	00916	036	2014/06/23	. 84.000	2017/06
CARBONATE ALKALINITY	00445	036	2013/09/16	< 2.000	2016/09

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910052**

**System Name: CAL/AM WATER COMPANY - BALDWIN HILLS**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910052-001**

**Source Name: 48TH STREET**

**Source Number: 001**

**Source Status: ACTIVE RAW**

**Water type: G**

**SECONDARY/GP**

CHLORIDE	00940	036	2014/06/23	. 45.500	2017/06
COLOR	00081	036	2013/09/16	< 3.000	2016/09
COPPER	01042	036	2014/06/23	< 50.000	2017/06
FOAMING AGENTS (MBAS)	38260	036	2013/09/16	< .050	2016/09
HARDNESS (TOTAL) AS CaCO3	00900	036	2013/09/16	. 260.000	2016/09
HYDROXIDE ALKALINITY	71830	036	2013/09/16	< 2.000	2016/09
IRON	01045	036	2014/06/23	< 100.000	2017/06
MAGNESIUM	00927	036	2014/06/23	. 18.000	2017/06
MANGANESE	01055	036	2014/07/21	. 23.000	2017/07
ODOR THRESHOLD @ 60 C	00086	036	2013/09/16	< 1.000	2016/09
PH, LABORATORY	00403	036	2013/09/16	. 7.800	2016/09
SILVER	01077	036	2014/06/23	< 10.000	2017/06
SODIUM	00929	036	2014/06/23	. 51.600	2017/06
SPECIFIC CONDUCTANCE	00095	036	2013/09/16	. 700.000	2016/09
SULFATE	00945	036	2014/06/23	. 89.300	2017/06
TOTAL DISSOLVED SOLIDS	70300	036	2013/09/16	. 430.000	2016/09
TURBIDITY, LABORATORY	82079	036	2013/09/16	. .130	2016/09
ZINC	01092	036	2014/06/23	< 50.000	2017/06

**PS Code: 1910052-003**

**Source Name: CRENSHAW**

**Source Number: 003**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

ALUMINUM	01105	036	2014/06/23	< 50.000	2017/06
ANTIMONY	01097	036	2014/06/23	< 6.000	2017/06
ARSENIC	01002	036	2014/06/23	< 2.000	2017/06
BARIUM	01007	036	2014/06/23	. 100.000	2017/06

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)



**System Number: 1910052**

**System Name: CAL/AM WATER COMPANY - BALDWIN HILLS**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910052-003**

**Source Name: CRENSHAW**

**Source Number: 003**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

BERYLLIUM	01012	036	2014/06/23	< 1.000	2017/06
CADMIUM	01027	036	2014/06/23	< 1.000	2017/06
CHROMIUM (TOTAL)	01034	036	2014/06/23	< 10.000	2017/06
CYANIDE	01291	036	2014/06/23	< 100.000	2017/06
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/06/23	.340	2017/06
MERCURY	71900	036	2014/06/23	< 1.000	2017/06
NICKEL	01067	036	2014/06/23	< 10.000	2017/06
PERCHLORATE	A-031	036	2014/06/23	< 4.000	2017/06
SELENIUM	01147	036	2014/06/23	< 5.000	2017/06
THALLIUM	01059	036	2014/06/23	< 1.000	2017/06

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	012	2014/06/23	< 2.000	2015/06
NITRITE (AS N)	00620	036	2014/06/23	< 400.000	2017/06

**RADIOLOGICAL**

<b>GROSS ALPHA</b>	01501	003	2012/10/05	. 4.600	2013/01	<b>DUE</b>
<b>RADIUM 226</b>	09501	000				<b>DUE</b>
<b>RADIUM 228</b>	11501	003	2006/03/02	< 1.000	2006/06	<b>DUE</b>
<b>URANIUM (PCI/L)</b>	28012	003	2012/10/05	6.200	2013/01	<b>DUE</b>

**REGULATED SOC**

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2014/04/14	< 3.000	2017/01
---------------------------	-------	-----	------------	---------	---------

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	012	2014/06/23	< .500	2015/06
1,1,2,2-TETRACHLOROETHANE	34516	012	2014/06/23	< .500	2015/06
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/06/23	< 10.000	2015/06
1,1,2-TRICHLOROETHANE	34511	012	2014/06/23	< .500	2015/06
1,1-DICHLOROETHANE	34496	012	2014/06/23	< .500	2015/06
1,1-DICHLOROETHYLENE	34501	012	2014/06/23	< .500	2015/06
1,2,4-TRICHLOROBENZENE	34551	012	2014/06/23	< .500	2015/06

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910052**

**System Name: CAL/AM WATER COMPANY - BALDWIN HILLS**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910052-003**

**Source Name: CRENSHAW**

**Source Number: 003**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED VOC**

1,2-DICHLOROBENZENE	34536	012	2014/06/23	< .500	2015/06
1,2-DICHLOROETHANE	34531	012	2014/06/23	< .500	2015/06
1,2-DICHLOROPROPANE	34541	012	2014/06/23	< .500	2015/06
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/06/23	< .500	2015/06
1,4-DICHLOROBENZENE	34571	012	2014/06/23	< .500	2015/06
BENZENE	34030	012	2014/06/23	< .500	2015/06
CARBON TETRACHLORIDE	32102	012	2014/06/23	< .500	2015/06
CIS-1,2-DICHLOROETHYLENE	77093	012	2014/06/23	< .500	2015/06
DICHLOROMETHANE	34423	012	2014/06/23	< .500	2015/06
ETHYLBENZENE	34371	012	2014/06/23	< .500	2015/06
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/06/23	< 3.000	2015/06
MONOCHLOROBENZENE	34301	012	2014/06/23	< .500	2015/06
STYRENE	77128	012	2013/08/13	< .500	2014/08
TETRACHLOROETHYLENE	34475	012	2014/06/23	< .500	2015/06
TOLUENE	34010	012	2014/06/23	< .500	2015/06
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/06/23	< .500	2015/06
TRICHLOROETHYLENE	39180	012	2014/06/23	< .500	2015/06
TRICHLOROFLUOROMETHANE	34488	012	2014/06/23	< 5.000	2015/06
VINYL CHLORIDE	39175	012	2014/06/23	< .500	2015/06
XYLENES (TOTAL)	81551	012	2014/06/23	< .500	2015/06

**SECONDARY/GP**

BICARBONATE ALKALINITY	00440	036	2013/09/16	. 250.000	2016/09
CALCIUM	00916	036	2014/06/23	. 93.000	2017/06
CARBONATE ALKALINITY	00445	036	2013/09/16	< 2.000	2016/09
CHLORIDE	00940	036	2014/06/23	. 58.700	2017/06
COLOR	00081	036	2013/09/16	< 3.000	2016/09
COPPER	01042	036	2014/06/23	< 50.000	2017/06
FOAMING AGENTS (MBAS)	38260	036	2013/09/16	< .050	2016/09
HARDNESS (TOTAL) AS CaCO3	00900	036	2013/09/16	. 300.000	2016/09

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910052**

**System Name: CAL/AM WATER COMPANY - BALDWIN HILLS**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910052-003**

**Source Name: CRENSHAW**

**Source Number: 003**

**Source Status: ACTIVE RAW**

**Water type: G**

**SECONDARY/GP**

HYDROXIDE ALKALINITY	71830	036	2013/09/16	< 2.000	2016/09
IRON	01045	036	2014/06/23	< 100.000	2017/06
MAGNESIUM	00927	036	2014/06/23	. 20.000	2017/06
MANGANESE	01055	036	2014/06/23	< 20.000	2017/06
ODOR THRESHOLD @ 60 C	00086	036	2013/09/16	< 1.000	2016/09
PH, LABORATORY	00403	036	2013/09/16	. 7.800	2016/09
SILVER	01077	036	2014/06/23	< 10.000	2017/06
SODIUM	00929	036	2014/06/23	. 55.200	2017/06
SPECIFIC CONDUCTANCE	00095	036	2013/09/16	. 780.000	2016/09
SULFATE	00945	036	2014/06/23	. 113.000	2017/06
TOTAL DISSOLVED SOLIDS	70300	036	2013/09/16	. 430.000	2016/09
TURBIDITY, LABORATORY	82079	036	2013/09/16	. .100	2016/09
ZINC	01092	036	2014/06/23	< 50.000	2017/06

**PS Code: 1910052-006**

**Source Name: VERNON WELL 03**

**Source Number: 006**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

ALUMINUM	01105	036	2014/06/23	< 50.000	2017/06
ANTIMONY	01097	036	2014/06/23	< 6.000	2017/06
ARSENIC	01002	036	2014/06/23	< 2.000	2017/06
BARIUM	01007	036	2014/06/23	. 100.000	2017/06
BERYLLIUM	01012	036	2014/06/23	< 1.000	2017/06
CADMIUM	01027	036	2014/06/23	< 1.000	2017/06
CHROMIUM (TOTAL)	01034	036	2014/06/23	< 10.000	2017/06
CYANIDE	01291	036	2014/06/23	< 100.000	2017/06
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/06/23	. .400	2017/06

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910052**

**System Name: CAL/AM WATER COMPANY - BALDWIN HILLS**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910052-006**

**Source Name: VERNON WELL 03**

**Source Number: 006**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

MERCURY	71900	036	2014/06/23	< 1.000	2017/06
NICKEL	01067	036	2014/06/23	< 10.000	2017/06
PERCHLORATE	A-031	036	2014/06/23	< 4.000	2017/06
SELENIUM	01147	036	2014/06/23	< 5.000	2017/06
THALLIUM	01059	036	2014/06/23	< 1.000	2017/06

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	012	2014/06/23	. 7.860	2015/06
NITRITE (AS N)	00620	036	2014/06/23	< 400.000	2017/06

**RADIOLOGICAL**

<b>GROSS ALPHA</b>	01501	003	2012/10/05	< 3.000	2013/01	<b>DUE</b>
<b>RADIUM 226</b>	09501	000				<b>DUE</b>
<b>RADIUM 228</b>	11501	003	2006/03/02	< 1.000	2006/06	<b>DUE</b>
<b>URANIUM (PCI/L)</b>	28012	003	2012/10/05	3.800	2013/01	<b>DUE</b>

**REGULATED SOC**

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2014/04/14	< 3.000	2017/01
---------------------------	-------	-----	------------	---------	---------

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	012	2014/06/23	< .500	2015/06
1,1,2,2-TETRACHLOROETHANE	34516	012	2014/06/23	< .500	2015/06
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/06/23	< 10.000	2015/06
1,1,2-TRICHLOROETHANE	34511	012	2014/06/23	< .500	2015/06
1,1-DICHLOROETHANE	34496	012	2014/06/23	< .500	2015/06
1,1-DICHLOROETHYLENE	34501	012	2014/06/23	< .500	2015/06
1,2,4-TRICHLOROBENZENE	34551	012	2014/06/23	< .500	2015/06
1,2-DICHLOROBENZENE	34536	012	2014/06/23	< .500	2015/06
1,2-DICHLOROETHANE	34531	012	2014/06/23	< .500	2015/06
1,2-DICHLOROPROPANE	34541	012	2014/06/23	< .500	2015/06
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/06/23	< .500	2015/06
1,4-DICHLOROBENZENE	34571	012	2014/06/23	< .500	2015/06

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910052**

**System Name: CAL/AM WATER COMPANY - BALDWIN HILLS**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910052-006**

**Source Name: VERNON WELL 03**

**Source Number: 006**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED VOC**

BENZENE	34030	012	2014/06/23	< .500	2015/06
CARBON TETRACHLORIDE	32102	012	2014/06/23	< .500	2015/06
CIS-1,2-DICHLOROETHYLENE	77093	012	2014/06/23	< .500	2015/06
DICHLOROMETHANE	34423	012	2014/06/23	< .500	2015/06
ETHYLBENZENE	34371	012	2014/06/23	< .500	2015/06
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/06/23	< 3.000	2015/06
MONOCHLOROBENZENE	34301	012	2014/06/23	< .500	2015/06
STYRENE	77128	012	2014/06/23	< .500	2015/06
TETRACHLOROETHYLENE	34475	012	2014/06/23	< .500	2015/06
TOLUENE	34010	012	2014/06/23	< .500	2015/06
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/06/23	< .500	2015/06
TRICHLOROETHYLENE	39180	012	2014/06/23	< .500	2015/06
TRICHLOROFUOROMETHANE	34488	012	2014/06/23	< 5.000	2015/06
VINYL CHLORIDE	39175	012	2014/06/23	< .500	2015/06
XYLENES (TOTAL)	81551	012	2014/06/23	< .500	2015/06

**SECONDARY/GP**

BICARBONATE ALKALINITY	00440	036	2013/09/16	. 240.000	2016/09
CALCIUM	00916	036	2014/06/23	. 87.000	2017/06
CARBONATE ALKALINITY	00445	036	2013/09/16	< 2.000	2016/09
CHLORIDE	00940	036	2014/06/23	. 58.800	2017/06
COLOR	00081	036	2013/09/16	< 3.000	2016/09
COPPER	01042	036	2014/06/23	< 50.000	2017/06
FOAMING AGENTS (MBAS)	38260	036	2013/09/16	< .050	2016/09
HARDNESS (TOTAL) AS CaCO3	00900	036	2013/09/16	. 280.000	2016/09
HYDROXIDE ALKALINITY	71830	036	2013/09/16	< 2.000	2016/09
IRON	01045	036	2014/06/23	< 100.000	2017/06
MAGNESIUM	00927	036	2014/06/23	. 19.000	2017/06
MANGANESE	01055	036	2014/06/23	. 22.000	2017/06
ODOR THRESHOLD @ 60 C	00086	036	2013/09/16	< 1.000	2016/09

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910052**

**System Name: CAL/AM WATER COMPANY - BALDWIN HILLS**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910052-006**

**Source Name: VERNON WELL 03**

**Source Number: 006**

**Source Status: ACTIVE RAW**

**Water type: G**

**SECONDARY/GP**

PH, LABORATORY	00403	036	2013/09/16	. 8.000	2016/09
SILVER	01077	036	2014/06/23	< 10.000	2017/06
SODIUM	00929	036	2014/06/23	. 54.500	2017/06
SPECIFIC CONDUCTANCE	00095	036	2013/09/16	. 740.000	2016/09
SULFATE	00945	036	2014/06/23	. 85.200	2017/06
TOTAL DISSOLVED SOLIDS	70300	036	2013/09/16	. 440.000	2016/09
TURBIDITY, LABORATORY	82079	036	2013/09/16	. .150	2016/09
ZINC	01092	036	2014/06/23	< 50.000	2017/06

**PS Code: 1910052-007**

**Source Name: MWD CONNECTION WB-22 - TREATED**

**Source Number: 007**

**Source Status: PURCHASED TREATED**

**Water type: S**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

**PS Code: 1910052-008**

**Source Name: ARLINGTON WELL 02**

**Source Number: 008**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

ALUMINUM	01105	036	2013/09/18	< 50.000	2016/09
ANTIMONY	01097	036	2013/09/18	< 6.000	2016/09
ARSENIC	01002	036	2013/09/18	< 2.000	2016/09
BARIUM	01007	036	2013/09/18	100.000	2016/09
BERYLLIUM	01012	036	2013/09/18	< 1.000	2016/09
CADMIUM	01027	036	2013/09/18	< 1.000	2016/09

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910052**

**System Name: CAL/AM WATER COMPANY - BALDWIN HILLS**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910052-008**

**Source Name: ARLINGTON WELL 02**

**Source Number: 008**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

CHROMIUM (TOTAL)	01034	036	2013/09/18	< 10.000	2016/09
CYANIDE	01291	036	2013/09/18	< 100.000	2016/09
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/09/18	. 370	2016/09
MERCURY	71900	036	2013/09/18	< 1.000	2016/09
NICKEL	01067	036	2013/09/18	< 10.000	2016/09
PERCHLORATE	A-031	036	2013/09/18	< 4.000	2016/09
SELENIUM	01147	036	2013/09/18	< 5.000	2016/09
THALLIUM	01059	036	2013/09/18	< 1.000	2016/09

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	012	2013/09/18	. 19.660	2014/09
NITRITE (AS N)	00620	036	2013/09/18	< 400.000	2016/09

**RADIOLOGICAL**

<b>GROSS ALPHA</b>	01501	003	2012/10/05	. 3.300	2013/01	<b>DUE</b>
<b>RADIUM 226</b>	09501	000				<b>DUE</b>
<b>RADIUM 228</b>	11501	003	2006/03/02	< 1.000	2006/06	<b>DUE</b>
<b>URANIUM (PCI/L)</b>	28012	003	2012/10/05	5.300	2013/01	<b>DUE</b>

**REGULATED SOC**

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2014/04/14	< 3.000	2017/01
THIOBENCARB	A-001	033	2014/04/14	< 1.000	2017/01

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	012	2013/09/18	< .500	2014/09
1,1,2,2-TETRACHLOROETHANE	34516	012	2013/09/18	< .500	2014/09
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2013/09/18	< 10.000	2014/09
1,1,2-TRICHLOROETHANE	34511	012	2013/09/18	< .500	2014/09
1,1-DICHLOROETHANE	34496	012	2013/09/18	< .500	2014/09
1,1-DICHLOROETHYLENE	34501	012	2013/09/18	< .500	2014/09
1,2,4-TRICHLOROBENZENE	34551	012	2013/09/18	< .500	2014/09
1,2-DICHLOROBENZENE	34536	012	2013/09/18	< .500	2014/09

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910052**

**System Name: CAL/AM WATER COMPANY - BALDWIN HILLS**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910052-008**

**Source Name: ARLINGTON WELL 02**

**Source Number: 008**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED VOC**

1,2-DICHLOROETHANE	34531	012	2013/09/18	< .500	2014/09
1,2-DICHLOROPROPANE	34541	012	2013/09/18	< .500	2014/09
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2013/09/18	< .500	2014/09
1,4-DICHLOROBENZENE	34571	012	2013/09/18	< .500	2014/09
BENZENE	34030	012	2013/09/18	< .500	2014/09
CARBON TETRACHLORIDE	32102	012	2013/09/18	< .500	2014/09
CIS-1,2-DICHLOROETHYLENE	77093	012	2013/09/18	< .500	2014/09
DICHLOROMETHANE	34423	012	2013/09/18	< .500	2014/09
ETHYLBENZENE	34371	012	2013/09/18	< .500	2014/09
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2013/09/18	< 3.000	2014/09
MONOCHLOROBENZENE	34301	012	2013/09/18	< .500	2014/09
STYRENE	77128	012	2013/09/18	< .500	2014/09
TETRACHLOROETHYLENE	34475	012	2013/09/18	< .500	2014/09
TOLUENE	34010	012	2013/09/18	< .500	2014/09
TRANS-1,2-DICHLOROETHYLENE	34546	012	2013/09/18	< .500	2014/09
TRICHLOROETHYLENE	39180	012	2013/09/18	. 11.300	2014/09
TRICHLOROFUOROMETHANE	34488	012	2013/09/18	< 5.000	2014/09
VINYL CHLORIDE	39175	012	2013/09/18	< .500	2014/09
XYLENES (TOTAL)	81551	012	2013/09/18	< .500	2014/09

**SECONDARY/GP**

BICARBONATE ALKALINITY	00440	036	2013/09/16	. 250.000	2016/09
CALCIUM	00916	036	2013/09/18	. 75.000	2016/09
CARBONATE ALKALINITY	00445	036	2013/09/16	< 2.000	2016/09
CHLORIDE	00940	036	2013/09/18	. 45.300	2016/09
COLOR	00081	036	2013/09/16	< 3.000	2016/09
COPPER	01042	036	2013/09/18	< 50.000	2016/09
FOAMING AGENTS (MBAS)	38260	036	2013/09/16	. .071	2016/09
HARDNESS (TOTAL) AS CaCO3	00900	036	2013/09/16	. 320.000	2016/09
HYDROXIDE ALKALINITY	71830	036	2013/09/16	< 2.000	2016/09

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)



**System Number: 1910052**

**System Name: CAL/AM WATER COMPANY - BALDWIN HILLS**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

**PS Code: 1910052-008**

**Source Name: ARLINGTON WELL 02**

**Source Number: 008**

**Source Status: ACTIVE RAW**

**Water type: G**

**SECONDARY/GP**

IRON	01045	036	2013/10/07	< 100.000	2016/10
MAGNESIUM	00927	036	2013/09/18	. 18.000	2016/09
MANGANESE	01055	036	2013/09/18	50.000	2016/09
ODOR THRESHOLD @ 60 C	00086	036	2013/09/16	< 1.000	2016/09
PH, LABORATORY	00403	036	2013/09/16	. 7.800	2016/09
SILVER	01077	036	2013/09/18	< 10.000	2016/09
SODIUM	00929	036	2013/09/18	50.700	2016/09
SPECIFIC CONDUCTANCE	00095	036	2013/09/16	. 840.000	2016/09
SULFATE	00945	036	2013/09/18	89.200	2016/09
TOTAL DISSOLVED SOLIDS	70300	036	2013/09/16	. 530.000	2016/09
TURBIDITY, LABORATORY	82079	036	2013/09/16	. .210	2016/09
ZINC	01092	036	2013/09/18	< 50.000	2016/09

**PS Code: 1910052-009**

**Source Name: MWD CONNECTION WB-27 - TREATED**

**Source Number: 009**

**Source Status: PURCHASED TREATED**

**Water type: S**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\* 999

**PS Code: 1910052-017**

**Source Name: 4900 VICTORIA (NO3/TCE BLEND POINT)**

**Source Number: 017**

**Source Status: COMBINATION OR BLEND RAW**

**Water type: G**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\* 999

\*Testing interval is in months;  
 0 = No data for this constituent and is DUE NOW  
 I = Invalid (NOT) valid analyses reported  
 Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910052**

**System Name: CAL/AM WATER COMPANY - BALDWIN HILLS**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910052-800**

**Source Name: SITE 1-5118 CORNING-STG2 DBP**

**Source Number: 800**

**Source Status: DISTRIBUTION TREATED**

**Water type: S**

**HALOACETIC ACIDS**

DIBROMOACETIC ACID (DBAA)	82721	003	2014/05/12	. 2.500	2014/08
DICHLOROACETIC ACID (DCAA)	77288	003	2014/05/12	. 5.700	2014/08
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/05/12	. 12.200	2014/08
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/05/12	< 1.000	2014/08
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/05/12	< 2.000	2014/08
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/05/12	. 4.000	2014/08

**STATE UCMR**

BROMODICHLORMETHANE (THM)	32101	003	2014/05/12	. 8.900	2014/08
BROMOFORM (THM)	32104	003	2014/05/12	. 2.700	2014/08
CHLOROFORM (THM)	32106	003	2014/05/12	. 10.000	2014/08
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/05/12	. 9.400	2014/08

**TRIHALOMETHANES**

TOTAL TRIHALOMETHANES	82080	003	2014/05/12	. 31.000	2014/08
-----------------------	-------	-----	------------	----------	---------

**PS Code: 1910052-801**

**Source Name: SITE 2-5904 CORNING-STG2 DBP**

**Source Number: 801**

**Source Status: DISTRIBUTION TREATED**

**Water type: S**

**HALOACETIC ACIDS**

DIBROMOACETIC ACID (DBAA)	82721	003	2014/05/12	. 2.000	2014/08
DICHLOROACETIC ACID (DCAA)	77288	003	2014/05/12	. 3.100	2014/08
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/05/12	. 7.400	2014/08
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/05/12	< 1.000	2014/08
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/05/12	< 2.000	2014/08
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/05/12	. 2.400	2014/08

**STATE UCMR**

BROMODICHLORMETHANE (THM)	32101	003	2014/05/12	. 4.300	2014/08
---------------------------	-------	-----	------------	---------	---------

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910052**

**System Name: CAL/AM WATER COMPANY - BALDWIN HILLS**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910052-801**

**Source Name: SITE 2-5904 CORNING-STG2 DBP**

**Source Number: 801**

**Source Status: DISTRIBUTION TREATED**

**Water type: S**

**STATE UCMR**

BROMOFORM (THM)	32104	003	2014/05/12	. 2.200	2014/08
CHLOROFORM (THM)	32106	003	2014/05/12	. 4.700	2014/08
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/05/12	. 5.100	2014/08

**TRIHALOMETHANES**

TOTAL TRIHALOMETHANES	82080	003	2014/05/12	. 16.200	2014/08
-----------------------	-------	-----	------------	----------	---------

**PS Code: 1910052-802**

**Source Name: SITE 3-4338 ENORO-STG2 DBP**

**Source Number: 802**

**Source Status: DISTRIBUTION TREATED**

**Water type: S**

**HALOACETIC ACIDS**

DIBROMOACETIC ACID (DBAA)	82721	003	2014/05/12	. 1.400	2014/08
DICHLOROACETIC ACID (DCAA)	77288	003	2014/05/12	< 1.000	2014/08
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/05/12	. 1.400	2014/08
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/05/12	< 1.000	2014/08
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/05/12	< 2.000	2014/08
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/05/12	< 1.000	2014/08

**STATE UCMR**

BROMODICHLORMETHANE (THM)	32101	003	2014/05/12	< 1.000	2014/08
BROMOFORM (THM)	32104	003	2014/05/12	. 3.600	2014/08
CHLOROFORM (THM)	32106	003	2014/05/12	< 1.000	2014/08
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/05/12	. 1.900	2014/08

**TRIHALOMETHANES**

TOTAL TRIHALOMETHANES	82080	003	2014/05/12	. 5.400	2014/08
-----------------------	-------	-----	------------	---------	---------

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910052**

**System Name: CAL/AM WATER COMPANY - BALDWIN HILLS**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

**PS Code: 1910052-803**

**Source Name: SITE 4-5523 SECREST-STG2 DBP**

**Source Number: 803**

**Source Status: DISTRIBUTION TREATED**

**Water type: S**

**HALOACETIC ACIDS**

DIBROMOACETIC ACID (DBAA)	82721	003	2014/05/12	. 2.200	2014/08
DICHLOROACETIC ACID (DCAA)	77288	003	2014/05/12	< 1.000	2014/08
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/05/12	. 2.200	2014/08
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/05/12	< 1.000	2014/08
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/05/12	< 2.000	2014/08
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/05/12	< 1.000	2014/08

**STATE UCMR**

BROMODICHLORMETHANE (THM)	32101	003	2014/05/12	< 1.000	2014/08
BROMOFORM (THM)	32104	003	2014/05/12	. 6.000	2014/08
CHLOROFORM (THM)	32106	003	2014/05/12	< 1.000	2014/08
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/05/12	. 3.400	2014/08

**TRIHALOMETHANES**

TOTAL TRIHALOMETHANES	82080	003	2014/05/12	. 9.400	2014/08
-----------------------	-------	-----	------------	---------	---------

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910056**

**System Name: LAKE ELIZABETH MUTUAL WATER CO.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910056-001**

**Source Name: WELL 02 - STANDBY**

**Source Number: 001**

**Source Status: STANDBY UNTREATED**

**Water type: G**

**INORGANIC**

ALUMINUM	01105	108	2012/10/11	. 170.000	2021/10
ANTIMONY	01097	108	2012/10/11	< 1.000	2021/10
ARSENIC	01002	108	2012/10/11	< 2.000	2021/10
ASBESTOS	81855	108	2012/10/11	< .200	2021/10
BARIUM	01007	108	2012/10/11	28.300	2021/10
BERYLLIUM	01012	108	2012/10/11	< 1.000	2021/10
CADMIUM	01027	108	2012/10/11	< .200	2021/10
CHROMIUM (TOTAL)	01034	108	2012/10/11	2.000	2021/10
CHROMIUM, HEXAVALENT	01032	108	2012/10/11	. .780	2021/10
CYANIDE	01291	108	2012/10/11	< .004	2021/10
FLUORIDE (F) (NATURAL-SOURCE)	00951	108	2012/10/11	. .400	2021/10
MERCURY	71900	108	2012/10/11	< .020	2021/10
NICKEL	01067	108	2012/10/11	< 1.000	2021/10
PERCHLORATE	A-031	108	2012/10/11	< 2.000	2021/10
SELENIUM	01147	108	2012/10/11	< 2.000	2021/10
THALLIUM	01059	108	2012/10/11	< .200	2021/10

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	108	2013/10/10	. 20.800	2022/10
NITRITE (AS N)	00620	108	2012/10/11	< .100	2021/10

**RADIOLOGICAL**

GROSS ALPHA	01501	108	2014/04/17	. 1.670	2023/04
<b>RADIUM 226</b>	<b>09501</b>	<b>108</b>	<b>2004/12/07</b>	. <b>.000</b>	<b>2013/12 DUE</b>
RADIUM 228	11501	108	2014/04/17	. .000	2023/04
URANIUM (PCI/L)	28012	108	2014/04/17	. 1.880	2023/04

**REGULATED SOC**

DI(2-ETHYLHEXYL)PHTHALATE	39100	108	2012/02/09	< 3.000	2021/02
THIOBENCARB	A-001	108	2005/12/13	< 1.000	2014/12

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910056**

**System Name: LAKE ELIZABETH MUTUAL WATER CO.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910056-001**

**Source Name: WELL 02 - STANDBY**

**Source Number: 001**

**Source Status: STANDBY UNTREATED**

**Water type: G**

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	108	2012/10/11	< .500	2021/10
1,1,2,2-TETRACHLOROETHANE	34516	108	2012/10/11	< .500	2021/10
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	108	2012/10/11	< .500	2021/10
1,1,2-TRICHLOROETHANE	34511	108	2012/10/11	< .500	2021/10
1,1-DICHLOROETHANE	34496	108	2012/10/11	< .500	2021/10
1,1-DICHLOROETHYLENE	34501	108	2012/10/11	< .500	2021/10
1,2,4-TRICHLOROBENZENE	34551	108	2012/10/11	< .500	2021/10
1,2-DICHLOROBENZENE	34536	108	2012/10/11	< .500	2021/10
1,2-DICHLOROETHANE	34531	108	2012/10/11	< .500	2021/10
1,2-DICHLOROPROPANE	34541	108	2012/10/11	< .500	2021/10
1,3-DICHLOROPROPENE (TOTAL)	34561	108	2006/11/14	< .500	2015/11
1,4-DICHLOROBENZENE	34571	108	2012/10/11	< .500	2021/10
BENZENE	34030	108	2012/10/11	< .500	2021/10
CARBON TETRACHLORIDE	32102	108	2012/10/11	< .500	2021/10
CIS-1,2-DICHLOROETHYLENE	77093	108	2012/10/11	< .500	2021/10
DICHLOROMETHANE	34423	108	2012/10/11	< .500	2021/10
ETHYLBENZENE	34371	108	2012/10/11	< .500	2021/10
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	108	2012/10/11	< 1.000	2021/10
MONOCHLOROBENZENE	34301	108	2012/10/11	< .500	2021/10
STYRENE	77128	108	2012/10/11	< .500	2021/10
TETRACHLOROETHYLENE	34475	108	2012/10/11	< .500	2021/10
TOLUENE	34010	108	2012/10/11	< .500	2021/10
TRANS-1,2-DICHLOROETHYLENE	34546	108	2012/10/11	< .500	2021/10
TRICHLOROETHYLENE	39180	108	2012/10/11	< .500	2021/10
TRICHLOROFUOROMETHANE	34488	108	2012/10/11	< .500	2021/10
VINYL CHLORIDE	39175	108	2012/10/11	< .500	2021/10
XYLENES (TOTAL)	81551	108	2012/10/11	< .500	2021/10

**SECONDARY/GP**

BICARBONATE ALKALINITY	00440	108	2012/10/11	. 260.000	2021/10
------------------------	-------	-----	------------	-----------	---------

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910056**

**System Name: LAKE ELIZABETH MUTUAL WATER CO.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910056-001**

**Source Name: WELL 02 - STANDBY**

**Source Number: 001**

**Source Status: STANDBY UNTREATED**

**Water type: G**

**SECONDARY/GP**

CALCIUM	00916	108	2012/10/11	. 53.000	2021/10
CARBONATE ALKALINITY	00445	108	2012/10/11	< 10.000	2021/10
CHLORIDE	00940	108	2012/10/11	. 20.000	2021/10
COLOR	00081	108	2012/10/11	< 5.000	2021/10
COPPER	01042	108	2012/10/11	< 10.000	2021/10
FOAMING AGENTS (MBAS)	38260	108	2012/10/11	< .100	2021/10
HARDNESS (TOTAL) AS CaCO3	00900	108	2012/10/11	. 235.000	2021/10
HYDROXIDE ALKALINITY	71830	108	2012/10/11	< 10.000	2021/10
IRON	01045	108	2012/10/11	1040.000	2021/10
MAGNESIUM	00927	108	2012/10/11	. 25.000	2021/10
MANGANESE	01055	108	2012/10/11	10.000	2021/10
ODOR THRESHOLD @ 60 C	00086	108	2012/10/11	< 1.000	2021/10
PH, LABORATORY	00403	108	2012/10/11	. 7.200	2021/10
SILVER	01077	108	2012/10/11	< 1.000	2021/10
SODIUM	00929	108	2012/10/11	27.000	2021/10
SPECIFIC CONDUCTANCE	00095	108	2012/10/11	. 565.000	2021/10
SULFATE	00945	108	2012/10/11	30.000	2021/10
TOTAL DISSOLVED SOLIDS	70300	108	2012/10/11	. 330.000	2021/10
TURBIDITY, LABORATORY	82079	108	2012/10/11	. 12.800	2021/10
ZINC	01092	108	2012/10/11	. 290.000	2021/10

**PS Code: 1910056-004**

**Source Name: FILTRATION PLANT INFLUENT USE AVEK DATA**

**Source Number: 004**

**Source Status: PURCHASED RAW**

**Water type: S**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910056**

**System Name: LAKE ELIZABETH MUTUAL WATER CO.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910056-005**

**Source Name: FILTRATION PLANT EFFLUENT - TREATED**

**Source Number: 005**

**Source Status: ACTIVE TREATED**

**Water type: S**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

**PS Code: 1910056-006**

**Source Name: AVEK CONNECTION - RAW WATER**

**Source Number: 006**

**Source Status: PURCHASED RAW**

**Water type: S**

**INORGANIC**

ALUMINUM	01105	012	2013/10/10	. 10.000	2014/10
ANTIMONY	01097	012	2013/10/10	< 1.000	2014/10
ARSENIC	01002	012	2013/10/10	. 3.000	2014/10
ASBESTOS	81855	108	2012/10/11	< .200	2021/10
BARIUM	01007	012	2013/10/10	29.000	2014/10
BERYLLIUM	01012	012	2013/10/10	< 1.000	2014/10
CADMIUM	01027	012	2013/10/10	< .200	2014/10
CHROMIUM (TOTAL)	01034	012	2013/10/10	< 1.000	2014/10
CHROMIUM, HEXAVALENT	01032	012	2013/10/10	. .590	2014/10
CYANIDE	01291	012	2013/10/10	< .004	2014/10
FLUORIDE (F) (NATURAL-SOURCE)	00951	012	2013/10/10	< .100	2014/10
MERCURY	71900	012	2013/10/10	< .020	2014/10
NICKEL	01067	012	2013/10/10	< 1.000	2014/10
PERCHLORATE	A-031	012	2013/10/10	< 2.000	2014/10
SELENIUM	01147	012	2013/10/10	. 1.000	2014/10
THALLIUM	01059	012	2013/10/10	< .200	2014/10

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	003	2014/05/06	. 4.900	2014/08
NITRITE (AS N)	00620	036	2013/10/10	< .100	2016/10

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)



**System Number: 1910056**

**System Name: LAKE ELIZABETH MUTUAL WATER CO.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910056-006**

**Source Name: AVEK CONNECTION - RAW WATER**

**Source Number: 006**

**Source Status: PURCHASED RAW**

**Water type: S**

**RADIOLOGICAL**

<b>GROSS ALPHA</b>	01501	003	2012/10/11	.954	2013/01	DUE
<b>RADIUM 226</b>	09501	003	2006/11/14	.109	2007/02	DUE
<b>RADIUM 228</b>	11501	003	2012/10/11	.000	2013/01	DUE
<b>URANIUM (PCI/L)</b>	28012	003	2012/10/11	.598	2013/01	DUE

**REGULATED SOC**

<b>2,3,7,8-TCDD (DIOXIN)</b>	34676	036	2009/10/22	.000	2012/10	DUE
2,4,5-TP (SILVEX)	39045	036	2012/10/11	< 1.000	2015/10	
2,4-D	39730	036	2012/10/11	< 2.000	2015/10	
ALACHLOR	77825	036	2012/10/11	< 1.000	2015/10	
ATRAZINE	39033	036	2012/10/11	< .500	2015/10	
BENTAZON	38710	036	2012/10/11	< 2.000	2015/10	
BENZO (A) PYRENE	34247	036	2012/10/11	< .100	2015/10	
CARBOFURAN	81405	036	2012/10/11	< 5.000	2015/10	
CHLORDANE	39350	036	2012/10/11	< .100	2015/10	
DALAPON	38432	036	2012/10/11	< 10.000	2015/10	
DI(2-ETHYLHEXYL)ADIPATE	A-026	036	2012/10/11	< 5.000	2015/10	
DI(2-ETHYLHEXYL)PHTHALATE	39100	036	2012/10/11	< 3.000	2015/10	
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2012/10/11	< .010	2015/10	
DINOSEB	81287	036	2012/10/11	< 1.000	2015/10	
DIQUAT	78885	036	2012/10/11	< 2.000	2015/10	
ENDOTHALL	38926	036	2012/10/11	< 40.000	2015/10	
ENDRIN	39390	036	2012/10/11	< .010	2015/10	
ETHYLENE DIBROMIDE (EDB)	77651	036	2012/10/11	< .020	2015/10	
GLYPHOSATE	79743	036	2012/10/11	< 20.000	2015/10	
HEPTACHLOR	39410	036	2012/10/11	< .010	2015/10	
HEPTACHLOR EPOXIDE	39420	036	2012/10/11	< .010	2015/10	
HEXACHLOROBENZENE	39700	036	2012/10/11	< .010	2015/10	
HEXACHLOROCYCLOPENTADIENE	34386	036	2012/10/11	< .100	2015/10	
LINDANE	39340	036	2012/10/11	< .050	2015/10	

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910056**

**System Name: LAKE ELIZABETH MUTUAL WATER CO.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910056-006**

**Source Name: AVEK CONNECTION - RAW WATER**

**Source Number: 006**

**Source Status: PURCHASED RAW**

**Water type: S**

**REGULATED SOC**

METHOXYCHLOR	39480	036	2012/10/11	< .100	2015/10	
MOLINATE	82199	036	2012/10/11	< 2.000	2015/10	
OXAMYL	38865	036	2012/10/11	< 5.000	2015/10	
PENTACHLOROPHENOL	39032	036	2012/10/11	< .200	2015/10	
PICLORAM	39720	036	2012/10/11	< 1.000	2015/10	
<b>POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB</b>	<b>39516</b>	<b>036</b>	<b>2006/11/14</b>	<b>&lt; .500</b>	<b>2009/11</b>	<b>DUE</b>
SIMAZINE	39055	036	2012/10/11	< 1.000	2015/10	
THIOBENCARB	A-001	036	2012/10/11	< 1.000	2015/10	
TOXAPHENE	39400	036	2012/10/11	< .500	2015/10	

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	012	2013/10/10	< .500	2014/10	
1,1,2,2-TETRACHLOROETHANE	34516	012	2013/10/10	< .500	2014/10	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2013/10/10	< .500	2014/10	
1,1,2-TRICHLOROETHANE	34511	012	2013/10/10	< .500	2014/10	
1,1-DICHLOROETHANE	34496	012	2013/10/10	< .500	2014/10	
1,1-DICHLOROETHYLENE	34501	012	2013/10/10	< .500	2014/10	
1,2,4-TRICHLOROBENZENE	34551	012	2013/10/10	< .500	2014/10	
1,2-DICHLOROBENZENE	34536	012	2013/10/10	< .500	2014/10	
1,2-DICHLOROETHANE	34531	012	2013/10/10	< .500	2014/10	
1,2-DICHLOROPROPANE	34541	012	2013/10/10	< .500	2014/10	
<b>1,3-DICHLOROPROPENE (TOTAL)</b>	<b>34561</b>	<b>012</b>	<b>2006/11/14</b>	<b>&lt; .500</b>	<b>2007/11</b>	<b>DUE</b>
1,4-DICHLOROBENZENE	34571	012	2013/10/10	< .500	2014/10	
BENZENE	34030	012	2013/10/10	< .500	2014/10	
CARBON TETRACHLORIDE	32102	012	2013/10/10	< .500	2014/10	
CIS-1,2-DICHLOROETHYLENE	77093	012	2013/10/10	< .500	2014/10	
DICHLOROMETHANE	34423	012	2013/10/10	< .500	2014/10	
ETHYLBENZENE	34371	012	2013/10/10	< .500	2014/10	
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2013/10/10	< 1.000	2014/10	
MONOCHLOROBENZENE	34301	012	2013/10/10	< .500	2014/10	

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910056**

**System Name: LAKE ELIZABETH MUTUAL WATER CO.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910056-006**

**Source Name: AVEK CONNECTION - RAW WATER**

**Source Number: 006**

**Source Status: PURCHASED RAW**

**Water type: S**

**REGULATED VOC**

STYRENE	77128	012	2013/10/10	< .500	2014/10
TETRACHLOROETHYLENE	34475	012	2013/10/10	< .500	2014/10
TOLUENE	34010	012	2013/10/10	< .500	2014/10
TRANS-1,2-DICHLOROETHYLENE	34546	012	2013/10/10	< .500	2014/10
TRICHLOROETHYLENE	39180	012	2013/10/10	< .500	2014/10
TRICHLOROFUOROMETHANE	34488	012	2013/10/10	< .500	2014/10
VINYL CHLORIDE	39175	012	2013/10/10	< .500	2014/10
XYLENES (TOTAL)	81551	012	2013/10/10	< .500	2014/10

**SECONDARY/GP**

BICARBONATE ALKALINITY	00440	012	2013/10/10	. 80.000	2014/10
CALCIUM	00916	012	2013/10/10	. 20.000	2014/10
CARBONATE ALKALINITY	00445	012	2013/10/10	< 10.000	2014/10
CHLORIDE	00940	012	2013/10/10	. 109.000	2014/10
COLOR	00081	012	2013/10/10	< 5.000	2014/10
COPPER	01042	012	2013/10/10	< 10.000	2014/10
FOAMING AGENTS (MBAS)	38260	012	2013/10/10	< .100	2014/10
HARDNESS (TOTAL) AS CaCO3	00900	012	2013/10/10	. 108.000	2014/10
HYDROXIDE ALKALINITY	71830	012	2013/10/10	< 10.000	2014/10
IRON	01045	012	2013/10/10	80.000	2014/10
MAGNESIUM	00927	012	2013/10/10	. 14.000	2014/10
MANGANESE	01055	012	2013/10/10	20.000	2014/10
ODOR THRESHOLD @ 60 C	00086	012	2013/10/10	< 1.000	2014/10
PH, LABORATORY	00403	012	2013/10/10	. 8.200	2014/10
SILVER	01077	012	2013/10/10	< 1.000	2014/10
SODIUM	00929	012	2013/10/10	83.000	2014/10
SPECIFIC CONDUCTANCE	00095	012	2013/10/10	. 629.000	2014/10
SULFATE	00945	012	2013/10/10	30.000	2014/10
TOTAL DISSOLVED SOLIDS	70300	012	2013/10/10	. 340.000	2014/10
TURBIDITY, LABORATORY	82079	012	2013/10/10	. 2.000	2014/10

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910056**

**System Name: LAKE ELIZABETH MUTUAL WATER CO.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910056-006**

**Source Name: AVEK CONNECTION - RAW WATER**

**Source Number: 006**

**Source Status: PURCHASED RAW**

**Water type: S**

**SECONDARY/GP**

ZINC	01092	012	2013/10/10	< 20.000	2014/10
------	-------	-----	------------	----------	---------

**PS Code: 1910056-007**

**Source Name: BROOKWOOD WELL**

**Source Number: 007**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

ALUMINUM	01105	036	2014/03/11	< 10.000	2017/03
ANTIMONY	01097	036	2014/03/11	< 1.000	2017/03
ARSENIC	01002	036	2014/03/11	< 2.000	2017/03
ASBESTOS	81855	108	2009/07/28	< .200	2018/07
BARIUM	01007	036	2014/03/11	. 102.000	2017/03
BERYLLIUM	01012	036	2014/03/11	< 1.000	2017/03
CADMIUM	01027	036	2014/03/11	< .200	2017/03
CHROMIUM (TOTAL)	01034	036	2014/03/11	. 2.000	2017/03
<b>CHROMIUM, HEXAVALENT</b>	01032	000			<b>DUE</b>
CYANIDE	01291	036	2014/03/11	< .004	2017/03
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/03/11	. .400	2017/03
MERCURY	71900	036	2014/03/11	< .020	2017/03
NICKEL	01067	036	2014/03/11	< 1.000	2017/03
PERCHLORATE	A-031	036	2014/03/11	< 2.000	2017/03
SELENIUM	01147	036	2014/03/11	< 1.000	2017/03
THALLIUM	01059	036	2014/03/11	< .200	2017/03

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	012	2014/03/11	. 11.700	2015/03
NITRITE (AS N)	00620	036	2014/03/11	< .100	2017/03

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910056**

**System Name: LAKE ELIZABETH MUTUAL WATER CO.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910056-007**

**Source Name: BROOKWOOD WELL**

**Source Number: 007**

**Source Status: ACTIVE RAW**

**Water type: G**

**RADIOLOGICAL**

<b>GROSS ALPHA</b>	<b>01501</b>	<b>003</b>	<b>2012/11/08</b>	<b>. 8.710</b>	<b>2013/02</b>	<b>DUE</b>
<b>RADIUM 226</b>	<b>09501</b>	<b>000</b>				<b>DUE</b>
<b>RADIUM 228</b>	<b>11501</b>	<b>003</b>	<b>2012/11/08</b>	<b>. .000</b>	<b>2013/02</b>	<b>DUE</b>
<b>URANIUM (PCI/L)</b>	<b>28012</b>	<b>003</b>	<b>2012/11/08</b>	<b>. 7.080</b>	<b>2013/02</b>	<b>DUE</b>

**REGULATED SOC**

DI(2-ETHYLHEXYL)PHTHALATE	<b>39100</b>	<b>036</b>	2012/02/09	< <b>3.000</b>	2015/02
THIOBENCARB	<b>A-001</b>	<b>036</b>	2012/02/09	< <b>1.000</b>	2015/02

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	<b>34506</b>	<b>012</b>	2014/03/11	< <b>.500</b>	2015/03
1,1,2,2-TETRACHLOROETHANE	<b>34516</b>	<b>012</b>	2014/03/11	< <b>.500</b>	2015/03
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	<b>81611</b>	<b>012</b>	2014/03/11	< <b>.500</b>	2015/03
1,1,2-TRICHLOROETHANE	<b>34511</b>	<b>012</b>	2014/03/11	< <b>.500</b>	2015/03
1,1-DICHLOROETHANE	<b>34496</b>	<b>012</b>	2014/03/11	< <b>.500</b>	2015/03
1,1-DICHLOROETHYLENE	<b>34501</b>	<b>012</b>	2014/03/11	< <b>.500</b>	2015/03
1,2,4-TRICHLOROBENZENE	<b>34551</b>	<b>012</b>	2014/03/11	< <b>.500</b>	2015/03
1,2-DICHLOROBENZENE	<b>34536</b>	<b>012</b>	2014/03/11	< <b>.500</b>	2015/03
1,2-DICHLOROETHANE	<b>34531</b>	<b>012</b>	2014/03/11	< <b>.500</b>	2015/03
1,2-DICHLOROPROPANE	<b>34541</b>	<b>012</b>	2014/03/11	< <b>.500</b>	2015/03
1,3-DICHLOROPROPENE (TOTAL)	<b>34561</b>	<b>012</b>	2014/03/11	< <b>.500</b>	2015/03
1,4-DICHLOROBENZENE	<b>34571</b>	<b>012</b>	2014/03/11	< <b>.500</b>	2015/03
BENZENE	<b>34030</b>	<b>012</b>	2014/03/11	< <b>.500</b>	2015/03
CARBON TETRACHLORIDE	<b>32102</b>	<b>012</b>	2014/03/11	< <b>.500</b>	2015/03
CIS-1,2-DICHLOROETHYLENE	<b>77093</b>	<b>012</b>	2014/03/11	< <b>.500</b>	2015/03
DICHLOROMETHANE	<b>34423</b>	<b>012</b>	2014/03/11	< <b>.500</b>	2015/03
ETHYLBENZENE	<b>34371</b>	<b>012</b>	2014/03/11	< <b>.500</b>	2015/03
METHYL-TERT-BUTYL-ETHER (MTBE)	<b>46491</b>	<b>012</b>	2014/03/11	< <b>1.000</b>	2015/03
MONOCHLOROBENZENE	<b>34301</b>	<b>012</b>	2014/03/11	< <b>.500</b>	2015/03
STYRENE	<b>77128</b>	<b>012</b>	2014/03/11	< <b>.500</b>	2015/03
TETRACHLOROETHYLENE	<b>34475</b>	<b>012</b>	2014/03/11	< <b>.500</b>	2015/03

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910056**

**System Name: LAKE ELIZABETH MUTUAL WATER CO.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910056-007**

**Source Name: BROOKWOOD WELL**

**Source Number: 007**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED VOC**

TOLUENE	34010	012	2014/03/11	< .500	2015/03
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/03/11	< .500	2015/03
TRICHLOROETHYLENE	39180	012	2014/03/11	< .500	2015/03
TRICHLOROFUOROMETHANE	34488	012	2014/03/11	< .500	2015/03
VINYL CHLORIDE	39175	012	2014/03/11	< .500	2015/03
XYLENES (TOTAL)	81551	012	2014/03/11	< .500	2015/03

**SECONDARY/GP**

BICARBONATE ALKALINITY	00440	036	2014/03/11	. 330.000	2017/03
CALCIUM	00916	036	2014/03/11	. 96.000	2017/03
CARBONATE ALKALINITY	00445	036	2014/03/11	< 10.000	2017/03
CHLORIDE	00940	036	2014/03/11	. 95.000	2017/03
COLOR	00081	036	2014/03/11	< 5.000	2017/03
COPPER	01042	036	2014/03/11	< 10.000	2017/03
FOAMING AGENTS (MBAS)	38260	036	2014/03/11	< .100	2017/03
HARDNESS (TOTAL) AS CaCO3	00900	036	2014/03/11	. 445.000	2017/03
HYDROXIDE ALKALINITY	71830	036	2014/03/11	< 10.000	2017/03
IRON	01045	036	2014/03/11	. 80.000	2017/03
MAGNESIUM	00927	036	2014/03/11	. 50.000	2017/03
MANGANESE	01055	036	2014/03/11	< 10.000	2017/03
ODOR THRESHOLD @ 60 C	00086	036	2014/03/11	< 1.000	2017/03
PH, LABORATORY	00403	036	2014/03/11	. 7.800	2017/03
SILVER	01077	036	2014/03/11	< 1.000	2017/03
SODIUM	00929	036	2014/03/11	. 61.000	2017/03
SPECIFIC CONDUCTANCE	00095	036	2014/03/11	. 1090.000	2017/03
SULFATE	00945	036	2014/03/11	. 122.000	2017/03
TOTAL DISSOLVED SOLIDS	70300	036	2014/03/11	. 660.000	2017/03
TURBIDITY, LABORATORY	82079	036	2014/03/11	< .200	2017/03
ZINC	01092	036	2014/03/11	< 20.000	2017/03

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910056**

**System Name: LAKE ELIZABETH MUTUAL WATER CO.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910056-800**

**Source Name: SITE 1-42833 LIMERIDGE RD.-STG2 DBP-TTHM**

**Source Number: 800**

**Source Status: DISTRIBUTION TREATED**

**Water type: S**

**HALOACETIC ACIDS**

DIBROMOACETIC ACID (DBAA)	82721	003	2014/05/06	< 1.000	2014/08
DICHLOROACETIC ACID (DCAA)	77288	003	2014/05/06	< 1.000	2014/08
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/05/06	< 1.000	2014/08
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/05/06	< 1.000	2014/08
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/05/06	< 2.000	2014/08
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/05/06	< 1.000	2014/08

**STATE UCMR**

BROMODICHLORMETHANE (THM)	32101	003	2014/05/06	. 1.400	2014/08
BROMOFORM (THM)	32104	003	2014/05/06	. 15.600	2014/08
CHLOROFORM (THM)	32106	003	2014/05/06	. .800	2014/08
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/05/06	. 3.800	2014/08

**TRIHALOMETHANES**

TOTAL TRIHALOMETHANES	82080	003	2014/05/06	. 21.600	2014/08
-----------------------	-------	-----	------------	----------	---------

**PS Code: 1910056-801**

**Source Name: SITE 2-43351 WALKATOP RD.-STG2 DBP-HAA5**

**Source Number: 801**

**Source Status: DISTRIBUTION TREATED**

**Water type: S**

**HALOACETIC ACIDS**

DIBROMOACETIC ACID (DBAA)	82721	003	2014/05/06	< 1.000	2014/08
DICHLOROACETIC ACID (DCAA)	77288	003	2014/05/06	< 1.000	2014/08
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/05/06	. 2.000	2014/08
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/05/06	. 2.000	2014/08
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/05/06	< 2.000	2014/08
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/05/06	< 1.000	2014/08

**STATE UCMR**

BROMODICHLORMETHANE (THM)	32101	003	2014/05/06	. 6.600	2014/08
---------------------------	-------	-----	------------	---------	---------

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910056**

**System Name: LAKE ELIZABETH MUTUAL WATER CO.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

**PS Code: 1910056-801**

**Source Name: SITE 2-43351 WALKATOP RD.-STG2 DBP-HAA5**

**Source Number: 801**

**Source Status: DISTRIBUTION TREATED**

**Water type: S**

**STATE UCMR**

BROMOFORM (THM)	32104	003	2014/05/06	. 7.900	2014/08
CHLOROFORM (THM)	32106	003	2014/05/06	. 2.400	2014/08
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/05/06	. 14.600	2014/08

**TRIHALOMETHANES**

TOTAL TRIHALOMETHANES	82080	003	2014/05/06	. 31.500	2014/08
-----------------------	-------	-----	------------	----------	---------

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)



**System Number: 1910059**

**System Name: SUBURBAN WATER SYSTEMS-LA MIRADA**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910059-006**

**Source Name: 410-W1 - ACTIVE**

**Source Number: 006**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

ALUMINUM	01105	036	2012/08/20	< 50.000	2015/08
ANTIMONY	01097	036	2012/08/20	< 6.000	2015/08
ARSENIC	01002	036	2012/08/20	. 2.300	2015/08
BARIUM	01007	036	2012/08/20	< 100.000	2015/08
BERYLLIUM	01012	036	2012/08/20	< 1.000	2015/08
CADMIUM	01027	036	2012/08/20	< 1.000	2015/08
CHROMIUM (TOTAL)	01034	036	2012/08/20	< 10.000	2015/08
CHROMIUM, HEXAVALENT	01032	036	2013/08/14	< 1.000	2016/08
CYANIDE	01291	036	2012/08/20	< 100.000	2015/08
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2012/08/20	. .530	2015/08
MERCURY	71900	036	2012/08/20	< 1.000	2015/08
NICKEL	01067	036	2012/08/20	< 10.000	2015/08
PERCHLORATE	A-031	036	2013/08/19	< 4.000	2016/08
SELENIUM	01147	036	2012/08/20	< 5.000	2015/08
THALLIUM	01059	036	2012/08/20	< 1.000	2015/08

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	012	2013/08/19	< 2.000	2014/08
NITRITE (AS N)	00620	036	2012/08/20	< 400.000	2015/08

**RADIOLOGICAL**

<b>GROSS ALPHA</b>	01501	003	<b>2012/03/22</b>	<b>4.130</b>	<b>2012/06</b>	<b>DUE</b>
<b>RADIUM 226</b>	09501	000				<b>DUE</b>
<b>RADIUM 228</b>	11501	003	<b>2012/03/22</b>	<b>. .002</b>	<b>2012/06</b>	<b>DUE</b>
<b>URANIUM (PCI/L)</b>	28012	003	<b>2012/03/22</b>	<b>. 2.500</b>	<b>2012/06</b>	<b>DUE</b>

**REGULATED SOC**

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2011/11/15	< 3.000	2014/08
THIOBENCARB	A-001	033	2011/11/15	< 1.000	2014/08

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	012	2013/08/19	< .500	2014/08
-----------------------	-------	-----	------------	--------	---------

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910059**

**System Name: SUBURBAN WATER SYSTEMS-LA MIRADA**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910059-006**

**Source Name: 410-W1 - ACTIVE**

**Source Number: 006**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED VOC**

1,1,2,2-TETRACHLOROETHANE	34516	012	2013/08/19	< .500	2014/08
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2013/08/19	< 10.000	2014/08
1,1,2-TRICHLOROETHANE	34511	012	2013/08/19	< .500	2014/08
1,1-DICHLOROETHANE	34496	012	2013/08/19	< .500	2014/08
1,1-DICHLOROETHYLENE	34501	012	2013/08/19	< .500	2014/08
1,2,4-TRICHLOROBENZENE	34551	012	2013/08/19	< .500	2014/08
1,2-DICHLOROBENZENE	34536	012	2013/08/19	< .500	2014/08
1,2-DICHLOROETHANE	34531	012	2013/08/19	< .500	2014/08
1,2-DICHLOROPROPANE	34541	012	2013/08/19	< .500	2014/08
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2013/08/19	< .500	2014/08
1,4-DICHLOROBENZENE	34571	012	2013/08/19	< .500	2014/08
BENZENE	34030	012	2013/08/19	< .500	2014/08
CARBON TETRACHLORIDE	32102	012	2013/08/19	< .500	2014/08
CIS-1,2-DICHLOROETHYLENE	77093	012	2013/08/19	< .500	2014/08
DICHLOROMETHANE	34423	012	2013/08/19	< .500	2014/08
ETHYLBENZENE	34371	012	2013/08/19	< .500	2014/08
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2013/08/19	< 3.000	2014/08
MONOCHLOROBENZENE	34301	012	2013/08/19	< .500	2014/08
STYRENE	77128	012	2013/08/19	< .500	2014/08
TETRACHLOROETHYLENE	34475	012	2013/08/19	< .500	2014/08
TOLUENE	34010	012	2013/08/19	< .500	2014/08
TRANS-1,2-DICHLOROETHYLENE	34546	012	2013/08/19	< .500	2014/08
TRICHLOROETHYLENE	39180	012	2013/08/19	< .500	2014/08
TRICHLOROFUOROMETHANE	34488	012	2013/08/19	< 5.000	2014/08
VINYL CHLORIDE	39175	012	2013/08/19	< .500	2014/08
XYLENES (TOTAL)	81551	012	2013/08/19	< 1.000	2014/08

**SECONDARY/GP**

BICARBONATE ALKALINITY	00440	036	2012/08/20	. 220.000	2015/08
CALCIUM	00916	036	2012/08/20	. 45.000	2015/08

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910059**

**System Name: SUBURBAN WATER SYSTEMS-LA MIRADA**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910059-006**

**Source Name: 410-W1 - ACTIVE**

**Source Number: 006**

**Source Status: ACTIVE RAW**

**Water type: G**

**SECONDARY/GP**

CARBONATE ALKALINITY	00445	036	2012/08/20	< 2.400	2015/08
CHLORIDE	00940	036	2012/08/20	. 33.000	2015/08
COLOR	00081	036	2012/08/20	< 1.000	2015/08
COPPER	01042	036	2012/08/20	< 50.000	2015/08
FOAMING AGENTS (MBAS)	38260	036	2012/08/20	< .100	2015/08
HARDNESS (TOTAL) AS CaCO3	00900	036	2012/08/20	. 160.000	2015/08
HYDROXIDE ALKALINITY	71830	036	2012/08/20	< 1.400	2015/08
IRON	01045	036	2012/08/20	< 100.000	2015/08
MAGNESIUM	00927	036	2012/08/20	. 12.000	2015/08
MANGANESE	01055	036	2012/08/20	50.000	2015/08
ODOR THRESHOLD @ 60 C	00086	036	2012/08/20	< 1.000	2015/08
PH, LABORATORY	00403	036	2012/08/20	. 8.140	2015/08
SILVER	01077	036	2012/08/20	< 10.000	2015/08
SODIUM	00929	036	2012/08/20	62.000	2015/08
SPECIFIC CONDUCTANCE	00095	036	2012/08/20	. 630.000	2015/08
SULFATE	00945	036	2012/08/20	79.000	2015/08
TOTAL DISSOLVED SOLIDS	70300	036	2012/08/20	. 370.000	2015/08
TURBIDITY, LABORATORY	82079	036	2012/08/20	. .150	2015/08
ZINC	01092	036	2012/08/20	< 50.000	2015/08

**PS Code: 1910059-013**

**Source Name: 409 TREATED EFFLUENT**

**Source Number: 013**

**Source Status: ACTIVE TREATED**

**Water type: S**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910059**

**System Name: SUBURBAN WATER SYSTEMS-LA MIRADA**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910059-014**

**Source Name: MWD CONNECTION - TREATED**

**Source Number: 014**

**Source Status: PURCHASED TREATED**

**Water type: S**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

**PS Code: 1910059-015**

**Source Name: WELL 409-W3 RAW WATER**

**Source Number: 015**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

ALUMINUM	01105	036	2014/05/29	< 50.000	2017/05
ANTIMONY	01097	036	2014/05/29	< 6.000	2017/05
ARSENIC	01002	036	2014/05/29	. 4.100	2017/05
BARIUM	01007	036	2014/05/29	< 100.000	2017/05
BERYLLIUM	01012	036	2014/05/29	< 1.000	2017/05
CADMIUM	01027	036	2014/05/29	< 1.000	2017/05
CHROMIUM (TOTAL)	01034	036	2014/05/29	< 10.000	2017/05
CHROMIUM, HEXAVALENT	01032	036	2013/08/14	< 1.000	2016/08
CYANIDE	01291	036	2014/05/29	< 100.000	2017/05
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/05/29	. .500	2017/05
MERCURY	71900	036	2014/05/29	< 1.000	2017/05
NICKEL	01067	036	2014/05/29	< 10.000	2017/05
PERCHLORATE	A-031	036	2011/08/05	< 4.000	2014/08
SELENIUM	01147	036	2014/05/29	< 5.000	2017/05
THALLIUM	01059	036	2014/05/29	< 1.000	2017/05

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	012	2014/05/29	< 2.000	2015/05
NITRITE (AS N)	00620	036	2014/05/29	< 400.000	2017/05

**RADIOLOGICAL**

<b>GROSS ALPHA</b>	01501	003	2012/03/22	. .679	2012/06	<b>DUE</b>
--------------------	-------	-----	------------	--------	---------	------------

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: **1910059**

System Name: **SUBURBAN WATER SYSTEMS-LA MIRADA**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: **1910059-015**

Source Name: **WELL 409-W3 RAW WATER**

Source Number: **015**

Source Status: **ACTIVE RAW**

Water type: **G**

**RADIOLOGICAL**

<b>RADIUM 226</b>	<b>09501</b>	<b>000</b>				<b>DUE</b>
<b>RADIUM 228</b>	<b>11501</b>	<b>003</b>	<b>2012/03/22</b>	<b>.000</b>	<b>2012/06</b>	<b>DUE</b>
<b>URANIUM (PCI/L)</b>	<b>28012</b>	<b>003</b>	<b>2012/03/22</b>	<b>&lt; 1.000</b>	<b>2012/06</b>	<b>DUE</b>

**REGULATED SOC**

DI(2-ETHYLHEXYL)PHTHALATE	<b>39100</b>	<b>033</b>	2011/11/15	<b>&lt; 3.000</b>	2014/08	
THIOBENCARB	<b>A-001</b>	<b>033</b>	2011/11/15	<b>&lt; 1.000</b>	2014/08	

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	<b>34506</b>	<b>012</b>	2014/05/29	<b>&lt; .500</b>	2015/05	
1,1,2,2-TETRACHLOROETHANE	<b>34516</b>	<b>012</b>	2014/05/29	<b>&lt; .500</b>	2015/05	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	<b>81611</b>	<b>012</b>	2014/05/29	<b>&lt; 10.000</b>	2015/05	
1,1,2-TRICHLOROETHANE	<b>34511</b>	<b>012</b>	2014/05/29	<b>&lt; .500</b>	2015/05	
1,1-DICHLOROETHANE	<b>34496</b>	<b>012</b>	2014/05/29	<b>&lt; .500</b>	2015/05	
1,1-DICHLOROETHYLENE	<b>34501</b>	<b>012</b>	2014/05/29	<b>&lt; .500</b>	2015/05	
1,2,4-TRICHLOROBENZENE	<b>34551</b>	<b>012</b>	2014/05/29	<b>&lt; .500</b>	2015/05	
1,2-DICHLOROBENZENE	<b>34536</b>	<b>012</b>	2014/05/29	<b>&lt; .500</b>	2015/05	
1,2-DICHLOROETHANE	<b>34531</b>	<b>012</b>	2014/05/29	<b>&lt; .500</b>	2015/05	
1,2-DICHLOROPROPANE	<b>34541</b>	<b>012</b>	2014/05/29	<b>&lt; .500</b>	2015/05	
1,3-DICHLOROPROPENE (TOTAL)	<b>34561</b>	<b>012</b>	2014/05/29	<b>&lt; .500</b>	2015/05	
1,4-DICHLOROBENZENE	<b>34571</b>	<b>012</b>	2014/05/29	<b>&lt; .500</b>	2015/05	
BENZENE	<b>34030</b>	<b>012</b>	2014/05/29	<b>&lt; .500</b>	2015/05	
CARBON TETRACHLORIDE	<b>32102</b>	<b>012</b>	2014/05/29	<b>&lt; .500</b>	2015/05	
CIS-1,2-DICHLOROETHYLENE	<b>77093</b>	<b>012</b>	2014/05/29	<b>&lt; .500</b>	2015/05	
DICHLOROMETHANE	<b>34423</b>	<b>012</b>	2014/05/29	<b>&lt; .500</b>	2015/05	
ETHYLBENZENE	<b>34371</b>	<b>012</b>	2014/05/29	<b>&lt; .500</b>	2015/05	
METHYL-TERT-BUTYL-ETHER (MTBE)	<b>46491</b>	<b>012</b>	2014/05/29	<b>&lt; 3.000</b>	2015/05	
MONOCHLOROBENZENE	<b>34301</b>	<b>012</b>	2014/05/29	<b>&lt; .500</b>	2015/05	
STYRENE	<b>77128</b>	<b>012</b>	2014/05/29	<b>&lt; .500</b>	2015/05	
TETRACHLOROETHYLENE	<b>34475</b>	<b>012</b>	2014/05/29	<b>&lt; .500</b>	2015/05	
TOLUENE	<b>34010</b>	<b>012</b>	2014/05/29	<b>&lt; .500</b>	2015/05	

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910059**

**System Name: SUBURBAN WATER SYSTEMS-LA MIRADA**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910059-015**

**Source Name: WELL 409-W3 RAW WATER**

**Source Number: 015**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED VOC**

TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/05/29	< .500	2015/05
TRICHLOROETHYLENE	39180	012	2014/05/29	< .500	2015/05
TRICHLOROFUOROMETHANE	34488	012	2014/05/29	< 5.000	2015/05
VINYL CHLORIDE	39175	012	2014/05/29	< .500	2015/05
XYLENES (TOTAL)	81551	012	2014/05/29	< 1.000	2015/05

**SECONDARY/GP**

BICARBONATE ALKALINITY	00440	036	2014/05/29	. 290.000	2017/05
CALCIUM	00916	036	2014/05/29	. 27.000	2017/05
CARBONATE ALKALINITY	00445	036	2014/05/29	< 2.400	2017/05
CHLORIDE	00940	036	2014/05/29	. 56.000	2017/05
COLOR	00081	036	2014/05/29	. 15.000	2017/05
COPPER	01042	036	2014/05/29	< 50.000	2017/05
FOAMING AGENTS (MBAS)	38260	036	2014/05/29	< .100	2017/05
HARDNESS (TOTAL) AS CaCO3	00900	036	2014/05/29	. 110.000	2017/05
HYDROXIDE ALKALINITY	71830	036	2014/05/29	< 1.400	2017/05
IRON	01045	036	2014/05/29	< 100.000	2017/05
MAGNESIUM	00927	036	2014/05/29	. 11.000	2017/05
MANGANESE	01055	036	2014/05/29	. 20.000	2017/05
ODOR THRESHOLD @ 60 C	00086	036	2014/05/29	< 1.000	2017/05
PH, LABORATORY	00403	036	2014/05/29	. 8.390	2017/05
SILVER	01077	036	2014/05/29	< 10.000	2017/05
SODIUM	00929	036	2014/05/29	. 130.000	2017/05
SPECIFIC CONDUCTANCE	00095	036	2014/05/29	. 820.000	2017/05
SULFATE	00945	036	2014/05/29	. 82.000	2017/05
TOTAL DISSOLVED SOLIDS	70300	036	2014/05/29	. 480.000	2017/05
TURBIDITY, LABORATORY	82079	036	2014/05/29	< .100	2017/05
ZINC	01092	036	2014/05/29	< 50.000	2017/05

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910059**

**System Name: SUBURBAN WATER SYSTEMS-LA MIRADA**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910059-016**

**Source Name: WELL 410-W1 TREATED EFFLUENT**

**Source Number: 016**

**Source Status: ACTIVE TREATED**

**Water type: S**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

**PS Code: 1910059-800**

**Source Name: SITE 1-15220 CANARY AVE-STG2 DBP**

**Source Number: 800**

**Source Status: DISTRIBUTION TREATED**

**Water type: S**

**HALOACETIC ACIDS**

DIBROMOACETIC ACID (DBAA)	82721	003	2014/05/27	. 3.100	2014/08
DICHLOROACETIC ACID (DCAA)	77288	003	2014/05/27	. 6.600	2014/08
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/05/27	. 17.000	2014/08
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/05/27	< 1.000	2014/08
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/05/27	< 2.000	2014/08
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/05/27	. 7.700	2014/08

**STATE UCMR**

BROMODICHLORMETHANE (THM)	32101	003	2014/05/27	. 16.000	2014/08
BROMOFORM (THM)	32104	003	2014/05/27	. 2.400	2014/08
CHLOROFORM (THM)	32106	003	2014/05/27	. 24.000	2014/08
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/05/27	. 10.000	2014/08

**TRIHALOMETHANES**

TOTAL TRIHALOMETHANES	82080	003	2014/05/27	. 52.000	2014/08
-----------------------	-------	-----	------------	----------	---------

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910059**

**System Name: SUBURBAN WATER SYSTEMS-LA MIRADA**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910059-801**

**Source Name: SITE 2-14802 LOS FUENTES RD-STG2 DBP**

**Source Number: 801**

**Source Status: DISTRIBUTION TREATED**

**Water type: S**

**HALOACETIC ACIDS**

DIBROMOACETIC ACID (DBAA)	82721	003	2014/05/27	. 3.300	2014/08
DICHLOROACETIC ACID (DCAA)	77288	003	2014/05/27	. 6.300	2014/08
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/05/27	. 16.000	2014/08
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/05/27	< 1.000	2014/08
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/05/27	< 2.000	2014/08
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/05/27	. 6.400	2014/08

**STATE UCMR**

BROMODICHLORMETHANE (THM)	32101	003	2014/05/27	. 13.000	2014/08
BROMOFORM (THM)	32104	003	2014/05/27	. 3.200	2014/08
CHLOROFORM (THM)	32106	003	2014/05/27	. 19.000	2014/08
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/05/27	. 9.100	2014/08

**TRIHALOMETHANES**

TOTAL TRIHALOMETHANES	82080	003	2014/05/27	. 44.000	2014/08
-----------------------	-------	-----	------------	----------	---------

**PS Code: 1910059-802**

**Source Name: SITE 3-13909 BORA DR-STG2 DBP**

**Source Number: 802**

**Source Status: DISTRIBUTION TREATED**

**Water type: S**

**HALOACETIC ACIDS**

DIBROMOACETIC ACID (DBAA)	82721	003	2014/05/27	. 3.400	2014/08
DICHLOROACETIC ACID (DCAA)	77288	003	2014/05/27	. 2.800	2014/08
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/05/27	. 9.200	2014/08
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/05/27	< 1.000	2014/08
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/05/27	< 2.000	2014/08
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/05/27	. 3.000	2014/08

**STATE UCMR**

BROMODICHLORMETHANE (THM)	32101	003	2014/05/27	. 14.000	2014/08
---------------------------	-------	-----	------------	----------	---------

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)



**System Number: 1910059**

**System Name: SUBURBAN WATER SYSTEMS-LA MIRADA**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910059-802**

**Source Name: SITE 3-13909 BORA DR-STG2 DBP**

**Source Number: 802**

**Source Status: DISTRIBUTION TREATED**

**Water type: S**

**STATE UCMR**

BROMOFORM (THM)	32104	003	2014/05/27	. 3.600	2014/08
CHLOROFORM (THM)	32106	003	2014/05/27	. 20.000	2014/08
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/05/27	. 10.000	2014/08

**TRIHALOMETHANES**

TOTAL TRIHALOMETHANES	82080	003	2014/05/27	. 48.000	2014/08
-----------------------	-------	-----	------------	----------	---------

**PS Code: 1910059-803**

**Source Name: SITE 4-15303 LA BARCA RD-STG2 DBP**

**Source Number: 803**

**Source Status: DISTRIBUTION TREATED**

**Water type: S**

**HALOACETIC ACIDS**

DIBROMOACETIC ACID (DBAA)	82721	003	2014/05/27	. 3.200	2014/08
DICHLOROACETIC ACID (DCAA)	77288	003	2014/05/27	. 5.600	2014/08
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/05/27	. 15.000	2014/08
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/05/27	< 1.000	2014/08
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/05/27	< 2.000	2014/08
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/05/27	. 6.000	2014/08

**STATE UCMR**

BROMODICHLORMETHANE (THM)	32101	003	2014/05/27	. 9.100	2014/08
BROMOFORM (THM)	32104	003	2014/05/27	. 3.400	2014/08
CHLOROFORM (THM)	32106	003	2014/05/27	. 12.000	2014/08
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/05/27	. 7.900	2014/08

**TRIHALOMETHANES**

TOTAL TRIHALOMETHANES	82080	003	2014/05/27	. 32.000	2014/08
-----------------------	-------	-----	------------	----------	---------

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910064**

**System Name: LITTLE ROCK CREEK IRRIGATION DIST.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910064-008**

**Source Name: WELL 06A**

**Source Number: 008**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

ALUMINUM	01105	036	2014/03/04	< .000	2017/03	
ANTIMONY	01097	036	2014/03/04	< .000	2017/03	
ARSENIC	01002	036	2014/03/04	< .000	2017/03	
ASBESTOS	81855	108	2013/08/27	.000	2022/08	
BARIUM	01007	036	2014/03/04	< .000	2017/03	
BERYLLIUM	01012	036	2014/03/04	< .000	2017/03	
CADMIUM	01027	036	2014/03/04	< .000	2017/03	
CHROMIUM (TOTAL)	01034	036	2014/03/04	< .000	2017/03	
<b>CHROMIUM, HEXAVALENT</b>	<b>01032</b>	<b>036</b>	<b>2003/10/21</b>	<b>.000</b>	<b>2006/10</b>	<b>DUE</b>
CYANIDE	01291	036	2014/03/04	< .000	2017/03	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/03/04	.220	2017/03	
MERCURY	71900	036	2014/03/04	< .000	2017/03	
NICKEL	01067	036	2014/03/04	< .000	2017/03	
PERCHLORATE	A-031	036	2014/03/04	< .000	2017/03	
SELENIUM	01147	036	2014/03/04	< .000	2017/03	
THALLIUM	01059	036	2014/03/04	< .000	2017/03	

**NITRATE/NITRITE**

<b>NITRATE (AS NO3)</b>	<b>71850</b>	<b>003</b>	<b>2014/03/04</b>	<b>.14.000</b>	<b>2014/06</b>	<b>DUE</b>
NITRITE (AS N)	00620	036	2014/03/04	< .000	2017/03	

**RADIOLOGICAL**

<b>GROSS ALPHA</b>	<b>01501</b>	<b>003</b>	<b>2013/05/07</b>	<b>.8.900</b>	<b>2013/08</b>	<b>DUE</b>
<b>RADIUM 226</b>	<b>09501</b>	<b>003</b>	<b>2008/06/17</b>	<b>.000</b>	<b>2008/09</b>	<b>DUE</b>
<b>RADIUM 228</b>	<b>11501</b>	<b>003</b>	<b>2013/05/07</b>	<b>.000</b>	<b>2013/08</b>	<b>DUE</b>
<b>URANIUM (PCI/L)</b>	<b>28012</b>	<b>003</b>	<b>2010/12/07</b>	<b>4.200</b>	<b>2011/03</b>	<b>DUE</b>

**REGULATED SOC**

2,4-D	39730	036	2014/03/04	< .000	2017/03	
ALACHLOR	77825	036	2014/03/04	< .000	2017/03	
ATRAZINE	39033	036	2014/03/04	< .000	2017/03	

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910064**

**System Name: LITTLE ROCK CREEK IRRIGATION DIST.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910064-008**

**Source Name: WELL 06A**

**Source Number: 008**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED SOC**

BENTAZON	38710	036	2014/03/04	< .000	2017/03
DI(2-ETHYLHEXYL)PHTHALATE	39100	036	2014/03/04	< .000	2017/03
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2014/03/04	< .000	2017/03
DINOSEB	81287	036	2014/03/04	< .000	2017/03
DIQUAT	78885	036	2014/03/04	< 4.000	2017/03
ENDOTHALL	38926	036	2014/03/04	< .000	2017/03
ETHYLENE DIBROMIDE (EDB)	77651	036	2014/03/04	< .000	2017/03
GLYPHOSATE	79743	036	2014/03/04	< .000	2017/03
SIMAZINE	39055	036	2014/03/04	< .000	2017/03
THIOBENCARB	A-001	036	2014/03/04	< .000	2017/03
TOXAPHENE	39400	036	2014/03/04	< .000	2017/03

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	012	2014/03/04	< .000	2015/03
1,1,2,2-TETRACHLOROETHANE	34516	012	2014/03/04	< .000	2015/03
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/03/04	< .000	2015/03
1,1,2-TRICHLOROETHANE	34511	012	2014/03/04	< .000	2015/03
1,1-DICHLOROETHANE	34496	012	2014/03/04	< .000	2015/03
1,1-DICHLOROETHYLENE	34501	012	2014/03/04	< .000	2015/03
1,2,4-TRICHLOROBENZENE	34551	012	2014/03/04	< .000	2015/03
1,2-DICHLOROBENZENE	34536	012	2014/03/04	< .000	2015/03
1,2-DICHLOROETHANE	34531	012	2014/03/04	< .000	2015/03
1,2-DICHLOROPROPANE	34541	012	2014/03/04	< .000	2015/03
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/03/04	< .000	2015/03
1,4-DICHLOROBENZENE	34571	012	2014/03/04	< .000	2015/03
BENZENE	34030	012	2014/03/04	< .000	2015/03
CARBON TETRACHLORIDE	32102	012	2014/03/04	< .000	2015/03
CIS-1,2-DICHLOROETHYLENE	77093	012	2014/03/04	< .000	2015/03
DICHLOROMETHANE	34423	012	2014/03/04	< .000	2015/03
ETHYLBENZENE	34371	012	2014/03/04	< .000	2015/03

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910064**

**System Name: LITTLE ROCK CREEK IRRIGATION DIST.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910064-008**

**Source Name: WELL 06A**

**Source Number: 008**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED VOC**

METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/03/04	< .000	2015/03
MONOCHLORO BENZENE	34301	012	2014/03/04	< .000	2015/03
STYRENE	77128	012	2014/03/04	< .000	2015/03
TETRACHLOROETHYLENE	34475	012	2014/03/04	< .000	2015/03
TOLUENE	34010	012	2014/03/04	< .000	2015/03
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/03/04	< .000	2015/03
TRICHLOROETHYLENE	39180	012	2014/03/04	< .000	2015/03
TRICHLOROFLUOROMETHANE	34488	012	2014/03/04	< .000	2015/03
VINYL CHLORIDE	39175	012	2014/03/04	< .000	2015/03
XYLENES (TOTAL)	81551	012	2014/03/04	< .000	2015/03

**SECONDARY/GP**

BICARBONATE ALKALINITY	00440	036	2014/03/04	. 170.000	2017/03
CALCIUM	00916	036	2014/03/04	. 60.000	2017/03
CARBONATE ALKALINITY	00445	036	2014/03/04	< .000	2017/03
CHLORIDE	00940	036	2014/03/04	. 28.000	2017/03
COLOR	00081	036	2014/03/04	< .000	2017/03
COPPER	01042	036	2014/03/04	< .000	2017/03
FOAMING AGENTS (MBAS)	38260	036	2014/03/04	< .000	2017/03
HARDNESS (TOTAL) AS CaCO3	00900	036	2014/03/04	. 200.000	2017/03
HYDROXIDE ALKALINITY	71830	036	2014/03/04	< .000	2017/03
IRON	01045	036	2014/03/04	< .000	2017/03
MAGNESIUM	00927	036	2014/03/04	. 13.000	2017/03
MANGANESE	01055	036	2014/03/04	< .000	2017/03
ODOR THRESHOLD @ 60 C	00086	036	2014/03/04	. 1.000	2017/03
PH, LABORATORY	00403	036	2014/03/04	. 7.700	2017/03
SILVER	01077	036	2014/03/04	< .000	2017/03
SODIUM	00929	036	2014/03/04	. 27.000	2017/03
SPECIFIC CONDUCTANCE	00095	036	2014/03/04	. 510.000	2017/03
SULFATE	00945	036	2014/03/04	. 64.000	2017/03

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910064**

**System Name: LITTLE ROCK CREEK IRRIGATION DIST.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910064-008**

**Source Name: WELL 06A**

**Source Number: 008**

**Source Status: ACTIVE RAW**

**Water type: G**

**SECONDARY/GP**

TOTAL DISSOLVED SOLIDS	70300	036	2014/03/04	. 310.000	2017/03
TURBIDITY, LABORATORY	82079	036	2014/03/04	< .000	2017/03
ZINC	01092	036	2014/03/04	< .000	2017/03

**PS Code: 1910064-011**

**Source Name: WELL 10**

**Source Number: 011**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

ALUMINUM	01105	036	2014/03/04	< .000	2017/03
ANTIMONY	01097	036	2014/03/04	< .000	2017/03
ARSENIC	01002	036	2014/03/04	< .000	2017/03
ASBESTOS	81855	108	2013/08/27	. 000	2022/08
BARIUM	01007	036	2014/03/04	< .000	2017/03
BERYLLIUM	01012	036	2014/03/04	< .000	2017/03
CADMIUM	01027	036	2014/03/04	< .000	2017/03
CHROMIUM (TOTAL)	01034	036	2014/03/04	< .000	2017/03
<b>CHROMIUM, HEXAVALENT</b>	01032	036	<b>2003/10/21</b>	. 3.000	<b>2006/10 DUE</b>
CYANIDE	01291	036	2014/03/04	< .000	2017/03
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/03/04	. 120	2017/03
MERCURY	71900	036	2014/03/04	< .000	2017/03
NICKEL	01067	036	2014/03/04	< .000	2017/03
PERCHLORATE	A-031	036	2014/03/04	< .000	2017/03
SELENIUM	01147	036	2014/03/04	< .000	2017/03
THALLIUM	01059	036	2014/03/04	< .000	2017/03

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	012	2014/03/04	< .000	2015/03
NITRITE (AS N)	00620	012	2014/03/04	< .000	2015/03

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910064**

**System Name: LITTLE ROCK CREEK IRRIGATION DIST.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910064-011**

**Source Name: WELL 10**

**Source Number: 011**

**Source Status: ACTIVE RAW**

**Water type: G**

**RADIOLOGICAL**

<b>GROSS ALPHA</b>	01501	003	2013/05/07	. 4.000	2013/08	DUE
<b>RADIUM 226</b>	09501	003	2008/06/17	.000	2008/09	DUE
<b>RADIUM 228</b>	11501	003	2013/05/07	. 0.000	2013/08	DUE
<b>URANIUM (PCI/L)</b>	28012	003	2010/12/07	2.300	2011/03	DUE

**REGULATED SOC**

2,4-D	39730	036	2014/03/04	< .000	2017/03
ALACHLOR	77825	036	2014/03/04	< .000	2017/03
ATRAZINE	39033	036	2014/03/04	< .000	2017/03
BENTAZON	38710	036	2014/03/04	< .000	2017/03
DI(2-ETHYLHEXYL)PHTHALATE	39100	036	2014/03/04	< .000	2017/03
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2014/03/04	< .000	2017/03
DINOSEB	81287	036	2014/03/04	< .000	2017/03
DIQUAT	78885	036	2014/03/04	< 4.000	2017/03
ENDOTHALL	38926	036	2014/03/04	< .000	2017/03
ETHYLENE DIBROMIDE (EDB)	77651	036	2014/03/04	< .000	2017/03
GLYPHOSATE	79743	036	2014/03/04	< .000	2017/03
SIMAZINE	39055	036	2014/03/04	< .000	2017/03
THIOBENCARB	A-001	036	2014/03/04	< .000	2017/03
TOXAPHENE	39400	036	2014/03/04	< .000	2017/03

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	012	2014/03/04	< .000	2015/03
1,1,2,2-TETRACHLOROETHANE	34516	012	2014/03/04	< .000	2015/03
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/03/04	< .000	2015/03
1,1,2-TRICHLOROETHANE	34511	012	2014/03/04	< .000	2015/03
1,1-DICHLOROETHANE	34496	012	2014/03/04	< .000	2015/03
1,1-DICHLOROETHYLENE	34501	012	2014/03/04	< .000	2015/03
1,2,4-TRICHLOROBENZENE	34551	012	2014/03/04	< .000	2015/03
1,2-DICHLOROBENZENE	34536	012	2014/03/04	< .000	2015/03
1,2-DICHLOROETHANE	34531	012	2014/03/04	< .000	2015/03

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910064**

**System Name: LITTLE ROCK CREEK IRRIGATION DIST.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910064-011**

**Source Name: WELL 10**

**Source Number: 011**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED VOC**

1,2-DICHLOROPROPANE	34541	012	2014/03/04	< .000	2015/03
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/03/04	< .000	2015/03
1,4-DICHLOROBENZENE	34571	012	2014/03/04	< .000	2015/03
BENZENE	34030	012	2014/03/04	< .000	2015/03
CARBON TETRACHLORIDE	32102	012	2014/03/04	< .000	2015/03
CIS-1,2-DICHLOROETHYLENE	77093	012	2014/03/04	< .000	2015/03
DICHLOROMETHANE	34423	012	2014/03/04	< .000	2015/03
ETHYLBENZENE	34371	012	2014/03/04	< .000	2015/03
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/03/04	< .000	2015/03
MONOCHLOROBENZENE	34301	012	2014/03/04	< .000	2015/03
STYRENE	77128	012	2014/03/04	< .000	2015/03
TETRACHLOROETHYLENE	34475	012	2014/03/04	< .000	2015/03
TOLUENE	34010	012	2014/03/04	< .000	2015/03
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/03/04	< .000	2015/03
TRICHLOROETHYLENE	39180	012	2014/03/04	< .000	2015/03
TRICHLOROFUOROMETHANE	34488	012	2014/03/04	< .000	2015/03
VINYL CHLORIDE	39175	012	2014/03/04	< .000	2015/03
XYLENES (TOTAL)	81551	012	2014/03/04	< .000	2015/03

**SECONDARY/GP**

BICARBONATE ALKALINITY	00440	036	2014/03/04	. 150.000	2017/03
CALCIUM	00916	036	2014/03/04	. 40.000	2017/03
CARBONATE ALKALINITY	00445	036	2014/03/04	< .000	2017/03
CHLORIDE	00940	036	2014/03/04	. 3.700	2017/03
COLOR	00081	036	2014/03/04	< .000	2017/03
COPPER	01042	036	2014/03/04	< .000	2017/03
FOAMING AGENTS (MBAS)	38260	036	2014/03/04	< .000	2017/03
HARDNESS (TOTAL) AS CaCO3	00900	036	2014/03/04	. 110.000	2017/03
HYDROXIDE ALKALINITY	71830	036	2014/03/04	< .000	2017/03
IRON	01045	036	2014/06/03	< .000	2017/06

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910064**

**System Name: LITTLE ROCK CREEK IRRIGATION DIST.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910064-011**  
**Source Name: WELL 10**  
**Source Number: 011**  
**Source Status: ACTIVE RAW**  
**Water type: G**

**SECONDARY/GP**

MAGNESIUM	00927	036	2014/03/04	. 3.000	2017/03
MANGANESE	01055	036	2014/03/04	< .000	2017/03
ODOR THRESHOLD @ 60 C	00086	036	2014/03/04	. 1.000	2017/03
PH, LABORATORY	00403	036	2014/03/04	. 7.800	2017/03
SILVER	01077	036	2014/03/04	< .000	2017/03
SODIUM	00929	036	2014/03/04	. 28.000	2017/03
SPECIFIC CONDUCTANCE	00095	036	2014/03/04	. 320.000	2017/03
SULFATE	00945	036	2014/03/04	. 39.000	2017/03
TOTAL DISSOLVED SOLIDS	70300	036	2014/03/04	. 210.000	2017/03
TURBIDITY, LABORATORY	82079	036	2014/03/04	< .000	2017/03
ZINC	01092	036	2014/03/04	< .000	2017/03

**PS Code: 1910064-016**  
**Source Name: PALMDALE WATER DISTRICT CONNECTION-TRTD**  
**Source Number: 016**  
**Source Status: PURCHASED TREATED**  
**Water type: G**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\* 999

**PS Code: 1910064-019**  
**Source Name: WELL 11**  
**Source Number: 019**  
**Source Status: ACTIVE RAW**  
**Water type: G**

**INORGANIC**

ALUMINUM	01105	036	2014/03/04	< .000	2017/03
ANTIMONY	01097	036	2014/03/04	< .000	2017/03
ARSENIC	01002	036	2014/03/04	< .000	2017/03

\*Testing interval is in months;  
 0 = No data for this constituent and is DUE NOW  
 I = Invalid (NOT) valid analyses reported  
 Any analyses not listed as required for testing has been Waive (not required)



**System Number: 1910064**

**System Name: LITTLE ROCK CREEK IRRIGATION DIST.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910064-019**

**Source Name: WELL 11**

**Source Number: 019**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

ASBESTOS	81855	108	2013/08/27	.000	2022/08	
BARIUM	01007	036	2014/03/04	<.000	2017/03	
BERYLLIUM	01012	036	2014/03/04	<.000	2017/03	
CADMIUM	01027	036	2014/03/04	<.000	2017/03	
CHROMIUM (TOTAL)	01034	036	2014/03/04	<.000	2017/03	
<b>CHROMIUM, HEXAVALENT</b>	<b>01032</b>	<b>036</b>	<b>2003/10/21</b>	<b>.2.300</b>	<b>2006/10</b>	<b>DUE</b>
CYANIDE	01291	036	2014/03/04	<.000	2017/03	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/03/04	.140	2017/03	
MERCURY	71900	036	2014/03/04	<.000	2017/03	
NICKEL	01067	036	2014/03/04	.12.000	2017/03	
PERCHLORATE	A-031	036	2014/03/04	<.000	2017/03	
SELENIUM	01147	036	2014/03/04	<.000	2017/03	
THALLIUM	01059	036	2014/03/04	<.000	2017/03	

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	012	2014/03/04	.3.700	2015/03	
NITRITE (AS N)	00620	036	2014/03/04	<.000	2017/03	

**RADIOLOGICAL**

<b>GROSS ALPHA</b>	<b>01501</b>	<b>003</b>	<b>2013/05/07</b>	<b>.5.600</b>	<b>2013/08</b>	<b>DUE</b>
<b>RADIUM 226</b>	<b>09501</b>	<b>003</b>	<b>2008/06/17</b>	<b>.000</b>	<b>2008/09</b>	<b>DUE</b>
<b>RADIUM 228</b>	<b>11501</b>	<b>003</b>	<b>2013/05/07</b>	<b>.000</b>	<b>2013/08</b>	<b>DUE</b>
<b>URANIUM (PCI/L)</b>	<b>28012</b>	<b>003</b>	<b>2010/12/07</b>	<b>&lt;.000</b>	<b>2011/03</b>	<b>DUE</b>

**REGULATED SOC**

2,4-D	39730	036	2014/03/04	<.000	2017/03	
ALACHLOR	77825	036	2014/03/04	<.000	2017/03	
ATRAZINE	39033	036	2014/03/04	<.000	2017/03	
BENTAZON	38710	036	2014/03/04	<.000	2017/03	
DI(2-ETHYLHEXYL)PHTHALATE	39100	036	2014/03/04	<.000	2017/03	
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2014/03/04	<.000	2017/03	

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910064**

**System Name: LITTLE ROCK CREEK IRRIGATION DIST.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910064-019**

**Source Name: WELL 11**

**Source Number: 019**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED SOC**

DINOSEB	81287	036	2014/03/04	< .000	2017/03
DIQUAT	78885	036	2014/03/04	< 4.000	2017/03
ENDOTHALL	38926	036	2014/03/04	< .000	2017/03
ETHYLENE DIBROMIDE (EDB)	77651	036	2014/03/04	< .000	2017/03
GLYPHOSATE	79743	036	2014/03/04	< .000	2017/03
SIMAZINE	39055	036	2014/03/04	< .000	2017/03
THIOBENCARB	A-001	036	2014/03/04	< .000	2017/03
TOXAPHENE	39400	036	2014/03/04	< .000	2017/03

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	012	2014/03/04	< .000	2015/03
1,1,2,2-TETRACHLOROETHANE	34516	012	2014/03/04	< .000	2015/03
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/03/04	< .000	2015/03
1,1,2-TRICHLOROETHANE	34511	012	2014/03/04	< .000	2015/03
1,1-DICHLOROETHANE	34496	012	2014/03/04	< .000	2015/03
1,1-DICHLOROETHYLENE	34501	012	2014/03/04	< .000	2015/03
1,2,4-TRICHLOROBENZENE	34551	012	2014/03/04	< .000	2015/03
1,2-DICHLOROBENZENE	34536	012	2014/03/04	< .000	2015/03
1,2-DICHLOROETHANE	34531	012	2014/03/04	< .000	2015/03
1,2-DICHLOROPROPANE	34541	012	2014/03/04	< .000	2015/03
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/03/04	< .000	2015/03
1,4-DICHLOROBENZENE	34571	012	2014/03/04	< .000	2015/03
BENZENE	34030	012	2014/03/04	< .000	2015/03
CARBON TETRACHLORIDE	32102	012	2014/03/04	< .000	2015/03
CIS-1,2-DICHLOROETHYLENE	77093	012	2014/03/04	< .000	2015/03
DICHLOROMETHANE	34423	012	2014/03/04	< .000	2015/03
ETHYLBENZENE	34371	012	2014/03/04	< .000	2015/03
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/03/04	< .000	2015/03
MONOCHLOROBENZENE	34301	012	2014/03/04	< .000	2015/03
STYRENE	77128	012	2014/03/04	< .000	2015/03

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910064**

**System Name: LITTLE ROCK CREEK IRRIGATION DIST.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910064-019**

**Source Name: WELL 11**

**Source Number: 019**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED VOC**

TETRACHLOROETHYLENE	34475	012	2014/03/04	< .000	2015/03
TOLUENE	34010	012	2014/03/04	< .000	2015/03
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/03/04	< .000	2015/03
TRICHLOROETHYLENE	39180	012	2014/03/04	< .000	2015/03
TRICHLOROFUOROMETHANE	34488	012	2014/03/04	< .000	2015/03
VINYL CHLORIDE	39175	012	2014/03/04	< .000	2015/03
XYLENES (TOTAL)	81551	012	2014/03/04	< .000	2015/03

**SECONDARY/GP**

BICARBONATE ALKALINITY	00440	036	2014/03/04	. 150.000	2017/03
CALCIUM	00916	036	2014/03/04	. 41.000	2017/03
CARBONATE ALKALINITY	00445	036	2014/03/04	< .000	2017/03
CHLORIDE	00940	036	2014/03/04	. 16.000	2017/03
COLOR	00081	036	2014/03/04	< .000	2017/03
COPPER	01042	036	2014/03/04	< .000	2017/03
FOAMING AGENTS (MBAS)	38260	036	2014/03/04	< .000	2017/03
HARDNESS (TOTAL) AS CaCO3	00900	036	2014/03/04	. 120.000	2017/03
HYDROXIDE ALKALINITY	71830	036	2014/03/04	< .000	2017/03
IRON	01045	036	2014/03/04	< .000	2017/03
MAGNESIUM	00927	036	2014/03/04	. 3.700	2017/03
MANGANESE	01055	036	2014/03/04	< .000	2017/03
ODOR THRESHOLD @ 60 C	00086	036	2014/03/04	. 1.000	2017/03
PH, LABORATORY	00403	036	2014/03/04	. 7.800	2017/03
SILVER	01077	036	2014/03/04	< .000	2017/03
SODIUM	00929	036	2014/03/04	. 29.000	2017/03
SPECIFIC CONDUCTANCE	00095	036	2014/03/04	. 360.000	2017/03
SULFATE	00945	036	2014/03/04	. 40.000	2017/03
TOTAL DISSOLVED SOLIDS	70300	036	2014/03/04	. 230.000	2017/03
TURBIDITY, LABORATORY	82079	036	2014/03/04	< .000	2017/03
ZINC	01092	036	2014/03/04	< .000	2017/03

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910064**

**System Name: LITTLE ROCK CREEK IRRIGATION DIST.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910064-021**

**Source Name: WELL 12**

**Source Number: 021**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

ALUMINUM	01105	036	2014/03/04	< .000	2017/03
ANTIMONY	01097	036	2014/03/04	< .000	2017/03
ARSENIC	01002	036	2014/03/04	< .000	2017/03
ASBESTOS	81855	108	2013/08/27	.000	2022/08
BARIUM	01007	036	2014/03/04	< .000	2017/03
BERYLLIUM	01012	036	2014/03/04	< .000	2017/03
CADMIUM	01027	036	2014/03/04	< .000	2017/03
CHROMIUM (TOTAL)	01034	036	2014/03/04	< .000	2017/03
<b>CHROMIUM, HEXAVALENT</b>	01032	000			<b>DUE</b>
CYANIDE	01291	036	2014/03/04	< .000	2017/03
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/03/04	.200	2017/03
MERCURY	71900	036	2014/03/04	< .000	2017/03
NICKEL	01067	036	2014/03/04	< .000	2017/03
PERCHLORATE	A-031	036	2014/03/04	< .000	2017/03
SELENIUM	01147	036	2014/03/04	< .000	2017/03
THALLIUM	01059	036	2014/03/04	< .000	2017/03

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	012	2014/03/04	< .000	2015/03
NITRITE (AS N)	00620	036	2014/03/04	< .000	2017/03

**RADIOLOGICAL**

<b>GROSS ALPHA</b>	01501	003	2013/05/07	< .000	2013/08	<b>DUE</b>
<b>RADIUM 226</b>	09501	003	2008/06/24	.038	2008/09	<b>DUE</b>
<b>RADIUM 228</b>	11501	003	2013/05/07	.000	2013/08	<b>DUE</b>
<b>URANIUM (PCI/L)</b>	28012	003	2010/12/07	1.900	2011/03	<b>DUE</b>

**REGULATED SOC**

2,4-D	39730	036	2014/03/04	< .000	2017/03
ALACHLOR	77825	036	2014/03/04	< .000	2017/03
ATRAZINE	39033	036	2014/03/04	< .000	2017/03

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910064**

**System Name: LITTLE ROCK CREEK IRRIGATION DIST.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910064-021**

**Source Name: WELL 12**

**Source Number: 021**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED SOC**

BENTAZON	38710	036	2014/03/04	< .000	2017/03
DI(2-ETHYLHEXYL)PHTHALATE	39100	036	2014/03/04	< .000	2017/03
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2014/03/04	< .000	2017/03
DINOSEB	81287	036	2014/03/04	< .000	2017/03
DIQUAT	78885	036	2014/03/04	< 4.000	2017/03
ENDOTHALL	38926	036	2014/03/04	< .000	2017/03
ETHYLENE DIBROMIDE (EDB)	77651	036	2014/03/04	< .000	2017/03
GLYPHOSATE	79743	036	2014/03/04	< .000	2017/03
SIMAZINE	39055	036	2014/03/04	< .000	2017/03
THIOBENCARB	A-001	036	2014/03/04	< .000	2017/03
TOXAPHENE	39400	036	2014/03/04	< .000	2017/03

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	012	2014/03/04	< .000	2015/03
1,1,2,2-TETRACHLOROETHANE	34516	012	2014/03/04	< .000	2015/03
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/03/04	< .000	2015/03
1,1,2-TRICHLOROETHANE	34511	012	2014/03/04	< .000	2015/03
1,1-DICHLOROETHANE	34496	012	2014/03/04	< .000	2015/03
1,1-DICHLOROETHYLENE	34501	012	2014/03/04	< .000	2015/03
1,2,4-TRICHLOROBENZENE	34551	012	2014/03/04	< .000	2015/03
1,2-DICHLOROBENZENE	34536	012	2014/03/04	< .000	2015/03
1,2-DICHLOROETHANE	34531	012	2014/03/04	< .000	2015/03
1,2-DICHLOROPROPANE	34541	012	2014/03/04	< .000	2015/03
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/03/04	< .000	2015/03
1,4-DICHLOROBENZENE	34571	012	2014/03/04	< .000	2015/03
BENZENE	34030	012	2014/03/04	< .000	2015/03
CARBON TETRACHLORIDE	32102	012	2014/03/04	< .000	2015/03
CIS-1,2-DICHLOROETHYLENE	77093	012	2014/03/04	< .000	2015/03
DICHLOROMETHANE	34423	012	2014/03/04	< .000	2015/03
ETHYLBENZENE	34371	012	2014/03/04	< .000	2015/03

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910064**

**System Name: LITTLE ROCK CREEK IRRIGATION DIST.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910064-021**

**Source Name: WELL 12**

**Source Number: 021**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED VOC**

METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/03/04	< .000	2015/03
MONOCHLORO BENZENE	34301	012	2014/03/04	< .000	2015/03
STYRENE	77128	012	2014/03/04	< .000	2015/03
TETRACHLOROETHYLENE	34475	012	2014/03/04	< .000	2015/03
TOLUENE	34010	012	2014/03/04	< .000	2015/03
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/03/04	< .000	2015/03
TRICHLOROETHYLENE	39180	012	2014/03/04	< .000	2015/03
TRICHLOROFLUOROMETHANE	34488	012	2014/03/04	< .000	2015/03
VINYL CHLORIDE	39175	012	2014/03/04	< .000	2015/03
XYLENES (TOTAL)	81551	012	2014/03/04	< .000	2015/03

**SECONDARY/GP**

BICARBONATE ALKALINITY	00440	036	2014/03/04	. 160.000	2017/03
CALCIUM	00916	036	2014/03/04	. 40.000	2017/03
CARBONATE ALKALINITY	00445	036	2014/03/04	< .000	2017/03
CHLORIDE	00940	036	2014/03/04	. 4.300	2017/03
COLOR	00081	036	2014/03/04	< .000	2017/03
COPPER	01042	036	2014/03/04	< .000	2017/03
FOAMING AGENTS (MBAS)	38260	036	2014/03/04	< .000	2017/03
HARDNESS (TOTAL) AS CaCO3	00900	036	2014/03/04	. 120.000	2017/03
HYDROXIDE ALKALINITY	71830	036	2014/03/04	< .000	2017/03
IRON	01045	036	2014/03/04	< .000	2017/03
MAGNESIUM	00927	036	2014/03/04	. 5.800	2017/03
MANGANESE	01055	036	2014/03/04	< .000	2017/03
ODOR THRESHOLD @ 60 C	00086	036	2014/03/04	. 1.000	2017/03
PH, LABORATORY	00403	036	2014/03/04	. 7.800	2017/03
SILVER	01077	036	2014/03/04	< .000	2017/03
SODIUM	00929	036	2014/03/04	. 23.000	2017/03
SPECIFIC CONDUCTANCE	00095	036	2014/03/04	. 330.000	2017/03
SULFATE	00945	036	2014/03/04	. 38.000	2017/03

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910064**

**System Name: LITTLE ROCK CREEK IRRIGATION DIST.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910064-021**

**Source Name: WELL 12**

**Source Number: 021**

**Source Status: ACTIVE RAW**

**Water type: G**

**SECONDARY/GP**

TOTAL DISSOLVED SOLIDS	70300	036	2014/03/04	. 220.000	2017/03
TURBIDITY, LABORATORY	82079	036	2014/03/04	< .000	2017/03
ZINC	01092	036	2014/03/04	< .000	2017/03

**PS Code: 1910064-800**

**Source Name: SITE 1-62ND ST X T-4-STG2 DBP**

**Source Number: 800**

**Source Status: DISTRIBUTION TREATED**

**Water type: G**

**HALOACETIC ACIDS**

DIBROMOACETIC ACID (DBAA)	82721	012	2014/05/06	< .000	2015/05
DICHLOROACETIC ACID (DCAA)	77288	012	2014/05/06	< .000	2015/05
HALOACETIC ACIDS (5) (HAA5)	A-049	012	2014/05/06	< .000	2015/05
MONOBROMOACETIC ACID (MBAA)	A-041	012	2014/05/06	< .000	2015/05
MONOCHLOROACETIC ACID (MCAA)	A-042	012	2014/05/06	< .000	2015/05
TRICHLOROACETIC ACID (TCAA)	82723	012	2014/05/06	< .000	2015/05

**STATE UCMR**

BROMODICHLORMETHANE (THM)	32101	012	2014/05/06	< .000	2015/05
BROMOFORM (THM)	32104	012	2014/05/06	< .000	2015/05
CHLOROFORM (THM)	32106	012	2014/05/06	< .000	2015/05
DIBROMOCHLOROMETHANE (THM)	32105	012	2014/05/06	< .000	2015/05

**TRIHALOMETHANES**

TOTAL TRIHALOMETHANES	82080	012	2014/05/06	< .000	2015/05
-----------------------	-------	-----	------------	--------	---------

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910064**

**System Name: LITTLE ROCK CREEK IRRIGATION DIST.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910064-801**

**Source Name: SITE 2-7162 AVE V-STG2 DBP**

**Source Number: 801**

**Source Status: DISTRIBUTION TREATED**

**Water type: G**

**HALOACETIC ACIDS**

DIBROMOACETIC ACID (DBAA)	82721	012	2013/05/07	< .000	2014/05	DUE
DICHLOROACETIC ACID (DCAA)	77288	012	2013/05/07	< .000	2014/05	DUE
HALOACETIC ACIDS (5) (HAA5)	A-049	012	2013/05/07	< .000	2014/05	DUE
MONOBROMOACETIC ACID (MBAA)	A-041	012	2013/05/07	< .000	2014/05	DUE
MONOCHLOROACETIC ACID (MCAA)	A-042	012	2013/05/07	< .000	2014/05	DUE
TRICHLOROACETIC ACID (TCAA)	82723	012	2013/05/07	< .000	2014/05	DUE

**STATE UCMR**

BROMODICHLORMETHANE (THM)	32101	012	2013/05/07	. 1.800	2014/05	DUE
BROMOFORM (THM)	32104	012	2013/05/07	1.300	2014/05	DUE
CHLOROFORM (THM)	32106	012	2013/05/07	1.300	2014/05	DUE
DIBROMOCHLOROMETHANE (THM)	32105	012	2013/05/07	1.900	2014/05	DUE

**TRIHALOMETHANES**

TOTAL TRIHALOMETHANES	82080	012	2013/05/07	. 6.300	2014/05	DUE
-----------------------	-------	-----	------------	---------	---------	-----

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)



**System Number: 1910065**

**System Name: LONG BEACH-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910065-001**

**Source Name: ALAMITOS WELL 08**

**Source Number: 001**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

ALUMINUM	01105	036	2013/06/19	< 50.000	2016/06
ANTIMONY	01097	036	2013/06/19	< 6.000	2016/06
ARSENIC	01002	036	2013/06/19	< 2.000	2016/06
BARIUM	01007	036	2013/06/19	< 100.000	2016/06
BERYLLIUM	01012	036	2013/06/19	< 1.000	2016/06
CADMIUM	01027	036	2013/06/19	< 1.000	2016/06
CHROMIUM (TOTAL)	01034	036	2013/06/19	< 10.000	2016/06
CHROMIUM, HEXAVALENT	01032	036	2011/08/11	< 1.000	2014/08
CYANIDE	01291	036	2013/06/19	< 100.000	2016/06
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/06/19	.620	2016/06
MERCURY	71900	036	2013/06/19	< 1.000	2016/06
NICKEL	01067	036	2013/06/19	< 10.000	2016/06
PERCHLORATE	A-031	036	2011/08/11	< 4.000	2014/08
SELENIUM	01147	036	2013/06/19	< 5.000	2016/06
THALLIUM	01059	036	2013/06/19	< 1.000	2016/06

**NITRATE/NITRITE**

<b>NITRATE (AS NO3)</b>	71850	012	2013/06/19	< 2.000	2014/06	<b>DUE</b>
NITRITE (AS N)	00620	036	2013/06/19	< 400.000	2016/06	

**RADIOLOGICAL**

<b>GROSS ALPHA</b>	01501	003	2013/06/19	< 3.000	2013/09	<b>DUE</b>
--------------------	-------	-----	------------	---------	---------	------------

**REGULATED SOC**

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2012/08/02	< 3.000	2015/05
THIOBENCARB	A-001	033	2012/08/02	< 1.000	2015/05

**REGULATED VOC**

<b>1,1,1-TRICHLOROETHANE</b>	34506	012	2013/06/19	.000	2014/06	<b>DUE</b>
<b>1,1,2,2-TETRACHLOROETHANE</b>	34516	012	2013/06/19	.000	2014/06	<b>DUE</b>
<b>1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE</b>	81611	012	2013/06/19	.000	2014/06	<b>DUE</b>
<b>1,1,2-TRICHLOROETHANE</b>	34511	012	2013/06/19	.000	2014/06	<b>DUE</b>

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910065**

**System Name: LONG BEACH-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910065-001**

**Source Name: ALAMITOS WELL 08**

**Source Number: 001**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED VOC**

1,1-DICHLOROETHANE	34496	012	2013/06/19	.000	2014/06	DUE
1,1-DICHLOROETHYLENE	34501	012	2013/06/19	.000	2014/06	DUE
1,2,4-TRICHLOROBENZENE	34551	012	2013/06/19	.000	2014/06	DUE
1,2-DICHLOROBENZENE	34536	012	2013/06/19	.000	2014/06	DUE
1,2-DICHLOROETHANE	34531	012	2013/06/19	.000	2014/06	DUE
1,2-DICHLOROPROPANE	34541	012	2013/06/19	.000	2014/06	DUE
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2013/06/19	.000	2014/06	DUE
1,4-DICHLOROBENZENE	34571	012	2013/06/19	.000	2014/06	DUE
BENZENE	34030	012	2013/06/19	.000	2014/06	DUE
CARBON TETRACHLORIDE	32102	012	2013/06/19	.000	2014/06	DUE
CIS-1,2-DICHLOROETHYLENE	77093	012	2013/06/19	.000	2014/06	DUE
DICHLOROMETHANE	34423	012	2013/06/19	.000	2014/06	DUE
ETHYLBENZENE	34371	012	2013/06/19	.000	2014/06	DUE
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2013/06/19	.000	2014/06	DUE
MONOCHLOROBENZENE	34301	012	2013/06/19	.000	2014/06	DUE
STYRENE	77128	012	2013/06/19	.000	2014/06	DUE
TETRACHLOROETHYLENE	34475	012	2013/06/19	.000	2014/06	DUE
TOLUENE	34010	012	2013/06/19	.000	2014/06	DUE
TRANS-1,2-DICHLOROETHYLENE	34546	012	2013/06/19	.000	2014/06	DUE
TRICHLOROETHYLENE	39180	012	2013/06/19	.000	2014/06	DUE
TRICHLOROFLUOROMETHANE	34488	012	2013/06/19	.000	2014/06	DUE
VINYL CHLORIDE	39175	012	2013/06/19	.000	2014/06	DUE
XYLENES (TOTAL)	81551	012	2013/06/19	.000	2014/06	DUE

**SECONDARY/GP**

BICARBONATE ALKALINITY	00440	036	2012/08/02	.169.500	2015/08
CALCIUM	00916	036	2013/06/19	.6.060	2016/06
CARBONATE ALKALINITY	00445	036	2012/08/02	.500	2015/08
CHLORIDE	00940	036	2013/06/19	.16.000	2016/06
COLOR	00081	036	2013/06/19	.141.000	2016/06

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910065**

**System Name: LONG BEACH-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910065-001**

**Source Name: ALAMITOS WELL 08**

**Source Number: 001**

**Source Status: ACTIVE RAW**

**Water type: G**

**SECONDARY/GP**

COPPER	01042	036	2013/06/19	< 50.000	2016/06
FOAMING AGENTS (MBAS)	38260	036	2013/06/19	< .050	2016/06
HARDNESS (TOTAL) AS CaCO3	00900	036	2012/08/02	. 15.100	2015/08
HYDROXIDE ALKALINITY	71830	036	2012/08/02	. .000	2015/08
IRON	01045	036	2013/06/19	< 100.000	2016/06
MAGNESIUM	00927	036	2013/06/19	. .000	2016/06
MANGANESE	01055	036	2013/06/19	< 20.000	2016/06
ODOR THRESHOLD @ 60 C	00086	036	2013/06/19	. 2.000	2016/06
<b>PH, LABORATORY</b>	<b>00403</b>	<b>036</b>	<b>2007/09/27</b>	<b>.000</b>	<b>2010/09 DUE</b>
SILVER	01077	036	2013/06/19	< 10.000	2016/06
SODIUM	00929	036	2013/06/19	91.500	2016/06
SPECIFIC CONDUCTANCE	00095	036	2013/06/19	. 382.000	2016/06
SULFATE	00945	036	2013/06/19	< .500	2016/06
TOTAL DISSOLVED SOLIDS	70300	036	2013/06/19	. 240.000	2016/06
TURBIDITY, LABORATORY	82079	036	2013/06/19	. .235	2016/06
ZINC	01092	036	2013/06/19	< 50.000	2016/06

**PS Code: 1910065-002**

**Source Name: ALAMITOS WELL 09**

**Source Number: 002**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

ALUMINUM	01105	036	2013/06/19	< 50.000	2016/06
ANTIMONY	01097	036	2013/06/19	< 6.000	2016/06
ARSENIC	01002	036	2013/06/19	< 2.000	2016/06
BARIUM	01007	036	2013/06/19	< 100.000	2016/06
BERYLLIUM	01012	036	2013/06/19	< 1.000	2016/06
CADMIUM	01027	036	2013/06/19	< 1.000	2016/06

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910065**

**System Name: LONG BEACH-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910065-002**

**Source Name: ALAMITOS WELL 09**

**Source Number: 002**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

CHROMIUM (TOTAL)	01034	036	2013/06/19	< 10.000	2016/06
CYANIDE	01291	036	2013/06/19	< 100.000	2016/06
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/06/19	. 610	2016/06
MERCURY	71900	036	2013/06/19	< 1.000	2016/06
NICKEL	01067	036	2013/06/19	< 10.000	2016/06
PERCHLORATE	A-031	036	2011/09/08	< 4.000	2014/09
SELENIUM	01147	036	2013/06/19	< 5.000	2016/06
THALLIUM	01059	036	2013/06/19	< 1.000	2016/06

**NITRATE/NITRITE**

<b>NITRATE (AS NO3)</b>	71850	012	<b>2013/06/19</b>	< 2.000	<b>2014/06 DUE</b>
NITRITE (AS N)	00620	036	2013/06/19	< 400.000	2016/06

**RADIOLOGICAL**

<b>GROSS ALPHA</b>	01501	003	<b>2014/01/16</b>	< 3.000	<b>2014/04 DUE</b>
--------------------	-------	-----	-------------------	---------	--------------------

**REGULATED SOC**

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2012/08/02	< 3.000	2015/05
THIOBENCARB	A-001	033	2012/08/02	< 1.000	2015/05

**REGULATED VOC**

<b>1,1,1-TRICHLOROETHANE</b>	34506	012	<b>2013/06/19</b>	. 000	<b>2014/06 DUE</b>
<b>1,1,2,2-TETRACHLOROETHANE</b>	34516	012	<b>2013/06/19</b>	. 000	<b>2014/06 DUE</b>
<b>1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE</b>	81611	012	<b>2013/06/19</b>	. 000	<b>2014/06 DUE</b>
<b>1,1,2-TRICHLOROETHANE</b>	34511	012	<b>2013/06/19</b>	. 000	<b>2014/06 DUE</b>
<b>1,1-DICHLOROETHANE</b>	34496	012	<b>2013/06/19</b>	. 000	<b>2014/06 DUE</b>
<b>1,1-DICHLOROETHYLENE</b>	34501	012	<b>2013/06/19</b>	. 000	<b>2014/06 DUE</b>
<b>1,2,4-TRICHLOROBENZENE</b>	34551	012	<b>2013/06/19</b>	. 000	<b>2014/06 DUE</b>
<b>1,2-DICHLOROBENZENE</b>	34536	012	<b>2013/06/19</b>	. 000	<b>2014/06 DUE</b>
<b>1,2-DICHLOROETHANE</b>	34531	012	<b>2013/06/19</b>	. 000	<b>2014/06 DUE</b>
<b>1,2-DICHLOROPROPANE</b>	34541	012	<b>2013/06/19</b>	. 000	<b>2014/06 DUE</b>
<b>1,3-DICHLOROPROPENE (TOTAL)</b>	34561	012	<b>2013/06/19</b>	. 000	<b>2014/06 DUE</b>

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910065**

**System Name: LONG BEACH-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910065-002**

**Source Name: ALAMITOS WELL 09**

**Source Number: 002**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED VOC**

1,4-DICHLOROBENZENE	34571	012	2013/06/19	.000	2014/06	DUE
BENZENE	34030	012	2013/06/19	.000	2014/06	DUE
CARBON TETRACHLORIDE	32102	012	2013/06/19	.000	2014/06	DUE
CIS-1,2-DICHLOROETHYLENE	77093	012	2013/06/19	.000	2014/06	DUE
DICHLOROMETHANE	34423	012	2013/06/19	.000	2014/06	DUE
ETHYLBENZENE	34371	012	2013/06/19	.000	2014/06	DUE
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2013/06/19	.000	2014/06	DUE
MONOCHLOROBENZENE	34301	012	2013/06/19	.000	2014/06	DUE
STYRENE	77128	012	2013/06/19	.000	2014/06	DUE
TETRACHLOROETHYLENE	34475	012	2013/06/19	.000	2014/06	DUE
TOLUENE	34010	012	2013/06/19	.000	2014/06	DUE
TRANS-1,2-DICHLOROETHYLENE	34546	012	2013/06/19	.000	2014/06	DUE
TRICHLOROETHYLENE	39180	012	2013/06/19	.000	2014/06	DUE
TRICHLOROFLUOROMETHANE	34488	012	2013/06/19	.000	2014/06	DUE
VINYL CHLORIDE	39175	012	2013/06/19	.000	2014/06	DUE
XYLENES (TOTAL)	81551	012	2013/06/19	.000	2014/06	DUE

**SECONDARY/GP**

BICARBONATE ALKALINITY	00440	036	2012/08/02	159.300	2015/08	
CALCIUM	00916	036	2013/06/19	5.600	2016/06	
CARBONATE ALKALINITY	00445	036	2012/08/02	.500	2015/08	
CHLORIDE	00940	036	2013/06/19	15.500	2016/06	
COLOR	00081	036	2013/06/19	140.000	2016/06	
COPPER	01042	036	2013/06/19	< 50.000	2016/06	
FOAMING AGENTS (MBAS)	38260	036	2013/06/19	< .050	2016/06	
HARDNESS (TOTAL) AS CaCO3	00900	036	2012/08/02	13.400	2015/08	
HYDROXIDE ALKALINITY	71830	036	2012/08/02	.000	2015/08	
IRON	01045	036	2013/06/19	< 100.000	2016/06	
MAGNESIUM	00927	036	2013/06/19	.000	2016/06	
MANGANESE	01055	036	2013/06/19	< 20.000	2016/06	

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910065**

**System Name: LONG BEACH-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910065-002**

**Source Name: ALAMITOS WELL 09**

**Source Number: 002**

**Source Status: ACTIVE RAW**

**Water type: G**

**SECONDARY/GP**

ODOR THRESHOLD @ 60 C	00086	036	2013/06/19	. 2.000	2016/06	
<b>PH, LABORATORY</b>	00403	036	<b>2007/08/30</b>	<b>8.800</b>	<b>2010/08</b>	<b>DUE</b>
SILVER	01077	036	2013/06/19	< 10.000	2016/06	
SODIUM	00929	036	2013/06/19	87.800	2016/06	
SPECIFIC CONDUCTANCE	00095	036	2013/06/19	. 361.000	2016/06	
SULFATE	00945	036	2013/06/19	< .500	2016/06	
TOTAL DISSOLVED SOLIDS	70300	036	2013/06/19	. 228.000	2016/06	
TURBIDITY, LABORATORY	82079	036	2013/06/19	. .193	2016/06	
ZINC	01092	036	2013/06/19	< 50.000	2016/06	

**PS Code: 1910065-003**

**Source Name: ALAMITOS WELL 13**

**Source Number: 003**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

ALUMINUM	01105	036	2013/06/19	< 50.000	2016/06	
ANTIMONY	01097	036	2013/06/19	< 6.000	2016/06	
ARSENIC	01002	036	2013/06/19	< 2.000	2016/06	
BARIUM	01007	036	2013/06/19	< 100.000	2016/06	
BERYLLIUM	01012	036	2013/06/19	< 1.000	2016/06	
CADMIUM	01027	036	2013/06/19	< 1.000	2016/06	
CHROMIUM (TOTAL)	01034	036	2013/06/19	< 10.000	2016/06	
CYANIDE	01291	036	2013/06/19	< 100.000	2016/06	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/06/19	. .560	2016/06	
MERCURY	71900	036	2013/06/19	< 1.000	2016/06	
NICKEL	01067	036	2013/06/19	< 10.000	2016/06	
PERCHLORATE	A-031	036	2011/11/30	< 4.000	2014/11	
SELENIUM	01147	036	2013/06/19	< 5.000	2016/06	

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910065**

**System Name: LONG BEACH-CITY, WATER DEPT.**

	<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>	
<b>PS Code: 1910065-003</b>						
<b>Source Name: ALAMITOS WELL 13</b>						
<b>Source Number: 003</b>						
<b>Source Status: ACTIVE RAW</b>						
<b>Water type: G</b>						
<b><u>INORGANIC</u></b>						
THALLIUM	01059	036	2013/06/19	< 1.000	2016/06	
<b><u>NITRATE/NITRITE</u></b>						
NITRATE (AS NO3)	71850	012	2013/06/19	< 2.000	2014/06	DUE
NITRITE (AS N)	00620	036	2013/06/19	< 400.000	2016/06	
<b><u>RADIOLOGICAL</u></b>						
GROSS ALPHA	01501	003	2013/06/19	< 3.000	2013/09	DUE
<b><u>REGULATED SOC</u></b>						
DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2012/08/02	< 3.000	2015/05	
THIOBENCARB	A-001	033	2012/08/02	< 1.000	2015/05	
<b><u>REGULATED VOC</u></b>						
1,1,1-TRICHLOROETHANE	34506	012	2013/06/19	.000	2014/06	DUE
1,1,2,2-TETRACHLOROETHANE	34516	012	2013/06/19	.000	2014/06	DUE
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2013/06/19	.000	2014/06	DUE
1,1,2-TRICHLOROETHANE	34511	012	2013/06/19	.000	2014/06	DUE
1,1-DICHLOROETHANE	34496	012	2013/06/19	.000	2014/06	DUE
1,1-DICHLOROETHYLENE	34501	012	2013/06/19	.000	2014/06	DUE
1,2,4-TRICHLOROBENZENE	34551	012	2013/06/19	.000	2014/06	DUE
1,2-DICHLOROBENZENE	34536	012	2013/06/19	.000	2014/06	DUE
1,2-DICHLOROETHANE	34531	012	2013/06/19	.000	2014/06	DUE
1,2-DICHLOROPROPANE	34541	012	2013/06/19	.000	2014/06	DUE
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2013/06/19	.000	2014/06	DUE
1,4-DICHLOROBENZENE	34571	012	2013/06/19	.000	2014/06	DUE
BENZENE	34030	012	2013/06/19	.000	2014/06	DUE
CARBON TETRACHLORIDE	32102	012	2013/06/19	.000	2014/06	DUE
CIS-1,2-DICHLOROETHYLENE	77093	012	2013/06/19	.000	2014/06	DUE
DICHLOROMETHANE	34423	012	2013/06/19	.000	2014/06	DUE
ETHYLBENZENE	34371	012	2013/06/19	.000	2014/06	DUE
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2013/06/19	.000	2014/06	DUE

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910065**

**System Name: LONG BEACH-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910065-003**

**Source Name: ALAMITOS WELL 13**

**Source Number: 003**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED VOC**

MONOCHLOROBENZENE	34301	012	2013/06/19	.000	2014/06	DUE
STYRENE	77128	012	2013/06/19	.000	2014/06	DUE
TETRACHLOROETHYLENE	34475	012	2013/06/19	.000	2014/06	DUE
TOLUENE	34010	012	2013/06/19	.000	2014/06	DUE
TRANS-1,2-DICHLOROETHYLENE	34546	012	2013/06/19	.000	2014/06	DUE
TRICHLOROETHYLENE	39180	012	2013/06/19	.000	2014/06	DUE
TRICHLOROFLUOROMETHANE	34488	012	2013/06/19	.000	2014/06	DUE
VINYL CHLORIDE	39175	012	2013/06/19	.000	2014/06	DUE
XYLENES (TOTAL)	81551	012	2013/06/19	.000	2014/06	DUE

**SECONDARY/GP**

BICARBONATE ALKALINITY	00440	036	2012/08/02	133.500	2015/08	
CALCIUM	00916	036	2013/06/19	6.440	2016/06	
CARBONATE ALKALINITY	00445	036	2012/08/02	.500	2015/08	
CHLORIDE	00940	036	2013/06/19	14.590	2016/06	
COLOR	00081	036	2013/06/19	77.000	2016/06	
COPPER	01042	036	2013/06/19	< 50.000	2016/06	
FOAMING AGENTS (MBAS)	38260	036	2013/06/19	< .050	2016/06	
HARDNESS (TOTAL) AS CaCO3	00900	036	2012/08/02	16.400	2015/08	
HYDROXIDE ALKALINITY	71830	036	2012/08/02	.000	2015/08	
IRON	01045	036	2013/06/19	< 100.000	2016/06	
MAGNESIUM	00927	036	2013/06/19	.000	2016/06	
MANGANESE	01055	036	2013/06/19	< 20.000	2016/06	
ODOR THRESHOLD @ 60 C	00086	036	2013/06/19	2.000	2016/06	
PH, LABORATORY	00403	036	2007/08/30	8.700	2010/08	DUE
SILVER	01077	036	2013/06/19	< 10.000	2016/06	
SODIUM	00929	036	2013/06/19	74.100	2016/06	
SPECIFIC CONDUCTANCE	00095	036	2013/06/19	317.000	2016/06	
SULFATE	00945	036	2013/06/19	4.570	2016/06	
TOTAL DISSOLVED SOLIDS	70300	036	2013/06/19	196.000	2016/06	

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)



**System Number: 1910065**

**System Name: LONG BEACH-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910065-003**

**Source Name: ALAMITOS WELL 13**

**Source Number: 003**

**Source Status: ACTIVE RAW**

**Water type: G**

**SECONDARY/GP**

TURBIDITY, LABORATORY	82079	036	2013/06/19	.153	2016/06
ZINC	01092	036	2013/06/19	< 50.000	2016/06

**PS Code: 1910065-012**

**Source Name: CITIZENS WELL 07-A**

**Source Number: 012**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

ALUMINUM	01105	036	2013/06/19	< 50.000	2016/06
ANTIMONY	01097	036	2013/06/19	< 6.000	2016/06
ARSENIC	01002	036	2013/06/19	< 2.000	2016/06
BARIUM	01007	036	2013/06/19	< 100.000	2016/06
BERYLLIUM	01012	036	2013/06/19	< 1.000	2016/06
CADMIUM	01027	036	2013/06/19	< 1.000	2016/06
CHROMIUM (TOTAL)	01034	036	2013/06/19	< 10.000	2016/06
CYANIDE	01291	036	2013/06/19	< 100.000	2016/06
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/06/19	.530	2016/06
MERCURY	71900	036	2013/06/19	< 1.000	2016/06
NICKEL	01067	036	2013/06/19	< 10.000	2016/06
PERCHLORATE	A-031	036	2011/08/18	< 4.000	2014/08
SELENIUM	01147	036	2013/06/19	< 5.000	2016/06
THALLIUM	01059	036	2013/06/19	< 1.000	2016/06

**NITRATE/NITRITE**

<b>NITRATE (AS NO3)</b>	71850	012	2013/06/19	< 2.000	2014/06	<b>DUE</b>
NITRITE (AS N)	00620	036	2013/06/19	< 400.000	2016/06	

**RADIOLOGICAL**

<b>GROSS ALPHA</b>	01501	003	2013/06/19	< 3.000	2013/09	<b>DUE</b>
--------------------	-------	-----	------------	---------	---------	------------

\*Testing interval is in months;  
 0 = No data for this constituent and is DUE NOW  
 I = Invalid (NOT) valid analyses reported  
 Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910065**

**System Name: LONG BEACH-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

**PS Code: 1910065-012**

**Source Name: CITIZENS WELL 07-A**

**Source Number: 012**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED SOC**

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2012/08/02	< 3.000	2015/05
THIOBENCARB	A-001	033	2012/08/02	< 1.000	2015/05

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	012	2013/06/19	.000	2014/06	DUE
1,1,2,2-TETRACHLOROETHANE	34516	012	2013/06/19	.000	2014/06	DUE
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2013/06/19	.000	2014/06	DUE
1,1,2-TRICHLOROETHANE	34511	012	2013/06/19	.000	2014/06	DUE
1,1-DICHLOROETHANE	34496	012	2013/06/19	.000	2014/06	DUE
1,1-DICHLOROETHYLENE	34501	012	2013/06/19	.000	2014/06	DUE
1,2,4-TRICHLOROBENZENE	34551	012	2013/06/19	.000	2014/06	DUE
1,2-DICHLOROBENZENE	34536	012	2013/06/19	.000	2014/06	DUE
1,2-DICHLOROETHANE	34531	012	2013/06/19	.000	2014/06	DUE
1,2-DICHLOROPROPANE	34541	012	2013/06/19	.000	2014/06	DUE
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2013/06/19	.000	2014/06	DUE
1,4-DICHLOROBENZENE	34571	012	2013/06/19	.000	2014/06	DUE
BENZENE	34030	012	2013/06/19	.000	2014/06	DUE
CARBON TETRACHLORIDE	32102	012	2013/06/19	.000	2014/06	DUE
CIS-1,2-DICHLOROETHYLENE	77093	012	2013/06/19	.000	2014/06	DUE
DICHLOROMETHANE	34423	012	2013/06/19	.000	2014/06	DUE
ETHYLBENZENE	34371	012	2013/06/19	.000	2014/06	DUE
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2013/06/19	.000	2014/06	DUE
MONOCHLOROBENZENE	34301	012	2013/06/19	.000	2014/06	DUE
STYRENE	77128	012	2013/06/19	.000	2014/06	DUE
TETRACHLOROETHYLENE	34475	012	2013/06/19	.000	2014/06	DUE
TOLUENE	34010	012	2013/06/19	.000	2014/06	DUE
TRANS-1,2-DICHLOROETHYLENE	34546	012	2013/06/19	.000	2014/06	DUE
TRICHLOROETHYLENE	39180	012	2013/06/19	.000	2014/06	DUE
TRICHLOROFLUOROMETHANE	34488	012	2013/06/19	.000	2014/06	DUE
VINYL CHLORIDE	39175	012	2013/06/19	.000	2014/06	DUE

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910065**

**System Name: LONG BEACH-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910065-012**

**Source Name: CITIZENS WELL 07-A**

**Source Number: 012**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED VOC**

<b>XYLENES (TOTAL)</b>	<b>81551</b>	<b>012</b>	<b>2013/06/19</b>	<b>.000</b>	<b>2014/06</b>	<b>DUE</b>
------------------------	--------------	------------	-------------------	-------------	----------------	------------

**SECONDARY/GP**

BICARBONATE ALKALINITY	00440	036	2012/08/02	. 124.000	2015/08	
CALCIUM	00916	036	2013/06/19	. 11.700	2016/06	
CARBONATE ALKALINITY	00445	036	2012/08/02	.400	2015/08	
CHLORIDE	00940	036	2013/06/19	. 15.600	2016/06	
COLOR	00081	036	2013/06/19	. 50.000	2016/06	
COPPER	01042	036	2013/06/19	< 50.000	2016/06	
FOAMING AGENTS (MBAS)	38260	036	2013/06/19	< .050	2016/06	
HARDNESS (TOTAL) AS CaCO3	00900	036	2012/08/02	. 29.700	2015/08	
HYDROXIDE ALKALINITY	71830	036	2012/08/02	. .000	2015/08	
IRON	01045	036	2013/06/19	< 100.000	2016/06	
MAGNESIUM	00927	036	2013/06/19	. .341	2016/06	
MANGANESE	01055	036	2013/06/19	< 20.000	2016/06	
ODOR THRESHOLD @ 60 C	00086	036	2013/06/19	. 2.000	2016/06	
<b>PH, LABORATORY</b>	<b>00403</b>	<b>036</b>	<b>2007/08/30</b>	<b>8.600</b>	<b>2010/08</b>	<b>DUE</b>
SILVER	01077	036	2013/06/19	< 10.000	2016/06	
SODIUM	00929	036	2013/06/19	63.500	2016/06	
SPECIFIC CONDUCTANCE	00095	036	2013/06/19	. 308.000	2016/06	
SULFATE	00945	036	2013/06/19	7.830	2016/06	
TOTAL DISSOLVED SOLIDS	70300	036	2013/06/19	. 176.000	2016/06	
TURBIDITY, LABORATORY	82079	036	2013/06/19	. .112	2016/06	
ZINC	01092	036	2013/06/19	< 50.000	2016/06	

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910065**

**System Name: LONG BEACH-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910065-013**

**Source Name: CITIZENS WELL 08**

**Source Number: 013**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

ALUMINUM	01105	036	2013/06/19	< 50.000	2016/06
ANTIMONY	01097	036	2013/06/19	< 6.000	2016/06
ARSENIC	01002	036	2013/06/19	< 2.000	2016/06
BARIUM	01007	036	2013/06/19	< 100.000	2016/06
BERYLLIUM	01012	036	2013/06/19	< 1.000	2016/06
CADMIUM	01027	036	2013/06/19	< 1.000	2016/06
CHROMIUM (TOTAL)	01034	036	2013/06/19	< 10.000	2016/06
CYANIDE	01291	036	2013/06/19	< 100.000	2016/06
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/06/19	. 420	2016/06
MERCURY	71900	036	2013/06/19	< 1.000	2016/06
NICKEL	01067	036	2013/06/19	< 10.000	2016/06
PERCHLORATE	A-031	036	2011/09/08	< 4.000	2014/09
SELENIUM	01147	036	2013/06/19	< 5.000	2016/06
THALLIUM	01059	036	2013/06/19	< 1.000	2016/06

**NITRATE/NITRITE**

<b>NITRATE (AS NO3)</b>	71850	012	2013/06/19	< 2.000	2014/06	<b>DUE</b>
NITRITE (AS N)	00620	036	2013/06/19	< 400.000	2016/06	

**RADIOLOGICAL**

<b>GROSS ALPHA</b>	01501	003	2013/06/19	< 3.000	2013/09	<b>DUE</b>
--------------------	-------	-----	------------	---------	---------	------------

**REGULATED SOC**

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2012/08/02	< 3.000	2015/05
THIOBENCARB	A-001	033	2012/08/02	< 1.000	2015/05

**REGULATED VOC**

<b>1,1,1-TRICHLOROETHANE</b>	34506	012	2013/06/19	.000	2014/06	<b>DUE</b>
<b>1,1,2,2-TETRACHLOROETHANE</b>	34516	012	2013/06/19	.000	2014/06	<b>DUE</b>
<b>1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE</b>	81611	012	2013/06/19	. 000	2014/06	<b>DUE</b>
<b>1,1,2-TRICHLOROETHANE</b>	34511	012	2013/06/19	. 000	2014/06	<b>DUE</b>
<b>1,1-DICHLOROETHANE</b>	34496	012	2013/06/19	. 000	2014/06	<b>DUE</b>

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910065**

**System Name: LONG BEACH-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910065-013**

**Source Name: CITIZENS WELL 08**

**Source Number: 013**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED VOC**

1,1-DICHLOROETHYLENE	34501	012	2013/06/19	.000	2014/06	DUE
1,2,4-TRICHLOROBENZENE	34551	012	2013/06/19	.000	2014/06	DUE
1,2-DICHLOROBENZENE	34536	012	2013/06/19	.000	2014/06	DUE
1,2-DICHLOROETHANE	34531	012	2013/06/19	.000	2014/06	DUE
1,2-DICHLOROPROPANE	34541	012	2013/06/19	.000	2014/06	DUE
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2013/06/19	.000	2014/06	DUE
1,4-DICHLOROBENZENE	34571	012	2013/06/19	.000	2014/06	DUE
BENZENE	34030	012	2013/06/19	.000	2014/06	DUE
CARBON TETRACHLORIDE	32102	012	2013/06/19	.000	2014/06	DUE
CIS-1,2-DICHLOROETHYLENE	77093	012	2013/06/19	.000	2014/06	DUE
DICHLOROMETHANE	34423	012	2013/06/19	.000	2014/06	DUE
ETHYLBENZENE	34371	012	2013/06/19	.000	2014/06	DUE
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2013/06/19	.000	2014/06	DUE
MONOCHLOROBENZENE	34301	012	2013/06/19	.000	2014/06	DUE
STYRENE	77128	012	2013/06/19	.000	2014/06	DUE
TETRACHLOROETHYLENE	34475	012	2013/06/19	.000	2014/06	DUE
TOLUENE	34010	012	2013/06/19	.000	2014/06	DUE
TRANS-1,2-DICHLOROETHYLENE	34546	012	2013/06/19	.000	2014/06	DUE
TRICHLOROETHYLENE	39180	012	2013/06/19	.000	2014/06	DUE
TRICHLOROFLUOROMETHANE	34488	012	2013/06/19	.000	2014/06	DUE
VINYL CHLORIDE	39175	012	2013/06/19	.000	2014/06	DUE
XYLENES (TOTAL)	81551	012	2013/06/19	.000	2014/06	DUE

**SECONDARY/GP**

BICARBONATE ALKALINITY	00440	036	2012/08/02	126.800	2015/08
CALCIUM	00916	036	2013/06/19	19.000	2016/06
CARBONATE ALKALINITY	00445	036	2012/08/02	.300	2015/08
CHLORIDE	00940	036	2013/06/19	15.100	2016/06
COLOR	00081	036	2013/06/19	36.000	2016/06
COPPER	01042	036	2013/06/19	< 50.000	2016/06

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910065**

**System Name: LONG BEACH-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910065-013**

**Source Name: CITIZENS WELL 08**

**Source Number: 013**

**Source Status: ACTIVE RAW**

**Water type: G**

**SECONDARY/GP**

FOAMING AGENTS (MBAS)	38260	036	2013/06/19	< .050	2016/06	
HARDNESS (TOTAL) AS CaCO3	00900	036	2012/08/02	. 47.800	2015/08	
HYDROXIDE ALKALINITY	71830	036	2012/08/02	. .000	2015/08	
IRON	01045	036	2013/06/19	< 100.000	2016/06	
MAGNESIUM	00927	036	2013/06/19	. .974	2016/06	
MANGANESE	01055	036	2013/06/19	< 20.000	2016/06	
ODOR THRESHOLD @ 60 C	00086	036	2013/06/19	. 2.000	2016/06	
<b>PH, LABORATORY</b>	<b>00403</b>	<b>036</b>	<b>2007/08/29</b>	<b>8.500</b>	<b>2010/08</b>	<b>DUE</b>
SILVER	01077	036	2013/06/19	< 10.000	2016/06	
SODIUM	00929	036	2013/06/19	57.100	2016/06	
SPECIFIC CONDUCTANCE	00095	036	2013/06/19	. 326.000	2016/06	
SULFATE	00945	036	2013/06/19	10.860	2016/06	
TOTAL DISSOLVED SOLIDS	70300	036	2013/06/19	. 196.000	2016/06	
TURBIDITY, LABORATORY	82079	036	2013/06/19	. .251	2016/06	
ZINC	01092	036	2013/06/19	< 50.000	2016/06	

**PS Code: 1910065-014**

**Source Name: CITIZENS WELL 09**

**Source Number: 014**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

ALUMINUM	01105	036	2013/06/19	< 50.000	2016/06	
ANTIMONY	01097	036	2013/06/19	< 6.000	2016/06	
ARSENIC	01002	036	2013/06/19	. 4.600	2016/06	
BARIUM	01007	036	2013/06/19	< 100.000	2016/06	
BERYLLIUM	01012	036	2013/06/19	< 1.000	2016/06	
CADMIUM	01027	036	2013/06/19	< 1.000	2016/06	
CHROMIUM (TOTAL)	01034	036	2013/06/19	< 10.000	2016/06	

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910065**

**System Name: LONG BEACH-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910065-014**

**Source Name: CITIZENS WELL 09**

**Source Number: 014**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

CYANIDE	01291	036	2013/06/19	< 100.000	2016/06
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/06/19	.380	2016/06
MERCURY	71900	036	2013/06/19	< 1.000	2016/06
NICKEL	01067	036	2013/06/19	< 10.000	2016/06
PERCHLORATE	A-031	036	2011/11/30	< 4.000	2014/11
SELENIUM	01147	036	2013/06/19	< 5.000	2016/06
THALLIUM	01059	036	2013/06/19	< 1.000	2016/06

**NITRATE/NITRITE**

<b>NITRATE (AS NO3)</b>	71850	012	<b>2013/06/19</b>	< 2.000	<b>2014/06</b>	<b>DUE</b>
NITRITE (AS N)	00620	036	2013/06/19	< 400.000	2016/06	

**RADIOLOGICAL**

<b>GROSS ALPHA</b>	01501	003	<b>2013/06/19</b>	< 3.000	<b>2013/09</b>	<b>DUE</b>
--------------------	-------	-----	-------------------	---------	----------------	------------

**REGULATED SOC**

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2012/08/02	< 3.000	2015/05
THIOBENCARB	A-001	033	2012/08/02	< 1.000	2015/05

**REGULATED VOC**

<b>1,1,1-TRICHLOROETHANE</b>	34506	012	<b>2013/06/19</b>	.000	<b>2014/06</b>	<b>DUE</b>
<b>1,1,2,2-TETRACHLOROETHANE</b>	34516	012	<b>2013/06/19</b>	.000	<b>2014/06</b>	<b>DUE</b>
<b>1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE</b>	81611	012	<b>2013/06/19</b>	.000	<b>2014/06</b>	<b>DUE</b>
<b>1,1,2-TRICHLOROETHANE</b>	34511	012	<b>2013/06/19</b>	.000	<b>2014/06</b>	<b>DUE</b>
<b>1,1-DICHLOROETHANE</b>	34496	012	<b>2013/06/19</b>	.000	<b>2014/06</b>	<b>DUE</b>
<b>1,1-DICHLOROETHYLENE</b>	34501	012	<b>2013/06/19</b>	.000	<b>2014/06</b>	<b>DUE</b>
<b>1,2,4-TRICHLOROBENZENE</b>	34551	012	<b>2013/06/19</b>	.000	<b>2014/06</b>	<b>DUE</b>
<b>1,2-DICHLOROBENZENE</b>	34536	012	<b>2013/06/19</b>	.000	<b>2014/06</b>	<b>DUE</b>
<b>1,2-DICHLOROETHANE</b>	34531	012	<b>2013/06/19</b>	.000	<b>2014/06</b>	<b>DUE</b>
<b>1,2-DICHLOROPROPANE</b>	34541	012	<b>2013/06/19</b>	.000	<b>2014/06</b>	<b>DUE</b>
<b>1,3-DICHLOROPROPENE (TOTAL)</b>	34561	012	<b>2013/06/19</b>	.000	<b>2014/06</b>	<b>DUE</b>
<b>1,4-DICHLOROBENZENE</b>	34571	012	<b>2013/06/19</b>	.000	<b>2014/06</b>	<b>DUE</b>

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910065**

**System Name: LONG BEACH-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910065-014**

**Source Name: CITIZENS WELL 09**

**Source Number: 014**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED VOC**

<b>BENZENE</b>	<b>34030</b>	<b>012</b>	<b>2013/06/19</b>	<b>.000</b>	<b>2014/06</b>	<b>DUE</b>
<b>CARBON TETRACHLORIDE</b>	<b>32102</b>	<b>012</b>	<b>2013/06/19</b>	<b>.000</b>	<b>2014/06</b>	<b>DUE</b>
<b>CIS-1,2-DICHLOROETHYLENE</b>	<b>77093</b>	<b>012</b>	<b>2013/06/19</b>	<b>.000</b>	<b>2014/06</b>	<b>DUE</b>
<b>DICHLOROMETHANE</b>	<b>34423</b>	<b>012</b>	<b>2013/06/19</b>	<b>.000</b>	<b>2014/06</b>	<b>DUE</b>
<b>ETHYLBENZENE</b>	<b>34371</b>	<b>012</b>	<b>2013/06/19</b>	<b>.000</b>	<b>2014/06</b>	<b>DUE</b>
<b>METHYL-TERT-BUTYL-ETHER (MTBE)</b>	<b>46491</b>	<b>012</b>	<b>2013/06/19</b>	<b>.000</b>	<b>2014/06</b>	<b>DUE</b>
<b>MONOCHLOROBENZENE</b>	<b>34301</b>	<b>012</b>	<b>2013/06/19</b>	<b>.000</b>	<b>2014/06</b>	<b>DUE</b>
<b>STYRENE</b>	<b>77128</b>	<b>012</b>	<b>2013/06/19</b>	<b>.000</b>	<b>2014/06</b>	<b>DUE</b>
<b>TETRACHLOROETHYLENE</b>	<b>34475</b>	<b>012</b>	<b>2013/06/19</b>	<b>.000</b>	<b>2014/06</b>	<b>DUE</b>
<b>TOLUENE</b>	<b>34010</b>	<b>012</b>	<b>2013/06/19</b>	<b>.000</b>	<b>2014/06</b>	<b>DUE</b>
<b>TRANS-1,2-DICHLOROETHYLENE</b>	<b>34546</b>	<b>012</b>	<b>2013/06/19</b>	<b>.000</b>	<b>2014/06</b>	<b>DUE</b>
<b>TRICHLOROETHYLENE</b>	<b>39180</b>	<b>012</b>	<b>2013/06/19</b>	<b>.000</b>	<b>2014/06</b>	<b>DUE</b>
<b>TRICHLOROFLUOROMETHANE</b>	<b>34488</b>	<b>012</b>	<b>2013/06/19</b>	<b>.000</b>	<b>2014/06</b>	<b>DUE</b>
<b>VINYL CHLORIDE</b>	<b>39175</b>	<b>012</b>	<b>2013/06/19</b>	<b>.000</b>	<b>2014/06</b>	<b>DUE</b>
<b>XYLENES (TOTAL)</b>	<b>81551</b>	<b>012</b>	<b>2013/06/19</b>	<b>.000</b>	<b>2014/06</b>	<b>DUE</b>

**SECONDARY/GP**

<b>BICARBONATE ALKALINITY</b>	<b>00440</b>	<b>036</b>	<b>2012/08/02</b>	<b>. 127.900</b>	<b>2015/08</b>
<b>CALCIUM</b>	<b>00916</b>	<b>036</b>	<b>2013/06/19</b>	<b>. 19.300</b>	<b>2016/06</b>
<b>CARBONATE ALKALINITY</b>	<b>00445</b>	<b>036</b>	<b>2012/08/02</b>	<b>.200</b>	<b>2015/08</b>
<b>CHLORIDE</b>	<b>00940</b>	<b>036</b>	<b>2013/06/19</b>	<b>. 15.000</b>	<b>2016/06</b>
<b>COLOR</b>	<b>00081</b>	<b>036</b>	<b>2013/06/19</b>	<b>. 25.000</b>	<b>2016/06</b>
<b>COPPER</b>	<b>01042</b>	<b>036</b>	<b>2013/06/19</b>	<b>&lt; 50.000</b>	<b>2016/06</b>
<b>FOAMING AGENTS (MBAS)</b>	<b>38260</b>	<b>036</b>	<b>2013/06/19</b>	<b>&lt; .050</b>	<b>2016/06</b>
<b>HARDNESS (TOTAL) AS CaCO3</b>	<b>00900</b>	<b>036</b>	<b>2012/08/02</b>	<b>. 51.200</b>	<b>2015/08</b>
<b>HYDROXIDE ALKALINITY</b>	<b>71830</b>	<b>036</b>	<b>2012/08/02</b>	<b>. .000</b>	<b>2015/08</b>
<b>IRON</b>	<b>01045</b>	<b>036</b>	<b>2013/06/19</b>	<b>&lt; 100.000</b>	<b>2016/06</b>
<b>MAGNESIUM</b>	<b>00927</b>	<b>036</b>	<b>2013/06/19</b>	<b>. .772</b>	<b>2016/06</b>
<b>MANGANESE</b>	<b>01055</b>	<b>036</b>	<b>2013/06/19</b>	<b>&lt; 20.000</b>	<b>2016/06</b>
<b>ODOR THRESHOLD @ 60 C</b>	<b>00086</b>	<b>036</b>	<b>2013/06/19</b>	<b>. 2.000</b>	<b>2016/06</b>

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)



**System Number: 1910065**

**System Name: LONG BEACH-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910065-014**

**Source Name: CITIZENS WELL 09**

**Source Number: 014**

**Source Status: ACTIVE RAW**

**Water type: G**

**SECONDARY/GP**

	<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>	
<b>PH, LABORATORY</b>	<b>00403</b>	<b>036</b>	<b>2007/08/29</b>	<b>8.500</b>	<b>2010/08</b>	<b>DUE</b>
SILVER	01077	036	2013/06/19	< 10.000	2016/06	
SODIUM	00929	036	2013/06/19	56.000	2016/06	
SPECIFIC CONDUCTANCE	00095	036	2013/06/19	. 317.000	2016/06	
SULFATE	00945	036	2013/06/19	10.340	2016/06	
TOTAL DISSOLVED SOLIDS	70300	036	2013/06/19	. 184.000	2016/06	
TURBIDITY, LABORATORY	82079	036	2013/06/19	. .106	2016/06	
ZINC	01092	036	2013/06/19	< 50.000	2016/06	

**PS Code: 1910065-020**

**Source Name: COMMISSION WELL 10**

**Source Number: 020**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

	<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
ALUMINUM	01105	036	2013/06/21	< 50.000	2016/06
ANTIMONY	01097	036	2013/06/21	< 6.000	2016/06
ARSENIC	01002	036	2013/06/21	. 6.400	2016/06
BARIUM	01007	036	2013/06/21	< 100.000	2016/06
BERYLLIUM	01012	036	2013/06/21	< 1.000	2016/06
CADMIUM	01027	036	2013/06/21	< 1.000	2016/06
CHROMIUM (TOTAL)	01034	036	2013/06/21	< 10.000	2016/06
CYANIDE	01291	036	2013/06/21	< 100.000	2016/06
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/06/21	. .380	2016/06
MERCURY	71900	036	2013/06/21	< 1.000	2016/06
NICKEL	01067	036	2013/06/21	< 10.000	2016/06
PERCHLORATE	A-031	036	2011/09/06	< 4.000	2014/09
SELENIUM	01147	036	2013/06/21	< 5.000	2016/06
THALLIUM	01059	036	2013/06/21	< 1.000	2016/06

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910065**

**System Name: LONG BEACH-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910065-020**

**Source Name: COMMISSION WELL 10**

**Source Number: 020**

**Source Status: ACTIVE RAW**

**Water type: G**

**NITRATE/NITRITE**

<b>NITRATE (AS NO3)</b>	71850	012	2013/06/21	< 2.000	2014/06	<b>DUE</b>
NITRITE (AS N)	00620	036	2013/06/21	< 400.000	2016/06	

**RADIOLOGICAL**

<b>GROSS ALPHA</b>	01501	003	2013/06/21	< 3.000	2013/09	<b>DUE</b>
--------------------	-------	-----	------------	---------	---------	------------

**REGULATED SOC**

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2012/08/09	< 3.000	2015/05	
THIOBENCARB	A-001	033	2012/08/09	< 1.000	2015/05	

**REGULATED VOC**

<b>1,1,1-TRICHLOROETHANE</b>	34506	012	2013/06/21	.000	2014/06	<b>DUE</b>
<b>1,1,2,2-TETRACHLOROETHANE</b>	34516	012	2013/06/21	.000	2014/06	<b>DUE</b>
<b>1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE</b>	81611	012	2013/06/21	.000	2014/06	<b>DUE</b>
<b>1,1,2-TRICHLOROETHANE</b>	34511	012	2013/06/21	.000	2014/06	<b>DUE</b>
<b>1,1-DICHLOROETHANE</b>	34496	012	2013/06/21	.000	2014/06	<b>DUE</b>
<b>1,1-DICHLOROETHYLENE</b>	34501	012	2013/06/21	.000	2014/06	<b>DUE</b>
<b>1,2,4-TRICHLOROBENZENE</b>	34551	012	2013/06/21	.000	2014/06	<b>DUE</b>
<b>1,2-DICHLOROBENZENE</b>	34536	012	2013/06/21	.000	2014/06	<b>DUE</b>
<b>1,2-DICHLOROETHANE</b>	34531	012	2013/06/21	.000	2014/06	<b>DUE</b>
<b>1,2-DICHLOROPROPANE</b>	34541	012	2013/06/21	.000	2014/06	<b>DUE</b>
<b>1,3-DICHLOROPROPENE (TOTAL)</b>	34561	012	2013/06/21	.000	2014/06	<b>DUE</b>
<b>1,4-DICHLOROBENZENE</b>	34571	012	2013/06/21	.000	2014/06	<b>DUE</b>
<b>BENZENE</b>	34030	012	2013/06/21	.000	2014/06	<b>DUE</b>
<b>CARBON TETRACHLORIDE</b>	32102	012	2013/06/21	.000	2014/06	<b>DUE</b>
<b>CIS-1,2-DICHLOROETHYLENE</b>	77093	012	2013/06/21	.000	2014/06	<b>DUE</b>
<b>DICHLOROMETHANE</b>	34423	012	2013/06/21	.000	2014/06	<b>DUE</b>
<b>ETHYLBENZENE</b>	34371	012	2013/06/21	.000	2014/06	<b>DUE</b>
<b>METHYL-TERT-BUTYL-ETHER (MTBE)</b>	46491	012	2013/06/21	.000	2014/06	<b>DUE</b>
<b>MONOCHLOROBENZENE</b>	34301	012	2013/06/21	.000	2014/06	<b>DUE</b>
<b>STYRENE</b>	77128	012	2013/06/21	.000	2014/06	<b>DUE</b>

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910065**

**System Name: LONG BEACH-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910065-020**

**Source Name: COMMISSION WELL 10**

**Source Number: 020**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED VOC**

<b>TETRACHLOROETHYLENE</b>	34475	012	2013/06/21	.000	2014/06	<b>DUE</b>
<b>TOLUENE</b>	34010	012	2013/06/21	.000	2014/06	<b>DUE</b>
<b>TRANS-1,2-DICHLOROETHYLENE</b>	34546	012	2013/06/21	.000	2014/06	<b>DUE</b>
<b>TRICHLOROETHYLENE</b>	39180	012	2013/06/21	.000	2014/06	<b>DUE</b>
<b>TRICHLOROFLUOROMETHANE</b>	34488	012	2013/06/21	.000	2014/06	<b>DUE</b>
<b>VINYL CHLORIDE</b>	39175	012	2013/06/21	.000	2014/06	<b>DUE</b>
<b>XYLENES (TOTAL)</b>	81551	012	2013/06/21	.000	2014/06	<b>DUE</b>

**SECONDARY/GP**

BICARBONATE ALKALINITY	00440	036	2012/08/09	. 162.400	2015/08	
CALCIUM	00916	036	2013/06/21	. 48.000	2016/06	
CARBONATE ALKALINITY	00445	036	2012/08/09	.000	2015/08	
CHLORIDE	00940	036	2013/06/21	. 7.380	2016/06	
COLOR	00081	036	2013/06/21	. 2.000	2016/06	
COPPER	01042	036	2013/06/21	< 50.000	2016/06	
FOAMING AGENTS (MBAS)	38260	036	2013/06/21	< .050	2016/06	
HARDNESS (TOTAL) AS CaCO3	00900	036	2012/08/09	. 131.700	2015/08	
HYDROXIDE ALKALINITY	71830	036	2012/08/09	. .000	2015/08	
IRON	01045	036	2013/06/21	< 100.000	2016/06	
MAGNESIUM	00927	036	2013/06/21	. 4.900	2016/06	
MANGANESE	01055	036	2013/06/21	< 20.000	2016/06	
ODOR THRESHOLD @ 60 C	00086	036	2013/06/21	. 1.000	2016/06	
<b>PH, LABORATORY</b>	00403	036	2007/08/31	8.200	2010/08	<b>DUE</b>
SILVER	01077	036	2013/06/21	< 10.000	2016/06	
SODIUM	00929	036	2013/06/21	31.000	2016/06	
SPECIFIC CONDUCTANCE	00095	036	2013/06/21	. 356.000	2016/06	
SULFATE	00945	036	2013/06/21	21.600	2016/06	
TOTAL DISSOLVED SOLIDS	70300	036	2013/06/21	. 216.000	2016/06	
TURBIDITY, LABORATORY	82079	036	2013/06/21	. .097	2016/06	
ZINC	01092	036	2013/06/21	< 50.000	2016/06	

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910065**

**System Name: LONG BEACH-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910065-023**

**Source Name: COMMISSION WELL 14 (NEW)**

**Source Number: 023**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

ALUMINUM	01105	036	2013/06/24	< 50.000	2016/06
ANTIMONY	01097	036	2013/06/24	< 6.000	2016/06
ARSENIC	01002	036	2013/06/24	< 2.000	2016/06
BARIUM	01007	036	2013/06/24	< 100.000	2016/06
BERYLLIUM	01012	036	2013/06/24	< 1.000	2016/06
CADMIUM	01027	036	2013/06/24	< 1.000	2016/06
CHROMIUM (TOTAL)	01034	036	2013/06/24	< 10.000	2016/06
CHROMIUM, HEXAVALENT	01032	036	2011/08/11	< 1.000	2014/08
CYANIDE	01291	036	2013/06/24	< 100.000	2016/06
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/06/24	.440	2016/06
MERCURY	71900	036	2013/06/24	< 1.000	2016/06
NICKEL	01067	036	2013/06/24	< 10.000	2016/06
PERCHLORATE	A-031	036	2011/08/11	< 4.000	2014/08
SELENIUM	01147	036	2013/06/24	< 5.000	2016/06
THALLIUM	01059	036	2013/06/24	< 1.000	2016/06

**NITRATE/NITRITE**

<b>NITRATE (AS NO3)</b>	71850	012	2013/06/24	< 2.000	2014/06	<b>DUE</b>
NITRITE (AS N)	00620	036	2013/06/24	< 400.000	2016/06	

**RADIOLOGICAL**

<b>GROSS ALPHA</b>	01501	003	2013/06/24	< 3.000	2013/09	<b>DUE</b>
--------------------	-------	-----	------------	---------	---------	------------

**REGULATED SOC**

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2012/08/09	< 3.000	2015/05
THIOBENCARB	A-001	033	2012/08/09	< 1.000	2015/05

**REGULATED VOC**

<b>1,1,1-TRICHLOROETHANE</b>	34506	012	2013/06/24	.000	2014/06	<b>DUE</b>
<b>1,1,2,2-TETRACHLOROETHANE</b>	34516	012	2013/06/24	.000	2014/06	<b>DUE</b>
<b>1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE</b>	81611	012	2013/06/24	.000	2014/06	<b>DUE</b>
<b>1,1,2-TRICHLOROETHANE</b>	34511	012	2013/06/24	.000	2014/06	<b>DUE</b>

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910065**

**System Name: LONG BEACH-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910065-023**

**Source Name: COMMISSION WELL 14 (NEW)**

**Source Number: 023**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED VOC**

1,1-DICHLOROETHANE	34496	012	2013/06/24	.000	2014/06	DUE
1,1-DICHLOROETHYLENE	34501	012	2013/06/24	.000	2014/06	DUE
1,2,4-TRICHLOROBENZENE	34551	012	2013/06/24	.000	2014/06	DUE
1,2-DICHLOROBENZENE	34536	012	2013/06/24	.000	2014/06	DUE
1,2-DICHLOROETHANE	34531	012	2013/06/24	.000	2014/06	DUE
1,2-DICHLOROPROPANE	34541	012	2013/06/24	.000	2014/06	DUE
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2013/06/24	.000	2014/06	DUE
1,4-DICHLOROBENZENE	34571	012	2013/06/24	.000	2014/06	DUE
BENZENE	34030	012	2013/06/24	.000	2014/06	DUE
CARBON TETRACHLORIDE	32102	012	2013/06/24	.000	2014/06	DUE
CIS-1,2-DICHLOROETHYLENE	77093	012	2013/06/24	.000	2014/06	DUE
DICHLOROMETHANE	34423	012	2013/06/24	.000	2014/06	DUE
ETHYLBENZENE	34371	012	2013/06/24	.000	2014/06	DUE
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2013/06/24	.000	2014/06	DUE
MONOCHLOROBENZENE	34301	012	2013/06/24	.000	2014/06	DUE
STYRENE	77128	012	2013/06/24	.000	2014/06	DUE
TETRACHLOROETHYLENE	34475	012	2013/06/24	.000	2014/06	DUE
TOLUENE	34010	012	2013/06/24	.000	2014/06	DUE
TRANS-1,2-DICHLOROETHYLENE	34546	012	2013/06/24	.000	2014/06	DUE
TRICHLOROETHYLENE	39180	012	2013/06/24	.000	2014/06	DUE
TRICHLOROFLUOROMETHANE	34488	012	2013/06/24	.000	2014/06	DUE
VINYL CHLORIDE	39175	012	2013/06/24	.000	2014/06	DUE
XYLENES (TOTAL)	81551	012	2013/06/24	.000	2014/06	DUE

**SECONDARY/GP**

BICARBONATE ALKALINITY	00440	036	2012/08/09	.114.500	2015/08
CALCIUM	00916	036	2013/06/24	.13.800	2016/06
CARBONATE ALKALINITY	00445	036	2012/08/09	.400	2015/08
CHLORIDE	00940	036	2013/06/24	.21.200	2016/06
COLOR	00081	036	2013/06/24	.14.000	2016/06

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910065**

**System Name: LONG BEACH-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910065-023**

**Source Name: COMMISSION WELL 14 (NEW)**

**Source Number: 023**

**Source Status: ACTIVE RAW**

**Water type: G**

**SECONDARY/GP**

COPPER	01042	036	2013/06/24	< 50.000	2016/06
FOAMING AGENTS (MBAS)	38260	036	2013/06/24	< .050	2016/06
HARDNESS (TOTAL) AS CaCO3	00900	036	2012/08/09	. 35.100	2015/08
HYDROXIDE ALKALINITY	71830	036	2012/08/09	. .000	2015/08
IRON	01045	036	2013/06/24	< 100.000	2016/06
MAGNESIUM	00927	036	2013/06/24	. .304	2016/06
MANGANESE	01055	036	2013/06/24	< 20.000	2016/06
ODOR THRESHOLD @ 60 C	00086	036	2013/06/24	. 4.000	2016/06
<b>PH, LABORATORY</b>	00403	036	<b>2007/08/31</b>	<b>8.600</b>	<b>2010/08 DUE</b>
SILVER	01077	036	2013/06/24	< 10.000	2016/06
SODIUM	00929	036	2013/06/24	57.000	2016/06
SPECIFIC CONDUCTANCE	00095	036	2013/06/24	. 304.000	2016/06
SULFATE	00945	036	2013/06/24	12.900	2016/06
TOTAL DISSOLVED SOLIDS	70300	036	2013/06/24	. 208.000	2016/06
TURBIDITY, LABORATORY	82079	036	2013/06/24	. .084	2016/06
ZINC	01092	036	2013/06/24	< 50.000	2016/06

**PS Code: 1910065-025**

**Source Name: COMMISSION WELL 15**

**Source Number: 025**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

ALUMINUM	01105	036	2013/06/21	< 50.000	2016/06
ANTIMONY	01097	036	2013/06/21	< 6.000	2016/06
ARSENIC	01002	036	2013/06/21	< 2.000	2016/06
BARIUM	01007	036	2013/06/21	< 100.000	2016/06
BERYLLIUM	01012	036	2013/06/21	< 1.000	2016/06
CADMIUM	01027	036	2013/06/21	< 1.000	2016/06

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910065**

**System Name: LONG BEACH-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910065-025**

**Source Name: COMMISSION WELL 15**

**Source Number: 025**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

CHROMIUM (TOTAL)	01034	036	2013/06/21	< 10.000	2016/06
CYANIDE	01291	036	2013/06/21	< 100.000	2016/06
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/06/21	. 440	2016/06
MERCURY	71900	036	2013/06/21	< 1.000	2016/06
NICKEL	01067	036	2013/06/21	< 10.000	2016/06
PERCHLORATE	A-031	036	2011/08/25	< 4.000	2014/08
SELENIUM	01147	036	2013/06/21	< 5.000	2016/06
THALLIUM	01059	036	2013/06/21	< 1.000	2016/06

**NITRATE/NITRITE**

<b>NITRATE (AS NO3)</b>	71850	012	<b>2013/06/21</b>	< 2.000	<b>2014/06 DUE</b>
NITRITE (AS N)	00620	036	2013/06/21	< 400.000	2016/06

**RADIOLOGICAL**

<b>GROSS ALPHA</b>	01501	003	<b>2013/06/21</b>	< 3.000	<b>2013/09 DUE</b>
--------------------	-------	-----	-------------------	---------	--------------------

**REGULATED SOC**

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2012/08/09	< 3.000	2015/05
THIOBENCARB	A-001	033	2012/08/09	< 1.000	2015/05

**REGULATED VOC**

<b>1,1,1-TRICHLOROETHANE</b>	34506	012	<b>2013/06/21</b>	. 000	<b>2014/06 DUE</b>
<b>1,1,2,2-TETRACHLOROETHANE</b>	34516	012	<b>2013/06/21</b>	. 000	<b>2014/06 DUE</b>
<b>1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE</b>	81611	012	<b>2013/06/21</b>	. 000	<b>2014/06 DUE</b>
<b>1,1,2-TRICHLOROETHANE</b>	34511	012	<b>2013/06/21</b>	. 000	<b>2014/06 DUE</b>
<b>1,1-DICHLOROETHANE</b>	34496	012	<b>2013/06/21</b>	. 000	<b>2014/06 DUE</b>
<b>1,1-DICHLOROETHYLENE</b>	34501	012	<b>2013/06/21</b>	. 000	<b>2014/06 DUE</b>
<b>1,2,4-TRICHLOROBENZENE</b>	34551	012	<b>2013/06/21</b>	. 000	<b>2014/06 DUE</b>
<b>1,2-DICHLOROBENZENE</b>	34536	012	<b>2013/06/21</b>	. 000	<b>2014/06 DUE</b>
<b>1,2-DICHLOROETHANE</b>	34531	012	<b>2013/06/21</b>	. 000	<b>2014/06 DUE</b>
<b>1,2-DICHLOROPROPANE</b>	34541	012	<b>2013/06/21</b>	. 000	<b>2014/06 DUE</b>
<b>1,3-DICHLOROPROPENE (TOTAL)</b>	34561	012	<b>2013/06/21</b>	. 000	<b>2014/06 DUE</b>

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910065**

**System Name: LONG BEACH-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910065-025**

**Source Name: COMMISSION WELL 15**

**Source Number: 025**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED VOC**

1,4-DICHLOROBENZENE	34571	012	2013/06/21	.000	2014/06	DUE
BENZENE	34030	012	2013/06/21	.000	2014/06	DUE
CARBON TETRACHLORIDE	32102	012	2013/06/21	.000	2014/06	DUE
CIS-1,2-DICHLOROETHYLENE	77093	012	2013/06/21	.000	2014/06	DUE
DICHLOROMETHANE	34423	012	2013/06/21	.000	2014/06	DUE
ETHYLBENZENE	34371	012	2013/06/21	.000	2014/06	DUE
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2013/06/21	.000	2014/06	DUE
MONOCHLOROBENZENE	34301	012	2013/06/21	.000	2014/06	DUE
STYRENE	77128	012	2013/06/21	.000	2014/06	DUE
TETRACHLOROETHYLENE	34475	012	2013/06/21	.000	2014/06	DUE
TOLUENE	34010	012	2013/06/21	.000	2014/06	DUE
TRANS-1,2-DICHLOROETHYLENE	34546	012	2013/06/21	.000	2014/06	DUE
TRICHLOROETHYLENE	39180	012	2013/06/21	.000	2014/06	DUE
TRICHLOROFLUOROMETHANE	34488	012	2013/06/21	.000	2014/06	DUE
VINYL CHLORIDE	39175	012	2013/06/21	.000	2014/06	DUE
XYLENES (TOTAL)	81551	012	2013/06/21	.000	2014/06	DUE

**SECONDARY/GP**

BICARBONATE ALKALINITY	00440	036	2012/08/09	133.800	2015/08	
CALCIUM	00916	036	2013/06/21	15.000	2016/06	
CARBONATE ALKALINITY	00445	036	2012/08/09	.500	2015/08	
CHLORIDE	00940	036	2013/06/21	18.000	2016/06	
COLOR	00081	036	2013/06/21	40.000	2016/06	
COPPER	01042	036	2013/06/21	< 50.000	2016/06	
FOAMING AGENTS (MBAS)	38260	036	2013/06/21	< .050	2016/06	
HARDNESS (TOTAL) AS CaCO3	00900	036	2012/08/09	37.800	2015/08	
HYDROXIDE ALKALINITY	71830	036	2012/08/09	.000	2015/08	
IRON	01045	036	2013/06/21	< 100.000	2016/06	
MAGNESIUM	00927	036	2013/06/21	.651	2016/06	
MANGANESE	01055	036	2013/06/21	< 20.000	2016/06	

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)



**System Number: 1910065**

**System Name: LONG BEACH-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910065-025**

**Source Name: COMMISSION WELL 15**

**Source Number: 025**

**Source Status: ACTIVE RAW**

**Water type: G**

**SECONDARY/GP**

ODOR THRESHOLD @ 60 C	00086	036	2013/06/21	. 4.000	2016/06
<b>PH, LABORATORY</b>	00403	036	<b>2007/08/31</b>	<b>8.600</b>	<b>2010/08 DUE</b>
SILVER	01077	036	2013/06/21	< 10.000	2016/06
SODIUM	00929	036	2013/06/21	62.000	2016/06
SPECIFIC CONDUCTANCE	00095	036	2013/06/21	. 328.000	2016/06
SULFATE	00945	036	2013/06/21	4.000	2016/06
TOTAL DISSOLVED SOLIDS	70300	036	2013/06/21	. 188.000	2016/06
TURBIDITY, LABORATORY	82079	036	2013/06/21	. .115	2016/06
ZINC	01092	036	2013/06/21	< 50.000	2016/06

**PS Code: 1910065-026**

**Source Name: COMMISSION WELL 16**

**Source Number: 026**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

ALUMINUM	01105	036	2013/06/21	< 50.000	2016/06
ANTIMONY	01097	036	2013/06/21	< 6.000	2016/06
ARSENIC	01002	036	2013/06/21	. 4.000	2016/06
BARIUM	01007	036	2013/06/21	< 100.000	2016/06
BERYLLIUM	01012	036	2013/06/21	< 1.000	2016/06
CADMIUM	01027	036	2013/06/21	< 1.000	2016/06
CHROMIUM (TOTAL)	01034	036	2013/06/21	< 10.000	2016/06
CHROMIUM, HEXAVALENT	01032	036	2011/09/02	< 1.000	2014/09
CYANIDE	01291	036	2013/06/21	< 100.000	2016/06
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/06/21	. .420	2016/06
MERCURY	71900	036	2013/06/21	< 1.000	2016/06
NICKEL	01067	036	2013/06/21	< 10.000	2016/06
PERCHLORATE	A-031	036	2011/09/02	< 4.000	2014/09

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910065**

**System Name: LONG BEACH-CITY, WATER DEPT.**

	<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>	
<b>PS Code: 1910065-026</b>						
<b>Source Name: COMMISSION WELL 16</b>						
<b>Source Number: 026</b>						
<b>Source Status: ACTIVE RAW</b>						
<b>Water type: G</b>						
<b><u>INORGANIC</u></b>						
SELENIUM	01147	036	2013/06/21	< 5.000	2016/06	
THALLIUM	01059	036	2013/06/21	< 1.000	2016/06	
<b><u>NITRATE/NITRITE</u></b>						
NITRATE (AS NO3)	71850	012	2013/06/21	< 2.000	2014/06	DUE
NITRITE (AS N)	00620	036	2013/06/21	< 400.000	2016/06	
<b><u>RADIOLOGICAL</u></b>						
GROSS ALPHA	01501	003	2013/06/21	< 3.000	2013/09	DUE
<b><u>REGULATED SOC</u></b>						
DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2012/08/09	< 3.000	2015/05	
THIOBENCARB	A-001	033	2012/08/09	< 1.000	2015/05	
<b><u>REGULATED VOC</u></b>						
1,1,1-TRICHLOROETHANE	34506	012	2013/06/21	.000	2014/06	DUE
1,1,2,2-TETRACHLOROETHANE	34516	012	2013/06/21	.000	2014/06	DUE
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2013/06/21	.000	2014/06	DUE
1,1,2-TRICHLOROETHANE	34511	012	2013/06/21	.000	2014/06	DUE
1,1-DICHLOROETHANE	34496	012	2013/06/21	.000	2014/06	DUE
1,1-DICHLOROETHYLENE	34501	012	2013/06/21	.000	2014/06	DUE
1,2,4-TRICHLOROBENZENE	34551	012	2013/06/21	.000	2014/06	DUE
1,2-DICHLOROBENZENE	34536	012	2013/06/21	.000	2014/06	DUE
1,2-DICHLOROETHANE	34531	012	2013/06/21	.000	2014/06	DUE
1,2-DICHLOROPROPANE	34541	012	2013/06/21	.000	2014/06	DUE
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2013/06/21	.000	2014/06	DUE
1,4-DICHLOROBENZENE	34571	012	2013/06/21	.000	2014/06	DUE
BENZENE	34030	012	2013/06/21	.000	2014/06	DUE
CARBON TETRACHLORIDE	32102	012	2013/06/21	.000	2014/06	DUE
CIS-1,2-DICHLOROETHYLENE	77093	012	2013/06/21	.000	2014/06	DUE
DICHLOROMETHANE	34423	012	2013/06/21	.000	2014/06	DUE
ETHYLBENZENE	34371	012	2013/06/21	.000	2014/06	DUE

\*Testing interval is in months;  
 0 = No data for this constituent and is DUE NOW  
 I = Invalid (NOT) valid analyses reported  
 Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910065**

**System Name: LONG BEACH-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910065-026**

**Source Name: COMMISSION WELL 16**

**Source Number: 026**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED VOC**

METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2013/06/21	.000	2014/06	DUE
MONOCHLOROBENZENE	34301	012	2013/06/21	.000	2014/06	DUE
STYRENE	77128	012	2013/06/21	.000	2014/06	DUE
TETRACHLOROETHYLENE	34475	012	2013/06/21	.000	2014/06	DUE
TOLUENE	34010	012	2013/06/21	.000	2014/06	DUE
TRANS-1,2-DICHLOROETHYLENE	34546	012	2013/06/21	.000	2014/06	DUE
TRICHLOROETHYLENE	39180	012	2013/06/21	.000	2014/06	DUE
TRICHLOROFLUOROMETHANE	34488	012	2013/06/21	.000	2014/06	DUE
VINYL CHLORIDE	39175	012	2013/06/21	.000	2014/06	DUE
XYLENES (TOTAL)	81551	012	2013/06/21	.000	2014/06	DUE

**SECONDARY/GP**

BICARBONATE ALKALINITY	00440	036	2012/08/09	.119.300	2015/08	
CALCIUM	00916	036	2013/06/21	.15.900	2016/06	
CARBONATE ALKALINITY	00445	036	2012/08/09	.300	2015/08	
CHLORIDE	00940	036	2013/06/21	.22.400	2016/06	
COLOR	00081	036	2013/06/21	.23.000	2016/06	
COPPER	01042	036	2013/06/21	< 50.000	2016/06	
FOAMING AGENTS (MBAS)	38260	036	2013/06/21	< .050	2016/06	
HARDNESS (TOTAL) AS CaCO3	00900	036	2012/08/09	.38.900	2015/08	
HYDROXIDE ALKALINITY	71830	036	2012/08/09	.000	2015/08	
IRON	01045	036	2013/06/21	< 100.000	2016/06	
MAGNESIUM	00927	036	2013/06/21	.524	2016/06	
MANGANESE	01055	036	2013/06/21	< 20.000	2016/06	
ODOR THRESHOLD @ 60 C	00086	036	2013/06/21	.3.000	2016/06	
<b>PH, LABORATORY</b>	<b>00403</b>	<b>036</b>	<b>2007/08/31</b>	<b>8.500</b>	<b>2010/08</b>	<b>DUE</b>
SILVER	01077	036	2013/06/21	< 10.000	2016/06	
SODIUM	00929	036	2013/06/21	58.000	2016/06	
SPECIFIC CONDUCTANCE	00095	036	2013/06/21	.324.000	2016/06	
SULFATE	00945	036	2013/06/21	7.160	2016/06	

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910065**

**System Name: LONG BEACH-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910065-026**

**Source Name: COMMISSION WELL 16**

**Source Number: 026**

**Source Status: ACTIVE RAW**

**Water type: G**

**SECONDARY/GP**

TOTAL DISSOLVED SOLIDS	70300	036	2013/06/21	. 172.000	2016/06
TURBIDITY, LABORATORY	82079	036	2013/06/21	. .089	2016/06
ZINC	01092	036	2013/06/21	< 50.000	2016/06

**PS Code: 1910065-027**

**Source Name: COMMISSION WELL 17**

**Source Number: 027**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

ALUMINUM	01105	036	2013/06/24	< 50.000	2016/06
ANTIMONY	01097	036	2013/06/24	< 6.000	2016/06
ARSENIC	01002	036	2013/06/24	. 11.000	2016/06
BARIUM	01007	036	2013/06/24	< 100.000	2016/06
BERYLLIUM	01012	036	2013/06/24	< 1.000	2016/06
CADMIUM	01027	036	2013/06/24	< 1.000	2016/06
CHROMIUM (TOTAL)	01034	036	2013/06/24	< 10.000	2016/06
CHROMIUM, HEXAVALENT	01032	036	2011/08/18	< 1.000	2014/08
CYANIDE	01291	036	2013/06/24	< 100.000	2016/06
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/06/24	. .340	2016/06
MERCURY	71900	036	2013/06/24	< 1.000	2016/06
NICKEL	01067	036	2013/06/24	< 10.000	2016/06
PERCHLORATE	A-031	036	2011/08/18	< 4.000	2014/08
SELENIUM	01147	036	2013/06/24	< 5.000	2016/06
THALLIUM	01059	036	2013/06/24	< 1.000	2016/06

**NITRATE/NITRITE**

<b>NITRATE (AS NO3)</b>	71850	012	<b>2013/06/24</b>	< 2.000	<b>2014/06</b>	<b>DUE</b>
NITRITE (AS N)	00620	036	2013/06/24	< 400.000	2016/06	

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910065**

**System Name: LONG BEACH-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910065-027**

**Source Name: COMMISSION WELL 17**

**Source Number: 027**

**Source Status: ACTIVE RAW**

**Water type: G**

**RADIOLOGICAL**

<b>GROSS ALPHA</b>	<b>01501</b>	<b>003</b>	<b>2013/06/24</b>	<b>&lt; 3.000</b>	<b>2013/09</b>	<b>DUE</b>
--------------------	--------------	------------	-------------------	-------------------	----------------	------------

**REGULATED SOC**

<b>DI(2-ETHYLHEXYL)PHTHALATE</b>	<b>39100</b>	<b>033</b>	<b>2012/08/29</b>	<b>&lt; 3.000</b>	<b>2015/05</b>	
<b>THIOBENCARB</b>	<b>A-001</b>	<b>033</b>	<b>2012/08/29</b>	<b>&lt; 1.000</b>	<b>2015/05</b>	

**REGULATED VOC**

<b>1,1,1-TRICHLOROETHANE</b>	<b>34506</b>	<b>012</b>	<b>2013/06/24</b>	<b>.000</b>	<b>2014/06</b>	<b>DUE</b>
<b>1,1,2,2-TETRACHLOROETHANE</b>	<b>34516</b>	<b>012</b>	<b>2013/06/24</b>	<b>.000</b>	<b>2014/06</b>	<b>DUE</b>
<b>1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE</b>	<b>81611</b>	<b>012</b>	<b>2013/06/24</b>	<b>.000</b>	<b>2014/06</b>	<b>DUE</b>
<b>1,1,2-TRICHLOROETHANE</b>	<b>34511</b>	<b>012</b>	<b>2013/06/24</b>	<b>.000</b>	<b>2014/06</b>	<b>DUE</b>
<b>1,1-DICHLOROETHANE</b>	<b>34496</b>	<b>012</b>	<b>2013/06/24</b>	<b>.000</b>	<b>2014/06</b>	<b>DUE</b>
<b>1,1-DICHLOROETHYLENE</b>	<b>34501</b>	<b>012</b>	<b>2013/06/24</b>	<b>.000</b>	<b>2014/06</b>	<b>DUE</b>
<b>1,2,4-TRICHLOROBENZENE</b>	<b>34551</b>	<b>012</b>	<b>2013/06/24</b>	<b>.000</b>	<b>2014/06</b>	<b>DUE</b>
<b>1,2-DICHLOROBENZENE</b>	<b>34536</b>	<b>012</b>	<b>2013/06/24</b>	<b>.000</b>	<b>2014/06</b>	<b>DUE</b>
<b>1,2-DICHLOROETHANE</b>	<b>34531</b>	<b>012</b>	<b>2013/06/24</b>	<b>.000</b>	<b>2014/06</b>	<b>DUE</b>
<b>1,2-DICHLOROPROPANE</b>	<b>34541</b>	<b>012</b>	<b>2013/06/24</b>	<b>.000</b>	<b>2014/06</b>	<b>DUE</b>
<b>1,3-DICHLOROPROPENE (TOTAL)</b>	<b>34561</b>	<b>012</b>	<b>2013/06/24</b>	<b>.000</b>	<b>2014/06</b>	<b>DUE</b>
<b>1,4-DICHLOROBENZENE</b>	<b>34571</b>	<b>012</b>	<b>2013/06/24</b>	<b>.000</b>	<b>2014/06</b>	<b>DUE</b>
<b>BENZENE</b>	<b>34030</b>	<b>012</b>	<b>2013/06/24</b>	<b>.000</b>	<b>2014/06</b>	<b>DUE</b>
<b>CARBON TETRACHLORIDE</b>	<b>32102</b>	<b>012</b>	<b>2013/06/24</b>	<b>.000</b>	<b>2014/06</b>	<b>DUE</b>
<b>CIS-1,2-DICHLOROETHYLENE</b>	<b>77093</b>	<b>012</b>	<b>2013/06/24</b>	<b>.000</b>	<b>2014/06</b>	<b>DUE</b>
<b>DICHLOROMETHANE</b>	<b>34423</b>	<b>012</b>	<b>2013/06/24</b>	<b>.000</b>	<b>2014/06</b>	<b>DUE</b>
<b>ETHYLBENZENE</b>	<b>34371</b>	<b>012</b>	<b>2013/06/24</b>	<b>.000</b>	<b>2014/06</b>	<b>DUE</b>
<b>METHYL-TERT-BUTYL-ETHER (MTBE)</b>	<b>46491</b>	<b>012</b>	<b>2013/06/24</b>	<b>.000</b>	<b>2014/06</b>	<b>DUE</b>
<b>MONOCHLOROBENZENE</b>	<b>34301</b>	<b>012</b>	<b>2013/06/24</b>	<b>.000</b>	<b>2014/06</b>	<b>DUE</b>
<b>STYRENE</b>	<b>77128</b>	<b>012</b>	<b>2013/06/24</b>	<b>.000</b>	<b>2014/06</b>	<b>DUE</b>
<b>TETRACHLOROETHYLENE</b>	<b>34475</b>	<b>012</b>	<b>2013/06/24</b>	<b>.000</b>	<b>2014/06</b>	<b>DUE</b>
<b>TOLUENE</b>	<b>34010</b>	<b>012</b>	<b>2013/06/24</b>	<b>.000</b>	<b>2014/06</b>	<b>DUE</b>
<b>TRANS-1,2-DICHLOROETHYLENE</b>	<b>34546</b>	<b>012</b>	<b>2013/06/24</b>	<b>.000</b>	<b>2014/06</b>	<b>DUE</b>
<b>TRICHLOROETHYLENE</b>	<b>39180</b>	<b>012</b>	<b>2013/06/24</b>	<b>.000</b>	<b>2014/06</b>	<b>DUE</b>

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910065**

**System Name: LONG BEACH-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910065-027**

**Source Name: COMMISSION WELL 17**

**Source Number: 027**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED VOC**

<b>TRICHLOROFLUOROMETHANE</b>	<b>34488</b>	<b>012</b>	<b>2013/06/24</b>	<b>.000</b>	<b>2014/06</b>	<b>DUE</b>
<b>VINYL CHLORIDE</b>	<b>39175</b>	<b>012</b>	<b>2013/06/24</b>	<b>.000</b>	<b>2014/06</b>	<b>DUE</b>
<b>XYLENES (TOTAL)</b>	<b>81551</b>	<b>012</b>	<b>2013/06/24</b>	<b>.000</b>	<b>2014/06</b>	<b>DUE</b>

**SECONDARY/GP**

BICARBONATE ALKALINITY	00440	036	2012/08/29	. 139.900	2015/08	
CALCIUM	00916	036	2013/06/24	. 35.600	2016/06	
CARBONATE ALKALINITY	00445	036	2012/08/29	.000	2015/08	
CHLORIDE	00940	036	2013/06/24	. 6.630	2016/06	
COLOR	00081	036	2013/06/24	. 5.000	2016/06	
COPPER	01042	036	2013/06/24	< 50.000	2016/06	
FOAMING AGENTS (MBAS)	38260	036	2013/06/24	< .050	2016/06	
HARDNESS (TOTAL) AS CaCO3	00900	036	2012/08/29	. 99.700	2015/08	
HYDROXIDE ALKALINITY	71830	036	2012/08/29	.000	2015/08	
IRON	01045	036	2013/06/24	< 100.000	2016/06	
MAGNESIUM	00927	036	2013/06/24	. 3.770	2016/06	
MANGANESE	01055	036	2013/06/24	< 20.000	2016/06	
ODOR THRESHOLD @ 60 C	00086	036	2013/06/24	. 1.000	2016/06	
<b>PH, LABORATORY</b>	<b>00403</b>	<b>036</b>	<b>2007/08/31</b>	<b>8.200</b>	<b>2010/08</b>	<b>DUE</b>
SILVER	01077	036	2013/06/24	< 10.000	2016/06	
SODIUM	00929	036	2013/06/24	34.300	2016/06	
SPECIFIC CONDUCTANCE	00095	036	2013/06/24	. 317.000	2016/06	
SULFATE	00945	036	2013/06/24	18.700	2016/06	
TOTAL DISSOLVED SOLIDS	70300	036	2013/06/24	. 220.000	2016/06	
TURBIDITY, LABORATORY	82079	036	2013/06/24	. .279	2016/06	
ZINC	01092	036	2013/06/24	< 50.000	2016/06	

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910065**

**System Name: LONG BEACH-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910065-028**

**Source Name: COMMISSION WELL 18**

**Source Number: 028**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

ALUMINUM	01105	036	2013/06/21	< 50.000	2016/06
ANTIMONY	01097	036	2013/06/21	< 6.000	2016/06
ARSENIC	01002	036	2013/06/21	. 7.600	2016/06
BARIUM	01007	036	2013/06/21	100.000	2016/06
BERYLLIUM	01012	036	2013/06/21	< 1.000	2016/06
CADMIUM	01027	036	2013/06/21	< 1.000	2016/06
CHROMIUM (TOTAL)	01034	036	2013/06/21	< 10.000	2016/06
CHROMIUM, HEXAVALENT	01032	036	2011/09/08	< 1.000	2014/09
CYANIDE	01291	036	2013/06/21	< 100.000	2016/06
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/06/21	. .380	2016/06
MERCURY	71900	036	2013/06/21	< 1.000	2016/06
NICKEL	01067	036	2013/06/21	< 10.000	2016/06
PERCHLORATE	A-031	036	2011/09/08	< 4.000	2014/09
SELENIUM	01147	036	2013/06/21	< 5.000	2016/06
THALLIUM	01059	036	2013/06/21	< 1.000	2016/06

**NITRATE/NITRITE**

<b>NITRATE (AS NO3)</b>	71850	012	<b>2013/06/21</b>	< 2.000	<b>2014/06</b>	<b>DUE</b>
NITRITE (AS N)	00620	036	2013/06/21	< 400.000	2016/06	

**RADIOLOGICAL**

<b>GROSS ALPHA</b>	01501	003	<b>2013/06/21</b>	< 3.000	<b>2013/09</b>	<b>DUE</b>
--------------------	-------	-----	-------------------	---------	----------------	------------

**REGULATED SOC**

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2012/08/09	< 3.000	2015/05
THIOBENCARB	A-001	033	2012/08/09	< 1.000	2015/05

**REGULATED VOC**

<b>1,1,1-TRICHLOROETHANE</b>	34506	012	<b>2013/06/21</b>	.000	<b>2014/06</b>	<b>DUE</b>
<b>1,1,2,2-TETRACHLOROETHANE</b>	34516	012	<b>2013/06/21</b>	.000	<b>2014/06</b>	<b>DUE</b>
<b>1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE</b>	81611	012	<b>2013/06/21</b>	. .000	<b>2014/06</b>	<b>DUE</b>
<b>1,1,2-TRICHLOROETHANE</b>	34511	012	<b>2013/06/21</b>	. .000	<b>2014/06</b>	<b>DUE</b>

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910065**

**System Name: LONG BEACH-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910065-028**

**Source Name: COMMISSION WELL 18**

**Source Number: 028**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED VOC**

1,1-DICHLOROETHANE	34496	012	2013/06/21	.000	2014/06	DUE
1,1-DICHLOROETHYLENE	34501	012	2013/06/21	.000	2014/06	DUE
1,2,4-TRICHLOROBENZENE	34551	012	2013/06/21	.000	2014/06	DUE
1,2-DICHLOROBENZENE	34536	012	2013/06/21	.000	2014/06	DUE
1,2-DICHLOROETHANE	34531	012	2013/06/21	.000	2014/06	DUE
1,2-DICHLOROPROPANE	34541	012	2013/06/21	.000	2014/06	DUE
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2013/06/21	.000	2014/06	DUE
1,4-DICHLOROBENZENE	34571	012	2013/06/21	.000	2014/06	DUE
BENZENE	34030	012	2013/06/21	.000	2014/06	DUE
CARBON TETRACHLORIDE	32102	012	2013/06/21	.000	2014/06	DUE
CIS-1,2-DICHLOROETHYLENE	77093	012	2013/06/21	.000	2014/06	DUE
DICHLOROMETHANE	34423	012	2013/06/21	.000	2014/06	DUE
ETHYLBENZENE	34371	012	2013/06/21	.000	2014/06	DUE
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2013/06/21	.000	2014/06	DUE
MONOCHLOROBENZENE	34301	012	2013/06/21	.000	2014/06	DUE
STYRENE	77128	012	2013/06/21	.000	2014/06	DUE
TETRACHLOROETHYLENE	34475	012	2013/06/21	.000	2014/06	DUE
TOLUENE	34010	012	2013/06/21	.000	2014/06	DUE
TRANS-1,2-DICHLOROETHYLENE	34546	012	2013/06/21	.000	2014/06	DUE
TRICHLOROETHYLENE	39180	012	2013/06/21	.000	2014/06	DUE
TRICHLOROFLUOROMETHANE	34488	012	2013/06/21	.000	2014/06	DUE
VINYL CHLORIDE	39175	012	2013/06/21	.000	2014/06	DUE
XYLENES (TOTAL)	81551	012	2013/06/21	.000	2014/06	DUE

**SECONDARY/GP**

BICARBONATE ALKALINITY	00440	036	2012/08/09	168.900	2015/08	
CALCIUM	00916	036	2013/06/21	52.500	2016/06	
CARBONATE ALKALINITY	00445	036	2012/08/09	.000	2015/08	
CHLORIDE	00940	036	2013/06/21	7.500	2016/06	
COLOR	00081	036	2013/06/21	4.000	2016/06	

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)



**System Number: 1910065**

**System Name: LONG BEACH-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910065-028**

**Source Name: COMMISSION WELL 18**

**Source Number: 028**

**Source Status: ACTIVE RAW**

**Water type: G**

**SECONDARY/GP**

COPPER	01042	036	2013/06/21	< 50.000	2016/06
FOAMING AGENTS (MBAS)	38260	036	2013/06/21	< .050	2016/06
HARDNESS (TOTAL) AS CaCO3	00900	036	2012/08/09	. 144.800	2015/08
HYDROXIDE ALKALINITY	71830	036	2012/08/09	. .000	2015/08
IRON	01045	036	2013/06/21	< 100.000	2016/06
MAGNESIUM	00927	036	2013/06/21	. 5.620	2016/06
MANGANESE	01055	036	2013/06/21	27.000	2016/06
ODOR THRESHOLD @ 60 C	00086	036	2013/06/21	. 4.000	2016/06
<b>PH, LABORATORY</b>	00403	036	<b>2007/08/30</b>	<b>8.000</b>	<b>2010/08 DUE</b>
SILVER	01077	036	2013/06/21	< 10.000	2016/06
SODIUM	00929	036	2013/06/21	29.258	2016/06
SPECIFIC CONDUCTANCE	00095	036	2013/06/21	. 376.000	2016/06
SULFATE	00945	036	2013/06/21	21.800	2016/06
TOTAL DISSOLVED SOLIDS	70300	036	2013/06/21	. 224.000	2016/06
TURBIDITY, LABORATORY	82079	036	2013/06/21	. .101	2016/06
ZINC	01092	036	2013/06/21	< 50.000	2016/06

**PS Code: 1910065-030**

**Source Name: DEVELOPMENT WELL 05**

**Source Number: 030**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

ALUMINUM	01105	036	2013/06/20	< 50.000	2016/06
ANTIMONY	01097	036	2013/06/20	< 6.000	2016/06
ARSENIC	01002	036	2013/06/20	< 2.000	2016/06
BARIUM	01007	036	2013/06/20	< 100.000	2016/06
BERYLLIUM	01012	036	2013/06/20	< 1.000	2016/06
CADMIUM	01027	036	2013/06/20	< 1.000	2016/06

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910065**

**System Name: LONG BEACH-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910065-030**

**Source Name: DEVELOPMENT WELL 05**

**Source Number: 030**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

CHROMIUM (TOTAL)	01034	036	2013/06/20	< 10.000	2016/06
CYANIDE	01291	036	2013/06/20	< 100.000	2016/06
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/06/20	. 490	2016/06
MERCURY	71900	036	2013/06/20	< 1.000	2016/06
NICKEL	01067	036	2013/06/20	< 10.000	2016/06
PERCHLORATE	A-031	036	2011/11/30	< 4.000	2014/11
SELENIUM	01147	036	2013/06/20	< 5.000	2016/06
THALLIUM	01059	036	2013/06/20	< 1.000	2016/06

**NITRATE/NITRITE**

<b>NITRATE (AS NO3)</b>	71850	012	<b>2013/06/20</b>	< 2.000	<b>2014/06</b>	<b>DUE</b>
NITRITE (AS N)	00620	036	2013/06/20	< 400.000	2016/06	

**RADIOLOGICAL**

<b>GROSS ALPHA</b>	01501	003	<b>2013/06/20</b>	< 3.000	<b>2013/09</b>	<b>DUE</b>
--------------------	-------	-----	-------------------	---------	----------------	------------

**REGULATED SOC**

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2012/08/30	< 3.000	2015/05
THIOBENCARB	A-001	033	2012/08/30	< 1.000	2015/05

**REGULATED VOC**

<b>1,1,1-TRICHLOROETHANE</b>	34506	012	<b>2013/06/20</b>	. 000	<b>2014/06</b>	<b>DUE</b>
<b>1,1,2,2-TETRACHLOROETHANE</b>	34516	012	<b>2013/06/20</b>	. 000	<b>2014/06</b>	<b>DUE</b>
<b>1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE</b>	81611	012	<b>2013/06/20</b>	. 000	<b>2014/06</b>	<b>DUE</b>
<b>1,1,2-TRICHLOROETHANE</b>	34511	012	<b>2013/06/20</b>	. 000	<b>2014/06</b>	<b>DUE</b>
<b>1,1-DICHLOROETHANE</b>	34496	012	<b>2013/06/20</b>	. 000	<b>2014/06</b>	<b>DUE</b>
<b>1,1-DICHLOROETHYLENE</b>	34501	012	<b>2013/06/20</b>	. 000	<b>2014/06</b>	<b>DUE</b>
<b>1,2,4-TRICHLOROBENZENE</b>	34551	012	<b>2013/06/20</b>	. 000	<b>2014/06</b>	<b>DUE</b>
<b>1,2-DICHLOROBENZENE</b>	34536	012	<b>2013/06/20</b>	. 000	<b>2014/06</b>	<b>DUE</b>
<b>1,2-DICHLOROETHANE</b>	34531	012	<b>2013/06/20</b>	. 000	<b>2014/06</b>	<b>DUE</b>
<b>1,2-DICHLOROPROPANE</b>	34541	012	<b>2013/06/20</b>	. 000	<b>2014/06</b>	<b>DUE</b>
<b>1,3-DICHLOROPROPENE (TOTAL)</b>	34561	012	<b>2013/06/20</b>	. 000	<b>2014/06</b>	<b>DUE</b>

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910065**

**System Name: LONG BEACH-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

**PS Code: 1910065-030**

**Source Name: DEVELOPMENT WELL 05**

**Source Number: 030**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED VOC**

1,4-DICHLOROBENZENE	34571	012	2013/06/20	.000	2014/06	DUE
BENZENE	34030	012	2013/06/20	.000	2014/06	DUE
CARBON TETRACHLORIDE	32102	012	2013/06/20	.000	2014/06	DUE
CIS-1,2-DICHLOROETHYLENE	77093	012	2013/06/20	.000	2014/06	DUE
DICHLOROMETHANE	34423	012	2013/06/20	.000	2014/06	DUE
ETHYLBENZENE	34371	012	2013/06/20	.000	2014/06	DUE
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2013/06/20	.000	2014/06	DUE
MONOCHLOROBENZENE	34301	012	2013/06/20	.000	2014/06	DUE
STYRENE	77128	012	2013/06/20	.000	2014/06	DUE
TETRACHLOROETHYLENE	34475	012	2013/06/20	.000	2014/06	DUE
TOLUENE	34010	012	2013/06/20	.000	2014/06	DUE
TRANS-1,2-DICHLOROETHYLENE	34546	012	2013/06/20	.000	2014/06	DUE
TRICHLOROETHYLENE	39180	012	2013/06/20	.000	2014/06	DUE
TRICHLOROFLUOROMETHANE	34488	012	2013/06/20	.000	2014/06	DUE
VINYL CHLORIDE	39175	012	2013/06/20	.000	2014/06	DUE
XYLENES (TOTAL)	81551	012	2013/06/20	.000	2014/06	DUE

**SECONDARY/GP**

BICARBONATE ALKALINITY	00440	036	2012/08/30	138.600	2015/08	
CALCIUM	00916	036	2013/06/20	13.900	2016/06	
CARBONATE ALKALINITY	00445	036	2012/08/30	.300	2015/08	
CHLORIDE	00940	036	2013/06/20	23.600	2016/06	
COLOR	00081	036	2013/06/20	53.000	2016/06	
COPPER	01042	036	2013/06/20	< 50.000	2016/06	
FOAMING AGENTS (MBAS)	38260	036	2013/06/20	< .050	2016/06	
HARDNESS (TOTAL) AS CaCO3	00900	036	2012/08/30	34.300	2015/08	
HYDROXIDE ALKALINITY	71830	036	2012/08/30	.000	2015/08	
IRON	01045	036	2013/06/20	< 100.000	2016/06	
MAGNESIUM	00927	036	2013/06/20	.564	2016/06	
MANGANESE	01055	036	2013/06/20	< 20.000	2016/06	

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910065**

**System Name: LONG BEACH-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910065-030**

**Source Name: DEVELOPMENT WELL 05**

**Source Number: 030**

**Source Status: ACTIVE RAW**

**Water type: G**

**SECONDARY/GP**

ODOR THRESHOLD @ 60 C	00086	036	2013/06/20	. 2.000	2016/06	
<b>PH, LABORATORY</b>	00403	036	<b>2007/08/30</b>	<b>8.600</b>	<b>2010/08</b>	<b>DUE</b>
SILVER	01077	036	2013/06/20	< 10.000	2016/06	
SODIUM	00929	036	2013/06/20	69.000	2016/06	
SPECIFIC CONDUCTANCE	00095	036	2013/06/20	. 360.000	2016/06	
SULFATE	00945	036	2013/06/20	< .500	2016/06	
TOTAL DISSOLVED SOLIDS	70300	036	2013/06/20	. 208.000	2016/06	
TURBIDITY, LABORATORY	82079	036	2013/06/20	. .140	2016/06	
ZINC	01092	036	2013/06/20	< 50.000	2016/06	

**PS Code: 1910065-033**

**Source Name: DEVELOPMENT WELL 09**

**Source Number: 033**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

ALUMINUM	01105	036	2013/10/30	< 50.000	2016/10	
ANTIMONY	01097	036	2013/10/30	< 6.000	2016/10	
ARSENIC	01002	036	2013/10/30	< 2.000	2016/10	
BARIUM	01007	036	2013/10/30	< 100.000	2016/10	
BERYLLIUM	01012	036	2013/10/30	< 1.000	2016/10	
CADMIUM	01027	036	2013/10/30	< 1.000	2016/10	
CHROMIUM (TOTAL)	01034	036	2013/10/30	< 10.000	2016/10	
CHROMIUM, HEXAVALENT	01032	036	2013/10/30	< 1.000	2016/10	
CYANIDE	01291	036	2013/10/30	< 100.000	2016/10	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/10/30	. .480	2016/10	
MERCURY	71900	036	2013/10/30	< 1.000	2016/10	
NICKEL	01067	036	2013/10/30	< 10.000	2016/10	
PERCHLORATE	A-031	036	2013/10/30	< 4.000	2016/10	

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: **1910065**

System Name: **LONG BEACH-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: **1910065-033**

Source Name: **DEVELOPMENT WELL 09**

Source Number: **033**

Source Status: **ACTIVE RAW**

Water type: **G**

**INORGANIC**

SELENIUM	01147	036	2013/10/30	< 5.000	2016/10
THALLIUM	01059	036	2013/10/30	< 1.000	2016/10

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	012	2013/10/30	< 2.000	2014/10
NITRITE (AS N)	00620	036	2013/10/30	< 400.000	2016/10

**RADIOLOGICAL**

<b>GROSS ALPHA</b>	01501	003	<b>2013/10/30</b>	< 3.000	<b>2014/01</b>	<b>DUE</b>
<b>RADIUM 226</b>	09501	003	<b>2013/10/30</b>	< 1.000	<b>2014/01</b>	<b>DUE</b>
<b>RADIUM 228</b>	11501	003	<b>2013/10/30</b>	< 1.000	<b>2014/01</b>	<b>DUE</b>
<b>URANIUM (PCI/L)</b>	28012	003	<b>2013/10/30</b>	< 1.000	<b>2014/01</b>	<b>DUE</b>

**REGULATED SOC**

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2013/10/30	< 3.000	2016/07
THIOBENCARB	A-001	033	2013/10/30	< 1.000	2016/07

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	012	2013/10/30	< .500	2014/10
1,1,2,2-TETRACHLOROETHANE	34516	012	2013/10/30	< .500	2014/10
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2013/10/30	< 10.000	2014/10
1,1,2-TRICHLOROETHANE	34511	012	2013/10/30	< .500	2014/10
1,1-DICHLOROETHANE	34496	012	2013/10/30	< .500	2014/10
1,1-DICHLOROETHYLENE	34501	012	2013/10/30	< .500	2014/10
1,2,4-TRICHLOROBENZENE	34551	012	2013/10/30	< .500	2014/10
1,2-DICHLOROBENZENE	34536	012	2013/10/30	< .500	2014/10
1,2-DICHLOROETHANE	34531	012	2013/10/30	< .500	2014/10
1,2-DICHLOROPROPANE	34541	012	2013/10/30	< .500	2014/10
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2013/10/30	< .500	2014/10
1,4-DICHLOROBENZENE	34571	012	2013/10/30	< .500	2014/10
BENZENE	34030	012	2013/10/30	< .500	2014/10
CARBON TETRACHLORIDE	32102	012	2013/10/30	< .500	2014/10

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910065**

**System Name: LONG BEACH-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910065-033**

**Source Name: DEVELOPMENT WELL 09**

**Source Number: 033**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED VOC**

CIS-1,2-DICHLOROETHYLENE	77093	012	2013/10/30	< .500	2014/10
DICHLOROMETHANE	34423	012	2013/10/30	< .500	2014/10
ETHYLBENZENE	34371	012	2013/10/30	< .500	2014/10
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2013/10/30	< 3.000	2014/10
MONOCHLOROBENZENE	34301	012	2013/10/30	< .500	2014/10
STYRENE	77128	012	2013/10/30	< .500	2014/10
TETRACHLOROETHYLENE	34475	012	2013/10/30	< .500	2014/10
TOLUENE	34010	012	2013/10/30	< .500	2014/10
TRANS-1,2-DICHLOROETHYLENE	34546	012	2013/10/30	< .500	2014/10
TRICHLOROETHYLENE	39180	012	2013/10/30	< .500	2014/10
TRICHLOROFUOROMETHANE	34488	012	2013/10/30	< 5.000	2014/10
VINYL CHLORIDE	39175	012	2013/10/30	< .500	2014/10
XYLENES (TOTAL)	81551	012	2013/10/30	< .500	2014/10

**SECONDARY/GP**

BICARBONATE ALKALINITY	00440	036	2013/10/30	. 180.000	2016/10
CALCIUM	00916	036	2013/10/30	. 7.100	2016/10
CARBONATE ALKALINITY	00445	036	2013/10/30	5.900	2016/10
CHLORIDE	00940	036	2013/10/30	. 22.000	2016/10
COLOR	00081	036	2013/10/30	. 50.000	2016/10
COPPER	01042	036	2013/10/30	< 50.000	2016/10
FOAMING AGENTS (MBAS)	38260	036	2013/10/30	. .069	2016/10
HARDNESS (TOTAL) AS CaCO3	00900	036	2013/10/30	. 19.000	2016/10
HYDROXIDE ALKALINITY	71830	036	2013/10/30	< 2.000	2016/10
IRON	01045	036	2013/10/30	< 100.000	2016/10
MAGNESIUM	00927	036	2013/10/30	. .350	2016/10
MANGANESE	01055	036	2013/10/30	< 20.000	2016/10
ODOR THRESHOLD @ 60 C	00086	036	2013/10/30	2.000	2016/10
PH, LABORATORY	00403	036	2013/10/30	. 8.700	2016/10
SILVER	01077	036	2013/10/30	< 10.000	2016/10

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910065**

**System Name: LONG BEACH-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910065-033**

**Source Name: DEVELOPMENT WELL 09**

**Source Number: 033**

**Source Status: ACTIVE RAW**

**Water type: G**

**SECONDARY/GP**

SODIUM	00929	036	2013/10/30	85.000	2016/10
SPECIFIC CONDUCTANCE	00095	036	2013/10/30	. 360.000	2016/10
SULFATE	00945	036	2013/10/30	< .500	2016/10
TOTAL DISSOLVED SOLIDS	70300	036	2013/10/30	. 230.000	2016/10
TURBIDITY, LABORATORY	82079	036	2013/10/30	. .420	2016/10
ZINC	01092	036	2013/10/30	< 50.000	2016/10

**PS Code: 1910065-035**

**Source Name: LONG BEACH WELL 04**

**Source Number: 035**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

ALUMINUM	01105	036	2013/06/20	< 50.000	2016/06
ANTIMONY	01097	036	2013/06/20	< 6.000	2016/06
ARSENIC	01002	036	2013/06/20	< 2.000	2016/06
BARIUM	01007	036	2013/06/20	< 100.000	2016/06
BERYLLIUM	01012	036	2013/06/20	< 1.000	2016/06
CADMIUM	01027	036	2013/06/20	< 1.000	2016/06
CHROMIUM (TOTAL)	01034	036	2013/06/20	< 10.000	2016/06
CYANIDE	01291	036	2013/06/20	< 100.000	2016/06
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/06/20	. .500	2016/06
MERCURY	71900	036	2013/06/20	< 1.000	2016/06
NICKEL	01067	036	2013/06/20	< 10.000	2016/06
PERCHLORATE	A-031	036	2011/11/16	< 4.000	2014/11
SELENIUM	01147	036	2013/06/20	< 5.000	2016/06
THALLIUM	01059	036	2013/06/20	< 1.000	2016/06

**NITRATE/NITRITE**

<b>NITRATE (AS NO3)</b>	<b>71850</b>	<b>012</b>	<b>2013/06/20</b>	<b>&lt; 2.000</b>	<b>2014/06</b>	<b>DUE</b>
-------------------------	--------------	------------	-------------------	-------------------	----------------	------------

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910065**

**System Name: LONG BEACH-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910065-035**

**Source Name: LONG BEACH WELL 04**

**Source Number: 035**

**Source Status: ACTIVE RAW**

**Water type: G**

**NITRATE/NITRITE**

NITRITE (AS N)	00620	036	2013/06/20	< 400.000	2016/06
----------------	-------	-----	------------	-----------	---------

**RADIOLOGICAL**

GROSS ALPHA	01501	003	2013/06/20	< 3.000	2013/09	DUE
-------------	-------	-----	------------	---------	---------	-----

**REGULATED SOC**

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2012/08/09	< 3.000	2015/05
---------------------------	-------	-----	------------	---------	---------

THIOBENCARB	A-001	033	2012/08/09	< 1.000	2015/05
-------------	-------	-----	------------	---------	---------

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	012	2013/06/20	.000	2014/06	DUE
1,1,2,2-TETRACHLOROETHANE	34516	012	2013/06/20	.000	2014/06	DUE
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2013/06/20	.000	2014/06	DUE
1,1,2-TRICHLOROETHANE	34511	012	2013/06/20	.000	2014/06	DUE
1,1-DICHLOROETHANE	34496	012	2013/06/20	.000	2014/06	DUE
1,1-DICHLOROETHYLENE	34501	012	2013/06/20	.000	2014/06	DUE
1,2,4-TRICHLOROBENZENE	34551	012	2013/06/20	.000	2014/06	DUE
1,2-DICHLOROBENZENE	34536	012	2013/06/20	.000	2014/06	DUE
1,2-DICHLOROETHANE	34531	012	2013/06/20	.000	2014/06	DUE
1,2-DICHLOROPROPANE	34541	012	2013/06/20	.000	2014/06	DUE
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2013/06/20	.000	2014/06	DUE
1,4-DICHLOROBENZENE	34571	012	2013/06/20	.000	2014/06	DUE
BENZENE	34030	012	2013/06/20	.000	2014/06	DUE
CARBON TETRACHLORIDE	32102	012	2013/06/20	.000	2014/06	DUE
CIS-1,2-DICHLOROETHYLENE	77093	012	2013/06/20	.000	2014/06	DUE
DICHLOROMETHANE	34423	012	2013/06/20	.000	2014/06	DUE
ETHYLBENZENE	34371	012	2013/06/20	.000	2014/06	DUE
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2013/06/20	.000	2014/06	DUE
MONOCHLOROBENZENE	34301	012	2013/06/20	.000	2014/06	DUE
STYRENE	77128	012	2013/06/20	.000	2014/06	DUE
TETRACHLOROETHYLENE	34475	012	2013/06/20	.000	2014/06	DUE

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)



**System Number: 1910065**

**System Name: LONG BEACH-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910065-035**

**Source Name: LONG BEACH WELL 04**

**Source Number: 035**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED VOC**

<b>TOLUENE</b>	<b>34010</b>	<b>012</b>	<b>2013/06/20</b>	<b>.000</b>	<b>2014/06</b>	<b>DUE</b>
<b>TRANS-1,2-DICHLOROETHYLENE</b>	<b>34546</b>	<b>012</b>	<b>2013/06/20</b>	<b>.000</b>	<b>2014/06</b>	<b>DUE</b>
<b>TRICHLOROETHYLENE</b>	<b>39180</b>	<b>012</b>	<b>2013/06/20</b>	<b>.000</b>	<b>2014/06</b>	<b>DUE</b>
<b>TRICHLOROFLUOROMETHANE</b>	<b>34488</b>	<b>012</b>	<b>2013/06/20</b>	<b>.000</b>	<b>2014/06</b>	<b>DUE</b>
<b>VINYL CHLORIDE</b>	<b>39175</b>	<b>012</b>	<b>2013/06/20</b>	<b>.000</b>	<b>2014/06</b>	<b>DUE</b>
<b>XYLENES (TOTAL)</b>	<b>81551</b>	<b>012</b>	<b>2013/06/20</b>	<b>.000</b>	<b>2014/06</b>	<b>DUE</b>

**SECONDARY/GP**

BICARBONATE ALKALINITY	00440	036	2012/08/09	. 173.700	2015/08	
CALCIUM	00916	036	2013/06/20	. 12.000	2016/06	
CARBONATE ALKALINITY	00445	036	2012/08/09	.400	2015/08	
CHLORIDE	00940	036	2013/06/20	. 28.300	2016/06	
COLOR	00081	036	2013/06/20	. 50.000	2016/06	
COPPER	01042	036	2013/06/20	< 50.000	2016/06	
FOAMING AGENTS (MBAS)	38260	036	2013/06/20	< .050	2016/06	
HARDNESS (TOTAL) AS CaCO3	00900	036	2012/08/09	. 27.200	2015/08	
HYDROXIDE ALKALINITY	71830	036	2012/08/09	. .000	2015/08	
IRON	01045	036	2013/06/20	< 100.000	2016/06	
MAGNESIUM	00927	036	2013/06/20	. .256	2016/06	
MANGANESE	01055	036	2013/06/20	< 20.000	2016/06	
ODOR THRESHOLD @ 60 C	00086	036	2013/06/20	. 2.000	2016/06	
<b>PH, LABORATORY</b>	<b>00403</b>	<b>036</b>	<b>2009/08/13</b>	<b>8.500</b>	<b>2012/08</b>	<b>DUE</b>
SILVER	01077	036	2013/06/20	< 10.000	2016/06	
SODIUM	00929	036	2013/06/20	. 91.500	2016/06	
SPECIFIC CONDUCTANCE	00095	036	2013/06/20	. 458.000	2016/06	
SULFATE	00945	036	2013/06/20	< .500	2016/06	
TOTAL DISSOLVED SOLIDS	70300	036	2013/06/20	. 240.000	2016/06	
TURBIDITY, LABORATORY	82079	036	2013/06/20	. .133	2016/06	
ZINC	01092	036	2013/06/20	< 50.000	2016/06	

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910065**

**System Name: LONG BEACH-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910065-038**

**Source Name: LONG BEACH WELL 09**

**Source Number: 038**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

ALUMINUM	01105	036	2013/06/20	< 50.000	2016/06
ANTIMONY	01097	036	2013/06/20	< 6.000	2016/06
ARSENIC	01002	036	2013/06/20	< 2.000	2016/06
BARIUM	01007	036	2013/06/20	< 100.000	2016/06
BERYLLIUM	01012	036	2013/06/20	< 1.000	2016/06
CADMIUM	01027	036	2013/06/20	< 1.000	2016/06
CHROMIUM (TOTAL)	01034	036	2013/06/20	< 10.000	2016/06
CHROMIUM, HEXAVALENT	01032	036	2011/11/16	< 1.000	2014/11
CYANIDE	01291	036	2013/06/20	< 100.000	2016/06
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/06/20	.440	2016/06
MERCURY	71900	036	2013/06/20	< 1.000	2016/06
NICKEL	01067	036	2013/06/20	< 10.000	2016/06
PERCHLORATE	A-031	036	2011/11/16	< 4.000	2014/11
SELENIUM	01147	036	2013/06/20	< 5.000	2016/06
THALLIUM	01059	036	2013/06/20	< 1.000	2016/06

**NITRATE/NITRITE**

<b>NITRATE (AS NO3)</b>	71850	012	2013/06/20	< 2.000	2014/06	<b>DUE</b>
NITRITE (AS N)	00620	036	2013/06/20	< 400.000	2016/06	

**RADIOLOGICAL**

<b>GROSS ALPHA</b>	01501	003	2013/06/20	< 3.000	2013/09	<b>DUE</b>
--------------------	-------	-----	------------	---------	---------	------------

**REGULATED SOC**

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2012/08/09	< 3.000	2015/05
THIOBENCARB	A-001	033	2012/08/09	< 1.000	2015/05

**REGULATED VOC**

<b>1,1,1-TRICHLOROETHANE</b>	34506	012	2013/06/20	.000	2014/06	<b>DUE</b>
<b>1,1,2,2-TETRACHLOROETHANE</b>	34516	012	2013/06/20	.000	2014/06	<b>DUE</b>
<b>1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE</b>	81611	012	2013/06/20	.000	2014/06	<b>DUE</b>
<b>1,1,2-TRICHLOROETHANE</b>	34511	012	2013/06/20	.000	2014/06	<b>DUE</b>

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910065**

**System Name: LONG BEACH-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910065-038**

**Source Name: LONG BEACH WELL 09**

**Source Number: 038**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED VOC**

1,1-DICHLOROETHANE	34496	012	2013/06/20	.000	2014/06	DUE
1,1-DICHLOROETHYLENE	34501	012	2013/06/20	.000	2014/06	DUE
1,2,4-TRICHLOROBENZENE	34551	012	2013/06/20	.000	2014/06	DUE
1,2-DICHLOROBENZENE	34536	012	2013/06/20	.000	2014/06	DUE
1,2-DICHLOROETHANE	34531	012	2013/06/20	.000	2014/06	DUE
1,2-DICHLOROPROPANE	34541	012	2013/06/20	.000	2014/06	DUE
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2013/06/20	.000	2014/06	DUE
1,4-DICHLOROBENZENE	34571	012	2013/06/20	.000	2014/06	DUE
BENZENE	34030	012	2013/06/20	.000	2014/06	DUE
CARBON TETRACHLORIDE	32102	012	2013/06/20	.000	2014/06	DUE
CIS-1,2-DICHLOROETHYLENE	77093	012	2013/06/20	.000	2014/06	DUE
DICHLOROMETHANE	34423	012	2013/06/20	.000	2014/06	DUE
ETHYLBENZENE	34371	012	2013/06/20	.000	2014/06	DUE
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2013/06/20	.000	2014/06	DUE
MONOCHLOROBENZENE	34301	012	2013/06/20	.000	2014/06	DUE
STYRENE	77128	012	2013/06/20	.000	2014/06	DUE
TETRACHLOROETHYLENE	34475	012	2013/06/20	.000	2014/06	DUE
TOLUENE	34010	012	2013/06/20	.000	2014/06	DUE
TRANS-1,2-DICHLOROETHYLENE	34546	012	2013/06/20	.000	2014/06	DUE
TRICHLOROETHYLENE	39180	012	2013/06/20	.000	2014/06	DUE
TRICHLOROFLUOROMETHANE	34488	012	2013/06/20	.000	2014/06	DUE
VINYL CHLORIDE	39175	012	2013/06/20	.000	2014/06	DUE
XYLENES (TOTAL)	81551	012	2013/06/20	.000	2014/06	DUE

**SECONDARY/GP**

BICARBONATE ALKALINITY	00440	036	2012/08/09	. 131.900	2015/08
CALCIUM	00916	036	2013/06/20	. 16.100	2016/06
CARBONATE ALKALINITY	00445	036	2012/08/09	.400	2015/08
CHLORIDE	00940	036	2013/06/20	. 20.000	2016/06
COLOR	00081	036	2013/06/20	. 23.000	2016/06

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910065**

**System Name: LONG BEACH-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910065-038**

**Source Name: LONG BEACH WELL 09**

**Source Number: 038**

**Source Status: ACTIVE RAW**

**Water type: G**

**SECONDARY/GP**

COPPER	01042	036	2013/06/20	< 50.000	2016/06
FOAMING AGENTS (MBAS)	38260	036	2013/06/20	< .050	2016/06
HARDNESS (TOTAL) AS CaCO3	00900	036	2012/08/09	. 38.600	2015/08
HYDROXIDE ALKALINITY	71830	036	2012/08/09	. .000	2015/08
IRON	01045	036	2013/06/20	< 100.000	2016/06
MAGNESIUM	00927	036	2013/06/20	. .716	2016/06
MANGANESE	01055	036	2013/06/20	< 20.000	2016/06
ODOR THRESHOLD @ 60 C	00086	036	2013/06/20	. 2.000	2016/06
<b>PH, LABORATORY</b>	00403	036	<b>2009/04/02</b>	<b>8.300</b>	<b>2012/04 DUE</b>
SILVER	01077	036	2013/06/20	< 10.000	2016/06
SODIUM	00929	036	2013/06/20	71.000	2016/06
SPECIFIC CONDUCTANCE	00095	036	2013/06/20	. 390.000	2016/06
SULFATE	00945	036	2013/06/20	22.400	2016/06
TOTAL DISSOLVED SOLIDS	70300	036	2013/06/20	. 212.000	2016/06
TURBIDITY, LABORATORY	82079	036	2013/06/20	. .080	2016/06
ZINC	01092	036	2013/06/20	< 50.000	2016/06

**PS Code: 1910065-039**

**Source Name: LONG BEACH WELL 11**

**Source Number: 039**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

ALUMINUM	01105	036	2013/06/20	< 50.000	2016/06
ANTIMONY	01097	036	2013/06/20	< 6.000	2016/06
ARSENIC	01002	036	2013/06/20	< 2.000	2016/06
BARIUM	01007	036	2013/06/20	< 100.000	2016/06
BERYLLIUM	01012	036	2013/06/20	< 1.000	2016/06
CADMIUM	01027	036	2013/06/20	< 1.000	2016/06

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910065**

**System Name: LONG BEACH-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910065-039**

**Source Name: LONG BEACH WELL 11**

**Source Number: 039**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

CHROMIUM (TOTAL)	01034	036	2013/06/20	< 10.000	2016/06
CHROMIUM, HEXAVALENT	01032	036	2011/11/16	< 1.000	2014/11
CYANIDE	01291	036	2013/06/20	< 100.000	2016/06
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/06/20	.460	2016/06
MERCURY	71900	036	2013/06/20	< 1.000	2016/06
NICKEL	01067	036	2013/06/20	< 10.000	2016/06
PERCHLORATE	A-031	036	2011/11/16	< 4.000	2014/11
SELENIUM	01147	036	2013/06/20	< 5.000	2016/06
THALLIUM	01059	036	2013/06/20	< 1.000	2016/06

**NITRATE/NITRITE**

<b>NITRATE (AS NO3)</b>	71850	012	<b>2013/06/20</b>	< 2.000	<b>2014/06</b>	<b>DUE</b>
NITRITE (AS N)	00620	036	2013/06/20	< 400.000	2016/06	

**RADIOLOGICAL**

<b>GROSS ALPHA</b>	01501	003	<b>2013/06/20</b>	< 3.000	<b>2013/09</b>	<b>DUE</b>
--------------------	-------	-----	-------------------	---------	----------------	------------

**REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	036	2012/05/10	< 5.000	2015/05
2,4,5-TP (SILVEX)	39045	036	2012/05/10	< 1.000	2015/05
2,4-D	39730	036	2012/05/10	< 10.000	2015/05
ALACHLOR	77825	036	2012/05/10	< 1.000	2015/05
BENTAZON	38710	036	2012/05/10	< 2.000	2015/05
BENZO (A) PYRENE	34247	036	2012/08/09	< .100	2015/08
CARBOFURAN	81405	036	2012/05/10	< 5.000	2015/05
CHLORDANE	39350	036	2012/05/10	< .100	2015/05
DALAPON	38432	036	2012/05/10	< 10.000	2015/05
DI(2-ETHYLHEXYL)ADIPATE	A-026	036	2012/08/09	< 5.000	2015/08
DI(2-ETHYLHEXYL)PHTHALATE	39100	036	2012/08/09	< 3.000	2015/08
DINOSEB	81287	036	2012/05/10	< 2.000	2015/05
DIQUAT	78885	036	2012/05/10	< 4.000	2015/05

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910065**

**System Name: LONG BEACH-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910065-039**

**Source Name: LONG BEACH WELL 11**

**Source Number: 039**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED SOC**

ENDOTHALL	38926	036	2012/05/10	< 45.000	2015/05
ENDRIN	39390	036	2012/05/10	< .100	2015/05
GLYPHOSATE	79743	036	2012/05/10	< 25.000	2015/05
HEPTACHLOR	39410	036	2012/05/10	< .010	2015/05
HEPTACHLOR EPOXIDE	39420	036	2012/05/10	< .010	2015/05
HEXACHLOROBENZENE	39700	036	2012/08/09	< .500	2015/08
HEXACHLOROCYCLOPENTADIENE	34386	036	2012/08/09	< 1.000	2015/08
LINDANE	39340	036	2012/05/10	< .200	2015/05
METHOXYCHLOR	39480	036	2012/05/10	< 10.000	2015/05
MOLINATE	82199	036	2012/08/09	< 2.000	2015/08
OXAMYL	38865	036	2012/05/10	< 20.000	2015/05
PENTACHLOROPHENOL	39032	036	2012/05/10	< .200	2015/05
PICLORAM	39720	036	2012/05/10	< 1.000	2015/05
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	036	2012/05/10	< .500	2015/05
THIOBENCARB	A-001	033	2012/08/09	< 1.000	2015/05
TOXAPHENE	39400	036	2012/05/10	< 1.000	2015/05

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	012	2013/06/20	.000	2014/06	DUE
1,1,2,2-TETRACHLOROETHANE	34516	012	2013/06/20	.000	2014/06	DUE
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2013/06/20	.000	2014/06	DUE
1,1,2-TRICHLOROETHANE	34511	012	2013/06/20	.000	2014/06	DUE
1,1-DICHLOROETHANE	34496	012	2013/06/20	.000	2014/06	DUE
1,1-DICHLOROETHYLENE	34501	012	2013/06/20	.000	2014/06	DUE
1,2,4-TRICHLOROBENZENE	34551	012	2013/06/20	.000	2014/06	DUE
1,2-DICHLOROBENZENE	34536	012	2013/06/20	.000	2014/06	DUE
1,2-DICHLOROETHANE	34531	012	2013/06/20	.000	2014/06	DUE
1,2-DICHLOROPROPANE	34541	012	2013/06/20	.000	2014/06	DUE
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2013/06/20	.000	2014/06	DUE
1,4-DICHLOROBENZENE	34571	012	2013/06/20	.000	2014/06	DUE

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910065**

**System Name: LONG BEACH-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910065-039**

**Source Name: LONG BEACH WELL 11**

**Source Number: 039**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED VOC**

<b>BENZENE</b>	<b>34030</b>	<b>012</b>	<b>2013/06/20</b>	<b>.000</b>	<b>2014/06</b>	<b>DUE</b>
<b>CARBON TETRACHLORIDE</b>	<b>32102</b>	<b>012</b>	<b>2013/06/20</b>	<b>.000</b>	<b>2014/06</b>	<b>DUE</b>
<b>CIS-1,2-DICHLOROETHYLENE</b>	<b>77093</b>	<b>012</b>	<b>2013/06/20</b>	<b>.000</b>	<b>2014/06</b>	<b>DUE</b>
<b>DICHLOROMETHANE</b>	<b>34423</b>	<b>012</b>	<b>2013/06/20</b>	<b>.000</b>	<b>2014/06</b>	<b>DUE</b>
<b>ETHYLBENZENE</b>	<b>34371</b>	<b>012</b>	<b>2013/06/20</b>	<b>.000</b>	<b>2014/06</b>	<b>DUE</b>
<b>METHYL-TERT-BUTYL-ETHER (MTBE)</b>	<b>46491</b>	<b>012</b>	<b>2013/06/20</b>	<b>.000</b>	<b>2014/06</b>	<b>DUE</b>
<b>MONOCHLOROBENZENE</b>	<b>34301</b>	<b>012</b>	<b>2013/06/20</b>	<b>.000</b>	<b>2014/06</b>	<b>DUE</b>
<b>STYRENE</b>	<b>77128</b>	<b>012</b>	<b>2013/06/20</b>	<b>.000</b>	<b>2014/06</b>	<b>DUE</b>
<b>TETRACHLOROETHYLENE</b>	<b>34475</b>	<b>012</b>	<b>2013/06/20</b>	<b>.000</b>	<b>2014/06</b>	<b>DUE</b>
<b>TOLUENE</b>	<b>34010</b>	<b>012</b>	<b>2013/06/20</b>	<b>.000</b>	<b>2014/06</b>	<b>DUE</b>
<b>TRANS-1,2-DICHLOROETHYLENE</b>	<b>34546</b>	<b>012</b>	<b>2013/06/20</b>	<b>.000</b>	<b>2014/06</b>	<b>DUE</b>
<b>TRICHLOROETHYLENE</b>	<b>39180</b>	<b>012</b>	<b>2013/06/20</b>	<b>.000</b>	<b>2014/06</b>	<b>DUE</b>
<b>TRICHLOROFLUOROMETHANE</b>	<b>34488</b>	<b>012</b>	<b>2013/06/20</b>	<b>.000</b>	<b>2014/06</b>	<b>DUE</b>
<b>VINYL CHLORIDE</b>	<b>39175</b>	<b>012</b>	<b>2013/06/20</b>	<b>.000</b>	<b>2014/06</b>	<b>DUE</b>
<b>XYLENES (TOTAL)</b>	<b>81551</b>	<b>012</b>	<b>2013/06/20</b>	<b>.000</b>	<b>2014/06</b>	<b>DUE</b>

**SECONDARY/GP**

<b>BICARBONATE ALKALINITY</b>	<b>00440</b>	<b>036</b>	<b>2012/08/09</b>	<b>. 149.400</b>	<b>2015/08</b>
<b>CALCIUM</b>	<b>00916</b>	<b>036</b>	<b>2013/06/20</b>	<b>. 16.500</b>	<b>2016/06</b>
<b>CARBONATE ALKALINITY</b>	<b>00445</b>	<b>036</b>	<b>2012/08/09</b>	<b>.400</b>	<b>2015/08</b>
<b>CHLORIDE</b>	<b>00940</b>	<b>036</b>	<b>2013/06/20</b>	<b>. 24.800</b>	<b>2016/06</b>
<b>COLOR</b>	<b>00081</b>	<b>036</b>	<b>2013/06/20</b>	<b>. 34.000</b>	<b>2016/06</b>
<b>COPPER</b>	<b>01042</b>	<b>036</b>	<b>2013/06/20</b>	<b>&lt; 50.000</b>	<b>2016/06</b>
<b>FOAMING AGENTS (MBAS)</b>	<b>38260</b>	<b>036</b>	<b>2013/06/20</b>	<b>&lt; .050</b>	<b>2016/06</b>
<b>HARDNESS (TOTAL) AS CaCO3</b>	<b>00900</b>	<b>036</b>	<b>2012/08/09</b>	<b>. 37.400</b>	<b>2015/08</b>
<b>HYDROXIDE ALKALINITY</b>	<b>71830</b>	<b>036</b>	<b>2012/08/09</b>	<b>.000</b>	<b>2015/08</b>
<b>IRON</b>	<b>01045</b>	<b>036</b>	<b>2013/06/20</b>	<b>&lt; 100.000</b>	<b>2016/06</b>
<b>MAGNESIUM</b>	<b>00927</b>	<b>036</b>	<b>2013/06/20</b>	<b>. .604</b>	<b>2016/06</b>
<b>MANGANESE</b>	<b>01055</b>	<b>036</b>	<b>2013/06/20</b>	<b>&lt; 20.000</b>	<b>2016/06</b>
<b>ODOR THRESHOLD @ 60 C</b>	<b>00086</b>	<b>036</b>	<b>2013/06/20</b>	<b>. 2.000</b>	<b>2016/06</b>

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910065**

**System Name: LONG BEACH-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910065-039**

**Source Name: LONG BEACH WELL 11**

**Source Number: 039**

**Source Status: ACTIVE RAW**

**Water type: G**

**SECONDARY/GP**

<u>PH, LABORATORY</u>	<u>00403</u>	<u>036</u>	<u>2009/03/04</u>	<u>8.500</u>	<u>2012/03</u>	<u>DUE</u>
SILVER	01077	036	2013/06/20	< 10.000	2016/06	
SODIUM	00929	036	2013/06/20	79.000	2016/06	
SPECIFIC CONDUCTANCE	00095	036	2013/06/20	. 442.000	2016/06	
SULFATE	00945	036	2013/06/20	16.200	2016/06	
TOTAL DISSOLVED SOLIDS	70300	036	2013/06/20	. 240.000	2016/06	
TURBIDITY, LABORATORY	82079	036	2013/06/20	. .106	2016/06	
ZINC	01092	036	2013/06/20	< 50.000	2016/06	

**PS Code: 1910065-040**

**Source Name: LONG BEACH WELL 12-ASR WELL, 1/04 PERMIT**

**Source Number: 040**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

ALUMINUM	01105	036	2013/06/20	< 50.000	2016/06	
ANTIMONY	01097	036	2013/06/20	< 6.000	2016/06	
ARSENIC	01002	036	2013/06/20	< 2.000	2016/06	
BARIUM	01007	036	2013/06/20	< 100.000	2016/06	
BERYLLIUM	01012	036	2013/06/20	< 1.000	2016/06	
CADMIUM	01027	036	2013/06/20	< 1.000	2016/06	
CHROMIUM (TOTAL)	01034	036	2013/06/20	< 10.000	2016/06	
CHROMIUM, HEXAVALENT	01032	036	2011/08/25	< 1.000	2014/08	
CYANIDE	01291	036	2013/06/20	< 100.000	2016/06	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/06/20	. .510	2016/06	
MERCURY	71900	036	2013/06/20	< 1.000	2016/06	
NICKEL	01067	036	2013/06/20	< 10.000	2016/06	
PERCHLORATE	A-031	036	2011/08/25	< 4.000	2014/08	
SELENIUM	01147	036	2013/06/20	< 5.000	2016/06	

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)



**System Number: 1910065**

**System Name: LONG BEACH-CITY, WATER DEPT.**

	<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>	
<b>PS Code: 1910065-040</b>						
<b>Source Name: LONG BEACH WELL 12-ASR WELL, 1/04 PERMIT</b>						
<b>Source Number: 040</b>						
<b>Source Status: ACTIVE RAW</b>						
<b>Water type: G</b>						
<b><u>INORGANIC</u></b>						
THALLIUM	01059	036	2013/06/20	< 1.000	2016/06	
<b><u>NITRATE/NITRITE</u></b>						
NITRATE (AS NO3)	71850	012	2013/06/20	< 2.000	2014/06	DUE
NITRITE (AS N)	00620	036	2013/06/20	< 400.000	2016/06	
<b><u>RADIOLOGICAL</u></b>						
GROSS ALPHA	01501	003	2013/06/20	< 3.000	2013/09	DUE
<b><u>REGULATED SOC</u></b>						
DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2012/08/09	< 3.000	2015/05	
THIOBENCARB	A-001	033	2012/08/09	< 1.000	2015/05	
<b><u>REGULATED VOC</u></b>						
1,1,1-TRICHLOROETHANE	34506	012	2013/06/20	.000	2014/06	DUE
1,1,2,2-TETRACHLOROETHANE	34516	012	2013/06/20	.000	2014/06	DUE
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2013/06/20	.000	2014/06	DUE
1,1,2-TRICHLOROETHANE	34511	012	2013/06/20	.000	2014/06	DUE
1,1-DICHLOROETHANE	34496	012	2013/06/20	.000	2014/06	DUE
1,1-DICHLOROETHYLENE	34501	012	2013/06/20	.000	2014/06	DUE
1,2,4-TRICHLOROBENZENE	34551	012	2013/06/20	.000	2014/06	DUE
1,2-DICHLOROBENZENE	34536	012	2013/06/20	.000	2014/06	DUE
1,2-DICHLOROETHANE	34531	012	2013/06/20	.000	2014/06	DUE
1,2-DICHLOROPROPANE	34541	012	2013/06/20	.000	2014/06	DUE
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2013/06/20	.000	2014/06	DUE
1,4-DICHLOROBENZENE	34571	012	2013/06/20	.000	2014/06	DUE
BENZENE	34030	012	2013/06/20	.000	2014/06	DUE
CARBON TETRACHLORIDE	32102	012	2013/06/20	.000	2014/06	DUE
CIS-1,2-DICHLOROETHYLENE	77093	012	2013/06/20	.000	2014/06	DUE
DICHLOROMETHANE	34423	012	2013/06/20	.000	2014/06	DUE
ETHYLBENZENE	34371	012	2013/06/20	.000	2014/06	DUE
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2013/06/20	.000	2014/06	DUE

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910065**

**System Name: LONG BEACH-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

**PS Code: 1910065-040**

**Source Name: LONG BEACH WELL 12-ASR WELL, 1/04 PERMIT**

**Source Number: 040**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED VOC**

MONOCHLOROBENZENE	34301	012	2013/06/20	.000	2014/06	DUE
STYRENE	77128	012	2013/06/20	.000	2014/06	DUE
TETRACHLOROETHYLENE	34475	012	2013/06/20	.000	2014/06	DUE
TOLUENE	34010	012	2013/06/20	.000	2014/06	DUE
TRANS-1,2-DICHLOROETHYLENE	34546	012	2013/06/20	.000	2014/06	DUE
TRICHLOROETHYLENE	39180	012	2013/06/20	.000	2014/06	DUE
TRICHLOROFLUOROMETHANE	34488	012	2013/06/20	.000	2014/06	DUE
VINYL CHLORIDE	39175	012	2013/06/20	.000	2014/06	DUE
XYLENES (TOTAL)	81551	012	2013/06/20	.000	2014/06	DUE

**SECONDARY/GP**

BICARBONATE ALKALINITY	00440	036	2012/08/09	. 143.300	2015/08	
CALCIUM	00916	036	2013/06/20	. 13.500	2016/06	
CARBONATE ALKALINITY	00445	036	2012/08/09	.400	2015/08	
CHLORIDE	00940	036	2013/06/20	. 25.000	2016/06	
COLOR	00081	036	2013/06/20	. 52.000	2016/06	
COPPER	01042	036	2013/06/20	< 50.000	2016/06	
FOAMING AGENTS (MBAS)	38260	036	2013/06/20	< .050	2016/06	
HARDNESS (TOTAL) AS CaCO3	00900	036	2012/08/09	. 32.800	2015/08	
HYDROXIDE ALKALINITY	71830	036	2012/08/09	. .000	2015/08	
IRON	01045	036	2013/06/20	< 100.000	2016/06	
MAGNESIUM	00927	036	2013/06/20	. .552	2016/06	
MANGANESE	01055	036	2013/06/20	< 20.000	2016/06	
ODOR THRESHOLD @ 60 C	00086	036	2013/06/20	. 2.000	2016/06	
PH, LABORATORY	00403	036	2007/08/30	8.600	2010/08	DUE
SILVER	01077	036	2013/06/20	< 10.000	2016/06	
SODIUM	00929	036	2013/06/20	75.000	2016/06	
SPECIFIC CONDUCTANCE	00095	036	2013/06/20	. 386.000	2016/06	
SULFATE	00945	036	2013/06/20	5.400	2016/06	
TOTAL DISSOLVED SOLIDS	70300	036	2013/06/20	. 196.000	2016/06	

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910065**

**System Name: LONG BEACH-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910065-040**

**Source Name: LONG BEACH WELL 12-ASR WELL, 1/04 PERMIT**

**Source Number: 040**

**Source Status: ACTIVE RAW**

**Water type: G**

**SECONDARY/GP**

TURBIDITY, LABORATORY	82079	036	2013/06/20	.556	2016/06
ZINC	01092	036	2013/06/20	< 50.000	2016/06

**PS Code: 1910065-041**

**Source Name: WILSON WELL 01-A**

**Source Number: 041**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

ALUMINUM	01105	036	2013/06/24	< 50.000	2016/06
ANTIMONY	01097	036	2013/06/24	< 6.000	2016/06
ARSENIC	01002	036	2013/06/24	< 2.000	2016/06
BARIUM	01007	036	2013/06/24	< 100.000	2016/06
BERYLLIUM	01012	036	2013/06/24	< 1.000	2016/06
CADMIUM	01027	036	2013/06/24	< 1.000	2016/06
CHROMIUM (TOTAL)	01034	036	2013/06/24	< 10.000	2016/06
CHROMIUM, HEXAVALENT	01032	036	2011/08/18	< 1.000	2014/08
CYANIDE	01291	036	2013/06/24	< 100.000	2016/06
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/06/24	.470	2016/06
MERCURY	71900	036	2013/06/24	< 1.000	2016/06
NICKEL	01067	036	2013/06/24	< 10.000	2016/06
PERCHLORATE	A-031	036	2011/08/18	< 4.000	2014/08
SELENIUM	01147	036	2013/06/24	< 5.000	2016/06
THALLIUM	01059	036	2013/06/24	< 1.000	2016/06

**NITRATE/NITRITE**

<b>NITRATE (AS NO3)</b>	71850	012	<b>2013/06/24</b>	< 2.000	<b>2014/06</b>	<b>DUE</b>
NITRITE (AS N)	00620	036	2013/06/24	< 400.000	2016/06	

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910065**

**System Name: LONG BEACH-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910065-041**

**Source Name: WILSON WELL 01-A**

**Source Number: 041**

**Source Status: ACTIVE RAW**

**Water type: G**

**RADIOLOGICAL**

<b>GROSS ALPHA</b>	<b>01501</b>	<b>003</b>	<b>2013/06/24</b>	<b>&lt; 3.000</b>	<b>2013/09</b>	<b>DUE</b>
--------------------	--------------	------------	-------------------	-------------------	----------------	------------

**REGULATED SOC**

<b>DI(2-ETHYLHEXYL)PHTHALATE</b>	<b>39100</b>	<b>033</b>	<b>2012/09/13</b>	<b>&lt; 3.000</b>	<b>2015/06</b>	
<b>THIOBENCARB</b>	<b>A-001</b>	<b>033</b>	<b>2012/09/13</b>	<b>&lt; 1.000</b>	<b>2015/06</b>	

**REGULATED VOC**

<b>1,1,1-TRICHLOROETHANE</b>	<b>34506</b>	<b>012</b>	<b>2013/06/24</b>	<b>.000</b>	<b>2014/06</b>	<b>DUE</b>
<b>1,1,2,2-TETRACHLOROETHANE</b>	<b>34516</b>	<b>012</b>	<b>2013/06/24</b>	<b>.000</b>	<b>2014/06</b>	<b>DUE</b>
<b>1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE</b>	<b>81611</b>	<b>012</b>	<b>2013/06/24</b>	<b>.000</b>	<b>2014/06</b>	<b>DUE</b>
<b>1,1,2-TRICHLOROETHANE</b>	<b>34511</b>	<b>012</b>	<b>2013/06/24</b>	<b>.000</b>	<b>2014/06</b>	<b>DUE</b>
<b>1,1-DICHLOROETHANE</b>	<b>34496</b>	<b>012</b>	<b>2013/06/24</b>	<b>.000</b>	<b>2014/06</b>	<b>DUE</b>
<b>1,1-DICHLOROETHYLENE</b>	<b>34501</b>	<b>012</b>	<b>2013/06/24</b>	<b>.000</b>	<b>2014/06</b>	<b>DUE</b>
<b>1,2,4-TRICHLOROBENZENE</b>	<b>34551</b>	<b>012</b>	<b>2013/06/24</b>	<b>.000</b>	<b>2014/06</b>	<b>DUE</b>
<b>1,2-DICHLOROBENZENE</b>	<b>34536</b>	<b>012</b>	<b>2013/06/24</b>	<b>.000</b>	<b>2014/06</b>	<b>DUE</b>
<b>1,2-DICHLOROETHANE</b>	<b>34531</b>	<b>012</b>	<b>2013/06/24</b>	<b>.000</b>	<b>2014/06</b>	<b>DUE</b>
<b>1,2-DICHLOROPROPANE</b>	<b>34541</b>	<b>012</b>	<b>2013/06/24</b>	<b>.000</b>	<b>2014/06</b>	<b>DUE</b>
<b>1,3-DICHLOROPROPENE (TOTAL)</b>	<b>34561</b>	<b>012</b>	<b>2013/06/24</b>	<b>.000</b>	<b>2014/06</b>	<b>DUE</b>
<b>1,4-DICHLOROBENZENE</b>	<b>34571</b>	<b>012</b>	<b>2013/06/24</b>	<b>.000</b>	<b>2014/06</b>	<b>DUE</b>
<b>BENZENE</b>	<b>34030</b>	<b>012</b>	<b>2013/06/24</b>	<b>.000</b>	<b>2014/06</b>	<b>DUE</b>
<b>CARBON TETRACHLORIDE</b>	<b>32102</b>	<b>012</b>	<b>2013/06/24</b>	<b>.000</b>	<b>2014/06</b>	<b>DUE</b>
<b>CIS-1,2-DICHLOROETHYLENE</b>	<b>77093</b>	<b>012</b>	<b>2013/06/24</b>	<b>.000</b>	<b>2014/06</b>	<b>DUE</b>
<b>DICHLOROMETHANE</b>	<b>34423</b>	<b>012</b>	<b>2013/06/24</b>	<b>.000</b>	<b>2014/06</b>	<b>DUE</b>
<b>ETHYLBENZENE</b>	<b>34371</b>	<b>012</b>	<b>2013/06/24</b>	<b>.000</b>	<b>2014/06</b>	<b>DUE</b>
<b>METHYL-TERT-BUTYL-ETHER (MTBE)</b>	<b>46491</b>	<b>012</b>	<b>2013/06/24</b>	<b>.000</b>	<b>2014/06</b>	<b>DUE</b>
<b>MONOCHLOROBENZENE</b>	<b>34301</b>	<b>012</b>	<b>2013/06/24</b>	<b>.000</b>	<b>2014/06</b>	<b>DUE</b>
<b>STYRENE</b>	<b>77128</b>	<b>012</b>	<b>2013/06/24</b>	<b>.000</b>	<b>2014/06</b>	<b>DUE</b>
<b>TETRACHLOROETHYLENE</b>	<b>34475</b>	<b>012</b>	<b>2013/06/24</b>	<b>.000</b>	<b>2014/06</b>	<b>DUE</b>
<b>TOLUENE</b>	<b>34010</b>	<b>012</b>	<b>2013/06/24</b>	<b>.000</b>	<b>2014/06</b>	<b>DUE</b>
<b>TRANS-1,2-DICHLOROETHYLENE</b>	<b>34546</b>	<b>012</b>	<b>2013/06/24</b>	<b>.000</b>	<b>2014/06</b>	<b>DUE</b>
<b>TRICHLOROETHYLENE</b>	<b>39180</b>	<b>012</b>	<b>2013/06/24</b>	<b>.000</b>	<b>2014/06</b>	<b>DUE</b>

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910065**

**System Name: LONG BEACH-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910065-041**

**Source Name: WILSON WELL 01-A**

**Source Number: 041**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED VOC**

TRICHLOROFLUOROMETHANE	34488	012	2013/06/24	.000	2014/06	DUE
VINYL CHLORIDE	39175	012	2013/06/24	.000	2014/06	DUE
XYLENES (TOTAL)	81551	012	2013/06/24	.000	2014/06	DUE

**SECONDARY/GP**

BICARBONATE ALKALINITY	00440	036	2012/08/29	130.900	2015/08	
CALCIUM	00916	036	2013/06/24	10.400	2016/06	
CARBONATE ALKALINITY	00445	036	2012/08/29	.500	2015/08	
CHLORIDE	00940	036	2013/06/24	14.600	2016/06	
COLOR	00081	036	2013/06/24	64.000	2016/06	
COPPER	01042	036	2013/06/24	< 50.000	2016/06	
FOAMING AGENTS (MBAS)	38260	036	2013/06/24	< .050	2016/06	
HARDNESS (TOTAL) AS CaCO3	00900	036	2012/08/29	27.000	2015/08	
HYDROXIDE ALKALINITY	71830	036	2012/08/29	.000	2015/08	
IRON	01045	036	2013/06/24	< 100.000	2016/06	
MAGNESIUM	00927	036	2013/06/24	.271	2016/06	
MANGANESE	01055	036	2013/06/24	< 20.000	2016/06	
ODOR THRESHOLD @ 60 C	00086	036	2013/06/24	4.000	2016/06	
<b>PH, LABORATORY</b>	<b>00403</b>	<b>036</b>	<b>2007/08/30</b>	<b>8.700</b>	<b>2010/08</b>	<b>DUE</b>
SILVER	01077	036	2013/06/24	< 10.000	2016/06	
SODIUM	00929	036	2013/06/24	67.000	2016/06	
SPECIFIC CONDUCTANCE	00095	036	2013/06/24	353.000	2016/06	
SULFATE	00945	036	2013/06/24	12.900	2016/06	
TOTAL DISSOLVED SOLIDS	70300	036	2013/06/24	232.000	2016/06	
TURBIDITY, LABORATORY	82079	036	2013/06/24	.123	2016/06	
ZINC	01092	036	2013/06/24	< 50.000	2016/06	

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910065**

**System Name: LONG BEACH-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910065-042**

**Source Name: WISE WELL 01-A**

**Source Number: 042**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

ALUMINUM	01105	036	2013/06/24	< 50.000	2016/06
ANTIMONY	01097	036	2013/06/24	< 6.000	2016/06
ARSENIC	01002	036	2013/06/24	. 2.000	2016/06
BARIUM	01007	036	2013/06/24	< 100.000	2016/06
BERYLLIUM	01012	036	2013/06/24	< 1.000	2016/06
CADMIUM	01027	036	2013/06/24	< 1.000	2016/06
CHROMIUM (TOTAL)	01034	036	2013/06/24	< 10.000	2016/06
CHROMIUM, HEXAVALENT	01032	036	2011/09/02	< 1.000	2014/09
CYANIDE	01291	036	2013/06/24	< 100.000	2016/06
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/06/24	. .470	2016/06
MERCURY	71900	036	2013/06/24	< 1.000	2016/06
NICKEL	01067	036	2013/06/24	< 10.000	2016/06
PERCHLORATE	A-031	036	2011/09/02	< 4.000	2014/09
SELENIUM	01147	036	2013/06/24	< 5.000	2016/06
THALLIUM	01059	036	2013/06/24	< 1.000	2016/06

**NITRATE/NITRITE**

<b>NITRATE (AS NO3)</b>	71850	012	<b>2013/06/24</b>	< 2.000	<b>2014/06</b>	<b>DUE</b>
NITRITE (AS N)	00620	036	2013/06/24	< 400.000	2016/06	

**RADIOLOGICAL**

<b>GROSS ALPHA</b>	01501	003	<b>2013/06/24</b>	< 3.000	<b>2013/09</b>	<b>DUE</b>
--------------------	-------	-----	-------------------	---------	----------------	------------

**REGULATED SOC**

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2012/08/29	< 3.000	2015/05
THIOBENCARB	A-001	033	2012/08/29	< 1.000	2015/05

**REGULATED VOC**

<b>1,1,1-TRICHLOROETHANE</b>	34506	012	<b>2013/06/24</b>	.000	<b>2014/06</b>	<b>DUE</b>
<b>1,1,2,2-TETRACHLOROETHANE</b>	34516	012	<b>2013/06/24</b>	.000	<b>2014/06</b>	<b>DUE</b>
<b>1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE</b>	81611	012	<b>2013/06/24</b>	. .000	<b>2014/06</b>	<b>DUE</b>
<b>1,1,2-TRICHLOROETHANE</b>	34511	012	<b>2013/06/24</b>	. .000	<b>2014/06</b>	<b>DUE</b>

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910065**

**System Name: LONG BEACH-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

**PS Code: 1910065-042**

**Source Name: WISE WELL 01-A**

**Source Number: 042**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED VOC**

1,1-DICHLOROETHANE	34496	012	2013/06/24	.000	2014/06	DUE
1,1-DICHLOROETHYLENE	34501	012	2013/06/24	.000	2014/06	DUE
1,2,4-TRICHLOROBENZENE	34551	012	2013/06/24	.000	2014/06	DUE
1,2-DICHLOROBENZENE	34536	012	2013/06/24	.000	2014/06	DUE
1,2-DICHLOROETHANE	34531	012	2013/06/24	.000	2014/06	DUE
1,2-DICHLOROPROPANE	34541	012	2013/06/24	.000	2014/06	DUE
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2013/06/24	.000	2014/06	DUE
1,4-DICHLOROBENZENE	34571	012	2013/06/24	.000	2014/06	DUE
BENZENE	34030	012	2013/06/24	.000	2014/06	DUE
CARBON TETRACHLORIDE	32102	012	2013/06/24	.000	2014/06	DUE
CIS-1,2-DICHLOROETHYLENE	77093	012	2013/06/24	.000	2014/06	DUE
DICHLOROMETHANE	34423	012	2013/06/24	.000	2014/06	DUE
ETHYLBENZENE	34371	012	2013/06/24	.000	2014/06	DUE
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2013/06/24	.000	2014/06	DUE
MONOCHLOROBENZENE	34301	012	2013/06/24	.000	2014/06	DUE
STYRENE	77128	012	2013/06/24	.000	2014/06	DUE
TETRACHLOROETHYLENE	34475	012	2013/06/24	.000	2014/06	DUE
TOLUENE	34010	012	2013/06/24	.000	2014/06	DUE
TRANS-1,2-DICHLOROETHYLENE	34546	012	2013/06/24	.000	2014/06	DUE
TRICHLOROETHYLENE	39180	012	2013/06/24	.000	2014/06	DUE
TRICHLOROFLUOROMETHANE	34488	012	2013/06/24	.000	2014/06	DUE
VINYL CHLORIDE	39175	012	2013/06/24	.000	2014/06	DUE
XYLENES (TOTAL)	81551	012	2013/06/24	.000	2014/06	DUE

**SECONDARY/GP**

BICARBONATE ALKALINITY	00440	036	2012/08/29	. 123.800	2015/08
CALCIUM	00916	036	2013/06/24	. 61.200	2016/06
CARBONATE ALKALINITY	00445	036	2012/08/29	.300	2015/08
CHLORIDE	00940	036	2013/06/24	. 126.000	2016/06
COLOR	00081	036	2013/06/24	. 23.000	2016/06

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910065**

**System Name: LONG BEACH-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910065-042**

**Source Name: WISE WELL 01-A**

**Source Number: 042**

**Source Status: ACTIVE RAW**

**Water type: G**

**SECONDARY/GP**

COPPER	01042	036	2013/06/24	< 50.000	2016/06
FOAMING AGENTS (MBAS)	38260	036	2013/06/24	< .050	2016/06
HARDNESS (TOTAL) AS CaCO3	00900	036	2012/08/29	. 118.000	2015/08
HYDROXIDE ALKALINITY	71830	036	2012/08/29	. .000	2015/08
IRON	01045	036	2013/06/24	< 100.000	2016/06
MAGNESIUM	00927	036	2013/06/24	. 6.090	2016/06
MANGANESE	01055	036	2013/06/24	30.000	2016/06
ODOR THRESHOLD @ 60 C	00086	036	2013/06/24	. 8.000	2016/06
<b>PH, LABORATORY</b>	<b>00403</b>	<b>036</b>	<b>2007/09/27</b>	<b>.000</b>	<b>2010/09 DUE</b>
SILVER	01077	036	2013/06/24	< 10.000	2016/06
SODIUM	00929	036	2013/06/24	81.000	2016/06
SPECIFIC CONDUCTANCE	00095	036	2013/06/24	. 780.000	2016/06
SULFATE	00945	036	2013/06/24	46.700	2016/06
TOTAL DISSOLVED SOLIDS	70300	036	2013/06/24	. 436.000	2016/06
TURBIDITY, LABORATORY	82079	036	2013/06/24	. .119	2016/06
ZINC	01092	036	2013/06/24	< 50.000	2016/06

**PS Code: 1910065-043**

**Source Name: CITIZENS WELL 10**

**Source Number: 043**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

ALUMINUM	01105	036	2013/06/20	< 50.000	2016/06
ANTIMONY	01097	036	2013/06/20	< 6.000	2016/06
ARSENIC	01002	036	2013/06/20	< 2.000	2016/06
BARIUM	01007	036	2013/06/20	< 100.000	2016/06
BERYLLIUM	01012	036	2013/06/20	< 1.000	2016/06
CADMIUM	01027	036	2013/06/20	< 1.000	2016/06

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)



**System Number: 1910065**

**System Name: LONG BEACH-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910065-043**

**Source Name: CITIZENS WELL 10**

**Source Number: 043**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

CHROMIUM (TOTAL)	01034	036	2013/06/20	< 10.000	2016/06
CYANIDE	01291	036	2013/06/20	< 100.000	2016/06
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/06/20	. 550	2016/06
MERCURY	71900	036	2013/06/20	< 1.000	2016/06
NICKEL	01067	036	2013/06/20	< 10.000	2016/06
PERCHLORATE	A-031	036	2011/09/06	< 4.000	2014/09
SELENIUM	01147	036	2013/06/20	< 5.000	2016/06
THALLIUM	01059	036	2013/06/20	< 1.000	2016/06

**NITRATE/NITRITE**

<b>NITRATE (AS NO3)</b>	71850	012	<b>2013/06/20</b>	< 2.000	<b>2014/06 DUE</b>
NITRITE (AS N)	00620	036	2013/06/20	< 400.000	2016/06

**RADIOLOGICAL**

<b>GROSS ALPHA</b>	01501	003	<b>2013/06/20</b>	< 3.000	<b>2013/09 DUE</b>
--------------------	-------	-----	-------------------	---------	--------------------

**REGULATED SOC**

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2012/08/09	< 3.000	2015/05
THIOBENCARB	A-001	033	2012/08/09	< 1.000	2015/05

**REGULATED VOC**

<b>1,1,1-TRICHLOROETHANE</b>	34506	012	<b>2013/06/20</b>	. 000	<b>2014/06 DUE</b>
<b>1,1,2,2-TETRACHLOROETHANE</b>	34516	012	<b>2013/06/20</b>	. 000	<b>2014/06 DUE</b>
<b>1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE</b>	81611	012	<b>2013/06/20</b>	. 000	<b>2014/06 DUE</b>
<b>1,1,2-TRICHLOROETHANE</b>	34511	012	<b>2013/06/20</b>	. 000	<b>2014/06 DUE</b>
<b>1,1-DICHLOROETHANE</b>	34496	012	<b>2013/06/20</b>	. 000	<b>2014/06 DUE</b>
<b>1,1-DICHLOROETHYLENE</b>	34501	012	<b>2013/06/20</b>	. 000	<b>2014/06 DUE</b>
<b>1,2,4-TRICHLOROBENZENE</b>	34551	012	<b>2013/06/20</b>	. 000	<b>2014/06 DUE</b>
<b>1,2-DICHLOROBENZENE</b>	34536	012	<b>2013/06/20</b>	. 000	<b>2014/06 DUE</b>
<b>1,2-DICHLOROETHANE</b>	34531	012	<b>2013/06/20</b>	. 000	<b>2014/06 DUE</b>
<b>1,2-DICHLOROPROPANE</b>	34541	012	<b>2013/06/20</b>	. 000	<b>2014/06 DUE</b>
<b>1,3-DICHLOROPROPENE (TOTAL)</b>	34561	012	<b>2013/06/20</b>	. 000	<b>2014/06 DUE</b>

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910065**

**System Name: LONG BEACH-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

**PS Code: 1910065-043**

**Source Name: CITIZENS WELL 10**

**Source Number: 043**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED VOC**

1,4-DICHLOROBENZENE	34571	012	2013/06/20	.000	2014/06	DUE
BENZENE	34030	012	2013/06/20	.000	2014/06	DUE
CARBON TETRACHLORIDE	32102	012	2013/06/20	.000	2014/06	DUE
CIS-1,2-DICHLOROETHYLENE	77093	012	2013/06/20	.000	2014/06	DUE
DICHLOROMETHANE	34423	012	2013/06/20	.000	2014/06	DUE
ETHYLBENZENE	34371	012	2013/06/20	.000	2014/06	DUE
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2013/06/20	.000	2014/06	DUE
MONOCHLOROBENZENE	34301	012	2013/06/20	.000	2014/06	DUE
STYRENE	77128	012	2013/06/20	.000	2014/06	DUE
TETRACHLOROETHYLENE	34475	012	2013/06/20	.000	2014/06	DUE
TOLUENE	34010	012	2013/06/20	.000	2014/06	DUE
TRANS-1,2-DICHLOROETHYLENE	34546	012	2013/06/20	.000	2014/06	DUE
TRICHLOROETHYLENE	39180	012	2013/06/20	.000	2014/06	DUE
TRICHLOROFLUOROMETHANE	34488	012	2013/06/20	.000	2014/06	DUE
VINYL CHLORIDE	39175	012	2013/06/20	.000	2014/06	DUE
XYLENES (TOTAL)	81551	012	2013/06/20	.000	2014/06	DUE

**SECONDARY/GP**

BICARBONATE ALKALINITY	00440	036	2012/08/09	146.100	2015/08	
CALCIUM	00916	036	2013/06/20	9.590	2016/06	
CARBONATE ALKALINITY	00445	036	2012/08/09	.300	2015/08	
CHLORIDE	00940	036	2013/06/20	20.400	2016/06	
COLOR	00081	036	2013/06/20	99.000	2016/06	
COPPER	01042	036	2013/06/20	< 50.000	2016/06	
FOAMING AGENTS (MBAS)	38260	036	2013/06/20	< .050	2016/06	
HARDNESS (TOTAL) AS CaCO3	00900	036	2012/08/09	28.100	2015/08	
HYDROXIDE ALKALINITY	71830	036	2012/08/09	.000	2015/08	
IRON	01045	036	2013/06/20	< 100.000	2016/06	
MAGNESIUM	00927	036	2013/06/20	.335	2016/06	
MANGANESE	01055	036	2013/06/20	< 20.000	2016/06	

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910065**

**System Name: LONG BEACH-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910065-043**

**Source Name: CITIZENS WELL 10**

**Source Number: 043**

**Source Status: ACTIVE RAW**

**Water type: G**

**SECONDARY/GP**

ODOR THRESHOLD @ 60 C	00086	036	2013/06/20	. 3.000	2016/06
<b>PH, LABORATORY</b>	00403	036	<b>2007/08/30</b>	<b>8.700</b>	<b>2010/08 DUE</b>
SILVER	01077	036	2013/06/20	< 10.000	2016/06
SODIUM	00929	036	2013/06/20	75.000	2016/06
SPECIFIC CONDUCTANCE	00095	036	2013/06/20	. 357.000	2016/06
SULFATE	00945	036	2013/06/20	< .500	2016/06
TOTAL DISSOLVED SOLIDS	70300	036	2013/06/20	. 212.000	2016/06
TURBIDITY, LABORATORY	82079	036	2013/06/20	. .360	2016/06
ZINC	01092	036	2013/06/20	< 50.000	2016/06

**PS Code: 1910065-045**

**Source Name: MWD LB-08 - TREATED**

**Source Number: 045**

**Source Status: PURCHASED TREATED**

**Water type: S**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\* 999

**PS Code: 1910065-046**

**Source Name: MWD LB-07 - TREATED**

**Source Number: 046**

**Source Status: PURCHASED TREATED**

**Water type: S**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\* 999

\*Testing interval is in months;  
 0 = No data for this constituent and is DUE NOW  
 I = Invalid (NOT) valid analyses reported  
 Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910065**

**System Name: LONG BEACH-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

**PS Code: 1910065-047**

**Source Name: MWD LB-06 - TREATED**

**Source Number: 047**

**Source Status: PURCHASED TREATED**

**Water type: S**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

**PS Code: 1910065-048**

**Source Name: MWD LB-05 - TREATED**

**Source Number: 048**

**Source Status: PURCHASED TREATED**

**Water type: S**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

**PS Code: 1910065-049**

**Source Name: MWD LB-04 - TREATED**

**Source Number: 049**

**Source Status: PURCHASED TREATED**

**Water type: S**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

**PS Code: 1910065-050**

**Source Name: MWD LB-03 - TREATED**

**Source Number: 050**

**Source Status: PURCHASED TREATED**

**Water type: S**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

\*Testing interval is in months;  
0 = No data for this constituent and is DUE NOW  
I = Invalid (NOT) valid analyses reported  
Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910065**

**System Name: LONG BEACH-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

**PS Code: 1910065-052**

**Source Name: MWD LB-01 - TREATED**

**Source Number: 052**

**Source Status: PURCHASED TREATED**

**Water type: S**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

**PS Code: 1910065-054**

**Source Name: LBWD WTP - COMBINED WELLS INFLUENT**

**Source Number: 054**

**Source Status: COMBINATION OR BLEND RAW**

**Water type: S**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

**PS Code: 1910065-055**

**Source Name: LBWD WTP - COMBINED WELLS EFFLUENT-TRTD**

**Source Number: 055**

**Source Status: COMBINATION OR BLEND TREATED**

**Water type: S**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

**PS Code: 1910065-056**

**Source Name: JOHNSON RES EFF (MWD) - TREATED**

**Source Number: 056**

**Source Status: ACTIVE TREATED**

**Water type: S**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

\*Testing interval is in months;  
0 = No data for this constituent and is DUE NOW  
I = Invalid (NOT) valid analyses reported  
Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910065**

**System Name: LONG BEACH-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910065-057**

**Source Name: COMMISSION WELL 19**

**Source Number: 057**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

ALUMINUM	01105	036	2013/11/08	< 50.000	2016/11
ANTIMONY	01097	036	2013/11/08	< 6.000	2016/11
ARSENIC	01002	036	2013/11/08	. 28.000	2016/11
BARIUM	01007	036	2013/11/08	130.000	2016/11
BERYLLIUM	01012	036	2013/11/08	< 1.000	2016/11
CADMIUM	01027	036	2013/11/08	< 1.000	2016/11
CHROMIUM (TOTAL)	01034	036	2013/11/08	< 10.000	2016/11
CHROMIUM, HEXAVALENT	01032	036	2013/11/08	< 1.000	2016/11
CYANIDE	01291	036	2013/11/08	< 100.000	2016/11
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/11/08	. .290	2016/11
MERCURY	71900	036	2013/11/08	< 1.000	2016/11
NICKEL	01067	036	2013/11/08	< 10.000	2016/11
PERCHLORATE	A-031	036	2013/11/08	< 4.000	2016/11
SELENIUM	01147	036	2013/11/08	< 5.000	2016/11
THALLIUM	01059	036	2013/11/08	< 1.000	2016/11

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	012	2013/11/08	< 2.000	2014/11
NITRITE (AS N)	00620	036	2013/11/08	< 400.000	2016/11

**RADIOLOGICAL**

<b>GROSS ALPHA</b>	01501	003	<b>2013/11/08</b>	. 3.100	<b>2014/02</b>	<b>DUE</b>
--------------------	-------	-----	-------------------	---------	----------------	------------

**REGULATED SOC**

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2013/11/08	< 3.000	2016/08
THIOBENCARB	A-001	033	2013/11/08	< 1.000	2016/08

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	012	2013/11/08	< .500	2014/11
1,1,2,2-TETRACHLOROETHANE	34516	012	2013/11/08	< .500	2014/11
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2013/11/08	< 10.000	2014/11
1,1,2-TRICHLOROETHANE	34511	012	2013/11/08	< .500	2014/11

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910065**

**System Name: LONG BEACH-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910065-057**

**Source Name: COMMISSION WELL 19**

**Source Number: 057**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED VOC**

1,1-DICHLOROETHANE	34496	012	2013/11/08	< .500	2014/11
1,1-DICHLOROETHYLENE	34501	012	2013/11/08	< .500	2014/11
1,2,4-TRICHLOROBENZENE	34551	012	2013/11/08	< .500	2014/11
1,2-DICHLOROBENZENE	34536	012	2013/11/08	< .500	2014/11
1,2-DICHLOROETHANE	34531	012	2013/11/08	< .500	2014/11
1,2-DICHLOROPROPANE	34541	012	2013/11/08	< .500	2014/11
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2013/11/08	< .500	2014/11
1,4-DICHLOROBENZENE	34571	012	2013/11/08	< .500	2014/11
BENZENE	34030	012	2013/11/08	< .500	2014/11
CARBON TETRACHLORIDE	32102	012	2013/11/08	< .500	2014/11
CIS-1,2-DICHLOROETHYLENE	77093	012	2013/11/08	< .500	2014/11
DICHLOROMETHANE	34423	012	2013/11/08	< .500	2014/11
ETHYLBENZENE	34371	012	2013/11/08	< .500	2014/11
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2013/11/08	< 3.000	2014/11
MONOCHLOROBENZENE	34301	012	2013/11/08	< .500	2014/11
STYRENE	77128	012	2013/11/08	< .500	2014/11
TETRACHLOROETHYLENE	34475	012	2013/11/08	< .500	2014/11
TOLUENE	34010	012	2013/11/08	< .500	2014/11
TRANS-1,2-DICHLOROETHYLENE	34546	012	2013/11/08	< .500	2014/11
TRICHLOROETHYLENE	39180	012	2013/11/08	< .500	2014/11
TRICHLOROFUOROMETHANE	34488	012	2013/11/08	< 5.000	2014/11
VINYL CHLORIDE	39175	012	2013/11/08	< .500	2014/11
XYLENES (TOTAL)	81551	012	2013/11/08	< .500	2014/11

**SECONDARY/GP**

BICARBONATE ALKALINITY	00440	036	2013/11/08	. 174.000	2016/11
CALCIUM	00916	036	2013/11/08	. 47.600	2016/11
CARBONATE ALKALINITY	00445	036	2013/11/08	.000	2016/11
CHLORIDE	00940	036	2013/11/08	. 7.640	2016/11
COLOR	00081	036	2013/04/18	. 2.000	2016/04

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910065**

**System Name: LONG BEACH-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910065-057**

**Source Name: COMMISSION WELL 19**

**Source Number: 057**

**Source Status: ACTIVE RAW**

**Water type: G**

**SECONDARY/GP**

COPPER	01042	036	2013/11/08	< 50.000	2016/11
FOAMING AGENTS (MBAS)	38260	036	2013/11/08	< .050	2016/11
HARDNESS (TOTAL) AS CaCO3	00900	036	2013/11/08	. 131.000	2016/11
HYDROXIDE ALKALINITY	71830	036	2013/11/08	. .000	2016/11
IRON	01045	036	2013/11/08	110.000	2016/11
MAGNESIUM	00927	036	2013/11/08	. 2.940	2016/11
MANGANESE	01055	036	2013/11/08	48.000	2016/11
ODOR THRESHOLD @ 60 C	00086	036	2013/11/08	. 2.000	2016/11
PH, LABORATORY	00403	036	2013/11/08	. 8.500	2016/11
SILVER	01077	036	2013/11/08	< 10.000	2016/11
SODIUM	00929	036	2013/11/08	32.800	2016/11
SPECIFIC CONDUCTANCE	00095	036	2013/11/08	. 400.000	2016/11
SULFATE	00945	036	2013/11/08	16.200	2016/11
TOTAL DISSOLVED SOLIDS	70300	036	2013/11/08	. 256.000	2016/11
TURBIDITY, LABORATORY	82079	036	2013/04/18	. .081	2016/04
ZINC	01092	036	2013/11/08	< 50.000	2016/11

**PS Code: 1910065-058**

**Source Name: COMMISSION WELL 20**

**Source Number: 058**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

ALUMINUM	01105	036	2013/06/21	< 50.000	2016/06
ANTIMONY	01097	036	2013/06/21	< 6.000	2016/06
ARSENIC	01002	036	2013/06/21	. 16.000	2016/06
BARIUM	01007	036	2013/06/21	< 100.000	2016/06
BERYLLIUM	01012	036	2013/06/21	< 1.000	2016/06
CADMIUM	01027	036	2013/06/21	< 1.000	2016/06

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)



**System Number: 1910065**

**System Name: LONG BEACH-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910065-058**

**Source Name: COMMISSION WELL 20**

**Source Number: 058**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

CHROMIUM (TOTAL)	01034	036	2013/06/21	< 10.000	2016/06
CHROMIUM, HEXAVALENT	01032	036	2011/08/30	< 1.000	2014/08
CYANIDE	01291	036	2013/06/21	< 100.000	2016/06
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/06/21	.300	2016/06
MERCURY	71900	036	2013/06/21	< 1.000	2016/06
NICKEL	01067	036	2013/06/21	< 10.000	2016/06
PERCHLORATE	A-031	036	2011/08/30	< 4.000	2014/08
SELENIUM	01147	036	2013/06/21	< 5.000	2016/06
THALLIUM	01059	036	2013/06/21	< 1.000	2016/06

**NITRATE/NITRITE**

<b>NITRATE (AS NO3)</b>	71850	012	<b>2013/06/21</b>	< 2.000	<b>2014/06</b>	<b>DUE</b>
NITRITE (AS N)	00620	036	2013/06/21	< 400.000	2016/06	

**RADIOLOGICAL**

<b>GROSS ALPHA</b>	01501	003	<b>2013/06/21</b>	< 3.000	<b>2013/09</b>	<b>DUE</b>
--------------------	-------	-----	-------------------	---------	----------------	------------

**REGULATED SOC**

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2012/08/30	< 3.000	2015/05
THIOBENCARB	A-001	033	2012/08/30	< 1.000	2015/05

**REGULATED VOC**

<b>1,1,1-TRICHLOROETHANE</b>	34506	012	<b>2013/06/21</b>	.000	<b>2014/06</b>	<b>DUE</b>
<b>1,1,2,2-TETRACHLOROETHANE</b>	34516	012	<b>2013/06/21</b>	.000	<b>2014/06</b>	<b>DUE</b>
<b>1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE</b>	81611	012	<b>2013/06/21</b>	.000	<b>2014/06</b>	<b>DUE</b>
<b>1,1,2-TRICHLOROETHANE</b>	34511	012	<b>2013/06/21</b>	.000	<b>2014/06</b>	<b>DUE</b>
<b>1,1-DICHLOROETHANE</b>	34496	012	<b>2013/06/21</b>	.000	<b>2014/06</b>	<b>DUE</b>
<b>1,1-DICHLOROETHYLENE</b>	34501	012	<b>2013/06/21</b>	.000	<b>2014/06</b>	<b>DUE</b>
<b>1,2,4-TRICHLOROBENZENE</b>	34551	012	<b>2013/06/21</b>	.000	<b>2014/06</b>	<b>DUE</b>
<b>1,2-DICHLOROBENZENE</b>	34536	012	<b>2013/06/21</b>	.000	<b>2014/06</b>	<b>DUE</b>
<b>1,2-DICHLOROETHANE</b>	34531	012	<b>2013/06/21</b>	.000	<b>2014/06</b>	<b>DUE</b>
<b>1,2-DICHLOROPROPANE</b>	34541	012	<b>2013/06/21</b>	.000	<b>2014/06</b>	<b>DUE</b>

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910065**

**System Name: LONG BEACH-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910065-058**

**Source Name: COMMISSION WELL 20**

**Source Number: 058**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED VOC**

1,3-DICHLOROPROPENE (TOTAL)	34561	012	2013/06/21	.000	2014/06	DUE
1,4-DICHLOROBENZENE	34571	012	2013/06/21	.000	2014/06	DUE
BENZENE	34030	012	2013/06/21	.000	2014/06	DUE
CARBON TETRACHLORIDE	32102	012	2013/06/21	.000	2014/06	DUE
CIS-1,2-DICHLOROETHYLENE	77093	012	2013/06/21	.000	2014/06	DUE
DICHLOROMETHANE	34423	012	2013/06/21	.000	2014/06	DUE
ETHYLBENZENE	34371	012	2013/06/21	.000	2014/06	DUE
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2013/06/21	.000	2014/06	DUE
MONOCHLOROBENZENE	34301	012	2013/06/21	.000	2014/06	DUE
STYRENE	77128	012	2013/06/21	.000	2014/06	DUE
TETRACHLOROETHYLENE	34475	012	2013/06/21	.000	2014/06	DUE
TOLUENE	34010	012	2013/06/21	.000	2014/06	DUE
TRANS-1,2-DICHLOROETHYLENE	34546	012	2013/06/21	.000	2014/06	DUE
TRICHLOROETHYLENE	39180	012	2013/06/21	.000	2014/06	DUE
TRICHLOROFLUOROMETHANE	34488	012	2013/06/21	.000	2014/06	DUE
VINYL CHLORIDE	39175	012	2013/06/21	.000	2014/06	DUE
XYLENES (TOTAL)	81551	012	2013/06/21	.000	2014/06	DUE

**SECONDARY/GP**

BICARBONATE ALKALINITY	00440	036	2012/08/30	162.100	2015/08
CALCIUM	00916	036	2013/06/21	45.000	2016/06
CARBONATE ALKALINITY	00445	036	2012/08/30	.000	2015/08
CHLORIDE	00940	036	2013/06/21	12.200	2016/06
COLOR	00081	036	2013/06/21	5.000	2016/06
COPPER	01042	036	2013/06/21	< 50.000	2016/06
FOAMING AGENTS (MBAS)	38260	036	2013/06/21	< .050	2016/06
HARDNESS (TOTAL) AS CaCO3	00900	036	2012/08/30	129.100	2015/08
HYDROXIDE ALKALINITY	71830	036	2012/08/30	.000	2015/08
IRON	01045	036	2013/06/21	< 100.000	2016/06
MAGNESIUM	00927	036	2013/06/21	3.846	2016/06

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910065**

**System Name: LONG BEACH-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910065-058**

**Source Name: COMMISSION WELL 20**

**Source Number: 058**

**Source Status: ACTIVE RAW**

**Water type: G**

**SECONDARY/GP**

MANGANESE	01055	036	2013/06/21	34.000	2016/06	
ODOR THRESHOLD @ 60 C	00086	036	2013/06/21	17.000	2016/06	
<b>PH, LABORATORY</b>	<b>00403</b>	<b>036</b>	<b>2007/08/30</b>	<b>8.200</b>	<b>2010/08</b>	<b>DUE</b>
SILVER	01077	036	2013/06/21	< 10.000	2016/06	
SODIUM	00929	036	2013/06/21	50.800	2016/06	
SPECIFIC CONDUCTANCE	00095	036	2013/06/21	427.000	2016/06	
SULFATE	00945	036	2013/06/21	35.100	2016/06	
TOTAL DISSOLVED SOLIDS	70300	036	2013/06/21	272.000	2016/06	
TURBIDITY, LABORATORY	82079	036	2013/06/21	.099	2016/06	
ZINC	01092	036	2013/06/21	< 50.000	2016/06	

**PS Code: 1910065-059**

**Source Name: COMMISSION WELL 21**

**Source Number: 059**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

ALUMINUM	01105	036	2013/06/21	< 50.000	2016/06	
ANTIMONY	01097	036	2013/06/21	< 6.000	2016/06	
ARSENIC	01002	036	2013/06/21	12.000	2016/06	
BARIUM	01007	036	2013/06/21	< 100.000	2016/06	
BERYLLIUM	01012	036	2013/06/21	< 1.000	2016/06	
CADMIUM	01027	036	2013/06/21	< 1.000	2016/06	
CHROMIUM (TOTAL)	01034	036	2013/06/21	< 10.000	2016/06	
CYANIDE	01291	036	2013/06/21	< 100.000	2016/06	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/06/21	.370	2016/06	
MERCURY	71900	036	2013/06/21	< 1.000	2016/06	
NICKEL	01067	036	2013/06/21	< 10.000	2016/06	
PERCHLORATE	A-031	036	2014/03/28	< 4.000	2017/03	

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910065**

**System Name: LONG BEACH-CITY, WATER DEPT.**

	<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>	
<b>PS Code: 1910065-059</b>						
<b>Source Name: COMMISSION WELL 21</b>						
<b>Source Number: 059</b>						
<b>Source Status: ACTIVE RAW</b>						
<b>Water type: G</b>						
<b><u>INORGANIC</u></b>						
SELENIUM	01147	036	2013/06/21	< 5.000	2016/06	
THALLIUM	01059	036	2013/06/21	< 1.000	2016/06	
<b><u>NITRATE/NITRITE</u></b>						
NITRATE (AS NO3)	71850	012	2013/06/21	< 2.000	2014/06	DUE
NITRITE (AS N)	00620	036	2013/06/21	< 400.000	2016/06	
<b><u>RADIOLOGICAL</u></b>						
GROSS ALPHA	01501	003	2013/06/21	< 3.000	2013/09	DUE
<b><u>REGULATED SOC</u></b>						
DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2012/08/09	< 3.000	2015/05	
THIOBENCARB	A-001	033	2012/08/09	< 1.000	2015/05	
<b><u>REGULATED VOC</u></b>						
1,1,1-TRICHLOROETHANE	34506	012	2013/06/21	.000	2014/06	DUE
1,1,2,2-TETRACHLOROETHANE	34516	012	2013/06/21	.000	2014/06	DUE
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2013/06/21	.000	2014/06	DUE
1,1,2-TRICHLOROETHANE	34511	012	2013/06/21	.000	2014/06	DUE
1,1-DICHLOROETHANE	34496	012	2013/06/21	.000	2014/06	DUE
1,1-DICHLOROETHYLENE	34501	012	2013/06/21	.000	2014/06	DUE
1,2,4-TRICHLOROBENZENE	34551	012	2013/06/21	.000	2014/06	DUE
1,2-DICHLOROBENZENE	34536	012	2013/06/21	.000	2014/06	DUE
1,2-DICHLOROETHANE	34531	012	2013/06/21	.000	2014/06	DUE
1,2-DICHLOROPROPANE	34541	012	2013/06/21	.000	2014/06	DUE
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2013/06/21	.000	2014/06	DUE
1,4-DICHLOROBENZENE	34571	012	2013/06/21	.000	2014/06	DUE
BENZENE	34030	012	2013/06/21	.000	2014/06	DUE
CARBON TETRACHLORIDE	32102	012	2013/06/21	.000	2014/06	DUE
CIS-1,2-DICHLOROETHYLENE	77093	012	2013/06/21	.000	2014/06	DUE
DICHLOROMETHANE	34423	012	2013/06/21	.000	2014/06	DUE
ETHYLBENZENE	34371	012	2013/06/21	.000	2014/06	DUE

\*Testing interval is in months;  
 0 = No data for this constituent and is DUE NOW  
 I = Invalid (NOT) valid analyses reported  
 Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910065**

**System Name: LONG BEACH-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910065-059**

**Source Name: COMMISSION WELL 21**

**Source Number: 059**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED VOC**

<b>METHYL-TERT-BUTYL-ETHER (MTBE)</b>	46491	012	2013/06/21	.000	2014/06	DUE
<b>MONOCHLOROBENZENE</b>	34301	012	2013/06/21	.000	2014/06	DUE
<b>STYRENE</b>	77128	012	2013/06/21	.000	2014/06	DUE
<b>TETRACHLOROETHYLENE</b>	34475	012	2013/06/21	.000	2014/06	DUE
<b>TOLUENE</b>	34010	012	2013/06/21	.000	2014/06	DUE
<b>TRANS-1,2-DICHLOROETHYLENE</b>	34546	012	2013/06/21	.000	2014/06	DUE
<b>TRICHLOROETHYLENE</b>	39180	012	2013/06/21	.000	2014/06	DUE
<b>TRICHLOROFLUOROMETHANE</b>	34488	012	2013/06/21	.000	2014/06	DUE
<b>VINYL CHLORIDE</b>	39175	012	2013/06/21	.000	2014/06	DUE
<b>XYLENES (TOTAL)</b>	81551	012	2013/06/21	.000	2014/06	DUE

**SECONDARY/GP**

BICARBONATE ALKALINITY	00440	036	2012/08/09	153.100	2015/08	
CALCIUM	00916	036	2013/06/21	33.000	2016/06	
CARBONATE ALKALINITY	00445	036	2012/08/09	.200	2015/08	
CHLORIDE	00940	036	2013/06/21	16.200	2016/06	
COLOR	00081	036	2013/06/21	6.000	2016/06	
COPPER	01042	036	2013/06/21	< 50.000	2016/06	
FOAMING AGENTS (MBAS)	38260	036	2013/06/21	< .050	2016/06	
HARDNESS (TOTAL) AS CaCO3	00900	036	2012/08/09	84.900	2015/08	
HYDROXIDE ALKALINITY	71830	036	2012/08/09	.000	2015/08	
IRON	01045	036	2013/06/21	< 100.000	2016/06	
MAGNESIUM	00927	036	2013/06/21	2.960	2016/06	
MANGANESE	01055	036	2013/06/21	< 20.000	2016/06	
ODOR THRESHOLD @ 60 C	00086	036	2013/06/21	1.000	2016/06	
<b>PH, LABORATORY</b>	00403	036	2007/08/30	8.200	2010/08	DUE
SILVER	01077	036	2013/06/21	< 10.000	2016/06	
SODIUM	00929	036	2013/06/21	63.000	2016/06	
SPECIFIC CONDUCTANCE	00095	036	2013/06/21	426.000	2016/06	
SULFATE	00945	036	2013/06/21	38.500	2016/06	

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910065**

**System Name: LONG BEACH-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910065-059**

**Source Name: COMMISSION WELL 21**

**Source Number: 059**

**Source Status: ACTIVE RAW**

**Water type: G**

**SECONDARY/GP**

TOTAL DISSOLVED SOLIDS	70300	036	2013/06/21	. 248.000	2016/06
TURBIDITY, LABORATORY	82079	036	2013/06/21	. .000	2016/06
ZINC	01092	036	2013/06/21	< 50.000	2016/06

**PS Code: 1910065-060**

**Source Name: COMMISSION WELL 22**

**Source Number: 060**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

ALUMINUM	01105	036	2013/06/21	< 50.000	2016/06
ANTIMONY	01097	036	2013/06/21	< 6.000	2016/06
ARSENIC	01002	036	2013/06/21	. 2.900	2016/06
BARIUM	01007	036	2013/06/21	< 100.000	2016/06
BERYLLIUM	01012	036	2013/06/21	< 1.000	2016/06
CADMIUM	01027	036	2013/06/21	< 1.000	2016/06
CHROMIUM (TOTAL)	01034	036	2013/06/21	< 10.000	2016/06
CYANIDE	01291	036	2013/06/21	< 100.000	2016/06
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/06/21	. .400	2016/06
MERCURY	71900	036	2013/06/21	< 1.000	2016/06
NICKEL	01067	036	2013/06/21	< 10.000	2016/06
PERCHLORATE	A-031	036	2011/08/30	< 4.000	2014/08
SELENIUM	01147	036	2013/06/21	< 5.000	2016/06
THALLIUM	01059	036	2013/06/21	< 1.000	2016/06

**NITRATE/NITRITE**

<b>NITRATE (AS NO3)</b>	71850	012	<b>2013/06/21</b>	< 2.000	<b>2014/06 DUE</b>
NITRITE (AS N)	00620	036	2013/06/21	< 400.000	2016/06

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910065**

**System Name: LONG BEACH-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910065-060**

**Source Name: COMMISSION WELL 22**

**Source Number: 060**

**Source Status: ACTIVE RAW**

**Water type: G**

**RADIOLOGICAL**

<b>GROSS ALPHA</b>	<b>01501</b>	<b>003</b>	<b>2013/06/21</b>	<b>&lt; 3.000</b>	<b>2013/09</b>	<b>DUE</b>
--------------------	--------------	------------	-------------------	-------------------	----------------	------------

**REGULATED SOC**

<b>DI(2-ETHYLHEXYL)PHTHALATE</b>	<b>39100</b>	<b>033</b>	<b>2012/08/09</b>	<b>&lt; 3.000</b>	<b>2015/05</b>	
<b>THIOBENCARB</b>	<b>A-001</b>	<b>033</b>	<b>2012/08/09</b>	<b>&lt; 1.000</b>	<b>2015/05</b>	

**REGULATED VOC**

<b>1,1,1-TRICHLOROETHANE</b>	<b>34506</b>	<b>012</b>	<b>2013/06/21</b>	<b>.000</b>	<b>2014/06</b>	<b>DUE</b>
<b>1,1,2,2-TETRACHLOROETHANE</b>	<b>34516</b>	<b>012</b>	<b>2013/06/21</b>	<b>.000</b>	<b>2014/06</b>	<b>DUE</b>
<b>1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE</b>	<b>81611</b>	<b>012</b>	<b>2013/06/21</b>	<b>.000</b>	<b>2014/06</b>	<b>DUE</b>
<b>1,1,2-TRICHLOROETHANE</b>	<b>34511</b>	<b>012</b>	<b>2013/06/21</b>	<b>.000</b>	<b>2014/06</b>	<b>DUE</b>
<b>1,1-DICHLOROETHANE</b>	<b>34496</b>	<b>012</b>	<b>2013/06/21</b>	<b>.000</b>	<b>2014/06</b>	<b>DUE</b>
<b>1,1-DICHLOROETHYLENE</b>	<b>34501</b>	<b>012</b>	<b>2013/06/21</b>	<b>.000</b>	<b>2014/06</b>	<b>DUE</b>
<b>1,2,4-TRICHLOROBENZENE</b>	<b>34551</b>	<b>012</b>	<b>2013/06/21</b>	<b>.000</b>	<b>2014/06</b>	<b>DUE</b>
<b>1,2-DICHLOROBENZENE</b>	<b>34536</b>	<b>012</b>	<b>2013/06/21</b>	<b>.000</b>	<b>2014/06</b>	<b>DUE</b>
<b>1,2-DICHLOROETHANE</b>	<b>34531</b>	<b>012</b>	<b>2013/06/21</b>	<b>.000</b>	<b>2014/06</b>	<b>DUE</b>
<b>1,2-DICHLOROPROPANE</b>	<b>34541</b>	<b>012</b>	<b>2013/06/21</b>	<b>.000</b>	<b>2014/06</b>	<b>DUE</b>
<b>1,3-DICHLOROPROPENE (TOTAL)</b>	<b>34561</b>	<b>012</b>	<b>2013/06/21</b>	<b>.000</b>	<b>2014/06</b>	<b>DUE</b>
<b>1,4-DICHLOROBENZENE</b>	<b>34571</b>	<b>012</b>	<b>2013/06/21</b>	<b>.000</b>	<b>2014/06</b>	<b>DUE</b>
<b>BENZENE</b>	<b>34030</b>	<b>012</b>	<b>2013/06/21</b>	<b>.000</b>	<b>2014/06</b>	<b>DUE</b>
<b>CARBON TETRACHLORIDE</b>	<b>32102</b>	<b>012</b>	<b>2013/06/21</b>	<b>.000</b>	<b>2014/06</b>	<b>DUE</b>
<b>CIS-1,2-DICHLOROETHYLENE</b>	<b>77093</b>	<b>012</b>	<b>2013/06/21</b>	<b>.000</b>	<b>2014/06</b>	<b>DUE</b>
<b>DICHLOROMETHANE</b>	<b>34423</b>	<b>012</b>	<b>2013/06/21</b>	<b>.000</b>	<b>2014/06</b>	<b>DUE</b>
<b>ETHYLBENZENE</b>	<b>34371</b>	<b>012</b>	<b>2013/06/21</b>	<b>.000</b>	<b>2014/06</b>	<b>DUE</b>
<b>METHYL-TERT-BUTYL-ETHER (MTBE)</b>	<b>46491</b>	<b>012</b>	<b>2013/06/21</b>	<b>.000</b>	<b>2014/06</b>	<b>DUE</b>
<b>MONOCHLOROBENZENE</b>	<b>34301</b>	<b>012</b>	<b>2013/06/21</b>	<b>.000</b>	<b>2014/06</b>	<b>DUE</b>
<b>STYRENE</b>	<b>77128</b>	<b>012</b>	<b>2013/06/21</b>	<b>.000</b>	<b>2014/06</b>	<b>DUE</b>
<b>TETRACHLOROETHYLENE</b>	<b>34475</b>	<b>012</b>	<b>2013/06/21</b>	<b>.000</b>	<b>2014/06</b>	<b>DUE</b>
<b>TOLUENE</b>	<b>34010</b>	<b>012</b>	<b>2013/06/21</b>	<b>.000</b>	<b>2014/06</b>	<b>DUE</b>
<b>TRANS-1,2-DICHLOROETHYLENE</b>	<b>34546</b>	<b>012</b>	<b>2013/06/21</b>	<b>.000</b>	<b>2014/06</b>	<b>DUE</b>
<b>TRICHLOROETHYLENE</b>	<b>39180</b>	<b>012</b>	<b>2013/06/21</b>	<b>.000</b>	<b>2014/06</b>	<b>DUE</b>

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910065**

**System Name: LONG BEACH-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910065-060**

**Source Name: COMMISSION WELL 22**

**Source Number: 060**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED VOC**

TRICHLOROFLUOROMETHANE	34488	012	2013/06/21	.000	2014/06	DUE
VINYL CHLORIDE	39175	012	2013/06/21	.000	2014/06	DUE
XYLENES (TOTAL)	81551	012	2013/06/21	.000	2014/06	DUE

**SECONDARY/GP**

BICARBONATE ALKALINITY	00440	036	2012/08/09	162.800	2015/08	
CALCIUM	00916	036	2013/06/21	30.000	2016/06	
CARBONATE ALKALINITY	00445	036	2012/08/09	.200	2015/08	
CHLORIDE	00940	036	2013/06/21	19.000	2016/06	
COLOR	00081	036	2013/06/21	8.000	2016/06	
COPPER	01042	036	2013/06/21	< 50.000	2016/06	
FOAMING AGENTS (MBAS)	38260	036	2013/06/21	< .050	2016/06	
HARDNESS (TOTAL) AS CaCO3	00900	036	2012/08/09	87.000	2015/08	
HYDROXIDE ALKALINITY	71830	036	2012/08/09	.000	2015/08	
IRON	01045	036	2013/06/21	< 100.000	2016/06	
MAGNESIUM	00927	036	2013/06/21	2.370	2016/06	
MANGANESE	01055	036	2013/06/21	< 20.000	2016/06	
ODOR THRESHOLD @ 60 C	00086	036	2013/06/21	3.000	2016/06	
<b>PH, LABORATORY</b>	<b>00403</b>	<b>036</b>	<b>2007/08/30</b>	<b>8.300</b>	<b>2010/08</b>	<b>DUE</b>
SILVER	01077	036	2013/06/21	< 10.000	2016/06	
SODIUM	00929	036	2013/06/21	73.000	2016/06	
SPECIFIC CONDUCTANCE	00095	036	2013/06/21	449.000	2016/06	
SULFATE	00945	036	2013/06/21	42.000	2016/06	
TOTAL DISSOLVED SOLIDS	70300	036	2013/06/21	256.000	2016/06	
TURBIDITY, LABORATORY	82079	036	2013/06/21	.078	2016/06	
ZINC	01092	036	2013/06/21	< 50.000	2016/06	

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)



**System Number: 1910065**

**System Name: LONG BEACH-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910065-061**

**Source Name: COMMISSION WELL 23**

**Source Number: 061**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

ALUMINUM	01105	036	2013/07/19	< 50.000	2016/07
ANTIMONY	01097	036	2013/07/19	< 6.000	2016/07
ARSENIC	01002	036	2013/07/19	. 2.400	2016/07
BARIUM	01007	036	2013/07/19	< 100.000	2016/07
BERYLLIUM	01012	036	2013/07/19	< 1.000	2016/07
CADMIUM	01027	036	2013/07/19	< 1.000	2016/07
CHROMIUM (TOTAL)	01034	036	2013/07/19	< 10.000	2016/07
CYANIDE	01291	036	2013/09/11	< 100.000	2016/09
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/09/11	. .310	2016/09
MERCURY	71900	036	2013/07/19	< 1.000	2016/07
NICKEL	01067	036	2013/07/19	< 10.000	2016/07
PERCHLORATE	A-031	036	2013/07/19	< 4.000	2016/07
SELENIUM	01147	036	2013/07/19	< 5.000	2016/07
THALLIUM	01059	036	2013/07/19	< 1.000	2016/07

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	012	2013/09/11	< 2.000	2014/09
NITRITE (AS N)	00620	036	2013/09/11	< 400.000	2016/09

**RADIOLOGICAL**

<b>GROSS ALPHA</b>	01501	003	<b>2013/07/19</b>	< 3.000	<b>2013/10 DUE</b>
--------------------	-------	-----	-------------------	---------	--------------------

**REGULATED SOC**

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2013/07/19	< 3.000	2016/04
THIOBENCARB	A-001	033	2013/07/19	< 1.000	2016/04

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	012	2013/09/12	.000	2014/09
1,1,2,2-TETRACHLOROETHANE	34516	012	2013/09/12	.000	2014/09
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2013/09/12	. .000	2014/09
1,1,2-TRICHLOROETHANE	34511	012	2013/09/12	. .000	2014/09
1,1-DICHLOROETHANE	34496	012	2013/09/12	. .000	2014/09

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910065**

**System Name: LONG BEACH-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910065-061**

**Source Name: COMMISSION WELL 23**

**Source Number: 061**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED VOC**

1,1-DICHLOROETHYLENE	34501	012	2013/09/12	.000	2014/09
1,2,4-TRICHLOROBENZENE	34551	012	2013/09/12	.000	2014/09
1,2-DICHLOROBENZENE	34536	012	2013/09/12	.000	2014/09
1,2-DICHLOROETHANE	34531	012	2013/09/12	.000	2014/09
1,2-DICHLOROPROPANE	34541	012	2013/09/12	.000	2014/09
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2013/09/12	.000	2014/09
1,4-DICHLOROBENZENE	34571	012	2013/09/12	.000	2014/09
BENZENE	34030	012	2013/09/12	.000	2014/09
CARBON TETRACHLORIDE	32102	012	2013/09/12	.000	2014/09
CIS-1,2-DICHLOROETHYLENE	77093	012	2013/09/12	.000	2014/09
DICHLOROMETHANE	34423	012	2013/09/12	.000	2014/09
ETHYLBENZENE	34371	012	2013/09/12	.000	2014/09
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2013/09/12	.000	2014/09
MONOCHLOROENZENE	34301	012	2013/09/12	.000	2014/09
STYRENE	77128	012	2013/09/12	.000	2014/09
TETRACHLOROETHYLENE	34475	012	2013/09/12	.000	2014/09
TOLUENE	34010	012	2013/09/12	.000	2014/09
TRANS-1,2-DICHLOROETHYLENE	34546	012	2013/09/12	.000	2014/09
TRICHLOROETHYLENE	39180	012	2013/09/12	.000	2014/09
TRICHLOROFUOROMETHANE	34488	012	2013/09/12	.000	2014/09
VINYL CHLORIDE	39175	012	2013/09/12	.000	2014/09
XYLENES (TOTAL)	81551	012	2013/09/12	.000	2014/09

**SECONDARY/GP**

BICARBONATE ALKALINITY	00440	036	2013/07/19	. 180.000	2016/07
CALCIUM	00916	036	2013/09/11	. 60.000	2016/09
CARBONATE ALKALINITY	00445	036	2013/07/19	< 2.000	2016/07
CHLORIDE	00940	036	2013/09/11	. 79.000	2016/09
COLOR	00081	036	2013/09/11	. 10.000	2016/09
COPPER	01042	036	2013/07/19	< 50.000	2016/07

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910065**

**System Name: LONG BEACH-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910065-061**

**Source Name: COMMISSION WELL 23**

**Source Number: 061**

**Source Status: ACTIVE RAW**

**Water type: G**

**SECONDARY/GP**

FOAMING AGENTS (MBAS)	38260	036	2013/07/19	< .050	2016/07
HARDNESS (TOTAL) AS CaCO3	00900	036	2013/07/19	. 160.000	2016/07
HYDROXIDE ALKALINITY	71830	036	2013/07/19	< 2.000	2016/07
IRON	01045	036	2013/07/19	220.000	2016/07
MAGNESIUM	00927	036	2013/09/11	. 6.900	2016/09
MANGANESE	01055	036	2013/07/19	26.000	2016/07
ODOR THRESHOLD @ 60 C	00086	036	2013/07/19	. 8.000	2016/07
PH, LABORATORY	00403	036	2013/07/19	. 7.800	2016/07
SILVER	01077	036	2013/07/19	< 10.000	2016/07
SODIUM	00929	036	2013/09/11	65.000	2016/09
SPECIFIC CONDUCTANCE	00095	036	2013/09/11	. 649.000	2016/09
SULFATE	00945	036	2013/09/11	50.000	2016/09
TOTAL DISSOLVED SOLIDS	70300	036	2013/09/11	. 340.000	2016/09
TURBIDITY, LABORATORY	82079	036	2013/09/11	. .586	2016/09
ZINC	01092	036	2013/07/19	< 50.000	2016/07

**PS Code: 1910065-062**

**Source Name: COMMISSION WELL 24 - ASR WELL**

**Source Number: 062**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

ALUMINUM	01105	036	2013/06/21	< 50.000	2016/06
ANTIMONY	01097	036	2013/06/21	< 6.000	2016/06
ARSENIC	01002	036	2013/06/21	. 2.700	2016/06
BARIUM	01007	036	2013/06/21	< 100.000	2016/06
BERYLLIUM	01012	036	2013/06/21	< 1.000	2016/06
CADMIUM	01027	036	2013/06/21	< 1.000	2016/06
CHROMIUM (TOTAL)	01034	036	2013/06/21	< 10.000	2016/06

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910065**

**System Name: LONG BEACH-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910065-062**

**Source Name: COMMISSION WELL 24 - ASR WELL**

**Source Number: 062**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

CHROMIUM, HEXAVALENT	01032	036	2011/09/08	< 1.000	2014/09
CYANIDE	01291	036	2013/06/21	< 100.000	2016/06
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/06/21	. 560	2016/06
MERCURY	71900	036	2013/06/21	< 1.000	2016/06
NICKEL	01067	036	2013/06/21	< 10.000	2016/06
PERCHLORATE	A-031	036	2011/09/08	< 4.000	2014/09
SELENIUM	01147	036	2013/06/21	< 5.000	2016/06
THALLIUM	01059	036	2013/06/21	< 1.000	2016/06

**NITRATE/NITRITE**

<b>NITRATE (AS NO3)</b>	71850	012	<b>2013/06/21</b>	< 2.000	<b>2014/06 DUE</b>
NITRITE (AS N)	00620	036	2013/06/21	< 400.000	2016/06

**RADIOLOGICAL**

<b>GROSS ALPHA</b>	01501	003	<b>2013/06/21</b>	< 3.000	<b>2013/09 DUE</b>
<b>RADIUM 226</b>	09501	003	<b>2013/06/21</b>	< 1.000	<b>2013/09 DUE</b>
<b>RADIUM 228</b>	11501	003	<b>2013/06/21</b>	< 1.000	<b>2013/09 DUE</b>
<b>URANIUM (PCI/L)</b>	28012	003	<b>2013/06/21</b>	< 1.000	<b>2013/09 DUE</b>

**REGULATED SOC**

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2013/06/21	< 3.000	2016/03
THIOBENCARB	A-001	033	2013/06/21	< 1.000	2016/03

**REGULATED VOC**

<b>1,1,1-TRICHLOROETHANE</b>	34506	012	<b>2013/06/21</b>	.000	<b>2014/06 DUE</b>
<b>1,1,2,2-TETRACHLOROETHANE</b>	34516	012	<b>2013/06/21</b>	.000	<b>2014/06 DUE</b>
<b>1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE</b>	81611	012	<b>2013/06/21</b>	. 000	<b>2014/06 DUE</b>
<b>1,1,2-TRICHLOROETHANE</b>	34511	012	<b>2013/06/21</b>	. 000	<b>2014/06 DUE</b>
<b>1,1-DICHLOROETHANE</b>	34496	012	<b>2013/06/21</b>	. 000	<b>2014/06 DUE</b>
<b>1,1-DICHLOROETHYLENE</b>	34501	012	<b>2013/06/21</b>	. 000	<b>2014/06 DUE</b>
<b>1,2,4-TRICHLOROBENZENE</b>	34551	012	<b>2013/06/21</b>	. 000	<b>2014/06 DUE</b>
<b>1,2-DICHLOROBENZENE</b>	34536	012	<b>2013/06/21</b>	.000	<b>2014/06 DUE</b>

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910065**

**System Name: LONG BEACH-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910065-062**

**Source Name: COMMISSION WELL 24 - ASR WELL**

**Source Number: 062**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED VOC**

1,2-DICHLOROETHANE	34531	012	2013/06/21	.000	2014/06	DUE
1,2-DICHLOROPROPANE	34541	012	2013/06/21	.000	2014/06	DUE
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2013/06/21	.000	2014/06	DUE
1,4-DICHLOROBENZENE	34571	012	2013/06/21	.000	2014/06	DUE
BENZENE	34030	012	2013/06/21	.000	2014/06	DUE
CARBON TETRACHLORIDE	32102	012	2013/06/21	.000	2014/06	DUE
CIS-1,2-DICHLOROETHYLENE	77093	012	2013/06/21	.000	2014/06	DUE
DICHLOROMETHANE	34423	012	2013/06/21	.000	2014/06	DUE
ETHYLBENZENE	34371	012	2013/06/21	.000	2014/06	DUE
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2013/06/21	.000	2014/06	DUE
MONOCHLOROBENZENE	34301	012	2013/06/21	.000	2014/06	DUE
STYRENE	77128	012	2013/06/21	.000	2014/06	DUE
TETRACHLOROETHYLENE	34475	012	2013/06/21	.000	2014/06	DUE
TOLUENE	34010	012	2013/06/21	.000	2014/06	DUE
TRANS-1,2-DICHLOROETHYLENE	34546	012	2013/06/21	.000	2014/06	DUE
TRICHLOROETHYLENE	39180	012	2013/06/21	.000	2014/06	DUE
TRICHLOROFLUOROMETHANE	34488	012	2013/06/21	.000	2014/06	DUE
VINYL CHLORIDE	39175	012	2013/06/21	.000	2014/06	DUE
XYLENES (TOTAL)	81551	012	2013/06/21	.000	2014/06	DUE

**SECONDARY/GP**

BICARBONATE ALKALINITY	00440	036	2012/08/29	.233.000	2015/08
CALCIUM	00916	036	2013/06/21	.7.760	2016/06
CARBONATE ALKALINITY	00445	036	2012/08/29	.500	2015/08
CHLORIDE	00940	036	2013/06/21	.23.800	2016/06
COLOR	00081	036	2013/06/21	.94.000	2016/06
COPPER	01042	036	2013/06/21	< 50.000	2016/06
FOAMING AGENTS (MBAS)	38260	036	2013/06/21	< .050	2016/06
HARDNESS (TOTAL) AS CaCO3	00900	036	2012/08/29	.17.700	2015/08
HYDROXIDE ALKALINITY	71830	036	2012/08/29	.000	2015/08

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910065**

**System Name: LONG BEACH-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910065-062**

**Source Name: COMMISSION WELL 24 - ASR WELL**

**Source Number: 062**

**Source Status: ACTIVE RAW**

**Water type: G**

**SECONDARY/GP**

IRON	01045	036	2013/06/21	< 100.000	2016/06
MAGNESIUM	00927	036	2013/06/21	. 252	2016/06
MANGANESE	01055	036	2013/06/21	< 20.000	2016/06
ODOR THRESHOLD @ 60 C	00086	036	2013/06/21	. 8.000	2016/06
<b>PH, LABORATORY</b>	<b>00403</b>	<b>036</b>	<b>2007/08/30</b>	<b>8.700</b>	<b>2010/08 DUE</b>
SILVER	01077	036	2013/06/21	< 10.000	2016/06
SODIUM	00929	036	2013/06/21	109.000	2016/06
SPECIFIC CONDUCTANCE	00095	036	2013/06/21	. 475.000	2016/06
SULFATE	00945	036	2013/06/21	< .500	2016/06
TOTAL DISSOLVED SOLIDS	70300	036	2013/06/21	. 264.000	2016/06
TURBIDITY, LABORATORY	82079	036	2013/06/21	. .217	2016/06
ZINC	01092	036	2013/06/21	< 50.000	2016/06

**PS Code: 1910065-063**

**Source Name: COMMISSION WELL 25 - ASR WELL**

**Source Number: 063**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

ALUMINUM	01105	036	2013/06/21	< 50.000	2016/06
ANTIMONY	01097	036	2013/06/21	< 6.000	2016/06
ARSENIC	01002	036	2013/06/21	< 2.000	2016/06
BARIUM	01007	036	2013/06/21	< 100.000	2016/06
BERYLLIUM	01012	036	2013/06/21	< 1.000	2016/06
CADMIUM	01027	036	2013/06/21	< 1.000	2016/06
CHROMIUM (TOTAL)	01034	036	2013/06/21	< 10.000	2016/06
CHROMIUM, HEXAVALENT	01032	036	2011/09/02	< 1.000	2014/09
CYANIDE	01291	036	2013/06/21	< 100.000	2016/06
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/06/21	. .510	2016/06

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910065**

**System Name: LONG BEACH-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910065-063**

**Source Name: COMMISSION WELL 25 - ASR WELL**

**Source Number: 063**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

MERCURY	71900	036	2013/06/21	< 1.000	2016/06
NICKEL	01067	036	2013/06/21	< 10.000	2016/06
PERCHLORATE	A-031	036	2011/09/02	< 4.000	2014/09
SELENIUM	01147	036	2013/06/21	< 5.000	2016/06
THALLIUM	01059	036	2013/06/21	< 1.000	2016/06

**NITRATE/NITRITE**

<b>NITRATE (AS NO3)</b>	71850	012	<b>2013/06/21</b>	< 2.000	<b>2014/06</b>	<b>DUE</b>
NITRITE (AS N)	00620	036	2013/06/21	< 400.000	2016/06	

**RADIOLOGICAL**

<b>GROSS ALPHA</b>	01501	003	<b>2013/06/21</b>	< 3.000	<b>2013/09</b>	<b>DUE</b>
<b>RADIUM 226</b>	09501	003	<b>2013/06/21</b>	< 1.000	<b>2013/09</b>	<b>DUE</b>
<b>RADIUM 228</b>	11501	003	<b>2013/06/21</b>	< 1.000	<b>2013/09</b>	<b>DUE</b>
<b>URANIUM (PCI/L)</b>	28012	003	<b>2013/06/21</b>	< 1.000	<b>2013/09</b>	<b>DUE</b>

**REGULATED SOC**

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2013/06/21	< 3.000	2016/03
THIOBENCARB	A-001	033	2013/06/21	< 1.000	2016/03

**REGULATED VOC**

<b>1,1,1-TRICHLOROETHANE</b>	34506	012	<b>2013/06/21</b>	.000	<b>2014/06</b>	<b>DUE</b>
<b>1,1,2,2-TETRACHLOROETHANE</b>	34516	012	<b>2013/06/21</b>	.000	<b>2014/06</b>	<b>DUE</b>
<b>1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE</b>	81611	012	<b>2013/06/21</b>	.000	<b>2014/06</b>	<b>DUE</b>
<b>1,1,2-TRICHLOROETHANE</b>	34511	012	<b>2013/06/21</b>	.000	<b>2014/06</b>	<b>DUE</b>
<b>1,1-DICHLOROETHANE</b>	34496	012	<b>2013/06/21</b>	.000	<b>2014/06</b>	<b>DUE</b>
<b>1,1-DICHLOROETHYLENE</b>	34501	012	<b>2013/06/21</b>	.000	<b>2014/06</b>	<b>DUE</b>
<b>1,2,4-TRICHLOROBENZENE</b>	34551	012	<b>2013/06/21</b>	.000	<b>2014/06</b>	<b>DUE</b>
<b>1,2-DICHLOROBENZENE</b>	34536	012	<b>2013/06/21</b>	.000	<b>2014/06</b>	<b>DUE</b>
<b>1,2-DICHLOROETHANE</b>	34531	012	<b>2013/06/21</b>	.000	<b>2014/06</b>	<b>DUE</b>
<b>1,2-DICHLOROPROPANE</b>	34541	012	<b>2013/06/21</b>	.000	<b>2014/06</b>	<b>DUE</b>
<b>1,3-DICHLOROPROPENE (TOTAL)</b>	34561	012	<b>2013/06/21</b>	.000	<b>2014/06</b>	<b>DUE</b>

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910065**

**System Name: LONG BEACH-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910065-063**

**Source Name: COMMISSION WELL 25 - ASR WELL**

**Source Number: 063**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED VOC**

1,4-DICHLOROBENZENE	34571	012	2013/06/21	.000	2014/06	DUE
BENZENE	34030	012	2013/06/21	.000	2014/06	DUE
CARBON TETRACHLORIDE	32102	012	2013/06/21	.000	2014/06	DUE
CIS-1,2-DICHLOROETHYLENE	77093	012	2013/06/21	.000	2014/06	DUE
DICHLOROMETHANE	34423	012	2013/06/21	.000	2014/06	DUE
ETHYLBENZENE	34371	012	2013/06/21	.000	2014/06	DUE
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2013/06/21	.000	2014/06	DUE
MONOCHLOROBENZENE	34301	012	2013/06/21	.000	2014/06	DUE
STYRENE	77128	012	2013/06/21	.000	2014/06	DUE
TETRACHLOROETHYLENE	34475	012	2013/06/21	.000	2014/06	DUE
TOLUENE	34010	012	2013/06/21	.000	2014/06	DUE
TRANS-1,2-DICHLOROETHYLENE	34546	012	2013/06/21	.000	2014/06	DUE
TRICHLOROETHYLENE	39180	012	2013/06/21	.000	2014/06	DUE
TRICHLOROFLUOROMETHANE	34488	012	2013/06/21	.000	2014/06	DUE
VINYL CHLORIDE	39175	012	2013/06/21	.000	2014/06	DUE
XYLENES (TOTAL)	81551	012	2013/06/21	.000	2014/06	DUE

**SECONDARY/GP**

BICARBONATE ALKALINITY	00440	036	2012/08/29	. 135.300	2015/08
CALCIUM	00916	036	2013/06/21	. 10.600	2016/06
CARBONATE ALKALINITY	00445	036	2012/08/29	.400	2015/08
CHLORIDE	00940	036	2013/06/21	. 16.900	2016/06
COLOR	00081	036	2013/06/21	. 73.000	2016/06
COPPER	01042	036	2013/06/21	< 50.000	2016/06
FOAMING AGENTS (MBAS)	38260	036	2013/06/21	< .050	2016/06
HARDNESS (TOTAL) AS CaCO3	00900	036	2012/08/29	. 25.400	2015/08
HYDROXIDE ALKALINITY	71830	036	2012/08/29	. .000	2015/08
IRON	01045	036	2013/06/21	< 100.000	2016/06
MAGNESIUM	00927	036	2013/06/21	. .000	2016/06
MANGANESE	01055	036	2013/06/21	< 20.000	2016/06

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)



**System Number: 1910065**

**System Name: LONG BEACH-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910065-063**

**Source Name: COMMISSION WELL 25 - ASR WELL**

**Source Number: 063**

**Source Status: ACTIVE RAW**

**Water type: G**

**SECONDARY/GP**

ODOR THRESHOLD @ 60 C	00086	036	2013/06/21	. 3.000	2016/06
<b>PH, LABORATORY</b>	00403	036	<b>2007/08/30</b>	<b>8.800</b>	<b>2010/08 DUE</b>
SILVER	01077	036	2013/06/21	< 10.000	2016/06
SODIUM	00929	036	2013/06/21	72.000	2016/06
SPECIFIC CONDUCTANCE	00095	036	2013/06/21	. 348.000	2016/06
SULFATE	00945	036	2013/06/21	3.320	2016/06
TOTAL DISSOLVED SOLIDS	70300	036	2013/06/21	. 196.000	2016/06
TURBIDITY, LABORATORY	82079	036	2013/06/21	. .139	2016/06
ZINC	01092	036	2013/06/21	< 50.000	2016/06

**PS Code: 1910065-064**

**Source Name: INTERCONNECTION SUPPLY-LAKEWOOD TO GTP**

**Source Number: 064**

**Source Status: PURCHASED TREATED**

**Water type: S**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\* 999

**PS Code: 1910065-800**

**Source Name: SITE 1-6509 GUNDRY AVENUE-STG2 DBP**

**Source Number: 800**

**Source Status: DISTRIBUTION TREATED**

**Water type: S**

**HALOACETIC ACIDS**

DIBROMOACETIC ACID (DBAA)	82721	003	2014/05/19	. 2.700	2014/08
DICHLOROACETIC ACID (DCAA)	77288	003	2014/05/19	. 7.400	2014/08
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/05/19	. 15.000	2014/08
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/05/19	< 1.000	2014/08
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/05/19	< 2.000	2014/08

\*Testing interval is in months;  
 0 = No data for this constituent and is DUE NOW  
 I = Invalid (NOT) valid analyses reported  
 Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910065**

**System Name: LONG BEACH-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910065-800**

**Source Name: SITE 1-6509 GUNDRY AVENUE-STG2 DBP**

**Source Number: 800**

**Source Status: DISTRIBUTION TREATED**

**Water type: S**

**HALOACETIC ACIDS**

TRICHLOROACETIC ACID (TCAA)	82723	003	2014/05/19	. 4.800	2014/08
-----------------------------	-------	-----	------------	---------	---------

**STATE UCMR**

BROMODICHLORMETHANE (THM)	32101	003	2014/05/19	. 11.600	2014/08
BROMOFORM (THM)	32104	003	2014/05/19	. 2.810	2014/08
CHLOROFORM (THM)	32106	003	2014/05/19	. 14.600	2014/08
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/05/19	. 10.700	2014/08

**TRIHALOMETHANES**

TOTAL TRIHALOMETHANES	82080	003	2014/05/19	. 39.700	2014/08
-----------------------	-------	-----	------------	----------	---------

**PS Code: 1910065-801**

**Source Name: SITE 2-160 EAST MARKET STREET-STG2 DBP**

**Source Number: 801**

**Source Status: DISTRIBUTION TREATED**

**Water type: S**

**HALOACETIC ACIDS**

DIBROMOACETIC ACID (DBAA)	82721	003	2014/05/19	. 2.000	2014/08
DICHLOROACETIC ACID (DCAA)	77288	003	2014/05/19	. 5.400	2014/08
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/05/19	. 12.000	2014/08
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/05/19	< 1.000	2014/08
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/05/19	< 2.000	2014/08
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/05/19	. 4.600	2014/08

**STATE UCMR**

BROMODICHLORMETHANE (THM)	32101	003	2014/05/19	. 12.300	2014/08
BROMOFORM (THM)	32104	003	2014/05/19	. 2.240	2014/08
CHLOROFORM (THM)	32106	003	2014/05/19	. 17.200	2014/08
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/05/19	. 9.950	2014/08

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910065**

**System Name: LONG BEACH-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910065-801**

**Source Name: SITE 2-160 EAST MARKET STREET-STG2 DBP**

**Source Number: 801**

**Source Status: DISTRIBUTION TREATED**

**Water type: S**

**TRihalOMETHANES**

TOTAL TRIHALOMETHANES	82080	003	2014/05/19	. 41.700	2014/08
-----------------------	-------	-----	------------	----------	---------

**PS Code: 1910065-802**

**Source Name: SITE 3-3090 EASY AVENUE-STG2 DBP**

**Source Number: 802**

**Source Status: DISTRIBUTION TREATED**

**Water type: S**

**HALOACETIC ACIDS**

DIBROMOACETIC ACID (DBAA)	82721	003	2014/05/19	. 2.400	2014/08
DICHLOROACETIC ACID (DCAA)	77288	003	2014/05/19	. 6.900	2014/08
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/05/19	. 14.000	2014/08
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/05/19	< 1.000	2014/08
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/05/19	< 2.000	2014/08
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/05/19	. 4.500	2014/08

**STATE UCMR**

BROMODICHLORMETHANE (THM)	32101	003	2014/05/20	. 11.200	2014/08
BROMOFORM (THM)	32104	003	2014/05/20	. 2.770	2014/08
CHLOROFORM (THM)	32106	003	2014/05/20	. 14.300	2014/08
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/05/20	. 10.400	2014/08

**TRihalOMETHANES**

TOTAL TRIHALOMETHANES	82080	003	2014/05/20	. 38.700	2014/08
-----------------------	-------	-----	------------	----------	---------

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910065**

**System Name: LONG BEACH-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910065-803**

**Source Name: SITE 4-2475 ADRIATIC AVENUE-STG2 DBP**

**Source Number: 803**

**Source Status: DISTRIBUTION TREATED**

**Water type: S**

**HALOACETIC ACIDS**

DIBROMOACETIC ACID (DBAA)	82721	003	2014/05/19	. 2.500	2014/08
DICHLOROACETIC ACID (DCAA)	77288	003	2014/05/19	. 7.900	2014/08
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/05/19	. 15.000	2014/08
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/05/19	< 1.000	2014/08
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/05/19	< 2.000	2014/08
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/05/19	. 4.900	2014/08

**STATE UCMR**

BROMODICHLORMETHANE (THM)	32101	003	2014/05/20	. 10.700	2014/08
BROMOFORM (THM)	32104	003	2014/05/20	. 2.640	2014/08
CHLOROFORM (THM)	32106	003	2014/05/20	. 13.800	2014/08
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/05/20	. 10.200	2014/08

**TRIHALOMETHANES**

TOTAL TRIHALOMETHANES	82080	003	2014/05/20	. 37.300	2014/08
-----------------------	-------	-----	------------	----------	---------

**PS Code: 1910065-804**

**Source Name: SITE 5-165 N. PICO AVENUE-STG2 DBP**

**Source Number: 804**

**Source Status: DISTRIBUTION TREATED**

**Water type: S**

**HALOACETIC ACIDS**

DIBROMOACETIC ACID (DBAA)	82721	003	2014/05/20	. 2.000	2014/08
DICHLOROACETIC ACID (DCAA)	77288	003	2014/05/20	. 5.500	2014/08
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/05/20	. 12.000	2014/08
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/05/20	< 1.000	2014/08
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/05/20	< 2.000	2014/08
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/05/20	. 4.800	2014/08

**STATE UCMR**

BROMODICHLORMETHANE (THM)	32101	003	2014/05/20	. 10.900	2014/08
---------------------------	-------	-----	------------	----------	---------

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910065**

**System Name: LONG BEACH-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910065-804**

**Source Name: SITE 5-165 N. PICO AVENUE-STG2 DBP**

**Source Number: 804**

**Source Status: DISTRIBUTION TREATED**

**Water type: S**

**STATE UCMR**

BROMOFORM (THM)	32104	003	2014/05/20	. 2.520	2014/08
CHLOROFORM (THM)	32106	003	2014/05/20	. 14.000	2014/08
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/05/20	. 9.770	2014/08

**TRIHALOMETHANES**

TOTAL TRIHALOMETHANES	82080	003	2014/05/20	. 37.200	2014/08
-----------------------	-------	-----	------------	----------	---------

**PS Code: 1910065-805**

**Source Name: SITE 6-2829 68TH STREET-STG2 DBP**

**Source Number: 805**

**Source Status: DISTRIBUTION TREATED**

**Water type: S**

**HALOACETIC ACIDS**

DIBROMOACETIC ACID (DBAA)	82721	003	2014/05/19	. 2.400	2014/08
DICHLOROACETIC ACID (DCAA)	77288	003	2014/05/19	. 7.500	2014/08
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/05/19	. 15.000	2014/08
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/05/19	< 1.000	2014/08
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/05/19	< 2.000	2014/08
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/05/19	. 4.900	2014/08

**STATE UCMR**

BROMODICHLORMETHANE (THM)	32101	003	2014/05/19	. 11.100	2014/08
BROMOFORM (THM)	32104	003	2014/05/19	. 2.400	2014/08
CHLOROFORM (THM)	32106	003	2014/05/19	. 14.400	2014/08
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/05/19	. 9.790	2014/08

**TRIHALOMETHANES**

TOTAL TRIHALOMETHANES	82080	003	2014/05/19	. 37.700	2014/08
-----------------------	-------	-----	------------	----------	---------

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910065**

**System Name: LONG BEACH-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910065-806**

**Source Name: SITE 7-132 E. ARTESIA AVENUE-STG2 DBP**

**Source Number: 806**

**Source Status: DISTRIBUTION TREATED**

**Water type: S**

**HALOACETIC ACIDS**

DIBROMOACETIC ACID (DBAA)	82721	003	2014/05/19	. 2.500	2014/08
DICHLOROACETIC ACID (DCAA)	77288	003	2014/05/19	. 7.000	2014/08
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/05/19	. 14.000	2014/08
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/05/19	< 1.000	2014/08
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/05/19	< 2.000	2014/08
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/05/19	. 4.600	2014/08

**STATE UCMR**

BROMODICHLORMETHANE (THM)	32101	003	2014/05/19	. 10.400	2014/08
BROMOFORM (THM)	32104	003	2014/05/19	. 2.480	2014/08
CHLOROFORM (THM)	32106	003	2014/05/19	. 13.500	2014/08
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/05/19	. 9.880	2014/08

**TRIHALOMETHANES**

TOTAL TRIHALOMETHANES	82080	003	2014/05/19	. 36.300	2014/08
-----------------------	-------	-----	------------	----------	---------

**PS Code: 1910065-807**

**Source Name: SITE 8-1720 W. 32ND STREET-STG2 DBP**

**Source Number: 807**

**Source Status: DISTRIBUTION TREATED**

**Water type: S**

**HALOACETIC ACIDS**

DIBROMOACETIC ACID (DBAA)	82721	003	2014/05/19	. 2.500	2014/08
DICHLOROACETIC ACID (DCAA)	77288	003	2014/05/19	. 7.200	2014/08
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/05/19	. 14.000	2014/08
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/05/19	< 1.000	2014/08
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/05/19	< 2.000	2014/08
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/05/19	. 4.700	2014/08

**STATE UCMR**

BROMODICHLORMETHANE (THM)	32101	003	2014/05/20	. 11.500	2014/08
---------------------------	-------	-----	------------	----------	---------

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910065**

**System Name: LONG BEACH-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910065-807**

**Source Name: SITE 8-1720 W. 32ND STREET-STG2 DBP**

**Source Number: 807**

**Source Status: DISTRIBUTION TREATED**

**Water type: S**

**STATE UCMR**

BROMOFORM (THM)	32104	003	2014/05/20	. 2.620	2014/08
CHLOROFORM (THM)	32106	003	2014/05/20	. 14.600	2014/08
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/05/20	. 10.100	2014/08

**TRIHALOMETHANES**

TOTAL TRIHALOMETHANES	82080	003	2014/05/20	. 38.800	2014/08
-----------------------	-------	-----	------------	----------	---------

**PS Code: 1910065-808**

**Source Name: SITE 9-2201 WEBSTER AVENUE-STG2 DBP**

**Source Number: 808**

**Source Status: DISTRIBUTION TREATED**

**Water type: S**

**HALOACETIC ACIDS**

DIBROMOACETIC ACID (DBAA)	82721	003	2014/05/19	. 2.200	2014/08
DICHLOROACETIC ACID (DCAA)	77288	003	2014/05/19	. 6.200	2014/08
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/05/19	. 13.000	2014/08
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/05/19	< 1.000	2014/08
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/05/19	< 2.000	2014/08
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/05/19	. 4.600	2014/08

**STATE UCMR**

BROMODICHLORMETHANE (THM)	32101	003	2014/05/20	. 11.800	2014/08
BROMOFORM (THM)	32104	003	2014/05/20	. 2.240	2014/08
CHLOROFORM (THM)	32106	003	2014/05/20	. 16.400	2014/08
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/05/20	. 9.630	2014/08

**TRIHALOMETHANES**

TOTAL TRIHALOMETHANES	82080	003	2014/05/20	. 40.100	2014/08
-----------------------	-------	-----	------------	----------	---------

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910065**

**System Name: LONG BEACH-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910065-809**

**Source Name: SITE 10-1126 QUEENS HIGHWAY-STG2 DBP**

**Source Number: 809**

**Source Status: DISTRIBUTION TREATED**

**Water type: S**

**HALOACETIC ACIDS**

DIBROMOACETIC ACID (DBAA)	82721	003	2014/05/20	. 1.800	2014/08
DICHLOROACETIC ACID (DCAA)	77288	003	2014/05/20	. 4.000	2014/08
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/05/20	. 11.000	2014/08
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/05/20	< 1.000	2014/08
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/05/20	< 2.000	2014/08
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/05/20	. 4.800	2014/08

**STATE UCMR**

BROMODICHLORMETHANE (THM)	32101	003	2014/05/20	. 12.200	2014/08
BROMOFORM (THM)	32104	003	2014/05/20	. 1.780	2014/08
CHLOROFORM (THM)	32106	003	2014/05/20	. 18.100	2014/08
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/05/20	. 9.570	2014/08

**TRIHALOMETHANES**

TOTAL TRIHALOMETHANES	82080	003	2014/05/20	. 41.700	2014/08
-----------------------	-------	-----	------------	----------	---------

**PS Code: 1910065-810**

**Source Name: SITE 11-2993 MAINE AVENUE-STG2 DBP**

**Source Number: 810**

**Source Status: DISTRIBUTION TREATED**

**Water type: S**

**HALOACETIC ACIDS**

DIBROMOACETIC ACID (DBAA)	82721	003	2014/05/19	. 2.200	2014/08
DICHLOROACETIC ACID (DCAA)	77288	003	2014/05/19	. 5.600	2014/08
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/05/19	. 13.000	2014/08
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/05/19	< 1.000	2014/08
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/05/19	< 2.000	2014/08
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/05/19	. 5.100	2014/08

**STATE UCMR**

BROMODICHLORMETHANE (THM)	32101	003	2014/05/20	. 13.400	2014/08
---------------------------	-------	-----	------------	----------	---------

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)



**System Number: 1910065**

**System Name: LONG BEACH-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910065-810**

**Source Name: SITE 11-2993 MAINE AVENUE-STG2 DBP**

**Source Number: 810**

**Source Status: DISTRIBUTION TREATED**

**Water type: S**

**STATE UCMR**

BROMOFORM (THM)	32104	003	2014/05/20	. 1.990	2014/08
CHLOROFORM (THM)	32106	003	2014/05/20	. 20.000	2014/08
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/05/20	. 10.300	2014/08

**TRIHALOMETHANES**

TOTAL TRIHALOMETHANES	82080	003	2014/05/20	. 45.700	2014/08
-----------------------	-------	-----	------------	----------	---------

**PS Code: 1910065-811**

**Source Name: SITE 12-J. WILL JOHNSON RES.-STG2 DBP**

**Source Number: 811**

**Source Status: DISTRIBUTION TREATED**

**Water type: S**

**HALOACETIC ACIDS**

DIBROMOACETIC ACID (DBAA)	82721	003	2014/05/19	. 2.400	2014/08
DICHLOROACETIC ACID (DCAA)	77288	003	2014/05/19	. 6.800	2014/08
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/05/19	. 14.000	2014/08
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/05/19	< 1.000	2014/08
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/05/19	< 2.000	2014/08
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/05/19	. 4.400	2014/08

**STATE UCMR**

BROMODICHLORMETHANE (THM)	32101	003	2014/05/19	. 10.800	2014/08
BROMOFORM (THM)	32104	003	2014/05/19	. 2.520	2014/08
CHLOROFORM (THM)	32106	003	2014/05/19	. 13.800	2014/08
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/05/19	. 9.900	2014/08

**TRIHALOMETHANES**

TOTAL TRIHALOMETHANES	82080	003	2014/05/19	. 37.000	2014/08
-----------------------	-------	-----	------------	----------	---------

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910073**

**System Name: LOMITA-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910073-003**

**Source Name: WELL 05**

**Source Number: 003**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

ALUMINUM	01105	036	2013/06/05	< 50.000	2016/06
ANTIMONY	01097	036	2013/06/05	< 6.000	2016/06
ARSENIC	01002	036	2013/06/05	< 2.000	2016/06
BARIUM	01007	036	2013/06/05	< 100.000	2016/06
BERYLLIUM	01012	036	2013/06/05	< 1.000	2016/06
CADMIUM	01027	036	2013/06/05	< 1.000	2016/06
CHROMIUM (TOTAL)	01034	036	2013/06/05	< 10.000	2016/06
CYANIDE	01291	036	2013/06/05	< 100.000	2016/06
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/06/05	. 336	2016/06
MERCURY	71900	036	2013/06/05	< 1.000	2016/06
NICKEL	01067	036	2013/06/05	< 10.000	2016/06
PERCHLORATE	A-031	036	2013/06/05	< 4.000	2016/06
SELENIUM	01147	036	2013/06/05	< 5.000	2016/06
THALLIUM	01059	036	2013/06/05	< 1.000	2016/06

**NITRATE/NITRITE**

<b>NITRATE (AS NO3)</b>	71850	012	2013/06/05	< 2.000	2014/06	<b>DUE</b>
NITRITE (AS N)	00620	036	2013/06/05	< 400.000	2016/06	

**RADIOLOGICAL**

<b>GROSS ALPHA</b>	01501	003	2013/03/07	. 3.950	2013/06	<b>DUE</b>
<b>RADIUM 226</b>	09501	003	2013/03/07	< 1.000	2013/06	<b>DUE</b>
<b>RADIUM 228</b>	11501	003	2013/03/07	< 1.000	2013/06	<b>DUE</b>
<b>URANIUM (PCI/L)</b>	28012	003	2013/03/07	< 1.000	2013/06	<b>DUE</b>

**REGULATED SOC**

<b>2,3,7,8-TCDD (DIOXIN)</b>	34676	003	2010/06/30	.000	2010/09	<b>DUE</b>
<b>2,4,5-TP (SILVEX)</b>	39045	033	2010/06/30	< .000	2013/03	<b>DUE</b>
<b>2,4-D</b>	39730	033	2010/06/30	< .000	2013/03	<b>DUE</b>
<b>ALACHLOR</b>	77825	033	2010/06/30	< .000	2013/03	<b>DUE</b>
<b>ATRAZINE</b>	39033	033	2010/06/30	< .000	2013/03	<b>DUE</b>

\*Testing interval is in months;  
 0 = No data for this constituent and is DUE NOW  
 I = Invalid (NOT) valid analyses reported  
 Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910073**

**System Name: LOMITA-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

**PS Code: 1910073-003**

**Source Name: WELL 05**

**Source Number: 003**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED SOC**

BENTAZON	38710	033	2010/06/30	< .000	2013/03	DUE
BENZO (A) PYRENE	34247	033	2010/06/30	< .000	2013/03	DUE
CARBOFURAN	81405	033	2010/06/30	< .000	2013/03	DUE
CHLORDANE	39350	033	2010/06/30	< .000	2013/03	DUE
DALAPON	38432	033	2010/06/30	< .000	2013/03	DUE
DI(2-ETHYLHEXYL)ADIPATE	A-026	033	2010/06/30	< .000	2013/03	DUE
DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2012/09/12	< 3.000	2015/06	
DIBROMOCHLOROPROPANE (DBCP)	38761	033	2010/06/30	< .000	2013/03	DUE
DINOSEB	81287	033	2010/06/30	< .000	2013/03	DUE
DIQUAT	78885	033	2010/06/30	< .000	2013/03	DUE
ENDOTHALL	38926	003	2010/06/30	< .000	2010/09	DUE
ENDRIN	39390	033	2010/06/30	< .000	2013/03	DUE
ETHYLENE DIBROMIDE (EDB)	77651	033	2010/06/30	< .000	2013/03	DUE
GLYPHOSATE	79743	033	2010/06/30	< .000	2013/03	DUE
HEPTACHLOR	39410	033	2010/06/30	< .000	2013/03	DUE
HEPTACHLOR EPOXIDE	39420	033	2010/06/30	< .000	2013/03	DUE
HEXACHLOROBENZENE	39700	033	2010/06/30	< .000	2013/03	DUE
HEXACHLOROCYCLOPENTADIENE	34386	033	2010/06/30	< .000	2013/03	DUE
LINDANE	39340	033	2010/06/30	< .000	2013/03	DUE
METHOXYCHLOR	39480	033	2010/06/30	< .000	2013/03	DUE
MOLINATE	82199	033	2010/06/30	< .000	2013/03	DUE
OXAMYL	38865	033	2010/06/30	< .000	2013/03	DUE
PENTACHLOROPHENOL	39032	033	2010/06/30	< .000	2013/03	DUE
PICLORAM	39720	033	2010/06/30	< .000	2013/03	DUE
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	033	2010/06/30	< .000	2013/03	DUE
SIMAZINE	39055	033	2010/06/30	< .000	2013/03	DUE
THIOBENCARB	A-001	033	2013/11/05	< 1.000	2016/08	
TOXAPHENE	39400	033	2010/06/30	< .000	2013/03	DUE

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910073**

**System Name: LOMITA-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910073-003**

**Source Name: WELL 05**

**Source Number: 003**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	012	2014/02/13	< .500	2015/02
1,1,2,2-TETRACHLOROETHANE	34516	012	2014/02/13	< .500	2015/02
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/02/13	< 10.000	2015/02
1,1,2-TRICHLOROETHANE	34511	012	2014/02/13	< .500	2015/02
1,1-DICHLOROETHANE	34496	012	2014/02/13	< .500	2015/02
1,1-DICHLOROETHYLENE	34501	012	2014/02/13	< .500	2015/02
1,2,4-TRICHLOROBENZENE	34551	012	2014/02/13	< .500	2015/02
1,2-DICHLOROBENZENE	34536	012	2014/02/13	< .500	2015/02
1,2-DICHLOROETHANE	34531	012	2014/02/13	< .500	2015/02
1,2-DICHLOROPROPANE	34541	012	2014/02/13	< .500	2015/02
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/02/13	< .500	2015/02
1,4-DICHLOROBENZENE	34571	012	2014/02/13	< .500	2015/02
BENZENE	34030	012	2014/02/13	< .500	2015/02
CARBON TETRACHLORIDE	32102	012	2014/02/13	< .500	2015/02
CIS-1,2-DICHLOROETHYLENE	77093	012	2014/02/13	< .500	2015/02
DICHLOROMETHANE	34423	012	2014/02/13	< .500	2015/02
ETHYLBENZENE	34371	012	2014/02/13	< .500	2015/02
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/02/13	< 3.000	2015/02
MONOCHLOROBENZENE	34301	012	2014/02/13	< .500	2015/02
STYRENE	77128	012	2014/02/13	< .500	2015/02
TETRACHLOROETHYLENE	34475	012	2014/02/13	< .500	2015/02
TOLUENE	34010	012	2014/02/13	< .500	2015/02
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/02/13	< .500	2015/02
TRICHLOROETHYLENE	39180	012	2014/02/13	< .500	2015/02
TRICHLOROFUOROMETHANE	34488	012	2014/02/13	< 5.000	2015/02
VINYL CHLORIDE	39175	012	2014/02/13	< .500	2015/02
XYLENES (TOTAL)	81551	012	2014/02/13	< .500	2015/02

**SECONDARY/GP**

BICARBONATE ALKALINITY	00440	036	2013/06/05	. 303.000	2016/06
------------------------	-------	-----	------------	-----------	---------

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910073**

**System Name: LOMITA-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910073-003**

**Source Name: WELL 05**

**Source Number: 003**

**Source Status: ACTIVE RAW**

**Water type: G**

**SECONDARY/GP**

CALCIUM	00916	036	2013/06/05	. 90.200	2016/06
CARBONATE ALKALINITY	00445	036	2013/06/05	< 2.000	2016/06
CHLORIDE	00940	036	2013/06/05	. 164.000	2016/06
COLOR	00081	036	2014/07/02	< 5.000	2017/07
COPPER	01042	036	2013/06/05	. 70.800	2016/06
FOAMING AGENTS (MBAS)	38260	036	2013/06/05	< .010	2016/06
HARDNESS (TOTAL) AS CaCO3	00900	036	2013/06/05	. 348.000	2016/06
HYDROXIDE ALKALINITY	71830	036	2013/06/05	< 2.000	2016/06
IRON	01045	036	2014/07/02	. 192.000	2017/07
MAGNESIUM	00927	036	2013/06/05	. 29.900	2016/06
MANGANESE	01055	036	2014/07/02	. 127.000	2017/07
ODOR THRESHOLD @ 60 C	00086	036	2014/06/25	< 1.000	2017/06
PH, LABORATORY	00403	036	2013/06/05	. 7.100	2016/06
SILVER	01077	036	2013/06/05	< 10.000	2016/06
SODIUM	00929	036	2013/06/05	140.000	2016/06
SPECIFIC CONDUCTANCE	00095	036	2013/06/05	. 1320.000	2016/06
SULFATE	00945	036	2013/06/05	105.000	2016/06
TOTAL DISSOLVED SOLIDS	70300	036	2013/06/05	. 770.000	2016/06
TURBIDITY, LABORATORY	82079	036	2014/06/25	. .520	2017/06
ZINC	01092	036	2013/06/05	< 50.000	2016/06

**PS Code: 1910073-004**

**Source Name: MWD CONNECTION WB-7/TREATED**

**Source Number: 004**

**Source Status: PURCHASED TREATED**

**Water type: S**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910073**

**System Name: LOMITA-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

**PS Code: 1910073-005**

**Source Name: MWD CONNECTION WB-8A & WB-8B/TREATED**

**Source Number: 005**

**Source Status: PURCHASED TREATED**

**Water type: S**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

**PS Code: 1910073-006**

**Source Name: WELL 05 TREATMENT PLANT EFFLUENT**

**Source Number: 006**

**Source Status: ACTIVE TREATED**

**Water type: S**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

**PS Code: 1910073-007**

**Source Name: MIOX/MN GRNSAND ANTHCITE FLTR EFFLUENT**

**Source Number: 007**

**Source Status: COMBINATION OR BLEND TREATED**

**Water type:**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

**PS Code: 1910073-008**

**Source Name: POST CHLORAMINATION STATIC MIXER**

**Source Number: 008**

**Source Status: COMBINATION OR BLEND TREATED**

**Water type:**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

\*Testing interval is in months;  
0 = No data for this constituent and is DUE NOW  
I = Invalid (NOT) valid analyses reported  
Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910073**

**System Name: LOMITA-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910073-800**

**Source Name: SITE 1-26255 APPIAN WAY-STG2 DBP**

**Source Number: 800**

**Source Status: DISTRIBUTION TREATED**

**Water type: S**

**HALOACETIC ACIDS**

DIBROMOACETIC ACID (DBAA)	82721	003	2014/05/14	. 4.390	2014/08
DICHLOROACETIC ACID (DCAA)	77288	003	2014/05/14	. 8.300	2014/08
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/05/14	. 21.900	2014/08
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/05/14	< 1.000	2014/08
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/05/14	< 2.000	2014/08
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/05/14	. 9.230	2014/08

**STATE UCMR**

BROMODICHLORMETHANE (THM)	32101	003	2014/05/14	. 13.100	2014/08
BROMOFORM (THM)	32104	003	2014/05/14	. 2.820	2014/08
CHLOROFORM (THM)	32106	003	2014/05/14	. 17.400	2014/08
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/05/14	. 11.300	2014/08

**TRIHALOMETHANES**

TOTAL TRIHALOMETHANES	82080	003	2014/05/14	. 44.600	2014/08
-----------------------	-------	-----	------------	----------	---------

**PS Code: 1910073-801**

**Source Name: SITE 2-1912 259TH PL-STG2 DBP**

**Source Number: 801**

**Source Status: DISTRIBUTION TREATED**

**Water type: S**

**HALOACETIC ACIDS**

DIBROMOACETIC ACID (DBAA)	82721	003	2014/05/14	. 2.580	2014/08
DICHLOROACETIC ACID (DCAA)	77288	003	2014/05/14	. 9.090	2014/08
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/05/14	. 21.100	2014/08
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/05/14	< 1.000	2014/08
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/05/14	< 2.000	2014/08
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/05/14	. 9.410	2014/08

**STATE UCMR**

BROMODICHLORMETHANE (THM)	32101	003	2014/05/14	. 12.300	2014/08
---------------------------	-------	-----	------------	----------	---------

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910073**

**System Name: LOMITA-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910073-801**

**Source Name: SITE 2-1912 259TH PL-STG2 DBP**

**Source Number: 801**

**Source Status: DISTRIBUTION TREATED**

**Water type: S**

**STATE UCMR**

BROMOFORM (THM)	32104	003	2014/05/14	. 2.750	2014/08
CHLOROFORM (THM)	32106	003	2014/05/14	. 16.200	2014/08
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/05/14	. 10.800	2014/08

**TRihalOMETHANES**

TOTAL TRIHALOMETHANES	82080	003	2014/05/14	. 42.100	2014/08
-----------------------	-------	-----	------------	----------	---------

**PS Code: 1910073-802**

**Source Name: SITE 3-1948 252ND ST-STG2 DBP**

**Source Number: 802**

**Source Status: DISTRIBUTION TREATED**

**Water type: S**

**HALOACETIC ACIDS**

DIBROMOACETIC ACID (DBAA)	82721	003	2014/05/14	. 5.490	2014/08
DICHLOROACETIC ACID (DCAA)	77288	003	2014/05/14	. 8.050	2014/08
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/05/14	. 22.400	2014/08
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/05/14	< 1.000	2014/08
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/05/14	< 2.000	2014/08
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/05/14	. 8.890	2014/08

**STATE UCMR**

BROMODICHLORMETHANE (THM)	32101	003	2014/05/14	. 17.600	2014/08
BROMOFORM (THM)	32104	003	2014/05/14	. 11.800	2014/08
CHLOROFORM (THM)	32106	003	2014/05/14	. 12.400	2014/08
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/05/14	. 21.800	2014/08

**TRihalOMETHANES**

TOTAL TRIHALOMETHANES	82080	003	2014/05/14	. 63.600	2014/08
-----------------------	-------	-----	------------	----------	---------

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)



**System Number: 1910073**

**System Name: LOMITA-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910073-803**

**Source Name: SITE 4-2450 247TH ST-STG2 DBP**

**Source Number: 803**

**Source Status: DISTRIBUTION TREATED**

**Water type: S**

**HALOACETIC ACIDS**

DIBROMOACETIC ACID (DBAA)	82721	003	2014/05/14	. 6.130	2014/08
DICHLOROACETIC ACID (DCAA)	77288	003	2014/05/14	. 8.500	2014/08
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/05/14	. 20.500	2014/08
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/05/14	< 1.000	2014/08
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/05/14	< 2.000	2014/08
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/05/14	. 5.870	2014/08

**STATE UCMR**

BROMODICHLORMETHANE (THM)	32101	003	2014/05/14	. 17.900	2014/08
BROMOFORM (THM)	32104	003	2014/05/14	. 11.700	2014/08
CHLOROFORM (THM)	32106	003	2014/05/14	. 12.500	2014/08
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/05/14	. 21.900	2014/08

**TRIHALOMETHANES**

TOTAL TRIHALOMETHANES	82080	003	2014/05/14	. 64.000	2014/08
-----------------------	-------	-----	------------	----------	---------

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910092**

**System Name: MONTEREY PARK-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910092-001**

**Source Name: FERN WELL**

**Source Number: 001**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

ALUMINUM	01105	036	2013/08/20	< 50.000	2016/08
ANTIMONY	01097	036	2013/08/20	< 6.000	2016/08
ARSENIC	01002	036	2014/07/08	. 12.000	2017/07
BARIUM	01007	036	2013/08/20	< 100.000	2016/08
BERYLLIUM	01012	036	2013/08/20	< 1.000	2016/08
CADMIUM	01027	036	2013/08/20	< 1.000	2016/08
CHROMIUM (TOTAL)	01034	036	2013/08/20	< 10.000	2016/08
CYANIDE	01291	036	2013/08/20	< 100.000	2016/08
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/08/20	. .850	2016/08
MERCURY	71900	036	2013/08/20	< 1.000	2016/08
NICKEL	01067	036	2013/08/20	< 10.000	2016/08
PERCHLORATE	A-031	012	2014/07/08	< .000	2015/07
SELENIUM	01147	036	2013/08/20	< 5.000	2016/08
THALLIUM	01059	036	2013/08/20	< 1.000	2016/08

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	108	2014/07/08	< .000	2023/07
NITRITE (AS N)	00620	108	2013/08/20	< 400.000	2022/08

**RADIOLOGICAL**

<b>GROSS ALPHA</b>	01501	003	2005/08/15	. .000	2005/11	<b>DUE</b>
<b>RADIUM 226</b>	09501	003	2008/02/26	< 1.000	2008/05	<b>DUE</b>
<b>RADIUM 228</b>	11501	003	2011/02/28	. .437	2011/05	<b>DUE</b>
<b>URANIUM (PCI/L)</b>	28012	003	2005/08/15	. .000	2005/11	<b>DUE</b>

**REGULATED SOC**

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2013/06/26	< 3.000	2016/03
---------------------------	-------	-----	------------	---------	---------

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	012	2014/07/08	< .000	2015/07
1,1,2,2-TETRACHLOROETHANE	34516	012	2014/07/08	< .000	2015/07
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/07/08	< .000	2015/07

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910092**

**System Name: MONTEREY PARK-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910092-001**

**Source Name: FERN WELL**

**Source Number: 001**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED VOC**

1,1,2-TRICHLOROETHANE	34511	012	2014/07/08	< .000	2015/07
1,1-DICHLOROETHANE	34496	012	2014/07/08	< .000	2015/07
1,1-DICHLOROETHYLENE	34501	012	2014/07/08	< .000	2015/07
1,2,4-TRICHLOROBENZENE	34551	012	2014/07/08	< .000	2015/07
1,2-DICHLOROBENZENE	34536	012	2014/07/08	< .000	2015/07
1,2-DICHLOROETHANE	34531	012	2014/07/08	< .000	2015/07
1,2-DICHLOROPROPANE	34541	012	2014/07/08	< .000	2015/07
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/07/08	< .000	2015/07
1,4-DICHLOROBENZENE	34571	012	2014/07/08	< .000	2015/07
BENZENE	34030	012	2014/07/08	< .000	2015/07
CARBON TETRACHLORIDE	32102	012	2014/07/08	< .000	2015/07
CIS-1,2-DICHLOROETHYLENE	77093	012	2014/07/08	< .000	2015/07
DICHLOROMETHANE	34423	012	2014/07/08	< .000	2015/07
ETHYLBENZENE	34371	012	2014/07/08	< .000	2015/07
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/07/08	< .000	2015/07
MONOCHLOROBENZENE	34301	012	2014/07/08	< .000	2015/07
STYRENE	77128	012	2014/07/08	< .000	2015/07
TETRACHLOROETHYLENE	34475	012	2014/07/08	. 7.300	2015/07
TOLUENE	34010	012	2014/07/08	< .000	2015/07
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/07/08	< .000	2015/07
TRICHLOROETHYLENE	39180	012	2014/07/08	. 1.300	2015/07
TRICHLOROFUOROMETHANE	34488	012	2014/07/08	< .000	2015/07
VINYL CHLORIDE	39175	012	2014/07/08	< .000	2015/07
XYLENES (TOTAL)	81551	012	2014/07/08	< .000	2015/07

**SECONDARY/GP**

BICARBONATE ALKALINITY	00440	036	2012/10/15	. 150.000	2015/10
CALCIUM	00916	036	2012/10/15	. 25.000	2015/10
CARBONATE ALKALINITY	00445	036	2012/10/15	< .000	2015/10
CHLORIDE	00940	036	2012/10/15	. 23.000	2015/10

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910092**

**System Name: MONTEREY PARK-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910092-001**

**Source Name: FERN WELL**

**Source Number: 001**

**Source Status: ACTIVE RAW**

**Water type: G**

**SECONDARY/GP**

COLOR	00081	036	2012/10/15	< .000	2015/10
COPPER	01042	036	2012/10/15	. 53.000	2015/10
FOAMING AGENTS (MBAS)	38260	036	2012/10/15	< .000	2015/10
HARDNESS (TOTAL) AS CaCO3	00900	036	2012/10/15	. 78.000	2015/10
HYDROXIDE ALKALINITY	71830	036	2012/10/15	< .000	2015/10
IRON	01045	036	2012/10/15	< .000	2015/10
MAGNESIUM	00927	036	2012/10/15	. 4.100	2015/10
MANGANESE	01055	036	2012/10/15	. 41.000	2015/10
ODOR THRESHOLD @ 60 C	00086	036	2012/10/15	1.000	2015/10
PH, LABORATORY	00403	036	2012/10/15	7.300	2015/10
SILVER	01077	036	2013/08/20	< 10.000	2016/08
SODIUM	00929	036	2012/10/15	57.000	2015/10
SPECIFIC CONDUCTANCE	00095	036	2012/10/15	. 420.000	2015/10
SULFATE	00945	036	2012/10/15	45.000	2015/10
TOTAL DISSOLVED SOLIDS	70300	036	2013/08/20	. 210.000	2016/08
TURBIDITY, LABORATORY	82079	036	2012/10/15	. .500	2015/10
ZINC	01092	036	2012/10/15	< .000	2015/10

**PS Code: 1910092-002**

**Source Name: WELL 01**

**Source Number: 002**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

ALUMINUM	01105	036	2011/12/22	< .000	2014/12
ANTIMONY	01097	036	2011/12/22	< .000	2014/12
ARSENIC	01002	036	2014/07/08	< .000	2017/07
BARIUM	01007	036	2011/12/22	< .000	2014/12
BERYLLIUM	01012	036	2011/12/22	< .000	2014/12

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910092**

**System Name: MONTEREY PARK-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910092-002**

**Source Name: WELL 01**

**Source Number: 002**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

CADMIUM	01027	036	2011/12/22	< .000	2014/12
CHROMIUM (TOTAL)	01034	036	2011/12/22	< .000	2014/12
CYANIDE	01291	036	2011/12/22	< .000	2014/12
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2011/12/22	.810	2014/12
MERCURY	71900	036	2011/12/22	< .000	2014/12
NICKEL	01067	036	2011/12/22	< .000	2014/12
PERCHLORATE	A-031	012	2014/07/08	< .000	2015/07
SELENIUM	01147	036	2011/12/22	< .000	2014/12
THALLIUM	01059	036	2011/12/22	< .000	2014/12

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	012	2014/07/08	.15.000	2015/07
NITRITE (AS N)	00620	036	2011/12/22	< .000	2014/12

**RADIOLOGICAL**

<b>GROSS ALPHA</b>	01501	003	2006/05/11	.000	2006/08	<b>DUE</b>
<b>RADIUM 226</b>	09501	003	2006/05/11	.000	2006/08	<b>DUE</b>
<b>RADIUM 228</b>	11501	003	2006/05/11	.000	2006/08	<b>DUE</b>
<b>URANIUM (PCI/L)</b>	28012	003	2012/05/08	.4.300	2012/08	<b>DUE</b>

**REGULATED SOC**

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2013/06/26	< 3.000	2016/03
---------------------------	-------	-----	------------	---------	---------

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	012	2014/07/08	< .000	2015/07
1,1,2,2-TETRACHLOROETHANE	34516	012	2014/07/08	< .000	2015/07
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/07/08	< .000	2015/07
1,1,2-TRICHLOROETHANE	34511	012	2014/07/08	< .000	2015/07
1,1-DICHLOROETHANE	34496	012	2014/07/08	< .000	2015/07
1,1-DICHLOROETHYLENE	34501	012	2014/07/08	< .000	2015/07
1,2,4-TRICHLOROBENZENE	34551	012	2014/07/08	< .000	2015/07
1,2-DICHLOROBENZENE	34536	012	2014/07/08	< .000	2015/07

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910092**

**System Name: MONTEREY PARK-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910092-002**

**Source Name: WELL 01**

**Source Number: 002**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED VOC**

1,2-DICHLOROETHANE	34531	012	2014/07/08	< .000	2015/07
1,2-DICHLOROPROPANE	34541	012	2014/07/08	< .000	2015/07
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/07/08	< .000	2015/07
1,4-DICHLOROBENZENE	34571	012	2014/07/08	< .000	2015/07
BENZENE	34030	012	2014/07/08	< .000	2015/07
CARBON TETRACHLORIDE	32102	012	2014/07/08	< .000	2015/07
CIS-1,2-DICHLOROETHYLENE	77093	012	2014/07/08	< .000	2015/07
DICHLOROMETHANE	34423	012	2014/07/08	< .000	2015/07
ETHYLBENZENE	34371	012	2014/07/08	< .000	2015/07
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/07/08	< .000	2015/07
MONOCHLOROBENZENE	34301	012	2014/07/08	< .000	2015/07
STYRENE	77128	012	2014/07/08	< .000	2015/07
TETRACHLOROETHYLENE	34475	012	2014/07/08	. 7.000	2015/07
TOLUENE	34010	012	2014/07/08	< .000	2015/07
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/07/08	< .000	2015/07
TRICHLOROETHYLENE	39180	012	2014/07/08	. 1.100	2015/07
TRICHLOROFUOROMETHANE	34488	012	2014/07/08	< .000	2015/07
VINYL CHLORIDE	39175	012	2014/07/08	< .000	2015/07
XYLENES (TOTAL)	81551	012	2014/07/08	< .000	2015/07

**SECONDARY/GP**

BICARBONATE ALKALINITY	00440	036	2011/12/22	. 230.000	2014/12
CALCIUM	00916	036	2011/12/22	. 59.000	2014/12
CARBONATE ALKALINITY	00445	036	2011/12/22	< .000	2014/12
CHLORIDE	00940	036	2011/12/22	. 15.000	2014/12
COLOR	00081	036	2011/12/22	< .000	2014/12
COPPER	01042	036	2011/12/22	< .000	2014/12
FOAMING AGENTS (MBAS)	38260	036	2011/12/22	< .000	2014/12
HARDNESS (TOTAL) AS CaCO3	00900	036	2011/12/22	. 230.000	2014/12
HYDROXIDE ALKALINITY	71830	036	2011/12/22	< .000	2014/12

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910092**

**System Name: MONTEREY PARK-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910092-002**

**Source Name: WELL 01**

**Source Number: 002**

**Source Status: ACTIVE RAW**

**Water type: G**

**SECONDARY/GP**

IRON	01045	036	2011/12/22	< .000	2014/12
MAGNESIUM	00927	036	2011/12/22	. 18.000	2014/12
MANGANESE	01055	036	2011/12/22	< .000	2014/12
ODOR THRESHOLD @ 60 C	00086	036	2011/12/22	1.000	2014/12
PH, LABORATORY	00403	036	2011/12/22	. 7.600	2014/12
SILVER	01077	036	2011/12/22	< .000	2014/12
SODIUM	00929	036	2011/12/22	25.000	2014/12
SPECIFIC CONDUCTANCE	00095	036	2011/12/22	. 510.000	2014/12
SULFATE	00945	036	2011/12/22	52.000	2014/12
TOTAL DISSOLVED SOLIDS	70300	036	2013/08/20	< 360.000	2016/08
TURBIDITY, LABORATORY	82079	036	2011/12/22	. .400	2014/12
ZINC	01092	036	2011/12/22	< .000	2014/12

**PS Code: 1910092-006**

**Source Name: WELL 05**

**Source Number: 006**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

ALUMINUM	01105	036	2012/11/05	< 50.000	2015/11
ANTIMONY	01097	036	2012/11/05	< 6.000	2015/11
ARSENIC	01002	036	2012/11/05	< 2.000	2015/11
BARIUM	01007	036	2012/11/05	< 100.000	2015/11
BERYLLIUM	01012	036	2012/11/05	< 1.000	2015/11
CADMIUM	01027	036	2012/11/05	< 1.000	2015/11
CHROMIUM (TOTAL)	01034	036	2012/11/05	< 10.000	2015/11
CYANIDE	01291	036	2012/11/05	< 100.000	2015/11
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2012/11/05	. .450	2015/11
MERCURY	71900	036	2012/11/05	< 1.000	2015/11

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: **1910092**

System Name: **MONTEREY PARK-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: **1910092-006**

Source Name: **WELL 05**

Source Number: **006**

Source Status: **ACTIVE RAW**

Water type: **G**

**INORGANIC**

NICKEL	01067	036	2012/11/05	< 10.000	2015/11
PERCHLORATE	A-031	012	2014/07/09	< .000	2015/07
SELENIUM	01147	036	2012/11/05	< 5.000	2015/11
THALLIUM	01059	036	2012/11/05	< 1.000	2015/11

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	012	2014/07/22	. 22.000	2015/07
NITRITE (AS N)	00620	036	2012/11/05	< 400.000	2015/11

**RADIOLOGICAL**

<b>GROSS ALPHA</b>	01501	003	<b>2012/05/08</b>	. 3.020	<b>2012/08 DUE</b>
<b>RADIUM 226</b>	09501	003	<b>2006/05/11</b>	.000	<b>2006/08 DUE</b>
<b>RADIUM 228</b>	11501	003	<b>2012/05/08</b>	. .000	<b>2012/08 DUE</b>
<b>URANIUM (PCI/L)</b>	28012	003	<b>2012/05/08</b>	. 4.400	<b>2012/08 DUE</b>

**REGULATED SOC**

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2013/05/28	< 3.000	2016/02
---------------------------	-------	-----	------------	---------	---------

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	012	2014/07/22	< .000	2015/07
1,1,2,2-TETRACHLOROETHANE	34516	012	2014/07/22	< .000	2015/07
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/07/22	< .000	2015/07
1,1,2-TRICHLOROETHANE	34511	012	2014/07/22	< .000	2015/07
1,1-DICHLOROETHANE	34496	012	2014/07/22	< .000	2015/07
1,1-DICHLOROETHYLENE	34501	012	2014/07/22	< .000	2015/07
1,2,4-TRICHLOROBENZENE	34551	012	2014/07/22	< .000	2015/07
1,2-DICHLOROBENZENE	34536	012	2014/07/22	< .000	2015/07
1,2-DICHLOROETHANE	34531	012	2014/07/22	< .000	2015/07
1,2-DICHLOROPROPANE	34541	012	2014/07/22	< .000	2015/07
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/07/22	< .000	2015/07
1,4-DICHLOROBENZENE	34571	012	2014/07/22	< .000	2015/07
BENZENE	34030	012	2014/07/22	< .000	2015/07

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)



**System Number: 1910092**

**System Name: MONTEREY PARK-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

**PS Code: 1910092-006**

**Source Name: WELL 05**

**Source Number: 006**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED VOC**

CARBON TETRACHLORIDE	32102	012	2014/07/22	< .000	2015/07
CIS-1,2-DICHLOROETHYLENE	77093	012	2014/07/22	.720	2015/07
DICHLOROMETHANE	34423	012	2014/07/22	< .000	2015/07
ETHYLBENZENE	34371	012	2014/07/22	< .000	2015/07
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/07/22	< .000	2015/07
MONOCHLOROENZENE	34301	012	2014/07/22	< .000	2015/07
STYRENE	77128	012	2014/07/22	< .000	2015/07
TETRACHLOROETHYLENE	34475	012	2014/07/22	.35.000	2015/07
TOLUENE	34010	012	2014/07/22	< .000	2015/07
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/07/22	< .000	2015/07
TRICHLOROETHYLENE	39180	012	2014/07/22	.1.900	2015/07
TRICHLOROFLUOROMETHANE	34488	012	2014/07/22	< .000	2015/07
VINYL CHLORIDE	39175	012	2014/07/22	< .000	2015/07
XYLENES (TOTAL)	81551	012	2014/07/22	< .000	2015/07

**SECONDARY/GP**

BICARBONATE ALKALINITY	00440	036	2012/10/31	.250.000	2015/10
CALCIUM	00916	036	2012/10/31	.83.000	2015/10
CARBONATE ALKALINITY	00445	036	2012/10/31	< .000	2015/10
CHLORIDE	00940	036	2012/10/31	.36.000	2015/10
COLOR	00081	036	2012/10/31	< .000	2015/10
COPPER	01042	036	2012/10/31	< .000	2015/10
FOAMING AGENTS (MBAS)	38260	036	2012/10/31	< .000	2015/10
HARDNESS (TOTAL) AS CaCO3	00900	036	2012/10/31	.330.000	2015/10
HYDROXIDE ALKALINITY	71830	036	2012/10/31	< .000	2015/10
IRON	01045	036	2012/10/31	< .000	2015/10
MAGNESIUM	00927	036	2012/10/31	.30.000	2015/10
MANGANESE	01055	036	2012/10/31	< .000	2015/10
ODOR THRESHOLD @ 60 C	00086	036	2012/10/31	1.000	2015/10
PH, LABORATORY	00403	036	2012/10/31	7.500	2015/10

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910092**

**System Name: MONTEREY PARK-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

**PS Code: 1910092-006**

**Source Name: WELL 05**

**Source Number: 006**

**Source Status: ACTIVE RAW**

**Water type: G**

**SECONDARY/GP**

SILVER	01077	036	2012/11/05	< 10.000	2015/11
SODIUM	00929	036	2012/10/31	41.000	2015/10
SPECIFIC CONDUCTANCE	00095	036	2012/10/31	. 740.000	2015/10
SULFATE	00945	036	2014/07/22	. 110.000	2017/07
TOTAL DISSOLVED SOLIDS	70300	036	2013/08/20	< 500.000	2016/08
TURBIDITY, LABORATORY	82079	036	2012/10/31	< .000	2015/10
ZINC	01092	036	2012/10/31	< .000	2015/10

**PS Code: 1910092-010**

**Source Name: WELL 09**

**Source Number: 010**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

ALUMINUM	01105	036	2013/02/05	< 50.000	2016/02
ANTIMONY	01097	036	2013/02/05	< 6.000	2016/02
ARSENIC	01002	036	2014/07/08	. 12.000	2017/07
BARIUM	01007	036	2013/02/05	< 100.000	2016/02
BERYLLIUM	01012	036	2013/02/05	< 1.000	2016/02
CADMIUM	01027	036	2013/02/05	< 1.000	2016/02
CHROMIUM (TOTAL)	01034	036	2013/02/05	< 10.000	2016/02
CYANIDE	01291	036	2013/02/05	< 100.000	2016/02
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/02/05	. .720	2016/02
MERCURY	71900	036	2013/02/05	< 1.000	2016/02
NICKEL	01067	036	2013/02/05	< 10.000	2016/02
PERCHLORATE	A-031	012	2014/07/08	< .000	2015/07
SELENIUM	01147	036	2013/02/05	< 5.000	2016/02
THALLIUM	01059	036	2013/02/05	< 1.000	2016/02

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: **1910092**

System Name: **MONTEREY PARK-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: **1910092-010**

Source Name: **WELL 09**

Source Number: **010**

Source Status: **ACTIVE RAW**

Water type: **G**

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	012	2014/07/08	< .000	2015/07
NITRITE (AS N)	00620	036	2013/02/05	< 400.000	2016/02

**RADIOLOGICAL**

<b>GROSS ALPHA</b>	01501	003	<b>2007/11/21</b>	< 3.000	<b>2008/02</b>	<b>DUE</b>
<b>RADIUM 226</b>	09501	003	<b>2007/11/21</b>	< 1.000	<b>2008/02</b>	<b>DUE</b>
<b>RADIUM 228</b>	11501	003	<b>2007/11/21</b>	< 1.000	<b>2008/02</b>	<b>DUE</b>
<b>URANIUM (PCI/L)</b>	28012	003	<b>2007/11/21</b>	< 1.000	<b>2008/02</b>	<b>DUE</b>

**REGULATED SOC**

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2014/01/15	< .000	2016/10
---------------------------	-------	-----	------------	--------	---------

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	012	2014/07/08	< .000	2015/07
1,1,2,2-TETRACHLOROETHANE	34516	012	2014/07/08	< .000	2015/07
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/07/08	< .000	2015/07
1,1,2-TRICHLOROETHANE	34511	012	2014/07/08	< .000	2015/07
1,1-DICHLOROETHANE	34496	012	2014/07/08	< .000	2015/07
1,1-DICHLOROETHYLENE	34501	012	2014/07/08	< .000	2015/07
1,2,4-TRICHLOROBENZENE	34551	012	2014/07/08	< .000	2015/07
1,2-DICHLOROBENZENE	34536	012	2014/07/08	< .000	2015/07
1,2-DICHLOROETHANE	34531	012	2014/07/08	< .000	2015/07
1,2-DICHLOROPROPANE	34541	012	2014/07/08	< .000	2015/07
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/07/08	< .000	2015/07
1,4-DICHLOROBENZENE	34571	012	2014/07/08	< .000	2015/07
BENZENE	34030	012	2014/07/08	< .000	2015/07
CARBON TETRACHLORIDE	32102	012	2014/07/08	< .000	2015/07
CIS-1,2-DICHLOROETHYLENE	77093	012	2014/07/08	< .000	2015/07
DICHLOROMETHANE	34423	012	2014/07/08	< .000	2015/07
ETHYLBENZENE	34371	012	2014/07/08	< .000	2015/07
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/07/08	< .000	2015/07

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910092**

**System Name: MONTEREY PARK-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910092-010**

**Source Name: WELL 09**

**Source Number: 010**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED VOC**

MONOCHLOROENZENE	34301	012	2014/07/08	< .000	2015/07
STYRENE	77128	012	2014/07/08	< .000	2015/07
TETRACHLOROETHYLENE	34475	001	2014/07/08	. 580	2014/08
TOLUENE	34010	012	2014/07/08	< .000	2015/07
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/07/08	< .000	2015/07
TRICHLOROETHYLENE	39180	001	2014/07/08	< .000	2014/08
TRICHLOROFUOROMETHANE	34488	012	2014/07/08	< .000	2015/07
VINYL CHLORIDE	39175	012	2014/07/08	< .000	2015/07
XYLENES (TOTAL)	81551	012	2014/07/08	< .000	2015/07

**SECONDARY/GP**

BICARBONATE ALKALINITY	00440	036	2011/08/31	. 130.000	2014/08
CALCIUM	00916	036	2011/08/31	. 14.000	2014/08
CARBONATE ALKALINITY	00445	036	2011/08/31	< .000	2014/08
CHLORIDE	00940	036	2011/08/31	. 15.000	2014/08
COLOR	00081	036	2011/08/31	< .000	2014/08
COPPER	01042	036	2011/08/31	< .000	2014/08
FOAMING AGENTS (MBAS)	38260	036	2011/08/31	< .000	2014/08
HARDNESS (TOTAL) AS CaCO3	00900	036	2011/08/31	. 46.000	2014/08
HYDROXIDE ALKALINITY	71830	036	2011/08/31	< .000	2014/08
IRON	01045	036	2011/08/31	< .000	2014/08
MAGNESIUM	00927	036	2011/08/31	. 1.600	2014/08
MANGANESE	01055	036	2011/08/31	< .000	2014/08
ODOR THRESHOLD @ 60 C	00086	036	2011/08/31	1.000	2014/08
PH, LABORATORY	00403	036	2011/08/31	8.200	2014/08
SILVER	01077	036	2013/02/05	< 10.000	2016/02
SODIUM	00929	036	2011/08/31	49.000	2014/08
SPECIFIC CONDUCTANCE	00095	036	2014/07/08	. 310.000	2017/07
SULFATE	00945	036	2014/07/08	. 20.000	2017/07
TOTAL DISSOLVED SOLIDS	70300	036	2014/07/08	. 180.000	2017/07

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910092**

**System Name: MONTEREY PARK-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910092-010**

**Source Name: WELL 09**

**Source Number: 010**

**Source Status: ACTIVE RAW**

**Water type: G**

**SECONDARY/GP**

TURBIDITY, LABORATORY	82079	036	2011/08/31	.400	2014/08
ZINC	01092	036	2011/08/31	< .000	2014/08

**PS Code: 1910092-011**

**Source Name: WELL 10**

**Source Number: 011**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

ALUMINUM	01105	036	2013/11/19	< 50.000	2016/11
ANTIMONY	01097	036	2013/11/19	< 6.000	2016/11
ARSENIC	01002	036	2014/07/08	. 2.400	2017/07
BARIUM	01007	036	2013/11/19	< 100.000	2016/11
BERYLLIUM	01012	036	2013/11/19	< 1.000	2016/11
CADMIUM	01027	036	2013/11/19	< 1.000	2016/11
CHROMIUM (TOTAL)	01034	036	2013/11/19	< 10.000	2016/11
CYANIDE	01291	036	2013/11/19	< 100.000	2016/11
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/11/19	.540	2016/11
MERCURY	71900	036	2013/11/19	< 1.000	2016/11
NICKEL	01067	036	2013/11/19	< 10.000	2016/11
PERCHLORATE	A-031	012	2014/07/08	< .000	2015/07
SELENIUM	01147	036	2013/11/19	< 5.000	2016/11
THALLIUM	01059	036	2013/11/19	< 1.000	2016/11

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	012	2014/07/08	. 20.000	2015/07
NITRITE (AS N)	00620	036	2013/11/19	< 400.000	2016/11

**RADIOLOGICAL**

<b>GROSS ALPHA</b>	01501	003	2013/11/19	. 4.400	2014/02	<b>DUE</b>
--------------------	-------	-----	------------	---------	---------	------------

\*Testing interval is in months;  
 0 = No data for this constituent and is DUE NOW  
 I = Invalid (NOT) valid analyses reported  
 Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910092**

**System Name: MONTEREY PARK-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910092-011**

**Source Name: WELL 10**

**Source Number: 011**

**Source Status: ACTIVE RAW**

**Water type: G**

**RADIOLOGICAL**

<b>RADIUM 226</b>	<b>09501</b>	<b>003</b>	<b>2004/11/10</b>	<b>.000</b>	<b>2005/02</b>	<b>DUE</b>
<b>RADIUM 228</b>	<b>11501</b>	<b>003</b>	<b>2013/11/19</b>	<b>.000</b>	<b>2014/02</b>	<b>DUE</b>
<b>URANIUM (PCI/L)</b>	<b>28012</b>	<b>003</b>	<b>2010/11/30</b>	<b>1.600</b>	<b>2011/02</b>	<b>DUE</b>

**REGULATED SOC**

DI(2-ETHYLHEXYL)PHTHALATE	<b>39100</b>	<b>033</b>	2013/06/26	< <b>3.000</b>	2016/03
---------------------------	--------------	------------	------------	----------------	---------

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	<b>34506</b>	<b>012</b>	2014/07/08	< <b>.000</b>	2015/07
1,1,2,2-TETRACHLOROETHANE	<b>34516</b>	<b>012</b>	2014/07/08	< <b>.000</b>	2015/07
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	<b>81611</b>	<b>012</b>	2014/07/08	< <b>.000</b>	2015/07
1,1,2-TRICHLOROETHANE	<b>34511</b>	<b>012</b>	2014/07/08	< <b>.000</b>	2015/07
1,1-DICHLOROETHANE	<b>34496</b>	<b>012</b>	2014/07/08	< <b>.000</b>	2015/07
1,1-DICHLOROETHYLENE	<b>34501</b>	<b>012</b>	2014/07/08	< <b>.000</b>	2015/07
1,2,4-TRICHLOROBENZENE	<b>34551</b>	<b>012</b>	2014/07/08	< <b>.000</b>	2015/07
1,2-DICHLOROBENZENE	<b>34536</b>	<b>012</b>	2014/07/08	< <b>.000</b>	2015/07
1,2-DICHLOROETHANE	<b>34531</b>	<b>012</b>	2014/07/08	< <b>.000</b>	2015/07
1,2-DICHLOROPROPANE	<b>34541</b>	<b>012</b>	2014/07/08	< <b>.000</b>	2015/07
1,3-DICHLOROPROPENE (TOTAL)	<b>34561</b>	<b>012</b>	2014/07/08	< <b>.000</b>	2015/07
1,4-DICHLOROBENZENE	<b>34571</b>	<b>012</b>	2014/07/08	< <b>.000</b>	2015/07
BENZENE	<b>34030</b>	<b>012</b>	2014/07/08	< <b>.000</b>	2015/07
CARBON TETRACHLORIDE	<b>32102</b>	<b>012</b>	2014/07/08	< <b>.000</b>	2015/07
CIS-1,2-DICHLOROETHYLENE	<b>77093</b>	<b>012</b>	2014/07/08	< <b>.000</b>	2015/07
DICHLOROMETHANE	<b>34423</b>	<b>012</b>	2014/07/08	< <b>.000</b>	2015/07
ETHYLBENZENE	<b>34371</b>	<b>012</b>	2014/07/08	< <b>.000</b>	2015/07
METHYL-TERT-BUTYL-ETHER (MTBE)	<b>46491</b>	<b>012</b>	2014/07/08	< <b>.000</b>	2015/07
MONOCHLOROBENZENE	<b>34301</b>	<b>012</b>	2014/07/08	< <b>.000</b>	2015/07
STYRENE	<b>77128</b>	<b>012</b>	2014/07/08	< <b>.000</b>	2015/07
TETRACHLOROETHYLENE	<b>34475</b>	<b>012</b>	2014/07/08	. <b>10.000</b>	2015/07
TOLUENE	<b>34010</b>	<b>012</b>	2014/07/08	< <b>.000</b>	2015/07
TRANS-1,2-DICHLOROETHYLENE	<b>34546</b>	<b>012</b>	2014/07/08	< <b>.000</b>	2015/07

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910092**

**System Name: MONTEREY PARK-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910092-011**

**Source Name: WELL 10**

**Source Number: 011**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED VOC**

TRICHLOROETHYLENE	39180	012	2014/07/08	. .970	2015/07
TRICHLOROFUOROMETHANE	34488	012	2014/07/08	< .000	2015/07
VINYL CHLORIDE	39175	012	2014/07/08	< .000	2015/07
XYLENES (TOTAL)	81551	012	2014/07/08	< .000	2015/07

**SECONDARY/GP**

BICARBONATE ALKALINITY	00440	036	2013/05/15	. 210.000	2016/05
CALCIUM	00916	036	2013/05/15	. 53.000	2016/05
CARBONATE ALKALINITY	00445	036	2013/05/15	< .000	2016/05
CHLORIDE	00940	036	2013/05/15	. 21.000	2016/05
COLOR	00081	036	2013/05/15	< .000	2016/05
COPPER	01042	036	2013/05/15	< .000	2016/05
FOAMING AGENTS (MBAS)	38260	036	2013/05/15	< .000	2016/05
HARDNESS (TOTAL) AS CaCO3	00900	036	2013/05/15	. 200.000	2016/05
HYDROXIDE ALKALINITY	71830	036	2013/05/15	< .000	2016/05
IRON	01045	036	2013/05/15	< .000	2016/05
MAGNESIUM	00927	036	2013/05/15	. 17.000	2016/05
MANGANESE	01055	036	2013/05/15	. 26.000	2016/05
ODOR THRESHOLD @ 60 C	00086	036	2013/05/15	1.000	2016/05
PH, LABORATORY	00403	036	2013/05/15	7.600	2016/05
SILVER	01077	036	2013/11/19	< 10.000	2016/11
SODIUM	00929	036	2013/05/15	34.000	2016/05
SPECIFIC CONDUCTANCE	00095	036	2013/05/15	. 520.000	2016/05
SULFATE	00945	036	2013/05/15	47.000	2016/05
TOTAL DISSOLVED SOLIDS	70300	036	2013/05/15	. 320.000	2016/05
TURBIDITY, LABORATORY	82079	036	2013/05/15	. .200	2016/05
ZINC	01092	036	2013/05/15	< .000	2016/05

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910092**

**System Name: MONTEREY PARK-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910092-013**

**Source Name: WELL 12**

**Source Number: 013**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

ALUMINUM	01105	036	2013/03/28	< .000	2016/03
ANTIMONY	01097	036	2013/03/28	< .000	2016/03
ARSENIC	01002	036	2014/07/08	< .000	2017/07
BARIUM	01007	036	2013/03/28	< .000	2016/03
BERYLLIUM	01012	036	2013/03/28	< .000	2016/03
CADMIUM	01027	036	2013/03/28	< .000	2016/03
CHROMIUM (TOTAL)	01034	036	2013/03/28	< .000	2016/03
CYANIDE	01291	036	2013/03/28	< .000	2016/03
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/03/28	.620	2016/03
MERCURY	71900	036	2013/03/28	< .000	2016/03
NICKEL	01067	036	2013/03/28	< .000	2016/03
PERCHLORATE	A-031	012	2014/07/08	< .000	2015/07
SELENIUM	01147	036	2013/03/28	< .000	2016/03
THALLIUM	01059	036	2013/03/28	< .000	2016/03

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	012	2014/07/08	.14.000	2015/07
NITRITE (AS N)	00620	036	2013/03/28	< .000	2016/03

**RADIOLOGICAL**

<b>GROSS ALPHA</b>	01501	003	2013/11/19	.7.920	2014/02	<b>DUE</b>
<b>RADIUM 226</b>	09501	003	2005/08/15	.000	2005/11	<b>DUE</b>
<b>RADIUM 228</b>	11501	003	2011/08/11	.000	2011/11	<b>DUE</b>
<b>URANIUM (PCI/L)</b>	28012	003	2013/11/19	.7.600	2014/02	<b>DUE</b>

**REGULATED SOC**

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2014/01/15	< .000	2016/10
---------------------------	-------	-----	------------	--------	---------

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	012	2014/07/08	< .000	2015/07
1,1,2,2-TETRACHLOROETHANE	34516	012	2014/07/08	< .000	2015/07
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/07/08	< .000	2015/07

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)



**System Number: 1910092**

**System Name: MONTEREY PARK-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910092-013**

**Source Name: WELL 12**

**Source Number: 013**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED VOC**

1,1,2-TRICHLOROETHANE	34511	012	2014/07/08	< .000	2015/07
1,1-DICHLOROETHANE	34496	012	2014/07/08	. .980	2015/07
1,1-DICHLOROETHYLENE	34501	012	2014/07/08	< .000	2015/07
1,2,4-TRICHLOROBENZENE	34551	012	2014/07/08	< .000	2015/07
1,2-DICHLOROBENZENE	34536	012	2014/07/08	< .000	2015/07
1,2-DICHLOROETHANE	34531	012	2014/07/08	< .000	2015/07
1,2-DICHLOROPROPANE	34541	012	2014/07/08	< .000	2015/07
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/07/08	< .000	2015/07
1,4-DICHLOROBENZENE	34571	012	2014/07/08	< .000	2015/07
BENZENE	34030	012	2014/07/08	< .000	2015/07
CARBON TETRACHLORIDE	32102	012	2014/07/08	< .000	2015/07
CIS-1,2-DICHLOROETHYLENE	77093	012	2014/07/08	. 1.200	2015/07
DICHLOROMETHANE	34423	012	2014/07/08	< .000	2015/07
ETHYLBENZENE	34371	012	2014/07/08	< .000	2015/07
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/07/08	< .000	2015/07
MONOCHLOROBENZENE	34301	012	2014/07/08	< .000	2015/07
STYRENE	77128	012	2014/07/08	< .000	2015/07
TETRACHLOROETHYLENE	34475	012	2014/07/08	. 48.000	2015/07
TOLUENE	34010	012	2014/07/08	< .000	2015/07
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/07/08	< .000	2015/07
TRICHLOROETHYLENE	39180	012	2014/07/08	. 3.700	2015/07
TRICHLOROFUOROMETHANE	34488	012	2014/07/08	< .000	2015/07
VINYL CHLORIDE	39175	012	2014/07/08	< .000	2015/07
XYLENES (TOTAL)	81551	012	2014/07/08	< .000	2015/07

**SECONDARY/GP**

BICARBONATE ALKALINITY	00440	036	2013/03/28	. 280.000	2016/03
CALCIUM	00916	036	2013/03/28	. 87.000	2016/03
CARBONATE ALKALINITY	00445	036	2013/03/28	< .000	2016/03
CHLORIDE	00940	036	2013/03/28	. 25.000	2016/03

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910092**

**System Name: MONTEREY PARK-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910092-013**

**Source Name: WELL 12**

**Source Number: 013**

**Source Status: ACTIVE RAW**

**Water type: G**

**SECONDARY/GP**

COLOR	00081	036	2013/03/28	< .000	2016/03
COPPER	01042	036	2013/03/28	< .000	2016/03
FOAMING AGENTS (MBAS)	38260	036	2013/03/28	< .000	2016/03
HARDNESS (TOTAL) AS CaCO3	00900	036	2013/03/28	. 320.000	2016/03
HYDROXIDE ALKALINITY	71830	036	2013/03/28	< .000	2016/03
IRON	01045	036	2013/03/28	< .000	2016/03
MAGNESIUM	00927	036	2013/03/28	. 26.000	2016/03
MANGANESE	01055	036	2013/03/28	< .000	2016/03
ODOR THRESHOLD @ 60 C	00086	036	2013/03/28	1.000	2016/03
PH, LABORATORY	00403	036	2013/03/28	7.600	2016/03
SILVER	01077	036	2013/03/28	< .000	2016/03
SODIUM	00929	036	2013/03/28	36.000	2016/03
SPECIFIC CONDUCTANCE	00095	036	2014/07/08	. 790.000	2017/07
SULFATE	00945	036	2014/07/08	. 150.000	2017/07
TOTAL DISSOLVED SOLIDS	70300	036	2014/07/08	. 530.000	2017/07
TURBIDITY, LABORATORY	82079	036	2013/03/28	. .100	2016/03
ZINC	01092	036	2013/03/28	< .000	2016/03

**PS Code: 1910092-015**

**Source Name: 922 E. GRAVES AVE. - SYSTEM SAMPLE SITE**

**Source Number: 015**

**Source Status: DISTRIBUTION TREATED**

**Water type: G**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

\*Testing interval is in months;  
 0 = No data for this constituent and is DUE NOW  
 I = Invalid (NOT) valid analyses reported  
 Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910092**

**System Name: MONTEREY PARK-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

**PS Code: 1910092-016**

**Source Name: 1980 CLOVER DR. - SYSTEM SAMPLE SITE**

**Source Number: 016**

**Source Status: DISTRIBUTION TREATED**

**Water type: G**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

**PS Code: 1910092-033**

**Source Name: WELL 12 SITE PTA INFLUENT (WELLS 9 & 12)**

**Source Number: 033**

**Source Status: COMBINATION OR BLEND RAW**

**Water type: G**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

**PS Code: 1910092-034**

**Source Name: WELL 12 SITE PTA EFFLUENT-WELLS 09 & 12**

**Source Number: 034**

**Source Status: COMBINATION OR BLEND TREATED**

**Water type: G**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

**PS Code: 1910092-038**

**Source Name: WELL 15**

**Source Number: 038**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

ALUMINUM	01105	036	2012/11/08	< .000	2015/11
ANTIMONY	01097	036	2012/11/08	< .000	2015/11
ARSENIC	01002	036	2014/07/08	< .000	2017/07
BARIUM	01007	036	2012/11/08	< .000	2015/11
BERYLLIUM	01012	036	2012/11/08	< .000	2015/11

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: **1910092**

System Name: **MONTEREY PARK-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: **1910092-038**

Source Name: **WELL 15**

Source Number: **038**

Source Status: **ACTIVE RAW**

Water type: **G**

**INORGANIC**

CADMIUM	01027	036	2012/11/08	< .000	2015/11	
CHROMIUM (TOTAL)	01034	036	2012/11/08	< .000	2015/11	
<b>CHROMIUM, HEXAVALENT</b>	<b>01032</b>	<b>036</b>	<b>2010/01/12</b>	<b>2.500</b>	<b>2013/01</b>	<b>DUE</b>
CYANIDE	01291	036	2012/11/08	< .000	2015/11	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2012/11/08	.840	2015/11	
MERCURY	71900	036	2012/11/08	< .000	2015/11	
NICKEL	01067	036	2012/11/08	< .000	2015/11	
PERCHLORATE	A-031	012	2014/07/08	< .000	2015/07	
SELENIUM	01147	036	2012/11/08	< .000	2015/11	
THALLIUM	01059	036	2012/11/08	< .000	2015/11	

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	012	2014/07/08	.17.000	2015/07	
NITRITE (AS N)	00620	036	2012/11/08	< .000	2015/11	

**RADIOLOGICAL**

<b>GROSS ALPHA</b>	<b>01501</b>	<b>003</b>	<b>2012/08/14</b>	<b>.8.830</b>	<b>2012/11</b>	<b>DUE</b>
<b>RADIUM 226</b>	<b>09501</b>	<b>003</b>	<b>2007/05/14</b>	<b>&lt; 1.000</b>	<b>2007/08</b>	<b>DUE</b>
<b>RADIUM 228</b>	<b>11501</b>	<b>003</b>	<b>2007/05/14</b>	<b>&lt; 1.000</b>	<b>2007/08</b>	<b>DUE</b>
<b>URANIUM (PCI/L)</b>	<b>28012</b>	<b>003</b>	<b>2013/05/28</b>	<b>.9.500</b>	<b>2013/08</b>	<b>DUE</b>

**REGULATED SOC**

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2014/01/15	< .000	2016/10	
THIOBENCARB	A-001	033	2014/01/15	< .000	2016/10	

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	012	2014/07/08	< .000	2015/07	
1,1,2,2-TETRACHLOROETHANE	34516	012	2014/07/08	< .000	2015/07	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/07/08	< .000	2015/07	
1,1,2-TRICHLOROETHANE	34511	012	2014/07/08	< .000	2015/07	
1,1-DICHLOROETHANE	34496	012	2014/07/08	< .000	2015/07	
1,1-DICHLOROETHYLENE	34501	012	2014/07/08	< .000	2015/07	

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910092**

**System Name: MONTEREY PARK-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910092-038**

**Source Name: WELL 15**

**Source Number: 038**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED VOC**

1,2,4-TRICHLOROENZENE	34551	012	2014/07/08	< .000	2015/07
1,2-DICHLOROENZENE	34536	012	2014/07/08	< .000	2015/07
1,2-DICHLOROETHANE	34531	012	2014/07/08	< .000	2015/07
1,2-DICHLOROPROPANE	34541	012	2014/07/08	< .000	2015/07
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/07/08	< .000	2015/07
1,4-DICHLOROENZENE	34571	012	2014/07/08	< .000	2015/07
BENZENE	34030	012	2014/07/08	< .000	2015/07
CARBON TETRACHLORIDE	32102	012	2014/07/08	< .000	2015/07
CIS-1,2-DICHLOROETHYLENE	77093	012	2014/07/08	. .700	2015/07
DICHLOROMETHANE	34423	012	2014/07/08	< .000	2015/07
ETHYLBENZENE	34371	012	2014/07/08	< .000	2015/07
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/07/08	< .000	2015/07
MONOCHLOROENZENE	34301	012	2014/07/08	< .000	2015/07
STYRENE	77128	012	2014/07/08	< .000	2015/07
TETRACHLOROETHYLENE	34475	012	2014/07/08	. 95.000	2015/07
TOLUENE	34010	012	2014/07/08	< .000	2015/07
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/07/08	< .000	2015/07
TRICHLOROETHYLENE	39180	012	2014/07/08	. 2.400	2015/07
TRICHLOROFUOROMETHANE	34488	012	2014/07/08	< .000	2015/07
VINYL CHLORIDE	39175	012	2014/07/08	< .000	2015/07
XYLENES (TOTAL)	81551	012	2014/07/08	< .000	2015/07

**SECONDARY/GP**

BICARBONATE ALKALINITY	00440	036	2012/11/08	. 280.000	2015/11
CALCIUM	00916	036	2012/11/08	. 87.000	2015/11
CARBONATE ALKALINITY	00445	036	2012/11/08	< .000	2015/11
CHLORIDE	00940	036	2012/11/08	. 29.000	2015/11
COLOR	00081	036	2012/11/08	< .000	2015/11
COPPER	01042	036	2012/11/08	< .000	2015/11
FOAMING AGENTS (MBAS)	38260	036	2012/11/08	< .000	2015/11

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910092**

**System Name: MONTEREY PARK-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910092-038**

**Source Name: WELL 15**

**Source Number: 038**

**Source Status: ACTIVE RAW**

**Water type: G**

**SECONDARY/GP**

HARDNESS (TOTAL) AS CaCO3	00900	036	2012/11/08	. 340.000	2015/11
HYDROXIDE ALKALINITY	71830	036	2012/11/08	< .000	2015/11
IRON	01045	036	2012/11/08	< .000	2015/11
MAGNESIUM	00927	036	2012/11/08	. 30.000	2015/11
MANGANESE	01055	036	2012/11/08	< .000	2015/11
ODOR THRESHOLD @ 60 C	00086	036	2012/11/08	1.000	2015/11
PH, LABORATORY	00403	036	2012/11/08	7.800	2015/11
SILVER	01077	036	2012/11/08	< .000	2015/11
SODIUM	00929	036	2012/11/08	28.000	2015/11
SPECIFIC CONDUCTANCE	00095	036	2014/07/08	. 790.000	2017/07
SULFATE	00945	036	2014/07/08	. 140.000	2017/07
TOTAL DISSOLVED SOLIDS	70300	036	2014/07/08	. 540.000	2017/07
TURBIDITY, LABORATORY	82079	036	2012/11/08	. .300	2015/11
ZINC	01092	036	2012/11/08	< .000	2015/11

**PS Code: 1910092-039**

**Source Name: WELL 05-GAC TRAIN 1 LEAD VESSEL EFF**

**Source Number: 039**

**Source Status: ACTIVE TREATED**

**Water type: G**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

\*Testing interval is in months;  
 0 = No data for this constituent and is DUE NOW  
 I = Invalid (NOT) valid analyses reported  
 Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910092**

**System Name: MONTEREY PARK-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

**PS Code: 1910092-040**

**Source Name: WELL 05-GAC TRAIN 1 LAG VESSEL EFF**

**Source Number: 040**

**Source Status: ACTIVE TREATED**

**Water type: G**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

**PS Code: 1910092-041**

**Source Name: WELL 05-GAC TRAIN 2 LEAD VESSEL EFF**

**Source Number: 041**

**Source Status: ACTIVE TREATED**

**Water type: G**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

**PS Code: 1910092-042**

**Source Name: WELL 05-GAC TRAIN 2 LAG VESSEL EFF**

**Source Number: 042**

**Source Status: ACTIVE TREATED**

**Water type: G**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

**PS Code: 1910092-043**

**Source Name: WELL 05-GAC COMBINED EFFLUENT**

**Source Number: 043**

**Source Status: ACTIVE TREATED**

**Water type: G**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

\*Testing interval is in months;  
0 = No data for this constituent and is DUE NOW  
I = Invalid (NOT) valid analyses reported  
Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910092**

**System Name: MONTEREY PARK-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

**PS Code: 1910092-044**

**Source Name: DELTA IX TRAIN 1 LEAD VESSEL**

**Source Number: 044**

**Source Status: ACTIVE TREATED**

**Water type: G**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

**PS Code: 1910092-045**

**Source Name: DELTA IX TRAIN 2 LEAD VESSEL**

**Source Number: 045**

**Source Status: ACTIVE TREATED**

**Water type: G**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

**PS Code: 1910092-046**

**Source Name: DELTA IX TRAIN 3 LEAD VESSEL**

**Source Number: 046**

**Source Status: ACTIVE TREATED**

**Water type: G**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

**PS Code: 1910092-047**

**Source Name: DELTA IX TRAIN 4 LEAD VESSEL**

**Source Number: 047**

**Source Status: ACTIVE TREATED**

**Water type: G**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

\*Testing interval is in months;  
0 = No data for this constituent and is DUE NOW  
I = Invalid (NOT) valid analyses reported  
Any analyses not listed as required for testing has been Waive (not required)



**System Number: 1910092**

**System Name: MONTEREY PARK-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

**PS Code: 1910092-048**

**Source Name: DELTA IX TRAIN 5 LEAD VESSEL**

**Source Number: 048**

**Source Status: ACTIVE TREATED**

**Water type: G**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

**PS Code: 1910092-049**

**Source Name: DELTA IX TRAIN 1 LAG VESSEL**

**Source Number: 049**

**Source Status: ACTIVE TREATED**

**Water type: G**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

**PS Code: 1910092-050**

**Source Name: DELTA IX TRAIN 2 LAG VESSEL**

**Source Number: 050**

**Source Status: ACTIVE TREATED**

**Water type: G**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

**PS Code: 1910092-051**

**Source Name: DELTA IX TRAIN 3 LEAD VESSEL**

**Source Number: 051**

**Source Status: ACTIVE TREATED**

**Water type: G**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

\*Testing interval is in months;  
0 = No data for this constituent and is DUE NOW  
I = Invalid (NOT) valid analyses reported  
Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910092**

**System Name: MONTEREY PARK-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

**PS Code: 1910092-052**

**Source Name: DELTA IX TRAIN 4 LAG VESSEL**

**Source Number: 052**

**Source Status: ACTIVE TREATED**

**Water type: G**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

**PS Code: 1910092-053**

**Source Name: DELTA IX TRAIN 5 LAG VESSEL**

**Source Number: 053**

**Source Status: ACTIVE TREATED**

**Water type: G**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

**PS Code: 1910092-054**

**Source Name: DELTA IX COMBINED EFFLUENT**

**Source Number: 054**

**Source Status: ACTIVE TREATED**

**Water type: G**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

**PS Code: 1910092-055**

**Source Name: DELTA LPGAC TRAIN 1 LEAD VESSEL**

**Source Number: 055**

**Source Status: ACTIVE TREATED**

**Water type: G**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

\*Testing interval is in months;  
0 = No data for this constituent and is DUE NOW  
I = Invalid (NOT) valid analyses reported  
Any analyses not listed as required for testing has been Waive (not required)

System Number: **1910092**

System Name: **MONTEREY PARK-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

PS Code: **1910092-056**

Source Name: **DELTA LPGAC TRAIN 2 LEAD VESSEL**

Source Number: **056**

Source Status: **ACTIVE TREATED**

Water type: **G**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

PS Code: **1910092-057**

Source Name: **DELTA LPGAC TRAIN 3 LEAD VESSEL**

Source Number: **057**

Source Status: **ACTIVE TREATED**

Water type: **G**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

PS Code: **1910092-058**

Source Name: **DELTA LPGAC TRAIN 4 LEAD VESSEL**

Source Number: **058**

Source Status: **ACTIVE TREATED**

Water type: **G**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

PS Code: **1910092-059**

Source Name: **DELTA LPGAC TRAIN 5 LEAD VESSEL**

Source Number: **059**

Source Status: **ACTIVE TREATED**

Water type: **G**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

\*Testing interval is in months;  
0 = No data for this constituent and is DUE NOW  
I = Invalid (NOT) valid analyses reported  
Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910092**

**System Name: MONTEREY PARK-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

**PS Code: 1910092-060**

**Source Name: DELTA LPGAC TRAIN 6 LEAD VESSEL**

**Source Number: 060**

**Source Status: ACTIVE TREATED**

**Water type: G**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

**PS Code: 1910092-061**

**Source Name: DELTA LPGAC TRAIN 1 LAG VESSEL**

**Source Number: 061**

**Source Status: ACTIVE TREATED**

**Water type: G**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

**PS Code: 1910092-062**

**Source Name: DELTA LPGAC TRAIN 2 LAG VESSEL**

**Source Number: 062**

**Source Status: ACTIVE TREATED**

**Water type: G**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

**PS Code: 1910092-063**

**Source Name: DELTA LPGAC TRAIN 3 LAG VESSEL**

**Source Number: 063**

**Source Status: ACTIVE TREATED**

**Water type: G**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

\*Testing interval is in months;  
0 = No data for this constituent and is DUE NOW  
I = Invalid (NOT) valid analyses reported  
Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910092**

**System Name: MONTEREY PARK-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

**PS Code: 1910092-064**

**Source Name: DELTA LPGAC TRAIN 4 LAG VESSEL**

**Source Number: 064**

**Source Status: ACTIVE TREATED**

**Water type: G**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

**PS Code: 1910092-065**

**Source Name: DELTA LPGAC TRAIN 5 LAG VESSEL**

**Source Number: 065**

**Source Status: ACTIVE TREATED**

**Water type: G**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

**PS Code: 1910092-066**

**Source Name: DELTA LPGAC TRAIN 6 LAG VESSEL**

**Source Number: 066**

**Source Status: ACTIVE TREATED**

**Water type: G**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

**PS Code: 1910092-067**

**Source Name: DELTA GAC COMBINED EFFLUENT - TREATED**

**Source Number: 067**

**Source Status: ACTIVE TREATED**

**Water type: G**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

\*Testing interval is in months;  
0 = No data for this constituent and is DUE NOW  
I = Invalid (NOT) valid analyses reported  
Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910092**

**System Name: MONTEREY PARK-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

**PS Code: 1910092-068**

**Source Name: DELTA SETTLING TANKS EFFLUENT - TREATED**

**Source Number: 068**

**Source Status: COMBINATION OR BLEND TREATED**

**Water type: G**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

**PS Code: 1910092-069**

**Source Name: LPGAC VESSEL #1 50% PORT**

**Source Number: 069**

**Source Status: ACTIVE TREATED**

**Water type: G**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

**PS Code: 1910092-070**

**Source Name: LPGAC VESSEL #1 EFFLUENT**

**Source Number: 070**

**Source Status: ACTIVE TREATED**

**Water type: G**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

**PS Code: 1910092-071**

**Source Name: LPGAC VESSEL #2 50% PORT**

**Source Number: 071**

**Source Status: ACTIVE TREATED**

**Water type: G**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

\*Testing interval is in months;  
0 = No data for this constituent and is DUE NOW  
I = Invalid (NOT) valid analyses reported  
Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910092**

**System Name: MONTEREY PARK-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

**PS Code: 1910092-072**

**Source Name: LPGAC VESSEL #2 EFFLUENT**

**Source Number: 072**

**Source Status: ACTIVE TREATED**

**Water type: G**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

**PS Code: 1910092-073**

**Source Name: LPGAC VESSEL #3 50% PORT**

**Source Number: 073**

**Source Status: ACTIVE TREATED**

**Water type: G**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

**PS Code: 1910092-074**

**Source Name: LPGAC VESSEL #3 EFFLUENT**

**Source Number: 074**

**Source Status: ACTIVE TREATED**

**Water type: G**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

**PS Code: 1910092-075**

**Source Name: LPGAC VESSEL #4 50% PORT**

**Source Number: 075**

**Source Status: ACTIVE TREATED**

**Water type: G**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

\*Testing interval is in months;  
0 = No data for this constituent and is DUE NOW  
I = Invalid (NOT) valid analyses reported  
Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910092**

**System Name: MONTEREY PARK-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

**PS Code: 1910092-076**

**Source Name: LPGAC VESSEL #4 EFFLUENT**

**Source Number: 076**

**Source Status: ACTIVE TREATED**

**Water type: G**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

**PS Code: 1910092-077**

**Source Name: LPGAC VESSEL #5 50% PORT**

**Source Number: 077**

**Source Status: ACTIVE TREATED**

**Water type: G**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

**PS Code: 1910092-078**

**Source Name: LPGAC VESSEL #5 EFFLUENT**

**Source Number: 078**

**Source Status: ACTIVE TREATED**

**Water type: G**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

**PS Code: 1910092-079**

**Source Name: LPGAC VESSEL #6 50% PORT**

**Source Number: 079**

**Source Status: ACTIVE TREATED**

**Water type: G**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

\*Testing interval is in months;  
0 = No data for this constituent and is DUE NOW  
I = Invalid (NOT) valid analyses reported  
Any analyses not listed as required for testing has been Waive (not required)



**System Number: 1910092**

**System Name: MONTEREY PARK-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

**PS Code: 1910092-080**

**Source Name: LPGAC VESSEL #6 EFFLUENT**

**Source Number: 080**

**Source Status: ACTIVE TREATED**

**Water type: G**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

**PS Code: 1910092-081**

**Source Name: COMBINED LPGAC EFFLUENT W/NAOH ADDITION**

**Source Number: 081**

**Source Status: ACTIVE TREATED**

**Water type: G**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

**PS Code: 1910092-082**

**Source Name: SGVWC CONNECTION**

**Source Number: 082**

**Source Status: PURCHASED TREATED**

**Water type: G**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

**PS Code: 1910092-083**

**Source Name: WELL 05-GAC TRAIN 1 LAG VESSEL 50% PORT**

**Source Number: 083**

**Source Status: ACTIVE TREATED**

**Water type: G**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

\*Testing interval is in months;  
 0 = No data for this constituent and is DUE NOW  
 I = Invalid (NOT) valid analyses reported  
 Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910092**

**System Name: MONTEREY PARK-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

**PS Code: 1910092-084**

**Source Name: WELL 05-GAC TRAIN 2 LAG VESSEL 50% PORT**

**Source Number: 084**

**Source Status: ACTIVE TREATED**

**Water type: G**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

**PS Code: 1910092-085**

**Source Name: WELL 05 PERCHORATE BLENDING FACILITY**

**Source Number: 085**

**Source Status: ACTIVE TREATED**

**Water type: G**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

**PS Code: 1910092-087**

**Source Name: DELTA LPGAC TRAIN 1 LAG VESSEL 50% PORT**

**Source Number: 087**

**Source Status: ACTIVE TREATED**

**Water type: G**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

**PS Code: 1910092-088**

**Source Name: DELTA LPGAC TRAIN 2 LAG VESSEL 50% PORT**

**Source Number: 088**

**Source Status: ACTIVE TREATED**

**Water type: G**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

\*Testing interval is in months;  
0 = No data for this constituent and is DUE NOW  
I = Invalid (NOT) valid analyses reported  
Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910092**

**System Name: MONTEREY PARK-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

**PS Code: 1910092-089**

**Source Name: DELTA LPGAC TRAIN 3 LAG VESSEL 50% PORT**

**Source Number: 089**

**Source Status: ACTIVE TREATED**

**Water type: G**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

**PS Code: 1910092-090**

**Source Name: DELTA LPGAC TRAIN 4 LAG VESSEL 50% PORT**

**Source Number: 090**

**Source Status: ACTIVE TREATED**

**Water type: G**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

**PS Code: 1910092-091**

**Source Name: DELTA LPGAC TRAIN 5 LAG VESSEL 50% PORT**

**Source Number: 091**

**Source Status: ACTIVE TREATED**

**Water type: G**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

**PS Code: 1910092-092**

**Source Name: DELTA LPGAC TRAIN 6 LAG VESSEL 50% PORT**

**Source Number: 092**

**Source Status: ACTIVE TREATED**

**Water type: G**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

\*Testing interval is in months;  
0 = No data for this constituent and is DUE NOW  
I = Invalid (NOT) valid analyses reported  
Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910092**

**System Name: MONTEREY PARK-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910092-093**

**Source Name: WELL 05-GAC TRAIN 1 LAG VESSEL 25% PORT**

**Source Number: 093**

**Source Status: ACTIVE TREATED**

**Water type: G**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\* 999

**PS Code: 1910092-094**

**Source Name: WELL 05-GAC TRAIN 2 LAG VESSEL 25% PORT**

**Source Number: 094**

**Source Status: ACTIVE TREATED**

**Water type: G**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\* 999

**PS Code: 1910092-800**

**Source Name: SITE 1-3600 W. RAMONA BLVD.-STG2 DBP**

**Source Number: 800**

**Source Status: DISTRIBUTION TREATED**

**Water type: G**

**HALOACETIC ACIDS**

DIBROMOACETIC ACID (DBAA)	82721	003	2014/07/23	< 1.000	2014/10
DICHLOROACETIC ACID (DCAA)	77288	003	2014/07/23	< 1.000	2014/10
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/07/23	< .000	2014/10
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/07/23	< 1.000	2014/10
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/07/23	< 2.000	2014/10
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/07/23	< 1.000	2014/10

**STATE UCMR**

BROMODICHLORMETHANE (THM)	32101	003	2014/07/23	< 1.000	2014/10
BROMOFORM (THM)	32104	003	2014/07/23	. 1.100	2014/10
CHLOROFORM (THM)	32106	003	2014/07/23	< 1.000	2014/10
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/07/23	. 1.000	2014/10

\*Testing interval is in months;  
 0 = No data for this constituent and is DUE NOW  
 I = Invalid (NOT) valid analyses reported  
 Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910092**

**System Name: MONTEREY PARK-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910092-800**

**Source Name: SITE 1-3600 W. RAMONA BLVD.-STG2 DBP**

**Source Number: 800**

**Source Status: DISTRIBUTION TREATED**

**Water type: G**

**TRihalOMETHANES**

TOTAL TRIHALOMETHANES	82080	003	2014/07/23	. 2.100	2014/10
-----------------------	-------	-----	------------	---------	---------

**PS Code: 1910092-801**

**Source Name: SITE 2-827 RIDGECREST STREET-STG2 DBP**

**Source Number: 801**

**Source Status: DISTRIBUTION TREATED**

**Water type: G**

**HALOAcETIC ACIDS**

DIBROMOAcETIC ACID (DBAA)	82721	003	2014/07/23	< 1.000	2014/10
DICHLOROAcETIC ACID (DCAA)	77288	003	2014/07/23	< 1.000	2014/10
HALOAcETIC ACIDS (5) (HAA5)	A-049	003	2014/07/23	< .000	2014/10
MONOBROMOAcETIC ACID (MBAA)	A-041	003	2014/07/23	< 1.000	2014/10
MONOCHLOROAcETIC ACID (MCAA)	A-042	003	2014/07/23	< 2.000	2014/10
TRICHLOROAcETIC ACID (TCAA)	82723	003	2014/07/23	< 1.000	2014/10

**STATE UCMR**

BROMODICHLORMETHANE (THM)	32101	003	2014/07/23	< 1.000	2014/10
BROMOFORM (THM)	32104	003	2014/07/23	< 1.000	2014/10
CHLOROFORM (THM)	32106	003	2014/07/23	< 1.000	2014/10
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/07/23	< 1.000	2014/10

**TRihalOMETHANES**

TOTAL TRIHALOMETHANES	82080	003	2014/07/23	. 1.500	2014/10
-----------------------	-------	-----	------------	---------	---------

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910092**

**System Name: MONTEREY PARK-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910092-802**

**Source Name: SITE 3-1140 BRANHAM STREET-STG2 DBP**

**Source Number: 802**

**Source Status: DISTRIBUTION TREATED**

**Water type: G**

**HALOACETIC ACIDS**

DIBROMOACETIC ACID (DBAA)	82721	003	2014/07/23	< 1.000	2014/10
DICHLOROACETIC ACID (DCAA)	77288	003	2014/07/23	< 1.000	2014/10
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/07/23	< .000	2014/10
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/07/23	< 1.000	2014/10
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/07/23	< 2.000	2014/10
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/07/23	< 1.000	2014/10

**STATE UCMR**

BROMODICHLORMETHANE (THM)	32101	003	2014/07/23	< 1.000	2014/10
BROMOFORM (THM)	32104	003	2014/07/23	< 1.000	2014/10
CHLOROFORM (THM)	32106	003	2014/07/23	< 1.000	2014/10
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/07/23	< 1.000	2014/10

**TRIHALOMETHANES**

TOTAL TRIHALOMETHANES	82080	003	2014/07/23	. 1.300	2014/10
-----------------------	-------	-----	------------	---------	---------

**PS Code: 1910092-803**

**Source Name: SITE 4-479 CASUDA CANYON DR.-STG2 DBP**

**Source Number: 803**

**Source Status: DISTRIBUTION TREATED**

**Water type: G**

**HALOACETIC ACIDS**

DIBROMOACETIC ACID (DBAA)	82721	003	2014/07/23	< 1.000	2014/10
DICHLOROACETIC ACID (DCAA)	77288	003	2014/07/23	< 1.000	2014/10
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/07/23	< .000	2014/10
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/07/23	< 1.000	2014/10
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/07/23	< 2.000	2014/10
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/07/23	< 1.000	2014/10

**STATE UCMR**

BROMODICHLORMETHANE (THM)	32101	003	2014/07/23	< 1.000	2014/10
---------------------------	-------	-----	------------	---------	---------

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910092**

**System Name: MONTEREY PARK-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

**PS Code: 1910092-803**

**Source Name: SITE 4-479 CASUDA CANYON DR.-STG2 DBP**

**Source Number: 803**

**Source Status: DISTRIBUTION TREATED**

**Water type: G**

**STATE UCMR**

BROMOFORM (THM)	32104	003	2014/07/23	< 1.000	2014/10
CHLOROFORM (THM)	32106	003	2014/07/23	< 1.000	2014/10
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/07/23	< 1.000	2014/10

**TRIHALOMETHANES**

TOTAL TRIHALOMETHANES	82080	003	2014/07/23	. 1.500	2014/10
-----------------------	-------	-----	------------	---------	---------

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910101**

**System Name: ORCHARD DALE WATER DISTRICT**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

**PS Code: 1910101-001**

**Source Name: PURCHASED WATER FROM LHCWD**

**Source Number: 001**

**Source Status: PURCHASED TREATED**

**Water type: S**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

**PS Code: 1910101-002**

**Source Name: MWD CONNECTION - TREATED**

**Source Number: 002**

**Source Status: PURCHASED TREATED**

**Water type: S**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

**PS Code: 1910101-003**

**Source Name: DISINFECTION OF WATER PUR FROM LHCWD**

**Source Number: 003**

**Source Status: ACTIVE TREATED**

**Water type: S**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

**PS Code: 1910101-800**

**Source Name: SITE 1 - 14940 TERRYKNOLL - STG2 DBP**

**Source Number: 800**

**Source Status: DISTRIBUTION TREATED**

**Water type: S**

**HALOACETIC ACIDS**

DIBROMOACETIC ACID (DBAA)	82721	003	2014/06/03	.	2.000	2014/09
DICHLOROACETIC ACID (DCAA)	77288	003	2014/06/03	<	.000	2014/09
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/06/03	.	2.000	2014/09
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/06/03	<	.000	2014/09
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/06/03	<	.000	2014/09

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)



**System Number: 1910101**

**System Name: ORCHARD DALE WATER DISTRICT**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910101-800**

**Source Name: SITE 1 - 14940 TERRYKNOLL - STG2 DBP**

**Source Number: 800**

**Source Status: DISTRIBUTION TREATED**

**Water type: S**

**HALOACETIC ACIDS**

TRICHLOROACETIC ACID (TCAA)	82723	003	2014/06/03	< .000	2014/09
-----------------------------	-------	-----	------------	--------	---------

**STATE UCMR**

BROMODICHLORMETHANE (THM)	32101	003	2014/06/03	< .000	2014/09
BROMOFORM (THM)	32104	003	2014/06/03	. 2.600	2014/09
CHLOROFORM (THM)	32106	003	2014/06/03	< .000	2014/09
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/06/03	. 2.200	2014/09

**TRIHALOMETHANES**

TOTAL TRIHALOMETHANES	82080	003	2014/06/03	. 4.800	2014/09
-----------------------	-------	-----	------------	---------	---------

**PS Code: 1910101-801**

**Source Name: SITE 2 - 11127 ARCHWAY - STG2 DBP**

**Source Number: 801**

**Source Status: DISTRIBUTION TREATED**

**Water type: S**

**HALOACETIC ACIDS**

DIBROMOACETIC ACID (DBAA)	82721	003	2014/06/03	. 2.600	2014/09
DICHLOROACETIC ACID (DCAA)	77288	003	2014/06/03	< .000	2014/09
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/06/03	. 2.600	2014/09
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/06/03	< .000	2014/09
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/06/03	< .000	2014/09
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/06/03	< .000	2014/09

**STATE UCMR**

BROMODICHLORMETHANE (THM)	32101	003	2014/06/03	. 1.100	2014/09
BROMOFORM (THM)	32104	003	2014/06/03	. 4.900	2014/09
CHLOROFORM (THM)	32106	003	2014/06/03	< .000	2014/09
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/06/03	. 3.600	2014/09

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910101**

**System Name: ORCHARD DALE WATER DISTRICT**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910101-801**

**Source Name: SITE 2 - 11127 ARCHWAY - STG2 DBP**

**Source Number: 801**

**Source Status: DISTRIBUTION TREATED**

**Water type: S**

**TRihalOMETHANES**

TOTAL TRIHALOMETHANES	82080	003	2014/06/03	. 9.600	2014/09
-----------------------	-------	-----	------------	---------	---------

**PS Code: 1910101-802**

**Source Name: SITE 3 - 11332 MILLER - STG2 DBP**

**Source Number: 802**

**Source Status: DISTRIBUTION TREATED**

**Water type: S**

**HALOACETIC ACIDS**

DIBROMOACETIC ACID (DBAA)	82721	003	2014/06/03	. 3.900	2014/09
DICHLOROACETIC ACID (DCAA)	77288	003	2014/06/03	< .000	2014/09
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/06/03	. 3.900	2014/09
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/06/03	< .000	2014/09
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/06/03	< .000	2014/09
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/06/03	< .000	2014/09

**STATE UCMR**

BROMODICHLORMETHANE (THM)	32101	003	2014/06/03	. 1.600	2014/09
BROMOFORM (THM)	32104	003	2014/06/03	. 7.700	2014/09
CHLOROFORM (THM)	32106	003	2014/06/03	< .000	2014/09
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/06/03	. 5.400	2014/09

**TRihalOMETHANES**

TOTAL TRIHALOMETHANES	82080	003	2014/06/03	. 14.700	2014/09
-----------------------	-------	-----	------------	----------	---------

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910101**

**System Name: ORCHARD DALE WATER DISTRICT**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910101-803**

**Source Name: SITE 4 - 14415 IMPERIAL - STG2 DBP**

**Source Number: 803**

**Source Status: DISTRIBUTION TREATED**

**Water type: S**

**HALOACETIC ACIDS**

DIBROMOACETIC ACID (DBAA)	82721	003	2014/06/03	. 1.800	2014/09
DICHLOROACETIC ACID (DCAA)	77288	003	2014/06/03	< .000	2014/09
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/06/03	. 1.800	2014/09
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/06/03	< .000	2014/09
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/06/03	< .000	2014/09
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/06/03	< .000	2014/09

**STATE UCMR**

BROMODICHLORMETHANE (THM)	32101	003	2014/06/03	< .000	2014/09
BROMOFORM (THM)	32104	003	2014/06/03	. 2.900	2014/09
CHLOROFORM (THM)	32106	003	2014/06/03	< .000	2014/09
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/06/03	. 2.300	2014/09

**TRIHALOMETHANES**

TOTAL TRIHALOMETHANES	82080	003	2014/06/03	. 5.200	2014/09
-----------------------	-------	-----	------------	---------	---------

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910102**

**System Name: PALMDALE WATER DIST.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910102-001**

**Source Name: PALMDALE LAKE - TREATED**

**Source Number: 001**

**Source Status: ACTIVE TREATED**

**Water type: S**

**INORGANIC**

ALUMINUM	01105	012	2014/04/17	< 50.000	2015/04
ANTIMONY	01097	012	2014/04/17	< 6.000	2015/04
ARSENIC	01002	012	2014/04/17	< 2.000	2015/04
ASBESTOS	81855	108	2012/02/09	< .200	2021/02
BARIUM	01007	012	2014/04/17	< 100.000	2015/04
BERYLLIUM	01012	012	2014/04/17	< 1.000	2015/04
CADMIUM	01027	012	2014/04/17	< 1.000	2015/04
CHROMIUM (TOTAL)	01034	012	2014/04/17	< 10.000	2015/04
CYANIDE	01291	012	2014/04/17	< 100.000	2015/04
FLUORIDE (F) (NATURAL-SOURCE)	00951	012	2014/07/02	.193	2015/07
MERCURY	71900	012	2014/04/17	< 1.000	2015/04
NICKEL	01067	012	2014/04/17	< 10.000	2015/04
PERCHLORATE	A-031	012	2014/04/17	< 4.000	2015/04
SELENIUM	01147	012	2014/04/17	< 5.000	2015/04
THALLIUM	01059	012	2014/04/17	< 1.000	2015/04

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	003	2014/07/02	< 2.000	2014/10
NITRITE (AS N)	00620	036	2014/07/02	< 400.000	2017/07

**RADIOLOGICAL**

GROSS ALPHA	01501	048	2013/01/10	. 3.200	2017/01
GROSS BETA	03501	003	2014/04/17	< 4.000	2014/07
RADIUM 226	09501	048	2014/04/17	< 1.000	2018/04
RADIUM 228	11501	048	2014/04/17	< 1.000	2018/04
<b>STRONTIUM-90</b>	13501	012	<b>2010/01/13</b>	.526	<b>2011/01 DUE</b>
<b>TRITIUM</b>	07000	012	<b>2010/01/13</b>	110.000	<b>2011/01 DUE</b>
URANIUM (PCI/L)	28012	048	2013/01/10	1.400	2017/01

**REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	036	2013/01/10	. .000	2016/01
-----------------------	-------	-----	------------	--------	---------

\*Testing interval is in months;  
 0 = No data for this constituent and is DUE NOW  
 I = Invalid (NOT) valid analyses reported  
 Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910102**

**System Name: PALMDALE WATER DIST.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

**PS Code: 1910102-001**

**Source Name: PALMDALE LAKE - TREATED**

**Source Number: 001**

**Source Status: ACTIVE TREATED**

**Water type: S**

**REGULATED SOC**

2,4,5-TP (SILVEX)	39045	036	2014/04/17	< 1.000	2017/04
2,4-D	39730	036	2014/04/17	< 10.000	2017/04
ALACHLOR	77825	036	2014/04/17	< 1.000	2017/04
ATRAZINE	39033	036	2014/04/17	< .500	2017/04
BENTAZON	38710	036	2014/04/17	< 2.000	2017/04
BENZO (A) PYRENE	34247	036	2014/04/17	< .100	2017/04
CARBOFURAN	81405	036	2014/04/17	< 5.000	2017/04
CHLORDANE	39350	036	2014/04/17	< .100	2017/04
DALAPON	38432	036	2014/04/17	< 10.000	2017/04
DI(2-ETHYLHEXYL)ADIPATE	A-026	036	2014/04/17	< 5.000	2017/04
DI(2-ETHYLHEXYL)PHTHALATE	39100	036	2014/04/17	< 3.000	2017/04
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2014/04/17	< .010	2017/04
DINOSEB	81287	036	2014/04/17	< 2.000	2017/04
DIQUAT	78885	036	2014/04/17	< 4.000	2017/04
ENDOTHALL	38926	036	2014/04/17	< 45.000	2017/04
ENDRIN	39390	036	2014/04/17	< .100	2017/04
ETHYLENE DIBROMIDE (EDB)	77651	036	2014/04/17	< .020	2017/04
GLYPHOSATE	79743	036	2014/04/17	< 25.000	2017/04
HEPTACHLOR	39410	036	2014/04/17	< .010	2017/04
HEPTACHLOR EPOXIDE	39420	036	2014/04/17	< .010	2017/04
HEXACHLOROBENZENE	39700	036	2014/04/17	< .500	2017/04
HEXACHLOROCYCLOPENTADIENE	34386	036	2014/04/17	< 1.000	2017/04
LINDANE	39340	036	2014/04/17	< .200	2017/04
METHOXYCHLOR	39480	036	2014/04/17	< 10.000	2017/04
MOLINATE	82199	036	2014/04/17	< 2.000	2017/04
OXAMYL	38865	036	2014/04/17	< 20.000	2017/04
PENTACHLOROPHENOL	39032	036	2014/04/17	< .200	2017/04
PICLORAM	39720	036	2014/04/17	< 1.000	2017/04
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	036	2014/04/17	< .500	2017/04
SIMAZINE	39055	036	2014/04/17	< 1.000	2017/04

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910102**

**System Name: PALMDALE WATER DIST.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910102-001**

**Source Name: PALMDALE LAKE - TREATED**

**Source Number: 001**

**Source Status: ACTIVE TREATED**

**Water type: S**

**REGULATED SOC**

THIOBENCARB	A-001	036	2014/04/17	< 1.000	2017/04
TOXAPHENE	39400	036	2014/04/17	< 1.000	2017/04

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	012	2014/04/17	< .500	2015/04
1,1,2,2-TETRACHLOROETHANE	34516	012	2014/04/17	< .500	2015/04
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/04/17	< 10.000	2015/04
1,1,2-TRICHLOROETHANE	34511	012	2014/04/17	< .500	2015/04
1,1-DICHLOROETHANE	34496	012	2014/04/17	< .500	2015/04
1,1-DICHLOROETHYLENE	34501	012	2014/04/17	< .500	2015/04
1,2,4-TRICHLOROBENZENE	34551	012	2014/04/17	< .500	2015/04
1,2-DICHLOROBENZENE	34536	012	2014/04/17	< .500	2015/04
1,2-DICHLOROETHANE	34531	012	2014/04/17	< .500	2015/04
1,2-DICHLOROPROPANE	34541	012	2014/04/17	< .500	2015/04
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/04/17	< .500	2015/04
1,4-DICHLOROBENZENE	34571	012	2014/04/17	< .500	2015/04
BENZENE	34030	012	2014/04/17	< .500	2015/04
CARBON TETRACHLORIDE	32102	012	2014/04/17	< .500	2015/04
CIS-1,2-DICHLOROETHYLENE	77093	012	2014/04/17	< .500	2015/04
DICHLOROMETHANE	34423	012	2014/04/17	< .500	2015/04
ETHYLBENZENE	34371	012	2014/04/17	< .500	2015/04
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/04/17	< 3.000	2015/04
MONOCHLOROBENZENE	34301	012	2014/04/17	< .500	2015/04
STYRENE	77128	012	2014/04/17	< .500	2015/04
TETRACHLOROETHYLENE	34475	012	2014/04/17	< .500	2015/04
TOLUENE	34010	012	2014/04/17	< .500	2015/04
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/04/17	< .500	2015/04
TRICHLOROETHYLENE	39180	012	2014/04/17	< .500	2015/04
TRICHLOROFUOROMETHANE	34488	012	2014/04/17	< 5.000	2015/04
VINYL CHLORIDE	39175	012	2014/04/17	< .500	2015/04

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910102**

**System Name: PALMDALE WATER DIST.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910102-001**

**Source Name: PALMDALE LAKE - TREATED**

**Source Number: 001**

**Source Status: ACTIVE TREATED**

**Water type: S**

**REGULATED VOC**

XYLENES (TOTAL)	81551	012	2014/04/17	< .500	2015/04
-----------------	-------	-----	------------	--------	---------

**SECONDARY/GP**

BICARBONATE ALKALINITY	00440	012	2014/04/17	. 110.000	2015/04
CALCIUM	00916	012	2014/04/17	. 31.000	2015/04
CARBONATE ALKALINITY	00445	012	2014/04/17	< 2.000	2015/04
CHLORIDE	00940	012	2014/07/02	. 80.000	2015/07
COLOR	00081	012	2014/04/17	. 15.000	2015/04
COPPER	01042	012	2014/04/17	< 50.000	2015/04
FOAMING AGENTS (MBAS)	38260	012	2014/04/17	< .050	2015/04
HARDNESS (TOTAL) AS CaCO3	00900	012	2014/04/17	. 130.000	2015/04
HYDROXIDE ALKALINITY	71830	012	2014/04/17	< 2.000	2015/04
IRON	01045	012	2014/04/17	< 100.000	2015/04
MAGNESIUM	00927	012	2014/04/17	. 12.000	2015/04
MANGANESE	01055	012	2014/04/17	. 33.000	2015/04
ODOR THRESHOLD @ 60 C	00086	012	2014/04/17	. 1.000	2015/04
PH, LABORATORY	00403	012	2014/04/17	. 8.200	2015/04
SILVER	01077	012	2014/04/17	< 10.000	2015/04
SODIUM	00929	012	2014/04/17	. 77.000	2015/04
SPECIFIC CONDUCTANCE	00095	012	2014/04/17	. 630.000	2015/04
SULFATE	00945	012	2014/07/02	. 67.000	2015/07
TOTAL DISSOLVED SOLIDS	70300	012	2014/04/17	. 360.000	2015/04
TURBIDITY, LABORATORY	82079	012	2014/04/17	. 1.400	2015/04
ZINC	01092	012	2014/04/17	< 50.000	2015/04

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910102**

**System Name: PALMDALE WATER DIST.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910102-003**

**Source Name: WELL 02A**

**Source Number: 003**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

ALUMINUM	01105	036	2013/01/28	< 50.000	2016/01
ANTIMONY	01097	036	2013/01/28	< 6.000	2016/01
ARSENIC	01002	036	2013/01/28	< 2.000	2016/01
ASBESTOS	81855	108	2013/01/28	< .200	2022/01
BARIUM	01007	036	2013/01/28	< 100.000	2016/01
BERYLLIUM	01012	036	2013/01/28	< 1.000	2016/01
CADMIUM	01027	036	2013/01/28	< 1.000	2016/01
CHROMIUM (TOTAL)	01034	036	2013/01/28	< 10.000	2016/01
CHROMIUM, HEXAVALENT	01032	036	2012/05/02	. 7.100	2015/05
CYANIDE	01291	036	2013/03/06	< 100.000	2016/03
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/07/01	. .117	2017/07
MERCURY	71900	036	2013/01/28	< 1.000	2016/01
NICKEL	01067	036	2013/01/28	< 10.000	2016/01
PERCHLORATE	A-031	036	2013/01/28	< 4.000	2016/01
SELENIUM	01147	036	2013/01/28	< 5.000	2016/01
THALLIUM	01059	036	2013/01/28	< 1.000	2016/01

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	012	2014/07/01	. 3.580	2015/07
NITRITE (AS N)	00620	036	2014/07/01	< 400.000	2017/07

**RADIOLOGICAL**

<b>GROSS ALPHA</b>	01501	003	<b>2010/01/18</b>	.869	<b>2010/04</b>	<b>DUE</b>
<b>RADIUM 226</b>	09501	000				<b>DUE</b>
<b>RADIUM 228</b>	11501	003	<b>2005/12/27</b>	.138	<b>2006/03</b>	<b>DUE</b>
<b>URANIUM (PCI/L)</b>	28012	000				<b>DUE</b>

**REGULATED SOC**

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2013/04/24	< 3.000	2016/01
THIOBENCARB	A-001	033	2013/04/24	< 1.000	2016/01

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)



**System Number: 1910102**

**System Name: PALMDALE WATER DIST.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910102-003**

**Source Name: WELL 02A**

**Source Number: 003**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	012	2014/02/05	< .500	2015/02
1,1,2,2-TETRACHLOROETHANE	34516	012	2014/02/05	< .500	2015/02
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/02/05	< 10.000	2015/02
1,1,2-TRICHLOROETHANE	34511	012	2014/02/05	< .500	2015/02
1,1-DICHLOROETHANE	34496	012	2014/02/05	< .500	2015/02
1,1-DICHLOROETHYLENE	34501	012	2014/02/05	< .500	2015/02
1,2,4-TRICHLOROBENZENE	34551	012	2014/02/05	< .500	2015/02
1,2-DICHLOROBENZENE	34536	012	2014/02/05	< .500	2015/02
1,2-DICHLOROETHANE	34531	012	2014/02/05	< .500	2015/02
1,2-DICHLOROPROPANE	34541	012	2014/02/05	< .500	2015/02
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/02/05	< .500	2015/02
1,4-DICHLOROBENZENE	34571	012	2014/02/05	< .500	2015/02
BENZENE	34030	012	2014/02/05	< .500	2015/02
CARBON TETRACHLORIDE	32102	012	2014/02/05	< .500	2015/02
CIS-1,2-DICHLOROETHYLENE	77093	012	2014/02/05	< .500	2015/02
DICHLOROMETHANE	34423	012	2014/02/05	< .500	2015/02
ETHYLBENZENE	34371	012	2014/02/05	< .500	2015/02
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/02/05	< 3.000	2015/02
MONOCHLOROBENZENE	34301	012	2014/02/05	< .500	2015/02
STYRENE	77128	012	2014/02/05	< .500	2015/02
TETRACHLOROETHYLENE	34475	012	2014/02/05	< .500	2015/02
TOLUENE	34010	012	2014/02/05	< .500	2015/02
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/02/05	< .500	2015/02
TRICHLOROETHYLENE	39180	012	2014/02/05	< .500	2015/02
TRICHLOROFUOROMETHANE	34488	012	2014/02/05	< 5.000	2015/02
VINYL CHLORIDE	39175	012	2014/02/05	< .500	2015/02
XYLENES (TOTAL)	81551	012	2014/02/05	< .500	2015/02

**SECONDARY/GP**

BICARBONATE ALKALINITY	00440	036	2013/01/28	. 110.000	2016/01
------------------------	-------	-----	------------	-----------	---------

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910102**

**System Name: PALMDALE WATER DIST.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910102-003**

**Source Name: WELL 02A**

**Source Number: 003**

**Source Status: ACTIVE RAW**

**Water type: G**

**SECONDARY/GP**

CALCIUM	00916	036	2013/01/28	. 21.000	2016/01
CARBONATE ALKALINITY	00445	036	2013/01/28	< 2.000	2016/01
CHLORIDE	00940	036	2014/07/01	. 26.600	2017/07
COLOR	00081	036	2013/01/28	< 3.000	2016/01
COPPER	01042	036	2013/01/28	< 50.000	2016/01
FOAMING AGENTS (MBAS)	38260	036	2013/01/28	< .050	2016/01
HARDNESS (TOTAL) AS CaCO3	00900	036	2013/01/28	. 64.000	2016/01
HYDROXIDE ALKALINITY	71830	036	2013/01/28	< 2.000	2016/01
IRON	01045	036	2013/01/28	< 100.000	2016/01
MAGNESIUM	00927	036	2013/01/28	. 2.500	2016/01
MANGANESE	01055	036	2013/01/28	< 20.000	2016/01
ODOR THRESHOLD @ 60 C	00086	036	2013/01/28	< 1.000	2016/01
PH, LABORATORY	00403	036	2013/01/28	. 8.000	2016/01
SILVER	01077	036	2013/01/28	< 10.000	2016/01
SODIUM	00929	036	2013/01/28	47.000	2016/01
SPECIFIC CONDUCTANCE	00095	036	2013/01/28	. 320.000	2016/01
SULFATE	00945	036	2014/07/01	. 45.600	2017/07
TOTAL DISSOLVED SOLIDS	70300	036	2013/01/28	. 190.000	2016/01
TURBIDITY, LABORATORY	82079	036	2013/01/28	. .073	2016/01
ZINC	01092	036	2013/01/28	< 50.000	2016/01

**PS Code: 1910102-004**

**Source Name: WELL 03A**

**Source Number: 004**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

ALUMINUM	01105	036	2013/01/28	< 50.000	2016/01
ANTIMONY	01097	036	2013/01/28	< 6.000	2016/01

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910102**

**System Name: PALMDALE WATER DIST.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910102-004**

**Source Name: WELL 03A**

**Source Number: 004**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

ARSENIC	01002	036	2013/01/28	< 2.000	2016/01
ASBESTOS	81855	108	2013/01/28	< .200	2022/01
BARIUM	01007	036	2013/01/28	< 100.000	2016/01
BERYLLIUM	01012	036	2013/01/28	< 1.000	2016/01
CADMIUM	01027	036	2013/01/28	< 1.000	2016/01
CHROMIUM (TOTAL)	01034	036	2013/01/28	< 10.000	2016/01
CYANIDE	01291	036	2013/03/06	< 100.000	2016/03
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/07/01	< .100	2017/07
MERCURY	71900	036	2013/01/28	< 1.000	2016/01
NICKEL	01067	036	2013/01/28	< 10.000	2016/01
PERCHLORATE	A-031	036	2013/01/28	< 4.000	2016/01
SELENIUM	01147	036	2013/01/28	< 5.000	2016/01
THALLIUM	01059	036	2013/01/28	< 1.000	2016/01

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	012	2014/07/01	. 6.420	2015/07
NITRITE (AS N)	00620	036	2014/07/01	< 400.000	2017/07

**RADIOLOGICAL**

<b>GROSS ALPHA</b>	01501	003	<b>2011/01/19</b>	< 3.000	<b>2011/04</b>	<b>DUE</b>
<b>RADIUM 226</b>	09501	000				<b>DUE</b>
<b>RADIUM 228</b>	11501	003	<b>2005/12/27</b>	. .103	<b>2006/03</b>	<b>DUE</b>
<b>URANIUM (PCI/L)</b>	28012	003	<b>2005/06/06</b>	. 1.110	<b>2005/09</b>	<b>DUE</b>

**REGULATED SOC**

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2013/04/24	< 3.000	2016/01
THIOBENCARB	A-001	033	2013/04/24	< 1.000	2016/01

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	012	2014/02/05	< .500	2015/02
1,1,2,2-TETRACHLOROETHANE	34516	012	2014/02/05	< .500	2015/02
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/02/05	< 10.000	2015/02

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910102**

**System Name: PALMDALE WATER DIST.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910102-004**

**Source Name: WELL 03A**

**Source Number: 004**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED VOC**

1,1,2-TRICHLOROETHANE	34511	012	2014/02/05	< .500	2015/02
1,1-DICHLOROETHANE	34496	012	2014/02/05	< .500	2015/02
1,1-DICHLOROETHYLENE	34501	012	2014/02/05	< .500	2015/02
1,2,4-TRICHLOROBENZENE	34551	012	2014/02/05	< .500	2015/02
1,2-DICHLOROBENZENE	34536	012	2014/02/05	< .500	2015/02
1,2-DICHLOROETHANE	34531	012	2014/02/05	< .500	2015/02
1,2-DICHLOROPROPANE	34541	012	2014/02/05	< .500	2015/02
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/02/05	< .500	2015/02
1,4-DICHLOROBENZENE	34571	012	2014/02/05	< .500	2015/02
BENZENE	34030	012	2014/02/05	< .500	2015/02
CARBON TETRACHLORIDE	32102	012	2014/02/05	< .500	2015/02
CIS-1,2-DICHLOROETHYLENE	77093	012	2014/02/05	< .500	2015/02
DICHLOROMETHANE	34423	012	2014/02/05	< .500	2015/02
ETHYLBENZENE	34371	012	2014/02/05	< .500	2015/02
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/02/05	< 3.000	2015/02
MONOCHLOROBENZENE	34301	012	2014/02/05	< .500	2015/02
STYRENE	77128	012	2014/02/05	< .500	2015/02
TETRACHLOROETHYLENE	34475	012	2014/02/05	< .500	2015/02
TOLUENE	34010	012	2014/02/05	< .500	2015/02
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/02/05	< .500	2015/02
TRICHLOROETHYLENE	39180	012	2014/02/05	< .500	2015/02
TRICHLOROFUOROMETHANE	34488	012	2014/02/05	< 5.000	2015/02
VINYL CHLORIDE	39175	012	2014/02/05	< .500	2015/02
XYLENES (TOTAL)	81551	012	2014/02/05	< .500	2015/02

**SECONDARY/GP**

BICARBONATE ALKALINITY	00440	036	2013/01/28	. 110.000	2016/01
CALCIUM	00916	036	2013/01/28	. 37.000	2016/01
CARBONATE ALKALINITY	00445	036	2013/01/28	< 2.000	2016/01
CHLORIDE	00940	036	2014/07/01	. 37.700	2017/07

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910102**

**System Name: PALMDALE WATER DIST.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910102-004**

**Source Name: WELL 03A**

**Source Number: 004**

**Source Status: ACTIVE RAW**

**Water type: G**

**SECONDARY/GP**

COLOR	00081	036	2013/01/28	< 3.000	2016/01
COPPER	01042	036	2013/01/28	< 50.000	2016/01
FOAMING AGENTS (MBAS)	38260	036	2013/01/28	< .050	2016/01
HARDNESS (TOTAL) AS CaCO3	00900	036	2013/01/28	. 100.000	2016/01
HYDROXIDE ALKALINITY	71830	036	2013/01/28	< 2.000	2016/01
IRON	01045	036	2013/01/28	< 100.000	2016/01
MAGNESIUM	00927	036	2013/01/28	. 3.000	2016/01
MANGANESE	01055	036	2013/01/28	< 20.000	2016/01
ODOR THRESHOLD @ 60 C	00086	036	2013/01/28	2.000	2016/01
PH, LABORATORY	00403	036	2013/01/28	. 7.900	2016/01
SILVER	01077	036	2013/01/28	< 10.000	2016/01
SODIUM	00929	036	2013/01/28	50.000	2016/01
SPECIFIC CONDUCTANCE	00095	036	2013/01/28	. 430.000	2016/01
SULFATE	00945	036	2014/07/01	. 46.500	2017/07
TOTAL DISSOLVED SOLIDS	70300	036	2013/01/28	. 270.000	2016/01
TURBIDITY, LABORATORY	82079	036	2013/01/28	. .100	2016/01
ZINC	01092	036	2013/01/28	< 50.000	2016/01

**PS Code: 1910102-005**

**Source Name: WELL 04A - STANDBY**

**Source Number: 005**

**Source Status: STANDBY RAW**

**Water type: G**

**INORGANIC**

ALUMINUM	01105	036	2013/01/28	< 50.000	2016/01
ANTIMONY	01097	036	2013/01/28	< 6.000	2016/01
ARSENIC	01002	036	2013/01/28	< 2.000	2016/01
ASBESTOS	81855	108	2013/01/28	< .200	2022/01
BARIUM	01007	036	2013/01/28	< 100.000	2016/01

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910102**

**System Name: PALMDALE WATER DIST.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910102-005**

**Source Name: WELL 04A - STANDBY**

**Source Number: 005**

**Source Status: STANDBY RAW**

**Water type: G**

**INORGANIC**

BERYLLIUM	01012	036	2013/01/28	< 1.000	2016/01
CADMIUM	01027	036	2013/01/28	< 1.000	2016/01
CHROMIUM (TOTAL)	01034	036	2013/01/28	. 10.000	2016/01
CHROMIUM, HEXAVALENT	01032	036	2012/05/02	. 11.000	2015/05
CYANIDE	01291	036	2013/03/06	< 100.000	2016/03
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/04/02	. .285	2017/04
MERCURY	71900	036	2013/01/28	< 1.000	2016/01
NICKEL	01067	036	2013/01/28	< 10.000	2016/01
PERCHLORATE	A-031	036	2013/01/28	< 4.000	2016/01
SELENIUM	01147	036	2013/01/28	< 5.000	2016/01
THALLIUM	01059	036	2013/01/28	< 1.000	2016/01

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	012	2014/04/02	. 4.390	2015/04
NITRITE (AS N)	00620	036	2014/04/02	< 400.000	2017/04

**RADIOLOGICAL**

<b>GROSS ALPHA</b>	01501	003	<b>2010/01/18</b>	.584	<b>2010/04</b>	<b>DUE</b>
<b>RADIUM 226</b>	09501	000				<b>DUE</b>
<b>RADIUM 228</b>	11501	003	<b>2005/12/27</b>	. .194	<b>2006/03</b>	<b>DUE</b>
<b>URANIUM (PCI/L)</b>	28012	000				<b>DUE</b>

**REGULATED SOC**

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2013/04/24	< 3.000	2016/01
THIOBENCARB	A-001	033	2013/04/24	< 1.000	2016/01

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	012	2014/02/05	< .500	2015/02
1,1,2,2-TETRACHLOROETHANE	34516	012	2014/02/05	< .500	2015/02
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/02/05	< 10.000	2015/02
1,1,2-TRICHLOROETHANE	34511	012	2014/02/05	< .500	2015/02
1,1-DICHLOROETHANE	34496	012	2014/02/05	< .500	2015/02

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910102**

**System Name: PALMDALE WATER DIST.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910102-005**

**Source Name: WELL 04A - STANDBY**

**Source Number: 005**

**Source Status: STANDBY RAW**

**Water type: G**

**REGULATED VOC**

1,1-DICHLOROETHYLENE	34501	012	2014/02/05	< .500	2015/02
1,2,4-TRICHLOROBENZENE	34551	012	2014/02/05	< .500	2015/02
1,2-DICHLOROBENZENE	34536	012	2014/02/05	< .500	2015/02
1,2-DICHLOROETHANE	34531	012	2014/02/05	< .500	2015/02
1,2-DICHLOROPROPANE	34541	012	2014/02/05	< .500	2015/02
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/02/05	< .500	2015/02
1,4-DICHLOROBENZENE	34571	012	2014/02/05	< .500	2015/02
BENZENE	34030	012	2014/02/05	< .500	2015/02
CARBON TETRACHLORIDE	32102	012	2014/02/05	< .500	2015/02
CIS-1,2-DICHLOROETHYLENE	77093	012	2014/02/05	< .500	2015/02
DICHLOROMETHANE	34423	012	2014/02/05	< .500	2015/02
ETHYLBENZENE	34371	012	2014/02/05	< .500	2015/02
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/02/05	< 3.000	2015/02
MONOCHLOROBENZENE	34301	012	2014/02/05	< .500	2015/02
STYRENE	77128	012	2014/02/05	< .500	2015/02
TETRACHLOROETHYLENE	34475	012	2014/02/05	< .500	2015/02
TOLUENE	34010	012	2014/02/05	< .500	2015/02
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/02/05	< .500	2015/02
TRICHLOROETHYLENE	39180	012	2014/02/05	< .500	2015/02
TRICHLOROFUOROMETHANE	34488	012	2014/02/05	< 5.000	2015/02
VINYL CHLORIDE	39175	012	2014/02/05	< .500	2015/02
XYLENES (TOTAL)	81551	012	2014/02/05	< .500	2015/02

**SECONDARY/GP**

BICARBONATE ALKALINITY	00440	036	2013/01/28	. 100.000	2016/01
CALCIUM	00916	036	2013/01/28	. 9.500	2016/01
CARBONATE ALKALINITY	00445	036	2013/01/28	< 2.000	2016/01
CHLORIDE	00940	036	2014/04/02	. 7.900	2017/04
COLOR	00081	036	2013/01/28	< 3.000	2016/01
COPPER	01042	036	2013/01/28	< 50.000	2016/01

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910102**

**System Name: PALMDALE WATER DIST.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910102-005**

**Source Name: WELL 04A - STANDBY**

**Source Number: 005**

**Source Status: STANDBY RAW**

**Water type: G**

**SECONDARY/GP**

FOAMING AGENTS (MBAS)	38260	036	2013/01/28	< .050	2016/01
HARDNESS (TOTAL) AS CaCO3	00900	036	2013/01/28	. 27.000	2016/01
HYDROXIDE ALKALINITY	71830	036	2013/01/28	< 2.000	2016/01
IRON	01045	036	2013/01/28	< 100.000	2016/01
MAGNESIUM	00927	036	2013/01/28	. .910	2016/01
MANGANESE	01055	036	2013/01/28	< 20.000	2016/01
ODOR THRESHOLD @ 60 C	00086	036	2013/01/28	< 1.000	2016/01
PH, LABORATORY	00403	036	2013/01/28	. 8.200	2016/01
SILVER	01077	036	2013/01/28	< 10.000	2016/01
SODIUM	00929	036	2013/01/28	42.000	2016/01
SPECIFIC CONDUCTANCE	00095	036	2013/01/28	. 240.000	2016/01
SULFATE	00945	036	2014/04/02	. 19.900	2017/04
TOTAL DISSOLVED SOLIDS	70300	036	2013/01/28	. 150.000	2016/01
TURBIDITY, LABORATORY	82079	036	2013/01/28	. .230	2016/01
ZINC	01092	036	2013/01/28	< 50.000	2016/01

**PS Code: 1910102-007**

**Source Name: WELL 06A**

**Source Number: 007**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

ALUMINUM	01105	036	2013/01/28	< 50.000	2016/01
ANTIMONY	01097	036	2013/01/28	< 6.000	2016/01
ARSENIC	01002	036	2013/01/28	< 2.000	2016/01
ASBESTOS	81855	108	2013/01/28	< .200	2022/01
BARIUM	01007	036	2013/01/28	< 100.000	2016/01
BERYLLIUM	01012	036	2013/01/28	< 1.000	2016/01
CADMIUM	01027	036	2013/01/28	< 1.000	2016/01

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)



**System Number: 1910102**

**System Name: PALMDALE WATER DIST.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910102-007**

**Source Name: WELL 06A**

**Source Number: 007**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

CHROMIUM (TOTAL)	01034	036	2013/01/28	< 10.000	2016/01
CYANIDE	01291	036	2013/03/06	< 100.000	2016/03
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/07/01	.523	2017/07
MERCURY	71900	036	2013/01/28	< 1.000	2016/01
NICKEL	01067	036	2013/01/28	< 10.000	2016/01
PERCHLORATE	A-031	036	2013/01/28	< 4.000	2016/01
SELENIUM	01147	036	2013/01/28	< 5.000	2016/01
THALLIUM	01059	036	2013/01/28	< 1.000	2016/01

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	012	2014/07/01	.6860	2015/07
NITRITE (AS N)	00620	036	2014/07/01	< 400.000	2017/07

**RADIOLOGICAL**

<b>GROSS ALPHA</b>	01501	003	<b>2010/01/18</b>	1.410	<b>2010/04</b>	<b>DUE</b>
<b>RADIUM 226</b>	09501	000				<b>DUE</b>
<b>RADIUM 228</b>	11501	003	<b>2006/12/11</b>	.196	<b>2007/03</b>	<b>DUE</b>
<b>URANIUM (PCI/L)</b>	28012	000				<b>DUE</b>

**REGULATED SOC**

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2013/04/25	< 3.000	2016/01
THIOBENCARB	A-001	033	2013/04/25	< 1.000	2016/01

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	012	2014/02/05	< .500	2015/02
1,1,2,2-TETRACHLOROETHANE	34516	012	2014/02/05	< .500	2015/02
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/02/05	< 10.000	2015/02
1,1,2-TRICHLOROETHANE	34511	012	2014/02/05	< .500	2015/02
1,1-DICHLOROETHANE	34496	012	2014/02/05	< .500	2015/02
1,1-DICHLOROETHYLENE	34501	012	2014/02/05	< .500	2015/02
1,2,4-TRICHLOROBENZENE	34551	012	2014/02/05	< .500	2015/02
1,2-DICHLOROBENZENE	34536	012	2014/02/05	< .500	2015/02

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910102**

**System Name: PALMDALE WATER DIST.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910102-007**

**Source Name: WELL 06A**

**Source Number: 007**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED VOC**

1,2-DICHLOROETHANE	34531	012	2014/02/05	< .500	2015/02
1,2-DICHLOROPROPANE	34541	012	2014/02/05	< .500	2015/02
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/02/05	< .500	2015/02
1,4-DICHLOROBENZENE	34571	012	2014/02/05	< .500	2015/02
BENZENE	34030	012	2014/02/05	< .500	2015/02
CARBON TETRACHLORIDE	32102	012	2014/02/05	< .500	2015/02
CIS-1,2-DICHLOROETHYLENE	77093	012	2014/02/05	< .500	2015/02
DICHLOROMETHANE	34423	012	2014/02/05	< .500	2015/02
ETHYLBENZENE	34371	012	2014/02/05	< .500	2015/02
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/02/05	< 3.000	2015/02
MONOCHLOROBENZENE	34301	012	2014/02/05	< .500	2015/02
STYRENE	77128	012	2014/02/05	< .500	2015/02
TETRACHLOROETHYLENE	34475	012	2014/02/05	< .500	2015/02
TOLUENE	34010	012	2014/02/05	< .500	2015/02
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/02/05	< .500	2015/02
TRICHLOROETHYLENE	39180	012	2014/02/05	< .500	2015/02
TRICHLOROFUOROMETHANE	34488	012	2014/02/05	< 5.000	2015/02
VINYL CHLORIDE	39175	012	2014/02/05	< .500	2015/02
XYLENES (TOTAL)	81551	012	2014/02/05	< .500	2015/02

**SECONDARY/GP**

BICARBONATE ALKALINITY	00440	036	2013/01/28	. 140.000	2016/01
CALCIUM	00916	036	2013/01/28	. 22.000	2016/01
CARBONATE ALKALINITY	00445	036	2013/01/28	< 2.000	2016/01
CHLORIDE	00940	036	2014/07/01	. 27.000	2017/07
COLOR	00081	036	2013/01/28	< 3.000	2016/01
COPPER	01042	036	2013/01/28	< 50.000	2016/01
FOAMING AGENTS (MBAS)	38260	036	2013/01/28	< .050	2016/01
HARDNESS (TOTAL) AS CaCO3	00900	036	2013/01/28	. 75.000	2016/01
HYDROXIDE ALKALINITY	71830	036	2013/01/28	< 2.000	2016/01

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910102**

**System Name: PALMDALE WATER DIST.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910102-007**

**Source Name: WELL 06A**

**Source Number: 007**

**Source Status: ACTIVE RAW**

**Water type: G**

**SECONDARY/GP**

IRON	01045	036	2014/07/01	< 100.000	2017/07
MAGNESIUM	00927	036	2013/01/28	. 4.600	2016/01
MANGANESE	01055	036	2014/07/01	< 20.000	2017/07
ODOR THRESHOLD @ 60 C	00086	036	2013/01/28	< 1.000	2016/01
PH, LABORATORY	00403	036	2013/01/28	. 8.000	2016/01
SILVER	01077	036	2013/01/28	< 10.000	2016/01
SODIUM	00929	036	2013/01/28	69.000	2016/01
SPECIFIC CONDUCTANCE	00095	036	2013/01/28	. 440.000	2016/01
SULFATE	00945	036	2014/07/01	. 33.400	2017/07
TOTAL DISSOLVED SOLIDS	70300	036	2013/01/28	. 270.000	2016/01
TURBIDITY, LABORATORY	82079	036	2013/01/28	. .110	2016/01
ZINC	01092	036	2013/01/28	< 50.000	2016/01

**PS Code: 1910102-008**

**Source Name: WELL 07A**

**Source Number: 008**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

ALUMINUM	01105	036	2013/01/28	< 50.000	2016/01
ANTIMONY	01097	036	2013/01/28	< 6.000	2016/01
ARSENIC	01002	036	2013/01/28	< 2.000	2016/01
ASBESTOS	81855	108	2013/01/28	< .200	2022/01
BARIUM	01007	036	2013/01/28	< 100.000	2016/01
BERYLLIUM	01012	036	2013/01/28	< 1.000	2016/01
CADMIUM	01027	036	2013/01/28	< 1.000	2016/01
CHROMIUM (TOTAL)	01034	036	2013/01/28	< 10.000	2016/01
CYANIDE	01291	036	2013/03/06	< 100.000	2016/03
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/07/01	. .202	2017/07

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910102**

**System Name: PALMDALE WATER DIST.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910102-008**

**Source Name: WELL 07A**

**Source Number: 008**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

MERCURY	71900	036	2013/01/28	< 1.000	2016/01
NICKEL	01067	036	2013/01/28	< 10.000	2016/01
PERCHLORATE	A-031	036	2013/01/28	< 4.000	2016/01
SELENIUM	01147	036	2013/01/28	< 5.000	2016/01
THALLIUM	01059	036	2013/01/28	< 1.000	2016/01

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	012	2014/07/01	. 4.130	2015/07
NITRITE (AS N)	00620	036	2014/07/01	< 400.000	2017/07

**RADIOLOGICAL**

<b>GROSS ALPHA</b>	01501	003	<b>2010/01/18</b>	.848	<b>2010/04</b>	<b>DUE</b>
<b>RADIUM 226</b>	09501	000				<b>DUE</b>
<b>RADIUM 228</b>	11501	003	<b>2005/12/27</b>	. .063	<b>2006/03</b>	<b>DUE</b>
<b>URANIUM (PCI/L)</b>	28012	000				<b>DUE</b>

**REGULATED SOC**

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2013/04/24	< 3.000	2016/01
THIOBENCARB	A-001	033	2013/04/24	< 1.000	2016/01

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	012	2014/02/05	< .500	2015/02
1,1,2,2-TETRACHLOROETHANE	34516	012	2014/02/05	< .500	2015/02
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/02/05	< 10.000	2015/02
1,1,2-TRICHLOROETHANE	34511	012	2014/02/05	< .500	2015/02
1,1-DICHLOROETHANE	34496	012	2014/02/05	< .500	2015/02
1,1-DICHLOROETHYLENE	34501	012	2014/02/05	< .500	2015/02
1,2,4-TRICHLOROBENZENE	34551	012	2014/02/05	< .500	2015/02
1,2-DICHLOROBENZENE	34536	012	2014/02/05	< .500	2015/02
1,2-DICHLOROETHANE	34531	012	2014/02/05	< .500	2015/02
1,2-DICHLOROPROPANE	34541	012	2014/02/05	< .500	2015/02
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/02/05	< .500	2015/02

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910102**

**System Name: PALMDALE WATER DIST.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910102-008**

**Source Name: WELL 07A**

**Source Number: 008**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED VOC**

1,4-DICHLOROBENZENE	34571	012	2014/02/05	< .500	2015/02
BENZENE	34030	012	2014/02/05	< .500	2015/02
CARBON TETRACHLORIDE	32102	012	2014/02/05	< .500	2015/02
CIS-1,2-DICHLOROETHYLENE	77093	012	2014/02/05	< .500	2015/02
DICHLOROMETHANE	34423	012	2014/02/05	< .500	2015/02
ETHYLBENZENE	34371	012	2014/02/05	< .500	2015/02
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/02/05	< 3.000	2015/02
MONOCHLOROENZENE	34301	012	2014/02/05	< .500	2015/02
STYRENE	77128	012	2014/02/05	< .500	2015/02
TETRACHLOROETHYLENE	34475	012	2014/02/05	< .500	2015/02
TOLUENE	34010	012	2014/02/05	< .500	2015/02
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/02/05	< .500	2015/02
TRICHLOROETHYLENE	39180	012	2014/02/05	< .500	2015/02
TRICHLOROFUOROMETHANE	34488	012	2014/02/05	< 5.000	2015/02
VINYL CHLORIDE	39175	012	2014/02/05	< .500	2015/02
XYLENES (TOTAL)	81551	012	2014/02/05	< .500	2015/02

**SECONDARY/GP**

BICARBONATE ALKALINITY	00440	036	2013/01/28	. 96.000	2016/01
CALCIUM	00916	036	2013/01/28	. 11.000	2016/01
CARBONATE ALKALINITY	00445	036	2013/01/28	< 2.000	2016/01
CHLORIDE	00940	036	2014/07/01	. 12.600	2017/07
COLOR	00081	036	2013/01/28	< 3.000	2016/01
COPPER	01042	036	2013/01/28	< 50.000	2016/01
FOAMING AGENTS (MBAS)	38260	036	2013/01/28	< .050	2016/01
HARDNESS (TOTAL) AS CaCO3	00900	036	2013/01/28	. 32.000	2016/01
HYDROXIDE ALKALINITY	71830	036	2013/01/28	< 2.000	2016/01
IRON	01045	036	2013/01/28	< 100.000	2016/01
MAGNESIUM	00927	036	2013/01/28	. 1.000	2016/01
MANGANESE	01055	036	2013/01/28	< 20.000	2016/01

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910102**

**System Name: PALMDALE WATER DIST.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910102-008**

**Source Name: WELL 07A**

**Source Number: 008**

**Source Status: ACTIVE RAW**

**Water type: G**

**SECONDARY/GP**

ODOR THRESHOLD @ 60 C	00086	036	2013/01/28	< 1.000	2016/01
PH, LABORATORY	00403	036	2013/01/28	. 8.100	2016/01
SILVER	01077	036	2013/01/28	< 10.000	2016/01
SODIUM	00929	036	2013/01/28	45.000	2016/01
SPECIFIC CONDUCTANCE	00095	036	2013/01/28	. 250.000	2016/01
SULFATE	00945	036	2014/07/01	. 19.700	2017/07
TOTAL DISSOLVED SOLIDS	70300	036	2013/01/28	. 150.000	2016/01
TURBIDITY, LABORATORY	82079	036	2013/01/28	. .084	2016/01
ZINC	01092	036	2013/01/28	< 50.000	2016/01

**PS Code: 1910102-009**

**Source Name: WELL 08A**

**Source Number: 009**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

ALUMINUM	01105	036	2013/01/28	< 50.000	2016/01
ANTIMONY	01097	036	2013/01/28	< 6.000	2016/01
ARSENIC	01002	036	2013/01/28	< 2.000	2016/01
ASBESTOS	81855	108	2013/01/28	< .200	2022/01
BARIUM	01007	036	2013/01/28	< 100.000	2016/01
BERYLLIUM	01012	036	2013/01/28	< 1.000	2016/01
CADMIUM	01027	036	2013/01/28	< 1.000	2016/01
CHROMIUM (TOTAL)	01034	036	2013/01/28	< 10.000	2016/01
CYANIDE	01291	036	2013/03/06	< 100.000	2016/03
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/07/01	. .224	2017/07
MERCURY	71900	036	2013/01/28	< 1.000	2016/01
NICKEL	01067	036	2013/01/28	< 10.000	2016/01
PERCHLORATE	A-031	036	2013/01/28	< 4.000	2016/01

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910102**

**System Name: PALMDALE WATER DIST.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910102-009**

**Source Name: WELL 08A**

**Source Number: 009**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

SELENIUM	01147	036	2013/01/28	< 5.000	2016/01
THALLIUM	01059	036	2013/01/28	< 1.000	2016/01

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	012	2014/07/01	. 2.170	2015/07
NITRITE (AS N)	00620	036	2014/07/01	< 400.000	2017/07

**RADIOLOGICAL**

<b>GROSS ALPHA</b>	01501	003	<b>2010/01/18</b>	1.200	<b>2010/04</b>	<b>DUE</b>
<b>RADIUM 226</b>	09501	000				<b>DUE</b>
<b>RADIUM 228</b>	11501	003	<b>2005/12/27</b>	. .262	<b>2006/03</b>	<b>DUE</b>
<b>URANIUM (PCI/L)</b>	28012	000				<b>DUE</b>

**REGULATED SOC**

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2013/04/24	< 3.000	2016/01
THIOBENCARB	A-001	033	2013/04/24	< 1.000	2016/01

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	012	2014/02/05	< .500	2015/02
1,1,2,2-TETRACHLOROETHANE	34516	012	2014/02/05	< .500	2015/02
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/02/05	< 10.000	2015/02
1,1,2-TRICHLOROETHANE	34511	012	2014/02/05	< .500	2015/02
1,1-DICHLOROETHANE	34496	012	2014/02/05	< .500	2015/02
1,1-DICHLOROETHYLENE	34501	012	2014/02/05	< .500	2015/02
1,2,4-TRICHLOROBENZENE	34551	012	2014/02/05	< .500	2015/02
1,2-DICHLOROBENZENE	34536	012	2014/02/05	< .500	2015/02
1,2-DICHLOROETHANE	34531	012	2014/02/05	< .500	2015/02
1,2-DICHLOROPROPANE	34541	012	2014/02/05	< .500	2015/02
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/02/05	< .500	2015/02
1,4-DICHLOROBENZENE	34571	012	2014/02/05	< .500	2015/02
BENZENE	34030	012	2014/02/05	< .500	2015/02
CARBON TETRACHLORIDE	32102	012	2014/02/05	< .500	2015/02

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910102**

**System Name: PALMDALE WATER DIST.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910102-009**

**Source Name: WELL 08A**

**Source Number: 009**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED VOC**

CIS-1,2-DICHLOROETHYLENE	77093	012	2014/02/05	< .500	2015/02
DICHLOROMETHANE	34423	012	2014/02/05	< .500	2015/02
ETHYLBENZENE	34371	012	2014/02/05	< .500	2015/02
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/02/05	< 3.000	2015/02
MONOCHLOROBENZENE	34301	012	2014/02/05	< .500	2015/02
STYRENE	77128	012	2014/02/05	< .500	2015/02
TETRACHLOROETHYLENE	34475	012	2014/02/05	< .500	2015/02
TOLUENE	34010	012	2014/02/05	< .500	2015/02
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/02/05	< .500	2015/02
TRICHLOROETHYLENE	39180	012	2014/02/05	< .500	2015/02
TRICHLOROFUOROMETHANE	34488	012	2014/02/05	< 5.000	2015/02
VINYL CHLORIDE	39175	012	2014/02/05	< .500	2015/02
XYLENES (TOTAL)	81551	012	2014/02/05	< .500	2015/02

**SECONDARY/GP**

BICARBONATE ALKALINITY	00440	036	2013/01/28	. 100.000	2016/01
CALCIUM	00916	036	2013/01/28	. 9.400	2016/01
CARBONATE ALKALINITY	00445	036	2013/01/28	< 2.000	2016/01
CHLORIDE	00940	036	2014/07/01	. 6.690	2017/07
COLOR	00081	036	2013/01/28	< 3.000	2016/01
COPPER	01042	036	2013/01/28	< 50.000	2016/01
FOAMING AGENTS (MBAS)	38260	036	2013/01/28	< .050	2016/01
HARDNESS (TOTAL) AS CaCO3	00900	036	2013/01/28	. 28.000	2016/01
HYDROXIDE ALKALINITY	71830	036	2013/01/28	< 2.000	2016/01
IRON	01045	036	2013/01/28	< 100.000	2016/01
MAGNESIUM	00927	036	2013/01/28	. 1.000	2016/01
MANGANESE	01055	036	2013/01/28	< 20.000	2016/01
ODOR THRESHOLD @ 60 C	00086	036	2013/01/28	< 1.000	2016/01
PH, LABORATORY	00403	036	2013/01/28	. 8.100	2016/01
SILVER	01077	036	2013/01/28	< 10.000	2016/01

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)



**System Number: 1910102**

**System Name: PALMDALE WATER DIST.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910102-009**

**Source Name: WELL 08A**

**Source Number: 009**

**Source Status: ACTIVE RAW**

**Water type: G**

**SECONDARY/GP**

SODIUM	00929	036	2013/01/28	46.000	2016/01
SPECIFIC CONDUCTANCE	00095	036	2013/01/28	240.000	2016/01
SULFATE	00945	036	2014/07/01	17.200	2017/07
TOTAL DISSOLVED SOLIDS	70300	036	2013/01/28	150.000	2016/01
TURBIDITY, LABORATORY	82079	036	2013/01/28	.054	2016/01
ZINC	01092	036	2013/01/28	50.000	2016/01

**PS Code: 1910102-011**

**Source Name: WELL 10**

**Source Number: 011**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

ALUMINUM	01105	036	2013/01/28	50.000	2016/01
ANTIMONY	01097	036	2013/01/28	6.000	2016/01
ARSENIC	01002	036	2013/01/28	2.000	2016/01
ASBESTOS	81855	108	2013/01/28	.200	2022/01
BARIUM	01007	036	2013/01/28	100.000	2016/01
BERYLLIUM	01012	036	2013/01/28	1.000	2016/01
CADMIUM	01027	036	2013/01/28	1.000	2016/01
CHROMIUM (TOTAL)	01034	036	2013/01/28	10.000	2016/01
CHROMIUM, HEXAVALENT	01032	036	2014/07/01	3.700	2017/07
CYANIDE	01291	036	2013/03/06	100.000	2016/03
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/07/01	.125	2017/07
MERCURY	71900	036	2013/01/28	1.000	2016/01
NICKEL	01067	036	2013/01/28	10.000	2016/01
PERCHLORATE	A-031	036	2013/01/28	4.000	2016/01
SELENIUM	01147	036	2013/01/28	5.000	2016/01
THALLIUM	01059	036	2013/01/28	1.000	2016/01

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910102**

**System Name: PALMDALE WATER DIST.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910102-011**

**Source Name: WELL 10**

**Source Number: 011**

**Source Status: ACTIVE RAW**

**Water type: G**

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	012	2014/07/01	. 6.650	2015/07
NITRITE (AS N)	00620	036	2014/07/01	< 400.000	2017/07

**RADIOLOGICAL**

GROSS ALPHA	01501	003	2010/01/18	.584	2010/04	DUE
RADIUM 226	09501	000				DUE
RADIUM 228	11501	003	2005/12/27	.362	2006/03	DUE
URANIUM (PCI/L)	28012	000				DUE

**REGULATED SOC**

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2013/04/25	< 3.000	2016/01
THIOBENCARB	A-001	033	2013/04/25	< 1.000	2016/01

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	012	2014/02/05	< .500	2015/02
1,1,2,2-TETRACHLOROETHANE	34516	012	2014/02/05	< .500	2015/02
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/02/05	< 10.000	2015/02
1,1,2-TRICHLOROETHANE	34511	012	2014/02/05	< .500	2015/02
1,1-DICHLOROETHANE	34496	012	2014/02/05	< .500	2015/02
1,1-DICHLOROETHYLENE	34501	012	2014/02/05	< .500	2015/02
1,2,4-TRICHLOROBENZENE	34551	012	2014/02/05	< .500	2015/02
1,2-DICHLOROBENZENE	34536	012	2014/02/05	< .500	2015/02
1,2-DICHLOROETHANE	34531	012	2014/02/05	< .500	2015/02
1,2-DICHLOROPROPANE	34541	012	2014/02/05	< .500	2015/02
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/02/05	< .500	2015/02
1,4-DICHLOROBENZENE	34571	012	2014/02/05	< .500	2015/02
BENZENE	34030	012	2014/02/05	< .500	2015/02
CARBON TETRACHLORIDE	32102	012	2014/02/05	< .500	2015/02
CIS-1,2-DICHLOROETHYLENE	77093	012	2014/02/05	< .500	2015/02
DICHLOROMETHANE	34423	012	2014/02/05	< .500	2015/02
ETHYLBENZENE	34371	012	2014/02/05	< .500	2015/02

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910102**

**System Name: PALMDALE WATER DIST.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910102-011**

**Source Name: WELL 10**

**Source Number: 011**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED VOC**

METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/02/05	< 3.000	2015/02
MONOCHLORO BENZENE	34301	012	2014/02/05	< .500	2015/02
STYRENE	77128	012	2014/02/05	< .500	2015/02
TETRACHLOROETHYLENE	34475	012	2014/02/05	< .500	2015/02
TOLUENE	34010	012	2014/02/05	< .500	2015/02
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/02/05	< .500	2015/02
TRICHLOROETHYLENE	39180	012	2014/02/05	< .500	2015/02
TRICHLOROFLUOROMETHANE	34488	012	2014/02/05	< 5.000	2015/02
VINYL CHLORIDE	39175	012	2014/02/05	< .500	2015/02
XYLENES (TOTAL)	81551	012	2014/02/05	< .500	2015/02

**SECONDARY/GP**

BICARBONATE ALKALINITY	00440	036	2013/01/28	. 120.000	2016/01
CALCIUM	00916	036	2013/01/28	. 35.000	2016/01
CARBONATE ALKALINITY	00445	036	2013/01/28	< 2.000	2016/01
CHLORIDE	00940	036	2014/07/01	. 17.400	2017/07
COLOR	00081	036	2013/01/28	< 3.000	2016/01
COPPER	01042	036	2013/01/28	< 50.000	2016/01
FOAMING AGENTS (MBAS)	38260	036	2013/01/28	< .050	2016/01
HARDNESS (TOTAL) AS CaCO3	00900	036	2013/01/28	. 110.000	2016/01
HYDROXIDE ALKALINITY	71830	036	2013/01/28	< 2.000	2016/01
IRON	01045	036	2013/01/28	< 100.000	2016/01
MAGNESIUM	00927	036	2013/01/28	. 4.900	2016/01
MANGANESE	01055	036	2013/01/28	< 20.000	2016/01
ODOR THRESHOLD @ 60 C	00086	036	2013/01/28	< 1.000	2016/01
PH, LABORATORY	00403	036	2013/01/28	. 8.100	2016/01
SILVER	01077	036	2013/01/28	< 10.000	2016/01
SODIUM	00929	036	2013/01/28	26.000	2016/01
SPECIFIC CONDUCTANCE	00095	036	2013/01/28	. 320.000	2016/01
SULFATE	00945	036	2014/07/01	. 24.800	2017/07

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910102**

**System Name: PALMDALE WATER DIST.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910102-011**

**Source Name: WELL 10**

**Source Number: 011**

**Source Status: ACTIVE RAW**

**Water type: G**

**SECONDARY/GP**

TOTAL DISSOLVED SOLIDS	70300	036	2013/01/28	. 200.000	2016/01
TURBIDITY, LABORATORY	82079	036	2013/01/28	. .160	2016/01
ZINC	01092	036	2013/01/28	< 50.000	2016/01

**PS Code: 1910102-012**

**Source Name: WELL 11A**

**Source Number: 012**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

ALUMINUM	01105	108	2013/11/15	< 50.000	2022/11
ANTIMONY	01097	108	2013/11/15	< 6.000	2022/11
ARSENIC	01002	108	2013/11/15	< 2.000	2022/11
ASBESTOS	81855	108	2013/11/15	< .200	2022/11
BARIUM	01007	108	2013/11/15	< 100.000	2022/11
BERYLLIUM	01012	108	2013/11/15	< 1.000	2022/11
CADMIUM	01027	108	2013/11/15	< 1.000	2022/11
CHROMIUM (TOTAL)	01034	108	2013/11/15	< 10.000	2022/11
<b>CYANIDE</b>	01291	108	2004/01/12	< 10.000	2013/01 <b>DUE</b>
FLUORIDE (F) (NATURAL-SOURCE)	00951	108	2014/07/01	. .188	2023/07
MERCURY	71900	108	2013/11/15	< 1.000	2022/11
NICKEL	01067	108	2013/11/15	< 10.000	2022/11
PERCHLORATE	A-031	108	2013/11/15	< 4.000	2022/11
SELENIUM	01147	108	2013/11/15	< 5.000	2022/11
THALLIUM	01059	108	2013/11/15	< 1.000	2022/11

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	108	2014/07/01	. 4.510	2023/07
NITRITE (AS N)	00620	108	2014/07/01	< 400.000	2023/07

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910102**

**System Name: PALMDALE WATER DIST.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910102-012**

**Source Name: WELL 11A**

**Source Number: 012**

**Source Status: ACTIVE RAW**

**Water type: G**

**RADIOLOGICAL**

GROSS ALPHA	01501	108	2013/11/15	< 3.000	2022/11	
<b>RADIUM 226</b>	09501	000				<b>DUE</b>
RADIUM 228	11501	108	2007/03/05	.000	2016/03	
<b>URANIUM (PCI/L)</b>	28012	108	<b>1997/10/08</b>	< 2.000	<b>2006/10</b>	<b>DUE</b>

**REGULATED SOC**

DI(2-ETHYLHEXYL)PHTHALATE	39100	108	2013/11/15	< 3.000	2022/11	
THIOBENCARB	A-001	108	2013/11/15	< 1.000	2022/11	

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	108	2014/02/11	< .500	2023/02	
1,1,2,2-TETRACHLOROETHANE	34516	108	2014/02/11	< .500	2023/02	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	108	2014/02/11	< 10.000	2023/02	
1,1,2-TRICHLOROETHANE	34511	108	2014/02/11	< .500	2023/02	
1,1-DICHLOROETHANE	34496	108	2014/02/11	< .500	2023/02	
1,1-DICHLOROETHYLENE	34501	108	2014/02/11	< .500	2023/02	
1,2,4-TRICHLOROBENZENE	34551	108	2014/02/11	< .500	2023/02	
1,2-DICHLOROBENZENE	34536	108	2014/02/11	< .500	2023/02	
1,2-DICHLOROETHANE	34531	108	2014/02/11	< .500	2023/02	
1,2-DICHLOROPROPANE	34541	108	2014/02/11	< .500	2023/02	
1,3-DICHLOROPROPENE (TOTAL)	34561	108	2014/02/11	< .500	2023/02	
1,4-DICHLOROBENZENE	34571	108	2014/02/11	< .500	2023/02	
BENZENE	34030	108	2014/02/11	< .500	2023/02	
CARBON TETRACHLORIDE	32102	108	2014/02/11	< .500	2023/02	
CIS-1,2-DICHLOROETHYLENE	77093	108	2014/02/11	< .500	2023/02	
DICHLOROMETHANE	34423	108	2014/02/11	< .500	2023/02	
ETHYLBENZENE	34371	108	2014/02/11	< .500	2023/02	
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	108	2014/02/11	< 3.000	2023/02	
MONOCHLOROBENZENE	34301	108	2014/02/11	< .500	2023/02	
STYRENE	77128	108	2014/02/11	< .500	2023/02	
TETRACHLOROETHYLENE	34475	108	2014/02/11	< .500	2023/02	

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910102**

**System Name: PALMDALE WATER DIST.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910102-012**

**Source Name: WELL 11A**

**Source Number: 012**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED VOC**

TOLUENE	34010	108	2014/02/11	< .500	2023/02
TRANS-1,2-DICHLOROETHYLENE	34546	108	2014/02/11	< .500	2023/02
TRICHLOROETHYLENE	39180	108	2014/02/11	< .500	2023/02
TRICHLOROFUOROMETHANE	34488	108	2014/02/11	< 5.000	2023/02
VINYL CHLORIDE	39175	108	2014/02/11	< .500	2023/02
XYLENES (TOTAL)	81551	108	2014/02/11	< .500	2023/02

**SECONDARY/GP**

BICARBONATE ALKALINITY	00440	108	2013/11/15	. 130.000	2022/11
CALCIUM	00916	108	2013/11/15	. 58.000	2022/11
CARBONATE ALKALINITY	00445	108	2013/11/15	< 2.000	2022/11
CHLORIDE	00940	108	2014/07/01	. 105.000	2023/07
COLOR	00081	108	2013/11/15	< 3.000	2022/11
COPPER	01042	108	2013/11/15	< 50.000	2022/11
FOAMING AGENTS (MBAS)	38260	108	2013/11/15	< .050	2022/11
HARDNESS (TOTAL) AS CaCO3	00900	108	2013/11/15	. 200.000	2022/11
HYDROXIDE ALKALINITY	71830	108	2013/11/15	< 2.000	2022/11
IRON	01045	108	2013/11/15	< 100.000	2022/11
MAGNESIUM	00927	108	2013/11/15	. 13.000	2022/11
MANGANESE	01055	108	2013/11/15	< 20.000	2022/11
ODOR THRESHOLD @ 60 C	00086	108	2013/11/15	2.000	2022/11
PH, LABORATORY	00403	108	2013/11/15	. 8.100	2022/11
SILVER	01077	108	2013/11/15	< 10.000	2022/11
SODIUM	00929	108	2013/11/15	62.000	2022/11
SPECIFIC CONDUCTANCE	00095	108	2013/11/15	. 710.000	2022/11
SULFATE	00945	108	2014/07/01	. 164.000	2023/07
TOTAL DISSOLVED SOLIDS	70300	108	2013/11/15	. 420.000	2022/11
TURBIDITY, LABORATORY	82079	108	2013/11/15	. .460	2022/11
ZINC	01092	108	2013/11/15	< 50.000	2022/11

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910102**

**System Name: PALMDALE WATER DIST.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910102-014**

**Source Name: WELL 14A**

**Source Number: 014**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

ALUMINUM	01105	036	2013/01/29	< 50.000	2016/01
ANTIMONY	01097	036	2013/01/29	< 6.000	2016/01
ARSENIC	01002	036	2013/01/29	< 2.000	2016/01
ASBESTOS	81855	108	2013/01/29	< .200	2022/01
BARIUM	01007	036	2013/01/29	< 100.000	2016/01
BERYLLIUM	01012	036	2013/01/29	< 1.000	2016/01
CADMIUM	01027	036	2013/01/29	< 1.000	2016/01
CHROMIUM (TOTAL)	01034	036	2013/01/29	< 10.000	2016/01
CHROMIUM, HEXAVALENT	01032	036	2014/07/01	. 4.700	2017/07
CYANIDE	01291	036	2013/03/06	< 100.000	2016/03
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/07/01	. .109	2017/07
MERCURY	71900	036	2013/01/29	< 1.000	2016/01
NICKEL	01067	036	2013/01/29	< 10.000	2016/01
PERCHLORATE	A-031	036	2013/01/29	< 4.000	2016/01
SELENIUM	01147	036	2013/01/29	< 5.000	2016/01
THALLIUM	01059	036	2013/01/29	< 1.000	2016/01

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	012	2014/07/01	. 3.290	2015/07
NITRITE (AS N)	00620	036	2014/07/01	< 400.000	2017/07

**RADIOLOGICAL**

<b>GROSS ALPHA</b>	01501	003	<b>2010/01/19</b>	2.580	<b>2010/04</b>	<b>DUE</b>
<b>RADIUM 226</b>	09501	000				<b>DUE</b>
<b>RADIUM 228</b>	11501	003	<b>2005/12/27</b>	.000	<b>2006/03</b>	<b>DUE</b>
<b>URANIUM (PCI/L)</b>	28012	000				<b>DUE</b>

**REGULATED SOC**

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2013/04/25	< 3.000	2016/01
THIOBENCARB	A-001	033	2013/04/25	< 1.000	2016/01

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910102**

**System Name: PALMDALE WATER DIST.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910102-014**

**Source Name: WELL 14A**

**Source Number: 014**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	012	2014/02/05	< .500	2015/02
1,1,2,2-TETRACHLOROETHANE	34516	012	2014/02/05	< .500	2015/02
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/02/05	< 10.000	2015/02
1,1,2-TRICHLOROETHANE	34511	012	2014/02/05	< .500	2015/02
1,1-DICHLOROETHANE	34496	012	2014/02/05	< .500	2015/02
1,1-DICHLOROETHYLENE	34501	012	2014/02/05	< .500	2015/02
1,2,4-TRICHLOROBENZENE	34551	012	2014/02/05	< .500	2015/02
1,2-DICHLOROBENZENE	34536	012	2014/02/05	< .500	2015/02
1,2-DICHLOROETHANE	34531	012	2014/02/05	< .500	2015/02
1,2-DICHLOROPROPANE	34541	012	2014/02/05	< .500	2015/02
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/02/05	< .500	2015/02
1,4-DICHLOROBENZENE	34571	012	2014/02/05	< .500	2015/02
BENZENE	34030	012	2014/02/05	< .500	2015/02
CARBON TETRACHLORIDE	32102	012	2014/02/05	< .500	2015/02
CIS-1,2-DICHLOROETHYLENE	77093	012	2014/02/05	< .500	2015/02
DICHLOROMETHANE	34423	012	2014/02/05	< .500	2015/02
ETHYLBENZENE	34371	012	2014/02/05	< .500	2015/02
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/02/05	< 3.000	2015/02
MONOCHLOROBENZENE	34301	012	2014/02/05	< .500	2015/02
STYRENE	77128	012	2014/02/05	< .500	2015/02
TETRACHLOROETHYLENE	34475	012	2014/02/05	< .500	2015/02
TOLUENE	34010	012	2014/02/05	< .500	2015/02
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/02/05	< .500	2015/02
TRICHLOROETHYLENE	39180	012	2014/02/05	< .500	2015/02
TRICHLOROFUOROMETHANE	34488	012	2014/02/05	< 5.000	2015/02
VINYL CHLORIDE	39175	012	2014/02/05	< .500	2015/02
XYLENES (TOTAL)	81551	012	2014/02/05	< .500	2015/02

**SECONDARY/GP**

BICARBONATE ALKALINITY	00440	036	2013/01/29	. 120.000	2016/01
------------------------	-------	-----	------------	-----------	---------

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)



**System Number: 1910102**

**System Name: PALMDALE WATER DIST.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910102-014**

**Source Name: WELL 14A**

**Source Number: 014**

**Source Status: ACTIVE RAW**

**Water type: G**

**SECONDARY/GP**

CALCIUM	00916	036	2013/01/29	. 36.000	2016/01
CARBONATE ALKALINITY	00445	036	2013/01/29	< 2.000	2016/01
CHLORIDE	00940	036	2014/07/01	. 50.500	2017/07
COLOR	00081	036	2013/01/29	< 3.000	2016/01
COPPER	01042	036	2013/01/29	< 50.000	2016/01
FOAMING AGENTS (MBAS)	38260	036	2013/01/29	< .050	2016/01
HARDNESS (TOTAL) AS CaCO3	00900	036	2013/01/29	. 120.000	2016/01
HYDROXIDE ALKALINITY	71830	036	2013/01/29	< 2.000	2016/01
IRON	01045	036	2013/01/29	< 100.000	2016/01
MAGNESIUM	00927	036	2013/01/29	. 7.000	2016/01
MANGANESE	01055	036	2013/01/29	< 20.000	2016/01
ODOR THRESHOLD @ 60 C	00086	036	2013/01/29	< 1.000	2016/01
PH, LABORATORY	00403	036	2013/01/29	. 8.000	2016/01
SILVER	01077	036	2013/01/29	< 10.000	2016/01
SODIUM	00929	036	2013/01/29	49.000	2016/01
SPECIFIC CONDUCTANCE	00095	036	2013/01/29	. 460.000	2016/01
SULFATE	00945	036	2014/07/01	. 85.900	2017/07
TOTAL DISSOLVED SOLIDS	70300	036	2013/01/29	. 280.000	2016/01
TURBIDITY, LABORATORY	82079	036	2013/01/29	. .260	2016/01
ZINC	01092	036	2013/01/29	< 50.000	2016/01

**PS Code: 1910102-015**

**Source Name: WELL 15**

**Source Number: 015**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

ALUMINUM	01105	036	2013/01/28	< 50.000	2016/01
ANTIMONY	01097	036	2013/01/28	< 6.000	2016/01

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910102**

**System Name: PALMDALE WATER DIST.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910102-015**

**Source Name: WELL 15**

**Source Number: 015**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

ARSENIC	01002	036	2013/01/28	. 2.000	2016/01
ASBESTOS	81855	108	2013/01/28	< .200	2022/01
BARIUM	01007	036	2013/01/28	< 100.000	2016/01
BERYLLIUM	01012	036	2013/01/28	< 1.000	2016/01
CADMIUM	01027	036	2013/01/28	< 1.000	2016/01
CHROMIUM (TOTAL)	01034	036	2013/01/28	< 10.000	2016/01
CYANIDE	01291	036	2013/03/06	< 100.000	2016/03
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/07/01	. .328	2017/07
MERCURY	71900	036	2013/01/28	< 1.000	2016/01
NICKEL	01067	036	2013/01/28	< 10.000	2016/01
PERCHLORATE	A-031	036	2013/01/28	< 4.000	2016/01
SELENIUM	01147	036	2013/01/28	< 5.000	2016/01
THALLIUM	01059	036	2013/01/28	< 1.000	2016/01

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	012	2014/07/01	. 2.010	2015/07
NITRITE (AS N)	00620	036	2014/07/01	< 400.000	2017/07

**RADIOLOGICAL**

<b>GROSS ALPHA</b>	01501	003	<b>2006/09/11</b>	.310	<b>2006/12</b>	<b>DUE</b>
<b>RADIUM 226</b>	09501	000				<b>DUE</b>
<b>RADIUM 228</b>	11501	003	<b>2005/12/28</b>	. .325	<b>2006/03</b>	<b>DUE</b>
<b>URANIUM (PCI/L)</b>	28012	000				<b>DUE</b>

**REGULATED SOC**

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2013/04/01	< 3.000	2016/01
THIOBENCARB	A-001	033	2013/04/01	< 1.000	2016/01

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	012	2014/02/11	< .500	2015/02
1,1,2,2-TETRACHLOROETHANE	34516	012	2014/02/11	< .500	2015/02
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/02/11	< 10.000	2015/02

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910102**

**System Name: PALMDALE WATER DIST.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910102-015**

**Source Name: WELL 15**

**Source Number: 015**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED VOC**

1,1,2-TRICHLOROETHANE	34511	012	2014/02/11	< .500	2015/02
1,1-DICHLOROETHANE	34496	012	2014/02/11	< .500	2015/02
1,1-DICHLOROETHYLENE	34501	012	2014/02/11	< .500	2015/02
1,2,4-TRICHLOROBENZENE	34551	012	2014/02/11	< .500	2015/02
1,2-DICHLOROBENZENE	34536	012	2014/02/11	< .500	2015/02
1,2-DICHLOROETHANE	34531	012	2014/02/11	< .500	2015/02
1,2-DICHLOROPROPANE	34541	012	2014/02/11	< .500	2015/02
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/02/11	< .500	2015/02
1,4-DICHLOROBENZENE	34571	012	2014/02/11	< .500	2015/02
BENZENE	34030	012	2014/02/11	< .500	2015/02
CARBON TETRACHLORIDE	32102	012	2014/02/11	< .500	2015/02
CIS-1,2-DICHLOROETHYLENE	77093	012	2014/02/11	< .500	2015/02
DICHLOROMETHANE	34423	012	2014/02/11	< .500	2015/02
ETHYLBENZENE	34371	012	2014/02/11	< .500	2015/02
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/02/11	< 3.000	2015/02
MONOCHLOROBENZENE	34301	012	2014/02/11	< .500	2015/02
STYRENE	77128	012	2014/02/11	< .500	2015/02
TETRACHLOROETHYLENE	34475	012	2014/02/11	< .500	2015/02
TOLUENE	34010	012	2014/02/11	< .500	2015/02
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/02/11	< .500	2015/02
TRICHLOROETHYLENE	39180	012	2014/02/11	< .500	2015/02
TRICHLOROFUOROMETHANE	34488	012	2014/02/11	< 5.000	2015/02
VINYL CHLORIDE	39175	012	2014/02/11	< .500	2015/02
XYLENES (TOTAL)	81551	012	2014/02/11	< .500	2015/02

**SECONDARY/GP**

BICARBONATE ALKALINITY	00440	036	2013/01/28	. 140.000	2016/01
CALCIUM	00916	036	2013/01/28	. 35.000	2016/01
CARBONATE ALKALINITY	00445	036	2013/01/28	< 2.000	2016/01
CHLORIDE	00940	036	2014/07/01	. 41.200	2017/07

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910102**

**System Name: PALMDALE WATER DIST.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910102-015**

**Source Name: WELL 15**

**Source Number: 015**

**Source Status: ACTIVE RAW**

**Water type: G**

**SECONDARY/GP**

COLOR	00081	036	2013/01/28	< 3.000	2016/01
COPPER	01042	036	2013/01/28	< 50.000	2016/01
FOAMING AGENTS (MBAS)	38260	036	2013/01/28	< .050	2016/01
HARDNESS (TOTAL) AS CaCO3	00900	036	2013/01/28	. 120.000	2016/01
HYDROXIDE ALKALINITY	71830	036	2013/01/28	< 2.000	2016/01
IRON	01045	036	2013/01/28	< 100.000	2016/01
MAGNESIUM	00927	036	2013/01/28	. 7.100	2016/01
MANGANESE	01055	036	2013/01/28	< 20.000	2016/01
ODOR THRESHOLD @ 60 C	00086	036	2013/01/28	1.000	2016/01
PH, LABORATORY	00403	036	2013/01/28	. 8.100	2016/01
SILVER	01077	036	2013/01/28	< 10.000	2016/01
SODIUM	00929	036	2013/01/28	67.000	2016/01
SPECIFIC CONDUCTANCE	00095	036	2013/01/28	. 510.000	2016/01
SULFATE	00945	036	2014/07/01	. 73.600	2017/07
TOTAL DISSOLVED SOLIDS	70300	036	2013/01/28	. 310.000	2016/01
TURBIDITY, LABORATORY	82079	036	2013/01/28	. .084	2016/01
ZINC	01092	036	2013/01/28	< 50.000	2016/01

**PS Code: 1910102-016**

**Source Name: WELL 16**

**Source Number: 016**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

ALUMINUM	01105	036	2013/01/28	< 50.000	2016/01
ANTIMONY	01097	036	2013/01/28	< 6.000	2016/01
ARSENIC	01002	036	2013/01/28	< 2.000	2016/01
ASBESTOS	81855	108	2013/01/28	< .200	2022/01
BARIUM	01007	036	2013/01/28	< 100.000	2016/01

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910102**

**System Name: PALMDALE WATER DIST.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910102-016**

**Source Name: WELL 16**

**Source Number: 016**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

BERYLLIUM	01012	036	2013/01/28	< 1.000	2016/01
CADMIUM	01027	036	2013/01/28	< 1.000	2016/01
CHROMIUM (TOTAL)	01034	036	2013/01/28	< 10.000	2016/01
CYANIDE	01291	036	2013/03/06	< 100.000	2016/03
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/07/01	.138	2017/07
MERCURY	71900	036	2013/01/28	< 1.000	2016/01
NICKEL	01067	036	2013/01/28	< 10.000	2016/01
PERCHLORATE	A-031	036	2013/01/28	< 4.000	2016/01
SELENIUM	01147	036	2013/01/28	< 5.000	2016/01
THALLIUM	01059	036	2013/01/28	< 1.000	2016/01

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	012	2014/07/01	. 4.310	2015/07
NITRITE (AS N)	00620	036	2014/07/01	< 400.000	2017/07

**RADIOLOGICAL**

<b>GROSS ALPHA</b>	01501	003	<b>2010/12/13</b>	.000	<b>2011/03</b>	<b>DUE</b>
<b>RADIUM 226</b>	09501	000				<b>DUE</b>
<b>RADIUM 228</b>	11501	003	<b>2005/12/27</b>	.000	<b>2006/03</b>	<b>DUE</b>
<b>URANIUM (PCI/L)</b>	28012	000				<b>DUE</b>

**REGULATED SOC**

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2013/04/24	< 3.000	2016/01
THIOBENCARB	A-001	033	2013/04/24	< 1.000	2016/01

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	012	2014/02/05	< .500	2015/02
1,1,2,2-TETRACHLOROETHANE	34516	012	2014/02/05	< .500	2015/02
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/02/05	< 10.000	2015/02
1,1,2-TRICHLOROETHANE	34511	012	2014/02/05	< .500	2015/02
1,1-DICHLOROETHANE	34496	012	2014/02/05	< .500	2015/02
1,1-DICHLOROETHYLENE	34501	012	2014/02/05	< .500	2015/02

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910102**

**System Name: PALMDALE WATER DIST.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910102-016**

**Source Name: WELL 16**

**Source Number: 016**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED VOC**

1,2,4-TRICHLORO BENZENE	34551	012	2014/02/05	< .500	2015/02
1,2-DICHLORO BENZENE	34536	012	2014/02/05	< .500	2015/02
1,2-DICHLOROETHANE	34531	012	2014/02/05	< .500	2015/02
1,2-DICHLOROPROPANE	34541	012	2014/02/05	< .500	2015/02
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/02/05	< .500	2015/02
1,4-DICHLORO BENZENE	34571	012	2014/02/05	< .500	2015/02
BENZENE	34030	012	2014/02/05	< .500	2015/02
CARBON TETRACHLORIDE	32102	012	2014/02/05	< .500	2015/02
CIS-1,2-DICHLOROETHYLENE	77093	012	2014/02/05	< .500	2015/02
DICHLOROMETHANE	34423	012	2014/02/05	< .500	2015/02
ETHYLBENZENE	34371	012	2014/02/05	< .500	2015/02
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/02/05	< 3.000	2015/02
MONOCHLORO BENZENE	34301	012	2014/02/05	< .500	2015/02
STYRENE	77128	012	2014/02/05	< .500	2015/02
TETRACHLOROETHYLENE	34475	012	2014/02/05	< .500	2015/02
TOLUENE	34010	012	2014/02/05	< .500	2015/02
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/02/05	< .500	2015/02
TRICHLOROETHYLENE	39180	012	2014/02/05	< .500	2015/02
TRICHLOROFLUOROMETHANE	34488	012	2014/02/05	< 5.000	2015/02
VINYL CHLORIDE	39175	012	2014/02/05	< .500	2015/02
XYLENES (TOTAL)	81551	012	2014/02/05	< .500	2015/02

**SECONDARY/GP**

BICARBONATE ALKALINITY	00440	036	2013/01/28	. 140.000	2016/01
CALCIUM	00916	036	2013/01/28	. 49.000	2016/01
CARBONATE ALKALINITY	00445	036	2013/01/28	< 2.000	2016/01
CHLORIDE	00940	036	2014/07/01	. 24.900	2017/07
COLOR	00081	036	2013/01/28	< 3.000	2016/01
COPPER	01042	036	2013/01/28	< 50.000	2016/01
FOAMING AGENTS (MBAS)	38260	036	2013/01/28	< .050	2016/01

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910102**

**System Name: PALMDALE WATER DIST.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910102-016**

**Source Name: WELL 16**

**Source Number: 016**

**Source Status: ACTIVE RAW**

**Water type: G**

**SECONDARY/GP**

HARDNESS (TOTAL) AS CaCO3	00900	036	2013/01/28	. 160.000	2016/01
HYDROXIDE ALKALINITY	71830	036	2013/01/28	< 2.000	2016/01
IRON	01045	036	2013/01/28	< 100.000	2016/01
MAGNESIUM	00927	036	2013/01/28	. 9.100	2016/01
MANGANESE	01055	036	2013/01/28	< 20.000	2016/01
ODOR THRESHOLD @ 60 C	00086	036	2013/01/28	< 1.000	2016/01
PH, LABORATORY	00403	036	2013/01/28	. 8.000	2016/01
SILVER	01077	036	2013/01/28	< 10.000	2016/01
SODIUM	00929	036	2013/01/28	27.000	2016/01
SPECIFIC CONDUCTANCE	00095	036	2013/01/28	. 420.000	2016/01
SULFATE	00945	036	2014/07/01	. 44.600	2017/07
TOTAL DISSOLVED SOLIDS	70300	036	2013/01/28	. 260.000	2016/01
TURBIDITY, LABORATORY	82079	036	2013/01/28	. .052	2016/01
ZINC	01092	036	2013/01/28	< 50.000	2016/01

**PS Code: 1910102-018**

**Source Name: WELL 18**

**Source Number: 018**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

ALUMINUM	01105	036	2013/01/29	< 50.000	2016/01
ANTIMONY	01097	036	2013/01/29	< 6.000	2016/01
ARSENIC	01002	036	2013/01/29	< 2.000	2016/01
ASBESTOS	81855	108	2013/01/29	< .200	2022/01
BARIUM	01007	036	2013/01/29	120.000	2016/01
BERYLLIUM	01012	036	2013/01/29	< 1.000	2016/01
CADMIUM	01027	036	2013/01/29	< 1.000	2016/01
CHROMIUM (TOTAL)	01034	036	2013/01/29	< 10.000	2016/01

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910102**

**System Name: PALMDALE WATER DIST.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910102-018**

**Source Name: WELL 18**

**Source Number: 018**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

CYANIDE	01291	036	2013/03/06	< 100.000	2016/03
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/07/01	.169	2017/07
MERCURY	71900	036	2013/01/29	< 1.000	2016/01
NICKEL	01067	036	2013/01/29	< 10.000	2016/01
PERCHLORATE	A-031	036	2013/01/29	< 4.000	2016/01
SELENIUM	01147	036	2013/01/29	< 5.000	2016/01
THALLIUM	01059	036	2013/01/29	< 1.000	2016/01

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	012	2014/07/01	. 9.680	2015/07
NITRITE (AS N)	00620	036	2014/07/01	< 400.000	2017/07

**RADIOLOGICAL**

<b>GROSS ALPHA</b>	01501	003	2014/02/05	< 3.000	2014/05	<b>DUE</b>
<b>RADIUM 226</b>	09501	003	2014/02/05	< 1.000	2014/05	<b>DUE</b>
<b>RADIUM 228</b>	11501	003	2014/02/05	< 1.000	2014/05	<b>DUE</b>
<b>URANIUM (PCI/L)</b>	28012	003	2008/10/01	7.480	2009/01	<b>DUE</b>

**REGULATED SOC**

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2013/04/24	< 3.000	2016/01
THIOBENCARB	A-001	033	2013/04/24	< 1.000	2016/01

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	012	2014/02/05	< .500	2015/02
1,1,1,2-TETRACHLOROETHANE	34516	012	2014/02/05	< .500	2015/02
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/02/05	< 10.000	2015/02
1,1,2-TRICHLOROETHANE	34511	012	2014/02/05	< .500	2015/02
1,1-DICHLOROETHANE	34496	012	2014/02/05	< .500	2015/02
1,1-DICHLOROETHYLENE	34501	012	2014/02/05	< .500	2015/02
1,2,4-TRICHLOROBENZENE	34551	012	2014/02/05	< .500	2015/02
1,2-DICHLOROBENZENE	34536	012	2014/02/05	< .500	2015/02
1,2-DICHLOROETHANE	34531	012	2014/02/05	< .500	2015/02

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)



**System Number: 1910102**

**System Name: PALMDALE WATER DIST.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

**PS Code: 1910102-018**

**Source Name: WELL 18**

**Source Number: 018**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED VOC**

1,2-DICHLOROPROPANE	34541	012	2014/02/05	< .500	2015/02
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/02/05	< .500	2015/02
1,4-DICHLOROBENZENE	34571	012	2014/02/05	< .500	2015/02
BENZENE	34030	012	2014/02/05	< .500	2015/02
CARBON TETRACHLORIDE	32102	012	2014/02/05	< .500	2015/02
CIS-1,2-DICHLOROETHYLENE	77093	012	2014/02/05	< .500	2015/02
DICHLOROMETHANE	34423	012	2014/02/05	< .500	2015/02
ETHYLBENZENE	34371	012	2014/02/05	< .500	2015/02
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/02/05	< 3.000	2015/02
MONOCHLOROBENZENE	34301	012	2014/02/05	< .500	2015/02
STYRENE	77128	012	2014/02/05	< .500	2015/02
TETRACHLOROETHYLENE	34475	012	2014/02/05	< .500	2015/02
TOLUENE	34010	012	2014/02/05	< .500	2015/02
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/02/05	< .500	2015/02
TRICHLOROETHYLENE	39180	012	2014/02/05	< .500	2015/02
TRICHLOROFUOROMETHANE	34488	012	2014/02/05	< 5.000	2015/02
VINYL CHLORIDE	39175	012	2014/02/05	< .500	2015/02
XYLENES (TOTAL)	81551	012	2014/02/05	< .500	2015/02

**SECONDARY/GP**

BICARBONATE ALKALINITY	00440	036	2013/01/29	. 260.000	2016/01
CALCIUM	00916	036	2013/01/29	. 78.000	2016/01
CARBONATE ALKALINITY	00445	036	2013/01/29	< 2.000	2016/01
CHLORIDE	00940	036	2014/07/01	. 40.800	2017/07
COLOR	00081	036	2013/01/29	. 3.000	2016/01
COPPER	01042	036	2013/01/29	< 50.000	2016/01
FOAMING AGENTS (MBAS)	38260	036	2013/01/29	< .050	2016/01
HARDNESS (TOTAL) AS CaCO3	00900	036	2013/01/29	. 300.000	2016/01
HYDROXIDE ALKALINITY	71830	036	2013/01/29	< 2.000	2016/01
IRON	01045	036	2013/01/29	< 100.000	2016/01

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910102**

**System Name: PALMDALE WATER DIST.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910102-018**

**Source Name: WELL 18**

**Source Number: 018**

**Source Status: ACTIVE RAW**

**Water type: G**

**SECONDARY/GP**

MAGNESIUM	00927	036	2013/01/29	. 24.000	2016/01
MANGANESE	01055	036	2013/01/29	< 20.000	2016/01
ODOR THRESHOLD @ 60 C	00086	036	2013/01/29	< 1.000	2016/01
PH, LABORATORY	00403	036	2013/01/29	. 8.000	2016/01
SILVER	01077	036	2013/01/29	< 10.000	2016/01
SODIUM	00929	036	2013/01/29	56.000	2016/01
SPECIFIC CONDUCTANCE	00095	036	2013/01/29	. 810.000	2016/01
SULFATE	00945	036	2014/07/01	. 44.600	2017/07
TOTAL DISSOLVED SOLIDS	70300	036	2013/01/29	. 490.000	2016/01
TURBIDITY, LABORATORY	82079	036	2013/01/29	. .100	2016/01
ZINC	01092	036	2013/01/29	< 50.000	2016/01

**PS Code: 1910102-019**

**Source Name: WELL 19**

**Source Number: 019**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

ALUMINUM	01105	036	2013/01/29	< 50.000	2016/01
ANTIMONY	01097	036	2013/01/29	< 6.000	2016/01
ARSENIC	01002	036	2013/01/29	< 2.000	2016/01
ASBESTOS	81855	108	2013/01/29	< .200	2022/01
BARIUM	01007	036	2013/01/29	< 100.000	2016/01
BERYLLIUM	01012	036	2013/01/29	< 1.000	2016/01
CADMIUM	01027	036	2013/01/29	< 1.000	2016/01
CHROMIUM (TOTAL)	01034	036	2013/01/29	< 10.000	2016/01
CYANIDE	01291	036	2013/03/06	< 100.000	2016/03
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/07/01	. .127	2017/07
MERCURY	71900	036	2013/01/29	< 1.000	2016/01

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910102**

**System Name: PALMDALE WATER DIST.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910102-019**

**Source Name: WELL 19**

**Source Number: 019**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

NICKEL	01067	036	2013/01/29	< 10.000	2016/01
PERCHLORATE	A-031	036	2013/01/29	< 4.000	2016/01
SELENIUM	01147	036	2013/01/29	< 5.000	2016/01
THALLIUM	01059	036	2013/01/29	< 1.000	2016/01

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	012	2014/07/01	. 3.950	2015/07
NITRITE (AS N)	00620	036	2014/07/01	< 400.000	2017/07

**RADIOLOGICAL**

<b>GROSS ALPHA</b>	01501	003	2010/01/20	4.780	2010/04	<b>DUE</b>
<b>RADIUM 226</b>	09501	003	2014/02/05	< 1.000	2014/05	<b>DUE</b>
<b>RADIUM 228</b>	11501	003	2014/02/05	< 1.000	2014/05	<b>DUE</b>
<b>URANIUM (PCI/L)</b>	28012	003	2010/01/20	1.850	2010/04	<b>DUE</b>

**REGULATED SOC**

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2013/04/24	< 3.000	2016/01
THIOBENCARB	A-001	033	2013/04/24	< 1.000	2016/01

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	012	2014/02/05	< .500	2015/02
1,1,2,2-TETRACHLOROETHANE	34516	012	2014/02/05	< .500	2015/02
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/02/05	< 10.000	2015/02
1,1,2-TRICHLOROETHANE	34511	012	2014/02/05	< .500	2015/02
1,1-DICHLOROETHANE	34496	012	2014/02/05	< .500	2015/02
1,1-DICHLOROETHYLENE	34501	012	2014/02/05	< .500	2015/02
1,2,4-TRICHLOROBENZENE	34551	012	2014/02/05	< .500	2015/02
1,2-DICHLOROBENZENE	34536	012	2014/02/05	< .500	2015/02
1,2-DICHLOROETHANE	34531	012	2014/02/05	< .500	2015/02
1,2-DICHLOROPROPANE	34541	012	2014/02/05	< .500	2015/02
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/02/05	< .500	2015/02
1,4-DICHLOROBENZENE	34571	012	2014/02/05	< .500	2015/02

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910102**

**System Name: PALMDALE WATER DIST.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910102-019**

**Source Name: WELL 19**

**Source Number: 019**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED VOC**

BENZENE	34030	012	2014/02/05	< .500	2015/02
CARBON TETRACHLORIDE	32102	012	2014/02/05	< .500	2015/02
CIS-1,2-DICHLOROETHYLENE	77093	012	2014/02/05	< .500	2015/02
DICHLOROMETHANE	34423	012	2014/02/05	< .500	2015/02
ETHYLBENZENE	34371	012	2014/02/05	< .500	2015/02
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/02/05	< 3.000	2015/02
MONOCHLOROBENZENE	34301	012	2014/02/05	< .500	2015/02
STYRENE	77128	012	2014/02/05	< .500	2015/02
TETRACHLOROETHYLENE	34475	012	2014/02/05	< .500	2015/02
TOLUENE	34010	012	2014/02/05	< .500	2015/02
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/02/05	< .500	2015/02
TRICHLOROETHYLENE	39180	012	2014/02/05	< .500	2015/02
TRICHLOROFUOROMETHANE	34488	012	2014/02/05	< 5.000	2015/02
VINYL CHLORIDE	39175	012	2014/02/05	< .500	2015/02
XYLENES (TOTAL)	81551	012	2014/02/05	< .500	2015/02

**SECONDARY/GP**

BICARBONATE ALKALINITY	00440	036	2013/01/29	. 220.000	2016/01
CALCIUM	00916	036	2013/01/29	. 51.000	2016/01
CARBONATE ALKALINITY	00445	036	2013/01/29	< 2.000	2016/01
CHLORIDE	00940	036	2014/07/01	. 15.400	2017/07
COLOR	00081	036	2013/01/29	. 3.000	2016/01
COPPER	01042	036	2013/01/29	< 50.000	2016/01
FOAMING AGENTS (MBAS)	38260	036	2013/01/29	< .050	2016/01
HARDNESS (TOTAL) AS CaCO3	00900	036	2013/01/29	. 190.000	2016/01
HYDROXIDE ALKALINITY	71830	036	2013/01/29	< 2.000	2016/01
IRON	01045	036	2013/01/29	220.000	2016/01
MAGNESIUM	00927	036	2013/01/29	. 16.000	2016/01
MANGANESE	01055	036	2013/01/29	< 20.000	2016/01
ODOR THRESHOLD @ 60 C	00086	036	2013/01/29	< 1.000	2016/01

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910102**

**System Name: PALMDALE WATER DIST.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910102-019**

**Source Name: WELL 19**

**Source Number: 019**

**Source Status: ACTIVE RAW**

**Water type: G**

**SECONDARY/GP**

PH, LABORATORY	00403	036	2013/01/29	. 7.900	2016/01
SILVER	01077	036	2013/01/29	< 10.000	2016/01
SODIUM	00929	036	2013/01/29	38.000	2016/01
SPECIFIC CONDUCTANCE	00095	036	2013/01/29	. 530.000	2016/01
SULFATE	00945	036	2014/07/01	. 28.400	2017/07
TOTAL DISSOLVED SOLIDS	70300	036	2013/01/29	. 320.000	2016/01
TURBIDITY, LABORATORY	82079	036	2013/01/29	. 2.600	2016/01
ZINC	01092	036	2013/01/29	< 50.000	2016/01

**PS Code: 1910102-021**

**Source Name: WELL 21**

**Source Number: 021**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

ALUMINUM	01105	036	2013/01/29	< 50.000	2016/01
ANTIMONY	01097	036	2013/01/29	< 6.000	2016/01
ARSENIC	01002	036	2013/01/29	< 2.000	2016/01
ASBESTOS	81855	108	2013/01/29	< .200	2022/01
BARIUM	01007	036	2013/01/29	< 100.000	2016/01
BERYLLIUM	01012	036	2013/01/29	< 1.000	2016/01
CADMIUM	01027	036	2013/01/29	< 1.000	2016/01
CHROMIUM (TOTAL)	01034	036	2013/01/29	< 10.000	2016/01
CYANIDE	01291	036	2013/03/06	< 100.000	2016/03
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/07/01	. .171	2017/07
MERCURY	71900	036	2013/01/29	< 1.000	2016/01
NICKEL	01067	036	2013/01/29	< 10.000	2016/01
PERCHLORATE	A-031	036	2013/01/29	< 4.000	2016/01
SELENIUM	01147	036	2013/01/29	< 5.000	2016/01

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910102**

**System Name: PALMDALE WATER DIST.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910102-021**

**Source Name: WELL 21**

**Source Number: 021**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

THALLIUM	01059	036	2013/01/29	< 1.000	2016/01
----------	-------	-----	------------	---------	---------

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	012	2014/07/01	. 5.690	2015/07
------------------	-------	-----	------------	---------	---------

NITRITE (AS N)	00620	036	2014/07/01	< 400.000	2017/07
----------------	-------	-----	------------	-----------	---------

**RADIOLOGICAL**

GROSS ALPHA	01501	003	2010/01/20	.893	2010/04	DUE
-------------	-------	-----	------------	------	---------	-----

RADIUM 226	09501	000				DUE
------------	-------	-----	--	--	--	-----

RADIUM 228	11501	003	2005/12/27	. .000	2006/03	DUE
------------	-------	-----	------------	--------	---------	-----

URANIUM (PCI/L)	28012	000				DUE
-----------------	-------	-----	--	--	--	-----

**REGULATED SOC**

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2013/05/08	< 3.000	2016/02
---------------------------	-------	-----	------------	---------	---------

THIOBENCARB	A-001	033	2013/05/08	< 1.000	2016/02
-------------	-------	-----	------------	---------	---------

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	012	2014/02/05	< .500	2015/02
-----------------------	-------	-----	------------	--------	---------

1,1,2,2-TETRACHLOROETHANE	34516	012	2014/02/05	< .500	2015/02
---------------------------	-------	-----	------------	--------	---------

1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/02/05	< 10.000	2015/02
---------------------------------------	-------	-----	------------	----------	---------

1,1,2-TRICHLOROETHANE	34511	012	2014/02/05	< .500	2015/02
-----------------------	-------	-----	------------	--------	---------

1,1-DICHLOROETHANE	34496	012	2014/02/05	< .500	2015/02
--------------------	-------	-----	------------	--------	---------

1,1-DICHLOROETHYLENE	34501	012	2014/02/05	< .500	2015/02
----------------------	-------	-----	------------	--------	---------

1,2,4-TRICHLOROBENZENE	34551	012	2014/02/05	< .500	2015/02
------------------------	-------	-----	------------	--------	---------

1,2-DICHLOROBENZENE	34536	012	2014/02/05	< .500	2015/02
---------------------	-------	-----	------------	--------	---------

1,2-DICHLOROETHANE	34531	012	2014/02/05	< .500	2015/02
--------------------	-------	-----	------------	--------	---------

1,2-DICHLOROPROPANE	34541	012	2014/02/05	< .500	2015/02
---------------------	-------	-----	------------	--------	---------

1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/02/05	< .500	2015/02
-----------------------------	-------	-----	------------	--------	---------

1,4-DICHLOROBENZENE	34571	012	2014/02/05	< .500	2015/02
---------------------	-------	-----	------------	--------	---------

BENZENE	34030	012	2014/02/05	< .500	2015/02
---------	-------	-----	------------	--------	---------

CARBON TETRACHLORIDE	32102	012	2014/02/05	< .500	2015/02
----------------------	-------	-----	------------	--------	---------

CIS-1,2-DICHLOROETHYLENE	77093	012	2014/02/05	< .500	2015/02
--------------------------	-------	-----	------------	--------	---------

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910102**

**System Name: PALMDALE WATER DIST.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910102-021**

**Source Name: WELL 21**

**Source Number: 021**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED VOC**

DICHLOROMETHANE	34423	012	2014/02/05	< .500	2015/02
ETHYLBENZENE	34371	012	2014/02/05	< .500	2015/02
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/02/05	< 3.000	2015/02
MONOCHLOROENZENE	34301	012	2014/02/05	< .500	2015/02
STYRENE	77128	012	2014/02/05	< .500	2015/02
TETRACHLOROETHYLENE	34475	012	2014/02/05	< .500	2015/02
TOLUENE	34010	012	2014/02/05	< .500	2015/02
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/02/05	< .500	2015/02
TRICHLOROETHYLENE	39180	012	2014/02/05	< .500	2015/02
TRICHLOROFUOROMETHANE	34488	012	2014/02/05	< 5.000	2015/02
VINYL CHLORIDE	39175	012	2014/02/05	< .500	2015/02
XYLENES (TOTAL)	81551	012	2014/02/05	< .500	2015/02

**SECONDARY/GP**

BICARBONATE ALKALINITY	00440	036	2013/01/29	. 140.000	2016/01
CALCIUM	00916	036	2013/01/29	. 40.000	2016/01
CARBONATE ALKALINITY	00445	036	2013/01/29	< 2.000	2016/01
CHLORIDE	00940	036	2014/07/01	. 11.000	2017/07
COLOR	00081	036	2013/01/29	< 3.000	2016/01
COPPER	01042	036	2013/01/29	< 50.000	2016/01
FOAMING AGENTS (MBAS)	38260	036	2013/01/29	< .050	2016/01
HARDNESS (TOTAL) AS CaCO3	00900	036	2013/01/29	. 130.000	2016/01
HYDROXIDE ALKALINITY	71830	036	2013/01/29	< 2.000	2016/01
IRON	01045	036	2013/01/29	< 100.000	2016/01
MAGNESIUM	00927	036	2013/01/29	. 7.700	2016/01
MANGANESE	01055	036	2013/01/29	< 20.000	2016/01
ODOR THRESHOLD @ 60 C	00086	036	2013/01/29	< 1.000	2016/01
PH, LABORATORY	00403	036	2013/01/29	. 7.800	2016/01
SILVER	01077	036	2013/01/29	< 10.000	2016/01
SODIUM	00929	036	2013/01/29	21.000	2016/01

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910102**

**System Name: PALMDALE WATER DIST.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910102-021**

**Source Name: WELL 21**

**Source Number: 021**

**Source Status: ACTIVE RAW**

**Water type: G**

**SECONDARY/GP**

SPECIFIC CONDUCTANCE	00095	036	2013/01/29	. 360.000	2016/01
SULFATE	00945	036	2014/07/01	. 38.600	2017/07
TOTAL DISSOLVED SOLIDS	70300	036	2013/01/29	. 230.000	2016/01
TURBIDITY, LABORATORY	82079	036	2013/01/29	. .073	2016/01
ZINC	01092	036	2013/01/29	< 50.000	2016/01

**PS Code: 1910102-022**

**Source Name: WELL 22**

**Source Number: 022**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

ALUMINUM	01105	036	2013/01/30	< 50.000	2016/01
ANTIMONY	01097	036	2013/01/30	< 6.000	2016/01
ARSENIC	01002	036	2013/01/30	< 2.000	2016/01
ASBESTOS	81855	108	2013/01/30	< .200	2022/01
BARIUM	01007	036	2013/01/30	< 100.000	2016/01
BERYLLIUM	01012	036	2013/01/30	< 1.000	2016/01
CADMIUM	01027	036	2013/01/30	< 1.000	2016/01
CHROMIUM (TOTAL)	01034	036	2013/01/30	< 10.000	2016/01
CYANIDE	01291	036	2013/03/06	< 100.000	2016/03
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/07/01	. .172	2017/07
MERCURY	71900	036	2013/01/30	< 1.000	2016/01
NICKEL	01067	036	2013/01/30	< 10.000	2016/01
PERCHLORATE	A-031	036	2013/01/30	< 4.000	2016/01
SELENIUM	01147	036	2013/01/30	< 5.000	2016/01
THALLIUM	01059	036	2013/01/30	< 1.000	2016/01

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	012	2014/07/01	. 11.100	2015/07
------------------	-------	-----	------------	----------	---------

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)



**System Number: 1910102**

**System Name: PALMDALE WATER DIST.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910102-022**

**Source Name: WELL 22**

**Source Number: 022**

**Source Status: ACTIVE RAW**

**Water type: G**

**NITRATE/NITRITE**

NITRITE (AS N)	00620	036	2014/07/01	< 400.000	2017/07
----------------	-------	-----	------------	-----------	---------

**RADIOLOGICAL**

GROSS ALPHA	01501	003	2010/01/18	6.120	2010/04 DUE
RADIUM 226	09501	003	2014/02/05	< 1.000	2014/05 DUE
RADIUM 228	11501	003	2014/02/05	< 1.000	2014/05 DUE
URANIUM (PCI/L)	28012	003	2010/01/18	9.470	2010/04 DUE

**REGULATED SOC**

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2013/04/25	< 3.000	2016/01
THIOBENCARB	A-001	033	2013/04/25	< 1.000	2016/01

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	012	2014/02/05	< .500	2015/02
1,1,2,2-TETRACHLOROETHANE	34516	012	2014/02/05	< .500	2015/02
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/02/05	< 10.000	2015/02
1,1,2-TRICHLOROETHANE	34511	012	2014/02/05	< .500	2015/02
1,1-DICHLOROETHANE	34496	012	2014/02/05	< .500	2015/02
1,1-DICHLOROETHYLENE	34501	012	2014/02/05	< .500	2015/02
1,2,4-TRICHLOROBENZENE	34551	012	2014/02/05	< .500	2015/02
1,2-DICHLOROBENZENE	34536	012	2014/02/05	< .500	2015/02
1,2-DICHLOROETHANE	34531	012	2014/02/05	< .500	2015/02
1,2-DICHLOROPROPANE	34541	012	2014/02/05	< .500	2015/02
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/02/05	< .500	2015/02
1,4-DICHLOROBENZENE	34571	012	2014/02/05	< .500	2015/02
BENZENE	34030	012	2014/02/05	< .500	2015/02
CARBON TETRACHLORIDE	32102	012	2014/02/05	< .500	2015/02
CIS-1,2-DICHLOROETHYLENE	77093	012	2014/02/05	< .500	2015/02
DICHLOROMETHANE	34423	012	2014/02/05	< .500	2015/02
ETHYLBENZENE	34371	012	2014/02/05	< .500	2015/02
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/02/05	< 3.000	2015/02

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910102**

**System Name: PALMDALE WATER DIST.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910102-022**

**Source Name: WELL 22**

**Source Number: 022**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED VOC**

MONOCHLOROENZENE	34301	012	2014/02/05	< .500	2015/02
STYRENE	77128	012	2014/02/05	< .500	2015/02
TETRACHLOROETHYLENE	34475	012	2014/02/05	< .500	2015/02
TOLUENE	34010	012	2014/02/05	< .500	2015/02
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/02/05	< .500	2015/02
TRICHLOROETHYLENE	39180	012	2014/02/05	< .500	2015/02
TRICHLOROFLUOROMETHANE	34488	012	2014/02/05	< 5.000	2015/02
VINYL CHLORIDE	39175	012	2014/02/05	< .500	2015/02
XYLENES (TOTAL)	81551	012	2014/02/05	< .500	2015/02

**SECONDARY/GP**

BICARBONATE ALKALINITY	00440	036	2013/01/30	. 160.000	2016/01
CALCIUM	00916	036	2013/01/30	. 56.000	2016/01
CARBONATE ALKALINITY	00445	036	2013/01/30	< 2.000	2016/01
CHLORIDE	00940	036	2014/07/01	. 23.500	2017/07
COLOR	00081	036	2013/01/30	< 3.000	2016/01
COPPER	01042	036	2013/01/30	< 50.000	2016/01
FOAMING AGENTS (MBAS)	38260	036	2013/01/30	< .050	2016/01
HARDNESS (TOTAL) AS CaCO3	00900	036	2013/01/30	. 190.000	2016/01
HYDROXIDE ALKALINITY	71830	036	2013/01/30	< 2.000	2016/01
IRON	01045	036	2013/01/30	< 100.000	2016/01
MAGNESIUM	00927	036	2013/01/30	. 11.000	2016/01
MANGANESE	01055	036	2013/01/30	< 20.000	2016/01
ODOR THRESHOLD @ 60 C	00086	036	2013/01/30	< 1.000	2016/01
PH, LABORATORY	00403	036	2013/01/30	. 7.900	2016/01
SILVER	01077	036	2013/01/30	< 10.000	2016/01
SODIUM	00929	036	2013/01/30	. 22.000	2016/01
SPECIFIC CONDUCTANCE	00095	036	2013/01/30	. 490.000	2016/01
SULFATE	00945	036	2014/07/01	. 33.400	2017/07
TOTAL DISSOLVED SOLIDS	70300	036	2013/01/30	. 300.000	2016/01

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910102**

**System Name: PALMDALE WATER DIST.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910102-022**

**Source Name: WELL 22**

**Source Number: 022**

**Source Status: ACTIVE RAW**

**Water type: G**

**SECONDARY/GP**

TURBIDITY, LABORATORY	82079	036	2013/01/30	.260	2016/01
ZINC	01092	036	2013/01/30	< 50.000	2016/01

**PS Code: 1910102-023**

**Source Name: STATE WATER PROJECT, CAL AQUEDUCT-RAW**

**Source Number: 023**

**Source Status: ACTIVE RAW**

**Water type: S**

**INORGANIC**

ALUMINUM	01105	012	2014/04/17	< 50.000	2015/04
ANTIMONY	01097	012	2014/04/17	< 6.000	2015/04
ARSENIC	01002	012	2014/04/17	. 5.900	2015/04
ASBESTOS	81855	108	2013/01/10	< .200	2022/01
BARIUM	01007	012	2014/04/17	< 100.000	2015/04
BERYLLIUM	01012	012	2014/04/17	< 1.000	2015/04
CADMIUM	01027	012	2014/04/17	< 1.000	2015/04
CHROMIUM (TOTAL)	01034	012	2014/04/17	< 10.000	2015/04
CYANIDE	01291	012	2014/04/17	< 100.000	2015/04
FLUORIDE (F) (NATURAL-SOURCE)	00951	012	2014/07/01	.164	2015/07
MERCURY	71900	012	2014/04/17	< 1.000	2015/04
NICKEL	01067	012	2014/04/17	< 10.000	2015/04
PERCHLORATE	A-031	012	2014/04/17	< 4.000	2015/04
SELENIUM	01147	012	2014/04/17	< 5.000	2015/04
THALLIUM	01059	012	2014/04/17	< 1.000	2015/04

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	003	2014/07/01	< 2.000	2014/10
NITRITE (AS N)	00620	036	2014/07/01	< 400.000	2017/07

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910102**

**System Name: PALMDALE WATER DIST.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910102-023**

**Source Name: STATE WATER PROJECT, CAL AQUEDUCT-RAW**

**Source Number: 023**

**Source Status: ACTIVE RAW**

**Water type: S**

**RADIOLOGICAL**

<b>GROSS ALPHA</b>	01501	003	2013/01/10	< 3.000	2013/04	<b>DUE</b>
GROSS BETA	03501	003	2014/04/17	< 4.000	2014/07	
RADIUM 226	09501	003	2014/04/17	< 1.000	2014/07	
RADIUM 228	11501	003	2014/04/17	< 1.000	2014/07	
<b>STRONTIUM-90</b>	13501	012	2010/01/13	.029	2011/01	<b>DUE</b>
<b>TRITIUM</b>	07000	012	2010/01/13	75.700	2011/01	<b>DUE</b>
<b>URANIUM (PCI/L)</b>	28012	003	2013/01/10	4.100	2013/04	<b>DUE</b>

**REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	033	2013/01/10	.000	2015/10	
2,4,5-TP (SILVEX)	39045	033	2014/04/17	< 1.000	2017/01	
2,4-D	39730	033	2014/04/17	< 10.000	2017/01	
ALACHLOR	77825	033	2014/04/17	< 1.000	2017/01	
ATRAZINE	39033	033	2014/04/17	< .500	2017/01	
BENTAZON	38710	033	2014/04/17	< 2.000	2017/01	
BENZO (A) PYRENE	34247	033	2014/04/17	< .100	2017/01	
CARBOFURAN	81405	033	2014/04/17	< 5.000	2017/01	
CHLORDANE	39350	033	2014/04/17	< .100	2017/01	
DALAPON	38432	033	2014/04/17	< 10.000	2017/01	
DI(2-ETHYLHEXYL)ADIPATE	A-026	033	2014/04/17	< 5.000	2017/01	
DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2014/04/17	< 3.000	2017/01	
DIBROMOCHLOROPROPANE (DBCP)	38761	033	2014/04/17	< .010	2017/01	
DINOSEB	81287	033	2014/04/17	< 2.000	2017/01	
DIQUAT	78885	033	2014/04/17	< 4.000	2017/01	
ENDOTHALL	38926	033	2014/04/17	< 45.000	2017/01	
ENDRIN	39390	033	2014/04/17	< .100	2017/01	
ETHYLENE DIBROMIDE (EDB)	77651	033	2014/04/17	< .020	2017/01	
GLYPHOSATE	79743	033	2014/04/17	< 25.000	2017/01	
HEPTACHLOR	39410	033	2014/04/17	< .010	2017/01	
HEPTACHLOR EPOXIDE	39420	033	2014/04/17	< .010	2017/01	

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910102**

**System Name: PALMDALE WATER DIST.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910102-023**

**Source Name: STATE WATER PROJECT, CAL AQUEDUCT-RAW**

**Source Number: 023**

**Source Status: ACTIVE RAW**

**Water type: S**

**REGULATED SOC**

HEXACHLOROENZENE	39700	033	2014/04/17	< .500	2017/01
HEXACHLOROCYCLOPENTADIENE	34386	033	2014/04/17	< 1.000	2017/01
LINDANE	39340	033	2014/04/17	< .200	2017/01
METHOXYCHLOR	39480	033	2014/04/17	< 10.000	2017/01
MOLINATE	82199	033	2014/04/17	< 2.000	2017/01
OXAMYL	38865	033	2014/04/17	< 20.000	2017/01
PENTACHLOROPHENOL	39032	033	2014/04/17	< .200	2017/01
PICLORAM	39720	033	2014/04/17	< 1.000	2017/01
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	033	2014/04/17	< .500	2017/01
SIMAZINE	39055	033	2014/04/17	< 1.000	2017/01
THIOBENCARB	A-001	033	2014/04/17	< 1.000	2017/01
TOXAPHENE	39400	033	2014/04/17	< 1.000	2017/01

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	012	2014/04/17	< .500	2015/04
1,1,2,2-TETRACHLOROETHANE	34516	012	2014/04/17	< .500	2015/04
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/04/17	< 10.000	2015/04
1,1,2-TRICHLOROETHANE	34511	012	2014/04/17	< .500	2015/04
1,1-DICHLOROETHANE	34496	012	2014/04/17	< .500	2015/04
1,1-DICHLOROETHYLENE	34501	012	2014/04/17	< .500	2015/04
1,2,4-TRICHLOROENZENE	34551	012	2014/04/17	< .500	2015/04
1,2-DICHLOROENZENE	34536	012	2014/04/17	< .500	2015/04
1,2-DICHLOROETHANE	34531	012	2014/04/17	< .500	2015/04
1,2-DICHLOROPROPANE	34541	012	2014/04/17	< .500	2015/04
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/04/17	< .500	2015/04
1,4-DICHLOROENZENE	34571	012	2014/04/17	< .500	2015/04
BENZENE	34030	012	2014/04/17	< .500	2015/04
CARBON TETRACHLORIDE	32102	012	2014/04/17	< .500	2015/04
CIS-1,2-DICHLOROETHYLENE	77093	012	2014/04/17	< .500	2015/04
DICHLOROMETHANE	34423	012	2014/04/17	< .500	2015/04

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910102**

**System Name: PALMDALE WATER DIST.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910102-023**

**Source Name: STATE WATER PROJECT, CAL AQUEDUCT-RAW**

**Source Number: 023**

**Source Status: ACTIVE RAW**

**Water type: S**

**REGULATED VOC**

ETHYLBENZENE	34371	012	2014/04/17	< .500	2015/04
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/04/17	< 3.000	2015/04
MONOCHLORO BENZENE	34301	012	2014/04/17	< .500	2015/04
STYRENE	77128	012	2014/04/17	< .500	2015/04
TETRACHLOROETHYLENE	34475	012	2014/04/17	< .500	2015/04
TOLUENE	34010	012	2014/04/17	< .500	2015/04
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/04/17	< .500	2015/04
TRICHLOROETHYLENE	39180	012	2014/04/17	< .500	2015/04
TRICHLOROFUOROMETHANE	34488	012	2014/04/17	< 5.000	2015/04
VINYL CHLORIDE	39175	012	2014/04/17	< .500	2015/04
XYLENES (TOTAL)	81551	012	2014/04/17	< .500	2015/04

**SECONDARY/GP**

BICARBONATE ALKALINITY	00440	012	2014/04/17	. 76.000	2015/04
CALCIUM	00916	012	2014/04/17	. 27.000	2015/04
CARBONATE ALKALINITY	00445	012	2014/04/17	. 4.900	2015/04
CHLORIDE	00940	012	2014/07/01	. 75.800	2015/07
COLOR	00081	012	2014/04/17	. 5.000	2015/04
COPPER	01042	012	2014/04/17	< 50.000	2015/04
FOAMING AGENTS (MBAS)	38260	012	2014/04/17	< .050	2015/04
HARDNESS (TOTAL) AS CaCO3	00900	012	2014/04/17	. 82.000	2015/04
HYDROXIDE ALKALINITY	71830	012	2014/04/17	< 2.000	2015/04
IRON	01045	012	2014/04/17	< 100.000	2015/04
MAGNESIUM	00927	012	2014/04/17	. 3.600	2015/04
MANGANESE	01055	012	2014/04/17	< 20.000	2015/04
ODOR THRESHOLD @ 60 C	00086	012	2014/04/17	. 1.000	2015/04
PH, LABORATORY	00403	012	2014/04/17	. 9.000	2015/04
SILVER	01077	012	2014/04/17	< 10.000	2015/04
SODIUM	00929	012	2014/04/17	. 56.000	2015/04
SPECIFIC CONDUCTANCE	00095	012	2014/04/17	. 430.000	2015/04

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910102**

**System Name: PALMDALE WATER DIST.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910102-023**

**Source Name: STATE WATER PROJECT, CAL AQUEDUCT-RAW**

**Source Number: 023**

**Source Status: ACTIVE RAW**

**Water type: S**

**SECONDARY/GP**

SULFATE	00945	012	2014/07/01	. 71.400	2015/07
TOTAL DISSOLVED SOLIDS	70300	012	2014/04/17	. 250.000	2015/04
TURBIDITY, LABORATORY	82079	012	2014/04/17	. 880	2015/04
ZINC	01092	012	2014/04/17	< 50.000	2015/04

**PS Code: 1910102-025**

**Source Name: WELL 25**

**Source Number: 025**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

ALUMINUM	01105	036	2013/01/30	< 50.000	2016/01
ANTIMONY	01097	036	2013/01/30	< 6.000	2016/01
ARSENIC	01002	036	2013/01/30	< 2.000	2016/01
ASBESTOS	81855	108	2013/01/30	< .200	2022/01
BARIUM	01007	036	2013/01/30	< 100.000	2016/01
BERYLLIUM	01012	036	2013/01/30	< 1.000	2016/01
CADMIUM	01027	036	2013/01/30	< 1.000	2016/01
CHROMIUM (TOTAL)	01034	036	2013/01/30	< 10.000	2016/01
CYANIDE	01291	036	2013/03/06	< 100.000	2016/03
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/07/01	. 172	2017/07
MERCURY	71900	036	2013/01/30	< 1.000	2016/01
NICKEL	01067	036	2013/01/30	< 10.000	2016/01
PERCHLORATE	A-031	036	2013/01/30	< 4.000	2016/01
SELENIUM	01147	036	2013/01/30	< 5.000	2016/01
THALLIUM	01059	036	2013/01/30	< 1.000	2016/01

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	012	2014/07/01	. 4.780	2015/07
NITRITE (AS N)	00620	036	2014/07/01	< 400.000	2017/07

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910102**

**System Name: PALMDALE WATER DIST.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910102-025**

**Source Name: WELL 25**

**Source Number: 025**

**Source Status: ACTIVE RAW**

**Water type: G**

**RADIOLOGICAL**

<b>GROSS ALPHA</b>	01501	003	2010/01/19	.000	2010/04	DUE
<b>RADIUM 226</b>	09501	000				DUE
<b>RADIUM 228</b>	11501	003	2005/12/27	.418	2006/03	DUE
<b>URANIUM (PCI/L)</b>	28012	003	1995/05/10	< 2.000	1995/08	DUE

**REGULATED SOC**

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2013/04/25	< 3.000	2016/01	
THIOBENCARB	A-001	033	2013/04/25	< 1.000	2016/01	

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	012	2014/02/05	< .500	2015/02	
1,1,2,2-TETRACHLOROETHANE	34516	012	2014/02/05	< .500	2015/02	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/02/05	< 10.000	2015/02	
1,1,2-TRICHLOROETHANE	34511	012	2014/02/05	< .500	2015/02	
1,1-DICHLOROETHANE	34496	012	2014/02/05	< .500	2015/02	
1,1-DICHLOROETHYLENE	34501	012	2014/02/05	< .500	2015/02	
1,2,4-TRICHLOROBENZENE	34551	012	2014/02/05	< .500	2015/02	
1,2-DICHLOROBENZENE	34536	012	2014/02/05	< .500	2015/02	
1,2-DICHLOROETHANE	34531	012	2014/02/05	< .500	2015/02	
1,2-DICHLOROPROPANE	34541	012	2014/02/05	< .500	2015/02	
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/02/05	< .500	2015/02	
1,4-DICHLOROBENZENE	34571	012	2014/02/05	< .500	2015/02	
BENZENE	34030	012	2014/02/05	< .500	2015/02	
CARBON TETRACHLORIDE	32102	012	2014/02/05	< .500	2015/02	
CIS-1,2-DICHLOROETHYLENE	77093	012	2014/02/05	< .500	2015/02	
DICHLOROMETHANE	34423	012	2014/02/05	< .500	2015/02	
ETHYLBENZENE	34371	012	2014/02/05	< .500	2015/02	
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/02/05	< 3.000	2015/02	
MONOCHLOROBENZENE	34301	012	2014/02/05	< .500	2015/02	
STYRENE	77128	012	2014/02/05	< .500	2015/02	
TETRACHLOROETHYLENE	34475	012	2014/02/05	< .500	2015/02	

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)



**System Number: 1910102**

**System Name: PALMDALE WATER DIST.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910102-025**

**Source Name: WELL 25**

**Source Number: 025**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED VOC**

TOLUENE	34010	012	2014/02/05	< .500	2015/02
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/02/05	< .500	2015/02
TRICHLOROETHYLENE	39180	012	2014/02/05	< .500	2015/02
TRICHLOROFUOROMETHANE	34488	012	2014/02/05	< 5.000	2015/02
VINYL CHLORIDE	39175	012	2014/02/05	< .500	2015/02
XYLENES (TOTAL)	81551	012	2014/02/05	< .500	2015/02

**SECONDARY/GP**

BICARBONATE ALKALINITY	00440	036	2013/01/30	. 140.000	2016/01
CALCIUM	00916	036	2013/01/30	. 37.000	2016/01
CARBONATE ALKALINITY	00445	036	2013/01/30	< 2.000	2016/01
CHLORIDE	00940	036	2014/07/01	. 8.320	2017/07
COLOR	00081	036	2013/01/30	< 3.000	2016/01
COPPER	01042	036	2013/01/30	< 50.000	2016/01
FOAMING AGENTS (MBAS)	38260	036	2013/01/30	< .050	2016/01
HARDNESS (TOTAL) AS CaCO3	00900	036	2013/01/30	. 120.000	2016/01
HYDROXIDE ALKALINITY	71830	036	2013/01/30	< 2.000	2016/01
IRON	01045	036	2013/01/30	< 100.000	2016/01
MAGNESIUM	00927	036	2013/01/30	. 7.700	2016/01
MANGANESE	01055	036	2013/01/30	< 20.000	2016/01
ODOR THRESHOLD @ 60 C	00086	036	2013/01/30	< 1.000	2016/01
PH, LABORATORY	00403	036	2013/01/30	. 7.900	2016/01
SILVER	01077	036	2013/01/30	< 10.000	2016/01
SODIUM	00929	036	2013/01/30	17.000	2016/01
SPECIFIC CONDUCTANCE	00095	036	2013/01/30	. 330.000	2016/01
SULFATE	00945	036	2014/07/01	. 24.600	2017/07
TOTAL DISSOLVED SOLIDS	70300	036	2013/01/30	. 190.000	2016/01
TURBIDITY, LABORATORY	82079	036	2013/01/30	. .170	2016/01
ZINC	01092	036	2013/01/30	< 50.000	2016/01

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910102**

**System Name: PALMDALE WATER DIST.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910102-026**

**Source Name: WELL 30**

**Source Number: 026**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

ALUMINUM	01105	036	2013/01/30	< 50.000	2016/01
ANTIMONY	01097	036	2013/01/30	< 6.000	2016/01
ARSENIC	01002	036	2013/01/30	< 2.000	2016/01
ASBESTOS	81855	108	2013/01/30	< .200	2022/01
BARIUM	01007	036	2013/01/30	< 100.000	2016/01
BERYLLIUM	01012	036	2013/01/30	< 1.000	2016/01
CADMIUM	01027	036	2013/01/30	< 1.000	2016/01
CHROMIUM (TOTAL)	01034	036	2013/01/30	< 10.000	2016/01
CYANIDE	01291	036	2013/03/06	< 100.000	2016/03
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/07/01	.129	2017/07
MERCURY	71900	036	2013/01/30	< 1.000	2016/01
NICKEL	01067	036	2013/01/30	< 10.000	2016/01
PERCHLORATE	A-031	036	2013/01/30	< 4.000	2016/01
SELENIUM	01147	036	2013/01/30	< 5.000	2016/01
THALLIUM	01059	036	2013/01/30	< 1.000	2016/01

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	012	2014/07/01	. 3.210	2015/07
NITRITE (AS N)	00620	036	2014/07/01	< 400.000	2017/07

**RADIOLOGICAL**

<b>GROSS ALPHA</b>	01501	003	<b>2006/05/09</b>	.727	<b>2006/08</b>	<b>DUE</b>
<b>RADIUM 226</b>	09501	000				<b>DUE</b>
<b>RADIUM 228</b>	11501	003	<b>2006/05/17</b>	.105	<b>2006/08</b>	<b>DUE</b>
<b>URANIUM (PCI/L)</b>	28012	000				<b>DUE</b>

**REGULATED SOC**

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2013/04/25	< 3.000	2016/01
THIOBENCARB	A-001	033	2013/04/25	< 1.000	2016/01

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	012	2014/02/05	< .500	2015/02
-----------------------	-------	-----	------------	--------	---------

\*Testing interval is in months;  
 0 = No data for this constituent and is DUE NOW  
 I = Invalid (NOT) valid analyses reported  
 Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910102**

**System Name: PALMDALE WATER DIST.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910102-026**

**Source Name: WELL 30**

**Source Number: 026**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED VOC**

1,1,2,2-TETRACHLOROETHANE	34516	012	2014/02/05	< .500	2015/02
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/02/05	< 10.000	2015/02
1,1,2-TRICHLOROETHANE	34511	012	2014/02/05	< .500	2015/02
1,1-DICHLOROETHANE	34496	012	2014/02/05	< .500	2015/02
1,1-DICHLOROETHYLENE	34501	012	2014/02/05	< .500	2015/02
1,2,4-TRICHLOROBENZENE	34551	012	2014/02/05	< .500	2015/02
1,2-DICHLOROBENZENE	34536	012	2014/02/05	< .500	2015/02
1,2-DICHLOROETHANE	34531	012	2014/02/05	< .500	2015/02
1,2-DICHLOROPROPANE	34541	012	2014/02/05	< .500	2015/02
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/02/05	< .500	2015/02
1,4-DICHLOROBENZENE	34571	012	2014/02/05	< .500	2015/02
BENZENE	34030	012	2014/02/05	< .500	2015/02
CARBON TETRACHLORIDE	32102	012	2014/02/05	< .500	2015/02
CIS-1,2-DICHLOROETHYLENE	77093	012	2014/02/05	< .500	2015/02
DICHLOROMETHANE	34423	012	2014/02/05	< .500	2015/02
ETHYLBENZENE	34371	012	2014/02/05	< .500	2015/02
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/02/05	< 3.000	2015/02
MONOCHLOROBENZENE	34301	012	2014/02/05	< .500	2015/02
STYRENE	77128	012	2014/02/05	< .500	2015/02
TETRACHLOROETHYLENE	34475	012	2014/02/05	< .500	2015/02
TOLUENE	34010	012	2014/02/05	< .500	2015/02
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/02/05	< .500	2015/02
TRICHLOROETHYLENE	39180	012	2014/02/05	< .500	2015/02
TRICHLOROFUOROMETHANE	34488	012	2014/02/05	< 5.000	2015/02
VINYL CHLORIDE	39175	012	2014/02/05	< .500	2015/02
XYLENES (TOTAL)	81551	012	2014/02/05	< .500	2015/02

**SECONDARY/GP**

BICARBONATE ALKALINITY	00440	036	2013/01/30	. 140.000	2016/01
CALCIUM	00916	036	2013/01/30	. 36.000	2016/01

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910102**

**System Name: PALMDALE WATER DIST.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910102-026**

**Source Name: WELL 30**

**Source Number: 026**

**Source Status: ACTIVE RAW**

**Water type: G**

**SECONDARY/GP**

CARBONATE ALKALINITY	00445	036	2013/01/30	< 2.000	2016/01
CHLORIDE	00940	036	2014/07/01	. 9.300	2017/07
COLOR	00081	036	2013/01/30	< 3.000	2016/01
COPPER	01042	036	2013/01/30	< 50.000	2016/01
FOAMING AGENTS (MBAS)	38260	036	2013/01/30	< .050	2016/01
HARDNESS (TOTAL) AS CaCO3	00900	036	2013/01/30	. 120.000	2016/01
HYDROXIDE ALKALINITY	71830	036	2013/01/30	< 2.000	2016/01
IRON	01045	036	2013/01/30	< 100.000	2016/01
MAGNESIUM	00927	036	2013/01/30	. 6.100	2016/01
MANGANESE	01055	036	2013/01/30	< 20.000	2016/01
ODOR THRESHOLD @ 60 C	00086	036	2013/01/30	< 1.000	2016/01
PH, LABORATORY	00403	036	2013/01/30	. 8.000	2016/01
SILVER	01077	036	2013/01/30	< 10.000	2016/01
SODIUM	00929	036	2013/01/30	18.000	2016/01
SPECIFIC CONDUCTANCE	00095	036	2013/01/30	. 310.000	2016/01
SULFATE	00945	036	2014/07/01	. 25.300	2017/07
TOTAL DISSOLVED SOLIDS	70300	036	2013/01/30	. 190.000	2016/01
TURBIDITY, LABORATORY	82079	036	2013/01/30	. .075	2016/01
ZINC	01092	036	2013/01/30	< 50.000	2016/01

**PS Code: 1910102-027**

**Source Name: WELL 33**

**Source Number: 027**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

ALUMINUM	01105	036	2013/01/30	< 50.000	2016/01
ANTIMONY	01097	036	2013/01/30	< 6.000	2016/01
ARSENIC	01002	036	2013/01/30	< 2.000	2016/01

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910102**

**System Name: PALMDALE WATER DIST.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910102-027**

**Source Name: WELL 33**

**Source Number: 027**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

ASBESTOS	81855	108	2013/01/30	< .200	2022/01
BARIUM	01007	036	2013/01/30	< 100.000	2016/01
BERYLLIUM	01012	036	2013/01/30	< 1.000	2016/01
CADMIUM	01027	036	2013/01/30	< 1.000	2016/01
CHROMIUM (TOTAL)	01034	036	2013/01/30	< 10.000	2016/01
CYANIDE	01291	036	2013/03/06	< 100.000	2016/03
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/07/01	. 122	2017/07
MERCURY	71900	036	2013/01/30	< 1.000	2016/01
NICKEL	01067	036	2013/01/30	< 10.000	2016/01
PERCHLORATE	A-031	036	2013/01/30	< 4.000	2016/01
SELENIUM	01147	036	2013/01/30	< 5.000	2016/01
THALLIUM	01059	036	2013/01/30	< 1.000	2016/01

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	012	2014/07/01	. 2.390	2015/07
NITRITE (AS N)	00620	036	2014/07/01	< 400.000	2017/07

**RADIOLOGICAL**

<b>GROSS ALPHA</b>	01501	003	<b>2012/06/28</b>	. 3.000	<b>2012/09 DUE</b>
<b>RADIUM 226</b>	09501	000			<b>DUE</b>
<b>RADIUM 228</b>	11501	003	<b>2006/05/17</b>	.102	<b>2006/08 DUE</b>
<b>URANIUM (PCI/L)</b>	28012	003	<b>1995/05/10</b>	2.000	<b>1995/08 DUE</b>

**REGULATED SOC**

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2013/04/24	< 3.000	2016/01
THIOBENCARB	A-001	033	2013/04/24	< 1.000	2016/01

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	012	2014/02/05	< .500	2015/02
1,1,2,2-TETRACHLOROETHANE	34516	012	2014/02/05	< .500	2015/02
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/02/05	< 10.000	2015/02
1,1,2-TRICHLOROETHANE	34511	012	2014/02/05	< .500	2015/02

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910102**

**System Name: PALMDALE WATER DIST.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910102-027**

**Source Name: WELL 33**

**Source Number: 027**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED VOC**

1,1-DICHLOROETHANE	34496	012	2014/02/05	< .500	2015/02
1,1-DICHLOROETHYLENE	34501	012	2014/02/05	< .500	2015/02
1,2,4-TRICHLOROBENZENE	34551	012	2014/02/05	< .500	2015/02
1,2-DICHLOROBENZENE	34536	012	2014/02/05	< .500	2015/02
1,2-DICHLOROETHANE	34531	012	2014/02/05	< .500	2015/02
1,2-DICHLOROPROPANE	34541	012	2014/02/05	< .500	2015/02
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/02/05	< .500	2015/02
1,4-DICHLOROBENZENE	34571	012	2014/02/05	< .500	2015/02
BENZENE	34030	012	2014/02/05	< .500	2015/02
CARBON TETRACHLORIDE	32102	012	2014/02/05	< .500	2015/02
CIS-1,2-DICHLOROETHYLENE	77093	012	2014/02/05	< .500	2015/02
DICHLOROMETHANE	34423	012	2014/02/05	< .500	2015/02
ETHYLBENZENE	34371	012	2014/02/05	< .500	2015/02
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/02/05	< 3.000	2015/02
MONOCHLOROBENZENE	34301	012	2014/02/05	< .500	2015/02
STYRENE	77128	012	2014/02/05	< .500	2015/02
TETRACHLOROETHYLENE	34475	012	2014/02/05	< .500	2015/02
TOLUENE	34010	012	2014/02/05	< .500	2015/02
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/02/05	< .500	2015/02
TRICHLOROETHYLENE	39180	012	2014/02/05	< .500	2015/02
TRICHLOROFUOROMETHANE	34488	012	2014/02/05	< 5.000	2015/02
VINYL CHLORIDE	39175	012	2014/02/05	< .500	2015/02
XYLENES (TOTAL)	81551	012	2014/02/05	< .500	2015/02

**SECONDARY/GP**

BICARBONATE ALKALINITY	00440	036	2013/01/30	. 130.000	2016/01
CALCIUM	00916	036	2013/01/30	. 33.000	2016/01
CARBONATE ALKALINITY	00445	036	2013/01/30	< 2.000	2016/01
CHLORIDE	00940	036	2014/07/01	. 5.660	2017/07
COLOR	00081	036	2013/01/30	< 3.000	2016/01

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910102**

**System Name: PALMDALE WATER DIST.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910102-027**

**Source Name: WELL 33**

**Source Number: 027**

**Source Status: ACTIVE RAW**

**Water type: G**

**SECONDARY/GP**

COPPER	01042	036	2013/01/30	< 50.000	2016/01
FOAMING AGENTS (MBAS)	38260	036	2013/01/30	< .050	2016/01
HARDNESS (TOTAL) AS CaCO3	00900	036	2013/01/30	. 100.000	2016/01
HYDROXIDE ALKALINITY	71830	036	2013/01/30	< 2.000	2016/01
IRON	01045	036	2013/01/30	< 100.000	2016/01
MAGNESIUM	00927	036	2013/01/30	. 5.500	2016/01
MANGANESE	01055	036	2013/01/30	< 20.000	2016/01
ODOR THRESHOLD @ 60 C	00086	036	2013/01/30	< 1.000	2016/01
PH, LABORATORY	00403	036	2013/01/30	. 8.000	2016/01
SILVER	01077	036	2013/01/30	< 10.000	2016/01
SODIUM	00929	036	2013/01/30	17.000	2016/01
SPECIFIC CONDUCTANCE	00095	036	2013/01/30	. 280.000	2016/01
SULFATE	00945	036	2014/07/01	. 19.200	2017/07
TOTAL DISSOLVED SOLIDS	70300	036	2013/01/30	. 170.000	2016/01
TURBIDITY, LABORATORY	82079	036	2013/01/30	. .240	2016/01
ZINC	01092	036	2013/01/30	< 50.000	2016/01

**PS Code: 1910102-028**

**Source Name: WELL 35**

**Source Number: 028**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

ALUMINUM	01105	036	2013/01/29	< 50.000	2016/01
ANTIMONY	01097	036	2013/01/29	< 6.000	2016/01
ARSENIC	01002	036	2013/01/29	< 2.000	2016/01
ASBESTOS	81855	108	2013/01/29	< .200	2022/01
BARIUM	01007	036	2013/01/29	< 100.000	2016/01
BERYLLIUM	01012	036	2013/01/29	< 1.000	2016/01

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910102**

**System Name: PALMDALE WATER DIST.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910102-028**

**Source Name: WELL 35**

**Source Number: 028**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

CADMIUM	01027	036	2013/01/29	< 1.000	2016/01
CHROMIUM (TOTAL)	01034	036	2013/01/29	< 10.000	2016/01
CYANIDE	01291	036	2013/03/06	< 100.000	2016/03
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/07/01	.121	2017/07
MERCURY	71900	036	2013/01/29	< 1.000	2016/01
NICKEL	01067	036	2013/01/29	< 10.000	2016/01
PERCHLORATE	A-031	036	2013/01/29	< 4.000	2016/01
SELENIUM	01147	036	2013/01/29	< 5.000	2016/01
THALLIUM	01059	036	2013/01/29	< 1.000	2016/01

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	012	2014/07/01	. 4.090	2015/07
NITRITE (AS N)	00620	036	2014/07/01	< 400.000	2017/07

**RADIOLOGICAL**

<b>GROSS ALPHA</b>	01501	003	<b>2010/01/19</b>	1.160	<b>2010/04</b>	<b>DUE</b>
<b>RADIUM 226</b>	09501	000				<b>DUE</b>
<b>RADIUM 228</b>	11501	003	<b>2006/09/27</b>	.000	<b>2006/12</b>	<b>DUE</b>
<b>URANIUM (PCI/L)</b>	28012	003	<b>1997/10/09</b>	< 2.000	<b>1998/01</b>	<b>DUE</b>

**REGULATED SOC**

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2013/04/24	< 3.000	2016/01
THIOBENCARB	A-001	033	2013/04/24	< 1.000	2016/01

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	012	2014/02/05	< .500	2015/02
1,1,2,2-TETRACHLOROETHANE	34516	012	2014/02/05	< .500	2015/02
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/02/05	< 10.000	2015/02
1,1,2-TRICHLOROETHANE	34511	012	2014/02/05	< .500	2015/02
1,1-DICHLOROETHANE	34496	012	2014/02/05	< .500	2015/02
1,1-DICHLOROETHYLENE	34501	012	2014/02/05	< .500	2015/02
1,2,4-TRICHLOROBENZENE	34551	012	2014/02/05	< .500	2015/02

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)



**System Number: 1910102**

**System Name: PALMDALE WATER DIST.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910102-028**

**Source Name: WELL 35**

**Source Number: 028**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED VOC**

1,2-DICHLOROBENZENE	34536	012	2014/02/05	< .500	2015/02
1,2-DICHLOROETHANE	34531	012	2014/02/05	< .500	2015/02
1,2-DICHLOROPROPANE	34541	012	2014/02/05	< .500	2015/02
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/02/05	< .500	2015/02
1,4-DICHLOROBENZENE	34571	012	2014/02/05	< .500	2015/02
BENZENE	34030	012	2014/02/05	< .500	2015/02
CARBON TETRACHLORIDE	32102	012	2014/02/05	< .500	2015/02
CIS-1,2-DICHLOROETHYLENE	77093	012	2014/02/05	< .500	2015/02
DICHLOROMETHANE	34423	012	2014/02/05	< .500	2015/02
ETHYLBENZENE	34371	012	2014/02/05	< .500	2015/02
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/02/05	< 3.000	2015/02
MONOCHLOROBENZENE	34301	012	2014/02/05	< .500	2015/02
STYRENE	77128	012	2014/02/05	< .500	2015/02
TETRACHLOROETHYLENE	34475	012	2014/02/05	< .500	2015/02
TOLUENE	34010	012	2014/02/05	< .500	2015/02
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/02/05	< .500	2015/02
TRICHLOROETHYLENE	39180	012	2014/02/05	< .500	2015/02
TRICHLOROFLUOROMETHANE	34488	012	2014/02/05	< 5.000	2015/02
VINYL CHLORIDE	39175	012	2014/02/05	< .500	2015/02
XYLENES (TOTAL)	81551	012	2014/02/05	< .500	2015/02

**SECONDARY/GP**

BICARBONATE ALKALINITY	00440	036	2013/01/29	. 150.000	2016/01
CALCIUM	00916	036	2013/01/29	. 44.000	2016/01
CARBONATE ALKALINITY	00445	036	2013/01/29	< 2.000	2016/01
CHLORIDE	00940	036	2014/07/01	. 12.400	2017/07
COLOR	00081	036	2013/01/29	< 3.000	2016/01
COPPER	01042	036	2013/01/29	< 50.000	2016/01
FOAMING AGENTS (MBAS)	38260	036	2013/01/29	< .050	2016/01
HARDNESS (TOTAL) AS CaCO3	00900	036	2013/01/29	. 130.000	2016/01

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910102**

**System Name: PALMDALE WATER DIST.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910102-028**

**Source Name: WELL 35**

**Source Number: 028**

**Source Status: ACTIVE RAW**

**Water type: G**

**SECONDARY/GP**

HYDROXIDE ALKALINITY	71830	036	2013/01/29	< 2.000	2016/01
IRON	01045	036	2013/01/29	< 100.000	2016/01
MAGNESIUM	00927	036	2013/01/29	. 5.600	2016/01
MANGANESE	01055	036	2013/01/29	< 20.000	2016/01
ODOR THRESHOLD @ 60 C	00086	036	2013/01/29	< 1.000	2016/01
PH, LABORATORY	00403	036	2013/01/29	. 8.000	2016/01
SILVER	01077	036	2013/01/29	< 10.000	2016/01
SODIUM	00929	036	2013/01/29	26.000	2016/01
SPECIFIC CONDUCTANCE	00095	036	2013/01/29	. 380.000	2016/01
SULFATE	00945	036	2014/07/01	. 35.200	2017/07
TOTAL DISSOLVED SOLIDS	70300	036	2013/01/29	. 230.000	2016/01
TURBIDITY, LABORATORY	82079	036	2013/01/29	. .056	2016/01
ZINC	01092	036	2013/01/29	< 50.000	2016/01

**PS Code: 1910102-029**

**Source Name: WELL 23A**

**Source Number: 029**

**Source Status: ACTIVE UNTREATED**

**Water type: G**

**INORGANIC**

ALUMINUM	01105	036	2013/01/28	< 50.000	2016/01
ANTIMONY	01097	036	2013/01/28	< 6.000	2016/01
ARSENIC	01002	036	2013/01/28	< 2.000	2016/01
ASBESTOS	81855	108	2013/01/28	< .200	2022/01
BARIUM	01007	036	2013/01/28	< 100.000	2016/01
BERYLLIUM	01012	036	2013/01/28	< 1.000	2016/01
CADMIUM	01027	036	2013/01/28	< 1.000	2016/01
CHROMIUM (TOTAL)	01034	036	2013/01/28	< 10.000	2016/01
CHROMIUM, HEXAVALENT	01032	036	2011/12/07	. 5.900	2014/12

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910102**

**System Name: PALMDALE WATER DIST.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910102-029**

**Source Name: WELL 23A**

**Source Number: 029**

**Source Status: ACTIVE UNTREATED**

**Water type: G**

**INORGANIC**

CYANIDE	01291	036	2013/03/06	< 100.000	2016/03
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/07/01	.100	2017/07
MERCURY	71900	036	2013/01/28	< 1.000	2016/01
NICKEL	01067	036	2013/01/28	< 10.000	2016/01
PERCHLORATE	A-031	036	2013/01/28	< 4.000	2016/01
SELENIUM	01147	036	2013/01/28	< 5.000	2016/01
THALLIUM	01059	036	2013/01/28	< 1.000	2016/01

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	012	2014/07/01	. 7.000	2015/07
NITRITE (AS N)	00620	036	2014/07/01	< 400.000	2017/07

**RADIOLOGICAL**

<b>GROSS ALPHA</b>	01501	003	2010/01/18	.675	2010/04	<b>DUE</b>
<b>RADIUM 226</b>	09501	000				<b>DUE</b>
<b>RADIUM 228</b>	11501	003	2007/09/10	.000	2007/12	<b>DUE</b>
<b>URANIUM (PCI/L)</b>	28012	000				<b>DUE</b>

**REGULATED SOC**

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2013/04/24	< 3.000	2016/01
THIOBENCARB	A-001	033	2013/04/24	< 1.000	2016/01

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	012	2014/02/05	< .500	2015/02
1,1,2,2-TETRACHLOROETHANE	34516	012	2014/02/05	< .500	2015/02
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/02/05	< 10.000	2015/02
1,1,2-TRICHLOROETHANE	34511	012	2014/02/05	< .500	2015/02
1,1-DICHLOROETHANE	34496	012	2014/02/05	< .500	2015/02
1,1-DICHLOROETHYLENE	34501	012	2014/02/05	< .500	2015/02
1,2,4-TRICHLOROBENZENE	34551	012	2014/02/05	< .500	2015/02
1,2-DICHLOROBENZENE	34536	012	2014/02/05	< .500	2015/02
1,2-DICHLOROETHANE	34531	012	2014/02/05	< .500	2015/02

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910102**

**System Name: PALMDALE WATER DIST.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910102-029**

**Source Name: WELL 23A**

**Source Number: 029**

**Source Status: ACTIVE UNTREATED**

**Water type: G**

**REGULATED VOC**

1,2-DICHLOROPROPANE	34541	012	2014/02/05	< .500	2015/02
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/02/05	< .500	2015/02
1,4-DICHLOROBENZENE	34571	012	2014/02/05	< .500	2015/02
BENZENE	34030	012	2014/02/05	< .500	2015/02
CARBON TETRACHLORIDE	32102	012	2014/02/05	< .500	2015/02
CIS-1,2-DICHLOROETHYLENE	77093	012	2014/02/05	< .500	2015/02
DICHLOROMETHANE	34423	012	2014/02/05	< .500	2015/02
ETHYLBENZENE	34371	012	2014/02/05	< .500	2015/02
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/02/05	< 3.000	2015/02
MONOCHLOROBENZENE	34301	012	2014/02/05	< .500	2015/02
STYRENE	77128	012	2014/02/05	< .500	2015/02
TETRACHLOROETHYLENE	34475	012	2014/02/05	< .500	2015/02
TOLUENE	34010	012	2014/02/05	< .500	2015/02
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/02/05	< .500	2015/02
TRICHLOROETHYLENE	39180	012	2014/02/05	< .500	2015/02
TRICHLOROFUOROMETHANE	34488	012	2014/02/05	< 5.000	2015/02
VINYL CHLORIDE	39175	012	2014/02/05	< .500	2015/02
XYLENES (TOTAL)	81551	012	2014/02/05	< .500	2015/02

**SECONDARY/GP**

BICARBONATE ALKALINITY	00440	036	2013/01/28	. 100.000	2016/01
CALCIUM	00916	036	2013/01/28	. 16.000	2016/01
CARBONATE ALKALINITY	00445	036	2013/01/28	< 2.000	2016/01
CHLORIDE	00940	036	2014/07/01	. 26.900	2017/07
COLOR	00081	036	2013/01/28	< 3.000	2016/01
COPPER	01042	036	2013/01/28	< 50.000	2016/01
FOAMING AGENTS (MBAS)	38260	036	2013/01/28	< .050	2016/01
HARDNESS (TOTAL) AS CaCO3	00900	036	2013/01/28	. 45.000	2016/01
HYDROXIDE ALKALINITY	71830	036	2013/01/28	< 2.000	2016/01
IRON	01045	036	2013/01/28	< 100.000	2016/01

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910102**

**System Name: PALMDALE WATER DIST.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910102-029**

**Source Name: WELL 23A**

**Source Number: 029**

**Source Status: ACTIVE UNTREATED**

**Water type: G**

**SECONDARY/GP**

MAGNESIUM	00927	036	2013/01/28	. .960	2016/01
MANGANESE	01055	036	2013/01/28	< 20.000	2016/01
ODOR THRESHOLD @ 60 C	00086	036	2013/01/28	< 1.000	2016/01
PH, LABORATORY	00403	036	2013/01/28	. 8.000	2016/01
SILVER	01077	036	2013/01/28	< 10.000	2016/01
SODIUM	00929	036	2013/01/28	55.000	2016/01
SPECIFIC CONDUCTANCE	00095	036	2013/01/28	. 330.000	2016/01
SULFATE	00945	036	2014/07/01	. 29.200	2017/07
TOTAL DISSOLVED SOLIDS	70300	036	2013/01/28	. 190.000	2016/01
TURBIDITY, LABORATORY	82079	036	2013/01/28	. .140	2016/01
ZINC	01092	036	2013/01/28	< 50.000	2016/01

**PS Code: 1910102-031**

**Source Name: FILTER PLANT - INFLUENT - TREATED**

**Source Number: 031**

**Source Status: ACTIVE TREATED**

**Water type: S**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

**PS Code: 1910102-032**

**Source Name: WELL 32**

**Source Number: 032**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

ALUMINUM	01105	036	2013/01/29	< 50.000	2016/01
ANTIMONY	01097	036	2013/01/29	< 6.000	2016/01
ARSENIC	01002	036	2013/01/29	< 2.000	2016/01

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910102**

**System Name: PALMDALE WATER DIST.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910102-032**

**Source Name: WELL 32**

**Source Number: 032**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

ASBESTOS	81855	108	2013/01/29	< .200	2022/01
BARIUM	01007	036	2013/01/29	< 100.000	2016/01
BERYLLIUM	01012	036	2013/01/29	< 1.000	2016/01
CADMIUM	01027	036	2013/01/29	< 1.000	2016/01
CHROMIUM (TOTAL)	01034	036	2013/01/29	< 10.000	2016/01
CYANIDE	01291	036	2013/03/06	< 100.000	2016/03
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/07/01	.130	2017/07
MERCURY	71900	036	2013/01/29	< 1.000	2016/01
NICKEL	01067	036	2013/01/29	< 10.000	2016/01
PERCHLORATE	A-031	036	2013/01/29	< 4.000	2016/01
SELENIUM	01147	036	2013/01/29	< 5.000	2016/01
THALLIUM	01059	036	2013/01/29	< 1.000	2016/01

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	012	2014/07/01	. 2.120	2015/07
NITRITE (AS N)	00620	036	2014/07/01	< 400.000	2017/07

**RADIOLOGICAL**

<b>GROSS ALPHA</b>	01501	003	<b>2010/01/19</b>	1.310	<b>2010/04</b>	<b>DUE</b>
<b>RADIUM 226</b>	09501	000				<b>DUE</b>
<b>RADIUM 228</b>	11501	003	<b>2005/12/27</b>	.000	<b>2006/03</b>	<b>DUE</b>
<b>URANIUM (PCI/L)</b>	28012	000				<b>DUE</b>

**REGULATED SOC**

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2013/04/25	< 3.000	2016/01
THIOBENCARB	A-001	033	2013/04/25	< 1.000	2016/01

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	012	2014/02/05	< .500	2015/02
1,1,2,2-TETRACHLOROETHANE	34516	012	2014/02/05	< .500	2015/02
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/02/05	< 10.000	2015/02
1,1,2-TRICHLOROETHANE	34511	012	2014/02/05	< .500	2015/02

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910102**

**System Name: PALMDALE WATER DIST.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910102-032**

**Source Name: WELL 32**

**Source Number: 032**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED VOC**

1,1-DICHLOROETHANE	34496	012	2014/02/05	< .500	2015/02
1,1-DICHLOROETHYLENE	34501	012	2014/02/05	< .500	2015/02
1,2,4-TRICHLOROBENZENE	34551	012	2014/02/05	< .500	2015/02
1,2-DICHLOROBENZENE	34536	012	2014/02/05	< .500	2015/02
1,2-DICHLOROETHANE	34531	012	2014/02/05	< .500	2015/02
1,2-DICHLOROPROPANE	34541	012	2014/02/05	< .500	2015/02
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/02/05	< .500	2015/02
1,4-DICHLOROBENZENE	34571	012	2014/02/05	< .500	2015/02
BENZENE	34030	012	2014/02/05	< .500	2015/02
CARBON TETRACHLORIDE	32102	012	2014/02/05	< .500	2015/02
CIS-1,2-DICHLOROETHYLENE	77093	012	2014/02/05	< .500	2015/02
DICHLOROMETHANE	34423	012	2014/02/05	< .500	2015/02
ETHYLBENZENE	34371	012	2014/02/05	< .500	2015/02
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/02/05	< 3.000	2015/02
MONOCHLOROBENZENE	34301	012	2014/02/05	< .500	2015/02
STYRENE	77128	012	2014/02/05	< .500	2015/02
TETRACHLOROETHYLENE	34475	012	2014/02/05	< .500	2015/02
TOLUENE	34010	012	2014/02/05	< .500	2015/02
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/02/05	< .500	2015/02
TRICHLOROETHYLENE	39180	012	2014/02/05	< .500	2015/02
TRICHLOROFUOROMETHANE	34488	012	2014/02/05	< 5.000	2015/02
VINYL CHLORIDE	39175	012	2014/02/05	< .500	2015/02
XYLENES (TOTAL)	81551	012	2014/02/05	< .500	2015/02

**SECONDARY/GP**

BICARBONATE ALKALINITY	00440	036	2013/01/29	. 140.000	2016/01
CALCIUM	00916	036	2013/01/29	. 42.000	2016/01
CARBONATE ALKALINITY	00445	036	2013/01/29	< 2.000	2016/01
CHLORIDE	00940	036	2014/07/01	. 25.500	2017/07
COLOR	00081	036	2013/01/29	< 3.000	2016/01

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910102**

**System Name: PALMDALE WATER DIST.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910102-032**

**Source Name: WELL 32**

**Source Number: 032**

**Source Status: ACTIVE RAW**

**Water type: G**

**SECONDARY/GP**

COPPER	01042	036	2013/01/29	< 50.000	2016/01
FOAMING AGENTS (MBAS)	38260	036	2013/01/29	< .050	2016/01
HARDNESS (TOTAL) AS CaCO3	00900	036	2013/01/29	. 130.000	2016/01
HYDROXIDE ALKALINITY	71830	036	2013/01/29	< 2.000	2016/01
IRON	01045	036	2013/01/29	< 100.000	2016/01
MAGNESIUM	00927	036	2013/01/29	. 6.700	2016/01
MANGANESE	01055	036	2013/01/29	< 20.000	2016/01
ODOR THRESHOLD @ 60 C	00086	036	2013/01/29	< 1.000	2016/01
PH, LABORATORY	00403	036	2013/01/29	. 8.100	2016/01
SILVER	01077	036	2013/01/29	< 10.000	2016/01
SODIUM	00929	036	2013/01/29	33.000	2016/01
SPECIFIC CONDUCTANCE	00095	036	2013/01/29	. 420.000	2016/01
SULFATE	00945	036	2014/07/01	. 39.500	2017/07
TOTAL DISSOLVED SOLIDS	70300	036	2013/01/29	. 250.000	2016/01
TURBIDITY, LABORATORY	82079	036	2013/01/29	. .094	2016/01
ZINC	01092	036	2013/01/29	< 50.000	2016/01

**PS Code: 1910102-033**

**Source Name: WELL 26**

**Source Number: 033**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

ALUMINUM	01105	036	2013/01/30	< 50.000	2016/01
ANTIMONY	01097	036	2013/01/30	< 6.000	2016/01
ARSENIC	01002	036	2013/01/30	< 2.000	2016/01
ASBESTOS	81855	108	2013/01/30	< .200	2022/01
BARIUM	01007	036	2013/01/30	< 100.000	2016/01
BERYLLIUM	01012	036	2013/01/30	< 1.000	2016/01

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)



**System Number: 1910102**

**System Name: PALMDALE WATER DIST.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910102-033**

**Source Name: WELL 26**

**Source Number: 033**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

CADMIUM	01027	036	2013/01/30	< 1.000	2016/01
CHROMIUM (TOTAL)	01034	036	2013/01/30	< 10.000	2016/01
CYANIDE	01291	036	2013/03/06	< 100.000	2016/03
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/07/01	.103	2017/07
MERCURY	71900	036	2013/01/30	< 1.000	2016/01
NICKEL	01067	036	2013/01/30	< 10.000	2016/01
PERCHLORATE	A-031	036	2013/01/30	< 4.000	2016/01
SELENIUM	01147	036	2013/01/30	< 5.000	2016/01
THALLIUM	01059	036	2013/01/30	< 1.000	2016/01

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	012	2014/07/01	. 15.500	2015/07
NITRITE (AS N)	00620	036	2014/07/01	< 400.000	2017/07

**RADIOLOGICAL**

<b>GROSS ALPHA</b>	01501	003	<b>2010/01/20</b>	3.320	<b>2010/04</b>	<b>DUE</b>
<b>RADIUM 226</b>	09501	000				<b>DUE</b>
<b>RADIUM 228</b>	11501	003	<b>2007/12/12</b>	.261	<b>2008/03</b>	<b>DUE</b>
<b>URANIUM (PCI/L)</b>	28012	000				<b>DUE</b>

**REGULATED SOC**

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2013/04/25	< 3.000	2016/01
THIOBENCARB	A-001	033	2013/04/25	< 1.000	2016/01

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	012	2014/02/05	< .500	2015/02
1,1,2,2-TETRACHLOROETHANE	34516	012	2014/02/05	< .500	2015/02
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/02/05	< 10.000	2015/02
1,1,2-TRICHLOROETHANE	34511	012	2014/02/05	< .500	2015/02
1,1-DICHLOROETHANE	34496	012	2014/02/05	< .500	2015/02
1,1-DICHLOROETHYLENE	34501	012	2014/02/05	< .500	2015/02
1,2,4-TRICHLOROBENZENE	34551	012	2014/02/05	< .500	2015/02

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910102**

**System Name: PALMDALE WATER DIST.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910102-033**

**Source Name: WELL 26**

**Source Number: 033**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED VOC**

1,2-DICHLOROBENZENE	34536	012	2014/02/05	< .500	2015/02
1,2-DICHLOROETHANE	34531	012	2014/02/05	< .500	2015/02
1,2-DICHLOROPROPANE	34541	012	2014/02/05	< .500	2015/02
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/02/05	< .500	2015/02
1,4-DICHLOROBENZENE	34571	012	2014/02/05	< .500	2015/02
BENZENE	34030	012	2014/02/05	< .500	2015/02
CARBON TETRACHLORIDE	32102	012	2014/02/05	< .500	2015/02
CIS-1,2-DICHLOROETHYLENE	77093	012	2014/02/05	< .500	2015/02
DICHLOROMETHANE	34423	012	2014/02/05	< .500	2015/02
ETHYLBENZENE	34371	012	2014/02/05	< .500	2015/02
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/02/05	< 3.000	2015/02
MONOCHLOROBENZENE	34301	012	2014/02/05	< .500	2015/02
STYRENE	77128	012	2014/02/05	< .500	2015/02
TETRACHLOROETHYLENE	34475	012	2014/02/05	< .500	2015/02
TOLUENE	34010	012	2014/02/05	< .500	2015/02
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/02/05	< .500	2015/02
TRICHLOROETHYLENE	39180	012	2014/02/05	< .500	2015/02
TRICHLOROFLUOROMETHANE	34488	012	2014/02/05	< 5.000	2015/02
VINYL CHLORIDE	39175	012	2014/02/05	< .500	2015/02
XYLENES (TOTAL)	81551	012	2014/02/05	< .500	2015/02

**SECONDARY/GP**

BICARBONATE ALKALINITY	00440	036	2013/01/30	. 190.000	2016/01
CALCIUM	00916	036	2013/01/30	. 74.000	2016/01
CARBONATE ALKALINITY	00445	036	2013/01/30	< 2.000	2016/01
CHLORIDE	00940	036	2014/07/01	. 29.000	2017/07
COLOR	00081	036	2013/01/30	< 3.000	2016/01
COPPER	01042	036	2013/01/30	< 50.000	2016/01
FOAMING AGENTS (MBAS)	38260	036	2013/01/30	< .050	2016/01
HARDNESS (TOTAL) AS CaCO3	00900	036	2013/01/30	. 230.000	2016/01

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910102**

**System Name: PALMDALE WATER DIST.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910102-033**

**Source Name: WELL 26**

**Source Number: 033**

**Source Status: ACTIVE RAW**

**Water type: G**

**SECONDARY/GP**

HYDROXIDE ALKALINITY	71830	036	2013/01/30	< 2.000	2016/01
IRON	01045	036	2013/01/30	< 100.000	2016/01
MAGNESIUM	00927	036	2013/01/30	. 12.000	2016/01
MANGANESE	01055	036	2013/01/30	< 20.000	2016/01
ODOR THRESHOLD @ 60 C	00086	036	2013/01/30	< 1.000	2016/01
PH, LABORATORY	00403	036	2013/01/30	. 7.900	2016/01
SILVER	01077	036	2013/01/30	< 10.000	2016/01
SODIUM	00929	036	2013/01/30	31.000	2016/01
SPECIFIC CONDUCTANCE	00095	036	2013/01/30	. 630.000	2016/01
SULFATE	00945	036	2014/07/01	. 38.200	2017/07
TOTAL DISSOLVED SOLIDS	70300	036	2013/01/30	. 380.000	2016/01
TURBIDITY, LABORATORY	82079	036	2013/01/30	. .130	2016/01
ZINC	01092	036	2013/01/30	< 50.000	2016/01

**PS Code: 1910102-034**

**Source Name: LITTLEROCK DAM - RAW**

**Source Number: 034**

**Source Status: ACTIVE RAW**

**Water type: S**

**INORGANIC**

ALUMINUM	01105	012	2014/05/29	< 50.000	2015/05
ANTIMONY	01097	012	2014/05/29	< 6.000	2015/05
ARSENIC	01002	012	2014/05/29	< 2.000	2015/05
ASBESTOS	81855	108	2012/08/22	< .200	2021/08
BARIUM	01007	012	2014/05/29	< 100.000	2015/05
BERYLLIUM	01012	012	2014/05/29	< 1.000	2015/05
CADMIUM	01027	012	2014/05/29	< 1.000	2015/05
CHROMIUM (TOTAL)	01034	012	2014/05/29	< 10.000	2015/05
CYANIDE	01291	012	2014/05/29	< 100.000	2015/05

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: **1910102**

System Name: **PALMDALE WATER DIST.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: **1910102-034**

Source Name: **LITTLE ROCK DAM - RAW**

Source Number: **034**

Source Status: **ACTIVE RAW**

Water type: **S**

**INORGANIC**

FLUORIDE (F) (NATURAL-SOURCE)	00951	012	2014/05/29	.300	2015/05
MERCURY	71900	012	2014/05/29	< 1.000	2015/05
NICKEL	01067	012	2014/05/29	< 10.000	2015/05
PERCHLORATE	A-031	012	2014/05/29	< 4.000	2015/05
SELENIUM	01147	012	2014/05/29	< 5.000	2015/05
THALLIUM	01059	012	2014/05/29	< 1.000	2015/05

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	003	2014/05/29	< 2.000	2014/08
NITRITE (AS N)	00620	036	2014/05/29	< 400.000	2017/05

**RADIOLOGICAL**

<b>GROSS ALPHA</b>	01501	003	<b>2013/02/21</b>	. 3.100	<b>2013/05</b>	<b>DUE</b>
<b>RADIUM 226</b>	09501	000				<b>DUE</b>
<b>RADIUM 228</b>	11501	003	<b>2006/11/01</b>	.055	<b>2007/02</b>	<b>DUE</b>
<b>URANIUM (PCI/L)</b>	28012	003	<b>2013/02/21</b>	. 2.400	<b>2013/05</b>	<b>DUE</b>

**REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	033	2014/05/29	.000	2017/02
2,4,5-TP (SILVEX)	39045	033	2014/05/29	< 1.000	2017/02
2,4-D	39730	033	2014/05/29	< 10.000	2017/02
ALACHLOR	77825	033	2014/05/29	< 1.000	2017/02
ATRAZINE	39033	033	2014/05/29	< .500	2017/02
BENTAZON	38710	033	2014/05/29	< 2.000	2017/02
BENZO (A) PYRENE	34247	033	2014/05/29	< .100	2017/02
CARBOFURAN	81405	033	2014/05/29	< 5.000	2017/02
CHLORDANE	39350	033	2014/05/29	< .100	2017/02
DALAPON	38432	033	2014/05/29	< 10.000	2017/02
DI(2-ETHYLHEXYL)ADIPATE	A-026	033	2014/05/29	< 5.000	2017/02
DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2014/05/29	< 3.000	2017/02
DIBROMOCHLOROPROPANE (DBCP)	38761	033	2014/05/29	< .010	2017/02

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910102**

**System Name: PALMDALE WATER DIST.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910102-034**

**Source Name: LITTLE ROCK DAM - RAW**

**Source Number: 034**

**Source Status: ACTIVE RAW**

**Water type: S**

**REGULATED SOC**

DINOSEB	81287	033	2014/05/29	< 2.000	2017/02
DIQUAT	78885	033	2014/05/29	< 4.000	2017/02
ENDOTHALL	38926	033	2014/05/29	< 45.000	2017/02
ENDRIN	39390	033	2014/05/29	< .100	2017/02
ETHYLENE DIBROMIDE (EDB)	77651	033	2014/05/29	< .020	2017/02
GLYPHOSATE	79743	033	2014/05/29	< 25.000	2017/02
HEPTACHLOR	39410	033	2014/05/29	< .010	2017/02
HEPTACHLOR EPOXIDE	39420	033	2014/05/29	< .010	2017/02
HEXACHLOROBENZENE	39700	033	2014/05/29	< .500	2017/02
HEXACHLOROCYCLOPENTADIENE	34386	033	2014/05/29	< 1.000	2017/02
LINDANE	39340	033	2014/05/29	< .200	2017/02
METHOXYCHLOR	39480	033	2014/05/29	< 10.000	2017/02
MOLINATE	82199	033	2014/05/29	< 2.000	2017/02
OXAMYL	38865	033	2014/05/29	< 20.000	2017/02
PENTACHLOROPHENOL	39032	033	2014/05/29	< .200	2017/02
PICLORAM	39720	033	2014/05/29	< 1.000	2017/02
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	033	2014/05/29	< .500	2017/02
SIMAZINE	39055	033	2014/05/29	< 1.000	2017/02
THIOBENCARB	A-001	033	2014/05/29	< 1.000	2017/02
TOXAPHENE	39400	033	2014/05/29	< 1.000	2017/02

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	012	2014/05/29	< .500	2015/05
1,1,2,2-TETRACHLOROETHANE	34516	012	2014/05/29	< .500	2015/05
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/05/29	< 10.000	2015/05
1,1,2-TRICHLOROETHANE	34511	012	2014/05/29	< .500	2015/05
1,1-DICHLOROETHANE	34496	012	2014/05/29	< .500	2015/05
1,1-DICHLOROETHYLENE	34501	012	2014/05/29	< .500	2015/05
1,2,4-TRICHLOROBENZENE	34551	012	2014/05/29	< .500	2015/05
1,2-DICHLOROBENZENE	34536	012	2014/05/29	< .500	2015/05

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910102**

**System Name: PALMDALE WATER DIST.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910102-034**

**Source Name: LITTLE ROCK DAM - RAW**

**Source Number: 034**

**Source Status: ACTIVE RAW**

**Water type: S**

**REGULATED VOC**

1,2-DICHLOROETHANE	34531	012	2014/05/29	< .500	2015/05
1,2-DICHLOROPROPANE	34541	012	2014/05/29	< .500	2015/05
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/05/29	< .500	2015/05
1,4-DICHLOROBENZENE	34571	012	2014/05/29	< .500	2015/05
BENZENE	34030	012	2014/05/29	< .500	2015/05
CARBON TETRACHLORIDE	32102	012	2014/05/29	< .500	2015/05
CIS-1,2-DICHLOROETHYLENE	77093	012	2014/05/29	< .500	2015/05
DICHLOROMETHANE	34423	012	2014/05/29	< .500	2015/05
ETHYLBENZENE	34371	012	2014/05/29	< .500	2015/05
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/05/29	< 3.000	2015/05
MONOCHLOROBENZENE	34301	012	2014/05/29	< .500	2015/05
STYRENE	77128	012	2014/05/29	< .500	2015/05
TETRACHLOROETHYLENE	34475	012	2014/05/29	< .500	2015/05
TOLUENE	34010	012	2014/05/29	< .500	2015/05
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/05/29	< .500	2015/05
TRICHLOROETHYLENE	39180	012	2014/05/29	< .500	2015/05
TRICHLOROFLUOROMETHANE	34488	012	2014/05/29	< 5.000	2015/05
VINYL CHLORIDE	39175	012	2014/05/29	< .500	2015/05
XYLENES (TOTAL)	81551	012	2014/05/29	< .500	2015/05

**SECONDARY/GP**

BICARBONATE ALKALINITY	00440	012	2014/05/29	. 180.000	2015/05
CALCIUM	00916	012	2014/05/29	. 49.000	2015/05
CARBONATE ALKALINITY	00445	012	2014/05/29	< 2.000	2015/05
CHLORIDE	00940	012	2014/05/29	. 5.700	2015/05
COLOR	00081	012	2014/05/29	. 50.000	2015/05
COPPER	01042	012	2014/05/29	< 50.000	2015/05
FOAMING AGENTS (MBAS)	38260	012	2014/05/29	< .050	2015/05
HARDNESS (TOTAL) AS CaCO3	00900	012	2014/05/29	. 170.000	2015/05
HYDROXIDE ALKALINITY	71830	012	2014/05/29	< 2.000	2015/05

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910102**

**System Name: PALMDALE WATER DIST.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910102-034**

**Source Name: LITTLEROCK DAM - RAW**

**Source Number: 034**

**Source Status: ACTIVE RAW**

**Water type: S**

**SECONDARY/GP**

IRON	01045	012	2014/05/29	. 220.000	2015/05
MAGNESIUM	00927	012	2014/05/29	. 12.000	2015/05
MANGANESE	01055	012	2014/05/29	. 440.000	2015/05
ODOR THRESHOLD @ 60 C	00086	012	2014/05/29	. 2.000	2015/05
PH, LABORATORY	00403	012	2014/05/29	. 8.100	2015/05
SILVER	01077	012	2014/05/29	< 10.000	2015/05
SODIUM	00929	012	2014/05/29	. 23.000	2015/05
SPECIFIC CONDUCTANCE	00095	012	2014/05/29	. 410.000	2015/05
SULFATE	00945	012	2014/05/29	. 39.000	2015/05
TOTAL DISSOLVED SOLIDS	70300	012	2014/05/29	. 250.000	2015/05
TURBIDITY, LABORATORY	82079	012	2014/05/29	. 1.500	2015/05
ZINC	01092	012	2014/05/29	< 50.000	2015/05

**PS Code: 1910102-059**

**Source Name: WELL 29**

**Source Number: 059**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

ALUMINUM	01105	036	2013/01/30	< 50.000	2016/01
ANTIMONY	01097	036	2013/01/30	< 6.000	2016/01
ARSENIC	01002	036	2013/01/30	< 2.000	2016/01
ASBESTOS	81855	108	2013/01/30	< .200	2022/01
BARIUM	01007	036	2013/01/30	< 100.000	2016/01
BERYLLIUM	01012	036	2013/01/30	< 1.000	2016/01
CADMIUM	01027	036	2013/01/30	< 1.000	2016/01
CHROMIUM (TOTAL)	01034	036	2013/01/30	< 10.000	2016/01
CHROMIUM, HEXAVALENT	01032	036	2012/05/02	. 2.700	2015/05
CYANIDE	01291	036	2013/03/06	< 100.000	2016/03

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910102**

**System Name: PALMDALE WATER DIST.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910102-059**

**Source Name: WELL 29**

**Source Number: 059**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/07/01	.166	2017/07
MERCURY	71900	036	2013/01/30	< 1.000	2016/01
NICKEL	01067	036	2013/01/30	< 10.000	2016/01
PERCHLORATE	A-031	036	2013/01/30	< 4.000	2016/01
SELENIUM	01147	036	2013/01/30	< 5.000	2016/01
THALLIUM	01059	036	2013/01/30	< 1.000	2016/01

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	012	2014/07/01	3.740	2015/07
NITRITE (AS N)	00620	036	2014/07/01	< 400.000	2017/07

**RADIOLOGICAL**

GROSS ALPHA	01501	003	2007/12/04	.565	2008/03	DUE
RADIUM 226	09501	003	2007/03/27	.000	2007/06	DUE
RADIUM 228	11501	003	2007/12/04	.009	2008/03	DUE
URANIUM (PCI/L)	28012	000				DUE

**REGULATED SOC**

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2013/04/24	< 3.000	2016/01
THIOBENCARB	A-001	033	2013/04/24	< 1.000	2016/01

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	012	2014/02/05	< .500	2015/02
1,1,2,2-TETRACHLOROETHANE	34516	012	2014/02/05	< .500	2015/02
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/02/05	< 10.000	2015/02
1,1,2-TRICHLOROETHANE	34511	012	2014/02/05	< .500	2015/02
1,1-DICHLOROETHANE	34496	012	2014/02/05	< .500	2015/02
1,1-DICHLOROETHYLENE	34501	012	2014/02/05	< .500	2015/02
1,2,4-TRICHLOROBENZENE	34551	012	2014/02/05	< .500	2015/02
1,2-DICHLOROBENZENE	34536	012	2014/02/05	< .500	2015/02
1,2-DICHLOROETHANE	34531	012	2014/02/05	< .500	2015/02
1,2-DICHLOROPROPANE	34541	012	2014/02/05	< .500	2015/02

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)



**System Number: 1910102**

**System Name: PALMDALE WATER DIST.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

**PS Code: 1910102-059**

**Source Name: WELL 29**

**Source Number: 059**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED VOC**

1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/02/05	< .500	2015/02
1,4-DICHLOROBENZENE	34571	012	2014/02/05	< .500	2015/02
BENZENE	34030	012	2014/02/05	< .500	2015/02
CARBON TETRACHLORIDE	32102	012	2014/02/05	< .500	2015/02
CIS-1,2-DICHLOROETHYLENE	77093	012	2014/02/05	< .500	2015/02
DICHLOROMETHANE	34423	012	2014/02/05	< .500	2015/02
ETHYLBENZENE	34371	012	2014/02/05	< .500	2015/02
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/02/05	< 3.000	2015/02
MONOCHLOROBENZENE	34301	012	2014/02/05	< .500	2015/02
STYRENE	77128	012	2014/02/05	< .500	2015/02
TETRACHLOROETHYLENE	34475	012	2014/02/05	< .500	2015/02
TOLUENE	34010	012	2014/02/05	< .500	2015/02
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/02/05	< .500	2015/02
TRICHLOROETHYLENE	39180	012	2014/02/05	< .500	2015/02
TRICHLOROFUOROMETHANE	34488	012	2014/02/05	< 5.000	2015/02
VINYL CHLORIDE	39175	012	2014/02/05	< .500	2015/02
XYLENES (TOTAL)	81551	012	2014/02/05	< .500	2015/02

**SECONDARY/GP**

BICARBONATE ALKALINITY	00440	036	2013/01/30	. 140.000	2016/01
CALCIUM	00916	036	2013/01/30	. 36.000	2016/01
CARBONATE ALKALINITY	00445	036	2013/01/30	< 2.000	2016/01
CHLORIDE	00940	036	2014/07/01	. 8.910	2017/07
COLOR	00081	036	2013/01/30	< 3.000	2016/01
COPPER	01042	036	2013/01/30	< 50.000	2016/01
FOAMING AGENTS (MBAS)	38260	036	2013/01/30	< .050	2016/01
HARDNESS (TOTAL) AS CaCO3	00900	036	2013/01/30	. 120.000	2016/01
HYDROXIDE ALKALINITY	71830	036	2013/01/30	< 2.000	2016/01
IRON	01045	036	2014/07/01	< 100.000	2017/07
MAGNESIUM	00927	036	2013/01/30	. 6.800	2016/01

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910102**

**System Name: PALMDALE WATER DIST.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910102-059**

**Source Name: WELL 29**

**Source Number: 059**

**Source Status: ACTIVE RAW**

**Water type: G**

**SECONDARY/GP**

MANGANESE	01055	036	2014/07/01	< 20.000	2017/07
ODOR THRESHOLD @ 60 C	00086	036	2013/01/30	< 1.000	2016/01
PH, LABORATORY	00403	036	2013/01/30	. 8.000	2016/01
SILVER	01077	036	2013/01/30	< 10.000	2016/01
SODIUM	00929	036	2013/01/30	17.000	2016/01
SPECIFIC CONDUCTANCE	00095	036	2013/01/30	. 320.000	2016/01
SULFATE	00945	036	2014/07/01	. 22.300	2017/07
TOTAL DISSOLVED SOLIDS	70300	036	2013/01/30	. 190.000	2016/01
TURBIDITY, LABORATORY	82079	036	2013/01/30	. .097	2016/01
ZINC	01092	036	2013/01/30	< 50.000	2016/01

**PS Code: 1910102-800**

**Source Name: SITE 1-3212 E AVE T-2-STG2 DBP**

**Source Number: 800**

**Source Status: DISTRIBUTION TREATED**

**Water type: S**

**HALOACETIC ACIDS**

DIBROMOACETIC ACID (DBAA)	82721	003	2014/07/15	. 5.200	2014/10
DICHLOROACETIC ACID (DCAA)	77288	003	2014/07/15	. 1.500	2014/10
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/07/15	. 6.700	2014/10
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/07/15	< 1.000	2014/10
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/07/15	< 2.000	2014/10
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/07/15	< 1.000	2014/10

**STATE UCMR**

BROMODICHLORMETHANE (THM)	32101	003	2014/07/15	. 14.000	2014/10
BROMOFORM (THM)	32104	003	2014/07/15	. 22.000	2014/10
CHLOROFORM (THM)	32106	003	2014/07/15	. 7.800	2014/10
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/07/15	. 25.000	2014/10

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910102**

**System Name: PALMDALE WATER DIST.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910102-800**

**Source Name: SITE 1-3212 E AVE T-2-STG2 DBP**

**Source Number: 800**

**Source Status: DISTRIBUTION TREATED**

**Water type: S**

**TRihalOMETHANES**

TOTAL TRIHALOMETHANES	82080	003	2014/07/15	. 69.000	2014/10
-----------------------	-------	-----	------------	----------	---------

**PS Code: 1910102-801**

**Source Name: SITE 2-703 DENISE ST-STG2 DBP**

**Source Number: 801**

**Source Status: DISTRIBUTION TREATED**

**Water type: S**

**HALOAcETIC ACIDS**

DIBROMOACETIC ACID (DBAA)	82721	003	2014/07/15	. 2.200	2014/10
DICHLOROACETIC ACID (DCAA)	77288	003	2014/07/15	< 1.000	2014/10
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/07/15	. 2.200	2014/10
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/07/15	< 1.000	2014/10
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/07/15	< 2.000	2014/10
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/07/15	< 1.000	2014/10

**STATE UCMR**

BROMODICHLORMETHANE (THM)	32101	003	2014/07/15	. 1.800	2014/10
BROMOFORM (THM)	32104	003	2014/07/15	. 14.000	2014/10
CHLOROFORM (THM)	32106	003	2014/07/15	< 1.000	2014/10
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/07/15	. 6.600	2014/10

**TRihalOMETHANES**

TOTAL TRIHALOMETHANES	82080	003	2014/07/15	. 23.000	2014/10
-----------------------	-------	-----	------------	----------	---------

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910102**

**System Name: PALMDALE WATER DIST.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910102-802**

**Source Name: SITE 3-1005 LAKEVIEW DR-STG2 DBP**

**Source Number: 802**

**Source Status: DISTRIBUTION TREATED**

**Water type: S**

**HALOACETIC ACIDS**

DIBROMOACETIC ACID (DBAA)	82721	003	2014/07/15	< 1.000	2014/10
DICHLOROACETIC ACID (DCAA)	77288	003	2014/07/15	< 1.000	2014/10
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/07/15	< 2.000	2014/10
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/07/15	< 1.000	2014/10
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/07/15	< 2.000	2014/10
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/07/15	< 1.000	2014/10

**STATE UCMR**

BROMODICHLORMETHANE (THM)	32101	003	2014/07/15	< 1.000	2014/10
BROMOFORM (THM)	32104	003	2014/07/15	. 2.100	2014/10
CHLOROFORM (THM)	32106	003	2014/07/15	< 1.000	2014/10
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/07/15	. 1.300	2014/10

**TRIHALOMETHANES**

TOTAL TRIHALOMETHANES	82080	003	2014/07/15	. 3.400	2014/10
-----------------------	-------	-----	------------	---------	---------

**PS Code: 1910102-803**

**Source Name: SITE 4-5001 E AVE T8-STG2 DBP**

**Source Number: 803**

**Source Status: DISTRIBUTION TREATED**

**Water type: S**

**HALOACETIC ACIDS**

DIBROMOACETIC ACID (DBAA)	82721	003	2014/07/15	. 5.400	2014/10
DICHLOROACETIC ACID (DCAA)	77288	003	2014/07/15	. 1.700	2014/10
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/07/15	. 8.200	2014/10
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/07/15	. 1.100	2014/10
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/07/15	< 2.000	2014/10
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/07/15	< 1.000	2014/10

**STATE UCMR**

BROMODICHLORMETHANE (THM)	32101	003	2014/07/15	. 12.000	2014/10
---------------------------	-------	-----	------------	----------	---------

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910102**

**System Name: PALMDALE WATER DIST.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910102-803**

**Source Name: SITE 4-5001 E AVE T8-STG2 DBP**

**Source Number: 803**

**Source Status: DISTRIBUTION TREATED**

**Water type: S**

**STATE UCMR**

BROMOFORM (THM)	32104	003	2014/07/15	. 23.000	2014/10
CHLOROFORM (THM)	32106	003	2014/07/15	. 6.300	2014/10
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/07/15	. 23.000	2014/10

**TRIHALOMETHANES**

TOTAL TRIHALOMETHANES	82080	003	2014/07/15	. 64.000	2014/10
-----------------------	-------	-----	------------	----------	---------

**PS Code: 1910102-804**

**Source Name: SITE 5-2404 OLD NADEAU RD-STG2 DBP**

**Source Number: 804**

**Source Status: DISTRIBUTION TREATED**

**Water type: S**

**HALOACETIC ACIDS**

DIBROMOACETIC ACID (DBAA)	82721	003	2014/07/15	. 8.100	2014/10
DICHLOROACETIC ACID (DCAA)	77288	003	2014/07/15	. 2.200	2014/10
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/07/15	. 12.000	2014/10
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/07/15	. 1.400	2014/10
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/07/15	< 2.000	2014/10
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/07/15	< 1.000	2014/10

**STATE UCMR**

BROMODICHLORMETHANE (THM)	32101	003	2014/07/15	. 16.000	2014/10
BROMOFORM (THM)	32104	003	2014/07/15	. 33.000	2014/10
CHLOROFORM (THM)	32106	003	2014/07/15	. 7.200	2014/10
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/07/15	. 33.000	2014/10

**TRIHALOMETHANES**

TOTAL TRIHALOMETHANES	82080	003	2014/07/15	. 89.000	2014/10
-----------------------	-------	-----	------------	----------	---------

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910102**

**System Name: PALMDALE WATER DIST.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910102-805**

**Source Name: SITE 6-2508 DESERT OAK DR-STG2 DBP**

**Source Number: 805**

**Source Status: DISTRIBUTION TREATED**

**Water type: S**

**HALOACETIC ACIDS**

DIBROMOACETIC ACID (DBAA)	82721	003	2014/07/15	. 6.600	2014/10
DICHLOROACETIC ACID (DCAA)	77288	003	2014/07/15	. 1.900	2014/10
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/07/15	. 9.800	2014/10
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/07/15	. 1.300	2014/10
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/07/15	< 2.000	2014/10
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/07/15	< 1.000	2014/10

**STATE UCMR**

BROMODICHLORMETHANE (THM)	32101	003	2014/07/15	. 12.000	2014/10
BROMOFORM (THM)	32104	003	2014/07/15	. 22.000	2014/10
CHLOROFORM (THM)	32106	003	2014/07/15	. 6.700	2014/10
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/07/15	. 23.000	2014/10

**TRIHALOMETHANES**

TOTAL TRIHALOMETHANES	82080	003	2014/07/15	. 64.000	2014/10
-----------------------	-------	-----	------------	----------	---------

**PS Code: 1910102-806**

**Source Name: SITE 7-36457 HAROLD THIRD-STG2 DBP**

**Source Number: 806**

**Source Status: DISTRIBUTION TREATED**

**Water type: S**

**HALOACETIC ACIDS**

DIBROMOACETIC ACID (DBAA)	82721	003	2014/07/15	. 4.600	2014/10
DICHLOROACETIC ACID (DCAA)	77288	003	2014/07/15	. 1.300	2014/10
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/07/15	. 5.900	2014/10
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/07/15	< 1.000	2014/10
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/07/15	< 2.000	2014/10
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/07/15	< 1.000	2014/10

**STATE UCMR**

BROMODICHLORMETHANE (THM)	32101	003	2014/07/15	. 12.000	2014/10
---------------------------	-------	-----	------------	----------	---------

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910102**

**System Name: PALMDALE WATER DIST.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910102-806**

**Source Name: SITE 7-36457 HAROLD THIRD-STG2 DBP**

**Source Number: 806**

**Source Status: DISTRIBUTION TREATED**

**Water type: S**

**STATE UCMR**

BROMOFORM (THM)	32104	003	2014/07/15	. 14.000	2014/10
CHLOROFORM (THM)	32106	003	2014/07/15	. 8.400	2014/10
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/07/15	. 16.000	2014/10

**TRIHALOMETHANES**

TOTAL TRIHALOMETHANES	82080	003	2014/07/15	. 50.000	2014/10
-----------------------	-------	-----	------------	----------	---------

**PS Code: 1910102-807**

**Source Name: SITE 8-37419 E 3RD ST-STG2 DBP**

**Source Number: 807**

**Source Status: DISTRIBUTION TREATED**

**Water type: S**

**HALOACETIC ACIDS**

DIBROMOACETIC ACID (DBAA)	82721	003	2014/07/15	. 2.800	2014/10
DICHLOROACETIC ACID (DCAA)	77288	003	2014/07/15	< 1.000	2014/10
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/07/15	. 2.800	2014/10
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/07/15	< 1.000	2014/10
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/07/15	< 2.000	2014/10
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/07/15	< 1.000	2014/10

**STATE UCMR**

BROMODICHLORMETHANE (THM)	32101	003	2014/07/15	. 8.700	2014/10
BROMOFORM (THM)	32104	003	2014/07/15	. 8.200	2014/10
CHLOROFORM (THM)	32106	003	2014/07/15	. 8.100	2014/10
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/07/15	. 9.500	2014/10

**TRIHALOMETHANES**

TOTAL TRIHALOMETHANES	82080	003	2014/07/15	. 34.000	2014/10
-----------------------	-------	-----	------------	----------	---------

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910105**

**System Name: PARAMOUNT - CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910105-015**

**Source Name: WELL 13**

**Source Number: 015**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

ALUMINUM	01105	036	2011/10/17	< 50.000	2014/10
ANTIMONY	01097	036	2011/10/17	< 6.000	2014/10
ARSENIC	01002	036	2014/06/17	. 18.900	2017/06
BARIUM	01007	036	2011/10/17	160.000	2014/10
BERYLLIUM	01012	036	2011/10/17	< 1.000	2014/10
CADMIUM	01027	036	2011/10/17	< 1.000	2014/10
CHROMIUM (TOTAL)	01034	036	2011/10/17	< 10.000	2014/10
CYANIDE	01291	036	2011/10/17	< 100.000	2014/10
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2011/10/17	. .310	2014/10
MERCURY	71900	036	2011/10/17	< 1.000	2014/10
NICKEL	01067	036	2011/10/17	< 10.000	2014/10
PERCHLORATE	A-031	012	2014/04/28	< 4.000	2015/04
SELENIUM	01147	036	2011/10/17	< 5.000	2014/10
THALLIUM	01059	036	2011/10/17	< 1.000	2014/10

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	012	2014/04/28	< 2.000	2015/04
NITRITE (AS N)	00620	036	2011/10/17	< 400.000	2014/10

**RADIOLOGICAL**

<b>GROSS ALPHA</b>	01501	003	2013/04/29	. 1.610	2013/07	<b>DUE</b>
<b>RADIUM 226</b>	09501	003	2007/06/12	.260	2007/09	<b>DUE</b>
<b>RADIUM 228</b>	11501	003	2013/04/29	. .174	2013/07	<b>DUE</b>
<b>URANIUM (PCI/L)</b>	28012	003	2013/04/29	< 1.000	2013/07	<b>DUE</b>

**REGULATED SOC**

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2013/04/29	< 3.000	2016/01
THIOBENCARB	A-001	033	2013/04/29	< 1.000	2016/01

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	012	2014/04/28	< .500	2015/04
1,1,2,2-TETRACHLOROETHANE	34516	012	2014/04/28	< .500	2015/04

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)



**System Number: 1910105**

**System Name: PARAMOUNT - CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910105-015**

**Source Name: WELL 13**

**Source Number: 015**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED VOC**

1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/04/28	< 10.000	2015/04
1,1,2-TRICHLOROETHANE	34511	012	2014/04/28	< .500	2015/04
1,1-DICHLOROETHANE	34496	012	2014/04/28	< .500	2015/04
1,1-DICHLOROETHYLENE	34501	012	2014/04/28	< .500	2015/04
1,2,4-TRICHLOROBENZENE	34551	012	2014/04/28	< .500	2015/04
1,2-DICHLOROBENZENE	34536	012	2014/04/28	< .500	2015/04
1,2-DICHLOROETHANE	34531	012	2014/04/28	< .500	2015/04
1,2-DICHLOROPROPANE	34541	012	2014/04/28	< .500	2015/04
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/04/28	< .500	2015/04
1,4-DICHLOROBENZENE	34571	012	2014/04/28	< .500	2015/04
BENZENE	34030	012	2014/04/28	< .500	2015/04
CARBON TETRACHLORIDE	32102	012	2014/04/28	< .500	2015/04
CIS-1,2-DICHLOROETHYLENE	77093	012	2014/04/28	< .500	2015/04
DICHLOROMETHANE	34423	012	2014/04/28	< .500	2015/04
ETHYLBENZENE	34371	012	2014/04/28	< .500	2015/04
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/04/28	< 3.000	2015/04
MONOCHLOROBENZENE	34301	012	2014/04/28	< .500	2015/04
STYRENE	77128	012	2014/04/28	< .500	2015/04
TETRACHLOROETHYLENE	34475	012	2014/04/28	< .500	2015/04
TOLUENE	34010	012	2014/04/28	< .500	2015/04
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/04/28	< .500	2015/04
TRICHLOROETHYLENE	39180	012	2014/04/28	< .500	2015/04
TRICHLOROFUOROMETHANE	34488	012	2014/04/28	< 5.000	2015/04
VINYL CHLORIDE	39175	012	2014/04/28	< .500	2015/04
XYLENES (TOTAL)	81551	012	2014/04/28	< .000	2015/04

**SECONDARY/GP**

BICARBONATE ALKALINITY	00440	036	2011/10/17	. 180.000	2014/10
CALCIUM	00916	036	2011/10/17	. 57.000	2014/10
CARBONATE ALKALINITY	00445	036	2011/10/17	< 2.000	2014/10

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910105**

**System Name: PARAMOUNT - CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910105-015**

**Source Name: WELL 13**

**Source Number: 015**

**Source Status: ACTIVE RAW**

**Water type: G**

**SECONDARY/GP**

CHLORIDE	00940	036	2011/10/17	. 12.000	2014/10
COLOR	00081	036	2011/10/17	< 1.000	2014/10
COPPER	01042	036	2011/10/17	< 50.000	2014/10
FOAMING AGENTS (MBAS)	38260	036	2011/10/17	< .100	2014/10
HARDNESS (TOTAL) AS CaCO3	00900	036	2011/10/17	. 170.000	2014/10
HYDROXIDE ALKALINITY	71830	036	2011/10/17	< 2.000	2014/10
IRON	01045	036	2014/06/17	. .000	2017/06
MAGNESIUM	00927	036	2011/10/17	. 5.600	2014/10
MANGANESE	01055	036	2014/06/18	. 87.000	2017/06
ODOR THRESHOLD @ 60 C	00086	036	2011/10/17	< 1.000	2014/10
PH, LABORATORY	00403	036	2011/10/17	. 8.000	2014/10
SILVER	01077	036	2011/10/17	< 10.000	2014/10
SODIUM	00929	036	2011/10/17	27.000	2014/10
SPECIFIC CONDUCTANCE	00095	036	2011/10/17	. 400.000	2014/10
SULFATE	00945	036	2011/10/17	21.000	2014/10
TOTAL DISSOLVED SOLIDS	70300	036	2011/10/17	. 260.000	2014/10
TURBIDITY, LABORATORY	82079	036	2011/10/17	. .370	2014/10
ZINC	01092	036	2011/10/17	< 50.000	2014/10

**PS Code: 1910105-016**

**Source Name: WELL 14**

**Source Number: 016**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

ALUMINUM	01105	036	2011/07/22	< 50.000	2014/07
ANTIMONY	01097	036	2011/07/22	< 6.000	2014/07
ARSENIC	01002	036	2014/06/17	. 5.570	2017/06
BARIUM	01007	036	2011/07/22	150.000	2014/07

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910105**

**System Name: PARAMOUNT - CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910105-016**

**Source Name: WELL 14**

**Source Number: 016**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

BERYLLIUM	01012	036	2011/07/22	< 1.000	2014/07	
CADMIUM	01027	036	2011/07/22	< 1.000	2014/07	
CHROMIUM (TOTAL)	01034	036	2011/07/22	< 10.000	2014/07	
CYANIDE	01291	036	2011/07/22	< 100.000	2014/07	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2011/07/22	.280	2014/07	
MERCURY	71900	036	2011/07/22	< 1.000	2014/07	
NICKEL	01067	036	2011/07/22	< 10.000	2014/07	
<b>PERCHLORATE</b>	<b>A-031</b>	<b>012</b>	<b>2011/07/22</b>	<b>&lt; 4.000</b>	<b>2012/07</b>	<b>DUE</b>
SELENIUM	01147	036	2011/07/22	< 5.000	2014/07	
THALLIUM	01059	036	2011/07/22	< 1.000	2014/07	

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	012	2013/07/22	. 2.600	2014/07	
NITRITE (AS N)	00620	036	2011/07/22	< 400.000	2014/07	

**RADIOLOGICAL**

<b>GROSS ALPHA</b>	<b>01501</b>	<b>003</b>	<b>2013/10/22</b>	<b>. 3.550</b>	<b>2014/01</b>	<b>DUE</b>
<b>RADIUM 226</b>	<b>09501</b>	<b>003</b>	<b>2007/12/10</b>	<b>.080</b>	<b>2008/03</b>	<b>DUE</b>
<b>RADIUM 228</b>	<b>11501</b>	<b>003</b>	<b>2013/10/22</b>	<b>. .028</b>	<b>2014/01</b>	<b>DUE</b>
<b>URANIUM (PCI/L)</b>	<b>28012</b>	<b>003</b>	<b>2013/10/22</b>	<b>. 1.800</b>	<b>2014/01</b>	<b>DUE</b>

**REGULATED SOC**

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2012/07/23	< 3.000	2015/04	
THIOBENCARB	A-001	033	2012/07/23	< 1.000	2015/04	

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	012	2014/04/28	< .500	2015/04	
1,1,2,2-TETRACHLOROETHANE	34516	012	2014/04/28	< .500	2015/04	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/04/28	< 10.000	2015/04	
1,1,2-TRICHLOROETHANE	34511	012	2014/04/28	< .500	2015/04	
1,1-DICHLOROETHANE	34496	012	2014/04/28	< .500	2015/04	
1,1-DICHLOROETHYLENE	34501	012	2014/04/28	< .500	2015/04	

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910105**

**System Name: PARAMOUNT - CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910105-016**

**Source Name: WELL 14**

**Source Number: 016**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED VOC**

1,2,4-TRICHLOROENZENE	34551	012	2014/04/28	< .500	2015/04
1,2-DICHLOROENZENE	34536	012	2014/04/28	< .500	2015/04
1,2-DICHLOROETHANE	34531	012	2014/04/28	< .500	2015/04
1,2-DICHLOROPROPANE	34541	012	2014/04/28	< .500	2015/04
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/04/28	< .500	2015/04
1,4-DICHLOROENZENE	34571	012	2014/04/28	< .500	2015/04
BENZENE	34030	012	2014/04/28	< .500	2015/04
CARBON TETRACHLORIDE	32102	012	2014/04/28	< .500	2015/04
CIS-1,2-DICHLOROETHYLENE	77093	012	2014/04/28	< .500	2015/04
DICHLOROMETHANE	34423	012	2014/04/28	< .500	2015/04
ETHYLBENZENE	34371	012	2014/04/28	< .500	2015/04
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/04/28	< 3.000	2015/04
MONOCHLOROENZENE	34301	012	2014/04/28	< .500	2015/04
STYRENE	77128	012	2014/04/28	< .500	2015/04
TETRACHLOROETHYLENE	34475	012	2014/04/28	< .500	2015/04
TOLUENE	34010	012	2014/04/28	< .500	2015/04
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/04/28	< .500	2015/04
TRICHLOROETHYLENE	39180	012	2014/04/28	< .500	2015/04
TRICHLOROFUOROMETHANE	34488	012	2014/04/28	< 5.000	2015/04
VINYL CHLORIDE	39175	012	2014/04/28	< .500	2015/04
XYLENES (TOTAL)	81551	012	2014/04/28	< .000	2015/04

**SECONDARY/GP**

BICARBONATE ALKALINITY	00440	036	2011/07/22	. 170.000	2014/07
CALCIUM	00916	036	2011/07/22	. 68.000	2014/07
CARBONATE ALKALINITY	00445	036	2011/07/22	< 2.000	2014/07
CHLORIDE	00940	036	2011/07/22	. 31.000	2014/07
COLOR	00081	036	2011/07/22	< 1.000	2014/07
COPPER	01042	036	2011/07/22	< 50.000	2014/07
FOAMING AGENTS (MBAS)	38260	036	2011/07/22	< .100	2014/07

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910105**

**System Name: PARAMOUNT - CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910105-016**

**Source Name: WELL 14**

**Source Number: 016**

**Source Status: ACTIVE RAW**

**Water type: G**

**SECONDARY/GP**

HARDNESS (TOTAL) AS CaCO3	00900	036	2011/07/22	. 220.000	2014/07
HYDROXIDE ALKALINITY	71830	036	2011/07/22	< 2.000	2014/07
IRON	01045	036	2014/06/17	. .000	2017/06
MAGNESIUM	00927	036	2011/07/22	. 11.000	2014/07
MANGANESE	01055	036	2014/06/18	< 20.000	2017/06
ODOR THRESHOLD @ 60 C	00086	036	2011/07/22	< 1.000	2014/07
PH, LABORATORY	00403	036	2011/07/22	. 7.900	2014/07
SILVER	01077	036	2011/07/22	< 10.000	2014/07
SODIUM	00929	036	2011/07/22	35.000	2014/07
SPECIFIC CONDUCTANCE	00095	036	2011/07/22	. 520.000	2014/07
SULFATE	00945	036	2011/07/22	68.000	2014/07
TOTAL DISSOLVED SOLIDS	70300	036	2011/07/22	. 370.000	2014/07
TURBIDITY, LABORATORY	82079	036	2011/07/22	< .100	2014/07
ZINC	01092	036	2011/07/22	< 50.000	2014/07

**PS Code: 1910105-020**

**Source Name: MWD CONNECTION NO. CB-13 - TREATED**

**Source Number: 020**

**Source Status: PURCHASED TREATED**

**Water type: S**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

\*Testing interval is in months;  
 0 = No data for this constituent and is DUE NOW  
 I = Invalid (NOT) valid analyses reported  
 Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910105**

**System Name: PARAMOUNT - CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910105-021**

**Source Name: MWD CONNECTION NO. CB-52 - TREATED**

**Source Number: 021**

**Source Status: PURCHASED TREATED**

**Water type: S**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

**PS Code: 1910105-024**

**Source Name: WELL 13 TREATMENT PLANT EFFLUENT**

**Source Number: 024**

**Source Status: ACTIVE TREATED**

**Water type: S**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

**PS Code: 1910105-025**

**Source Name: WELL 15**

**Source Number: 025**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

ALUMINUM	01105	036	2012/09/20	< 50.000	2015/09
ANTIMONY	01097	036	2012/09/20	< 6.000	2015/09
ARSENIC	01002	036	2014/06/17	. 6.790	2017/06
BARIUM	01007	036	2012/09/20	170.000	2015/09
BERYLLIUM	01012	036	2012/09/20	< 1.000	2015/09
CADMIUM	01027	036	2012/09/20	< 1.000	2015/09
CHROMIUM (TOTAL)	01034	036	2012/09/20	< 10.000	2015/09
<b>CHROMIUM, HEXAVALENT</b>	01032	000			
CYANIDE	01291	036	2012/09/20	< 100.000	2015/09
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2012/09/20	. .330	2015/09
MERCURY	71900	036	2012/09/20	< 1.000	2015/09
NICKEL	01067	036	2012/09/20	< 10.000	2015/09
PERCHLORATE	A-031	012	2013/07/31	< 4.000	2014/07

**DUE**

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910105**

**System Name: PARAMOUNT - CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910105-025**

**Source Name: WELL 15**

**Source Number: 025**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

SELENIUM	01147	036	2012/09/20	< 5.000	2015/09
THALLIUM	01059	036	2012/09/20	< 1.000	2015/09

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	012	2013/07/31	< 2.000	2014/07
NITRITE (AS N)	00620	036	2012/09/20	< 400.000	2015/09

**RADIOLOGICAL**

GROSS ALPHA	01501	003	2014/04/28	< 3.000	2014/07
<b>RADIUM 226</b>	09501	000			<b>DUE</b>
RADIUM 228	11501	003	2014/04/28	.000	2014/07
URANIUM (PCI/L)	28012	003	2014/04/28	< 1.000	2014/07

**REGULATED SOC**

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2012/10/16	< 3.000	2015/07
THIOBENCARB	A-001	033	2012/10/16	< 1.000	2015/07

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	012	2014/04/28	< .500	2015/04
1,1,2,2-TETRACHLOROETHANE	34516	012	2014/04/28	< .500	2015/04
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/04/28	< 10.000	2015/04
1,1,2-TRICHLOROETHANE	34511	012	2014/04/28	< .500	2015/04
1,1-DICHLOROETHANE	34496	012	2014/04/28	< .500	2015/04
1,1-DICHLOROETHYLENE	34501	012	2014/04/28	< .500	2015/04
1,2,4-TRICHLOROBENZENE	34551	012	2014/04/28	< .500	2015/04
1,2-DICHLOROBENZENE	34536	012	2014/04/28	< .500	2015/04
1,2-DICHLOROETHANE	34531	012	2014/04/28	< .500	2015/04
1,2-DICHLOROPROPANE	34541	012	2014/04/28	< .500	2015/04
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/04/28	< .500	2015/04
1,4-DICHLOROBENZENE	34571	012	2014/04/28	< .500	2015/04
BENZENE	34030	012	2014/04/28	< .500	2015/04
CARBON TETRACHLORIDE	32102	012	2014/04/28	< .500	2015/04

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910105**

**System Name: PARAMOUNT - CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910105-025**

**Source Name: WELL 15**

**Source Number: 025**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED VOC**

CIS-1,2-DICHLOROETHYLENE	77093	012	2014/04/28	< .500	2015/04
DICHLOROMETHANE	34423	012	2014/04/28	< .500	2015/04
ETHYLBENZENE	34371	012	2014/04/28	< .500	2015/04
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/04/28	< 3.000	2015/04
MONOCHLOROBENZENE	34301	012	2014/04/28	< .500	2015/04
STYRENE	77128	012	2014/04/28	< .500	2015/04
TETRACHLOROETHYLENE	34475	012	2014/04/28	< .500	2015/04
TOLUENE	34010	012	2014/04/28	< .500	2015/04
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/04/28	< .500	2015/04
TRICHLOROETHYLENE	39180	012	2014/04/28	< .500	2015/04
TRICHLOROFUOROMETHANE	34488	012	2014/04/28	< 5.000	2015/04
VINYL CHLORIDE	39175	012	2014/04/28	< .500	2015/04
XYLENES (TOTAL)	81551	012	2014/04/28	< .000	2015/04

**SECONDARY/GP**

BICARBONATE ALKALINITY	00440	036	2012/09/20	. 200.000	2015/09
CALCIUM	00916	036	2012/09/20	. 51.000	2015/09
CARBONATE ALKALINITY	00445	036	2012/09/20	2.400	2015/09
CHLORIDE	00940	036	2012/09/20	. 20.000	2015/09
COLOR	00081	036	2012/09/20	< 1.000	2015/09
COPPER	01042	036	2012/09/20	< 50.000	2015/09
FOAMING AGENTS (MBAS)	38260	036	2012/09/20	< .100	2015/09
HARDNESS (TOTAL) AS CaCO3	00900	036	2012/09/20	. 150.000	2015/09
HYDROXIDE ALKALINITY	71830	036	2012/09/20	< 1.400	2015/09
IRON	01045	036	2014/06/17	. .000	2017/06
MAGNESIUM	00927	036	2012/09/20	. 6.500	2015/09
MANGANESE	01055	036	2014/06/18	. 44.000	2017/06
ODOR THRESHOLD @ 60 C	00086	036	2012/09/20	< 1.000	2015/09
PH, LABORATORY	00403	036	2012/09/20	. 8.130	2015/09
SILVER	01077	036	2012/09/20	< 10.000	2015/09

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)



**System Number: 1910105**

**System Name: PARAMOUNT - CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910105-025**

**Source Name: WELL 15**

**Source Number: 025**

**Source Status: ACTIVE RAW**

**Water type: G**

**SECONDARY/GP**

SODIUM	00929	036	2012/09/20	40.000	2015/09
SPECIFIC CONDUCTANCE	00095	036	2012/09/20	530.000	2015/09
SULFATE	00945	036	2012/09/20	65.000	2015/09
TOTAL DISSOLVED SOLIDS	70300	036	2012/09/20	340.000	2015/09
TURBIDITY, LABORATORY	82079	036	2012/09/20	.190	2015/09
ZINC	01092	036	2012/09/20	< 50.000	2015/09

**PS Code: 1910105-027**

**Source Name: COMBINED FILTER EFFLUENT**

**Source Number: 027**

**Source Status: COMBINATION OR BLEND TREATED**

**Water type: S**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

**PS Code: 1910105-800**

**Source Name: SITE 1-15125 GARFILED AVENUE-STG2 DBP**

**Source Number: 800**

**Source Status: DISTRIBUTION TREATED**

**Water type: S**

**HALOACETIC ACIDS**

DIBROMOACETIC ACID (DBAA)	82721	003	2014/07/01	2.470	2014/10
DICHLOROACETIC ACID (DCAA)	77288	003	2014/07/01	.000	2014/10
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/07/01	3.620	2014/10
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/07/01	.000	2014/10
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/07/01	.000	2014/10
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/07/01	1.150	2014/10

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910105**

**System Name: PARAMOUNT - CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910105-800**

**Source Name: SITE 1-15125 GARFILED AVENUE-STG2 DBP**

**Source Number: 800**

**Source Status: DISTRIBUTION TREATED**

**Water type: S**

**STATE UCMR**

BROMODICHLORMETHANE (THM)	32101	003	2014/07/01	.000	2014/10
BROMOFORM (THM)	32104	003	2014/07/01	.000	2014/10
CHLOROFORM (THM)	32106	003	2014/07/01	.000	2014/10
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/07/01	.887	2014/10

**TRIHALOMETHANES**

TOTAL TRIHALOMETHANES	82080	003	2014/07/01	1.170	2014/10
-----------------------	-------	-----	------------	-------	---------

**PS Code: 1910105-801**

**Source Name: SITE 2-7039 SOMERSET BLVD-STG2 DBP**

**Source Number: 801**

**Source Status: DISTRIBUTION TREATED**

**Water type: S**

**HALOACETIC ACIDS**

DIBROMOACETIC ACID (DBAA)	82721	003	2014/07/01	2.980	2014/10
DICHLOROACETIC ACID (DCAA)	77288	003	2014/07/01	.000	2014/10
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/07/01	2.980	2014/10
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/07/01	.000	2014/10
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/07/01	.000	2014/10
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/07/01	.000	2014/10

**STATE UCMR**

BROMODICHLORMETHANE (THM)	32101	003	2014/07/01	.000	2014/10
BROMOFORM (THM)	32104	003	2014/07/01	.580	2014/10
CHLOROFORM (THM)	32106	003	2014/07/01	.000	2014/10
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/07/01	.000	2014/10

**TRIHALOMETHANES**

TOTAL TRIHALOMETHANES	82080	003	2014/07/01	.925	2014/10
-----------------------	-------	-----	------------	------	---------

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910105**

**System Name: PARAMOUNT - CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910105-802**

**Source Name: SITE 3-6627 SAN VICENTE STREET-STG2 DBP**

**Source Number: 802**

**Source Status: DISTRIBUTION TREATED**

**Water type: S**

**HALOACETIC ACIDS**

DIBROMOACETIC ACID (DBAA)	82721	003	2014/07/01	. 2.530	2014/10
DICHLOROACETIC ACID (DCAA)	77288	003	2014/07/01	. .000	2014/10
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/07/01	. 3.580	2014/10
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/07/01	. .000	2014/10
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/07/01	. .000	2014/10
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/07/01	. 1.050	2014/10

**STATE UCMR**

BROMODICHLORMETHANE (THM)	32101	003	2014/07/01	. .000	2014/10
BROMOFORM (THM)	32104	003	2014/07/01	. .000	2014/10
CHLOROFORM (THM)	32106	003	2014/07/01	. .000	2014/10
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/07/01	. .000	2014/10

**TRIHALOMETHANES**

TOTAL TRIHALOMETHANES	82080	003	2014/07/01	. .000	2014/10
-----------------------	-------	-----	------------	--------	---------

**PS Code: 1910105-803**

**Source Name: SITE 4-6851 WALTHALL WAY-STG2 DBP**

**Source Number: 803**

**Source Status: DISTRIBUTION TREATED**

**Water type: S**

**HALOACETIC ACIDS**

DIBROMOACETIC ACID (DBAA)	82721	003	2014/07/01	. 3.320	2014/10
DICHLOROACETIC ACID (DCAA)	77288	003	2014/07/01	. .000	2014/10
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/07/01	. 3.320	2014/10
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/07/01	. .000	2014/10
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/07/01	. .000	2014/10
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/07/01	. .000	2014/10

**STATE UCMR**

BROMODICHLORMETHANE (THM)	32101	003	2014/07/01	. .680	2014/10
---------------------------	-------	-----	------------	--------	---------

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910105**

**System Name: PARAMOUNT - CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910105-803**

**Source Name: SITE 4-6851 WALTHALL WAY-STG2 DBP**

**Source Number: 803**

**Source Status: DISTRIBUTION TREATED**

**Water type: S**

**STATE UCMR**

BROMOFORM (THM)	32104	003	2014/07/01	.918	2014/10
CHLOROFORM (THM)	32106	003	2014/07/01	.000	2014/10
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/07/01	2.330	2014/10

**TRIHALOMETHANES**

TOTAL TRIHALOMETHANES	82080	003	2014/07/01	3.930	2014/10
-----------------------	-------	-----	------------	-------	---------

**PS Code: 1910105-804**

**Source Name: SITE 5-14051 MCCLURE BLVD.-STG2 DBP**

**Source Number: 804**

**Source Status: DISTRIBUTION TREATED**

**Water type: S**

**HALOACETIC ACIDS**

DIBROMOACETIC ACID (DBAA)	82721	003	2014/07/01	3.390	2014/10
DICHLOROACETIC ACID (DCAA)	77288	003	2014/07/01	1.090	2014/10
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/07/01	5.560	2014/10
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/07/01	.000	2014/10
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/07/01	.000	2014/10
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/07/01	1.090	2014/10

**STATE UCMR**

BROMODICHLORMETHANE (THM)	32101	003	2014/07/01	1.510	2014/10
BROMOFORM (THM)	32104	003	2014/07/01	1.590	2014/10
CHLOROFORM (THM)	32106	003	2014/07/01	.670	2014/10
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/07/01	3.610	2014/10

**TRIHALOMETHANES**

TOTAL TRIHALOMETHANES	82080	003	2014/07/01	7.380	2014/10
-----------------------	-------	-----	------------	-------	---------

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910105**

**System Name: PARAMOUNT - CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910105-805**

**Source Name: SITE 6-7548 CENTURY BLVD.-STG2 DBP**

**Source Number: 805**

**Source Status: DISTRIBUTION TREATED**

**Water type: S**

**HALOACETIC ACIDS**

DIBROMOACETIC ACID (DBAA)	82721	003	2014/07/01	. 2.880	2014/10
DICHLOROACETIC ACID (DCAA)	77288	003	2014/07/01	. .000	2014/10
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/07/01	. 4.020	2014/10
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/07/01	. .000	2014/10
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/07/01	. .000	2014/10
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/07/01	. 1.140	2014/10

**STATE UCMR**

BROMODICHLORMETHANE (THM)	32101	003	2014/07/01	. 1.060	2014/10
BROMOFORM (THM)	32104	003	2014/07/01	. 1.900	2014/10
CHLOROFORM (THM)	32106	003	2014/07/01	. .000	2014/10
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/07/01	. 3.440	2014/10

**TRIHALOMETHANES**

TOTAL TRIHALOMETHANES	82080	003	2014/07/01	. 6.390	2014/10
-----------------------	-------	-----	------------	---------	---------

**PS Code: 1910105-806**

**Source Name: SITE 7-13909 FLORINE AVENUE-STG2 DBP**

**Source Number: 806**

**Source Status: DISTRIBUTION TREATED**

**Water type: S**

**HALOACETIC ACIDS**

DIBROMOACETIC ACID (DBAA)	82721	003	2014/07/01	. 3.000	2014/10
DICHLOROACETIC ACID (DCAA)	77288	003	2014/07/01	. .000	2014/10
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/07/01	. 3.000	2014/10
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/07/01	. .000	2014/10
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/07/01	. .000	2014/10
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/07/01	. .000	2014/10

**STATE UCMR**

BROMODICHLORMETHANE (THM)	32101	003	2014/07/01	. 1.020	2014/10
---------------------------	-------	-----	------------	---------	---------

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910105**

**System Name: PARAMOUNT - CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910105-806**

**Source Name: SITE 7-13909 FLORINE AVENUE-STG2 DBP**

**Source Number: 806**

**Source Status: DISTRIBUTION TREATED**

**Water type: S**

**STATE UCMR**

BROMOFORM (THM)	32104	003	2014/07/01	. 2.020	2014/10
CHLOROFORM (THM)	32106	003	2014/07/01	. .000	2014/10
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/07/01	. 3.610	2014/10

**TRIHALOMETHANES**

TOTAL TRIHALOMETHANES	82080	003	2014/07/01	. 6.650	2014/10
-----------------------	-------	-----	------------	---------	---------

**PS Code: 1910105-807**

**Source Name: SITE 8-6513 SAN LUIS STREET-STG2 DBP**

**Source Number: 807**

**Source Status: DISTRIBUTION TREATED**

**Water type: S**

**HALOACETIC ACIDS**

DIBROMOACETIC ACID (DBAA)	82721	003	2014/07/01	. 2.400	2014/10
DICHLOROACETIC ACID (DCAA)	77288	003	2014/07/01	. .000	2014/10
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/07/01	. 2.400	2014/10
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/07/01	. .000	2014/10
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/07/01	. .000	2014/10
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/07/01	. .000	2014/10

**STATE UCMR**

BROMODICHLORMETHANE (THM)	32101	003	2014/07/01	. .000	2014/10
BROMOFORM (THM)	32104	003	2014/07/01	. .533	2014/10
CHLOROFORM (THM)	32106	003	2014/07/01	. .000	2014/10
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/07/01	. 1.430	2014/10

**TRIHALOMETHANES**

TOTAL TRIHALOMETHANES	82080	003	2014/07/01	. 2.250	2014/10
-----------------------	-------	-----	------------	---------	---------

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910125**

**System Name: PICO WD**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910125-002**

**Source Name: WELL 02**

**Source Number: 002**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

ALUMINUM	01105	036	2013/03/26	< 50.000	2016/03
ANTIMONY	01097	036	2013/03/26	< 6.000	2016/03
ARSENIC	01002	036	2013/03/26	< 2.000	2016/03
BARIUM	01007	036	2013/03/26	< 100.000	2016/03
BERYLLIUM	01012	036	2013/03/26	< 1.000	2016/03
CADMIUM	01027	036	2013/03/26	< 1.000	2016/03
CHROMIUM (TOTAL)	01034	036	2013/03/26	< 10.000	2016/03
CYANIDE	01291	036	2013/03/26	< 100.000	2016/03
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/03/26	.340	2016/03
MERCURY	71900	036	2013/03/26	< 1.000	2016/03
NICKEL	01067	036	2013/03/26	< 10.000	2016/03
PERCHLORATE	A-031	012	2014/05/08	< 4.000	2015/05
SELENIUM	01147	036	2013/03/26	< 5.000	2016/03
THALLIUM	01059	036	2013/03/26	< 1.000	2016/03

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	012	2014/05/08	. 9.300	2015/05
NITRITE (AS N)	00620	036	2013/03/26	< 400.000	2016/03

**RADIOLOGICAL**

<b>GROSS ALPHA</b>	01501	003	2012/08/21	< 3.000	2012/11 DUE
--------------------	-------	-----	------------	---------	-------------

**REGULATED SOC**

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2012/08/21	< 3.000	2015/05
THIOBENCARB	A-001	033	2012/08/21	< 1.000	2015/05

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	012	2014/03/20	< .500	2015/03
1,1,2,2-TETRACHLOROETHANE	34516	012	2014/03/20	< .500	2015/03
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/03/20	< 10.000	2015/03
1,1,2-TRICHLOROETHANE	34511	012	2014/03/20	< .500	2015/03
1,1-DICHLOROETHANE	34496	012	2014/03/20	< .500	2015/03

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910125**

**System Name: PICO WD**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910125-002**

**Source Name: WELL 02**

**Source Number: 002**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED VOC**

1,1-DICHLOROETHYLENE	34501	012	2014/03/20	< .500	2015/03
1,2,4-TRICHLOROBENZENE	34551	012	2014/03/20	< .500	2015/03
1,2-DICHLOROBENZENE	34536	012	2014/03/20	< .500	2015/03
1,2-DICHLOROETHANE	34531	012	2014/03/20	< .500	2015/03
1,2-DICHLOROPROPANE	34541	012	2014/03/20	< .500	2015/03
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/03/20	< .500	2015/03
1,4-DICHLOROBENZENE	34571	012	2014/03/20	< .500	2015/03
BENZENE	34030	012	2014/03/20	< .500	2015/03
CARBON TETRACHLORIDE	32102	012	2014/03/20	< .500	2015/03
CIS-1,2-DICHLOROETHYLENE	77093	012	2014/03/20	< .500	2015/03
DICHLOROMETHANE	34423	012	2014/03/20	< .500	2015/03
ETHYLBENZENE	34371	012	2014/03/20	< .500	2015/03
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/03/20	< 3.000	2015/03
MONOCHLOROENZENE	34301	012	2014/03/20	< .500	2015/03
STYRENE	77128	012	2014/03/20	< .500	2015/03
TETRACHLOROETHYLENE	34475	012	2014/03/20	< .500	2015/03
TOLUENE	34010	012	2014/03/20	< .500	2015/03
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/03/20	< .500	2015/03
TRICHLOROETHYLENE	39180	012	2014/03/20	< .500	2015/03
TRICHLOROFUOROMETHANE	34488	012	2014/03/20	< 5.000	2015/03
VINYL CHLORIDE	39175	012	2014/03/20	< .500	2015/03
XYLENES (TOTAL)	81551	012	2014/03/20	< .000	2015/03

**SECONDARY/GP**

BICARBONATE ALKALINITY	00440	036	2013/03/26	. 220.000	2016/03
CALCIUM	00916	036	2013/03/26	. 72.900	2016/03
CARBONATE ALKALINITY	00445	036	2013/03/26	< .000	2016/03
CHLORIDE	00940	036	2013/03/26	. 100.000	2016/03
COLOR	00081	036	2013/03/26	< .000	2016/03
COPPER	01042	036	2013/03/26	< 50.000	2016/03

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)



**System Number: 1910125**  
**System Name: PICO WD**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910125-002**  
**Source Name: WELL 02**  
**Source Number: 002**  
**Source Status: ACTIVE RAW**  
**Water type: G**

**SECONDARY/GP**

FOAMING AGENTS (MBAS)	38260	036	2013/03/26	< .000	2016/03
HARDNESS (TOTAL) AS CaCO3	00900	036	2013/03/26	. 260.000	2016/03
HYDROXIDE ALKALINITY	71830	036	2013/03/26	< .000	2016/03
IRON	01045	036	2013/03/26	< 100.000	2016/03
MAGNESIUM	00927	036	2013/03/26	. 18.200	2016/03
MANGANESE	01055	036	2013/03/26	< 20.000	2016/03
ODOR THRESHOLD @ 60 C	00086	036	2013/03/26	1.000	2016/03
PH, LABORATORY	00403	036	2013/03/26	. 7.350	2016/03
SILVER	01077	036	2013/03/26	< 10.000	2016/03
SODIUM	00929	036	2013/03/26	88.000	2016/03
SPECIFIC CONDUCTANCE	00095	036	2013/03/26	. 920.000	2016/03
SULFATE	00945	036	2013/03/26	130.000	2016/03
TOTAL DISSOLVED SOLIDS	70300	036	2013/03/26	. 570.000	2016/03
TURBIDITY, LABORATORY	82079	036	2013/03/26	. .120	2016/03
ZINC	01092	036	2013/03/26	< 50.000	2016/03

**PS Code: 1910125-004**  
**Source Name: WELL 04A**  
**Source Number: 004**  
**Source Status: ACTIVE RAW**  
**Water type: G**

**INORGANIC**

ALUMINUM	01105	036	2011/08/29	< .000	2014/08
ANTIMONY	01097	036	2011/08/29	< .000	2014/08
ARSENIC	01002	036	2011/08/29	. 2.000	2014/08
BARIUM	01007	036	2011/08/29	< .000	2014/08
BERYLLIUM	01012	036	2011/08/29	< .000	2014/08
CADMIUM	01027	036	2011/08/29	< .000	2014/08
CHROMIUM (TOTAL)	01034	036	2011/08/29	< .000	2014/08

\*Testing interval is in months;  
 0 = No data for this constituent and is DUE NOW  
 I = Invalid (NOT) valid analyses reported  
 Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910125**  
**System Name: PICO WD**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910125-004**  
**Source Name: WELL 04A**  
**Source Number: 004**  
**Source Status: ACTIVE RAW**  
**Water type: G**

**INORGANIC**

CYANIDE	01291	036	2011/08/29	< .000	2014/08
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2011/08/29	.300	2014/08
MERCURY	71900	036	2011/08/29	< .000	2014/08
NICKEL	01067	036	2011/08/29	< .000	2014/08
PERCHLORATE	A-031	012	2014/05/23	< 4.000	2015/05
SELENIUM	01147	036	2011/08/29	< .000	2014/08
THALLIUM	01059	036	2011/08/29	< .000	2014/08

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	012	2013/08/21	< 2.000	2014/08
NITRITE (AS N)	00620	036	2013/08/21	< 400.000	2016/08

**RADIOLOGICAL**

<b>GROSS ALPHA</b>	01501	003	2012/03/13	. 8.100	2012/06	<b>DUE</b>
--------------------	-------	-----	------------	---------	---------	------------

**REGULATED SOC**

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2012/08/21	< 3.000	2015/05
THIOBENCARB	A-001	033	2012/08/21	< 1.000	2015/05

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	012	2014/03/20	< .500	2015/03
1,1,2,2-TETRACHLOROETHANE	34516	012	2014/03/20	< .500	2015/03
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/03/20	< 10.000	2015/03
1,1,2-TRICHLOROETHANE	34511	012	2014/03/20	< .500	2015/03
1,1-DICHLOROETHANE	34496	012	2014/03/20	< .500	2015/03
1,1-DICHLOROETHYLENE	34501	012	2014/03/20	< .500	2015/03
1,2,4-TRICHLOROBENZENE	34551	012	2014/03/20	< .500	2015/03
1,2-DICHLOROBENZENE	34536	012	2014/03/20	< .500	2015/03
1,2-DICHLOROETHANE	34531	012	2014/03/20	< .500	2015/03
1,2-DICHLOROPROPANE	34541	012	2014/03/20	< .500	2015/03
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/03/20	< .500	2015/03
1,4-DICHLOROBENZENE	34571	012	2014/03/20	< .500	2015/03

\*Testing interval is in months;  
 0 = No data for this constituent and is DUE NOW  
 I = Invalid (NOT) valid analyses reported  
 Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910125**  
**System Name: PICO WD**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910125-004**  
**Source Name: WELL 04A**  
**Source Number: 004**  
**Source Status: ACTIVE RAW**  
**Water type: G**

**REGULATED VOC**

BENZENE	34030	012	2014/03/20	< .500	2015/03
CARBON TETRACHLORIDE	32102	012	2014/03/20	< .500	2015/03
CIS-1,2-DICHLOROETHYLENE	77093	012	2014/03/20	< .500	2015/03
DICHLOROMETHANE	34423	012	2014/03/20	< .500	2015/03
ETHYLBENZENE	34371	012	2014/03/20	< .500	2015/03
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/03/20	< 3.000	2015/03
MONOCHLOROBENZENE	34301	012	2014/03/20	< .500	2015/03
STYRENE	77128	012	2014/03/20	< .500	2015/03
TETRACHLOROETHYLENE	34475	012	2014/03/20	< .500	2015/03
TOLUENE	34010	012	2014/03/20	< .500	2015/03
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/03/20	< .500	2015/03
TRICHLOROETHYLENE	39180	012	2014/03/20	< .500	2015/03
TRICHLOROFUOROMETHANE	34488	012	2014/03/20	< 5.000	2015/03
VINYL CHLORIDE	39175	012	2014/03/20	< .500	2015/03
XYLENES (TOTAL)	81551	012	2014/03/20	< .000	2015/03

**SECONDARY/GP**

BICARBONATE ALKALINITY	00440	036	2011/08/29	. 220.000	2014/08
CALCIUM	00916	036	2011/08/29	. 93.000	2014/08
CARBONATE ALKALINITY	00445	036	2011/08/29	< .000	2014/08
CHLORIDE	00940	036	2011/08/29	. 110.000	2014/08
COLOR	00081	036	2011/08/29	< .000	2014/08
COPPER	01042	036	2011/08/29	< .000	2014/08
FOAMING AGENTS (MBAS)	38260	036	2011/08/29	< .000	2014/08
HARDNESS (TOTAL) AS CaCO3	00900	036	2011/08/29	. 310.000	2014/08
HYDROXIDE ALKALINITY	71830	036	2011/08/29	< .000	2014/08
IRON	01045	036	2011/08/29	< .000	2014/08
MAGNESIUM	00927	036	2011/08/29	. 19.000	2014/08
MANGANESE	01055	036	2011/08/29	< .000	2014/08
ODOR THRESHOLD @ 60 C	00086	036	2011/08/29	1.000	2014/08

\*Testing interval is in months;  
 0 = No data for this constituent and is DUE NOW  
 I = Invalid (NOT) valid analyses reported  
 Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910125**  
**System Name: PICO WD**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910125-004**  
**Source Name: WELL 04A**  
**Source Number: 004**  
**Source Status: ACTIVE RAW**  
**Water type: G**

**SECONDARY/GP**

PH, LABORATORY	00403	036	2011/08/29	. 7.450	2014/08
SILVER	01077	036	2011/08/29	< .000	2014/08
SODIUM	00929	036	2011/08/29	80.000	2014/08
SPECIFIC CONDUCTANCE	00095	036	2011/08/29	. 970.000	2014/08
SULFATE	00945	036	2011/08/29	140.000	2014/08
TOTAL DISSOLVED SOLIDS	70300	036	2011/08/29	. 590.000	2014/08
TURBIDITY, LABORATORY	82079	036	2011/08/29	< .000	2014/08
ZINC	01092	036	2011/08/29	< .000	2014/08

**PS Code: 1910125-006**  
**Source Name: WELL 05A**  
**Source Number: 006**  
**Source Status: ACTIVE RAW**  
**Water type: G**

**INORGANIC**

ALUMINUM	01105	036	2011/08/18	< .000	2014/08
ANTIMONY	01097	036	2011/08/18	< .000	2014/08
ARSENIC	01002	036	2011/08/18	. 2.200	2014/08
BARIUM	01007	036	2011/08/18	130.000	2014/08
BERYLLIUM	01012	036	2011/08/18	< .000	2014/08
CADMIUM	01027	036	2011/08/18	< .000	2014/08
CHROMIUM (TOTAL)	01034	036	2011/08/18	< .000	2014/08
CYANIDE	01291	036	2011/08/18	< .000	2014/08
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2011/08/18	. .260	2014/08
MERCURY	71900	036	2011/08/18	< .000	2014/08
NICKEL	01067	036	2011/08/18	< .000	2014/08
PERCHLORATE	A-031	012	2014/05/23	< 4.000	2015/05
SELENIUM	01147	036	2011/08/18	< .000	2014/08
THALLIUM	01059	036	2011/08/18	< .000	2014/08

\*Testing interval is in months;  
 0 = No data for this constituent and is DUE NOW  
 I = Invalid (NOT) valid analyses reported  
 Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910125**

**System Name: PICO WD**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910125-006**

**Source Name: WELL 05A**

**Source Number: 006**

**Source Status: ACTIVE RAW**

**Water type: G**

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	012	2013/08/15	. 9.200	2014/08
NITRITE (AS N)	00620	036	2011/08/18	< .000	2014/08

**RADIOLOGICAL**

GROSS ALPHA	01501	003	2012/03/13	. 4.560	2012/06	DUE
RADIUM 226	09501	003	2008/09/26	.000	2008/12	DUE
RADIUM 228	11501	003	2012/03/13	.000	2012/06	DUE
URANIUM (PCI/L)	28012	003	2012/03/13	. 5.100	2012/06	DUE

**REGULATED SOC**

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2012/08/17	< 3.000	2015/05
THIOBENCARB	A-001	033	2012/08/17	< 1.000	2015/05

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	012	2014/03/20	< .500	2015/03
1,1,2,2-TETRACHLOROETHANE	34516	012	2014/03/20	< .500	2015/03
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/03/20	< 10.000	2015/03
1,1,2-TRICHLOROETHANE	34511	012	2014/03/20	< .500	2015/03
1,1-DICHLOROETHANE	34496	012	2014/03/20	< .500	2015/03
1,1-DICHLOROETHYLENE	34501	012	2014/03/20	< .500	2015/03
1,2,4-TRICHLOROBENZENE	34551	012	2014/03/20	< .500	2015/03
1,2-DICHLOROBENZENE	34536	012	2014/03/20	< .500	2015/03
1,2-DICHLOROETHANE	34531	012	2014/03/20	< .500	2015/03
1,2-DICHLOROPROPANE	34541	012	2014/03/20	< .500	2015/03
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/03/20	< .500	2015/03
1,4-DICHLOROBENZENE	34571	012	2014/03/20	< .500	2015/03
BENZENE	34030	012	2014/03/20	< .500	2015/03
CARBON TETRACHLORIDE	32102	012	2014/03/20	< .500	2015/03
CIS-1,2-DICHLOROETHYLENE	77093	012	2014/03/20	< .500	2015/03
DICHLOROMETHANE	34423	012	2014/03/20	< .500	2015/03
ETHYLBENZENE	34371	012	2014/03/20	< .500	2015/03

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910125**  
**System Name: PICO WD**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910125-006**  
**Source Name: WELL 05A**  
**Source Number: 006**  
**Source Status: ACTIVE RAW**  
**Water type: G**

**REGULATED VOC**

METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/03/20	< 3.000	2015/03
MONOCHLORO BENZENE	34301	012	2014/03/20	< .500	2015/03
STYRENE	77128	012	2014/03/20	< .500	2015/03
<b>TETRACHLOROETHYLENE</b>	<b>34475</b>	<b>003</b>	<b>2014/03/20</b>	< .500	<b>2014/06 DUE</b>
TOLUENE	34010	012	2014/03/20	< .500	2015/03
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/03/20	< .500	2015/03
TRICHLOROETHYLENE	39180	012	2014/03/20	< .500	2015/03
TRICHLOROFLUOROMETHANE	34488	012	2014/03/20	< 5.000	2015/03
VINYL CHLORIDE	39175	012	2014/03/20	< .500	2015/03
XYLENES (TOTAL)	81551	012	2014/03/20	< .000	2015/03

**SECONDARY/GP**

BICARBONATE ALKALINITY	00440	036	2011/08/18	. 260.000	2014/08
CALCIUM	00916	036	2011/08/18	. 100.000	2014/08
CARBONATE ALKALINITY	00445	036	2011/08/18	< .000	2014/08
CHLORIDE	00940	036	2011/08/18	. 70.000	2014/08
COLOR	00081	036	2011/08/18	< .000	2014/08
COPPER	01042	036	2011/08/18	< .000	2014/08
FOAMING AGENTS (MBAS)	38260	036	2011/08/18	< .000	2014/08
HARDNESS (TOTAL) AS CaCO3	00900	036	2011/08/18	. 320.000	2014/08
HYDROXIDE ALKALINITY	71830	036	2011/08/18	< .000	2014/08
IRON	01045	036	2011/08/18	< .000	2014/08
MAGNESIUM	00927	036	2011/08/18	. 17.000	2014/08
MANGANESE	01055	036	2011/08/18	< .000	2014/08
ODOR THRESHOLD @ 60 C	00086	036	2011/08/18	1.000	2014/08
PH, LABORATORY	00403	036	2011/08/18	. 7.280	2014/08
SILVER	01077	036	2011/08/18	< .000	2014/08
SODIUM	00929	036	2011/08/18	51.000	2014/08
SPECIFIC CONDUCTANCE	00095	036	2011/08/18	. 860.000	2014/08
SULFATE	00945	036	2011/08/18	120.000	2014/08

\*Testing interval is in months;  
 0 = No data for this constituent and is DUE NOW  
 I = Invalid (NOT) valid analyses reported  
 Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910125**  
**System Name: PICO WD**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910125-006**  
**Source Name: WELL 05A**  
**Source Number: 006**  
**Source Status: ACTIVE RAW**  
**Water type: G**

**SECONDARY/GP**

TOTAL DISSOLVED SOLIDS	70300	036	2011/08/18	. 530.000	2014/08
TURBIDITY, LABORATORY	82079	036	2011/08/18	. .280	2014/08
ZINC	01092	036	2011/08/18	< .000	2014/08

**PS Code: 1910125-009**  
**Source Name: WELL 08**  
**Source Number: 009**  
**Source Status: ACTIVE RAW**  
**Water type: G**

**INORGANIC**

ALUMINUM	01105	036	2011/08/18	< .000	2014/08
ANTIMONY	01097	036	2011/08/18	< .000	2014/08
ARSENIC	01002	036	2011/08/18	< .000	2014/08
BARIUM	01007	036	2011/08/18	< .000	2014/08
BERYLLIUM	01012	036	2011/08/18	< .000	2014/08
CADMIUM	01027	036	2011/08/18	< .000	2014/08
CHROMIUM (TOTAL)	01034	036	2011/08/18	< .000	2014/08
CYANIDE	01291	036	2011/08/18	< .000	2014/08
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2011/08/18	. .300	2014/08
MERCURY	71900	036	2011/08/18	< .000	2014/08
NICKEL	01067	036	2011/08/18	< .000	2014/08
PERCHLORATE	A-031	012	2014/05/08	< 4.000	2015/05
SELENIUM	01147	036	2011/08/18	< .000	2014/08
THALLIUM	01059	036	2011/08/18	< .000	2014/08

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	012	2013/08/15	. 9.400	2014/08
NITRITE (AS N)	00620	036	2011/08/18	< .000	2014/08

\*Testing interval is in months;  
 0 = No data for this constituent and is DUE NOW  
 I = Invalid (NOT) valid analyses reported  
 Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910125**  
**System Name: PICO WD**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910125-009**  
**Source Name: WELL 08**  
**Source Number: 009**  
**Source Status: ACTIVE RAW**  
**Water type: G**

**RADIOLOGICAL**

<b>GROSS ALPHA</b>	<b>01501</b>	<b>003</b>	<b>2012/03/13</b>	<b>. 8.780</b>	<b>2012/06</b>	<b>DUE</b>
--------------------	--------------	------------	-------------------	----------------	----------------	------------

**REGULATED SOC**

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2012/08/17	< 3.000	2015/05
THIOBENCARB	A-001	033	2012/08/17	< 1.000	2015/05

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	012	2014/03/20	< .500	2015/03
1,1,2,2-TETRACHLOROETHANE	34516	012	2014/03/20	< .500	2015/03
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/03/20	< 10.000	2015/03
1,1,2-TRICHLOROETHANE	34511	012	2014/03/20	< .500	2015/03
1,1-DICHLOROETHANE	34496	012	2014/03/20	< .500	2015/03
1,1-DICHLOROETHYLENE	34501	012	2014/03/20	< .500	2015/03
1,2,4-TRICHLOROBENZENE	34551	012	2014/03/20	< .500	2015/03
1,2-DICHLOROBENZENE	34536	012	2014/03/20	< .500	2015/03
1,2-DICHLOROETHANE	34531	012	2014/03/20	< .500	2015/03
1,2-DICHLOROPROPANE	34541	012	2014/03/20	< .500	2015/03
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/03/20	< .500	2015/03
1,4-DICHLOROBENZENE	34571	012	2014/03/20	< .500	2015/03
BENZENE	34030	012	2014/03/20	< .500	2015/03
CARBON TETRACHLORIDE	32102	012	2014/03/20	< .500	2015/03
CIS-1,2-DICHLOROETHYLENE	77093	012	2014/03/20	< .500	2015/03
DICHLOROMETHANE	34423	012	2014/03/20	< .500	2015/03
ETHYLBENZENE	34371	012	2014/03/20	< .500	2015/03
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/03/20	< 3.000	2015/03
MONOCHLOROBENZENE	34301	012	2014/03/20	< .500	2015/03
STYRENE	77128	012	2014/03/20	< .500	2015/03
TETRACHLOROETHYLENE	34475	012	2014/03/20	< .500	2015/03
TOLUENE	34010	012	2014/03/20	< .500	2015/03
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/03/20	< .500	2015/03
TRICHLOROETHYLENE	39180	012	2014/03/20	< .500	2015/03

\*Testing interval is in months;  
 0 = No data for this constituent and is DUE NOW  
 I = Invalid (NOT) valid analyses reported  
 Any analyses not listed as required for testing has been Waive (not required)



**System Number: 1910125**

**System Name: PICO WD**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910125-009**

**Source Name: WELL 08**

**Source Number: 009**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED VOC**

TRICHLOROFUOROMETHANE	34488	012	2014/03/20	< 5.000	2015/03
VINYL CHLORIDE	39175	012	2014/03/20	< .500	2015/03
XYLENES (TOTAL)	81551	012	2014/03/20	< .000	2015/03

**SECONDARY/GP**

BICARBONATE ALKALINITY	00440	036	2011/08/18	. 180.000	2014/08
CALCIUM	00916	036	2011/08/18	. 61.000	2014/08
CARBONATE ALKALINITY	00445	036	2011/08/18	< .000	2014/08
CHLORIDE	00940	036	2011/08/18	. 54.000	2014/08
COLOR	00081	036	2011/08/18	< .000	2014/08
COPPER	01042	036	2011/08/18	< .000	2014/08
FOAMING AGENTS (MBAS)	38260	036	2011/08/18	< .000	2014/08
HARDNESS (TOTAL) AS CaCO3	00900	036	2011/08/18	. 200.000	2014/08
HYDROXIDE ALKALINITY	71830	036	2011/08/18	< .000	2014/08
IRON	01045	036	2011/08/18	< .000	2014/08
MAGNESIUM	00927	036	2011/08/18	. 12.000	2014/08
MANGANESE	01055	036	2011/08/18	< .000	2014/08
ODOR THRESHOLD @ 60 C	00086	036	2011/08/18	1.000	2014/08
PH, LABORATORY	00403	036	2011/08/18	. 7.110	2014/08
SILVER	01077	036	2011/08/18	< .000	2014/08
SODIUM	00929	036	2011/08/18	49.000	2014/08
SPECIFIC CONDUCTANCE	00095	036	2011/08/18	. 650.000	2014/08
SULFATE	00945	036	2011/08/18	83.000	2014/08
TOTAL DISSOLVED SOLIDS	70300	036	2011/08/18	. 400.000	2014/08
TURBIDITY, LABORATORY	82079	036	2011/08/18	. .540	2014/08
ZINC	01092	036	2011/08/18	< .000	2014/08

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910125**  
**System Name: PICO WD**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910125-011**  
**Source Name: WELL 10**  
**Source Number: 011**  
**Source Status: ACTIVE RAW**  
**Water type: G**

**INORGANIC**

ALUMINUM	01105	036	2014/05/08	< 50.000	2017/05
ANTIMONY	01097	036	2014/05/08	< 6.000	2017/05
ARSENIC	01002	036	2014/05/08	< 2.000	2017/05
BARIUM	01007	036	2014/05/08	< 100.000	2017/05
BERYLLIUM	01012	036	2014/05/08	< 1.000	2017/05
CADMIUM	01027	036	2014/05/08	< 1.000	2017/05
CHROMIUM (TOTAL)	01034	036	2014/05/08	< 10.000	2017/05
CYANIDE	01291	036	2012/04/09	< .000	2015/04
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2012/04/09	. 290	2015/04
MERCURY	71900	036	2012/04/09	< .000	2015/04
NICKEL	01067	036	2014/05/08	< 10.000	2017/05
PERCHLORATE	A-031	012	2014/01/06	< 4.000	2015/01
SELENIUM	01147	036	2014/05/08	< 5.000	2017/05
THALLIUM	01059	036	2014/05/08	< 1.000	2017/05

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	012	2013/08/15	. 9.600	2014/08
NITRITE (AS N)	00620	036	2013/01/29	< 400.000	2016/01

**RADIOLOGICAL**

<b>GROSS ALPHA</b>	01501	003	2012/03/14	. 14.100	2012/06	<b>DUE</b>
<b>RADIUM 226</b>	09501	003	2006/02/02	< 1.000	2006/05	<b>DUE</b>
<b>RADIUM 228</b>	11501	003	2012/03/14	. .013	2012/06	<b>DUE</b>
<b>URANIUM (PCI/L)</b>	28012	003	2012/03/14	. 5.300	2012/06	<b>DUE</b>

**REGULATED SOC**

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2012/08/17	< 3.000	2015/05
THIOBENCARB	A-001	033	2012/08/17	< 1.000	2015/05

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	012	2014/06/20	< .500	2015/06
1,1,2,2-TETRACHLOROETHANE	34516	012	2014/06/20	< .500	2015/06

\*Testing interval is in months;  
 0 = No data for this constituent and is DUE NOW  
 I = Invalid (NOT) valid analyses reported  
 Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910125**

**System Name: PICO WD**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910125-011**

**Source Name: WELL 10**

**Source Number: 011**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED VOC**

1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/06/20	< 10.000	2015/06
1,1,2-TRICHLOROETHANE	34511	012	2014/06/20	< .500	2015/06
1,1-DICHLOROETHANE	34496	012	2014/06/20	< .500	2015/06
1,1-DICHLOROETHYLENE	34501	012	2014/06/20	< .500	2015/06
1,2,4-TRICHLOROBENZENE	34551	012	2014/06/20	< .500	2015/06
1,2-DICHLOROBENZENE	34536	012	2014/06/20	< .500	2015/06
1,2-DICHLOROETHANE	34531	012	2014/06/20	< .500	2015/06
1,2-DICHLOROPROPANE	34541	012	2014/06/20	< .500	2015/06
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/06/20	< .500	2015/06
1,4-DICHLOROBENZENE	34571	012	2014/06/20	< .500	2015/06
BENZENE	34030	012	2014/06/20	< .500	2015/06
CARBON TETRACHLORIDE	32102	012	2014/06/20	< .500	2015/06
CIS-1,2-DICHLOROETHYLENE	77093	012	2014/06/20	< .500	2015/06
DICHLOROMETHANE	34423	012	2014/06/20	< .500	2015/06
ETHYLBENZENE	34371	012	2014/06/20	< .500	2015/06
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/06/20	< 3.000	2015/06
MONOCHLOROBENZENE	34301	012	2014/06/20	< .500	2015/06
STYRENE	77128	012	2014/06/20	< .500	2015/06
TETRACHLOROETHYLENE	34475	001	2014/06/20	. 3.500	2014/07
TOLUENE	34010	012	2014/06/20	< .500	2015/06
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/06/20	< .500	2015/06
TRICHLOROETHYLENE	39180	001	2014/06/20	. 1.100	2014/07
TRICHLOROFUOROMETHANE	34488	012	2014/06/20	< 5.000	2015/06
VINYL CHLORIDE	39175	012	2014/06/20	< .500	2015/06
XYLENES (TOTAL)	81551	012	2014/06/20	< .000	2015/06

**SECONDARY/GP**

<b>BICARBONATE ALKALINITY</b>	00440	036	2011/05/31	. 250.000	2014/05	<b>DUE</b>
CALCIUM	00916	036	2014/05/08	. 114.000	2017/05	
<b>CARBONATE ALKALINITY</b>	00445	036	2011/05/31	< .000	2014/05	<b>DUE</b>

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910125**

**System Name: PICO WD**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910125-011**

**Source Name: WELL 10**

**Source Number: 011**

**Source Status: ACTIVE RAW**

**Water type: G**

**SECONDARY/GP**

CHLORIDE	00940	036	2014/05/08	. 89.000	2017/05
COLOR	00081	036	2013/01/29	< .000	2016/01
COPPER	01042	036	2014/05/08	< 50.000	2017/05
FOAMING AGENTS (MBAS)	38260	036	2014/05/08	. .050	2017/05
HARDNESS (TOTAL) AS CaCO3	00900	036	2014/05/08	. 356.000	2017/05
<b>HYDROXIDE ALKALINITY</b>	<b>71830</b>	<b>036</b>	<b>2011/05/31</b>	<b>&lt; .000</b>	<b>2014/05 DUE</b>
IRON	01045	036	2014/05/08	< 100.000	2017/05
MAGNESIUM	00927	036	2014/05/08	. 17.500	2017/05
MANGANESE	01055	036	2014/05/08	< 20.000	2017/05
ODOR THRESHOLD @ 60 C	00086	036	2014/05/08	. 1.000	2017/05
PH, LABORATORY	00403	036	2014/05/08	. 7.860	2017/05
SILVER	01077	036	2014/05/08	< 10.000	2017/05
SODIUM	00929	036	2014/05/08	. 44.000	2017/05
SPECIFIC CONDUCTANCE	00095	036	2014/05/08	. 900.000	2017/05
SULFATE	00945	036	2014/05/08	. 150.000	2017/05
TOTAL DISSOLVED SOLIDS	70300	036	2014/05/08	. 580.000	2017/05
TURBIDITY, LABORATORY	82079	036	2014/05/08	< .000	2017/05
ZINC	01092	036	2014/05/08	< 50.000	2017/05

**PS Code: 1910125-800**

**Source Name: SITE 1-4865 TOBIAS -STG2 DBP**

**Source Number: 800**

**Source Status: DISTRIBUTION TREATED**

**Water type: G**

**HALOACETIC ACIDS**

<b>DIBROMOACETIC ACID (DBAA)</b>	<b>82721</b>	<b>000</b>			<b>DUE</b>
<b>DICHLOROACETIC ACID (DCAA)</b>	<b>77288</b>	<b>000</b>			<b>DUE</b>
<b>HALOACETIC ACIDS (5) (HAA5)</b>	<b>A-049</b>	<b>000</b>			<b>DUE</b>
<b>MONOBROMOACETIC ACID (MBAA)</b>	<b>A-041</b>	<b>000</b>			<b>DUE</b>

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910125**  
**System Name: PICO WD**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910125-800**  
**Source Name: SITE 1-4865 TOBIAS -STG2 DBP**  
**Source Number: 800**  
**Source Status: DISTRIBUTION TREATED**  
**Water type: G**

**HALOACETIC ACIDS**

<b>MONOCHLOROACETIC ACID (MCAA)</b>	<b>A-042</b>	<b>000</b>		<b>DUE</b>
<b>TRICHLOROACETIC ACID (TCAA)</b>	<b>82723</b>	<b>000</b>		<b>DUE</b>

**STATE UCMR**

<b>BROMODICHLORMETHANE (THM)</b>	<b>32101</b>	<b>000</b>		<b>DUE</b>
<b>BROMOFORM (THM)</b>	<b>32104</b>	<b>000</b>		<b>DUE</b>
<b>CHLOROFORM (THM)</b>	<b>32106</b>	<b>000</b>		<b>DUE</b>
<b>DIBROMOCHLOROMETHANE (THM)</b>	<b>32105</b>	<b>000</b>		<b>DUE</b>

**TRIHALOMETHANES**

<b>TOTAL TRIHALOMETHANES</b>	<b>82080</b>	<b>000</b>		<b>DUE</b>
------------------------------	--------------	------------	--	------------

**PS Code: 1910125-801**  
**Source Name: SITE 2-8710 CREELAND -STG2 DBP**  
**Source Number: 801**  
**Source Status: DISTRIBUTION TREATED**  
**Water type: G**

**HALOACETIC ACIDS**

<b>DIBROMOACETIC ACID (DBAA)</b>	<b>82721</b>	<b>000</b>		<b>DUE</b>
<b>DICHLOROACETIC ACID (DCAA)</b>	<b>77288</b>	<b>000</b>		<b>DUE</b>
<b>HALOACETIC ACIDS (5) (HAA5)</b>	<b>A-049</b>	<b>000</b>		<b>DUE</b>
<b>MONOBROMOACETIC ACID (MBAA)</b>	<b>A-041</b>	<b>000</b>		<b>DUE</b>
<b>MONOCHLOROACETIC ACID (MCAA)</b>	<b>A-042</b>	<b>000</b>		<b>DUE</b>
<b>TRICHLOROACETIC ACID (TCAA)</b>	<b>82723</b>	<b>000</b>		<b>DUE</b>

**STATE UCMR**

<b>BROMODICHLORMETHANE (THM)</b>	<b>32101</b>	<b>000</b>		<b>DUE</b>
<b>BROMOFORM (THM)</b>	<b>32104</b>	<b>000</b>		<b>DUE</b>
<b>CHLOROFORM (THM)</b>	<b>32106</b>	<b>000</b>		<b>DUE</b>
<b>DIBROMOCHLOROMETHANE (THM)</b>	<b>32105</b>	<b>000</b>		<b>DUE</b>

\*Testing interval is in months;  
 0 = No data for this constituent and is DUE NOW  
 I = Invalid (NOT) valid analyses reported  
 Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910125**  
**System Name: PICO WD**

	<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
<b>PS Code: 1910125-801</b>					
<b>Source Name: SITE 2-8710 CREELAND -STG2 DBP</b>					
<b>Source Number: 801</b>					
<b>Source Status: DISTRIBUTION TREATED</b>					
<b>Water type: G</b>					
<u>TRICHALOMETHANES</u>					
<b>TOTAL TRICHALOMETHANES</b>	82080	000			<b>DUE</b>

**PS Code: 1910125-802**  
**Source Name: SITE 3-9336 CALL - STG2 DBP**  
**Source Number: 802**  
**Source Status: DISTRIBUTION TREATED**  
**Water type: G**

<u>HALOACETIC ACIDS</u>					
<b>DIBROMOACETIC ACID (DBAA)</b>	82721	000			<b>DUE</b>
<b>DICHLOROACETIC ACID (DCAA)</b>	77288	000			<b>DUE</b>
<b>HALOACETIC ACIDS (5) (HAA5)</b>	A-049	000			<b>DUE</b>
<b>MONOBROMOACETIC ACID (MBAA)</b>	A-041	000			<b>DUE</b>
<b>MONOCHLOROACETIC ACID (MCAA)</b>	A-042	000			<b>DUE</b>
<b>TRICHLOROACETIC ACID (TCAA)</b>	82723	000			<b>DUE</b>
<u>STATE UCMR</u>					
<b>BROMODICHLORMETHANE (THM)</b>	32101	000			<b>DUE</b>
<b>BROMOFORM (THM)</b>	32104	000			<b>DUE</b>
<b>CHLOROFORM (THM)</b>	32106	000			<b>DUE</b>
<b>DIBROMOCHLOROMETHANE (THM)</b>	32105	000			<b>DUE</b>
<u>TRICHALOMETHANES</u>					
<b>TOTAL TRICHALOMETHANES</b>	82080	000			<b>DUE</b>

\*Testing interval is in months;  
 0 = No data for this constituent and is DUE NOW  
 I = Invalid (NOT) valid analyses reported  
 Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910125**

**System Name: PICO WD**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910125-803**

**Source Name: SITE 4-8411 CARRON -STG2 DBP**

**Source Number: 803**

**Source Status: DISTRIBUTION TREATED**

**Water type: G**

**HALOACETIC ACIDS**

DIBROMOACETIC ACID (DBAA)	82721	000		DUE
DICHLOROACETIC ACID (DCAA)	77288	000		DUE
HALOACETIC ACIDS (5) (HAA5)	A-049	000		DUE
MONOBROMOACETIC ACID (MBAA)	A-041	000		DUE
MONOCHLOROACETIC ACID (MCAA)	A-042	000		DUE
TRICHLOROACETIC ACID (TCAA)	82723	000		DUE

**STATE UCMR**

BROMODICHLORMETHANE (THM)	32101	000		DUE
BROMOFORM (THM)	32104	000		DUE
CHLOROFORM (THM)	32106	000		DUE
DIBROMOCHLOROMETHANE (THM)	32105	000		DUE

**TRIHALOMETHANES**

TOTAL TRIHALOMETHANES	82080	000		DUE
-----------------------	-------	-----	--	-----

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910127**

**System Name: COVINA-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910127-004**

**Source Name: CIC - TREATED**

**Source Number: 004**

**Source Status: PURCHASED TREATED**

**Water type: S**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

**PS Code: 1910127-800**

**Source Name: SITE 1-678 RANCHO SIMI DR-STG2 DBP**

**Source Number: 800**

**Source Status: DISTRIBUTION TREATED**

**Water type: S**

**HALOACETIC ACIDS**

DIBROMOACETIC ACID (DBAA)	82721	003	2014/04/25	< 1.000	2014/07
DICHLOROACETIC ACID (DCAA)	77288	003	2014/04/25	. 1.200	2014/07
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/04/25	. 3.600	2014/07
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/04/25	< 1.000	2014/07
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/04/25	< 2.000	2014/07
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/04/25	. 2.400	2014/07

**STATE UCMR**

BROMODICHLORMETHANE (THM)	32101	003	2014/04/25	. 7.300	2014/07
BROMOFORM (THM)	32104	003	2014/04/25	. 6.400	2014/07
CHLOROFORM (THM)	32106	003	2014/04/25	. 6.200	2014/07
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/04/25	. 9.800	2014/07

**TRIHALOMETHANES**

TOTAL TRIHALOMETHANES	82080	003	2014/04/25	. 30.000	2014/07
-----------------------	-------	-----	------------	----------	---------

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)



**System Number: 1910127**

**System Name: COVINA-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910127-801**

**Source Name: SITE 2-853 W CHESTER RD-STG2 DBP**

**Source Number: 801**

**Source Status: DISTRIBUTION TREATED**

**Water type: S**

**HALOACETIC ACIDS**

DIBROMOACETIC ACID (DBAA)	82721	003	2014/04/25	. 2.200	2014/07
DICHLOROACETIC ACID (DCAA)	77288	003	2014/04/25	< 1.000	2014/07
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/04/25	. 2.200	2014/07
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/04/25	< 1.000	2014/07
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/04/25	< 2.000	2014/07
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/04/25	< 1.000	2014/07

**STATE UCMR**

BROMODICHLORMETHANE (THM)	32101	003	2014/04/25	. 10.000	2014/07
BROMOFORM (THM)	32104	003	2014/04/25	. 9.200	2014/07
CHLOROFORM (THM)	32106	003	2014/04/25	. 15.000	2014/07
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/04/25	. 10.000	2014/07

**TRIHALOMETHANES**

TOTAL TRIHALOMETHANES	82080	003	2014/04/25	. 44.000	2014/07
-----------------------	-------	-----	------------	----------	---------

**PS Code: 1910127-802**

**Source Name: SITE 3-681 ARROW GRAND CIR-STG2 DBP**

**Source Number: 802**

**Source Status: DISTRIBUTION TREATED**

**Water type: S**

**HALOACETIC ACIDS**

DIBROMOACETIC ACID (DBAA)	82721	003	2014/04/25	. 2.800	2014/07
DICHLOROACETIC ACID (DCAA)	77288	003	2014/04/25	. 9.300	2014/07
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/04/25	. 17.000	2014/07
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/04/25	< 1.000	2014/07
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/04/25	< 2.000	2014/07
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/04/25	. 4.800	2014/07

**STATE UCMR**

BROMODICHLORMETHANE (THM)	32101	003	2014/04/25	. 15.000	2014/07
---------------------------	-------	-----	------------	----------	---------

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910127**

**System Name: COVINA-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910127-802**

**Source Name: SITE 3-681 ARROW GRAND CIR-STG2 DBP**

**Source Number: 802**

**Source Status: DISTRIBUTION TREATED**

**Water type: S**

**STATE UCMR**

BROMOFORM (THM)	32104	003	2014/04/25	. 2.900	2014/07
CHLOROFORM (THM)	32106	003	2014/04/25	. 16.000	2014/07
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/04/25	. 14.000	2014/07

**TRIHALOMETHANES**

TOTAL TRIHALOMETHANES	82080	003	2014/04/25	. 48.000	2014/07
-----------------------	-------	-----	------------	----------	---------

**PS Code: 1910127-803**

**Source Name: SITE 4-21264 E VIA VERDE ST-STG2 DBP**

**Source Number: 803**

**Source Status: DISTRIBUTION TREATED**

**Water type: S**

**HALOACETIC ACIDS**

DIBROMOACETIC ACID (DBAA)	82721	003	2014/04/25	. 2.000	2014/07
DICHLOROACETIC ACID (DCAA)	77288	003	2014/04/25	. 7.000	2014/07
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/04/25	. 12.000	2014/07
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/04/25	< 1.000	2014/07
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/04/25	< 2.000	2014/07
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/04/25	. 3.100	2014/07

**STATE UCMR**

BROMODICHLORMETHANE (THM)	32101	003	2014/04/25	. 11.000	2014/07
BROMOFORM (THM)	32104	003	2014/04/25	. 4.000	2014/07
CHLOROFORM (THM)	32106	003	2014/04/25	. 11.000	2014/07
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/04/25	. 11.000	2014/07

**TRIHALOMETHANES**

TOTAL TRIHALOMETHANES	82080	003	2014/04/25	. 37.000	2014/07
-----------------------	-------	-----	------------	----------	---------

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: **1910137**

System Name: **THE BOEING COMPANY - HDAIT**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: **1910137-001**

Source Name: **SITE 01 WELL 01 (SOUTH)**

Source Number: **001**

Source Status: **ACTIVE RAW**

Water type: **G**

**INORGANIC**

ALUMINUM	01105	036	2011/06/10	.000	2014/06	DUE
ANTIMONY	01097	036	2011/06/10	.000	2014/06	DUE
ARSENIC	01002	036	2011/06/10	.000	2014/06	DUE
BARIUM	01007	036	2011/06/10	.000	2014/06	DUE
BERYLLIUM	01012	036	2011/06/10	.000	2014/06	DUE
CADMIUM	01027	036	2011/06/10	.000	2014/06	DUE
CHROMIUM (TOTAL)	01034	036	2011/06/10	.000	2014/06	DUE
CHROMIUM, HEXAVALENT	01032	036	2002/12/05	5.480	2005/12	DUE
CYANIDE	01291	036	2011/06/10	.000	2014/06	DUE
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2011/06/10	.142	2014/06	DUE
MERCURY	71900	036	2011/06/10	.000	2014/06	DUE
NICKEL	01067	036	2011/06/10	.000	2014/06	DUE
PERCHLORATE	A-031	012	2014/06/25	< 4.000	2015/06	
SELENIUM	01147	036	2011/06/10	.000	2014/06	DUE
THALLIUM	01059	036	2011/06/10	.000	2014/06	DUE

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	012	2013/08/07	.000	2014/08	
NITRITE (AS N)	00620	036	2011/06/10	.000	2014/06	DUE

**RADIOLOGICAL**

GROSS ALPHA	01501	003	2013/08/07	1.190	2013/11	DUE
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	000				DUE
URANIUM (PCI/L)	28012	003	2013/08/07	.960	2013/11	DUE

**REGULATED SOC**

2,4-D	39730	036	2013/05/20	.000	2016/05	
ALACHLOR	77825	036	2011/06/10	.000	2014/06	DUE
ATRAZINE	39033	036	2011/06/10	.000	2014/06	DUE
BENTAZON	38710	036	2013/05/20	.000	2016/05	
CARBOFURAN	81405	036	2013/05/20	< .000	2016/05	

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910137**

**System Name: THE BOEING COMPANY - HDAIT**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910137-001**

**Source Name: SITE 01 WELL 01 (SOUTH)**

**Source Number: 001**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED SOC**

CHLORDANE	39350	036	2013/05/20	.000	2016/05	
DI(2-ETHYLHEXYL)PHthalate	39100	036	2013/05/20	.000	2016/05	
<b>DIBROMOCHLOROPROPANE (DBCP)</b>	38761	036	<b>2011/06/10</b>	.000	<b>2014/06</b>	<b>DUE</b>
DINOSEB	81287	036	2013/05/20	.000	2016/05	
DIQUAT	78885	036	2013/05/20	<.000	2016/05	
ENDOTHALL	38926	036	2013/05/20	<.000	2016/05	
ENDRIN	39390	036	2013/05/20	.000	2016/05	
<b>ETHYLENE DIBROMIDE (EDB)</b>	77651	036	<b>2011/06/10</b>	.000	<b>2014/06</b>	<b>DUE</b>
GLYPHOSATE	79743	036	2013/05/20	<.000	2016/05	
LINDANE	39340	036	2013/05/20	.000	2016/05	
<b>METHOXYCHLOR</b>	39480	036	<b>1991/05/08</b>	< 10.000	<b>1994/05</b>	<b>DUE</b>
OXAMYL	38865	036	2013/05/20	<.000	2016/05	
PENTACHLOROPHENOL	39032	036	2013/05/20	.000	2016/05	
<b>SIMAZINE</b>	39055	036	<b>2011/06/10</b>	.000	<b>2014/06</b>	<b>DUE</b>
<b>THIOBENCARB</b>	A-001	036	<b>2011/06/10</b>	.000	<b>2014/06</b>	<b>DUE</b>
TOXAPHENE	39400	036	2013/05/20	.000	2016/05	

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	012	2013/08/07	.000	2014/08	
1,1,2,2-TETRACHLOROETHANE	34516	012	2013/08/07	.000	2014/08	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2013/08/07	.000	2014/08	
1,1,2-TRICHLOROETHANE	34511	012	2013/08/07	.000	2014/08	
1,1-DICHLOROETHANE	34496	012	2013/08/07	.000	2014/08	
1,1-DICHLOROETHYLENE	34501	012	2013/08/07	.000	2014/08	
1,2,4-TRICHLOROBENZENE	34551	012	2013/08/07	.000	2014/08	
1,2-DICHLOROBENZENE	34536	012	2013/08/07	.000	2014/08	
1,2-DICHLOROETHANE	34531	012	2013/08/07	.000	2014/08	
1,2-DICHLOROPROPANE	34541	012	2013/08/07	.000	2014/08	
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2013/08/07	.000	2014/08	
1,4-DICHLOROBENZENE	34571	012	2013/08/07	.000	2014/08	

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910137**

**System Name: THE BOEING COMPANY - HDAIT**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910137-001**

**Source Name: SITE 01 WELL 01 (SOUTH)**

**Source Number: 001**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED VOC**

BENZENE	34030	012	2013/08/07	.000	2014/08
CARBON TETRACHLORIDE	32102	012	2013/08/07	.000	2014/08
CIS-1,2-DICHLOROETHYLENE	77093	012	2013/08/07	.000	2014/08
DICHLOROMETHANE	34423	012	2013/08/07	.000	2014/08
ETHYLBENZENE	34371	012	2013/08/07	.000	2014/08
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2013/08/07	.000	2014/08
MONOCHLOROBENZENE	34301	012	2013/08/07	.000	2014/08
STYRENE	77128	012	2013/08/07	.000	2014/08
TETRACHLOROETHYLENE	34475	012	2013/08/07	.000	2014/08
TOLUENE	34010	012	2013/08/07	.000	2014/08
TRANS-1,2-DICHLOROETHYLENE	34546	012	2013/08/07	.000	2014/08
TRICHLOROETHYLENE	39180	012	2014/02/26	.000	2015/02
TRICHLOROFUOROMETHANE	34488	012	2013/08/07	.000	2014/08
VINYL CHLORIDE	39175	012	2014/02/26	.000	2015/02
XYLENES (TOTAL)	81551	012	2013/08/07	.000	2014/08

**PS Code: 1910137-007**

**Source Name: SITE 01 WELL 03 (SOUTH)**

**Source Number: 007**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

ALUMINUM	01105	036	2011/06/10	.000	2014/06	DUE
ANTIMONY	01097	036	2011/06/10	.000	2014/06	DUE
ARSENIC	01002	036	2011/06/10	2.630	2014/06	DUE
BARIUM	01007	036	2011/06/10	.000	2014/06	DUE
BERYLLIUM	01012	036	2011/06/10	.000	2014/06	DUE
CADMIUM	01027	036	2011/06/10	.000	2014/06	DUE
CHROMIUM (TOTAL)	01034	036	2011/06/10	.000	2014/06	DUE

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: **1910137**

System Name: **THE BOEING COMPANY - HDAIT**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: **1910137-007**

Source Name: **SITE 01 WELL 03 (SOUTH)**

Source Number: **007**

Source Status: **ACTIVE RAW**

Water type: **G**

**INORGANIC**

<b>CHROMIUM, HEXAVALENT</b>	01032	036	2002/12/05	. 4.460	2005/12	DUE
<b>CYANIDE</b>	01291	036	2011/06/10	. .000	2014/06	DUE
<b>FLUORIDE (F) (NATURAL-SOURCE)</b>	00951	036	2011/06/10	. .242	2014/06	DUE
<b>MERCURY</b>	71900	036	2011/06/10	. .000	2014/06	DUE
<b>NICKEL</b>	01067	036	2011/06/10	. .000	2014/06	DUE
<b>PERCHLORATE</b>	A-031	012	2014/06/25	< 4.000	2015/06	
<b>SELENIUM</b>	01147	036	2011/06/10	. .000	2014/06	DUE
<b>THALLIUM</b>	01059	036	2011/06/10	. .000	2014/06	DUE

**NITRATE/NITRITE**

<b>NITRATE (AS NO3)</b>	71850	012	2013/08/07	. .000	2014/08	
<b>NITRITE (AS N)</b>	00620	036	2011/06/10	. .000	2014/06	DUE

**RADIOLOGICAL**

<b>GROSS ALPHA</b>	01501	003	2013/08/07	. .970	2013/11	DUE
<b>RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0</b>	A-082	000				DUE
<b>URANIUM (PCI/L)</b>	28012	003	2013/08/13	. .840	2013/11	DUE

**REGULATED SOC**

<b>2,4-D</b>	39730	036	2013/05/20	. .000	2016/05	
<b>ALACHLOR</b>	77825	036	2011/06/10	. .000	2014/06	DUE
<b>ATRAZINE</b>	39033	036	2011/06/10	. .000	2014/06	DUE
<b>BENTAZON</b>	38710	036	2013/05/20	. .000	2016/05	
<b>CARBOFURAN</b>	81405	036	2013/05/20	< .000	2016/05	
<b>CHLORDANE</b>	39350	036	2013/05/20	. .000	2016/05	
<b>DI(2-ETHYLHEXYL)PHTHALATE</b>	39100	036	2013/05/20	. .000	2016/05	
<b>DIBROMOCHLOROPROPANE (DBCP)</b>	38761	036	2011/06/10	. .000	2014/06	DUE
<b>DINOSEB</b>	81287	036	2013/05/20	. .000	2016/05	
<b>DIQUAT</b>	78885	036	2013/05/20	< .000	2016/05	
<b>ENDOTHALL</b>	38926	036	2013/05/20	< .000	2016/05	
<b>ENDRIN</b>	39390	036	2013/05/20	. .000	2016/05	

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910137**

**System Name: THE BOEING COMPANY - HDAIT**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910137-007**

**Source Name: SITE 01 WELL 03 (SOUTH)**

**Source Number: 007**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED SOC**

<b>ETHYLENE DIBROMIDE (EDB)</b>	77651	036	2011/06/10	.000	2014/06	<b>DUE</b>
GLYPHOSATE	79743	036	2013/05/20	< .000	2016/05	
LINDANE	39340	036	2013/05/20	.000	2016/05	
<b>METHOXYCHLOR</b>	39480	036	2002/07/24	.000	2005/07	<b>DUE</b>
OXAMYL	38865	036	2013/05/20	< .000	2016/05	
PENTACHLOROPHENOL	39032	036	2013/05/20	.000	2016/05	
<b>SIMAZINE</b>	39055	036	2011/06/10	.000	2014/06	<b>DUE</b>
<b>THIOBENCARB</b>	A-001	036	2011/06/10	.000	2014/06	<b>DUE</b>
TOXAPHENE	39400	036	2013/05/20	.000	2016/05	

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	012	2013/08/07	.000	2014/08	
1,1,2,2-TETRACHLOROETHANE	34516	012	2013/08/07	.000	2014/08	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2013/08/07	.000	2014/08	
1,1,2-TRICHLOROETHANE	34511	012	2013/08/07	.000	2014/08	
1,1-DICHLOROETHANE	34496	012	2013/08/07	.000	2014/08	
1,1-DICHLOROETHYLENE	34501	012	2013/08/07	.000	2014/08	
1,2,4-TRICHLOROENZENE	34551	012	2013/08/07	.000	2014/08	
1,2-DICHLOROENZENE	34536	012	2013/08/07	.000	2014/08	
1,2-DICHLOROETHANE	34531	012	2013/08/07	.000	2014/08	
1,2-DICHLOROPROPANE	34541	012	2013/08/07	.000	2014/08	
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2013/08/07	.000	2014/08	
1,4-DICHLOROENZENE	34571	012	2013/08/07	.000	2014/08	
BENZENE	34030	012	2013/08/07	.000	2014/08	
CARBON TETRACHLORIDE	32102	012	2013/08/07	.000	2014/08	
CIS-1,2-DICHLOROETHYLENE	77093	012	2013/08/07	.000	2014/08	
DICHLOROMETHANE	34423	012	2013/08/07	.000	2014/08	
ETHYLBENZENE	34371	012	2013/08/07	.000	2014/08	
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2013/08/07	.000	2014/08	
MONOCHLOROENZENE	34301	012	2013/08/07	.000	2014/08	

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910137**

**System Name: THE BOEING COMPANY - HDAIT**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910137-007**

**Source Name: SITE 01 WELL 03 (SOUTH)**

**Source Number: 007**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED VOC**

STYRENE	77128	012	2013/08/07	.000	2014/08
TETRACHLOROETHYLENE	34475	012	2013/08/07	.000	2014/08
TOLUENE	34010	012	2013/08/07	.000	2014/08
TRANS-1,2-DICHLOROETHYLENE	34546	012	2013/08/07	.000	2014/08
TRICHLOROETHYLENE	39180	012	2014/02/26	.000	2015/02
TRICHLOROFUOROMETHANE	34488	012	2013/08/07	.000	2014/08
VINYL CHLORIDE	39175	012	2014/02/26	.000	2015/02
XYLENES (TOTAL)	81551	012	2013/08/07	.000	2014/08

**PS Code: 1910137-008**

**Source Name: SITE 01 WELL 03 (SOUTH) - CHLORINATION**

**Source Number: 008**

**Source Status: ACTIVE TREATED**

**Water type: G**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\* 999

**PS Code: 1910137-009**

**Source Name: WELL 04N**

**Source Number: 009**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

ALUMINUM	01105	036	2013/05/06	.000	2016/05
ANTIMONY	01097	036	2013/05/06	.000	2016/05
ARSENIC	01002	036	2013/05/06	3.000	2016/05
BARIUM	01007	036	2013/05/06	.000	2016/05
BERYLLIUM	01012	036	2013/05/06	.000	2016/05
CADMIUM	01027	036	2013/05/06	.000	2016/05

\*Testing interval is in months;  
 0 = No data for this constituent and is DUE NOW  
 I = Invalid (NOT) valid analyses reported  
 Any analyses not listed as required for testing has been Waive (not required)



System Number: **1910137**

System Name: **THE BOEING COMPANY - HDAIT**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: **1910137-009**

Source Name: **WELL 04N**

Source Number: **009**

Source Status: **ACTIVE RAW**

Water type: **G**

**INORGANIC**

CHROMIUM (TOTAL)	01034	036	2013/05/06	.000	2016/05
CHROMIUM, HEXAVALENT	01032	036	2013/05/06	. 7.130	2016/05
CYANIDE	01291	036	2013/05/06	. .000	2016/05
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/05/06	. .248	2016/05
MERCURY	71900	036	2013/05/06	. .000	2016/05
NICKEL	01067	036	2013/05/06	.000	2016/05
PERCHLORATE	A-031	012	2014/06/25	< 4.000	2015/06
SELENIUM	01147	036	2013/05/06	. .000	2016/05
THALLIUM	01059	036	2013/05/06	.000	2016/05

**NITRATE/NITRITE**

<b>NITRATE (AS NO3)</b>	71850	012	<b>2013/05/06</b>	. .000	<b>2014/05</b>	<b>DUE</b>
NITRITE (AS N)	00620	036	2013/05/06	. .000	2016/05	

**RADIOLOGICAL**

<b>GROSS ALPHA</b>	01501	003	<b>2013/08/07</b>	. .730	<b>2013/11</b>	<b>DUE</b>
<b>RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0</b>	A-082	000				<b>DUE</b>
<b>URANIUM (PCI/L)</b>	28012	003	<b>2013/08/07</b>	. .910	<b>2013/11</b>	<b>DUE</b>

**REGULATED SOC**

2,4-D	39730	036	2013/05/06	. .000	2016/05
ALACHLOR	77825	036	2013/05/06	. .000	2016/05
ATRAZINE	39033	036	2013/05/06	.000	2016/05
BENTAZON	38710	036	2013/05/06	. .000	2016/05
CARBOFURAN	81405	036	2013/05/06	. .000	2016/05
CHLORDANE	39350	036	2013/05/06	. .000	2016/05
DI(2-ETHYLHEXYL)PHTHALATE	39100	036	2013/05/06	. .000	2016/05
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2013/05/06	. .000	2016/05
DINOSEB	81287	036	2013/05/06	. .000	2016/05
DIQUAT	78885	036	2013/05/06	. .000	2016/05
ENDOTHALL	38926	036	2013/05/06	. .000	2016/05

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910137**

**System Name: THE BOEING COMPANY - HDAIT**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

**PS Code: 1910137-009**

**Source Name: WELL 04N**

**Source Number: 009**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED SOC**

ENDRIN	39390	036	2013/05/06	.000	2016/05
ETHYLENE DIBROMIDE (EDB)	77651	036	2013/05/06	.000	2016/05
GLYPHOSATE	79743	036	2013/05/06	.000	2016/05
LINDANE	39340	036	2013/05/06	.000	2016/05
METHOXYCHLOR	39480	036	2013/05/06	.000	2016/05
OXAMYL	38865	036	2013/05/06	.000	2016/05
PENTACHLOROPHENOL	39032	036	2013/05/06	.000	2016/05
SIMAZINE	39055	036	2013/05/06	.000	2016/05
THIOBENCARB	A-001	036	2013/05/06	.000	2016/05
TOXAPHENE	39400	036	2013/05/06	.000	2016/05

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	012	2013/11/13	.000	2014/11
1,1,2,2-TETRACHLOROETHANE	34516	012	2013/11/13	.000	2014/11
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2013/11/13	.000	2014/11
1,1,2-TRICHLOROETHANE	34511	012	2013/11/13	.000	2014/11
1,1-DICHLOROETHANE	34496	012	2013/11/13	.000	2014/11
1,1-DICHLOROETHYLENE	34501	012	2013/11/13	.000	2014/11
1,2,4-TRICHLOROBENZENE	34551	012	2013/11/13	.000	2014/11
1,2-DICHLOROBENZENE	34536	012	2013/11/13	.000	2014/11
1,2-DICHLOROETHANE	34531	012	2013/11/13	.000	2014/11
1,2-DICHLOROPROPANE	34541	012	2013/11/13	.000	2014/11
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2013/11/13	.000	2014/11
1,4-DICHLOROBENZENE	34571	012	2013/11/13	.000	2014/11
BENZENE	34030	012	2013/11/13	.000	2014/11
CARBON TETRACHLORIDE	32102	012	2013/11/13	.000	2014/11
CIS-1,2-DICHLOROETHYLENE	77093	012	2013/11/13	.000	2014/11
DICHLOROMETHANE	34423	012	2013/11/13	.000	2014/11
ETHYLBENZENE	34371	012	2013/11/13	.000	2014/11
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2013/11/13	.000	2014/11

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910137**

**System Name: THE BOEING COMPANY - HDAIT**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910137-009**

**Source Name: WELL 04N**

**Source Number: 009**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED VOC**

MONOCHLOROENZENE	34301	012	2013/11/13	.000	2014/11
STYRENE	77128	012	2013/11/13	.000	2014/11
TETRACHLOROETHYLENE	34475	012	2013/11/13	.000	2014/11
TOLUENE	34010	012	2013/11/13	.000	2014/11
TRANS-1,2-DICHLOROETHYLENE	34546	012	2013/11/13	.000	2014/11
TRICHLOROETHYLENE	39180	012	2014/02/26	.000	2015/02
TRICHLOROFUOROMETHANE	34488	012	2013/11/13	.000	2014/11
VINYL CHLORIDE	39175	012	2014/02/26	.000	2015/02
XYLENES (TOTAL)	81551	012	2013/11/13	.000	2014/11

**PS Code: 1910137-800**

**Source Name: SITE 1-BUILDING 150-STG2 DBP**

**Source Number: 800**

**Source Status: DISTRIBUTION TREATED**

**Water type: G**

**HALOACETIC ACIDS**

DIBROMOACETIC ACID (DBAA)	82721	000			DUE
DICHLOROACETIC ACID (DCAA)	77288	000			DUE
HALOACETIC ACIDS (5) (HAA5)	A-049	000			DUE
MONOBROMOACETIC ACID (MBAA)	A-041	000			DUE
MONOCHLOROACETIC ACID (MCAA)	A-042	000			DUE
TRICHLOROACETIC ACID (TCAA)	82723	000			DUE

**STATE UCMR**

BROMODICHLORMETHANE (THM)	32101	000			DUE
BROMOFORM (THM)	32104	000			DUE
CHLOROFORM (THM)	32106	000			DUE
DIBROMOCHLOROMETHANE (THM)	32105	000			DUE

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910137**

**System Name: THE BOEING COMPANY - HDAIT**

	<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
<b>PS Code: 1910137-800</b>					
<b>Source Name: SITE 1-BUILDING 150-STG2 DBP</b>					
<b>Source Number: 800</b>					
<b>Source Status: DISTRIBUTION TREATED</b>					
<b>Water type: G</b>					
<u>TRICHALOMETHANES</u>					
<b>TOTAL TRICHALOMETHANES</b>	82080	000			<b>DUE</b>

**PS Code: 1910137-801**

**Source Name: SITE 2-BUILDING 157-STG2 DBP**

**Source Number: 801**

**Source Status: DISTRIBUTION TREATED**

**Water type: G**

HALOACETIC ACIDS

<b>DIBROMOACETIC ACID (DBAA)</b>	82721	000			<b>DUE</b>
<b>DICHLOROACETIC ACID (DCAA)</b>	77288	000			<b>DUE</b>
<b>HALOACETIC ACIDS (5) (HAA5)</b>	A-049	000			<b>DUE</b>
<b>MONOBROMOACETIC ACID (MBAA)</b>	A-041	000			<b>DUE</b>
<b>MONOCHLOROACETIC ACID (MCAA)</b>	A-042	000			<b>DUE</b>
<b>TRICHLOROACETIC ACID (TCAA)</b>	82723	000			<b>DUE</b>

STATE UCMR

<b>BROMODICHLORMETHANE (THM)</b>	32101	000			<b>DUE</b>
<b>BROMOFORM (THM)</b>	32104	000			<b>DUE</b>
<b>CHLOROFORM (THM)</b>	32106	000			<b>DUE</b>
<b>DIBROMOCHLOROMETHANE (THM)</b>	32105	000			<b>DUE</b>

TRICHALOMETHANES

<b>TOTAL TRICHALOMETHANES</b>	82080	000			<b>DUE</b>
-------------------------------	-------	-----	--	--	------------

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910138**

**System Name: LOS ANGELES WORLD AIRPORTS**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910138-001**

**Source Name: EAST WELL**

**Source Number: 001**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

ALUMINUM	01105	036	2010/04/16	< .000	2013/04	DUE
ANTIMONY	01097	036	2010/04/16	< .000	2013/04	DUE
ARSENIC	01002	036	2013/09/30	< 2.000	2016/09	
BARIUM	01007	036	2010/04/16	< .000	2013/04	DUE
BERYLLIUM	01012	036	2010/04/16	< .000	2013/04	DUE
CADMIUM	01027	036	2010/04/16	< .000	2013/04	DUE
CHROMIUM (TOTAL)	01034	036	2010/04/16	< .000	2013/04	DUE
CHROMIUM, HEXAVALENT	01032	036	2002/02/28	. 5.100	2005/02	DUE
CYANIDE	01291	036	2010/04/16	< .000	2013/04	DUE
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2010/04/16	.120	2013/04	DUE
MERCURY	71900	036	2010/04/16	< .000	2013/04	DUE
NICKEL	01067	036	2010/04/16	< .000	2013/04	DUE
PERCHLORATE	A-031	012	2013/04/23	< 4.000	2014/04	DUE
SELENIUM	01147	036	2010/04/16	< .000	2013/04	DUE
THALLIUM	01059	036	2010/04/16	< .000	2013/04	DUE

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	012	2013/04/23	. 7.200	2014/04	DUE
NITRITE (AS N)	00620	036	2013/04/23	< 400.000	2016/04	

**RADIOLOGICAL**

GROSS ALPHA	01501	003	2008/11/14	2.200	2009/02	DUE
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	003	2008/05/30	.373	2008/08	DUE
URANIUM (PCI/L)	28012	003	2008/11/14	.430	2009/02	DUE

**REGULATED SOC**

DI(2-ETHYLHEXYL)PHTHALATE	39100	036	2013/04/23	< 3.000	2016/04	
THIOBENCARB	A-001	036	2013/04/23	< 1.000	2016/04	

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	012	2012/06/22	< .500	2013/06	DUE
1,1,2,2-TETRACHLOROETHANE	34516	012	2012/06/22	< .500	2013/06	DUE

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910138**

**System Name: LOS ANGELES WORLD AIRPORTS**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

**PS Code: 1910138-001**

**Source Name: EAST WELL**

**Source Number: 001**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED VOC**

1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2012/06/22	< 10.000	2013/06	DUE
1,1,2-TRICHLOROETHANE	34511	012	2012/06/22	< .500	2013/06	DUE
1,1-DICHLOROETHANE	34496	012	2012/06/22	< .500	2013/06	DUE
1,1-DICHLOROETHYLENE	34501	012	2012/06/22	< .500	2013/06	DUE
1,2,4-TRICHLOROBENZENE	34551	012	2012/06/22	< .500	2013/06	DUE
1,2-DICHLOROBENZENE	34536	012	2012/06/22	< .500	2013/06	DUE
1,2-DICHLOROETHANE	34531	012	2012/06/22	< .500	2013/06	DUE
1,2-DICHLOROPROPANE	34541	012	2012/06/22	< .500	2013/06	DUE
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2012/06/22	< .500	2013/06	DUE
1,4-DICHLOROBENZENE	34571	012	2012/06/22	< .500	2013/06	DUE
BENZENE	34030	012	2012/06/22	< .500	2013/06	DUE
CARBON TETRACHLORIDE	32102	012	2012/06/22	< .500	2013/06	DUE
CIS-1,2-DICHLOROETHYLENE	77093	012	2012/06/22	< .500	2013/06	DUE
DICHLOROMETHANE	34423	012	2012/06/22	< .500	2013/06	DUE
ETHYLBENZENE	34371	012	2012/06/22	< .500	2013/06	DUE
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2013/04/23	< 3.000	2014/04	DUE
MONOCHLOROBENZENE	34301	012	2012/06/22	< .500	2013/06	DUE
STYRENE	77128	012	2012/06/22	< .500	2013/06	DUE
TETRACHLOROETHYLENE	34475	012	2012/06/22	< .500	2013/06	DUE
TOLUENE	34010	012	2012/06/22	< .500	2013/06	DUE
TRANS-1,2-DICHLOROETHYLENE	34546	012	2012/06/22	< .500	2013/06	DUE
TRICHLOROETHYLENE	39180	012	2012/06/22	< .500	2013/06	DUE
TRICHLOROFLUOROMETHANE	34488	012	2012/06/22	< 5.000	2013/06	DUE
VINYL CHLORIDE	39175	012	2012/06/22	< .500	2013/06	DUE
XYLENES (TOTAL)	81551	012	2012/06/22	< 1.000	2013/06	DUE

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910138**

**System Name: LOS ANGELES WORLD AIRPORTS**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910138-002**

**Source Name: WEST WELL**

**Source Number: 002**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

ALUMINUM	01105	036	2010/04/16	< .000	2013/04	DUE
ANTIMONY	01097	036	2010/04/16	< .000	2013/04	DUE
ARSENIC	01002	036	2010/04/16	< .000	2013/04	DUE
BARIUM	01007	036	2010/04/16	< .000	2013/04	DUE
BERYLLIUM	01012	036	2010/04/16	< .000	2013/04	DUE
CADMIUM	01027	036	2010/04/16	< .000	2013/04	DUE
CHROMIUM (TOTAL)	01034	036	2010/04/16	< .000	2013/04	DUE
CHROMIUM, HEXAVALENT	01032	036	2002/02/28	. 5.000	2005/02	DUE
CYANIDE	01291	036	2010/04/16	< .000	2013/04	DUE
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2010/04/16	.140	2013/04	DUE
MERCURY	71900	036	2010/04/16	< .000	2013/04	DUE
NICKEL	01067	036	2010/04/16	< .000	2013/04	DUE
PERCHLORATE	A-031	012	2013/04/23	. 8.800	2014/04	DUE
SELENIUM	01147	036	2010/04/16	< .000	2013/04	DUE
THALLIUM	01059	036	2010/04/16	< .000	2013/04	DUE

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	012	2013/04/23	. 3.000	2014/04	DUE
NITRITE (AS N)	00620	036	2013/04/23	< 400.000	2016/04	

**RADIOLOGICAL**

GROSS ALPHA	01501	003	2008/11/14	.850	2009/02	DUE
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	003	2008/05/30	.373	2008/08	DUE
URANIUM (PCI/L)	28012	003	2008/11/14	.380	2009/02	DUE

**REGULATED SOC**

DI(2-ETHYLHEXYL)PHTHALATE	39100	036	2013/04/23	< 3.000	2016/04	
THIOBENCARB	A-001	036	2013/04/23	< 1.000	2016/04	

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	012	2012/06/22	< .500	2013/06	DUE
1,1,2,2-TETRACHLOROETHANE	34516	012	2012/06/22	< .500	2013/06	DUE

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910138**

**System Name: LOS ANGELES WORLD AIRPORTS**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910138-002**

**Source Name: WEST WELL**

**Source Number: 002**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED VOC**

1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2012/06/22	< 10.000	2013/06	DUE
1,1,2-TRICHLOROETHANE	34511	012	2012/06/22	< .500	2013/06	DUE
1,1-DICHLOROETHANE	34496	012	2012/06/22	< .500	2013/06	DUE
1,1-DICHLOROETHYLENE	34501	012	2012/06/22	< .500	2013/06	DUE
1,2,4-TRICHLOROBENZENE	34551	012	2012/06/22	< .500	2013/06	DUE
1,2-DICHLOROBENZENE	34536	012	2012/06/22	< .500	2013/06	DUE
1,2-DICHLOROETHANE	34531	012	2012/06/22	< .500	2013/06	DUE
1,2-DICHLOROPROPANE	34541	012	2012/06/22	< .500	2013/06	DUE
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2012/06/22	< .500	2013/06	DUE
1,4-DICHLOROBENZENE	34571	012	2012/06/22	< .500	2013/06	DUE
BENZENE	34030	012	2012/06/22	< .500	2013/06	DUE
CARBON TETRACHLORIDE	32102	012	2012/06/22	< .500	2013/06	DUE
CIS-1,2-DICHLOROETHYLENE	77093	012	2012/06/22	< .500	2013/06	DUE
DICHLOROMETHANE	34423	012	2012/06/22	< .500	2013/06	DUE
ETHYLBENZENE	34371	012	2012/06/22	< .500	2013/06	DUE
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2013/04/23	< 3.000	2014/04	DUE
MONOCHLOROBENZENE	34301	012	2012/06/22	< .500	2013/06	DUE
STYRENE	77128	012	2012/06/22	< .500	2013/06	DUE
TETRACHLOROETHYLENE	34475	012	2012/06/22	< .500	2013/06	DUE
TOLUENE	34010	012	2012/06/22	< .500	2013/06	DUE
TRANS-1,2-DICHLOROETHYLENE	34546	012	2012/06/22	< .500	2013/06	DUE
TRICHLOROETHYLENE	39180	012	2012/06/22	< .500	2013/06	DUE
TRICHLOROFLUOROMETHANE	34488	012	2012/06/22	< 5.000	2013/06	DUE
VINYL CHLORIDE	39175	012	2012/06/22	< .500	2013/06	DUE
XYLENES (TOTAL)	81551	012	2012/06/22	< 1.000	2013/06	DUE

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)



**System Number: 1910138**

**System Name: LOS ANGELES WORLD AIRPORTS**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910138-800**

**Source Name: SITE 1-2825 E.AVE.P (BLDG.702)-STG2 DBP**

**Source Number: 800**

**Source Status: DISTRIBUTION TREATED**

**Water type: G**

**HALOACETIC ACIDS**

DIBROMOACETIC ACID (DBAA)	82721	003	2013/12/13	< 1.000	2014/03	DUE
DICHLOROACETIC ACID (DCAA)	77288	003	2013/12/13	< 1.000	2014/03	DUE
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2013/12/13	< 1.000	2014/03	DUE
MONOBROMOACETIC ACID (MBAA)	A-041	003	2013/12/13	< 1.000	2014/03	DUE
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2013/12/13	< 2.000	2014/03	DUE
TRICHLOROACETIC ACID (TCAA)	82723	003	2013/12/13	< 1.000	2014/03	DUE

**STATE UCMR**

BROMODICHLORMETHANE (THM)	32101	003	2013/12/13	< 1.000	2014/03	DUE
BROMOFORM (THM)	32104	003	2013/12/13	< 1.000	2014/03	DUE
CHLOROFORM (THM)	32106	003	2013/12/13	< 1.000	2014/03	DUE
DIBROMOCHLOROMETHANE (THM)	32105	003	2013/12/13	< 1.000	2014/03	DUE

**TRIHALOMETHANES**

TOTAL TRIHALOMETHANES	82080	003	2013/12/13	< 1.000	2014/03	DUE
-----------------------	-------	-----	------------	---------	---------	-----

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910139**

**System Name: CAL/AM WATER COMPANY - SAN MARINO**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910139-004**

**Source Name: 1921 B - OSWEGO - STANDBY**

**Source Number: 004**

**Source Status: STANDBY RAW**

**Water type: G**

**INORGANIC**

ALUMINUM	01105	108	2014/04/14	< 50.000	2023/04
ANTIMONY	01097	108	2014/04/14	< 6.000	2023/04
ARSENIC	01002	108	2014/04/14	< 2.000	2023/04
BARIUM	01007	108	2014/04/14	< 100.000	2023/04
BERYLLIUM	01012	108	2014/04/14	< 1.000	2023/04
CADMIUM	01027	108	2014/04/14	< 1.000	2023/04
CHROMIUM (TOTAL)	01034	108	2014/04/14	< 10.000	2023/04
CYANIDE	01291	108	2014/04/14	< 100.000	2023/04
FLUORIDE (F) (NATURAL-SOURCE)	00951	108	2014/04/14	.760	2023/04
MERCURY	71900	108	2014/04/14	< 1.000	2023/04
NICKEL	01067	108	2014/04/14	< 10.000	2023/04
PERCHLORATE	A-031	108	2014/04/14	< 4.000	2023/04
SELENIUM	01147	108	2014/04/14	< 5.000	2023/04
THALLIUM	01059	108	2014/04/14	< 1.000	2023/04

**NITRATE/NITRITE**

<b>NITRATE (AS NO3)</b>	71850	001	<b>2014/04/14</b>	. 63.860	<b>2014/05</b>	<b>DUE</b>
NITRITE (AS N)	00620	108	2014/04/14	< 400.000	2023/04	

**RADIOLOGICAL**

GROSS ALPHA	01501	108	2007/05/02	6.600	2016/05
RADIUM 226	09501	108	2007/03/07	< 1.000	2016/03
RADIUM 228	11501	108	2007/05/02	1.160	2016/05
URANIUM (PCI/L)	28012	108	2010/11/30	14.000	2019/11

**REGULATED SOC**

<b>DI(2-ETHYLHEXYL)PHTHALATE</b>	39100	108	<b>2004/05/12</b>	< .000	<b>2013/05</b>	<b>DUE</b>
<b>THIOBENCARB</b>	A-001	108	<b>2004/05/12</b>	< .000	<b>2013/05</b>	<b>DUE</b>

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	108	2014/04/14	< .500	2023/04
1,1,2,2-TETRACHLOROETHANE	34516	108	2014/04/14	< .500	2023/04

\*Testing interval is in months;  
 0 = No data for this constituent and is DUE NOW  
 I = Invalid (NOT) valid analyses reported  
 Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910139**

**System Name: CAL/AM WATER COMPANY - SAN MARINO**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910139-004**

**Source Name: 1921 B - OSWEGO - STANDBY**

**Source Number: 004**

**Source Status: STANDBY RAW**

**Water type: G**

**REGULATED VOC**

1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	108	2014/04/14	< 10.000	2023/04
1,1,2-TRICHLOROETHANE	34511	108	2014/04/14	< .500	2023/04
1,1-DICHLOROETHANE	34496	108	2014/04/14	< .500	2023/04
1,1-DICHLOROETHYLENE	34501	108	2014/04/14	< .500	2023/04
1,2,4-TRICHLOROBENZENE	34551	108	2014/04/14	< .500	2023/04
1,2-DICHLOROBENZENE	34536	108	2014/04/14	< .500	2023/04
1,2-DICHLOROETHANE	34531	108	2014/04/14	< .500	2023/04
1,2-DICHLOROPROPANE	34541	108	2014/04/14	< .500	2023/04
1,3-DICHLOROPROPENE (TOTAL)	34561	108	2014/04/14	< .500	2023/04
1,4-DICHLOROBENZENE	34571	108	2014/04/14	< .500	2023/04
BENZENE	34030	108	2014/04/14	< .500	2023/04
CARBON TETRACHLORIDE	32102	108	2014/04/14	< .500	2023/04
CIS-1,2-DICHLOROETHYLENE	77093	108	2014/04/14	. 700	2023/04
DICHLOROMETHANE	34423	108	2014/04/14	< .500	2023/04
ETHYLBENZENE	34371	108	2014/04/14	< .500	2023/04
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	108	2014/04/14	< 3.000	2023/04
MONOCHLOROBENZENE	34301	108	2014/04/14	< .500	2023/04
STYRENE	77128	108	2014/04/14	< .500	2023/04
TETRACHLOROETHYLENE	34475	108	2014/04/14	. 700	2023/04
TOLUENE	34010	108	2014/04/14	< .500	2023/04
TRANS-1,2-DICHLOROETHYLENE	34546	108	2014/04/14	< .500	2023/04
<b>TRICHLOROETHYLENE</b>	39180	001	<b>2014/04/14</b>	<b>. 2.600</b>	<b>2014/05 DUE</b>
TRICHLOROFUOROMETHANE	34488	108	2014/04/14	< 5.000	2023/04
VINYL CHLORIDE	39175	108	2014/04/14	< .500	2023/04
XYLENES (TOTAL)	81551	108	2014/04/14	< .500	2023/04

**SECONDARY/GP**

BICARBONATE ALKALINITY	00440	108	2013/09/12	. 200.000	2022/09
CALCIUM	00916	108	2014/04/14	. 82.000	2023/04
CARBONATE ALKALINITY	00445	108	2013/09/12	< 2.000	2022/09

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910139**

**System Name: CAL/AM WATER COMPANY - SAN MARINO**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910139-004**

**Source Name: 1921 B - OSWEGO - STANDBY**

**Source Number: 004**

**Source Status: STANDBY RAW**

**Water type: G**

**SECONDARY/GP**

CHLORIDE	00940	108	2014/04/14	. 45.900	2023/04
COLOR	00081	108	2013/09/12	< 3.000	2022/09
COPPER	01042	108	2014/04/14	< 50.000	2023/04
FOAMING AGENTS (MBAS)	38260	108	2013/09/12	. .071	2022/09
HARDNESS (TOTAL) AS CaCO3	00900	108	2013/09/12	. 260.000	2022/09
HYDROXIDE ALKALINITY	71830	108	2013/09/12	< 2.000	2022/09
IRON	01045	108	2014/04/14	< 100.000	2023/04
MAGNESIUM	00927	108	2014/04/14	. 23.000	2023/04
MANGANESE	01055	108	2014/04/14	< 20.000	2023/04
ODOR THRESHOLD @ 60 C	00086	108	2013/09/12	< 1.000	2022/09
PH, LABORATORY	00403	108	2013/09/12	. 7.800	2022/09
SILVER	01077	108	2014/04/14	< 10.000	2023/04
SODIUM	00929	108	2014/04/14	. 43.700	2023/04
SPECIFIC CONDUCTANCE	00095	108	2013/09/12	. 700.000	2022/09
SULFATE	00945	108	2014/04/14	. 70.700	2023/04
TOTAL DISSOLVED SOLIDS	70300	108	2013/09/12	. 410.000	2022/09
TURBIDITY, LABORATORY	82079	108	2013/09/12	. .780	2022/09
ZINC	01092	108	2014/04/14	< 50.000	2023/04

**PS Code: 1910139-006**

**Source Name: 1924 - WINSTON**

**Source Number: 006**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

ALUMINUM	01105	036	2014/04/14	< 50.000	2017/04
ANTIMONY	01097	036	2014/04/14	< 6.000	2017/04
ARSENIC	01002	036	2014/04/14	< 2.000	2017/04
BARIUM	01007	036	2014/04/14	< 100.000	2017/04

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910139**

**System Name: CAL/AM WATER COMPANY - SAN MARINO**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910139-006**

**Source Name: 1924 - WINSTON**

**Source Number: 006**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

BERYLLIUM	01012	036	2014/04/14	< 1.000	2017/04
CADMIUM	01027	036	2014/04/14	< 1.000	2017/04
CHROMIUM (TOTAL)	01034	036	2014/04/14	< 10.000	2017/04
CYANIDE	01291	036	2014/04/14	< 100.000	2017/04
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/04/14	.650	2017/04
MERCURY	71900	036	2014/04/14	< 1.000	2017/04
NICKEL	01067	036	2014/04/14	< 10.000	2017/04
PERCHLORATE	A-031	012	2014/04/14	< 4.000	2015/04
SELENIUM	01147	036	2014/04/14	< 5.000	2017/04
THALLIUM	01059	036	2014/04/14	< 1.000	2017/04

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	001	2014/07/14	.45.810	2014/08
NITRITE (AS N)	00620	036	2014/04/14	< 400.000	2017/04

**RADIOLOGICAL**

<b>GROSS ALPHA</b>	01501	003	<b>2010/08/10</b>	14.000	<b>2010/11 DUE</b>
<b>RADIUM 226</b>	09501	003	<b>1989/03/28</b>	1.400	<b>1989/06 DUE</b>
<b>RADIUM 228</b>	11501	003	<b>2006/05/17</b>	< 1.000	<b>2006/08 DUE</b>
<b>URANIUM (PCI/L)</b>	28012	003	<b>2010/08/10</b>	14.000	<b>2010/11 DUE</b>

**REGULATED SOC**

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2013/09/09	< 3.000	2016/06
---------------------------	-------	-----	------------	---------	---------

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	012	2014/04/14	< .500	2015/04
1,1,2,2-TETRACHLOROETHANE	34516	012	2014/04/14	< .500	2015/04
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/04/14	< 10.000	2015/04
1,1,2-TRICHLOROETHANE	34511	012	2014/04/14	< .500	2015/04
1,1-DICHLOROETHANE	34496	012	2014/04/14	< .500	2015/04
1,1-DICHLOROETHYLENE	34501	012	2014/04/14	< .500	2015/04
1,2,4-TRICHLOROBENZENE	34551	012	2014/04/14	< .500	2015/04

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910139**

**System Name: CAL/AM WATER COMPANY - SAN MARINO**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910139-006**

**Source Name: 1924 - WINSTON**

**Source Number: 006**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED VOC**

1,2-DICHLOROBENZENE	34536	012	2014/04/14	< .500	2015/04
1,2-DICHLOROETHANE	34531	012	2014/04/14	< .500	2015/04
1,2-DICHLOROPROPANE	34541	012	2014/04/14	< .500	2015/04
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/04/14	< .500	2015/04
1,4-DICHLOROBENZENE	34571	012	2014/04/14	< .500	2015/04
BENZENE	34030	012	2014/04/14	< .500	2015/04
CARBON TETRACHLORIDE	32102	012	2014/04/14	< .500	2015/04
CIS-1,2-DICHLOROETHYLENE	77093	012	2014/04/14	< .500	2015/04
DICHLOROMETHANE	34423	012	2014/04/14	< .500	2015/04
ETHYLBENZENE	34371	012	2014/04/14	< .500	2015/04
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/04/14	< 3.000	2015/04
MONOCHLOROBENZENE	34301	012	2014/04/14	< .500	2015/04
STYRENE	77128	012	2014/04/14	< .500	2015/04
TETRACHLOROETHYLENE	34475	012	2014/04/14	< .500	2015/04
TOLUENE	34010	012	2014/04/14	< .500	2015/04
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/04/14	< .500	2015/04
TRICHLOROETHYLENE	39180	012	2014/04/14	< .500	2015/04
TRICHLOROFLUOROMETHANE	34488	012	2014/04/14	< 5.000	2015/04
VINYL CHLORIDE	39175	012	2014/04/14	< .500	2015/04
XYLENES (TOTAL)	81551	012	2014/04/14	< .500	2015/04

**SECONDARY/GP**

BICARBONATE ALKALINITY	00440	036	2013/09/12	. 230.000	2016/09
CALCIUM	00916	036	2014/04/14	. 86.000	2017/04
CARBONATE ALKALINITY	00445	036	2013/09/12	< 2.000	2016/09
CHLORIDE	00940	036	2014/04/14	. 47.300	2017/04
COLOR	00081	036	2013/09/12	. 3.000	2016/09
COPPER	01042	036	2014/04/14	< 50.000	2017/04
FOAMING AGENTS (MBAS)	38260	036	2013/09/12	< .050	2016/09
HARDNESS (TOTAL) AS CaCO3	00900	036	2013/09/12	. 300.000	2016/09

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910139**

**System Name: CAL/AM WATER COMPANY - SAN MARINO**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910139-006**

**Source Name: 1924 - WINSTON**

**Source Number: 006**

**Source Status: ACTIVE RAW**

**Water type: G**

**SECONDARY/GP**

HYDROXIDE ALKALINITY	71830	036	2013/09/12	< 2.000	2016/09
IRON	01045	036	2014/04/14	< 100.000	2017/04
MAGNESIUM	00927	036	2014/04/14	. 26.000	2017/04
MANGANESE	01055	036	2014/04/14	< 20.000	2017/04
ODOR THRESHOLD @ 60 C	00086	036	2013/09/12	1.000	2016/09
PH, LABORATORY	00403	036	2013/09/12	. 7.900	2016/09
SILVER	01077	036	2014/04/14	< 10.000	2017/04
SODIUM	00929	036	2014/04/14	. 39.100	2017/04
SPECIFIC CONDUCTANCE	00095	036	2013/09/12	. 740.000	2016/09
SULFATE	00945	036	2014/04/14	. 82.000	2017/04
TOTAL DISSOLVED SOLIDS	70300	036	2013/09/12	. 450.000	2016/09
TURBIDITY, LABORATORY	82079	036	2013/09/12	. 1.100	2016/09
ZINC	01092	036	2014/04/14	< 50.000	2017/04

**PS Code: 1910139-007**

**Source Name: 1925 - LONGDEN - TREATED**

**Source Number: 007**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

ALUMINUM	01105	036	2014/04/14	< 50.000	2017/04
ANTIMONY	01097	036	2014/04/14	< 6.000	2017/04
ARSENIC	01002	036	2014/04/14	< 2.000	2017/04
BARIUM	01007	036	2014/04/14	< 100.000	2017/04
BERYLLIUM	01012	036	2014/04/14	< 1.000	2017/04
CADMIUM	01027	036	2014/04/14	< 1.000	2017/04
CHROMIUM (TOTAL)	01034	036	2014/04/14	< 10.000	2017/04
CHROMIUM, HEXAVALENT	01032	036	2014/01/29	. 2.600	2017/01
CYANIDE	01291	036	2014/04/14	< 100.000	2017/04

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910139**

**System Name: CAL/AM WATER COMPANY - SAN MARINO**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910139-007**

**Source Name: 1925 - LONGDEN - TREATED**

**Source Number: 007**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/04/14	.640	2017/04
MERCURY	71900	036	2014/04/14	< 1.000	2017/04
NICKEL	01067	036	2014/04/14	< 10.000	2017/04
PERCHLORATE	A-031	012	2014/06/02	< 4.000	2015/06
SELENIUM	01147	036	2014/04/14	< 5.000	2017/04
THALLIUM	01059	036	2014/04/14	< 1.000	2017/04

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	001	2014/07/14	64.150	2014/08
NITRITE (AS N)	00620	036	2014/04/14	< 400.000	2017/04

**RADIOLOGICAL**

<b>GROSS ALPHA</b>	01501	003	2013/06/06	4.710	2013/09	<b>DUE</b>
<b>RADIUM 226</b>	09501	003	2007/06/07	< 1.000	2007/09	<b>DUE</b>
<b>RADIUM 228</b>	11501	003	2007/06/07	< 1.000	2007/09	<b>DUE</b>
<b>URANIUM (PCI/L)</b>	28012	003	2013/06/06	3.500	2013/09	<b>DUE</b>

**REGULATED SOC**

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2012/12/04	< 3.000	2015/09
---------------------------	-------	-----	------------	---------	---------

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	012	2014/07/14	< .500	2015/07
1,1,2,2-TETRACHLOROETHANE	34516	012	2014/07/14	< .500	2015/07
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/07/14	< 10.000	2015/07
1,1,2-TRICHLOROETHANE	34511	012	2014/07/14	< .500	2015/07
1,1-DICHLOROETHANE	34496	012	2014/07/14	< .500	2015/07
1,1-DICHLOROETHYLENE	34501	012	2014/07/14	< .500	2015/07
1,2,4-TRICHLOROBENZENE	34551	012	2014/07/14	< .500	2015/07
1,2-DICHLOROBENZENE	34536	012	2014/07/14	< .500	2015/07
1,2-DICHLOROETHANE	34531	012	2014/07/14	< .500	2015/07
1,2-DICHLOROPROPANE	34541	012	2014/07/14	< .500	2015/07
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/07/14	< .500	2015/07

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)



**System Number: 1910139**

**System Name: CAL/AM WATER COMPANY - SAN MARINO**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910139-007**

**Source Name: 1925 - LONGDEN - TREATED**

**Source Number: 007**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED VOC**

1,4-DICHLOROBENZENE	34571	012	2014/07/14	< .500	2015/07
BENZENE	34030	012	2014/07/14	< .500	2015/07
CARBON TETRACHLORIDE	32102	012	2014/07/14	< .500	2015/07
CIS-1,2-DICHLOROETHYLENE	77093	012	2014/07/14	< .500	2015/07
DICHLOROMETHANE	34423	012	2014/07/14	< .500	2015/07
ETHYLBENZENE	34371	012	2014/07/14	< .500	2015/07
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/07/14	< 3.000	2015/07
MONOCHLOROENZENE	34301	012	2014/07/14	< .500	2015/07
STYRENE	77128	012	2014/07/14	< .500	2015/07
TETRACHLOROETHYLENE	34475	012	2014/07/14	. 8.900	2015/07
TOLUENE	34010	012	2014/07/14	< .500	2015/07
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/07/14	< .500	2015/07
TRICHLOROETHYLENE	39180	012	2014/07/14	< .500	2015/07
TRICHLOROFUOROMETHANE	34488	012	2014/07/14	< 5.000	2015/07
VINYL CHLORIDE	39175	012	2014/07/14	< .500	2015/07
XYLENES (TOTAL)	81551	012	2014/07/14	< .500	2015/07

**SECONDARY/GP**

BICARBONATE ALKALINITY	00440	036	2014/01/29	. 180.000	2017/01
CALCIUM	00916	036	2014/04/14	. 63.000	2017/04
CARBONATE ALKALINITY	00445	036	2014/01/29	< 2.000	2017/01
CHLORIDE	00940	036	2014/04/14	. 33.700	2017/04
COLOR	00081	036	2014/01/29	< 3.000	2017/01
COPPER	01042	036	2014/04/14	< 50.000	2017/04
FOAMING AGENTS (MBAS)	38260	036	2014/01/29	< .050	2017/01
HARDNESS (TOTAL) AS CaCO3	00900	036	2014/01/29	. 260.000	2017/01
HYDROXIDE ALKALINITY	71830	036	2014/01/29	< 2.000	2017/01
IRON	01045	036	2014/04/14	< 100.000	2017/04
MAGNESIUM	00927	036	2014/04/14	. 22.000	2017/04
MANGANESE	01055	036	2014/04/14	< 20.000	2017/04

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910139**

**System Name: CAL/AM WATER COMPANY - SAN MARINO**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910139-007**

**Source Name: 1925 - LONGDEN - TREATED**

**Source Number: 007**

**Source Status: ACTIVE RAW**

**Water type: G**

**SECONDARY/GP**

ODOR THRESHOLD @ 60 C	00086	036	2014/01/29	1.000	2017/01
PH, LABORATORY	00403	036	2014/01/29	7.400	2017/01
SILVER	01077	036	2014/04/14	< 10.000	2017/04
SODIUM	00929	036	2014/04/14	32.700	2017/04
SPECIFIC CONDUCTANCE	00095	036	2014/01/29	650.000	2017/01
SULFATE	00945	036	2014/04/14	66.600	2017/04
TOTAL DISSOLVED SOLIDS	70300	036	2014/01/29	400.000	2017/01
TURBIDITY, LABORATORY	82079	036	2014/01/29	.840	2017/01
ZINC	01092	036	2014/04/14	< 50.000	2017/04

**PS Code: 1910139-010**

**Source Name: 1948 - GRAND**

**Source Number: 010**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

ALUMINUM	01105	036	2014/05/19	< 50.000	2017/05
ANTIMONY	01097	036	2014/05/19	< 6.000	2017/05
ARSENIC	01002	036	2014/05/19	< 2.000	2017/05
BARIUM	01007	036	2014/05/19	< 100.000	2017/05
BERYLLIUM	01012	036	2014/05/19	< 1.000	2017/05
CADMIUM	01027	036	2014/05/19	< 1.000	2017/05
CHROMIUM (TOTAL)	01034	036	2014/05/19	12.000	2017/05
CYANIDE	01291	036	2014/05/19	< 100.000	2017/05
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/05/19	.880	2017/05
MERCURY	71900	036	2014/05/19	< 1.000	2017/05
NICKEL	01067	036	2014/05/19	< 10.000	2017/05
PERCHLORATE	A-031	012	2014/05/19	< 4.000	2015/05
SELENIUM	01147	036	2014/05/19	< 5.000	2017/05

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910139**

**System Name: CAL/AM WATER COMPANY - SAN MARINO**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910139-010**

**Source Name: 1948 - GRAND**

**Source Number: 010**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

THALLIUM	01059	036	2014/05/19	< 1.000	2017/05
----------	-------	-----	------------	---------	---------

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	012	2014/05/19	. 9.290	2015/05
------------------	-------	-----	------------	---------	---------

NITRITE (AS N)	00620	036	2014/05/19	< 400.000	2017/05
----------------	-------	-----	------------	-----------	---------

**RADIOLOGICAL**

GROSS ALPHA	01501	003	2013/06/06	< 3.000	2013/09	DUE
-------------	-------	-----	------------	---------	---------	-----

RADIUM 226	09501	003	2007/06/07	< 1.000	2007/09	DUE
------------	-------	-----	------------	---------	---------	-----

RADIUM 228	11501	003	2007/06/07	< 1.000	2007/09	DUE
------------	-------	-----	------------	---------	---------	-----

URANIUM (PCI/L)	28012	003	2013/06/06	. 2.800	2013/09	DUE
-----------------	-------	-----	------------	---------	---------	-----

**REGULATED SOC**

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2012/12/04	< 3.000	2015/09
---------------------------	-------	-----	------------	---------	---------

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	012	2014/07/14	< .500	2015/07
-----------------------	-------	-----	------------	--------	---------

1,1,2,2-TETRACHLOROETHANE	34516	012	2014/07/14	< .500	2015/07
---------------------------	-------	-----	------------	--------	---------

1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/07/14	< 10.000	2015/07
---------------------------------------	-------	-----	------------	----------	---------

1,1,2-TRICHLOROETHANE	34511	012	2014/07/14	< .500	2015/07
-----------------------	-------	-----	------------	--------	---------

1,1-DICHLOROETHANE	34496	012	2014/07/14	< .500	2015/07
--------------------	-------	-----	------------	--------	---------

1,1-DICHLOROETHYLENE	34501	012	2014/07/14	< .500	2015/07
----------------------	-------	-----	------------	--------	---------

1,2,4-TRICHLOROBENZENE	34551	012	2014/07/14	< .500	2015/07
------------------------	-------	-----	------------	--------	---------

1,2-DICHLOROBENZENE	34536	012	2014/07/14	< .500	2015/07
---------------------	-------	-----	------------	--------	---------

1,2-DICHLOROETHANE	34531	012	2014/07/14	< .500	2015/07
--------------------	-------	-----	------------	--------	---------

1,2-DICHLOROPROPANE	34541	012	2014/07/14	< .500	2015/07
---------------------	-------	-----	------------	--------	---------

1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/07/14	< .500	2015/07
-----------------------------	-------	-----	------------	--------	---------

1,4-DICHLOROBENZENE	34571	012	2014/07/14	< .500	2015/07
---------------------	-------	-----	------------	--------	---------

BENZENE	34030	012	2014/07/14	< .500	2015/07
---------	-------	-----	------------	--------	---------

CARBON TETRACHLORIDE	32102	012	2014/07/14	< .500	2015/07
----------------------	-------	-----	------------	--------	---------

CIS-1,2-DICHLOROETHYLENE	77093	012	2014/07/14	< .500	2015/07
--------------------------	-------	-----	------------	--------	---------

DICHLOROMETHANE	34423	012	2014/07/14	< .500	2015/07
-----------------	-------	-----	------------	--------	---------

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910139**

**System Name: CAL/AM WATER COMPANY - SAN MARINO**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910139-010**

**Source Name: 1948 - GRAND**

**Source Number: 010**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED VOC**

ETHYLBENZENE	34371	012	2014/07/14	< .500	2015/07
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/07/14	< 3.000	2015/07
MONOCHLORO BENZENE	34301	012	2014/07/14	< .500	2015/07
STYRENE	77128	012	2014/07/14	< .500	2015/07
TETRACHLOROETHYLENE	34475	012	2014/07/14	. 1.600	2015/07
TOLUENE	34010	012	2014/07/14	< .500	2015/07
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/07/14	< .500	2015/07
TRICHLOROETHYLENE	39180	012	2014/07/14	. 2.300	2015/07
TRICHLOROFUOROMETHANE	34488	012	2014/07/14	< 5.000	2015/07
VINYL CHLORIDE	39175	012	2014/07/14	< .500	2015/07
XYLENES (TOTAL)	81551	012	2014/07/14	< .500	2015/07

**SECONDARY/GP**

BICARBONATE ALKALINITY	00440	036	2013/09/12	. 180.000	2016/09
CALCIUM	00916	036	2014/05/19	. 46.000	2017/05
CARBONATE ALKALINITY	00445	036	2013/09/12	< 2.000	2016/09
CHLORIDE	00940	036	2014/05/19	. 10.300	2017/05
COLOR	00081	036	2013/09/12	< 3.000	2016/09
COPPER	01042	036	2014/05/19	< 50.000	2017/05
FOAMING AGENTS (MBAS)	38260	036	2013/09/12	< .050	2016/09
HARDNESS (TOTAL) AS CaCO3	00900	036	2013/09/12	. 140.000	2016/09
HYDROXIDE ALKALINITY	71830	036	2013/09/12	< 2.000	2016/09
IRON	01045	036	2014/05/19	< 100.000	2017/05
MAGNESIUM	00927	036	2014/05/19	. 14.000	2017/05
MANGANESE	01055	036	2014/05/19	< 20.000	2017/05
ODOR THRESHOLD @ 60 C	00086	036	2013/09/12	< 1.000	2016/09
PH, LABORATORY	00403	036	2013/09/12	. 7.800	2016/09
SILVER	01077	036	2014/05/19	< 10.000	2017/05
SODIUM	00929	036	2014/05/19	. 21.100	2017/05
SPECIFIC CONDUCTANCE	00095	036	2013/09/12	. 370.000	2016/09

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910139**

**System Name: CAL/AM WATER COMPANY - SAN MARINO**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910139-010**

**Source Name: 1948 - GRAND**

**Source Number: 010**

**Source Status: ACTIVE RAW**

**Water type: G**

**SECONDARY/GP**

SULFATE	00945	036	2014/05/19	. 19.800	2017/05
TOTAL DISSOLVED SOLIDS	70300	036	2013/09/12	. 220.000	2016/09
TURBIDITY, LABORATORY	82079	036	2013/09/12	. .340	2016/09
ZINC	01092	036	2014/05/19	< 50.000	2017/05

**PS Code: 1910139-011**

**Source Name: 1954 - MISSION VIEW WELL 02**

**Source Number: 011**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

ALUMINUM	01105	036	2014/04/14	< 50.000	2017/04
ANTIMONY	01097	036	2014/04/14	< 6.000	2017/04
ARSENIC	01002	036	2014/04/14	< 2.000	2017/04
BARIUM	01007	036	2014/04/14	< 100.000	2017/04
BERYLLIUM	01012	036	2014/04/14	< 1.000	2017/04
CADMIUM	01027	036	2014/04/14	< 1.000	2017/04
CHROMIUM (TOTAL)	01034	036	2014/04/14	. 12.000	2017/04
CYANIDE	01291	036	2014/04/14	< 100.000	2017/04
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/04/14	. .870	2017/04
MERCURY	71900	036	2014/04/14	< 1.000	2017/04
NICKEL	01067	036	2014/04/14	< 10.000	2017/04
PERCHLORATE	A-031	012	2014/04/14	< 4.000	2015/04
SELENIUM	01147	036	2014/04/14	< 5.000	2017/04
THALLIUM	01059	036	2014/04/14	< 1.000	2017/04

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	003	2014/04/14	. 21.310	2014/07
NITRITE (AS N)	00620	036	2014/04/14	< 400.000	2017/04

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910139**

**System Name: CAL/AM WATER COMPANY - SAN MARINO**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910139-011**

**Source Name: 1954 - MISSION VIEW WELL 02**

**Source Number: 011**

**Source Status: ACTIVE RAW**

**Water type: G**

**RADIOLOGICAL**

<b>GROSS ALPHA</b>	<b>01501</b>	<b>003</b>	<b>2007/06/07</b>	<b>&lt; 3.000</b>	<b>2007/09</b>	<b>DUE</b>
<b>RADIUM 226</b>	<b>09501</b>	<b>003</b>	<b>2007/06/07</b>	<b>&lt; 1.000</b>	<b>2007/09</b>	<b>DUE</b>
<b>RADIUM 228</b>	<b>11501</b>	<b>003</b>	<b>2007/06/07</b>	<b>&lt; 1.000</b>	<b>2007/09</b>	<b>DUE</b>
<b>URANIUM (PCI/L)</b>	<b>28012</b>	<b>003</b>	<b>2013/06/06</b>	<b>. 1.900</b>	<b>2013/09</b>	<b>DUE</b>

**REGULATED SOC**

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2012/12/04	< 3.000	2015/09
---------------------------	-------	-----	------------	---------	---------

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	012	2014/04/14	< .500	2015/04
1,1,2,2-TETRACHLOROETHANE	34516	012	2014/04/14	< .500	2015/04
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/04/14	< 10.000	2015/04
1,1,2-TRICHLOROETHANE	34511	012	2014/04/14	< .500	2015/04
1,1-DICHLOROETHANE	34496	012	2014/04/14	< .500	2015/04
1,1-DICHLOROETHYLENE	34501	012	2014/04/14	< .500	2015/04
1,2,4-TRICHLOROBENZENE	34551	012	2014/04/14	< .500	2015/04
1,2-DICHLOROBENZENE	34536	012	2014/04/14	< .500	2015/04
1,2-DICHLOROETHANE	34531	012	2014/04/14	< .500	2015/04
1,2-DICHLOROPROPANE	34541	012	2014/04/14	< .500	2015/04
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/04/14	< .500	2015/04
1,4-DICHLOROBENZENE	34571	012	2014/04/14	< .500	2015/04
BENZENE	34030	012	2014/04/14	< .500	2015/04
CARBON TETRACHLORIDE	32102	012	2014/04/14	< .500	2015/04
CIS-1,2-DICHLOROETHYLENE	77093	012	2014/04/14	< .500	2015/04
DICHLOROMETHANE	34423	012	2014/04/14	< .500	2015/04
ETHYLBENZENE	34371	012	2014/04/14	< .500	2015/04
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/04/14	< 3.000	2015/04
MONOCHLOROBENZENE	34301	012	2014/04/14	< .500	2015/04
STYRENE	77128	012	2014/04/14	< .500	2015/04
TETRACHLOROETHYLENE	34475	012	2014/04/14	< .500	2015/04
TOLUENE	34010	012	2014/04/14	< .500	2015/04

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910139**

**System Name: CAL/AM WATER COMPANY - SAN MARINO**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910139-011**

**Source Name: 1954 - MISSION VIEW WELL 02**

**Source Number: 011**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED VOC**

TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/04/14	< .500	2015/04
TRICHLOROETHYLENE	39180	012	2014/04/14	< .500	2015/04
TRICHLOROFUOROMETHANE	34488	012	2014/04/14	< 5.000	2015/04
VINYL CHLORIDE	39175	012	2014/04/14	< .500	2015/04
XYLENES (TOTAL)	81551	012	2014/04/14	< .500	2015/04

**SECONDARY/GP**

BICARBONATE ALKALINITY	00440	036	2013/09/12	. 190.000	2016/09
CALCIUM	00916	036	2014/04/14	. 46.000	2017/04
CARBONATE ALKALINITY	00445	036	2013/09/12	< 2.000	2016/09
CHLORIDE	00940	036	2014/04/14	. 11.700	2017/04
COLOR	00081	036	2013/09/12	< 3.000	2016/09
COPPER	01042	036	2014/04/14	< 50.000	2017/04
FOAMING AGENTS (MBAS)	38260	036	2013/09/12	. .054	2016/09
HARDNESS (TOTAL) AS CaCO3	00900	036	2013/09/12	. 170.000	2016/09
HYDROXIDE ALKALINITY	71830	036	2013/09/12	< 2.000	2016/09
IRON	01045	036	2014/04/14	< 100.000	2017/04
MAGNESIUM	00927	036	2014/04/14	. 13.000	2017/04
MANGANESE	01055	036	2014/04/14	< 20.000	2017/04
ODOR THRESHOLD @ 60 C	00086	036	2013/09/12	< 1.000	2016/09
PH, LABORATORY	00403	036	2013/09/12	. 7.800	2016/09
SILVER	01077	036	2014/04/14	< 10.000	2017/04
SODIUM	00929	036	2014/04/14	. 22.500	2017/04
SPECIFIC CONDUCTANCE	00095	036	2013/09/12	. 420.000	2016/09
SULFATE	00945	036	2014/04/14	. 20.800	2017/04
TOTAL DISSOLVED SOLIDS	70300	036	2013/09/12	. 230.000	2016/09
TURBIDITY, LABORATORY	82079	036	2013/09/12	. .150	2016/09
ZINC	01092	036	2014/04/14	< 50.000	2017/04

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910139**

**System Name: CAL/AM WATER COMPANY - SAN MARINO**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910139-014**

**Source Name: ROSEMEAD (1957)**

**Source Number: 014**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

ALUMINUM	01105	036	2014/05/12	< 50.000	2017/05
ANTIMONY	01097	036	2014/05/12	< 6.000	2017/05
ARSENIC	01002	036	2014/05/12	< 2.000	2017/05
BARIUM	01007	036	2014/05/12	< 100.000	2017/05
BERYLLIUM	01012	036	2014/05/12	< 1.000	2017/05
CADMIUM	01027	036	2014/05/12	< 1.000	2017/05
CHROMIUM (TOTAL)	01034	036	2014/05/12	< 10.000	2017/05
CYANIDE	01291	036	2014/05/12	< 100.000	2017/05
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/05/12	. 980	2017/05
MERCURY	71900	036	2014/05/12	< 1.000	2017/05
NICKEL	01067	036	2014/05/12	< 10.000	2017/05
PERCHLORATE	A-031	012	2014/05/12	< 4.000	2015/05
SELENIUM	01147	036	2014/05/12	< 5.000	2017/05
THALLIUM	01059	036	2014/05/12	< 1.000	2017/05

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	012	2014/05/12	. 29.250	2015/05
NITRITE (AS N)	00620	036	2014/05/12	< 400.000	2017/05

**RADIOLOGICAL**

<b>GROSS ALPHA</b>	01501	003	2013/06/06	. 3.110	2013/09	<b>DUE</b>
<b>RADIUM 226</b>	09501	003	2007/06/07	< 1.000	2007/09	<b>DUE</b>
<b>RADIUM 228</b>	11501	003	2007/06/07	< 1.000	2007/09	<b>DUE</b>
<b>URANIUM (PCI/L)</b>	28012	003	2013/06/06	. 3.100	2013/09	<b>DUE</b>

**REGULATED SOC**

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2012/12/04	< 3.000	2015/09
---------------------------	-------	-----	------------	---------	---------

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	012	2014/05/13	< .500	2015/05
1,1,2,2-TETRACHLOROETHANE	34516	012	2014/05/13	< .500	2015/05
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/05/13	< 10.000	2015/05

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)



**System Number: 1910139**

**System Name: CAL/AM WATER COMPANY - SAN MARINO**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910139-014**

**Source Name: ROSEMEAD (1957)**

**Source Number: 014**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED VOC**

1,1,2-TRICHLOROETHANE	34511	012	2014/05/13	< .500	2015/05
1,1-DICHLOROETHANE	34496	012	2014/05/13	< .500	2015/05
1,1-DICHLOROETHYLENE	34501	012	2014/05/13	< .500	2015/05
1,2,4-TRICHLOROBENZENE	34551	012	2014/05/13	< .500	2015/05
1,2-DICHLOROBENZENE	34536	012	2014/05/13	< .500	2015/05
1,2-DICHLOROETHANE	34531	012	2014/05/13	< .500	2015/05
1,2-DICHLOROPROPANE	34541	012	2014/05/13	< .500	2015/05
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/05/13	< .500	2015/05
1,4-DICHLOROBENZENE	34571	012	2014/05/13	< .500	2015/05
BENZENE	34030	012	2014/05/13	< .500	2015/05
CARBON TETRACHLORIDE	32102	012	2014/05/13	< .500	2015/05
CIS-1,2-DICHLOROETHYLENE	77093	012	2014/05/13	< .500	2015/05
DICHLOROMETHANE	34423	012	2014/05/13	< .500	2015/05
ETHYLBENZENE	34371	012	2014/05/13	< .500	2015/05
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/05/13	< 3.000	2015/05
MONOCHLOROBENZENE	34301	012	2014/05/13	< .500	2015/05
STYRENE	77128	012	2014/05/13	< .500	2015/05
TETRACHLOROETHYLENE	34475	012	2014/05/13	. 3.500	2015/05
TOLUENE	34010	012	2014/05/13	< .500	2015/05
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/05/13	< .500	2015/05
TRICHLOROETHYLENE	39180	012	2014/05/13	. 3.800	2015/05
TRICHLOROFUOROMETHANE	34488	012	2014/05/13	< 5.000	2015/05
VINYL CHLORIDE	39175	012	2014/05/13	< .500	2015/05
XYLENES (TOTAL)	81551	012	2014/05/13	< .500	2015/05

**SECONDARY/GP**

BICARBONATE ALKALINITY	00440	036	2013/09/12	. 200.000	2016/09
CALCIUM	00916	036	2014/05/12	. 53.000	2017/05
CARBONATE ALKALINITY	00445	036	2013/09/12	< 2.000	2016/09
CHLORIDE	00940	036	2014/05/12	. 17.600	2017/05

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910139**

**System Name: CAL/AM WATER COMPANY - SAN MARINO**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910139-014**

**Source Name: ROSEMEAD (1957)**

**Source Number: 014**

**Source Status: ACTIVE RAW**

**Water type: G**

**SECONDARY/GP**

COLOR	00081	036	2013/09/12	< 3.000	2016/09
COPPER	01042	036	2014/05/12	< 50.000	2017/05
FOAMING AGENTS (MBAS)	38260	036	2013/09/12	< .050	2016/09
HARDNESS (TOTAL) AS CaCO3	00900	036	2013/09/12	. 200.000	2016/09
HYDROXIDE ALKALINITY	71830	036	2013/09/12	< 2.000	2016/09
IRON	01045	036	2014/05/12	< 100.000	2017/05
MAGNESIUM	00927	036	2014/05/12	. 17.000	2017/05
MANGANESE	01055	036	2014/05/12	< 20.000	2017/05
ODOR THRESHOLD @ 60 C	00086	036	2013/09/12	1.000	2016/09
PH, LABORATORY	00403	036	2013/09/12	. 7.800	2016/09
SILVER	01077	036	2014/05/12	< 10.000	2017/05
SODIUM	00929	036	2014/05/12	. 23.400	2017/05
SPECIFIC CONDUCTANCE	00095	036	2013/09/12	. 500.000	2016/09
SULFATE	00945	036	2014/05/12	. 27.400	2017/05
TOTAL DISSOLVED SOLIDS	70300	036	2013/09/12	. 290.000	2016/09
TURBIDITY, LABORATORY	82079	036	2013/09/12	. 4.700	2016/09
ZINC	01092	036	2014/05/12	< 50.000	2017/05

**PS Code: 1910139-017**

**Source Name: DEL MAR - 1968**

**Source Number: 017**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

ALUMINUM	01105	036	2014/06/23	< 50.000	2017/06
ANTIMONY	01097	036	2014/06/23	< 6.000	2017/06
ARSENIC	01002	036	2014/06/23	< 2.000	2017/06
BARIUM	01007	036	2014/06/23	< 100.000	2017/06
BERYLLIUM	01012	036	2014/06/23	< 1.000	2017/06

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910139**

**System Name: CAL/AM WATER COMPANY - SAN MARINO**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910139-017**

**Source Name: DEL MAR - 1968**

**Source Number: 017**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

CADMIUM	01027	036	2014/06/23	< 1.000	2017/06
CHROMIUM (TOTAL)	01034	036	2014/06/23	< 10.000	2017/06
CYANIDE	01291	036	2014/06/23	< 100.000	2017/06
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/06/23	. .910	2017/06
MERCURY	71900	036	2014/06/23	< 1.000	2017/06
NICKEL	01067	036	2014/06/23	< 10.000	2017/06
PERCHLORATE	A-031	012	2014/06/23	< 4.000	2015/06
SELENIUM	01147	036	2014/06/23	< 5.000	2017/06
THALLIUM	01059	036	2014/06/23	< 1.000	2017/06

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	012	2014/06/23	. 19.870	2015/06
NITRITE (AS N)	00620	036	2014/06/23	< 400.000	2017/06

**RADIOLOGICAL**

<b>GROSS ALPHA</b>	01501	003	2007/09/18	< 3.000	2007/12	<b>DUE</b>
<b>RADIUM 226</b>	09501	003	2007/09/18	< 1.000	2007/12	<b>DUE</b>
<b>RADIUM 228</b>	11501	003	2007/09/18	< 1.000	2007/12	<b>DUE</b>
<b>URANIUM (PCI/L)</b>	28012	003	2007/09/18	< 2.000	2007/12	<b>DUE</b>

**REGULATED SOC**

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2013/06/06	< 3.000	2016/03
---------------------------	-------	-----	------------	---------	---------

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	012	2014/06/23	< .500	2015/06
1,1,2,2-TETRACHLOROETHANE	34516	012	2014/06/23	< .500	2015/06
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/06/23	< 10.000	2015/06
1,1,2-TRICHLOROETHANE	34511	012	2014/06/23	< .500	2015/06
1,1-DICHLOROETHANE	34496	012	2014/06/23	< .500	2015/06
1,1-DICHLOROETHYLENE	34501	012	2014/06/23	< .500	2015/06
1,2,4-TRICHLOROBENZENE	34551	012	2014/06/23	< .500	2015/06
1,2-DICHLOROBENZENE	34536	012	2014/06/23	< .500	2015/06

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910139**

**System Name: CAL/AM WATER COMPANY - SAN MARINO**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910139-017**

**Source Name: DEL MAR - 1968**

**Source Number: 017**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED VOC**

1,2-DICHLOROETHANE	34531	012	2014/06/23	< .500	2015/06
1,2-DICHLOROPROPANE	34541	012	2014/06/23	< .500	2015/06
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/06/23	< .500	2015/06
1,4-DICHLOROBENZENE	34571	012	2014/06/23	< .500	2015/06
BENZENE	34030	012	2014/06/23	< .500	2015/06
CARBON TETRACHLORIDE	32102	012	2014/06/23	< .500	2015/06
CIS-1,2-DICHLOROETHYLENE	77093	012	2014/06/23	< .500	2015/06
DICHLOROMETHANE	34423	012	2014/06/23	< .500	2015/06
ETHYLBENZENE	34371	012	2014/06/23	< .500	2015/06
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/06/23	< 3.000	2015/06
MONOCHLOROBENZENE	34301	012	2014/06/23	< .500	2015/06
STYRENE	77128	012	2014/06/23	< .500	2015/06
TETRACHLOROETHYLENE	34475	012	2014/06/23	< .500	2015/06
TOLUENE	34010	012	2014/06/23	< .500	2015/06
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/06/23	< .500	2015/06
TRICHLOROETHYLENE	39180	012	2014/06/23	< .500	2015/06
TRICHLOROFLUOROMETHANE	34488	012	2014/06/23	< 5.000	2015/06
VINYL CHLORIDE	39175	012	2014/06/23	< .500	2015/06
XYLENES (TOTAL)	81551	012	2014/06/23	< .500	2015/06

**SECONDARY/GP**

BICARBONATE ALKALINITY	00440	036	2013/09/12	. 140.000	2016/09
CALCIUM	00916	036	2014/06/23	. 33.000	2017/06
CARBONATE ALKALINITY	00445	036	2013/09/12	< 2.000	2016/09
CHLORIDE	00940	036	2014/06/23	. 16.000	2017/06
COLOR	00081	036	2013/09/12	< 3.000	2016/09
COPPER	01042	036	2014/06/23	< 50.000	2017/06
FOAMING AGENTS (MBAS)	38260	036	2013/09/12	< .050	2016/09
HARDNESS (TOTAL) AS CaCO3	00900	036	2013/09/12	. 94.000	2016/09
HYDROXIDE ALKALINITY	71830	036	2013/09/12	< 2.000	2016/09

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910139**

**System Name: CAL/AM WATER COMPANY - SAN MARINO**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910139-017**

**Source Name: DEL MAR - 1968**

**Source Number: 017**

**Source Status: ACTIVE RAW**

**Water type: G**

**SECONDARY/GP**

IRON	01045	036	2014/06/23	< 100.000	2017/06
MAGNESIUM	00927	036	2014/06/23	. 3.000	2017/06
MANGANESE	01055	036	2014/06/23	< 20.000	2017/06
ODOR THRESHOLD @ 60 C	00086	036	2013/09/12	< 1.000	2016/09
PH, LABORATORY	00403	036	2013/09/12	. 7.900	2016/09
SILVER	01077	036	2014/06/23	< 10.000	2017/06
SODIUM	00929	036	2014/06/23	. 52.400	2017/06
SPECIFIC CONDUCTANCE	00095	036	2013/09/12	. 400.000	2016/09
SULFATE	00945	036	2014/06/23	. 42.300	2017/06
TOTAL DISSOLVED SOLIDS	70300	036	2013/09/12	. 230.000	2016/09
TURBIDITY, LABORATORY	82079	036	2013/09/12	. .086	2016/09
ZINC	01092	036	2014/06/23	< 50.000	2017/06

**PS Code: 1910139-020**

**Source Name: HOWLAND WELL**

**Source Number: 020**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

ALUMINUM	01105	036	2014/04/14	< 50.000	2017/04
ANTIMONY	01097	036	2014/04/14	< 6.000	2017/04
ARSENIC	01002	036	2014/04/14	< 2.000	2017/04
BARIUM	01007	036	2014/04/14	< 100.000	2017/04
BERYLLIUM	01012	036	2014/04/14	< 1.000	2017/04
CADMIUM	01027	036	2014/04/14	< 1.000	2017/04
CHROMIUM (TOTAL)	01034	036	2014/04/14	< 10.000	2017/04
CHROMIUM, HEXAVALENT	01032	036	2013/09/12	. 6.300	2016/09
CYANIDE	01291	036	2014/04/14	< 100.000	2017/04
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/04/14	. .880	2017/04

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910139**

**System Name: CAL/AM WATER COMPANY - SAN MARINO**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910139-020**

**Source Name: HOWLAND WELL**

**Source Number: 020**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

MERCURY	71900	036	2014/04/14	< 1.000	2017/04
NICKEL	01067	036	2014/04/14	< 10.000	2017/04
PERCHLORATE	A-031	012	2014/04/14	< 4.000	2015/04
SELENIUM	01147	036	2014/04/14	< 5.000	2017/04
THALLIUM	01059	036	2014/04/14	< 1.000	2017/04

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	012	2014/04/14	. 5.130	2015/04
NITRITE (AS N)	00620	036	2014/04/14	< 400.000	2017/04

**RADIOLOGICAL**

<b>GROSS ALPHA</b>	01501	003	2007/06/07	< 3.000	2007/09	<b>DUE</b>
<b>RADIUM 226</b>	09501	003	2007/06/07	< 1.000	2007/09	<b>DUE</b>
<b>RADIUM 228</b>	11501	003	2007/06/07	< 1.000	2007/09	<b>DUE</b>
<b>URANIUM (PCI/L)</b>	28012	003	2007/06/07	< 2.000	2007/09	<b>DUE</b>

**REGULATED SOC**

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2012/12/04	< 3.000	2015/09
---------------------------	-------	-----	------------	---------	---------

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	012	2014/04/14	< .500	2015/04
1,1,2,2-TETRACHLOROETHANE	34516	012	2014/04/14	< .500	2015/04
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/04/14	< 10.000	2015/04
1,1,2-TRICHLOROETHANE	34511	012	2014/04/14	< .500	2015/04
1,1-DICHLOROETHANE	34496	012	2014/04/14	< .500	2015/04
1,1-DICHLOROETHYLENE	34501	012	2014/04/14	< .500	2015/04
1,2,4-TRICHLOROBENZENE	34551	012	2014/04/14	< .500	2015/04
1,2-DICHLOROBENZENE	34536	012	2014/04/14	< .500	2015/04
1,2-DICHLOROETHANE	34531	012	2014/04/14	< .500	2015/04
1,2-DICHLOROPROPANE	34541	012	2014/04/14	< .500	2015/04
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/04/14	< .500	2015/04
1,4-DICHLOROBENZENE	34571	012	2014/04/14	< .500	2015/04

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910139**

**System Name: CAL/AM WATER COMPANY - SAN MARINO**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910139-020**

**Source Name: HOWLAND WELL**

**Source Number: 020**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED VOC**

BENZENE	34030	012	2014/04/14	< .500	2015/04
CARBON TETRACHLORIDE	32102	012	2014/04/14	< .500	2015/04
CIS-1,2-DICHLOROETHYLENE	77093	012	2014/04/14	< .500	2015/04
DICHLOROMETHANE	34423	012	2014/04/14	< .500	2015/04
ETHYLBENZENE	34371	012	2014/04/14	< .500	2015/04
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/04/14	< 3.000	2015/04
MONOCHLOROBENZENE	34301	012	2014/04/14	< .500	2015/04
STYRENE	77128	012	2014/04/14	< .500	2015/04
TETRACHLOROETHYLENE	34475	012	2014/06/02	< .500	2015/06
TOLUENE	34010	012	2014/04/14	< .500	2015/04
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/04/14	< .500	2015/04
TRICHLOROETHYLENE	39180	012	2014/06/02	< .500	2015/06
TRICHLOROFUOROMETHANE	34488	012	2014/04/14	< 5.000	2015/04
VINYL CHLORIDE	39175	012	2014/04/14	< .500	2015/04
XYLENES (TOTAL)	81551	012	2014/04/14	< .500	2015/04

**SECONDARY/GP**

BICARBONATE ALKALINITY	00440	036	2013/09/12	. 190.000	2016/09
CALCIUM	00916	036	2014/04/14	. 42.000	2017/04
CARBONATE ALKALINITY	00445	036	2013/09/12	< 2.000	2016/09
CHLORIDE	00940	036	2014/04/14	. 7.300	2017/04
COLOR	00081	036	2013/09/12	< 3.000	2016/09
COPPER	01042	036	2014/04/14	< 50.000	2017/04
FOAMING AGENTS (MBAS)	38260	036	2013/09/12	< .050	2016/09
HARDNESS (TOTAL) AS CaCO3	00900	036	2013/09/12	. 140.000	2016/09
HYDROXIDE ALKALINITY	71830	036	2013/09/12	< 2.000	2016/09
IRON	01045	036	2014/04/14	< 100.000	2017/04
MAGNESIUM	00927	036	2014/04/14	. 11.000	2017/04
MANGANESE	01055	036	2014/04/14	< 20.000	2017/04
ODOR THRESHOLD @ 60 C	00086	036	2013/09/12	< 1.000	2016/09

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910139**

**System Name: CAL/AM WATER COMPANY - SAN MARINO**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910139-020**

**Source Name: HOWLAND WELL**

**Source Number: 020**

**Source Status: ACTIVE RAW**

**Water type: G**

**SECONDARY/GP**

PH, LABORATORY	00403	036	2013/09/12	. 7.600	2016/09
SILVER	01077	036	2014/04/14	< 10.000	2017/04
SODIUM	00929	036	2014/04/14	. 23.800	2017/04
SPECIFIC CONDUCTANCE	00095	036	2013/09/12	. 360.000	2016/09
SULFATE	00945	036	2014/04/14	. 16.600	2017/04
TOTAL DISSOLVED SOLIDS	70300	036	2013/09/12	. 220.000	2016/09
TURBIDITY, LABORATORY	82079	036	2013/09/12	. .280	2016/09
ZINC	01092	036	2014/04/14	< 50.000	2017/04

**PS Code: 1910139-023**

**Source Name: MARIPOSA WELL 03**

**Source Number: 023**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

ALUMINUM	01105	036	2014/04/14	< 50.000	2017/04
ANTIMONY	01097	036	2014/04/14	< 6.000	2017/04
ARSENIC	01002	036	2014/04/14	< 2.000	2017/04
BARIUM	01007	036	2014/04/14	< 100.000	2017/04
BERYLLIUM	01012	036	2014/04/14	< 1.000	2017/04
CADMIUM	01027	036	2014/04/14	< 1.000	2017/04
CHROMIUM (TOTAL)	01034	036	2014/04/14	. 10.000	2017/04
CYANIDE	01291	036	2014/04/14	< 100.000	2017/04
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/04/14	. .940	2017/04
MERCURY	71900	036	2014/04/14	< 1.000	2017/04
NICKEL	01067	036	2014/04/14	< 10.000	2017/04
PERCHLORATE	A-031	012	2014/04/14	< 4.000	2015/04
SELENIUM	01147	036	2014/04/14	< 5.000	2017/04
THALLIUM	01059	036	2014/04/14	< 1.000	2017/04

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)



**System Number: 1910139**

**System Name: CAL/AM WATER COMPANY - SAN MARINO**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910139-023**

**Source Name: MARIPOSA WELL 03**

**Source Number: 023**

**Source Status: ACTIVE RAW**

**Water type: G**

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	012	2014/04/14	. 7.500	2015/04
NITRITE (AS N)	00620	036	2014/04/14	< 400.000	2017/04

**RADIOLOGICAL**

<b>GROSS ALPHA</b>	01501	003	2006/06/15	.000	2006/09	<b>DUE</b>
<b>RADIUM 226</b>	09501	003	2006/06/15	.000	2006/09	<b>DUE</b>
<b>RADIUM 228</b>	11501	003	2006/06/15	.000	2006/09	<b>DUE</b>
<b>URANIUM (PCI/L)</b>	28012	003	2006/06/15	.000	2006/09	<b>DUE</b>

**REGULATED SOC**

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2012/12/04	< 3.000	2015/09
---------------------------	-------	-----	------------	---------	---------

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	012	2014/04/14	< .500	2015/04
1,1,2,2-TETRACHLOROETHANE	34516	012	2014/04/14	< .500	2015/04
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/04/14	< 10.000	2015/04
1,1,2-TRICHLOROETHANE	34511	012	2014/04/14	< .500	2015/04
1,1-DICHLOROETHANE	34496	012	2014/04/14	< .500	2015/04
1,1-DICHLOROETHYLENE	34501	012	2014/04/14	< .500	2015/04
1,2,4-TRICHLOROBENZENE	34551	012	2014/04/14	< .500	2015/04
1,2-DICHLOROBENZENE	34536	012	2014/04/14	< .500	2015/04
1,2-DICHLOROETHANE	34531	012	2014/04/14	< .500	2015/04
1,2-DICHLOROPROPANE	34541	012	2014/04/14	< .500	2015/04
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/04/14	< .500	2015/04
1,4-DICHLOROBENZENE	34571	012	2014/04/14	< .500	2015/04
BENZENE	34030	012	2014/04/14	< .500	2015/04
CARBON TETRACHLORIDE	32102	012	2014/04/14	< .500	2015/04
CIS-1,2-DICHLOROETHYLENE	77093	012	2014/04/14	< .500	2015/04
DICHLOROMETHANE	34423	012	2014/04/14	< .500	2015/04
ETHYLBENZENE	34371	012	2014/04/14	< .500	2015/04
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/04/14	< 3.000	2015/04

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910139**

**System Name: CAL/AM WATER COMPANY - SAN MARINO**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910139-023**

**Source Name: MARIPOSA WELL 03**

**Source Number: 023**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED VOC**

MONOCHLOROENZENE	34301	012	2014/04/14	< .500	2015/04
STYRENE	77128	012	2014/04/14	< .500	2015/04
TETRACHLOROETHYLENE	34475	012	2014/04/14	< .500	2015/04
TOLUENE	34010	012	2014/04/14	< .500	2015/04
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/04/14	< .500	2015/04
TRICHLOROETHYLENE	39180	012	2014/04/14	< .500	2015/04
TRICHLOROFUOROMETHANE	34488	012	2014/04/14	< 5.000	2015/04
VINYL CHLORIDE	39175	012	2014/04/14	< .500	2015/04
XYLENES (TOTAL)	81551	012	2014/04/14	< .500	2015/04

**SECONDARY/GP**

BICARBONATE ALKALINITY	00440	036	2013/09/12	. 190.000	2016/09
CALCIUM	00916	036	2014/04/14	. 42.000	2017/04
CARBONATE ALKALINITY	00445	036	2013/09/12	< 2.000	2016/09
CHLORIDE	00940	036	2014/04/14	. 7.700	2017/04
COLOR	00081	036	2013/09/12	< 3.000	2016/09
COPPER	01042	036	2014/04/14	< 50.000	2017/04
FOAMING AGENTS (MBAS)	38260	036	2013/09/12	< .050	2016/09
HARDNESS (TOTAL) AS CaCO3	00900	036	2013/09/12	. 150.000	2016/09
HYDROXIDE ALKALINITY	71830	036	2013/09/12	< 2.000	2016/09
IRON	01045	036	2014/04/14	< 100.000	2017/04
MAGNESIUM	00927	036	2014/04/14	. 11.000	2017/04
MANGANESE	01055	036	2014/04/14	< 20.000	2017/04
ODOR THRESHOLD @ 60 C	00086	036	2013/09/12	< 1.000	2016/09
PH, LABORATORY	00403	036	2013/09/12	. 7.600	2016/09
SILVER	01077	036	2014/04/14	< 10.000	2017/04
SODIUM	00929	036	2014/04/14	. 23.600	2017/04
SPECIFIC CONDUCTANCE	00095	036	2013/09/12	. 380.000	2016/09
SULFATE	00945	036	2014/04/14	. 15.600	2017/04
TOTAL DISSOLVED SOLIDS	70300	036	2013/09/12	. 220.000	2016/09

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910139**

**System Name: CAL/AM WATER COMPANY - SAN MARINO**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910139-023**

**Source Name: MARIPOSA WELL 03**

**Source Number: 023**

**Source Status: ACTIVE RAW**

**Water type: G**

**SECONDARY/GP**

TURBIDITY, LABORATORY	82079	036	2013/09/12	.840	2016/09
ZINC	01092	036	2014/04/14	< 50.000	2017/04

**PS Code: 1910139-026**

**Source Name: DANFORD RESERVOIR - NO3 BLENDING**

**Source Number: 026**

**Source Status: COMBINATION OR BLEND RAW**

**Water type: S**

**INORGANIC**

ALUMINUM	01105	000			DUE
ANTIMONY	01097	000			DUE
ARSENIC	01002	000			DUE
ASBESTOS	81855	000			DUE
BARIIUM	01007	000			DUE
BERYLLIUM	01012	000			DUE
CADMIUM	01027	000			DUE
CHROMIUM (TOTAL)	01034	000			DUE
CHROMIUM, HEXAVALENT	01032	000			DUE
CYANIDE	01291	000			DUE
FLUORIDE (F) (NATURAL-SOURCE)	00951	000			DUE
MERCURY	71900	000			DUE
NICKEL	01067	000			DUE
PERCHLORATE	A-031	000			DUE
SELENIUM	01147	000			DUE
THALLIUM	01059	000			DUE

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	012	2014/07/28	24.170	2015/07
NITRITE (AS N)	00620	036	2007/01/09	< .000	2010/01 DUE

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910139**

**System Name: CAL/AM WATER COMPANY - SAN MARINO**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

**PS Code: 1910139-026**

**Source Name: DANFORD RESERVOIR - NO3 BLENDING**

**Source Number: 026**

**Source Status: COMBINATION OR BLEND RAW**

**Water type: S**

**RADIOLOGICAL**

GROSS ALPHA	01501	108	1999/06/28	6.160	2008/06	DUE
RADIUM 226	09501	000				DUE
RADIUM 228	11501	000				DUE
URANIUM (PCI/L)	28012	108	1994/06/29	9.000	2003/06	DUE

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	000				DUE
1,1,2,2-TETRACHLOROETHANE	34516	000				DUE
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	000				DUE
1,1,2-TRICHLOROETHANE	34511	000				DUE
1,1-DICHLOROETHANE	34496	000				DUE
1,1-DICHLOROETHYLENE	34501	000				DUE
1,2,4-TRICHLOROBENZENE	34551	000				DUE
1,2-DICHLOROBENZENE	34536	000				DUE
1,2-DICHLOROETHANE	34531	000				DUE
1,2-DICHLOROPROPANE	34541	000				DUE
1,3-DICHLOROPROPENE (TOTAL)	34561	000				DUE
1,4-DICHLOROBENZENE	34571	000				DUE
BENZENE	34030	000				DUE
CARBON TETRACHLORIDE	32102	000				DUE
CIS-1,2-DICHLOROETHYLENE	77093	000				DUE
DICHLOROMETHANE	34423	000				DUE
ETHYLBENZENE	34371	000				DUE
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	000				DUE
MONOCHLOROBENZENE	34301	000				DUE
STYRENE	77128	000				DUE
TETRACHLOROETHYLENE	34475	000				DUE
TOLUENE	34010	000				DUE
TRANS-1,2-DICHLOROETHYLENE	34546	000				DUE
TRICHLOROETHYLENE	39180	000				DUE

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910139**

**System Name: CAL/AM WATER COMPANY - SAN MARINO**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

**PS Code: 1910139-026**

**Source Name: DANFORD RESERVOIR - NO3 BLENDING**

**Source Number: 026**

**Source Status: COMBINATION OR BLEND RAW**

**Water type: S**

**REGULATED VOC**

TRICHLOROFLUOROMETHANE	34488	000		DUE
VINYL CHLORIDE	39175	000		DUE
XYLENES (TOTAL)	81551	000		DUE

**SECONDARY/GP**

BICARBONATE ALKALINITY	00440	000		DUE
CALCIUM	00916	000		DUE
CARBONATE ALKALINITY	00445	000		DUE
CHLORIDE	00940	000		DUE
COLOR	00081	000		DUE
COPPER	01042	000		DUE
FOAMING AGENTS (MBAS)	38260	000		DUE
HARDNESS (TOTAL) AS CaCO3	00900	000		DUE
HYDROXIDE ALKALINITY	71830	000		DUE
IRON	01045	000		DUE
MAGNESIUM	00927	000		DUE
MANGANESE	01055	000		DUE
ODOR THRESHOLD @ 60 C	00086	000		DUE
PH, LABORATORY	00403	000		DUE
SILVER	01077	000		DUE
SODIUM	00929	000		DUE
SPECIFIC CONDUCTANCE	00095	000		DUE
SULFATE	00945	000		DUE
TOTAL DISSOLVED SOLIDS	70300	000		DUE
TURBIDITY, LABORATORY	82079	000		DUE
ZINC	01092	000		DUE

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910139**

**System Name: CAL/AM WATER COMPANY - SAN MARINO**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910139-027**

**Source Name: LAMANDA PARK RESERVOIR - NO3 BLENDING**

**Source Number: 027**

**Source Status: COMBINATION OR BLEND RAW**

**Water type: S**

**INORGANIC**

ALUMINUM	01105	000				DUE
ANTIMONY	01097	000				DUE
ARSENIC	01002	000				DUE
ASBESTOS	81855	000				DUE
BARIUM	01007	000				DUE
BERYLLIUM	01012	000				DUE
CADMIUM	01027	000				DUE
CHROMIUM (TOTAL)	01034	000				DUE
CHROMIUM, HEXAVALENT	01032	000				DUE
CYANIDE	01291	000				DUE
FLUORIDE (F) (NATURAL-SOURCE)	00951	000				DUE
MERCURY	71900	000				DUE
NICKEL	01067	000				DUE
PERCHLORATE	A-031	012	2007/08/14	< .000	2008/08	DUE
SELENIUM	01147	000				DUE
THALLIUM	01059	000				DUE

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	001	2007/10/02	19.036	2007/11	DUE
NITRITE (AS N)	00620	036	2006/01/18	< .000	2009/01	DUE

**RADIOLOGICAL**

GROSS ALPHA	01501	000				DUE
RADIUM 226	09501	000				DUE
RADIUM 228	11501	000				DUE
URANIUM (PCI/L)	28012	000				DUE

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	012	2007/09/18	< .000	2008/09	DUE
1,1,2,2-TETRACHLOROETHANE	34516	012	2007/09/18	< .000	2008/09	DUE
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2007/09/18	< .000	2008/09	DUE

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910139**

**System Name: CAL/AM WATER COMPANY - SAN MARINO**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910139-027**

**Source Name: LAMANDA PARK RESERVOIR - NO3 BLENDING**

**Source Number: 027**

**Source Status: COMBINATION OR BLEND RAW**

**Water type: S**

**REGULATED VOC**

1,1,2-TRICHLOROETHANE	34511	012	2007/09/18	< .000	2008/09	DUE
1,1-DICHLOROETHANE	34496	012	2007/09/18	< .000	2008/09	DUE
1,1-DICHLOROETHYLENE	34501	012	2007/09/18	< .000	2008/09	DUE
1,2,4-TRICHLOROBENZENE	34551	012	2007/09/18	< .000	2008/09	DUE
1,2-DICHLOROBENZENE	34536	012	2007/09/18	< .000	2008/09	DUE
1,2-DICHLOROETHANE	34531	012	2007/09/18	< .000	2008/09	DUE
1,2-DICHLOROPROPANE	34541	012	2007/09/18	< .000	2008/09	DUE
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2007/09/18	< .000	2008/09	DUE
1,4-DICHLOROBENZENE	34571	012	2007/09/18	< .000	2008/09	DUE
BENZENE	34030	012	2007/09/18	< .000	2008/09	DUE
CARBON TETRACHLORIDE	32102	012	2007/09/18	< .000	2008/09	DUE
CIS-1,2-DICHLOROETHYLENE	77093	012	2007/09/18	< .000	2008/09	DUE
DICHLOROMETHANE	34423	012	2007/09/18	< .000	2008/09	DUE
ETHYLBENZENE	34371	012	2007/09/18	< .000	2008/09	DUE
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2007/09/18	< .000	2008/09	DUE
MONOCHLOROBENZENE	34301	012	2007/09/18	< .000	2008/09	DUE
STYRENE	77128	012	2007/09/18	< .000	2008/09	DUE
TETRACHLOROETHYLENE	34475	012	2007/09/18	< .000	2008/09	DUE
TOLUENE	34010	012	2007/09/18	< .000	2008/09	DUE
TRANS-1,2-DICHLOROETHYLENE	34546	012	2007/09/18	< .000	2008/09	DUE
TRICHLOROETHYLENE	39180	012	2007/09/18	< .000	2008/09	DUE
TRICHLOROFLUOROMETHANE	34488	012	2007/09/18	< .000	2008/09	DUE
VINYL CHLORIDE	39175	012	2007/09/18	< .000	2008/09	DUE
XYLENES (TOTAL)	81551	012	2007/09/18	< .000	2008/09	DUE

**SECONDARY/GP**

BICARBONATE ALKALINITY	00440	000				DUE
CALCIUM	00916	000				DUE
CARBONATE ALKALINITY	00445	000				DUE
CHLORIDE	00940	036	1998/10/26	21.300	2001/10	DUE

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910139**

**System Name: CAL/AM WATER COMPANY - SAN MARINO**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910139-027**

**Source Name: LAMANDA PARK RESERVOIR - NO3 BLENDING**

**Source Number: 027**

**Source Status: COMBINATION OR BLEND RAW**

**Water type: S**

**SECONDARY/GP**

COLOR	00081	000			DUE
COPPER	01042	000			DUE
FOAMING AGENTS (MBAS)	38260	000			DUE
HARDNESS (TOTAL) AS CaCO3	00900	000			DUE
HYDROXIDE ALKALINITY	71830	000			DUE
IRON	01045	000			DUE
MAGNESIUM	00927	000			DUE
MANGANESE	01055	000			DUE
ODOR THRESHOLD @ 60 C	00086	000			DUE
PH, LABORATORY	00403	000			DUE
SILVER	01077	000			DUE
SODIUM	00929	000			DUE
SPECIFIC CONDUCTANCE	00095	000			DUE
SULFATE	00945	036	1999/01/11	30.500	2002/01 DUE
TOTAL DISSOLVED SOLIDS	70300	000			DUE
TURBIDITY, LABORATORY	82079	000			DUE
ZINC	01092	000			DUE

**PS Code: 1910139-029**

**Source Name: LOMBARDY WELL 02**

**Source Number: 029**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

ALUMINUM	01105	036	2014/04/14	< 50.000	2017/04
ANTIMONY	01097	036	2014/04/14	< 6.000	2017/04
ARSENIC	01002	036	2014/04/14	< 2.000	2017/04
BARIUM	01007	036	2014/04/14	< 100.000	2017/04
BERYLLIUM	01012	036	2014/04/14	< 1.000	2017/04

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)



**System Number: 1910139**

**System Name: CAL/AM WATER COMPANY - SAN MARINO**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910139-029**

**Source Name: LOMBARDY WELL 02**

**Source Number: 029**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

CADMIUM	01027	036	2014/04/14	< 1.000	2017/04
CHROMIUM (TOTAL)	01034	036	2014/04/14	< 10.000	2017/04
CYANIDE	01291	036	2014/04/14	< 100.000	2017/04
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/04/14	. 1.050	2017/04
MERCURY	71900	036	2014/04/14	< 1.000	2017/04
NICKEL	01067	036	2014/04/14	< 10.000	2017/04
PERCHLORATE	A-031	012	2014/04/14	< 4.000	2015/04
SELENIUM	01147	036	2014/04/14	< 5.000	2017/04
THALLIUM	01059	036	2014/04/14	< 1.000	2017/04

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	001	2014/07/14	. 11.770	2014/08
NITRITE (AS N)	00620	036	2014/04/14	< 400.000	2017/04

**RADIOLOGICAL**

<b>GROSS ALPHA</b>	01501	003	<b>2010/08/10</b>	< 3.000	<b>2010/11</b>	<b>DUE</b>
<b>URANIUM (PCI/L)</b>	28012	003	<b>2010/08/10</b>	1.200	<b>2010/11</b>	<b>DUE</b>

**REGULATED SOC**

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2013/12/09	< 3.000	2016/09
---------------------------	-------	-----	------------	---------	---------

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	012	2014/04/14	< .500	2015/04
1,1,2,2-TETRACHLOROETHANE	34516	012	2014/04/14	< .500	2015/04
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/04/14	< 10.000	2015/04
1,1,2-TRICHLOROETHANE	34511	012	2014/04/14	< .500	2015/04
1,1-DICHLOROETHANE	34496	012	2014/04/14	< .500	2015/04
1,1-DICHLOROETHYLENE	34501	012	2014/04/14	< .500	2015/04
1,2,4-TRICHLOROBENZENE	34551	012	2014/04/14	< .500	2015/04
1,2-DICHLOROBENZENE	34536	012	2014/04/14	< .500	2015/04
1,2-DICHLOROETHANE	34531	012	2014/04/14	< .500	2015/04
1,2-DICHLOROPROPANE	34541	012	2014/04/14	< .500	2015/04

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910139**

**System Name: CAL/AM WATER COMPANY - SAN MARINO**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910139-029**

**Source Name: LOMBARDY WELL 02**

**Source Number: 029**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED VOC**

1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/04/14	< .500	2015/04
1,4-DICHLOROBENZENE	34571	012	2014/04/14	< .500	2015/04
BENZENE	34030	012	2014/04/14	< .500	2015/04
CARBON TETRACHLORIDE	32102	012	2014/04/14	< .500	2015/04
CIS-1,2-DICHLOROETHYLENE	77093	012	2014/04/14	< .500	2015/04
DICHLOROMETHANE	34423	012	2014/04/14	< .500	2015/04
ETHYLBENZENE	34371	012	2014/04/14	< .500	2015/04
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/04/14	< 3.000	2015/04
MONOCHLOROBENZENE	34301	012	2014/04/14	< .500	2015/04
STYRENE	77128	012	2014/04/14	< .500	2015/04
TETRACHLOROETHYLENE	34475	012	2014/04/14	< .500	2015/04
TOLUENE	34010	012	2014/04/14	< .500	2015/04
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/04/14	< .500	2015/04
TRICHLOROETHYLENE	39180	012	2014/04/14	< .500	2015/04
TRICHLOROFUOROMETHANE	34488	012	2014/04/14	< 5.000	2015/04
VINYL CHLORIDE	39175	012	2014/04/14	< .500	2015/04
XYLENES (TOTAL)	81551	012	2014/04/14	< .500	2015/04

**SECONDARY/GP**

BICARBONATE ALKALINITY	00440	036	2013/09/12	. 120.000	2016/09
CALCIUM	00916	036	2014/04/14	. 24.000	2017/04
CARBONATE ALKALINITY	00445	036	2013/09/12	< 2.000	2016/09
CHLORIDE	00940	036	2014/04/14	. 20.500	2017/04
COLOR	00081	036	2013/09/12	< 3.000	2016/09
COPPER	01042	036	2014/04/14	< 50.000	2017/04
FOAMING AGENTS (MBAS)	38260	036	2013/09/12	< .050	2016/09
HARDNESS (TOTAL) AS CaCO3	00900	036	2013/09/12	. 66.000	2016/09
HYDROXIDE ALKALINITY	71830	036	2013/09/12	< 2.000	2016/09
IRON	01045	036	2014/04/14	< 100.000	2017/04
MAGNESIUM	00927	036	2014/04/14	. 3.000	2017/04

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910139**

**System Name: CAL/AM WATER COMPANY - SAN MARINO**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910139-029**

**Source Name: LOMBARDY WELL 02**

**Source Number: 029**

**Source Status: ACTIVE RAW**

**Water type: G**

**SECONDARY/GP**

MANGANESE	01055	036	2014/04/14	< 20.000	2017/04
ODOR THRESHOLD @ 60 C	00086	036	2013/09/12	< 1.000	2016/09
PH, LABORATORY	00403	036	2013/09/12	. 7.900	2016/09
SILVER	01077	036	2014/04/14	< 10.000	2017/04
SODIUM	00929	036	2014/04/14	. 57.100	2017/04
SPECIFIC CONDUCTANCE	00095	036	2013/09/12	. 370.000	2016/09
SULFATE	00945	036	2014/04/14	. 44.400	2017/04
TOTAL DISSOLVED SOLIDS	70300	036	2013/09/12	. 230.000	2016/09
TURBIDITY, LABORATORY	82079	036	2013/09/12	. .230	2016/09
ZINC	01092	036	2014/04/14	< 50.000	2017/04

**PS Code: 1910139-030**

**Source Name: MWD CONNECTION NO. SM-1 - TREATED**

**Source Number: 030**

**Source Status: PURCHASED TREATED**

**Water type: S**

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	001			<b>DUE</b>
------------------	-------	-----	--	--	------------

**PS Code: 1910139-032**

**Source Name: HALL WELL 02**

**Source Number: 032**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

ALUMINUM	01105	036	2014/04/14	< 50.000	2017/04
ANTIMONY	01097	036	2014/04/14	< 6.000	2017/04
ARSENIC	01002	036	2014/04/14	< 2.000	2017/04
BARIUM	01007	036	2014/04/14	< 100.000	2017/04

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910139**

**System Name: CAL/AM WATER COMPANY - SAN MARINO**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910139-032**

**Source Name: HALL WELL 02**

**Source Number: 032**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

BERYLLIUM	01012	036	2014/04/14	< 1.000	2017/04
CADMIUM	01027	036	2014/04/14	< 1.000	2017/04
CHROMIUM (TOTAL)	01034	036	2014/04/14	. 10.000	2017/04
CYANIDE	01291	036	2014/04/14	< 100.000	2017/04
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/04/14	. .880	2017/04
MERCURY	71900	036	2014/04/14	< 1.000	2017/04
NICKEL	01067	036	2014/04/14	< 10.000	2017/04
PERCHLORATE	A-031	012	2014/04/14	< 4.000	2015/04
SELENIUM	01147	036	2014/04/14	< 5.000	2017/04
THALLIUM	01059	036	2014/04/14	< 1.000	2017/04

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	012	2014/04/14	. 13.080	2015/04
NITRITE (AS N)	00620	036	2014/04/14	< 400.000	2017/04

**RADIOLOGICAL**

<b>GROSS ALPHA</b>	01501	003	2006/06/15	.000	2006/09	DUE
<b>RADIUM 226</b>	09501	003	2006/06/15	.000	2006/09	DUE
<b>RADIUM 228</b>	11501	003	2006/06/15	.000	2006/09	DUE
<b>URANIUM (PCI/L)</b>	28012	003	2006/06/15	.000	2006/09	DUE

**REGULATED SOC**

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2012/12/04	< 3.000	2015/09
---------------------------	-------	-----	------------	---------	---------

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	012	2014/06/02	< .500	2015/06
1,1,2,2-TETRACHLOROETHANE	34516	012	2014/06/02	< .500	2015/06
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/06/02	< 10.000	2015/06
1,1,2-TRICHLOROETHANE	34511	012	2014/06/02	< .500	2015/06
1,1-DICHLOROETHANE	34496	012	2014/06/02	< .500	2015/06
1,1-DICHLOROETHYLENE	34501	012	2014/06/02	< .500	2015/06
1,2,4-TRICHLOROBENZENE	34551	012	2014/06/02	< .500	2015/06

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910139**

**System Name: CAL/AM WATER COMPANY - SAN MARINO**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910139-032**

**Source Name: HALL WELL 02**

**Source Number: 032**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED VOC**

1,2-DICHLOROBENZENE	34536	012	2014/06/02	< .500	2015/06
1,2-DICHLOROETHANE	34531	012	2014/06/02	< .500	2015/06
1,2-DICHLOROPROPANE	34541	012	2014/06/02	< .500	2015/06
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/06/02	< .500	2015/06
1,4-DICHLOROBENZENE	34571	012	2014/06/02	< .500	2015/06
BENZENE	34030	012	2014/06/02	< .500	2015/06
CARBON TETRACHLORIDE	32102	012	2014/06/02	< .500	2015/06
CIS-1,2-DICHLOROETHYLENE	77093	012	2014/06/02	< .500	2015/06
DICHLOROMETHANE	34423	012	2014/06/02	< .500	2015/06
ETHYLBENZENE	34371	012	2014/06/02	< .500	2015/06
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/06/02	< 3.000	2015/06
MONOCHLOROBENZENE	34301	012	2014/06/02	< .500	2015/06
STYRENE	77128	012	2014/06/02	< .500	2015/06
TETRACHLOROETHYLENE	34475	012	2014/06/02	< .500	2015/06
TOLUENE	34010	012	2014/06/02	< .500	2015/06
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/06/02	< .500	2015/06
TRICHLOROETHYLENE	39180	012	2014/06/02	< .500	2015/06
TRICHLOROFLUOROMETHANE	34488	012	2014/06/02	< 5.000	2015/06
VINYL CHLORIDE	39175	012	2014/06/02	< .500	2015/06
XYLENES (TOTAL)	81551	012	2014/06/02	< .000	2015/06

**SECONDARY/GP**

BICARBONATE ALKALINITY	00440	036	2013/09/12	. 190.000	2016/09
CALCIUM	00916	036	2014/04/14	. 46.000	2017/04
CARBONATE ALKALINITY	00445	036	2013/09/12	< 2.000	2016/09
CHLORIDE	00940	036	2014/04/14	. 9.800	2017/04
COLOR	00081	036	2013/09/12	< 3.000	2016/09
COPPER	01042	036	2014/04/14	< 50.000	2017/04
FOAMING AGENTS (MBAS)	38260	036	2013/09/12	. .063	2016/09
HARDNESS (TOTAL) AS CaCO3	00900	036	2013/09/12	. 160.000	2016/09

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910139**

**System Name: CAL/AM WATER COMPANY - SAN MARINO**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910139-032**

**Source Name: HALL WELL 02**

**Source Number: 032**

**Source Status: ACTIVE RAW**

**Water type: G**

**SECONDARY/GP**

HYDROXIDE ALKALINITY	71830	036	2013/09/12	< 2.000	2016/09
IRON	01045	036	2014/04/14	< 100.000	2017/04
MAGNESIUM	00927	036	2014/04/14	. 12.000	2017/04
MANGANESE	01055	036	2014/04/14	< 20.000	2017/04
ODOR THRESHOLD @ 60 C	00086	036	2013/09/12	1.000	2016/09
PH, LABORATORY	00403	036	2013/09/12	. 7.900	2016/09
SILVER	01077	036	2014/04/14	< 10.000	2017/04
SODIUM	00929	036	2014/04/14	. 23.800	2017/04
SPECIFIC CONDUCTANCE	00095	036	2013/09/12	. 400.000	2016/09
SULFATE	00945	036	2014/04/14	. 19.300	2017/04
TOTAL DISSOLVED SOLIDS	70300	036	2013/09/12	. 220.000	2016/09
TURBIDITY, LABORATORY	82079	036	2013/09/12	. .490	2016/09
ZINC	01092	036	2014/04/14	< 50.000	2017/04

**PS Code: 1910139-044**

**Source Name: PATTON WELL 02**

**Source Number: 044**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

ALUMINUM	01105	036	2014/04/14	< 50.000	2017/04
ANTIMONY	01097	036	2014/04/14	< 6.000	2017/04
ARSENIC	01002	036	2014/04/14	< 2.000	2017/04
BARIUM	01007	036	2014/04/14	< 100.000	2017/04
BERYLLIUM	01012	036	2014/04/14	< 1.000	2017/04
CADMIUM	01027	036	2014/04/14	< 1.000	2017/04
CHROMIUM (TOTAL)	01034	036	2014/04/14	< 10.000	2017/04
CHROMIUM, HEXAVALENT	01032	036	2013/09/12	. 4.000	2016/09
CYANIDE	01291	036	2014/04/14	< 100.000	2017/04

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910139**

**System Name: CAL/AM WATER COMPANY - SAN MARINO**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910139-044**

**Source Name: PATTON WELL 02**

**Source Number: 044**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/04/14	.740	2017/04
MERCURY	71900	036	2014/04/14	< 1.000	2017/04
NICKEL	01067	036	2014/04/14	< 10.000	2017/04
PERCHLORATE	A-031	012	2014/07/21	.7300	2015/07
SELENIUM	01147	036	2014/04/14	< 5.000	2017/04
THALLIUM	01059	036	2014/04/14	< 1.000	2017/04

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	012	2014/07/21	.38.270	2015/07
NITRITE (AS N)	00620	036	2014/04/14	< 400.000	2017/04

**RADIOLOGICAL**

<b>GROSS ALPHA</b>	01501	003	2009/07/23	3.800	2009/10	<b>DUE</b>
<b>RADIUM 226</b>	09501	003	2009/07/23	< 1.000	2009/10	<b>DUE</b>
<b>RADIUM 228</b>	11501	003	2009/07/23	< 1.000	2009/10	<b>DUE</b>
<b>URANIUM (PCI/L)</b>	28012	003	2009/07/23	3.400	2009/10	<b>DUE</b>

**REGULATED SOC**

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2013/12/09	< 3.000	2016/09
THIOBENCARB	A-001	033	2013/12/09	< 1.000	2016/09

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	012	2014/07/14	< .500	2015/07
1,1,2,2-TETRACHLOROETHANE	34516	012	2014/07/14	< .500	2015/07
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/07/14	< 10.000	2015/07
1,1,2-TRICHLOROETHANE	34511	012	2014/07/14	< .500	2015/07
1,1-DICHLOROETHANE	34496	012	2014/07/14	< .500	2015/07
1,1-DICHLOROETHYLENE	34501	012	2014/07/14	< .500	2015/07
1,2,4-TRICHLOROBENZENE	34551	012	2014/07/14	< .500	2015/07
1,2-DICHLOROBENZENE	34536	012	2014/07/14	< .500	2015/07
1,2-DICHLOROETHANE	34531	012	2014/07/14	< .500	2015/07
1,2-DICHLOROPROPANE	34541	012	2014/07/14	< .500	2015/07

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910139**

**System Name: CAL/AM WATER COMPANY - SAN MARINO**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910139-044**

**Source Name: PATTON WELL 02**

**Source Number: 044**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED VOC**

1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/07/14	< .500	2015/07
1,4-DICHLOROBENZENE	34571	012	2014/07/14	< .500	2015/07
BENZENE	34030	012	2014/07/14	< .500	2015/07
CARBON TETRACHLORIDE	32102	012	2014/07/14	. .600	2015/07
CIS-1,2-DICHLOROETHYLENE	77093	012	2014/07/14	< .500	2015/07
DICHLOROMETHANE	34423	012	2014/07/14	< .500	2015/07
ETHYLBENZENE	34371	012	2014/07/14	< .500	2015/07
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/07/14	< 3.000	2015/07
MONOCHLOROBENZENE	34301	012	2014/07/14	< .500	2015/07
STYRENE	77128	012	2014/07/14	< .500	2015/07
TETRACHLOROETHYLENE	34475	012	2014/07/14	. .900	2015/07
TOLUENE	34010	012	2014/07/14	< .500	2015/07
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/07/14	< .500	2015/07
TRICHLOROETHYLENE	39180	012	2014/07/14	. 2.300	2015/07
TRICHLOROFUOROMETHANE	34488	012	2014/07/14	< 5.000	2015/07
VINYL CHLORIDE	39175	012	2014/07/14	< .500	2015/07
XYLENES (TOTAL)	81551	012	2014/07/14	< .500	2015/07

**SECONDARY/GP**

BICARBONATE ALKALINITY	00440	036	2013/09/12	. 220.000	2016/09
CALCIUM	00916	036	2014/04/14	. 101.000	2017/04
CARBONATE ALKALINITY	00445	036	2013/09/12	< 2.000	2016/09
CHLORIDE	00940	036	2014/04/14	. 87.100	2017/04
COLOR	00081	036	2013/09/12	< 3.000	2016/09
COPPER	01042	036	2014/04/14	< 50.000	2017/04
FOAMING AGENTS (MBAS)	38260	036	2013/09/12	< .050	2016/09
HARDNESS (TOTAL) AS CaCO3	00900	036	2013/09/12	. 320.000	2016/09
HYDROXIDE ALKALINITY	71830	036	2013/09/12	< 2.000	2016/09
IRON	01045	036	2014/04/14	< 100.000	2017/04
MAGNESIUM	00927	036	2014/04/14	. 25.000	2017/04

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)



**System Number: 1910139**

**System Name: CAL/AM WATER COMPANY - SAN MARINO**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910139-044**

**Source Name: PATTON WELL 02**

**Source Number: 044**

**Source Status: ACTIVE RAW**

**Water type: G**

**SECONDARY/GP**

MANGANESE	01055	036	2014/04/14	< 20.000	2017/04
ODOR THRESHOLD @ 60 C	00086	036	2013/09/12	< 1.000	2016/09
PH, LABORATORY	00403	036	2013/09/12	. 8.000	2016/09
SILVER	01077	036	2014/04/14	< 10.000	2017/04
SODIUM	00929	036	2014/04/14	. 56.700	2017/04
SPECIFIC CONDUCTANCE	00095	036	2013/09/12	. 880.000	2016/09
SULFATE	00945	036	2014/04/14	. 117.100	2017/04
TOTAL DISSOLVED SOLIDS	70300	036	2013/09/12	. 510.000	2016/09
TURBIDITY, LABORATORY	82079	036	2013/09/12	. .180	2016/09
ZINC	01092	036	2014/04/14	< 50.000	2017/04

**PS Code: 1910139-046**

**Source Name: PATTON LPGAC LEAD VESSEL EFFLUENT**

**Source Number: 046**

**Source Status: ACTIVE TREATED**

**Water type: S**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\* 999

**PS Code: 1910139-047**

**Source Name: PATTON LPGAC LAG VESSEL EFFLUENT**

**Source Number: 047**

**Source Status: ACTIVE TREATED**

**Water type: S**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\* 999

\*Testing interval is in months;  
 0 = No data for this constituent and is DUE NOW  
 I = Invalid (NOT) valid analyses reported  
 Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910139**

**System Name: CAL/AM WATER COMPANY - SAN MARINO**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

**PS Code: 1910139-048**

**Source Name: RICHARDSON WELL 3 - PENDING**

**Source Number: 048**

**Source Status: PENDING**

**Water type: G**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

**PS Code: 1910139-049**

**Source Name: PATTON BOOSTERS (DIST SYST.)**

**Source Number: 049**

**Source Status: DISTRIBUTION TREATED**

**Water type: S**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

**PS Code: 1910139-050**

**Source Name: PATTON FACILITY BLEND POINT**

**Source Number: 050**

**Source Status: ACTIVE TREATED**

**Water type: G**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

**PS Code: 1910139-051**

**Source Name: DANFORD #1 - PENDING**

**Source Number: 051**

**Source Status: PENDING**

**Water type: G**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910139**

**System Name: CAL/AM WATER COMPANY - SAN MARINO**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910139-631**

**Source Name: LONGDEN IN-LINE NO3 BLENDING**

**Source Number: 631**

**Source Status: COMBINATION OR BLEND RAW**

**Water type: S**

**INORGANIC**

ALUMINIUM	01105	036	2004/06/03	< 50.000	2007/06	DUE
ANTIMONY	01097	036	2004/06/03	< 6.000	2007/06	DUE
ARSENIC	01002	036	2004/06/03	< 2.000	2007/06	DUE
ASBESTOS	81855	000				DUE
BARIUM	01007	036	2004/06/03	< 100.000	2007/06	DUE
BERYLLIUM	01012	036	2004/06/03	< 1.000	2007/06	DUE
CADMIUM	01027	036	2004/06/03	< 1.000	2007/06	DUE
CHROMIUM (TOTAL)	01034	036	2004/06/03	< 10.000	2007/06	DUE
CYANIDE	01291	000				DUE
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2004/06/03	. .590	2007/06	DUE
MERCURY	71900	036	2004/06/03	< 1.000	2007/06	DUE
NICKEL	01067	036	2004/06/03	< 10.000	2007/06	DUE
PERCHLORATE	A-031	012	2006/09/06	< .000	2007/09	DUE
SELENIUM	01147	036	2004/06/03	< 5.000	2007/06	DUE
THALLIUM	01059	036	2004/06/03	< 1.000	2007/06	DUE

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	012	2014/07/21	. 25.410	2015/07	
NITRITE (AS N)	00620	036	2007/01/09	< .000	2010/01	DUE

**RADIOLOGICAL**

GROSS ALPHA	01501	000				DUE
RADIUM 226	09501	000				DUE
RADIUM 228	11501	000				DUE
URANIUM (PCI/L)	28012	000				DUE

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	012	2014/07/14	< .500	2015/07	
1,1,2,2-TETRACHLOROETHANE	34516	012	2014/07/14	< .500	2015/07	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/07/14	< 10.000	2015/07	
1,1,2-TRICHLOROETHANE	34511	012	2014/07/14	< .500	2015/07	

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910139**

**System Name: CAL/AM WATER COMPANY - SAN MARINO**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910139-631**

**Source Name: LONGDEN IN-LINE NO3 BLENDING**

**Source Number: 631**

**Source Status: COMBINATION OR BLEND RAW**

**Water type: S**

**REGULATED VOC**

1,1-DICHLOROETHANE	34496	012	2014/07/14	< .500	2015/07
1,1-DICHLOROETHYLENE	34501	012	2014/07/14	< .500	2015/07
1,2,4-TRICHLOROBENZENE	34551	012	2014/07/14	< .500	2015/07
1,2-DICHLOROBENZENE	34536	012	2014/07/14	< .500	2015/07
1,2-DICHLOROETHANE	34531	012	2014/07/14	< .500	2015/07
1,2-DICHLOROPROPANE	34541	012	2014/07/14	< .500	2015/07
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/07/14	< .500	2015/07
1,4-DICHLOROBENZENE	34571	012	2014/07/14	< .500	2015/07
BENZENE	34030	012	2014/07/14	< .500	2015/07
CARBON TETRACHLORIDE	32102	012	2014/07/14	< .500	2015/07
CIS-1,2-DICHLOROETHYLENE	77093	012	2014/07/14	< .500	2015/07
DICHLOROMETHANE	34423	012	2014/07/14	< .500	2015/07
ETHYLBENZENE	34371	012	2014/07/14	< .500	2015/07
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/07/14	< 3.000	2015/07
MONOCHLOROBENZENE	34301	012	2014/07/14	< .500	2015/07
STYRENE	77128	012	2014/07/14	< .500	2015/07
TETRACHLOROETHYLENE	34475	012	2014/07/14	. 2.300	2015/07
TOLUENE	34010	012	2014/07/14	< .500	2015/07
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/07/14	< .500	2015/07
TRICHLOROETHYLENE	39180	012	2014/07/14	< .500	2015/07
TRICHLOROFUOROMETHANE	34488	012	2014/07/14	< 5.000	2015/07
VINYL CHLORIDE	39175	012	2014/07/14	< .500	2015/07
XYLENES (TOTAL)	81551	012	2014/07/14	< .500	2015/07

**SECONDARY/GP**

<b>BICARBONATE ALKALINITY</b>	00440	036	2004/06/03	. 157.000	2007/06	DUE
<b>CALCIUM</b>	00916	036	2004/06/03	. 59.000	2007/06	DUE
<b>CARBONATE ALKALINITY</b>	00445	036	2004/06/03	.511	2007/06	DUE
<b>CHLORIDE</b>	00940	036	2004/06/03	. 25.000	2007/06	DUE
<b>COLOR</b>	00081	036	2004/06/03	3.000	2007/06	DUE

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910139**

**System Name: CAL/AM WATER COMPANY - SAN MARINO**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

**PS Code: 1910139-631**

**Source Name: LONGDEN IN-LINE NO3 BLENDING**

**Source Number: 631**

**Source Status: COMBINATION OR BLEND RAW**

**Water type: S**

**SECONDARY/GP**

<b>COPPER</b>	01042	036	2004/06/03	< 50.000	2007/06	DUE
<b>FOAMING AGENTS (MBAS)</b>	38260	036	2004/06/03	< .050	2007/06	DUE
<b>HARDNESS (TOTAL) AS CaCO3</b>	00900	036	2004/06/03	. 230.000	2007/06	DUE
<b>HYDROXIDE ALKALINITY</b>	71830	036	2004/06/03	. .009	2007/06	DUE
<b>IRON</b>	01045	036	2004/06/03	< 100.000	2007/06	DUE
<b>MAGNESIUM</b>	00927	036	2004/06/03	. 20.000	2007/06	DUE
<b>MANGANESE</b>	01055	036	2004/06/03	< 20.000	2007/06	DUE
<b>ODOR THRESHOLD @ 60 C</b>	00086	036	2004/06/03	. 1.000	2007/06	DUE
<b>PH, LABORATORY</b>	00403	036	2004/06/03	. 7.700	2007/06	DUE
<b>SILVER</b>	01077	036	2004/06/03	< 10.000	2007/06	DUE
<b>SODIUM</b>	00929	036	2004/06/03	32.000	2007/06	DUE
<b>SPECIFIC CONDUCTANCE</b>	00095	036	2004/06/03	. 574.000	2007/06	DUE
<b>SULFATE</b>	00945	036	2004/06/03	51.000	2007/06	DUE
<b>TOTAL DISSOLVED SOLIDS</b>	70300	036	2004/06/03	. 400.000	2007/06	DUE
<b>TURBIDITY, LABORATORY</b>	82079	036	2004/06/03	. .550	2007/06	DUE
<b>ZINC</b>	01092	036	2004/06/03	< 50.000	2007/06	DUE

**PS Code: 1910139-800**

**Source Name: SITE 1-1000 OAK GROVE AVENUE-STG2 DBP**

**Source Number: 800**

**Source Status: DISTRIBUTION TREATED**

**Water type: S**

**HALOACETIC ACIDS**

<b>DIBROMOACETIC ACID (DBAA)</b>	82721	003	2014/05/23	< 1.000	2014/08
<b>DICHLOROACETIC ACID (DCAA)</b>	77288	003	2014/05/23	. 3.200	2014/08
<b>HALOACETIC ACIDS (5) (HAA5)</b>	A-049	003	2014/05/23	. 6.100	2014/08
<b>MONOBROMOACETIC ACID (MBAA)</b>	A-041	003	2014/05/23	< 1.000	2014/08
<b>MONOCHLOROACETIC ACID (MCAA)</b>	A-042	003	2014/05/23	< 2.000	2014/08
<b>TRICHLOROACETIC ACID (TCAA)</b>	82723	003	2014/05/23	. 2.900	2014/08

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910139**

**System Name: CAL/AM WATER COMPANY - SAN MARINO**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910139-800**

**Source Name: SITE 1-1000 OAK GROVE AVENUE-STG2 DBP**

**Source Number: 800**

**Source Status: DISTRIBUTION TREATED**

**Water type: S**

**STATE UCMR**

<b>BROMODICHLORMETHANE (THM)</b>	<b>32101</b>	<b>003</b>	<b>2014/02/21</b>	<b>. 1.700</b>	<b>2014/05</b>	<b>DUE</b>
<b>BROMOFORM (THM)</b>	<b>32104</b>	<b>003</b>	<b>2014/02/21</b>	<b>. 1.100</b>	<b>2014/05</b>	<b>DUE</b>
<b>CHLOROFORM (THM)</b>	<b>32106</b>	<b>003</b>	<b>2014/02/21</b>	<b>. 2.100</b>	<b>2014/05</b>	<b>DUE</b>
<b>DIBROMOCHLOROMETHANE (THM)</b>	<b>32105</b>	<b>003</b>	<b>2014/02/21</b>	<b>. 1.400</b>	<b>2014/05</b>	<b>DUE</b>

**TRIHALOMETHANES**

<b>TOTAL TRIHALOMETHANES</b>	<b>82080</b>	<b>003</b>	<b>2014/02/21</b>	<b>. 6.300</b>	<b>2014/05</b>	<b>DUE</b>
------------------------------	--------------	------------	-------------------	----------------	----------------	------------

**PS Code: 1910139-801**

**Source Name: SITE 2-1499 WEMBLEY ROAD-STG2 DBP**

**Source Number: 801**

**Source Status: DISTRIBUTION TREATED**

**Water type: S**

**HALOACETIC ACIDS**

<b>DIBROMOACETIC ACID (DBAA)</b>	<b>82721</b>	<b>003</b>	<b>2014/05/23</b>	<b>. 1.100</b>	<b>2014/08</b>
<b>DICHLOROACETIC ACID (DCAA)</b>	<b>77288</b>	<b>003</b>	<b>2014/05/23</b>	<b>. 2.400</b>	<b>2014/08</b>
<b>HALOACETIC ACIDS (5) (HAA5)</b>	<b>A-049</b>	<b>003</b>	<b>2014/05/23</b>	<b>. 4.700</b>	<b>2014/08</b>
<b>MONOBROMOACETIC ACID (MBAA)</b>	<b>A-041</b>	<b>003</b>	<b>2014/05/23</b>	<b>&lt; 1.000</b>	<b>2014/08</b>
<b>MONOCHLOROACETIC ACID (MCAA)</b>	<b>A-042</b>	<b>003</b>	<b>2014/05/23</b>	<b>&lt; 2.000</b>	<b>2014/08</b>
<b>TRICHLOROACETIC ACID (TCAA)</b>	<b>82723</b>	<b>003</b>	<b>2014/05/23</b>	<b>. 1.200</b>	<b>2014/08</b>

**STATE UCMR**

<b>BROMODICHLORMETHANE (THM)</b>	<b>32101</b>	<b>003</b>	<b>2014/02/21</b>	<b>&lt; 1.000</b>	<b>2014/05</b>	<b>DUE</b>
<b>BROMOFORM (THM)</b>	<b>32104</b>	<b>003</b>	<b>2014/02/21</b>	<b>&lt; 1.000</b>	<b>2014/05</b>	<b>DUE</b>
<b>CHLOROFORM (THM)</b>	<b>32106</b>	<b>003</b>	<b>2014/02/21</b>	<b>&lt; 1.000</b>	<b>2014/05</b>	<b>DUE</b>
<b>DIBROMOCHLOROMETHANE (THM)</b>	<b>32105</b>	<b>003</b>	<b>2014/02/21</b>	<b>&lt; 1.000</b>	<b>2014/05</b>	<b>DUE</b>

**TRIHALOMETHANES**

<b>TOTAL TRIHALOMETHANES</b>	<b>82080</b>	<b>003</b>	<b>2014/02/21</b>	<b>. 3.100</b>	<b>2014/05</b>	<b>DUE</b>
------------------------------	--------------	------------	-------------------	----------------	----------------	------------

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910139**

**System Name: CAL/AM WATER COMPANY - SAN MARINO**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910139-802**

**Source Name: SITE 3-2641 ONEIDA STREET-STG2 DBP**

**Source Number: 802**

**Source Status: DISTRIBUTION TREATED**

**Water type: S**

**HALOACETIC ACIDS**

DIBROMOACETIC ACID (DBAA)	82721	003	2014/05/23	. 2.200	2014/08
DICHLOROACETIC ACID (DCAA)	77288	003	2014/05/23	. 6.400	2014/08
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/05/23	. 13.000	2014/08
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/05/23	< 1.000	2014/08
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/05/23	< 2.000	2014/08
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/05/23	. 4.200	2014/08

**STATE UCMR**

<b>BROMODICHLORMETHANE (THM)</b>	32101	003	2014/02/21	. 2.600	2014/05	<b>DUE</b>
<b>BROMOFORM (THM)</b>	32104	003	2014/02/21	. 1.300	2014/05	<b>DUE</b>
<b>CHLOROFORM (THM)</b>	32106	003	2014/02/21	. 1.400	2014/05	<b>DUE</b>
<b>DIBROMOCHLOROMETHANE (THM)</b>	32105	003	2014/02/21	. 2.700	2014/05	<b>DUE</b>

**TRIHALOMETHANES**

<b>TOTAL TRIHALOMETHANES</b>	82080	003	2014/02/21	. 8.000	2014/05	<b>DUE</b>
------------------------------	-------	-----	------------	---------	---------	------------

**PS Code: 1910139-803**

**Source Name: SITE 4-597 SOUTH BERKELEY AVE-STG2 DBP**

**Source Number: 803**

**Source Status: DISTRIBUTION TREATED**

**Water type: S**

**HALOACETIC ACIDS**

DIBROMOACETIC ACID (DBAA)	82721	003	2014/05/23	. 2.300	2014/08
DICHLOROACETIC ACID (DCAA)	77288	003	2014/05/23	. 7.000	2014/08
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/05/23	. 14.000	2014/08
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/05/23	< 1.000	2014/08
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/05/23	< 2.000	2014/08
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/05/23	. 4.400	2014/08

**STATE UCMR**

<b>BROMODICHLORMETHANE (THM)</b>	32101	003	2014/02/21	. 2.100	2014/05	<b>DUE</b>
----------------------------------	-------	-----	------------	---------	---------	------------

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910139**

**System Name: CAL/AM WATER COMPANY - SAN MARINO**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

**PS Code: 1910139-803**

**Source Name: SITE 4-597 SOUTH BERKELEY AVE-STG2 DBP**

**Source Number: 803**

**Source Status: DISTRIBUTION TREATED**

**Water type: S**

**STATE UCMR**

<b>BROMOFORM (THM)</b>	<b>32104</b>	<b>003</b>	<b>2014/02/21</b>	<b>. 1.200</b>	<b>2014/05</b>	<b>DUE</b>
<b>CHLOROFORM (THM)</b>	<b>32106</b>	<b>003</b>	<b>2014/02/21</b>	<b>. 1.400</b>	<b>2014/05</b>	<b>DUE</b>
<b>DIBROMOCHLOROMETHANE (THM)</b>	<b>32105</b>	<b>003</b>	<b>2014/02/21</b>	<b>. 2.300</b>	<b>2014/05</b>	<b>DUE</b>

**TRihalOMETHANES**

<b>TOTAL TRIHALOMETHANES</b>	<b>82080</b>	<b>003</b>	<b>2014/02/21</b>	<b>. 7.000</b>	<b>2014/05</b>	<b>DUE</b>
------------------------------	--------------	------------	-------------------	----------------	----------------	------------

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)



**System Number: 1910142**

**System Name: GSWC-SAN DIMAS**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910142-003**

**Source Name: ARTESIA WELL 03**

**Source Number: 003**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

ALUMINUM	01105	036	2013/05/14	< 50.000	2016/05
ANTIMONY	01097	036	2013/05/14	< 6.000	2016/05
ARSENIC	01002	036	2013/05/14	< 2.000	2016/05
BARIUM	01007	036	2013/05/14	110.000	2016/05
BERYLLIUM	01012	036	2013/05/14	< 1.000	2016/05
CADMIUM	01027	036	2013/05/14	< 1.000	2016/05
CHROMIUM (TOTAL)	01034	036	2013/05/14	< 10.000	2016/05
CYANIDE	01291	036	2013/05/14	< 100.000	2016/05
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/05/22	.660	2016/05
MERCURY	71900	036	2013/05/14	< 1.000	2016/05
NICKEL	01067	036	2013/05/14	< 10.000	2016/05
PERCHLORATE	A-031	012	2014/05/14	.21.000	2015/05
SELENIUM	01147	036	2013/05/14	< 5.000	2016/05
THALLIUM	01059	036	2013/05/14	< 1.000	2016/05

**NITRATE/NITRITE**

<b>NITRATE (AS NO3)</b>	71850	001	<b>2014/05/14</b>	. 140.000	<b>2014/06</b>	<b>DUE</b>
NITRITE (AS N)	00620	036	2013/05/14	< 400.000	2016/05	

**RADIOLOGICAL**

<b>GROSS ALPHA</b>	01501	003	<b>2011/11/16</b>	. 3.650	<b>2012/02</b>	<b>DUE</b>
<b>RADIUM 226</b>	09501	003	<b>2005/11/17</b>	. .000	<b>2006/02</b>	<b>DUE</b>
<b>RADIUM 228</b>	11501	003	<b>2005/11/17</b>	. .000	<b>2006/02</b>	<b>DUE</b>
<b>URANIUM (PCI/L)</b>	28012	003	<b>2011/11/16</b>	. 3.400	<b>2012/02</b>	<b>DUE</b>

**REGULATED SOC**

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2013/05/14	< 3.000	2016/02
---------------------------	-------	-----	------------	---------	---------

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	012	2014/05/14	< .500	2015/05
1,1,2,2-TETRACHLOROETHANE	34516	012	2014/05/14	< .500	2015/05
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/05/14	< 10.000	2015/05

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910142**

**System Name: GSWC-SAN DIMAS**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910142-003**

**Source Name: ARTESIA WELL 03**

**Source Number: 003**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED VOC**

1,1,2-TRICHLOROETHANE	34511	012	2014/05/14	< .500	2015/05
1,1-DICHLOROETHANE	34496	012	2014/05/14	< .500	2015/05
1,1-DICHLOROETHYLENE	34501	012	2014/05/14	< .500	2015/05
1,2,4-TRICHLOROBENZENE	34551	012	2014/05/14	< .500	2015/05
1,2-DICHLOROBENZENE	34536	012	2014/05/14	< .500	2015/05
1,2-DICHLOROETHANE	34531	012	2014/05/14	< .500	2015/05
1,2-DICHLOROPROPANE	34541	012	2014/05/14	< .500	2015/05
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/05/14	< .500	2015/05
1,4-DICHLOROBENZENE	34571	012	2014/05/14	< .500	2015/05
BENZENE	34030	012	2014/05/14	< .500	2015/05
CARBON TETRACHLORIDE	32102	012	2014/05/14	< .500	2015/05
CIS-1,2-DICHLOROETHYLENE	77093	012	2014/05/14	< .500	2015/05
DICHLOROMETHANE	34423	012	2014/05/14	< .500	2015/05
ETHYLBENZENE	34371	012	2014/05/14	< .500	2015/05
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/05/14	< 3.000	2015/05
MONOCHLOROBENZENE	34301	012	2014/05/14	< .500	2015/05
STYRENE	77128	012	2014/05/14	< .500	2015/05
TETRACHLOROETHYLENE	34475	012	2014/05/14	< .500	2015/05
TOLUENE	34010	012	2014/05/14	< .500	2015/05
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/05/14	< .500	2015/05
TRICHLOROETHYLENE	39180	012	2014/05/14	< .500	2015/05
TRICHLOROFUOROMETHANE	34488	012	2014/05/14	< 5.000	2015/05
VINYL CHLORIDE	39175	012	2014/05/14	< .500	2015/05
XYLENES (TOTAL)	81551	012	2014/05/14	< .000	2015/05

**SECONDARY/GP**

BICARBONATE ALKALINITY	00440	036	2013/05/22	. 230.000	2016/05
CALCIUM	00916	036	2013/05/22	. 90.000	2016/05
CARBONATE ALKALINITY	00445	036	2013/05/22	.000	2016/05
CHLORIDE	00940	036	2013/05/22	. 39.000	2016/05

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910142**

**System Name: GSWC-SAN DIMAS**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910142-003**

**Source Name: ARTESIA WELL 03**

**Source Number: 003**

**Source Status: ACTIVE RAW**

**Water type: G**

**SECONDARY/GP**

COLOR	00081	036	2013/05/22	. 2.500	2016/05
COPPER	01042	036	2013/05/22	< 50.000	2016/05
FOAMING AGENTS (MBAS)	38260	036	2013/05/22	< .100	2016/05
HARDNESS (TOTAL) AS CaCO3	00900	036	2013/05/22	. 360.000	2016/05
HYDROXIDE ALKALINITY	71830	036	2013/05/22	. .000	2016/05
IRON	01045	036	2013/05/22	< 100.000	2016/05
MAGNESIUM	00927	036	2013/05/22	. 34.000	2016/05
MANGANESE	01055	036	2013/05/22	< 20.000	2016/05
ODOR THRESHOLD @ 60 C	00086	036	2013/05/22	< 1.000	2016/05
PH, LABORATORY	00403	036	2013/05/22	. 7.450	2016/05
SILVER	01077	036	2013/05/14	< 10.000	2016/05
SODIUM	00929	036	2013/05/22	30.000	2016/05
SPECIFIC CONDUCTANCE	00095	036	2013/05/22	. 790.000	2016/05
SULFATE	00945	036	2013/05/22	78.000	2016/05
TOTAL DISSOLVED SOLIDS	70300	036	2013/06/18	. 510.000	2016/06
TURBIDITY, LABORATORY	82079	036	2013/05/22	< .100	2016/05
ZINC	01092	036	2013/05/22	< 50.000	2016/05

**PS Code: 1910142-004**

**Source Name: BASELINE WELL 03**

**Source Number: 004**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

ALUMINUM	01105	036	2013/05/14	< 50.000	2016/05
ANTIMONY	01097	036	2013/05/14	< 6.000	2016/05
ARSENIC	01002	036	2013/05/14	< 2.000	2016/05
BARIUM	01007	036	2013/05/14	100.000	2016/05
BERYLLIUM	01012	036	2013/05/14	< 1.000	2016/05

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910142**

**System Name: GSWC-SAN DIMAS**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910142-004**

**Source Name: BASELINE WELL 03**

**Source Number: 004**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

CADMIUM	01027	036	2013/05/14	< 1.000	2016/05
CHROMIUM (TOTAL)	01034	036	2013/05/14	< 10.000	2016/05
CYANIDE	01291	036	2013/05/14	< 100.000	2016/05
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/05/22	.750	2016/05
MERCURY	71900	036	2013/05/14	< 1.000	2016/05
NICKEL	01067	036	2013/05/14	< 10.000	2016/05
PERCHLORATE	A-031	012	2014/08/12	. 15.000	2015/08
SELENIUM	01147	036	2013/05/14	< 5.000	2016/05
THALLIUM	01059	036	2013/05/14	< 1.000	2016/05

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	001	2014/08/12	. 96.000	2014/09
NITRITE (AS N)	00620	036	2013/05/14	< 400.000	2016/05

**RADIOLOGICAL**

<b>GROSS ALPHA</b>	01501	003	<b>2011/08/23</b>	. 5.050	<b>2011/11</b>	<b>DUE</b>
<b>RADIUM 226</b>	09501	003	<b>2005/08/24</b>	. .000	<b>2005/11</b>	<b>DUE</b>
<b>RADIUM 228</b>	11501	003	<b>2005/08/24</b>	. .000	<b>2005/11</b>	<b>DUE</b>
<b>URANIUM (PCI/L)</b>	28012	003	<b>2011/08/23</b>	. 3.300	<b>2011/11</b>	<b>DUE</b>

**REGULATED SOC**

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2013/08/15	< 3.000	2016/05
---------------------------	-------	-----	------------	---------	---------

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	012	2014/05/14	< .500	2015/05
1,1,2,2-TETRACHLOROETHANE	34516	012	2014/05/14	< .500	2015/05
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/05/14	< 10.000	2015/05
1,1,2-TRICHLOROETHANE	34511	012	2014/05/14	< .500	2015/05
1,1-DICHLOROETHANE	34496	012	2014/05/14	< .500	2015/05
1,1-DICHLOROETHYLENE	34501	012	2014/05/14	< .500	2015/05
1,2,4-TRICHLOROBENZENE	34551	012	2014/05/14	< .500	2015/05
1,2-DICHLOROBENZENE	34536	012	2014/05/14	< .500	2015/05

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910142**

**System Name: GSWC-SAN DIMAS**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910142-004**

**Source Name: BASELINE WELL 03**

**Source Number: 004**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED VOC**

1,2-DICHLOROETHANE	34531	012	2014/05/14	< .500	2015/05
1,2-DICHLOROPROPANE	34541	012	2014/05/14	< .500	2015/05
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/05/14	< .500	2015/05
1,4-DICHLOROBENZENE	34571	012	2014/05/14	< .500	2015/05
BENZENE	34030	012	2014/05/14	< .500	2015/05
CARBON TETRACHLORIDE	32102	012	2014/05/14	< .500	2015/05
CIS-1,2-DICHLOROETHYLENE	77093	012	2014/05/14	< .500	2015/05
DICHLOROMETHANE	34423	012	2014/05/14	< .500	2015/05
ETHYLBENZENE	34371	012	2014/05/14	< .500	2015/05
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/05/14	< 3.000	2015/05
MONOCHLOROBENZENE	34301	012	2014/05/14	< .500	2015/05
STYRENE	77128	012	2014/05/14	< .500	2015/05
TETRACHLOROETHYLENE	34475	012	2014/05/14	< .500	2015/05
TOLUENE	34010	012	2014/05/14	< .500	2015/05
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/05/14	< .500	2015/05
TRICHLOROETHYLENE	39180	012	2014/05/14	< .500	2015/05
TRICHLOROFLUOROMETHANE	34488	012	2014/05/14	< 5.000	2015/05
VINYL CHLORIDE	39175	012	2014/05/14	< .500	2015/05
XYLENES (TOTAL)	81551	012	2014/05/14	< .000	2015/05

**SECONDARY/GP**

BICARBONATE ALKALINITY	00440	036	2013/05/22	. 240.000	2016/05
CALCIUM	00916	036	2013/05/22	. 81.000	2016/05
CARBONATE ALKALINITY	00445	036	2013/05/22	.000	2016/05
CHLORIDE	00940	036	2013/05/22	. 30.000	2016/05
COLOR	00081	036	2013/05/22	< 1.000	2016/05
COPPER	01042	036	2013/05/22	< 50.000	2016/05
FOAMING AGENTS (MBAS)	38260	036	2013/05/22	< .100	2016/05
HARDNESS (TOTAL) AS CaCO3	00900	036	2013/05/22	. 320.000	2016/05
HYDROXIDE ALKALINITY	71830	036	2013/05/22	. .000	2016/05

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910142**

**System Name: GSWC-SAN DIMAS**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910142-004**

**Source Name: BASELINE WELL 03**

**Source Number: 004**

**Source Status: ACTIVE RAW**

**Water type: G**

**SECONDARY/GP**

IRON	01045	036	2013/05/22	< 100.000	2016/05
MAGNESIUM	00927	036	2013/05/22	. 30.000	2016/05
MANGANESE	01055	036	2013/05/22	< 20.000	2016/05
ODOR THRESHOLD @ 60 C	00086	036	2013/05/22	< 1.000	2016/05
PH, LABORATORY	00403	036	2013/05/22	. 7.330	2016/05
SILVER	01077	036	2013/05/14	< 10.000	2016/05
SODIUM	00929	036	2013/05/22	28.000	2016/05
SPECIFIC CONDUCTANCE	00095	036	2013/05/22	. 700.000	2016/05
SULFATE	00945	036	2013/05/22	58.000	2016/05
TOTAL DISSOLVED SOLIDS	70300	036	2013/06/18	. 450.000	2016/06
TURBIDITY, LABORATORY	82079	036	2014/08/12	< .100	2017/08
ZINC	01092	036	2013/05/22	< 50.000	2016/05

**PS Code: 1910142-005**

**Source Name: BASELINE WELL 04**

**Source Number: 005**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

ALUMINUM	01105	036	2013/05/14	< 50.000	2016/05
ANTIMONY	01097	036	2013/05/14	< 6.000	2016/05
ARSENIC	01002	036	2013/05/14	< 2.000	2016/05
BARIUM	01007	036	2013/05/14	120.000	2016/05
BERYLLIUM	01012	036	2013/05/14	< 1.000	2016/05
CADMIUM	01027	036	2013/05/14	< 1.000	2016/05
CHROMIUM (TOTAL)	01034	036	2013/05/14	< 10.000	2016/05
CYANIDE	01291	036	2013/05/14	< 100.000	2016/05
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/05/22	. .780	2016/05
MERCURY	71900	036	2013/05/14	< 1.000	2016/05

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910142**

**System Name: GSWC-SAN DIMAS**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910142-005**

**Source Name: BASELINE WELL 04**

**Source Number: 005**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

NICKEL	01067	036	2013/05/14	< 10.000	2016/05
PERCHLORATE	A-031	012	2014/07/08	. 15.000	2015/07
SELENIUM	01147	036	2013/05/14	< 5.000	2016/05
THALLIUM	01059	036	2013/05/14	< 1.000	2016/05

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	001	2014/07/08	. 74.000	2014/08
NITRITE (AS N)	00620	036	2013/05/14	< 400.000	2016/05

**RADIOLOGICAL**

<b>GROSS ALPHA</b>	01501	003	2011/08/23	. 4.510	2011/11	<b>DUE</b>
<b>RADIUM 226</b>	09501	003	2005/08/24	. .000	2005/11	<b>DUE</b>
<b>RADIUM 228</b>	11501	003	2005/08/24	. .000	2005/11	<b>DUE</b>
<b>URANIUM (PCI/L)</b>	28012	003	2011/08/23	. 5.100	2011/11	<b>DUE</b>

**REGULATED SOC**

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2013/05/14	< 3.000	2016/02
---------------------------	-------	-----	------------	---------	---------

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	012	2014/05/14	< .500	2015/05
1,1,2,2-TETRACHLOROETHANE	34516	012	2014/05/14	< .500	2015/05
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/05/14	< 10.000	2015/05
1,1,2-TRICHLOROETHANE	34511	012	2014/05/14	< .500	2015/05
1,1-DICHLOROETHANE	34496	012	2014/05/14	< .500	2015/05
1,1-DICHLOROETHYLENE	34501	012	2014/05/14	< .500	2015/05
1,2,4-TRICHLOROBENZENE	34551	012	2014/05/14	< .500	2015/05
1,2-DICHLOROBENZENE	34536	012	2014/05/14	< .500	2015/05
1,2-DICHLOROETHANE	34531	012	2014/05/14	< .500	2015/05
1,2-DICHLOROPROPANE	34541	012	2014/05/14	< .500	2015/05
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/05/14	< .500	2015/05
1,4-DICHLOROBENZENE	34571	012	2014/05/14	< .500	2015/05
BENZENE	34030	012	2014/05/14	< .500	2015/05

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910142**

**System Name: GSWC-SAN DIMAS**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910142-005**

**Source Name: BASELINE WELL 04**

**Source Number: 005**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED VOC**

CARBON TETRACHLORIDE	32102	012	2014/05/14	< .500	2015/05
CIS-1,2-DICHLOROETHYLENE	77093	012	2014/05/14	< .500	2015/05
DICHLOROMETHANE	34423	012	2014/05/14	< .500	2015/05
ETHYLBENZENE	34371	012	2014/05/14	< .500	2015/05
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/05/14	< 3.000	2015/05
MONOCHLOROENZENE	34301	012	2014/05/14	< .500	2015/05
STYRENE	77128	012	2014/05/14	< .500	2015/05
TETRACHLOROETHYLENE	34475	012	2014/05/14	< .500	2015/05
TOLUENE	34010	012	2014/05/14	< .500	2015/05
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/05/14	< .500	2015/05
TRICHLOROETHYLENE	39180	012	2014/05/14	< .500	2015/05
TRICHLOROFLUOROMETHANE	34488	012	2014/05/14	< 5.000	2015/05
VINYL CHLORIDE	39175	012	2014/05/14	< .500	2015/05
XYLENES (TOTAL)	81551	012	2014/05/14	< .000	2015/05

**SECONDARY/GP**

BICARBONATE ALKALINITY	00440	036	2013/05/22	. 220.000	2016/05
CALCIUM	00916	036	2013/05/22	. 95.000	2016/05
CARBONATE ALKALINITY	00445	036	2013/05/22	.000	2016/05
CHLORIDE	00940	036	2013/05/22	. 41.000	2016/05
COLOR	00081	036	2013/05/22	< 1.000	2016/05
COPPER	01042	036	2013/05/22	< 50.000	2016/05
FOAMING AGENTS (MBAS)	38260	036	2013/05/22	< .100	2016/05
HARDNESS (TOTAL) AS CaCO3	00900	036	2013/05/22	. 380.000	2016/05
HYDROXIDE ALKALINITY	71830	036	2013/05/22	. .000	2016/05
IRON	01045	036	2013/05/22	< 100.000	2016/05
MAGNESIUM	00927	036	2013/05/22	. 34.000	2016/05
MANGANESE	01055	036	2013/05/22	< 20.000	2016/05
ODOR THRESHOLD @ 60 C	00086	036	2013/05/22	< 1.000	2016/05
PH, LABORATORY	00403	036	2013/05/22	. 7.390	2016/05

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)



**System Number: 1910142**

**System Name: GSWC-SAN DIMAS**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910142-005**

**Source Name: BASELINE WELL 04**

**Source Number: 005**

**Source Status: ACTIVE RAW**

**Water type: G**

**SECONDARY/GP**

SILVER	01077	036	2013/05/14	< 10.000	2016/05
SODIUM	00929	036	2013/05/22	34.000	2016/05
SPECIFIC CONDUCTANCE	00095	036	2013/05/22	. 840.000	2016/05
SULFATE	00945	036	2013/05/22	87.000	2016/05
TOTAL DISSOLVED SOLIDS	70300	036	2013/06/18	. 550.000	2016/06
TURBIDITY, LABORATORY	82079	036	2013/05/22	< .100	2016/05
ZINC	01092	036	2013/05/22	< 50.000	2016/05

**PS Code: 1910142-013**

**Source Name: HIGHWAY WELL**

**Source Number: 013**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

ALUMINUM	01105	036	2013/06/27	< 50.000	2016/06
ANTIMONY	01097	036	2013/06/27	< 6.000	2016/06
ARSENIC	01002	036	2013/06/27	< 2.000	2016/06
BARIUM	01007	036	2013/06/27	< 100.000	2016/06
BERYLLIUM	01012	036	2013/06/27	< 1.000	2016/06
CADMIUM	01027	036	2013/06/27	< 1.000	2016/06
CHROMIUM (TOTAL)	01034	036	2013/06/27	< 10.000	2016/06
CYANIDE	01291	036	2013/06/27	< 100.000	2016/06
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/06/27	. .740	2016/06
MERCURY	71900	036	2013/06/27	< 1.000	2016/06
NICKEL	01067	036	2013/06/27	< 10.000	2016/06
PERCHLORATE	A-031	012	2014/08/12	< 4.000	2015/08
SELENIUM	01147	036	2013/06/27	< 5.000	2016/06
THALLIUM	01059	036	2013/06/27	< 1.000	2016/06

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910142**

**System Name: GSWC-SAN DIMAS**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910142-013**

**Source Name: HIGHWAY WELL**

**Source Number: 013**

**Source Status: ACTIVE RAW**

**Water type: G**

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	001	2014/08/12	. 25.000	2014/09
NITRITE (AS N)	00620	036	2013/06/27	< 400.000	2016/06

**RADIOLOGICAL**

<b>GROSS ALPHA</b>	01501	003	<b>2011/08/23</b>	< .000	<b>2011/11</b>	<b>DUE</b>
<b>RADIUM 226</b>	09501	003	<b>2005/08/24</b>	. .000	<b>2005/11</b>	<b>DUE</b>
<b>RADIUM 228</b>	11501	003	<b>2005/08/24</b>	. .000	<b>2005/11</b>	<b>DUE</b>
<b>URANIUM (PCI/L)</b>	28012	003	<b>2011/08/23</b>	. 2.600	<b>2011/11</b>	<b>DUE</b>

**REGULATED SOC**

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2013/06/27	< 3.000	2016/03
---------------------------	-------	-----	------------	---------	---------

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	012	2014/05/14	< .500	2015/05
1,1,2,2-TETRACHLOROETHANE	34516	012	2014/05/14	< .500	2015/05
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/05/14	< 10.000	2015/05
1,1,2-TRICHLOROETHANE	34511	012	2014/05/14	< .500	2015/05
1,1-DICHLOROETHANE	34496	012	2014/05/14	< .500	2015/05
1,1-DICHLOROETHYLENE	34501	012	2014/05/14	< .500	2015/05
1,2,4-TRICHLOROBENZENE	34551	012	2014/05/14	< .500	2015/05
1,2-DICHLOROBENZENE	34536	012	2014/05/14	< .500	2015/05
1,2-DICHLOROETHANE	34531	012	2014/05/14	< .500	2015/05
1,2-DICHLOROPROPANE	34541	012	2014/05/14	< .500	2015/05
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/05/14	< .500	2015/05
1,4-DICHLOROBENZENE	34571	012	2014/05/14	< .500	2015/05
BENZENE	34030	012	2014/05/14	< .500	2015/05
CARBON TETRACHLORIDE	32102	012	2014/05/14	< .500	2015/05
CIS-1,2-DICHLOROETHYLENE	77093	012	2014/05/14	< .500	2015/05
DICHLOROMETHANE	34423	012	2014/05/14	< .500	2015/05
ETHYLBENZENE	34371	012	2014/05/14	< .500	2015/05
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/05/14	< 3.000	2015/05

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910142**

**System Name: GSWC-SAN DIMAS**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910142-013**

**Source Name: HIGHWAY WELL**

**Source Number: 013**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED VOC**

MONOCHLOROENZENE	34301	012	2014/05/14	< .500	2015/05
STYRENE	77128	012	2014/05/14	< .500	2015/05
TETRACHLOROETHYLENE	34475	012	2014/05/14	< .500	2015/05
TOLUENE	34010	012	2014/05/14	< .500	2015/05
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/05/14	< .500	2015/05
TRICHLOROETHYLENE	39180	012	2014/05/14	< .500	2015/05
TRICHLOROFLUOROMETHANE	34488	012	2014/05/14	< 5.000	2015/05
VINYL CHLORIDE	39175	012	2014/05/14	< .500	2015/05
XYLENES (TOTAL)	81551	012	2014/05/14	< .000	2015/05

**SECONDARY/GP**

BICARBONATE ALKALINITY	00440	036	2013/05/31	. 270.000	2016/05
CALCIUM	00916	036	2013/05/31	. 69.000	2016/05
CARBONATE ALKALINITY	00445	036	2013/05/31	< 2.400	2016/05
CHLORIDE	00940	036	2013/05/31	. 23.000	2016/05
COLOR	00081	036	2013/05/31	< 1.000	2016/05
COPPER	01042	036	2013/05/31	< 50.000	2016/05
FOAMING AGENTS (MBAS)	38260	036	2013/05/31	< .100	2016/05
HARDNESS (TOTAL) AS CaCO3	00900	036	2013/05/31	. 280.000	2016/05
HYDROXIDE ALKALINITY	71830	036	2013/05/31	< 1.400	2016/05
IRON	01045	036	2013/05/31	< 100.000	2016/05
MAGNESIUM	00927	036	2013/05/31	. 26.000	2016/05
MANGANESE	01055	036	2013/05/31	< 20.000	2016/05
ODOR THRESHOLD @ 60 C	00086	036	2013/05/31	< 1.000	2016/05
PH, LABORATORY	00403	036	2013/05/31	. 7.390	2016/05
SILVER	01077	036	2013/06/27	< 10.000	2016/06
SODIUM	00929	036	2013/05/31	26.000	2016/05
SPECIFIC CONDUCTANCE	00095	036	2013/05/31	. 600.000	2016/05
SULFATE	00945	036	2013/05/31	50.000	2016/05
TOTAL DISSOLVED SOLIDS	70300	036	2013/05/31	. 380.000	2016/05

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910142**

**System Name: GSWC-SAN DIMAS**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910142-013**

**Source Name: HIGHWAY WELL**

**Source Number: 013**

**Source Status: ACTIVE RAW**

**Water type: G**

**SECONDARY/GP**

TURBIDITY, LABORATORY	82079	036	2014/08/12	< .100	2017/08
ZINC	01092	036	2013/05/31	< 50.000	2016/05

**PS Code: 1910142-014**

**Source Name: MALONE**

**Source Number: 014**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

ALUMINUM	01105	036	2012/08/15	< 50.000	2015/08
ANTIMONY	01097	036	2012/08/15	< 6.000	2015/08
ARSENIC	01002	036	2012/08/15	< 2.000	2015/08
BARIUM	01007	036	2012/08/15	100.000	2015/08
BERYLLIUM	01012	036	2012/08/15	< 1.000	2015/08
CADMIUM	01027	036	2012/08/15	< 1.000	2015/08
CHROMIUM (TOTAL)	01034	036	2012/08/15	< 10.000	2015/08
CYANIDE	01291	036	2012/08/15	< 100.000	2015/08
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2012/08/15	. 790	2015/08
MERCURY	71900	036	2012/08/15	< 1.000	2015/08
NICKEL	01067	036	2012/08/15	< 10.000	2015/08
PERCHLORATE	A-031	012	2013/08/15	< 4.000	2014/08
SELENIUM	01147	036	2012/08/15	< 5.000	2015/08
THALLIUM	01059	036	2012/08/15	< 1.000	2015/08

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	001	2014/07/08	. 23.000	2014/08
NITRITE (AS N)	00620	036	2012/08/15	< 400.000	2015/08

**RADIOLOGICAL**

<b>GROSS ALPHA</b>	01501	003	2012/05/14	< 3.000	2012/08	<b>DUE</b>
--------------------	-------	-----	------------	---------	---------	------------

\*Testing interval is in months;  
 0 = No data for this constituent and is DUE NOW  
 I = Invalid (NOT) valid analyses reported  
 Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910142**

**System Name: GSWC-SAN DIMAS**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910142-014**

**Source Name: MALONE**

**Source Number: 014**

**Source Status: ACTIVE RAW**

**Water type: G**

**RADIOLOGICAL**

<b>RADIUM 226</b>	<b>09501</b>	<b>003</b>	<b>2006/05/15</b>	<b>.000</b>	<b>2006/08</b>	<b>DUE</b>
<b>RADIUM 228</b>	<b>11501</b>	<b>003</b>	<b>2006/05/15</b>	<b>.000</b>	<b>2006/08</b>	<b>DUE</b>
<b>URANIUM (PCI/L)</b>	<b>28012</b>	<b>003</b>	<b>2012/05/14</b>	<b>2.100</b>	<b>2012/08</b>	<b>DUE</b>

**REGULATED SOC**

DI(2-ETHYLHEXYL)PHTHALATE	<b>39100</b>	<b>033</b>	2013/06/27	< <b>3.000</b>	2016/03
---------------------------	--------------	------------	------------	----------------	---------

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	<b>34506</b>	<b>012</b>	2014/05/14	< <b>.500</b>	2015/05
1,1,2,2-TETRACHLOROETHANE	<b>34516</b>	<b>012</b>	2014/05/14	< <b>.500</b>	2015/05
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	<b>81611</b>	<b>012</b>	2014/05/14	< <b>10.000</b>	2015/05
1,1,2-TRICHLOROETHANE	<b>34511</b>	<b>012</b>	2014/05/14	< <b>.500</b>	2015/05
1,1-DICHLOROETHANE	<b>34496</b>	<b>012</b>	2014/05/14	< <b>.500</b>	2015/05
1,1-DICHLOROETHYLENE	<b>34501</b>	<b>012</b>	2014/05/14	< <b>.500</b>	2015/05
1,2,4-TRICHLOROBENZENE	<b>34551</b>	<b>012</b>	2014/05/14	< <b>.500</b>	2015/05
1,2-DICHLOROBENZENE	<b>34536</b>	<b>012</b>	2014/05/14	< <b>.500</b>	2015/05
1,2-DICHLOROETHANE	<b>34531</b>	<b>012</b>	2014/05/14	< <b>.500</b>	2015/05
1,2-DICHLOROPROPANE	<b>34541</b>	<b>012</b>	2014/05/14	< <b>.500</b>	2015/05
1,3-DICHLOROPROPENE (TOTAL)	<b>34561</b>	<b>012</b>	2014/05/14	< <b>.500</b>	2015/05
1,4-DICHLOROBENZENE	<b>34571</b>	<b>012</b>	2014/05/14	< <b>.500</b>	2015/05
BENZENE	<b>34030</b>	<b>012</b>	2014/05/14	< <b>.500</b>	2015/05
CARBON TETRACHLORIDE	<b>32102</b>	<b>012</b>	2014/05/14	< <b>.500</b>	2015/05
CIS-1,2-DICHLOROETHYLENE	<b>77093</b>	<b>012</b>	2014/05/14	< <b>.500</b>	2015/05
DICHLOROMETHANE	<b>34423</b>	<b>012</b>	2014/05/14	< <b>.500</b>	2015/05
ETHYLBENZENE	<b>34371</b>	<b>012</b>	2014/05/14	< <b>.500</b>	2015/05
METHYL-TERT-BUTYL-ETHER (MTBE)	<b>46491</b>	<b>012</b>	2014/05/14	< <b>3.000</b>	2015/05
MONOCHLOROBENZENE	<b>34301</b>	<b>012</b>	2014/05/14	< <b>.500</b>	2015/05
STYRENE	<b>77128</b>	<b>012</b>	2014/05/14	< <b>.500</b>	2015/05
TETRACHLOROETHYLENE	<b>34475</b>	<b>012</b>	2014/05/14	< <b>.500</b>	2015/05
TOLUENE	<b>34010</b>	<b>012</b>	2014/05/14	< <b>.500</b>	2015/05
TRANS-1,2-DICHLOROETHYLENE	<b>34546</b>	<b>012</b>	2014/05/14	< <b>.500</b>	2015/05

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910142**

**System Name: GSWC-SAN DIMAS**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910142-014**

**Source Name: MALONE**

**Source Number: 014**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED VOC**

TRICHLOROETHYLENE	39180	012	2014/05/14	< .500	2015/05
TRICHLOROFUOROMETHANE	34488	012	2014/05/14	< 5.000	2015/05
VINYL CHLORIDE	39175	012	2014/05/14	< .500	2015/05
XYLENES (TOTAL)	81551	012	2014/05/14	< .000	2015/05

**SECONDARY/GP**

BICARBONATE ALKALINITY	00440	036	2012/08/14	. 260.000	2015/08
CALCIUM	00916	036	2012/08/14	. 75.000	2015/08
CARBONATE ALKALINITY	00445	036	2012/08/14	< 4.000	2015/08
CHLORIDE	00940	036	2012/08/14	. 36.000	2015/08
COLOR	00081	036	2012/08/14	< 1.000	2015/08
COPPER	01042	036	2012/08/14	< 50.000	2015/08
FOAMING AGENTS (MBAS)	38260	036	2012/08/14	< .100	2015/08
HARDNESS (TOTAL) AS CaCO3	00900	036	2012/08/14	. 310.000	2015/08
HYDROXIDE ALKALINITY	71830	036	2012/08/14	< 4.000	2015/08
IRON	01045	036	2012/08/14	< 100.000	2015/08
MAGNESIUM	00927	036	2012/08/14	. 29.000	2015/08
MANGANESE	01055	036	2012/08/14	< 20.000	2015/08
ODOR THRESHOLD @ 60 C	00086	036	2012/08/14	< 1.000	2015/08
PH, LABORATORY	00403	036	2012/08/14	. 7.270	2015/08
SILVER	01077	036	2012/08/15	< 10.000	2015/08
SODIUM	00929	036	2012/08/14	39.000	2015/08
SPECIFIC CONDUCTANCE	00095	036	2012/08/14	. 1400.000	2015/08
SULFATE	00945	036	2012/08/14	80.000	2015/08
TOTAL DISSOLVED SOLIDS	70300	036	2013/08/15	< 480.000	2016/08
TURBIDITY, LABORATORY	82079	036	2014/08/12	< .100	2017/08
ZINC	01092	036	2012/08/14	< 50.000	2015/08

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910142**

**System Name: GSWC-SAN DIMAS**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910142-016**

**Source Name: COLUMBIA RESERVOIR - RAW - INACTIVE**

**Source Number: 016**

**Source Status: COMBINATION OR BLEND TREATED**

**Water type: S**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

**PS Code: 1910142-017**

**Source Name: COLUMBIA WELL 04**

**Source Number: 017**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

ALUMINUM	01105	036	2014/02/19	< 50.000	2017/02
ANTIMONY	01097	036	2014/02/19	< 6.000	2017/02
ARSENIC	01002	036	2014/02/19	< 2.000	2017/02
BARIUM	01007	036	2014/02/19	< 100.000	2017/02
BERYLLIUM	01012	036	2014/02/19	< 1.000	2017/02
CADMIUM	01027	036	2014/02/19	< 1.000	2017/02
CHROMIUM (TOTAL)	01034	036	2014/02/19	< 10.000	2017/02
CYANIDE	01291	036	2014/02/19	< 100.000	2017/02
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/02/19	.420	2017/02
MERCURY	71900	036	2014/02/19	< 1.000	2017/02
NICKEL	01067	036	2014/02/19	< 10.000	2017/02
PERCHLORATE	A-031	012	2014/08/12	< 4.000	2015/08
SELENIUM	01147	036	2014/02/19	< 5.000	2017/02
THALLIUM	01059	036	2014/02/19	< 1.000	2017/02

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	012	2014/08/12	. 30.000	2015/08
NITRITE (AS N)	00620	036	2014/02/19	< 400.000	2017/02

**RADIOLOGICAL**

<b>GROSS ALPHA</b>	01501	003	2012/12/18	. 3.110	2013/03	<b>DUE</b>
<b>RADIUM 226</b>	09501	003	2005/08/24	. .000	2005/11	<b>DUE</b>

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910142**

**System Name: GSWC-SAN DIMAS**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910142-017**

**Source Name: COLUMBIA WELL 04**

**Source Number: 017**

**Source Status: ACTIVE RAW**

**Water type: G**

**RADIOLOGICAL**

<b>RADIUM 228</b>	<b>11501</b>	<b>003</b>	<b>2005/08/24</b>	<b>.000</b>	<b>2005/11</b>	<b>DUE</b>
<b>URANIUM (PCI/L)</b>	<b>28012</b>	<b>003</b>	<b>2012/12/18</b>	<b>.4300</b>	<b>2013/03</b>	<b>DUE</b>

**REGULATED SOC**

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2013/05/14	< 3.000	2016/02	
---------------------------	-------	-----	------------	---------	---------	--

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	012	2013/11/14	< .500	2014/11	
1,1,2,2-TETRACHLOROETHANE	34516	012	2013/11/14	< .500	2014/11	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2013/11/14	< 10.000	2014/11	
1,1,2-TRICHLOROETHANE	34511	012	2013/11/14	< .500	2014/11	
1,1-DICHLOROETHANE	34496	012	2013/11/14	< .500	2014/11	
1,1-DICHLOROETHYLENE	34501	012	2013/11/14	< .500	2014/11	
1,2,4-TRICHLOROBENZENE	34551	012	2013/11/14	< .500	2014/11	
1,2-DICHLOROBENZENE	34536	012	2013/11/14	< .500	2014/11	
1,2-DICHLOROETHANE	34531	012	2013/11/14	< .500	2014/11	
1,2-DICHLOROPROPANE	34541	012	2013/11/14	< .500	2014/11	
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2013/11/14	< .500	2014/11	
1,4-DICHLOROBENZENE	34571	012	2013/11/14	< .500	2014/11	
BENZENE	34030	012	2013/11/14	< .500	2014/11	
CARBON TETRACHLORIDE	32102	012	2013/11/14	< .500	2014/11	
CIS-1,2-DICHLOROETHYLENE	77093	012	2013/11/14	< .500	2014/11	
DICHLOROMETHANE	34423	012	2013/11/14	< .500	2014/11	
ETHYLBENZENE	34371	012	2013/11/14	< .500	2014/11	
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2013/11/14	< 3.000	2014/11	
MONOCHLOROBENZENE	34301	012	2013/11/14	< .500	2014/11	
STYRENE	77128	012	2013/11/14	< .500	2014/11	
TETRACHLOROETHYLENE	34475	012	2013/11/14	< .500	2014/11	
TOLUENE	34010	012	2013/11/14	< .500	2014/11	
TRANS-1,2-DICHLOROETHYLENE	34546	012	2013/11/14	< .500	2014/11	
TRICHLOROETHYLENE	39180	012	2013/11/14	< .500	2014/11	

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)



**System Number: 1910142**

**System Name: GSWC-SAN DIMAS**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910142-017**

**Source Name: COLUMBIA WELL 04**

**Source Number: 017**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED VOC**

TRICHLOROFUOROMETHANE	34488	012	2013/11/14	< 5.000	2014/11
VINYL CHLORIDE	39175	012	2013/11/14	< .500	2014/11
XYLENES (TOTAL)	81551	012	2013/11/14	< .000	2014/11

**SECONDARY/GP**

BICARBONATE ALKALINITY	00440	036	2014/02/19	. 210.000	2017/02
CALCIUM	00916	036	2014/02/19	. 61.000	2017/02
CARBONATE ALKALINITY	00445	036	2014/02/19	.000	2017/02
CHLORIDE	00940	036	2014/02/19	. 55.000	2017/02
COLOR	00081	036	2014/02/19	< 1.000	2017/02
COPPER	01042	036	2014/02/19	< 50.000	2017/02
FOAMING AGENTS (MBAS)	38260	036	2014/02/19	< .100	2017/02
HARDNESS (TOTAL) AS CaCO3	00900	036	2014/02/19	. 250.000	2017/02
HYDROXIDE ALKALINITY	71830	036	2014/02/19	. .000	2017/02
IRON	01045	036	2014/05/13	< 100.000	2017/05
MAGNESIUM	00927	036	2014/02/19	. 24.000	2017/02
MANGANESE	01055	036	2014/02/19	< 20.000	2017/02
ODOR THRESHOLD @ 60 C	00086	036	2014/02/19	< 1.000	2017/02
PH, LABORATORY	00403	036	2014/02/19	. 7.280	2017/02
SILVER	01077	036	2014/02/19	< 10.000	2017/02
SODIUM	00929	036	2014/02/19	43.000	2017/02
SPECIFIC CONDUCTANCE	00095	036	2014/02/19	. 660.000	2017/02
SULFATE	00945	036	2014/02/19	81.000	2017/02
TOTAL DISSOLVED SOLIDS	70300	036	2014/02/19	. 430.000	2017/02
TURBIDITY, LABORATORY	82079	036	2014/08/12	< .100	2017/08
ZINC	01092	036	2014/02/19	< 50.000	2017/02

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910142**  
**System Name: GSWC-SAN DIMAS**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910142-023**  
**Source Name: TVMWD CONNECTION PM7 - TREATED**  
**Source Number: 023**  
**Source Status: PURCHASED TREATED**  
**Water type: S**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\* 999

**PS Code: 1910142-024**  
**Source Name: TVMWD CONNECTION PM16 - TREATED**  
**Source Number: 024**  
**Source Status: PURCHASED TREATED**  
**Water type: S**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\* 999

**PS Code: 1910142-025**  
**Source Name: CIC CONNECTION @ CIENEGA AVE+JENNIFER AV**  
**Source Number: 025**  
**Source Status: PURCHASED TREATED**  
**Water type: S**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\* 999

**PS Code: 1910142-026**  
**Source Name: MALONE FOREBAY - NO3 BLEND, EFFLUENT**  
**Source Number: 026**  
**Source Status: COMBINATION OR BLEND TREATED**  
**Water type: S**

**INORGANIC**

<b>ALUMINUM</b>	01105	000		<b>DUE</b>
<b>ANTIMONY</b>	01097	000		<b>DUE</b>
<b>ARSENIC</b>	01002	000		<b>DUE</b>
<b>ASBESTOS</b>	81855	000		<b>DUE</b>
<b>BARIUM</b>	01007	000		<b>DUE</b>

\*Testing interval is in months;  
 0 = No data for this constituent and is DUE NOW  
 I = Invalid (NOT) valid analyses reported  
 Any analyses not listed as required for testing has been Waive (not required)

System Number: **1910142**

System Name: **GSWC-SAN DIMAS**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: **1910142-026**

Source Name: **MALONE FOREBAY - NO3 BLEND, EFFLUENT**

Source Number: **026**

Source Status: **COMBINATION OR BLEND TREATED**

Water type: **S**

**INORGANIC**

<b>BERYLLIUM</b>	<b>01012</b>	<b>000</b>			<b>DUE</b>
<b>CADMIUM</b>	<b>01027</b>	<b>000</b>			<b>DUE</b>
<b>CHROMIUM (TOTAL)</b>	<b>01034</b>	<b>000</b>			<b>DUE</b>
<b>CHROMIUM, HEXAVALENT</b>	<b>01032</b>	<b>000</b>			<b>DUE</b>
<b>CYANIDE</b>	<b>01291</b>	<b>000</b>			<b>DUE</b>
<b>FLUORIDE (F) (NATURAL-SOURCE)</b>	<b>00951</b>	<b>000</b>			<b>DUE</b>
<b>MERCURY</b>	<b>71900</b>	<b>000</b>			<b>DUE</b>
<b>NICKEL</b>	<b>01067</b>	<b>000</b>			<b>DUE</b>
<b>PERCHLORATE</b>	<b>A-031</b>	<b>012</b>	<b>2003/07/31</b>	<b>.000</b>	<b>2004/07 DUE</b>
<b>SELENIUM</b>	<b>01147</b>	<b>000</b>			<b>DUE</b>
<b>THALLIUM</b>	<b>01059</b>	<b>000</b>			<b>DUE</b>

**NITRATE/NITRITE**

<b>NITRATE (AS NO3)</b>	<b>71850</b>	<b>003</b>	<b>2010/08/03</b>	<b>16.000</b>	<b>2010/11 DUE</b>
<b>NITRITE (AS N)</b>	<b>00620</b>	<b>000</b>			<b>DUE</b>

**RADIOLOGICAL**

<b>GROSS ALPHA</b>	<b>01501</b>	<b>000</b>			<b>DUE</b>
<b>RADIUM 226</b>	<b>09501</b>	<b>000</b>			<b>DUE</b>
<b>RADIUM 228</b>	<b>11501</b>	<b>000</b>			<b>DUE</b>
<b>URANIUM (PCI/L)</b>	<b>28012</b>	<b>000</b>			<b>DUE</b>

**REGULATED VOC**

<b>1,1,1-TRICHLOROETHANE</b>	<b>34506</b>	<b>012</b>	<b>2009/02/17</b>	<b>.000</b>	<b>2010/02 DUE</b>
<b>1,1,2,2-TETRACHLOROETHANE</b>	<b>34516</b>	<b>012</b>	<b>2009/02/17</b>	<b>.000</b>	<b>2010/02 DUE</b>
<b>1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE</b>	<b>81611</b>	<b>012</b>	<b>2009/02/17</b>	<b>.000</b>	<b>2010/02 DUE</b>
<b>1,1,2-TRICHLOROETHANE</b>	<b>34511</b>	<b>012</b>	<b>2009/02/17</b>	<b>.000</b>	<b>2010/02 DUE</b>
<b>1,1-DICHLOROETHANE</b>	<b>34496</b>	<b>012</b>	<b>2009/02/17</b>	<b>.000</b>	<b>2010/02 DUE</b>
<b>1,1-DICHLOROETHYLENE</b>	<b>34501</b>	<b>012</b>	<b>2009/02/17</b>	<b>.000</b>	<b>2010/02 DUE</b>
<b>1,2,4-TRICHLOROBENZENE</b>	<b>34551</b>	<b>012</b>	<b>2009/02/17</b>	<b>.000</b>	<b>2010/02 DUE</b>
<b>1,2-DICHLOROBENZENE</b>	<b>34536</b>	<b>012</b>	<b>2009/02/17</b>	<b>.000</b>	<b>2010/02 DUE</b>

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: **1910142**

System Name: **GSWC-SAN DIMAS**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: **1910142-026**

Source Name: **MALONE FOREBAY - NO3 BLEND, EFFLUENT**

Source Number: **026**

Source Status: **COMBINATION OR BLEND TREATED**

Water type: **S**

**REGULATED VOC**

1,2-DICHLOROETHANE	34531	012	2009/02/17	.000	2010/02	DUE
1,2-DICHLOROPROPANE	34541	012	2009/02/17	.000	2010/02	DUE
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2009/02/17	.000	2010/02	DUE
1,4-DICHLOROBENZENE	34571	012	2009/02/17	.000	2010/02	DUE
BENZENE	34030	012	2009/02/17	.000	2010/02	DUE
CARBON TETRACHLORIDE	32102	012	2009/02/17	.000	2010/02	DUE
CIS-1,2-DICHLOROETHYLENE	77093	012	2009/02/17	.000	2010/02	DUE
DICHLOROMETHANE	34423	012	2009/02/17	.000	2010/02	DUE
ETHYLBENZENE	34371	012	2009/02/17	.000	2010/02	DUE
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2009/02/17	.000	2010/02	DUE
MONOCHLOROBENZENE	34301	012	2009/02/17	.000	2010/02	DUE
STYRENE	77128	012	2009/02/17	.000	2010/02	DUE
TETRACHLOROETHYLENE	34475	012	2009/02/17	.000	2010/02	DUE
TOLUENE	34010	012	2009/02/17	.000	2010/02	DUE
TRANS-1,2-DICHLOROETHYLENE	34546	012	2009/02/17	.000	2010/02	DUE
TRICHLOROETHYLENE	39180	012	2009/02/17	.000	2010/02	DUE
TRICHLOROFLUOROMETHANE	34488	012	2009/02/17	.000	2010/02	DUE
VINYL CHLORIDE	39175	012	2009/02/17	.000	2010/02	DUE
XYLENES (TOTAL)	81551	012	2009/02/17	.000	2010/02	DUE

**SECONDARY/GP**

BICARBONATE ALKALINITY	00440	000				DUE
CALCIUM	00916	000				DUE
CARBONATE ALKALINITY	00445	000				DUE
CHLORIDE	00940	000				DUE
COLOR	00081	000				DUE
COPPER	01042	000				DUE
FOAMING AGENTS (MBAS)	38260	000				DUE
HARDNESS (TOTAL) AS CaCO3	00900	000				DUE
HYDROXIDE ALKALINITY	71830	000				DUE

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910142**

**System Name: GSWC-SAN DIMAS**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910142-026**

**Source Name: MALONE FOREBAY - NO3 BLEND, EFFLUENT**

**Source Number: 026**

**Source Status: COMBINATION OR BLEND TREATED**

**Water type: S**

**SECONDARY/GP**

IRON	01045	000			DUE
MAGNESIUM	00927	000			DUE
MANGANESE	01055	000			DUE
ODOR THRESHOLD @ 60 C	00086	000			DUE
PH, LABORATORY	00403	000			DUE
SILVER	01077	000			DUE
SODIUM	00929	000			DUE
SPECIFIC CONDUCTANCE	00095	036	2003/07/31	920.000	2006/07 DUE
SULFATE	00945	000			DUE
TOTAL DISSOLVED SOLIDS	70300	000			DUE
TURBIDITY, LABORATORY	82079	000			DUE
ZINC	01092	000			DUE

**PS Code: 1910142-027**

**Source Name: TVMWD CONNECTION PM12 - TREATED**

**Source Number: 027**

**Source Status: PURCHASED TREATED**

**Water type: S**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\* 999

**PS Code: 1910142-038**

**Source Name: COMBINED RAW INFLUENT TO COLUMBIA TREAT**

**Source Number: 038**

**Source Status: COMBINATION OR BLEND RAW**

**Water type: S**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\* 999

\*Testing interval is in months;  
 0 = No data for this constituent and is DUE NOW  
 I = Invalid (NOT) valid analyses reported  
 Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910142**

**System Name: GSWC-SAN DIMAS**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

**PS Code: 1910142-039**

**Source Name: COMBINED IX EFFLUENT FROM COLUMBIA TREAT**

**Source Number: 039**

**Source Status: COMBINATION OR BLEND TREATED**

**Water type: S**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

**PS Code: 1910142-040**

**Source Name: COLUMBIA TREATMENT PLANT BLENDED EFF.**

**Source Number: 040**

**Source Status: COMBINATION OR BLEND TREATED**

**Water type: S**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

**PS Code: 1910142-041**

**Source Name: HIGHWAY PERCHLORATE IX VESSEL A 14% PORT**

**Source Number: 041**

**Source Status: ACTIVE TREATED**

**Water type: S**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

**PS Code: 1910142-042**

**Source Name: HIGHWAY PERCHLORATE IX VESSEL A 58% PORT**

**Source Number: 042**

**Source Status: ACTIVE TREATED**

**Water type: S**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

\*Testing interval is in months;  
0 = No data for this constituent and is DUE NOW  
I = Invalid (NOT) valid analyses reported  
Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910142**

**System Name: GSWC-SAN DIMAS**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

**PS Code: 1910142-043**

**Source Name: HIGHWAY PERCHLORATE IX VESSEL A EFFLUENT**

**Source Number: 043**

**Source Status: ACTIVE TREATED**

**Water type: S**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

**PS Code: 1910142-044**

**Source Name: HIGHWAY PERCHLORATE IX VESSEL B 14% PORT**

**Source Number: 044**

**Source Status: ACTIVE TREATED**

**Water type: S**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

**PS Code: 1910142-045**

**Source Name: HIGHWAY PERCHLORATE IX VESSEL B 58% PORT**

**Source Number: 045**

**Source Status: ACTIVE TREATED**

**Water type: S**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

**PS Code: 1910142-046**

**Source Name: HIGHWAY PERCHLORATE IX VESSEL B EFFLUENT**

**Source Number: 046**

**Source Status: ACTIVE TREATED**

**Water type: S**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

\*Testing interval is in months;  
0 = No data for this constituent and is DUE NOW  
I = Invalid (NOT) valid analyses reported  
Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910142**

**System Name: GSWC-SAN DIMAS**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

**PS Code: 1910142-047**

**Source Name: HIGHWAY NITRATE IX UNIT A EFFLUENT**

**Source Number: 047**

**Source Status: ACTIVE TREATED**

**Water type: S**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

**PS Code: 1910142-048**

**Source Name: HIGHWAY NITRATE IX UNIT B EFFLUENT**

**Source Number: 048**

**Source Status: ACTIVE TREATED**

**Water type: S**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

**PS Code: 1910142-049**

**Source Name: HIGHWAY NITRATE IX COMBINED EFFLUENT**

**Source Number: 049**

**Source Status: ACTIVE TREATED**

**Water type: S**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

**PS Code: 1910142-050**

**Source Name: COMBINED RAW INFLUENT TO HIGHWAY TREAT**

**Source Number: 050**

**Source Status: COMBINATION OR BLEND RAW**

**Water type: S**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

\*Testing interval is in months;  
0 = No data for this constituent and is DUE NOW  
I = Invalid (NOT) valid analyses reported  
Any analyses not listed as required for testing has been Waive (not required)



**System Number: 1910142**

**System Name: GSWC-SAN DIMAS**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910142-051**

**Source Name: HIGHWAY WELL 02**

**Source Number: 051**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

ALUMINUM	01105	036	2013/11/14	< 50.000	2016/11	
ANTIMONY	01097	036	2013/11/14	< 6.000	2016/11	
ARSENIC	01002	036	2013/11/14	< 2.000	2016/11	
BARIUM	01007	036	2013/11/14	< 100.000	2016/11	
BERYLLIUM	01012	036	2013/11/14	< 1.000	2016/11	
CADMIUM	01027	036	2013/11/14	< 1.000	2016/11	
CHROMIUM (TOTAL)	01034	036	2013/11/14	< 10.000	2016/11	
<b>CHROMIUM, HEXAVALENT</b>	<b>01032</b>	<b>036</b>	<b>2010/10/26</b>	<b>1.700</b>	<b>2013/10</b>	<b>DUE</b>
CYANIDE	01291	036	2013/11/14	< 100.000	2016/11	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/11/19	.650	2016/11	
MERCURY	71900	036	2013/11/14	< 1.000	2016/11	
NICKEL	01067	036	2013/11/14	< 10.000	2016/11	
PERCHLORATE	A-031	012	2014/05/14	< 4.000	2015/05	
SELENIUM	01147	036	2013/11/14	< 5.000	2016/11	
THALLIUM	01059	036	2013/11/14	< 1.000	2016/11	

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	012	2014/05/14	. 22.000	2015/05	
NITRITE (AS N)	00620	036	2013/11/14	< 400.000	2016/11	

**RADIOLOGICAL**

<b>GROSS ALPHA</b>	<b>01501</b>	<b>003</b>	<b>2012/02/08</b>	<b>. 3.450</b>	<b>2012/05</b>	<b>DUE</b>
<b>RADIUM 226</b>	<b>09501</b>	<b>000</b>				<b>DUE</b>
<b>RADIUM 228</b>	<b>11501</b>	<b>003</b>	<b>2012/02/08</b>	<b>. .032</b>	<b>2012/05</b>	<b>DUE</b>
<b>URANIUM (PCI/L)</b>	<b>28012</b>	<b>003</b>	<b>2012/02/08</b>	<b>. 2.800</b>	<b>2012/05</b>	<b>DUE</b>

**REGULATED SOC**

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2013/06/27	< 3.000	2016/03	
THIOBENCARB	A-001	033	2013/06/27	< 1.000	2016/03	

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	012	2014/02/19	< .500	2015/02	
-----------------------	-------	-----	------------	--------	---------	--

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910142**

**System Name: GSWC-SAN DIMAS**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910142-051**

**Source Name: HIGHWAY WELL 02**

**Source Number: 051**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED VOC**

1,1,2,2-TETRACHLOROETHANE	34516	012	2014/02/19	< .500	2015/02
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/02/19	< 10.000	2015/02
1,1,2-TRICHLOROETHANE	34511	012	2014/02/19	< .500	2015/02
1,1-DICHLOROETHANE	34496	012	2014/02/19	< .500	2015/02
1,1-DICHLOROETHYLENE	34501	012	2014/02/19	< .500	2015/02
1,2,4-TRICHLOROBENZENE	34551	012	2014/02/19	< .500	2015/02
1,2-DICHLOROBENZENE	34536	012	2014/02/19	< .500	2015/02
1,2-DICHLOROETHANE	34531	012	2014/02/19	< .500	2015/02
1,2-DICHLOROPROPANE	34541	012	2014/02/19	< .500	2015/02
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/02/19	< .500	2015/02
1,4-DICHLOROBENZENE	34571	012	2014/02/19	< .500	2015/02
BENZENE	34030	012	2014/02/19	< .500	2015/02
CARBON TETRACHLORIDE	32102	012	2014/02/19	< .500	2015/02
CIS-1,2-DICHLOROETHYLENE	77093	012	2014/02/19	< .500	2015/02
DICHLOROMETHANE	34423	012	2014/02/19	< .500	2015/02
ETHYLBENZENE	34371	012	2014/02/19	< .500	2015/02
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/02/19	< 3.000	2015/02
MONOCHLOROBENZENE	34301	012	2014/02/19	< .500	2015/02
STYRENE	77128	012	2014/02/19	< .500	2015/02
TETRACHLOROETHYLENE	34475	012	2014/02/19	< .500	2015/02
TOLUENE	34010	012	2014/02/19	< .500	2015/02
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/02/19	< .500	2015/02
TRICHLOROETHYLENE	39180	012	2014/02/19	< .500	2015/02
TRICHLOROFUOROMETHANE	34488	012	2014/02/19	< 5.000	2015/02
VINYL CHLORIDE	39175	012	2014/02/19	< .500	2015/02
XYLENES (TOTAL)	81551	012	2014/02/19	< .000	2015/02

**SECONDARY/GP**

BICARBONATE ALKALINITY	00440	036	2013/11/19	. 310.000	2016/11
CALCIUM	00916	036	2013/11/19	. 69.000	2016/11

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910142**

**System Name: GSWC-SAN DIMAS**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910142-051**

**Source Name: HIGHWAY WELL 02**

**Source Number: 051**

**Source Status: ACTIVE RAW**

**Water type: G**

**SECONDARY/GP**

CARBONATE ALKALINITY	00445	036	2013/11/19	< 2.400	2016/11
CHLORIDE	00940	036	2013/11/19	. 29.000	2016/11
COLOR	00081	036	2013/11/19	< 1.000	2016/11
COPPER	01042	036	2013/11/19	< 50.000	2016/11
FOAMING AGENTS (MBAS)	38260	036	2013/11/19	< .100	2016/11
HARDNESS (TOTAL) AS CaCO3	00900	036	2013/11/19	. 280.000	2016/11
HYDROXIDE ALKALINITY	71830	036	2013/11/19	< 1.400	2016/11
IRON	01045	036	2013/11/19	< 100.000	2016/11
MAGNESIUM	00927	036	2013/11/19	. 26.000	2016/11
MANGANESE	01055	036	2013/11/19	< 20.000	2016/11
ODOR THRESHOLD @ 60 C	00086	036	2013/11/19	< 1.000	2016/11
PH, LABORATORY	00403	036	2013/11/19	. 7.580	2016/11
SILVER	01077	036	2013/11/14	< 10.000	2016/11
SODIUM	00929	036	2013/11/19	28.000	2016/11
SPECIFIC CONDUCTANCE	00095	036	2013/11/19	. 740.000	2016/11
SULFATE	00945	036	2013/11/19	55.000	2016/11
TOTAL DISSOLVED SOLIDS	70300	036	2013/11/19	. 410.000	2016/11
TURBIDITY, LABORATORY	82079	036	2014/08/12	< .100	2017/08
ZINC	01092	036	2013/11/19	< 50.000	2016/11

**PS Code: 1910142-052**

**Source Name: HIGHWAY PERCHLORATE IX VESSEL A 25% PORT**

**Source Number: 052**

**Source Status: ACTIVE TREATED**

**Water type: G**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910142**

**System Name: GSWC-SAN DIMAS**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910142-053**

**Source Name: HIGHWAY PERCHLORATE IX VESSEL B 25% PORT**

**Source Number: 053**

**Source Status: ACTIVE TREATED**

**Water type: G**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

**PS Code: 1910142-800**

**Source Name: SITE 1-19561 E CALORA ST-STG2 DBP**

**Source Number: 800**

**Source Status: DISTRIBUTION TREATED**

**Water type: S**

**HALOACETIC ACIDS**

DIBROMOACETIC ACID (DBAA)	82721	003	2014/04/23	. 3.500	2014/07
DICHLOROACETIC ACID (DCAA)	77288	003	2014/04/23	. 2.500	2014/07
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/04/23	. 7.500	2014/07
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/04/23	< 1.000	2014/07
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/04/23	< 2.000	2014/07
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/04/23	. 1.500	2014/07

**STATE UCMR**

BROMODICHLORMETHANE (THM)	32101	003	2014/04/23	. 5.600	2014/07
BROMOFORM (THM)	32104	003	2014/04/23	. 5.800	2014/07
CHLOROFORM (THM)	32106	003	2014/04/23	. 2.100	2014/07
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/04/23	. 9.500	2014/07

**TRIHALOMETHANES**

TOTAL TRIHALOMETHANES	82080	003	2014/04/23	. 23.000	2014/07
-----------------------	-------	-----	------------	----------	---------

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910142**

**System Name: GSWC-SAN DIMAS**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910142-801**

**Source Name: SITE 2-1739 CALLE CIERVOS-STG2 DBP**

**Source Number: 801**

**Source Status: DISTRIBUTION TREATED**

**Water type: S**

**HALOACETIC ACIDS**

DIBROMOACETIC ACID (DBAA)	82721	003	2014/04/23	. 3.700	2014/07
DICHLOROACETIC ACID (DCAA)	77288	003	2014/04/23	. 3.700	2014/07
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/04/23	. 10.000	2014/07
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/04/23	< 1.000	2014/07
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/04/23	< 2.000	2014/07
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/04/23	. 2.900	2014/07

**STATE UCMR**

BROMODICHLORMETHANE (THM)	32101	003	2014/04/23	. 8.500	2014/07
BROMOFORM (THM)	32104	003	2014/04/23	. 4.700	2014/07
CHLOROFORM (THM)	32106	003	2014/04/23	. 4.300	2014/07
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/04/23	. 11.000	2014/07

**TRIHALOMETHANES**

TOTAL TRIHALOMETHANES	82080	003	2014/04/23	. 28.000	2014/07
-----------------------	-------	-----	------------	----------	---------

**PS Code: 1910142-802**

**Source Name: SITE3-VIA CAMILLE X CALLE LORENA-STG2DBP**

**Source Number: 802**

**Source Status: DISTRIBUTION TREATED**

**Water type: S**

**HALOACETIC ACIDS**

DIBROMOACETIC ACID (DBAA)	82721	003	2014/04/23	. 2.800	2014/07
DICHLOROACETIC ACID (DCAA)	77288	003	2014/04/23	. 5.900	2014/07
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/04/23	. 12.000	2014/07
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/04/23	< 1.000	2014/07
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/04/23	< 2.000	2014/07
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/04/23	. 3.600	2014/07

**STATE UCMR**

BROMODICHLORMETHANE (THM)	32101	003	2014/04/23	. 8.200	2014/07
---------------------------	-------	-----	------------	---------	---------

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910142**

**System Name: GSWC-SAN DIMAS**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910142-802**

**Source Name: SITE3-VIA CAMILLE X CALLE LORENA-STG2DBP**

**Source Number: 802**

**Source Status: DISTRIBUTION TREATED**

**Water type: S**

**STATE UCMR**

BROMOFORM (THM)	32104	003	2014/04/23	. 5.000	2014/07
CHLOROFORM (THM)	32106	003	2014/04/23	. 4.500	2014/07
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/04/23	. 12.000	2014/07

**TRIHALOMETHANES**

TOTAL TRIHALOMETHANES	82080	003	2014/04/23	. 30.000	2014/07
-----------------------	-------	-----	------------	----------	---------

**PS Code: 1910142-803**

**Source Name: SITE 4-1718 GAINSBOROUGH RD-STG2 DBP**

**Source Number: 803**

**Source Status: DISTRIBUTION TREATED**

**Water type: S**

**HALOACETIC ACIDS**

DIBROMOACETIC ACID (DBAA)	82721	003	2014/04/23	. 3.500	2014/07
DICHLOROACETIC ACID (DCAA)	77288	003	2014/04/23	. 3.000	2014/07
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/04/23	. 9.100	2014/07
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/04/23	< 1.000	2014/07
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/04/23	< 2.000	2014/07
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/04/23	. 2.600	2014/07

**STATE UCMR**

BROMODICHLORMETHANE (THM)	32101	003	2014/04/23	. 8.100	2014/07
BROMOFORM (THM)	32104	003	2014/04/23	. 4.900	2014/07
CHLOROFORM (THM)	32106	003	2014/04/23	. 4.000	2014/07
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/04/23	. 12.000	2014/07

**TRIHALOMETHANES**

TOTAL TRIHALOMETHANES	82080	003	2014/04/23	. 29.000	2014/07
-----------------------	-------	-----	------------	----------	---------

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910142**

**System Name: GSWC-SAN DIMAS**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910142-804**

**Source Name: SITE 5-1817 N WINONA DR-STG2 DBP**

**Source Number: 804**

**Source Status: DISTRIBUTION TREATED**

**Water type: S**

**HALOACETIC ACIDS**

DIBROMOACETIC ACID (DBAA)	82721	003	2014/04/23	. 2.900	2014/07
DICHLOROACETIC ACID (DCAA)	77288	003	2014/04/23	. 5.500	2014/07
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/04/23	. 12.000	2014/07
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/04/23	< 1.000	2014/07
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/04/23	< 2.000	2014/07
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/04/23	. 3.800	2014/07

**STATE UCMR**

BROMODICHLORMETHANE (THM)	32101	003	2014/04/23	. 8.500	2014/07
BROMOFORM (THM)	32104	003	2014/04/23	. 2.200	2014/07
CHLOROFORM (THM)	32106	003	2014/04/23	. 5.600	2014/07
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/04/23	. 9.300	2014/07

**TRIHALOMETHANES**

TOTAL TRIHALOMETHANES	82080	003	2014/04/23	. 26.000	2014/07
-----------------------	-------	-----	------------	----------	---------

**PS Code: 1910142-805**

**Source Name: SITE 6-1305 E RUDDOCK ST-STG2 DBP**

**Source Number: 805**

**Source Status: DISTRIBUTION TREATED**

**Water type: S**

**HALOACETIC ACIDS**

DIBROMOACETIC ACID (DBAA)	82721	003	2014/04/23	. 2.200	2014/07
DICHLOROACETIC ACID (DCAA)	77288	003	2014/04/23	. 2.000	2014/07
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/04/23	. 5.300	2014/07
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/04/23	< 1.000	2014/07
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/04/23	< 2.000	2014/07
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/04/23	. 1.100	2014/07

**STATE UCMR**

BROMODICHLORMETHANE (THM)	32101	003	2014/04/23	. 6.500	2014/07
---------------------------	-------	-----	------------	---------	---------

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910142**

**System Name: GSWC-SAN DIMAS**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910142-805**

**Source Name: SITE 6-1305 E RUDDOCK ST-STG2 DBP**

**Source Number: 805**

**Source Status: DISTRIBUTION TREATED**

**Water type: S**

**STATE UCMR**

BROMOFORM (THM)	32104	003	2014/04/23	. 4.700	2014/07
CHLOROFORM (THM)	32106	003	2014/04/23	. 3.000	2014/07
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/04/23	. 9.500	2014/07

**TRIHALOMETHANES**

TOTAL TRIHALOMETHANES	82080	003	2014/04/23	. 24.000	2014/07
-----------------------	-------	-----	------------	----------	---------

**PS Code: 1910142-806**

**Source Name: SITE 7-332 S HUNTINGTON AVE-STG2 DBP**

**Source Number: 806**

**Source Status: DISTRIBUTION TREATED**

**Water type: S**

**HALOACETIC ACIDS**

DIBROMOACETIC ACID (DBAA)	82721	003	2014/04/23	. 1.700	2014/07
DICHLOROACETIC ACID (DCAA)	77288	003	2014/04/23	. 3.100	2014/07
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/04/23	. 7.300	2014/07
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/04/23	< 1.000	2014/07
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/04/23	< 2.000	2014/07
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/04/23	. 2.500	2014/07

**STATE UCMR**

BROMODICHLORMETHANE (THM)	32101	003	2014/04/23	. 8.200	2014/07
BROMOFORM (THM)	32104	003	2014/04/23	. 2.000	2014/07
CHLOROFORM (THM)	32106	003	2014/04/23	. 7.400	2014/07
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/04/23	. 9.200	2014/07

**TRIHALOMETHANES**

TOTAL TRIHALOMETHANES	82080	003	2014/04/23	. 27.000	2014/07
-----------------------	-------	-----	------------	----------	---------

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)



**System Number: 1910142**

**System Name: GSWC-SAN DIMAS**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

**PS Code: 1910142-807**

**Source Name: SITE 8-215 ELDERBERRY ST-STG2 DBP**

**Source Number: 807**

**Source Status: DISTRIBUTION TREATED**

**Water type: S**

**HALOACETIC ACIDS**

DIBROMOACETIC ACID (DBAA)	82721	003	2014/04/23	. 3.600	2014/07
DICHLOROACETIC ACID (DCAA)	77288	003	2014/04/23	. 1.700	2014/07
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/04/23	. 5.300	2014/07
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/04/23	< 1.000	2014/07
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/04/23	< 2.000	2014/07
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/04/23	< 1.000	2014/07

**STATE UCMR**

BROMODICHLORMETHANE (THM)	32101	003	2014/04/23	. 6.600	2014/07
BROMOFORM (THM)	32104	003	2014/04/23	. 8.700	2014/07
CHLOROFORM (THM)	32106	003	2014/04/23	. 2.100	2014/07
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/04/23	. 13.000	2014/07

**TRIHALOMETHANES**

TOTAL TRIHALOMETHANES	82080	003	2014/04/23	. 30.000	2014/07
-----------------------	-------	-----	------------	----------	---------

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: **1910144**

System Name: **SAN GABRIEL COUNTY WD**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: **1910144-001**

Source Name: **WELL 03 - ACTIVE**

Source Number: **001**

Source Status: **ACTIVE RAW**

Water type: **G**

**INORGANIC**

<b>ALUMINUM</b>	01105	036	2011/02/08	< .000	2014/02	DUE
<b>ANTIMONY</b>	01097	036	2011/02/08	< .000	2014/02	DUE
<b>ARSENIC</b>	01002	036	2011/02/08	< .000	2014/02	DUE
<b>BARIUM</b>	01007	036	2011/02/08	< .000	2014/02	DUE
<b>BERYLLIUM</b>	01012	036	2011/02/08	< .000	2014/02	DUE
<b>CADMIUM</b>	01027	036	2011/02/08	< .000	2014/02	DUE
<b>CHROMIUM (TOTAL)</b>	01034	036	2011/02/08	< .000	2014/02	DUE
CHROMIUM, HEXAVALENT	01032	036	2013/09/26	. 4.300	2016/09	
<b>CYANIDE</b>	01291	036	2011/02/08	< .000	2014/02	DUE
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2012/06/04	. .600	2015/06	
<b>MERCURY</b>	71900	036	2011/02/08	< .000	2014/02	DUE
<b>NICKEL</b>	01067	036	2011/02/08	< .000	2014/02	DUE
PERCHLORATE	A-031	036	2014/07/15	< 4.000	2017/07	
<b>SELENIUM</b>	01147	036	2011/02/08	< .000	2014/02	DUE
<b>THALLIUM</b>	01059	036	2011/02/08	< .000	2014/02	DUE

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	012	2014/07/29	. 34.000	2015/07	
<b>NITRITE (AS N)</b>	00620	036	2011/02/08	< .000	2014/02	DUE

**RADIOLOGICAL**

<b>GROSS ALPHA</b>	01501	003	2012/11/07	14.000	2013/02	DUE
<b>RADIUM 226</b>	09501	000				DUE
<b>RADIUM 228</b>	11501	003	2012/11/07	. .000	2013/02	DUE
<b>URANIUM (PCI/L)</b>	28012	003	2012/11/07	. 9.700	2013/02	DUE

**REGULATED SOC**

<b>DI(2-ETHYLHEXYL)PHTHALATE</b>	39100	033	2011/02/08	< .000	2013/11	DUE
<b>THIOBENCARB</b>	A-001	033	2011/02/08	< .000	2013/11	DUE

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	012	2014/07/15	< .500	2015/07	
-----------------------	-------	-----	------------	--------	---------	--

\*Testing interval is in months;  
 0 = No data for this constituent and is DUE NOW  
 I = Invalid (NOT) valid analyses reported  
 Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910144**

**System Name: SAN GABRIEL COUNTY WD**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910144-001**

**Source Name: WELL 03 - ACTIVE**

**Source Number: 001**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED VOC**

1,1,2,2-TETRACHLOROETHANE	34516	012	2014/07/15	< .500	2015/07
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/07/15	< 10.000	2015/07
1,1,2-TRICHLOROETHANE	34511	012	2014/07/15	< .500	2015/07
1,1-DICHLOROETHANE	34496	012	2014/07/15	< .500	2015/07
1,1-DICHLOROETHYLENE	34501	012	2014/07/15	< .500	2015/07
1,2,4-TRICHLOROBENZENE	34551	012	2014/07/15	< .500	2015/07
1,2-DICHLOROBENZENE	34536	012	2014/07/15	< .500	2015/07
1,2-DICHLOROETHANE	34531	012	2014/07/15	< .500	2015/07
1,2-DICHLOROPROPANE	34541	012	2014/07/15	< .500	2015/07
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/07/15	< .500	2015/07
1,4-DICHLOROBENZENE	34571	012	2014/07/15	< .500	2015/07
BENZENE	34030	012	2014/07/15	< .500	2015/07
CARBON TETRACHLORIDE	32102	012	2014/07/15	< .500	2015/07
CIS-1,2-DICHLOROETHYLENE	77093	012	2014/07/15	< .500	2015/07
DICHLOROMETHANE	34423	012	2014/07/15	< .500	2015/07
ETHYLBENZENE	34371	012	2014/07/15	< .500	2015/07
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/07/15	< 3.000	2015/07
MONOCHLOROBENZENE	34301	012	2014/07/15	< .500	2015/07
STYRENE	77128	012	2014/07/15	< .500	2015/07
TETRACHLOROETHYLENE	34475	012	2014/07/15	< .500	2015/07
TOLUENE	34010	012	2014/07/15	< .500	2015/07
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/07/15	< .500	2015/07
TRICHLOROETHYLENE	39180	012	2014/07/15	< .500	2015/07
TRICHLOROFUOROMETHANE	34488	012	2014/07/15	< 5.000	2015/07
VINYL CHLORIDE	39175	012	2014/07/15	< .500	2015/07
XYLENES (TOTAL)	81551	012	2014/07/15	< .000	2015/07

**SECONDARY/GP**

BICARBONATE ALKALINITY	00440	036	2012/06/04	. 260.000	2015/06
CALCIUM	00916	036	2012/06/04	. 84.000	2015/06

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910144**

**System Name: SAN GABRIEL COUNTY WD**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910144-001**

**Source Name: WELL 03 - ACTIVE**

**Source Number: 001**

**Source Status: ACTIVE RAW**

**Water type: G**

**SECONDARY/GP**

CARBONATE ALKALINITY	00445	036	2012/06/04	< .000	2015/06
CHLORIDE	00940	036	2012/06/04	. 48.000	2015/06
COLOR	00081	036	2012/06/04	< .000	2015/06
COPPER	01042	036	2012/06/04	< .000	2015/06
FOAMING AGENTS (MBAS)	38260	036	2012/06/04	< .000	2015/06
HARDNESS (TOTAL) AS CaCO3	00900	036	2012/06/04	. 270.000	2015/06
HYDROXIDE ALKALINITY	71830	036	2012/06/04	< .000	2015/06
IRON	01045	036	2012/06/04	< .000	2015/06
MAGNESIUM	00927	036	2012/06/04	. 16.000	2015/06
MANGANESE	01055	036	2012/06/04	< .000	2015/06
ODOR THRESHOLD @ 60 C	00086	036	2012/06/04	1.000	2015/06
PH, LABORATORY	00403	036	2012/06/04	. 7.100	2015/06
<b>SILVER</b>	01077	036	<b>2011/02/08</b>	< .000	<b>2014/02 DUE</b>
SODIUM	00929	036	2012/06/04	46.000	2015/06
SPECIFIC CONDUCTANCE	00095	036	2012/06/04	. 730.000	2015/06
SULFATE	00945	036	2012/06/04	86.000	2015/06
TOTAL DISSOLVED SOLIDS	70300	036	2012/06/04	. 490.000	2015/06
TURBIDITY, LABORATORY	82079	036	2012/06/04	< .000	2015/06
ZINC	01092	036	2012/06/04	< .000	2015/06

**PS Code: 1910144-007**

**Source Name: WELL 09 - ACTIVE**

**Source Number: 007**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

ALUMINUM	01105	036	2012/07/17	< 50.000	2015/07
ANTIMONY	01097	036	2012/07/17	< 6.000	2015/07
ARSENIC	01002	036	2012/07/17	< 2.000	2015/07

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910144**

**System Name: SAN GABRIEL COUNTY WD**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910144-007**

**Source Name: WELL 09 - ACTIVE**

**Source Number: 007**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

BARIUM	01007	036	2012/07/17	< 100.000	2015/07
BERYLLIUM	01012	036	2012/07/17	< 1.000	2015/07
CADMIUM	01027	036	2012/07/17	< 1.000	2015/07
CHROMIUM (TOTAL)	01034	036	2012/07/17	< 10.000	2015/07
CHROMIUM, HEXAVALENT	01032	036	2013/09/26	. 6.300	2016/09
CYANIDE	01291	036	2012/07/17	< 100.000	2015/07
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2012/07/17	. .840	2015/07
MERCURY	71900	036	2012/07/17	< 1.000	2015/07
NICKEL	01067	036	2012/07/17	< 10.000	2015/07
PERCHLORATE	A-031	012	2014/07/14	< 4.000	2015/07
SELENIUM	01147	036	2012/07/17	< 5.000	2015/07
THALLIUM	01059	036	2012/07/17	< 1.000	2015/07

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	012	2014/07/29	. 22.000	2015/07
NITRITE (AS N)	00620	036	2012/08/14	< 400.000	2015/08

**RADIOLOGICAL**

<b>GROSS ALPHA</b>	01501	003	2007/01/11	< 3.000	2007/04	<b>DUE</b>
<b>RADIUM 226</b>	09501	003	2007/01/11	< 1.000	2007/04	<b>DUE</b>
<b>RADIUM 228</b>	11501	003	2007/01/11	< 1.000	2007/04	<b>DUE</b>
<b>URANIUM (PCI/L)</b>	28012	003	2007/01/11	< 2.000	2007/04	<b>DUE</b>

**REGULATED SOC**

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2012/10/09	< 3.000	2015/07
THIOBENCARB	A-001	033	2012/10/09	< 1.000	2015/07

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	012	2014/04/08	< .500	2015/04
1,1,2,2-TETRACHLOROETHANE	34516	012	2014/04/08	< .500	2015/04
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/04/08	< 10.000	2015/04
1,1,2-TRICHLOROETHANE	34511	012	2014/04/08	< .500	2015/04

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910144**

**System Name: SAN GABRIEL COUNTY WD**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910144-007**

**Source Name: WELL 09 - ACTIVE**

**Source Number: 007**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED VOC**

1,1-DICHLOROETHANE	34496	012	2014/04/08	< .500	2015/04
1,1-DICHLOROETHYLENE	34501	012	2014/04/08	< .500	2015/04
1,2,4-TRICHLOROBENZENE	34551	012	2014/04/08	< .500	2015/04
1,2-DICHLOROBENZENE	34536	012	2014/04/08	< .500	2015/04
1,2-DICHLOROETHANE	34531	012	2014/04/08	< .500	2015/04
1,2-DICHLOROPROPANE	34541	012	2014/04/08	< .500	2015/04
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/04/08	< .500	2015/04
1,4-DICHLOROBENZENE	34571	012	2014/04/08	< .500	2015/04
BENZENE	34030	012	2014/04/08	< .500	2015/04
CARBON TETRACHLORIDE	32102	012	2014/04/08	< .500	2015/04
CIS-1,2-DICHLOROETHYLENE	77093	012	2014/04/08	< .500	2015/04
DICHLOROMETHANE	34423	012	2014/04/08	< .500	2015/04
ETHYLBENZENE	34371	012	2014/04/08	< .500	2015/04
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/04/08	< 3.000	2015/04
MONOCHLOROBENZENE	34301	012	2014/04/08	< .500	2015/04
STYRENE	77128	012	2014/04/08	< .500	2015/04
TETRACHLOROETHYLENE	34475	012	2014/07/14	. 2.100	2015/07
TOLUENE	34010	012	2014/04/08	< .500	2015/04
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/04/08	< .500	2015/04
TRICHLOROETHYLENE	39180	012	2014/04/08	< .500	2015/04
TRICHLOROFUOROMETHANE	34488	012	2014/04/08	< 5.000	2015/04
VINYL CHLORIDE	39175	012	2014/04/08	< .500	2015/04
XYLENES (TOTAL)	81551	012	2014/04/08	< .000	2015/04

**SECONDARY/GP**

BICARBONATE ALKALINITY	00440	036	2012/06/04	. 170.000	2015/06
CALCIUM	00916	036	2012/06/04	. 33.000	2015/06
CARBONATE ALKALINITY	00445	036	2012/06/04	< .000	2015/06
CHLORIDE	00940	036	2012/06/04	. 13.000	2015/06
COLOR	00081	036	2012/06/04	< .000	2015/06

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910144**

**System Name: SAN GABRIEL COUNTY WD**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910144-007**

**Source Name: WELL 09 - ACTIVE**

**Source Number: 007**

**Source Status: ACTIVE RAW**

**Water type: G**

**SECONDARY/GP**

COPPER	01042	036	2012/06/04	< .000	2015/06
FOAMING AGENTS (MBAS)	38260	036	2012/06/04	< .000	2015/06
HARDNESS (TOTAL) AS CaCO3	00900	036	2012/06/04	. 120.000	2015/06
HYDROXIDE ALKALINITY	71830	036	2012/06/04	< .000	2015/06
IRON	01045	036	2012/06/04	< .000	2015/06
MAGNESIUM	00927	036	2012/06/04	. 9.400	2015/06
MANGANESE	01055	036	2012/06/04	< .000	2015/06
ODOR THRESHOLD @ 60 C	00086	036	2012/06/04	1.000	2015/06
PH, LABORATORY	00403	036	2012/06/04	. 7.300	2015/06
SILVER	01077	036	2012/07/17	< 10.000	2015/07
SODIUM	00929	036	2012/06/04	36.000	2015/06
SPECIFIC CONDUCTANCE	00095	036	2012/06/04	. 380.000	2015/06
SULFATE	00945	036	2012/06/04	23.000	2015/06
TOTAL DISSOLVED SOLIDS	70300	036	2013/08/13	. 240.000	2016/08
TURBIDITY, LABORATORY	82079	036	2012/06/04	< .000	2015/06
ZINC	01092	036	2012/06/04	< .000	2015/06

**PS Code: 1910144-009**

**Source Name: WELL 11 - ACTIVE**

**Source Number: 009**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

ALUMINUM	01105	036	2012/07/17	< 50.000	2015/07
ANTIMONY	01097	036	2012/07/17	< 6.000	2015/07
ARSENIC	01002	036	2012/07/17	< 2.000	2015/07
BARIUM	01007	036	2012/07/17	< 100.000	2015/07
BERYLLIUM	01012	036	2012/07/17	< 1.000	2015/07
CADMIUM	01027	036	2012/07/17	< 1.000	2015/07

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910144**

**System Name: SAN GABRIEL COUNTY WD**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910144-009**

**Source Name: WELL 11 - ACTIVE**

**Source Number: 009**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

CHROMIUM (TOTAL)	01034	036	2012/07/17	< 10.000	2015/07
CYANIDE	01291	036	2012/07/17	< 100.000	2015/07
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2012/07/17	. 880	2015/07
MERCURY	71900	036	2012/07/17	< 1.000	2015/07
NICKEL	01067	036	2012/07/17	< 10.000	2015/07
PERCHLORATE	A-031	012	2014/07/14	< 4.000	2015/07
SELENIUM	01147	036	2012/07/17	< 5.000	2015/07
THALLIUM	01059	036	2012/07/17	< 1.000	2015/07

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	003	2014/07/14	. 23.000	2014/10
NITRITE (AS N)	00620	036	2012/08/14	< 400.000	2015/08

**RADIOLOGICAL**

<b>GROSS ALPHA</b>	01501	003	2007/04/11	< 3.000	2007/07	<b>DUE</b>
<b>RADIUM 226</b>	09501	003	2007/04/11	< 1.000	2007/07	<b>DUE</b>
<b>RADIUM 228</b>	11501	003	2007/04/11	< 1.000	2007/07	<b>DUE</b>
<b>URANIUM (PCI/L)</b>	28012	003	2013/04/10	. 2.700	2013/07	<b>DUE</b>

**REGULATED SOC**

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2012/10/09	< 3.000	2015/07
---------------------------	-------	-----	------------	---------	---------

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	012	2014/07/14	< .500	2015/07
1,1,2,2-TETRACHLOROETHANE	34516	012	2014/07/14	< .500	2015/07
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/07/14	< 10.000	2015/07
1,1,2-TRICHLOROETHANE	34511	012	2014/07/14	< .500	2015/07
1,1-DICHLOROETHANE	34496	012	2014/07/14	< .500	2015/07
1,1-DICHLOROETHYLENE	34501	012	2014/07/14	< .500	2015/07
1,2,4-TRICHLOROBENZENE	34551	012	2014/07/14	< .500	2015/07
1,2-DICHLOROBENZENE	34536	012	2014/07/14	< .500	2015/07
1,2-DICHLOROETHANE	34531	012	2014/07/14	< .500	2015/07

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)



**System Number: 1910144**

**System Name: SAN GABRIEL COUNTY WD**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910144-009**

**Source Name: WELL 11 - ACTIVE**

**Source Number: 009**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED VOC**

1,2-DICHLOROPROPANE	34541	012	2014/07/14	< .500	2015/07
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/07/14	< .500	2015/07
1,4-DICHLOROBENZENE	34571	012	2014/07/14	< .500	2015/07
BENZENE	34030	012	2014/07/14	< .500	2015/07
CARBON TETRACHLORIDE	32102	012	2014/07/14	< .500	2015/07
CIS-1,2-DICHLOROETHYLENE	77093	012	2014/07/14	< .500	2015/07
DICHLOROMETHANE	34423	012	2014/07/14	< .500	2015/07
ETHYLBENZENE	34371	012	2014/07/14	< .500	2015/07
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/07/14	< 3.000	2015/07
MONOCHLOROBENZENE	34301	012	2014/07/14	< .500	2015/07
STYRENE	77128	012	2014/07/14	< .500	2015/07
TETRACHLOROETHYLENE	34475	012	2014/07/14	. 2.000	2015/07
TOLUENE	34010	012	2014/07/14	< .500	2015/07
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/07/14	< .500	2015/07
TRICHLOROETHYLENE	39180	012	2014/07/14	< .500	2015/07
TRICHLOROFUOROMETHANE	34488	012	2014/07/14	< 5.000	2015/07
VINYL CHLORIDE	39175	012	2014/07/14	< .500	2015/07
XYLENES (TOTAL)	81551	012	2014/07/14	< .000	2015/07

**SECONDARY/GP**

BICARBONATE ALKALINITY	00440	036	2012/06/04	. 200.000	2015/06
CALCIUM	00916	036	2012/06/04	. 39.000	2015/06
CARBONATE ALKALINITY	00445	036	2012/06/04	< .000	2015/06
CHLORIDE	00940	036	2012/06/04	. 12.000	2015/06
COLOR	00081	036	2012/06/04	< .000	2015/06
COPPER	01042	036	2012/06/04	< .000	2015/06
FOAMING AGENTS (MBAS)	38260	036	2012/06/04	< .000	2015/06
HARDNESS (TOTAL) AS CaCO3	00900	036	2012/06/04	. 150.000	2015/06
HYDROXIDE ALKALINITY	71830	036	2012/06/04	< .000	2015/06
IRON	01045	036	2012/06/04	< .000	2015/06

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910144**

**System Name: SAN GABRIEL COUNTY WD**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910144-009**

**Source Name: WELL 11 - ACTIVE**

**Source Number: 009**

**Source Status: ACTIVE RAW**

**Water type: G**

**SECONDARY/GP**

MAGNESIUM	00927	036	2012/06/04	. 12.000	2015/06
MANGANESE	01055	036	2012/06/04	< .000	2015/06
ODOR THRESHOLD @ 60 C	00086	036	2012/06/04	1.000	2015/06
PH, LABORATORY	00403	036	2012/06/04	. 7.400	2015/06
SILVER	01077	036	2012/07/17	< 10.000	2015/07
SODIUM	00929	036	2012/06/04	30.000	2015/06
SPECIFIC CONDUCTANCE	00095	036	2012/06/04	. 410.000	2015/06
SULFATE	00945	036	2012/06/04	22.000	2015/06
TOTAL DISSOLVED SOLIDS	70300	036	2013/08/13	. 260.000	2016/08
TURBIDITY, LABORATORY	82079	036	2012/06/04	< .000	2015/06
ZINC	01092	036	2012/06/04	< .000	2015/06

**PS Code: 1910144-010**

**Source Name: WELL 12 - ACTIVE**

**Source Number: 010**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

ALUMINUM	01105	036	2011/10/04	< .000	2014/10
ANTIMONY	01097	036	2011/10/04	< .000	2014/10
ARSENIC	01002	036	2011/10/04	. 6.100	2014/10
BARIUM	01007	036	2011/10/04	< .000	2014/10
BERYLLIUM	01012	036	2011/10/04	< .000	2014/10
CADMIUM	01027	036	2011/10/04	< .000	2014/10
CHROMIUM (TOTAL)	01034	036	2011/10/04	< .000	2014/10
CYANIDE	01291	036	2011/10/04	< .000	2014/10
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2012/06/04	. .920	2015/06
MERCURY	71900	036	2011/10/04	< .000	2014/10
NICKEL	01067	036	2011/10/04	< .000	2014/10

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910144**

**System Name: SAN GABRIEL COUNTY WD**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910144-010**

**Source Name: WELL 12 - ACTIVE**

**Source Number: 010**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

PERCHLORATE	A-031	012	2014/07/14	< 4.000	2015/07
SELENIUM	01147	036	2011/10/04	< .000	2014/10
THALLIUM	01059	036	2011/10/04	< .000	2014/10

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	012	2014/07/01	. 6.000	2015/07
NITRITE (AS N)	00620	036	2011/10/04	< .000	2014/10

**RADIOLOGICAL**

<b>GROSS ALPHA</b>	01501	003	2007/04/11	< 3.000	2007/07	<b>DUE</b>
<b>RADIUM 226</b>	09501	003	2007/04/11	< 1.000	2007/07	<b>DUE</b>
<b>RADIUM 228</b>	11501	003	2007/04/11	< 1.000	2007/07	<b>DUE</b>
<b>URANIUM (PCI/L)</b>	28012	003	2007/04/11	< 2.000	2007/07	<b>DUE</b>

**REGULATED SOC**

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2012/10/09	< 3.000	2015/07
---------------------------	-------	-----	------------	---------	---------

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	012	2014/07/14	< .500	2015/07
1,1,2,2-TETRACHLOROETHANE	34516	012	2014/07/14	< .500	2015/07
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/07/14	< 10.000	2015/07
1,1,2-TRICHLOROETHANE	34511	012	2014/07/14	< .500	2015/07
1,1-DICHLOROETHANE	34496	012	2014/07/14	< .500	2015/07
1,1-DICHLOROETHYLENE	34501	012	2014/07/14	< .500	2015/07
1,2,4-TRICHLOROBENZENE	34551	012	2014/07/14	< .500	2015/07
1,2-DICHLOROBENZENE	34536	012	2014/07/14	< .500	2015/07
1,2-DICHLOROETHANE	34531	012	2014/07/14	< .500	2015/07
1,2-DICHLOROPROPANE	34541	012	2014/07/14	< .500	2015/07
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/07/14	< .500	2015/07
1,4-DICHLOROBENZENE	34571	012	2014/07/14	< .500	2015/07
BENZENE	34030	012	2014/07/14	< .500	2015/07
CARBON TETRACHLORIDE	32102	012	2014/07/14	< .500	2015/07

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910144**

**System Name: SAN GABRIEL COUNTY WD**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910144-010**

**Source Name: WELL 12 - ACTIVE**

**Source Number: 010**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED VOC**

CIS-1,2-DICHLOROETHYLENE	77093	012	2014/07/14	< .500	2015/07
DICHLOROMETHANE	34423	012	2014/07/14	< .500	2015/07
ETHYLBENZENE	34371	012	2014/07/14	< .500	2015/07
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/07/14	< 3.000	2015/07
MONOCHLOROETHYLENE	34301	012	2014/07/14	< .500	2015/07
STYRENE	77128	012	2014/07/14	< .500	2015/07
TETRACHLOROETHYLENE	34475	012	2014/07/14	. 1.100	2015/07
TOLUENE	34010	012	2014/07/14	< .500	2015/07
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/07/14	< .500	2015/07
TRICHLOROETHYLENE	39180	012	2014/07/14	< .500	2015/07
TRICHLOROFUOROMETHANE	34488	012	2014/07/14	< 5.000	2015/07
VINYL CHLORIDE	39175	012	2014/07/14	< .500	2015/07
XYLENES (TOTAL)	81551	012	2014/07/14	< .000	2015/07

**SECONDARY/GP**

BICARBONATE ALKALINITY	00440	036	2012/06/04	. 170.000	2015/06
CALCIUM	00916	036	2012/06/04	. 18.000	2015/06
CARBONATE ALKALINITY	00445	036	2012/06/04	< .000	2015/06
CHLORIDE	00940	036	2012/06/04	. 8.500	2015/06
COLOR	00081	036	2012/06/04	< .000	2015/06
COPPER	01042	036	2012/06/04	< .000	2015/06
FOAMING AGENTS (MBAS)	38260	036	2012/06/04	< .000	2015/06
HARDNESS (TOTAL) AS CaCO3	00900	036	2012/06/04	. 67.000	2015/06
HYDROXIDE ALKALINITY	71830	036	2012/06/04	< .000	2015/06
IRON	01045	036	2012/06/04	< .000	2015/06
MAGNESIUM	00927	036	2012/06/04	. 5.100	2015/06
MANGANESE	01055	036	2012/06/04	< .000	2015/06
ODOR THRESHOLD @ 60 C	00086	036	2012/06/04	1.000	2015/06
PH, LABORATORY	00403	036	2012/06/04	. 7.700	2015/06
SILVER	01077	036	2011/10/04	< .000	2014/10

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910144**

**System Name: SAN GABRIEL COUNTY WD**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910144-010**

**Source Name: WELL 12 - ACTIVE**

**Source Number: 010**

**Source Status: ACTIVE RAW**

**Water type: G**

**SECONDARY/GP**

SODIUM	00929	036	2012/06/04	43.000	2015/06
SPECIFIC CONDUCTANCE	00095	036	2012/06/04	310.000	2015/06
SULFATE	00945	036	2012/06/04	16.000	2015/06
TOTAL DISSOLVED SOLIDS	70300	036	2013/08/13	200.000	2016/08
TURBIDITY, LABORATORY	82079	036	2012/06/04	< .000	2015/06
ZINC	01092	036	2012/06/04	< .000	2015/06

**PS Code: 1910144-011**

**Source Name: WELL 14 - ACTIVE**

**Source Number: 011**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

ALUMINUM	01105	036	2014/07/14	< 50.000	2017/07
ANTIMONY	01097	036	2014/07/14	< 6.000	2017/07
ARSENIC	01002	036	2014/07/14	. 2.700	2017/07
BARIUM	01007	036	2014/07/14	< 100.000	2017/07
BERYLLIUM	01012	036	2014/07/14	< 1.000	2017/07
CADMIUM	01027	036	2014/07/14	< 1.000	2017/07
CHROMIUM (TOTAL)	01034	036	2014/07/14	< 10.000	2017/07
CYANIDE	01291	036	2014/07/14	< 100.000	2017/07
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/07/14	. .610	2017/07
MERCURY	71900	036	2014/07/14	< 1.000	2017/07
NICKEL	01067	036	2014/07/14	< 10.000	2017/07
PERCHLORATE	A-031	012	2014/07/14	< 4.000	2015/07
SELENIUM	01147	036	2014/07/14	< 5.000	2017/07
THALLIUM	01059	036	2014/07/14	< 1.000	2017/07

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	012	2014/07/14	. 3.200	2015/07
------------------	-------	-----	------------	---------	---------

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910144**

**System Name: SAN GABRIEL COUNTY WD**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910144-011**

**Source Name: WELL 14 - ACTIVE**

**Source Number: 011**

**Source Status: ACTIVE RAW**

**Water type: G**

**NITRATE/NITRITE**

NITRITE (AS N)	00620	036	2014/07/14	< 400.000	2017/07
----------------	-------	-----	------------	-----------	---------

**RADIOLOGICAL**

GROSS ALPHA	01501	003	2007/04/11	< 3.000	2007/07	DUE
RADIUM 226	09501	003	2007/04/11	< 1.000	2007/07	DUE
RADIUM 228	11501	003	2007/04/11	< 1.000	2007/07	DUE
URANIUM (PCI/L)	28012	003	2007/04/11	< 2.000	2007/07	DUE

**REGULATED SOC**

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2012/10/09	< 3.000	2015/07
---------------------------	-------	-----	------------	---------	---------

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	012	2014/07/14	< .500	2015/07
1,1,2,2-TETRACHLOROETHANE	34516	012	2014/07/14	< .500	2015/07
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/07/14	< 10.000	2015/07
1,1,2-TRICHLOROETHANE	34511	012	2014/07/14	< .500	2015/07
1,1-DICHLOROETHANE	34496	012	2014/07/14	< .500	2015/07
1,1-DICHLOROETHYLENE	34501	012	2014/07/14	< .500	2015/07
1,2,4-TRICHLOROBENZENE	34551	012	2014/07/14	< .500	2015/07
1,2-DICHLOROBENZENE	34536	012	2014/07/14	< .500	2015/07
1,2-DICHLOROETHANE	34531	012	2014/07/14	< .500	2015/07
1,2-DICHLOROPROPANE	34541	012	2014/07/14	< .500	2015/07
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/07/14	< .500	2015/07
1,4-DICHLOROBENZENE	34571	012	2014/07/14	< .500	2015/07
BENZENE	34030	012	2014/07/14	< .500	2015/07
CARBON TETRACHLORIDE	32102	012	2014/07/14	< .500	2015/07
CIS-1,2-DICHLOROETHYLENE	77093	012	2014/07/14	< .500	2015/07
DICHLOROMETHANE	34423	012	2014/07/14	< .500	2015/07
ETHYLBENZENE	34371	012	2014/07/14	< .500	2015/07
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/07/14	< 3.000	2015/07
MONOCHLOROBENZENE	34301	012	2014/07/14	< .500	2015/07

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910144**

**System Name: SAN GABRIEL COUNTY WD**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

**PS Code: 1910144-011**

**Source Name: WELL 14 - ACTIVE**

**Source Number: 011**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED VOC**

STYRENE	77128	012	2014/07/14	< .500	2015/07
TETRACHLOROETHYLENE	34475	012	2014/07/14	< .500	2015/07
TOLUENE	34010	012	2014/07/14	< .500	2015/07
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/07/14	< .500	2015/07
TRICHLOROETHYLENE	39180	012	2014/07/14	< .500	2015/07
TRICHLOROFUOROMETHANE	34488	012	2014/07/14	< 5.000	2015/07
VINYL CHLORIDE	39175	012	2014/07/14	< .500	2015/07
XYLENES (TOTAL)	81551	012	2014/07/14	< .000	2015/07

**SECONDARY/GP**

BICARBONATE ALKALINITY	00440	036	2012/06/04	. 150.000	2015/06
CALCIUM	00916	036	2012/06/04	. 19.000	2015/06
CARBONATE ALKALINITY	00445	036	2012/06/04	< .000	2015/06
CHLORIDE	00940	036	2012/06/04	. 12.000	2015/06
COLOR	00081	036	2012/06/04	< .000	2015/06
COPPER	01042	036	2012/06/04	< .000	2015/06
FOAMING AGENTS (MBAS)	38260	036	2012/06/04	< .000	2015/06
HARDNESS (TOTAL) AS CaCO3	00900	036	2012/06/04	. 64.000	2015/06
HYDROXIDE ALKALINITY	71830	036	2012/06/04	< .000	2015/06
IRON	01045	036	2012/06/04	< .000	2015/06
MAGNESIUM	00927	036	2012/06/04	. 4.000	2015/06
MANGANESE	01055	036	2012/06/04	< .000	2015/06
ODOR THRESHOLD @ 60 C	00086	036	2012/06/04	1.000	2015/06
PH, LABORATORY	00403	036	2012/06/04	. 7.700	2015/06
SILVER	01077	036	2014/07/14	< 10.000	2017/07
SODIUM	00929	036	2012/06/04	40.000	2015/06
SPECIFIC CONDUCTANCE	00095	036	2012/06/04	. 310.000	2015/06
SULFATE	00945	036	2012/06/04	22.000	2015/06
TOTAL DISSOLVED SOLIDS	70300	036	2013/08/13	. 190.000	2016/08
TURBIDITY, LABORATORY	82079	036	2012/06/04	< .000	2015/06

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910144**

**System Name: SAN GABRIEL COUNTY WD**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910144-011**

**Source Name: WELL 14 - ACTIVE**

**Source Number: 011**

**Source Status: ACTIVE RAW**

**Water type: G**

SECONDARY/GP

ZINC

01092	036	2012/06/04	< .000	2015/06
-------	-----	------------	--------	---------

**PS Code: 1910144-013**

**Source Name: ALHAMBRA-CITY CONNECTION**

**Source Number: 013**

**Source Status: PURCHASED TREATED**

**Water type: S**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

**PS Code: 1910144-014**

**Source Name: CA AMERICAN WC-SAN MARINO THROUGH MWDC**

**Source Number: 014**

**Source Status: PURCHASED TREATED**

**Water type: S**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

**PS Code: 1910144-020**

**Source Name: WELL 15 - ACTIVE**

**Source Number: 020**

**Source Status: ACTIVE RAW**

**Water type: G**

INORGANIC

ALUMINUM

01105	036	2014/06/17	< .000	2017/06
-------	-----	------------	--------	---------

ANTIMONY

01097	036	2014/06/17	< .000	2017/06
-------	-----	------------	--------	---------

ARSENIC

01002	036	2014/06/17	< .000	2017/06
-------	-----	------------	--------	---------

BARIUM

01007	036	2014/06/17	< .000	2017/06
-------	-----	------------	--------	---------

BERYLLIUM

01012	036	2014/06/17	< .000	2017/06
-------	-----	------------	--------	---------

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)



**System Number: 1910144**

**System Name: SAN GABRIEL COUNTY WD**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910144-020**

**Source Name: WELL 15 - ACTIVE**

**Source Number: 020**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

CADMIUM	01027	036	2014/06/17	< .000	2017/06
CHROMIUM (TOTAL)	01034	036	2014/06/17	< .000	2017/06
CHROMIUM, HEXAVALENT	01032	036	2013/05/24	. 2.700	2016/05
CYANIDE	01291	036	2014/06/17	< .000	2017/06
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/06/17	. .770	2017/06
MERCURY	71900	036	2014/06/17	< .000	2017/06
NICKEL	01067	036	2014/06/17	< .000	2017/06
PERCHLORATE	A-031	036	2014/06/24	< .000	2017/06
SELENIUM	01147	036	2014/06/17	< .000	2017/06
THALLIUM	01059	036	2014/06/17	< .000	2017/06

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	012	2014/07/29	. 27.000	2015/07
NITRITE (AS N)	00620	036	2014/06/17	< .000	2017/06

**RADIOLOGICAL**

GROSS ALPHA	01501	003	2014/06/17	< .000	2014/09
<b>RADIUM 226</b>	09501	000			<b>DUE</b>
<b>RADIUM 228</b>	11501	000			<b>DUE</b>
<b>URANIUM (PCI/L)</b>	28012	000			<b>DUE</b>

**REGULATED SOC**

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2014/06/17	< .000	2017/03
THIOBENCARB	A-001	033	2014/06/17	< .000	2017/03

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	012	2014/06/17	< .000	2015/06
1,1,2,2-TETRACHLOROETHANE	34516	012	2014/06/17	< .000	2015/06
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/06/17	< .000	2015/06
1,1,2-TRICHLOROETHANE	34511	012	2014/06/17	< .000	2015/06
1,1-DICHLOROETHANE	34496	012	2014/06/17	< .000	2015/06
1,1-DICHLOROETHYLENE	34501	012	2014/06/17	< .000	2015/06

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910144**

**System Name: SAN GABRIEL COUNTY WD**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910144-020**

**Source Name: WELL 15 - ACTIVE**

**Source Number: 020**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED VOC**

1,2,4-TRICHLORO BENZENE	34551	012	2014/06/17	< .000	2015/06
1,2-DICHLORO BENZENE	34536	012	2014/06/17	< .000	2015/06
1,2-DICHLOROETHANE	34531	012	2014/06/17	< .000	2015/06
1,2-DICHLOROPROPANE	34541	012	2014/06/17	< .000	2015/06
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/06/17	< .000	2015/06
1,4-DICHLORO BENZENE	34571	012	2014/06/17	< .000	2015/06
BENZENE	34030	012	2014/06/17	< .000	2015/06
CARBON TETRACHLORIDE	32102	012	2014/06/17	< .000	2015/06
CIS-1,2-DICHLOROETHYLENE	77093	012	2014/06/17	< .000	2015/06
DICHLOROMETHANE	34423	012	2014/06/17	< .000	2015/06
ETHYLBENZENE	34371	012	2014/06/17	< .000	2015/06
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/06/17	< .000	2015/06
MONOCHLORO BENZENE	34301	012	2014/06/17	< .000	2015/06
STYRENE	77128	012	2014/06/17	< .000	2015/06
TETRACHLOROETHYLENE	34475	012	2014/06/17	< .000	2015/06
TOLUENE	34010	012	2014/06/17	< .000	2015/06
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/06/17	< .000	2015/06
TRICHLOROETHYLENE	39180	012	2014/06/17	< .000	2015/06
TRICHLOROFLUOROMETHANE	34488	012	2014/06/17	< .000	2015/06
VINYL CHLORIDE	39175	012	2014/06/17	< .000	2015/06
XYLENES (TOTAL)	81551	012	2014/06/17	< .000	2015/06

**SECONDARY/GP**

BICARBONATE ALKALINITY	00440	036	2014/06/17	. 160.000	2017/06
CALCIUM	00916	036	2014/06/17	. 37.000	2017/06
CARBONATE ALKALINITY	00445	036	2014/06/17	< .000	2017/06
CHLORIDE	00940	036	2014/06/17	. 18.000	2017/06
COLOR	00081	036	2014/06/17	< .000	2017/06
COPPER	01042	036	2014/06/17	< .000	2017/06
FOAMING AGENTS (MBAS)	38260	036	2014/06/17	< .000	2017/06

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910144**

**System Name: SAN GABRIEL COUNTY WD**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910144-020**

**Source Name: WELL 15 - ACTIVE**

**Source Number: 020**

**Source Status: ACTIVE RAW**

**Water type: G**

**SECONDARY/GP**

HARDNESS (TOTAL) AS CaCO3	00900	036	2014/06/17	. 140.000	2017/06
HYDROXIDE ALKALINITY	71830	036	2014/06/17	< .000	2017/06
IRON	01045	036	2014/06/17	< .000	2017/06
MAGNESIUM	00927	036	2014/06/17	. 11.000	2017/06
MANGANESE	01055	036	2014/06/17	< .000	2017/06
ODOR THRESHOLD @ 60 C	00086	036	2014/06/17	. 1.000	2017/06
PH, LABORATORY	00403	036	2014/06/17	. 7.600	2017/06
SILVER	01077	036	2014/06/17	< .000	2017/06
SODIUM	00929	036	2014/06/17	. 32.000	2017/06
SPECIFIC CONDUCTANCE	00095	036	2014/06/17	. 440.000	2017/06
SULFATE	00945	036	2014/06/17	. 38.000	2017/06
TOTAL DISSOLVED SOLIDS	70300	036	2014/06/17	. 270.000	2017/06
TURBIDITY, LABORATORY	82079	036	2014/06/17	< .000	2017/06
ZINC	01092	036	2014/06/17	< .000	2017/06

**PS Code: 1910144-800**

**Source Name: SITE 1-3003 N SAN GABRIEL BLVD-STG2 DBP**

**Source Number: 800**

**Source Status: DISTRIBUTION TREATED**

**Water type: S**

**HALOACETIC ACIDS**

DIBROMOACETIC ACID (DBAA)	82721	003	2014/07/23	< 1.000	2014/10
DICHLOROACETIC ACID (DCAA)	77288	003	2014/07/23	< 1.000	2014/10
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/07/23	< .000	2014/10
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/07/23	< 1.000	2014/10
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/07/23	< 2.000	2014/10
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/07/23	< 1.000	2014/10

**STATE UCMR**

BROMODICHLORMETHANE (THM)	32101	003	2014/07/23	< 1.000	2014/10
---------------------------	-------	-----	------------	---------	---------

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910144**

**System Name: SAN GABRIEL COUNTY WD**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910144-800**

**Source Name: SITE 1-3003 N SAN GABRIEL BLVD-STG2 DBP**

**Source Number: 800**

**Source Status: DISTRIBUTION TREATED**

**Water type: S**

**STATE UCMR**

BROMOFORM (THM)	32104	003	2014/07/23	< 1.000	2014/10
CHLOROFORM (THM)	32106	003	2014/07/23	< 1.000	2014/10
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/07/23	< 1.000	2014/10

**TRIHALOMETHANES**

TOTAL TRIHALOMETHANES	82080	003	2014/07/23	. 2.400	2014/10
-----------------------	-------	-----	------------	---------	---------

**PS Code: 1910144-801**

**Source Name: SITE 2-1116 S RAMONA ST-STG2 DBP**

**Source Number: 801**

**Source Status: DISTRIBUTION TREATED**

**Water type: S**

**HALOACETIC ACIDS**

DIBROMOACETIC ACID (DBAA)	82721	003	2014/07/23	< 1.000	2014/10
DICHLOROACETIC ACID (DCAA)	77288	003	2014/07/23	< 1.000	2014/10
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/07/23	< .000	2014/10
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/07/23	< 1.000	2014/10
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/07/23	< 2.000	2014/10
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/07/23	< 1.000	2014/10

**STATE UCMR**

BROMODICHLORMETHANE (THM)	32101	003	2014/07/23	. 1.700	2014/10
BROMOFORM (THM)	32104	003	2014/07/23	. 2.100	2014/10
CHLOROFORM (THM)	32106	003	2014/07/23	< 1.000	2014/10
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/07/23	. 2.700	2014/10

**TRIHALOMETHANES**

TOTAL TRIHALOMETHANES	82080	003	2014/07/23	. 7.400	2014/10
-----------------------	-------	-----	------------	---------	---------

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910144**

**System Name: SAN GABRIEL COUNTY WD**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910144-802**

**Source Name: SITE 3-1854 S PINE ST-STG2 DBP**

**Source Number: 802**

**Source Status: DISTRIBUTION TREATED**

**Water type: S**

**HALOACETIC ACIDS**

DIBROMOACETIC ACID (DBAA)	82721	003	2014/07/23	< 1.000	2014/10
DICHLOROACETIC ACID (DCAA)	77288	003	2014/07/23	< 1.000	2014/10
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/07/23	< .000	2014/10
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/07/23	< 1.000	2014/10
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/07/23	< 2.000	2014/10
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/07/23	< 1.000	2014/10

**STATE UCMR**

BROMODICHLORMETHANE (THM)	32101	003	2014/07/23	< 1.000	2014/10
BROMOFORM (THM)	32104	003	2014/07/23	< 1.000	2014/10
CHLOROFORM (THM)	32106	003	2014/07/23	< 1.000	2014/10
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/07/23	< 1.000	2014/10

**TRIHALOMETHANES**

TOTAL TRIHALOMETHANES	82080	003	2014/07/23	< .000	2014/10
-----------------------	-------	-----	------------	--------	---------

**PS Code: 1910144-803**

**Source Name: SITE 4-545 SEGOVIA AVE-STG2 DBP**

**Source Number: 803**

**Source Status: DISTRIBUTION TREATED**

**Water type: S**

**HALOACETIC ACIDS**

DIBROMOACETIC ACID (DBAA)	82721	003	2014/07/23	< 1.000	2014/10
DICHLOROACETIC ACID (DCAA)	77288	003	2014/07/23	< 1.000	2014/10
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/07/23	< .000	2014/10
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/07/23	< 1.000	2014/10
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/07/23	< 2.000	2014/10
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/07/23	< 1.000	2014/10

**STATE UCMR**

BROMODICHLORMETHANE (THM)	32101	003	2014/07/23	. 1.200	2014/10
---------------------------	-------	-----	------------	---------	---------

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910144**

**System Name: SAN GABRIEL COUNTY WD**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910144-803**

**Source Name: SITE 4-545 SEGOVIA AVE-STG2 DBP**

**Source Number: 803**

**Source Status: DISTRIBUTION TREATED**

**Water type: S**

**STATE UCMR**

BROMOFORM (THM)	32104	003	2014/07/23	. 2.300	2014/10
CHLOROFORM (THM)	32106	003	2014/07/23	< 1.000	2014/10
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/07/23	. 2.500	2014/10

**TRIHALOMETHANES**

TOTAL TRIHALOMETHANES	82080	003	2014/07/23	. 6.700	2014/10
-----------------------	-------	-----	------------	---------	---------

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910148**

**System Name: SIERRA MADRE-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910148-003**

**Source Name: WELL 03**

**Source Number: 003**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

ALUMINUM	01105	036	2014/05/12	. 200.000	2017/05
ANTIMONY	01097	036	2014/05/12	< 6.000	2017/05
ARSENIC	01002	036	2014/05/12	< 2.000	2017/05
BARIUM	01007	036	2014/05/12	< 100.000	2017/05
BERYLLIUM	01012	036	2014/05/12	< 1.000	2017/05
CADMIUM	01027	036	2014/05/12	< 1.000	2017/05
CHROMIUM (TOTAL)	01034	036	2014/05/12	< 10.000	2017/05
CHROMIUM, HEXAVALENT	01032	036	2013/08/26	< 1.000	2016/08
CYANIDE	01291	036	2014/05/12	< 100.000	2017/05
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/05/12	. .760	2017/05
MERCURY	71900	036	2014/05/12	< 1.000	2017/05
NICKEL	01067	036	2014/05/12	< 10.000	2017/05
PERCHLORATE	A-031	036	2013/08/26	< 4.000	2016/08
SELENIUM	01147	036	2014/05/12	< 5.000	2017/05
THALLIUM	01059	036	2014/05/12	< 1.000	2017/05

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	012	2014/05/12	. 6.100	2015/05
NITRITE (AS N)	00620	036	2014/05/12	< 400.000	2017/05

**RADIOLOGICAL**

<b>GROSS ALPHA</b>	01501	003	2006/11/13	< 3.000	2007/02	DUE
<b>RADIUM 226</b>	09501	003	2006/11/13	< 1.000	2007/02	DUE
<b>RADIUM 228</b>	11501	003	2006/11/13	< 1.000	2007/02	DUE
<b>URANIUM (PCI/L)</b>	28012	003	2006/11/13	< 2.000	2007/02	DUE

**REGULATED SOC**

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2013/08/26	< 3.000	2016/05
---------------------------	-------	-----	------------	---------	---------

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	012	2014/05/12	< .500	2015/05
1,1,2,2-TETRACHLOROETHANE	34516	012	2014/05/12	< .500	2015/05

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910148**

**System Name: SIERRA MADRE-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910148-003**

**Source Name: WELL 03**

**Source Number: 003**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED VOC**

1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/05/12	< 10.000	2015/05
1,1,2-TRICHLOROETHANE	34511	012	2014/05/12	< .500	2015/05
1,1-DICHLOROETHANE	34496	012	2014/05/12	< .500	2015/05
1,1-DICHLOROETHYLENE	34501	012	2014/05/12	< .500	2015/05
1,2,4-TRICHLOROBENZENE	34551	012	2014/05/12	< .500	2015/05
1,2-DICHLOROBENZENE	34536	012	2014/05/12	< .500	2015/05
1,2-DICHLOROETHANE	34531	012	2014/05/12	< .500	2015/05
1,2-DICHLOROPROPANE	34541	012	2014/05/12	< .500	2015/05
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/05/12	< .500	2015/05
1,4-DICHLOROBENZENE	34571	012	2014/05/12	< .500	2015/05
BENZENE	34030	012	2014/05/12	< .500	2015/05
CARBON TETRACHLORIDE	32102	012	2014/05/12	< .500	2015/05
CIS-1,2-DICHLOROETHYLENE	77093	012	2014/05/12	< .500	2015/05
DICHLOROMETHANE	34423	012	2014/05/12	< .500	2015/05
ETHYLBENZENE	34371	012	2014/05/12	< .500	2015/05
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/05/12	< 3.000	2015/05
MONOCHLOROBENZENE	34301	012	2014/05/12	< .500	2015/05
STYRENE	77128	012	2014/05/12	< .500	2015/05
TETRACHLOROETHYLENE	34475	012	2014/07/14	< .000	2015/07
TOLUENE	34010	012	2014/05/12	< .500	2015/05
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/05/12	< .500	2015/05
TRICHLOROETHYLENE	39180	012	2014/07/14	< .000	2015/07
TRICHLOROFUOROMETHANE	34488	012	2014/05/12	< 5.000	2015/05
VINYL CHLORIDE	39175	012	2014/05/12	< .500	2015/05
XYLENES (TOTAL)	81551	012	2014/05/12	< .000	2015/05

**SECONDARY/GP**

BICARBONATE ALKALINITY	00440	036	2014/05/12	. 210.000	2017/05
CALCIUM	00916	036	2014/05/12	. 51.200	2017/05
CARBONATE ALKALINITY	00445	036	2014/05/12	< .000	2017/05

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)



**System Number: 1910148**

**System Name: SIERRA MADRE-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910148-003**

**Source Name: WELL 03**

**Source Number: 003**

**Source Status: ACTIVE RAW**

**Water type: G**

**SECONDARY/GP**

CHLORIDE	00940	036	2014/05/12	. 14.000	2017/05
COLOR	00081	036	2014/05/12	< .000	2017/05
COPPER	01042	036	2014/05/12	< 50.000	2017/05
FOAMING AGENTS (MBAS)	38260	036	2014/05/12	. .069	2017/05
HARDNESS (TOTAL) AS CaCO3	00900	036	2014/05/12	. 186.000	2017/05
HYDROXIDE ALKALINITY	71830	036	2014/05/12	< .000	2017/05
IRON	01045	036	2014/06/19	. 110.000	2017/06
MAGNESIUM	00927	036	2014/05/12	. 14.300	2017/05
MANGANESE	01055	036	2014/05/12	< 20.000	2017/05
ODOR THRESHOLD @ 60 C	00086	036	2014/05/12	. 1.000	2017/05
<b>PH, LABORATORY</b>	<b>00403</b>	<b>036</b>	<b>2008/05/29</b>	<b>7.540</b>	<b>2011/05 DUE</b>
SILVER	01077	036	2014/05/12	< 10.000	2017/05
SODIUM	00929	036	2014/05/12	. 19.000	2017/05
SPECIFIC CONDUCTANCE	00095	036	2014/05/12	. 440.000	2017/05
SULFATE	00945	036	2014/05/12	. 32.000	2017/05
TOTAL DISSOLVED SOLIDS	70300	036	2014/05/12	. 250.000	2017/05
TURBIDITY, LABORATORY	82079	036	2014/05/12	. 2.800	2017/05
ZINC	01092	036	2014/05/12	< 50.000	2017/05

**PS Code: 1910148-004**

**Source Name: WELL 04**

**Source Number: 004**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

ALUMINUM	01105	036	2014/06/19	< 50.000	2017/06
ANTIMONY	01097	036	2014/05/12	< 6.000	2017/05
ARSENIC	01002	036	2014/05/12	< 2.000	2017/05
BARIUM	01007	036	2014/05/12	< 100.000	2017/05

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910148**

**System Name: SIERRA MADRE-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910148-004**

**Source Name: WELL 04**

**Source Number: 004**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

BERYLLIUM	01012	036	2014/05/12	< 1.000	2017/05
CADMIUM	01027	036	2014/05/12	< 1.000	2017/05
CHROMIUM (TOTAL)	01034	036	2014/05/12	< 10.000	2017/05
CHROMIUM, HEXAVALENT	01032	036	2013/08/26	< 1.000	2016/08
CYANIDE	01291	036	2014/05/12	< 100.000	2017/05
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/05/12	. 880	2017/05
MERCURY	71900	036	2014/05/12	< 1.000	2017/05
NICKEL	01067	036	2014/05/12	< 10.000	2017/05
PERCHLORATE	A-031	036	2013/08/26	< 4.000	2016/08
SELENIUM	01147	036	2014/05/12	< 5.000	2017/05
THALLIUM	01059	036	2014/05/12	< 1.000	2017/05

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	012	2014/05/12	. 5.700	2015/05
NITRITE (AS N)	00620	036	2014/05/12	< 400.000	2017/05

**RADIOLOGICAL**

<b>GROSS ALPHA</b>	01501	003	2006/11/13	< 3.000	2007/02	<b>DUE</b>
<b>RADIUM 226</b>	09501	003	2006/11/13	< 1.000	2007/02	<b>DUE</b>
<b>RADIUM 228</b>	11501	003	2006/11/13	< 1.000	2007/02	<b>DUE</b>
<b>URANIUM (PCI/L)</b>	28012	003	2006/11/13	< 2.000	2007/02	<b>DUE</b>

**REGULATED SOC**

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2013/05/21	< 3.000	2016/02
---------------------------	-------	-----	------------	---------	---------

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	012	2014/05/12	< .500	2015/05
1,1,2,2-TETRACHLOROETHANE	34516	012	2014/05/12	< .500	2015/05
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/05/12	< 10.000	2015/05
1,1,2-TRICHLOROETHANE	34511	012	2014/05/12	< .500	2015/05
1,1-DICHLOROETHANE	34496	012	2014/05/12	< .500	2015/05
1,1-DICHLOROETHYLENE	34501	012	2014/05/12	< .500	2015/05

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910148**

**System Name: SIERRA MADRE-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910148-004**

**Source Name: WELL 04**

**Source Number: 004**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED VOC**

1,2,4-TRICHLOROENZENE	34551	012	2014/05/12	< .500	2015/05
1,2-DICHLOROENZENE	34536	012	2014/05/12	< .500	2015/05
1,2-DICHLOROETHANE	34531	012	2014/05/12	< .500	2015/05
1,2-DICHLOROPROPANE	34541	012	2014/05/12	< .500	2015/05
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/05/12	< .500	2015/05
1,4-DICHLOROENZENE	34571	012	2014/05/12	< .500	2015/05
BENZENE	34030	012	2014/05/12	< .500	2015/05
CARBON TETRACHLORIDE	32102	012	2014/05/12	< .500	2015/05
CIS-1,2-DICHLOROETHYLENE	77093	012	2014/05/12	< .500	2015/05
DICHLOROMETHANE	34423	012	2014/05/12	< .500	2015/05
ETHYLBENZENE	34371	012	2014/05/12	< .500	2015/05
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/05/12	< 3.000	2015/05
MONOCHLOROENZENE	34301	012	2014/05/12	< .500	2015/05
STYRENE	77128	012	2014/05/12	< .500	2015/05
TETRACHLOROETHYLENE	34475	012	2014/07/14	< .000	2015/07
TOLUENE	34010	012	2014/05/12	< .500	2015/05
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/05/12	< .500	2015/05
TRICHLOROETHYLENE	39180	012	2014/07/14	< .000	2015/07
TRICHLOROFLUOROMETHANE	34488	012	2014/05/12	< 5.000	2015/05
VINYL CHLORIDE	39175	012	2014/05/12	< .500	2015/05
XYLENES (TOTAL)	81551	012	2014/05/12	< .000	2015/05

**SECONDARY/GP**

BICARBONATE ALKALINITY	00440	036	2014/05/12	. 220.000	2017/05
CALCIUM	00916	036	2014/05/12	. 46.400	2017/05
CARBONATE ALKALINITY	00445	036	2014/05/12	< .000	2017/05
CHLORIDE	00940	036	2014/05/12	. 8.100	2017/05
COLOR	00081	036	2014/05/12	< .000	2017/05
COPPER	01042	036	2014/05/12	< 50.000	2017/05
FOAMING AGENTS (MBAS)	38260	036	2014/05/12	< .000	2017/05

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910148**

**System Name: SIERRA MADRE-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910148-004**

**Source Name: WELL 04**

**Source Number: 004**

**Source Status: ACTIVE RAW**

**Water type: G**

**SECONDARY/GP**

HARDNESS (TOTAL) AS CaCO3	00900	036	2014/05/12	. 173.000	2017/05	
HYDROXIDE ALKALINITY	71830	036	2014/05/12	< .000	2017/05	
IRON	01045	036	2014/05/12	. 260.000	2017/05	
MAGNESIUM	00927	036	2014/05/12	. 14.000	2017/05	
MANGANESE	01055	036	2014/05/12	< 20.000	2017/05	
ODOR THRESHOLD @ 60 C	00086	036	2014/05/12	. 1.000	2017/05	
<b>PH, LABORATORY</b>	<b>00403</b>	<b>036</b>	<b>2008/05/29</b>	<b>7.610</b>	<b>2011/05</b>	<b>DUE</b>
SILVER	01077	036	2014/05/12	< 10.000	2017/05	
SODIUM	00929	036	2014/05/12	. 15.000	2017/05	
SPECIFIC CONDUCTANCE	00095	036	2014/05/12	. 400.000	2017/05	
SULFATE	00945	036	2014/05/12	. 15.000	2017/05	
TOTAL DISSOLVED SOLIDS	70300	036	2014/05/12	. 230.000	2017/05	
TURBIDITY, LABORATORY	82079	036	2014/05/12	. .760	2017/05	
ZINC	01092	036	2014/05/12	< 50.000	2017/05	

**PS Code: 1910148-005**

**Source Name: WELL 05**

**Source Number: 005**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

ALUMINUM	01105	036	2014/05/12	. 88.000	2017/05	
ANTIMONY	01097	036	2014/05/12	< 6.000	2017/05	
ARSENIC	01002	036	2014/05/12	< 2.000	2017/05	
BARIUM	01007	036	2014/05/12	< 100.000	2017/05	
BERYLLIUM	01012	036	2014/05/12	< 1.000	2017/05	
CADMIUM	01027	036	2014/05/12	< 1.000	2017/05	
CHROMIUM (TOTAL)	01034	036	2014/05/12	< 10.000	2017/05	
CHROMIUM, HEXAVALENT	01032	036	2013/08/26	. 2.000	2016/08	

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910148**

**System Name: SIERRA MADRE-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910148-005**

**Source Name: WELL 05**

**Source Number: 005**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

CYANIDE	01291	036	2014/05/12	< 100.000	2017/05
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/05/12	. 700	2017/05
MERCURY	71900	036	2014/05/12	< 1.000	2017/05
NICKEL	01067	036	2014/05/12	< 10.000	2017/05
PERCHLORATE	A-031	036	2013/08/26	< 4.000	2016/08
SELENIUM	01147	036	2014/05/12	< 5.000	2017/05
THALLIUM	01059	036	2014/05/12	< 1.000	2017/05

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	003	2014/05/12	. 7.600	2014/08
NITRITE (AS N)	00620	036	2014/05/12	< 400.000	2017/05

**RADIOLOGICAL**

<b>GROSS ALPHA</b>	01501	003	2006/11/13	< 3.000	2007/02	<b>DUE</b>
<b>RADIUM 226</b>	09501	003	2006/11/13	< 1.000	2007/02	<b>DUE</b>
<b>RADIUM 228</b>	11501	003	2006/11/13	< 1.000	2007/02	<b>DUE</b>
<b>URANIUM (PCI/L)</b>	28012	003	2006/11/13	< 2.000	2007/02	<b>DUE</b>

**REGULATED SOC**

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2013/05/21	< 3.000	2016/02
---------------------------	-------	-----	------------	---------	---------

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	012	2014/05/12	< .500	2015/05
1,1,2,2-TETRACHLOROETHANE	34516	012	2014/05/12	< .500	2015/05
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/05/12	< 10.000	2015/05
1,1,2-TRICHLOROETHANE	34511	012	2014/05/12	< .500	2015/05
1,1-DICHLOROETHANE	34496	012	2014/05/12	< .500	2015/05
1,1-DICHLOROETHYLENE	34501	012	2014/05/12	< .500	2015/05
1,2,4-TRICHLOROBENZENE	34551	012	2014/05/12	< .500	2015/05
1,2-DICHLOROBENZENE	34536	012	2014/05/12	< .500	2015/05
1,2-DICHLOROETHANE	34531	012	2014/05/12	< .500	2015/05
1,2-DICHLOROPROPANE	34541	012	2014/05/12	< .500	2015/05

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910148**

**System Name: SIERRA MADRE-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910148-005**

**Source Name: WELL 05**

**Source Number: 005**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED VOC**

1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/05/12	< .500	2015/05
1,4-DICHLOROBENZENE	34571	012	2014/05/12	< .500	2015/05
BENZENE	34030	012	2014/05/12	< .500	2015/05
CARBON TETRACHLORIDE	32102	012	2014/05/12	< .500	2015/05
CIS-1,2-DICHLOROETHYLENE	77093	012	2014/05/12	< .500	2015/05
DICHLOROMETHANE	34423	012	2014/05/12	< .500	2015/05
ETHYLBENZENE	34371	012	2014/05/12	< .500	2015/05
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/05/12	< 3.000	2015/05
MONOCHLOROBENZENE	34301	012	2014/05/12	< .500	2015/05
STYRENE	77128	012	2014/05/12	< .500	2015/05
TETRACHLOROETHYLENE	34475	012	2014/07/14	. 1.000	2015/07
TOLUENE	34010	012	2014/05/12	< .500	2015/05
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/05/12	< .500	2015/05
TRICHLOROETHYLENE	39180	012	2014/07/14	. .800	2015/07
TRICHLOROFUOROMETHANE	34488	012	2014/05/12	< 5.000	2015/05
VINYL CHLORIDE	39175	012	2014/05/12	< .500	2015/05
XYLENES (TOTAL)	81551	012	2014/05/12	< .000	2015/05

**SECONDARY/GP**

BICARBONATE ALKALINITY	00440	036	2014/05/12	. 210.000	2017/05
CALCIUM	00916	036	2014/05/12	. 50.300	2017/05
CARBONATE ALKALINITY	00445	036	2014/05/12	< .000	2017/05
CHLORIDE	00940	036	2014/05/12	. 9.800	2017/05
COLOR	00081	036	2014/05/12	< .000	2017/05
COPPER	01042	036	2014/05/12	< 50.000	2017/05
FOAMING AGENTS (MBAS)	38260	036	2014/05/12	< .000	2017/05
HARDNESS (TOTAL) AS CaCO3	00900	036	2014/05/12	. 175.000	2017/05
HYDROXIDE ALKALINITY	71830	036	2014/05/12	< .000	2017/05
IRON	01045	036	2014/05/12	. 140.000	2017/05
MAGNESIUM	00927	036	2014/05/12	. 11.900	2017/05

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910148**

**System Name: SIERRA MADRE-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910148-005**

**Source Name: WELL 05**

**Source Number: 005**

**Source Status: ACTIVE RAW**

**Water type: G**

**SECONDARY/GP**

MANGANESE	01055	036	2014/05/12	< 20.000	2017/05
ODOR THRESHOLD @ 60 C	00086	036	2014/05/12	. 1.000	2017/05
<b>PH, LABORATORY</b>	<b>00403</b>	<b>036</b>	<b>2008/05/29</b>	<b>7.440</b>	<b>2011/05 DUE</b>
SILVER	01077	036	2014/05/12	< 10.000	2017/05
SODIUM	00929	036	2014/05/12	. 14.000	2017/05
SPECIFIC CONDUCTANCE	00095	036	2014/05/12	. 410.000	2017/05
SULFATE	00945	036	2014/05/12	. 20.000	2017/05
TOTAL DISSOLVED SOLIDS	70300	036	2014/05/12	. 230.000	2017/05
TURBIDITY, LABORATORY	82079	036	2014/05/12	. .430	2017/05
ZINC	01092	036	2014/05/12	< 50.000	2017/05

**PS Code: 1910148-006**

**Source Name: WELL 06**

**Source Number: 006**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

ALUMINUM	01105	036	2014/06/19	< 50.000	2017/06
ANTIMONY	01097	036	2014/05/12	< 6.000	2017/05
ARSENIC	01002	036	2014/05/12	< 2.000	2017/05
BARIUM	01007	036	2014/05/12	< 100.000	2017/05
BERYLLIUM	01012	036	2014/05/12	< 1.000	2017/05
CADMIUM	01027	036	2014/05/12	< 1.000	2017/05
CHROMIUM (TOTAL)	01034	036	2014/05/12	< 10.000	2017/05
CHROMIUM, HEXAVALENT	01032	036	2013/08/26	. 1.300	2016/08
CYANIDE	01291	036	2014/05/12	< 100.000	2017/05
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/05/12	. .550	2017/05
MERCURY	71900	036	2014/05/12	< 1.000	2017/05
NICKEL	01067	036	2014/05/12	< 10.000	2017/05

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910148**

**System Name: SIERRA MADRE-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910148-006**

**Source Name: WELL 06**

**Source Number: 006**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

PERCHLORATE	A-031	036	2013/08/26	< 4.000	2016/08
SELENIUM	01147	036	2014/05/12	< 5.000	2017/05
THALLIUM	01059	036	2014/05/12	< 1.000	2017/05

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	012	2014/05/12	. 14.000	2015/05
NITRITE (AS N)	00620	036	2014/05/12	< 400.000	2017/05

**RADIOLOGICAL**

<b>GROSS ALPHA</b>	01501	003	2006/11/13	< 3.000	2007/02	<b>DUE</b>
<b>RADIUM 226</b>	09501	003	2006/11/13	< 1.000	2007/02	<b>DUE</b>
<b>RADIUM 228</b>	11501	003	2006/11/13	< 1.000	2007/02	<b>DUE</b>
<b>URANIUM (PCI/L)</b>	28012	003	2006/11/13	< 2.000	2007/02	<b>DUE</b>

**REGULATED SOC**

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2013/05/21	< 3.000	2016/02
---------------------------	-------	-----	------------	---------	---------

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	012	2014/05/12	< .500	2015/05
1,1,2,2-TETRACHLOROETHANE	34516	012	2014/05/12	< .500	2015/05
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/05/12	< 10.000	2015/05
1,1,2-TRICHLOROETHANE	34511	012	2014/05/12	< .500	2015/05
1,1-DICHLOROETHANE	34496	012	2014/05/12	< .500	2015/05
1,1-DICHLOROETHYLENE	34501	012	2014/05/12	< .500	2015/05
1,2,4-TRICHLOROBENZENE	34551	012	2014/05/12	< .500	2015/05
1,2-DICHLOROBENZENE	34536	012	2014/05/12	< .500	2015/05
1,2-DICHLOROETHANE	34531	012	2014/05/12	< .500	2015/05
1,2-DICHLOROPROPANE	34541	012	2014/05/12	< .500	2015/05
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/05/12	< .500	2015/05
1,4-DICHLOROBENZENE	34571	012	2014/05/12	< .500	2015/05
BENZENE	34030	012	2014/05/12	< .500	2015/05
CARBON TETRACHLORIDE	32102	012	2014/05/12	< .500	2015/05

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)



**System Number: 1910148**

**System Name: SIERRA MADRE-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910148-006**

**Source Name: WELL 06**

**Source Number: 006**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED VOC**

CIS-1,2-DICHLOROETHYLENE	77093	012	2014/05/12	< .500	2015/05
DICHLOROMETHANE	34423	012	2014/05/12	< .500	2015/05
ETHYLBENZENE	34371	012	2014/05/12	< .500	2015/05
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/05/12	< 3.000	2015/05
MONOCHLOROBENZENE	34301	012	2014/05/12	< .500	2015/05
STYRENE	77128	012	2014/05/12	< .500	2015/05
TETRACHLOROETHYLENE	34475	012	2014/07/14	< .000	2015/07
TOLUENE	34010	012	2014/05/12	< .500	2015/05
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/05/12	< .500	2015/05
TRICHLOROETHYLENE	39180	012	2014/07/14	< .000	2015/07
TRICHLOROFUOROMETHANE	34488	012	2014/05/12	< 5.000	2015/05
VINYL CHLORIDE	39175	012	2014/05/12	< .500	2015/05
XYLENES (TOTAL)	81551	012	2014/05/12	< .000	2015/05

**SECONDARY/GP**

BICARBONATE ALKALINITY	00440	036	2014/05/12	. 220.000	2017/05
CALCIUM	00916	036	2014/05/12	. 64.600	2017/05
CARBONATE ALKALINITY	00445	036	2014/05/12	< .000	2017/05
CHLORIDE	00940	036	2014/05/12	. 16.000	2017/05
COLOR	00081	036	2014/05/12	< .000	2017/05
COPPER	01042	036	2014/05/12	< 50.000	2017/05
FOAMING AGENTS (MBAS)	38260	036	2014/05/12	< .000	2017/05
HARDNESS (TOTAL) AS CaCO3	00900	036	2014/05/12	. 198.000	2017/05
HYDROXIDE ALKALINITY	71830	036	2014/05/12	< .000	2017/05
IRON	01045	036	2014/06/19	< 100.000	2017/06
MAGNESIUM	00927	036	2014/05/12	. 8.850	2017/05
MANGANESE	01055	036	2014/05/12	< 20.000	2017/05
ODOR THRESHOLD @ 60 C	00086	036	2014/05/12	. 1.000	2017/05
<b>PH, LABORATORY</b>	<b>00403</b>	<b>036</b>	<b>2008/05/29</b>	<b>7.460</b>	<b>2011/05 DUE</b>
SILVER	01077	036	2014/05/12	< 10.000	2017/05

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910148**

**System Name: SIERRA MADRE-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

**PS Code: 1910148-006**

**Source Name: WELL 06**

**Source Number: 006**

**Source Status: ACTIVE RAW**

**Water type: G**

**SECONDARY/GP**

SODIUM	00929	036	2014/05/12	. 18.000	2017/05
SPECIFIC CONDUCTANCE	00095	036	2014/05/12	. 470.000	2017/05
SULFATE	00945	036	2014/05/12	. 29.000	2017/05
TOTAL DISSOLVED SOLIDS	70300	036	2014/05/12	. 280.000	2017/05
TURBIDITY, LABORATORY	82079	036	2014/05/12	. .710	2017/05
ZINC	01092	036	2014/05/12	< 50.000	2017/05

**PS Code: 1910148-007**

**Source Name: WEST TUNNEL**

**Source Number: 007**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

ALUMINUM	01105	036	2014/05/12	< 50.000	2017/05
ANTIMONY	01097	036	2014/05/12	< 6.000	2017/05
ARSENIC	01002	036	2014/05/12	< 2.000	2017/05
BARIUM	01007	036	2014/05/12	< 100.000	2017/05
BERYLLIUM	01012	036	2014/05/12	< 1.000	2017/05
CADMIUM	01027	036	2014/05/12	< 1.000	2017/05
CHROMIUM (TOTAL)	01034	036	2014/05/12	< 10.000	2017/05
CHROMIUM, HEXAVALENT	01032	036	2013/08/26	< 1.000	2016/08
CYANIDE	01291	036	2014/05/12	< 100.000	2017/05
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/05/12	. 1.700	2017/05
MERCURY	71900	036	2014/05/12	< 1.000	2017/05
NICKEL	01067	036	2014/05/12	< 10.000	2017/05
PERCHLORATE	A-031	036	2013/08/26	< 4.000	2016/08
SELENIUM	01147	036	2014/05/12	< 5.000	2017/05
THALLIUM	01059	036	2014/05/12	< 1.000	2017/05

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910148**

**System Name: SIERRA MADRE-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910148-007**

**Source Name: WEST TUNNEL**

**Source Number: 007**

**Source Status: ACTIVE RAW**

**Water type: G**

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	012	2014/05/12	. 6.600	2015/05
NITRITE (AS N)	00620	036	2014/05/12	< 400.000	2017/05

**RADIOLOGICAL**

GROSS ALPHA	01501	003	2006/11/13	< 3.000	2007/02	DUE
RADIUM 226	09501	003	2006/11/13	< 1.000	2007/02	DUE
RADIUM 228	11501	003	2006/11/13	< 1.000	2007/02	DUE
URANIUM (PCI/L)	28012	003	2006/11/13	< 2.000	2007/02	DUE

**REGULATED SOC**

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2013/05/21	< 3.000	2016/02
---------------------------	-------	-----	------------	---------	---------

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	012	2014/05/12	< .500	2015/05
1,1,2,2-TETRACHLOROETHANE	34516	012	2014/05/12	< .500	2015/05
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/05/12	< 10.000	2015/05
1,1,2-TRICHLOROETHANE	34511	012	2014/05/12	< .500	2015/05
1,1-DICHLOROETHANE	34496	012	2014/05/12	< .500	2015/05
1,1-DICHLOROETHYLENE	34501	012	2014/05/12	< .500	2015/05
1,2,4-TRICHLOROBENZENE	34551	012	2014/05/12	< .500	2015/05
1,2-DICHLOROBENZENE	34536	012	2014/05/12	< .500	2015/05
1,2-DICHLOROETHANE	34531	012	2014/05/12	< .500	2015/05
1,2-DICHLOROPROPANE	34541	012	2014/05/12	< .500	2015/05
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/05/12	< .500	2015/05
1,4-DICHLOROBENZENE	34571	012	2014/05/12	< .500	2015/05
BENZENE	34030	012	2014/05/12	< .500	2015/05
CARBON TETRACHLORIDE	32102	012	2014/05/12	< .500	2015/05
CIS-1,2-DICHLOROETHYLENE	77093	012	2014/05/12	< .500	2015/05
DICHLOROMETHANE	34423	012	2014/05/12	< .500	2015/05
ETHYLBENZENE	34371	012	2014/05/12	< .500	2015/05
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/05/12	< 3.000	2015/05

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910148**

**System Name: SIERRA MADRE-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910148-007**

**Source Name: WEST TUNNEL**

**Source Number: 007**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED VOC**

MONOCHLOROENZENE	34301	012	2014/05/12	< .500	2015/05
STYRENE	77128	012	2014/05/12	< .500	2015/05
TETRACHLOROETHYLENE	34475	012	2014/05/12	< .500	2015/05
TOLUENE	34010	012	2014/05/12	< .500	2015/05
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/05/12	< .500	2015/05
TRICHLOROETHYLENE	39180	012	2014/05/12	< .500	2015/05
TRICHLOROFLUOROMETHANE	34488	012	2014/05/12	< 5.000	2015/05
VINYL CHLORIDE	39175	012	2014/05/12	< .500	2015/05
XYLENES (TOTAL)	81551	012	2014/05/12	< .000	2015/05

**SECONDARY/GP**

BICARBONATE ALKALINITY	00440	036	2014/05/12	. 180.000	2017/05
CALCIUM	00916	036	2014/05/12	. 42.100	2017/05
CARBONATE ALKALINITY	00445	036	2014/05/12	< .000	2017/05
CHLORIDE	00940	036	2014/05/12	. 8.000	2017/05
COLOR	00081	036	2014/07/28	< .000	2017/07
COPPER	01042	036	2014/05/12	< 50.000	2017/05
FOAMING AGENTS (MBAS)	38260	036	2014/05/12	< .000	2017/05
HARDNESS (TOTAL) AS CaCO3	00900	036	2014/05/12	. 157.000	2017/05
HYDROXIDE ALKALINITY	71830	036	2014/05/12	< .000	2017/05
IRON	01045	036	2014/05/12	< 100.000	2017/05
MAGNESIUM	00927	036	2014/05/12	. 12.700	2017/05
MANGANESE	01055	036	2014/05/12	< 20.000	2017/05
ODOR THRESHOLD @ 60 C	00086	036	2014/07/28	. 1.000	2017/07
<b>PH, LABORATORY</b>	<b>00403</b>	<b>036</b>	<b>2008/05/29</b>	<b>7.520</b>	<b>2011/05 DUE</b>
SILVER	01077	036	2014/05/12	< 10.000	2017/05
SODIUM	00929	036	2014/05/12	. 14.000	2017/05
SPECIFIC CONDUCTANCE	00095	036	2014/05/12	. 370.000	2017/05
SULFATE	00945	036	2014/05/12	. 20.000	2017/05
TOTAL DISSOLVED SOLIDS	70300	036	2014/05/12	. 210.000	2017/05

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910148**

**System Name: SIERRA MADRE-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910148-007**

**Source Name: WEST TUNNEL**

**Source Number: 007**

**Source Status: ACTIVE RAW**

**Water type: G**

**SECONDARY/GP**

TURBIDITY, LABORATORY	82079	036	2014/07/28	.400	2017/07
ZINC	01092	036	2014/05/12	< 50.000	2017/05

**PS Code: 1910148-010**

**Source Name: 601 WOODLAND DRIVE-FLUORIDE MONITORING**

**Source Number: 010**

**Source Status: DISTRIBUTION TREATED**

**Water type: G**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\* 999

**PS Code: 1910148-011**

**Source Name: 655 OAK CREST DR.-FLUORIDE MONITORING**

**Source Number: 011**

**Source Status: DISTRIBUTION TREATED**

**Water type: G**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\* 999

**PS Code: 1910148-012**

**Source Name: 110 NORTH LIMA STREET-FLUORIDE MONTORING**

**Source Number: 012**

**Source Status: DISTRIBUTION TREATED**

**Water type: G**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\* 999

\*Testing interval is in months;  
 0 = No data for this constituent and is DUE NOW  
 I = Invalid (NOT) valid analyses reported  
 Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910148**

**System Name: SIERRA MADRE-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

**PS Code: 1910148-013**

**Source Name: FANE STREET-FLUORIDE MONITORING**

**Source Number: 013**

**Source Status: DISTRIBUTION TREATED**

**Water type: G**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

**PS Code: 1910148-019**

**Source Name: WELLS 05 & 06 - NITRATE BLEND**

**Source Number: 019**

**Source Status: COMBINATION OR BLEND TREATED**

**Water type: G**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

**PS Code: 1910148-020**

**Source Name: GAC A1-50 PERCENT PORT**

**Source Number: 020**

**Source Status: ACTIVE TREATED**

**Water type: G**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

**PS Code: 1910148-021**

**Source Name: GAC A2-50 PERCENT PORT**

**Source Number: 021**

**Source Status: ACTIVE TREATED**

**Water type: G**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

\*Testing interval is in months;  
0 = No data for this constituent and is DUE NOW  
I = Invalid (NOT) valid analyses reported  
Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910148**

**System Name: SIERRA MADRE-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

**PS Code: 1910148-022**

**Source Name: GAC A3-50 PERCENT PORT**

**Source Number: 022**

**Source Status: ACTIVE TREATED**

**Water type: G**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

**PS Code: 1910148-023**

**Source Name: GAC A4-50 PERCENT PORT**

**Source Number: 023**

**Source Status: ACTIVE TREATED**

**Water type: G**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

**PS Code: 1910148-024**

**Source Name: GAC A5-50 PERCENT PORT**

**Source Number: 024**

**Source Status: ACTIVE TREATED**

**Water type: G**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

**PS Code: 1910148-025**

**Source Name: GAC A1-75 PERCENT PORT**

**Source Number: 025**

**Source Status: ACTIVE TREATED**

**Water type: G**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

\*Testing interval is in months;  
0 = No data for this constituent and is DUE NOW  
I = Invalid (NOT) valid analyses reported  
Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910148**

**System Name: SIERRA MADRE-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

**PS Code: 1910148-026**

**Source Name: GAC A2-75 PERCENT PORT**

**Source Number: 026**

**Source Status: ACTIVE TREATED**

**Water type: G**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

**PS Code: 1910148-027**

**Source Name: GAC A3-75 PERCENT PORT**

**Source Number: 027**

**Source Status: ACTIVE TREATED**

**Water type: G**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

**PS Code: 1910148-028**

**Source Name: GAC A4-75 PERCENT PORT**

**Source Number: 028**

**Source Status: ACTIVE TREATED**

**Water type: G**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

**PS Code: 1910148-029**

**Source Name: GAC A5-75 PERCENT PORT**

**Source Number: 029**

**Source Status: ACTIVE TREATED**

**Water type: G**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

\*Testing interval is in months;  
0 = No data for this constituent and is DUE NOW  
I = Invalid (NOT) valid analyses reported  
Any analyses not listed as required for testing has been Waive (not required)



**System Number: 1910148**

**System Name: SIERRA MADRE-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

**PS Code: 1910148-030**

**Source Name: GAC A1-EFFLUENT PORT**

**Source Number: 030**

**Source Status: ACTIVE TREATED**

**Water type: G**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

**PS Code: 1910148-031**

**Source Name: GAC A2-EFFLUENT PORT**

**Source Number: 031**

**Source Status: ACTIVE TREATED**

**Water type: G**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

**PS Code: 1910148-032**

**Source Name: GAC A3-EFFLUENT PORT**

**Source Number: 032**

**Source Status: ACTIVE TREATED**

**Water type: G**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

**PS Code: 1910148-033**

**Source Name: GAC A4-EFFLUENT PORT**

**Source Number: 033**

**Source Status: ACTIVE TREATED**

**Water type: G**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

\*Testing interval is in months;  
0 = No data for this constituent and is DUE NOW  
I = Invalid (NOT) valid analyses reported  
Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910148**

**System Name: SIERRA MADRE-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

**PS Code: 1910148-034**

**Source Name: GAC A5-EFFLUENT PORT**

**Source Number: 034**

**Source Status: ACTIVE TREATED**

**Water type: G**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

**PS Code: 1910148-035**

**Source Name: COMBINED GAC FACILITY EFFLUENT**

**Source Number: 035**

**Source Status: ACTIVE TREATED**

**Water type: G**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

**PS Code: 1910148-036**

**Source Name: GAC B1-50 PERCENT PORT**

**Source Number: 036**

**Source Status: ACTIVE TREATED**

**Water type: G**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

**PS Code: 1910148-037**

**Source Name: GAC B2-50 PERCENT PORT**

**Source Number: 037**

**Source Status: ACTIVE TREATED**

**Water type: G**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

\*Testing interval is in months;  
0 = No data for this constituent and is DUE NOW  
I = Invalid (NOT) valid analyses reported  
Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910148**

**System Name: SIERRA MADRE-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

**PS Code: 1910148-038**

**Source Name: GAC B3-50 PERCENT PORT**

**Source Number: 038**

**Source Status: ACTIVE TREATED**

**Water type: G**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

**PS Code: 1910148-039**

**Source Name: GAC B4-50 PERCENT PORT**

**Source Number: 039**

**Source Status: ACTIVE TREATED**

**Water type: G**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

**PS Code: 1910148-040**

**Source Name: GAC B1-75 PERCENT PORT**

**Source Number: 040**

**Source Status: ACTIVE TREATED**

**Water type: G**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

**PS Code: 1910148-041**

**Source Name: GAC B5-50 PERCENT PORT**

**Source Number: 041**

**Source Status: ACTIVE TREATED**

**Water type: G**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

\*Testing interval is in months;  
0 = No data for this constituent and is DUE NOW  
I = Invalid (NOT) valid analyses reported  
Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910148**

**System Name: SIERRA MADRE-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

**PS Code: 1910148-042**

**Source Name: GAC B2-75 PERCENT PORT**

**Source Number: 042**

**Source Status: ACTIVE TREATED**

**Water type: G**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

**PS Code: 1910148-043**

**Source Name: GAC B3-75 PERCENT PORT**

**Source Number: 043**

**Source Status: ACTIVE TREATED**

**Water type: G**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

**PS Code: 1910148-044**

**Source Name: GAC B4-75 PERCENT PORT**

**Source Number: 044**

**Source Status: ACTIVE TREATED**

**Water type: G**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

**PS Code: 1910148-045**

**Source Name: GAC B5-75 PERCENT PORT**

**Source Number: 045**

**Source Status: ACTIVE TREATED**

**Water type: G**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

\*Testing interval is in months;  
0 = No data for this constituent and is DUE NOW  
I = Invalid (NOT) valid analyses reported  
Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910148**

**System Name: SIERRA MADRE-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

**PS Code: 1910148-046**

**Source Name: GAC B1-EFFLUENT PORT**

**Source Number: 046**

**Source Status: ACTIVE TREATED**

**Water type: G**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

**PS Code: 1910148-047**

**Source Name: GAC B2-EFFLUENT PORT**

**Source Number: 047**

**Source Status: ACTIVE TREATED**

**Water type: G**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

**PS Code: 1910148-048**

**Source Name: GAC B3-EFFLUENT PORT**

**Source Number: 048**

**Source Status: ACTIVE TREATED**

**Water type: G**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

**PS Code: 1910148-049**

**Source Name: GAC B4-EFFLUENT PORT**

**Source Number: 049**

**Source Status: ACTIVE TREATED**

**Water type: G**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

\*Testing interval is in months;  
0 = No data for this constituent and is DUE NOW  
I = Invalid (NOT) valid analyses reported  
Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910148**

**System Name: SIERRA MADRE-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

**PS Code: 1910148-050**

**Source Name: GAC B5-EFFLUENT PORT**

**Source Number: 050**

**Source Status: ACTIVE TREATED**

**Water type: G**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

**PS Code: 1910148-051**

**Source Name: COMBINED GAC FACILITY INFLUENT**

**Source Number: 051**

**Source Status: ACTIVE TREATED**

**Water type: G**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910149**

**System Name: SIGNAL HILL - CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910149-005**

**Source Name: WELL 07**

**Source Number: 005**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

ALUMINUM	01105	036	2013/04/23	< 50.000	2016/04
ANTIMONY	01097	036	2013/04/23	< 6.000	2016/04
ARSENIC	01002	036	2014/07/07	. 2.900	2017/07
BARIUM	01007	036	2013/04/23	< 100.000	2016/04
BERYLLIUM	01012	036	2013/04/23	< 1.000	2016/04
CADMIUM	01027	036	2013/04/23	< 1.000	2016/04
CHROMIUM (TOTAL)	01034	036	2013/04/23	< 10.000	2016/04
CYANIDE	01291	036	2013/04/23	< 100.000	2016/04
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/04/23	. .410	2016/04
MERCURY	71900	036	2013/04/23	< 1.000	2016/04
NICKEL	01067	036	2013/04/23	< 10.000	2016/04
PERCHLORATE	A-031	012	2014/06/16	< .000	2015/06
SELENIUM	01147	036	2013/04/23	< 5.000	2016/04
THALLIUM	01059	036	2013/04/23	< 1.000	2016/04

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	012	2014/05/15	< 2.000	2015/05
NITRITE (AS N)	00620	036	2013/05/06	< .000	2016/05

**RADIOLOGICAL**

<b>GROSS ALPHA</b>	01501	003	<b>2007/12/13</b>	1.520	<b>2008/03 DUE</b>
<b>RADIUM 226</b>	09501	003	<b>2007/12/13</b>	.080	<b>2008/03 DUE</b>
<b>RADIUM 228</b>	11501	003	<b>2007/12/13</b>	.500	<b>2008/03 DUE</b>
<b>URANIUM (PCI/L)</b>	28012	003	<b>2007/12/13</b>	< 1.000	<b>2008/03 DUE</b>

**REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	036	2011/10/21	. .000	2014/10
2,4,5-TP (SILVEX)	39045	036	2011/10/21	< 1.000	2014/10
2,4-D	39730	036	2011/10/21	< 10.000	2014/10
ALACHLOR	77825	036	2011/10/21	< 1.000	2014/10
BENTAZON	38710	036	2011/10/21	< 2.000	2014/10

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910149**

**System Name: SIGNAL HILL - CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910149-005**

**Source Name: WELL 07**

**Source Number: 005**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED SOC**

BENZO (A) PYRENE	34247	036	2011/10/21	< .100	2014/10
CARBOFURAN	81405	036	2011/10/21	< 5.000	2014/10
CHLORDANE	39350	036	2011/10/21	< .100	2014/10
DALAPON	38432	036	2011/10/21	< 10.000	2014/10
DI(2-ETHYLHEXYL)ADIPATE	A-026	036	2011/10/21	< 5.000	2014/10
DI(2-ETHYLHEXYL)PHTHALATE	39100	036	2012/04/23	< 3.000	2015/04
DINOSEB	81287	036	2011/10/21	< 2.000	2014/10
DIQUAT	78885	036	2011/10/21	< 4.000	2014/10
ENDOTHALL	38926	036	2011/10/21	< 45.000	2014/10
ENDRIN	39390	036	2011/10/21	< .100	2014/10
GLYPHOSATE	79743	036	2011/10/21	< 25.000	2014/10
HEPTACHLOR	39410	036	2011/10/21	< .010	2014/10
HEPTACHLOR EPOXIDE	39420	036	2011/10/21	< .010	2014/10
HEXACHLOROBENZENE	39700	036	2011/10/21	< .500	2014/10
HEXACHLOROCYCLOPENTADIENE	34386	036	2011/10/21	< 1.000	2014/10
LINDANE	39340	036	2011/10/21	< .200	2014/10
METHOXYCHLOR	39480	036	2011/10/21	< 10.000	2014/10
MOLINATE	82199	036	2011/10/21	< 2.000	2014/10
OXAMYL	38865	036	2011/10/21	< 20.000	2014/10
PENTACHLOROPHENOL	39032	036	2011/10/21	< .200	2014/10
PICLORAM	39720	036	2011/10/21	< 1.000	2014/10
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	036	2011/10/21	< .500	2014/10
THIOBENCARB	A-001	033	2012/04/23	< 1.000	2015/01
TOXAPHENE	39400	036	2011/10/21	< 1.000	2014/10

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	012	2013/10/22	< .500	2014/10
1,1,2,2-TETRACHLOROETHANE	34516	012	2013/10/22	< .500	2014/10
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2013/10/22	< 10.000	2014/10
1,1,2-TRICHLOROETHANE	34511	012	2013/10/22	< .500	2014/10

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)



**System Number: 1910149**

**System Name: SIGNAL HILL - CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910149-005**

**Source Name: WELL 07**

**Source Number: 005**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED VOC**

1,1-DICHLOROETHANE	34496	012	2013/10/22	< .500	2014/10
1,1-DICHLOROETHYLENE	34501	012	2013/10/22	< .500	2014/10
1,2,4-TRICHLOROBENZENE	34551	012	2013/10/22	< .500	2014/10
1,2-DICHLOROBENZENE	34536	012	2013/10/22	< .500	2014/10
1,2-DICHLOROETHANE	34531	012	2013/10/22	< .500	2014/10
1,2-DICHLOROPROPANE	34541	012	2013/10/22	< .500	2014/10
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2013/10/22	< .500	2014/10
1,4-DICHLOROBENZENE	34571	012	2013/10/22	< .500	2014/10
BENZENE	34030	012	2013/10/22	< .500	2014/10
CARBON TETRACHLORIDE	32102	012	2013/10/22	< .500	2014/10
CIS-1,2-DICHLOROETHYLENE	77093	012	2013/10/22	< .500	2014/10
DICHLOROMETHANE	34423	012	2013/10/22	< .500	2014/10
ETHYLBENZENE	34371	012	2013/10/22	< .500	2014/10
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2013/10/22	< 3.000	2014/10
MONOCHLOROBENZENE	34301	012	2013/10/22	< .500	2014/10
STYRENE	77128	012	2013/10/22	< .500	2014/10
TETRACHLOROETHYLENE	34475	012	2013/10/22	< .500	2014/10
TOLUENE	34010	012	2013/10/22	< .500	2014/10
TRANS-1,2-DICHLOROETHYLENE	34546	012	2013/10/22	< .500	2014/10
TRICHLOROETHYLENE	39180	012	2013/10/22	< .500	2014/10
TRICHLOROFUOROMETHANE	34488	012	2013/10/22	< 5.000	2014/10
VINYL CHLORIDE	39175	012	2013/10/22	< .500	2014/10
XYLENES (TOTAL)	81551	012	2013/10/22	< 1.000	2014/10

**SECONDARY/GP**

BICARBONATE ALKALINITY	00440	036	2013/04/23	. 160.000	2016/04
CALCIUM	00916	036	2013/04/23	. 27.000	2016/04
CARBONATE ALKALINITY	00445	036	2013/04/23	< 2.400	2016/04
CHLORIDE	00940	036	2013/04/23	. 19.000	2016/04
COLOR	00081	036	2013/04/23	< 1.000	2016/04

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910149**

**System Name: SIGNAL HILL - CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910149-005**

**Source Name: WELL 07**

**Source Number: 005**

**Source Status: ACTIVE RAW**

**Water type: G**

**SECONDARY/GP**

COPPER	01042	036	2013/04/23	< 50.000	2016/04
FOAMING AGENTS (MBAS)	38260	036	2013/04/23	< .100	2016/04
HARDNESS (TOTAL) AS CaCO3	00900	036	2013/04/23	. 75.000	2016/04
HYDROXIDE ALKALINITY	71830	036	2013/04/23	< 1.400	2016/04
IRON	01045	036	2014/07/07	< .000	2017/07
MAGNESIUM	00927	036	2013/04/23	. 2.200	2016/04
MANGANESE	01055	036	2014/07/07	< .000	2017/07
ODOR THRESHOLD @ 60 C PH, LABORATORY	00086	036	2014/06/09	. 1.000	2017/06
PH, LABORATORY	00403	036	2013/04/23	. 8.240	2016/04
SILVER	01077	036	2013/04/23	< 10.000	2016/04
SODIUM	00929	036	2013/04/23	45.000	2016/04
SPECIFIC CONDUCTANCE	00095	036	2013/04/23	. 350.000	2016/04
SULFATE	00945	036	2013/04/23	22.000	2016/04
TOTAL DISSOLVED SOLIDS	70300	036	2013/04/23	. 220.000	2016/04
TURBIDITY, LABORATORY	82079	036	2013/04/23	. .160	2016/04
ZINC	01092	036	2013/04/23	< 50.000	2016/04

**PS Code: 1910149-006**

**Source Name: WELL 08**

**Source Number: 006**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

ALUMINUM	01105	036	2013/04/23	< 50.000	2016/04
ANTIMONY	01097	036	2013/04/23	< 6.000	2016/04
ARSENIC	01002	036	2014/07/07	. 13.000	2017/07
BARIUM	01007	036	2013/04/23	150.000	2016/04
BERYLLIUM	01012	036	2013/04/23	< 1.000	2016/04
CADMIUM	01027	036	2013/04/23	< 1.000	2016/04

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910149**

**System Name: SIGNAL HILL - CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910149-006**

**Source Name: WELL 08**

**Source Number: 006**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

CHROMIUM (TOTAL)	01034	036	2013/04/23	< 10.000	2016/04
CYANIDE	01291	036	2013/04/23	< 100.000	2016/04
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/04/23	.360	2016/04
MERCURY	71900	036	2013/04/23	< 1.000	2016/04
NICKEL	01067	036	2013/04/23	< 10.000	2016/04
PERCHLORATE	A-031	012	2014/06/16	< .000	2015/06
SELENIUM	01147	036	2013/04/23	< 5.000	2016/04
THALLIUM	01059	036	2013/04/23	< 1.000	2016/04

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	012	2014/04/21	< 2.000	2015/04
NITRITE (AS N)	00620	036	2013/05/06	< .000	2016/05

**RADIOLOGICAL**

<b>GROSS ALPHA</b>	01501	003	2007/12/13	1.520	2008/03	<b>DUE</b>
<b>RADIUM 226</b>	09501	003	2007/12/13	.160	2008/03	<b>DUE</b>
<b>RADIUM 228</b>	11501	003	2007/12/13	.500	2008/03	<b>DUE</b>
<b>URANIUM (PCI/L)</b>	28012	003	2007/12/13	< 1.000	2008/03	<b>DUE</b>

**REGULATED SOC**

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2013/10/22	< 3.000	2016/07
THIOBENCARB	A-001	033	2013/10/22	< 1.000	2016/07

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	012	2014/04/21	< .500	2015/04
1,1,2,2-TETRACHLOROETHANE	34516	012	2014/04/21	< .500	2015/04
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/04/21	< 10.000	2015/04
1,1,2-TRICHLOROETHANE	34511	012	2014/04/21	< .500	2015/04
1,1-DICHLOROETHANE	34496	012	2014/04/21	< .500	2015/04
1,1-DICHLOROETHYLENE	34501	012	2014/04/21	< .500	2015/04
1,2,4-TRICHLOROBENZENE	34551	012	2014/04/21	< .500	2015/04
1,2-DICHLOROBENZENE	34536	012	2014/04/21	< .500	2015/04

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910149**

**System Name: SIGNAL HILL - CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910149-006**

**Source Name: WELL 08**

**Source Number: 006**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED VOC**

1,2-DICHLOROETHANE	34531	012	2014/04/21	< .500	2015/04
1,2-DICHLOROPROPANE	34541	012	2014/04/21	< .500	2015/04
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/04/21	< .500	2015/04
1,4-DICHLOROBENZENE	34571	012	2014/04/21	< .500	2015/04
BENZENE	34030	012	2014/04/21	< .500	2015/04
CARBON TETRACHLORIDE	32102	012	2014/04/21	< .500	2015/04
CIS-1,2-DICHLOROETHYLENE	77093	012	2014/04/21	< .500	2015/04
DICHLOROMETHANE	34423	012	2014/04/21	< .500	2015/04
ETHYLBENZENE	34371	012	2014/04/21	< .500	2015/04
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/04/21	< 3.000	2015/04
MONOCHLOROBENZENE	34301	012	2014/04/21	< .500	2015/04
STYRENE	77128	012	2014/04/21	< .500	2015/04
TETRACHLOROETHYLENE	34475	012	2014/04/21	< .500	2015/04
TOLUENE	34010	012	2014/04/21	< .500	2015/04
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/04/21	< .500	2015/04
TRICHLOROETHYLENE	39180	012	2014/04/21	< .500	2015/04
TRICHLOROFUOROMETHANE	34488	012	2014/04/21	< 5.000	2015/04
VINYL CHLORIDE	39175	012	2014/04/21	< .500	2015/04
XYLENES (TOTAL)	81551	012	2014/04/21	< .000	2015/04

**SECONDARY/GP**

BICARBONATE ALKALINITY	00440	036	2013/04/23	. 180.000	2016/04
CALCIUM	00916	036	2013/04/23	. 47.000	2016/04
CARBONATE ALKALINITY	00445	036	2013/04/23	< 2.400	2016/04
CHLORIDE	00940	036	2013/04/23	. 23.000	2016/04
COLOR	00081	036	2013/04/23	< 1.000	2016/04
COPPER	01042	036	2013/04/23	< 50.000	2016/04
FOAMING AGENTS (MBAS)	38260	036	2013/04/23	< .100	2016/04
HARDNESS (TOTAL) AS CaCO3	00900	036	2013/04/23	. 130.000	2016/04
HYDROXIDE ALKALINITY	71830	036	2013/04/23	< 1.400	2016/04

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910149**

**System Name: SIGNAL HILL - CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910149-006**

**Source Name: WELL 08**

**Source Number: 006**

**Source Status: ACTIVE RAW**

**Water type: G**

**SECONDARY/GP**

IRON	01045	036	2014/07/07	< .000	2017/07
MAGNESIUM	00927	036	2013/04/23	. 3.900	2016/04
MANGANESE	01055	036	2014/07/07	. 32.000	2017/07
ODOR THRESHOLD @ 60 C	00086	036	2014/06/09	. 1.000	2017/06
PH, LABORATORY	00403	036	2013/04/23	. 8.090	2016/04
SILVER	01077	036	2013/04/23	< 10.000	2016/04
SODIUM	00929	036	2013/04/23	44.000	2016/04
SPECIFIC CONDUCTANCE	00095	036	2013/04/23	. 440.000	2016/04
SULFATE	00945	036	2013/04/23	41.000	2016/04
TOTAL DISSOLVED SOLIDS	70300	036	2013/04/23	. 290.000	2016/04
TURBIDITY, LABORATORY	82079	036	2013/04/23	< .100	2016/04
ZINC	01092	036	2013/04/23	< 50.000	2016/04

**PS Code: 1910149-007**

**Source Name: MWD CONNECTION CB-19 - TREATED**

**Source Number: 007**

**Source Status: PURCHASED TREATED**

**Water type: S**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\* 999

**PS Code: 1910149-012**

**Source Name: FILTER EFFLUENT 1**

**Source Number: 012**

**Source Status: ACTIVE TREATED**

**Water type: S**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\* 999

\*Testing interval is in months;  
 0 = No data for this constituent and is DUE NOW  
 I = Invalid (NOT) valid analyses reported  
 Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910149**

**System Name: SIGNAL HILL - CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910149-013**

**Source Name: FILTER EFFLUENT 2**

**Source Number: 013**

**Source Status: ACTIVE TREATED**

**Water type: S**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

**PS Code: 1910149-014**

**Source Name: COMBINED FILTER EFFLUENT (1 AND 2)**

**Source Number: 014**

**Source Status: COMBINATION OR BLEND TREATED**

**Water type: S**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

**PS Code: 1910149-015**

**Source Name: WELL 09 - PENDING**

**Source Number: 015**

**Source Status: PENDING**

**Water type: G**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

**PS Code: 1910149-800**

**Source Name: SITE 1-2380 AMELIA CT-STG2 DBP**

**Source Number: 800**

**Source Status: DISTRIBUTION TREATED**

**Water type: S**

**HALOACETIC ACIDS**

DIBROMOACETIC ACID (DBAA)	82721	003	2014/05/19	. 3.800	2014/08
DICHLOROACETIC ACID (DCAA)	77288	003	2014/05/19	. 7.300	2014/08
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/05/19	. 14.800	2014/08
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/05/19	< .000	2014/08
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/05/19	< .000	2014/08

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910149**

**System Name: SIGNAL HILL - CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910149-800**

**Source Name: SITE 1-2380 AMELIA CT-STG2 DBP**

**Source Number: 800**

**Source Status: DISTRIBUTION TREATED**

**Water type: S**

**HALOACETIC ACIDS**

TRICHLOROACETIC ACID (TCAA)	82723	003	2014/05/19	. 3.700	2014/08
-----------------------------	-------	-----	------------	---------	---------

**STATE UCMR**

BROMODICHLORMETHANE (THM)	32101	003	2014/05/19	. 8.000	2014/08
BROMOFORM (THM)	32104	003	2014/05/19	. 2.800	2014/08
CHLOROFORM (THM)	32106	003	2014/05/19	. 8.400	2014/08
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/05/19	. 6.600	2014/08

**TRIHALOMETHANES**

TOTAL TRIHALOMETHANES	82080	003	2014/05/19	. 25.800	2014/08
-----------------------	-------	-----	------------	----------	---------

**PS Code: 1910149-801**

**Source Name: SITE 2-2145 BAY VIEW DR-STG2 DBP**

**Source Number: 801**

**Source Status: DISTRIBUTION TREATED**

**Water type: S**

**HALOACETIC ACIDS**

DIBROMOACETIC ACID (DBAA)	82721	003	2014/05/19	. 4.000	2014/08
DICHLOROACETIC ACID (DCAA)	77288	003	2014/05/19	. 8.500	2014/08
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/05/19	. 16.700	2014/08
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/05/19	< .000	2014/08
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/05/19	< .000	2014/08
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/05/19	. 4.200	2014/08

**STATE UCMR**

BROMODICHLORMETHANE (THM)	32101	003	2014/05/19	. 9.000	2014/08
BROMOFORM (THM)	32104	003	2014/05/19	. 3.100	2014/08
CHLOROFORM (THM)	32106	003	2014/05/19	. 9.900	2014/08
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/05/19	. 7.400	2014/08

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910149**

**System Name: SIGNAL HILL - CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910149-801**

**Source Name: SITE 2-2145 BAY VIEW DR-STG2 DBP**

**Source Number: 801**

**Source Status: DISTRIBUTION TREATED**

**Water type: S**

**TRihalOMETHANES**

TOTAL TRIHALOMETHANES	82080	003	2014/05/19	. 29.400	2014/08
-----------------------	-------	-----	------------	----------	---------

**PS Code: 1910149-802**

**Source Name: SITE 3-2854 E 19TH ST-STG2 DBP**

**Source Number: 802**

**Source Status: DISTRIBUTION TREATED**

**Water type: S**

**HALOACETIC ACIDS**

DIBROMOACETIC ACID (DBAA)	82721	003	2014/05/19	. 3.400	2014/08
DICHLOROACETIC ACID (DCAA)	77288	003	2014/05/19	. 9.200	2014/08
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/05/19	. 17.800	2014/08
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/05/19	< .000	2014/08
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/05/19	< .000	2014/08
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/05/19	. 5.200	2014/08

**STATE UCMR**

BROMODICHLORMETHANE (THM)	32101	003	2014/05/19	. 10.200	2014/08
BROMOFORM (THM)	32104	003	2014/05/19	. 3.100	2014/08
CHLOROFORM (THM)	32106	003	2014/05/19	. 11.000	2014/08
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/05/19	. 7.600	2014/08

**TRihalOMETHANES**

TOTAL TRIHALOMETHANES	82080	003	2014/05/19	. 31.900	2014/08
-----------------------	-------	-----	------------	----------	---------

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)



**System Number: 1910149**

**System Name: SIGNAL HILL - CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

**PS Code: 1910149-803**

**Source Name: SITE 4-1941 STANLEY AVE-STG2 DBP**

**Source Number: 803**

**Source Status: DISTRIBUTION TREATED**

**Water type: S**

**HALOACETIC ACIDS**

DIBROMOACETIC ACID (DBAA)	82721	003	2014/05/19	. 3.400	2014/08
DICHLOROACETIC ACID (DCAA)	77288	003	2014/05/19	. 9.600	2014/08
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/05/19	. 18.300	2014/08
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/05/19	< .000	2014/08
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/05/19	< .000	2014/08
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/05/19	. 5.300	2014/08

**STATE UCMR**

BROMODICHLORMETHANE (THM)	32101	003	2014/05/19	. 10.000	2014/08
BROMOFORM (THM)	32104	003	2014/05/19	. 3.100	2014/08
CHLOROFORM (THM)	32106	003	2014/05/19	. 11.000	2014/08
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/05/19	. 7.300	2014/08

**TRIHALOMETHANES**

TOTAL TRIHALOMETHANES	82080	003	2014/05/19	. 31.400	2014/08
-----------------------	-------	-----	------------	----------	---------

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910159**

**System Name: TRACT 180 MUTUAL WATER CO.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910159-004**

**Source Name: WELL 05**

**Source Number: 004**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

ALUMINUM	01105	036	2014/04/15	< 50.000	2017/04
ANTIMONY	01097	036	2014/04/15	< 6.000	2017/04
ARSENIC	01002	036	2014/04/15	. 2.100	2017/04
BARIUM	01007	036	2014/04/15	. 140.000	2017/04
BERYLLIUM	01012	036	2014/04/15	< 1.000	2017/04
CADMIUM	01027	036	2014/04/15	< 1.000	2017/04
CHROMIUM (TOTAL)	01034	036	2014/04/15	< 10.000	2017/04
CYANIDE	01291	036	2014/04/15	< 100.000	2017/04
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/04/15	. .360	2017/04
MERCURY	71900	036	2014/04/15	< 1.000	2017/04
NICKEL	01067	036	2014/04/15	< 10.000	2017/04
PERCHLORATE	A-031	012	2014/04/15	< 4.000	2015/04
SELENIUM	01147	036	2014/04/15	< 5.000	2017/04
THALLIUM	01059	036	2014/04/15	< 1.000	2017/04

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	012	2014/04/15	. 9.700	2015/04
NITRITE (AS N)	00620	036	2014/04/15	< 400.000	2017/04

**RADIOLOGICAL**

GROSS ALPHA	01501	003	2014/04/15	< 3.000	2014/07
<b>RADIUM 226</b>	09501	003	<b>2009/08/18</b>	<b>.370</b>	<b>2009/11 DUE</b>
RADIUM 228	11501	003	2014/04/15	. .000	2014/07
URANIUM (PCI/L)	28012	003	2014/04/15	. 2.700	2014/07

**REGULATED SOC**

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2012/07/19	< 3.000	2015/04
THIOBENCARB	A-001	033	2012/07/19	< 1.000	2015/04

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	012	2014/04/15	< .500	2015/04
1,1,2,2-TETRACHLOROETHANE	34516	012	2014/04/15	< .500	2015/04

\*Testing interval is in months;  
 0 = No data for this constituent and is DUE NOW  
 I = Invalid (NOT) valid analyses reported  
 Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910159**

**System Name: TRACT 180 MUTUAL WATER CO.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910159-004**

**Source Name: WELL 05**

**Source Number: 004**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED VOC**

1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/04/15	< 10.000	2015/04
1,1,2-TRICHLOROETHANE	34511	012	2014/04/15	< .500	2015/04
1,1-DICHLOROETHANE	34496	012	2014/04/15	< .500	2015/04
1,1-DICHLOROETHYLENE	34501	012	2014/04/15	. .600	2015/04
1,2,4-TRICHLOROBENZENE	34551	012	2014/04/15	< .500	2015/04
1,2-DICHLOROBENZENE	34536	012	2014/04/15	< .500	2015/04
1,2-DICHLOROETHANE	34531	012	2014/04/15	< .500	2015/04
1,2-DICHLOROPROPANE	34541	012	2014/04/15	< .500	2015/04
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/04/15	< .500	2015/04
1,4-DICHLOROBENZENE	34571	012	2014/04/15	< .500	2015/04
BENZENE	34030	012	2014/04/15	< .500	2015/04
CARBON TETRACHLORIDE	32102	012	2014/04/15	< .500	2015/04
CIS-1,2-DICHLOROETHYLENE	77093	012	2014/04/15	< .500	2015/04
DICHLOROMETHANE	34423	012	2014/04/15	< .500	2015/04
ETHYLBENZENE	34371	012	2014/04/15	< .500	2015/04
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/04/15	< 3.000	2015/04
MONOCHLOROBENZENE	34301	012	2014/04/15	< .500	2015/04
STYRENE	77128	012	2014/04/15	< .500	2015/04
TETRACHLOROETHYLENE	34475	012	2014/04/15	. 1.500	2015/04
TOLUENE	34010	012	2014/04/15	< .500	2015/04
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/04/15	< .500	2015/04
TRICHLOROETHYLENE	39180	012	2014/04/15	. 4.700	2015/04
TRICHLOROFUOROMETHANE	34488	012	2014/04/15	< 5.000	2015/04
VINYL CHLORIDE	39175	012	2014/04/15	< .500	2015/04
XYLENES (TOTAL)	81551	012	2014/04/15	< .000	2015/04

**SECONDARY/GP**

BICARBONATE ALKALINITY	00440	036	2014/04/15	. 220.000	2017/04
CALCIUM	00916	036	2014/04/15	. 79.000	2017/04
CARBONATE ALKALINITY	00445	036	2014/04/15	< .000	2017/04

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910159**

**System Name: TRACT 180 MUTUAL WATER CO.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910159-004**

**Source Name: WELL 05**

**Source Number: 004**

**Source Status: ACTIVE RAW**

**Water type: G**

**SECONDARY/GP**

CHLORIDE	00940	036	2014/04/15	. 60.000	2017/04
COLOR	00081	036	2014/04/15	< .000	2017/04
COPPER	01042	036	2014/04/15	< 50.000	2017/04
FOAMING AGENTS (MBAS)	38260	036	2014/04/15	< .000	2017/04
HARDNESS (TOTAL) AS CaCO3	00900	036	2014/04/15	. 280.000	2017/04
HYDROXIDE ALKALINITY	71830	036	2014/04/15	< .000	2017/04
IRON	01045	036	2014/04/15	< 100.000	2017/04
MAGNESIUM	00927	036	2014/04/15	. 20.000	2017/04
MANGANESE	01055	036	2014/04/15	< 20.000	2017/04
ODOR THRESHOLD @ 60 C	00086	036	2014/04/15	. 1.000	2017/04
PH, LABORATORY	00403	036	2014/04/15	. 7.580	2017/04
SILVER	01077	036	2014/04/15	< 10.000	2017/04
SODIUM	00929	036	2014/04/15	. 48.000	2017/04
SPECIFIC CONDUCTANCE	00095	036	2014/04/15	. 750.000	2017/04
SULFATE	00945	036	2014/04/15	. 130.000	2017/04
TOTAL DISSOLVED SOLIDS	70300	036	2014/04/15	. 450.000	2017/04
TURBIDITY, LABORATORY	82079	036	2014/04/15	< .000	2017/04
ZINC	01092	036	2014/04/15	< 50.000	2017/04

**PS Code: 1910159-005**

**Source Name: WELL 06**

**Source Number: 005**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

ALUMINUM	01105	036	2013/05/20	< 50.000	2016/05
ANTIMONY	01097	036	2013/05/20	< 6.000	2016/05
ARSENIC	01002	036	2013/05/20	< 2.000	2016/05
BARIUM	01007	036	2013/05/20	130.000	2016/05

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: **1910159**

System Name: **TRACT 180 MUTUAL WATER CO.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: **1910159-005**

Source Name: **WELL 06**

Source Number: **005**

Source Status: **ACTIVE RAW**

Water type: **G**

**INORGANIC**

BERYLLIUM	01012	036	2013/05/20	< 1.000	2016/05
CADMIUM	01027	036	2013/05/20	< 1.000	2016/05
CHROMIUM (TOTAL)	01034	036	2013/05/20	< 10.000	2016/05
CYANIDE	01291	036	2013/05/20	< 100.000	2016/05
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/05/20	.290	2016/05
MERCURY	71900	036	2013/05/20	< 1.000	2016/05
NICKEL	01067	036	2013/05/20	< 10.000	2016/05
PERCHLORATE	A-031	012	2014/04/15	< 4.000	2015/04
SELENIUM	01147	036	2013/05/20	< 5.000	2016/05
THALLIUM	01059	036	2013/05/20	< 1.000	2016/05

**NITRATE/NITRITE**

<b>NITRATE (AS NO3)</b>	71850	012	<b>2013/05/20</b>	. 6.300	<b>2014/05</b>	<b>DUE</b>
NITRITE (AS N)	00620	036	2013/05/20	< 400.000	2016/05	

**RADIOLOGICAL**

<b>GROSS ALPHA</b>	01501	003	<b>2013/05/20</b>	. 1.160	<b>2013/08</b>	<b>DUE</b>
<b>RADIUM 226</b>	09501	003	<b>2007/10/19</b>	.210	<b>2008/01</b>	<b>DUE</b>
<b>RADIUM 228</b>	11501	003	<b>2013/05/20</b>	.000	<b>2013/08</b>	<b>DUE</b>
<b>URANIUM (PCI/L)</b>	28012	003	<b>2013/05/20</b>	< 1.000	<b>2013/08</b>	<b>DUE</b>

**REGULATED SOC**

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2013/08/20	< 3.000	2016/05
THIOBENCARB	A-001	033	2013/08/20	< 1.000	2016/05

**REGULATED VOC**

<b>1,1,1-TRICHLOROETHANE</b>	34506	012	<b>2013/05/20</b>	< .500	<b>2014/05</b>	<b>DUE</b>
<b>1,1,2,2-TETRACHLOROETHANE</b>	34516	012	<b>2013/05/20</b>	< .500	<b>2014/05</b>	<b>DUE</b>
<b>1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE</b>	81611	012	<b>2013/05/20</b>	< 10.000	<b>2014/05</b>	<b>DUE</b>
<b>1,1,2-TRICHLOROETHANE</b>	34511	012	<b>2013/05/20</b>	< .500	<b>2014/05</b>	<b>DUE</b>
<b>1,1-DICHLOROETHANE</b>	34496	012	<b>2013/05/20</b>	< .500	<b>2014/05</b>	<b>DUE</b>
<b>1,1-DICHLOROETHYLENE</b>	34501	012	<b>2013/05/20</b>	< .500	<b>2014/05</b>	<b>DUE</b>

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910159**

**System Name: TRACT 180 MUTUAL WATER CO.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910159-005**

**Source Name: WELL 06**

**Source Number: 005**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED VOC**

1,2,4-TRICHLOROBENZENE	34551	012	2013/05/20	< .500	2014/05	DUE
1,2-DICHLOROBENZENE	34536	012	2013/05/20	< .500	2014/05	DUE
1,2-DICHLOROETHANE	34531	012	2013/05/20	< .500	2014/05	DUE
1,2-DICHLOROPROPANE	34541	012	2013/05/20	< .500	2014/05	DUE
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2013/05/20	< .500	2014/05	DUE
1,4-DICHLOROBENZENE	34571	012	2013/05/20	< .500	2014/05	DUE
BENZENE	34030	012	2013/05/20	< .500	2014/05	DUE
CARBON TETRACHLORIDE	32102	012	2013/05/20	< .500	2014/05	DUE
CIS-1,2-DICHLOROETHYLENE	77093	012	2013/05/20	< .500	2014/05	DUE
DICHLOROMETHANE	34423	012	2013/05/20	< .500	2014/05	DUE
ETHYLBENZENE	34371	012	2013/05/20	< .500	2014/05	DUE
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2013/05/20	< 3.000	2014/05	DUE
MONOCHLOROBENZENE	34301	012	2013/05/20	< .500	2014/05	DUE
STYRENE	77128	012	2013/05/20	< .500	2014/05	DUE
TETRACHLOROETHYLENE	34475	012	2014/04/15	. 2.000	2015/04	
TOLUENE	34010	012	2013/05/20	< .500	2014/05	DUE
TRANS-1,2-DICHLOROETHYLENE	34546	012	2013/05/20	< .500	2014/05	DUE
TRICHLOROETHYLENE	39180	012	2013/05/20	< .500	2014/05	DUE
TRICHLOROFLUOROMETHANE	34488	012	2013/05/20	< 5.000	2014/05	DUE
VINYL CHLORIDE	39175	012	2013/05/20	< .500	2014/05	DUE
XYLENES (TOTAL)	81551	012	2013/05/20	< 1.000	2014/05	DUE

**SECONDARY/GP**

BICARBONATE ALKALINITY	00440	036	2013/05/20	. 200.000	2016/05	
CALCIUM	00916	036	2013/05/20	. 64.000	2016/05	
CARBONATE ALKALINITY	00445	036	2013/05/20	< 2.400	2016/05	
CHLORIDE	00940	036	2013/05/20	. 46.000	2016/05	
COLOR	00081	036	2014/04/15	< .000	2017/04	
COPPER	01042	036	2013/05/20	< 50.000	2016/05	
FOAMING AGENTS (MBAS)	38260	036	2013/05/20	< .100	2016/05	

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910159**

**System Name: TRACT 180 MUTUAL WATER CO.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910159-005**

**Source Name: WELL 06**

**Source Number: 005**

**Source Status: ACTIVE RAW**

**Water type: G**

**SECONDARY/GP**

HARDNESS (TOTAL) AS CaCO3	00900	036	2013/05/20	. 220.000	2016/05
HYDROXIDE ALKALINITY	71830	036	2013/05/20	< 1.400	2016/05
IRON	01045	036	2014/04/15	< 100.000	2017/04
MAGNESIUM	00927	036	2013/05/20	. 14.000	2016/05
MANGANESE	01055	036	2014/04/15	< 20.000	2017/04
ODOR THRESHOLD @ 60 C	00086	036	2014/03/28	. 1.000	2017/03
PH, LABORATORY	00403	036	2014/03/28	. 7.770	2017/03
SILVER	01077	036	2013/05/20	< 10.000	2016/05
SODIUM	00929	036	2013/05/20	48.000	2016/05
SPECIFIC CONDUCTANCE	00095	036	2013/05/20	. 620.000	2016/05
SULFATE	00945	036	2013/05/20	92.000	2016/05
TOTAL DISSOLVED SOLIDS	70300	036	2013/05/20	. 420.000	2016/05
TURBIDITY, LABORATORY	82079	036	2014/04/15	< .000	2017/04
ZINC	01092	036	2013/05/20	< 50.000	2016/05

**PS Code: 1910159-800**

**Source Name: SITE 1-5075 CECILIA STREET-STG2 DBP**

**Source Number: 800**

**Source Status: DISTRIBUTION TREATED**

**Water type: G**

**HALOACETIC ACIDS**

DIBROMOACETIC ACID (DBAA)	82721	003	2014/05/07	. 1.800	2014/08
DICHLOROACETIC ACID (DCAA)	77288	003	2014/05/07	< .000	2014/08
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/05/07	. 1.800	2014/08
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/05/07	< .000	2014/08
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/05/07	< .000	2014/08
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/05/07	< .000	2014/08

**STATE UCMR**

BROMODICHLORMETHANE (THM)	32101	003	2014/05/07	< .000	2014/08
---------------------------	-------	-----	------------	--------	---------

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910159**

**System Name: TRACT 180 MUTUAL WATER CO.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910159-800**

**Source Name: SITE 1-5075 CECILIA STREET-STG2 DBP**

**Source Number: 800**

**Source Status: DISTRIBUTION TREATED**

**Water type: G**

**STATE UCMR**

BROMOFORM (THM)	32104	003	2014/05/07	. 3.800	2014/08
CHLOROFORM (THM)	32106	003	2014/05/07	< .000	2014/08
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/05/07	. 2.200	2014/08

**TRIHALOMETHANES**

TOTAL TRIHALOMETHANES	82080	003	2014/05/07	. 6.000	2014/08
-----------------------	-------	-----	------------	---------	---------

**PS Code: 1910159-801**

**Source Name: SITE 2-5110 FLORENCE AVENUE-STG2 DBP**

**Source Number: 801**

**Source Status: DISTRIBUTION TREATED**

**Water type: G**

**HALOACETIC ACIDS**

DIBROMOACETIC ACID (DBAA)	82721	003	2014/05/07	. 1.500	2014/08
DICHLOROACETIC ACID (DCAA)	77288	003	2014/05/07	< .000	2014/08
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/05/07	. 1.500	2014/08
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/05/07	< .000	2014/08
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/05/07	< .000	2014/08
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/05/07	< .000	2014/08

**STATE UCMR**

BROMODICHLORMETHANE (THM)	32101	003	2014/05/07	< .000	2014/08
BROMOFORM (THM)	32104	003	2014/05/07	. 2.600	2014/08
CHLOROFORM (THM)	32106	003	2014/05/07	< .000	2014/08
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/05/07	. 1.300	2014/08

**TRIHALOMETHANES**

TOTAL TRIHALOMETHANES	82080	003	2014/05/07	. 3.900	2014/08
-----------------------	-------	-----	------------	---------	---------

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)



**System Number: 1910159**

**System Name: TRACT 180 MUTUAL WATER CO.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910159-802**

**Source Name: SITE 3-5035 SANTA ANA STREET-STG2 DBP**

**Source Number: 802**

**Source Status: DISTRIBUTION TREATED**

**Water type: G**

**HALOACETIC ACIDS**

DIBROMOACETIC ACID (DBAA)	82721	003	2014/05/07	. 1.400	2014/08
DICHLOROACETIC ACID (DCAA)	77288	003	2014/05/07	< .000	2014/08
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/05/07	. 1.400	2014/08
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/05/07	< .000	2014/08
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/05/07	< .000	2014/08
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/05/07	< .000	2014/08

**STATE UCMR**

BROMODICHLORMETHANE (THM)	32101	003	2014/05/07	< .000	2014/08
BROMOFORM (THM)	32104	003	2014/05/07	. 3.300	2014/08
CHLOROFORM (THM)	32106	003	2014/05/07	< .000	2014/08
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/05/07	. 2.000	2014/08

**TRIHALOMETHANES**

TOTAL TRIHALOMETHANES	82080	003	2014/05/07	. 5.300	2014/08
-----------------------	-------	-----	------------	---------	---------

**PS Code: 1910159-803**

**Source Name: SITE 4-7520 WILCOX AVENUE-STG2 DBP**

**Source Number: 803**

**Source Status: DISTRIBUTION TREATED**

**Water type: G**

**HALOACETIC ACIDS**

DIBROMOACETIC ACID (DBAA)	82721	003	2014/05/07	. 1.700	2014/08
DICHLOROACETIC ACID (DCAA)	77288	003	2014/05/07	< .000	2014/08
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/05/07	. 1.700	2014/08
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/05/07	< .000	2014/08
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/05/07	< .000	2014/08
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/05/07	< .000	2014/08

**STATE UCMR**

BROMODICHLORMETHANE (THM)	32101	003	2014/05/07	< .000	2014/08
---------------------------	-------	-----	------------	--------	---------

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910159**

**System Name: TRACT 180 MUTUAL WATER CO.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

**PS Code: 1910159-803**

**Source Name: SITE 4-7520 WILCOX AVENUE-STG2 DBP**

**Source Number: 803**

**Source Status: DISTRIBUTION TREATED**

**Water type: G**

**STATE UCMR**

BROMOFORM (THM)	32104	003	2014/05/07	. 3.500	2014/08
CHLOROFORM (THM)	32106	003	2014/05/07	< .000	2014/08
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/05/07	. 1.500	2014/08

**TRIHALOMETHANES**

TOTAL TRIHALOMETHANES	82080	003	2014/05/07	. 5.000	2014/08
-----------------------	-------	-----	------------	---------	---------

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910160**

**System Name: TRACT 349 MUTUAL WATER CO.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910160-002**

**Source Name: WELL 02**

**Source Number: 002**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

ALUMINUM	01105	036	2013/04/16	< 50.000	2016/04
ANTIMONY	01097	036	2013/04/16	< 6.000	2016/04
ARSENIC	01002	036	2013/04/16	< 2.000	2016/04
BARIUM	01007	036	2013/04/16	150.000	2016/04
BERYLLIUM	01012	036	2013/04/16	< 1.000	2016/04
CADMIUM	01027	036	2013/04/16	< 1.000	2016/04
CHROMIUM (TOTAL)	01034	036	2013/04/16	< 10.000	2016/04
CYANIDE	01291	036	2013/04/16	< 100.000	2016/04
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/04/16	.400	2016/04
MERCURY	71900	036	2013/04/16	< 1.000	2016/04
NICKEL	01067	036	2013/04/16	< 10.000	2016/04
PERCHLORATE	A-031	012	2013/09/27	< 4.000	2014/09
SELENIUM	01147	036	2013/04/16	< 5.000	2016/04
THALLIUM	01059	036	2013/04/16	< 1.000	2016/04

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	012	2014/04/16	< 2.000	2015/04
NITRITE (AS N)	00620	036	2013/04/16	< 400.000	2016/04

**RADIOLOGICAL**

<b>GROSS ALPHA</b>	01501	003	2013/10/24	. 2.500	2014/01	<b>DUE</b>
<b>RADIUM 226</b>	09501	003	2007/10/19	.130	2008/01	<b>DUE</b>
RADIUM 228	11501	003	2014/04/16	. .000	2014/07	
URANIUM (PCI/L)	28012	072	2013/10/24	. 1.500	2019/10	

**REGULATED SOC**

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2012/07/12	< 3.000	2015/04
THIOBENCARB	A-001	033	2012/07/12	< 1.000	2015/04

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	012	2014/04/16	< .500	2015/04
1,1,2,2-TETRACHLOROETHANE	34516	012	2014/04/16	< .500	2015/04

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910160**

**System Name: TRACT 349 MUTUAL WATER CO.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910160-002**

**Source Name: WELL 02**

**Source Number: 002**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED VOC**

1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/04/16	< 10.000	2015/04
1,1,2-TRICHLOROETHANE	34511	012	2014/04/16	< .500	2015/04
1,1-DICHLOROETHANE	34496	012	2014/04/16	< .500	2015/04
1,1-DICHLOROETHYLENE	34501	012	2014/04/16	< .500	2015/04
1,2,4-TRICHLOROBENZENE	34551	012	2014/04/16	< .500	2015/04
1,2-DICHLOROBENZENE	34536	012	2014/04/16	< .500	2015/04
1,2-DICHLOROETHANE	34531	012	2014/04/16	< .500	2015/04
1,2-DICHLOROPROPANE	34541	012	2014/04/16	< .500	2015/04
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/04/16	< .500	2015/04
1,4-DICHLOROBENZENE	34571	012	2014/04/16	< .500	2015/04
BENZENE	34030	012	2014/04/16	< .500	2015/04
CARBON TETRACHLORIDE	32102	012	2014/04/16	< .500	2015/04
CIS-1,2-DICHLOROETHYLENE	77093	012	2014/04/16	< .500	2015/04
DICHLOROMETHANE	34423	012	2014/04/16	< .500	2015/04
ETHYLBENZENE	34371	012	2014/04/16	< .500	2015/04
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/04/16	< 3.000	2015/04
MONOCHLOROBENZENE	34301	012	2014/04/16	< .500	2015/04
STYRENE	77128	012	2014/04/16	< .500	2015/04
TETRACHLOROETHYLENE	34475	012	2014/04/16	< .500	2015/04
TOLUENE	34010	012	2014/04/16	< .500	2015/04
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/04/16	< .500	2015/04
TRICHLOROETHYLENE	39180	012	2014/04/16	. 1.100	2015/04
TRICHLOROFUOROMETHANE	34488	012	2014/04/16	< 5.000	2015/04
VINYL CHLORIDE	39175	012	2014/04/16	< .500	2015/04
XYLENES (TOTAL)	81551	012	2014/04/16	< .000	2015/04

**SECONDARY/GP**

BICARBONATE ALKALINITY	00440	036	2013/04/16	. 220.000	2016/04
CALCIUM	00916	036	2013/04/16	. 71.000	2016/04
CARBONATE ALKALINITY	00445	036	2013/04/16	< 2.400	2016/04

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910160**

**System Name: TRACT 349 MUTUAL WATER CO.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910160-002**

**Source Name: WELL 02**

**Source Number: 002**

**Source Status: ACTIVE RAW**

**Water type: G**

**SECONDARY/GP**

CHLORIDE	00940	036	2013/04/16	. 43.000	2016/04
COLOR	00081	036	2013/04/16	< 1.000	2016/04
COPPER	01042	036	2013/04/16	< 50.000	2016/04
FOAMING AGENTS (MBAS)	38260	036	2013/04/16	< .100	2016/04
HARDNESS (TOTAL) AS CaCO3	00900	036	2013/04/16	. 240.000	2016/04
HYDROXIDE ALKALINITY	71830	036	2013/04/16	< 1.400	2016/04
IRON	01045	036	2013/04/16	< 100.000	2016/04
MAGNESIUM	00927	036	2013/04/16	. 16.000	2016/04
MANGANESE	01055	036	2014/04/16	. 22.000	2017/04
ODOR THRESHOLD @ 60 C	00086	036	2013/04/16	< 1.000	2016/04
PH, LABORATORY	00403	036	2013/04/16	. 7.990	2016/04
SILVER	01077	036	2013/04/16	< 10.000	2016/04
SODIUM	00929	036	2013/04/16	49.000	2016/04
SPECIFIC CONDUCTANCE	00095	036	2013/04/16	. 620.000	2016/04
SULFATE	00945	036	2013/04/16	90.000	2016/04
TOTAL DISSOLVED SOLIDS	70300	036	2013/04/16	. 430.000	2016/04
TURBIDITY, LABORATORY	82079	036	2013/04/16	< .100	2016/04
ZINC	01092	036	2013/04/16	< 50.000	2016/04

**PS Code: 1910160-003**

**Source Name: WELL 03**

**Source Number: 003**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

ALUMINUM	01105	036	2013/04/23	< 50.000	2016/04
ANTIMONY	01097	036	2013/04/23	< 6.000	2016/04
ARSENIC	01002	036	2013/04/23	. 2.500	2016/04
BARIUM	01007	036	2013/04/23	180.000	2016/04

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910160**

**System Name: TRACT 349 MUTUAL WATER CO.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910160-003**

**Source Name: WELL 03**

**Source Number: 003**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

BERYLLIUM	01012	036	2013/04/23	< 1.000	2016/04
CADMIUM	01027	036	2013/04/23	< 1.000	2016/04
CHROMIUM (TOTAL)	01034	036	2013/04/23	< 10.000	2016/04
CYANIDE	01291	036	2013/04/23	< 100.000	2016/04
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/04/23	.290	2016/04
MERCURY	71900	036	2013/04/23	< 1.000	2016/04
NICKEL	01067	036	2013/04/23	< 10.000	2016/04
PERCHLORATE	A-031	012	2013/07/11	< 4.000	2014/07
SELENIUM	01147	036	2013/04/23	< 5.000	2016/04
THALLIUM	01059	036	2013/04/23	< 1.000	2016/04

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	012	2014/04/23	. 2.700	2015/04
NITRITE (AS N)	00620	036	2013/04/23	< 400.000	2016/04

**RADIOLOGICAL**

<b>GROSS ALPHA</b>	01501	003	<b>2008/05/23</b>	.400	<b>2008/08 DUE</b>
<b>RADIUM 226</b>	09501	003	<b>2007/10/19</b>	.150	<b>2008/01 DUE</b>
<b>RADIUM 228</b>	11501	003	<b>2009/11/23</b>	.320	<b>2010/02 DUE</b>
<b>URANIUM (PCI/L)</b>	28012	003	<b>2007/10/19</b>	< 1.000	<b>2008/01 DUE</b>

**REGULATED SOC**

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2012/07/12	< 3.000	2015/04
THIOBENCARB	A-001	033	2012/07/12	< 1.000	2015/04

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	012	2013/10/24	< .500	2014/10
1,1,2,2-TETRACHLOROETHANE	34516	012	2013/10/24	< .500	2014/10
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2013/10/24	< 10.000	2014/10
1,1,2-TRICHLOROETHANE	34511	012	2013/10/24	< .500	2014/10
1,1-DICHLOROETHANE	34496	012	2013/10/24	< .500	2014/10
1,1-DICHLOROETHYLENE	34501	012	2013/10/24	< .500	2014/10

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910160**

**System Name: TRACT 349 MUTUAL WATER CO.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910160-003**

**Source Name: WELL 03**

**Source Number: 003**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED VOC**

1,2,4-TRICHLOROENZENE	34551	012	2013/10/24	< .500	2014/10
1,2-DICHLOROENZENE	34536	012	2013/10/24	< .500	2014/10
1,2-DICHLOROETHANE	34531	012	2013/10/24	< .500	2014/10
1,2-DICHLOROPROPANE	34541	012	2013/10/24	< .500	2014/10
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2013/10/24	< .500	2014/10
1,4-DICHLOROENZENE	34571	012	2013/10/24	< .500	2014/10
BENZENE	34030	012	2013/10/24	< .500	2014/10
CARBON TETRACHLORIDE	32102	012	2013/10/24	< .500	2014/10
CIS-1,2-DICHLOROETHYLENE	77093	012	2013/10/24	< .500	2014/10
DICHLOROMETHANE	34423	012	2013/10/24	< .500	2014/10
ETHYLBENZENE	34371	012	2013/10/24	< .500	2014/10
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2013/10/24	< 3.000	2014/10
MONOCHLOROENZENE	34301	012	2013/10/24	< .500	2014/10
STYRENE	77128	012	2013/10/24	< .500	2014/10
TETRACHLOROETHYLENE	34475	012	2013/10/24	< .500	2014/10
TOLUENE	34010	012	2013/10/24	< .500	2014/10
TRANS-1,2-DICHLOROETHYLENE	34546	012	2013/10/24	< .500	2014/10
TRICHLOROETHYLENE	39180	012	2013/10/24	< .500	2014/10
TRICHLOROFUOROMETHANE	34488	012	2013/10/24	< 5.000	2014/10
VINYL CHLORIDE	39175	012	2013/10/24	< .500	2014/10
XYLENES (TOTAL)	81551	012	2013/10/24	< 1.000	2014/10

**SECONDARY/GP**

BICARBONATE ALKALINITY	00440	036	2013/04/23	. 200.000	2016/04
CALCIUM	00916	036	2013/04/23	. 57.000	2016/04
CARBONATE ALKALINITY	00445	036	2013/04/23	< 2.400	2016/04
CHLORIDE	00940	036	2013/04/23	. 46.000	2016/04
COLOR	00081	036	2013/04/23	< 1.000	2016/04
COPPER	01042	036	2013/04/23	< 50.000	2016/04
FOAMING AGENTS (MBAS)	38260	036	2013/04/23	< .100	2016/04

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910160**

**System Name: TRACT 349 MUTUAL WATER CO.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910160-003**

**Source Name: WELL 03**

**Source Number: 003**

**Source Status: ACTIVE RAW**

**Water type: G**

**SECONDARY/GP**

HARDNESS (TOTAL) AS CaCO3	00900	036	2013/04/23	. 190.000	2016/04
HYDROXIDE ALKALINITY	71830	036	2013/04/23	< 1.400	2016/04
IRON	01045	036	2013/04/23	< 100.000	2016/04
MAGNESIUM	00927	036	2013/04/23	. 11.000	2016/04
MANGANESE	01055	036	2014/04/23	. 53.000	2017/04
ODOR THRESHOLD @ 60 C	00086	036	2013/04/23	< 1.000	2016/04
PH, LABORATORY	00403	036	2013/04/23	. 7.910	2016/04
SILVER	01077	036	2013/04/23	< 10.000	2016/04
SODIUM	00929	036	2013/04/23	60.000	2016/04
SPECIFIC CONDUCTANCE	00095	036	2013/04/23	. 640.000	2016/04
SULFATE	00945	036	2013/04/23	97.000	2016/04
TOTAL DISSOLVED SOLIDS	70300	036	2013/04/23	. 400.000	2016/04
TURBIDITY, LABORATORY	82079	036	2013/04/23	< .100	2016/04
ZINC	01092	036	2013/04/23	< 50.000	2016/04

**PS Code: 1910160-004**

**Source Name: MWD CONN CB-8 THROUGH HUNTINGTON PARK**

**Source Number: 004**

**Source Status: PURCHASED TREATED**

**Water type: S**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

\*Testing interval is in months;  
 0 = No data for this constituent and is DUE NOW  
 I = Invalid (NOT) valid analyses reported  
 Any analyses not listed as required for testing has been Waive (not required)



**System Number: 1910160**

**System Name: TRACT 349 MUTUAL WATER CO.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910160-800**

**Source Name: SITE 1-4240 HARTLE STREET-STG2 DBP**

**Source Number: 800**

**Source Status: DISTRIBUTION TREATED**

**Water type: G**

**HALOACETIC ACIDS**

DIBROMOACETIC ACID (DBAA)	82721	000		DUE
DICHLOROACETIC ACID (DCAA)	77288	000		DUE
HALOACETIC ACIDS (5) (HAA5)	A-049	000		DUE
MONOBROMOACETIC ACID (MBAA)	A-041	000		DUE
MONOCHLOROACETIC ACID (MCAA)	A-042	000		DUE
TRICHLOROACETIC ACID (TCAA)	82723	000		DUE

**STATE UCMR**

BROMODICHLORMETHANE (THM)	32101	000		DUE
BROMOFORM (THM)	32104	000		DUE
CHLOROFORM (THM)	32106	000		DUE
DIBROMOCHLOROMETHANE (THM)	32105	000		DUE

**TRIHALOMETHANES**

TOTAL TRIHALOMETHANES	82080	000		DUE
-----------------------	-------	-----	--	-----

**PS Code: 1910160-801**

**Source Name: SITE 2-4004 FLORENCE AVENUE-STG2 DBP**

**Source Number: 801**

**Source Status: DISTRIBUTION TREATED**

**Water type: G**

**HALOACETIC ACIDS**

DIBROMOACETIC ACID (DBAA)	82721	000		DUE
DICHLOROACETIC ACID (DCAA)	77288	000		DUE
HALOACETIC ACIDS (5) (HAA5)	A-049	000		DUE
MONOBROMOACETIC ACID (MBAA)	A-041	000		DUE
MONOCHLOROACETIC ACID (MCAA)	A-042	000		DUE
TRICHLOROACETIC ACID (TCAA)	82723	000		DUE

**STATE UCMR**

BROMODICHLORMETHANE (THM)	32101	000		DUE
---------------------------	-------	-----	--	-----

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910160**

**System Name: TRACT 349 MUTUAL WATER CO.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

**PS Code: 1910160-801**

**Source Name: SITE 2-4004 FLORENCE AVENUE-STG2 DBP**

**Source Number: 801**

**Source Status: DISTRIBUTION TREATED**

**Water type: G**

**STATE UCMR**

<b>BROMOFORM (THM)</b>	<b>32104</b>	<b>000</b>		<b>DUE</b>
<b>CHLOROFORM (THM)</b>	<b>32106</b>	<b>000</b>		<b>DUE</b>
<b>DIBROMOCHLOROMETHANE (THM)</b>	<b>32105</b>	<b>000</b>		<b>DUE</b>

**TRIHALOMETHANES**

<b>TOTAL TRIHALOMETHANES</b>	<b>82080</b>	<b>000</b>		<b>DUE</b>
------------------------------	--------------	------------	--	------------

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: **1910165**

System Name: **VALLEY VIEW MUTUAL WATER CO.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: **1910165-001**

Source Name: **WELL 01**

Source Number: **001**

Source Status: **ACTIVE RAW**

Water type: **G**

**INORGANIC**

ALUMINUM	01105	036	2010/09/27	< .000	2013/09	DUE
ANTIMONY	01097	036	2010/09/27	< .000	2013/09	DUE
ARSENIC	01002	036	2010/09/27	< .000	2013/09	DUE
BARIUM	01007	036	2010/09/27	150.000	2013/09	DUE
BERYLLIUM	01012	036	2010/09/27	< .000	2013/09	DUE
CADMIUM	01027	036	2010/09/27	< .000	2013/09	DUE
CHROMIUM (TOTAL)	01034	036	2010/09/27	< .000	2013/09	DUE
CYANIDE	01291	036	2009/01/23	.000	2012/01	DUE
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2010/09/27	.240	2013/09	DUE
MERCURY	71900	036	2010/09/27	< .000	2013/09	DUE
NICKEL	01067	036	2010/09/27	< .000	2013/09	DUE
PERCHLORATE	A-031	012	2010/09/27	< .000	2011/09	DUE
SELENIUM	01147	036	2010/09/27	< .000	2013/09	DUE
THALLIUM	01059	036	2010/09/27	< .000	2013/09	DUE

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	012	2010/09/27	5.700	2011/09	DUE
NITRITE (AS N)	00620	036	2010/09/27	< .000	2013/09	DUE

**RADIOLOGICAL**

GROSS ALPHA	01501	003	2006/06/22	.000	2006/09	DUE
RADIUM 226	09501	003	2006/06/22	.000	2006/09	DUE
RADIUM 228	11501	003	2006/06/22	.000	2006/09	DUE
URANIUM (PCI/L)	28012	003	2006/06/22	2.000	2006/09	DUE

**REGULATED SOC**

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2003/09/02	.000	2006/06	DUE
THIOBENCARB	A-001	033	2003/09/02	.000	2006/06	DUE

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	012	2010/09/27	< .000	2011/09	DUE
1,1,2,2-TETRACHLOROETHANE	34516	012	2010/09/27	< .000	2011/09	DUE

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910165**

**System Name: VALLEY VIEW MUTUAL WATER CO.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910165-001**

**Source Name: WELL 01**

**Source Number: 001**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED VOC**

1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2010/09/27	< .000	2011/09	DUE
1,1,2-TRICHLOROETHANE	34511	012	2010/09/27	< .000	2011/09	DUE
1,1-DICHLOROETHANE	34496	012	2010/09/27	< .000	2011/09	DUE
1,1-DICHLOROETHYLENE	34501	012	2010/09/27	< .000	2011/09	DUE
1,2,4-TRICHLOROBENZENE	34551	012	2010/09/27	< .000	2011/09	DUE
1,2-DICHLOROBENZENE	34536	012	2010/09/27	< .000	2011/09	DUE
1,2-DICHLOROETHANE	34531	012	2010/09/27	< .000	2011/09	DUE
1,2-DICHLOROPROPANE	34541	012	2010/09/27	< .000	2011/09	DUE
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2010/09/27	< .000	2011/09	DUE
1,4-DICHLOROBENZENE	34571	012	2010/09/27	< .000	2011/09	DUE
BENZENE	34030	012	2010/09/27	< .000	2011/09	DUE
CARBON TETRACHLORIDE	32102	012	2010/09/27	< .000	2011/09	DUE
CIS-1,2-DICHLOROETHYLENE	77093	012	2010/09/27	< .000	2011/09	DUE
DICHLOROMETHANE	34423	012	2010/09/27	< .000	2011/09	DUE
ETHYLBENZENE	34371	012	2010/09/27	< .000	2011/09	DUE
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2010/09/27	< .000	2011/09	DUE
MONOCHLOROBENZENE	34301	012	2010/09/27	< .000	2011/09	DUE
STYRENE	77128	012	2010/09/27	< .000	2011/09	DUE
TETRACHLOROETHYLENE	34475	012	2010/09/27	< .000	2011/09	DUE
TOLUENE	34010	012	2010/09/27	< .000	2011/09	DUE
TRANS-1,2-DICHLOROETHYLENE	34546	012	2010/09/27	< .000	2011/09	DUE
TRICHLOROETHYLENE	39180	012	2010/09/27	< .000	2011/09	DUE
TRICHLOROFLUOROMETHANE	34488	012	2010/09/27	< .000	2011/09	DUE
VINYL CHLORIDE	39175	012	2010/09/27	< .000	2011/09	DUE
XYLENES (TOTAL)	81551	012	2010/09/27	< .000	2011/09	DUE

**SECONDARY/GP**

BICARBONATE ALKALINITY	00440	036	2009/01/23	240.000	2012/01	DUE
CALCIUM	00916	036	2009/01/23	67.000	2012/01	DUE
CARBONATE ALKALINITY	00445	036	2009/01/23	.000	2012/01	DUE

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910165**

**System Name: VALLEY VIEW MUTUAL WATER CO.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910165-001**

**Source Name: WELL 01**

**Source Number: 001**

**Source Status: ACTIVE RAW**

**Water type: G**

**SECONDARY/GP**

CHLORIDE	00940	036	2009/01/23	18.000	2012/01	DUE
COLOR	00081	036	2009/01/23	.000	2012/01	DUE
COPPER	01042	036	2009/01/23	.000	2012/01	DUE
FOAMING AGENTS (MBAS)	38260	036	2009/01/23	.000	2012/01	DUE
HARDNESS (TOTAL) AS CaCO3	00900	036	2009/01/23	220.000	2012/01	DUE
HYDROXIDE ALKALINITY	71830	036	2009/01/23	.000	2012/01	DUE
IRON	01045	036	2009/01/23	.000	2012/01	DUE
MAGNESIUM	00927	036	2009/01/23	13.000	2012/01	DUE
MANGANESE	01055	036	2009/01/23	.000	2012/01	DUE
ODOR THRESHOLD @ 60 C	00086	036	2009/01/23	1.000	2012/01	DUE
PH, LABORATORY	00403	036	2009/01/23	8.000	2012/01	DUE
SILVER	01077	036	2010/09/27	< .000	2013/09	DUE
SODIUM	00929	036	2009/01/23	16.000	2012/01	DUE
SPECIFIC CONDUCTANCE	00095	036	2009/01/23	470.000	2012/01	DUE
SULFATE	00945	036	2009/01/23	22.000	2012/01	DUE
TOTAL DISSOLVED SOLIDS	70300	036	2009/01/23	330.000	2012/01	DUE
TURBIDITY, LABORATORY	82079	036	2009/01/23	.400	2012/01	DUE
ZINC	01092	036	2009/01/23	.000	2012/01	DUE

**PS Code: 1910165-002**

**Source Name: WELL 02**

**Source Number: 002**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

ALUMINUM	01105	036	2013/09/12	< 50.000	2016/09
ANTIMONY	01097	036	2013/09/12	< 6.000	2016/09
ARSENIC	01002	036	2013/09/12	< 2.000	2016/09
BARIUM	01007	036	2013/09/12	150.000	2016/09

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910165**

**System Name: VALLEY VIEW MUTUAL WATER CO.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910165-002**

**Source Name: WELL 02**

**Source Number: 002**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

BERYLLIUM	01012	036	2013/09/12	< 1.000	2016/09
CADMIUM	01027	036	2013/09/12	< 1.000	2016/09
CHROMIUM (TOTAL)	01034	036	2013/09/12	< 10.000	2016/09
CYANIDE	01291	036	2013/09/12	< 100.000	2016/09
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/09/12	.280	2016/09
MERCURY	71900	036	2013/09/12	< 1.000	2016/09
NICKEL	01067	036	2013/09/12	< 10.000	2016/09
PERCHLORATE	A-031	012	2013/09/12	< 4.000	2014/09
SELENIUM	01147	036	2013/09/12	< 5.000	2016/09
THALLIUM	01059	036	2013/09/12	< 1.000	2016/09

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	012	2013/09/12	. 6.500	2014/09
NITRITE (AS N)	00620	036	2013/09/12	< 400.000	2016/09

**RADIOLOGICAL**

<b>GROSS ALPHA</b>	01501	003	<b>2006/06/22</b>	.000	<b>2006/09 DUE</b>
<b>RADIUM 226</b>	09501	003	<b>2006/06/22</b>	.000	<b>2006/09 DUE</b>
<b>RADIUM 228</b>	11501	003	<b>2006/06/22</b>	.000	<b>2006/09 DUE</b>
<b>URANIUM (PCI/L)</b>	28012	003	<b>2012/06/14</b>	. 2.200	<b>2012/09 DUE</b>

**REGULATED SOC**

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2012/12/05	< 3.000	2015/09
---------------------------	-------	-----	------------	---------	---------

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	012	2013/09/12	< .500	2014/09
1,1,2,2-TETRACHLOROETHANE	34516	012	2013/09/12	< .500	2014/09
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2013/09/12	< 10.000	2014/09
1,1,2-TRICHLOROETHANE	34511	012	2013/09/12	< .500	2014/09
1,1-DICHLOROETHANE	34496	012	2013/09/12	< .500	2014/09
1,1-DICHLOROETHYLENE	34501	012	2013/09/12	< .500	2014/09
1,2,4-TRICHLOROBENZENE	34551	012	2013/09/12	< .500	2014/09

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910165**

**System Name: VALLEY VIEW MUTUAL WATER CO.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910165-002**

**Source Name: WELL 02**

**Source Number: 002**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED VOC**

1,2-DICHLOROBENZENE	34536	012	2013/09/12	< .500	2014/09
1,2-DICHLOROETHANE	34531	012	2013/09/12	< .500	2014/09
1,2-DICHLOROPROPANE	34541	012	2013/09/12	< .500	2014/09
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2013/09/12	< .500	2014/09
1,4-DICHLOROBENZENE	34571	012	2013/09/12	< .500	2014/09
BENZENE	34030	012	2013/09/12	< .500	2014/09
CARBON TETRACHLORIDE	32102	012	2013/09/12	< .500	2014/09
CIS-1,2-DICHLOROETHYLENE	77093	012	2013/09/12	< .500	2014/09
DICHLOROMETHANE	34423	012	2013/09/12	< .500	2014/09
ETHYLBENZENE	34371	012	2013/09/12	< .500	2014/09
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2013/09/12	< 3.000	2014/09
MONOCHLOROBENZENE	34301	012	2013/09/12	< .500	2014/09
STYRENE	77128	012	2013/09/12	< .500	2014/09
TETRACHLOROETHYLENE	34475	012	2013/09/12	< .500	2014/09
TOLUENE	34010	012	2013/09/12	< .500	2014/09
TRANS-1,2-DICHLOROETHYLENE	34546	012	2013/09/12	< .500	2014/09
TRICHLOROETHYLENE	39180	012	2013/09/12	< .500	2014/09
TRICHLOROFLUOROMETHANE	34488	012	2013/09/12	< 5.000	2014/09
VINYL CHLORIDE	39175	012	2013/09/12	< .500	2014/09
XYLENES (TOTAL)	81551	012	2013/09/12	< .000	2014/09

**SECONDARY/GP**

BICARBONATE ALKALINITY	00440	036	2013/05/14	. 280.000	2016/05
CALCIUM	00916	036	2013/05/14	. 75.000	2016/05
CARBONATE ALKALINITY	00445	036	2013/05/14	< .000	2016/05
CHLORIDE	00940	036	2013/05/14	. 12.000	2016/05
COLOR	00081	036	2013/05/14	< .000	2016/05
COPPER	01042	036	2013/05/14	< .000	2016/05
FOAMING AGENTS (MBAS)	38260	036	2013/05/14	< .000	2016/05
HARDNESS (TOTAL) AS CaCO3	00900	036	2013/05/14	. 250.000	2016/05

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910165**

**System Name: VALLEY VIEW MUTUAL WATER CO.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910165-002**

**Source Name: WELL 02**

**Source Number: 002**

**Source Status: ACTIVE RAW**

**Water type: G**

**SECONDARY/GP**

HYDROXIDE ALKALINITY	71830	036	2013/05/14	< .000	2016/05
IRON	01045	036	2013/05/14	< .000	2016/05
MAGNESIUM	00927	036	2013/05/14	. 15.000	2016/05
MANGANESE	01055	036	2013/05/14	< .000	2016/05
ODOR THRESHOLD @ 60 C	00086	036	2013/05/14	1.000	2016/05
PH, LABORATORY	00403	036	2013/05/14	. 7.500	2016/05
SILVER	01077	036	2013/09/12	< 10.000	2016/09
SODIUM	00929	036	2013/05/14	16.000	2016/05
SPECIFIC CONDUCTANCE	00095	036	2013/05/14	. 490.000	2016/05
SULFATE	00945	036	2013/05/14	20.000	2016/05
TOTAL DISSOLVED SOLIDS	70300	036	2013/05/14	. 290.000	2016/05
TURBIDITY, LABORATORY	82079	036	2013/05/14	. .100	2016/05
ZINC	01092	036	2013/05/14	. 99.000	2016/05

**PS Code: 1910165-800**

**Source Name: SITE 1-4020 JERRY AVE. -STG2 DBP**

**Source Number: 800**

**Source Status: DISTRIBUTION TREATED**

**Water type: G**

**HALOACETIC ACIDS**

DIBROMOACETIC ACID (DBAA)	82721	000			DUE
DICHLOROACETIC ACID (DCAA)	77288	000			DUE
HALOACETIC ACIDS (5) (HAA5)	A-049	000			DUE
MONOBROMOACETIC ACID (MBAA)	A-041	000			DUE
MONOCHLOROACETIC ACID (MCAA)	A-042	000			DUE
TRICHLOROACETIC ACID (TCAA)	82723	000			DUE

**STATE UCMR**

BROMODICHLORMETHANE (THM)	32101	000			DUE
BROMOFORM (THM)	32104	000			DUE

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)



**System Number: 1910165**

**System Name: VALLEY VIEW MUTUAL WATER CO.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910165-800**

**Source Name: SITE 1-4020 JERRY AVE. -STG2 DBP**

**Source Number: 800**

**Source Status: DISTRIBUTION TREATED**

**Water type: G**

STATE UCMR

<b>CHLOROFORM (THM)</b>	<b>32106</b>	<b>000</b>		<b>DUE</b>
<b>DIBROMOCHLOROMETHANE (THM)</b>	<b>32105</b>	<b>000</b>		<b>DUE</b>

TRIHALOMETHANES

<b>TOTAL TRIHALOMETHANES</b>	<b>82080</b>	<b>000</b>		<b>DUE</b>
------------------------------	--------------	------------	--	------------

**PS Code: 1910165-801**

**Source Name: SITE 2-4009 HOMBROOK AVE. -STG2 DBP**

**Source Number: 801**

**Source Status: DISTRIBUTION TREATED**

**Water type: G**

HALOACETIC ACIDS

<b>DIBROMOACETIC ACID (DBAA)</b>	<b>82721</b>	<b>000</b>		<b>DUE</b>
<b>DICHLOROACETIC ACID (DCAA)</b>	<b>77288</b>	<b>000</b>		<b>DUE</b>
<b>HALOACETIC ACIDS (5) (HAA5)</b>	<b>A-049</b>	<b>000</b>		<b>DUE</b>
<b>MONOBROMOACETIC ACID (MBAA)</b>	<b>A-041</b>	<b>000</b>		<b>DUE</b>
<b>MONOCHLOROACETIC ACID (MCAA)</b>	<b>A-042</b>	<b>000</b>		<b>DUE</b>
<b>TRICHLOROACETIC ACID (TCAA)</b>	<b>82723</b>	<b>000</b>		<b>DUE</b>

STATE UCMR

<b>BROMODICHLORMETHANE (THM)</b>	<b>32101</b>	<b>000</b>		<b>DUE</b>
<b>BROMOFORM (THM)</b>	<b>32104</b>	<b>000</b>		<b>DUE</b>
<b>CHLOROFORM (THM)</b>	<b>32106</b>	<b>000</b>		<b>DUE</b>
<b>DIBROMOCHLOROMETHANE (THM)</b>	<b>32105</b>	<b>000</b>		<b>DUE</b>

TRIHALOMETHANES

<b>TOTAL TRIHALOMETHANES</b>	<b>82080</b>	<b>000</b>		<b>DUE</b>
------------------------------	--------------	------------	--	------------

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910169**

**System Name: WALNUT PARK MUTUAL WATER CO.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910169-003**

**Source Name: WELL 10**

**Source Number: 003**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

ALUMINUM	01105	036	2012/01/19	< 50.000	2015/01
ANTIMONY	01097	036	2012/01/19	< 6.000	2015/01
ARSENIC	01002	036	2012/01/19	< 2.000	2015/01
BARIUM	01007	036	2012/01/19	< 100.000	2015/01
BERYLLIUM	01012	036	2012/01/19	< 1.000	2015/01
CADMIUM	01027	036	2012/01/19	< 1.000	2015/01
CHROMIUM (TOTAL)	01034	036	2012/01/19	< 10.000	2015/01
CYANIDE	01291	036	2012/01/19	< 100.000	2015/01
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2012/01/19	.390	2015/01
MERCURY	71900	036	2012/01/19	< 1.000	2015/01
NICKEL	01067	036	2012/01/19	< 10.000	2015/01
PERCHLORATE	A-031	012	2014/04/11	< 4.000	2015/04
SELENIUM	01147	036	2012/01/19	< 5.000	2015/01
THALLIUM	01059	036	2012/01/19	< 1.000	2015/01

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	012	2014/04/11	< 2.000	2015/04
NITRITE (AS N)	00620	036	2012/01/19	< 400.000	2015/01

**RADIOLOGICAL**

<b>GROSS ALPHA</b>	01501	003	2012/07/17	. 2.650	2012/10	<b>DUE</b>
<b>RADIUM 226</b>	09501	003	2009/08/18	.190	2009/11	<b>DUE</b>
<b>RADIUM 228</b>	11501	003	2012/07/17	. .045	2012/10	<b>DUE</b>
<b>URANIUM (PCI/L)</b>	28012	003	2012/07/17	. 3.200	2012/10	<b>DUE</b>

**REGULATED SOC**

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2012/07/17	< 3.000	2015/04
THIOBENCARB	A-001	033	2012/07/17	< 1.000	2015/04

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	012	2014/01/24	< .500	2015/01
1,1,2,2-TETRACHLOROETHANE	34516	012	2014/01/24	< .500	2015/01

\*Testing interval is in months;  
 0 = No data for this constituent and is DUE NOW  
 I = Invalid (NOT) valid analyses reported  
 Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910169**

**System Name: WALNUT PARK MUTUAL WATER CO.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910169-003**

**Source Name: WELL 10**

**Source Number: 003**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED VOC**

1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/01/24	< 10.000	2015/01
1,1,2-TRICHLOROETHANE	34511	012	2014/01/24	< .500	2015/01
1,1-DICHLOROETHANE	34496	012	2014/01/24	< .500	2015/01
1,1-DICHLOROETHYLENE	34501	012	2014/01/24	< .500	2015/01
1,2,4-TRICHLOROBENZENE	34551	012	2014/01/24	< .500	2015/01
1,2-DICHLOROBENZENE	34536	012	2014/01/24	< .500	2015/01
1,2-DICHLOROETHANE	34531	012	2014/01/24	< .500	2015/01
1,2-DICHLOROPROPANE	34541	012	2014/01/24	< .500	2015/01
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/01/24	< .500	2015/01
1,4-DICHLOROBENZENE	34571	012	2014/01/24	< .500	2015/01
BENZENE	34030	012	2014/01/24	< .500	2015/01
CARBON TETRACHLORIDE	32102	012	2014/01/24	< .500	2015/01
CIS-1,2-DICHLOROETHYLENE	77093	012	2014/01/24	< .500	2015/01
DICHLOROMETHANE	34423	012	2014/01/24	< .500	2015/01
ETHYLBENZENE	34371	012	2014/01/24	< .500	2015/01
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/01/24	< 3.000	2015/01
MONOCHLOROBENZENE	34301	012	2014/01/24	< .500	2015/01
STYRENE	77128	012	2014/01/24	< .500	2015/01
TETRACHLOROETHYLENE	34475	012	2014/01/24	< .500	2015/01
TOLUENE	34010	012	2014/01/24	< .500	2015/01
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/01/24	< .500	2015/01
TRICHLOROETHYLENE	39180	012	2014/01/24	< .500	2015/01
TRICHLOROFUOROMETHANE	34488	012	2014/01/24	< 5.000	2015/01
VINYL CHLORIDE	39175	012	2014/01/24	< .500	2015/01
XYLENES (TOTAL)	81551	012	2014/01/24	< .000	2015/01

**SECONDARY/GP**

BICARBONATE ALKALINITY	00440	036	2012/01/19	. 180.000	2015/01
CALCIUM	00916	036	2012/01/19	. 53.000	2015/01
CARBONATE ALKALINITY	00445	036	2012/01/19	< 2.000	2015/01

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910169**

**System Name: WALNUT PARK MUTUAL WATER CO.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910169-003**

**Source Name: WELL 10**

**Source Number: 003**

**Source Status: ACTIVE RAW**

**Water type: G**

**SECONDARY/GP**

CHLORIDE	00940	036	2012/01/19	. 25.000	2015/01
COLOR	00081	036	2012/01/19	< 1.000	2015/01
COPPER	01042	036	2012/01/19	< 50.000	2015/01
FOAMING AGENTS (MBAS)	38260	036	2012/01/19	< .100	2015/01
HARDNESS (TOTAL) AS CaCO3	00900	036	2012/01/19	. 190.000	2015/01
HYDROXIDE ALKALINITY	71830	036	2012/01/19	< 2.000	2015/01
IRON	01045	036	2012/01/19	< 100.000	2015/01
MAGNESIUM	00927	036	2012/01/19	. 13.000	2015/01
MANGANESE	01055	036	2012/01/19	< 20.000	2015/01
ODOR THRESHOLD @ 60 C	00086	036	2012/01/19	< 1.000	2015/01
PH, LABORATORY	00403	036	2012/01/19	. 8.000	2015/01
SILVER	01077	036	2012/01/19	< 10.000	2015/01
SODIUM	00929	036	2012/01/19	38.000	2015/01
SPECIFIC CONDUCTANCE	00095	036	2012/01/19	. 590.000	2015/01
SULFATE	00945	036	2012/01/19	80.000	2015/01
TOTAL DISSOLVED SOLIDS	70300	036	2012/01/19	. 340.000	2015/01
TURBIDITY, LABORATORY	82079	036	2012/01/19	. .100	2015/01
ZINC	01092	036	2012/01/19	< 50.000	2015/01

**PS Code: 1910169-004**

**Source Name: WELL 11**

**Source Number: 004**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

ALUMINUM	01105	036	2011/07/15	< 50.000	2014/07
ANTIMONY	01097	036	2011/07/15	< 6.000	2014/07
ARSENIC	01002	036	2011/07/15	< 2.000	2014/07
BARIUM	01007	036	2011/07/15	< 100.000	2014/07

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910169**

**System Name: WALNUT PARK MUTUAL WATER CO.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910169-004**

**Source Name: WELL 11**

**Source Number: 004**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

BERYLLIUM	01012	036	2011/07/15	< 1.000	2014/07
CADMIUM	01027	036	2011/07/15	< 1.000	2014/07
CHROMIUM (TOTAL)	01034	036	2011/07/15	< 10.000	2014/07
CYANIDE	01291	036	2011/07/15	< 100.000	2014/07
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2011/07/15	.380	2014/07
MERCURY	71900	036	2011/07/15	< 1.000	2014/07
NICKEL	01067	036	2011/07/15	< 10.000	2014/07
PERCHLORATE	A-031	012	2014/04/11	< 4.000	2015/04
SELENIUM	01147	036	2011/07/15	< 5.000	2014/07
THALLIUM	01059	036	2011/07/15	< 1.000	2014/07

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	012	2014/04/11	. 2.200	2015/04
NITRITE (AS N)	00620	036	2011/07/15	< 400.000	2014/07

**RADIOLOGICAL**

<b>GROSS ALPHA</b>	01501	003	2013/10/17	. 4.010	2014/01	<b>DUE</b>
<b>RADIUM 226</b>	09501	003	2009/08/18	.150	2009/11	<b>DUE</b>
<b>RADIUM 228</b>	11501	003	2013/10/17	.000	2014/01	<b>DUE</b>
<b>URANIUM (PCI/L)</b>	28012	003	2013/10/17	. 3.100	2014/01	<b>DUE</b>

**REGULATED SOC**

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2012/07/17	< 3.000	2015/04
THIOBENCARB	A-001	033	2012/07/17	< 1.000	2015/04

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	012	2014/04/11	< .500	2015/04
1,1,2,2-TETRACHLOROETHANE	34516	012	2014/04/11	< .500	2015/04
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/04/11	< 10.000	2015/04
1,1,2-TRICHLOROETHANE	34511	012	2014/04/11	< .500	2015/04
1,1-DICHLOROETHANE	34496	012	2014/04/11	< .500	2015/04
1,1-DICHLOROETHYLENE	34501	012	2014/04/11	< .500	2015/04

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910169**

**System Name: WALNUT PARK MUTUAL WATER CO.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

**PS Code: 1910169-004**

**Source Name: WELL 11**

**Source Number: 004**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED VOC**

1,2,4-TRICHLOROENZENE	34551	012	2014/04/11	< .500	2015/04
1,2-DICHLOROENZENE	34536	012	2014/04/11	< .500	2015/04
1,2-DICHLOROETHANE	34531	012	2014/04/11	< .500	2015/04
1,2-DICHLOROPROPANE	34541	012	2014/04/11	< .500	2015/04
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/04/11	< .500	2015/04
1,4-DICHLOROENZENE	34571	012	2014/04/11	< .500	2015/04
BENZENE	34030	012	2014/04/11	< .500	2015/04
CARBON TETRACHLORIDE	32102	012	2014/04/11	< .500	2015/04
CIS-1,2-DICHLOROETHYLENE	77093	012	2014/04/11	< .500	2015/04
DICHLOROMETHANE	34423	012	2014/04/11	< .500	2015/04
ETHYLBENZENE	34371	012	2014/04/11	< .500	2015/04
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/04/11	< 3.000	2015/04
MONOCHLOROENZENE	34301	012	2014/04/11	< .500	2015/04
STYRENE	77128	012	2014/04/11	< .500	2015/04
TETRACHLOROETHYLENE	34475	012	2014/04/11	< .500	2015/04
TOLUENE	34010	012	2014/04/11	< .500	2015/04
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/04/11	< .500	2015/04
TRICHLOROETHYLENE	39180	012	2014/04/11	< .500	2015/04
TRICHLOROFUOROMETHANE	34488	012	2014/04/11	< 5.000	2015/04
VINYL CHLORIDE	39175	012	2014/04/11	< .500	2015/04
XYLENES (TOTAL)	81551	012	2014/04/11	< .000	2015/04

**SECONDARY/GP**

BICARBONATE ALKALINITY	00440	036	2011/07/15	. 160.000	2014/07
CALCIUM	00916	036	2011/07/15	. 58.000	2014/07
CARBONATE ALKALINITY	00445	036	2011/07/15	< 2.000	2014/07
CHLORIDE	00940	036	2011/07/15	. 22.000	2014/07
COLOR	00081	036	2011/07/15	< 1.000	2014/07
COPPER	01042	036	2011/07/15	< 50.000	2014/07
FOAMING AGENTS (MBAS)	38260	036	2011/07/15	< .100	2014/07

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910169**

**System Name: WALNUT PARK MUTUAL WATER CO.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910169-004**

**Source Name: WELL 11**

**Source Number: 004**

**Source Status: ACTIVE RAW**

**Water type: G**

**SECONDARY/GP**

HARDNESS (TOTAL) AS CaCO3	00900	036	2011/07/15	. 190.000	2014/07
HYDROXIDE ALKALINITY	71830	036	2011/07/15	< 2.000	2014/07
IRON	01045	036	2011/07/15	< 100.000	2014/07
MAGNESIUM	00927	036	2011/07/15	. 12.000	2014/07
MANGANESE	01055	036	2011/07/15	< 20.000	2014/07
ODOR THRESHOLD @ 60 C	00086	036	2011/07/15	< 1.000	2014/07
PH, LABORATORY	00403	036	2011/07/15	. 8.000	2014/07
SILVER	01077	036	2011/07/15	< 10.000	2014/07
SODIUM	00929	036	2011/07/15	40.000	2014/07
SPECIFIC CONDUCTANCE	00095	036	2011/07/15	. 560.000	2014/07
SULFATE	00945	036	2011/07/15	79.000	2014/07
TOTAL DISSOLVED SOLIDS	70300	036	2011/07/15	. 340.000	2014/07
TURBIDITY, LABORATORY	82079	036	2011/07/15	< .100	2014/07
ZINC	01092	036	2011/07/15	< 50.000	2014/07

**PS Code: 1910169-005**

**Source Name: MWD CONNECTION - TREATED**

**Source Number: 005**

**Source Status: PURCHASED TREATED**

**Water type: S**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

\*Testing interval is in months;  
 0 = No data for this constituent and is DUE NOW  
 I = Invalid (NOT) valid analyses reported  
 Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910169**

**System Name: WALNUT PARK MUTUAL WATER CO.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910169-008**

**Source Name: WELL 12**

**Source Number: 008**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

ALUMINUM	01105	036	2011/08/12	< 50.000	2014/08
ANTIMONY	01097	036	2011/08/12	< 6.000	2014/08
ARSENIC	01002	036	2011/08/12	< 2.000	2014/08
BARIUM	01007	036	2011/08/12	< 100.000	2014/08
BERYLLIUM	01012	036	2011/08/12	< 1.000	2014/08
CADMIUM	01027	036	2011/08/12	< 1.000	2014/08
CHROMIUM (TOTAL)	01034	036	2011/08/12	< 10.000	2014/08
CHROMIUM, HEXAVALENT	01032	036	2011/08/12	< 1.000	2014/08
CYANIDE	01291	036	2011/08/12	< 100.000	2014/08
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2011/08/12	.310	2014/08
MERCURY	71900	036	2011/08/12	< 1.000	2014/08
NICKEL	01067	036	2011/08/12	< 10.000	2014/08
PERCHLORATE	A-031	036	2013/12/19	< 4.000	2016/12
SELENIUM	01147	036	2011/08/12	< 5.000	2014/08
THALLIUM	01059	036	2011/08/12	< 1.000	2014/08

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	012	2013/07/22	< 2.000	2014/07
NITRITE (AS N)	00620	036	2011/08/12	< 400.000	2014/08

**RADIOLOGICAL**

<b>GROSS ALPHA</b>	01501	003	2013/10/17	. 7.820	2014/01	<b>DUE</b>
<b>RADIUM 226</b>	09501	000				<b>DUE</b>
<b>RADIUM 228</b>	11501	003	2013/10/17	. .000	2014/01	<b>DUE</b>
<b>URANIUM (PCI/L)</b>	28012	003	2013/10/17	. 3.200	2014/01	<b>DUE</b>

**REGULATED SOC**

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2012/04/24	< 3.000	2015/01
THIOBENCARB	A-001	033	2012/04/24	< 1.000	2015/01

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	012	2013/10/17	< .500	2014/10
-----------------------	-------	-----	------------	--------	---------

\*Testing interval is in months;  
 0 = No data for this constituent and is DUE NOW  
 I = Invalid (NOT) valid analyses reported  
 Any analyses not listed as required for testing has been Waive (not required)



**System Number: 1910169**

**System Name: WALNUT PARK MUTUAL WATER CO.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

**PS Code: 1910169-008**

**Source Name: WELL 12**

**Source Number: 008**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED VOC**

1,1,2,2-TETRACHLOROETHANE	34516	012	2013/10/17	< .500	2014/10
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2013/10/17	< 10.000	2014/10
1,1,2-TRICHLOROETHANE	34511	012	2013/10/17	< .500	2014/10
1,1-DICHLOROETHANE	34496	012	2013/10/17	< .500	2014/10
1,1-DICHLOROETHYLENE	34501	012	2013/10/17	< .500	2014/10
1,2,4-TRICHLOROBENZENE	34551	012	2013/10/17	< .500	2014/10
1,2-DICHLOROBENZENE	34536	012	2013/10/17	< .500	2014/10
1,2-DICHLOROETHANE	34531	012	2013/10/17	< .500	2014/10
1,2-DICHLOROPROPANE	34541	012	2013/10/17	< .500	2014/10
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2013/10/17	< .500	2014/10
1,4-DICHLOROBENZENE	34571	012	2013/10/17	< .500	2014/10
BENZENE	34030	012	2013/10/17	< .500	2014/10
CARBON TETRACHLORIDE	32102	012	2013/10/17	< .500	2014/10
CIS-1,2-DICHLOROETHYLENE	77093	012	2013/10/17	< .500	2014/10
DICHLOROMETHANE	34423	012	2013/10/17	< .500	2014/10
ETHYLBENZENE	34371	012	2013/10/17	< .500	2014/10
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2013/10/17	< 3.000	2014/10
MONOCHLOROBENZENE	34301	012	2013/10/17	< .500	2014/10
STYRENE	77128	012	2013/10/17	< .500	2014/10
TETRACHLOROETHYLENE	34475	012	2013/10/17	< .500	2014/10
TOLUENE	34010	012	2013/10/17	< .500	2014/10
TRANS-1,2-DICHLOROETHYLENE	34546	012	2013/10/17	< .500	2014/10
TRICHLOROETHYLENE	39180	012	2013/10/17	< .500	2014/10
TRICHLOROFUOROMETHANE	34488	012	2013/10/17	< 5.000	2014/10
VINYL CHLORIDE	39175	012	2013/10/17	< .500	2014/10
XYLENES (TOTAL)	81551	012	2013/10/17	< 1.000	2014/10

**SECONDARY/GP**

BICARBONATE ALKALINITY	00440	036	2011/08/12	. 160.000	2014/08
CALCIUM	00916	036	2011/08/12	. 61.000	2014/08

\*Testing interval is in months;  
 0 = No data for this constituent and is DUE NOW  
 I = Invalid (NOT) valid analyses reported  
 Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910169**

**System Name: WALNUT PARK MUTUAL WATER CO.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910169-008**

**Source Name: WELL 12**

**Source Number: 008**

**Source Status: ACTIVE RAW**

**Water type: G**

**SECONDARY/GP**

CARBONATE ALKALINITY	00445	036	2011/08/12	< 2.000	2014/08
CHLORIDE	00940	036	2011/08/12	. 23.000	2014/08
COLOR	00081	036	2011/08/12	. 2.500	2014/08
COPPER	01042	036	2011/08/12	< 50.000	2014/08
FOAMING AGENTS (MBAS)	38260	036	2011/08/12	< .100	2014/08
HARDNESS (TOTAL) AS CaCO3	00900	036	2011/08/12	. 210.000	2014/08
HYDROXIDE ALKALINITY	71830	036	2011/08/12	< 2.000	2014/08
IRON	01045	036	2011/08/12	120.000	2014/08
MAGNESIUM	00927	036	2011/08/12	. 13.000	2014/08
MANGANESE	01055	036	2011/08/12	32.000	2014/08
ODOR THRESHOLD @ 60 C	00086	036	2011/08/12	< 1.000	2014/08
PH, LABORATORY	00403	036	2011/08/12	. 8.200	2014/08
SILVER	01077	036	2011/08/12	< 10.000	2014/08
SODIUM	00929	036	2011/08/12	42.000	2014/08
SPECIFIC CONDUCTANCE	00095	036	2011/08/12	. 520.000	2014/08
SULFATE	00945	036	2011/08/12	74.000	2014/08
TOTAL DISSOLVED SOLIDS	70300	036	2011/08/12	. 350.000	2014/08
TURBIDITY, LABORATORY	82079	036	2011/08/12	. 1.000	2014/08
ZINC	01092	036	2011/08/12	< 50.000	2014/08

**PS Code: 1910169-800**

**Source Name: SITE 1-2534 POPLAR PLACE-STG2 DBP**

**Source Number: 800**

**Source Status: DISTRIBUTION TREATED**

**Water type: G**

**HALOACETIC ACIDS**

DIBROMOACETIC ACID (DBAA)	82721	003	2014/05/14	< .000	2014/08
DICHLOROACETIC ACID (DCAA)	77288	003	2014/05/14	< .000	2014/08
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/05/14	< .000	2014/08

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910169**

**System Name: WALNUT PARK MUTUAL WATER CO.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910169-800**

**Source Name: SITE 1-2534 POPLAR PLACE-STG2 DBP**

**Source Number: 800**

**Source Status: DISTRIBUTION TREATED**

**Water type: G**

**HALOACETIC ACIDS**

MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/05/14	< .000	2014/08
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/05/14	< .000	2014/08
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/05/14	< .000	2014/08

**STATE UCMR**

BROMODICHLORMETHANE (THM)	32101	003	2014/05/14	< .000	2014/08
BROMOFORM (THM)	32104	003	2014/05/14	. 1.500	2014/08
CHLOROFORM (THM)	32106	003	2014/05/14	< .000	2014/08
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/05/14	. 1.100	2014/08

**TRIHALOMETHANES**

TOTAL TRIHALOMETHANES	82080	003	2014/05/14	. 2.600	2014/08
-----------------------	-------	-----	------------	---------	---------

**PS Code: 1910169-801**

**Source Name: SITE 2-3022 HILL STREET-STG2 DBP**

**Source Number: 801**

**Source Status: DISTRIBUTION TREATED**

**Water type: G**

**HALOACETIC ACIDS**

DIBROMOACETIC ACID (DBAA)	82721	003	2014/05/14	< .000	2014/08
DICHLOROACETIC ACID (DCAA)	77288	003	2014/05/14	< .000	2014/08
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/05/14	< .000	2014/08
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/05/14	< .000	2014/08
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/05/14	< .000	2014/08
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/05/14	< .000	2014/08

**STATE UCMR**

BROMODICHLORMETHANE (THM)	32101	003	2014/05/14	< .000	2014/08
BROMOFORM (THM)	32104	003	2014/05/14	. 1.600	2014/08
CHLOROFORM (THM)	32106	003	2014/05/14	< .000	2014/08
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/05/14	< .000	2014/08

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910169**

**System Name: WALNUT PARK MUTUAL WATER CO.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910169-801**

**Source Name: SITE 2-3022 HILL STREET-STG2 DBP**

**Source Number: 801**

**Source Status: DISTRIBUTION TREATED**

**Water type: G**

**TRihalOMETHANES**

TOTAL TRIHALOMETHANES	82080	003	2014/05/14	. 2.500	2014/08
-----------------------	-------	-----	------------	---------	---------

**PS Code: 1910169-802**

**Source Name: SITE 3-2814 WALNUT STREET-STG2 DBP**

**Source Number: 802**

**Source Status: DISTRIBUTION TREATED**

**Water type: G**

**HALOACETIC ACIDS**

DIBROMOACETIC ACID (DBAA)	82721	003	2014/05/14	< .000	2014/08
DICHLOROACETIC ACID (DCAA)	77288	003	2014/05/14	< .000	2014/08
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/05/14	< .000	2014/08
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/05/14	< .000	2014/08
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/05/14	< .000	2014/08
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/05/14	< .000	2014/08

**STATE UCMR**

BROMODICHLORMETHANE (THM)	32101	003	2014/05/14	< .000	2014/08
BROMOFORM (THM)	32104	003	2014/05/14	< .000	2014/08
CHLOROFORM (THM)	32106	003	2014/05/14	< .000	2014/08
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/05/14	< .000	2014/08

**TRihalOMETHANES**

TOTAL TRIHALOMETHANES	82080	003	2014/05/14	< .000	2014/08
-----------------------	-------	-----	------------	--------	---------

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910169**

**System Name: WALNUT PARK MUTUAL WATER CO.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910169-803**

**Source Name: SITE 4-2503 HILL STREET-STG2 DBP**

**Source Number: 803**

**Source Status: DISTRIBUTION TREATED**

**Water type: G**

**HALOACETIC ACIDS**

DIBROMOACETIC ACID (DBAA)	82721	003	2014/05/14	< .000	2014/08
DICHLOROACETIC ACID (DCAA)	77288	003	2014/05/14	< .000	2014/08
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/05/14	< .000	2014/08
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/05/14	< .000	2014/08
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/05/14	< .000	2014/08
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/05/14	< .000	2014/08

**STATE UCMR**

BROMODICHLORMETHANE (THM)	32101	003	2014/05/14	< .000	2014/08
BROMOFORM (THM)	32104	003	2014/05/14	. 1.300	2014/08
CHLOROFORM (THM)	32106	003	2014/05/14	< .000	2014/08
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/05/14	< .000	2014/08

**TRIHALOMETHANES**

TOTAL TRIHALOMETHANES	82080	003	2014/05/14	. 2.000	2014/08
-----------------------	-------	-----	------------	---------	---------

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910173**

**System Name: WHITTIER-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910173-003**

**Source Name: WELL 08**

**Source Number: 003**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

ALUMINUM	01105	036	2013/05/16	< 50.000	2016/05
ANTIMONY	01097	036	2013/05/16	< 6.000	2016/05
ARSENIC	01002	036	2013/05/16	< 2.000	2016/05
BARIUM	01007	036	2013/05/16	< 100.000	2016/05
BERYLLIUM	01012	036	2013/05/16	< 1.000	2016/05
CADMIUM	01027	036	2013/05/16	< 1.000	2016/05
CHROMIUM (TOTAL)	01034	036	2013/05/16	< 10.000	2016/05
CHROMIUM, HEXAVALENT	01032	036	2014/07/15	< 1.000	2017/07
CYANIDE	01291	036	2014/01/30	< 100.000	2017/01
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/05/16	.350	2016/05
MERCURY	71900	036	2013/05/16	< 1.000	2016/05
NICKEL	01067	036	2013/05/16	< 10.000	2016/05
PERCHLORATE	A-031	012	2014/05/28	< 4.000	2015/05
SELENIUM	01147	036	2013/05/16	< 5.000	2016/05
THALLIUM	01059	036	2013/05/16	< 1.000	2016/05

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	012	2014/05/28	. 9.300	2015/05
NITRITE (AS N)	00620	036	2014/05/28	< 400.000	2017/05

**RADIOLOGICAL**

<b>GROSS ALPHA</b>	01501	003	2007/11/14	.655	2008/02	DUE
<b>RADIUM 226</b>	09501	000	2007/11/14	.021	2007/11	DUE
<b>RADIUM 228</b>	11501	000	2007/11/14	.009	2007/11	DUE
<b>URANIUM (PCI/L)</b>	28012	000	2013/11/13	. 1.600	2013/11	DUE

**REGULATED SOC**

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2014/01/30	< 3.000	2016/10
---------------------------	-------	-----	------------	---------	---------

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	012	2014/05/28	< .500	2015/05
1,1,2,2-TETRACHLOROETHANE	34516	012	2014/05/28	< .500	2015/05

\*Testing interval is in months;  
 0 = No data for this constituent and is DUE NOW  
 I = Invalid (NOT) valid analyses reported  
 Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910173**

**System Name: WHITTIER-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910173-003**

**Source Name: WELL 08**

**Source Number: 003**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED VOC**

1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/05/28	< 10.000	2015/05
1,1,2-TRICHLOROETHANE	34511	012	2014/05/28	< .500	2015/05
1,1-DICHLOROETHANE	34496	012	2014/05/28	< .500	2015/05
1,1-DICHLOROETHYLENE	34501	012	2014/05/28	< .500	2015/05
1,2,4-TRICHLOROBENZENE	34551	012	2014/05/28	< .500	2015/05
1,2-DICHLOROBENZENE	34536	012	2014/05/28	< .500	2015/05
1,2-DICHLOROETHANE	34531	012	2014/05/28	< .500	2015/05
1,2-DICHLOROPROPANE	34541	012	2014/05/28	< .500	2015/05
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/05/28	< .500	2015/05
1,4-DICHLOROBENZENE	34571	012	2014/05/28	< .500	2015/05
BENZENE	34030	012	2014/05/28	< .500	2015/05
CARBON TETRACHLORIDE	32102	012	2014/05/28	< .500	2015/05
CIS-1,2-DICHLOROETHYLENE	77093	012	2014/05/28	< .500	2015/05
DICHLOROMETHANE	34423	012	2014/05/28	< .500	2015/05
ETHYLBENZENE	34371	012	2014/05/28	< .500	2015/05
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/05/28	< 3.000	2015/05
MONOCHLOROBENZENE	34301	012	2014/05/28	< .500	2015/05
STYRENE	77128	012	2014/05/28	< .500	2015/05
TETRACHLOROETHYLENE	34475	003	2014/07/15	< .500	2014/10
TOLUENE	34010	012	2014/05/28	< .500	2015/05
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/05/28	< .500	2015/05
TRICHLOROETHYLENE	39180	012	2014/05/28	< .500	2015/05
TRICHLOROFUOROMETHANE	34488	012	2014/05/28	< 5.000	2015/05
VINYL CHLORIDE	39175	012	2014/05/28	< .500	2015/05
XYLENES (TOTAL)	81551	012	2014/05/28	< .000	2015/05

**SECONDARY/GP**

BICARBONATE ALKALINITY	00440	036	2013/05/16	. 260.000	2016/05
CALCIUM	00916	036	2013/05/16	. 82.700	2016/05
CARBONATE ALKALINITY	00445	036	2013/05/16	< .000	2016/05

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910173**

**System Name: WHITTIER-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910173-003**

**Source Name: WELL 08**

**Source Number: 003**

**Source Status: ACTIVE RAW**

**Water type: G**

**SECONDARY/GP**

CHLORIDE	00940	036	2013/05/16	. 110.000	2016/05
COLOR	00081	036	2013/05/14	< .000	2016/05
COPPER	01042	036	2013/05/16	< 50.000	2016/05
FOAMING AGENTS (MBAS)	38260	036	2013/05/16	< .000	2016/05
HARDNESS (TOTAL) AS CaCO3	00900	036	2013/05/16	. 289.000	2016/05
HYDROXIDE ALKALINITY	71830	036	2013/05/16	< .000	2016/05
IRON	01045	036	2013/05/16	< 100.000	2016/05
MAGNESIUM	00927	036	2013/05/16	. 20.100	2016/05
MANGANESE	01055	001	2014/07/22	< 20.000	2014/08
ODOR THRESHOLD @ 60 C	00086	036	2013/05/14	1.000	2016/05
PH, LABORATORY	00403	036	2013/05/16	. 7.560	2016/05
SILVER	01077	036	2013/05/16	< 10.000	2016/05
SODIUM	00929	036	2013/05/16	92.000	2016/05
SPECIFIC CONDUCTANCE	00095	036	2013/05/16	. 1000.000	2016/05
SULFATE	00945	036	2013/05/16	160.000	2016/05
TOTAL DISSOLVED SOLIDS	70300	036	2013/05/16	. 630.000	2016/05
TURBIDITY, LABORATORY	82079	036	2013/05/14	< .000	2016/05
ZINC	01092	036	2013/05/16	< 50.000	2016/05

**PS Code: 1910173-008**

**Source Name: WELL 13**

**Source Number: 008**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

ALUMINUM	01105	036	2014/03/11	< 50.000	2017/03
ANTIMONY	01097	036	2014/03/11	< 6.000	2017/03
ARSENIC	01002	036	2014/03/11	< 2.000	2017/03
BARIUM	01007	036	2014/03/11	< 100.000	2017/03

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)



**System Number: 1910173**

**System Name: WHITTIER-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910173-008**

**Source Name: WELL 13**

**Source Number: 008**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

BERYLLIUM	01012	036	2014/03/11	< 1.000	2017/03
CADMIUM	01027	036	2014/03/11	< 1.000	2017/03
CHROMIUM (TOTAL)	01034	036	2014/03/11	< 10.000	2017/03
CHROMIUM, HEXAVALENT	01032	036	2013/09/17	< 1.000	2016/09
CYANIDE	01291	036	2014/03/11	< 100.000	2017/03
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/03/11	.170	2017/03
MERCURY	71900	036	2014/03/11	< 1.000	2017/03
NICKEL	01067	036	2014/03/11	< 10.000	2017/03
PERCHLORATE	A-031	012	2013/09/17	< 4.000	2014/09
SELENIUM	01147	036	2014/03/11	< 5.000	2017/03
THALLIUM	01059	036	2014/03/11	< 1.000	2017/03

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	012	2014/03/11	. 12.000	2015/03
NITRITE (AS N)	00620	036	2014/03/11	< 400.000	2017/03

**RADIOLOGICAL**

<b>GROSS ALPHA</b>	01501	003	2011/09/14	< .000	2011/12	<b>DUE</b>
<b>RADIUM 226</b>	09501	000	2006/06/26	.000	2006/06	<b>DUE</b>
<b>RADIUM 228</b>	11501	000	2006/06/26	.000	2006/06	<b>DUE</b>
<b>URANIUM (PCI/L)</b>	28012	000	2006/06/26	.000	2006/06	<b>DUE</b>

**REGULATED SOC**

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2012/12/06	< 3.000	2015/09
---------------------------	-------	-----	------------	---------	---------

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	012	2014/06/11	< .500	2015/06
1,1,2,2-TETRACHLOROETHANE	34516	012	2014/06/11	< .500	2015/06
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/06/11	< 10.000	2015/06
1,1,2-TRICHLOROETHANE	34511	012	2014/06/11	< .500	2015/06
1,1-DICHLOROETHANE	34496	012	2014/06/11	< .500	2015/06
1,1-DICHLOROETHYLENE	34501	012	2014/06/11	< .500	2015/06

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910173**

**System Name: WHITTIER-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910173-008**

**Source Name: WELL 13**

**Source Number: 008**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED VOC**

1,2,4-TRICHLOROENZENE	34551	012	2014/06/11	< .500	2015/06
1,2-DICHLOROENZENE	34536	012	2014/06/11	< .500	2015/06
1,2-DICHLOROETHANE	34531	012	2014/06/11	< .500	2015/06
1,2-DICHLOROPROPANE	34541	012	2014/06/11	< .500	2015/06
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/06/11	< .500	2015/06
1,4-DICHLOROENZENE	34571	012	2014/06/11	< .500	2015/06
BENZENE	34030	012	2014/06/11	< .500	2015/06
CARBON TETRACHLORIDE	32102	012	2014/06/11	< .500	2015/06
CIS-1,2-DICHLOROETHYLENE	77093	012	2014/06/11	< .500	2015/06
DICHLOROMETHANE	34423	012	2014/06/11	< .500	2015/06
ETHYLBENZENE	34371	012	2014/06/11	< .500	2015/06
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/06/11	< 3.000	2015/06
MONOCHLOROENZENE	34301	012	2014/06/11	< .500	2015/06
STYRENE	77128	012	2014/06/11	< .500	2015/06
TETRACHLOROETHYLENE	34475	003	2014/06/11	< .500	2014/09
TOLUENE	34010	012	2014/06/11	< .500	2015/06
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/06/11	< .500	2015/06
TRICHLOROETHYLENE	39180	012	2014/06/11	< .500	2015/06
TRICHLOROFUOROMETHANE	34488	012	2014/06/11	< 5.000	2015/06
VINYL CHLORIDE	39175	012	2014/06/11	< .500	2015/06
XYLENES (TOTAL)	81551	012	2014/06/11	< .000	2015/06

**SECONDARY/GP**

BICARBONATE ALKALINITY	00440	036	2014/03/26	. 210.000	2017/03
CALCIUM	00916	036	2014/03/26	. 81.900	2017/03
CARBONATE ALKALINITY	00445	036	2014/03/26	< .000	2017/03
CHLORIDE	00940	036	2014/03/26	. 120.000	2017/03
COLOR	00081	036	2014/03/26	< .000	2017/03
COPPER	01042	036	2014/03/26	< 50.000	2017/03
FOAMING AGENTS (MBAS)	38260	036	2014/03/26	. .050	2017/03

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910173**

**System Name: WHITTIER-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910173-008**

**Source Name: WELL 13**

**Source Number: 008**

**Source Status: ACTIVE RAW**

**Water type: G**

**SECONDARY/GP**

HARDNESS (TOTAL) AS CaCO3	00900	036	2014/03/26	. 272.000	2017/03
HYDROXIDE ALKALINITY	71830	036	2014/03/26	< .000	2017/03
IRON	01045	036	2014/03/26	< 100.000	2017/03
MAGNESIUM	00927	036	2014/03/26	. 16.500	2017/03
MANGANESE	01055	012	2014/03/26	< 20.000	2015/03
ODOR THRESHOLD @ 60 C	00086	036	2014/03/26	. 1.000	2017/03
PH, LABORATORY	00403	036	2014/03/26	. 7.640	2017/03
SILVER	01077	036	2014/03/26	< 10.000	2017/03
SODIUM	00929	036	2014/03/26	. 84.000	2017/03
SPECIFIC CONDUCTANCE	00095	036	2014/03/26	. 990.000	2017/03
SULFATE	00945	036	2014/03/26	. 150.000	2017/03
TOTAL DISSOLVED SOLIDS	70300	036	2014/03/26	. 570.000	2017/03
TURBIDITY, LABORATORY	82079	036	2014/03/26	< .000	2017/03
ZINC	01092	036	2014/03/26	< 50.000	2017/03

**PS Code: 1910173-009**

**Source Name: WELL 14**

**Source Number: 009**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

ALUMINUM	01105	036	2012/03/13	< .000	2015/03
ANTIMONY	01097	036	2012/03/13	< .000	2015/03
ARSENIC	01002	036	2012/03/13	< .000	2015/03
BARIUM	01007	036	2012/03/13	< .000	2015/03
BERYLLIUM	01012	036	2012/03/13	< .000	2015/03
CADMIUM	01027	036	2012/03/13	< .000	2015/03
CHROMIUM (TOTAL)	01034	036	2012/03/13	< .000	2015/03
CHROMIUM, HEXAVALENT	01032	036	2014/07/15	< 1.000	2017/07

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910173**

**System Name: WHITTIER-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910173-009**

**Source Name: WELL 14**

**Source Number: 009**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

CYANIDE	01291	036	2014/01/30	< 100.000	2017/01
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2012/03/13	.280	2015/03
MERCURY	71900	036	2012/03/13	< .000	2015/03
NICKEL	01067	036	2012/03/13	< .000	2015/03
PERCHLORATE	A-031	012	2014/05/28	< 4.000	2015/05
SELENIUM	01147	036	2012/03/13	< .000	2015/03
THALLIUM	01059	036	2012/03/13	< .000	2015/03

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	012	2014/05/28	. 13.000	2015/05
NITRITE (AS N)	00620	036	2014/05/28	< 400.000	2017/05

**RADIOLOGICAL**

<b>GROSS ALPHA</b>	01501	003	2012/08/15	< 3.000	2012/11	<b>DUE</b>
<b>RADIUM 226</b>	09501	000	2007/11/14	.041	2007/11	<b>DUE</b>
<b>RADIUM 228</b>	11501	000	2007/11/14	.023	2007/11	<b>DUE</b>
<b>URANIUM (PCI/L)</b>	28012	000	2013/11/13	. 1.900	2013/11	<b>DUE</b>

**REGULATED SOC**

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2014/01/30	< 3.000	2016/10
---------------------------	-------	-----	------------	---------	---------

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	012	2014/05/28	< .500	2015/05
1,1,2,2-TETRACHLOROETHANE	34516	012	2014/05/28	< .500	2015/05
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/05/28	< 10.000	2015/05
1,1,2-TRICHLOROETHANE	34511	012	2014/05/28	< .500	2015/05
1,1-DICHLOROETHANE	34496	012	2014/05/28	< .500	2015/05
1,1-DICHLOROETHYLENE	34501	012	2014/05/28	< .500	2015/05
1,2,4-TRICHLOROBENZENE	34551	012	2014/05/28	< .500	2015/05
1,2-DICHLOROBENZENE	34536	012	2014/05/28	< .500	2015/05
1,2-DICHLOROETHANE	34531	012	2014/05/28	< .500	2015/05
1,2-DICHLOROPROPANE	34541	012	2014/05/28	< .500	2015/05

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910173**

**System Name: WHITTIER-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910173-009**

**Source Name: WELL 14**

**Source Number: 009**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED VOC**

1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/05/28	< .500	2015/05
1,4-DICHLOROBENZENE	34571	012	2014/05/28	< .500	2015/05
BENZENE	34030	012	2014/05/28	< .500	2015/05
CARBON TETRACHLORIDE	32102	012	2014/05/28	< .500	2015/05
CIS-1,2-DICHLOROETHYLENE	77093	012	2014/05/28	< .500	2015/05
DICHLOROMETHANE	34423	012	2014/05/28	< .500	2015/05
ETHYLBENZENE	34371	012	2014/05/28	< .500	2015/05
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/05/28	< 3.000	2015/05
MONOCHLOROBENZENE	34301	012	2014/05/28	< .500	2015/05
STYRENE	77128	012	2014/05/28	< .500	2015/05
TETRACHLOROETHYLENE	34475	003	2014/07/15	< .500	2014/10
TOLUENE	34010	012	2014/05/28	< .500	2015/05
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/05/28	< .500	2015/05
TRICHLOROETHYLENE	39180	012	2014/05/28	< .500	2015/05
TRICHLOROFUOROMETHANE	34488	012	2014/05/28	< 5.000	2015/05
VINYL CHLORIDE	39175	012	2014/05/28	< .500	2015/05
XYLENES (TOTAL)	81551	012	2014/05/28	< .000	2015/05

**SECONDARY/GP**

BICARBONATE ALKALINITY	00440	036	2012/03/13	. 140.000	2015/03
CALCIUM	00916	036	2012/03/13	. 87.000	2015/03
CARBONATE ALKALINITY	00445	036	2012/03/13	< .000	2015/03
CHLORIDE	00940	036	2012/03/13	. 94.000	2015/03
COLOR	00081	036	2012/03/13	< .000	2015/03
COPPER	01042	036	2012/03/13	< .000	2015/03
FOAMING AGENTS (MBAS)	38260	036	2012/03/13	< .000	2015/03
HARDNESS (TOTAL) AS CaCO3	00900	036	2012/03/13	. 280.000	2015/03
HYDROXIDE ALKALINITY	71830	036	2012/03/13	< .000	2015/03
IRON	01045	036	2012/03/13	< .000	2015/03
MAGNESIUM	00927	036	2012/03/13	. 15.000	2015/03

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910173**

**System Name: WHITTIER-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910173-009**

**Source Name: WELL 14**

**Source Number: 009**

**Source Status: ACTIVE RAW**

**Water type: G**

**SECONDARY/GP**

MANGANESE	01055	012	2013/11/13	< 20.000	2014/11
ODOR THRESHOLD @ 60 C	00086	036	2012/03/13	1.000	2015/03
PH, LABORATORY	00403	036	2012/03/13	. 7.480	2015/03
SILVER	01077	036	2012/03/13	< .000	2015/03
SODIUM	00929	036	2012/03/13	69.000	2015/03
SPECIFIC CONDUCTANCE	00095	036	2012/03/13	. 870.000	2015/03
SULFATE	00945	036	2012/03/13	140.000	2015/03
TOTAL DISSOLVED SOLIDS	70300	036	2012/03/13	. 510.000	2015/03
TURBIDITY, LABORATORY	82079	036	2012/03/13	< .000	2015/03
ZINC	01092	036	2012/03/13	< .000	2015/03

**PS Code: 1910173-010**

**Source Name: WELL 15**

**Source Number: 010**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

ALUMINUM	01105	036	2013/09/17	< 50.000	2016/09
ANTIMONY	01097	036	2013/09/17	< 6.000	2016/09
ARSENIC	01002	036	2013/09/17	< 2.000	2016/09
BARIUM	01007	036	2013/09/17	< 100.000	2016/09
BERYLLIUM	01012	036	2013/09/17	< 1.000	2016/09
CADMIUM	01027	036	2013/09/17	< 1.000	2016/09
CHROMIUM (TOTAL)	01034	036	2013/09/17	< 10.000	2016/09
CHROMIUM, HEXAVALENT	01032	036	2013/09/17	< 1.000	2016/09
CYANIDE	01291	036	2013/09/17	< 100.000	2016/09
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/09/17	. .220	2016/09
MERCURY	71900	036	2013/09/17	< 1.000	2016/09
NICKEL	01067	036	2013/09/17	< 10.000	2016/09

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910173**

**System Name: WHITTIER-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910173-010**

**Source Name: WELL 15**

**Source Number: 010**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

PERCHLORATE	A-031	012	2013/09/17	< 4.000	2014/09
SELENIUM	01147	036	2013/09/17	< 5.000	2016/09
THALLIUM	01059	036	2013/09/17	< 1.000	2016/09

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	012	2013/09/17	. 5.800	2014/09
NITRITE (AS N)	00620	036	2013/09/17	< 400.000	2016/09

**RADIOLOGICAL**

<b>GROSS ALPHA</b>	01501	003	2011/09/14	. 3.020	2011/12	<b>DUE</b>
<b>RADIUM 226</b>	09501	000	2006/06/26	.000	2006/06	<b>DUE</b>
<b>RADIUM 228</b>	11501	000	2006/06/26	.000	2006/06	<b>DUE</b>
<b>URANIUM (PCI/L)</b>	28012	000	2011/09/14	. 2.100	2011/09	<b>DUE</b>

**REGULATED SOC**

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2012/12/06	< 3.000	2015/09
---------------------------	-------	-----	------------	---------	---------

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	012	2014/06/11	< .500	2015/06
1,1,2,2-TETRACHLOROETHANE	34516	012	2014/06/11	< .500	2015/06
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/06/11	< 10.000	2015/06
1,1,2-TRICHLOROETHANE	34511	012	2014/06/11	< .500	2015/06
1,1-DICHLOROETHANE	34496	012	2014/06/11	< .500	2015/06
1,1-DICHLOROETHYLENE	34501	012	2014/06/11	< .500	2015/06
1,2,4-TRICHLOROBENZENE	34551	012	2014/06/11	< .500	2015/06
1,2-DICHLOROBENZENE	34536	012	2014/06/11	< .500	2015/06
1,2-DICHLOROETHANE	34531	012	2014/06/11	< .500	2015/06
1,2-DICHLOROPROPANE	34541	012	2014/06/11	< .500	2015/06
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/06/11	< .500	2015/06
1,4-DICHLOROBENZENE	34571	012	2014/06/11	< .500	2015/06
BENZENE	34030	012	2014/06/11	< .500	2015/06
CARBON TETRACHLORIDE	32102	012	2014/06/11	< .500	2015/06

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910173**

**System Name: WHITTIER-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910173-010**

**Source Name: WELL 15**

**Source Number: 010**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED VOC**

CIS-1,2-DICHLOROETHYLENE	77093	012	2014/06/11	< .500	2015/06
DICHLOROMETHANE	34423	012	2014/06/11	< .500	2015/06
ETHYLBENZENE	34371	012	2014/06/11	< .500	2015/06
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/06/11	< 3.000	2015/06
MONOCHLOROETHYLENE	34301	012	2014/06/11	< .500	2015/06
STYRENE	77128	012	2014/06/11	< .500	2015/06
TETRACHLOROETHYLENE	34475	001	2014/07/22	. 740	2014/08
TOLUENE	34010	012	2014/06/11	< .500	2015/06
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/06/11	< .500	2015/06
TRICHLOROETHYLENE	39180	012	2014/06/11	< .500	2015/06
TRICHLOROFUOROMETHANE	34488	012	2014/06/11	< 5.000	2015/06
VINYL CHLORIDE	39175	012	2014/06/11	< .500	2015/06
XYLENES (TOTAL)	81551	012	2014/06/11	< .000	2015/06

**SECONDARY/GP**

BICARBONATE ALKALINITY	00440	036	2014/03/26	. 230.000	2017/03
CALCIUM	00916	036	2014/03/26	. 94.800	2017/03
CARBONATE ALKALINITY	00445	036	2014/03/26	< .000	2017/03
CHLORIDE	00940	036	2014/03/26	. 110.000	2017/03
COLOR	00081	036	2014/03/26	< .000	2017/03
COPPER	01042	036	2014/03/26	< 50.000	2017/03
FOAMING AGENTS (MBAS)	38260	036	2014/03/26	< .000	2017/03
HARDNESS (TOTAL) AS CaCO3	00900	036	2014/03/26	. 308.000	2017/03
HYDROXIDE ALKALINITY	71830	036	2014/03/26	< .000	2017/03
IRON	01045	036	2014/03/26	< 100.000	2017/03
MAGNESIUM	00927	036	2014/03/26	. 17.200	2017/03
MANGANESE	01055	012	2014/03/26	< 20.000	2015/03
ODOR THRESHOLD @ 60 C	00086	036	2014/03/26	. 1.000	2017/03
PH, LABORATORY	00403	036	2014/03/26	. 7.780	2017/03
SILVER	01077	036	2014/03/26	< 10.000	2017/03

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)



**System Number: 1910173**

**System Name: WHITTIER-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

**PS Code: 1910173-010**

**Source Name: WELL 15**

**Source Number: 010**

**Source Status: ACTIVE RAW**

**Water type: G**

**SECONDARY/GP**

SODIUM	00929	036	2014/03/26	. 66.000	2017/03
SPECIFIC CONDUCTANCE	00095	036	2014/03/26	. 960.000	2017/03
SULFATE	00945	036	2014/03/26	. 140.000	2017/03
TOTAL DISSOLVED SOLIDS	70300	036	2014/03/26	. 550.000	2017/03
TURBIDITY, LABORATORY	82079	036	2014/03/26	< .000	2017/03
ZINC	01092	036	2014/03/26	< 50.000	2017/03

**PS Code: 1910173-011**

**Source Name: WELL 16**

**Source Number: 011**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

ALUMINUM	01105	036	2014/03/11	< 50.000	2017/03
ANTIMONY	01097	036	2014/03/11	< 6.000	2017/03
ARSENIC	01002	036	2014/03/11	< 2.000	2017/03
BARIUM	01007	036	2014/03/11	< 100.000	2017/03
BERYLLIUM	01012	036	2014/03/11	< 1.000	2017/03
CADMIUM	01027	036	2014/03/11	< 1.000	2017/03
CHROMIUM (TOTAL)	01034	036	2014/03/11	< 10.000	2017/03
CHROMIUM, HEXAVALENT	01032	036	2013/09/17	. 1.600	2016/09
CYANIDE	01291	036	2014/03/11	< 100.000	2017/03
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/03/11	. .190	2017/03
MERCURY	71900	036	2014/03/11	< 1.000	2017/03
NICKEL	01067	036	2014/03/11	< 10.000	2017/03
PERCHLORATE	A-031	012	2013/09/17	< 4.000	2014/09
SELENIUM	01147	036	2014/03/11	< 5.000	2017/03
THALLIUM	01059	036	2014/03/11	< 1.000	2017/03

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910173**

**System Name: WHITTIER-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910173-011**

**Source Name: WELL 16**

**Source Number: 011**

**Source Status: ACTIVE RAW**

**Water type: G**

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	012	2014/03/11	. 6.600	2015/03
NITRITE (AS N)	00620	036	2014/03/11	< 400.000	2017/03

**RADIOLOGICAL**

GROSS ALPHA	01501	003	2011/09/14	. 3.600	2011/12	DUE
RADIUM 226	09501	003	2006/06/26	.000	2006/09	DUE
RADIUM 228	11501	003	2006/06/26	.000	2006/09	DUE
URANIUM (PCI/L)	28012	003	2006/06/26	.000	2006/09	DUE

**REGULATED SOC**

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2012/12/06	< 3.000	2015/09
---------------------------	-------	-----	------------	---------	---------

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	012	2014/06/11	< .500	2015/06
1,1,2,2-TETRACHLOROETHANE	34516	012	2014/06/11	< .500	2015/06
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/06/11	< 10.000	2015/06
1,1,2-TRICHLOROETHANE	34511	012	2014/06/11	< .500	2015/06
1,1-DICHLOROETHANE	34496	012	2014/06/11	< .500	2015/06
1,1-DICHLOROETHYLENE	34501	012	2014/06/11	< .500	2015/06
1,2,4-TRICHLOROBENZENE	34551	012	2014/06/11	< .500	2015/06
1,2-DICHLOROBENZENE	34536	012	2014/06/11	< .500	2015/06
1,2-DICHLOROETHANE	34531	012	2014/06/11	< .500	2015/06
1,2-DICHLOROPROPANE	34541	012	2014/06/11	< .500	2015/06
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/06/11	< .500	2015/06
1,4-DICHLOROBENZENE	34571	012	2014/06/11	< .500	2015/06
BENZENE	34030	012	2014/06/11	< .500	2015/06
CARBON TETRACHLORIDE	32102	012	2014/06/11	< .500	2015/06
CIS-1,2-DICHLOROETHYLENE	77093	012	2014/06/11	< .500	2015/06
DICHLOROMETHANE	34423	012	2014/06/11	< .500	2015/06
ETHYLBENZENE	34371	012	2014/06/11	< .500	2015/06
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/06/11	< 3.000	2015/06

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910173**

**System Name: WHITTIER-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910173-011**

**Source Name: WELL 16**

**Source Number: 011**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED VOC**

MONOCHLOROENZENE	34301	012	2014/06/11	< .500	2015/06
STYRENE	77128	012	2014/06/11	< .500	2015/06
TETRACHLOROETHYLENE	34475	003	2014/07/22	.960	2014/10
TOLUENE	34010	012	2014/06/11	< .500	2015/06
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/06/11	< .500	2015/06
TRICHLOROETHYLENE	39180	012	2014/06/11	< .500	2015/06
TRICHLOROFUOROMETHANE	34488	012	2014/06/11	< 5.000	2015/06
VINYL CHLORIDE	39175	012	2014/06/11	< .500	2015/06
XYLENES (TOTAL)	81551	012	2014/06/11	< .000	2015/06

**SECONDARY/GP**

BICARBONATE ALKALINITY	00440	036	2014/03/26	. 210.000	2017/03
CALCIUM	00916	036	2014/03/26	. 74.900	2017/03
CARBONATE ALKALINITY	00445	036	2014/03/26	< .000	2017/03
CHLORIDE	00940	036	2014/03/26	. 75.000	2017/03
COLOR	00081	036	2014/03/26	< .000	2017/03
COPPER	01042	036	2014/03/26	< 50.000	2017/03
FOAMING AGENTS (MBAS)	38260	036	2014/03/26	< .000	2017/03
HARDNESS (TOTAL) AS CaCO3	00900	036	2014/03/26	. 239.000	2017/03
HYDROXIDE ALKALINITY	71830	036	2014/03/26	< .000	2017/03
IRON	01045	036	2014/03/26	< 100.000	2017/03
MAGNESIUM	00927	036	2014/03/26	. 12.500	2017/03
MANGANESE	01055	012	2014/03/26	< 20.000	2015/03
ODOR THRESHOLD @ 60 C	00086	036	2014/03/26	. 1.000	2017/03
PH, LABORATORY	00403	036	2014/03/26	. 7.830	2017/03
SILVER	01077	036	2014/03/26	< 10.000	2017/03
SODIUM	00929	036	2014/03/26	. 48.000	2017/03
SPECIFIC CONDUCTANCE	00095	036	2014/03/26	. 730.000	2017/03
SULFATE	00945	036	2014/03/26	. 97.000	2017/03
TOTAL DISSOLVED SOLIDS	70300	036	2014/03/26	. 420.000	2017/03

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910173**

**System Name: WHITTIER-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910173-011**  
**Source Name: WELL 16**  
**Source Number: 011**  
**Source Status: ACTIVE RAW**  
**Water type: G**

**SECONDARY/GP**

TURBIDITY, LABORATORY	82079	036	2014/03/26	< .000	2017/03
ZINC	01092	036	2014/03/26	< 50.000	2017/03

**PS Code: 1910173-013**  
**Source Name: WELL 18**  
**Source Number: 013**  
**Source Status: ACTIVE RAW**  
**Water type: G**

**INORGANIC**

ALUMINUM	01105	036	2012/03/13	< .000	2015/03
ANTIMONY	01097	036	2012/03/13	< .000	2015/03
ARSENIC	01002	036	2012/03/13	< .000	2015/03
BARIUM	01007	036	2012/03/13	< .000	2015/03
BERYLLIUM	01012	036	2012/03/13	< .000	2015/03
CADMIUM	01027	036	2012/03/13	< .000	2015/03
CHROMIUM (TOTAL)	01034	036	2012/03/13	< .000	2015/03
CYANIDE	01291	036	2012/03/13	< .000	2015/03
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2012/03/13	. 280	2015/03
MERCURY	71900	036	2012/03/13	< .000	2015/03
NICKEL	01067	036	2012/03/13	< .000	2015/03
PERCHLORATE	A-031	012	2013/09/17	< 4.000	2014/09
SELENIUM	01147	036	2012/03/13	< .000	2015/03
THALLIUM	01059	036	2012/03/13	< .000	2015/03

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	012	2014/03/11	. 9.300	2015/03
NITRITE (AS N)	00620	036	2012/03/13	< .000	2015/03

**RADIOLOGICAL**

GROSS ALPHA	01501	048	2013/06/25	< 3.000	2017/06
-------------	-------	-----	------------	---------	---------

\*Testing interval is in months;  
 0 = No data for this constituent and is DUE NOW  
 I = Invalid (NOT) valid analyses reported  
 Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910173**

**System Name: WHITTIER-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910173-013**

**Source Name: WELL 18**

**Source Number: 013**

**Source Status: ACTIVE RAW**

**Water type: G**

**RADIOLOGICAL**

<b>RADIUM 226</b>	<b>09501</b>	<b>000</b>	<b>2005/03/23</b>	<b>.000</b>	<b>2005/03</b>	<b>DUE</b>
<b>RADIUM 228</b>	<b>11501</b>	<b>000</b>	<b>2013/06/25</b>	<b>.000</b>	<b>2013/06</b>	<b>DUE</b>
<b>URANIUM (PCI/L)</b>	<b>28012</b>	<b>003</b>	<b>2010/06/14</b>	<b>1.900</b>	<b>2010/09</b>	<b>DUE</b>

**REGULATED SOC**

DI(2-ETHYLHEXYL)PHTHALATE	<b>39100</b>	<b>033</b>	2012/12/06	< <b>3.000</b>	2015/09	
---------------------------	--------------	------------	------------	----------------	---------	--

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	<b>34506</b>	<b>012</b>	2013/09/17	< <b>.500</b>	2014/09	
1,1,2,2-TETRACHLOROETHANE	<b>34516</b>	<b>012</b>	2013/09/17	< <b>.500</b>	2014/09	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	<b>81611</b>	<b>012</b>	2013/09/17	< <b>10.000</b>	2014/09	
1,1,2-TRICHLOROETHANE	<b>34511</b>	<b>012</b>	2013/09/17	< <b>.500</b>	2014/09	
1,1-DICHLOROETHANE	<b>34496</b>	<b>012</b>	2013/09/17	< <b>.500</b>	2014/09	
1,1-DICHLOROETHYLENE	<b>34501</b>	<b>012</b>	2013/09/17	< <b>.500</b>	2014/09	
1,2,4-TRICHLOROBENZENE	<b>34551</b>	<b>012</b>	2013/09/17	< <b>.500</b>	2014/09	
1,2-DICHLOROBENZENE	<b>34536</b>	<b>012</b>	2013/09/17	< <b>.500</b>	2014/09	
1,2-DICHLOROETHANE	<b>34531</b>	<b>012</b>	2013/09/17	< <b>.500</b>	2014/09	
1,2-DICHLOROPROPANE	<b>34541</b>	<b>012</b>	2013/09/17	< <b>.500</b>	2014/09	
1,3-DICHLOROPROPENE (TOTAL)	<b>34561</b>	<b>012</b>	2013/09/17	< <b>.500</b>	2014/09	
1,4-DICHLOROBENZENE	<b>34571</b>	<b>012</b>	2013/09/17	< <b>.500</b>	2014/09	
BENZENE	<b>34030</b>	<b>012</b>	2013/09/17	< <b>.500</b>	2014/09	
CARBON TETRACHLORIDE	<b>32102</b>	<b>012</b>	2013/09/17	< <b>.500</b>	2014/09	
CIS-1,2-DICHLOROETHYLENE	<b>77093</b>	<b>012</b>	2014/06/11	< <b>.500</b>	2015/06	
DICHLOROMETHANE	<b>34423</b>	<b>012</b>	2013/09/17	< <b>.500</b>	2014/09	
ETHYLBENZENE	<b>34371</b>	<b>012</b>	2013/09/17	< <b>.500</b>	2014/09	
METHYL-TERT-BUTYL-ETHER (MTBE)	<b>46491</b>	<b>012</b>	2013/09/17	< <b>3.000</b>	2014/09	
MONOCHLOROBENZENE	<b>34301</b>	<b>012</b>	2013/09/17	< <b>.500</b>	2014/09	
STYRENE	<b>77128</b>	<b>012</b>	2013/09/17	< <b>.500</b>	2014/09	
TETRACHLOROETHYLENE	<b>34475</b>	<b>001</b>	2014/07/22	. <b>4.900</b>	2014/08	
TOLUENE	<b>34010</b>	<b>012</b>	2013/09/17	< <b>.500</b>	2014/09	
TRANS-1,2-DICHLOROETHYLENE	<b>34546</b>	<b>012</b>	2013/09/17	< <b>.500</b>	2014/09	

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910173**

**System Name: WHITTIER-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910173-013**

**Source Name: WELL 18**

**Source Number: 013**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED VOC**

TRICHLOROETHYLENE	39180	012	2014/06/11	. .990	2015/06
TRICHLOROFUOROMETHANE	34488	012	2013/09/17	< 5.000	2014/09
VINYL CHLORIDE	39175	012	2013/09/17	< .500	2014/09
XYLENES (TOTAL)	81551	012	2013/09/17	< .000	2014/09

**SECONDARY/GP**

BICARBONATE ALKALINITY	00440	036	2014/03/26	. 220.000	2017/03
CALCIUM	00916	036	2014/03/26	. 94.800	2017/03
CARBONATE ALKALINITY	00445	036	2014/03/26	< .000	2017/03
CHLORIDE	00940	036	2014/03/26	. 91.000	2017/03
COLOR	00081	036	2014/03/26	< .000	2017/03
COPPER	01042	036	2014/03/26	< 50.000	2017/03
FOAMING AGENTS (MBAS)	38260	036	2014/03/26	< .000	2017/03
HARDNESS (TOTAL) AS CaCO3	00900	036	2014/03/26	. 304.000	2017/03
HYDROXIDE ALKALINITY	71830	036	2014/03/26	< .000	2017/03
IRON	01045	036	2014/03/26	< 100.000	2017/03
MAGNESIUM	00927	036	2014/03/26	. 16.400	2017/03
MANGANESE	01055	012	2014/03/26	< 20.000	2015/03
ODOR THRESHOLD @ 60 C	00086	036	2014/03/26	. 1.000	2017/03
PH, LABORATORY	00403	036	2014/03/26	. 7.800	2017/03
SILVER	01077	036	2014/03/26	< 10.000	2017/03
SODIUM	00929	036	2014/03/26	. 48.000	2017/03
SPECIFIC CONDUCTANCE	00095	036	2014/03/26	. 850.000	2017/03
SULFATE	00945	036	2014/03/26	. 120.000	2017/03
TOTAL DISSOLVED SOLIDS	70300	036	2014/03/26	. 490.000	2017/03
TURBIDITY, LABORATORY	82079	036	2014/03/26	< .000	2017/03
ZINC	01092	036	2014/03/26	< 50.000	2017/03

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910173**

**System Name: WHITTIER-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910173-014**

**Source Name: SETTLING BASIN PP 2**

**Source Number: 014**

**Source Status: COMBINATION OR BLEND TREATED**

**Water type: G**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

**PS Code: 1910173-022**

**Source Name: CENTRAL BASIN MWD WELLS CB1 & CB2-TREATD**

**Source Number: 022**

**Source Status: PURCHASED TREATED**

**Water type: G**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

**PS Code: 1910173-800**

**Source Name: SITE 1-14129 DITTMAR DRIVE-STG2 DBP**

**Source Number: 800**

**Source Status: DISTRIBUTION TREATED**

**Water type: G**

**HALOACETIC ACIDS**

DIBROMOACETIC ACID (DBAA)	82721	003	2014/04/29	.	6.200	2014/07
DICHLOROACETIC ACID (DCAA)	77288	003	2014/04/29	<	1.000	2014/07
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/04/29	.	6.200	2014/07
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/04/29	<	1.000	2014/07
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/04/29	<	2.000	2014/07
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/04/29	<	1.000	2014/07

**STATE UCMR**

BROMODICHLORMETHANE (THM)	32101	003	2014/04/29	.	5.000	2014/07
BROMOFORM (THM)	32104	003	2014/04/29	.	15.000	2014/07
CHLOROFORM (THM)	32106	003	2014/04/29	<	1.000	2014/07
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/04/29	.	16.000	2014/07

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910173**

**System Name: WHITTIER-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910173-800**

**Source Name: SITE 1-14129 DITTMAR DRIVE-STG2 DBP**

**Source Number: 800**

**Source Status: DISTRIBUTION TREATED**

**Water type: G**

**TRihalOMETHANES**

TOTAL TRIHALOMETHANES	82080	003	2014/04/29	. 37.000	2014/07
-----------------------	-------	-----	------------	----------	---------

**PS Code: 1910173-801**

**Source Name: SITE 2-8228 MICHIGAN AVENUE-STG2 DBP**

**Source Number: 801**

**Source Status: DISTRIBUTION TREATED**

**Water type: G**

**HALOACETIC ACIDS**

DIBROMOACETIC ACID (DBAA)	82721	003	2014/04/29	. 5.700	2014/07
DICHLOROACETIC ACID (DCAA)	77288	003	2014/04/29	< 1.000	2014/07
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/04/29	. 5.700	2014/07
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/04/29	< 1.000	2014/07
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/04/29	< 2.000	2014/07
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/04/29	< 1.000	2014/07

**STATE UCMR**

BROMODICHLORMETHANE (THM)	32101	003	2014/04/29	. 4.600	2014/07
BROMOFORM (THM)	32104	003	2014/04/29	. 14.000	2014/07
CHLOROFORM (THM)	32106	003	2014/04/29	< 1.000	2014/07
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/04/29	. 15.000	2014/07

**TRihalOMETHANES**

TOTAL TRIHALOMETHANES	82080	003	2014/04/29	. 34.000	2014/07
-----------------------	-------	-----	------------	----------	---------

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)



**System Number: 1910173**

**System Name: WHITTIER-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910173-802**

**Source Name: SITE 3-7829 VALE DRIVE-STG2 DBP**

**Source Number: 802**

**Source Status: DISTRIBUTION TREATED**

**Water type: G**

**HALOACETIC ACIDS**

DIBROMOACETIC ACID (DBAA)	82721	003	2014/04/29	. 5.400	2014/07
DICHLOROACETIC ACID (DCAA)	77288	003	2014/04/29	< 1.000	2014/07
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/04/29	. 5.400	2014/07
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/04/29	< 1.000	2014/07
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/04/29	< 2.000	2014/07
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/04/29	< 1.000	2014/07

**STATE UCMR**

BROMODICHLORMETHANE (THM)	32101	003	2014/04/29	. 5.300	2014/07
BROMOFORM (THM)	32104	003	2014/04/29	. 13.000	2014/07
CHLOROFORM (THM)	32106	003	2014/04/29	. 1.000	2014/07
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/04/29	. 15.000	2014/07

**TRIHALOMETHANES**

TOTAL TRIHALOMETHANES	82080	003	2014/04/29	. 34.000	2014/07
-----------------------	-------	-----	------------	----------	---------

**PS Code: 1910173-803**

**Source Name: SITE 4-13655 EARLHAM DRIVE-STG2 DBP**

**Source Number: 803**

**Source Status: DISTRIBUTION TREATED**

**Water type: G**

**HALOACETIC ACIDS**

DIBROMOACETIC ACID (DBAA)	82721	003	2014/04/29	. 5.700	2014/07
DICHLOROACETIC ACID (DCAA)	77288	003	2014/04/29	< 1.000	2014/07
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/04/29	. 5.700	2014/07
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/04/29	< 1.000	2014/07
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/04/29	< 2.000	2014/07
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/04/29	< 1.000	2014/07

**STATE UCMR**

BROMODICHLORMETHANE (THM)	32101	003	2014/04/29	. 4.400	2014/07
---------------------------	-------	-----	------------	---------	---------

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910173**

**System Name: WHITTIER-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910173-803**

**Source Name: SITE 4-13655 EARLHAM DRIVE-STG2 DBP**

**Source Number: 803**

**Source Status: DISTRIBUTION TREATED**

**Water type: G**

**STATE UCMR**

BROMOFORM (THM)	32104	003	2014/04/29	. 12.000	2014/07
CHLOROFORM (THM)	32106	003	2014/04/29	< 1.000	2014/07
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/04/29	. 14.000	2014/07

**TRIHALOMETHANES**

TOTAL TRIHALOMETHANES	82080	003	2014/04/29	. 31.000	2014/07
-----------------------	-------	-----	------------	----------	---------

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910174**

**System Name: SUBURBAN WATER SYSTEMS-WHITTIER**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910174-003**

**Source Name: 201-W4 - STANDBY**

**Source Number: 003**

**Source Status: STANDBY RAW**

**Water type: G**

**INORGANIC**

ALUMINUM	01105	108	2010/08/18	< .000	2019/08
ANTIMONY	01097	108	2010/08/18	< .000	2019/08
ARSENIC	01002	108	2010/08/18	< .000	2019/08
BARIUM	01007	108	2010/08/18	< .000	2019/08
BERYLLIUM	01012	108	2010/08/18	< .000	2019/08
CADMIUM	01027	108	2010/08/18	< .000	2019/08
CHROMIUM (TOTAL)	01034	108	2010/08/18	< .000	2019/08
CYANIDE	01291	108	2006/08/30	.000	2015/08
FLUORIDE (F) (NATURAL-SOURCE)	00951	108	2010/08/18	.250	2019/08
MERCURY	71900	108	2010/08/18	< .000	2019/08
NICKEL	01067	108	2010/08/18	< .000	2019/08
PERCHLORATE	A-031	108	2014/07/09	< 4.000	2023/07
SELENIUM	01147	108	2010/08/18	< .000	2019/08
THALLIUM	01059	108	2010/08/18	< .000	2019/08

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	001	2014/07/09	. 21.000	2014/08
NITRITE (AS N)	00620	108	2010/08/18	< .000	2019/08

**RADIOLOGICAL**

GROSS ALPHA	01501	108	2006/05/03	4.900	2015/05
RADIUM 226	09501	108	2006/05/03	.000	2015/05
RADIUM 228	11501	108	2014/06/12	< .000	2023/06
URANIUM (PCI/L)	28012	108	2006/05/03	2.400	2015/05

**REGULATED SOC**

<b>DI(2-ETHYLHEXYL)PHTHALATE</b>	39100	108	<b>2000/10/25</b>	. 000	<b>2009/10</b>	<b>DUE</b>
<b>THIOBENCARB</b>	A-001	108	<b>2003/10/23</b>	. 000	<b>2012/10</b>	<b>DUE</b>

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	108	2014/06/12	< .500	2023/06
1,1,2,2-TETRACHLOROETHANE	34516	108	2014/06/12	< .500	2023/06

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910174**

**System Name: SUBURBAN WATER SYSTEMS-WHITTIER**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910174-003**

**Source Name: 201-W4 - STANDBY**

**Source Number: 003**

**Source Status: STANDBY RAW**

**Water type: G**

**REGULATED VOC**

1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	108	2014/06/12	< 10.000	2023/06
1,1,2-TRICHLOROETHANE	34511	108	2014/06/12	< .500	2023/06
1,1-DICHLOROETHANE	34496	108	2014/06/12	< .500	2023/06
1,1-DICHLOROETHYLENE	34501	003	2014/06/12	< .500	2014/09
1,2,4-TRICHLOROBENZENE	34551	108	2014/06/12	< .500	2023/06
1,2-DICHLOROBENZENE	34536	108	2014/06/12	< .500	2023/06
1,2-DICHLOROETHANE	34531	108	2014/06/12	< .500	2023/06
1,2-DICHLOROPROPANE	34541	108	2014/06/12	< .500	2023/06
1,3-DICHLOROPROPENE (TOTAL)	34561	108	2014/06/12	< .500	2023/06
1,4-DICHLOROBENZENE	34571	108	2014/06/12	< .500	2023/06
BENZENE	34030	108	2014/06/12	< .500	2023/06
CARBON TETRACHLORIDE	32102	003	2014/06/12	< .500	2014/09
CIS-1,2-DICHLOROETHYLENE	77093	108	2014/06/12	< .500	2023/06
DICHLOROMETHANE	34423	108	2014/06/12	< .500	2023/06
ETHYLBENZENE	34371	108	2014/06/12	< .500	2023/06
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	108	2014/06/12	< 3.000	2023/06
MONOCHLOROBENZENE	34301	108	2014/06/12	< .500	2023/06
STYRENE	77128	108	2014/06/12	< .500	2023/06
TETRACHLOROETHYLENE	34475	003	2014/06/12	< .500	2014/09
TOLUENE	34010	108	2014/06/12	< .500	2023/06
TRANS-1,2-DICHLOROETHYLENE	34546	108	2014/06/12	< .500	2023/06
TRICHLOROETHYLENE	39180	003	2014/06/12	< .500	2014/09
TRICHLOROFUOROMETHANE	34488	108	2014/06/12	< 5.000	2023/06
VINYL CHLORIDE	39175	108	2014/06/12	< .500	2023/06
XYLENES (TOTAL)	81551	108	2014/06/12	< .000	2023/06

**SECONDARY/GP**

BICARBONATE ALKALINITY	00440	108	2010/08/18	210.000	2019/08
CALCIUM	00916	108	2010/08/18	74.000	2019/08
CARBONATE ALKALINITY	00445	108	2010/08/18	< .000	2019/08

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910174**

**System Name: SUBURBAN WATER SYSTEMS-WHITTIER**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910174-003**

**Source Name: 201-W4 - STANDBY**

**Source Number: 003**

**Source Status: STANDBY RAW**

**Water type: G**

**SECONDARY/GP**

CHLORIDE	00940	108	2010/08/18	120.000	2019/08
COLOR	00081	108	2010/08/18	< .000	2019/08
COPPER	01042	108	2008/06/18	< 10.000	2017/06
FOAMING AGENTS (MBAS)	38260	108	2010/08/18	< .000	2019/08
HARDNESS (TOTAL) AS CaCO3	00900	108	2010/08/18	260.000	2019/08
HYDROXIDE ALKALINITY	71830	108	2010/08/18	< .000	2019/08
IRON	01045	108	2010/08/18	< .000	2019/08
MAGNESIUM	00927	108	2010/08/18	17.000	2019/08
MANGANESE	01055	108	2010/08/18	39.000	2019/08
ODOR THRESHOLD @ 60 C	00086	108	2010/08/18	1.000	2019/08
PH, LABORATORY	00403	108	2010/08/18	7.620	2019/08
SILVER	01077	108	2010/08/18	< .000	2019/08
SODIUM	00929	108	2010/08/18	86.000	2019/08
SPECIFIC CONDUCTANCE	00095	108	2010/08/18	960.000	2019/08
SULFATE	00945	108	2010/08/18	130.000	2019/08
TOTAL DISSOLVED SOLIDS	70300	108	2010/08/18	620.000	2019/08
TURBIDITY, LABORATORY	82079	108	2010/08/18	.560	2019/08
ZINC	01092	108	2010/08/18	< .000	2019/08

**PS Code: 1910174-014**

**Source Name: PLANT 201 (VOC BLEND/NDMA/1,4-DIOXANE)**

**Source Number: 014**

**Source Status: COMBINATION OR BLEND MIXED**

**Water type: S**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

\*Testing interval is in months;  
 0 = No data for this constituent and is DUE NOW  
 I = Invalid (NOT) valid analyses reported  
 Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910174**

**System Name: SUBURBAN WATER SYSTEMS-WHITTIER**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910174-015**

**Source Name: MWD CONNECTION CEN B-29 - TREATED**

**Source Number: 015**

**Source Status: PURCHASED TREATED**

**Water type: S**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

**PS Code: 1910174-020**

**Source Name: 201-W7**

**Source Number: 020**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

ALUMINUM	01105	036	2011/08/22	< .000	2014/08
ANTIMONY	01097	036	2011/08/22	< .000	2014/08
ARSENIC	01002	036	2011/08/22	< .000	2014/08
BARIUM	01007	036	2011/08/22	< .000	2014/08
BERYLLIUM	01012	036	2011/08/22	< .000	2014/08
CADMIUM	01027	036	2011/08/22	< .000	2014/08
CHROMIUM (TOTAL)	01034	036	2011/08/22	< .000	2014/08
CHROMIUM, HEXAVALENT	01032	036	2013/08/16	< 1.000	2016/08
CYANIDE	01291	036	2011/08/22	< .000	2014/08
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2011/08/22	.270	2014/08
MERCURY	71900	036	2011/08/22	< .000	2014/08
NICKEL	01067	036	2011/08/22	< .000	2014/08
PERCHLORATE	A-031	012	2013/08/27	< 4.000	2014/08
SELENIUM	01147	036	2011/08/22	< .000	2014/08
THALLIUM	01059	036	2011/08/22	< .000	2014/08

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	012	2013/08/27	. 10.000	2014/08
NITRITE (AS N)	00620	036	2011/08/22	< .000	2014/08

**RADIOLOGICAL**

GROSS ALPHA	01501	108	2012/05/03	< .000	2021/05
-------------	-------	-----	------------	--------	---------

\*Testing interval is in months;  
 0 = No data for this constituent and is DUE NOW  
 I = Invalid (NOT) valid analyses reported  
 Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910174**

**System Name: SUBURBAN WATER SYSTEMS-WHITTIER**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910174-020**

**Source Name: 201-W7**

**Source Number: 020**

**Source Status: ACTIVE RAW**

**Water type: G**

**RADIOLOGICAL**

RADIUM 226	09501	108	2006/05/03	.000	2015/05
RADIUM 228	11501	108	2006/05/03	.000	2015/05
URANIUM (PCI/L)	28012	072	2012/05/03	1.400	2018/05

**REGULATED SOC**

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2013/05/20	< 3.000	2016/02
THIOBENCARB	A-001	033	2013/05/20	< 1.000	2016/02

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	012	2014/05/19	< .500	2015/05
1,1,2,2-TETRACHLOROETHANE	34516	012	2014/05/19	< .500	2015/05
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/05/19	< 10.000	2015/05
1,1,2-TRICHLOROETHANE	34511	012	2014/05/19	< .500	2015/05
1,1-DICHLOROETHANE	34496	012	2014/05/19	< .500	2015/05
1,1-DICHLOROETHYLENE	34501	012	2014/05/19	< .500	2015/05
1,2,4-TRICHLOROBENZENE	34551	012	2014/05/19	< .500	2015/05
1,2-DICHLOROBENZENE	34536	012	2014/05/19	< .500	2015/05
1,2-DICHLOROETHANE	34531	012	2014/05/19	< .500	2015/05
1,2-DICHLOROPROPANE	34541	012	2014/05/19	< .500	2015/05
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/05/19	< .500	2015/05
1,4-DICHLOROBENZENE	34571	012	2014/05/19	< .500	2015/05
BENZENE	34030	012	2014/05/19	< .500	2015/05
CARBON TETRACHLORIDE	32102	012	2014/05/19	< .500	2015/05
CIS-1,2-DICHLOROETHYLENE	77093	012	2014/05/19	< .500	2015/05
DICHLOROMETHANE	34423	012	2014/05/19	< .500	2015/05
ETHYLBENZENE	34371	012	2014/05/19	< .500	2015/05
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/05/19	< 3.000	2015/05
MONOCHLOROBENZENE	34301	012	2014/05/19	< .500	2015/05
STYRENE	77128	012	2014/05/19	< .500	2015/05
TETRACHLOROETHYLENE	34475	012	2014/05/19	< .500	2015/05
TOLUENE	34010	012	2014/05/19	< .500	2015/05

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910174**

**System Name: SUBURBAN WATER SYSTEMS-WHITTIER**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910174-020**

**Source Name: 201-W7**

**Source Number: 020**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED VOC**

TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/05/19	< .500	2015/05
TRICHLOROETHYLENE	39180	012	2014/05/19	< .500	2015/05
TRICHLOROFUOROMETHANE	34488	012	2014/05/19	< 5.000	2015/05
VINYL CHLORIDE	39175	012	2014/05/19	< .500	2015/05
XYLENES (TOTAL)	81551	012	2014/05/19	< .000	2015/05

**SECONDARY/GP**

BICARBONATE ALKALINITY	00440	036	2011/08/22	. 190.000	2014/08
CALCIUM	00916	036	2011/08/22	. 70.000	2014/08
CARBONATE ALKALINITY	00445	036	2011/08/22	< .000	2014/08
CHLORIDE	00940	036	2011/08/22	. 97.000	2014/08
COLOR	00081	036	2011/08/22	< .000	2014/08
COPPER	01042	036	2011/08/22	< .000	2014/08
FOAMING AGENTS (MBAS)	38260	036	2011/08/22	< .000	2014/08
HARDNESS (TOTAL) AS CaCO3	00900	036	2011/08/22	. 230.000	2014/08
HYDROXIDE ALKALINITY	71830	036	2011/08/22	< .000	2014/08
IRON	01045	036	2011/08/22	< .000	2014/08
MAGNESIUM	00927	036	2011/08/22	. 14.000	2014/08
MANGANESE	01055	036	2011/08/22	< .000	2014/08
ODOR THRESHOLD @ 60 C	00086	036	2011/08/22	1.000	2014/08
PH, LABORATORY	00403	036	2011/08/22	. 7.620	2014/08
SILVER	01077	036	2011/08/22	< .000	2014/08
SODIUM	00929	036	2011/08/22	80.000	2014/08
SPECIFIC CONDUCTANCE	00095	036	2011/08/22	. 860.000	2014/08
SULFATE	00945	036	2011/08/22	120.000	2014/08
TOTAL DISSOLVED SOLIDS	70300	036	2013/08/27	. 500.000	2016/08
TURBIDITY, LABORATORY	82079	036	2011/08/22	< .000	2014/08
ZINC	01092	036	2011/08/22	< .000	2014/08

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)



**System Number: 1910174**

**System Name: SUBURBAN WATER SYSTEMS-WHITTIER**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

**PS Code: 1910174-022**

**Source Name: CAL DOMESTIC CONN - WHITTIER @ PLANT 216**

**Source Number: 022**

**Source Status: PURCHASED TREATED**

**Water type: S**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

**PS Code: 1910174-023**

**Source Name: CAL DOMESTIC CONN - WHITTIER @ PLANT 231**

**Source Number: 023**

**Source Status: PURCHASED TREATED**

**Water type: S**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

**PS Code: 1910174-024**

**Source Name: CAL DOMESTIC CONN - LAMBERT @ PLANT 413**

**Source Number: 024**

**Source Status: PURCHASED TREATED**

**Water type: S**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

**PS Code: 1910174-025**

**Source Name: LA HHCWD CONN-LAS CUMBRES/CAMPO NUEVO**

**Source Number: 025**

**Source Status: PURCHASED TREATED**

**Water type: S**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

\*Testing interval is in months;  
0 = No data for this constituent and is DUE NOW  
I = Invalid (NOT) valid analyses reported  
Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910174**

**System Name: SUBURBAN WATER SYSTEMS-WHITTIER**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

**PS Code: 1910174-026**

**Source Name: LA HHCWD CONN-WHITTIER/SANTA GERTRUDES**

**Source Number: 026**

**Source Status: PURCHASED TREATED**

**Water type: S**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

**PS Code: 1910174-027**

**Source Name: LA HHCWD CONN-SOLEJAR/CORELLA**

**Source Number: 027**

**Source Status: PURCHASED TREATED**

**Water type: S**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

**PS Code: 1910174-028**

**Source Name: WHITTIER CONN - WASHINGTON/LAMBERT**

**Source Number: 028**

**Source Status: PURCHASED TREATED**

**Water type: S**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

**PS Code: 1910174-029**

**Source Name: WHITTIER CONN - PAINTER/CULLEN**

**Source Number: 029**

**Source Status: PURCHASED TREATED**

**Water type: S**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

\*Testing interval is in months;  
0 = No data for this constituent and is DUE NOW  
I = Invalid (NOT) valid analyses reported  
Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910174**

**System Name: SUBURBAN WATER SYSTEMS-WHITTIER**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910174-030**

**Source Name: PLANT 201 BLENDED EFF FOR NDMA**

**Source Number: 030**

**Source Status: COMBINATION OR BLEND TREATED**

**Water type: S**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

**PS Code: 1910174-031**

**Source Name: WELL 201-W8**

**Source Number: 031**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

ALUMINUM	01105	036	2012/08/21	< 50.000	2015/08
ANTIMONY	01097	036	2012/08/21	< 6.000	2015/08
ARSENIC	01002	036	2012/08/21	. 2.300	2015/08
BARIUM	01007	036	2012/08/21	< 100.000	2015/08
BERYLLIUM	01012	036	2012/08/21	< 1.000	2015/08
CADMIUM	01027	036	2012/08/21	< 1.000	2015/08
CHROMIUM (TOTAL)	01034	036	2012/08/21	< 10.000	2015/08
CHROMIUM, HEXAVALENT	01032	036	2013/08/14	< 1.000	2016/08
CYANIDE	01291	036	2012/08/21	< 100.000	2015/08
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2012/08/24	. .250	2015/08
MERCURY	71900	036	2012/08/21	< 1.000	2015/08
NICKEL	01067	036	2012/08/21	< 10.000	2015/08
PERCHLORATE	A-031	012	2013/08/27	< 4.000	2014/08
SELENIUM	01147	036	2012/08/21	< 5.000	2015/08
THALLIUM	01059	036	2012/08/21	< 1.000	2015/08

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	012	2013/08/27	. 5.900	2014/08
NITRITE (AS N)	00620	036	2012/08/21	< 400.000	2015/08

**RADIOLOGICAL**

GROSS ALPHA	01501	108	2007/08/21	< 3.000	2016/08
-------------	-------	-----	------------	---------	---------

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910174**

**System Name: SUBURBAN WATER SYSTEMS-WHITTIER**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910174-031**

**Source Name: WELL 201-W8**

**Source Number: 031**

**Source Status: ACTIVE RAW**

**Water type: G**

**RADIOLOGICAL**

RADIUM 226	09501	108	2007/08/21	< 1.000	2016/08
RADIUM 228	11501	108	2007/08/21	< 1.000	2016/08
URANIUM (PCI/L)	28012	072	2013/08/27	. 1.800	2019/08

**REGULATED SOC**

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2013/05/20	< 3.000	2016/02
THIOBENCARB	A-001	033	2013/05/20	< 1.000	2016/02

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	012	2014/05/19	< .500	2015/05
1,1,2,2-TETRACHLOROETHANE	34516	012	2014/05/19	< .500	2015/05
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/05/19	< 10.000	2015/05
1,1,2-TRICHLOROETHANE	34511	012	2014/05/19	< .500	2015/05
1,1-DICHLOROETHANE	34496	012	2014/05/19	< .500	2015/05
1,1-DICHLOROETHYLENE	34501	012	2014/05/19	< .500	2015/05
1,2,4-TRICHLOROBENZENE	34551	012	2014/05/19	< .500	2015/05
1,2-DICHLOROBENZENE	34536	012	2014/05/19	< .500	2015/05
1,2-DICHLOROETHANE	34531	012	2014/05/19	< .500	2015/05
1,2-DICHLOROPROPANE	34541	012	2014/05/19	< .500	2015/05
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/05/19	< .500	2015/05
1,4-DICHLOROBENZENE	34571	012	2014/05/19	< .500	2015/05
BENZENE	34030	012	2014/05/19	< .500	2015/05
CARBON TETRACHLORIDE	32102	012	2014/05/19	< .500	2015/05
CIS-1,2-DICHLOROETHYLENE	77093	012	2014/05/19	< .500	2015/05
DICHLOROMETHANE	34423	012	2014/05/19	< .500	2015/05
ETHYLBENZENE	34371	012	2014/05/19	< .500	2015/05
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/05/19	< 3.000	2015/05
MONOCHLOROBENZENE	34301	012	2014/05/19	< .500	2015/05
STYRENE	77128	012	2014/05/19	< .500	2015/05
TETRACHLOROETHYLENE	34475	012	2014/05/19	< .500	2015/05
TOLUENE	34010	012	2014/05/19	< .500	2015/05

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910174**

**System Name: SUBURBAN WATER SYSTEMS-WHITTIER**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910174-031**

**Source Name: WELL 201-W8**

**Source Number: 031**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED VOC**

TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/05/19	< .500	2015/05
TRICHLOROETHYLENE	39180	012	2014/05/19	< .500	2015/05
TRICHLOROFUOROMETHANE	34488	012	2014/05/19	< 5.000	2015/05
VINYL CHLORIDE	39175	012	2014/05/19	< .500	2015/05
XYLENES (TOTAL)	81551	012	2014/05/19	< .000	2015/05

**SECONDARY/GP**

BICARBONATE ALKALINITY	00440	036	2012/08/24	. 210.000	2015/08
CALCIUM	00916	036	2012/08/24	. 79.000	2015/08
CARBONATE ALKALINITY	00445	036	2012/08/24	< .000	2015/08
CHLORIDE	00940	036	2012/08/24	. 100.000	2015/08
COLOR	00081	036	2012/08/24	< .000	2015/08
COPPER	01042	036	2012/08/24	< 50.000	2015/08
FOAMING AGENTS (MBAS)	38260	036	2012/08/24	< .000	2015/08
HARDNESS (TOTAL) AS CaCO3	00900	036	2012/08/24	. 250.000	2015/08
HYDROXIDE ALKALINITY	71830	036	2012/08/24	< .000	2015/08
IRON	01045	036	2012/08/24	< 100.000	2015/08
MAGNESIUM	00927	036	2012/08/24	. 13.000	2015/08
MANGANESE	01055	036	2012/08/24	< 20.000	2015/08
ODOR THRESHOLD @ 60 C	00086	036	2012/08/24	1.000	2015/08
PH, LABORATORY	00403	036	2012/08/24	. 7.580	2015/08
SILVER	01077	036	2012/08/21	< 10.000	2015/08
SODIUM	00929	036	2012/08/24	79.000	2015/08
SPECIFIC CONDUCTANCE	00095	036	2012/08/24	. 890.000	2015/08
SULFATE	00945	036	2012/08/24	130.000	2015/08
TOTAL DISSOLVED SOLIDS	70300	036	2013/08/27	. 550.000	2016/08
TURBIDITY, LABORATORY	82079	036	2012/08/24	< .000	2015/08
ZINC	01092	036	2012/08/24	< 50.000	2015/08

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910174**

**System Name: SUBURBAN WATER SYSTEMS-WHITTIER**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910174-033**

**Source Name: WELL 201-W9**

**Source Number: 033**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

ALUMINUM	01105	036	2014/02/14	< 50.000	2017/02
ANTIMONY	01097	036	2014/02/14	< 6.000	2017/02
ARSENIC	01002	036	2014/02/14	< 2.000	2017/02
BARIUM	01007	036	2014/02/14	< 100.000	2017/02
BERYLLIUM	01012	036	2014/02/14	< 1.000	2017/02
CADMIUM	01027	036	2014/02/14	< 1.000	2017/02
CHROMIUM (TOTAL)	01034	036	2014/02/14	< 10.000	2017/02
CHROMIUM, HEXAVALENT	01032	036	2013/08/14	< 1.000	2016/08
CYANIDE	01291	036	2014/02/14	< 100.000	2017/02
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/03/31	.170	2017/03
MERCURY	71900	036	2014/02/14	< 1.000	2017/02
NICKEL	01067	036	2014/02/14	< 10.000	2017/02
PERCHLORATE	A-031	012	2013/08/27	< 4.000	2014/08
SELENIUM	01147	036	2014/02/14	< 5.000	2017/02
THALLIUM	01059	036	2014/02/14	< 1.000	2017/02

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	012	2014/03/31	.17.000	2015/03
NITRITE (AS N)	00620	036	2014/02/14	< 400.000	2017/02

**RADIOLOGICAL**

GROSS ALPHA	01501	108	2009/08/20	< .000	2018/08
<b>RADIUM 226</b>	09501	108			<b>DUE</b>
RADIUM 228	11501	108	2009/08/20	.000	2018/08
URANIUM (PCI/L)	28012	072	2009/08/20	1.900	2015/08

**REGULATED SOC**

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2013/05/20	< 3.000	2016/02
THIOBENCARB	A-001	033	2013/05/20	< 1.000	2016/02

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	012	2014/05/19	< .500	2015/05
-----------------------	-------	-----	------------	--------	---------

\*Testing interval is in months;  
 0 = No data for this constituent and is DUE NOW  
 I = Invalid (NOT) valid analyses reported  
 Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910174**

**System Name: SUBURBAN WATER SYSTEMS-WHITTIER**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910174-033**

**Source Name: WELL 201-W9**

**Source Number: 033**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED VOC**

1,1,2,2-TETRACHLOROETHANE	34516	012	2014/05/19	< .500	2015/05
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/05/19	< 10.000	2015/05
1,1,2-TRICHLOROETHANE	34511	012	2014/05/19	< .500	2015/05
1,1-DICHLOROETHANE	34496	012	2014/05/19	< .500	2015/05
1,1-DICHLOROETHYLENE	34501	012	2014/05/19	< .500	2015/05
1,2,4-TRICHLOROBENZENE	34551	012	2014/05/19	< .500	2015/05
1,2-DICHLOROBENZENE	34536	012	2014/05/19	< .500	2015/05
1,2-DICHLOROETHANE	34531	012	2014/05/19	< .500	2015/05
1,2-DICHLOROPROPANE	34541	012	2014/05/19	< .500	2015/05
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/05/19	< .500	2015/05
1,4-DICHLOROBENZENE	34571	012	2014/05/19	< .500	2015/05
BENZENE	34030	012	2014/05/19	< .500	2015/05
CARBON TETRACHLORIDE	32102	012	2014/05/19	< .500	2015/05
CIS-1,2-DICHLOROETHYLENE	77093	012	2014/05/19	< .500	2015/05
DICHLOROMETHANE	34423	012	2014/05/19	< .500	2015/05
ETHYLBENZENE	34371	012	2014/05/19	< .500	2015/05
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/05/19	< 3.000	2015/05
MONOCHLOROBENZENE	34301	012	2014/05/19	< .500	2015/05
STYRENE	77128	012	2014/05/19	< .500	2015/05
TETRACHLOROETHYLENE	34475	012	2014/05/19	< .500	2015/05
TOLUENE	34010	012	2014/05/19	< .500	2015/05
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/05/19	< .500	2015/05
TRICHLOROETHYLENE	39180	012	2014/05/19	< .500	2015/05
TRICHLOROFUOROMETHANE	34488	012	2014/05/19	< 5.000	2015/05
VINYL CHLORIDE	39175	012	2014/05/19	< .500	2015/05
XYLENES (TOTAL)	81551	012	2014/05/19	< .000	2015/05

**SECONDARY/GP**

BICARBONATE ALKALINITY	00440	036	2014/03/31	. 230.000	2017/03
CALCIUM	00916	036	2014/03/31	. 86.000	2017/03

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910174**

**System Name: SUBURBAN WATER SYSTEMS-WHITTIER**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910174-033**

**Source Name: WELL 201-W9**

**Source Number: 033**

**Source Status: ACTIVE RAW**

**Water type: G**

**SECONDARY/GP**

CARBONATE ALKALINITY	00445	036	2014/03/31	< .000	2017/03
CHLORIDE	00940	036	2014/03/31	. 97.000	2017/03
COLOR	00081	036	2014/03/31	< .000	2017/03
COPPER	01042	036	2014/03/31	< 50.000	2017/03
FOAMING AGENTS (MBAS)	38260	036	2014/03/31	. .050	2017/03
HARDNESS (TOTAL) AS CaCO3	00900	036	2014/03/31	. 280.000	2017/03
HYDROXIDE ALKALINITY	71830	036	2014/03/31	< .000	2017/03
IRON	01045	036	2014/03/31	< 100.000	2017/03
MAGNESIUM	00927	036	2014/03/31	. 15.000	2017/03
MANGANESE	01055	036	2014/03/31	< 20.000	2017/03
ODOR THRESHOLD @ 60 C	00086	036	2014/03/31	. 1.000	2017/03
PH, LABORATORY	00403	036	2014/03/31	. 7.720	2017/03
SILVER	01077	036	2014/02/14	< 10.000	2017/02
SODIUM	00929	036	2014/03/31	. 75.000	2017/03
SPECIFIC CONDUCTANCE	00095	036	2014/03/31	. 940.000	2017/03
SULFATE	00945	036	2014/03/31	. 120.000	2017/03
TOTAL DISSOLVED SOLIDS	70300	036	2014/03/31	. 570.000	2017/03
TURBIDITY, LABORATORY	82079	036	2014/03/31	< .000	2017/03
ZINC	01092	036	2014/03/31	< 50.000	2017/03

**PS Code: 1910174-035**

**Source Name: WELL 201-W10**

**Source Number: 035**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

ALUMINUM	01105	036	2012/06/12	< 50.000	2015/06
ANTIMONY	01097	036	2012/06/12	< 6.000	2015/06
ARSENIC	01002	036	2012/06/12	< 2.000	2015/06

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)



**System Number: 1910174**

**System Name: SUBURBAN WATER SYSTEMS-WHITTIER**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910174-035**

**Source Name: WELL 201-W10**

**Source Number: 035**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

BARIUM	01007	036	2012/06/12	110.000	2015/06
BERYLLIUM	01012	036	2012/06/12	< 1.000	2015/06
CADMIUM	01027	036	2012/06/12	< 1.000	2015/06
CHROMIUM (TOTAL)	01034	036	2012/06/12	< 10.000	2015/06
CHROMIUM, HEXAVALENT	01032	036	2013/08/14	< 1.000	2016/08
CYANIDE	01291	036	2012/06/12	< 100.000	2015/06
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2012/06/26	.260	2015/06
MERCURY	71900	036	2012/06/12	< 1.000	2015/06
NICKEL	01067	036	2012/06/12	< 10.000	2015/06
PERCHLORATE	A-031	012	2014/05/19	< 4.000	2015/05
SELENIUM	01147	036	2012/06/12	< 5.000	2015/06
THALLIUM	01059	036	2012/06/12	< 1.000	2015/06

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	012	2014/05/19	. 3.300	2015/05
NITRITE (AS N)	00620	036	2012/06/12	< 400.000	2015/06

**RADIOLOGICAL**

GROSS ALPHA	01501	108	2010/02/16	< .000	2019/02
RADIUM 226	09501	108	2009/05/12	.000	2018/05
RADIUM 228	11501	108	2010/02/16	.000	2019/02
URANIUM (PCI/L)	28012	072	2010/02/16	2.000	2016/02

**REGULATED SOC**

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2013/05/08	< 3.000	2016/02
THIOBENCARB	A-001	033	2013/05/08	< 1.000	2016/02

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	012	2014/05/19	< .500	2015/05
1,1,2,2-TETRACHLOROETHANE	34516	012	2014/05/19	< .500	2015/05
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/05/19	< 10.000	2015/05
1,1,2-TRICHLOROETHANE	34511	012	2014/05/19	< .500	2015/05

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910174**

**System Name: SUBURBAN WATER SYSTEMS-WHITTIER**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910174-035**

**Source Name: WELL 201-W10**

**Source Number: 035**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED VOC**

1,1-DICHLOROETHANE	34496	012	2014/05/19	< .500	2015/05
1,1-DICHLOROETHYLENE	34501	012	2014/05/19	< .500	2015/05
1,2,4-TRICHLOROBENZENE	34551	012	2014/05/19	< .500	2015/05
1,2-DICHLOROBENZENE	34536	012	2014/05/19	< .500	2015/05
1,2-DICHLOROETHANE	34531	012	2014/05/19	< .500	2015/05
1,2-DICHLOROPROPANE	34541	012	2014/05/19	< .500	2015/05
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/05/19	< .500	2015/05
1,4-DICHLOROBENZENE	34571	012	2014/05/19	< .500	2015/05
BENZENE	34030	012	2014/05/19	< .500	2015/05
CARBON TETRACHLORIDE	32102	012	2014/05/19	< .500	2015/05
CIS-1,2-DICHLOROETHYLENE	77093	012	2014/05/19	.760	2015/05
DICHLOROMETHANE	34423	012	2014/05/19	< .500	2015/05
ETHYLBENZENE	34371	012	2014/05/19	< .500	2015/05
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/05/19	< 3.000	2015/05
MONOCHLOROBENZENE	34301	012	2014/05/19	< .500	2015/05
STYRENE	77128	012	2014/05/19	< .500	2015/05
TETRACHLOROETHYLENE	34475	012	2014/05/19	< .500	2015/05
TOLUENE	34010	012	2014/05/19	< .500	2015/05
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/05/19	< .500	2015/05
TRICHLOROETHYLENE	39180	012	2014/05/19	.520	2015/05
TRICHLOROFUOROMETHANE	34488	012	2014/05/19	< 5.000	2015/05
VINYL CHLORIDE	39175	012	2014/05/19	< .500	2015/05
XYLENES (TOTAL)	81551	012	2014/05/19	< .000	2015/05

**SECONDARY/GP**

BICARBONATE ALKALINITY	00440	036	2012/06/26	. 220.000	2015/06
CALCIUM	00916	036	2012/06/26	. 93.000	2015/06
CARBONATE ALKALINITY	00445	036	2012/06/26	< .000	2015/06
CHLORIDE	00940	036	2012/06/26	. 91.000	2015/06
COLOR	00081	036	2012/06/26	< .000	2015/06

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910174**

**System Name: SUBURBAN WATER SYSTEMS-WHITTIER**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910174-035**

**Source Name: WELL 201-W10**

**Source Number: 035**

**Source Status: ACTIVE RAW**

**Water type: G**

**SECONDARY/GP**

COPPER	01042	036	2012/06/26	< 50.000	2015/06
FOAMING AGENTS (MBAS)	38260	036	2012/06/26	< .000	2015/06
HARDNESS (TOTAL) AS CaCO3	00900	036	2012/06/26	. 310.000	2015/06
HYDROXIDE ALKALINITY	71830	036	2012/06/26	< .000	2015/06
IRON	01045	036	2012/06/26	< 100.000	2015/06
MAGNESIUM	00927	036	2012/06/26	. 18.000	2015/06
MANGANESE	01055	036	2012/06/26	< 20.000	2015/06
ODOR THRESHOLD @ 60 C	00086	036	2012/06/26	1.000	2015/06
PH, LABORATORY	00403	036	2012/06/26	. 7.780	2015/06
SILVER	01077	036	2012/06/12	< 10.000	2015/06
SODIUM	00929	036	2012/06/26	58.000	2015/06
SPECIFIC CONDUCTANCE	00095	036	2012/06/26	. 860.000	2015/06
SULFATE	00945	036	2012/06/26	110.000	2015/06
TOTAL DISSOLVED SOLIDS	70300	036	2013/08/27	. 620.000	2016/08
TURBIDITY, LABORATORY	82079	036	2012/06/26	< .000	2015/06
ZINC	01092	036	2012/06/26	< 50.000	2015/06

**PS Code: 1910174-800**

**Source Name: SITE 1-7500 SORENSEN AVE-STG2 DBP**

**Source Number: 800**

**Source Status: DISTRIBUTION TREATED**

**Water type: S**

**HALOACETIC ACIDS**

DIBROMOACETIC ACID (DBAA)	82721	003	2014/07/22	. 2.600	2014/10
DICHLOROACETIC ACID (DCAA)	77288	003	2014/07/22	< 1.000	2014/10
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/07/22	. 2.600	2014/10
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/07/22	< 1.000	2014/10
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/07/22	< 2.000	2014/10
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/07/22	< 1.000	2014/10

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910174**

**System Name: SUBURBAN WATER SYSTEMS-WHITTIER**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910174-800**

**Source Name: SITE 1-7500 SORENSEN AVE-STG2 DBP**

**Source Number: 800**

**Source Status: DISTRIBUTION TREATED**

**Water type: S**

**STATE UCMR**

BROMODICHLORMETHANE (THM)	32101	003	2014/07/22	. 3.700	2014/10
BROMOFORM (THM)	32104	003	2014/07/22	. 4.600	2014/10
CHLOROFORM (THM)	32106	003	2014/07/22	. 1.100	2014/10
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/07/22	. 6.100	2014/10

**TRIHALOMETHANES**

TOTAL TRIHALOMETHANES	82080	003	2014/07/22	. 16.000	2014/10
-----------------------	-------	-----	------------	----------	---------

**PS Code: 1910174-801**

**Source Name: SITE 2-16270 RUSHFORD ST-STG2 DBP**

**Source Number: 801**

**Source Status: DISTRIBUTION TREATED**

**Water type: S**

**HALOACETIC ACIDS**

DIBROMOACETIC ACID (DBAA)	82721	003	2014/07/22	. 1.800	2014/10
DICHLOROACETIC ACID (DCAA)	77288	003	2014/07/22	< 1.000	2014/10
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/07/22	. 1.800	2014/10
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/07/22	< 1.000	2014/10
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/07/22	< 2.000	2014/10
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/07/22	< 1.000	2014/10

**STATE UCMR**

BROMODICHLORMETHANE (THM)	32101	003	2014/07/22	. 2.000	2014/10
BROMOFORM (THM)	32104	003	2014/07/22	. 2.800	2014/10
CHLOROFORM (THM)	32106	003	2014/07/22	< 1.000	2014/10
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/07/22	. 3.400	2014/10

**TRIHALOMETHANES**

TOTAL TRIHALOMETHANES	82080	003	2014/07/22	. 8.800	2014/10
-----------------------	-------	-----	------------	---------	---------

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910174**

**System Name: SUBURBAN WATER SYSTEMS-WHITTIER**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910174-802**

**Source Name: SITE 3-12328 OXFORD DR.-STG2 DBP**

**Source Number: 802**

**Source Status: DISTRIBUTION TREATED**

**Water type: S**

**HALOACETIC ACIDS**

DIBROMOACETIC ACID (DBAA)	82721	003	2014/07/22	. 2.000	2014/10
DICHLOROACETIC ACID (DCAA)	77288	003	2014/07/22	< 1.000	2014/10
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/07/22	. 2.000	2014/10
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/07/22	< 1.000	2014/10
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/07/22	< 2.000	2014/10
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/07/22	< 1.000	2014/10

**STATE UCMR**

BROMODICHLORMETHANE (THM)	32101	003	2014/07/22	. 2.400	2014/10
BROMOFORM (THM)	32104	003	2014/07/22	. 3.400	2014/10
CHLOROFORM (THM)	32106	003	2014/07/22	< 1.000	2014/10
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/07/22	. 4.200	2014/10

**TRIHALOMETHANES**

TOTAL TRIHALOMETHANES	82080	003	2014/07/22	. 11.000	2014/10
-----------------------	-------	-----	------------	----------	---------

**PS Code: 1910174-803**

**Source Name: SITE 4-15203 GRANADA AVE-STG2 DBP**

**Source Number: 803**

**Source Status: DISTRIBUTION TREATED**

**Water type: S**

**HALOACETIC ACIDS**

DIBROMOACETIC ACID (DBAA)	82721	003	2014/07/22	. 1.600	2014/10
DICHLOROACETIC ACID (DCAA)	77288	003	2014/07/22	< 1.000	2014/10
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/07/22	. 1.600	2014/10
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/07/22	< 1.000	2014/10
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/07/22	< 2.000	2014/10
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/07/22	< 1.000	2014/10

**STATE UCMR**

BROMODICHLORMETHANE (THM)	32101	003	2014/07/22	. 2.000	2014/10
---------------------------	-------	-----	------------	---------	---------

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910174**

**System Name: SUBURBAN WATER SYSTEMS-WHITTIER**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910174-803**

**Source Name: SITE 4-15203 GRANADA AVE-STG2 DBP**

**Source Number: 803**

**Source Status: DISTRIBUTION TREATED**

**Water type: S**

**STATE UCMR**

BROMOFORM (THM)	32104	003	2014/07/22	. 2.600	2014/10
CHLOROFORM (THM)	32106	003	2014/07/22	< 1.000	2014/10
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/07/22	. 3.300	2014/10

**TRIHALOMETHANES**

TOTAL TRIHALOMETHANES	82080	003	2014/07/22	. 8.600	2014/10
-----------------------	-------	-----	------------	---------	---------

**PS Code: 1910174-804**

**Source Name: SITE 5-14700 WHITTIER BLVD-STG2 DBP**

**Source Number: 804**

**Source Status: DISTRIBUTION TREATED**

**Water type: S**

**HALOACETIC ACIDS**

DIBROMOACETIC ACID (DBAA)	82721	003	2014/07/22	. 1.700	2014/10
DICHLOROACETIC ACID (DCAA)	77288	003	2014/07/22	< 1.000	2014/10
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/07/22	. 1.700	2014/10
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/07/22	< 1.000	2014/10
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/07/22	< 2.000	2014/10
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/07/22	< 1.000	2014/10

**STATE UCMR**

BROMODICHLORMETHANE (THM)	32101	003	2014/07/22	. 1.700	2014/10
BROMOFORM (THM)	32104	003	2014/07/22	. 2.200	2014/10
CHLOROFORM (THM)	32106	003	2014/07/22	< 1.000	2014/10
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/07/22	. 2.900	2014/10

**TRIHALOMETHANES**

TOTAL TRIHALOMETHANES	82080	003	2014/07/22	. 7.500	2014/10
-----------------------	-------	-----	------------	---------	---------

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910174**

**System Name: SUBURBAN WATER SYSTEMS-WHITTIER**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910174-805**

**Source Name: SITE 6-7806 WEXFORD AVE-STG2 DBP**

**Source Number: 805**

**Source Status: DISTRIBUTION TREATED**

**Water type: S**

**HALOACETIC ACIDS**

DIBROMOACETIC ACID (DBAA)	82721	003	2014/07/22	. 2.400	2014/10
DICHLOROACETIC ACID (DCAA)	77288	003	2014/07/22	< 1.000	2014/10
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/07/22	. 2.400	2014/10
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/07/22	< 1.000	2014/10
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/07/22	< 2.000	2014/10
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/07/22	< 1.000	2014/10

**STATE UCMR**

BROMODICHLORMETHANE (THM)	32101	003	2014/07/22	. 3.000	2014/10
BROMOFORM (THM)	32104	003	2014/07/22	. 3.800	2014/10
CHLOROFORM (THM)	32106	003	2014/07/22	< 1.000	2014/10
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/07/22	. 4.900	2014/10

**TRIHALOMETHANES**

TOTAL TRIHALOMETHANES	82080	003	2014/07/22	. 13.000	2014/10
-----------------------	-------	-----	------------	----------	---------

**PS Code: 1910174-806**

**Source Name: SITE 7-7954 CROWDALE AVE-STG2 DBP**

**Source Number: 806**

**Source Status: DISTRIBUTION TREATED**

**Water type: S**

**HALOACETIC ACIDS**

DIBROMOACETIC ACID (DBAA)	82721	003	2014/07/22	. 1.900	2014/10
DICHLOROACETIC ACID (DCAA)	77288	003	2014/07/22	< 1.000	2014/10
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/07/22	. 1.900	2014/10
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/07/22	< 1.000	2014/10
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/07/22	< 2.000	2014/10
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/07/22	< 1.000	2014/10

**STATE UCMR**

BROMODICHLORMETHANE (THM)	32101	003	2014/07/22	. 2.500	2014/10
---------------------------	-------	-----	------------	---------	---------

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910174**

**System Name: SUBURBAN WATER SYSTEMS-WHITTIER**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910174-806**

**Source Name: SITE 7-7954 CROWDALE AVE-STG2 DBP**

**Source Number: 806**

**Source Status: DISTRIBUTION TREATED**

**Water type: S**

**STATE UCMR**

BROMOFORM (THM)	32104	003	2014/07/22	. 3.200	2014/10
CHLOROFORM (THM)	32106	003	2014/07/22	< 1.000	2014/10
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/07/22	. 4.200	2014/10

**TRIHALOMETHANES**

TOTAL TRIHALOMETHANES	82080	003	2014/07/22	. 11.000	2014/10
-----------------------	-------	-----	------------	----------	---------

**PS Code: 1910174-807**

**Source Name: SITE 8-11045 LINDESMITH AVE-STG2 DBP**

**Source Number: 807**

**Source Status: DISTRIBUTION TREATED**

**Water type: S**

**HALOACETIC ACIDS**

DIBROMOACETIC ACID (DBAA)	82721	003	2014/07/22	. 1.400	2014/10
DICHLOROACETIC ACID (DCAA)	77288	003	2014/07/22	< 1.000	2014/10
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/07/22	. 1.400	2014/10
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/07/22	< 1.000	2014/10
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/07/22	< 2.000	2014/10
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/07/22	< 1.000	2014/10

**STATE UCMR**

BROMODICHLORMETHANE (THM)	32101	003	2014/07/22	. 1.900	2014/10
BROMOFORM (THM)	32104	003	2014/07/22	. 2.700	2014/10
CHLOROFORM (THM)	32106	003	2014/07/22	< 1.000	2014/10
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/07/22	. 3.400	2014/10

**TRIHALOMETHANES**

TOTAL TRIHALOMETHANES	82080	003	2014/07/22	. 8.600	2014/10
-----------------------	-------	-----	------------	---------	---------

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)



**System Number: 1910179**

**System Name: BURBANK-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910179-004**

**Source Name: WELL VO-8 (OLD BURBANK WELL 10)**

**Source Number: 004**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

ALUMINUM	01105	036	2014/04/01	< 50.000	2017/04
ANTIMONY	01097	036	2014/04/01	< 6.000	2017/04
ARSENIC	01002	036	2014/04/01	< 2.000	2017/04
BARIUM	01007	036	2014/04/01	. 110.000	2017/04
BERYLLIUM	01012	036	2014/04/01	< 1.000	2017/04
CADMIUM	01027	036	2014/04/01	< 1.000	2017/04
CHROMIUM (TOTAL)	01034	036	2014/07/02	< 10.000	2017/07
CHROMIUM, HEXAVALENT	01032	036	2014/07/02	. 1.800	2017/07
CYANIDE	01291	036	2014/04/01	< 100.000	2017/04
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/04/01	. .510	2017/04
MERCURY	71900	036	2014/04/01	< 1.000	2017/04
NICKEL	01067	036	2014/04/01	< 10.000	2017/04
PERCHLORATE	A-031	012	2014/04/01	< 4.000	2015/04
SELENIUM	01147	036	2014/04/01	< 5.000	2017/04
THALLIUM	01059	036	2014/04/01	< 1.000	2017/04

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	001	2014/07/02	. 21.000	2014/08
NITRITE (AS N)	00620	001	2014/07/02	< 400.000	2014/08

**RADIOLOGICAL**

GROSS ALPHA	01501	003	2014/04/01	. 11.000	2014/07
RADIUM 226	09501	003	2014/04/01	< 1.000	2014/07
RADIUM 228	11501	003	2014/04/01	< 1.000	2014/07
URANIUM (PCI/L)	28012	003	2014/04/01	. 15.000	2014/07

**REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	033	2014/07/02	< 5.000	2017/04
2,4,5-TP (SILVEX)	39045	033	2014/07/02	< 1.000	2017/04
2,4-D	39730	033	2014/07/02	< 10.000	2017/04
ALACHLOR	77825	033	2014/07/02	< 1.000	2017/04

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910179**

**System Name: BURBANK-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910179-004**

**Source Name: WELL VO-8 (OLD BURBANK WELL 10)**

**Source Number: 004**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED SOC**

ATRAZINE	39033	033	2014/07/02	< .500	2017/04
BENTAZON	38710	033	2014/07/02	< 2.000	2017/04
BENZO (A) PYRENE	34247	033	2014/07/02	< .100	2017/04
CARBOFURAN	81405	033	2014/07/02	< 5.000	2017/04
CHLORDANE	39350	033	2014/07/02	< .100	2017/04
DALAPON	38432	033	2014/07/02	< 10.000	2017/04
DI(2-ETHYLHEXYL)ADIPATE	A-026	033	2014/07/02	< 5.000	2017/04
DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2014/07/02	< 3.000	2017/04
DIBROMOCHLOROPROPANE (DBCP)	38761	033	2014/07/02	< .010	2017/04
DINOSEB	81287	033	2014/07/02	< 2.000	2017/04
DIQUAT	78885	033	2014/07/02	< 4.000	2017/04
ENDOTHALL	38926	033	2014/07/02	< 45.000	2017/04
ENDRIN	39390	033	2014/07/02	< .100	2017/04
ETHYLENE DIBROMIDE (EDB)	77651	033	2014/07/02	< .020	2017/04
GLYPHOSATE	79743	033	2014/07/02	< 25.000	2017/04
HEPTACHLOR	39410	033	2014/07/02	< .010	2017/04
HEPTACHLOR EPOXIDE	39420	033	2014/07/02	< .010	2017/04
HEXACHLOROBENZENE	39700	033	2014/07/02	< .500	2017/04
HEXACHLOROCYCLOPENTADIENE	34386	033	2014/07/02	< 1.000	2017/04
LINDANE	39340	033	2014/07/02	< .200	2017/04
METHOXYCHLOR	39480	033	2014/07/02	< 10.000	2017/04
MOLINATE	82199	033	2014/07/02	< 2.000	2017/04
OXAMYL	38865	033	2014/07/02	< 20.000	2017/04
PENTACHLOROPHENOL	39032	033	2014/07/02	< .200	2017/04
PICLORAM	39720	033	2014/07/02	< 1.000	2017/04
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	033	2014/07/02	< .500	2017/04
SIMAZINE	39055	033	2014/07/02	< 1.000	2017/04
THIOBENCARB	A-001	033	2014/07/02	< 1.000	2017/04
TOXAPHENE	39400	033	2014/07/02	< 1.000	2017/04

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910179**

**System Name: BURBANK-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910179-004**

**Source Name: WELL VO-8 (OLD BURBANK WELL 10)**

**Source Number: 004**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	001	2014/07/02	< .500	2014/08
1,1,2,2-TETRACHLOROETHANE	34516	001	2014/07/02	< .500	2014/08
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	001	2014/07/02	< 10.000	2014/08
1,1,2-TRICHLOROETHANE	34511	001	2014/07/02	< .500	2014/08
1,1-DICHLOROETHANE	34496	001	2014/07/02	< .500	2014/08
1,1-DICHLOROETHYLENE	34501	001	2014/07/02	< .500	2014/08
1,2,4-TRICHLOROBENZENE	34551	001	2014/07/02	< .500	2014/08
1,2-DICHLOROBENZENE	34536	001	2014/07/02	< .500	2014/08
1,2-DICHLOROETHANE	34531	001	2014/07/02	< .500	2014/08
1,2-DICHLOROPROPANE	34541	001	2014/07/02	< .500	2014/08
1,3-DICHLOROPROPENE (TOTAL)	34561	001	2014/07/02	< .500	2014/08
1,4-DICHLOROBENZENE	34571	001	2014/07/02	< .500	2014/08
BENZENE	34030	001	2014/07/02	< .500	2014/08
CARBON TETRACHLORIDE	32102	001	2014/07/02	< .500	2014/08
CIS-1,2-DICHLOROETHYLENE	77093	001	2014/07/02	< .500	2014/08
DICHLOROMETHANE	34423	001	2014/07/02	< .500	2014/08
ETHYLBENZENE	34371	001	2014/07/02	< .500	2014/08
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/07/02	< 3.000	2015/07
MONOCHLOROBENZENE	34301	001	2014/07/02	< .500	2014/08
STYRENE	77128	001	2014/07/02	< .500	2014/08
TETRACHLOROETHYLENE	34475	001	2014/07/02	. 41.000	2014/08
TOLUENE	34010	001	2014/07/02	< .500	2014/08
TRANS-1,2-DICHLOROETHYLENE	34546	001	2014/07/02	< .500	2014/08
TRICHLOROETHYLENE	39180	001	2014/07/02	. 8.200	2014/08
TRICHLOROFUOROMETHANE	34488	001	2014/07/02	< 5.000	2014/08
VINYL CHLORIDE	39175	001	2014/07/02	< .500	2014/08
XYLENES (TOTAL)	81551	001	2014/07/02	< .500	2014/08

**SECONDARY/GP**

BICARBONATE ALKALINITY	00440	036	2014/07/02	. 290.000	2017/07
------------------------	-------	-----	------------	-----------	---------

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910179**

**System Name: BURBANK-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910179-004**

**Source Name: WELL VO-8 (OLD BURBANK WELL 10)**

**Source Number: 004**

**Source Status: ACTIVE RAW**

**Water type: G**

**SECONDARY/GP**

CALCIUM	00916	036	2014/07/02	. 86.000	2017/07
CARBONATE ALKALINITY	00445	036	2014/07/02	< 2.000	2017/07
CHLORIDE	00940	036	2014/04/01	. 30.000	2017/04
COLOR	00081	036	2014/04/01	< 3.000	2017/04
COPPER	01042	036	2014/04/01	< 50.000	2017/04
FOAMING AGENTS (MBAS)	38260	036	2014/04/01	< .050	2017/04
HARDNESS (TOTAL) AS CaCO3	00900	036	2014/07/02	. 310.000	2017/07
HYDROXIDE ALKALINITY	71830	036	2014/07/02	< 2.000	2017/07
IRON	01045	001	2014/06/02	< 100.000	2014/07
MAGNESIUM	00927	036	2014/07/02	. 23.000	2017/07
MANGANESE	01055	001	2014/06/02	< 20.000	2014/07
ODOR THRESHOLD @ 60 C	00086	036	2014/04/01	< 1.000	2017/04
PH, LABORATORY	00403	036	2014/07/02	. 8.000	2017/07
SILVER	01077	036	2014/04/01	< 10.000	2017/04
SODIUM	00929	036	2014/04/01	. 32.000	2017/04
SPECIFIC CONDUCTANCE	00095	036	2014/04/01	. 730.000	2017/04
SULFATE	00945	036	2014/04/01	. 73.000	2017/04
TOTAL DISSOLVED SOLIDS	70300	036	2014/07/02	. 500.000	2017/07
TURBIDITY, LABORATORY	82079	036	2014/04/01	. .068	2017/04
ZINC	01092	036	2014/04/01	< 50.000	2017/04

**PS Code: 1910179-012**

**Source Name: WELLS 7 & 15 - GAC-ADSORBER-A-EFFLUENT**

**Source Number: 012**

**Source Status: COMBINATION OR BLEND TREATED**

**Water type: S**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910179**

**System Name: BURBANK-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

**PS Code: 1910179-014**

**Source Name: GAC - PORT 3 - ADSORBER A**

**Source Number: 014**

**Source Status: COMBINATION OR BLEND TREATED**

**Water type: S**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

**PS Code: 1910179-015**

**Source Name: GAC - PORT 3 - ADSORBER B**

**Source Number: 015**

**Source Status: COMBINATION OR BLEND TREATED**

**Water type: S**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

**PS Code: 1910179-016**

**Source Name: GAC - PORT 3 - ADSORBER C**

**Source Number: 016**

**Source Status: COMBINATION OR BLEND TREATED**

**Water type: S**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

**PS Code: 1910179-017**

**Source Name: GAC - PORT 3 - ADSORBER D**

**Source Number: 017**

**Source Status: COMBINATION OR BLEND TREATED**

**Water type: S**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

\*Testing interval is in months;  
0 = No data for this constituent and is DUE NOW  
I = Invalid (NOT) valid analyses reported  
Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910179**

**System Name: BURBANK-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

**PS Code: 1910179-018**

**Source Name: WELL 07 & 15 -GAC-ADSORBER B - EFFLUENT**

**Source Number: 018**

**Source Status: ACTIVE RAW**

**Water type: G**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

**PS Code: 1910179-019**

**Source Name: WELLS 07 & 15 - GAC-ADSORBER C-EFFLUENT**

**Source Number: 019**

**Source Status: COMBINATION OR BLEND TREATED**

**Water type: S**

**NITRATE/NITRITE**

**NITRATE (AS NO3)**

71850

001

2000/02/28

. 40.000

2000/03

DUE

**PS Code: 1910179-020**

**Source Name: WELLS 07 & 15 - GAC-ADSORBER D-EFFLUENT**

**Source Number: 020**

**Source Status: COMBINATION OR BLEND TREATED**

**Water type: S**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

**PS Code: 1910179-021**

**Source Name: WELLS 07 & 15 - GAC-COMMON INFLUENT**

**Source Number: 021**

**Source Status: COMBINATION OR BLEND RAW**

**Water type: S**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910179**

**System Name: BURBANK-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910179-022**

**Source Name: AIR STRIPPER TOWER T-200A (N)INFLUENT**

**Source Number: 022**

**Source Status: ACTIVE TREATED**

**Water type: S**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

**PS Code: 1910179-023**

**Source Name: BURBANK OU WELL VO-1**

**Source Number: 023**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

ALUMINUM	01105	036	2014/04/02	< 50.000	2017/04
ANTIMONY	01097	036	2014/04/02	< 6.000	2017/04
ARSENIC	01002	036	2014/04/02	< 2.000	2017/04
BARIUM	01007	036	2014/04/02	. 130.000	2017/04
BERYLLIUM	01012	036	2014/04/02	< 1.000	2017/04
CADMIUM	01027	036	2014/04/02	< 1.000	2017/04
CHROMIUM (TOTAL)	01034	036	2014/07/01	. 13.000	2017/07
CHROMIUM, HEXAVALENT	01032	036	2014/07/01	. 14.000	2017/07
CYANIDE	01291	036	2014/04/02	< 100.000	2017/04
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/04/02	. .510	2017/04
MERCURY	71900	036	2014/04/02	< 1.000	2017/04
NICKEL	01067	036	2014/04/02	< 10.000	2017/04
PERCHLORATE	A-031	012	2014/04/02	< 4.000	2015/04
SELENIUM	01147	036	2014/04/02	< 5.000	2017/04
THALLIUM	01059	036	2014/04/02	< 1.000	2017/04

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	001	2014/07/01	. 38.000	2014/08
NITRITE (AS N)	00620	001	2014/07/01	< 400.000	2014/08

**RADIOLOGICAL**

GROSS ALPHA	01501	003	2014/04/02	. 6.500	2014/07
-------------	-------	-----	------------	---------	---------

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910179**

**System Name: BURBANK-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

**PS Code: 1910179-023**

**Source Name: BURBANK OU WELL VO-1**

**Source Number: 023**

**Source Status: ACTIVE RAW**

**Water type: G**

**RADIOLOGICAL**

RADIUM 226	09501	003	2014/04/02	< 1.000	2014/07
RADIUM 228	11501	003	2014/04/02	< 1.000	2014/07
URANIUM (PCI/L)	28012	003	2014/04/02	. 12.000	2014/07

**REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	033	2014/07/01	< 5.000	2017/04
2,4,5-TP (SILVEX)	39045	033	2014/07/01	< 1.000	2017/04
2,4-D	39730	033	2014/07/01	< 10.000	2017/04
ALACHLOR	77825	033	2014/07/01	< 1.000	2017/04
ATRAZINE	39033	033	2014/07/01	< .500	2017/04
BENTAZON	38710	033	2014/07/01	< 2.000	2017/04
BENZO (A) PYRENE	34247	033	2014/07/01	< .100	2017/04
CARBOFURAN	81405	033	2014/07/01	< 5.000	2017/04
CHLORDANE	39350	033	2014/07/01	< .100	2017/04
DALAPON	38432	033	2014/07/01	< 10.000	2017/04
DI(2-ETHYLHEXYL)ADIPATE	A-026	033	2014/07/01	< 5.000	2017/04
DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2014/07/01	< 3.000	2017/04
DIBROMOCHLOROPROPANE (DBCP)	38761	033	2014/07/01	< .010	2017/04
DINOSEB	81287	033	2014/07/01	< 2.000	2017/04
DIQUAT	78885	033	2014/07/01	< 4.000	2017/04
ENDOTHALL	38926	033	2014/07/01	< 45.000	2017/04
ENDRIN	39390	033	2014/07/01	< .100	2017/04
ETHYLENE DIBROMIDE (EDB)	77651	033	2014/07/01	< .020	2017/04
GLYPHOSATE	79743	033	2014/07/01	< 25.000	2017/04
HEPTACHLOR	39410	033	2014/07/01	< .010	2017/04
HEPTACHLOR EPOXIDE	39420	033	2014/07/01	< .010	2017/04
HEXACHLOROBENZENE	39700	033	2014/07/01	< .500	2017/04
HEXACHLOROCYCLOPENTADIENE	34386	033	2014/07/01	< 1.000	2017/04
LINDANE	39340	033	2014/07/01	< .200	2017/04
METHOXYCHLOR	39480	033	2014/07/01	< 10.000	2017/04

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)



**System Number: 1910179**

**System Name: BURBANK-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910179-023**

**Source Name: BURBANK OU WELL VO-1**

**Source Number: 023**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED SOC**

MOLINATE	82199	033	2014/07/01	< 2.000	2017/04
OXAMYL	38865	033	2014/07/01	< 20.000	2017/04
PENTACHLOROPHENOL	39032	033	2014/07/01	< .200	2017/04
PICLORAM	39720	033	2014/07/01	< 1.000	2017/04
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	033	2014/07/01	< .500	2017/04
SIMAZINE	39055	033	2014/07/01	< 1.000	2017/04
THIOBENCARB	A-001	033	2014/07/01	< 1.000	2017/04
TOXAPHENE	39400	033	2014/07/01	< 1.000	2017/04

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	001	2014/07/01	< .500	2014/08
1,1,2,2-TETRACHLOROETHANE	34516	001	2014/07/01	< .500	2014/08
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	001	2014/07/01	< 10.000	2014/08
1,1,2-TRICHLOROETHANE	34511	001	2014/07/01	< .500	2014/08
1,1-DICHLOROETHANE	34496	001	2014/07/01	< .500	2014/08
1,1-DICHLOROETHYLENE	34501	001	2014/07/01	< .500	2014/08
1,2,4-TRICHLOROBENZENE	34551	001	2014/07/01	< .500	2014/08
1,2-DICHLOROBENZENE	34536	001	2014/07/01	< .500	2014/08
1,2-DICHLOROETHANE	34531	001	2014/07/01	< .500	2014/08
1,2-DICHLOROPROPANE	34541	001	2014/07/01	< .500	2014/08
1,3-DICHLOROPROPENE (TOTAL)	34561	001	2014/07/01	< .500	2014/08
1,4-DICHLOROBENZENE	34571	001	2014/07/01	< .500	2014/08
BENZENE	34030	001	2014/07/01	< .500	2014/08
CARBON TETRACHLORIDE	32102	001	2014/07/01	< .500	2014/08
CIS-1,2-DICHLOROETHYLENE	77093	001	2014/07/01	. 2.000	2014/08
DICHLOROMETHANE	34423	001	2014/07/01	< .500	2014/08
ETHYLBENZENE	34371	001	2014/07/01	< .500	2014/08
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/07/01	< 3.000	2015/07
MONOCHLOROBENZENE	34301	001	2014/07/01	< .500	2014/08
STYRENE	77128	001	2014/07/01	< .500	2014/08

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910179**

**System Name: BURBANK-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910179-023**

**Source Name: BURBANK OU WELL VO-1**

**Source Number: 023**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED VOC**

TETRACHLOROETHYLENE	34475	001	2014/07/01	. 72.000	2014/08
TOLUENE	34010	001	2014/07/01	< .500	2014/08
TRANS-1,2-DICHLOROETHYLENE	34546	001	2014/07/01	< .500	2014/08
TRICHLOROETHYLENE	39180	001	2014/07/01	. 75.000	2014/08
TRICHLOROFUOROMETHANE	34488	001	2014/07/01	< 5.000	2014/08
VINYL CHLORIDE	39175	001	2014/07/01	< .500	2014/08
XYLENES (TOTAL)	81551	001	2014/07/01	< .500	2014/08

**SECONDARY/GP**

BICARBONATE ALKALINITY	00440	036	2014/07/01	. 200.000	2017/07
CALCIUM	00916	036	2014/07/01	. 100.000	2017/07
CARBONATE ALKALINITY	00445	036	2014/07/01	< 2.000	2017/07
CHLORIDE	00940	036	2014/04/02	. 72.000	2017/04
COLOR	00081	036	2014/04/02	< 3.000	2017/04
COPPER	01042	036	2014/04/02	< 50.000	2017/04
FOAMING AGENTS (MBAS)	38260	036	2014/04/02	< .050	2017/04
HARDNESS (TOTAL) AS CaCO3	00900	036	2014/07/01	. 370.000	2017/07
HYDROXIDE ALKALINITY	71830	036	2014/07/01	< 2.000	2017/07
IRON	01045	001	2014/06/02	< 100.000	2014/07
MAGNESIUM	00927	036	2014/07/01	. 30.000	2017/07
MANGANESE	01055	001	2014/06/02	< 20.000	2014/07
ODOR THRESHOLD @ 60 C	00086	036	2014/04/02	< 1.000	2017/04
PH, LABORATORY	00403	036	2014/07/01	. 7.900	2017/07
SILVER	01077	036	2014/04/02	< 10.000	2017/04
SODIUM	00929	036	2014/04/02	. 44.000	2017/04
SPECIFIC CONDUCTANCE	00095	036	2014/04/02	. 930.000	2017/04
SULFATE	00945	036	2014/04/02	. 100.000	2017/04
TOTAL DISSOLVED SOLIDS	70300	036	2014/07/01	. 550.000	2017/07
TURBIDITY, LABORATORY	82079	036	2014/04/02	. .057	2017/04
ZINC	01092	036	2014/04/02	< 50.000	2017/04

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910179**

**System Name: BURBANK-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910179-024**

**Source Name: BURBANK OU WELL VO-2**

**Source Number: 024**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

ALUMINUM	01105	036	2014/04/07	< 50.000	2017/04
ANTIMONY	01097	036	2014/04/07	< 6.000	2017/04
ARSENIC	01002	036	2014/04/07	< 2.000	2017/04
BARIUM	01007	036	2014/04/07	. 130.000	2017/04
BERYLLIUM	01012	036	2014/04/07	< 1.000	2017/04
CADMIUM	01027	036	2014/04/07	< 1.000	2017/04
CHROMIUM (TOTAL)	01034	036	2014/07/02	< 10.000	2017/07
CHROMIUM, HEXAVALENT	01032	036	2014/07/02	. 9.500	2017/07
CYANIDE	01291	036	2014/04/07	< 100.000	2017/04
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/04/07	. .480	2017/04
MERCURY	71900	036	2014/04/07	< 1.000	2017/04
NICKEL	01067	036	2014/04/07	< 10.000	2017/04
PERCHLORATE	A-031	012	2014/04/07	< 4.000	2015/04
SELENIUM	01147	036	2014/04/07	< 5.000	2017/04
THALLIUM	01059	036	2014/04/07	< 1.000	2017/04

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	001	2014/07/02	. 37.000	2014/08
NITRITE (AS N)	00620	001	2014/07/02	< 400.000	2014/08

**RADIOLOGICAL**

GROSS ALPHA	01501	003	2014/04/07	. 13.000	2014/07
RADIUM 226	09501	003	2014/04/07	< 1.000	2014/07
RADIUM 228	11501	003	2014/04/07	< 1.000	2014/07
URANIUM (PCI/L)	28012	003	2014/04/07	. 11.000	2014/07

**REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	033	2014/07/02	< 5.000	2017/04
2,4,5-TP (SILVEX)	39045	033	2014/07/02	< 1.000	2017/04
2,4-D	39730	033	2014/07/02	< 10.000	2017/04
ALACHLOR	77825	033	2014/07/02	< 1.000	2017/04

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910179**

**System Name: BURBANK-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910179-024**

**Source Name: BURBANK OU WELL VO-2**

**Source Number: 024**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED SOC**

ATRAZINE	39033	033	2014/07/02	< .500	2017/04
BENTAZON	38710	033	2014/07/02	< 2.000	2017/04
BENZO (A) PYRENE	34247	033	2014/07/02	< .100	2017/04
CARBOFURAN	81405	033	2014/07/02	< 5.000	2017/04
CHLORDANE	39350	033	2014/07/02	< .100	2017/04
DALAPON	38432	033	2014/07/02	< 10.000	2017/04
DI(2-ETHYLHEXYL)ADIPATE	A-026	033	2014/07/02	< 5.000	2017/04
DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2014/07/02	< 3.000	2017/04
DIBROMOCHLOROPROPANE (DBCP)	38761	033	2014/07/02	< .010	2017/04
DINOSEB	81287	033	2014/07/02	< 2.000	2017/04
DIQUAT	78885	033	2014/07/02	< 4.000	2017/04
ENDOTHALL	38926	033	2014/07/02	< 45.000	2017/04
ENDRIN	39390	033	2014/07/02	< .100	2017/04
ETHYLENE DIBROMIDE (EDB)	77651	033	2014/07/02	< .020	2017/04
GLYPHOSATE	79743	033	2014/07/02	< 25.000	2017/04
HEPTACHLOR	39410	033	2014/07/02	< .010	2017/04
HEPTACHLOR EPOXIDE	39420	033	2014/07/02	< .010	2017/04
HEXACHLOROBENZENE	39700	033	2014/07/02	< .500	2017/04
HEXACHLOROCYCLOPENTADIENE	34386	033	2014/07/02	< 1.000	2017/04
LINDANE	39340	033	2014/07/02	< .200	2017/04
METHOXYCHLOR	39480	033	2014/07/02	< 10.000	2017/04
MOLINATE	82199	033	2014/07/02	< 2.000	2017/04
OXAMYL	38865	033	2014/07/02	< 20.000	2017/04
PENTACHLOROPHENOL	39032	033	2014/07/02	< .200	2017/04
PICLORAM	39720	033	2014/07/02	< 1.000	2017/04
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	033	2014/07/02	< .500	2017/04
SIMAZINE	39055	033	2014/07/02	< 1.000	2017/04
THIOBENCARB	A-001	033	2014/07/02	< 1.000	2017/04
TOXAPHENE	39400	033	2014/07/02	< 1.000	2017/04

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910179**

**System Name: BURBANK-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910179-024**

**Source Name: BURBANK OU WELL VO-2**

**Source Number: 024**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	001	2014/07/02	< .500	2014/08
1,1,2,2-TETRACHLOROETHANE	34516	001	2014/07/02	< .500	2014/08
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	001	2014/07/02	< 10.000	2014/08
1,1,2-TRICHLOROETHANE	34511	001	2014/07/02	< .500	2014/08
1,1-DICHLOROETHANE	34496	001	2014/07/02	< .500	2014/08
1,1-DICHLOROETHYLENE	34501	001	2014/07/02	. 2.100	2014/08
1,2,4-TRICHLOROBENZENE	34551	001	2014/07/02	< .500	2014/08
1,2-DICHLOROBENZENE	34536	001	2014/07/02	< .500	2014/08
1,2-DICHLOROETHANE	34531	001	2014/07/02	< .500	2014/08
1,2-DICHLOROPROPANE	34541	001	2014/07/02	< .500	2014/08
1,3-DICHLOROPROPENE (TOTAL)	34561	001	2014/07/02	< .500	2014/08
1,4-DICHLOROBENZENE	34571	001	2014/07/02	< .500	2014/08
BENZENE	34030	001	2014/07/02	< .500	2014/08
CARBON TETRACHLORIDE	32102	001	2014/07/02	. 500	2014/08
CIS-1,2-DICHLOROETHYLENE	77093	001	2014/07/02	< .500	2014/08
DICHLOROMETHANE	34423	001	2014/07/02	< .500	2014/08
ETHYLBENZENE	34371	001	2014/07/02	< .500	2014/08
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/07/02	< 3.000	2015/07
MONOCHLOROBENZENE	34301	001	2014/07/02	< .500	2014/08
STYRENE	77128	001	2014/07/02	< .500	2014/08
TETRACHLOROETHYLENE	34475	001	2014/07/02	. 120.000	2014/08
TOLUENE	34010	001	2014/07/02	< .500	2014/08
TRANS-1,2-DICHLOROETHYLENE	34546	001	2014/07/02	< .500	2014/08
TRICHLOROETHYLENE	39180	001	2014/07/02	. 99.000	2014/08
TRICHLOROFUOROMETHANE	34488	001	2014/07/02	< 5.000	2014/08
VINYL CHLORIDE	39175	001	2014/07/02	< .500	2014/08
XYLENES (TOTAL)	81551	001	2014/07/02	< .500	2014/08

**SECONDARY/GP**

BICARBONATE ALKALINITY	00440	036	2014/07/02	. 280.000	2017/07
------------------------	-------	-----	------------	-----------	---------

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910179**

**System Name: BURBANK-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910179-024**

**Source Name: BURBANK OU WELL VO-2**

**Source Number: 024**

**Source Status: ACTIVE RAW**

**Water type: G**

**SECONDARY/GP**

CALCIUM	00916	036	2014/07/02	. 94.000	2017/07
CARBONATE ALKALINITY	00445	036	2014/07/02	. 9.100	2017/07
CHLORIDE	00940	036	2014/04/07	. 55.000	2017/04
COLOR	00081	036	2014/04/07	< 3.000	2017/04
COPPER	01042	036	2014/04/07	< 50.000	2017/04
FOAMING AGENTS (MBAS)	38260	036	2014/04/07	< .050	2017/04
HARDNESS (TOTAL) AS CaCO3	00900	036	2014/07/02	. 350.000	2017/07
HYDROXIDE ALKALINITY	71830	036	2014/07/02	< 2.000	2017/07
IRON	01045	001	2014/06/02	< 100.000	2014/07
MAGNESIUM	00927	036	2014/07/02	. 28.000	2017/07
MANGANESE	01055	001	2014/06/02	< 20.000	2014/07
ODOR THRESHOLD @ 60 C	00086	036	2014/04/07	. 1.000	2017/04
PH, LABORATORY	00403	036	2014/07/02	. 8.700	2017/07
SILVER	01077	036	2014/04/07	< 10.000	2017/04
SODIUM	00929	036	2014/04/07	. 39.000	2017/04
SPECIFIC CONDUCTANCE	00095	036	2014/04/07	. 880.000	2017/04
SULFATE	00945	036	2014/04/07	. 98.000	2017/04
TOTAL DISSOLVED SOLIDS	70300	036	2014/07/02	. 560.000	2017/07
TURBIDITY, LABORATORY	82079	036	2014/04/07	. .950	2017/04
ZINC	01092	036	2014/04/07	< 50.000	2017/04

**PS Code: 1910179-025**

**Source Name: BURBANK OU WELL VO-3**

**Source Number: 025**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

ALUMINUM	01105	036	2014/04/02	< 50.000	2017/04
ANTIMONY	01097	036	2014/04/02	< 6.000	2017/04

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910179**

**System Name: BURBANK-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910179-025**

**Source Name: BURBANK OU WELL VO-3**

**Source Number: 025**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

ARSENIC	01002	036	2014/04/02	< 2.000	2017/04
BARIUM	01007	036	2014/04/02	. 110.000	2017/04
BERYLLIUM	01012	036	2014/04/02	< 1.000	2017/04
CADMIUM	01027	036	2014/04/02	< 1.000	2017/04
CHROMIUM (TOTAL)	01034	036	2014/07/01	< 10.000	2017/07
CHROMIUM, HEXAVALENT	01032	036	2014/07/01	. 6.200	2017/07
CYANIDE	01291	036	2014/04/02	< 100.000	2017/04
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/04/02	. .490	2017/04
MERCURY	71900	036	2014/04/02	< 1.000	2017/04
NICKEL	01067	036	2014/04/02	< 10.000	2017/04
PERCHLORATE	A-031	012	2014/04/02	< 4.000	2015/04
SELENIUM	01147	036	2014/04/02	< 5.000	2017/04
THALLIUM	01059	036	2014/04/02	< 1.000	2017/04

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	001	2014/07/01	. 38.000	2014/08
NITRITE (AS N)	00620	001	2014/07/01	< 400.000	2014/08

**RADIOLOGICAL**

GROSS ALPHA	01501	003	2014/04/02	. 9.500	2014/07
RADIUM 226	09501	003	2014/04/02	< 1.000	2014/07
RADIUM 228	11501	003	2014/04/02	< 1.000	2014/07
URANIUM (PCI/L)	28012	003	2014/04/02	. 13.000	2014/07

**REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	033	2014/07/01	< 5.000	2017/04
2,4,5-TP (SILVEX)	39045	033	2014/07/01	< 1.000	2017/04
2,4-D	39730	033	2014/07/01	< 10.000	2017/04
ALACHLOR	77825	033	2014/07/01	< 1.000	2017/04
ATRAZINE	39033	033	2014/07/01	< .500	2017/04
BENTAZON	38710	033	2014/07/01	< 2.000	2017/04

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910179**

**System Name: BURBANK-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910179-025**

**Source Name: BURBANK OU WELL VO-3**

**Source Number: 025**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED SOC**

BENZO (A) PYRENE	34247	033	2014/07/01	< .100	2017/04
CARBOFURAN	81405	033	2014/07/01	< 5.000	2017/04
CHLORDANE	39350	033	2014/07/01	< .100	2017/04
DALAPON	38432	033	2014/07/01	< 10.000	2017/04
DI(2-ETHYLHEXYL)ADIPATE	A-026	033	2014/07/01	< 5.000	2017/04
DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2014/07/01	< 3.000	2017/04
DIBROMOCHLOROPROPANE (DBCP)	38761	033	2014/07/01	< .010	2017/04
DINOSEB	81287	033	2014/07/01	< 2.000	2017/04
DIQUAT	78885	033	2014/07/01	< 4.000	2017/04
ENDOTHALL	38926	033	2014/07/01	< 45.000	2017/04
ENDRIN	39390	033	2014/07/01	< .100	2017/04
ETHYLENE DIBROMIDE (EDB)	77651	033	2014/07/01	< .020	2017/04
GLYPHOSATE	79743	033	2014/07/01	< 25.000	2017/04
HEPTACHLOR	39410	033	2014/07/01	< .010	2017/04
HEPTACHLOR EPOXIDE	39420	033	2014/07/01	< .010	2017/04
HEXACHLOROBENZENE	39700	033	2014/07/01	< .500	2017/04
HEXACHLOROCYCLOPENTADIENE	34386	033	2014/07/01	< 1.000	2017/04
LINDANE	39340	033	2014/07/01	< .200	2017/04
METHOXYCHLOR	39480	033	2014/07/01	< 10.000	2017/04
MOLINATE	82199	033	2014/07/01	< 2.000	2017/04
OXAMYL	38865	033	2014/07/01	< 20.000	2017/04
PENTACHLOROPHENOL	39032	033	2014/07/01	< .200	2017/04
PICLORAM	39720	033	2014/07/01	< 1.000	2017/04
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	033	2014/07/01	< .500	2017/04
SIMAZINE	39055	033	2014/07/01	< 1.000	2017/04
THIOBENCARB	A-001	033	2014/07/01	< 1.000	2017/04
TOXAPHENE	39400	033	2014/07/01	< 1.000	2017/04

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	001	2014/07/01	< .500	2014/08
-----------------------	-------	-----	------------	--------	---------

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)



**System Number: 1910179**

**System Name: BURBANK-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910179-025**

**Source Name: BURBANK OU WELL VO-3**

**Source Number: 025**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED VOC**

1,1,2,2-TETRACHLOROETHANE	34516	001	2014/07/01	< .500	2014/08
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	001	2014/07/01	< 10.000	2014/08
1,1,2-TRICHLOROETHANE	34511	001	2014/07/01	< .500	2014/08
1,1-DICHLOROETHANE	34496	001	2014/07/01	< .500	2014/08
1,1-DICHLOROETHYLENE	34501	001	2014/07/01	. 3.900	2014/08
1,2,4-TRICHLOROBENZENE	34551	001	2014/07/01	< .500	2014/08
1,2-DICHLOROBENZENE	34536	001	2014/07/01	< .500	2014/08
1,2-DICHLOROETHANE	34531	001	2014/07/01	< .500	2014/08
1,2-DICHLOROPROPANE	34541	001	2014/07/01	< .500	2014/08
1,3-DICHLOROPROPENE (TOTAL)	34561	001	2014/07/01	< .500	2014/08
1,4-DICHLOROBENZENE	34571	001	2014/07/01	< .500	2014/08
BENZENE	34030	001	2014/07/01	< .500	2014/08
CARBON TETRACHLORIDE	32102	001	2014/07/01	< .500	2014/08
CIS-1,2-DICHLOROETHYLENE	77093	001	2014/07/01	< .500	2014/08
DICHLOROMETHANE	34423	001	2014/07/01	< .500	2014/08
ETHYLBENZENE	34371	001	2014/07/01	< .500	2014/08
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/07/01	< 3.000	2015/07
MONOCHLOROBENZENE	34301	001	2014/07/01	< .500	2014/08
STYRENE	77128	001	2014/07/01	< .500	2014/08
TETRACHLOROETHYLENE	34475	001	2014/07/01	. 160.000	2014/08
TOLUENE	34010	001	2014/07/01	< .500	2014/08
TRANS-1,2-DICHLOROETHYLENE	34546	001	2014/07/01	< .500	2014/08
TRICHLOROETHYLENE	39180	001	2014/07/01	. 71.000	2014/08
TRICHLOROFUOROMETHANE	34488	001	2014/07/01	< 5.000	2014/08
VINYL CHLORIDE	39175	001	2014/07/01	< .500	2014/08
XYLENES (TOTAL)	81551	001	2014/07/01	< .500	2014/08

**SECONDARY/GP**

BICARBONATE ALKALINITY	00440	036	2014/07/01	. 220.000	2017/07
CALCIUM	00916	036	2014/07/01	. 92.000	2017/07

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910179**

**System Name: BURBANK-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910179-025**

**Source Name: BURBANK OU WELL VO-3**

**Source Number: 025**

**Source Status: ACTIVE RAW**

**Water type: G**

**SECONDARY/GP**

CARBONATE ALKALINITY	00445	036	2014/07/01	< 2.000	2017/07
CHLORIDE	00940	036	2014/04/02	. 47.000	2017/04
COLOR	00081	036	2014/04/02	< 3.000	2017/04
COPPER	01042	036	2014/04/02	< 50.000	2017/04
FOAMING AGENTS (MBAS)	38260	036	2014/04/02	< .050	2017/04
HARDNESS (TOTAL) AS CaCO3	00900	036	2014/07/01	. 340.000	2017/07
HYDROXIDE ALKALINITY	71830	036	2014/07/01	< 2.000	2017/07
IRON	01045	001	2014/06/03	< 100.000	2014/07
MAGNESIUM	00927	036	2014/07/01	. 26.000	2017/07
MANGANESE	01055	001	2014/06/03	< 20.000	2014/07
ODOR THRESHOLD @ 60 C	00086	036	2014/04/02	< 1.000	2017/04
PH, LABORATORY	00403	036	2014/07/01	. 7.800	2017/07
SILVER	01077	036	2014/04/02	< 10.000	2017/04
SODIUM	00929	036	2014/04/02	. 37.000	2017/04
SPECIFIC CONDUCTANCE	00095	036	2014/04/02	. 820.000	2017/04
SULFATE	00945	036	2014/04/02	. 86.000	2017/04
TOTAL DISSOLVED SOLIDS	70300	036	2014/07/01	. 490.000	2017/07
TURBIDITY, LABORATORY	82079	036	2014/04/02	. .050	2017/04
ZINC	01092	036	2014/04/02	< 50.000	2017/04

**PS Code: 1910179-026**

**Source Name: BURBANK OU WELL VO-4**

**Source Number: 026**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

ALUMINUM	01105	036	2014/04/01	< 50.000	2017/04
ANTIMONY	01097	036	2014/04/01	< 6.000	2017/04
ARSENIC	01002	036	2014/04/01	< 2.000	2017/04

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910179**

**System Name: BURBANK-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910179-026**

**Source Name: BURBANK OU WELL VO-4**

**Source Number: 026**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

BARIUM	01007	036	2014/04/01	. 120.000	2017/04
BERYLLIUM	01012	036	2014/04/01	< 1.000	2017/04
CADMIUM	01027	036	2014/04/01	< 1.000	2017/04
CHROMIUM (TOTAL)	01034	036	2014/06/03	< 10.000	2017/06
CHROMIUM, HEXAVALENT	01032	036	2014/06/03	. 3.500	2017/06
CYANIDE	01291	036	2014/04/01	< 100.000	2017/04
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/04/01	. .460	2017/04
MERCURY	71900	036	2014/04/01	< 1.000	2017/04
NICKEL	01067	036	2014/04/01	< 10.000	2017/04
PERCHLORATE	A-031	012	2014/04/01	< 4.000	2015/04
SELENIUM	01147	036	2014/04/01	< 5.000	2017/04
THALLIUM	01059	036	2014/04/01	< 1.000	2017/04

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	001	2014/06/03	. 45.000	2014/07
NITRITE (AS N)	00620	001	2014/06/03	< 400.000	2014/07

**RADIOLOGICAL**

GROSS ALPHA	01501	003	2014/04/01	. 11.000	2014/07
RADIUM 226	09501	003	2014/04/01	< 1.000	2014/07
RADIUM 228	11501	003	2014/04/01	< 1.000	2014/07
URANIUM (PCI/L)	28012	003	2014/04/01	. 15.000	2014/07

**REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	033	2014/04/01	< 5.000	2017/01
2,4,5-TP (SILVEX)	39045	033	2014/04/01	< 1.000	2017/01
2,4-D	39730	033	2014/04/01	< 10.000	2017/01
ALACHLOR	77825	033	2014/04/01	< 1.000	2017/01
ATRAZINE	39033	033	2014/04/01	< .500	2017/01
BENTAZON	38710	033	2014/04/01	< 2.000	2017/01
BENZO (A) PYRENE	34247	033	2014/04/01	< .100	2017/01

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910179**

**System Name: BURBANK-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

**PS Code: 1910179-026**

**Source Name: BURBANK OU WELL VO-4**

**Source Number: 026**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED SOC**

CARBOFURAN	81405	033	2014/04/01	< 5.000	2017/01
CHLORDANE	39350	033	2014/04/01	< .100	2017/01
DALAPON	38432	033	2014/04/01	< 10.000	2017/01
DI(2-ETHYLHEXYL)ADIPATE	A-026	033	2014/04/01	< 5.000	2017/01
DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2014/04/01	< 3.000	2017/01
DIBROMOCHLOROPROPANE (DBCP)	38761	033	2014/04/01	< .010	2017/01
DINOSEB	81287	033	2014/04/01	< 2.000	2017/01
DIQUAT	78885	033	2014/04/01	< 4.000	2017/01
ENDOTHALL	38926	033	2014/04/01	< 45.000	2017/01
ENDRIN	39390	033	2014/04/01	< .100	2017/01
ETHYLENE DIBROMIDE (EDB)	77651	033	2014/04/01	< .020	2017/01
GLYPHOSATE	79743	033	2014/04/01	< 25.000	2017/01
HEPTACHLOR	39410	033	2014/04/01	< .010	2017/01
HEPTACHLOR EPOXIDE	39420	033	2014/04/01	< .010	2017/01
HEXACHLOROENZENE	39700	033	2014/04/01	< .500	2017/01
HEXACHLOROCYCLOPENTADIENE	34386	033	2014/04/01	< 1.000	2017/01
LINDANE	39340	033	2014/04/01	< .200	2017/01
METHOXYCHLOR	39480	033	2014/04/01	< 10.000	2017/01
MOLINATE	82199	033	2014/04/01	< 2.000	2017/01
OXAMYL	38865	033	2014/04/01	< 20.000	2017/01
PENTACHLOROPHENOL	39032	033	2014/04/01	< .200	2017/01
PICLORAM	39720	033	2014/04/01	< 1.000	2017/01
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	033	2014/04/01	< .500	2017/01
SIMAZINE	39055	033	2014/04/01	< 1.000	2017/01
THIOBENCARB	A-001	033	2014/04/01	< 1.000	2017/01
TOXAPHENE	39400	033	2014/04/01	< 1.000	2017/01

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	001	2014/06/03	< .500	2014/07
1,1,2,2-TETRACHLOROETHANE	34516	001	2014/06/03	< .500	2014/07

\*Testing interval is in months;  
 0 = No data for this constituent and is DUE NOW  
 I = Invalid (NOT) valid analyses reported  
 Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910179**

**System Name: BURBANK-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

**PS Code: 1910179-026**

**Source Name: BURBANK OU WELL VO-4**

**Source Number: 026**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED VOC**

1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	001	2014/06/03	< 10.000	2014/07
1,1,2-TRICHLOROETHANE	34511	001	2014/06/03	< .500	2014/07
1,1-DICHLOROETHANE	34496	001	2014/06/03	< .500	2014/07
1,1-DICHLOROETHYLENE	34501	001	2014/06/03	. 3.700	2014/07
1,2,4-TRICHLOROBENZENE	34551	001	2014/06/03	< .500	2014/07
1,2-DICHLOROBENZENE	34536	001	2014/06/03	< .500	2014/07
1,2-DICHLOROETHANE	34531	001	2014/06/03	< .500	2014/07
1,2-DICHLOROPROPANE	34541	001	2014/06/03	< .500	2014/07
1,3-DICHLOROPROPENE (TOTAL)	34561	001	2014/06/03	< .500	2014/07
1,4-DICHLOROBENZENE	34571	001	2014/06/03	< .500	2014/07
BENZENE	34030	001	2014/06/03	< .500	2014/07
CARBON TETRACHLORIDE	32102	001	2014/06/03	. .730	2014/07
CIS-1,2-DICHLOROETHYLENE	77093	001	2014/06/03	< .500	2014/07
DICHLOROMETHANE	34423	001	2014/06/03	< .500	2014/07
ETHYLBENZENE	34371	001	2014/06/03	< .500	2014/07
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/06/03	< 3.000	2015/06
MONOCHLOROBENZENE	34301	001	2014/06/03	< .500	2014/07
STYRENE	77128	001	2014/06/03	< .500	2014/07
TETRACHLOROETHYLENE	34475	001	2014/06/03	. 200.000	2014/07
TOLUENE	34010	001	2014/06/03	< .500	2014/07
TRANS-1,2-DICHLOROETHYLENE	34546	001	2014/06/03	< .500	2014/07
TRICHLOROETHYLENE	39180	001	2014/06/03	. 63.000	2014/07
TRICHLOROFUOROMETHANE	34488	001	2014/06/03	< 5.000	2014/07
VINYL CHLORIDE	39175	001	2014/06/03	< .500	2014/07
XYLENES (TOTAL)	81551	001	2014/06/03	< .500	2014/07

**SECONDARY/GP**

BICARBONATE ALKALINITY	00440	036	2014/04/01	. 270.000	2017/04
CALCIUM	00916	036	2014/04/01	. 97.000	2017/04
CARBONATE ALKALINITY	00445	036	2014/04/01	< 2.000	2017/04

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910179**

**System Name: BURBANK-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910179-026**

**Source Name: BURBANK OU WELL VO-4**

**Source Number: 026**

**Source Status: ACTIVE RAW**

**Water type: G**

**SECONDARY/GP**

CHLORIDE	00940	036	2014/04/01	. 45.000	2017/04
COLOR	00081	036	2014/04/01	< 3.000	2017/04
COPPER	01042	036	2014/04/01	< 50.000	2017/04
FOAMING AGENTS (MBAS)	38260	036	2014/04/01	< .050	2017/04
HARDNESS (TOTAL) AS CaCO3	00900	036	2014/04/01	. 360.000	2017/04
HYDROXIDE ALKALINITY	71830	036	2014/04/01	< 2.000	2017/04
IRON	01045	001	2014/06/03	< 100.000	2014/07
MAGNESIUM	00927	036	2014/04/01	. 28.000	2017/04
MANGANESE	01055	001	2014/06/03	< 20.000	2014/07
ODOR THRESHOLD @ 60 C	00086	036	2014/04/01	< 1.000	2017/04
PH, LABORATORY	00403	036	2014/04/01	. 7.800	2017/04
SILVER	01077	036	2014/04/01	< 10.000	2017/04
SODIUM	00929	036	2014/04/01	. 36.000	2017/04
SPECIFIC CONDUCTANCE	00095	036	2014/04/01	. 850.000	2017/04
SULFATE	00945	036	2014/04/01	. 78.000	2017/04
TOTAL DISSOLVED SOLIDS	70300	036	2014/04/01	. 520.000	2017/04
TURBIDITY, LABORATORY	82079	036	2014/04/01	. .063	2017/04
ZINC	01092	036	2014/04/01	< 50.000	2017/04

**PS Code: 1910179-027**

**Source Name: BURBANK OU WELL VO-5**

**Source Number: 027**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

ALUMINUM	01105	036	2014/04/02	< 50.000	2017/04
ANTIMONY	01097	036	2014/04/02	< 6.000	2017/04
ARSENIC	01002	036	2014/04/02	< 2.000	2017/04
BARIUM	01007	036	2014/04/02	< 100.000	2017/04

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910179**

**System Name: BURBANK-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910179-027**

**Source Name: BURBANK OU WELL VO-5**

**Source Number: 027**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

BERYLLIUM	01012	036	2014/04/02	< 1.000	2017/04
CADMIUM	01027	036	2014/04/02	< 1.000	2017/04
CHROMIUM (TOTAL)	01034	036	2014/07/01	< 10.000	2017/07
CHROMIUM, HEXAVALENT	01032	036	2014/07/01	. 1.900	2017/07
CYANIDE	01291	036	2014/04/02	< 100.000	2017/04
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/04/02	. .450	2017/04
MERCURY	71900	036	2014/04/02	< 1.000	2017/04
NICKEL	01067	036	2014/04/02	< 10.000	2017/04
PERCHLORATE	A-031	012	2014/04/02	< 4.000	2015/04
SELENIUM	01147	036	2014/04/02	< 5.000	2017/04
THALLIUM	01059	036	2014/04/02	< 1.000	2017/04

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	001	2014/07/01	. 42.000	2014/08
NITRITE (AS N)	00620	001	2014/07/01	< 400.000	2014/08

**RADIOLOGICAL**

GROSS ALPHA	01501	003	2014/04/02	. 20.000	2014/07
RADIUM 226	09501	003	2014/04/02	< 1.000	2014/07
RADIUM 228	11501	003	2014/04/02	< 1.000	2014/07
URANIUM (PCI/L)	28012	003	2014/04/02	. 17.000	2014/07

**REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	033	2014/07/01	< 5.000	2017/04
2,4,5-TP (SILVEX)	39045	033	2014/07/01	< 1.000	2017/04
2,4-D	39730	033	2014/07/01	< 10.000	2017/04
ALACHLOR	77825	033	2014/07/01	< 1.000	2017/04
ATRAZINE	39033	033	2014/07/01	< .500	2017/04
BENTAZON	38710	033	2014/07/01	< 2.000	2017/04
BENZO (A) PYRENE	34247	033	2014/07/01	< .100	2017/04
CARBOFURAN	81405	033	2014/07/01	< 5.000	2017/04

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910179**

**System Name: BURBANK-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910179-027**

**Source Name: BURBANK OU WELL VO-5**

**Source Number: 027**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED SOC**

CHLORDANE	39350	033	2014/07/01	< .100	2017/04
DALAPON	38432	033	2014/07/01	< 10.000	2017/04
DI(2-ETHYLHEXYL)ADIPATE	A-026	033	2014/07/01	< 5.000	2017/04
DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2014/07/01	< 3.000	2017/04
DIBROMOCHLOROPROPANE (DBCP)	38761	033	2014/07/01	< .010	2017/04
DINOSEB	81287	033	2014/07/01	< 2.000	2017/04
DIQUAT	78885	033	2014/07/01	< 4.000	2017/04
ENDOTHALL	38926	033	2014/07/01	< 45.000	2017/04
ENDRIN	39390	033	2014/07/01	< .100	2017/04
ETHYLENE DIBROMIDE (EDB)	77651	033	2014/07/01	< .020	2017/04
GLYPHOSATE	79743	033	2014/07/01	< 25.000	2017/04
HEPTACHLOR	39410	033	2014/07/01	< .010	2017/04
HEPTACHLOR EPOXIDE	39420	033	2014/07/01	< .010	2017/04
HEXACHLOROBENZENE	39700	033	2014/07/01	< .500	2017/04
HEXACHLOROCYCLOPENTADIENE	34386	033	2014/07/01	< 1.000	2017/04
LINDANE	39340	033	2014/07/01	< .200	2017/04
METHOXYCHLOR	39480	033	2014/07/01	< 10.000	2017/04
MOLINATE	82199	033	2014/07/01	< 2.000	2017/04
OXAMYL	38865	033	2014/07/01	< 20.000	2017/04
PENTACHLOROPHENOL	39032	033	2014/07/01	< .200	2017/04
PICLORAM	39720	033	2014/07/01	< 1.000	2017/04
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	033	2014/07/01	< .500	2017/04
SIMAZINE	39055	033	2014/07/01	< 1.000	2017/04
THIOBENCARB	A-001	033	2014/07/01	< 1.000	2017/04
TOXAPHENE	39400	033	2014/07/01	< 1.000	2017/04

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	001	2014/07/01	< .500	2014/08
1,1,2,2-TETRACHLOROETHANE	34516	001	2014/07/01	< .500	2014/08
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	001	2014/07/01	< 10.000	2014/08

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)



**System Number: 1910179**

**System Name: BURBANK-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910179-027**

**Source Name: BURBANK OU WELL VO-5**

**Source Number: 027**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED VOC**

1,1,2-TRICHLOROETHANE	34511	001	2014/07/01	< .500	2014/08
1,1-DICHLOROETHANE	34496	001	2014/07/01	< .500	2014/08
1,1-DICHLOROETHYLENE	34501	001	2014/07/01	. 1.700	2014/08
1,2,4-TRICHLOROBENZENE	34551	001	2014/07/01	< .500	2014/08
1,2-DICHLOROBENZENE	34536	001	2014/07/01	< .500	2014/08
1,2-DICHLOROETHANE	34531	001	2014/07/01	< .500	2014/08
1,2-DICHLOROPROPANE	34541	001	2014/07/01	< .500	2014/08
1,3-DICHLOROPROPENE (TOTAL)	34561	001	2014/07/01	< .500	2014/08
1,4-DICHLOROBENZENE	34571	001	2014/07/01	< .500	2014/08
BENZENE	34030	001	2014/07/01	< .500	2014/08
CARBON TETRACHLORIDE	32102	001	2014/07/01	. .830	2014/08
CIS-1,2-DICHLOROETHYLENE	77093	001	2014/07/01	< .500	2014/08
DICHLOROMETHANE	34423	001	2014/07/01	< .500	2014/08
ETHYLBENZENE	34371	001	2014/07/01	< .500	2014/08
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/07/01	< 3.000	2015/07
MONOCHLOROBENZENE	34301	001	2014/07/01	< .500	2014/08
STYRENE	77128	001	2014/07/01	< .500	2014/08
TETRACHLOROETHYLENE	34475	001	2014/07/01	. 93.000	2014/08
TOLUENE	34010	001	2014/07/01	< .500	2014/08
TRANS-1,2-DICHLOROETHYLENE	34546	001	2014/07/01	< .500	2014/08
TRICHLOROETHYLENE	39180	001	2014/07/01	. 42.000	2014/08
TRICHLOROFUOROMETHANE	34488	001	2014/07/01	< 5.000	2014/08
VINYL CHLORIDE	39175	001	2014/07/01	< .500	2014/08
XYLENES (TOTAL)	81551	001	2014/07/01	< .500	2014/08

**SECONDARY/GP**

BICARBONATE ALKALINITY	00440	036	2014/07/01	. 240.000	2017/07
CALCIUM	00916	036	2014/07/01	. 98.000	2017/07
CARBONATE ALKALINITY	00445	036	2014/07/01	< 2.000	2017/07
CHLORIDE	00940	036	2014/04/02	. 40.000	2017/04

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910179**

**System Name: BURBANK-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910179-027**

**Source Name: BURBANK OU WELL VO-5**

**Source Number: 027**

**Source Status: ACTIVE RAW**

**Water type: G**

**SECONDARY/GP**

COLOR	00081	036	2014/04/02	< 3.000	2017/04
COPPER	01042	036	2014/04/02	< 50.000	2017/04
FOAMING AGENTS (MBAS)	38260	036	2014/04/02	< .050	2017/04
HARDNESS (TOTAL) AS CaCO3	00900	036	2014/07/01	. 350.000	2017/07
HYDROXIDE ALKALINITY	71830	036	2014/07/01	< 2.000	2017/07
IRON	01045	001	2014/06/02	< 100.000	2014/07
MAGNESIUM	00927	036	2014/07/01	. 26.000	2017/07
MANGANESE	01055	001	2014/06/02	< 20.000	2014/07
ODOR THRESHOLD @ 60 C	00086	036	2014/04/02	< 1.000	2017/04
PH, LABORATORY	00403	036	2014/07/01	. 7.800	2017/07
SILVER	01077	036	2014/04/02	< 10.000	2017/04
SODIUM	00929	036	2014/04/02	. 34.000	2017/04
SPECIFIC CONDUCTANCE	00095	036	2014/04/02	. 820.000	2017/04
SULFATE	00945	036	2014/04/02	. 77.000	2017/04
TOTAL DISSOLVED SOLIDS	70300	036	2014/07/01	. 480.000	2017/07
TURBIDITY, LABORATORY	82079	036	2014/04/02	< .050	2017/04
ZINC	01092	036	2014/04/02	< 50.000	2017/04

**PS Code: 1910179-028**

**Source Name: BURBANK OU WELL VO-6**

**Source Number: 028**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

ALUMINUM	01105	036	2014/04/01	< 50.000	2017/04
ANTIMONY	01097	036	2014/04/01	< 6.000	2017/04
ARSENIC	01002	036	2014/04/01	< 2.000	2017/04
BARIUM	01007	036	2014/04/01	. 110.000	2017/04
BERYLLIUM	01012	036	2014/04/01	< 1.000	2017/04

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910179**

**System Name: BURBANK-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910179-028**

**Source Name: BURBANK OU WELL VO-6**

**Source Number: 028**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

CADMIUM	01027	036	2014/04/01	< 1.000	2017/04
CHROMIUM (TOTAL)	01034	036	2014/07/02	< 10.000	2017/07
CHROMIUM, HEXAVALENT	01032	036	2014/07/02	. 8.000	2017/07
CYANIDE	01291	036	2014/04/01	< 100.000	2017/04
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/04/01	. .470	2017/04
MERCURY	71900	036	2014/04/01	< 1.000	2017/04
NICKEL	01067	036	2014/04/01	< 10.000	2017/04
PERCHLORATE	A-031	012	2014/04/01	< 4.000	2015/04
SELENIUM	01147	036	2014/04/01	< 5.000	2017/04
THALLIUM	01059	036	2014/04/01	< 1.000	2017/04

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	001	2014/07/02	. 31.000	2014/08
NITRITE (AS N)	00620	001	2014/07/02	< 400.000	2014/08

**RADIOLOGICAL**

GROSS ALPHA	01501	003	2014/04/01	. 11.000	2014/07
RADIUM 226	09501	003	2014/04/01	< 1.000	2014/07
RADIUM 228	11501	003	2014/04/01	< 1.000	2014/07
URANIUM (PCI/L)	28012	003	2014/04/01	. 17.000	2014/07

**REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	033	2014/07/02	< 5.000	2017/04
2,4,5-TP (SILVEX)	39045	033	2014/07/02	< 1.000	2017/04
2,4-D	39730	033	2014/07/02	< 10.000	2017/04
ALACHLOR	77825	033	2014/07/02	< 1.000	2017/04
ATRAZINE	39033	033	2014/07/02	< .500	2017/04
BENTAZON	38710	033	2014/07/02	< 2.000	2017/04
BENZO (A) PYRENE	34247	033	2014/07/02	< .100	2017/04
CARBOFURAN	81405	033	2014/07/02	< 5.000	2017/04
CHLORDANE	39350	033	2014/07/02	< .100	2017/04

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910179**

**System Name: BURBANK-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910179-028**

**Source Name: BURBANK OU WELL VO-6**

**Source Number: 028**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED SOC**

DALAPON	38432	033	2014/07/02	< 10.000	2017/04
DI(2-ETHYLHEXYL)ADIPATE	A-026	033	2014/07/02	< 5.000	2017/04
DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2014/07/02	< 3.000	2017/04
DIBROMOCHLOROPROPANE (DBCP)	38761	033	2014/07/02	< .010	2017/04
DINOSEB	81287	033	2014/07/02	< 2.000	2017/04
DIQUAT	78885	033	2014/07/02	< 4.000	2017/04
ENDOTHALL	38926	033	2014/07/02	< 45.000	2017/04
ENDRIN	39390	033	2014/07/02	< .100	2017/04
ETHYLENE DIBROMIDE (EDB)	77651	033	2014/07/02	< .020	2017/04
GLYPHOSATE	79743	033	2014/07/02	< 25.000	2017/04
HEPTACHLOR	39410	033	2014/07/02	< .010	2017/04
HEPTACHLOR EPOXIDE	39420	033	2014/07/02	< .010	2017/04
HEXACHLOROBENZENE	39700	033	2014/07/02	< .500	2017/04
HEXACHLOROCYCLOPENTADIENE	34386	033	2014/07/02	< 1.000	2017/04
LINDANE	39340	033	2014/07/02	< .200	2017/04
METHOXYCHLOR	39480	033	2014/07/02	< 10.000	2017/04
MOLINATE	82199	033	2014/07/02	< 2.000	2017/04
OXAMYL	38865	033	2014/07/02	< 20.000	2017/04
PENTACHLOROPHENOL	39032	033	2014/07/02	< .200	2017/04
PICLORAM	39720	033	2014/07/02	< 1.000	2017/04
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	033	2014/07/02	< .500	2017/04
SIMAZINE	39055	033	2014/07/02	< 1.000	2017/04
THIOBENCARB	A-001	033	2014/07/02	< 1.000	2017/04
TOXAPHENE	39400	033	2014/07/02	< 1.000	2017/04

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	001	2014/07/02	< .500	2014/08
1,1,2,2-TETRACHLOROETHANE	34516	001	2014/07/02	< .500	2014/08
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	001	2014/07/02	< 10.000	2014/08
1,1,2-TRICHLOROETHANE	34511	001	2014/07/02	< .500	2014/08

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910179**

**System Name: BURBANK-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910179-028**

**Source Name: BURBANK OU WELL VO-6**

**Source Number: 028**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED VOC**

1,1-DICHLOROETHANE	34496	001	2014/07/02	< .500	2014/08
1,1-DICHLOROETHYLENE	34501	001	2014/07/02	.760	2014/08
1,2,4-TRICHLOROBENZENE	34551	001	2014/07/02	< .500	2014/08
1,2-DICHLOROBENZENE	34536	001	2014/07/02	< .500	2014/08
1,2-DICHLOROETHANE	34531	001	2014/07/02	< .500	2014/08
1,2-DICHLOROPROPANE	34541	001	2014/07/02	< .500	2014/08
1,3-DICHLOROPROPENE (TOTAL)	34561	001	2014/07/02	< .500	2014/08
1,4-DICHLOROBENZENE	34571	001	2014/07/02	< .500	2014/08
BENZENE	34030	001	2014/07/02	< .500	2014/08
CARBON TETRACHLORIDE	32102	001	2014/07/02	< .500	2014/08
CIS-1,2-DICHLOROETHYLENE	77093	001	2014/07/02	< .500	2014/08
DICHLOROMETHANE	34423	001	2014/07/02	< .500	2014/08
ETHYLBENZENE	34371	001	2014/07/02	< .500	2014/08
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/07/02	< 3.000	2015/07
MONOCHLOROBENZENE	34301	001	2014/07/02	< .500	2014/08
STYRENE	77128	001	2014/07/02	< .500	2014/08
TETRACHLOROETHYLENE	34475	001	2014/07/02	.110.000	2014/08
TOLUENE	34010	001	2014/07/02	< .500	2014/08
TRANS-1,2-DICHLOROETHYLENE	34546	001	2014/07/02	< .500	2014/08
TRICHLOROETHYLENE	39180	001	2014/07/02	.25.000	2014/08
TRICHLOROFUOROMETHANE	34488	001	2014/07/02	< 5.000	2014/08
VINYL CHLORIDE	39175	001	2014/07/02	< .500	2014/08
XYLENES (TOTAL)	81551	001	2014/07/02	< .500	2014/08

**SECONDARY/GP**

BICARBONATE ALKALINITY	00440	036	2014/07/02	.300.000	2017/07
CALCIUM	00916	036	2014/07/02	.94.000	2017/07
CARBONATE ALKALINITY	00445	036	2014/07/02	< 2.000	2017/07
CHLORIDE	00940	036	2014/04/01	.35.000	2017/04
COLOR	00081	036	2014/04/01	< 3.000	2017/04

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910179**

**System Name: BURBANK-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910179-028**

**Source Name: BURBANK OU WELL VO-6**

**Source Number: 028**

**Source Status: ACTIVE RAW**

**Water type: G**

**SECONDARY/GP**

COPPER	01042	036	2014/04/01	< 50.000	2017/04
FOAMING AGENTS (MBAS)	38260	036	2014/04/01	< .050	2017/04
HARDNESS (TOTAL) AS CaCO3	00900	036	2014/07/02	. 340.000	2017/07
HYDROXIDE ALKALINITY	71830	036	2014/07/02	< 2.000	2017/07
IRON	01045	001	2014/06/03	< 100.000	2014/07
MAGNESIUM	00927	036	2014/07/02	. 25.000	2017/07
MANGANESE	01055	001	2014/06/03	< 20.000	2014/07
ODOR THRESHOLD @ 60 C	00086	036	2014/04/01	< 1.000	2017/04
PH, LABORATORY	00403	036	2014/07/02	. 7.900	2017/07
SILVER	01077	036	2014/04/01	< 10.000	2017/04
SODIUM	00929	036	2014/04/01	. 34.000	2017/04
SPECIFIC CONDUCTANCE	00095	036	2014/04/01	. 800.000	2017/04
SULFATE	00945	036	2014/04/01	. 77.000	2017/04
TOTAL DISSOLVED SOLIDS	70300	036	2014/07/02	. 500.000	2017/07
TURBIDITY, LABORATORY	82079	036	2014/04/01	. .050	2017/04
ZINC	01092	036	2014/04/01	< 50.000	2017/04

**PS Code: 1910179-029**

**Source Name: BURBANK OU WELL VO-7**

**Source Number: 029**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

ALUMINUM	01105	036	2014/04/02	< 50.000	2017/04
ANTIMONY	01097	036	2014/04/02	< 6.000	2017/04
ARSENIC	01002	036	2014/04/02	< 2.000	2017/04
BARIUM	01007	036	2014/04/02	< 100.000	2017/04
BERYLLIUM	01012	036	2014/04/02	< 1.000	2017/04
CADMIUM	01027	036	2014/04/02	< 1.000	2017/04

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910179**

**System Name: BURBANK-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910179-029**

**Source Name: BURBANK OU WELL VO-7**

**Source Number: 029**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

CHROMIUM (TOTAL)	01034	036	2014/07/01	. 15.000	2017/07
CHROMIUM, HEXAVALENT	01032	036	2014/07/01	. 17.000	2017/07
CYANIDE	01291	036	2014/04/02	< 100.000	2017/04
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/04/02	. .490	2017/04
MERCURY	71900	036	2014/04/02	< 1.000	2017/04
NICKEL	01067	036	2014/04/02	< 10.000	2017/04
PERCHLORATE	A-031	012	2014/04/02	< 4.000	2015/04
SELENIUM	01147	036	2014/04/02	< 5.000	2017/04
THALLIUM	01059	036	2014/04/02	< 1.000	2017/04

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	001	2014/07/01	. 28.000	2014/08
NITRITE (AS N)	00620	001	2014/07/01	< 400.000	2014/08

**RADIOLOGICAL**

GROSS ALPHA	01501	003	2014/04/02	. 11.000	2014/07
RADIUM 226	09501	003	2014/04/02	< 1.000	2014/07
RADIUM 228	11501	003	2014/04/02	< 1.000	2014/07
URANIUM (PCI/L)	28012	003	2014/04/02	. 18.000	2014/07

**REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	033	2014/07/01	< 5.000	2017/04
2,4,5-TP (SILVEX)	39045	033	2014/07/01	< 1.000	2017/04
2,4-D	39730	033	2014/07/01	< 10.000	2017/04
ALACHLOR	77825	033	2014/07/01	< 1.000	2017/04
ATRAZINE	39033	033	2014/07/01	< .500	2017/04
BENTAZON	38710	033	2014/07/01	< 2.000	2017/04
BENZO (A) PYRENE	34247	033	2014/07/01	< .100	2017/04
CARBOFURAN	81405	033	2014/07/01	< 5.000	2017/04
CHLORDANE	39350	033	2014/07/01	< .100	2017/04
DALAPON	38432	033	2014/07/01	< 10.000	2017/04

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910179**

**System Name: BURBANK-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

**PS Code: 1910179-029**

**Source Name: BURBANK OU WELL VO-7**

**Source Number: 029**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED SOC**

DI(2-ETHYLHEXYL)ADIPATE	A-026	033	2014/07/01	< 5.000	2017/04
DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2014/07/01	< 3.000	2017/04
DIBROMOCHLOROPROPANE (DBCP)	38761	033	2014/07/01	< .010	2017/04
DINOSEB	81287	033	2014/07/01	< 2.000	2017/04
DIQUAT	78885	033	2014/07/01	< 4.000	2017/04
ENDOTHALL	38926	033	2014/07/01	< 45.000	2017/04
ENDRIN	39390	033	2014/07/01	< .100	2017/04
ETHYLENE DIBROMIDE (EDB)	77651	033	2014/07/01	< .020	2017/04
GLYPHOSATE	79743	033	2014/07/01	< 25.000	2017/04
HEPTACHLOR	39410	033	2014/07/01	< .010	2017/04
HEPTACHLOR EPOXIDE	39420	033	2014/07/01	< .010	2017/04
HEXACHLOROBENZENE	39700	033	2014/07/01	< .500	2017/04
HEXACHLOROCYCLOPENTADIENE	34386	033	2014/07/01	< 1.000	2017/04
LINDANE	39340	033	2014/07/01	< .200	2017/04
METHOXYCHLOR	39480	033	2014/07/01	< 10.000	2017/04
MOLINATE	82199	033	2014/07/01	< 2.000	2017/04
OXAMYL	38865	033	2014/07/01	< 20.000	2017/04
PENTACHLOROPHENOL	39032	033	2014/07/01	< .200	2017/04
PICLORAM	39720	033	2014/07/01	< 1.000	2017/04
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	033	2014/07/01	< .500	2017/04
SIMAZINE	39055	033	2014/07/01	< 1.000	2017/04
THIOBENCARB	A-001	033	2014/07/01	< 1.000	2017/04
TOXAPHENE	39400	033	2014/07/01	< 1.000	2017/04

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	001	2014/07/01	< .500	2014/08
1,1,2,2-TETRACHLOROETHANE	34516	001	2014/07/01	< .500	2014/08
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	001	2014/07/01	< 10.000	2014/08
1,1,2-TRICHLOROETHANE	34511	001	2014/07/01	< .500	2014/08
1,1-DICHLOROETHANE	34496	001	2014/07/01	< .500	2014/08

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)



**System Number: 1910179**

**System Name: BURBANK-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910179-029**

**Source Name: BURBANK OU WELL VO-7**

**Source Number: 029**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED VOC**

1,1-DICHLOROETHYLENE	34501	001	2014/07/01	.670	2014/08
1,2,4-TRICHLOROBENZENE	34551	001	2014/07/01	<.500	2014/08
1,2-DICHLOROBENZENE	34536	001	2014/07/01	<.500	2014/08
1,2-DICHLOROETHANE	34531	001	2014/07/01	<.500	2014/08
1,2-DICHLOROPROPANE	34541	001	2014/07/01	<.500	2014/08
1,3-DICHLOROPROPENE (TOTAL)	34561	001	2014/07/01	<.500	2014/08
1,4-DICHLOROBENZENE	34571	001	2014/07/01	<.500	2014/08
BENZENE	34030	001	2014/07/01	<.500	2014/08
CARBON TETRACHLORIDE	32102	001	2014/07/01	.820	2014/08
CIS-1,2-DICHLOROETHYLENE	77093	001	2014/07/01	<.500	2014/08
DICHLOROMETHANE	34423	001	2014/07/01	<.500	2014/08
ETHYLBENZENE	34371	001	2014/07/01	<.500	2014/08
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/07/01	<3.000	2015/07
MONOCHLOROENZENE	34301	001	2014/07/01	<.500	2014/08
STYRENE	77128	001	2014/07/01	<.500	2014/08
TETRACHLOROETHYLENE	34475	001	2014/07/01	.73.000	2014/08
TOLUENE	34010	001	2014/07/01	<.500	2014/08
TRANS-1,2-DICHLOROETHYLENE	34546	001	2014/07/01	<.500	2014/08
TRICHLOROETHYLENE	39180	001	2014/07/01	.17.000	2014/08
TRICHLOROFUOROMETHANE	34488	001	2014/07/01	<5.000	2014/08
VINYL CHLORIDE	39175	001	2014/07/01	<.500	2014/08
XYLENES (TOTAL)	81551	001	2014/07/01	<.500	2014/08

**SECONDARY/GP**

BICARBONATE ALKALINITY	00440	036	2014/07/01	.240.000	2017/07
CALCIUM	00916	036	2014/07/01	.94.000	2017/07
CARBONATE ALKALINITY	00445	036	2014/07/01	<2.000	2017/07
CHLORIDE	00940	036	2014/04/02	.37.000	2017/04
COLOR	00081	036	2014/04/02	<3.000	2017/04
COPPER	01042	036	2014/04/02	<50.000	2017/04

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910179**

**System Name: BURBANK-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910179-029**

**Source Name: BURBANK OU WELL VO-7**

**Source Number: 029**

**Source Status: ACTIVE RAW**

**Water type: G**

**SECONDARY/GP**

FOAMING AGENTS (MBAS)	38260	036	2014/04/02	< .050	2017/04
HARDNESS (TOTAL) AS CaCO3	00900	036	2014/07/01	. 330.000	2017/07
HYDROXIDE ALKALINITY	71830	036	2014/07/01	< 2.000	2017/07
IRON	01045	001	2014/06/03	< 100.000	2014/07
MAGNESIUM	00927	036	2014/07/01	. 24.000	2017/07
MANGANESE	01055	001	2014/06/03	< 20.000	2014/07
ODOR THRESHOLD @ 60 C	00086	036	2014/04/02	< 1.000	2017/04
PH, LABORATORY	00403	036	2014/07/01	. 7.800	2017/07
SILVER	01077	036	2014/04/02	< 10.000	2017/04
SODIUM	00929	036	2014/04/02	. 33.000	2017/04
SPECIFIC CONDUCTANCE	00095	036	2014/04/02	. 790.000	2017/04
SULFATE	00945	036	2014/04/02	. 78.000	2017/04
TOTAL DISSOLVED SOLIDS	70300	036	2014/07/01	. 480.000	2017/07
TURBIDITY, LABORATORY	82079	036	2014/04/02	. .055	2017/04
ZINC	01092	036	2014/04/02	< 50.000	2017/04

**PS Code: 1910179-030**

**Source Name: AIR STRIPPING TOWER T-200B (S) INFLUENT**

**Source Number: 030**

**Source Status: COMBINATION OR BLEND RAW**

**Water type: S**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

\*Testing interval is in months;  
 0 = No data for this constituent and is DUE NOW  
 I = Invalid (NOT) valid analyses reported  
 Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910179**

**System Name: BURBANK-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>	
<b>PS Code: 1910179-031</b>					
<b>Source Name: AIR STRIPPING TOWER COMBINED INFLUENT</b>					
<b>Source Number: 031</b>					
<b>Source Status: COMBINATION OR BLEND RAW</b>					
<b>Water type: S</b>					
<u>NITRATE/NITRITE</u>					
<b>NITRATE (AS NO3)</b>	<b>71850</b>	<b>001</b>	<b>2011/07/05</b>	<b>36.000</b>	<b>2011/08 DUE</b>

**PS Code: 1910179-032**

**Source Name: AIR STRIPPING TOWER T-200A (N) EFFLUENT**

**Source Number: 032**

**Source Status: COMBINATION OR BLEND TREATED**

**Water type: S**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\* 999

**PS Code: 1910179-033**

**Source Name: AIR STRIPPING TOWER T-200B (S) EFFLUENT**

**Source Number: 033**

**Source Status: COMBINATION OR BLEND TREATED**

**Water type: S**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\* 999

**PS Code: 1910179-034**

**Source Name: AIR STRIPPING TOWER COMBINED EFFLUENT**

**Source Number: 034**

**Source Status: COMBINATION OR BLEND TREATED**

**Water type: S**

NITRATE/NITRITE

<b>NITRATE (AS NO3)</b>	<b>71850</b>	<b>001</b>	<b>2000/12/04</b>	<b>43.000</b>	<b>2001/01 DUE</b>
-------------------------	--------------	------------	-------------------	---------------	--------------------

\*Testing interval is in months;  
 0 = No data for this constituent and is DUE NOW  
 I = Invalid (NOT) valid analyses reported  
 Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910179**

**System Name: BURBANK-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

**PS Code: 1910179-035**

**Source Name: BOU 1/2 PORT AD-730A UPPER GAC (N-E)**

**Source Number: 035**

**Source Status: COMBINATION OR BLEND TREATED**

**Water type: S**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

**PS Code: 1910179-036**

**Source Name: BOU 1/2 PORT AD-730A LOWER GAC (N-E)**

**Source Number: 036**

**Source Status: COMBINATION OR BLEND TREATED**

**Water type: S**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

**PS Code: 1910179-037**

**Source Name: BOU 1/2 PORT AD-740A UPPER GAC (N-M)**

**Source Number: 037**

**Source Status: COMBINATION OR BLEND TREATED**

**Water type: S**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

**PS Code: 1910179-038**

**Source Name: BOU 1/2 PORT AD-740A LOWER GAC (N-M)**

**Source Number: 038**

**Source Status: COMBINATION OR BLEND TREATED**

**Water type: S**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910179**

**System Name: BURBANK-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

**PS Code: 1910179-039**

**Source Name: BOU 1/2 PORT AD-750A UPPER GAC (N-W)**

**Source Number: 039**

**Source Status: COMBINATION OR BLEND TREATED**

**Water type: S**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

**PS Code: 1910179-040**

**Source Name: BOU 1/2 PORT AD-750A LOWER GAC (N-W)**

**Source Number: 040**

**Source Status: COMBINATION OR BLEND TREATED**

**Water type: S**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

**PS Code: 1910179-041**

**Source Name: BOU 1/2 PORT AD-730B UPPER GAC (S-E)**

**Source Number: 041**

**Source Status: COMBINATION OR BLEND TREATED**

**Water type: S**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

**PS Code: 1910179-042**

**Source Name: BOU 1/2 PORT AD-730B LOWER GAC (S-E)**

**Source Number: 042**

**Source Status: COMBINATION OR BLEND TREATED**

**Water type: S**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910179**

**System Name: BURBANK-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

**PS Code: 1910179-043**

**Source Name: BOU 1/2 PORT AD-740B UPPER GAC (S-M)**

**Source Number: 043**

**Source Status: COMBINATION OR BLEND TREATED**

**Water type: S**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

**PS Code: 1910179-044**

**Source Name: BOU 1/2 PORT AD-740B LOWER GAC (S-M)**

**Source Number: 044**

**Source Status: COMBINATION OR BLEND TREATED**

**Water type: S**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

**PS Code: 1910179-045**

**Source Name: BOU 1/2 PORT AD-750B UPPER GAC (S-W)**

**Source Number: 045**

**Source Status: COMBINATION OR BLEND TREATED**

**Water type: S**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

**PS Code: 1910179-046**

**Source Name: BOU 1/2 PORT AD-750B LOWER GAC (S-W)**

**Source Number: 046**

**Source Status: COMBINATION OR BLEND TREATED**

**Water type: S**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

\*Testing interval is in months;  
0 = No data for this constituent and is DUE NOW  
I = Invalid (NOT) valid analyses reported  
Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910179**

**System Name: BURBANK-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910179-047**

**Source Name: BOU VOC PLANT EFF AT PT OF DELIVERY (A)**

**Source Number: 047**

**Source Status: COMBINATION OR BLEND TREATED**

**Water type: S**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

**PS Code: 1910179-048**

**Source Name: FOREBY INFLUENT - EAST (B)**

**Source Number: 048**

**Source Status: COMBINATION OR BLEND TREATED**

**Water type: S**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

**PS Code: 1910179-049**

**Source Name: FOREBY INFLUENT - WEST (C)**

**Source Number: 049**

**Source Status: COMBINATION OR BLEND TREATED**

**Water type: S**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

**PS Code: 1910179-050**

**Source Name: FOREBY EFFLUENT (AFTER CHLORINATION) (D)**

**Source Number: 050**

**Source Status: COMBINATION OR BLEND TREATED**

**Water type: S**

**NITRATE/NITRITE**

NITRATE (AS NO3)

71850

001

2014/07/07

. 35.000

2014/08

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910179**

**System Name: BURBANK-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

**PS Code: 1910179-051**

**Source Name: BOOST STAN EFF (AFTER NH3;BLEND INF) (E)**

**Source Number: 051**

**Source Status: COMBINATION OR BLEND TREATED**

**Water type: S**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

**PS Code: 1910179-052**

**Source Name: MWD B-5 SUPPLY FOR NO3 BLENDING (G)**

**Source Number: 052**

**Source Status: PURCHASED TREATED**

**Water type: S**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

**PS Code: 1910179-053**

**Source Name: NO3 BLENDED EFFLUENT (F)**

**Source Number: 053**

**Source Status: COMBINATION OR BLEND TREATED**

**Water type: S**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

**PS Code: 1910179-054**

**Source Name: BOU 3/4PORT AD-730A UPPER GAC (N-E)**

**Source Number: 054**

**Source Status: COMBINATION OR BLEND TREATED**

**Water type: S**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)



**System Number: 1910179**

**System Name: BURBANK-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

**PS Code: 1910179-055**

**Source Name: BOU 3/4PORT AD-730A LOWER GAC (N-E)**

**Source Number: 055**

**Source Status: COMBINATION OR BLEND TREATED**

**Water type: S**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

**PS Code: 1910179-056**

**Source Name: BOU 3/4PORT AD-740A UPPER GAC (N-M)**

**Source Number: 056**

**Source Status: COMBINATION OR BLEND TREATED**

**Water type: S**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

**PS Code: 1910179-057**

**Source Name: BOU 3/4PORT AD-740A LOWER GAC (N-M)**

**Source Number: 057**

**Source Status: COMBINATION OR BLEND TREATED**

**Water type: S**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

**PS Code: 1910179-058**

**Source Name: BOU 3/4PORT AD-750A UPPER GAC (N-W)**

**Source Number: 058**

**Source Status: COMBINATION OR BLEND TREATED**

**Water type: S**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

\*Testing interval is in months;  
0 = No data for this constituent and is DUE NOW  
I = Invalid (NOT) valid analyses reported  
Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910179**

**System Name: BURBANK-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

**PS Code: 1910179-059**

**Source Name: BOU 3/4PORT AD-750A LOWER GAC (N-W)**

**Source Number: 059**

**Source Status: COMBINATION OR BLEND TREATED**

**Water type: S**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

**PS Code: 1910179-060**

**Source Name: BOU 3/4PORT AD-730B UPPER GAC (S-E)**

**Source Number: 060**

**Source Status: COMBINATION OR BLEND TREATED**

**Water type: S**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

**PS Code: 1910179-061**

**Source Name: BOU 3/4PORT AD-730B LOWER GAC (S-E)**

**Source Number: 061**

**Source Status: COMBINATION OR BLEND TREATED**

**Water type: S**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

**PS Code: 1910179-062**

**Source Name: BOU 3/4PORT AD-740B UPPER GAC (S-M)**

**Source Number: 062**

**Source Status: COMBINATION OR BLEND TREATED**

**Water type: S**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910179**

**System Name: BURBANK-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

**PS Code: 1910179-063**

**Source Name: BOU 3/4PORT AD-740B LOWER GAC (S-M)**

**Source Number: 063**

**Source Status: COMBINATION OR BLEND TREATED**

**Water type: S**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

**PS Code: 1910179-064**

**Source Name: BOU 3/4PORT AD-750B UPPER GAC (S-W)**

**Source Number: 064**

**Source Status: COMBINATION OR BLEND TREATED**

**Water type: S**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

**PS Code: 1910179-065**

**Source Name: BOU 3/4PORT AD-750B LOWER GAC (S-W)**

**Source Number: 065**

**Source Status: COMBINATION OR BLEND TREATED**

**Water type: S**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

**PS Code: 1910179-066**

**Source Name: MWD-B1 CONNECTION - TREATED**

**Source Number: 066**

**Source Status: PURCHASED TREATED**

**Water type: S**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910179**

**System Name: BURBANK-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

**PS Code: 1910179-067**

**Source Name: MWD-B2 CONNECTION - TREATED**

**Source Number: 067**

**Source Status: PURCHASED TREATED**

**Water type: S**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

**PS Code: 1910179-068**

**Source Name: MWD-B3 CONNECTION - TREATED**

**Source Number: 068**

**Source Status: PURCHASED TREATED**

**Water type: S**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

**PS Code: 1910179-069**

**Source Name: MWD-B4 CONNECTION - TREATED**

**Source Number: 069**

**Source Status: PURCHASED TREATED**

**Water type: S**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

**PS Code: 1910179-070**

**Source Name: MWD-B5 CONNECTION - TREATED**

**Source Number: 070**

**Source Status: PURCHASED TREATED**

**Water type: S**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

\*Testing interval is in months;  
0 = No data for this constituent and is DUE NOW  
I = Invalid (NOT) valid analyses reported  
Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910179**

**System Name: BURBANK-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910179-800**

**Source Name: SITE 1-210 W. ASH AVENUE-STG2 DBP**

**Source Number: 800**

**Source Status: DISTRIBUTION TREATED**

**Water type: S**

**HALOACETIC ACIDS**

DIBROMOACETIC ACID (DBAA)	82721	003	2014/07/07	. 2.200	2014/10
DICHLOROACETIC ACID (DCAA)	77288	003	2014/07/07	. 7.800	2014/10
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/07/07	. 15.000	2014/10
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/07/07	< 1.000	2014/10
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/07/07	< 2.000	2014/10
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/07/07	. 5.300	2014/10

**STATE UCMR**

BROMODICHLORMETHANE (THM)	32101	003	2014/07/07	. 11.000	2014/10
BROMOFORM (THM)	32104	003	2014/07/07	. 2.900	2014/10
CHLOROFORM (THM)	32106	003	2014/07/07	. 17.000	2014/10
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/07/07	. 11.000	2014/10

**TRIHALOMETHANES**

TOTAL TRIHALOMETHANES	82080	003	2014/07/07	. 42.000	2014/10
-----------------------	-------	-----	------------	----------	---------

**PS Code: 1910179-801**

**Source Name: SITE 2-447 N. MOSS STREET-STG2 DBP**

**Source Number: 801**

**Source Status: DISTRIBUTION TREATED**

**Water type: S**

**HALOACETIC ACIDS**

DIBROMOACETIC ACID (DBAA)	82721	003	2014/07/07	. 1.400	2014/10
DICHLOROACETIC ACID (DCAA)	77288	003	2014/07/07	. 3.600	2014/10
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/07/07	. 7.400	2014/10
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/07/07	< 1.000	2014/10
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/07/07	< 2.000	2014/10
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/07/07	. 2.400	2014/10

**STATE UCMR**

BROMODICHLORMETHANE (THM)	32101	003	2014/07/07	. 6.300	2014/10
---------------------------	-------	-----	------------	---------	---------

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910179**

**System Name: BURBANK-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910179-801**

**Source Name: SITE 2-447 N. MOSS STREET-STG2 DBP**

**Source Number: 801**

**Source Status: DISTRIBUTION TREATED**

**Water type: S**

**STATE UCMR**

BROMOFORM (THM)	32104	003	2014/07/07	. 3.000	2014/10
CHLOROFORM (THM)	32106	003	2014/07/07	. 6.900	2014/10
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/07/07	. 6.800	2014/10

**TRIHALOMETHANES**

TOTAL TRIHALOMETHANES	82080	003	2014/07/07	. 23.000	2014/10
-----------------------	-------	-----	------------	----------	---------

**PS Code: 1910179-802**

**Source Name: SITE 3-410 DARTMOUTH ROAD-STG2 DBP**

**Source Number: 802**

**Source Status: DISTRIBUTION TREATED**

**Water type: S**

**HALOACETIC ACIDS**

DIBROMOACETIC ACID (DBAA)	82721	003	2014/07/07	< 1.000	2014/10
DICHLOROACETIC ACID (DCAA)	77288	003	2014/07/07	< 1.000	2014/10
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/07/07	. 2.500	2014/10
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/07/07	< 1.000	2014/10
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/07/07	< 2.000	2014/10
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/07/07	. 2.500	2014/10

**STATE UCMR**

BROMODICHLORMETHANE (THM)	32101	003	2014/07/07	. 5.900	2014/10
BROMOFORM (THM)	32104	003	2014/07/07	. 3.500	2014/10
CHLOROFORM (THM)	32106	003	2014/07/07	. 7.000	2014/10
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/07/07	. 6.000	2014/10

**TRIHALOMETHANES**

TOTAL TRIHALOMETHANES	82080	003	2014/07/07	. 22.000	2014/10
-----------------------	-------	-----	------------	----------	---------

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910179**

**System Name: BURBANK-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910179-803**

**Source Name: SITE 4-1605 CAMINO DE VILLAS-STG2 DBP**

**Source Number: 803**

**Source Status: DISTRIBUTION TREATED**

**Water type: S**

**HALOACETIC ACIDS**

DIBROMOACETIC ACID (DBAA)	82721	003	2014/07/07	< 1.000	2014/10
DICHLOROACETIC ACID (DCAA)	77288	003	2014/07/07	< 1.000	2014/10
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/07/07	. 3.200	2014/10
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/07/07	< 1.000	2014/10
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/07/07	< 2.000	2014/10
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/07/07	. 3.200	2014/10

**STATE UCMR**

BROMODICHLORMETHANE (THM)	32101	003	2014/07/07	. 6.900	2014/10
BROMOFORM (THM)	32104	003	2014/07/07	. 3.200	2014/10
CHLOROFORM (THM)	32106	003	2014/07/07	. 8.100	2014/10
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/07/07	. 6.700	2014/10

**TRIHALOMETHANES**

TOTAL TRIHALOMETHANES	82080	003	2014/07/07	. 25.000	2014/10
-----------------------	-------	-----	------------	----------	---------

**PS Code: 1910179-804**

**Source Name: SITE 5-1026 HAMLINE PLACE-STG2 DBP**

**Source Number: 804**

**Source Status: DISTRIBUTION TREATED**

**Water type: S**

**HALOACETIC ACIDS**

DIBROMOACETIC ACID (DBAA)	82721	003	2014/07/07	< 1.000	2014/10
DICHLOROACETIC ACID (DCAA)	77288	003	2014/07/07	< 1.000	2014/10
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/07/07	. 3.400	2014/10
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/07/07	< 1.000	2014/10
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/07/07	< 2.000	2014/10
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/07/07	. 3.400	2014/10

**STATE UCMR**

BROMODICHLORMETHANE (THM)	32101	003	2014/07/07	. 6.400	2014/10
---------------------------	-------	-----	------------	---------	---------

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910179**

**System Name: BURBANK-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910179-804**

**Source Name: SITE 5-1026 HAMLINE PLACE-STG2 DBP**

**Source Number: 804**

**Source Status: DISTRIBUTION TREATED**

**Water type: S**

**STATE UCMR**

BROMOFORM (THM)	32104	003	2014/07/07	. 3.000	2014/10
CHLOROFORM (THM)	32106	003	2014/07/07	. 7.600	2014/10
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/07/07	. 6.100	2014/10

**TRIHALOMETHANES**

TOTAL TRIHALOMETHANES	82080	003	2014/07/07	. 23.000	2014/10
-----------------------	-------	-----	------------	----------	---------

**PS Code: 1910179-805**

**Source Name: SITE 6-119 N. KENWOOD STREET-STG2 DBP**

**Source Number: 805**

**Source Status: DISTRIBUTION TREATED**

**Water type: S**

**HALOACETIC ACIDS**

DIBROMOACETIC ACID (DBAA)	82721	003	2014/07/07	. 1.500	2014/10
DICHLOROACETIC ACID (DCAA)	77288	003	2014/07/07	. 3.500	2014/10
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/07/07	. 7.700	2014/10
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/07/07	< 1.000	2014/10
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/07/07	< 2.000	2014/10
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/07/07	. 2.700	2014/10

**STATE UCMR**

BROMODICHLORMETHANE (THM)	32101	003	2014/07/07	. 6.200	2014/10
BROMOFORM (THM)	32104	003	2014/07/07	. 3.000	2014/10
CHLOROFORM (THM)	32106	003	2014/07/07	. 6.700	2014/10
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/07/07	. 6.700	2014/10

**TRIHALOMETHANES**

TOTAL TRIHALOMETHANES	82080	003	2014/07/07	. 23.000	2014/10
-----------------------	-------	-----	------------	----------	---------

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)



**System Number: 1910179**

**System Name: BURBANK-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910179-806**

**Source Name: SITE 7-1267 PASEO REDONDO-STG2 DBP**

**Source Number: 806**

**Source Status: DISTRIBUTION TREATED**

**Water type: S**

**HALOACETIC ACIDS**

DIBROMOACETIC ACID (DBAA)	82721	003	2014/07/07	< 1.000	2014/10
DICHLOROACETIC ACID (DCAA)	77288	003	2014/07/07	< 1.000	2014/10
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/07/07	. 3.100	2014/10
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/07/07	< 1.000	2014/10
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/07/07	< 2.000	2014/10
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/07/07	. 3.100	2014/10

**STATE UCMR**

BROMODICHLORMETHANE (THM)	32101	003	2014/07/07	. 7.000	2014/10
BROMOFORM (THM)	32104	003	2014/07/07	. 3.200	2014/10
CHLOROFORM (THM)	32106	003	2014/07/07	. 8.300	2014/10
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/07/07	. 6.800	2014/10

**TRIHALOMETHANES**

TOTAL TRIHALOMETHANES	82080	003	2014/07/07	. 25.000	2014/10
-----------------------	-------	-----	------------	----------	---------

**PS Code: 1910179-807**

**Source Name: SITE 8-3413 HAVEN WAY-STG2 DBP**

**Source Number: 807**

**Source Status: DISTRIBUTION TREATED**

**Water type: S**

**HALOACETIC ACIDS**

DIBROMOACETIC ACID (DBAA)	82721	003	2014/07/07	< 1.000	2014/10
DICHLOROACETIC ACID (DCAA)	77288	003	2014/07/07	< 1.000	2014/10
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/07/07	. 2.800	2014/10
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/07/07	< 1.000	2014/10
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/07/07	< 2.000	2014/10
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/07/07	. 2.800	2014/10

**STATE UCMR**

BROMODICHLORMETHANE (THM)	32101	003	2014/07/07	. 5.700	2014/10
---------------------------	-------	-----	------------	---------	---------

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910179**

**System Name: BURBANK-CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

**PS Code: 1910179-807**

**Source Name: SITE 8-3413 HAVEN WAY-STG2 DBP**

**Source Number: 807**

**Source Status: DISTRIBUTION TREATED**

**Water type: S**

**STATE UCMR**

BROMOFORM (THM)	32104	003	2014/07/07	. 3.500	2014/10
CHLOROFORM (THM)	32106	003	2014/07/07	. 6.600	2014/10
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/07/07	. 5.900	2014/10

**TRIHALOMETHANES**

TOTAL TRIHALOMETHANES	82080	003	2014/07/07	. 22.000	2014/10
-----------------------	-------	-----	------------	----------	---------

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910186**

**System Name: CAL-AM WATER COMPANY - DUARTE**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910186-001**

**Source Name: BUENA VISTA WELL (LACFCD 4427A) STANDBY**

**Source Number: 001**

**Source Status: STANDBY RAW**

**Water type: G**

**INORGANIC**

ALUMINUM	01105	108	2013/12/04	< 50.000	2022/12
ANTIMONY	01097	108	2013/12/04	< 6.000	2022/12
ARSENIC	01002	108	2013/12/04	. 2.100	2022/12
BARIUM	01007	108	2013/12/04	< 100.000	2022/12
BERYLLIUM	01012	108	2013/12/04	< 1.000	2022/12
CADMIUM	01027	108	2013/12/04	< 1.000	2022/12
CHROMIUM (TOTAL)	01034	108	2013/12/04	< 10.000	2022/12
CYANIDE	01291	108	2013/12/04	< 100.000	2022/12
FLUORIDE (F) (NATURAL-SOURCE)	00951	108	2013/12/04	. .330	2022/12
MERCURY	71900	108	2013/12/04	< 1.000	2022/12
NICKEL	01067	108	2013/12/04	< 10.000	2022/12
PERCHLORATE	A-031	108	2013/09/18	< 4.000	2022/09
SELENIUM	01147	108	2013/12/04	< 5.000	2022/12
THALLIUM	01059	108	2013/12/04	< 1.000	2022/12

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	108	2013/12/04	. 2.300	2022/12
NITRITE (AS N)	00620	108	2013/12/04	< 400.000	2022/12

**RADIOLOGICAL**

GROSS ALPHA	01501	108	2006/03/06	.000	2015/03
RADIUM 226	09501	108	2006/03/06	.000	2015/03
RADIUM 228	11501	108	2006/03/06	.000	2015/03
URANIUM (PCI/L)	28012	072	2012/03/15	< .000	2018/03

**REGULATED SOC**

DI(2-ETHYLHEXYL)PHTHALATE	39100	108	2012/12/04	< 3.000	2021/12
---------------------------	-------	-----	------------	---------	---------

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	108	2014/06/23	< .500	2023/06
1,1,2,2-TETRACHLOROETHANE	34516	108	2014/06/23	< .500	2023/06
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	108	2014/06/23	< 10.000	2023/06

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910186**

**System Name: CAL-AM WATER COMPANY - DUARTE**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910186-001**

**Source Name: BUENA VISTA WELL (LACFCD 4427A) STANDBY**

**Source Number: 001**

**Source Status: STANDBY RAW**

**Water type: G**

**REGULATED VOC**

1,1,2-TRICHLOROETHANE	34511	108	2014/06/23	< .500	2023/06
1,1-DICHLOROETHANE	34496	108	2014/06/23	< .500	2023/06
1,1-DICHLOROETHYLENE	34501	108	2014/06/23	< .500	2023/06
1,2,4-TRICHLOROBENZENE	34551	108	2014/06/23	< .500	2023/06
1,2-DICHLOROBENZENE	34536	108	2014/06/23	< .500	2023/06
1,2-DICHLOROETHANE	34531	108	2014/06/23	< .500	2023/06
1,2-DICHLOROPROPANE	34541	108	2014/06/23	< .500	2023/06
1,3-DICHLOROPROPENE (TOTAL)	34561	108	2014/06/23	< .500	2023/06
1,4-DICHLOROBENZENE	34571	108	2014/06/23	< .500	2023/06
BENZENE	34030	108	2014/06/23	< .500	2023/06
CARBON TETRACHLORIDE	32102	108	2014/06/23	< .500	2023/06
CIS-1,2-DICHLOROETHYLENE	77093	108	2014/06/23	< .500	2023/06
DICHLOROMETHANE	34423	108	2014/06/23	< .500	2023/06
ETHYLBENZENE	34371	108	2014/06/23	< .500	2023/06
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	108	2014/06/23	< 3.000	2023/06
MONOCHLOROBENZENE	34301	108	2014/06/23	< .500	2023/06
STYRENE	77128	108	2014/06/23	< .500	2023/06
TETRACHLOROETHYLENE	34475	108	2014/06/23	< .500	2023/06
TOLUENE	34010	108	2014/06/23	< .500	2023/06
TRANS-1,2-DICHLOROETHYLENE	34546	108	2014/06/23	< .500	2023/06
TRICHLOROETHYLENE	39180	108	2014/06/23	< .500	2023/06
TRICHLOROFUOROMETHANE	34488	108	2014/06/23	< 5.000	2023/06
VINYL CHLORIDE	39175	108	2014/06/23	< .500	2023/06
XYLENES (TOTAL)	81551	108	2014/06/23	< .500	2023/06

**SECONDARY/GP**

BICARBONATE ALKALINITY	00440	108	2013/09/12	. 140.000	2022/09
CALCIUM	00916	108	2013/09/18	. 41.000	2022/09
CARBONATE ALKALINITY	00445	108	2013/09/12	< 2.000	2022/09
CHLORIDE	00940	108	2013/09/18	. 10.400	2022/09

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910186**

**System Name: CAL-AM WATER COMPANY - DUARTE**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910186-001**

**Source Name: BUENA VISTA WELL (LACFCD 4427A) STANDBY**

**Source Number: 001**

**Source Status: STANDBY RAW**

**Water type: G**

**SECONDARY/GP**

COLOR	00081	108	2013/09/12	< 3.000	2022/09
COPPER	01042	108	2013/09/18	< 50.000	2022/09
FOAMING AGENTS (MBAS)	38260	108	2013/09/12	< .050	2022/09
HARDNESS (TOTAL) AS CaCO3	00900	108	2013/09/12	. 120.000	2022/09
HYDROXIDE ALKALINITY	71830	108	2013/09/12	< 2.000	2022/09
IRON	01045	108	2013/10/09	< 100.000	2022/10
MAGNESIUM	00927	108	2013/09/18	. 8.000	2022/09
MANGANESE	01055	108	2013/09/18	< 20.000	2022/09
ODOR THRESHOLD @ 60 C	00086	108	2013/09/12	1.000	2022/09
PH, LABORATORY	00403	108	2013/09/12	. 7.500	2022/09
SILVER	01077	108	2013/12/04	< 10.000	2022/12
SODIUM	00929	108	2013/09/18	15.900	2022/09
SPECIFIC CONDUCTANCE	00095	108	2013/09/12	. 320.000	2022/09
SULFATE	00945	108	2013/09/18	17.600	2022/09
TOTAL DISSOLVED SOLIDS	70300	108	2013/09/12	. 190.000	2022/09
TURBIDITY, LABORATORY	82079	108	2013/09/12	. 1.200	2022/09
ZINC	01092	108	2013/09/18	< 50.000	2022/09

**PS Code: 1910186-002**

**Source Name: BACON WELL (LACFCD 4255A)**

**Source Number: 002**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

ALUMINUM	01105	036	2014/06/23	< 50.000	2017/06
ANTIMONY	01097	036	2014/06/23	< 6.000	2017/06
ARSENIC	01002	036	2014/06/23	< 2.000	2017/06
BARIUM	01007	036	2014/06/23	. 100.000	2017/06
BERYLLIUM	01012	036	2014/06/23	< 1.000	2017/06

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910186**

**System Name: CAL-AM WATER COMPANY - DUARTE**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910186-002**

**Source Name: BACON WELL (LACFCD 4255A)**

**Source Number: 002**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

CADMIUM	01027	036	2014/06/23	< 1.000	2017/06
CHROMIUM (TOTAL)	01034	036	2014/06/23	< 10.000	2017/06
CYANIDE	01291	036	2014/06/23	< 100.000	2017/06
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/06/23	.390	2017/06
MERCURY	71900	036	2014/06/23	< 1.000	2017/06
NICKEL	01067	036	2014/06/23	< 10.000	2017/06
PERCHLORATE	A-031	012	2014/06/23	< 4.000	2015/06
SELENIUM	01147	036	2014/06/23	< 5.000	2017/06
THALLIUM	01059	036	2014/06/23	< 1.000	2017/06

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	012	2014/06/23	. 3.260	2015/06
NITRITE (AS N)	00620	036	2014/06/23	< 400.000	2017/06

**RADIOLOGICAL**

<b>GROSS ALPHA</b>	01501	003	2006/06/15	.000	2006/09	<b>DUE</b>
<b>RADIUM 226</b>	09501	003	2006/06/15	.000	2006/09	<b>DUE</b>
<b>RADIUM 228</b>	11501	003	2006/06/15	.000	2006/09	<b>DUE</b>
<b>URANIUM (PCI/L)</b>	28012	003	2006/06/15	.000	2006/09	<b>DUE</b>

**REGULATED SOC**

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2012/12/04	< 3.000	2015/09
---------------------------	-------	-----	------------	---------	---------

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	012	2014/06/23	< .500	2015/06
1,1,2,2-TETRACHLOROETHANE	34516	012	2014/06/23	< .500	2015/06
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/06/23	< 10.000	2015/06
1,1,2-TRICHLOROETHANE	34511	012	2014/06/23	< .500	2015/06
1,1-DICHLOROETHANE	34496	012	2014/06/23	< .500	2015/06
1,1-DICHLOROETHYLENE	34501	012	2014/06/23	< .500	2015/06
1,2,4-TRICHLOROBENZENE	34551	012	2014/06/23	< .500	2015/06
1,2-DICHLOROBENZENE	34536	012	2014/06/23	< .500	2015/06

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910186**

**System Name: CAL-AM WATER COMPANY - DUARTE**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910186-002**

**Source Name: BACON WELL (LACFCD 4255A)**

**Source Number: 002**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED VOC**

1,2-DICHLOROETHANE	34531	012	2014/06/23	< .500	2015/06
1,2-DICHLOROPROPANE	34541	012	2014/06/23	< .500	2015/06
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/06/23	< .500	2015/06
1,4-DICHLOROBENZENE	34571	012	2014/06/23	< .500	2015/06
BENZENE	34030	012	2014/06/23	< .500	2015/06
CARBON TETRACHLORIDE	32102	012	2014/06/23	< .500	2015/06
CIS-1,2-DICHLOROETHYLENE	77093	012	2014/06/23	< .500	2015/06
DICHLOROMETHANE	34423	012	2014/06/23	< .500	2015/06
ETHYLBENZENE	34371	012	2014/06/23	< .500	2015/06
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/06/23	< 3.000	2015/06
MONOCHLOROBENZENE	34301	012	2014/06/23	< .500	2015/06
STYRENE	77128	012	2013/10/09	< .500	2014/10
TETRACHLOROETHYLENE	34475	012	2014/06/23	< .500	2015/06
TOLUENE	34010	012	2014/06/23	< .500	2015/06
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/06/23	< .500	2015/06
TRICHLOROETHYLENE	39180	012	2014/06/23	< .500	2015/06
TRICHLOROFLUOROMETHANE	34488	012	2014/06/23	< 5.000	2015/06
VINYL CHLORIDE	39175	012	2014/06/23	< .500	2015/06
XYLENES (TOTAL)	81551	012	2014/06/23	< .500	2015/06

**SECONDARY/GP**

BICARBONATE ALKALINITY	00440	036	2013/09/12	. 200.000	2016/09
CALCIUM	00916	036	2014/06/23	. 71.000	2017/06
CARBONATE ALKALINITY	00445	036	2013/09/12	< 2.000	2016/09
CHLORIDE	00940	036	2014/06/23	. 47.800	2017/06
COLOR	00081	036	2013/09/12	< 3.000	2016/09
COPPER	01042	036	2014/06/23	< 50.000	2017/06
FOAMING AGENTS (MBAS)	38260	036	2013/09/12	< .050	2016/09
HARDNESS (TOTAL) AS CaCO3	00900	036	2013/09/12	. 200.000	2016/09
HYDROXIDE ALKALINITY	71830	036	2013/09/12	< 2.000	2016/09

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910186**

**System Name: CAL-AM WATER COMPANY - DUARTE**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910186-002**

**Source Name: BACON WELL (LACFCD 4255A)**

**Source Number: 002**

**Source Status: ACTIVE RAW**

**Water type: G**

**SECONDARY/GP**

IRON	01045	036	2014/06/23	< 100.000	2017/06
MAGNESIUM	00927	036	2014/06/23	. 15.000	2017/06
MANGANESE	01055	036	2014/06/23	< 20.000	2017/06
ODOR THRESHOLD @ 60 C	00086	036	2013/09/12	2.000	2016/09
PH, LABORATORY	00403	036	2013/09/12	. 7.700	2016/09
SILVER	01077	036	2014/06/23	< 10.000	2017/06
SODIUM	00929	036	2014/06/23	. 25.200	2017/06
SPECIFIC CONDUCTANCE	00095	036	2013/09/12	. 480.000	2016/09
SULFATE	00945	036	2014/06/23	. 31.600	2017/06
TOTAL DISSOLVED SOLIDS	70300	036	2013/09/12	. 270.000	2016/09
TURBIDITY, LABORATORY	82079	036	2013/09/12	. .230	2016/09
ZINC	01092	036	2014/06/23	< 50.000	2017/06

**PS Code: 1910186-003**

**Source Name: CROWNHAVEN WELL (LACFCD 4256)**

**Source Number: 003**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

ALUMINUM	01105	036	2014/06/23	< 50.000	2017/06
ANTIMONY	01097	036	2014/06/23	< 6.000	2017/06
ARSENIC	01002	036	2014/06/23	< 2.000	2017/06
BARIUM	01007	036	2014/06/23	. 100.000	2017/06
BERYLLIUM	01012	036	2014/06/23	< 1.000	2017/06
CADMIUM	01027	036	2014/06/23	< 1.000	2017/06
CHROMIUM (TOTAL)	01034	036	2014/06/23	< 10.000	2017/06
CYANIDE	01291	036	2014/06/23	< 100.000	2017/06
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/06/23	. .310	2017/06
MERCURY	71900	036	2014/06/23	< 1.000	2017/06

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)



**System Number: 1910186**

**System Name: CAL-AM WATER COMPANY - DUARTE**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910186-003**

**Source Name: CROWNHAVEN WELL (LACFCD 4256)**

**Source Number: 003**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

NICKEL	01067	036	2014/06/23	< 10.000	2017/06
PERCHLORATE	A-031	012	2014/06/23	< 4.000	2015/06
SELENIUM	01147	036	2014/06/23	< 5.000	2017/06
THALLIUM	01059	036	2014/06/23	< 1.000	2017/06

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	012	2014/06/23	. 3.500	2015/06
NITRITE (AS N)	00620	036	2014/06/23	< 400.000	2017/06

**RADIOLOGICAL**

GROSS ALPHA	01501	003	2014/06/02	< 3.000	2014/09
<b>RADIUM 226</b>	09501	003	<b>2005/06/07</b>	. .000	<b>2005/09 DUE</b>
RADIUM 228	11501	003	2014/06/02	. .044	2014/09
URANIUM (PCI/L)	28012	003	2014/06/02	< 1.000	2014/09

**REGULATED SOC**

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2012/12/04	< 3.000	2015/09
---------------------------	-------	-----	------------	---------	---------

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	012	2014/06/23	< .500	2015/06
1,1,2,2-TETRACHLOROETHANE	34516	012	2014/06/23	< .500	2015/06
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/06/23	< 10.000	2015/06
1,1,2-TRICHLOROETHANE	34511	012	2014/06/23	< .500	2015/06
1,1-DICHLOROETHANE	34496	012	2014/06/23	< .500	2015/06
1,1-DICHLOROETHYLENE	34501	012	2014/06/23	< .500	2015/06
1,2,4-TRICHLOROBENZENE	34551	012	2014/06/23	< .500	2015/06
1,2-DICHLOROBENZENE	34536	012	2014/06/23	< .500	2015/06
1,2-DICHLOROETHANE	34531	012	2014/06/23	< .500	2015/06
1,2-DICHLOROPROPANE	34541	012	2014/06/23	< .500	2015/06
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/06/23	< .500	2015/06
1,4-DICHLOROBENZENE	34571	012	2014/06/23	< .500	2015/06
BENZENE	34030	012	2014/06/23	< .500	2015/06

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910186**

**System Name: CAL-AM WATER COMPANY - DUARTE**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910186-003**

**Source Name: CROWNHAVEN WELL (LACFCD 4256)**

**Source Number: 003**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED VOC**

CARBON TETRACHLORIDE	32102	012	2014/06/23	< .500	2015/06
CIS-1,2-DICHLOROETHYLENE	77093	012	2014/06/23	< .500	2015/06
DICHLOROMETHANE	34423	012	2014/06/23	< .500	2015/06
ETHYLBENZENE	34371	012	2014/06/23	< .500	2015/06
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/06/23	< 3.000	2015/06
MONOCHLOROENZENE	34301	012	2014/06/23	< .500	2015/06
STYRENE	77128	012	2014/06/23	< .500	2015/06
TETRACHLOROETHYLENE	34475	012	2014/06/23	< .500	2015/06
TOLUENE	34010	012	2014/06/23	< .500	2015/06
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/06/23	< .500	2015/06
TRICHLOROETHYLENE	39180	012	2014/06/23	< .500	2015/06
TRICHLOROFLUOROMETHANE	34488	012	2014/06/23	< 5.000	2015/06
VINYL CHLORIDE	39175	012	2014/06/23	< .500	2015/06
XYLENES (TOTAL)	81551	012	2014/06/23	< .500	2015/06

**SECONDARY/GP**

BICARBONATE ALKALINITY	00440	036	2013/09/12	. 220.000	2016/09
CALCIUM	00916	036	2014/06/23	. 60.000	2017/06
CARBONATE ALKALINITY	00445	036	2013/09/12	< 2.000	2016/09
CHLORIDE	00940	036	2014/06/23	. 36.200	2017/06
COLOR	00081	036	2013/09/12	< 3.000	2016/09
COPPER	01042	036	2014/06/23	< 50.000	2017/06
FOAMING AGENTS (MBAS)	38260	036	2013/09/12	< .050	2016/09
HARDNESS (TOTAL) AS CaCO3	00900	036	2013/09/12	. 190.000	2016/09
HYDROXIDE ALKALINITY	71830	036	2013/09/12	< 2.000	2016/09
IRON	01045	036	2014/06/23	< 100.000	2017/06
MAGNESIUM	00927	036	2014/06/23	. 14.000	2017/06
MANGANESE	01055	036	2014/06/23	< 20.000	2017/06
ODOR THRESHOLD @ 60 C	00086	036	2013/09/12	< 1.000	2016/09
PH, LABORATORY	00403	036	2013/09/12	. 7.400	2016/09

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910186**

**System Name: CAL-AM WATER COMPANY - DUARTE**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910186-003**

**Source Name: CROWNHAVEN WELL (LACFCD 4256)**

**Source Number: 003**

**Source Status: ACTIVE RAW**

**Water type: G**

**SECONDARY/GP**

SILVER	01077	036	2014/06/23	< 10.000	2017/06
SODIUM	00929	036	2014/06/23	. 23.700	2017/06
SPECIFIC CONDUCTANCE	00095	036	2013/09/12	. 470.000	2016/09
SULFATE	00945	036	2014/06/23	. 27.900	2017/06
TOTAL DISSOLVED SOLIDS	70300	036	2013/09/12	. 270.000	2016/09
TURBIDITY, LABORATORY	82079	036	2013/09/12	. 1.400	2016/09
ZINC	01092	036	2014/06/23	< 50.000	2017/06

**PS Code: 1910186-004**

**Source Name: FISH CANYON WELL (LACFCD 4274)**

**Source Number: 004**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

ALUMINUM	01105	036	2013/12/04	< 50.000	2016/12
ANTIMONY	01097	036	2013/12/04	< 6.000	2016/12
ARSENIC	01002	036	2013/12/04	< 2.000	2016/12
BARIUM	01007	036	2013/12/04	120.000	2016/12
BERYLLIUM	01012	036	2013/12/04	< 1.000	2016/12
CADMIUM	01027	036	2013/12/04	< 1.000	2016/12
CHROMIUM (TOTAL)	01034	036	2013/12/04	< 10.000	2016/12
CYANIDE	01291	036	2013/12/04	< 100.000	2016/12
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/12/04	. .300	2016/12
MERCURY	71900	036	2013/12/04	< 1.000	2016/12
NICKEL	01067	036	2013/12/04	< 10.000	2016/12
PERCHLORATE	A-031	012	2013/09/18	< 4.000	2014/09
SELENIUM	01147	036	2013/12/04	< 5.000	2016/12
THALLIUM	01059	036	2013/12/04	< 1.000	2016/12

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910186**

**System Name: CAL-AM WATER COMPANY - DUARTE**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910186-004**

**Source Name: FISH CANYON WELL (LACFCD 4274)**

**Source Number: 004**

**Source Status: ACTIVE RAW**

**Water type: G**

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	012	2013/12/04	. 2.500	2014/12
NITRITE (AS N)	00620	036	2013/12/04	< 400.000	2016/12

**RADIOLOGICAL**

GROSS ALPHA	01501	003	2007/06/07	< 3.000	2007/09	DUE
RADIUM 226	09501	003	2007/06/07	< 1.000	2007/09	DUE
RADIUM 228	11501	003	2007/06/07	< 1.000	2007/09	DUE
URANIUM (PCI/L)	28012	003	2007/06/07	< 2.000	2007/09	DUE

**REGULATED SOC**

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2012/12/04	< 3.000	2015/09
---------------------------	-------	-----	------------	---------	---------

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	012	2014/03/10	< .500	2015/03
1,1,2,2-TETRACHLOROETHANE	34516	012	2014/03/10	< .500	2015/03
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/03/10	< 10.000	2015/03
1,1,2-TRICHLOROETHANE	34511	012	2014/03/10	< .500	2015/03
1,1-DICHLOROETHANE	34496	012	2014/03/10	< .500	2015/03
1,1-DICHLOROETHYLENE	34501	012	2014/03/10	< .500	2015/03
1,2,4-TRICHLOROBENZENE	34551	012	2014/03/10	< .500	2015/03
1,2-DICHLOROBENZENE	34536	012	2014/03/10	< .500	2015/03
1,2-DICHLOROETHANE	34531	012	2014/03/10	< .500	2015/03
1,2-DICHLOROPROPANE	34541	012	2014/03/10	< .500	2015/03
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/03/10	< .500	2015/03
1,4-DICHLOROBENZENE	34571	012	2014/03/10	< .500	2015/03
BENZENE	34030	012	2014/03/10	< .500	2015/03
CARBON TETRACHLORIDE	32102	012	2014/03/10	< .500	2015/03
CIS-1,2-DICHLOROETHYLENE	77093	012	2014/03/10	< .500	2015/03
DICHLOROMETHANE	34423	012	2014/03/10	< .500	2015/03
ETHYLBENZENE	34371	012	2014/03/10	< .500	2015/03
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/03/10	< 3.000	2015/03

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910186**

**System Name: CAL-AM WATER COMPANY - DUARTE**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910186-004**

**Source Name: FISH CANYON WELL (LACFCD 4274)**

**Source Number: 004**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED VOC**

MONOCHLOROENZENE	34301	012	2014/03/10	< .500	2015/03
STYRENE	77128	012	2014/03/10	< .500	2015/03
TETRACHLOROETHYLENE	34475	012	2014/03/10	< .500	2015/03
TOLUENE	34010	012	2014/03/10	< .500	2015/03
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/03/10	< .500	2015/03
TRICHLOROETHYLENE	39180	012	2014/03/10	< .500	2015/03
TRICHLOROFUOROMETHANE	34488	012	2014/03/10	< 5.000	2015/03
VINYL CHLORIDE	39175	012	2014/03/10	< .500	2015/03
XYLENES (TOTAL)	81551	012	2014/03/10	< .000	2015/03

**SECONDARY/GP**

BICARBONATE ALKALINITY	00440	036	2013/09/12	. 220.000	2016/09
CALCIUM	00916	036	2013/09/18	. 53.000	2016/09
CARBONATE ALKALINITY	00445	036	2013/09/12	< 2.000	2016/09
CHLORIDE	00940	036	2013/09/18	. 14.000	2016/09
COLOR	00081	036	2013/09/12	< 3.000	2016/09
COPPER	01042	036	2013/09/18	< 50.000	2016/09
FOAMING AGENTS (MBAS)	38260	036	2013/09/12	< .050	2016/09
HARDNESS (TOTAL) AS CaCO3	00900	036	2013/09/12	. 190.000	2016/09
HYDROXIDE ALKALINITY	71830	036	2013/09/12	< 2.000	2016/09
IRON	01045	036	2013/09/18	< 100.000	2016/09
MAGNESIUM	00927	036	2013/09/18	. 14.000	2016/09
MANGANESE	01055	036	2013/09/18	< 20.000	2016/09
ODOR THRESHOLD @ 60 C	00086	036	2013/09/12	< 1.000	2016/09
PH, LABORATORY	00403	036	2013/09/12	. 7.700	2016/09
SILVER	01077	036	2013/12/04	< 10.000	2016/12
SODIUM	00929	036	2013/09/18	22.700	2016/09
SPECIFIC CONDUCTANCE	00095	036	2013/09/12	. 450.000	2016/09
SULFATE	00945	036	2013/09/18	27.500	2016/09
TOTAL DISSOLVED SOLIDS	70300	036	2013/09/12	. 250.000	2016/09

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910186**

**System Name: CAL-AM WATER COMPANY - DUARTE**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910186-004**

**Source Name: FISH CANYON WELL (LACFCD 4274)**

**Source Number: 004**

**Source Status: ACTIVE RAW**

**Water type: G**

**SECONDARY/GP**

TURBIDITY, LABORATORY	82079	036	2013/09/12	.530	2016/09
ZINC	01092	036	2013/09/18	< 50.000	2016/09

**PS Code: 1910186-007**

**Source Name: SANTA FE WELL**

**Source Number: 007**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

ALUMINUM	01105	036	2014/06/23	< 50.000	2017/06
ANTIMONY	01097	036	2014/06/23	< 6.000	2017/06
ARSENIC	01002	036	2014/06/23	< 2.000	2017/06
BARIUM	01007	036	2014/06/23	< 100.000	2017/06
BERYLLIUM	01012	036	2014/06/23	< 1.000	2017/06
CADMIUM	01027	036	2014/06/23	< 1.000	2017/06
CHROMIUM (TOTAL)	01034	036	2014/06/23	< 10.000	2017/06
CYANIDE	01291	036	2014/06/23	< 100.000	2017/06
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/06/23	.310	2017/06
MERCURY	71900	036	2014/06/23	< 1.000	2017/06
NICKEL	01067	036	2014/06/23	< 10.000	2017/06
PERCHLORATE	A-031	012	2014/06/23	< 4.000	2015/06
SELENIUM	01147	036	2014/06/23	< 5.000	2017/06
THALLIUM	01059	036	2014/06/23	< 1.000	2017/06

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	012	2014/06/23	.2680	2015/06
NITRITE (AS N)	00620	036	2014/06/23	< 400.000	2017/06

**RADIOLOGICAL**

<b>GROSS ALPHA</b>	01501	003	2014/03/10	< 3.000	2014/06	<b>DUE</b>
--------------------	-------	-----	------------	---------	---------	------------

\*Testing interval is in months;  
 0 = No data for this constituent and is DUE NOW  
 I = Invalid (NOT) valid analyses reported  
 Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910186**

**System Name: CAL-AM WATER COMPANY - DUARTE**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910186-007**

**Source Name: SANTA FE WELL**

**Source Number: 007**

**Source Status: ACTIVE RAW**

**Water type: G**

**RADIOLOGICAL**

<b>RADIUM 226</b>	<b>09501</b>	<b>003</b>	<b>2005/03/30</b>	<b>.000</b>	<b>2005/06</b>	<b>DUE</b>
<b>RADIUM 228</b>	<b>11501</b>	<b>003</b>	<b>2014/03/10</b>	<b>.000</b>	<b>2014/06</b>	<b>DUE</b>
<b>URANIUM (PCI/L)</b>	<b>28012</b>	<b>003</b>	<b>2014/03/10</b>	<b>&lt; 1.000</b>	<b>2014/06</b>	<b>DUE</b>

**REGULATED SOC**

DI(2-ETHYLHEXYL)PHTHALATE	<b>39100</b>	<b>033</b>	2012/12/04	<b>&lt; 3.000</b>	2015/09	
---------------------------	--------------	------------	------------	-------------------	---------	--

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	<b>34506</b>	<b>012</b>	2014/06/23	<b>&lt; .500</b>	2015/06	
1,1,2,2-TETRACHLOROETHANE	<b>34516</b>	<b>012</b>	2014/06/23	<b>&lt; .500</b>	2015/06	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	<b>81611</b>	<b>012</b>	2014/06/23	<b>&lt; 10.000</b>	2015/06	
1,1,2-TRICHLOROETHANE	<b>34511</b>	<b>012</b>	2014/06/23	<b>&lt; .500</b>	2015/06	
1,1-DICHLOROETHANE	<b>34496</b>	<b>012</b>	2014/06/23	<b>&lt; .500</b>	2015/06	
1,1-DICHLOROETHYLENE	<b>34501</b>	<b>012</b>	2014/06/23	<b>&lt; .500</b>	2015/06	
1,2,4-TRICHLOROBENZENE	<b>34551</b>	<b>012</b>	2014/06/23	<b>&lt; .500</b>	2015/06	
1,2-DICHLOROBENZENE	<b>34536</b>	<b>012</b>	2014/06/23	<b>&lt; .500</b>	2015/06	
1,2-DICHLOROETHANE	<b>34531</b>	<b>012</b>	2014/06/23	<b>&lt; .500</b>	2015/06	
1,2-DICHLOROPROPANE	<b>34541</b>	<b>012</b>	2014/06/23	<b>&lt; .500</b>	2015/06	
1,3-DICHLOROPROPENE (TOTAL)	<b>34561</b>	<b>012</b>	2014/06/23	<b>&lt; .500</b>	2015/06	
1,4-DICHLOROBENZENE	<b>34571</b>	<b>012</b>	2014/06/23	<b>&lt; .500</b>	2015/06	
BENZENE	<b>34030</b>	<b>012</b>	2014/06/23	<b>&lt; .500</b>	2015/06	
CARBON TETRACHLORIDE	<b>32102</b>	<b>012</b>	2014/06/23	<b>&lt; .500</b>	2015/06	
CIS-1,2-DICHLOROETHYLENE	<b>77093</b>	<b>012</b>	2014/06/23	<b>&lt; .500</b>	2015/06	
DICHLOROMETHANE	<b>34423</b>	<b>012</b>	2014/06/23	<b>&lt; .500</b>	2015/06	
ETHYLBENZENE	<b>34371</b>	<b>012</b>	2014/06/23	<b>&lt; .500</b>	2015/06	
METHYL-TERT-BUTYL-ETHER (MTBE)	<b>46491</b>	<b>012</b>	2014/06/23	<b>&lt; 3.000</b>	2015/06	
MONOCHLOROBENZENE	<b>34301</b>	<b>012</b>	2014/06/23	<b>&lt; .500</b>	2015/06	
STYRENE	<b>77128</b>	<b>012</b>	2014/06/23	<b>&lt; .500</b>	2015/06	
TETRACHLOROETHYLENE	<b>34475</b>	<b>012</b>	2014/06/23	<b>&lt; .500</b>	2015/06	
TOLUENE	<b>34010</b>	<b>012</b>	2014/06/23	<b>&lt; .500</b>	2015/06	
TRANS-1,2-DICHLOROETHYLENE	<b>34546</b>	<b>012</b>	2014/06/23	<b>&lt; .500</b>	2015/06	

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910186**

**System Name: CAL-AM WATER COMPANY - DUARTE**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910186-007**

**Source Name: SANTA FE WELL**

**Source Number: 007**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED VOC**

TRICHLOROETHYLENE	39180	012	2014/06/23	< .500	2015/06
TRICHLOROFUOROMETHANE	34488	012	2014/06/23	< 5.000	2015/06
VINYL CHLORIDE	39175	012	2014/06/23	< .500	2015/06
XYLENES (TOTAL)	81551	012	2014/06/23	< .500	2015/06

**SECONDARY/GP**

BICARBONATE ALKALINITY	00440	036	2013/09/12	. 130.000	2016/09
CALCIUM	00916	036	2014/06/23	. 39.000	2017/06
CARBONATE ALKALINITY	00445	036	2013/09/12	< 2.000	2016/09
CHLORIDE	00940	036	2014/06/23	. 28.200	2017/06
COLOR	00081	036	2013/09/12	< 3.000	2016/09
COPPER	01042	036	2014/06/23	< 50.000	2017/06
FOAMING AGENTS (MBAS)	38260	036	2013/09/12	< .050	2016/09
HARDNESS (TOTAL) AS CaCO3	00900	036	2013/09/12	. 120.000	2016/09
HYDROXIDE ALKALINITY	71830	036	2013/09/12	< 2.000	2016/09
IRON	01045	036	2014/06/23	< 100.000	2017/06
MAGNESIUM	00927	036	2014/06/23	. 8.000	2017/06
MANGANESE	01055	036	2014/06/23	< 20.000	2017/06
ODOR THRESHOLD @ 60 C	00086	036	2013/09/12	< 1.000	2016/09
PH, LABORATORY	00403	036	2013/09/12	. 7.400	2016/09
SILVER	01077	036	2014/06/23	< 10.000	2017/06
SODIUM	00929	036	2014/06/23	. 21.500	2017/06
SPECIFIC CONDUCTANCE	00095	036	2013/09/12	. 320.000	2016/09
SULFATE	00945	036	2014/06/23	. 19.700	2017/06
TOTAL DISSOLVED SOLIDS	70300	036	2013/09/12	. 190.000	2016/09
TURBIDITY, LABORATORY	82079	036	2013/09/12	. .910	2016/09
ZINC	01092	036	2014/06/23	< 50.000	2017/06

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)



**System Number: 1910186**

**System Name: CAL-AM WATER COMPANY - DUARTE**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910186-008**

**Source Name: WILEY WELL**

**Source Number: 008**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

ALUMINUM	01105	036	2014/06/23	< 50.000	2017/06
ANTIMONY	01097	036	2014/06/23	< 6.000	2017/06
ARSENIC	01002	036	2014/06/23	< 2.000	2017/06
BARIIUM	01007	036	2014/06/23	. 100.000	2017/06
BERYLLIUM	01012	036	2014/06/23	< 1.000	2017/06
CADMIUM	01027	036	2014/06/23	< 1.000	2017/06
CHROMIUM (TOTAL)	01034	036	2014/06/23	< 10.000	2017/06
CYANIDE	01291	036	2014/06/23	< 100.000	2017/06
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/06/23	. .390	2017/06
MERCURY	71900	036	2014/06/23	< 1.000	2017/06
NICKEL	01067	036	2014/06/23	< 10.000	2017/06
PERCHLORATE	A-031	012	2014/06/23	< 4.000	2015/06
SELENIUM	01147	036	2014/06/23	< 5.000	2017/06
THALLIUM	01059	036	2014/06/23	< 1.000	2017/06

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	012	2014/06/23	. 3.210	2015/06
NITRITE (AS N)	00620	036	2014/06/23	< 400.000	2017/06

**RADIOLOGICAL**

<b>GROSS ALPHA</b>	01501	003	2006/06/15	.000	2006/09	<b>DUE</b>
<b>RADIUM 226</b>	09501	003	2006/06/15	.000	2006/09	<b>DUE</b>
<b>RADIUM 228</b>	11501	003	2006/06/15	.000	2006/09	<b>DUE</b>
<b>URANIUM (PCI/L)</b>	28012	003	2006/06/15	.000	2006/09	<b>DUE</b>

**REGULATED SOC**

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2012/12/04	< 3.000	2015/09
---------------------------	-------	-----	------------	---------	---------

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	012	2014/06/23	< .500	2015/06
1,1,2,2-TETRACHLOROETHANE	34516	012	2014/06/23	< .500	2015/06
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/06/23	< 10.000	2015/06

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910186**

**System Name: CAL-AM WATER COMPANY - DUARTE**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910186-008**

**Source Name: WILEY WELL**

**Source Number: 008**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED VOC**

1,1,2-TRICHLOROETHANE	34511	012	2014/06/23	< .500	2015/06
1,1-DICHLOROETHANE	34496	012	2014/06/23	< .500	2015/06
1,1-DICHLOROETHYLENE	34501	012	2014/06/23	< .500	2015/06
1,2,4-TRICHLOROBENZENE	34551	012	2014/06/23	< .500	2015/06
1,2-DICHLOROBENZENE	34536	012	2014/06/23	< .500	2015/06
1,2-DICHLOROETHANE	34531	012	2014/06/23	< .500	2015/06
1,2-DICHLOROPROPANE	34541	012	2014/06/23	< .500	2015/06
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/06/23	< .500	2015/06
1,4-DICHLOROBENZENE	34571	012	2014/06/23	< .500	2015/06
BENZENE	34030	012	2014/06/23	< .500	2015/06
CARBON TETRACHLORIDE	32102	012	2014/06/23	< .500	2015/06
CIS-1,2-DICHLOROETHYLENE	77093	012	2014/06/23	< .500	2015/06
DICHLOROMETHANE	34423	012	2014/06/23	< .500	2015/06
ETHYLBENZENE	34371	012	2014/06/23	< .500	2015/06
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/06/23	< 3.000	2015/06
MONOCHLOROBENZENE	34301	012	2014/06/23	< .500	2015/06
STYRENE	77128	012	2013/10/09	< .500	2014/10
TETRACHLOROETHYLENE	34475	012	2014/06/23	< .500	2015/06
TOLUENE	34010	012	2014/06/23	< .500	2015/06
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/06/23	< .500	2015/06
TRICHLOROETHYLENE	39180	012	2014/06/23	< .500	2015/06
TRICHLOROFUOROMETHANE	34488	012	2014/06/23	< 5.000	2015/06
VINYL CHLORIDE	39175	012	2014/06/23	< .500	2015/06
XYLENES (TOTAL)	81551	012	2014/06/23	< .500	2015/06

**SECONDARY/GP**

BICARBONATE ALKALINITY	00440	036	2013/09/12	. 200.000	2016/09
CALCIUM	00916	036	2014/06/23	. 66.000	2017/06
CARBONATE ALKALINITY	00445	036	2013/09/12	< 2.000	2016/09
CHLORIDE	00940	036	2014/06/23	. 44.900	2017/06

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910186**

**System Name: CAL-AM WATER COMPANY - DUARTE**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910186-008**

**Source Name: WILEY WELL**

**Source Number: 008**

**Source Status: ACTIVE RAW**

**Water type: G**

**SECONDARY/GP**

COLOR	00081	036	2013/09/12	< 3.000	2016/09
COPPER	01042	036	2014/06/23	< 50.000	2017/06
FOAMING AGENTS (MBAS)	38260	036	2013/09/12	< .050	2016/09
HARDNESS (TOTAL) AS CaCO3	00900	036	2013/09/12	. 200.000	2016/09
HYDROXIDE ALKALINITY	71830	036	2013/09/12	< 2.000	2016/09
IRON	01045	036	2014/06/23	< 100.000	2017/06
MAGNESIUM	00927	036	2014/06/23	. 15.000	2017/06
MANGANESE	01055	036	2014/06/23	< 20.000	2017/06
ODOR THRESHOLD @ 60 C	00086	036	2013/09/12	< 1.000	2016/09
PH, LABORATORY	00403	036	2013/09/12	. 7.500	2016/09
SILVER	01077	036	2014/06/23	< 10.000	2017/06
SODIUM	00929	036	2014/06/23	. 22.100	2017/06
SPECIFIC CONDUCTANCE	00095	036	2013/09/12	. 470.000	2016/09
SULFATE	00945	036	2014/06/23	. 30.400	2017/06
TOTAL DISSOLVED SOLIDS	70300	036	2013/09/12	. 270.000	2016/09
TURBIDITY, LABORATORY	82079	036	2013/09/12	. .240	2016/09
ZINC	01092	036	2014/06/23	< 50.000	2017/06

**PS Code: 1910186-009**

**Source Name: ENCANTO WELL**

**Source Number: 009**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

ALUMINUM	01105	036	2014/06/23	< 50.000	2017/06
ANTIMONY	01097	036	2014/06/23	< 6.000	2017/06
ARSENIC	01002	036	2014/06/23	. 3.000	2017/06
BARIUM	01007	036	2014/06/23	. 100.000	2017/06
BERYLLIUM	01012	036	2014/06/23	< 1.000	2017/06

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910186**

**System Name: CAL-AM WATER COMPANY - DUARTE**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910186-009**

**Source Name: ENCANTO WELL**

**Source Number: 009**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

CADMIUM	01027	036	2014/06/23	< 1.000	2017/06
CHROMIUM (TOTAL)	01034	036	2014/06/23	< 10.000	2017/06
CYANIDE	01291	036	2014/06/23	< 100.000	2017/06
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/06/23	.330	2017/06
MERCURY	71900	036	2014/06/23	< 1.000	2017/06
NICKEL	01067	036	2014/06/23	< 10.000	2017/06
PERCHLORATE	A-031	012	2014/06/23	< 4.000	2015/06
SELENIUM	01147	036	2014/06/23	< 5.000	2017/06
THALLIUM	01059	036	2014/06/23	< 1.000	2017/06

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	012	2014/06/23	. 3.460	2015/06
NITRITE (AS N)	00620	036	2014/06/23	< 400.000	2017/06

**RADIOLOGICAL**

GROSS ALPHA	01501	003	2014/06/02	< 3.000	2014/09
<b>RADIUM 226</b>	09501	003	<b>2005/06/07</b>	.000	<b>2005/09 DUE</b>
RADIUM 228	11501	003	2014/06/02	< .000	2014/09
URANIUM (PCI/L)	28012	072	2011/06/07	. 1.700	2017/06

**REGULATED SOC**

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2012/12/04	< 3.000	2015/09
---------------------------	-------	-----	------------	---------	---------

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	012	2014/06/23	< .500	2015/06
1,1,2,2-TETRACHLOROETHANE	34516	012	2014/06/23	< .500	2015/06
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/06/23	< 10.000	2015/06
1,1,2-TRICHLOROETHANE	34511	012	2014/06/23	< .500	2015/06
1,1-DICHLOROETHANE	34496	012	2014/06/23	< .500	2015/06
1,1-DICHLOROETHYLENE	34501	012	2014/06/23	< .500	2015/06
1,2,4-TRICHLOROBENZENE	34551	012	2014/06/23	< .500	2015/06
1,2-DICHLOROBENZENE	34536	012	2014/06/23	< .500	2015/06

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910186**

**System Name: CAL-AM WATER COMPANY - DUARTE**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910186-009**

**Source Name: ENCANTO WELL**

**Source Number: 009**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED VOC**

1,2-DICHLOROETHANE	34531	012	2014/06/23	< .500	2015/06
1,2-DICHLOROPROPANE	34541	012	2014/06/23	< .500	2015/06
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/06/23	< .500	2015/06
1,4-DICHLOROBENZENE	34571	012	2014/06/23	< .500	2015/06
BENZENE	34030	012	2014/06/23	< .500	2015/06
CARBON TETRACHLORIDE	32102	012	2014/06/23	< .500	2015/06
CIS-1,2-DICHLOROETHYLENE	77093	012	2014/06/23	< .500	2015/06
DICHLOROMETHANE	34423	012	2014/06/23	< .500	2015/06
ETHYLBENZENE	34371	012	2014/06/23	< .500	2015/06
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/06/23	< 3.000	2015/06
MONOCHLOROBENZENE	34301	012	2014/06/23	< .500	2015/06
STYRENE	77128	012	2013/12/04	< .500	2014/12
TETRACHLOROETHYLENE	34475	012	2014/06/23	< .500	2015/06
TOLUENE	34010	012	2014/06/23	< .500	2015/06
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/06/23	< .500	2015/06
TRICHLOROETHYLENE	39180	012	2014/06/23	< .500	2015/06
TRICHLOROFLUOROMETHANE	34488	012	2014/06/23	< 5.000	2015/06
VINYL CHLORIDE	39175	012	2014/06/23	< .500	2015/06
XYLENES (TOTAL)	81551	012	2014/06/23	< .500	2015/06

**SECONDARY/GP**

BICARBONATE ALKALINITY	00440	036	2013/09/12	. 200.000	2016/09
CALCIUM	00916	036	2014/06/23	. 62.000	2017/06
CARBONATE ALKALINITY	00445	036	2013/09/12	< 2.000	2016/09
CHLORIDE	00940	036	2014/06/23	. 31.000	2017/06
COLOR	00081	036	2013/09/12	. 3.000	2016/09
COPPER	01042	036	2014/06/23	< 50.000	2017/06
FOAMING AGENTS (MBAS)	38260	036	2013/09/12	< .050	2016/09
HARDNESS (TOTAL) AS CaCO3	00900	036	2013/09/12	. 180.000	2016/09
HYDROXIDE ALKALINITY	71830	036	2013/09/12	< 2.000	2016/09

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910186**

**System Name: CAL-AM WATER COMPANY - DUARTE**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910186-009**

**Source Name: ENCANTO WELL**

**Source Number: 009**

**Source Status: ACTIVE RAW**

**Water type: G**

**SECONDARY/GP**

IRON	01045	036	2014/06/23	< 100.000	2017/06
MAGNESIUM	00927	036	2014/06/23	. 14.000	2017/06
MANGANESE	01055	036	2014/06/23	< 20.000	2017/06
ODOR THRESHOLD @ 60 C	00086	036	2013/09/12	< 1.000	2016/09
PH, LABORATORY	00403	036	2013/09/12	. 7.700	2016/09
SILVER	01077	036	2014/06/23	< 10.000	2017/06
SODIUM	00929	036	2014/06/23	. 22.700	2017/06
SPECIFIC CONDUCTANCE	00095	036	2013/09/12	. 440.000	2016/09
SULFATE	00945	036	2014/06/23	. 26.400	2017/06
TOTAL DISSOLVED SOLIDS	70300	036	2013/09/12	. 260.000	2016/09
TURBIDITY, LABORATORY	82079	036	2013/09/12	. 2.200	2016/09
ZINC	01092	036	2014/06/23	< 50.000	2017/06

**PS Code: 1910186-010**

**Source Name: LAS LOMAS WELL 02**

**Source Number: 010**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

ALUMINUM	01105	036	2014/06/23	< 50.000	2017/06
ANTIMONY	01097	036	2014/06/23	< 6.000	2017/06
ARSENIC	01002	036	2014/06/23	< 2.000	2017/06
BARIUM	01007	036	2014/06/23	. 100.000	2017/06
BERYLLIUM	01012	036	2014/06/23	< 1.000	2017/06
CADMIUM	01027	036	2014/06/23	< 1.000	2017/06
CHROMIUM (TOTAL)	01034	036	2014/06/23	< 10.000	2017/06
CYANIDE	01291	036	2014/06/23	< 100.000	2017/06
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/06/23	. .320	2017/06
MERCURY	71900	036	2014/06/23	< 1.000	2017/06

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910186**

**System Name: CAL-AM WATER COMPANY - DUARTE**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910186-010**

**Source Name: LAS LOMAS WELL 02**

**Source Number: 010**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

NICKEL	01067	036	2014/06/23	< 10.000	2017/06
PERCHLORATE	A-031	012	2014/06/23	< 4.000	2015/06
SELENIUM	01147	036	2014/06/23	< 5.000	2017/06
THALLIUM	01059	036	2014/06/23	< 1.000	2017/06

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	012	2014/06/23	. 4.820	2015/06
NITRITE (AS N)	00620	036	2014/06/23	< 400.000	2017/06

**RADIOLOGICAL**

GROSS ALPHA	01501	003	2014/06/02	< 3.000	2014/09
<b>RADIUM 226</b>	09501	003	<b>2005/06/09</b>	. .000	<b>2005/09 DUE</b>
RADIUM 228	11501	003	2014/06/02	< .000	2014/09
URANIUM (PCI/L)	28012	072	2011/06/07	. 1.700	2017/06

**REGULATED SOC**

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2012/12/04	< 3.000	2015/09
---------------------------	-------	-----	------------	---------	---------

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	012	2014/06/23	< .500	2015/06
1,1,2,2-TETRACHLOROETHANE	34516	012	2014/06/23	< .500	2015/06
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/06/23	< 10.000	2015/06
1,1,2-TRICHLOROETHANE	34511	012	2014/06/23	< .500	2015/06
1,1-DICHLOROETHANE	34496	012	2014/06/23	< .500	2015/06
1,1-DICHLOROETHYLENE	34501	012	2014/06/23	< .500	2015/06
1,2,4-TRICHLOROBENZENE	34551	012	2014/06/23	< .500	2015/06
1,2-DICHLOROBENZENE	34536	012	2014/06/23	< .500	2015/06
1,2-DICHLOROETHANE	34531	012	2014/06/23	< .500	2015/06
1,2-DICHLOROPROPANE	34541	012	2014/06/23	< .500	2015/06
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/06/23	< .500	2015/06
1,4-DICHLOROBENZENE	34571	012	2014/06/23	< .500	2015/06
BENZENE	34030	012	2014/06/23	< .500	2015/06

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910186**

**System Name: CAL-AM WATER COMPANY - DUARTE**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910186-010**

**Source Name: LAS LOMAS WELL 02**

**Source Number: 010**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED VOC**

CARBON TETRACHLORIDE	32102	012	2014/06/23	< .500	2015/06
CIS-1,2-DICHLOROETHYLENE	77093	012	2014/06/23	< .500	2015/06
DICHLOROMETHANE	34423	012	2014/06/23	< .500	2015/06
ETHYLBENZENE	34371	012	2014/06/23	< .500	2015/06
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/06/23	< 3.000	2015/06
MONOCHLOROENZENE	34301	012	2014/06/23	< .500	2015/06
STYRENE	77128	012	2014/06/23	< .500	2015/06
TETRACHLOROETHYLENE	34475	012	2014/06/23	< .500	2015/06
TOLUENE	34010	012	2014/06/23	< .500	2015/06
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/06/23	< .500	2015/06
TRICHLOROETHYLENE	39180	012	2014/06/23	< .500	2015/06
TRICHLOROFLUOROMETHANE	34488	012	2014/06/23	< 5.000	2015/06
VINYL CHLORIDE	39175	012	2014/06/23	< .500	2015/06
XYLENES (TOTAL)	81551	012	2014/06/23	< .500	2015/06

**SECONDARY/GP**

BICARBONATE ALKALINITY	00440	036	2013/09/12	. 220.000	2016/09
CALCIUM	00916	036	2014/06/23	. 68.000	2017/06
CARBONATE ALKALINITY	00445	036	2013/09/12	< 2.000	2016/09
CHLORIDE	00940	036	2014/06/23	. 24.600	2017/06
COLOR	00081	036	2013/09/12	< 3.000	2016/09
COPPER	01042	036	2014/06/23	< 50.000	2017/06
FOAMING AGENTS (MBAS)	38260	036	2013/09/12	< .050	2016/09
HARDNESS (TOTAL) AS CaCO3	00900	036	2013/09/12	. 200.000	2016/09
HYDROXIDE ALKALINITY	71830	036	2013/09/12	< 2.000	2016/09
IRON	01045	036	2014/06/23	. 130.000	2017/06
MAGNESIUM	00927	036	2014/06/23	. 15.000	2017/06
MANGANESE	01055	036	2014/06/23	< 20.000	2017/06
ODOR THRESHOLD @ 60 C	00086	036	2013/09/12	< 1.000	2016/09
PH, LABORATORY	00403	036	2013/09/12	. 7.600	2016/09

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)



**System Number: 1910186**

**System Name: CAL-AM WATER COMPANY - DUARTE**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910186-010**

**Source Name: LAS LOMAS WELL 02**

**Source Number: 010**

**Source Status: ACTIVE RAW**

**Water type: G**

**SECONDARY/GP**

SILVER	01077	036	2014/06/23	< 10.000	2017/06
SODIUM	00929	036	2014/06/23	. 22.100	2017/06
SPECIFIC CONDUCTANCE	00095	036	2013/09/12	. 490.000	2016/09
SULFATE	00945	036	2014/06/23	. 28.400	2017/06
TOTAL DISSOLVED SOLIDS	70300	036	2013/09/12	. 290.000	2016/09
TURBIDITY, LABORATORY	82079	036	2013/09/12	. 1.400	2016/09
ZINC	01092	036	2014/06/23	< 50.000	2017/06

**PS Code: 1910186-019**

**Source Name: BUENA VISTA WELL 2**

**Source Number: 019**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

ALUMINUM	01105	036	2014/06/23	< 50.000	2017/06
ANTIMONY	01097	036	2014/06/23	< 6.000	2017/06
ARSENIC	01002	036	2014/06/23	< 2.000	2017/06
BARIUM	01007	036	2014/06/23	< 100.000	2017/06
BERYLLIUM	01012	036	2014/06/23	< 1.000	2017/06
CADMIUM	01027	036	2014/06/23	< 1.000	2017/06
CHROMIUM (TOTAL)	01034	036	2014/06/23	< 10.000	2017/06
CHROMIUM, HEXAVALENT	01032	036	2013/09/10	< 1.000	2016/09
CYANIDE	01291	036	2014/06/23	< 100.000	2017/06
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/06/23	. .360	2017/06
MERCURY	71900	036	2014/06/23	< 1.000	2017/06
NICKEL	01067	036	2014/06/23	< 10.000	2017/06
PERCHLORATE	A-031	012	2014/06/23	< 4.000	2015/06
SELENIUM	01147	036	2014/06/23	< 5.000	2017/06
THALLIUM	01059	036	2014/06/23	< 1.000	2017/06

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910186**

**System Name: CAL-AM WATER COMPANY - DUARTE**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910186-019**

**Source Name: BUENA VISTA WELL 2**

**Source Number: 019**

**Source Status: ACTIVE RAW**

**Water type: G**

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	012	2014/06/23	. 2.590	2015/06
NITRITE (AS N)	00620	036	2014/06/23	< 400.000	2017/06

**RADIOLOGICAL**

GROSS ALPHA	01501	003	2012/09/18	< 3.000	2012/12	DUE
RADIUM 226	09501	000				DUE
RADIUM 228	11501	003	2012/09/18	. .000	2012/12	DUE
URANIUM (PCI/L)	28012	003	2012/09/18	< 1.000	2012/12	DUE

**REGULATED SOC**

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2013/09/18	< 3.000	2016/06
THIOBENCARB	A-001	033	2013/09/18	< 1.000	2016/06

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	012	2013/12/18	< .500	2014/12
1,1,2,2-TETRACHLOROETHANE	34516	012	2013/12/18	< .500	2014/12
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2013/12/18	< 10.000	2014/12
1,1,2-TRICHLOROETHANE	34511	012	2013/12/18	< .500	2014/12
1,1-DICHLOROETHANE	34496	012	2013/12/18	< .500	2014/12
1,1-DICHLOROETHYLENE	34501	012	2013/12/18	< .500	2014/12
1,2,4-TRICHLOROBENZENE	34551	012	2013/12/18	< .500	2014/12
1,2-DICHLOROBENZENE	34536	012	2013/12/18	< .500	2014/12
1,2-DICHLOROETHANE	34531	012	2013/12/18	< .500	2014/12
1,2-DICHLOROPROPANE	34541	012	2013/12/18	< .500	2014/12
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2013/12/18	< .500	2014/12
1,4-DICHLOROBENZENE	34571	012	2013/12/18	< .500	2014/12
BENZENE	34030	012	2013/12/18	< .500	2014/12
CARBON TETRACHLORIDE	32102	012	2013/12/18	< .500	2014/12
CIS-1,2-DICHLOROETHYLENE	77093	012	2013/12/18	< .500	2014/12
DICHLOROMETHANE	34423	012	2013/12/18	< .500	2014/12
ETHYLBENZENE	34371	012	2013/12/18	< .500	2014/12

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910186**

**System Name: CAL-AM WATER COMPANY - DUARTE**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910186-019**

**Source Name: BUENA VISTA WELL 2**

**Source Number: 019**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED VOC**

METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2013/12/18	< 3.000	2014/12
MONOCHLORO BENZENE	34301	012	2013/12/18	< .500	2014/12
STYRENE	77128	012	2013/12/18	< .500	2014/12
TETRACHLOROETHYLENE	34475	012	2013/12/18	< .500	2014/12
TOLUENE	34010	012	2013/12/18	< .500	2014/12
TRANS-1,2-DICHLOROETHYLENE	34546	012	2013/12/18	< .500	2014/12
TRICHLOROETHYLENE	39180	012	2013/12/18	< .500	2014/12
TRICHLOROFLUOROMETHANE	34488	012	2013/12/18	< 5.000	2014/12
VINYL CHLORIDE	39175	012	2013/12/18	< .500	2014/12
XYLENES (TOTAL)	81551	012	2013/12/18	< .500	2014/12

**SECONDARY/GP**

<b>BICARBONATE ALKALINITY</b>	00440	036	2011/04/13	. 150.000	2014/04	<b>DUE</b>
CALCIUM	00916	036	2014/06/23	. 40.000	2017/06	
<b>CARBONATE ALKALINITY</b>	00445	036	2011/04/13	< 2.000	2014/04	<b>DUE</b>
CHLORIDE	00940	036	2014/06/23	. 19.100	2017/06	
<b>COLOR</b>	00081	036	2011/04/13	< 3.000	2014/04	<b>DUE</b>
COPPER	01042	036	2014/06/23	< 50.000	2017/06	
<b>FOAMING AGENTS (MBAS)</b>	38260	036	2011/04/13	< .050	2014/04	<b>DUE</b>
<b>HARDNESS (TOTAL) AS CaCO3</b>	00900	036	2011/04/13	. 130.000	2014/04	<b>DUE</b>
<b>HYDROXIDE ALKALINITY</b>	71830	036	2011/04/13	< 2.000	2014/04	<b>DUE</b>
IRON	01045	036	2014/06/23	< 100.000	2017/06	
MAGNESIUM	00927	036	2014/06/23	. 8.000	2017/06	
MANGANESE	01055	036	2014/06/23	< 20.000	2017/06	
<b>ODOR THRESHOLD @ 60 C</b>	00086	036	2011/04/13	< 1.000	2014/04	<b>DUE</b>
<b>PH, LABORATORY</b>	00403	036	2011/04/13	. 7.900	2014/04	<b>DUE</b>
SILVER	01077	036	2014/06/23	< 10.000	2017/06	
SODIUM	00929	036	2014/06/23	. 21.900	2017/06	
<b>SPECIFIC CONDUCTANCE</b>	00095	036	2011/04/13	. 350.000	2014/04	<b>DUE</b>
SULFATE	00945	036	2014/06/23	. 20.300	2017/06	

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910186**

**System Name: CAL-AM WATER COMPANY - DUARTE**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
<b>PS Code: 1910186-019</b>				
<b>Source Name: BUENA VISTA WELL 2</b>				
<b>Source Number: 019</b>				
<b>Source Status: ACTIVE RAW</b>				
<b>Water type: G</b>				
<u>SECONDARY/GP</u>				
TOTAL DISSOLVED SOLIDS	70300	036	2013/09/10 . 200.000	2016/09
TURBIDITY, LABORATORY	82079	036	2011/04/13 . .054	2014/04 <b>DUE</b>
ZINC	01092	036	2014/06/23 < 50.000	2017/06

**PS Code: 1910186-020**

**Source Name: CROWNHAVEN WELL #2 - PENDING**

**Source Number: 020**

**Source Status: PENDING**

**Water type: G**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\* 999

**PS Code: 1910186-021**

**Source Name: SANTA FE WELL #2 - PENDING**

**Source Number: 021**

**Source Status: PENDING**

**Water type: G**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\* 999

**PS Code: 1910186-800**

**Source Name: SITE 1-2040 SOUTH MOUNTAIN AVE-STG2 DBP**

**Source Number: 800**

**Source Status: DISTRIBUTION TREATED**

**Water type: G**

HALOACETIC ACIDS

DIBROMOACETIC ACID (DBAA)	82721	003	2014/04/30 < 1.000	2014/07
DICHLOROACETIC ACID (DCAA)	77288	003	2014/04/30 < 1.000	2014/07
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/04/30 < .000	2014/07

\*Testing interval is in months;  
 0 = No data for this constituent and is DUE NOW  
 I = Invalid (NOT) valid analyses reported  
 Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910186**

**System Name: CAL-AM WATER COMPANY - DUARTE**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910186-800**

**Source Name: SITE 1-2040 SOUTH MOUNTAIN AVE-STG2 DBP**

**Source Number: 800**

**Source Status: DISTRIBUTION TREATED**

**Water type: G**

**HALOACETIC ACIDS**

MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/04/30	< 1.000	2014/07
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/04/30	< 2.000	2014/07
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/04/30	< 1.000	2014/07

**STATE UCMR**

BROMODICHLORMETHANE (THM)	32101	003	2014/04/30	. 2.100	2014/07
BROMOFORM (THM)	32104	003	2014/04/30	. 2.100	2014/07
CHLOROFORM (THM)	32106	003	2014/04/30	. 1.200	2014/07
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/04/30	. 2.900	2014/07

**TRIHALOMETHANES**

TOTAL TRIHALOMETHANES	82080	003	2014/04/30	. 8.300	2014/07
-----------------------	-------	-----	------------	---------	---------

**PS Code: 1910186-801**

**Source Name: SITE 2-402 EAST ALTERN ST-STG2 DBP**

**Source Number: 801**

**Source Status: DISTRIBUTION TREATED**

**Water type: G**

**HALOACETIC ACIDS**

DIBROMOACETIC ACID (DBAA)	82721	003	2014/04/30	< 1.000	2014/07
DICHLOROACETIC ACID (DCAA)	77288	003	2014/04/30	< 1.000	2014/07
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/04/30	< .000	2014/07
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/04/30	< 1.000	2014/07
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/04/30	< 2.000	2014/07
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/04/30	< 1.000	2014/07

**STATE UCMR**

BROMODICHLORMETHANE (THM)	32101	003	2014/04/30	. 1.400	2014/07
BROMOFORM (THM)	32104	003	2014/04/30	. 1.400	2014/07
CHLOROFORM (THM)	32106	003	2014/04/30	< 1.000	2014/07
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/04/30	. 2.000	2014/07

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910186**

**System Name: CAL-AM WATER COMPANY - DUARTE**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910186-801**

**Source Name: SITE 2-402 EAST ALTERN ST-STG2 DBP**

**Source Number: 801**

**Source Status: DISTRIBUTION TREATED**

**Water type: G**

**TRihalOMETHANES**

TOTAL TRIHALOMETHANES	82080	003	2014/04/30	. 5.600	2014/07
-----------------------	-------	-----	------------	---------	---------

**PS Code: 1910186-802**

**Source Name: SITE 3-411 EAST BENRUD ST-STG2 DBP**

**Source Number: 802**

**Source Status: DISTRIBUTION TREATED**

**Water type: G**

**HALOACETIC ACIDS**

DIBROMOACETIC ACID (DBAA)	82721	003	2014/04/30	< 1.000	2014/07
DICHLOROACETIC ACID (DCAA)	77288	003	2014/04/30	< 1.000	2014/07
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/04/30	< .000	2014/07
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/04/30	< 1.000	2014/07
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/04/30	< 2.000	2014/07
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/04/30	< 1.000	2014/07

**STATE UCMR**

BROMODICHLORMETHANE (THM)	32101	003	2014/04/30	< 1.000	2014/07
BROMOFORM (THM)	32104	003	2014/04/30	. 1.100	2014/07
CHLOROFORM (THM)	32106	003	2014/04/30	< 1.000	2014/07
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/04/30	. 1.400	2014/07

**TRihalOMETHANES**

TOTAL TRIHALOMETHANES	82080	003	2014/04/30	. 3.400	2014/07
-----------------------	-------	-----	------------	---------	---------

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910186**

**System Name: CAL-AM WATER COMPANY - DUARTE**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

**PS Code: 1910186-803**

**Source Name: SITE 4-2305 HIGH MESA DRIVE-STG2 DBP**

**Source Number: 803**

**Source Status: DISTRIBUTION TREATED**

**Water type: G**

**HALOACETIC ACIDS**

DIBROMOACETIC ACID (DBAA)	82721	003	2014/04/30	< 1.000	2014/07
DICHLOROACETIC ACID (DCAA)	77288	003	2014/04/30	< 1.000	2014/07
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/04/30	< .000	2014/07
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/04/30	< 1.000	2014/07
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/04/30	< 2.000	2014/07
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/04/30	< 1.000	2014/07

**STATE UCMR**

BROMODICHLORMETHANE (THM)	32101	003	2014/04/30	. 1.200	2014/07
BROMOFORM (THM)	32104	003	2014/04/30	. 1.900	2014/07
CHLOROFORM (THM)	32106	003	2014/04/30	< 1.000	2014/07
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/04/30	. 2.000	2014/07

**TRIHALOMETHANES**

TOTAL TRIHALOMETHANES	82080	003	2014/04/30	. 5.700	2014/07
-----------------------	-------	-----	------------	---------	---------

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910200**

**System Name: SUBURBAN WATER SYSTEMS-COVINA KNOLLS**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910200-002**

**Source Name: PURCHASED TREATED WATER - CIC**

**Source Number: 002**

**Source Status: PURCHASED TREATED**

**Water type: S**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

**PS Code: 1910200-800**

**Source Name: SITE 1-19615 E. PUENTE ST-STG2 DBP**

**Source Number: 800**

**Source Status: DISTRIBUTION TREATED**

**Water type: S**

**HALOACETIC ACIDS**

DIBROMOACETIC ACID (DBAA)	82721	003	2014/07/22	< 1.000	2014/10
DICHLOROACETIC ACID (DCAA)	77288	003	2014/07/22	. 25.000	2014/10
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/07/22	. 44.000	2014/10
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/07/22	< 1.000	2014/10
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/07/22	< 2.000	2014/10
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/07/22	. 19.000	2014/10

**STATE UCMR**

BROMODICHLORMETHANE (THM)	32101	003	2014/07/22	. 15.000	2014/10
BROMOFORM (THM)	32104	003	2014/07/22	< 1.000	2014/10
CHLOROFORM (THM)	32106	003	2014/07/22	. 57.000	2014/10
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/07/22	. 2.100	2014/10

**TRIHALOMETHANES**

TOTAL TRIHALOMETHANES	82080	003	2014/07/22	. 74.000	2014/10
-----------------------	-------	-----	------------	----------	---------

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)



**System Number: 1910200**

**System Name: SUBURBAN WATER SYSTEMS-COVINA KNOLLS**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

**PS Code: 1910200-801**

**Source Name: SITE 2-20485 RANCHO LA FLORESTA-STG2 DBP**

**Source Number: 801**

**Source Status: DISTRIBUTION TREATED**

**Water type: S**

**HALOACETIC ACIDS**

DIBROMOACETIC ACID (DBAA)	82721	003	2014/07/22	< 1.000	2014/10
DICHLOROACETIC ACID (DCAA)	77288	003	2014/07/22	. 24.000	2014/10
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/07/22	. 42.000	2014/10
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/07/22	< 1.000	2014/10
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/07/22	< 2.000	2014/10
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/07/22	. 18.000	2014/10

**STATE UCMR**

BROMODICHLORMETHANE (THM)	32101	003	2014/07/22	. 16.000	2014/10
BROMOFORM (THM)	32104	003	2014/07/22	< 1.000	2014/10
CHLOROFORM (THM)	32106	003	2014/07/22	. 60.000	2014/10
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/07/22	. 2.200	2014/10

**TRIHALOMETHANES**

TOTAL TRIHALOMETHANES	82080	003	2014/07/22	. 78.000	2014/10
-----------------------	-------	-----	------------	----------	---------

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910205**

**System Name: SUBURBAN WATER SYSTEMS-SAN JOSE**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910205-027**

**Source Name: 139-W4-STANDBY**

**Source Number: 027**

**Source Status: STANDBY RAW**

**Water type: G**

**INORGANIC**

ALUMINUM	01105	108	2011/03/18	< .000	2020/03
ANTIMONY	01097	108	2011/03/18	< .000	2020/03
ARSENIC	01002	108	2011/03/18	< .000	2020/03
BARIUM	01007	108	2011/03/18	< .000	2020/03
BERYLLIUM	01012	108	2011/03/18	< .000	2020/03
CADMIUM	01027	108	2011/03/18	< .000	2020/03
CHROMIUM (TOTAL)	01034	108	2011/03/18	< .000	2020/03
<b>CYANIDE</b>	01291	108	<b>2005/02/04</b>	.000	<b>2014/02</b> <b>DUE</b>
FLUORIDE (F) (NATURAL-SOURCE)	00951	108	2011/03/18	.520	2020/03
MERCURY	71900	108	2011/03/18	< .000	2020/03
NICKEL	01067	108	2011/03/18	< .000	2020/03
PERCHLORATE	A-031	108	2013/12/11	.11.000	2022/12
SELENIUM	01147	108	2011/03/18	< .000	2020/03
THALLIUM	01059	108	2011/03/18	< .000	2020/03

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	108	2013/12/11	.49.000	2022/12
NITRITE (AS N)	00620	108	2013/12/11	< 400.000	2022/12

**RADIOLOGICAL**

GROSS ALPHA	01501	108	2011/11/10	< .000	2020/11
<b>RADIUM 226</b>	09501	000			<b>DUE</b>
RADIUM 228	11501	108	2011/11/10	.000	2020/11
URANIUM (PCI/L)	28012	108	2011/11/10	.2.000	2020/11

**REGULATED SOC**

DI(2-ETHYLHEXYL)PHTHALATE	39100	108	2013/12/11	< 3.000	2022/12
THIOBENCARB	A-001	108	2013/12/11	< 1.000	2022/12

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	108	2011/11/10	< .000	2020/11
1,1,2,2-TETRACHLOROETHANE	34516	108	2011/11/10	< .000	2020/11

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910205**

**System Name: SUBURBAN WATER SYSTEMS-SAN JOSE**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910205-027**

**Source Name: 139-W4-STANDBY**

**Source Number: 027**

**Source Status: STANDBY RAW**

**Water type: G**

**REGULATED VOC**

1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	108	2011/11/10	< .000	2020/11
1,1,2-TRICHLOROETHANE	34511	108	2011/11/10	< .000	2020/11
1,1-DICHLOROETHANE	34496	108	2011/11/10	< .000	2020/11
1,1-DICHLOROETHYLENE	34501	108	2011/11/10	< .000	2020/11
1,2,4-TRICHLOROBENZENE	34551	108	2011/11/10	< .000	2020/11
1,2-DICHLOROBENZENE	34536	108	2011/11/10	< .000	2020/11
1,2-DICHLOROETHANE	34531	108	2011/11/10	< .000	2020/11
1,2-DICHLOROPROPANE	34541	108	2011/11/10	< .000	2020/11
1,3-DICHLOROPROPENE (TOTAL)	34561	108	2011/11/10	< .000	2020/11
1,4-DICHLOROBENZENE	34571	108	2011/11/10	< .000	2020/11
BENZENE	34030	108	2011/11/10	< .000	2020/11
CARBON TETRACHLORIDE	32102	108	2011/11/10	< .000	2020/11
CIS-1,2-DICHLOROETHYLENE	77093	108	2011/11/10	< .000	2020/11
DICHLOROMETHANE	34423	108	2011/11/10	< .000	2020/11
ETHYLBENZENE	34371	108	2011/11/10	< .000	2020/11
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	108	2011/11/10	< .000	2020/11
MONOCHLOROBENZENE	34301	108	2011/11/10	< .000	2020/11
STYRENE	77128	108	2011/11/10	< .000	2020/11
TETRACHLOROETHYLENE	34475	108	2011/11/10	< .000	2020/11
TOLUENE	34010	108	2011/11/10	< .000	2020/11
TRANS-1,2-DICHLOROETHYLENE	34546	108	2011/11/10	< .000	2020/11
TRICHLOROETHYLENE	39180	108	2011/11/10	< .000	2020/11
TRICHLOROFUOROMETHANE	34488	108	2011/11/10	< .000	2020/11
VINYL CHLORIDE	39175	108	2011/11/10	< .000	2020/11
XYLENES (TOTAL)	81551	108	2011/11/10	< .000	2020/11

**SECONDARY/GP**

BICARBONATE ALKALINITY	00440	108	2011/03/18	. 200.000	2020/03
CALCIUM	00916	108	2011/03/18	. 59.000	2020/03
CARBONATE ALKALINITY	00445	108	2011/03/18	< .000	2020/03

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910205**

**System Name: SUBURBAN WATER SYSTEMS-SAN JOSE**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910205-027**

**Source Name: 139-W4-STANDBY**

**Source Number: 027**

**Source Status: STANDBY RAW**

**Water type: G**

**SECONDARY/GP**

CHLORIDE	00940	108	2011/03/18	. 15.000	2020/03
COLOR	00081	108	2011/03/18	< .000	2020/03
COPPER	01042	108	2011/03/18	< .000	2020/03
FOAMING AGENTS (MBAS)	38260	108	2011/03/18	< .000	2020/03
HARDNESS (TOTAL) AS CaCO3	00900	108	2011/03/18	. 210.000	2020/03
HYDROXIDE ALKALINITY	71830	108	2011/03/18	< .000	2020/03
IRON	01045	108	2011/03/18	< .000	2020/03
MAGNESIUM	00927	108	2011/03/18	. 14.000	2020/03
MANGANESE	01055	108	2011/03/18	< .000	2020/03
ODOR THRESHOLD @ 60 C	00086	108	2011/03/18	1.000	2020/03
PH, LABORATORY	00403	108	2005/12/21	. 7.400	2014/12
SILVER	01077	108	2011/03/18	< .000	2020/03
SODIUM	00929	108	2011/03/18	21.000	2020/03
SPECIFIC CONDUCTANCE	00095	108	2011/03/18	. 500.000	2020/03
SULFATE	00945	108	2011/03/18	37.000	2020/03
TOTAL DISSOLVED SOLIDS	70300	108	2013/12/11	. 320.000	2022/12
TURBIDITY, LABORATORY	82079	108	2011/03/18	. .280	2020/03
ZINC	01092	108	2011/03/18	< .000	2020/03

**PS Code: 1910205-030**

**Source Name: 140-W3-STANDBY**

**Source Number: 030**

**Source Status: STANDBY RAW**

**Water type: G**

**INORGANIC**

ALUMINUM	01105	108	2006/12/12	.000	2015/12
ANTIMONY	01097	108	2006/12/12	.000	2015/12
ARSENIC	01002	108	2006/12/12	.000	2015/12
BARIUM	01007	108	2006/12/12	138.000	2015/12

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910205**

**System Name: SUBURBAN WATER SYSTEMS-SAN JOSE**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910205-030**

**Source Name: 140-W3-STANDBY**

**Source Number: 030**

**Source Status: STANDBY RAW**

**Water type: G**

**INORGANIC**

BERYLLIUM	01012	108	2006/12/12	.000	2015/12
CADMIUM	01027	108	2006/12/12	.000	2015/12
CHROMIUM (TOTAL)	01034	108	2006/12/12	14.000	2015/12
<b>CYANIDE</b>	01291	108	2003/02/27	.000	2012/02
FLUORIDE (F) (NATURAL-SOURCE)	00951	108	2006/12/12	.440	2015/12
MERCURY	71900	108	2006/12/12	.000	2015/12
NICKEL	01067	108	2006/12/12	.000	2015/12
PERCHLORATE	A-031	108	2013/12/18	6.000	2022/12
SELENIUM	01147	108	2006/12/12	.000	2015/12
THALLIUM	01059	108	2006/12/12	.000	2015/12

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	012	2013/12/18	46.000	2014/12
NITRITE (AS N)	00620	108	2013/12/18	< 400.000	2022/12

**RADIOLOGICAL**

GROSS ALPHA	01501	108	2011/12/15	4.140	2020/12
<b>RADIUM 226</b>	09501	000			
RADIUM 228	11501	108	2011/12/15	.103	2020/12
URANIUM (PCI/L)	28012	108	2011/12/15	3.300	2020/12

**REGULATED SOC**

DI(2-ETHYLHEXYL)PHTHALATE	39100	108	2011/12/15	< .000	2020/12
THIOBENCARB	A-001	108	2011/12/15	< .000	2020/12

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	108	2011/12/15	< .000	2020/12
1,1,2,2-TETRACHLOROETHANE	34516	108	2011/12/15	< .000	2020/12
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	108	2011/12/15	< .000	2020/12
1,1,2-TRICHLOROETHANE	34511	108	2011/12/15	< .000	2020/12
1,1-DICHLOROETHANE	34496	108	2011/12/15	< .000	2020/12
1,1-DICHLOROETHYLENE	34501	108	2011/12/15	< .000	2020/12

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910205**

**System Name: SUBURBAN WATER SYSTEMS-SAN JOSE**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910205-030**

**Source Name: 140-W3-STANDBY**

**Source Number: 030**

**Source Status: STANDBY RAW**

**Water type: G**

**REGULATED VOC**

1,2,4-TRICHLORO BENZENE	34551	108	2011/12/15	< .000	2020/12
1,2-DICHLORO BENZENE	34536	108	2011/12/15	< .000	2020/12
1,2-DICHLOROETHANE	34531	108	2011/12/15	< .000	2020/12
1,2-DICHLOROPROPANE	34541	108	2011/12/15	< .000	2020/12
1,3-DICHLOROPROPENE (TOTAL)	34561	108	2011/12/15	< .000	2020/12
1,4-DICHLORO BENZENE	34571	108	2011/12/15	< .000	2020/12
BENZENE	34030	108	2011/12/15	< .000	2020/12
CARBON TETRACHLORIDE	32102	108	2011/12/15	< .000	2020/12
CIS-1,2-DICHLOROETHYLENE	77093	108	2011/12/15	< .000	2020/12
DICHLOROMETHANE	34423	108	2011/12/15	< .000	2020/12
ETHYLBENZENE	34371	108	2011/12/15	< .000	2020/12
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	108	2011/12/15	< .000	2020/12
MONOCHLORO BENZENE	34301	108	2011/12/15	< .000	2020/12
STYRENE	77128	108	2011/12/15	< .000	2020/12
TETRACHLOROETHYLENE	34475	108	2011/12/15	< .000	2020/12
TOLUENE	34010	108	2011/12/15	< .000	2020/12
TRANS-1,2-DICHLOROETHYLENE	34546	108	2011/12/15	< .000	2020/12
TRICHLOROETHYLENE	39180	108	2011/12/15	< .000	2020/12
TRICHLOROFLUOROMETHANE	34488	108	2011/12/15	< .000	2020/12
VINYL CHLORIDE	39175	108	2011/12/15	< .000	2020/12
XYLENES (TOTAL)	81551	108	2011/12/15	< .000	2020/12

**SECONDARY/GP**

BICARBONATE ALKALINITY	00440	108	2005/12/21	. 230.000	2014/12
CALCIUM	00916	108	2005/12/21	. 80.000	2014/12
CARBONATE ALKALINITY	00445	108	2005/12/21	.000	2014/12
<b>CHLORIDE</b>	00940	108	2004/02/09	. 26.000	2013/02 <b>DUE</b>
COLOR	00081	108	2005/12/21	. .000	2014/12
<b>COPPER</b>	01042	108	2004/02/09	. 15.000	2013/02 <b>DUE</b>
FOAMING AGENTS (MBAS)	38260	108	2005/12/21	. .000	2014/12

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910205**

**System Name: SUBURBAN WATER SYSTEMS-SAN JOSE**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910205-030**

**Source Name: 140-W3-STANDBY**

**Source Number: 030**

**Source Status: STANDBY RAW**

**Water type: G**

**SECONDARY/GP**

HARDNESS (TOTAL) AS CaCO3	00900	108	2005/12/21	. 270.000	2014/12
HYDROXIDE ALKALINITY	71830	108	2005/12/21	. .000	2014/12
IRON	01045	108	2005/12/21	. 2800.000	2014/12
MAGNESIUM	00927	108	2005/12/21	. 20.000	2014/12
MANGANESE	01055	108	2005/12/21	. 46.000	2014/12
ODOR THRESHOLD @ 60 C	00086	108	2005/12/21	1.000	2014/12
PH, LABORATORY	00403	108	2005/12/21	. 7.400	2014/12
SILVER	01077	108	2006/12/12	.000	2015/12
SODIUM	00929	108	2005/12/21	26.000	2014/12
SPECIFIC CONDUCTANCE	00095	108	2005/12/21	. 600.000	2014/12
<b>SULFATE</b>	<b>00945</b>	<b>108</b>	<b>2004/02/09</b>	<b>48.000</b>	<b>2013/02 DUE</b>
TOTAL DISSOLVED SOLIDS	70300	108	2013/12/18	. 430.000	2022/12
<b>TURBIDITY, LABORATORY</b>	<b>82079</b>	<b>108</b>	<b>2004/02/09</b>	<b>. 3.500</b>	<b>2013/02 DUE</b>
ZINC	01092	108	2005/12/21	. 55.000	2014/12

**PS Code: 1910205-034**

**Source Name: 147-W3**

**Source Number: 034**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

ALUMINUM	01105	036	2011/08/22	< .000	2014/08
ANTIMONY	01097	036	2011/08/22	< .000	2014/08
ARSENIC	01002	036	2011/08/22	< .000	2014/08
BARIUM	01007	036	2011/08/22	< .000	2014/08
BERYLLIUM	01012	036	2011/08/22	< .000	2014/08
CADMIUM	01027	036	2011/08/22	< .000	2014/08
CHROMIUM (TOTAL)	01034	036	2011/08/22	. 11.000	2014/08
CYANIDE	01291	036	2011/08/22	< .000	2014/08

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: **1910205**

System Name: **SUBURBAN WATER SYSTEMS-SAN JOSE**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: **1910205-034**

Source Name: **147-W3**

Source Number: **034**

Source Status: **ACTIVE RAW**

Water type: **G**

**INORGANIC**

FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2011/08/22	.390	2014/08
MERCURY	71900	036	2011/08/22	< .000	2014/08
NICKEL	01067	036	2011/08/22	< .000	2014/08
PERCHLORATE	A-031	012	2014/07/10	< 4.000	2015/07
SELENIUM	01147	036	2011/08/22	< .000	2014/08
THALLIUM	01059	036	2011/08/22	< .000	2014/08

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	012	2014/07/10	. 8.200	2015/07
NITRITE (AS N)	00620	036	2011/08/22	< .000	2014/08

**RADIOLOGICAL**

GROSS ALPHA	01501	003	2014/05/13	< 3.000	2014/08
<b>RADIUM 226</b>	09501	003	<b>2005/06/16</b>	. 0.000	<b>2005/09 DUE</b>
RADIUM 228	11501	003	2014/05/13	. 0.000	2014/08
URANIUM (PCI/L)	28012	072	2011/05/16	. 1.800	2017/05

**REGULATED SOC**

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2013/05/20	< 3.000	2016/02
THIOBENCARB	A-001	033	2013/05/20	< 1.000	2016/02

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	012	2014/07/10	< .500	2015/07
1,1,2,2-TETRACHLOROETHANE	34516	012	2014/07/10	< .500	2015/07
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/07/10	< 10.000	2015/07
1,1,2-TRICHLOROETHANE	34511	012	2014/07/10	< .500	2015/07
1,1-DICHLOROETHANE	34496	012	2014/07/10	< .500	2015/07
1,1-DICHLOROETHYLENE	34501	012	2014/07/10	. 1.900	2015/07
1,2,4-TRICHLOROBENZENE	34551	012	2014/07/10	< .500	2015/07
1,2-DICHLOROBENZENE	34536	012	2014/07/10	< .500	2015/07
1,2-DICHLOROETHANE	34531	012	2014/07/10	< .500	2015/07
1,2-DICHLOROPROPANE	34541	012	2014/07/10	< .500	2015/07

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)



**System Number: 1910205**

**System Name: SUBURBAN WATER SYSTEMS-SAN JOSE**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

**PS Code: 1910205-034**

**Source Name: 147-W3**

**Source Number: 034**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED VOC**

1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/07/10	< .500	2015/07
1,4-DICHLOROBENZENE	34571	012	2014/07/10	< .500	2015/07
BENZENE	34030	012	2014/07/10	< .500	2015/07
CARBON TETRACHLORIDE	32102	012	2014/07/10	< .500	2015/07
CIS-1,2-DICHLOROETHYLENE	77093	012	2014/07/10	< .500	2015/07
DICHLOROMETHANE	34423	012	2014/07/10	< .500	2015/07
ETHYLBENZENE	34371	012	2014/07/10	< .500	2015/07
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/07/10	< 3.000	2015/07
MONOCHLOROBENZENE	34301	012	2014/07/10	< .500	2015/07
STYRENE	77128	012	2014/07/10	< .500	2015/07
TETRACHLOROETHYLENE	34475	012	2014/07/10	. 1.900	2015/07
TOLUENE	34010	012	2014/07/10	< .500	2015/07
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/07/10	< .500	2015/07
TRICHLOROETHYLENE	39180	012	2014/07/10	. 2.700	2015/07
TRICHLOROFUOROMETHANE	34488	012	2014/07/10	< 5.000	2015/07
VINYL CHLORIDE	39175	012	2014/07/10	< .500	2015/07
XYLENES (TOTAL)	81551	012	2014/07/10	< .000	2015/07

**SECONDARY/GP**

BICARBONATE ALKALINITY	00440	036	2011/08/09	. 220.000	2014/08
CALCIUM	00916	036	2011/08/09	. 47.000	2014/08
CARBONATE ALKALINITY	00445	036	2011/08/09	< .000	2014/08
CHLORIDE	00940	036	2011/08/09	. 19.000	2014/08
COLOR	00081	036	2011/08/09	< .000	2014/08
COPPER	01042	036	2011/08/09	< .000	2014/08
FOAMING AGENTS (MBAS)	38260	036	2011/08/09	< .000	2014/08
HARDNESS (TOTAL) AS CaCO3	00900	036	2011/08/09	. 170.000	2014/08
HYDROXIDE ALKALINITY	71830	036	2011/08/09	< .000	2014/08
IRON	01045	036	2011/08/09	< .000	2014/08
MAGNESIUM	00927	036	2011/08/09	. 12.000	2014/08

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910205**

**System Name: SUBURBAN WATER SYSTEMS-SAN JOSE**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910205-034**

**Source Name: 147-W3**

**Source Number: 034**

**Source Status: ACTIVE RAW**

**Water type: G**

**SECONDARY/GP**

MANGANESE	01055	036	2011/08/09	< .000	2014/08
ODOR THRESHOLD @ 60 C	00086	036	2011/08/09	1.000	2014/08
<b>PH, LABORATORY</b>	<b>00403</b>	<b>036</b>	<b>2008/08/14</b>	<b>8.040</b>	<b>2011/08 DUE</b>
SILVER	01077	036	2011/08/22	< .000	2014/08
SODIUM	00929	036	2011/08/09	41.000	2014/08
SPECIFIC CONDUCTANCE	00095	036	2011/08/09	. 520.000	2014/08
SULFATE	00945	036	2011/08/09	54.000	2014/08
TOTAL DISSOLVED SOLIDS	70300	036	2013/08/28	. 330.000	2016/08
TURBIDITY, LABORATORY	82079	036	2011/08/09	< .000	2014/08
ZINC	01092	036	2011/08/09	< .000	2014/08

**PS Code: 1910205-045**

**Source Name: 140-W5**

**Source Number: 045**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

ALUMINUM	01105	036	2012/11/07	< 50.000	2015/11
ANTIMONY	01097	036	2012/11/07	< 6.000	2015/11
ARSENIC	01002	036	2012/11/07	< 2.000	2015/11
BARIUM	01007	036	2012/11/07	< 100.000	2015/11
BERYLLIUM	01012	036	2012/11/07	< 1.000	2015/11
CADMIUM	01027	036	2012/11/07	< 1.000	2015/11
CHROMIUM (TOTAL)	01034	036	2012/11/07	< 10.000	2015/11
CYANIDE	01291	036	2012/11/07	< 100.000	2015/11
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2012/11/07	. .470	2015/11
MERCURY	71900	036	2012/11/07	< 1.000	2015/11
NICKEL	01067	036	2012/11/07	< 10.000	2015/11
PERCHLORATE	A-031	012	2014/07/28	. 12.000	2015/07

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910205**

**System Name: SUBURBAN WATER SYSTEMS-SAN JOSE**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910205-045**

**Source Name: 140-W5**

**Source Number: 045**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

SELENIUM	01147	036	2012/11/07	< 5.000	2015/11
THALLIUM	01059	036	2012/11/07	< 1.000	2015/11

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	001	2014/07/10	. 19.000	2014/08
NITRITE (AS N)	00620	036	2012/11/07	< 400.000	2015/11

**RADIOLOGICAL**

<b>GROSS ALPHA</b>	01501	003	<b>2013/08/28</b>	< 3.000	<b>2013/11 DUE</b>
<b>RADIUM 226</b>	09501	003	<b>2004/09/16</b>	. .000	<b>2004/12 DUE</b>
<b>RADIUM 228</b>	11501	003	<b>2013/08/28</b>	. .000	<b>2013/11 DUE</b>
<b>URANIUM (PCI/L)</b>	28012	003	<b>2013/08/28</b>	. 1.500	<b>2013/11 DUE</b>

**REGULATED SOC**

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2013/05/20	< 3.000	2016/02
THIOBENCARB	A-001	033	2013/05/20	< 1.000	2016/02

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	012	2014/07/10	< .500	2015/07
1,1,2,2-TETRACHLOROETHANE	34516	012	2014/07/10	< .500	2015/07
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/07/10	< 10.000	2015/07
1,1,2-TRICHLOROETHANE	34511	012	2014/07/10	< .500	2015/07
1,1-DICHLOROETHANE	34496	012	2014/07/10	< .500	2015/07
1,1-DICHLOROETHYLENE	34501	012	2014/07/10	< .500	2015/07
1,2,4-TRICHLOROBENZENE	34551	012	2014/07/10	< .500	2015/07
1,2-DICHLOROBENZENE	34536	012	2014/07/10	< .500	2015/07
1,2-DICHLOROETHANE	34531	012	2014/07/10	< .500	2015/07
1,2-DICHLOROPROPANE	34541	012	2014/07/10	< .500	2015/07
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/07/10	< .500	2015/07
1,4-DICHLOROBENZENE	34571	012	2014/07/10	< .500	2015/07
BENZENE	34030	012	2014/07/10	< .500	2015/07
CARBON TETRACHLORIDE	32102	012	2014/07/10	. .510	2015/07

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910205**

**System Name: SUBURBAN WATER SYSTEMS-SAN JOSE**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910205-045**

**Source Name: 140-W5**

**Source Number: 045**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED VOC**

CIS-1,2-DICHLOROETHYLENE	77093	012	2014/07/10	< .500	2015/07
DICHLOROMETHANE	34423	012	2014/07/10	< .500	2015/07
ETHYLBENZENE	34371	012	2014/07/10	< .500	2015/07
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/07/10	< 3.000	2015/07
MONOCHLOROBENZENE	34301	012	2014/07/10	< .500	2015/07
STYRENE	77128	012	2014/07/10	< .500	2015/07
TETRACHLOROETHYLENE	34475	012	2014/07/10	< .500	2015/07
TOLUENE	34010	012	2014/07/10	< .500	2015/07
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/07/10	< .500	2015/07
TRICHLOROETHYLENE	39180	012	2014/07/10	. 8.600	2015/07
TRICHLOROFUOROMETHANE	34488	012	2014/07/10	< 5.000	2015/07
VINYL CHLORIDE	39175	012	2014/07/10	< .500	2015/07
XYLENES (TOTAL)	81551	012	2014/07/10	< .000	2015/07

**SECONDARY/GP**

BICARBONATE ALKALINITY	00440	036	2012/11/07	. 240.000	2015/11
CALCIUM	00916	036	2012/11/07	. 47.000	2015/11
CARBONATE ALKALINITY	00445	036	2012/11/07	< .000	2015/11
CHLORIDE	00940	036	2012/11/07	. 16.000	2015/11
COLOR	00081	036	2012/11/07	< .000	2015/11
COPPER	01042	036	2012/11/07	< 50.000	2015/11
FOAMING AGENTS (MBAS)	38260	036	2012/11/07	< .000	2015/11
HARDNESS (TOTAL) AS CaCO3	00900	036	2012/11/07	. 170.000	2015/11
HYDROXIDE ALKALINITY	71830	036	2012/11/07	< .000	2015/11
<b>IRON</b>	01045	001	<b>2012/11/07</b>	< 100.000	<b>2012/12 DUE</b>
MAGNESIUM	00927	036	2012/11/07	. 13.000	2015/11
<b>MANGANESE</b>	01055	001	<b>2012/11/07</b>	< 20.000	<b>2012/12 DUE</b>
ODOR THRESHOLD @ 60 C	00086	036	2012/11/07	1.000	2015/11
PH, LABORATORY	00403	036	2012/11/07	. 7.770	2015/11
SILVER	01077	036	2012/11/07	< 10.000	2015/11

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910205**

**System Name: SUBURBAN WATER SYSTEMS-SAN JOSE**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

**PS Code: 1910205-045**

**Source Name: 140-W5**

**Source Number: 045**

**Source Status: ACTIVE RAW**

**Water type: G**

**SECONDARY/GP**

SODIUM	00929	036	2012/11/07	26.000	2015/11
SPECIFIC CONDUCTANCE	00095	036	2012/11/07	460.000	2015/11
SULFATE	00945	036	2012/11/07	29.000	2015/11
TOTAL DISSOLVED SOLIDS	70300	036	2013/08/28	290.000	2016/08
TURBIDITY, LABORATORY	82079	036	2012/11/07	< .000	2015/11
ZINC	01092	036	2012/11/07	< 50.000	2015/11

**PS Code: 1910205-046**

**Source Name: BLENDING RESERVOIR 121-R1**

**Source Number: 046**

**Source Status: COMBINATION OR BLEND MIXED**

**Water type: S**

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	001	2010/12/01	11.000	2011/01	DUE
------------------	-------	-----	------------	--------	---------	-----

**PS Code: 1910205-054**

**Source Name: 140W4-POST RAYOX/PRE CL2 EFFL**

**Source Number: 054**

**Source Status: ACTIVE TREATED**

**Water type: S**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

\*Testing interval is in months;  
 0 = No data for this constituent and is DUE NOW  
 I = Invalid (NOT) valid analyses reported  
 Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910205**

**System Name: SUBURBAN WATER SYSTEMS-SAN JOSE**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910205-056**

**Source Name: P118-CICCON.AT AZUSA/PUENTE-TREATED**

**Source Number: 056**

**Source Status: PURCHASED TREATED**

**Water type: S**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

**PS Code: 1910205-057**

**Source Name: P168-CIC CON. AT FAIRWAY/GRAND-TREATED**

**Source Number: 057**

**Source Status: PURCHASED TREATED**

**Water type: S**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

**PS Code: 1910205-058**

**Source Name: P501-MWD CON. AT BADILLO/AZUSA-TREATED**

**Source Number: 058**

**Source Status: PURCHASED TREATED**

**Water type: S**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

**PS Code: 1910205-064**

**Source Name: PLANT 121 WELL 01**

**Source Number: 064**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

ALUMINUM	01105	036	2011/08/22	< .000	2014/08
ANTIMONY	01097	036	2011/08/22	< .000	2014/08
ARSENIC	01002	036	2011/08/22	< .000	2014/08
BARIUM	01007	036	2011/08/22	< .000	2014/08
BERYLLIUM	01012	036	2011/08/22	< .000	2014/08

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910205**

**System Name: SUBURBAN WATER SYSTEMS-SAN JOSE**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910205-064**

**Source Name: PLANT 121 WELL 01**

**Source Number: 064**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

CADMIUM	01027	036	2011/08/22	< .000	2014/08
CHROMIUM (TOTAL)	01034	036	2011/08/22	< .000	2014/08
CYANIDE	01291	036	2011/08/22	< .000	2014/08
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2011/08/22	.470	2014/08
MERCURY	71900	036	2011/08/22	< .000	2014/08
NICKEL	01067	036	2011/08/22	< .000	2014/08
PERCHLORATE	A-031	012	2014/07/10	.4000	2015/07
SELENIUM	01147	036	2011/08/22	< .000	2014/08
THALLIUM	01059	036	2011/08/22	< .000	2014/08

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	012	2014/07/10	.14.000	2015/07
NITRITE (AS N)	00620	036	2011/08/22	< .000	2014/08

**RADIOLOGICAL**

<b>GROSS ALPHA</b>	01501	003	<b>2006/05/02</b>	.000	<b>2006/08</b>	<b>DUE</b>
<b>RADIUM 226</b>	09501	003	<b>2006/05/02</b>	.000	<b>2006/08</b>	<b>DUE</b>
<b>RADIUM 228</b>	11501	003	<b>2006/05/02</b>	.000	<b>2006/08</b>	<b>DUE</b>
<b>URANIUM (PCI/L)</b>	28012	003	<b>2006/05/02</b>	.000	<b>2006/08</b>	<b>DUE</b>

**REGULATED SOC**

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2013/05/20	< 3.000	2016/02
THIOBENCARB	A-001	033	2013/05/20	< 1.000	2016/02

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	012	2014/07/10	< .500	2015/07
1,1,2,2-TETRACHLOROETHANE	34516	012	2014/07/10	< .500	2015/07
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/07/10	< 10.000	2015/07
1,1,2-TRICHLOROETHANE	34511	012	2014/07/10	< .500	2015/07
1,1-DICHLOROETHANE	34496	012	2014/07/10	< .500	2015/07
1,1-DICHLOROETHYLENE	34501	012	2014/07/10	< .500	2015/07
1,2,4-TRICHLOROBENZENE	34551	012	2014/07/10	< .500	2015/07

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910205**

**System Name: SUBURBAN WATER SYSTEMS-SAN JOSE**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910205-064**

**Source Name: PLANT 121 WELL 01**

**Source Number: 064**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED VOC**

1,2-DICHLOROBENZENE	34536	012	2014/07/10	< .500	2015/07
1,2-DICHLOROETHANE	34531	012	2014/07/10	< .500	2015/07
1,2-DICHLOROPROPANE	34541	012	2014/07/10	< .500	2015/07
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/07/10	< .500	2015/07
1,4-DICHLOROBENZENE	34571	012	2014/07/10	< .500	2015/07
BENZENE	34030	012	2014/07/10	< .500	2015/07
CARBON TETRACHLORIDE	32102	012	2014/07/10	< .500	2015/07
CIS-1,2-DICHLOROETHYLENE	77093	012	2014/07/10	< .500	2015/07
DICHLOROMETHANE	34423	012	2014/07/10	< .500	2015/07
ETHYLBENZENE	34371	012	2014/07/10	< .500	2015/07
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/07/10	< 3.000	2015/07
MONOCHLOROBENZENE	34301	012	2014/07/10	< .500	2015/07
STYRENE	77128	012	2014/07/10	< .500	2015/07
TETRACHLOROETHYLENE	34475	012	2014/07/10	< .500	2015/07
TOLUENE	34010	012	2014/07/10	< .500	2015/07
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/07/10	< .500	2015/07
TRICHLOROETHYLENE	39180	012	2014/07/10	< .500	2015/07
TRICHLOROFLUOROMETHANE	34488	012	2014/07/10	< 5.000	2015/07
VINYL CHLORIDE	39175	012	2014/07/10	< .500	2015/07
XYLENES (TOTAL)	81551	012	2014/07/10	< .000	2015/07

**SECONDARY/GP**

BICARBONATE ALKALINITY	00440	036	2011/08/09	. 210.000	2014/08
CALCIUM	00916	036	2011/08/09	. 41.000	2014/08
CARBONATE ALKALINITY	00445	036	2011/08/09	< .000	2014/08
CHLORIDE	00940	036	2011/08/09	. 18.000	2014/08
COLOR	00081	036	2011/08/09	< .000	2014/08
COPPER	01042	036	2011/08/09	< .000	2014/08
FOAMING AGENTS (MBAS)	38260	036	2011/08/09	< .000	2014/08
HARDNESS (TOTAL) AS CaCO3	00900	036	2011/08/09	. 150.000	2014/08

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)



**System Number: 1910205**

**System Name: SUBURBAN WATER SYSTEMS-SAN JOSE**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910205-064**

**Source Name: PLANT 121 WELL 01**

**Source Number: 064**

**Source Status: ACTIVE RAW**

**Water type: G**

**SECONDARY/GP**

HYDROXIDE ALKALINITY	71830	036	2011/08/09	< .000	2014/08
IRON	01045	036	2011/08/09	< .000	2014/08
MAGNESIUM	00927	036	2011/08/09	. 11.000	2014/08
MANGANESE	01055	036	2011/08/09	< .000	2014/08
ODOR THRESHOLD @ 60 C	00086	036	2011/08/09	1.000	2014/08
<b>PH, LABORATORY</b>	<b>00403</b>	<b>036</b>	<b>2008/08/14</b>	<b>7.960</b>	<b>2011/08 DUE</b>
SILVER	01077	036	2011/08/22	< .000	2014/08
SODIUM	00929	036	2011/08/09	33.000	2014/08
SPECIFIC CONDUCTANCE	00095	036	2011/08/09	. 450.000	2014/08
SULFATE	00945	036	2011/08/09	28.000	2014/08
TOTAL DISSOLVED SOLIDS	70300	036	2013/08/28	. 290.000	2016/08
TURBIDITY, LABORATORY	82079	036	2011/08/09	< .000	2014/08
ZINC	01092	036	2011/08/09	< .000	2014/08

**PS Code: 1910205-065**

**Source Name: PLANT 142 WELL 02**

**Source Number: 065**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

ALUMINUM	01105	036	2012/02/10	< .000	2015/02
ANTIMONY	01097	036	2012/02/10	< .000	2015/02
ARSENIC	01002	036	2012/02/10	< .000	2015/02
BARIUM	01007	036	2012/02/10	< .000	2015/02
BERYLLIUM	01012	036	2012/02/10	< .000	2015/02
CADMIUM	01027	036	2012/02/10	< .000	2015/02
CHROMIUM (TOTAL)	01034	036	2012/02/10	< .000	2015/02
CYANIDE	01291	036	2012/02/10	< .000	2015/02
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2012/02/10	. .450	2015/02

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: **1910205**

System Name: **SUBURBAN WATER SYSTEMS-SAN JOSE**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: **1910205-065**

Source Name: **PLANT 142 WELL 02**

Source Number: **065**

Source Status: **ACTIVE RAW**

Water type: **G**

**INORGANIC**

MERCURY	71900	036	2012/02/10	< .000	2015/02
NICKEL	01067	036	2012/02/10	< .000	2015/02
PERCHLORATE	A-031	012	2014/07/10	< 4.000	2015/07
SELENIUM	01147	036	2012/02/10	< .000	2015/02
THALLIUM	01059	036	2012/02/10	< .000	2015/02

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	012	2014/07/10	. 13.000	2015/07
NITRITE (AS N)	00620	036	2012/02/10	< .000	2015/02

**RADIOLOGICAL**

<b>GROSS ALPHA</b>	01501	003	<b>2013/12/11</b>	< 3.000	<b>2014/03 DUE</b>
<b>RADIUM 226</b>	09501	003	<b>2004/12/13</b>	. .000	<b>2005/03 DUE</b>
<b>RADIUM 228</b>	11501	003	<b>2013/12/11</b>	. .000	<b>2014/03 DUE</b>
URANIUM (PCI/L)	28012	072	2010/11/16	1.100	2016/11

**REGULATED SOC**

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2013/05/20	< 3.000	2016/02
THIOBENCARB	A-001	033	2013/05/20	< 1.000	2016/02

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	012	2014/07/10	< .500	2015/07
1,1,2,2-TETRACHLOROETHANE	34516	012	2014/07/10	< .500	2015/07
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/07/10	< 10.000	2015/07
1,1,2-TRICHLOROETHANE	34511	012	2014/07/10	< .500	2015/07
1,1-DICHLOROETHANE	34496	012	2014/07/10	< .500	2015/07
1,1-DICHLOROETHYLENE	34501	012	2014/07/10	< .500	2015/07
1,2,4-TRICHLOROBENZENE	34551	012	2014/07/10	< .500	2015/07
1,2-DICHLOROBENZENE	34536	012	2014/07/10	< .500	2015/07
1,2-DICHLOROETHANE	34531	012	2014/07/10	< .500	2015/07
1,2-DICHLOROPROPANE	34541	012	2014/07/10	< .500	2015/07
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/07/10	< .500	2015/07

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910205**

**System Name: SUBURBAN WATER SYSTEMS-SAN JOSE**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910205-065**

**Source Name: PLANT 142 WELL 02**

**Source Number: 065**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED VOC**

1,4-DICHLOROBENZENE	34571	012	2014/07/10	< .500	2015/07
BENZENE	34030	012	2014/07/10	< .500	2015/07
CARBON TETRACHLORIDE	32102	012	2014/07/10	< .500	2015/07
CIS-1,2-DICHLOROETHYLENE	77093	012	2014/07/10	< .500	2015/07
DICHLOROMETHANE	34423	012	2014/07/10	< .500	2015/07
ETHYLBENZENE	34371	012	2014/07/10	< .500	2015/07
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/07/10	< 3.000	2015/07
MONOCHLOROBENZENE	34301	012	2014/07/10	< .500	2015/07
STYRENE	77128	012	2014/07/10	< .500	2015/07
TETRACHLOROETHYLENE	34475	012	2014/07/10	< .500	2015/07
TOLUENE	34010	012	2014/07/10	< .500	2015/07
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/07/10	< .500	2015/07
TRICHLOROETHYLENE	39180	012	2014/07/10	< .500	2015/07
TRICHLOROFUOROMETHANE	34488	012	2014/07/10	< 5.000	2015/07
VINYL CHLORIDE	39175	012	2014/07/10	< .500	2015/07
XYLENES (TOTAL)	81551	012	2014/07/10	< .000	2015/07

**SECONDARY/GP**

BICARBONATE ALKALINITY	00440	036	2012/02/09	. 210.000	2015/02
CALCIUM	00916	036	2012/02/09	. 44.000	2015/02
CARBONATE ALKALINITY	00445	036	2012/02/09	< .000	2015/02
CHLORIDE	00940	036	2012/02/09	. 15.000	2015/02
COLOR	00081	036	2012/02/09	< .000	2015/02
COPPER	01042	036	2012/02/09	< .000	2015/02
FOAMING AGENTS (MBAS)	38260	036	2012/02/09	< .000	2015/02
HARDNESS (TOTAL) AS CaCO3	00900	036	2012/02/09	. 150.000	2015/02
HYDROXIDE ALKALINITY	71830	036	2012/02/09	< .000	2015/02
IRON	01045	036	2012/02/09	< .000	2015/02
MAGNESIUM	00927	036	2012/02/09	. 10.000	2015/02
MANGANESE	01055	036	2012/02/09	< .000	2015/02

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910205**

**System Name: SUBURBAN WATER SYSTEMS-SAN JOSE**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910205-065**

**Source Name: PLANT 142 WELL 02**

**Source Number: 065**

**Source Status: ACTIVE RAW**

**Water type: G**

**SECONDARY/GP**

ODOR THRESHOLD @ 60 C	00086	036	2012/02/09	1.000	2015/02
PH, LABORATORY	00403	036	2012/02/09	7.650	2015/02
SILVER	01077	036	2012/02/10	< .000	2015/02
SODIUM	00929	036	2012/02/09	35.000	2015/02
SPECIFIC CONDUCTANCE	00095	036	2012/02/09	440.000	2015/02
SULFATE	00945	036	2012/02/09	28.000	2015/02
TOTAL DISSOLVED SOLIDS	70300	036	2013/08/28	290.000	2016/08
TURBIDITY, LABORATORY	82079	036	2012/02/09	< .000	2015/02
ZINC	01092	036	2012/02/09	< .000	2015/02

**PS Code: 1910205-066**

**Source Name: CIC CON. AT ORANGE AVE. & SAN BERNARDINO**

**Source Number: 066**

**Source Status: PURCHASED TREATED**

**Water type: S**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\* 999

**PS Code: 1910205-067**

**Source Name: RWD CONN. AT GALE AVE. & FIELD GATE AVE.**

**Source Number: 067**

**Source Status: PURCHASED TREATED**

**Water type: S**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\* 999

\*Testing interval is in months;  
 0 = No data for this constituent and is DUE NOW  
 I = Invalid (NOT) valid analyses reported  
 Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910205**

**System Name: SUBURBAN WATER SYSTEMS-SAN JOSE**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

**PS Code: 1910205-068**

**Source Name: RWD CONN. AT HAMBLEDON AVE & HURLEY ST**

**Source Number: 068**

**Source Status: PURCHASED TREATED**

**Water type: S**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

**PS Code: 1910205-069**

**Source Name: RWD CON. AT WEDGEWORTH DR & FIELDGATE AV**

**Source Number: 069**

**Source Status: PURCHASED TREATED**

**Water type: S**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

**PS Code: 1910205-070**

**Source Name: LPVCWD CONNECTION -PLANT 128**

**Source Number: 070**

**Source Status: PURCHASED TREATED**

**Water type: S**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

**PS Code: 1910205-071**

**Source Name: VCWD SA1 CONNECTION AT PLANT 121**

**Source Number: 071**

**Source Status: PURCHASED TREATED**

**Water type: S**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

\*Testing interval is in months;  
0 = No data for this constituent and is DUE NOW  
I = Invalid (NOT) valid analyses reported  
Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910205**

**System Name: SUBURBAN WATER SYSTEMS-SAN JOSE**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910205-072**

**Source Name: BLENDING RESERVOIR 121-R1 & R2**

**Source Number: 072**

**Source Status: COMBINATION OR BLEND RAW**

**Water type: S**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

**PS Code: 1910205-075**

**Source Name: 151 W-2**

**Source Number: 075**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

ALUMINUM	01105	036	2012/11/07	< 50.000	2015/11
ANTIMONY	01097	036	2012/11/07	< 6.000	2015/11
ARSENIC	01002	036	2012/11/07	< 2.000	2015/11
BARIUM	01007	036	2012/11/07	< 100.000	2015/11
BERYLLIUM	01012	036	2012/11/07	< 1.000	2015/11
CADMIUM	01027	036	2012/11/07	< 1.000	2015/11
CHROMIUM (TOTAL)	01034	036	2012/11/07	< 10.000	2015/11
CHROMIUM, HEXAVALENT	01032	036	2013/08/13	. 7.300	2016/08
CYANIDE	01291	036	2012/11/07	< 100.000	2015/11
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2012/11/07	. .380	2015/11
MERCURY	71900	036	2012/11/07	< 1.000	2015/11
NICKEL	01067	036	2012/11/07	< 10.000	2015/11
PERCHLORATE	A-031	012	2014/07/10	< 4.000	2015/07
SELENIUM	01147	036	2012/11/07	< 5.000	2015/11
THALLIUM	01059	036	2012/11/07	< 1.000	2015/11

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	012	2014/07/10	. 7.800	2015/07
NITRITE (AS N)	00620	036	2012/11/07	< 400.000	2015/11

**RADIOLOGICAL**

<b>GROSS ALPHA</b>	01501	003	2010/02/02	< .000	2010/05	<b>DUE</b>
--------------------	-------	-----	------------	--------	---------	------------

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910205**

**System Name: SUBURBAN WATER SYSTEMS-SAN JOSE**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910205-075**

**Source Name: 151 W-2**

**Source Number: 075**

**Source Status: ACTIVE RAW**

**Water type: G**

**RADIOLOGICAL**

<b>RADIUM 226</b>	<b>09501</b>	<b>003</b>	<b>2009/05/13</b>	<b>.000</b>	<b>2009/08</b>	<b>DUE</b>
<b>RADIUM 228</b>	<b>11501</b>	<b>003</b>	<b>2010/02/02</b>	<b>.000</b>	<b>2010/05</b>	<b>DUE</b>
<b>URANIUM (PCI/L)</b>	<b>28012</b>	<b>003</b>	<b>2010/02/02</b>	<b>1.100</b>	<b>2010/05</b>	<b>DUE</b>

**REGULATED SOC**

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2013/05/20	< 3.000	2016/02
THIOBENCARB	A-001	033	2013/05/20	< 1.000	2016/02

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	012	2014/07/10	< .500	2015/07
1,1,2,2-TETRACHLOROETHANE	34516	012	2014/07/10	< .500	2015/07
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/07/10	< 10.000	2015/07
1,1,2-TRICHLOROETHANE	34511	012	2014/07/10	< .500	2015/07
1,1-DICHLOROETHANE	34496	012	2014/07/10	< .500	2015/07
1,1-DICHLOROETHYLENE	34501	012	2014/07/10	< .500	2015/07
1,2,4-TRICHLOROBENZENE	34551	012	2014/07/10	< .500	2015/07
1,2-DICHLOROBENZENE	34536	012	2014/07/10	< .500	2015/07
1,2-DICHLOROETHANE	34531	012	2014/07/10	< .500	2015/07
1,2-DICHLOROPROPANE	34541	012	2014/07/10	< .500	2015/07
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/07/10	< .500	2015/07
1,4-DICHLOROBENZENE	34571	012	2014/07/10	< .500	2015/07
BENZENE	34030	012	2014/07/10	< .500	2015/07
CARBON TETRACHLORIDE	32102	012	2014/07/10	< .500	2015/07
CIS-1,2-DICHLOROETHYLENE	77093	012	2014/07/10	< .500	2015/07
DICHLOROMETHANE	34423	012	2014/07/10	< .500	2015/07
ETHYLBENZENE	34371	012	2014/07/10	< .500	2015/07
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/07/10	< 3.000	2015/07
MONOCHLOROBENZENE	34301	012	2014/07/10	< .500	2015/07
STYRENE	77128	012	2014/07/10	< .500	2015/07
TETRACHLOROETHYLENE	34475	012	2014/07/10	< .500	2015/07
TOLUENE	34010	012	2014/07/10	< .500	2015/07

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910205**

**System Name: SUBURBAN WATER SYSTEMS-SAN JOSE**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910205-075**

**Source Name: 151 W-2**

**Source Number: 075**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED VOC**

TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/07/10	< .500	2015/07
TRICHLOROETHYLENE	39180	012	2014/07/10	. 1.700	2015/07
TRICHLOROFUOROMETHANE	34488	012	2014/07/10	< 5.000	2015/07
VINYL CHLORIDE	39175	012	2014/07/10	< .500	2015/07
XYLENES (TOTAL)	81551	012	2014/07/10	< .000	2015/07

**SECONDARY/GP**

BICARBONATE ALKALINITY	00440	036	2012/11/07	. 240.000	2015/11
CALCIUM	00916	036	2012/11/07	. 41.000	2015/11
CARBONATE ALKALINITY	00445	036	2012/11/07	< .000	2015/11
CHLORIDE	00940	036	2012/11/07	. 15.000	2015/11
COLOR	00081	036	2012/11/07	< .000	2015/11
COPPER	01042	036	2012/11/07	< 50.000	2015/11
FOAMING AGENTS (MBAS)	38260	036	2012/11/07	< .000	2015/11
HARDNESS (TOTAL) AS CaCO3	00900	036	2012/11/07	. 140.000	2015/11
HYDROXIDE ALKALINITY	71830	036	2012/11/07	< .000	2015/11
IRON	01045	036	2012/11/07	< 100.000	2015/11
MAGNESIUM	00927	036	2012/11/07	. 9.600	2015/11
MANGANESE	01055	036	2012/11/07	< 20.000	2015/11
ODOR THRESHOLD @ 60 C	00086	036	2012/11/07	1.000	2015/11
PH, LABORATORY	00403	036	2012/11/07	. 7.790	2015/11
SILVER	01077	036	2012/11/07	< 10.000	2015/11
SODIUM	00929	036	2012/11/07	33.000	2015/11
SPECIFIC CONDUCTANCE	00095	036	2012/11/07	. 440.000	2015/11
SULFATE	00945	036	2012/11/07	29.000	2015/11
TOTAL DISSOLVED SOLIDS	70300	036	2013/08/28	. 270.000	2016/08
TURBIDITY, LABORATORY	82079	036	2012/11/07	< .000	2015/11
ZINC	01092	036	2012/11/07	< 50.000	2015/11

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)



**System Number: 1910205**

**System Name: SUBURBAN WATER SYSTEMS-SAN JOSE**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910205-800**

**Source Name: SITE 1-1520 AMAR RD.-STG2 DBP**

**Source Number: 800**

**Source Status: DISTRIBUTION TREATED**

**Water type: S**

**HALOACETIC ACIDS**

DIBROMOACETIC ACID (DBAA)	82721	003	2014/07/22	. 2.400	2014/10
DICHLOROACETIC ACID (DCAA)	77288	003	2014/07/22	. 10.000	2014/10
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/07/22	. 18.000	2014/10
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/07/22	< 1.000	2014/10
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/07/22	< 2.000	2014/10
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/07/22	. 5.900	2014/10

**STATE UCMR**

BROMODICHLORMETHANE (THM)	32101	003	2014/07/22	. 14.000	2014/10
BROMOFORM (THM)	32104	003	2014/07/22	. 2.300	2014/10
CHLOROFORM (THM)	32106	003	2014/07/22	. 18.000	2014/10
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/07/22	. 9.400	2014/10

**TRIHALOMETHANES**

TOTAL TRIHALOMETHANES	82080	003	2014/07/22	. 44.000	2014/10
-----------------------	-------	-----	------------	----------	---------

**PS Code: 1910205-801**

**Source Name: SITE 2-1620 GREEN RIDGE TERRA-STG2 DBP**

**Source Number: 801**

**Source Status: DISTRIBUTION TREATED**

**Water type: S**

**HALOACETIC ACIDS**

DIBROMOACETIC ACID (DBAA)	82721	003	2014/07/22	< 1.000	2014/10
DICHLOROACETIC ACID (DCAA)	77288	003	2014/07/22	. 5.100	2014/10
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/07/22	. 6.300	2014/10
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/07/22	< 1.000	2014/10
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/07/22	< 2.000	2014/10
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/07/22	. 1.200	2014/10

**STATE UCMR**

BROMODICHLORMETHANE (THM)	32101	003	2014/07/22	. 9.100	2014/10
---------------------------	-------	-----	------------	---------	---------

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910205**

**System Name: SUBURBAN WATER SYSTEMS-SAN JOSE**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910205-801**

**Source Name: SITE 2-1620 GREEN RIDGE TERRA-STG2 DBP**

**Source Number: 801**

**Source Status: DISTRIBUTION TREATED**

**Water type: S**

**STATE UCMR**

BROMOFORM (THM)	32104	003	2014/07/22	. 1.700	2014/10
CHLOROFORM (THM)	32106	003	2014/07/22	. 48.000	2014/10
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/07/22	. 6.200	2014/10

**TRIHALOMETHANES**

TOTAL TRIHALOMETHANES	82080	003	2014/07/22	. 65.000	2014/10
-----------------------	-------	-----	------------	----------	---------

**PS Code: 1910205-802**

**Source Name: SITE 3-19527 VISTA HERMOSA DR.-STG2 DBP**

**Source Number: 802**

**Source Status: DISTRIBUTION TREATED**

**Water type: S**

**HALOACETIC ACIDS**

DIBROMOACETIC ACID (DBAA)	82721	003	2014/07/22	. 3.100	2014/10
DICHLOROACETIC ACID (DCAA)	77288	003	2014/07/22	. 15.000	2014/10
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/07/22	. 27.000	2014/10
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/07/22	< 1.000	2014/10
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/07/22	< 2.000	2014/10
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/07/22	. 8.900	2014/10

**STATE UCMR**

BROMODICHLORMETHANE (THM)	32101	003	2014/07/22	. 19.000	2014/10
BROMOFORM (THM)	32104	003	2014/07/22	. 2.500	2014/10
CHLOROFORM (THM)	32106	003	2014/07/22	. 28.000	2014/10
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/07/22	. 12.000	2014/10

**TRIHALOMETHANES**

TOTAL TRIHALOMETHANES	82080	003	2014/07/22	. 62.000	2014/10
-----------------------	-------	-----	------------	----------	---------

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910205**

**System Name: SUBURBAN WATER SYSTEMS-SAN JOSE**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910205-803**

**Source Name: SITE 4-1033 S. DANCOVE DR.-STG2 DBP**

**Source Number: 803**

**Source Status: DISTRIBUTION TREATED**

**Water type: S**

**HALOACETIC ACIDS**

DIBROMOACETIC ACID (DBAA)	82721	003	2014/07/22	< 1.000	2014/10
DICHLOROACETIC ACID (DCAA)	77288	003	2014/07/22	< 1.000	2014/10
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/07/22	< .000	2014/10
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/07/22	< 1.000	2014/10
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/07/22	< 2.000	2014/10
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/07/22	< 1.000	2014/10

**STATE UCMR**

BROMODICHLORMETHANE (THM)	32101	003	2014/07/22	. 1.700	2014/10
BROMOFORM (THM)	32104	003	2014/07/22	< 1.000	2014/10
CHLOROFORM (THM)	32106	003	2014/07/22	. 1.800	2014/10
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/07/22	. 1.500	2014/10

**TRIHALOMETHANES**

TOTAL TRIHALOMETHANES	82080	003	2014/07/22	. 5.000	2014/10
-----------------------	-------	-----	------------	---------	---------

**PS Code: 1910205-804**

**Source Name: SITE 5-1428 S. ALPINE DR.-STG2 DBP**

**Source Number: 804**

**Source Status: DISTRIBUTION TREATED**

**Water type: S**

**HALOACETIC ACIDS**

DIBROMOACETIC ACID (DBAA)	82721	003	2014/07/22	. 1.600	2014/10
DICHLOROACETIC ACID (DCAA)	77288	003	2014/07/22	. 2.300	2014/10
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/07/22	. 3.900	2014/10
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/07/22	< 1.000	2014/10
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/07/22	< 2.000	2014/10
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/07/22	< 1.000	2014/10

**STATE UCMR**

BROMODICHLORMETHANE (THM)	32101	003	2014/07/22	. 6.200	2014/10
---------------------------	-------	-----	------------	---------	---------

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910205**

**System Name: SUBURBAN WATER SYSTEMS-SAN JOSE**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910205-804**

**Source Name: SITE 5-1428 S. ALPINE DR.-STG2 DBP**

**Source Number: 804**

**Source Status: DISTRIBUTION TREATED**

**Water type: S**

**STATE UCMR**

BROMOFORM (THM)	32104	003	2014/07/22	. 2.900	2014/10
CHLOROFORM (THM)	32106	003	2014/07/22	. 6.000	2014/10
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/07/22	. 5.600	2014/10

**TRIHALOMETHANES**

TOTAL TRIHALOMETHANES	82080	003	2014/07/22	. 21.000	2014/10
-----------------------	-------	-----	------------	----------	---------

**PS Code: 1910205-805**

**Source Name: SITE 6-18995 LYNRIDGE DR.-STG2 DBP**

**Source Number: 805**

**Source Status: DISTRIBUTION TREATED**

**Water type: S**

**HALOACETIC ACIDS**

DIBROMOACETIC ACID (DBAA)	82721	003	2014/07/22	. 2.900	2014/10
DICHLOROACETIC ACID (DCAA)	77288	003	2014/07/22	. 12.000	2014/10
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/07/22	. 23.000	2014/10
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/07/22	< 1.000	2014/10
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/07/22	< 2.000	2014/10
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/07/22	. 8.100	2014/10

**STATE UCMR**

BROMODICHLORMETHANE (THM)	32101	003	2014/07/22	. 17.000	2014/10
BROMOFORM (THM)	32104	003	2014/07/22	. 2.200	2014/10
CHLOROFORM (THM)	32106	003	2014/07/22	. 23.000	2014/10
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/07/22	. 10.000	2014/10

**TRIHALOMETHANES**

TOTAL TRIHALOMETHANES	82080	003	2014/07/22	. 52.000	2014/10
-----------------------	-------	-----	------------	----------	---------

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910205**

**System Name: SUBURBAN WATER SYSTEMS-SAN JOSE**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910205-806**

**Source Name: SITE 7-2310 E. WALNUT CREEK PKY-STG2 DBP**

**Source Number: 806**

**Source Status: DISTRIBUTION TREATED**

**Water type: S**

**HALOACETIC ACIDS**

DIBROMOACETIC ACID (DBAA)	82721	003	2014/07/22	< 1.000	2014/10
DICHLOROACETIC ACID (DCAA)	77288	003	2014/07/22	< 1.000	2014/10
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/07/22	< .000	2014/10
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/07/22	< 1.000	2014/10
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/07/22	< 2.000	2014/10
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/07/22	< 1.000	2014/10

**STATE UCMR**

BROMODICHLORMETHANE (THM)	32101	003	2014/07/22	. 1.200	2014/10
BROMOFORM (THM)	32104	003	2014/07/22	< 1.000	2014/10
CHLOROFORM (THM)	32106	003	2014/07/22	. 1.500	2014/10
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/07/22	. 1.100	2014/10

**TRIHALOMETHANES**

TOTAL TRIHALOMETHANES	82080	003	2014/07/22	. 3.800	2014/10
-----------------------	-------	-----	------------	---------	---------

**PS Code: 1910205-807**

**Source Name: SITE 8-2905 FAR VIEW LANE-STG2 DBP**

**Source Number: 807**

**Source Status: DISTRIBUTION TREATED**

**Water type: S**

**HALOACETIC ACIDS**

DIBROMOACETIC ACID (DBAA)	82721	003	2014/07/22	< 1.000	2014/10
DICHLOROACETIC ACID (DCAA)	77288	003	2014/07/22	. 1.600	2014/10
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/07/22	. 1.600	2014/10
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/07/22	< 1.000	2014/10
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/07/22	< 2.000	2014/10
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/07/22	< 1.000	2014/10

**STATE UCMR**

BROMODICHLORMETHANE (THM)	32101	003	2014/07/22	. 3.200	2014/10
---------------------------	-------	-----	------------	---------	---------

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910205**

**System Name: SUBURBAN WATER SYSTEMS-SAN JOSE**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

**PS Code: 1910205-807**

**Source Name: SITE 8-2905 FAR VIEW LANE-STG2 DBP**

**Source Number: 807**

**Source Status: DISTRIBUTION TREATED**

**Water type: S**

**STATE UCMR**

BROMOFORM (THM)	32104	003	2014/07/22	< 1.000	2014/10
CHLOROFORM (THM)	32106	003	2014/07/22	. 3.200	2014/10
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/07/22	. 2.500	2014/10

**TRIHALOMETHANES**

TOTAL TRIHALOMETHANES	82080	003	2014/07/22	. 9.700	2014/10
-----------------------	-------	-----	------------	---------	---------

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910212**

**System Name: GSWC-SOUTH ARCADIA**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910212-002**

**Source Name: ENCINITA WELL 01**

**Source Number: 002**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

ALUMINUM	01105	036	2013/05/15	< 50.000	2016/05
ANTIMONY	01097	036	2013/05/15	< 6.000	2016/05
ARSENIC	01002	036	2013/05/15	< 2.000	2016/05
BARIUM	01007	036	2013/05/15	< 100.000	2016/05
BERYLLIUM	01012	036	2013/05/15	< 1.000	2016/05
CADMIUM	01027	036	2013/05/15	< 1.000	2016/05
CHROMIUM (TOTAL)	01034	036	2013/05/15	< 10.000	2016/05
CYANIDE	01291	036	2013/05/15	< 100.000	2016/05
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/05/15	.800	2016/05
MERCURY	71900	036	2013/05/15	< 1.000	2016/05
NICKEL	01067	036	2013/05/15	< 10.000	2016/05
PERCHLORATE	A-031	012	2014/08/11	< 4.000	2015/08
SELENIUM	01147	036	2013/05/15	< 5.000	2016/05
THALLIUM	01059	036	2013/05/15	< 1.000	2016/05

**NITRATE/NITRITE**

<b>NITRATE (AS NO3)</b>	71850	001	2014/05/15	. 21.000	2014/06	<b>DUE</b>
NITRITE (AS N)	00620	036	2013/05/15	< 400.000	2016/05	

**RADIOLOGICAL**

<b>GROSS ALPHA</b>	01501	003	2010/08/17	< .000	2010/11	<b>DUE</b>
<b>RADIUM 226</b>	09501	000				<b>DUE</b>
<b>RADIUM 228</b>	11501	003	2010/08/17	.000	2010/11	<b>DUE</b>
<b>URANIUM (PCI/L)</b>	28012	003	2010/08/17	2.100	2010/11	<b>DUE</b>

**REGULATED SOC**

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2013/08/14	< 3.000	2016/05
---------------------------	-------	-----	------------	---------	---------

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	012	2014/08/11	< .500	2015/08
1,1,2,2-TETRACHLOROETHANE	34516	012	2014/08/11	< .500	2015/08
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/08/11	< 10.000	2015/08

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910212**

**System Name: GSWC-SOUTH ARCADIA**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910212-002**

**Source Name: ENCINITA WELL 01**

**Source Number: 002**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED VOC**

1,1,2-TRICHLOROETHANE	34511	012	2014/08/11	< .500	2015/08
1,1-DICHLOROETHANE	34496	012	2014/08/11	< .500	2015/08
1,1-DICHLOROETHYLENE	34501	012	2014/08/11	< .500	2015/08
1,2,4-TRICHLOROBENZENE	34551	012	2014/08/11	< .500	2015/08
1,2-DICHLOROBENZENE	34536	012	2014/08/11	< .500	2015/08
1,2-DICHLOROETHANE	34531	012	2014/08/11	< .500	2015/08
1,2-DICHLOROPROPANE	34541	012	2014/08/11	< .500	2015/08
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/08/11	< .500	2015/08
1,4-DICHLOROBENZENE	34571	012	2014/08/11	< .500	2015/08
BENZENE	34030	012	2014/08/11	< .500	2015/08
CARBON TETRACHLORIDE	32102	012	2014/08/11	< .500	2015/08
CIS-1,2-DICHLOROETHYLENE	77093	012	2014/08/11	< .500	2015/08
DICHLOROMETHANE	34423	012	2014/08/11	< .500	2015/08
ETHYLBENZENE	34371	012	2014/08/11	< .500	2015/08
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/08/11	< 3.000	2015/08
MONOCHLOROBENZENE	34301	012	2014/08/11	< .500	2015/08
STYRENE	77128	012	2014/08/11	< .500	2015/08
TETRACHLOROETHYLENE	34475	012	2014/08/11	. 1.500	2015/08
TOLUENE	34010	012	2014/08/11	< .500	2015/08
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/08/11	< .500	2015/08
TRICHLOROETHYLENE	39180	012	2014/08/11	. 5.200	2015/08
TRICHLOROFUOROMETHANE	34488	012	2014/08/11	< 5.000	2015/08
VINYL CHLORIDE	39175	012	2014/08/11	< .500	2015/08
XYLENES (TOTAL)	81551	012	2014/08/11	< 1.000	2015/08

**SECONDARY/GP**

BICARBONATE ALKALINITY	00440	036	2012/08/21	< 200.000	2015/08
CALCIUM	00916	036	2012/08/21	. 45.000	2015/08
CARBONATE ALKALINITY	00445	036	2012/08/21	< 2.400	2015/08
CHLORIDE	00940	036	2012/08/21	. 20.000	2015/08

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)



**System Number: 1910212**

**System Name: GSWC-SOUTH ARCADIA**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910212-002**

**Source Name: ENCINITA WELL 01**

**Source Number: 002**

**Source Status: ACTIVE RAW**

**Water type: G**

**SECONDARY/GP**

COLOR	00081	036	2012/08/21	< 1.000	2015/08
COPPER	01042	036	2012/08/21	< 50.000	2015/08
FOAMING AGENTS (MBAS)	38260	036	2012/08/21	< .100	2015/08
HARDNESS (TOTAL) AS CaCO3	00900	036	2012/08/21	. 170.000	2015/08
HYDROXIDE ALKALINITY	71830	036	2012/08/21	< 1.400	2015/08
IRON	01045	036	2012/08/21	< 100.000	2015/08
MAGNESIUM	00927	036	2012/08/21	. 13.000	2015/08
MANGANESE	01055	036	2012/08/21	< 20.000	2015/08
ODOR THRESHOLD @ 60 C	00086	036	2012/08/21	< 1.000	2015/08
PH, LABORATORY	00403	036	2012/08/21	7.980	2015/08
SILVER	01077	036	2013/05/15	< 10.000	2016/05
SODIUM	00929	036	2012/08/21	22.000	2015/08
SPECIFIC CONDUCTANCE	00095	036	2012/08/21	. 440.000	2015/08
SULFATE	00945	036	2012/08/21	22.000	2015/08
TOTAL DISSOLVED SOLIDS	70300	036	2013/08/14	< 260.000	2016/08
TURBIDITY, LABORATORY	82079	036	2014/08/11	< .100	2017/08
ZINC	01092	036	2012/08/21	< 50.000	2015/08

**PS Code: 1910212-003**

**Source Name: ENCINITA WELL 02**

**Source Number: 003**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

ALUMINUM	01105	036	2011/08/17	< .000	2014/08
ANTIMONY	01097	036	2011/08/17	< .000	2014/08
ARSENIC	01002	036	2011/08/17	< .000	2014/08
BARIUM	01007	036	2011/08/17	< .000	2014/08
BERYLLIUM	01012	036	2011/08/17	< .000	2014/08

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910212**

**System Name: GSWC-SOUTH ARCADIA**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910212-003**

**Source Name: ENCINITA WELL 02**

**Source Number: 003**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

CADMIUM	01027	036	2011/08/17	< .000	2014/08
CHROMIUM (TOTAL)	01034	036	2011/08/17	< .000	2014/08
CYANIDE	01291	036	2011/08/17	< .000	2014/08
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2012/08/21	.710	2015/08
MERCURY	71900	036	2011/08/17	< .000	2014/08
NICKEL	01067	036	2011/08/17	< .000	2014/08
PERCHLORATE	A-031	012	2014/08/11	< 4.000	2015/08
SELENIUM	01147	036	2011/08/17	< .000	2014/08
THALLIUM	01059	036	2011/08/17	< .000	2014/08

**NITRATE/NITRITE**

<b>NITRATE (AS NO3)</b>	71850	001	<b>2014/05/15</b>	. 7.900	<b>2014/06 DUE</b>
NITRITE (AS N)	00620	036	2011/08/17	< .000	2014/08

**RADIOLOGICAL**

<b>GROSS ALPHA</b>	01501	003	<b>2006/08/31</b>	.000	<b>2006/11 DUE</b>
<b>RADIUM 226</b>	09501	003	<b>2006/08/31</b>	.000	<b>2006/11 DUE</b>
<b>RADIUM 228</b>	11501	003	<b>2006/08/31</b>	.000	<b>2006/11 DUE</b>
URANIUM (PCI/L)	28012	072	2012/08/16	. 2.400	2018/08

**REGULATED SOC**

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2013/05/15	< 3.000	2016/02
---------------------------	-------	-----	------------	---------	---------

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	012	2014/08/11	< .500	2015/08
1,1,2,2-TETRACHLOROETHANE	34516	012	2014/08/11	< .500	2015/08
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/08/11	< 10.000	2015/08
1,1,2-TRICHLOROETHANE	34511	012	2014/08/11	< .500	2015/08
1,1-DICHLOROETHANE	34496	012	2014/08/11	< .500	2015/08
1,1-DICHLOROETHYLENE	34501	012	2014/08/11	< .500	2015/08
1,2,4-TRICHLOROBENZENE	34551	012	2014/08/11	< .500	2015/08
1,2-DICHLOROBENZENE	34536	012	2014/08/11	< .500	2015/08

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910212**

**System Name: GSWC-SOUTH ARCADIA**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910212-003**

**Source Name: ENCINITA WELL 02**

**Source Number: 003**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED VOC**

1,2-DICHLOROETHANE	34531	012	2014/08/11	< .500	2015/08
1,2-DICHLOROPROPANE	34541	012	2014/08/11	< .500	2015/08
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/08/11	< .500	2015/08
1,4-DICHLOROBENZENE	34571	012	2014/08/11	< .500	2015/08
BENZENE	34030	012	2014/08/11	< .500	2015/08
CARBON TETRACHLORIDE	32102	012	2014/08/11	< .500	2015/08
CIS-1,2-DICHLOROETHYLENE	77093	012	2014/08/11	< .500	2015/08
DICHLOROMETHANE	34423	012	2014/08/11	< .500	2015/08
ETHYLBENZENE	34371	012	2014/08/11	< .500	2015/08
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/08/11	< 3.000	2015/08
MONOCHLOROENZENE	34301	012	2014/08/11	< .500	2015/08
STYRENE	77128	012	2014/08/11	< .500	2015/08
TETRACHLOROETHYLENE	34475	012	2014/08/11	. 1.200	2015/08
TOLUENE	34010	012	2014/08/11	< .500	2015/08
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/08/11	< .500	2015/08
TRICHLOROETHYLENE	39180	012	2014/08/11	. 4.700	2015/08
TRICHLOROFLUOROMETHANE	34488	012	2014/08/11	< 5.000	2015/08
VINYL CHLORIDE	39175	012	2014/08/11	< .500	2015/08
XYLENES (TOTAL)	81551	012	2014/08/11	< 1.000	2015/08

**SECONDARY/GP**

BICARBONATE ALKALINITY	00440	036	2012/08/21	< 200.000	2015/08
CALCIUM	00916	036	2012/08/21	. 42.000	2015/08
CARBONATE ALKALINITY	00445	036	2012/08/21	< 2.400	2015/08
CHLORIDE	00940	036	2012/08/21	. 10.000	2015/08
COLOR	00081	036	2012/08/21	< 1.000	2015/08
COPPER	01042	036	2012/08/21	< 50.000	2015/08
FOAMING AGENTS (MBAS)	38260	036	2012/08/21	< .100	2015/08
HARDNESS (TOTAL) AS CaCO3	00900	036	2012/08/21	. 150.000	2015/08
HYDROXIDE ALKALINITY	71830	036	2012/08/21	< 1.400	2015/08

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910212**

**System Name: GSWC-SOUTH ARCADIA**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910212-003**

**Source Name: ENCINITA WELL 02**

**Source Number: 003**

**Source Status: ACTIVE RAW**

**Water type: G**

**SECONDARY/GP**

IRON	01045	036	2012/08/21	< 100.000	2015/08
MAGNESIUM	00927	036	2012/08/21	. 10.000	2015/08
MANGANESE	01055	036	2012/08/21	< 20.000	2015/08
ODOR THRESHOLD @ 60 C	00086	036	2012/08/21	< 1.000	2015/08
PH, LABORATORY	00403	036	2012/08/21	8.040	2015/08
SILVER	01077	036	2011/08/17	< .000	2014/08
SODIUM	00929	036	2012/08/21	25.000	2015/08
SPECIFIC CONDUCTANCE	00095	036	2012/08/21	. 420.000	2015/08
SULFATE	00945	036	2012/08/21	20.000	2015/08
TOTAL DISSOLVED SOLIDS	70300	036	2013/08/14	< 250.000	2016/08
TURBIDITY, LABORATORY	82079	036	2014/08/11	< .100	2017/08
ZINC	01092	036	2012/08/21	< 50.000	2015/08

**PS Code: 1910212-004**

**Source Name: ENCINITA WELL 03**

**Source Number: 004**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

ALUMINUM	01105	036	2011/08/17	< .000	2014/08
ANTIMONY	01097	036	2011/08/17	< .000	2014/08
ARSENIC	01002	036	2011/08/17	< .000	2014/08
BARIUM	01007	036	2011/08/17	< .000	2014/08
BERYLLIUM	01012	036	2011/08/17	< .000	2014/08
CADMIUM	01027	036	2011/08/17	< .000	2014/08
CHROMIUM (TOTAL)	01034	036	2011/08/17	< .000	2014/08
<b>CHROMIUM, HEXAVALENT</b>	01032	036	<b>2001/09/24</b>	. 8.000	<b>2004/09 DUE</b>
CYANIDE	01291	036	2011/08/17	< .000	2014/08
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/05/23	. .780	2016/05

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910212**

**System Name: GSWC-SOUTH ARCADIA**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910212-004**

**Source Name: ENCINITA WELL 03**

**Source Number: 004**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

MERCURY	71900	036	2011/08/17	< .000	2014/08
NICKEL	01067	036	2011/08/17	< .000	2014/08
PERCHLORATE	A-031	012	2014/08/11	< 4.000	2015/08
SELENIUM	01147	036	2011/08/17	< .000	2014/08
THALLIUM	01059	036	2011/08/17	< .000	2014/08

**NITRATE/NITRITE**

<b>NITRATE (AS NO3)</b>	71850	001	<b>2014/05/15</b>	. 21.000	<b>2014/06 DUE</b>
NITRITE (AS N)	00620	036	2011/08/17	< .000	2014/08

**RADIOLOGICAL**

GROSS ALPHA	01501	003	2014/05/15	< 3.000	2014/08
<b>RADIUM 226</b>	09501	003	<b>2005/05/17</b>	. .000	<b>2005/08 DUE</b>
RADIUM 228	11501	003	2014/05/15	. .000	2014/08
URANIUM (PCI/L)	28012	072	2011/05/12	. 2.700	2017/05

**REGULATED SOC**

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2013/08/14	< 3.000	2016/05
---------------------------	-------	-----	------------	---------	---------

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	012	2014/08/11	< .500	2015/08
1,1,2,2-TETRACHLOROETHANE	34516	012	2014/08/11	< .500	2015/08
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/08/11	< 10.000	2015/08
1,1,2-TRICHLOROETHANE	34511	012	2014/08/11	< .500	2015/08
1,1-DICHLOROETHANE	34496	012	2014/08/11	< .500	2015/08
1,1-DICHLOROETHYLENE	34501	012	2014/08/11	< .500	2015/08
1,2,4-TRICHLOROBENZENE	34551	012	2014/08/11	< .500	2015/08
1,2-DICHLOROBENZENE	34536	012	2014/08/11	< .500	2015/08
1,2-DICHLOROETHANE	34531	012	2014/08/11	< .500	2015/08
1,2-DICHLOROPROPANE	34541	012	2014/08/11	< .500	2015/08
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/08/11	< .500	2015/08
1,4-DICHLOROBENZENE	34571	012	2014/08/11	< .500	2015/08

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910212**

**System Name: GSWC-SOUTH ARCADIA**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910212-004**

**Source Name: ENCINITA WELL 03**

**Source Number: 004**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED VOC**

BENZENE	34030	012	2014/08/11	< .500	2015/08
CARBON TETRACHLORIDE	32102	012	2014/08/11	< .500	2015/08
CIS-1,2-DICHLOROETHYLENE	77093	012	2014/08/11	< .500	2015/08
DICHLOROMETHANE	34423	012	2014/08/11	< .500	2015/08
ETHYLBENZENE	34371	012	2014/08/11	< .500	2015/08
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/08/11	< 3.000	2015/08
MONOCHLOROENZENE	34301	012	2014/08/11	< .500	2015/08
STYRENE	77128	012	2014/08/11	< .500	2015/08
TETRACHLOROETHYLENE	34475	012	2014/08/11	. 4.400	2015/08
TOLUENE	34010	012	2014/08/11	< .500	2015/08
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/08/11	< .500	2015/08
TRICHLOROETHYLENE	39180	012	2014/08/11	. 13.000	2015/08
TRICHLOROFUOROMETHANE	34488	012	2014/08/11	< 5.000	2015/08
VINYL CHLORIDE	39175	012	2014/08/11	< .500	2015/08
XYLENES (TOTAL)	81551	012	2014/08/11	< 1.000	2015/08

**SECONDARY/GP**

BICARBONATE ALKALINITY	00440	036	2013/05/23	. 200.000	2016/05
CALCIUM	00916	036	2013/05/23	. 45.000	2016/05
CARBONATE ALKALINITY	00445	036	2013/05/23	< 2.400	2016/05
CHLORIDE	00940	036	2013/05/23	. 16.000	2016/05
COLOR	00081	036	2013/05/23	. 2.500	2016/05
COPPER	01042	036	2013/05/23	< 50.000	2016/05
FOAMING AGENTS (MBAS)	38260	036	2013/05/23	< .100	2016/05
HARDNESS (TOTAL) AS CaCO3	00900	036	2013/05/23	. 170.000	2016/05
HYDROXIDE ALKALINITY	71830	036	2013/05/23	< 1.400	2016/05
IRON	01045	036	2013/05/23	< 100.000	2016/05
MAGNESIUM	00927	036	2013/05/23	. 13.000	2016/05
MANGANESE	01055	036	2013/05/23	< 20.000	2016/05
ODOR THRESHOLD @ 60 C	00086	036	2013/05/23	< 1.000	2016/05

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910212**

**System Name: GSWC-SOUTH ARCADIA**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910212-004**

**Source Name: ENCINITA WELL 03**

**Source Number: 004**

**Source Status: ACTIVE RAW**

**Water type: G**

**SECONDARY/GP**

PH, LABORATORY	00403	036	2013/05/23	. 7.640	2016/05
SILVER	01077	036	2011/08/17	< .000	2014/08
SODIUM	00929	036	2013/05/23	19.000	2016/05
SPECIFIC CONDUCTANCE	00095	036	2013/05/23	. 450.000	2016/05
SULFATE	00945	036	2013/05/23	25.000	2016/05
TOTAL DISSOLVED SOLIDS	70300	036	2013/08/14	< 280.000	2016/08
TURBIDITY, LABORATORY	82079	036	2014/08/11	< .100	2017/08
ZINC	01092	036	2013/05/23	< 50.000	2016/05

**PS Code: 1910212-005**

**Source Name: FARNA WELL 01**

**Source Number: 005**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

ALUMINUM	01105	036	2013/05/15	< 50.000	2016/05
ANTIMONY	01097	036	2013/05/15	< 6.000	2016/05
ARSENIC	01002	036	2013/05/15	< 2.000	2016/05
BARIUM	01007	036	2013/05/15	< 100.000	2016/05
BERYLLIUM	01012	036	2013/05/15	< 1.000	2016/05
CADMIUM	01027	036	2013/05/15	< 1.000	2016/05
CHROMIUM (TOTAL)	01034	036	2013/05/15	< 10.000	2016/05
<b>CHROMIUM, HEXAVALENT</b>	01032	036	<b>2001/09/24</b>	< 1.000	<b>2004/09 DUE</b>
CYANIDE	01291	036	2013/05/15	< 100.000	2016/05
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/05/15	. .440	2016/05
MERCURY	71900	036	2013/05/15	< 1.000	2016/05
NICKEL	01067	036	2013/05/15	< 10.000	2016/05
PERCHLORATE	A-031	012	2014/06/24	< 4.000	2015/06
SELENIUM	01147	036	2013/05/15	< 5.000	2016/05

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910212**

**System Name: GSWC-SOUTH ARCADIA**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910212-005**

**Source Name: FARNA WELL 01**

**Source Number: 005**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

THALLIUM	01059	036	2013/05/15	< 1.000	2016/05
----------	-------	-----	------------	---------	---------

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	012	2014/06/24	. 4.100	2015/06
------------------	-------	-----	------------	---------	---------

NITRITE (AS N)	00620	036	2013/05/15	< 400.000	2016/05
----------------	-------	-----	------------	-----------	---------

**RADIOLOGICAL**

<b>GROSS ALPHA</b>	01501	003	<b>2009/08/13</b>	< .000	<b>2009/11</b>	<b>DUE</b>
--------------------	-------	-----	-------------------	--------	----------------	------------

<b>RADIUM 226</b>	09501	000				<b>DUE</b>
-------------------	-------	-----	--	--	--	------------

<b>RADIUM 228</b>	11501	003	<b>2009/08/13</b>	.000	<b>2009/11</b>	<b>DUE</b>
-------------------	-------	-----	-------------------	------	----------------	------------

<b>URANIUM (PCI/L)</b>	28012	003	<b>2009/08/13</b>	2.200	<b>2009/11</b>	<b>DUE</b>
------------------------	-------	-----	-------------------	-------	----------------	------------

**REGULATED SOC**

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2013/05/15	< 3.000	2016/02
---------------------------	-------	-----	------------	---------	---------

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	012	2014/02/26	< .500	2015/02
-----------------------	-------	-----	------------	--------	---------

1,1,2,2-TETRACHLOROETHANE	34516	012	2014/02/26	< .500	2015/02
---------------------------	-------	-----	------------	--------	---------

1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/02/26	< 10.000	2015/02
---------------------------------------	-------	-----	------------	----------	---------

1,1,2-TRICHLOROETHANE	34511	012	2014/02/26	< .500	2015/02
-----------------------	-------	-----	------------	--------	---------

1,1-DICHLOROETHANE	34496	012	2014/02/26	< .500	2015/02
--------------------	-------	-----	------------	--------	---------

1,1-DICHLOROETHYLENE	34501	012	2014/02/26	< .500	2015/02
----------------------	-------	-----	------------	--------	---------

1,2,4-TRICHLOROBENZENE	34551	012	2014/02/26	< .500	2015/02
------------------------	-------	-----	------------	--------	---------

1,2-DICHLOROBENZENE	34536	012	2014/02/26	< .500	2015/02
---------------------	-------	-----	------------	--------	---------

1,2-DICHLOROETHANE	34531	012	2014/02/26	< .500	2015/02
--------------------	-------	-----	------------	--------	---------

1,2-DICHLOROPROPANE	34541	012	2014/02/26	< .500	2015/02
---------------------	-------	-----	------------	--------	---------

1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/02/26	< .500	2015/02
-----------------------------	-------	-----	------------	--------	---------

1,4-DICHLOROBENZENE	34571	012	2014/02/26	< .500	2015/02
---------------------	-------	-----	------------	--------	---------

BENZENE	34030	012	2014/02/26	< .500	2015/02
---------	-------	-----	------------	--------	---------

CARBON TETRACHLORIDE	32102	012	2014/02/26	< .500	2015/02
----------------------	-------	-----	------------	--------	---------

CIS-1,2-DICHLOROETHYLENE	77093	012	2014/02/26	< .500	2015/02
--------------------------	-------	-----	------------	--------	---------

DICHLOROMETHANE	34423	012	2014/02/26	< .500	2015/02
-----------------	-------	-----	------------	--------	---------

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)



**System Number: 1910212**

**System Name: GSWC-SOUTH ARCADIA**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910212-005**

**Source Name: FARNA WELL 01**

**Source Number: 005**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED VOC**

ETHYLBENZENE	34371	012	2014/02/26	< .500	2015/02
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/02/26	< 3.000	2015/02
MONOCHLORO BENZENE	34301	012	2014/02/26	< .500	2015/02
STYRENE	77128	012	2014/02/26	< .500	2015/02
TETRACHLOROETHYLENE	34475	012	2014/02/26	< .500	2015/02
TOLUENE	34010	012	2014/02/26	< .500	2015/02
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/02/26	< .500	2015/02
TRICHLOROETHYLENE	39180	012	2014/06/24	< .500	2015/06
TRICHLOROFUOROMETHANE	34488	012	2014/02/26	< 5.000	2015/02
VINYL CHLORIDE	39175	012	2014/02/26	< .500	2015/02
XYLENES (TOTAL)	81551	012	2014/02/26	< .000	2015/02

**SECONDARY/GP**

BICARBONATE ALKALINITY	00440	036	2012/08/21	< 210.000	2015/08
CALCIUM	00916	036	2012/08/21	. 51.000	2015/08
CARBONATE ALKALINITY	00445	036	2012/08/21	< 2.400	2015/08
CHLORIDE	00940	036	2012/08/21	. 18.000	2015/08
COLOR	00081	036	2012/08/21	< 1.000	2015/08
COPPER	01042	036	2012/08/21	< 50.000	2015/08
FOAMING AGENTS (MBAS)	38260	036	2012/08/21	< .100	2015/08
HARDNESS (TOTAL) AS CaCO3	00900	036	2012/08/21	. 190.000	2015/08
HYDROXIDE ALKALINITY	71830	036	2012/08/21	< 1.400	2015/08
IRON	01045	036	2012/08/21	< 100.000	2015/08
MAGNESIUM	00927	036	2012/08/21	. 14.000	2015/08
MANGANESE	01055	036	2012/08/21	< 20.000	2015/08
ODOR THRESHOLD @ 60 C	00086	036	2012/08/21	< 1.000	2015/08
PH, LABORATORY	00403	036	2012/08/21	7.860	2015/08
SILVER	01077	036	2013/05/15	< 10.000	2016/05
SODIUM	00929	036	2012/08/21	18.000	2015/08
SPECIFIC CONDUCTANCE	00095	036	2012/08/21	. 490.000	2015/08

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910212**

**System Name: GSWC-SOUTH ARCADIA**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910212-005**

**Source Name: FARNA WELL 01**

**Source Number: 005**

**Source Status: ACTIVE RAW**

**Water type: G**

**SECONDARY/GP**

SULFATE	00945	036	2012/08/21	35.000	2015/08
TOTAL DISSOLVED SOLIDS	70300	036	2013/08/14	< 290.000	2016/08
TURBIDITY, LABORATORY	82079	036	2014/08/11	< .100	2017/08
ZINC	01092	036	2012/08/21	< 50.000	2015/08

**PS Code: 1910212-006**

**Source Name: FARNA WELL 02**

**Source Number: 006**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

ALUMINUM	01105	036	2011/08/17	< .000	2014/08
ANTIMONY	01097	036	2011/08/17	< .000	2014/08
ARSENIC	01002	036	2011/08/17	< .000	2014/08
BARIUM	01007	036	2011/08/17	< .000	2014/08
BERYLLIUM	01012	036	2011/08/17	< .000	2014/08
CADMIUM	01027	036	2011/08/17	< .000	2014/08
CHROMIUM (TOTAL)	01034	036	2011/08/17	< .000	2014/08
CYANIDE	01291	036	2011/08/17	< .000	2014/08
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2012/08/21	.510	2015/08
MERCURY	71900	036	2011/08/17	< .000	2014/08
NICKEL	01067	036	2011/08/17	< .000	2014/08
PERCHLORATE	A-031	012	2013/08/14	< 4.000	2014/08
SELENIUM	01147	036	2011/08/17	< .000	2014/08
THALLIUM	01059	036	2011/08/17	< .000	2014/08

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	012	2013/08/14	< 3.200	2014/08
NITRITE (AS N)	00620	036	2011/08/17	< .000	2014/08

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910212**

**System Name: GSWC-SOUTH ARCADIA**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910212-006**

**Source Name: FARNA WELL 02**

**Source Number: 006**

**Source Status: ACTIVE RAW**

**Water type: G**

**RADIOLOGICAL**

<b>GROSS ALPHA</b>	01501	003	2006/08/31	.000	2006/11	DUE
<b>RADIUM 226</b>	09501	003	2006/08/31	.000	2006/11	DUE
<b>RADIUM 228</b>	11501	003	2006/08/31	.000	2006/11	DUE
<b>URANIUM (PCI/L)</b>	28012	003	2006/08/31	.000	2006/11	DUE

**REGULATED SOC**

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2013/05/15	< 3.000	2016/02	
---------------------------	-------	-----	------------	---------	---------	--

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	012	2014/05/15	< .500	2015/05	
1,1,2,2-TETRACHLOROETHANE	34516	012	2014/05/15	< .500	2015/05	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/05/15	< 10.000	2015/05	
1,1,2-TRICHLOROETHANE	34511	012	2014/05/15	< .500	2015/05	
1,1-DICHLOROETHANE	34496	012	2014/05/15	< .500	2015/05	
1,1-DICHLOROETHYLENE	34501	012	2014/05/15	< .500	2015/05	
1,2,4-TRICHLOROBENZENE	34551	012	2014/05/15	< .500	2015/05	
1,2-DICHLOROBENZENE	34536	012	2014/05/15	< .500	2015/05	
1,2-DICHLOROETHANE	34531	012	2014/05/15	< .500	2015/05	
1,2-DICHLOROPROPANE	34541	012	2014/05/15	< .500	2015/05	
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/05/15	< .500	2015/05	
1,4-DICHLOROBENZENE	34571	012	2014/05/15	< .500	2015/05	
BENZENE	34030	012	2014/05/15	< .500	2015/05	
CARBON TETRACHLORIDE	32102	012	2014/05/15	< .500	2015/05	
CIS-1,2-DICHLOROETHYLENE	77093	012	2014/05/15	< .500	2015/05	
DICHLOROMETHANE	34423	012	2014/05/15	< .500	2015/05	
ETHYLBENZENE	34371	012	2014/05/15	< .500	2015/05	
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/05/15	< 3.000	2015/05	
MONOCHLOROBENZENE	34301	012	2014/05/15	< .500	2015/05	
STYRENE	77128	012	2014/05/15	< .500	2015/05	
TETRACHLOROETHYLENE	34475	012	2014/05/15	< .500	2015/05	
TOLUENE	34010	012	2014/05/15	< .500	2015/05	

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910212**

**System Name: GSWC-SOUTH ARCADIA**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910212-006**

**Source Name: FARNA WELL 02**

**Source Number: 006**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED VOC**

TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/05/15	< .500	2015/05
TRICHLOROETHYLENE	39180	012	2014/05/15	. 1.300	2015/05
TRICHLOROFUOROMETHANE	34488	012	2014/05/15	< 5.000	2015/05
VINYL CHLORIDE	39175	012	2014/05/15	< .500	2015/05
XYLENES (TOTAL)	81551	012	2014/05/15	< .000	2015/05

**SECONDARY/GP**

BICARBONATE ALKALINITY	00440	036	2012/08/21	< 220.000	2015/08
CALCIUM	00916	036	2012/08/21	. 51.000	2015/08
CARBONATE ALKALINITY	00445	036	2012/08/21	< 2.400	2015/08
CHLORIDE	00940	036	2012/08/21	. 12.000	2015/08
COLOR	00081	036	2012/08/21	< 1.000	2015/08
COPPER	01042	036	2012/08/21	< 50.000	2015/08
FOAMING AGENTS (MBAS)	38260	036	2012/08/21	< .100	2015/08
HARDNESS (TOTAL) AS CaCO3	00900	036	2012/08/21	. 180.000	2015/08
HYDROXIDE ALKALINITY	71830	036	2012/08/21	< 1.400	2015/08
IRON	01045	036	2012/08/21	< 100.000	2015/08
MAGNESIUM	00927	036	2012/08/21	. 14.000	2015/08
MANGANESE	01055	036	2012/08/21	< 20.000	2015/08
ODOR THRESHOLD @ 60 C	00086	036	2012/08/21	< 1.000	2015/08
PH, LABORATORY	00403	036	2012/08/21	7.950	2015/08
SILVER	01077	036	2011/08/17	< .000	2014/08
SODIUM	00929	036	2012/08/21	16.000	2015/08
SPECIFIC CONDUCTANCE	00095	036	2012/08/21	. 440.000	2015/08
SULFATE	00945	036	2012/08/21	16.000	2015/08
TOTAL DISSOLVED SOLIDS	70300	036	2013/08/14	< 260.000	2016/08
TURBIDITY, LABORATORY	82079	036	2014/08/11	< .100	2017/08
ZINC	01092	036	2012/08/21	< 50.000	2015/08

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910212**

**System Name: GSWC-SOUTH ARCADIA**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910212-014**

**Source Name: JEFFRIES WELL 04**

**Source Number: 014**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

ALUMINUM	01105	036	2012/08/16	< 50.000	2015/08
ANTIMONY	01097	036	2012/08/16	< 6.000	2015/08
ARSENIC	01002	036	2012/08/16	< 2.000	2015/08
BARIUM	01007	036	2012/08/16	< 100.000	2015/08
BERYLLIUM	01012	036	2012/08/16	< 1.000	2015/08
CADMIUM	01027	036	2012/08/16	< 1.000	2015/08
CHROMIUM (TOTAL)	01034	036	2012/08/16	< 10.000	2015/08
CYANIDE	01291	036	2012/08/16	< 100.000	2015/08
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2012/08/21	.830	2015/08
MERCURY	71900	036	2012/08/16	< 1.000	2015/08
NICKEL	01067	036	2012/08/16	< 10.000	2015/08
PERCHLORATE	A-031	012	2013/08/14	< 4.000	2014/08
SELENIUM	01147	036	2012/08/16	< 5.000	2015/08
THALLIUM	01059	036	2012/08/16	< 1.000	2015/08

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	012	2013/08/14	< 3.200	2014/08
NITRITE (AS N)	00620	036	2012/08/16	< 400.000	2015/08

**RADIOLOGICAL**

<b>GROSS ALPHA</b>	01501	003	2006/08/31	.000	2006/11	<b>DUE</b>
<b>RADIUM 226</b>	09501	003	2006/08/31	.000	2006/11	<b>DUE</b>
<b>RADIUM 228</b>	11501	003	2006/08/31	.000	2006/11	<b>DUE</b>
<b>URANIUM (PCI/L)</b>	28012	003	2006/08/31	.000	2006/11	<b>DUE</b>

**REGULATED SOC**

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2013/05/15	< 3.000	2016/02
---------------------------	-------	-----	------------	---------	---------

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	012	2013/08/14	< .500	2014/08
1,1,2,2-TETRACHLOROETHANE	34516	012	2013/08/14	< .500	2014/08
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2013/08/14	< 10.000	2014/08

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910212**

**System Name: GSWC-SOUTH ARCADIA**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910212-014**

**Source Name: JEFFRIES WELL 04**

**Source Number: 014**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED VOC**

1,1,2-TRICHLOROETHANE	34511	012	2013/08/14	< .500	2014/08
1,1-DICHLOROETHANE	34496	012	2013/08/14	< .500	2014/08
1,1-DICHLOROETHYLENE	34501	012	2013/08/14	< .500	2014/08
1,2,4-TRICHLOROBENZENE	34551	012	2013/08/14	< .500	2014/08
1,2-DICHLOROBENZENE	34536	012	2013/08/14	< .500	2014/08
1,2-DICHLOROETHANE	34531	012	2013/08/14	< .500	2014/08
1,2-DICHLOROPROPANE	34541	012	2013/08/14	< .500	2014/08
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2013/08/14	< .500	2014/08
1,4-DICHLOROBENZENE	34571	012	2013/08/14	< .500	2014/08
BENZENE	34030	012	2013/08/14	< .500	2014/08
CARBON TETRACHLORIDE	32102	012	2013/08/14	< .500	2014/08
CIS-1,2-DICHLOROETHYLENE	77093	012	2013/08/14	< .500	2014/08
DICHLOROMETHANE	34423	012	2013/08/14	< .500	2014/08
ETHYLBENZENE	34371	012	2013/08/14	< .500	2014/08
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2013/08/14	< 3.000	2014/08
MONOCHLOROBENZENE	34301	012	2013/08/14	< .500	2014/08
STYRENE	77128	012	2013/08/14	< .500	2014/08
TETRACHLOROETHYLENE	34475	012	2013/08/14	< .500	2014/08
TOLUENE	34010	012	2013/08/14	< .500	2014/08
TRANS-1,2-DICHLOROETHYLENE	34546	012	2013/08/14	< .500	2014/08
TRICHLOROETHYLENE	39180	012	2013/08/14	< .500	2014/08
TRICHLOROFUOROMETHANE	34488	012	2013/08/14	< 5.000	2014/08
VINYL CHLORIDE	39175	012	2013/08/14	< .500	2014/08
XYLENES (TOTAL)	81551	012	2013/08/14	< .000	2014/08

**SECONDARY/GP**

BICARBONATE ALKALINITY	00440	036	2012/08/21	< 230.000	2015/08
CALCIUM	00916	036	2012/08/21	. 54.000	2015/08
CARBONATE ALKALINITY	00445	036	2012/08/21	< 2.400	2015/08
CHLORIDE	00940	036	2012/08/21	. 14.000	2015/08

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910212**

**System Name: GSWC-SOUTH ARCADIA**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910212-014**

**Source Name: JEFFRIES WELL 04**

**Source Number: 014**

**Source Status: ACTIVE RAW**

**Water type: G**

**SECONDARY/GP**

COLOR	00081	036	2012/08/21	< 1.000	2015/08
COPPER	01042	036	2012/08/21	< 50.000	2015/08
FOAMING AGENTS (MBAS)	38260	036	2012/08/21	< .100	2015/08
HARDNESS (TOTAL) AS CaCO3	00900	036	2012/08/21	. 200.000	2015/08
HYDROXIDE ALKALINITY	71830	036	2012/08/21	< 1.400	2015/08
IRON	01045	036	2012/08/21	< 100.000	2015/08
MAGNESIUM	00927	036	2012/08/21	. 16.000	2015/08
MANGANESE	01055	036	2012/08/21	< 20.000	2015/08
ODOR THRESHOLD @ 60 C	00086	036	2012/08/21	< 1.000	2015/08
PH, LABORATORY	00403	036	2012/08/21	8.000	2015/08
SILVER	01077	036	2012/08/16	< 10.000	2015/08
SODIUM	00929	036	2012/08/21	20.000	2015/08
SPECIFIC CONDUCTANCE	00095	036	2012/08/21	. 500.000	2015/08
SULFATE	00945	036	2012/08/21	25.000	2015/08
TOTAL DISSOLVED SOLIDS	70300	036	2013/08/14	< 260.000	2016/08
TURBIDITY, LABORATORY	82079	036	2014/08/11	< .100	2017/08
ZINC	01092	036	2012/08/21	< 50.000	2015/08

**PS Code: 1910212-015**

**Source Name: PERSIMMON WELL 01**

**Source Number: 015**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

ALUMINUM	01105	036	2012/08/16	< 50.000	2015/08
ANTIMONY	01097	036	2012/08/16	< 6.000	2015/08
ARSENIC	01002	036	2012/08/16	< 2.000	2015/08
BARIUM	01007	036	2012/08/16	< 100.000	2015/08
BERYLLIUM	01012	036	2012/08/16	< 1.000	2015/08

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910212**

**System Name: GSWC-SOUTH ARCADIA**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910212-015**

**Source Name: PERSIMMON WELL 01**

**Source Number: 015**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

CADMIUM	01027	036	2012/08/16	< 1.000	2015/08
CHROMIUM (TOTAL)	01034	036	2012/08/16	< 10.000	2015/08
CYANIDE	01291	036	2012/08/16	< 100.000	2015/08
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2012/08/21	.550	2015/08
MERCURY	71900	036	2012/08/16	< 1.000	2015/08
NICKEL	01067	036	2012/08/16	< 10.000	2015/08
PERCHLORATE	A-031	012	2013/08/28	< 4.000	2014/08
SELENIUM	01147	036	2012/08/16	< 5.000	2015/08
THALLIUM	01059	036	2012/08/16	< 1.000	2015/08

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	012	2014/05/15	. 14.000	2015/05
NITRITE (AS N)	00620	036	2012/08/16	< 400.000	2015/08

**RADIOLOGICAL**

GROSS ALPHA	01501	003	2014/05/15	< 3.000	2014/08
<b>RADIUM 226</b>	09501	003	<b>2005/05/17</b>	.000	<b>2005/08 DUE</b>
RADIUM 228	11501	003	2014/05/15	.001	2014/08
URANIUM (PCI/L)	28012	072	2011/05/12	. 2.900	2017/05

**REGULATED SOC**

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2013/05/15	< 3.000	2016/02
---------------------------	-------	-----	------------	---------	---------

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	012	2013/08/28	< .500	2014/08
1,1,2,2-TETRACHLOROETHANE	34516	012	2013/08/28	< .500	2014/08
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2013/08/28	< 10.000	2014/08
1,1,2-TRICHLOROETHANE	34511	012	2013/08/28	< .500	2014/08
1,1-DICHLOROETHANE	34496	012	2013/08/28	< .500	2014/08
1,1-DICHLOROETHYLENE	34501	012	2013/08/28	< .500	2014/08
1,2,4-TRICHLOROBENZENE	34551	012	2013/08/28	< .500	2014/08
1,2-DICHLOROBENZENE	34536	012	2013/08/28	< .500	2014/08

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)



**System Number: 1910212**

**System Name: GSWC-SOUTH ARCADIA**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910212-015**

**Source Name: PERSIMMON WELL 01**

**Source Number: 015**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED VOC**

1,2-DICHLOROETHANE	34531	012	2013/08/28	< .500	2014/08
1,2-DICHLOROPROPANE	34541	012	2013/08/28	< .500	2014/08
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2013/08/28	< .500	2014/08
1,4-DICHLOROBENZENE	34571	012	2013/08/28	< .500	2014/08
BENZENE	34030	012	2013/08/28	< .500	2014/08
CARBON TETRACHLORIDE	32102	012	2013/08/28	< .500	2014/08
CIS-1,2-DICHLOROETHYLENE	77093	012	2013/08/28	< .500	2014/08
DICHLOROMETHANE	34423	012	2013/08/28	< .500	2014/08
ETHYLBENZENE	34371	012	2013/08/28	< .500	2014/08
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2013/08/28	< 3.000	2014/08
MONOCHLOROBENZENE	34301	012	2013/08/28	< .500	2014/08
STYRENE	77128	012	2013/08/28	< .500	2014/08
TETRACHLOROETHYLENE	34475	012	2014/05/15	< .500	2015/05
TOLUENE	34010	012	2013/08/28	< .500	2014/08
TRANS-1,2-DICHLOROETHYLENE	34546	012	2013/08/28	< .500	2014/08
TRICHLOROETHYLENE	39180	012	2014/05/15	. 900	2015/05
TRICHLOROFLUOROMETHANE	34488	012	2013/08/28	< 5.000	2014/08
VINYL CHLORIDE	39175	012	2013/08/28	< .500	2014/08
XYLENES (TOTAL)	81551	012	2013/08/28	< .000	2014/08

**SECONDARY/GP**

BICARBONATE ALKALINITY	00440	036	2012/08/21	< 150.000	2015/08
CALCIUM	00916	036	2012/08/21	. 45.000	2015/08
CARBONATE ALKALINITY	00445	036	2012/08/21	< 2.400	2015/08
CHLORIDE	00940	036	2012/08/21	. 24.000	2015/08
COLOR	00081	036	2012/08/21	< 1.000	2015/08
COPPER	01042	036	2012/08/21	< 50.000	2015/08
FOAMING AGENTS (MBAS)	38260	036	2012/08/21	< .100	2015/08
HARDNESS (TOTAL) AS CaCO3	00900	036	2012/08/21	. 160.000	2015/08
HYDROXIDE ALKALINITY	71830	036	2012/08/21	< 1.400	2015/08

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910212**

**System Name: GSWC-SOUTH ARCADIA**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910212-015**

**Source Name: PERSIMMON WELL 01**

**Source Number: 015**

**Source Status: ACTIVE RAW**

**Water type: G**

**SECONDARY/GP**

IRON	01045	036	2012/08/21	< 100.000	2015/08
MAGNESIUM	00927	036	2012/08/21	. 11.000	2015/08
MANGANESE	01055	036	2012/08/21	< 20.000	2015/08
ODOR THRESHOLD @ 60 C	00086	036	2012/08/21	< 1.000	2015/08
PH, LABORATORY	00403	036	2012/08/21	7.980	2015/08
SILVER	01077	036	2012/08/16	< 10.000	2015/08
SODIUM	00929	036	2012/08/21	15.000	2015/08
SPECIFIC CONDUCTANCE	00095	036	2012/08/21	. 430.000	2015/08
SULFATE	00945	036	2012/08/21	42.000	2015/08
TOTAL DISSOLVED SOLIDS	70300	036	2013/08/28	< 290.000	2016/08
TURBIDITY, LABORATORY	82079	036	2012/08/21	< .100	2015/08
ZINC	01092	036	2012/08/21	< 50.000	2015/08

**PS Code: 1910212-016**

**Source Name: ENCINITA GAC VESSELS COMBINED EFFLUENT**

**Source Number: 016**

**Source Status: COMBINATION OR BLEND TREATED**

**Water type: G**

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	001	2014/08/11	. 10.000	2014/09
------------------	-------	-----	------------	----------	---------

**PS Code: 1910212-017**

**Source Name: ENCINITA GAC VESSEL 1 - FINAL EFFLUENT**

**Source Number: 017**

**Source Status: ACTIVE TREATED**

**Water type: G**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

\*Testing interval is in months;  
 0 = No data for this constituent and is DUE NOW  
 I = Invalid (NOT) valid analyses reported  
 Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910212**

**System Name: GSWC-SOUTH ARCADIA**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
<b>PS Code: 1910212-018</b>				
<b>Source Name: ENCINITA GAC VESSEL 2 - FINAL EFFLUENT</b>				
<b>Source Number: 018</b>				
<b>Source Status: ACTIVE TREATED</b>				
<b>Water type: G</b>				
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***				
	999			
<b>PS Code: 1910212-019</b>				
<b>Source Name: ENCINITA GAC VESSEL 3 - FINAL EFFLUENT</b>				
<b>Source Number: 019</b>				
<b>Source Status: ACTIVE TREATED</b>				
<b>Water type: G</b>				
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***				
	999			
<b>PS Code: 1910212-020</b>				
<b>Source Name: ENCINITA GAC VESSEL 1 - 3/4 PORT</b>				
<b>Source Number: 020</b>				
<b>Source Status: ACTIVE TREATED</b>				
<b>Water type: G</b>				
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***				
	999			
<b>PS Code: 1910212-021</b>				
<b>Source Name: ENCINITA GAC VESSEL 2 - 3/4 PORT</b>				
<b>Source Number: 021</b>				
<b>Source Status: ACTIVE TREATED</b>				
<b>Water type: G</b>				
<u>NITRATE/NITRITE</u>				
<b>NITRATE (AS NO3)</b>	<b>71850</b>	<b>001</b>	<b>2000/10/31</b>	<b>16.000</b>
			<b>2000/11</b>	<b>DUE</b>

\*Testing interval is in months;  
 0 = No data for this constituent and is DUE NOW  
 I = Invalid (NOT) valid analyses reported  
 Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910212**

**System Name: GSWC-SOUTH ARCADIA**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
<b>PS Code: 1910212-022</b>				
<b>Source Name: ENCINITA GAC VESSEL 3 - 3/4 PORT</b>				
<b>Source Number: 022</b>				
<b>Source Status: ACTIVE TREATED</b>				
<b>Water type: G</b>				
<b><u>NITRATE/NITRITE</u></b>				
<b>NITRATE (AS NO3)</b>	<b>71850</b>	<b>001</b>	<b>2005/08/09 . 14.000</b>	<b>2005/09 DUE</b>

**PS Code: 1910212-023**

**Source Name: ENCINITA GAC VESSEL 1 - 1/2 PORT**

**Source Number: 023**

**Source Status: ACTIVE TREATED**

**Water type: G**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\* 999

**PS Code: 1910212-024**

**Source Name: ENCINITA GAC VESSEL 2 - 1/2 PORT**

**Source Number: 024**

**Source Status: ACTIVE TREATED**

**Water type: G**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\* 999

**PS Code: 1910212-025**

**Source Name: ENCINITA GAC VESSEL 3 - 1/2 PORT**

**Source Number: 025**

**Source Status: ACTIVE TREATED**

**Water type: G**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\* 999

\*Testing interval is in months;  
 0 = No data for this constituent and is DUE NOW  
 I = Invalid (NOT) valid analyses reported  
 Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910212**

**System Name: GSWC-SOUTH ARCADIA**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

**PS Code: 1910212-026**

**Source Name: ENCINITA GAC VESSEL 4 - FINAL EFFLUENT**

**Source Number: 026**

**Source Status: ACTIVE TREATED**

**Water type: G**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

**PS Code: 1910212-027**

**Source Name: ENCINITA GAC VESSEL 5 - FINAL EFFLUENT**

**Source Number: 027**

**Source Status: ACTIVE TREATED**

**Water type: G**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

**PS Code: 1910212-028**

**Source Name: ENCINITA GAC VESSEL 6 - FINAL EFFLUENT**

**Source Number: 028**

**Source Status: ACTIVE TREATED**

**Water type: G**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

**PS Code: 1910212-029**

**Source Name: ENCINITA GAC VESSEL 4 - 3/4 PORT**

**Source Number: 029**

**Source Status: ACTIVE TREATED**

**Water type: G**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

\*Testing interval is in months;  
0 = No data for this constituent and is DUE NOW  
I = Invalid (NOT) valid analyses reported  
Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910212**

**System Name: GSWC-SOUTH ARCADIA**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

**PS Code: 1910212-030**

**Source Name: ENCINITA GAC VESSEL 5 - 3/4 PORT**

**Source Number: 030**

**Source Status: ACTIVE TREATED**

**Water type: G**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

**PS Code: 1910212-031**

**Source Name: ENCINITA GAC VESSEL 6 - 3/4 PORT**

**Source Number: 031**

**Source Status: ACTIVE TREATED**

**Water type: G**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

**PS Code: 1910212-032**

**Source Name: ENCINITA GAC VESSEL 4 - 1/2 PORT**

**Source Number: 032**

**Source Status: ACTIVE TREATED**

**Water type: G**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

**PS Code: 1910212-033**

**Source Name: ENCINITA GAC VESSEL 5 - 1/2 PORT**

**Source Number: 033**

**Source Status: ACTIVE TREATED**

**Water type: G**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

\*Testing interval is in months;  
0 = No data for this constituent and is DUE NOW  
I = Invalid (NOT) valid analyses reported  
Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910212**

**System Name: GSWC-SOUTH ARCADIA**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910212-034**

**Source Name: ENCINITA GAC VESSEL 6 - 1/2 PORT**

**Source Number: 034**

**Source Status: ACTIVE TREATED**

**Water type: G**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

**PS Code: 1910212-042**

**Source Name: CITY OF ARCADIA (LONGDON AVE SHORT ST)**

**Source Number: 042**

**Source Status: PURCHASED TREATED**

**Water type: S**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

**PS Code: 1910212-800**

**Source Name: SITE 1-4564 HALIFAX RD-STG2 DBP**

**Source Number: 800**

**Source Status: DISTRIBUTION TREATED**

**Water type: G**

**HALOACETIC ACIDS**

DIBROMOACETIC ACID (DBAA)	82721	003	2014/07/23	< 1.000	2014/10
DICHLOROACETIC ACID (DCAA)	77288	003	2014/07/23	< 1.000	2014/10
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/07/23	< .000	2014/10
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/07/23	< 1.000	2014/10
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/07/23	< 2.000	2014/10
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/07/23	< 1.000	2014/10

**STATE UCMR**

BROMODICHLORMETHANE (THM)	32101	003	2014/07/23	< 1.000	2014/10
BROMOFORM (THM)	32104	003	2014/07/23	< 1.000	2014/10
CHLOROFORM (THM)	32106	003	2014/07/23	< 1.000	2014/10
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/07/23	< 1.000	2014/10

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910212**

**System Name: GSWC-SOUTH ARCADIA**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910212-800**

**Source Name: SITE 1-4564 HALIFAX RD-STG2 DBP**

**Source Number: 800**

**Source Status: DISTRIBUTION TREATED**

**Water type: G**

**TRICHALOMETHANES**

TOTAL TRICHALOMETHANES	82080	003	2014/07/23	< .000	2014/10
------------------------	-------	-----	------------	--------	---------

**PS Code: 1910212-801**

**Source Name: SITE 2-2409 S GRAYDON AVE-STG2 DBP**

**Source Number: 801**

**Source Status: DISTRIBUTION TREATED**

**Water type: G**

**HALOACETIC ACIDS**

DIBROMOACETIC ACID (DBAA)	82721	003	2014/07/23	< 1.000	2014/10
DICHLOROACETIC ACID (DCAA)	77288	003	2014/07/23	< 1.000	2014/10
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/07/23	< .000	2014/10
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/07/23	< 1.000	2014/10
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/07/23	< 2.000	2014/10
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/07/23	< 1.000	2014/10

**STATE UCMR**

BROMODICHLORMETHANE (THM)	32101	003	2014/07/23	< 1.000	2014/10
BROMOFORM (THM)	32104	003	2014/07/23	< 1.000	2014/10
CHLOROFORM (THM)	32106	003	2014/07/23	< 1.000	2014/10
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/07/23	< 1.000	2014/10

**TRICHALOMETHANES**

TOTAL TRICHALOMETHANES	82080	003	2014/07/23	< .000	2014/10
------------------------	-------	-----	------------	--------	---------

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)



**System Number: 1910212**

**System Name: GSWC-SOUTH ARCADIA**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910212-802**

**Source Name: SITE 3-PECK RD X W AVORA ST-STG2 DBP**

**Source Number: 802**

**Source Status: DISTRIBUTION TREATED**

**Water type: G**

**HALOACETIC ACIDS**

DIBROMOACETIC ACID (DBAA)	82721	003	2014/07/23	< 1.000	2014/10
DICHLOROACETIC ACID (DCAA)	77288	003	2014/07/23	< 1.000	2014/10
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/07/23	< .000	2014/10
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/07/23	< 1.000	2014/10
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/07/23	< 2.000	2014/10
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/07/23	< 1.000	2014/10

**STATE UCMR**

BROMODICHLORMETHANE (THM)	32101	003	2014/07/23	< 1.000	2014/10
BROMOFORM (THM)	32104	003	2014/07/23	< 1.000	2014/10
CHLOROFORM (THM)	32106	003	2014/07/23	< 1.000	2014/10
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/07/23	< 1.000	2014/10

**TRIHALOMETHANES**

TOTAL TRIHALOMETHANES	82080	003	2014/07/23	. 2.200	2014/10
-----------------------	-------	-----	------------	---------	---------

**PS Code: 1910212-803**

**Source Name: SITE 4-3060 9TH AVE-STG2 DBP**

**Source Number: 803**

**Source Status: DISTRIBUTION TREATED**

**Water type: G**

**HALOACETIC ACIDS**

DIBROMOACETIC ACID (DBAA)	82721	003	2014/07/23	< 1.000	2014/10
DICHLOROACETIC ACID (DCAA)	77288	003	2014/07/23	< 1.000	2014/10
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/07/23	< .000	2014/10
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/07/23	< 1.000	2014/10
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/07/23	< 2.000	2014/10
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/07/23	< 1.000	2014/10

**STATE UCMR**

BROMODICHLORMETHANE (THM)	32101	003	2014/07/23	< 1.000	2014/10
---------------------------	-------	-----	------------	---------	---------

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910212**

**System Name: GSWC-SOUTH ARCADIA**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910212-803**

**Source Name: SITE 4-3060 9TH AVE-STG2 DBP**

**Source Number: 803**

**Source Status: DISTRIBUTION TREATED**

**Water type: G**

**STATE UCMR**

BROMOFORM (THM)	32104	003	2014/07/23	< 1.000	2014/10
CHLOROFORM (THM)	32106	003	2014/07/23	< 1.000	2014/10
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/07/23	. 1.300	2014/10

**TRIHALOMETHANES**

TOTAL TRIHALOMETHANES	82080	003	2014/07/23	. 3.700	2014/10
-----------------------	-------	-----	------------	---------	---------

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910218**

**System Name: LA HABRA HEIGHTS CWD**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910218-005**

**Source Name: WELL 08**

**Source Number: 005**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

ALUMINUM	01105	012	2013/07/16	< 50.000	2014/07
ANTIMONY	01097	012	2013/07/16	< 6.000	2014/07
ARSENIC	01002	012	2013/07/16	. 3.700	2014/07
BARIUM	01007	012	2013/07/16	< 100.000	2014/07
BERYLLIUM	01012	012	2013/07/16	< 1.000	2014/07
CADMIUM	01027	012	2013/07/16	< 1.000	2014/07
CHROMIUM (TOTAL)	01034	012	2013/07/16	< 10.000	2014/07
FLUORIDE (F) (NATURAL-SOURCE)	00951	012	2013/07/16	. .220	2014/07
LEAD	01051	012	2013/07/16	< 5.000	2014/07
MERCURY	71900	012	2013/07/16	< 1.000	2014/07
NICKEL	01067	012	2013/07/16	< 10.000	2014/07
PERCHLORATE	A-031	012	2014/01/08	< 4.000	2015/01
SELENIUM	01147	012	2013/07/16	< 5.000	2014/07
THALLIUM	01059	012	2013/07/16	< 1.000	2014/07

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	012	2013/07/16	. 9.000	2014/07
NITRITE (AS N)	00620	012	2013/07/16	< 400.000	2014/07

**RADIOLOGICAL**

<b>GROSS ALPHA</b>	01501	003	2013/12/02	. 2.650	2014/03	<b>DUE</b>
<b>RADIUM 226</b>	09501	003	2007/10/19	.210	2008/01	<b>DUE</b>
<b>RADIUM 228</b>	11501	003	2013/12/02	. .000	2014/03	<b>DUE</b>
<b>URANIUM (PCI/L)</b>	28012	003	2013/12/02	. 2.300	2014/03	<b>DUE</b>

**REGULATED SOC**

2,4-D	39730	033	2013/04/25	< 10.000	2016/01
ALACHLOR	77825	033	2013/04/25	< 1.000	2016/01
ATRAZINE	39033	033	2013/04/25	< .500	2016/01
BENTAZON	38710	033	2013/04/25	< 2.000	2016/01
DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2013/04/25	< 3.000	2016/01

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910218**

**System Name: LA HABRA HEIGHTS CWD**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910218-005**

**Source Name: WELL 08**

**Source Number: 005**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED SOC**

DINOSEB	81287	033	2013/04/25	< 2.000	2016/01
DIQUAT	78885	033	2013/04/25	< 4.000	2016/01
ENDOTHALL	38926	033	2013/04/25	< 45.000	2016/01
GLYPHOSATE	79743	033	2013/04/25	< 25.000	2016/01
PENTACHLOROPHENOL	39032	033	2013/04/25	< .200	2016/01
SIMAZINE	39055	033	2013/04/25	< 1.000	2016/01
TOXAPHENE	39400	033	2013/04/25	< 1.000	2016/01

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	012	2013/07/16	< .500	2014/07
1,1,2,2-TETRACHLOROETHANE	34516	012	2013/07/16	< .500	2014/07
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2013/07/16	< 10.000	2014/07
1,1,2-TRICHLOROETHANE	34511	012	2013/07/16	< .500	2014/07
1,1-DICHLOROETHANE	34496	012	2013/07/16	< .500	2014/07
1,1-DICHLOROETHYLENE	34501	012	2013/07/16	< .500	2014/07
1,2,4-TRICHLOROBENZENE	34551	012	2013/07/16	< .500	2014/07
1,2-DICHLOROBENZENE	34536	012	2013/07/16	< .500	2014/07
1,2-DICHLOROETHANE	34531	012	2013/07/16	< .500	2014/07
1,2-DICHLOROPROPANE	34541	012	2013/07/16	< .500	2014/07
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2013/07/16	< .500	2014/07
1,4-DICHLOROBENZENE	34571	012	2013/07/16	< .500	2014/07
BENZENE	34030	012	2013/07/16	< .500	2014/07
CARBON TETRACHLORIDE	32102	012	2013/07/16	< .500	2014/07
CIS-1,2-DICHLOROETHYLENE	77093	012	2013/07/16	< .500	2014/07
DICHLOROMETHANE	34423	012	2013/07/16	< .500	2014/07
ETHYLBENZENE	34371	012	2013/07/16	< .500	2014/07
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2013/07/16	< 3.000	2014/07
MONOCHLOROBENZENE	34301	012	2013/07/16	< .500	2014/07
STYRENE	77128	012	2013/07/16	< .500	2014/07
<b>TETRACHLOROETHYLENE</b>	34475	003	<b>2013/07/16</b>	< .500	<b>2013/10 DUE</b>

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910218**

**System Name: LA HABRA HEIGHTS CWD**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

**PS Code: 1910218-005**

**Source Name: WELL 08**

**Source Number: 005**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED VOC**

TOLUENE	34010	012	2013/07/16	< .500	2014/07
TRANS-1,2-DICHLOROETHYLENE	34546	012	2013/07/16	< .500	2014/07
TRICHLOROETHYLENE	39180	012	2013/07/16	< .500	2014/07
TRICHLOROFUOROMETHANE	34488	012	2013/07/16	< 5.000	2014/07
VINYL CHLORIDE	39175	012	2013/07/16	< .500	2014/07
XYLENES (TOTAL)	81551	012	2013/07/16	< 1.000	2014/07

**SECONDARY/GP**

BICARBONATE ALKALINITY	00440	036	2013/07/16	. 210.000	2016/07
CALCIUM	00916	036	2013/07/16	. 100.000	2016/07
CARBONATE ALKALINITY	00445	036	2013/07/16	< 2.400	2016/07
CHLORIDE	00940	036	2013/07/16	. 110.000	2016/07
COLOR	00081	036	2013/07/16	< 1.000	2016/07
COPPER	01042	036	2013/07/16	< 50.000	2016/07
FOAMING AGENTS (MBAS)	38260	036	2013/07/16	< .100	2016/07
HARDNESS (TOTAL) AS CaCO3	00900	036	2013/07/16	. 340.000	2016/07
HYDROXIDE ALKALINITY	71830	036	2013/07/16	< 1.400	2016/07
IRON	01045	036	2013/07/16	< 100.000	2016/07
MAGNESIUM	00927	036	2013/07/16	. 19.000	2016/07
MANGANESE	01055	036	2014/04/11	< 20.000	2017/04
ODOR THRESHOLD @ 60 C	00086	036	2013/07/16	< 1.000	2016/07
PH, LABORATORY	00403	036	2013/07/16	8.050	2016/07
SILVER	01077	036	2013/07/16	< 10.000	2016/07
SODIUM	00929	036	2013/07/16	65.000	2016/07
SPECIFIC CONDUCTANCE	00095	036	2013/07/16	. 920.000	2016/07
SULFATE	00945	036	2013/07/16	150.000	2016/07
TOTAL DISSOLVED SOLIDS	70300	036	2013/07/16	. 660.000	2016/07
TURBIDITY, LABORATORY	82079	036	2013/07/16	< .100	2016/07
ZINC	01092	036	2013/07/16	< 50.000	2016/07

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910218**

**System Name: LA HABRA HEIGHTS CWD**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910218-008**

**Source Name: MWD CONNECTION - TREATED**

**Source Number: 008**

**Source Status: PURCHASED TREATED**

**Water type: S**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

**PS Code: 1910218-009**

**Source Name: WELL 10**

**Source Number: 009**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

ALUMINUM	01105	036	2013/10/28	< 50.000	2016/10
ANTIMONY	01097	036	2013/10/28	< 6.000	2016/10
ARSENIC	01002	036	2013/10/28	. 2.500	2016/10
BARIUM	01007	036	2013/10/28	< 100.000	2016/10
BERYLLIUM	01012	036	2013/10/28	< 1.000	2016/10
CADMIUM	01027	036	2013/10/28	< 1.000	2016/10
CHROMIUM (TOTAL)	01034	036	2013/10/28	< 10.000	2016/10
CYANIDE	01291	036	2013/10/28	< 100.000	2016/10
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/10/28	. .260	2016/10
MERCURY	71900	036	2013/10/28	< 1.000	2016/10
NICKEL	01067	036	2013/10/28	< 10.000	2016/10
PERCHLORATE	A-031	012	2013/10/28	< 4.000	2014/10
SELENIUM	01147	036	2013/10/28	< 5.000	2016/10
THALLIUM	01059	036	2013/10/28	< 1.000	2016/10

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	012	2013/10/28	. 9.800	2014/10
NITRITE (AS N)	00620	036	2013/10/28	< 400.000	2016/10

**RADIOLOGICAL**

<b>GROSS ALPHA</b>	01501	003	<b>2009/05/08</b>	1.500	<b>2009/08</b>	<b>DUE</b>
<b>RADIUM 226</b>	09501	003	<b>2009/11/20</b>	.200	<b>2010/02</b>	<b>DUE</b>

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910218**

**System Name: LA HABRA HEIGHTS CWD**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910218-009**

**Source Name: WELL 10**

**Source Number: 009**

**Source Status: ACTIVE RAW**

**Water type: G**

**RADIOLOGICAL**

<b>RADIUM 228</b>	11501	003	2009/11/20	.290	2010/02	DUE
<b>URANIUM (PCI/L)</b>	28012	003	2008/08/22	3.100	2008/11	DUE

**REGULATED SOC**

2,4-D	39730	033	2012/07/24	< 10.000	2015/04
ALACHLOR	77825	033	2012/07/24	< 1.000	2015/04
ATRAZINE	39033	033	2012/07/24	< .500	2015/04
BENTAZON	38710	033	2012/07/24	< 2.000	2015/04
DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2012/07/24	< 3.000	2015/04
DINOSEB	81287	033	2012/07/24	< 2.000	2015/04
DIQUAT	78885	033	2012/07/24	< 4.000	2015/04
ENDOTHALL	38926	033	2012/07/24	< 45.000	2015/04
GLYPHOSATE	79743	033	2012/07/24	< 25.000	2015/04
PENTACHLOROPHENOL	39032	033	2012/07/24	< .200	2015/04
SIMAZINE	39055	033	2012/07/24	< 1.000	2015/04
TOXAPHENE	39400	033	2012/07/24	< 1.000	2015/04

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	012	2014/01/08	< .500	2015/01
1,1,2,2-TETRACHLOROETHANE	34516	012	2014/01/08	< .500	2015/01
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/01/08	< 10.000	2015/01
1,1,2-TRICHLOROETHANE	34511	012	2014/01/08	< .500	2015/01
1,1-DICHLOROETHANE	34496	012	2014/01/08	< .500	2015/01
1,1-DICHLOROETHYLENE	34501	012	2014/01/08	< .500	2015/01
1,2,4-TRICHLOROBENZENE	34551	012	2014/01/08	< .500	2015/01
1,2-DICHLOROBENZENE	34536	012	2014/01/08	< .500	2015/01
1,2-DICHLOROETHANE	34531	012	2014/01/08	< .500	2015/01
1,2-DICHLOROPROPANE	34541	012	2014/01/08	< .500	2015/01
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/01/08	< .500	2015/01
1,4-DICHLOROBENZENE	34571	012	2014/01/08	< .500	2015/01
BENZENE	34030	012	2014/01/08	< .500	2015/01

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910218**

**System Name: LA HABRA HEIGHTS CWD**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910218-009**

**Source Name: WELL 10**

**Source Number: 009**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED VOC**

CARBON TETRACHLORIDE	32102	012	2014/01/08	< .500	2015/01
CIS-1,2-DICHLOROETHYLENE	77093	012	2014/01/08	< .500	2015/01
DICHLOROMETHANE	34423	012	2014/01/08	< .500	2015/01
ETHYLBENZENE	34371	012	2014/01/08	< .500	2015/01
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/01/08	< 3.000	2015/01
MONOCHLOROENZENE	34301	012	2014/01/08	< .500	2015/01
STYRENE	77128	012	2014/01/08	< .500	2015/01
TETRACHLOROETHYLENE	34475	012	2014/01/08	< .500	2015/01
TOLUENE	34010	012	2014/01/08	< .500	2015/01
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/01/08	< .500	2015/01
TRICHLOROETHYLENE	39180	012	2014/01/08	< .500	2015/01
TRICHLOROFLUOROMETHANE	34488	012	2014/01/08	< 5.000	2015/01
VINYL CHLORIDE	39175	012	2014/01/08	< .500	2015/01
XYLENES (TOTAL)	81551	012	2014/01/08	< .000	2015/01

**SECONDARY/GP**

BICARBONATE ALKALINITY	00440	036	2013/10/28	. 260.000	2016/10
CALCIUM	00916	036	2013/10/28	. 99.000	2016/10
CARBONATE ALKALINITY	00445	036	2013/10/28	< 2.400	2016/10
CHLORIDE	00940	036	2013/10/28	. 91.000	2016/10
COLOR	00081	036	2013/10/28	< 1.000	2016/10
COPPER	01042	036	2013/10/28	< 50.000	2016/10
FOAMING AGENTS (MBAS)	38260	036	2013/10/28	< .100	2016/10
HARDNESS (TOTAL) AS CaCO3	00900	036	2013/10/28	. 320.000	2016/10
HYDROXIDE ALKALINITY	71830	036	2013/10/28	< 1.400	2016/10
IRON	01045	036	2013/10/28	< 100.000	2016/10
MAGNESIUM	00927	036	2013/10/28	. 19.000	2016/10
MANGANESE	01055	036	2013/10/28	< 20.000	2016/10
ODOR THRESHOLD @ 60 C	00086	036	2013/10/28	< 1.000	2016/10
PH, LABORATORY	00403	036	2013/10/28	. 7.500	2016/10

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)



**System Number: 1910218**

**System Name: LA HABRA HEIGHTS CWD**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910218-009**

**Source Name: WELL 10**

**Source Number: 009**

**Source Status: ACTIVE RAW**

**Water type: G**

**SECONDARY/GP**

SILVER	01077	036	2013/10/28	< 10.000	2016/10
SODIUM	00929	036	2013/10/28	59.000	2016/10
SPECIFIC CONDUCTANCE	00095	036	2013/10/28	. 880.000	2016/10
SULFATE	00945	036	2013/10/28	150.000	2016/10
TOTAL DISSOLVED SOLIDS	70300	036	2013/10/28	. 620.000	2016/10
TURBIDITY, LABORATORY	82079	036	2013/10/28	< .100	2016/10
ZINC	01092	036	2013/10/28	< 50.000	2016/10

**PS Code: 1910218-010**

**Source Name: WELL 11**

**Source Number: 010**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

ALUMINUM	01105	036	2014/04/11	< 50.000	2017/04
ANTIMONY	01097	036	2014/04/11	< 6.000	2017/04
ARSENIC	01002	036	2014/04/11	. 2.600	2017/04
BARIUM	01007	036	2014/04/11	< 100.000	2017/04
BERYLLIUM	01012	036	2014/04/11	< 1.000	2017/04
CADMIUM	01027	036	2014/04/11	< 1.000	2017/04
CHROMIUM (TOTAL)	01034	036	2014/04/11	< 10.000	2017/04
CYANIDE	01291	036	2014/04/11	< 100.000	2017/04
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/04/11	. .260	2017/04
MERCURY	71900	036	2014/04/11	< 1.000	2017/04
NICKEL	01067	036	2014/04/11	< 10.000	2017/04
PERCHLORATE	A-031	012	2013/10/28	< 4.000	2014/10
SELENIUM	01147	036	2014/04/11	< 5.000	2017/04
THALLIUM	01059	036	2014/04/11	< 1.000	2017/04

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910218**

**System Name: LA HABRA HEIGHTS CWD**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910218-010**

**Source Name: WELL 11**

**Source Number: 010**

**Source Status: ACTIVE RAW**

**Water type: G**

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	012	2014/04/11	. 13.000	2015/04
NITRITE (AS N)	00620	036	2014/04/11	< 400.000	2017/04

**RADIOLOGICAL**

<b>GROSS ALPHA</b>	01501	003	<b>2014/01/30</b>	. 4.050	<b>2014/04 DUE</b>
--------------------	-------	-----	-------------------	---------	--------------------

**REGULATED SOC**

2,4-D	39730	033	2012/07/24	< 10.000	2015/04
ALACHLOR	77825	033	2012/07/24	< 1.000	2015/04
ATRAZINE	39033	033	2012/07/24	< .500	2015/04
BENTAZON	38710	033	2012/07/24	< 2.000	2015/04
DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2012/07/24	< 3.000	2015/04
DINOSEB	81287	033	2012/07/24	< 2.000	2015/04
DIQUAT	78885	033	2012/07/24	< 4.000	2015/04
ENDOTHALL	38926	033	2012/07/24	< 45.000	2015/04
GLYPHOSATE	79743	033	2012/07/24	< 25.000	2015/04
PENTACHLOROPHENOL	39032	033	2012/07/24	< .200	2015/04
SIMAZINE	39055	033	2012/07/24	< 1.000	2015/04
TOXAPHENE	39400	033	2012/07/24	< 1.000	2015/04

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	012	2014/04/11	< .500	2015/04
1,1,2,2-TETRACHLOROETHANE	34516	012	2014/04/11	< .500	2015/04
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/04/11	< 10.000	2015/04
1,1,2-TRICHLOROETHANE	34511	012	2014/04/11	< .500	2015/04
1,1-DICHLOROETHANE	34496	012	2014/04/11	< .500	2015/04
1,1-DICHLOROETHYLENE	34501	012	2014/04/11	< .500	2015/04
1,2,4-TRICHLOROBENZENE	34551	012	2014/04/11	< .500	2015/04
1,2-DICHLOROBENZENE	34536	012	2014/04/11	< .500	2015/04
1,2-DICHLOROETHANE	34531	012	2014/04/11	< .500	2015/04
1,2-DICHLOROPROPANE	34541	012	2014/04/11	< .500	2015/04

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910218**

**System Name: LA HABRA HEIGHTS CWD**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910218-010**

**Source Name: WELL 11**

**Source Number: 010**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED VOC**

1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/04/11	< .500	2015/04
1,4-DICHLOROBENZENE	34571	012	2014/04/11	< .500	2015/04
BENZENE	34030	012	2014/04/11	< .500	2015/04
CARBON TETRACHLORIDE	32102	012	2014/04/11	< .500	2015/04
CIS-1,2-DICHLOROETHYLENE	77093	012	2014/04/11	< .500	2015/04
DICHLOROMETHANE	34423	012	2014/04/11	< .500	2015/04
ETHYLBENZENE	34371	012	2014/04/11	< .500	2015/04
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/04/11	< 3.000	2015/04
MONOCHLOROBENZENE	34301	012	2014/04/11	< .500	2015/04
STYRENE	77128	012	2014/04/11	< .500	2015/04
TETRACHLOROETHYLENE	34475	012	2014/04/11	< .500	2015/04
TOLUENE	34010	012	2014/04/11	< .500	2015/04
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/04/11	< .500	2015/04
TRICHLOROETHYLENE	39180	012	2014/04/11	< .500	2015/04
TRICHLOROFUOROMETHANE	34488	012	2014/04/11	< 5.000	2015/04
VINYL CHLORIDE	39175	012	2014/04/11	< .500	2015/04
XYLENES (TOTAL)	81551	012	2014/04/11	< .000	2015/04

**SECONDARY/GP**

BICARBONATE ALKALINITY	00440	036	2014/04/11	. 230.000	2017/04
CALCIUM	00916	036	2014/04/11	. 91.000	2017/04
CARBONATE ALKALINITY	00445	036	2014/04/11	< .000	2017/04
CHLORIDE	00940	036	2014/04/11	. 98.000	2017/04
COLOR	00081	036	2014/04/11	< .000	2017/04
COPPER	01042	036	2014/04/11	< 50.000	2017/04
FOAMING AGENTS (MBAS)	38260	036	2014/04/11	< .000	2017/04
HARDNESS (TOTAL) AS CaCO3	00900	036	2014/04/11	. 300.000	2017/04
HYDROXIDE ALKALINITY	71830	036	2014/04/11	< .000	2017/04
IRON	01045	036	2014/04/11	< 100.000	2017/04
MAGNESIUM	00927	036	2014/04/11	. 17.000	2017/04

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910218**

**System Name: LA HABRA HEIGHTS CWD**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910218-010**

**Source Name: WELL 11**

**Source Number: 010**

**Source Status: ACTIVE RAW**

**Water type: G**

**SECONDARY/GP**

MANGANESE	01055	036	2014/04/11	< 20.000	2017/04
ODOR THRESHOLD @ 60 C	00086	036	2014/04/11	. 1.000	2017/04
PH, LABORATORY	00403	036	2014/04/11	. 7.760	2017/04
SILVER	01077	036	2014/04/11	< 10.000	2017/04
SODIUM	00929	036	2014/04/11	. 67.000	2017/04
SPECIFIC CONDUCTANCE	00095	036	2014/04/11	. 910.000	2017/04
SULFATE	00945	036	2014/04/11	. 150.000	2017/04
TOTAL DISSOLVED SOLIDS	70300	036	2014/04/11	. 580.000	2017/04
TURBIDITY, LABORATORY	82079	036	2014/04/11	< .000	2017/04
ZINC	01092	036	2014/04/11	< 50.000	2017/04

**PS Code: 1910218-800**

**Source Name: SITE 1-2400 FULLERTON ROAD-STG2 DBP**

**Source Number: 800**

**Source Status: DISTRIBUTION TREATED**

**Water type: S**

**HALOACETIC ACIDS**

DIBROMOACETIC ACID (DBAA)	82721	003	2014/06/05	. 5.000	2014/09
DICHLOROACETIC ACID (DCAA)	77288	003	2014/06/05	< .000	2014/09
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/06/05	. 5.000	2014/09
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/06/05	< .000	2014/09
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/06/05	< .000	2014/09
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/06/05	< .000	2014/09

**STATE UCMR**

BROMODICHLORMETHANE (THM)	32101	003	2014/06/05	. 3.600	2014/09
BROMOFORM (THM)	32104	003	2014/06/05	. 12.100	2014/09
CHLOROFORM (THM)	32106	003	2014/06/05	. 1.400	2014/09
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/06/05	. 9.300	2014/09

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910218**

**System Name: LA HABRA HEIGHTS CWD**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910218-800**

**Source Name: SITE 1-2400 FULLERTON ROAD-STG2 DBP**

**Source Number: 800**

**Source Status: DISTRIBUTION TREATED**

**Water type: S**

**TRihalOMETHANES**

TOTAL TRIHALOMETHANES	82080	003	2014/06/05	. 26.400	2014/09
-----------------------	-------	-----	------------	----------	---------

**PS Code: 1910218-801**

**Source Name: SITE 2-1424 BELLA VISTA DRIVE-STG2 DBP**

**Source Number: 801**

**Source Status: DISTRIBUTION TREATED**

**Water type: S**

**HALOACETIC ACIDS**

DIBROMOACETIC ACID (DBAA)	82721	003	2014/06/05	. 2.500	2014/09
DICHLOROACETIC ACID (DCAA)	77288	003	2014/06/05	< .000	2014/09
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/06/05	. 2.500	2014/09
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/06/05	< .000	2014/09
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/06/05	< .000	2014/09
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/06/05	< .000	2014/09

**STATE UCMR**

BROMODICHLORMETHANE (THM)	32101	003	2014/06/05	. 1.400	2014/09
BROMOFORM (THM)	32104	003	2014/06/05	. 3.500	2014/09
CHLOROFORM (THM)	32106	003	2014/06/05	< .000	2014/09
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/06/05	. 3.600	2014/09

**TRihalOMETHANES**

TOTAL TRIHALOMETHANES	82080	003	2014/06/05	. 8.500	2014/09
-----------------------	-------	-----	------------	---------	---------

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910223**

**System Name: GSWC-SOUTH SAN GABRIEL**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910223-004**

**Source Name: SAN GABRIEL WELL 01 - ACTIVE**

**Source Number: 004**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

ALUMINUM	01105	036	2013/08/14	< 50.000	2016/08
ANTIMONY	01097	036	2013/08/14	< 6.000	2016/08
ARSENIC	01002	036	2013/08/14	< 2.000	2016/08
BARIUM	01007	036	2013/08/14	< 100.000	2016/08
BERYLLIUM	01012	036	2013/08/14	< 1.000	2016/08
CADMIUM	01027	036	2013/08/14	< 1.000	2016/08
CHROMIUM (TOTAL)	01034	036	2013/08/14	< 10.000	2016/08
CYANIDE	01291	036	2013/08/14	< 100.000	2016/08
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/08/19	.690	2016/08
MERCURY	71900	036	2013/08/19	< 1.000	2016/08
NICKEL	01067	036	2013/08/14	< 10.000	2016/08
PERCHLORATE	A-031	012	2014/08/11	< 4.000	2015/08
SELENIUM	01147	036	2013/08/14	< 5.000	2016/08
THALLIUM	01059	036	2013/08/14	< 1.000	2016/08

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	012	2014/08/11	. 11.000	2015/08
NITRITE (AS N)	00620	036	2013/08/14	< 400.000	2016/08

**RADIOLOGICAL**

GROSS ALPHA	01501	072	2011/06/21	< .000	2017/06
<b>RADIUM 226</b>	09501	108	<b>2005/05/17</b>	. .000	<b>2014/05 DUE</b>
RADIUM 228	11501	108	2014/05/15	. .000	2023/05
URANIUM (PCI/L)	28012	072	2011/06/21	. 1.900	2017/06

**REGULATED SOC**

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2013/05/15	< 3.000	2016/02
---------------------------	-------	-----	------------	---------	---------

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	001	2014/08/11	< .500	2014/09
1,1,2,2-TETRACHLOROETHANE	34516	001	2014/08/11	< .500	2014/09
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	001	2014/08/11	< 10.000	2014/09

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910223**

**System Name: GSWC-SOUTH SAN GABRIEL**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910223-004**

**Source Name: SAN GABRIEL WELL 01 - ACTIVE**

**Source Number: 004**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED VOC**

1,1,2-TRICHLOROETHANE	34511	001	2014/08/11	< .500	2014/09
1,1-DICHLOROETHANE	34496	001	2014/08/11	< .500	2014/09
1,1-DICHLOROETHYLENE	34501	001	2014/08/11	< .500	2014/09
1,2,4-TRICHLOROBENZENE	34551	001	2014/08/11	< .500	2014/09
1,2-DICHLOROBENZENE	34536	001	2014/08/11	< .500	2014/09
1,2-DICHLOROETHANE	34531	001	2014/08/11	< .500	2014/09
1,2-DICHLOROPROPANE	34541	001	2014/08/11	< .500	2014/09
1,3-DICHLOROPROPENE (TOTAL)	34561	001	2014/08/11	< .500	2014/09
1,4-DICHLOROBENZENE	34571	001	2014/08/11	< .500	2014/09
BENZENE	34030	001	2014/08/11	< .500	2014/09
CARBON TETRACHLORIDE	32102	001	2014/08/11	< .500	2014/09
CIS-1,2-DICHLOROETHYLENE	77093	001	2014/08/11	< .500	2014/09
DICHLOROMETHANE	34423	001	2014/08/11	< .500	2014/09
ETHYLBENZENE	34371	001	2014/08/11	< .500	2014/09
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	001	2014/08/11	< 3.000	2014/09
MONOCHLOROBENZENE	34301	001	2014/08/11	< .500	2014/09
STYRENE	77128	001	2014/08/11	< .500	2014/09
TETRACHLOROETHYLENE	34475	001	2014/08/11	. 7.400	2014/09
TOLUENE	34010	001	2014/08/11	< .500	2014/09
TRANS-1,2-DICHLOROETHYLENE	34546	001	2014/08/11	< .500	2014/09
TRICHLOROETHYLENE	39180	001	2014/08/11	. .580	2014/09
TRICHLOROFUOROMETHANE	34488	001	2014/08/11	< 5.000	2014/09
VINYL CHLORIDE	39175	001	2014/08/11	< .500	2014/09
XYLENES (TOTAL)	81551	001	2014/08/11	< 1.000	2014/09

**SECONDARY/GP**

BICARBONATE ALKALINITY	00440	036	2013/08/19	. 190.000	2016/08
CALCIUM	00916	036	2013/08/19	. 46.000	2016/08
CARBONATE ALKALINITY	00445	036	2013/08/19	.000	2016/08
CHLORIDE	00940	036	2013/08/19	. 20.000	2016/08

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910223**

**System Name: GSWC-SOUTH SAN GABRIEL**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910223-004**

**Source Name: SAN GABRIEL WELL 01 - ACTIVE**

**Source Number: 004**

**Source Status: ACTIVE RAW**

**Water type: G**

**SECONDARY/GP**

COLOR	00081	036	2013/08/19	< 1.000	2016/08
COPPER	01042	036	2013/08/19	< 50.000	2016/08
FOAMING AGENTS (MBAS)	38260	036	2013/08/19	< .100	2016/08
HARDNESS (TOTAL) AS CaCO3	00900	036	2013/08/19	. 180.000	2016/08
HYDROXIDE ALKALINITY	71830	036	2013/08/19	. .000	2016/08
IRON	01045	036	2013/08/19	< 100.000	2016/08
MAGNESIUM	00927	036	2013/08/19	. 15.000	2016/08
MANGANESE	01055	036	2013/08/19	< 20.000	2016/08
ODOR THRESHOLD @ 60 C	00086	036	2013/08/19	< 1.000	2016/08
PH, LABORATORY	00403	036	2013/08/19	. 7.780	2016/08
SILVER	01077	036	2013/08/14	< 10.000	2016/08
SODIUM	00929	036	2013/08/19	31.000	2016/08
SPECIFIC CONDUCTANCE	00095	036	2013/08/19	. 470.000	2016/08
SULFATE	00945	036	2013/08/19	40.000	2016/08
TOTAL DISSOLVED SOLIDS	70300	036	2013/08/19	. 320.000	2016/08
TURBIDITY, LABORATORY	82079	036	2014/08/11	< .100	2017/08
ZINC	01092	036	2013/08/19	< 50.000	2016/08

**PS Code: 1910223-005**

**Source Name: SAN GABRIEL WELL 02 - ACTIVE**

**Source Number: 005**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

ALUMINUM	01105	036	2012/09/20	< 50.000	2015/09
ANTIMONY	01097	036	2012/09/20	< 6.000	2015/09
ARSENIC	01002	036	2012/09/20	< 2.000	2015/09
BARIUM	01007	036	2012/09/20	< 100.000	2015/09
BERYLLIUM	01012	036	2012/09/20	< 1.000	2015/09

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)



**System Number: 1910223**

**System Name: GSWC-SOUTH SAN GABRIEL**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910223-005**

**Source Name: SAN GABRIEL WELL 02 - ACTIVE**

**Source Number: 005**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

CADMIUM	01027	036	2012/09/20	< 1.000	2015/09
CHROMIUM (TOTAL)	01034	036	2012/09/20	< 10.000	2015/09
CYANIDE	01291	036	2012/09/20	< 100.000	2015/09
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2012/09/20	.540	2015/09
MERCURY	71900	036	2012/09/20	< 1.000	2015/09
NICKEL	01067	036	2012/09/20	< 10.000	2015/09
PERCHLORATE	A-031	012	2014/08/11	< 4.000	2015/08
SELENIUM	01147	036	2012/09/20	< 5.000	2015/09
THALLIUM	01059	036	2012/09/20	< 1.000	2015/09

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	003	2014/08/11	. 37.000	2014/11
NITRITE (AS N)	00620	036	2012/09/20	< 400.000	2015/09

**RADIOLOGICAL**

<b>GROSS ALPHA</b>	01501	003	2013/05/15	< 3.000	2013/08	<b>DUE</b>
<b>RADIUM 226</b>	09501	003	2005/10/31	. .000	2006/01	<b>DUE</b>
<b>RADIUM 228</b>	11501	003	2013/05/15	. .000	2013/08	<b>DUE</b>
<b>URANIUM (PCI/L)</b>	28012	003	2013/05/15	. 2.000	2013/08	<b>DUE</b>

**REGULATED SOC**

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2013/05/15	< 3.000	2016/02
---------------------------	-------	-----	------------	---------	---------

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	012	2014/08/11	< .500	2015/08
1,1,2,2-TETRACHLOROETHANE	34516	012	2014/08/11	< .500	2015/08
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/08/11	< 10.000	2015/08
1,1,2-TRICHLOROETHANE	34511	012	2014/08/11	< .500	2015/08
1,1-DICHLOROETHANE	34496	012	2014/08/11	< .500	2015/08
1,1-DICHLOROETHYLENE	34501	012	2014/08/11	< .500	2015/08
1,2,4-TRICHLOROBENZENE	34551	012	2014/08/11	< .500	2015/08
1,2-DICHLOROBENZENE	34536	012	2014/08/11	< .500	2015/08

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910223**

**System Name: GSWC-SOUTH SAN GABRIEL**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910223-005**

**Source Name: SAN GABRIEL WELL 02 - ACTIVE**

**Source Number: 005**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED VOC**

1,2-DICHLOROETHANE	34531	012	2014/08/11	< .500	2015/08
1,2-DICHLOROPROPANE	34541	012	2014/08/11	< .500	2015/08
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/08/11	< .500	2015/08
1,4-DICHLOROBENZENE	34571	012	2014/08/11	< .500	2015/08
BENZENE	34030	012	2014/08/11	< .500	2015/08
CARBON TETRACHLORIDE	32102	012	2014/08/11	< .500	2015/08
CIS-1,2-DICHLOROETHYLENE	77093	012	2014/08/11	< .500	2015/08
DICHLOROMETHANE	34423	012	2014/08/11	< .500	2015/08
ETHYLBENZENE	34371	012	2014/08/11	< .500	2015/08
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/08/11	< 3.000	2015/08
MONOCHLOROENZENE	34301	012	2014/08/11	< .500	2015/08
STYRENE	77128	012	2014/08/11	< .500	2015/08
TETRACHLOROETHYLENE	34475	001	2014/08/11	. 1.400	2014/09
TOLUENE	34010	012	2014/08/11	< .500	2015/08
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/08/11	< .500	2015/08
TRICHLOROETHYLENE	39180	001	2014/08/11	< .500	2014/09
TRICHLOROFLUOROMETHANE	34488	012	2014/08/11	< 5.000	2015/08
VINYL CHLORIDE	39175	012	2014/08/11	< .500	2015/08
XYLENES (TOTAL)	81551	012	2014/08/11	< 1.000	2015/08

**SECONDARY/GP**

BICARBONATE ALKALINITY	00440	036	2012/07/05	. 160.000	2015/07
CALCIUM	00916	036	2012/07/05	. 43.000	2015/07
CARBONATE ALKALINITY	00445	036	2012/07/05	< 4.000	2015/07
CHLORIDE	00940	036	2012/07/05	. 21.000	2015/07
COLOR	00081	036	2012/07/05	< 1.000	2015/07
COPPER	01042	036	2012/07/05	< 50.000	2015/07
FOAMING AGENTS (MBAS)	38260	036	2012/07/05	< .100	2015/07
HARDNESS (TOTAL) AS CaCO3	00900	036	2012/07/05	. 170.000	2015/07
HYDROXIDE ALKALINITY	71830	036	2012/07/05	< 4.000	2015/07

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910223**

**System Name: GSWC-SOUTH SAN GABRIEL**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910223-005**

**Source Name: SAN GABRIEL WELL 02 - ACTIVE**

**Source Number: 005**

**Source Status: ACTIVE RAW**

**Water type: G**

**SECONDARY/GP**

IRON	01045	036	2012/07/05	< 100.000	2015/07
MAGNESIUM	00927	036	2012/07/05	. 15.000	2015/07
MANGANESE	01055	036	2012/07/05	< 20.000	2015/07
ODOR THRESHOLD @ 60 C	00086	036	2012/07/05	< 1.000	2015/07
PH, LABORATORY	00403	036	2012/07/05	. 7.690	2015/07
SILVER	01077	036	2012/09/20	< 10.000	2015/09
SODIUM	00929	036	2012/07/05	35.000	2015/07
SPECIFIC CONDUCTANCE	00095	036	2012/07/05	. 480.000	2015/07
SULFATE	00945	036	2012/07/05	32.000	2015/07
TOTAL DISSOLVED SOLIDS	70300	036	2012/07/05	. 300.000	2015/07
TURBIDITY, LABORATORY	82079	036	2014/08/11	< .100	2017/08
ZINC	01092	036	2012/07/05	< 50.000	2015/07

**PS Code: 1910223-008**

**Source Name: SAXON WELL 03 - ACTIVE**

**Source Number: 008**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

ALUMINUM	01105	036	2013/08/14	< 50.000	2016/08
ANTIMONY	01097	036	2013/08/14	< 6.000	2016/08
ARSENIC	01002	036	2013/08/14	< 2.000	2016/08
BARIUM	01007	036	2013/08/14	< 100.000	2016/08
BERYLLIUM	01012	036	2013/08/14	< 1.000	2016/08
CADMIUM	01027	036	2013/08/14	< 1.000	2016/08
CHROMIUM (TOTAL)	01034	036	2013/08/14	< 10.000	2016/08
CYANIDE	01291	036	2013/08/14	< 100.000	2016/08
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/08/14	< .660	2016/08
MERCURY	71900	036	2013/08/14	< 1.000	2016/08

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910223**

**System Name: GSWC-SOUTH SAN GABRIEL**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910223-008**

**Source Name: SAXON WELL 03 - ACTIVE**

**Source Number: 008**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

NICKEL	01067	036	2013/08/14	< 10.000	2016/08
PERCHLORATE	A-031	012	2013/08/14	< 4.000	2014/08
SELENIUM	01147	036	2013/08/14	< 5.000	2016/08
THALLIUM	01059	036	2013/08/14	< 1.000	2016/08

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	012	2013/08/14	< 2.500	2014/08
NITRITE (AS N)	00620	036	2013/08/14	< 400.000	2016/08

**RADIOLOGICAL**

<b>GROSS ALPHA</b>	01501	003	2006/05/17	.000	2006/08	<b>DUE</b>
<b>RADIUM 226</b>	09501	003	2006/05/17	.000	2006/08	<b>DUE</b>
<b>RADIUM 228</b>	11501	003	2006/05/17	.000	2006/08	<b>DUE</b>
<b>URANIUM (PCI/L)</b>	28012	003	2006/05/17	.000	2006/08	<b>DUE</b>

**REGULATED SOC**

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2013/05/15	< 3.000	2016/02
---------------------------	-------	-----	------------	---------	---------

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	012	2013/08/14	< .500	2014/08
1,1,2,2-TETRACHLOROETHANE	34516	012	2013/08/14	< .500	2014/08
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2013/08/14	< 10.000	2014/08
1,1,2-TRICHLOROETHANE	34511	012	2013/08/14	< .500	2014/08
1,1-DICHLOROETHANE	34496	012	2013/08/14	< .500	2014/08
1,1-DICHLOROETHYLENE	34501	012	2013/08/14	< .500	2014/08
1,2,4-TRICHLOROBENZENE	34551	012	2013/08/14	< .500	2014/08
1,2-DICHLOROBENZENE	34536	012	2013/08/14	< .500	2014/08
1,2-DICHLOROETHANE	34531	012	2013/08/14	< .500	2014/08
1,2-DICHLOROPROPANE	34541	012	2013/08/14	< .500	2014/08
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2013/08/14	< .500	2014/08
1,4-DICHLOROBENZENE	34571	012	2013/08/14	< .500	2014/08
BENZENE	34030	012	2013/08/14	< .500	2014/08

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910223**

**System Name: GSWC-SOUTH SAN GABRIEL**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910223-008**

**Source Name: SAXON WELL 03 - ACTIVE**

**Source Number: 008**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED VOC**

CARBON TETRACHLORIDE	32102	012	2013/08/14	< .500	2014/08
CIS-1,2-DICHLOROETHYLENE	77093	012	2013/08/14	< .500	2014/08
DICHLOROMETHANE	34423	012	2013/08/14	< .500	2014/08
ETHYLBENZENE	34371	012	2013/08/14	< .500	2014/08
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2013/08/14	< 3.000	2014/08
MONOCHLOROENZENE	34301	012	2013/08/14	< .500	2014/08
STYRENE	77128	012	2013/08/14	< .500	2014/08
TETRACHLOROETHYLENE	34475	012	2013/08/14	< .500	2014/08
TOLUENE	34010	012	2013/08/14	< .500	2014/08
TRANS-1,2-DICHLOROETHYLENE	34546	012	2013/08/14	< .500	2014/08
TRICHLOROETHYLENE	39180	012	2013/08/14	< .500	2014/08
TRICHLOROFLUOROMETHANE	34488	012	2013/08/14	< 5.000	2014/08
VINYL CHLORIDE	39175	012	2013/08/14	< .500	2014/08
XYLENES (TOTAL)	81551	012	2013/08/14	< .000	2014/08

**SECONDARY/GP**

BICARBONATE ALKALINITY	00440	036	2012/08/21	. 140.000	2015/08
CALCIUM	00916	036	2012/08/21	. 26.000	2015/08
CARBONATE ALKALINITY	00445	036	2012/08/21	< 4.000	2015/08
CHLORIDE	00940	036	2012/08/21	. 7.500	2015/08
COLOR	00081	036	2012/08/21	< 1.000	2015/08
COPPER	01042	036	2012/08/21	< 50.000	2015/08
FOAMING AGENTS (MBAS)	38260	036	2012/08/21	< .100	2015/08
HARDNESS (TOTAL) AS CaCO3	00900	036	2012/08/21	. 98.000	2015/08
HYDROXIDE ALKALINITY	71830	036	2012/08/21	< 4.000	2015/08
IRON	01045	036	2012/08/21	< 100.000	2015/08
MAGNESIUM	00927	036	2012/08/21	. 7.600	2015/08
MANGANESE	01055	036	2012/08/21	< 20.000	2015/08
ODOR THRESHOLD @ 60 C	00086	036	2012/08/21	< 1.000	2015/08
PH, LABORATORY	00403	036	2012/08/21	. 7.750	2015/08

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910223**

**System Name: GSWC-SOUTH SAN GABRIEL**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910223-008**

**Source Name: SAXON WELL 03 - ACTIVE**

**Source Number: 008**

**Source Status: ACTIVE RAW**

**Water type: G**

**SECONDARY/GP**

SILVER	01077	036	2013/08/14	< 10.000	2016/08
SODIUM	00929	036	2012/08/21	31.000	2015/08
SPECIFIC CONDUCTANCE	00095	036	2012/08/21	. 350.000	2015/08
SULFATE	00945	036	2012/08/21	18.000	2015/08
TOTAL DISSOLVED SOLIDS	70300	036	2013/08/14	< 210.000	2016/08
TURBIDITY, LABORATORY	82079	036	2012/08/21	< .100	2015/08
ZINC	01092	036	2012/08/21	< 50.000	2015/08

**PS Code: 1910223-009**

**Source Name: SAXON WELL 04 - ACTIVE**

**Source Number: 009**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

ALUMINUM	01105	036	2013/08/14	< 50.000	2016/08
ANTIMONY	01097	036	2013/08/14	< 6.000	2016/08
ARSENIC	01002	036	2013/08/14	< 3.700	2016/08
BARIUM	01007	036	2013/08/14	< 100.000	2016/08
BERYLLIUM	01012	036	2013/08/14	< 1.000	2016/08
CADMIUM	01027	036	2013/08/14	< 1.000	2016/08
CHROMIUM (TOTAL)	01034	036	2013/08/14	< 10.000	2016/08
CYANIDE	01291	036	2013/08/14	< 100.000	2016/08
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/08/14	< .820	2016/08
MERCURY	71900	036	2013/08/14	< 1.000	2016/08
NICKEL	01067	036	2013/08/14	< 10.000	2016/08
PERCHLORATE	A-031	012	2013/08/14	< 4.000	2014/08
SELENIUM	01147	036	2013/08/14	< 5.000	2016/08
THALLIUM	01059	036	2013/08/14	< 1.000	2016/08

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910223**

**System Name: GSWC-SOUTH SAN GABRIEL**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910223-009**

**Source Name: SAXON WELL 04 - ACTIVE**

**Source Number: 009**

**Source Status: ACTIVE RAW**

**Water type: G**

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	012	2013/08/14	< 5.700	2014/08
NITRITE (AS N)	00620	036	2013/08/14	< 400.000	2016/08

**RADIOLOGICAL**

GROSS ALPHA	01501	003	2007/05/29	< 3.000	2007/08	DUE
RADIUM 226	09501	003	2007/05/29	< 1.000	2007/08	DUE
RADIUM 228	11501	003	2007/05/29	< 1.000	2007/08	DUE
URANIUM (PCI/L)	28012	003	2007/05/29	< 2.000	2007/08	DUE

**REGULATED SOC**

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2013/05/15	< 3.000	2016/02
---------------------------	-------	-----	------------	---------	---------

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	012	2013/08/14	< .500	2014/08
1,1,2,2-TETRACHLOROETHANE	34516	012	2013/08/14	< .500	2014/08
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2013/08/14	< 10.000	2014/08
1,1,2-TRICHLOROETHANE	34511	012	2013/08/14	< .500	2014/08
1,1-DICHLOROETHANE	34496	012	2013/08/14	< .500	2014/08
1,1-DICHLOROETHYLENE	34501	012	2013/08/14	< .500	2014/08
1,2,4-TRICHLOROBENZENE	34551	012	2013/08/14	< .500	2014/08
1,2-DICHLOROBENZENE	34536	012	2013/08/14	< .500	2014/08
1,2-DICHLOROETHANE	34531	012	2013/08/14	< .500	2014/08
1,2-DICHLOROPROPANE	34541	012	2013/08/14	< .500	2014/08
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2013/08/14	< .500	2014/08
1,4-DICHLOROBENZENE	34571	012	2013/08/14	< .500	2014/08
BENZENE	34030	012	2013/08/14	< .500	2014/08
CARBON TETRACHLORIDE	32102	012	2013/08/14	< .500	2014/08
CIS-1,2-DICHLOROETHYLENE	77093	012	2013/08/14	< .500	2014/08
DICHLOROMETHANE	34423	012	2013/08/14	< .500	2014/08
ETHYLBENZENE	34371	012	2013/08/14	< .500	2014/08
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2013/08/14	< 3.000	2014/08

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910223**

**System Name: GSWC-SOUTH SAN GABRIEL**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910223-009**

**Source Name: SAXON WELL 04 - ACTIVE**

**Source Number: 009**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED VOC**

MONOCHLOROENZENE	34301	012	2013/08/14	< .500	2014/08
STYRENE	77128	012	2013/08/14	< .500	2014/08
TETRACHLOROETHYLENE	34475	012	2013/08/14	< .500	2014/08
TOLUENE	34010	012	2013/08/14	< .500	2014/08
TRANS-1,2-DICHLOROETHYLENE	34546	012	2013/08/14	< .500	2014/08
TRICHLOROETHYLENE	39180	012	2013/08/14	< .500	2014/08
TRICHLOROFLUOROMETHANE	34488	012	2013/08/14	< 5.000	2014/08
VINYL CHLORIDE	39175	012	2013/08/14	< .500	2014/08
XYLENES (TOTAL)	81551	012	2013/08/14	< .000	2014/08

**SECONDARY/GP**

BICARBONATE ALKALINITY	00440	036	2012/08/21	. 100.000	2015/08
CALCIUM	00916	036	2012/08/21	. 19.000	2015/08
CARBONATE ALKALINITY	00445	036	2012/08/21	< 4.000	2015/08
CHLORIDE	00940	036	2012/08/21	. 16.000	2015/08
COLOR	00081	036	2012/08/21	< 1.000	2015/08
COPPER	01042	036	2012/08/21	< 50.000	2015/08
FOAMING AGENTS (MBAS)	38260	036	2012/08/21	< .100	2015/08
HARDNESS (TOTAL) AS CaCO3	00900	036	2012/08/21	. 69.000	2015/08
HYDROXIDE ALKALINITY	71830	036	2012/08/21	< 4.000	2015/08
IRON	01045	036	2012/08/21	< 100.000	2015/08
MAGNESIUM	00927	036	2012/08/21	. 4.800	2015/08
MANGANESE	01055	036	2012/08/21	< 20.000	2015/08
ODOR THRESHOLD @ 60 C	00086	036	2012/08/21	< 1.000	2015/08
PH, LABORATORY	00403	036	2012/08/21	. 7.860	2015/08
SILVER	01077	036	2013/08/14	< 10.000	2016/08
SODIUM	00929	036	2012/08/21	38.000	2015/08
SPECIFIC CONDUCTANCE	00095	036	2012/08/21	. 340.000	2015/08
SULFATE	00945	036	2012/08/21	25.000	2015/08
TOTAL DISSOLVED SOLIDS	70300	036	2013/08/14	< 210.000	2016/08

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)



**System Number: 1910223**

**System Name: GSWC-SOUTH SAN GABRIEL**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910223-009**

**Source Name: SAXON WELL 04 - ACTIVE**

**Source Number: 009**

**Source Status: ACTIVE RAW**

**Water type: G**

**SECONDARY/GP**

TURBIDITY, LABORATORY	82079	036	2014/08/11	< .100	2017/08
ZINC	01092	036	2012/08/21	< 50.000	2015/08

**PS Code: 1910223-010**

**Source Name: A1-50 PERCENT PORT**

**Source Number: 010**

**Source Status: ACTIVE TREATED**

**Water type: S**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\* 999

**PS Code: 1910223-013**

**Source Name: A1-75 PERCENT PORT**

**Source Number: 013**

**Source Status: ACTIVE TREATED**

**Water type: S**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\* 999

**PS Code: 1910223-016**

**Source Name: A1-EFFLUENT PORT**

**Source Number: 016**

**Source Status: ACTIVE TREATED**

**Water type: S**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\* 999

\*Testing interval is in months;  
 0 = No data for this constituent and is DUE NOW  
 I = Invalid (NOT) valid analyses reported  
 Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910223**

**System Name: GSWC-SOUTH SAN GABRIEL**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

**PS Code: 1910223-019**

**Source Name: A2 - EFFLUENT PORT**

**Source Number: 019**

**Source Status: ACTIVE TREATED**

**Water type: S**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

**PS Code: 1910223-023**

**Source Name: A2-50 PERCENT PORT**

**Source Number: 023**

**Source Status: ACTIVE TREATED**

**Water type: S**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

**PS Code: 1910223-024**

**Source Name: B2-50 PERCENT PORT**

**Source Number: 024**

**Source Status: ACTIVE TREATED**

**Water type: S**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

**PS Code: 1910223-025**

**Source Name: C2-50 PERCENT PORT**

**Source Number: 025**

**Source Status: ACTIVE TREATED**

**Water type: S**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

\*Testing interval is in months;  
0 = No data for this constituent and is DUE NOW  
I = Invalid (NOT) valid analyses reported  
Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910223**

**System Name: GSWC-SOUTH SAN GABRIEL**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

**PS Code: 1910223-026**

**Source Name: A2-75 PERCENT PORT**

**Source Number: 026**

**Source Status: ACTIVE TREATED**

**Water type: S**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

**PS Code: 1910223-027**

**Source Name: B2-75 PERCENT PORT**

**Source Number: 027**

**Source Status: ACTIVE TREATED**

**Water type: S**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

**PS Code: 1910223-028**

**Source Name: C2-75 PERCENT PORT**

**Source Number: 028**

**Source Status: ACTIVE TREATED**

**Water type: S**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

**PS Code: 1910223-036**

**Source Name: USGVWMD CONNECTION-KAYS & GRAVES-TREATEL**

**Source Number: 036**

**Source Status: PURCHASED TREATED**

**Water type: S**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

\*Testing interval is in months;  
0 = No data for this constituent and is DUE NOW  
I = Invalid (NOT) valid analyses reported  
Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910223**

**System Name: GSWC-SOUTH SAN GABRIEL**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910223-037**

**Source Name: GARVEY WELL 3 - PENDING**

**Source Number: 037**

**Source Status: PENDING**

**Water type: G**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

**PS Code: 1910223-800**

**Source Name: SITE 1-7602 MOONEY DR-STG2 DBP**

**Source Number: 800**

**Source Status: DISTRIBUTION TREATED**

**Water type: S**

**HALOACETIC ACIDS**

DIBROMOACETIC ACID (DBAA)	82721	003	2014/07/23	< 1.000	2014/10
DICHLOROACETIC ACID (DCAA)	77288	003	2014/07/23	< 1.000	2014/10
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/07/23	< .000	2014/10
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/07/23	< 1.000	2014/10
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/07/23	< 2.000	2014/10
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/07/23	< 1.000	2014/10

**STATE UCMR**

BROMODICHLORMETHANE (THM)	32101	003	2014/07/23	< 1.000	2014/10
BROMOFORM (THM)	32104	003	2014/07/23	< 1.000	2014/10
CHLOROFORM (THM)	32106	003	2014/07/23	< 1.000	2014/10
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/07/23	< 1.000	2014/10

**TRIHALOMETHANES**

TOTAL TRIHALOMETHANES	82080	003	2014/07/23	. 1.200	2014/10
-----------------------	-------	-----	------------	---------	---------

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910223**

**System Name: GSWC-SOUTH SAN GABRIEL**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910223-801**

**Source Name: SITE 2-7520 GARVALIA AVE-STG2 DBP**

**Source Number: 801**

**Source Status: DISTRIBUTION TREATED**

**Water type: S**

**HALOACETIC ACIDS**

DIBROMOACETIC ACID (DBAA)	82721	003	2014/07/23	< 1.000	2014/10
DICHLOROACETIC ACID (DCAA)	77288	003	2014/07/23	< 1.000	2014/10
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/07/23	< .000	2014/10
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/07/23	< 1.000	2014/10
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/07/23	< 2.000	2014/10
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/07/23	< 1.000	2014/10

**STATE UCMR**

BROMODICHLORMETHANE (THM)	32101	003	2014/07/23	< 1.000	2014/10
BROMOFORM (THM)	32104	003	2014/07/23	< 1.000	2014/10
CHLOROFORM (THM)	32106	003	2014/07/23	< 1.000	2014/10
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/07/23	< 1.000	2014/10

**TRIHALOMETHANES**

TOTAL TRIHALOMETHANES	82080	003	2014/07/23	< .000	2014/10
-----------------------	-------	-----	------------	--------	---------

**PS Code: 1910223-802**

**Source Name: SITE 3-7861 LA MERCED RD-STG2 DBP**

**Source Number: 802**

**Source Status: DISTRIBUTION TREATED**

**Water type: S**

**HALOACETIC ACIDS**

DIBROMOACETIC ACID (DBAA)	82721	003	2014/07/23	< 1.000	2014/10
DICHLOROACETIC ACID (DCAA)	77288	003	2014/07/23	< 1.000	2014/10
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/07/23	< .000	2014/10
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/07/23	< 1.000	2014/10
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/07/23	< 2.000	2014/10
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/07/23	< 1.000	2014/10

**STATE UCMR**

BROMODICHLORMETHANE (THM)	32101	003	2014/07/23	< 1.000	2014/10
---------------------------	-------	-----	------------	---------	---------

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910223**

**System Name: GSWC-SOUTH SAN GABRIEL**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910223-802**

**Source Name: SITE 3-7861 LA MERCED RD-STG2 DBP**

**Source Number: 802**

**Source Status: DISTRIBUTION TREATED**

**Water type: S**

**STATE UCMR**

BROMOFORM (THM)	32104	003	2014/07/23	< 1.000	2014/10
CHLOROFORM (THM)	32106	003	2014/07/23	< 1.000	2014/10
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/07/23	< 1.000	2014/10

**TRIHALOMETHANES**

TOTAL TRIHALOMETHANES	82080	003	2014/07/23	< .000	2014/10
-----------------------	-------	-----	------------	--------	---------

**PS Code: 1910223-803**

**Source Name: SITE 4-7309 TEGNER DR-STG2 DBP**

**Source Number: 803**

**Source Status: DISTRIBUTION TREATED**

**Water type: S**

**HALOACETIC ACIDS**

DIBROMOACETIC ACID (DBAA)	82721	003	2014/07/23	< 1.000	2014/10
DICHLOROACETIC ACID (DCAA)	77288	003	2014/07/23	< 1.000	2014/10
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/07/23	< .000	2014/10
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/07/23	< 1.000	2014/10
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/07/23	< 2.000	2014/10
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/07/23	< 1.000	2014/10

**STATE UCMR**

BROMODICHLORMETHANE (THM)	32101	003	2014/07/23	. 1.200	2014/10
BROMOFORM (THM)	32104	003	2014/07/23	< 1.000	2014/10
CHLOROFORM (THM)	32106	003	2014/07/23	< 1.000	2014/10
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/07/23	. 1.200	2014/10

**TRIHALOMETHANES**

TOTAL TRIHALOMETHANES	82080	003	2014/07/23	. 4.100	2014/10
-----------------------	-------	-----	------------	---------	---------

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910239**

**System Name: LAKEWOOD - CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910239-001**

**Source Name: WELL 02-A**

**Source Number: 001**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

ALUMINUM	01105	036	2011/11/17	< 50.000	2014/11
ANTIMONY	01097	036	2011/11/17	< 6.000	2014/11
ARSENIC	01002	036	2011/11/17	. 2.500	2014/11
BARIUM	01007	036	2011/11/17	140.000	2014/11
BERYLLIUM	01012	036	2011/11/17	< 1.000	2014/11
CADMIUM	01027	036	2011/11/17	< 1.000	2014/11
CHROMIUM (TOTAL)	01034	036	2011/11/17	< 10.000	2014/11
CYANIDE	01291	036	2011/11/17	< 100.000	2014/11
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2011/11/17	. .420	2014/11
MERCURY	71900	036	2011/11/17	< 1.000	2014/11
NICKEL	01067	036	2011/11/17	< 10.000	2014/11
PERCHLORATE	A-031	036	2011/08/12	< 4.000	2014/08
SELENIUM	01147	036	2011/11/17	< 5.000	2014/11
THALLIUM	01059	036	2011/11/17	< 1.000	2014/11

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	012	2013/11/19	. 2.500	2014/11
NITRITE (AS N)	00620	036	2011/11/17	< 400.000	2014/11

**RADIOLOGICAL**

<b>GROSS ALPHA</b>	01501	003	<b>2011/02/10</b>	. 3.130	<b>2011/05</b>	<b>DUE</b>
<b>RADIUM 226</b>	09501	000				<b>DUE</b>
<b>RADIUM 228</b>	11501	003	<b>2006/02/07</b>	< 1.000	<b>2006/05</b>	<b>DUE</b>
<b>URANIUM (PCI/L)</b>	28012	003	<b>2001/10/17</b>	. 3.510	<b>2002/01</b>	<b>DUE</b>

**REGULATED SOC**

2,4-D	39730	033	2012/02/14	< 10.000	2014/11
ALACHLOR	77825	033	2012/02/14	< 1.000	2014/11
ATRAZINE	39033	033	2012/02/14	< .500	2014/11
BENTAZON	38710	033	2012/02/14	< 2.000	2014/11
CARBOFURAN	81405	033	2012/02/14	< 5.000	2014/11

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910239**

**System Name: LAKEWOOD - CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

**PS Code: 1910239-001**

**Source Name: WELL 02-A**

**Source Number: 001**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED SOC**

CHLORDANE	39350	033	2012/02/14	< .100	2014/11
DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2012/02/14	< 3.000	2014/11
DINOSEB	81287	033	2012/02/14	< 2.000	2014/11
DIQUAT	78885	033	2012/02/14	< 4.000	2014/11
ENDOTHALL	38926	033	2012/02/14	< 45.000	2014/11
ENDRIN	39390	033	2012/02/14	< .100	2014/11
GLYPHOSATE	79743	033	2012/02/14	< 25.000	2014/11
LINDANE	39340	033	2012/02/14	< .200	2014/11
METHOXYCHLOR	39480	033	2012/02/14	< 10.000	2014/11
OXAMYL	38865	033	2012/02/14	< 20.000	2014/11
PENTACHLOROPHENOL	39032	033	2012/02/14	< .200	2014/11
SIMAZINE	39055	033	2012/02/14	< 1.000	2014/11
TOXAPHENE	39400	033	2012/02/14	< 1.000	2014/11

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	012	2014/01/09	< .500	2015/01
1,1,2,2-TETRACHLOROETHANE	34516	012	2014/01/09	< .500	2015/01
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/01/09	< 10.000	2015/01
1,1,2-TRICHLOROETHANE	34511	012	2014/01/09	< .500	2015/01
1,1-DICHLOROETHANE	34496	012	2014/01/09	< .500	2015/01
1,1-DICHLOROETHYLENE	34501	012	2014/01/09	< .500	2015/01
1,2,4-TRICHLOROBENZENE	34551	012	2014/01/09	< .500	2015/01
1,2-DICHLOROBENZENE	34536	012	2014/01/09	< .500	2015/01
1,2-DICHLOROETHANE	34531	012	2014/01/09	< .500	2015/01
1,2-DICHLOROPROPANE	34541	012	2014/01/09	< .500	2015/01
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/01/09	< .500	2015/01
1,4-DICHLOROBENZENE	34571	012	2014/01/09	< .500	2015/01
BENZENE	34030	012	2014/01/09	< .500	2015/01
CARBON TETRACHLORIDE	32102	012	2014/01/09	< .500	2015/01
CIS-1,2-DICHLOROETHYLENE	77093	012	2014/01/09	< .500	2015/01

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)



**System Number: 1910239**

**System Name: LAKEWOOD - CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910239-001**

**Source Name: WELL 02-A**

**Source Number: 001**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED VOC**

DICHLOROMETHANE	34423	012	2014/01/09	< .500	2015/01
ETHYLBENZENE	34371	012	2014/01/09	< .500	2015/01
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/01/09	< 3.000	2015/01
MONOCHLOROENZENE	34301	012	2014/01/09	< .500	2015/01
STYRENE	77128	012	2014/01/09	< .500	2015/01
TETRACHLOROETHYLENE	34475	012	2014/01/09	< .500	2015/01
TOLUENE	34010	012	2014/01/09	< .500	2015/01
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/01/09	< .500	2015/01
TRICHLOROETHYLENE	39180	012	2014/01/09	< .500	2015/01
TRICHLOROFUOROMETHANE	34488	012	2014/01/09	< 5.000	2015/01
VINYL CHLORIDE	39175	012	2014/01/09	< .500	2015/01
XYLENES (TOTAL)	81551	012	2014/01/09	< 1.000	2015/01

**SECONDARY/GP**

BICARBONATE ALKALINITY	00440	036	2011/11/17	. 240.000	2014/11
CALCIUM	00916	036	2011/11/17	. 74.000	2014/11
CARBONATE ALKALINITY	00445	036	2011/11/17	< 1.200	2014/11
CHLORIDE	00940	036	2011/11/17	. 32.000	2014/11
COLOR	00081	036	2011/11/17	< 1.000	2014/11
COPPER	01042	036	2011/11/17	< 50.000	2014/11
FOAMING AGENTS (MBAS)	38260	036	2011/11/30	< .100	2014/11
HARDNESS (TOTAL) AS CaCO3	00900	036	2011/11/17	. 240.000	2014/11
HYDROXIDE ALKALINITY	71830	036	2011/11/17	< .700	2014/11
IRON	01045	036	2011/11/17	< 100.000	2014/11
MAGNESIUM	00927	036	2011/11/17	. 13.000	2014/11
MANGANESE	01055	036	2011/11/17	< 20.000	2014/11
ODOR THRESHOLD @ 60 C	00086	036	2011/11/17	< 1.000	2014/11
PH, LABORATORY	00403	036	2011/11/17	. 8.100	2014/11
SILVER	01077	036	2011/11/17	< 10.000	2014/11
SODIUM	00929	036	2011/11/17	28.000	2014/11

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910239**

**System Name: LAKEWOOD - CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910239-001**

**Source Name: WELL 02-A**

**Source Number: 001**

**Source Status: ACTIVE RAW**

**Water type: G**

**SECONDARY/GP**

SPECIFIC CONDUCTANCE	00095	036	2011/11/17	. 560.000	2014/11
SULFATE	00945	036	2011/11/17	69.000	2014/11
TOTAL DISSOLVED SOLIDS	70300	036	2011/11/17	. 360.000	2014/11
TURBIDITY, LABORATORY	82079	036	2011/11/17	< .100	2014/11
ZINC	01092	036	2011/11/17	< 50.000	2014/11

**PS Code: 1910239-004**

**Source Name: WELL 04**

**Source Number: 004**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

ALUMINUM	01105	036	2012/08/14	< 50.000	2015/08
ANTIMONY	01097	036	2012/08/14	< 6.000	2015/08
ARSENIC	01002	036	2012/08/14	. 6.200	2015/08
BARIUM	01007	036	2012/08/14	100.000	2015/08
BERYLLIUM	01012	036	2012/08/14	< 1.000	2015/08
CADMIUM	01027	036	2012/08/14	< 1.000	2015/08
CHROMIUM (TOTAL)	01034	036	2012/08/14	< 10.000	2015/08
CYANIDE	01291	036	2012/08/14	< 100.000	2015/08
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2012/08/14	. .390	2015/08
MERCURY	71900	036	2012/08/14	< 1.000	2015/08
NICKEL	01067	036	2012/08/14	< 10.000	2015/08
PERCHLORATE	A-031	036	2011/08/12	< 4.000	2014/08
SELENIUM	01147	036	2012/08/14	< 5.000	2015/08
THALLIUM	01059	036	2012/08/14	< 1.000	2015/08

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	012	2013/08/13	< 2.000	2014/08
NITRITE (AS N)	00620	036	2012/08/14	< 400.000	2015/08

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910239**

**System Name: LAKEWOOD - CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910239-004**

**Source Name: WELL 04**

**Source Number: 004**

**Source Status: ACTIVE RAW**

**Water type: G**

**RADIOLOGICAL**

<b>GROSS ALPHA</b>	01501	003	2011/02/10	. 1.750	2011/05	<b>DUE</b>
<b>RADIUM 226</b>	09501	000				<b>DUE</b>
<b>RADIUM 228</b>	11501	003	2006/02/07	< 1.000	2006/05	<b>DUE</b>
<b>URANIUM (PCI/L)</b>	28012	000				<b>DUE</b>

**REGULATED SOC**

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2012/02/14	< 3.000	2014/11	
---------------------------	-------	-----	------------	---------	---------	--

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	012	2013/08/13	< .500	2014/08	
1,1,2,2-TETRACHLOROETHANE	34516	012	2013/08/13	< .500	2014/08	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2013/08/13	< 10.000	2014/08	
1,1,2-TRICHLOROETHANE	34511	012	2013/08/13	< .500	2014/08	
1,1-DICHLOROETHANE	34496	012	2013/08/13	< .500	2014/08	
1,1-DICHLOROETHYLENE	34501	012	2013/08/13	< .500	2014/08	
1,2,4-TRICHLOROBENZENE	34551	012	2013/08/13	< .500	2014/08	
1,2-DICHLOROBENZENE	34536	012	2013/08/13	< .500	2014/08	
1,2-DICHLOROETHANE	34531	012	2013/08/13	< .500	2014/08	
1,2-DICHLOROPROPANE	34541	012	2013/08/13	< .500	2014/08	
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2013/08/13	< .500	2014/08	
1,4-DICHLOROBENZENE	34571	012	2013/08/13	< .500	2014/08	
BENZENE	34030	012	2013/08/13	< .500	2014/08	
CARBON TETRACHLORIDE	32102	012	2013/08/13	< .500	2014/08	
CIS-1,2-DICHLOROETHYLENE	77093	012	2013/08/13	< .500	2014/08	
DICHLOROMETHANE	34423	012	2013/08/13	< .500	2014/08	
ETHYLBENZENE	34371	012	2013/08/13	< .500	2014/08	
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2013/08/13	< 3.000	2014/08	
MONOCHLOROBENZENE	34301	012	2013/08/13	< .500	2014/08	
STYRENE	77128	012	2013/08/13	< .500	2014/08	
TETRACHLOROETHYLENE	34475	012	2013/08/13	< .500	2014/08	
TOLUENE	34010	012	2013/08/13	< .500	2014/08	

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910239**

**System Name: LAKEWOOD - CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910239-004**

**Source Name: WELL 04**

**Source Number: 004**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED VOC**

TRANS-1,2-DICHLOROETHYLENE	34546	012	2013/08/13	< .500	2014/08
TRICHLOROETHYLENE	39180	012	2013/08/13	< .500	2014/08
TRICHLOROFUOROMETHANE	34488	012	2013/08/13	< 5.000	2014/08
VINYL CHLORIDE	39175	012	2013/08/13	< .500	2014/08
XYLENES (TOTAL)	81551	012	2013/08/13	< 1.000	2014/08

**SECONDARY/GP**

BICARBONATE ALKALINITY	00440	036	2012/08/14	. 200.000	2015/08
CALCIUM	00916	036	2012/08/14	. 45.000	2015/08
CARBONATE ALKALINITY	00445	036	2012/08/14	< 2.400	2015/08
CHLORIDE	00940	036	2012/08/14	. 20.000	2015/08
COLOR	00081	036	2012/08/14	< 1.000	2015/08
COPPER	01042	036	2012/08/14	< 50.000	2015/08
FOAMING AGENTS (MBAS)	38260	036	2012/08/14	< .100	2015/08
HARDNESS (TOTAL) AS CaCO3	00900	036	2012/08/14	. 140.000	2015/08
HYDROXIDE ALKALINITY	71830	036	2012/08/14	< 1.400	2015/08
IRON	01045	036	2012/08/14	< 100.000	2015/08
MAGNESIUM	00927	036	2012/08/14	. 6.500	2015/08
MANGANESE	01055	036	2012/08/14	< 20.000	2015/08
ODOR THRESHOLD @ 60 C	00086	036	2012/08/14	< 1.000	2015/08
PH, LABORATORY	00403	036	2012/08/14	. 8.190	2015/08
SILVER	01077	036	2012/08/14	< 10.000	2015/08
SODIUM	00929	036	2012/08/14	35.000	2015/08
SPECIFIC CONDUCTANCE	00095	036	2012/08/14	. 460.000	2015/08
SULFATE	00945	036	2012/08/14	30.000	2015/08
TOTAL DISSOLVED SOLIDS	70300	036	2012/08/14	. 270.000	2015/08
TURBIDITY, LABORATORY	82079	036	2012/08/14	< .100	2015/08
ZINC	01092	036	2012/08/14	< 50.000	2015/08

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910239**

**System Name: LAKEWOOD - CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910239-006**

**Source Name: WELL 08**

**Source Number: 006**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

ALUMINUM	01105	036	2012/08/14	< 50.000	2015/08
ANTIMONY	01097	036	2012/08/14	< 6.000	2015/08
ARSENIC	01002	036	2012/08/14	. 4.500	2015/08
BARIUM	01007	036	2012/08/14	100.000	2015/08
BERYLLIUM	01012	036	2012/08/14	< 1.000	2015/08
CADMIUM	01027	036	2012/08/14	< 1.000	2015/08
CHROMIUM (TOTAL)	01034	036	2012/08/14	< 10.000	2015/08
CYANIDE	01291	036	2012/08/14	< 100.000	2015/08
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2012/08/14	. .350	2015/08
MERCURY	71900	036	2012/08/14	< 1.000	2015/08
NICKEL	01067	036	2012/08/14	< 10.000	2015/08
PERCHLORATE	A-031	036	2011/08/12	< 4.000	2014/08
SELENIUM	01147	036	2012/08/14	< 5.000	2015/08
THALLIUM	01059	036	2012/08/14	< 1.000	2015/08

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	012	2013/08/13	< 2.000	2014/08
NITRITE (AS N)	00620	036	2012/08/14	< 400.000	2015/08

**RADIOLOGICAL**

<b>GROSS ALPHA</b>	01501	003	<b>2011/02/10</b>	. 1.800	<b>2011/05</b>	<b>DUE</b>
<b>RADIUM 226</b>	09501	000				<b>DUE</b>
<b>RADIUM 228</b>	11501	003	<b>2006/02/07</b>	< 1.000	<b>2006/05</b>	<b>DUE</b>
<b>URANIUM (PCI/L)</b>	28012	003	<b>2002/02/14</b>	. 1.450	<b>2002/05</b>	<b>DUE</b>

**REGULATED SOC**

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2012/02/14	< 3.000	2014/11
---------------------------	-------	-----	------------	---------	---------

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	012	2013/11/19	< .500	2014/11
1,1,2,2-TETRACHLOROETHANE	34516	012	2013/11/19	< .500	2014/11
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2013/11/19	< 10.000	2014/11

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910239**

**System Name: LAKEWOOD - CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910239-006**

**Source Name: WELL 08**

**Source Number: 006**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED VOC**

1,1,2-TRICHLOROETHANE	34511	012	2013/11/19	< .500	2014/11
1,1-DICHLOROETHANE	34496	012	2013/11/19	< .500	2014/11
1,1-DICHLOROETHYLENE	34501	012	2013/11/19	< .500	2014/11
1,2,4-TRICHLOROBENZENE	34551	012	2013/11/19	< .500	2014/11
1,2-DICHLOROBENZENE	34536	012	2013/11/19	< .500	2014/11
1,2-DICHLOROETHANE	34531	012	2013/11/19	< .500	2014/11
1,2-DICHLOROPROPANE	34541	012	2013/11/19	< .500	2014/11
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2013/11/19	< .500	2014/11
1,4-DICHLOROBENZENE	34571	012	2013/11/19	< .500	2014/11
BENZENE	34030	012	2013/11/19	< .500	2014/11
CARBON TETRACHLORIDE	32102	012	2013/11/19	< .500	2014/11
CIS-1,2-DICHLOROETHYLENE	77093	012	2013/11/19	< .500	2014/11
DICHLOROMETHANE	34423	012	2013/11/19	< .500	2014/11
ETHYLBENZENE	34371	012	2013/11/19	< .500	2014/11
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2013/11/19	< 3.000	2014/11
MONOCHLOROENZENE	34301	012	2013/11/19	< .500	2014/11
STYRENE	77128	012	2013/11/19	< .500	2014/11
TETRACHLOROETHYLENE	34475	012	2013/11/19	< .500	2014/11
TOLUENE	34010	012	2013/11/19	< .500	2014/11
TRANS-1,2-DICHLOROETHYLENE	34546	012	2013/11/19	< .500	2014/11
TRICHLOROETHYLENE	39180	012	2013/11/19	< .500	2014/11
TRICHLOROFUOROMETHANE	34488	012	2013/11/19	< 5.000	2014/11
VINYL CHLORIDE	39175	012	2013/11/19	< .500	2014/11
XYLENES (TOTAL)	81551	012	2013/11/19	< 1.000	2014/11

**SECONDARY/GP**

BICARBONATE ALKALINITY	00440	036	2012/08/14	. 200.000	2015/08
CALCIUM	00916	036	2012/08/14	. 48.000	2015/08
CARBONATE ALKALINITY	00445	036	2012/08/14	< 2.400	2015/08
CHLORIDE	00940	036	2012/08/14	. 11.000	2015/08

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910239**

**System Name: LAKEWOOD - CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910239-006**

**Source Name: WELL 08**

**Source Number: 006**

**Source Status: ACTIVE RAW**

**Water type: G**

**SECONDARY/GP**

COLOR	00081	036	2012/08/14	< 1.000	2015/08
COPPER	01042	036	2012/08/14	< 50.000	2015/08
FOAMING AGENTS (MBAS)	38260	036	2012/08/14	< .100	2015/08
HARDNESS (TOTAL) AS CaCO3	00900	036	2012/08/14	. 150.000	2015/08
HYDROXIDE ALKALINITY	71830	036	2012/08/14	< 1.400	2015/08
IRON	01045	036	2012/08/14	< 100.000	2015/08
MAGNESIUM	00927	036	2012/08/14	. 6.700	2015/08
MANGANESE	01055	036	2012/08/14	< 20.000	2015/08
ODOR THRESHOLD @ 60 C	00086	036	2012/08/14	< 1.000	2015/08
PH, LABORATORY	00403	036	2012/08/14	. 8.180	2015/08
SILVER	01077	036	2012/08/14	< 10.000	2015/08
SODIUM	00929	036	2012/08/14	26.000	2015/08
SPECIFIC CONDUCTANCE	00095	036	2012/08/14	. 430.000	2015/08
SULFATE	00945	036	2012/08/14	30.000	2015/08
TOTAL DISSOLVED SOLIDS	70300	036	2012/08/14	. 250.000	2015/08
TURBIDITY, LABORATORY	82079	036	2012/08/14	< .100	2015/08
ZINC	01092	036	2012/08/14	< 50.000	2015/08

**PS Code: 1910239-007**

**Source Name: WELL 10**

**Source Number: 007**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

ALUMINUM	01105	036	2012/08/14	< 50.000	2015/08
ANTIMONY	01097	036	2012/08/14	< 6.000	2015/08
ARSENIC	01002	036	2012/08/14	. 3.700	2015/08
BARIUM	01007	036	2012/08/14	140.000	2015/08
BERYLLIUM	01012	036	2012/08/14	< 1.000	2015/08

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910239**

**System Name: LAKEWOOD - CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910239-007**

**Source Name: WELL 10**

**Source Number: 007**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

CADMIUM	01027	036	2012/08/14	< 1.000	2015/08
CHROMIUM (TOTAL)	01034	036	2012/08/14	< 10.000	2015/08
CYANIDE	01291	036	2012/08/14	< 100.000	2015/08
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2012/08/14	.350	2015/08
MERCURY	71900	036	2012/08/14	< 1.000	2015/08
NICKEL	01067	036	2012/08/14	< 10.000	2015/08
PERCHLORATE	A-031	036	2011/08/12	< 4.000	2014/08
SELENIUM	01147	036	2012/08/14	< 5.000	2015/08
THALLIUM	01059	036	2012/08/14	< 1.000	2015/08

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	012	2013/08/13	. 2.200	2014/08
NITRITE (AS N)	00620	036	2012/08/14	< 400.000	2015/08

**RADIOLOGICAL**

<b>GROSS ALPHA</b>	01501	003	<b>2013/11/19</b>	. 6.900	<b>2014/02</b>	<b>DUE</b>
<b>RADIUM 226</b>	09501	000				<b>DUE</b>
<b>RADIUM 228</b>	11501	003	<b>2014/01/10</b>	< .000	<b>2014/04</b>	<b>DUE</b>
<b>URANIUM (PCI/L)</b>	28012	003	<b>2014/02/21</b>	. 2.200	<b>2014/05</b>	<b>DUE</b>

**REGULATED SOC**

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2012/02/14	< 3.000	2014/11
---------------------------	-------	-----	------------	---------	---------

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	012	2013/11/19	< .500	2014/11
1,1,2,2-TETRACHLOROETHANE	34516	012	2013/11/19	< .500	2014/11
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2013/11/19	< 10.000	2014/11
1,1,2-TRICHLOROETHANE	34511	012	2013/11/19	< .500	2014/11
1,1-DICHLOROETHANE	34496	012	2013/11/19	< .500	2014/11
1,1-DICHLOROETHYLENE	34501	012	2013/11/19	< .500	2014/11
1,2,4-TRICHLOROBENZENE	34551	012	2013/11/19	< .500	2014/11
1,2-DICHLOROBENZENE	34536	012	2013/11/19	< .500	2014/11

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)



**System Number: 1910239**

**System Name: LAKEWOOD - CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910239-007**

**Source Name: WELL 10**

**Source Number: 007**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED VOC**

1,2-DICHLOROETHANE	34531	012	2013/11/19	< .500	2014/11
1,2-DICHLOROPROPANE	34541	012	2013/11/19	< .500	2014/11
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2013/11/19	< .500	2014/11
1,4-DICHLOROBENZENE	34571	012	2013/11/19	< .500	2014/11
BENZENE	34030	012	2013/11/19	< .500	2014/11
CARBON TETRACHLORIDE	32102	012	2013/11/19	< .500	2014/11
CIS-1,2-DICHLOROETHYLENE	77093	012	2013/11/19	< .500	2014/11
DICHLOROMETHANE	34423	012	2013/11/19	< .500	2014/11
ETHYLBENZENE	34371	012	2013/11/19	< .500	2014/11
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2013/11/19	< 3.000	2014/11
MONOCHLOROBENZENE	34301	012	2013/11/19	< .500	2014/11
STYRENE	77128	012	2013/11/19	< .500	2014/11
TETRACHLOROETHYLENE	34475	012	2013/11/19	< .500	2014/11
TOLUENE	34010	012	2013/11/19	< .500	2014/11
TRANS-1,2-DICHLOROETHYLENE	34546	012	2013/11/19	< .500	2014/11
TRICHLOROETHYLENE	39180	012	2013/11/19	< .500	2014/11
TRICHLOROFLUOROMETHANE	34488	012	2013/11/19	< 5.000	2014/11
VINYL CHLORIDE	39175	012	2013/11/19	< .500	2014/11
XYLENES (TOTAL)	81551	012	2013/11/19	< 1.000	2014/11

**SECONDARY/GP**

BICARBONATE ALKALINITY	00440	036	2012/08/14	. 200.000	2015/08
CALCIUM	00916	036	2012/08/14	. 66.000	2015/08
CARBONATE ALKALINITY	00445	036	2012/08/14	< 2.400	2015/08
CHLORIDE	00940	036	2012/08/14	. 22.000	2015/08
COLOR	00081	036	2012/08/14	< 1.000	2015/08
COPPER	01042	036	2012/08/14	< 50.000	2015/08
FOAMING AGENTS (MBAS)	38260	036	2012/08/14	< .100	2015/08
HARDNESS (TOTAL) AS CaCO3	00900	036	2012/08/14	. 200.000	2015/08
HYDROXIDE ALKALINITY	71830	036	2012/08/14	< 1.400	2015/08

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910239**

**System Name: LAKEWOOD - CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910239-007**

**Source Name: WELL 10**

**Source Number: 007**

**Source Status: ACTIVE RAW**

**Water type: G**

**SECONDARY/GP**

IRON	01045	036	2012/08/14	< 100.000	2015/08
MAGNESIUM	00927	036	2012/08/14	. 9.100	2015/08
MANGANESE	01055	036	2012/08/14	< 20.000	2015/08
ODOR THRESHOLD @ 60 C	00086	036	2012/08/14	< 1.000	2015/08
PH, LABORATORY	00403	036	2012/08/14	. 8.130	2015/08
SILVER	01077	036	2012/08/14	< 10.000	2015/08
SODIUM	00929	036	2012/08/14	26.000	2015/08
SPECIFIC CONDUCTANCE	00095	036	2012/08/14	. 540.000	2015/08
SULFATE	00945	036	2012/08/14	62.000	2015/08
TOTAL DISSOLVED SOLIDS	70300	036	2012/08/14	. 320.000	2015/08
TURBIDITY, LABORATORY	82079	036	2012/08/14	< .100	2015/08
ZINC	01092	036	2012/08/14	< 50.000	2015/08

**PS Code: 1910239-015**

**Source Name: WELL 17**

**Source Number: 015**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

ALUMINUM	01105	036	2011/08/12	< 50.000	2014/08
ANTIMONY	01097	036	2011/08/12	< 6.000	2014/08
ARSENIC	01002	036	2011/08/12	. 2.400	2014/08
BARIUM	01007	036	2011/08/12	170.000	2014/08
BERYLLIUM	01012	036	2011/08/12	< 1.000	2014/08
CADMIUM	01027	036	2011/08/12	< 1.000	2014/08
CHROMIUM (TOTAL)	01034	036	2011/08/12	< 10.000	2014/08
CYANIDE	01291	036	2011/08/12	< 100.000	2014/08
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2011/08/12	. .340	2014/08
MERCURY	71900	036	2011/08/12	< 1.000	2014/08

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910239**

**System Name: LAKEWOOD - CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910239-015**

**Source Name: WELL 17**

**Source Number: 015**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

NICKEL	01067	036	2011/08/12	< 10.000	2014/08
PERCHLORATE	A-031	036	2011/08/12	< 4.000	2014/08
SELENIUM	01147	036	2011/08/12	< 5.000	2014/08
THALLIUM	01059	036	2011/08/12	< 1.000	2014/08

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	012	2013/08/13	. 5.600	2014/08
NITRITE (AS N)	00620	036	2011/08/12	< 400.000	2014/08

**RADIOLOGICAL**

<b>GROSS ALPHA</b>	01501	003	<b>2007/11/15</b>	3.700	<b>2008/02 DUE</b>
<b>RADIUM 226</b>	09501	003	<b>2001/12/10</b>	. .000	<b>2002/03 DUE</b>
<b>RADIUM 228</b>	11501	003	<b>2006/02/07</b>	< 1.000	<b>2006/05 DUE</b>
<b>URANIUM (PCI/L)</b>	28012	003	<b>2002/02/14</b>	. 2.620	<b>2002/05 DUE</b>

**REGULATED SOC**

2,4-D	39730	033	2012/02/14	< 10.000	2014/11
ALACHLOR	77825	033	2012/02/14	< 1.000	2014/11
ATRAZINE	39033	033	2012/02/14	< .500	2014/11
BENTAZON	38710	033	2012/02/14	< 2.000	2014/11
CARBOFURAN	81405	033	2012/02/14	< 5.000	2014/11
CHLORDANE	39350	033	2012/02/14	< .100	2014/11
DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2012/02/14	< 3.000	2014/11
DINOSEB	81287	033	2012/02/14	< 2.000	2014/11
DIQUAT	78885	033	2012/02/14	< 4.000	2014/11
ENDOTHALL	38926	033	2012/02/14	< 45.000	2014/11
ENDRIN	39390	033	2012/02/14	< .100	2014/11
GLYPHOSATE	79743	033	2012/02/14	< 25.000	2014/11
LINDANE	39340	033	2012/02/14	< .200	2014/11
METHOXYCHLOR	39480	033	2012/02/14	< 10.000	2014/11
OXAMYL	38865	033	2012/02/14	< 20.000	2014/11

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910239**

**System Name: LAKEWOOD - CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910239-015**

**Source Name: WELL 17**

**Source Number: 015**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED SOC**

PENTACHLOROPHENOL	39032	033	2012/02/14	< .200	2014/11
SIMAZINE	39055	033	2012/02/14	< 1.000	2014/11
TOXAPHENE	39400	033	2012/02/14	< 1.000	2014/11

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	012	2013/11/19	< .500	2014/11
1,1,2,2-TETRACHLOROETHANE	34516	012	2013/11/19	< .500	2014/11
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2013/11/19	< 10.000	2014/11
1,1,2-TRICHLOROETHANE	34511	012	2013/11/19	< .500	2014/11
1,1-DICHLOROETHANE	34496	012	2013/11/19	< .500	2014/11
1,1-DICHLOROETHYLENE	34501	012	2013/11/19	< .500	2014/11
1,2,4-TRICHLOROBENZENE	34551	012	2013/11/19	< .500	2014/11
1,2-DICHLOROBENZENE	34536	012	2013/11/19	< .500	2014/11
1,2-DICHLOROETHANE	34531	012	2013/11/19	< .500	2014/11
1,2-DICHLOROPROPANE	34541	012	2013/11/19	< .500	2014/11
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2013/11/19	< .500	2014/11
1,4-DICHLOROBENZENE	34571	012	2013/11/19	< .500	2014/11
BENZENE	34030	012	2013/11/19	< .500	2014/11
CARBON TETRACHLORIDE	32102	012	2013/11/19	< .500	2014/11
CIS-1,2-DICHLOROETHYLENE	77093	012	2013/11/19	< .500	2014/11
DICHLOROMETHANE	34423	012	2013/11/19	< .500	2014/11
ETHYLBENZENE	34371	012	2013/11/19	< .500	2014/11
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2013/11/19	< 3.000	2014/11
MONOCHLOROBENZENE	34301	012	2013/11/19	< .500	2014/11
STYRENE	77128	012	2013/11/19	< .500	2014/11
TETRACHLOROETHYLENE	34475	012	2013/11/19	< .500	2014/11
TOLUENE	34010	012	2013/11/19	< .500	2014/11
TRANS-1,2-DICHLOROETHYLENE	34546	012	2013/11/19	< .500	2014/11
TRICHLOROETHYLENE	39180	012	2013/11/19	< .500	2014/11
TRICHLOROFLUOROMETHANE	34488	012	2013/11/19	< 5.000	2014/11

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910239**

**System Name: LAKEWOOD - CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910239-015**

**Source Name: WELL 17**

**Source Number: 015**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED VOC**

VINYL CHLORIDE	39175	012	2013/11/19	< .500	2014/11
XYLENES (TOTAL)	81551	012	2013/11/19	< 1.000	2014/11

**SECONDARY/GP**

BICARBONATE ALKALINITY	00440	036	2011/08/12	. 200.000	2014/08
CALCIUM	00916	036	2011/08/12	. 82.000	2014/08
CARBONATE ALKALINITY	00445	036	2011/08/12	< 1.200	2014/08
CHLORIDE	00940	036	2011/08/12	. 33.000	2014/08
COLOR	00081	036	2011/08/12	< 1.000	2014/08
COPPER	01042	036	2011/08/12	< 50.000	2014/08
FOAMING AGENTS (MBAS)	38260	036	2011/08/12	< .100	2014/08
HARDNESS (TOTAL) AS CaCO3	00900	036	2011/08/12	. 250.000	2014/08
HYDROXIDE ALKALINITY	71830	036	2011/08/12	< .700	2014/08
IRON	01045	036	2011/08/12	< 100.000	2014/08
MAGNESIUM	00927	036	2011/08/12	. 11.000	2014/08
MANGANESE	01055	036	2011/08/12	< 20.000	2014/08
ODOR THRESHOLD @ 60 C	00086	036	2011/08/12	< 1.000	2014/08
PH, LABORATORY	00403	036	2011/08/12	. 8.100	2014/08
SILVER	01077	036	2011/08/12	< 10.000	2014/08
SODIUM	00929	036	2011/08/12	29.000	2014/08
SPECIFIC CONDUCTANCE	00095	036	2011/08/12	. 590.000	2014/08
SULFATE	00945	036	2011/08/12	78.000	2014/08
TOTAL DISSOLVED SOLIDS	70300	036	2011/08/12	. 420.000	2014/08
TURBIDITY, LABORATORY	82079	036	2011/08/12	< .100	2014/08
ZINC	01092	036	2011/08/12	< 50.000	2014/08

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910239**

**System Name: LAKEWOOD - CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910239-016**

**Source Name: WELL 18**

**Source Number: 016**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

ALUMINUM	01105	036	2011/08/12	< 50.000	2014/08
ANTIMONY	01097	036	2011/08/12	< 6.000	2014/08
ARSENIC	01002	036	2011/08/12	< 2.000	2014/08
BARIUM	01007	036	2011/08/12	160.000	2014/08
BERYLLIUM	01012	036	2011/08/12	< 1.000	2014/08
CADMIUM	01027	036	2011/08/12	< 1.000	2014/08
CHROMIUM (TOTAL)	01034	036	2011/08/12	< 10.000	2014/08
CYANIDE	01291	036	2011/08/12	< 100.000	2014/08
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2011/08/12	.350	2014/08
MERCURY	71900	036	2011/08/12	< 1.000	2014/08
NICKEL	01067	036	2011/08/12	< 10.000	2014/08
PERCHLORATE	A-031	036	2011/08/12	< 4.000	2014/08
SELENIUM	01147	036	2011/08/12	< 5.000	2014/08
THALLIUM	01059	036	2011/08/12	< 1.000	2014/08

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	012	2013/08/13	. 7.000	2014/08
NITRITE (AS N)	00620	036	2011/08/12	< 400.000	2014/08

**RADIOLOGICAL**

<b>GROSS ALPHA</b>	01501	003	<b>2011/02/10</b>	. 5.210	<b>2011/05 DUE</b>
<b>RADIUM 226</b>	09501	000			<b>DUE</b>
<b>RADIUM 228</b>	11501	003	<b>2007/11/15</b>	.250	<b>2008/02 DUE</b>
<b>URANIUM (PCI/L)</b>	28012	003	<b>2011/03/08</b>	. 2.100	<b>2011/06 DUE</b>

**REGULATED SOC**

2,4-D	39730	033	2012/02/14	< 10.000	2014/11
ALACHLOR	77825	033	2012/02/14	< 1.000	2014/11
ATRAZINE	39033	033	2012/02/14	< .500	2014/11
BENTAZON	38710	033	2012/02/14	< 2.000	2014/11
CARBOFURAN	81405	033	2012/02/14	< 5.000	2014/11

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910239**

**System Name: LAKEWOOD - CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

**PS Code: 1910239-016**

**Source Name: WELL 18**

**Source Number: 016**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED SOC**

CHLORDANE	39350	033	2012/02/14	< .100	2014/11
DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2012/02/14	< 3.000	2014/11
DINOSEB	81287	033	2012/02/14	< 2.000	2014/11
DIQUAT	78885	033	2012/02/14	< 4.000	2014/11
ENDOTHALL	38926	033	2012/02/14	< 45.000	2014/11
ENDRIN	39390	033	2012/02/14	< .100	2014/11
GLYPHOSATE	79743	033	2012/02/14	< 25.000	2014/11
LINDANE	39340	033	2012/02/14	< .200	2014/11
METHOXYCHLOR	39480	033	2012/02/14	< 10.000	2014/11
OXAMYL	38865	033	2012/02/14	< 20.000	2014/11
PENTACHLOROPHENOL	39032	033	2012/02/14	< .200	2014/11
SIMAZINE	39055	033	2012/02/14	< 1.000	2014/11
TOXAPHENE	39400	033	2012/02/14	< 1.000	2014/11

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	012	2013/11/19	< .500	2014/11
1,1,2,2-TETRACHLOROETHANE	34516	012	2013/11/19	< .500	2014/11
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2013/11/19	< 10.000	2014/11
1,1,2-TRICHLOROETHANE	34511	012	2013/11/19	< .500	2014/11
1,1-DICHLOROETHANE	34496	012	2013/11/19	< .500	2014/11
1,1-DICHLOROETHYLENE	34501	012	2013/11/19	< .500	2014/11
1,2,4-TRICHLOROBENZENE	34551	012	2013/11/19	< .500	2014/11
1,2-DICHLOROBENZENE	34536	012	2013/11/19	< .500	2014/11
1,2-DICHLOROETHANE	34531	012	2013/11/19	< .500	2014/11
1,2-DICHLOROPROPANE	34541	012	2013/11/19	< .500	2014/11
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2013/11/19	< .500	2014/11
1,4-DICHLOROBENZENE	34571	012	2013/11/19	< .500	2014/11
BENZENE	34030	012	2013/11/19	< .500	2014/11
CARBON TETRACHLORIDE	32102	012	2013/11/19	< .500	2014/11
CIS-1,2-DICHLOROETHYLENE	77093	012	2013/11/19	< .500	2014/11

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910239**

**System Name: LAKEWOOD - CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910239-016**

**Source Name: WELL 18**

**Source Number: 016**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED VOC**

DICHLOROMETHANE	34423	012	2013/11/19	< .500	2014/11
ETHYLBENZENE	34371	012	2013/11/19	< .500	2014/11
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2013/11/19	< 3.000	2014/11
MONOCHLOROENZENE	34301	012	2013/11/19	< .500	2014/11
STYRENE	77128	012	2013/11/19	< .500	2014/11
TETRACHLOROETHYLENE	34475	012	2013/11/19	< .500	2014/11
TOLUENE	34010	012	2013/11/19	< .500	2014/11
TRANS-1,2-DICHLOROETHYLENE	34546	012	2013/11/19	< .500	2014/11
TRICHLOROETHYLENE	39180	012	2013/11/19	< .500	2014/11
TRICHLOROFUOROMETHANE	34488	012	2013/11/19	< 5.000	2014/11
VINYL CHLORIDE	39175	012	2013/11/19	< .500	2014/11
XYLENES (TOTAL)	81551	012	2013/11/19	< 1.000	2014/11

**SECONDARY/GP**

BICARBONATE ALKALINITY	00440	036	2011/08/12	. 200.000	2014/08
CALCIUM	00916	036	2011/08/12	. 73.000	2014/08
CARBONATE ALKALINITY	00445	036	2011/08/12	< 1.200	2014/08
CHLORIDE	00940	036	2011/08/12	. 35.000	2014/08
COLOR	00081	036	2011/08/12	< 1.000	2014/08
COPPER	01042	036	2011/08/12	< 50.000	2014/08
FOAMING AGENTS (MBAS)	38260	036	2011/08/12	< .100	2014/08
HARDNESS (TOTAL) AS CaCO3	00900	036	2011/08/12	. 230.000	2014/08
HYDROXIDE ALKALINITY	71830	036	2011/08/12	< .700	2014/08
IRON	01045	036	2011/08/12	< 100.000	2014/08
MAGNESIUM	00927	036	2011/08/12	. 12.000	2014/08
MANGANESE	01055	036	2011/08/12	< 20.000	2014/08
ODOR THRESHOLD @ 60 C	00086	036	2011/08/12	< 1.000	2014/08
PH, LABORATORY	00403	036	2011/08/12	. 8.200	2014/08
SILVER	01077	036	2011/08/12	< 10.000	2014/08
SODIUM	00929	036	2011/08/12	36.000	2014/08

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)



**System Number: 1910239**

**System Name: LAKEWOOD - CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910239-016**

**Source Name: WELL 18**

**Source Number: 016**

**Source Status: ACTIVE RAW**

**Water type: G**

**SECONDARY/GP**

SPECIFIC CONDUCTANCE	00095	036	2011/08/12	. 610.000	2014/08
SULFATE	00945	036	2011/08/12	77.000	2014/08
TOTAL DISSOLVED SOLIDS	70300	036	2011/08/12	. 440.000	2014/08
TURBIDITY, LABORATORY	82079	036	2011/08/12	< .100	2014/08
ZINC	01092	036	2011/08/12	< 50.000	2014/08

**PS Code: 1910239-019**

**Source Name: MWD CONNECTION CB43 - TREATED**

**Source Number: 019**

**Source Status: PURCHASED TREATED**

**Water type: S**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\* 999

**PS Code: 1910239-020**

**Source Name: MWD CB49 CONNECTION - TREATED**

**Source Number: 020**

**Source Status: PURCHASED TREATED**

**Water type: S**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\* 999

**PS Code: 1910239-022**

**Source Name: WELL 22**

**Source Number: 022**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

ALUMINUM	01105	036	2014/05/23	< 50.000	2017/05
----------	-------	-----	------------	----------	---------

\*Testing interval is in months;  
 0 = No data for this constituent and is DUE NOW  
 I = Invalid (NOT) valid analyses reported  
 Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910239**

**System Name: LAKEWOOD - CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910239-022**

**Source Name: WELL 22**

**Source Number: 022**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

ANTIMONY	01097	036	2014/05/23	< 6.000	2017/05
ARSENIC	01002	036	2014/05/23	. 6.700	2017/05
BARIUM	01007	036	2014/05/23	< 100.000	2017/05
BERYLLIUM	01012	036	2014/05/23	< 1.000	2017/05
CADMIUM	01027	036	2014/05/23	< 1.000	2017/05
CHROMIUM (TOTAL)	01034	036	2014/05/23	< 10.000	2017/05
CYANIDE	01291	036	2014/05/23	< 100.000	2017/05
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/05/23	. .380	2017/05
MERCURY	71900	036	2014/05/23	< 1.000	2017/05
NICKEL	01067	036	2014/05/23	. 13.000	2017/05
PERCHLORATE	A-031	036	2011/08/12	< 4.000	2014/08
SELENIUM	01147	036	2014/05/23	< 5.000	2017/05
THALLIUM	01059	036	2014/05/23	< 1.000	2017/05

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	012	2014/05/23	< 2.000	2015/05
NITRITE (AS N)	00620	036	2014/05/23	< 400.000	2017/05

**RADIOLOGICAL**

<b>GROSS ALPHA</b>	01501	003	2010/12/13	.000	2011/03	<b>DUE</b>
<b>RADIUM 226</b>	09501	003	2010/12/13	.130	2011/03	<b>DUE</b>
<b>RADIUM 228</b>	11501	003	2010/12/13	.000	2011/03	<b>DUE</b>
<b>URANIUM (PCI/L)</b>	28012	003	2010/12/13	.060	2011/03	<b>DUE</b>

**REGULATED SOC**

2,4-D	39730	033	2012/02/14	< 10.000	2014/11
ALACHLOR	77825	033	2012/02/14	< 1.000	2014/11
ATRAZINE	39033	033	2012/02/14	< .500	2014/11
BENTAZON	38710	033	2012/02/14	< 2.000	2014/11
CARBOFURAN	81405	033	2012/02/14	< 5.000	2014/11
CHLORDANE	39350	033	2012/02/14	< .100	2014/11

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910239**

**System Name: LAKEWOOD - CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910239-022**

**Source Name: WELL 22**

**Source Number: 022**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED SOC**

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2012/02/14	< 3.000	2014/11
DIBROMOCHLOROPROPANE (DBCP)	38761	033	2012/02/14	< .010	2014/11
DINOSEB	81287	033	2012/02/14	< 2.000	2014/11
DIQUAT	78885	033	2012/02/14	< 4.000	2014/11
ENDOTHALL	38926	033	2012/02/14	< 45.000	2014/11
ENDRIN	39390	033	2012/02/14	< .100	2014/11
ETHYLENE DIBROMIDE (EDB)	77651	033	2012/02/14	< .020	2014/11
GLYPHOSATE	79743	033	2012/02/14	< 25.000	2014/11
LINDANE	39340	033	2012/02/14	< .200	2014/11
METHOXYCHLOR	39480	033	2012/02/14	< 10.000	2014/11
OXAMYL	38865	033	2012/02/14	< 20.000	2014/11
PENTACHLOROPHENOL	39032	033	2012/02/14	< .200	2014/11
SIMAZINE	39055	033	2012/02/14	< 1.000	2014/11
TOXAPHENE	39400	033	2012/02/14	< 1.000	2014/11

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	012	2013/11/19	< .500	2014/11
1,1,2,2-TETRACHLOROETHANE	34516	012	2013/11/19	< .500	2014/11
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2013/11/19	< 10.000	2014/11
1,1,2-TRICHLOROETHANE	34511	012	2013/11/19	< .500	2014/11
1,1-DICHLOROETHANE	34496	012	2013/11/19	< .500	2014/11
1,1-DICHLOROETHYLENE	34501	012	2013/11/19	< .500	2014/11
1,2,4-TRICHLOROBENZENE	34551	012	2013/11/19	< .500	2014/11
1,2-DICHLOROBENZENE	34536	012	2013/11/19	< .500	2014/11
1,2-DICHLOROETHANE	34531	012	2013/11/19	< .500	2014/11
1,2-DICHLOROPROPANE	34541	012	2013/11/19	< .500	2014/11
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2013/11/19	< .500	2014/11
1,4-DICHLOROBENZENE	34571	012	2013/11/19	< .500	2014/11
BENZENE	34030	012	2013/11/19	< .500	2014/11
CARBON TETRACHLORIDE	32102	012	2013/11/19	< .500	2014/11

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910239**

**System Name: LAKEWOOD - CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910239-022**

**Source Name: WELL 22**

**Source Number: 022**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED VOC**

CIS-1,2-DICHLOROETHYLENE	77093	012	2013/11/19	< .500	2014/11
DICHLOROMETHANE	34423	012	2013/11/19	< .500	2014/11
ETHYLBENZENE	34371	012	2013/11/19	< .500	2014/11
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2013/11/19	< 3.000	2014/11
MONOCHLOROBENZENE	34301	012	2013/11/19	< .500	2014/11
STYRENE	77128	012	2013/11/19	< .500	2014/11
TETRACHLOROETHYLENE	34475	012	2013/11/19	< .500	2014/11
TOLUENE	34010	012	2013/11/19	< .500	2014/11
TRANS-1,2-DICHLOROETHYLENE	34546	012	2013/11/19	< .500	2014/11
TRICHLOROETHYLENE	39180	012	2013/11/19	< .500	2014/11
TRICHLOROFUOROMETHANE	34488	012	2013/11/19	< 5.000	2014/11
VINYL CHLORIDE	39175	012	2013/11/19	< .500	2014/11
XYLENES (TOTAL)	81551	012	2013/11/19	< 1.000	2014/11

**SECONDARY/GP**

BICARBONATE ALKALINITY	00440	036	2014/05/23	. 150.000	2017/05
CALCIUM	00916	036	2014/05/23	. 22.000	2017/05
CARBONATE ALKALINITY	00445	036	2014/05/23	. 3.000	2017/05
CHLORIDE	00940	036	2014/05/23	. 17.000	2017/05
COLOR	00081	036	2014/05/23	< 1.000	2017/05
COPPER	01042	036	2014/05/23	< 50.000	2017/05
FOAMING AGENTS (MBAS)	38260	036	2014/05/23	< .100	2017/05
HARDNESS (TOTAL) AS CaCO3	00900	036	2014/05/23	. 63.000	2017/05
HYDROXIDE ALKALINITY	71830	036	2014/05/23	< 1.400	2017/05
IRON	01045	036	2014/05/23	< 100.000	2017/05
MAGNESIUM	00927	036	2014/05/23	. 2.000	2017/05
MANGANESE	01055	036	2014/05/23	< 20.000	2017/05
ODOR THRESHOLD @ 60 C	00086	036	2014/05/23	< 1.000	2017/05
PH, LABORATORY	00403	036	2014/05/23	. 8.490	2017/05
SILVER	01077	036	2014/05/23	< 10.000	2017/05

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910239**

**System Name: LAKEWOOD - CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910239-022**

**Source Name: WELL 22**

**Source Number: 022**

**Source Status: ACTIVE RAW**

**Water type: G**

**SECONDARY/GP**

SODIUM	00929	036	2014/05/23	. 49.000	2017/05
SPECIFIC CONDUCTANCE	00095	036	2014/05/23	. 330.000	2017/05
SULFATE	00945	036	2014/05/23	. 12.000	2017/05
TOTAL DISSOLVED SOLIDS	70300	036	2014/05/23	. 200.000	2017/05
TURBIDITY, LABORATORY	82079	036	2014/05/23	< .100	2017/05
ZINC	01092	036	2014/05/23	< 50.000	2017/05

**PS Code: 1910239-027**

**Source Name: WELL 18 - CORROSION CONTROL - TREATED**

**Source Number: 027**

**Source Status: ACTIVE TREATED**

**Water type: G**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\* 999

**PS Code: 1910239-029**

**Source Name: WELL 17 - CORROSION CONTROL - TREATED**

**Source Number: 029**

**Source Status: ACTIVE TREATED**

**Water type: G**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\* 999

\*Testing interval is in months;  
 0 = No data for this constituent and is DUE NOW  
 I = Invalid (NOT) valid analyses reported  
 Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910239**

**System Name: LAKEWOOD - CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

**PS Code: 1910239-033**

**Source Name: WELL 11A - CORROSION CONTROL - TREATED**

**Source Number: 033**

**Source Status: ACTIVE TREATED**

**Water type: G**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

**PS Code: 1910239-035**

**Source Name: WELL 10 - CORROSION CONTROL - TREATED**

**Source Number: 035**

**Source Status: ACTIVE TREATED**

**Water type: G**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

**PS Code: 1910239-038**

**Source Name: WELL 14 - CORROSION CONTROL**

**Source Number: 038**

**Source Status: ACTIVE TREATED**

**Water type: G**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

**PS Code: 1910239-040**

**Source Name: WELL 04 - CORROSION CONTROL**

**Source Number: 040**

**Source Status: ACTIVE TREATED**

**Water type: G**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

\*Testing interval is in months;  
0 = No data for this constituent and is DUE NOW  
I = Invalid (NOT) valid analyses reported  
Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910239**

**System Name: LAKEWOOD - CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910239-042**

**Source Name: WELL 02A - CORROSION CONTROL**

**Source Number: 042**

**Source Status: ACTIVE TREATED**

**Water type: G**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

**PS Code: 1910239-044**

**Source Name: WELL 15A**

**Source Number: 044**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

ALUMINUM	01105	036	2013/02/21	< 50.000	2016/02
ANTIMONY	01097	036	2013/02/21	< 6.000	2016/02
ARSENIC	01002	036	2013/02/21	. 7.400	2016/02
BARIUM	01007	036	2013/02/21	< 100.000	2016/02
BERYLLIUM	01012	036	2013/02/21	< 1.000	2016/02
CADMIUM	01027	036	2013/02/21	< 1.000	2016/02
CHROMIUM (TOTAL)	01034	036	2013/02/21	< 10.000	2016/02
CYANIDE	01291	036	2013/02/21	< 100.000	2016/02
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/02/21	. .330	2016/02
MERCURY	71900	036	2013/02/21	< 1.000	2016/02
NICKEL	01067	036	2013/02/21	< 10.000	2016/02
PERCHLORATE	A-031	036	2011/08/12	< 4.000	2014/08
SELENIUM	01147	036	2013/02/21	< 5.000	2016/02
THALLIUM	01059	036	2013/02/21	< 1.000	2016/02

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	012	2013/08/13	< 2.000	2014/08
NITRITE (AS N)	00620	036	2013/02/21	< 400.000	2016/02

**RADIOLOGICAL**

<b>GROSS ALPHA</b>	01501	003	<b>2012/05/15</b>	. .866	<b>2012/08</b>	<b>DUE</b>
<b>RADIUM 226</b>	09501	000				<b>DUE</b>

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910239**

**System Name: LAKEWOOD - CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910239-044**

**Source Name: WELL 15A**

**Source Number: 044**

**Source Status: ACTIVE RAW**

**Water type: G**

**RADIOLOGICAL**

<b>RADIUM 228</b>	<b>11501</b>	<b>003</b>	<b>2006/02/07</b>	<b>&lt; 1.000</b>	<b>2006/05</b>	<b>DUE</b>
<b>URANIUM (PCI/L)</b>	<b>28012</b>	<b>003</b>	<b>2001/01/11</b>	<b>. 1.520</b>	<b>2001/04</b>	<b>DUE</b>

**REGULATED SOC**

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2012/02/14	< 3.000	2014/11	
---------------------------	-------	-----	------------	---------	---------	--

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	012	2013/08/13	< .500	2014/08	
1,1,2,2-TETRACHLOROETHANE	34516	012	2013/08/13	< .500	2014/08	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2013/08/13	< 10.000	2014/08	
1,1,2-TRICHLOROETHANE	34511	012	2013/08/13	< .500	2014/08	
1,1-DICHLOROETHANE	34496	012	2013/08/13	< .500	2014/08	
1,1-DICHLOROETHYLENE	34501	012	2013/08/13	< .500	2014/08	
1,2,4-TRICHLOROBENZENE	34551	012	2013/08/13	< .500	2014/08	
1,2-DICHLOROBENZENE	34536	012	2013/08/13	< .500	2014/08	
1,2-DICHLOROETHANE	34531	012	2013/08/13	< .500	2014/08	
1,2-DICHLOROPROPANE	34541	012	2013/08/13	< .500	2014/08	
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2013/08/13	< .500	2014/08	
1,4-DICHLOROBENZENE	34571	012	2013/08/13	< .500	2014/08	
BENZENE	34030	012	2013/08/13	< .500	2014/08	
CARBON TETRACHLORIDE	32102	012	2013/08/13	< .500	2014/08	
CIS-1,2-DICHLOROETHYLENE	77093	012	2013/08/13	< .500	2014/08	
DICHLOROMETHANE	34423	012	2013/08/13	< .500	2014/08	
ETHYLBENZENE	34371	012	2013/08/13	< .500	2014/08	
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2013/08/13	< 3.000	2014/08	
MONOCHLOROBENZENE	34301	012	2013/08/13	< .500	2014/08	
STYRENE	77128	012	2013/08/13	< .500	2014/08	
TETRACHLOROETHYLENE	34475	012	2013/08/13	< .500	2014/08	
TOLUENE	34010	012	2013/08/13	< .500	2014/08	
TRANS-1,2-DICHLOROETHYLENE	34546	012	2013/08/13	< .500	2014/08	
TRICHLOROETHYLENE	39180	012	2013/08/13	< .500	2014/08	

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)



**System Number: 1910239**

**System Name: LAKEWOOD - CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910239-044**

**Source Name: WELL 15A**

**Source Number: 044**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED VOC**

TRICHLOROFUOROMETHANE	34488	012	2013/08/13	< 5.000	2014/08
VINYL CHLORIDE	39175	012	2013/08/13	< .500	2014/08
XYLENES (TOTAL)	81551	012	2013/08/13	< 1.000	2014/08

**SECONDARY/GP**

BICARBONATE ALKALINITY	00440	036	2013/02/21	. 180.000	2016/02
CALCIUM	00916	036	2013/02/21	. 38.000	2016/02
CARBONATE ALKALINITY	00445	036	2013/02/21	< 2.400	2016/02
CHLORIDE	00940	036	2013/02/21	. 8.900	2016/02
COLOR	00081	036	2013/02/21	< 1.000	2016/02
COPPER	01042	036	2013/02/21	< 50.000	2016/02
FOAMING AGENTS (MBAS)	38260	036	2013/02/21	< .100	2016/02
HARDNESS (TOTAL) AS CaCO3	00900	036	2013/02/21	. 110.000	2016/02
HYDROXIDE ALKALINITY	71830	036	2013/02/21	< 1.400	2016/02
IRON	01045	036	2013/02/21	< 100.000	2016/02
MAGNESIUM	00927	036	2013/02/21	. 4.300	2016/02
MANGANESE	01055	036	2013/02/21	< 20.000	2016/02
ODOR THRESHOLD @ 60 C	00086	036	2013/02/21	< 1.000	2016/02
PH, LABORATORY	00403	036	2013/02/21	. 8.050	2016/02
SILVER	01077	036	2013/02/21	< 10.000	2016/02
SODIUM	00929	036	2013/02/21	31.000	2016/02
SPECIFIC CONDUCTANCE	00095	036	2013/02/21	. 340.000	2016/02
SULFATE	00945	036	2013/02/21	15.000	2016/02
TOTAL DISSOLVED SOLIDS	70300	036	2013/02/21	. 200.000	2016/02
TURBIDITY, LABORATORY	82079	036	2013/02/21	< .100	2016/02
ZINC	01092	036	2013/02/21	< 50.000	2016/02

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910239**

**System Name: LAKEWOOD - CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910239-045**

**Source Name: WELL 13A**

**Source Number: 045**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

ALUMINUM	01105	036	2011/08/12	< 50.000	2014/08	
ANTIMONY	01097	036	2011/08/12	< 6.000	2014/08	
ARSENIC	01002	036	2011/08/12	. 5.500	2014/08	
BARIUM	01007	036	2011/08/12	150.000	2014/08	
BERYLLIUM	01012	036	2011/08/12	< 1.000	2014/08	
CADMIUM	01027	036	2011/08/12	< 1.000	2014/08	
CHROMIUM (TOTAL)	01034	036	2011/08/12	< 10.000	2014/08	
<b>CHROMIUM, HEXAVALENT</b>	<b>01032</b>	<b>036</b>	<b>2005/07/14</b>	<b>. .000</b>	<b>2008/07</b>	<b>DUE</b>
CYANIDE	01291	036	2011/08/12	< 100.000	2014/08	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2011/08/12	. .350	2014/08	
MERCURY	71900	036	2011/08/12	< 1.000	2014/08	
NICKEL	01067	036	2011/08/12	< 10.000	2014/08	
PERCHLORATE	A-031	036	2011/08/12	< 4.000	2014/08	
SELENIUM	01147	036	2011/08/12	< 5.000	2014/08	
THALLIUM	01059	036	2011/08/12	< 1.000	2014/08	

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	012	2013/08/13	< 2.000	2014/08	
NITRITE (AS N)	00620	036	2011/08/12	< 400.000	2014/08	

**RADIOLOGICAL**

<b>GROSS ALPHA</b>	<b>01501</b>	<b>003</b>	<b>2007/11/15</b>	<b>.900</b>	<b>2008/02</b>	<b>DUE</b>
<b>RADIUM 226</b>	<b>09501</b>	<b>000</b>				<b>DUE</b>
<b>RADIUM 228</b>	<b>11501</b>	<b>003</b>	<b>2006/11/16</b>	<b>&lt; 1.000</b>	<b>2007/02</b>	<b>DUE</b>
<b>URANIUM (PCI/L)</b>	<b>28012</b>	<b>003</b>	<b>2005/07/14</b>	<b>. .390</b>	<b>2005/10</b>	<b>DUE</b>

**REGULATED SOC**

DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2012/02/14	< 3.000	2014/11	
THIOBENCARB	A-001	033	2012/02/14	< 1.000	2014/11	

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	012	2013/11/19	< .500	2014/11	
-----------------------	-------	-----	------------	--------	---------	--

\*Testing interval is in months;  
 0 = No data for this constituent and is DUE NOW  
 I = Invalid (NOT) valid analyses reported  
 Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910239**

**System Name: LAKEWOOD - CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910239-045**

**Source Name: WELL 13A**

**Source Number: 045**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED VOC**

1,1,2,2-TETRACHLOROETHANE	34516	012	2013/11/19	< .500	2014/11
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2013/11/19	< 10.000	2014/11
1,1,2-TRICHLOROETHANE	34511	012	2013/11/19	< .500	2014/11
1,1-DICHLOROETHANE	34496	012	2013/11/19	< .500	2014/11
1,1-DICHLOROETHYLENE	34501	012	2013/11/19	< .500	2014/11
1,2,4-TRICHLOROBENZENE	34551	012	2013/11/19	< .500	2014/11
1,2-DICHLOROBENZENE	34536	012	2013/11/19	< .500	2014/11
1,2-DICHLOROETHANE	34531	012	2013/11/19	< .500	2014/11
1,2-DICHLOROPROPANE	34541	012	2013/11/19	< .500	2014/11
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2013/11/19	< .500	2014/11
1,4-DICHLOROBENZENE	34571	012	2013/11/19	< .500	2014/11
BENZENE	34030	012	2013/11/19	< .500	2014/11
CARBON TETRACHLORIDE	32102	012	2013/11/19	< .500	2014/11
CIS-1,2-DICHLOROETHYLENE	77093	012	2013/11/19	< .500	2014/11
DICHLOROMETHANE	34423	012	2013/11/19	< .500	2014/11
ETHYLBENZENE	34371	012	2013/11/19	< .500	2014/11
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2013/11/19	< 3.000	2014/11
MONOCHLOROBENZENE	34301	012	2013/11/19	< .500	2014/11
STYRENE	77128	012	2013/11/19	< .500	2014/11
TETRACHLOROETHYLENE	34475	012	2013/11/19	< .500	2014/11
TOLUENE	34010	012	2013/11/19	< .500	2014/11
TRANS-1,2-DICHLOROETHYLENE	34546	012	2013/11/19	< .500	2014/11
TRICHLOROETHYLENE	39180	012	2013/11/19	< .500	2014/11
TRICHLOROFUOROMETHANE	34488	012	2013/11/19	< 5.000	2014/11
VINYL CHLORIDE	39175	012	2013/11/19	< .500	2014/11
XYLENES (TOTAL)	81551	012	2013/11/19	< 1.000	2014/11

**SECONDARY/GP**

BICARBONATE ALKALINITY	00440	036	2011/08/12	. 200.000	2014/08
CALCIUM	00916	036	2011/08/12	. 50.000	2014/08

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910239**

**System Name: LAKEWOOD - CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910239-045**

**Source Name: WELL 13A**

**Source Number: 045**

**Source Status: ACTIVE RAW**

**Water type: G**

**SECONDARY/GP**

CARBONATE ALKALINITY	00445	036	2011/08/12	< 1.200	2014/08
CHLORIDE	00940	036	2011/08/12	. 7.800	2014/08
COLOR	00081	036	2011/08/12	< 1.000	2014/08
COPPER	01042	036	2011/08/12	< 50.000	2014/08
FOAMING AGENTS (MBAS)	38260	036	2011/08/12	< .100	2014/08
HARDNESS (TOTAL) AS CaCO3	00900	036	2011/08/12	. 150.000	2014/08
HYDROXIDE ALKALINITY	71830	036	2011/08/12	< .700	2014/08
IRON	01045	036	2011/08/12	< 100.000	2014/08
MAGNESIUM	00927	036	2011/08/12	. 6.500	2014/08
MANGANESE	01055	036	2011/08/12	43.000	2014/08
ODOR THRESHOLD @ 60 C	00086	036	2011/08/12	< 1.000	2014/08
PH, LABORATORY	00403	036	2011/08/12	. 8.300	2014/08
SILVER	01077	036	2011/08/12	< 10.000	2014/08
SODIUM	00929	036	2011/08/12	25.000	2014/08
SPECIFIC CONDUCTANCE	00095	036	2011/08/12	. 350.000	2014/08
SULFATE	00945	036	2011/08/12	19.000	2014/08
TOTAL DISSOLVED SOLIDS	70300	036	2011/08/12	. 250.000	2014/08
TURBIDITY, LABORATORY	82079	036	2011/08/12	< .100	2014/08
ZINC	01092	036	2011/08/12	< 50.000	2014/08

**PS Code: 1910239-047**

**Source Name: WELL 13A - CORROSION CONTROL CALCIQUEST**

**Source Number: 047**

**Source Status: ACTIVE TREATED**

**Water type: G**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

\*Testing interval is in months;  
 0 = No data for this constituent and is DUE NOW  
 I = Invalid (NOT) valid analyses reported  
 Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910239**

**System Name: LAKEWOOD - CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

**PS Code: 1910239-048**

**Source Name: WELL 15A - CORROSION CONTROL CALCIQUEST**

**Source Number: 048**

**Source Status: ACTIVE TREATED**

**Water type: G**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

**PS Code: 1910239-049**

**Source Name: WELL 08 - CORROSION CONTROL**

**Source Number: 049**

**Source Status: ACTIVE TREATED**

**Water type: G**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

**PS Code: 1910239-050**

**Source Name: WELL 12 - CORROSION CONTROL**

**Source Number: 050**

**Source Status: ACTIVE TREATED**

**Water type: G**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

**PS Code: 1910239-051**

**Source Name: WELL 27 - CORROSION CONTROL**

**Source Number: 051**

**Source Status: ACTIVE TREATED**

**Water type: G**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\*

999

\*Testing interval is in months;  
0 = No data for this constituent and is DUE NOW  
I = Invalid (NOT) valid analyses reported  
Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910239**

**System Name: LAKEWOOD - CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910239-052**

**Source Name: WELL 27**

**Source Number: 052**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

ALUMINUM	01105	036	2013/03/11	< 50.000	2016/03
ANTIMONY	01097	036	2013/03/11	< 6.000	2016/03
ARSENIC	01002	036	2014/07/23	. 6.500	2017/07
BARIUM	01007	036	2013/03/11	< 100.000	2016/03
BERYLLIUM	01012	036	2013/03/11	< 1.000	2016/03
CADMIUM	01027	036	2013/03/11	< 1.000	2016/03
CHROMIUM (TOTAL)	01034	036	2013/03/11	< 10.000	2016/03
<b>CHROMIUM, HEXAVALENT</b>	<b>01032</b>	<b>036</b>	<b>2010/03/24</b>	<b>.216</b>	<b>2013/03 DUE</b>
CYANIDE	01291	036	2013/03/11	< 100.000	2016/03
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/03/11	. .330	2016/03
MERCURY	71900	036	2013/03/11	< 1.000	2016/03
NICKEL	01067	036	2013/03/11	< 10.000	2016/03
PERCHLORATE	A-031	036	2013/10/24	< 4.000	2016/10
SELENIUM	01147	036	2013/03/11	< 5.000	2016/03
THALLIUM	01059	036	2013/03/11	< 1.000	2016/03

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	012	2014/03/13	< 2.000	2015/03
NITRITE (AS N)	00620	036	2013/03/11	< 400.000	2016/03

**RADIOLOGICAL**

<b>GROSS ALPHA</b>	<b>01501</b>	<b>003</b>	<b>2011/06/14</b>	<b>. .263</b>	<b>2011/09 DUE</b>
<b>RADIUM 226</b>	<b>09501</b>	<b>003</b>	<b>2010/03/24</b>	<b>.117</b>	<b>2010/06 DUE</b>
<b>RADIUM 228</b>	<b>11501</b>	<b>003</b>	<b>2011/06/14</b>	<b>. .000</b>	<b>2011/09 DUE</b>
<b>URANIUM (PCI/L)</b>	<b>28012</b>	<b>003</b>	<b>2011/06/14</b>	<b>&lt; 1.000</b>	<b>2011/09 DUE</b>

**REGULATED SOC**

2,4-D	39730	033	2012/05/15	< 10.000	2015/02
ALACHLOR	77825	033	2012/05/15	< 1.000	2015/02
ATRAZINE	39033	033	2012/05/15	< .500	2015/02
BENTAZON	38710	033	2012/05/15	< 2.000	2015/02

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910239**

**System Name: LAKEWOOD - CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910239-052**

**Source Name: WELL 27**

**Source Number: 052**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED SOC**

CARBOFURAN	81405	033	2012/05/15	< 5.000	2015/02
CHLORDANE	39350	033	2012/05/15	< .100	2015/02
DI(2-ETHYLHEXYL)PHTHALATE	39100	033	2012/05/15	< 3.000	2015/02
DIBROMOCHLOROPROPANE (DBCP)	38761	033	2012/05/15	< .010	2015/02
DINOSEB	81287	033	2012/05/15	< 2.000	2015/02
DIQUAT	78885	033	2012/05/15	< 4.000	2015/02
ENDOTHALL	38926	033	2012/05/15	< 45.000	2015/02
ENDRIN	39390	033	2012/05/15	< .100	2015/02
ETHYLENE DIBROMIDE (EDB)	77651	033	2012/05/15	< .020	2015/02
GLYPHOSATE	79743	033	2012/05/15	< 25.000	2015/02
LINDANE	39340	033	2012/05/15	< .200	2015/02
METHOXYCHLOR	39480	033	2012/05/15	< 10.000	2015/02
OXAMYL	38865	033	2012/05/15	< 20.000	2015/02
PENTACHLOROPHENOL	39032	033	2012/05/15	< .200	2015/02
SIMAZINE	39055	033	2012/05/15	< 1.000	2015/02
THIOBENCARB	A-001	033	2012/05/15	< 1.000	2015/02
TOXAPHENE	39400	033	2012/05/15	< 1.000	2015/02

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	012	2014/05/23	< .500	2015/05
1,1,2,2-TETRACHLOROETHANE	34516	012	2014/05/23	< .500	2015/05
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/05/23	< 10.000	2015/05
1,1,2-TRICHLOROETHANE	34511	012	2014/05/23	< .500	2015/05
1,1-DICHLOROETHANE	34496	012	2014/05/23	< .500	2015/05
1,1-DICHLOROETHYLENE	34501	012	2014/05/23	< .500	2015/05
1,2,4-TRICHLOROBENZENE	34551	012	2014/05/23	< .500	2015/05
1,2-DICHLOROBENZENE	34536	012	2014/05/23	< .500	2015/05
1,2-DICHLOROETHANE	34531	012	2014/05/23	< .500	2015/05
1,2-DICHLOROPROPANE	34541	012	2014/05/23	< .500	2015/05
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/05/23	< .500	2015/05

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910239**

**System Name: LAKEWOOD - CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910239-052**

**Source Name: WELL 27**

**Source Number: 052**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED VOC**

1,4-DICHLOROBENZENE	34571	012	2014/05/23	< .500	2015/05
BENZENE	34030	012	2014/05/23	< .500	2015/05
CARBON TETRACHLORIDE	32102	012	2014/05/23	< .500	2015/05
CIS-1,2-DICHLOROETHYLENE	77093	012	2014/05/23	< .500	2015/05
DICHLOROMETHANE	34423	012	2014/05/23	< .500	2015/05
ETHYLBENZENE	34371	012	2014/05/23	< .500	2015/05
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/05/23	< 3.000	2015/05
MONOCHLOROENZENE	34301	012	2014/05/23	< .500	2015/05
STYRENE	77128	012	2014/05/23	< .500	2015/05
TETRACHLOROETHYLENE	34475	012	2014/05/23	< .500	2015/05
TOLUENE	34010	012	2014/05/23	< .500	2015/05
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/05/23	< .500	2015/05
TRICHLOROETHYLENE	39180	012	2014/05/23	< .500	2015/05
TRICHLOROFUOROMETHANE	34488	012	2014/05/23	< 5.000	2015/05
VINYL CHLORIDE	39175	012	2014/05/23	< .500	2015/05
XYLENES (TOTAL)	81551	012	2014/05/23	< 1.000	2015/05

**SECONDARY/GP**

BICARBONATE ALKALINITY	00440	036	2013/03/11	. 170.000	2016/03
CALCIUM	00916	036	2013/03/11	. 29.000	2016/03
CARBONATE ALKALINITY	00445	036	2013/03/11	< 2.400	2016/03
CHLORIDE	00940	036	2013/03/11	. 6.800	2016/03
COLOR	00081	036	2013/03/11	< 1.000	2016/03
COPPER	01042	036	2013/03/11	< 50.000	2016/03
FOAMING AGENTS (MBAS)	38260	036	2013/03/11	< .100	2016/03
HARDNESS (TOTAL) AS CaCO3	00900	036	2013/03/11	. 84.000	2016/03
HYDROXIDE ALKALINITY	71830	036	2013/03/11	< 1.400	2016/03
IRON	01045	036	2014/07/23	< .000	2017/07
MAGNESIUM	00927	036	2013/03/11	. 3.000	2016/03
MANGANESE	01055	036	2014/06/17	. .000	2017/06

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)



**System Number: 1910239**

**System Name: LAKEWOOD - CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910239-052**

**Source Name: WELL 27**

**Source Number: 052**

**Source Status: ACTIVE RAW**

**Water type: G**

**SECONDARY/GP**

ODOR THRESHOLD @ 60 C	00086	036	2013/03/11	< 1.000	2016/03
PH, LABORATORY	00403	036	2013/03/11	. 8.310	2016/03
SILVER	01077	036	2013/03/11	< 10.000	2016/03
SODIUM	00929	036	2013/03/11	31.000	2016/03
SPECIFIC CONDUCTANCE	00095	036	2013/03/11	. 300.000	2016/03
SULFATE	00945	036	2013/03/11	12.000	2016/03
TOTAL DISSOLVED SOLIDS	70300	036	2013/03/11	. 180.000	2016/03
TURBIDITY, LABORATORY	82079	036	2013/03/11	< .100	2016/03
ZINC	01092	036	2013/03/11	< 50.000	2016/03

**PS Code: 1910239-053**

**Source Name: ARSENIC TREATMENT FOR WELL 27**

**Source Number: 053**

**Source Status: ACTIVE TREATED**

**Water type: G**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\* 999

**PS Code: 1910239-054**

**Source Name: WELL 28 -PENDING**

**Source Number: 054**

**Source Status: PENDING**

**Water type:**

\*\*\* ALL SCHEDULE CONSTITUENTS ARE WAIVED \*\*\* 999

\*Testing interval is in months;  
 0 = No data for this constituent and is DUE NOW  
 I = Invalid (NOT) valid analyses reported  
 Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910239**

**System Name: LAKEWOOD - CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910239-800**

**Source Name: SITE 1-3310 CANDLEWOOD, LAKEWOOD**

**Source Number: 800**

**Source Status: DISTRIBUTION TREATED**

**Water type: G**

**HALOACETIC ACIDS**

DIBROMOACETIC ACID (DBAA)	82721	003	2014/04/02	. 3.320	2014/07
DICHLOROACETIC ACID (DCAA)	77288	003	2014/04/02	. 5.580	2014/07
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/04/02	. 13.100	2014/07
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/04/02	. .000	2014/07
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/04/02	. .000	2014/07
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/04/02	. 4.220	2014/07

**STATE UCMR**

BROMODICHLORMETHANE (THM)	32101	003	2014/04/02	. 9.210	2014/07
BROMOFORM (THM)	32104	003	2014/04/02	. 1.750	2014/07
CHLOROFORM (THM)	32106	003	2014/04/02	. 15.300	2014/07
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/04/02	. 8.020	2014/07

**TRIHALOMETHANES**

TOTAL TRIHALOMETHANES	82080	003	2014/04/02	. 34.300	2014/07
-----------------------	-------	-----	------------	----------	---------

**PS Code: 1910239-801**

**Source Name: SITE 2-5020 BARLIN AVENUE, LAKEWOOD**

**Source Number: 801**

**Source Status: DISTRIBUTION TREATED**

**Water type: G**

**HALOACETIC ACIDS**

DIBROMOACETIC ACID (DBAA)	82721	003	2014/07/08	< .000	2014/10
DICHLOROACETIC ACID (DCAA)	77288	003	2014/07/08	. 1.040	2014/10
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/07/08	. 1.040	2014/10
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/07/08	< .000	2014/10
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/07/08	< .000	2014/10
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/07/08	< .000	2014/10

**STATE UCMR**

BROMODICHLORMETHANE (THM)	32101	003	2014/07/08	. 1.280	2014/10
---------------------------	-------	-----	------------	---------	---------

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910239**

**System Name: LAKEWOOD - CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910239-801**

**Source Name: SITE 2-5020 BARLIN AVENUE, LAKEWOOD**

**Source Number: 801**

**Source Status: DISTRIBUTION TREATED**

**Water type: G**

**STATE UCMR**

BROMOFORM (THM)	32104	003	2014/07/08	< .000	2014/10
CHLOROFORM (THM)	32106	003	2014/07/08	< .000	2014/10
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/07/08	. 2.410	2014/10

**TRIHALOMETHANES**

TOTAL TRIHALOMETHANES	82080	003	2014/07/08	. 4.690	2014/10
-----------------------	-------	-----	------------	---------	---------

**PS Code: 1910239-802**

**Source Name: SITE 3-3673 INDUSTRY AVENUE, LAKEWOOD**

**Source Number: 802**

**Source Status: DISTRIBUTION TREATED**

**Water type: G**

**HALOACETIC ACIDS**

DIBROMOACETIC ACID (DBAA)	82721	003	2014/07/08	. 5.130	2014/10
DICHLOROACETIC ACID (DCAA)	77288	003	2014/07/08	. 3.720	2014/10
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/07/08	. 11.500	2014/10
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/07/08	< .000	2014/10
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/07/08	< .000	2014/10
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/07/08	. 2.680	2014/10

**STATE UCMR**

BROMODICHLORMETHANE (THM)	32101	003	2014/07/08	. 8.270	2014/10
BROMOFORM (THM)	32104	003	2014/07/08	. 4.090	2014/10
CHLOROFORM (THM)	32106	003	2014/07/08	. 7.570	2014/10
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/07/08	. 12.000	2014/10

**TRIHALOMETHANES**

TOTAL TRIHALOMETHANES	82080	003	2014/07/08	. 31.900	2014/10
-----------------------	-------	-----	------------	----------	---------

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910239**

**System Name: LAKEWOOD - CITY, WATER DEPT.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

**PS Code: 1910239-803**

**Source Name: SITE 4-4813 DEEBOYAR AVENUE, LAKEWOOD**

**Source Number: 803**

**Source Status: DISTRIBUTION TREATED**

**Water type: G**

**HALOACETIC ACIDS**

DIBROMOACETIC ACID (DBAA)	82721	003	2014/07/08	. 4.870	2014/10
DICHLOROACETIC ACID (DCAA)	77288	003	2014/07/08	. 5.620	2014/10
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/07/08	. 14.000	2014/10
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/07/08	< .000	2014/10
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/07/08	< .000	2014/10
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/07/08	. 3.500	2014/10

**STATE UCMR**

BROMODICHLORMETHANE (THM)	32101	003	2014/07/08	. 8.820	2014/10
BROMOFORM (THM)	32104	003	2014/07/08	. 1.860	2014/10
CHLOROFORM (THM)	32106	003	2014/07/08	. 13.500	2014/10
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/07/08	. 8.420	2014/10

**TRIHALOMETHANES**

TOTAL TRIHALOMETHANES	82080	003	2014/07/08	. 32.600	2014/10
-----------------------	-------	-----	------------	----------	---------

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910246**

**System Name: LAND PROJECT MUTUAL WATER CO.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910246-001**

**Source Name: WELL 01**

**Source Number: 001**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

ALUMINUM	01105	036	2008/06/24	61.000	2011/06	DUE
ANTIMONY	01097	036	2008/06/24	< 2.000	2011/06	DUE
ARSENIC	01002	036	2014/06/24	. 12.000	2017/06	
BARIUM	01007	036	2008/06/24	38.000	2011/06	DUE
BERYLLIUM	01012	036	2008/06/24	< 1.000	2011/06	DUE
CADMIUM	01027	036	2008/06/24	< 1.000	2011/06	DUE
CHROMIUM (TOTAL)	01034	036	2008/06/24	< 10.000	2011/06	DUE
CYANIDE	01291	036	2005/06/28	. .000	2008/06	DUE
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2008/06/24	.530	2011/06	DUE
MERCURY	71900	036	2008/06/24	< .200	2011/06	DUE
NICKEL	01067	036	2008/06/24	< 10.000	2011/06	DUE
PERCHLORATE	A-031	036	2014/07/08	< .000	2017/07	
SELENIUM	01147	036	2008/06/24	< 2.000	2011/06	DUE
THALLIUM	01059	036	2008/06/24	< 1.000	2011/06	DUE

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	012	2014/06/24	. 26.000	2015/06	
NITRITE (AS N)	00620	036	2008/06/24	< 50.000	2011/06	DUE

**RADIOLOGICAL**

GROSS ALPHA	01501	003	2009/03/30	.000	2009/06	DUE
RADIUM 226	09501	003	2005/01/02	. .000	2005/04	DUE
RADIUM 228	11501	003	2009/03/30	.000	2009/06	DUE
URANIUM (PCI/L)	28012	003	2008/03/22	2.600	2008/06	DUE

**REGULATED SOC**

2,4-D	39730	036	1998/01/14	.000	2001/01	DUE
ALACHLOR	77825	036	2005/06/07	. .000	2008/06	DUE
ATRAZINE	39033	036	2005/06/07	. .000	2008/06	DUE
BENTAZON	38710	036	1995/08/30	< 2.000	1998/08	DUE
DI(2-ETHYLHEXYL)PHTHALATE	39100	036	2005/06/07	. .000	2008/06	DUE

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910246**

**System Name: LAND PROJECT MUTUAL WATER CO.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910246-001**

**Source Name: WELL 01**

**Source Number: 001**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED SOC**

DINOSEB	81287	036	1995/08/30	< 2.000	1998/08	DUE
DIQUAT	78885	036	2013/12/17	< 4.000	2016/12	
ENDOTHALL	38926	000				DUE
GLYPHOSATE	79743	036	1998/01/14	.000	2001/01	DUE
LINDANE	39340	036	1995/01/23	< .200	1998/01	DUE
METHOXYCHLOR	39480	036	1995/01/23	< 10.000	1998/01	DUE
PENTACHLOROPHENOL	39032	036	1995/08/30	< .200	1998/08	DUE
SIMAZINE	39055	036	2005/06/07	.000	2008/06	DUE
THIOBENCARB	A-001	036	2005/06/07	.000	2008/06	DUE
TOXAPHENE	39400	036	1995/01/23	< 1.000	1998/01	DUE

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	012	2008/06/24	< .500	2009/06	DUE
1,1,2,2-TETRACHLOROETHANE	34516	012	2008/06/24	< .500	2009/06	DUE
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2008/06/24	< .500	2009/06	DUE
1,1,2-TRICHLOROETHANE	34511	012	2008/06/24	< .500	2009/06	DUE
1,1-DICHLOROETHANE	34496	012	2008/06/24	< .500	2009/06	DUE
1,1-DICHLOROETHYLENE	34501	012	2008/06/24	< .500	2009/06	DUE
1,2,4-TRICHLOROBENZENE	34551	012	2008/06/24	< .500	2009/06	DUE
1,2-DICHLOROBENZENE	34536	012	2008/06/24	< .500	2009/06	DUE
1,2-DICHLOROETHANE	34531	012	2008/06/24	< .500	2009/06	DUE
1,2-DICHLOROPROPANE	34541	012	2008/06/24	< .500	2009/06	DUE
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2008/06/24	< 1.000	2009/06	DUE
1,4-DICHLOROBENZENE	34571	012	2008/06/24	< .500	2009/06	DUE
BENZENE	34030	012	2008/06/24	< .500	2009/06	DUE
CARBON TETRACHLORIDE	32102	012	2008/06/24	< .500	2009/06	DUE
CIS-1,2-DICHLOROETHYLENE	77093	012	2008/06/24	< .500	2009/06	DUE
DICHLOROMETHANE	34423	012	2008/06/24	< 1.000	2009/06	DUE
ETHYLBENZENE	34371	012	2008/06/24	< .500	2009/06	DUE
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2008/06/24	< .500	2009/06	DUE

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910246**

**System Name: LAND PROJECT MUTUAL WATER CO.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910246-001**

**Source Name: WELL 01**

**Source Number: 001**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED VOC**

MONOCHLOROENZENE	34301	012	2008/06/24	< .500	2009/06	DUE
STYRENE	77128	012	2008/06/24	< .500	2009/06	DUE
TETRACHLOROETHYLENE	34475	012	2008/06/24	< .500	2009/06	DUE
TOLUENE	34010	012	2008/06/24	< .500	2009/06	DUE
TRANS-1,2-DICHLOROETHYLENE	34546	012	2008/06/24	< .500	2009/06	DUE
TRICHLOROETHYLENE	39180	012	2008/06/24	< .500	2009/06	DUE
TRICHLOROFLUOROMETHANE	34488	012	2008/06/24	< .500	2009/06	DUE
VINYL CHLORIDE	39175	012	2008/06/24	< .500	2009/06	DUE
XYLENES (TOTAL)	81551	012	2008/06/24	< 1.000	2009/06	DUE

**SECONDARY/GP**

BICARBONATE ALKALINITY	00440	036	2008/06/24	170.000	2011/06	DUE
CALCIUM	00916	036	2008/06/24	53.000	2011/06	DUE
CARBONATE ALKALINITY	00445	036	2008/06/24	< 1.500	2011/06	DUE
CHLORIDE	00940	036	2008/06/24	51.000	2011/06	DUE
COLOR	00081	036	2008/06/24	1.000	2011/06	DUE
COPPER	01042	036	2008/06/24	< 10.000	2011/06	DUE
FOAMING AGENTS (MBAS)	38260	036	2008/06/24	< .100	2011/06	DUE
HARDNESS (TOTAL) AS CaCO3	00900	036	2008/06/24	160.000	2011/06	DUE
HYDROXIDE ALKALINITY	71830	036	2008/06/24	< .810	2011/06	DUE
IRON	01045	036	2014/06/24	. 310.000	2017/06	
MAGNESIUM	00927	036	2008/06/24	7.800	2011/06	DUE
MANGANESE	01055	036	2008/06/24	< 10.000	2011/06	DUE
ODOR THRESHOLD @ 60 C	00086	036	2008/06/24	.000	2011/06	DUE
PH, LABORATORY	00403	036	2008/06/24	7.940	2011/06	DUE
SILVER	01077	036	2008/06/24	< 10.000	2011/06	DUE
SODIUM	00929	036	2008/06/24	54.000	2011/06	DUE
SPECIFIC CONDUCTANCE	00095	036	2008/06/24	535.000	2011/06	DUE
SULFATE	00945	036	2008/06/24	31.000	2011/06	DUE
TOTAL DISSOLVED SOLIDS	70300	036	2008/06/24	340.000	2011/06	DUE

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910246**

**System Name: LAND PROJECT MUTUAL WATER CO.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>	
<b>PS Code: 1910246-001</b>					
<b>Source Name: WELL 01</b>					
<b>Source Number: 001</b>					
<b>Source Status: ACTIVE RAW</b>					
<b>Water type: G</b>					
<u>SECONDARY/GP</u>					
TURBIDITY, LABORATORY	82079	036	2014/06/24	. 1.300	2017/06
ZINC	01092	036	2008/06/24	< 50.000	2011/06 DUE

**PS Code: 1910246-002**  
**Source Name: WELL 03**  
**Source Number: 002**  
**Source Status: ACTIVE RAW**  
**Water type: G**

INORGANIC

ALUMINUM	01105	036	2011/06/27	< .000	2014/06 DUE
ANTIMONY	01097	036	2011/06/27	< .000	2014/06 DUE
ARSENIC	01002	036	2014/06/24	. 14.000	2017/06
BARIUM	01007	036	2011/06/27	< .000	2014/06 DUE
BERYLLIUM	01012	036	2011/06/27	< .000	2014/06 DUE
CADMIUM	01027	036	2011/06/27	< .000	2014/06 DUE
CHROMIUM (TOTAL)	01034	036	2011/06/27	< .000	2014/06 DUE
CYANIDE	01291	036	2011/06/27	< .000	2014/06 DUE
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2011/06/27	. .650	2014/06 DUE
MERCURY	71900	036	2011/06/27	< .000	2014/06 DUE
NICKEL	01067	036	2011/06/27	< .000	2014/06 DUE
PERCHLORATE	A-031	036	2014/07/08	< .000	2017/07
SELENIUM	01147	036	2011/06/27	< .000	2014/06 DUE
THALLIUM	01059	036	2011/06/27	< .000	2014/06 DUE

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2014/06/24	. 25.000	2015/06
NITRITE (AS N)	00620	036	2011/06/27	< .000	2014/06 DUE

RADIOLOGICAL

GROSS ALPHA	01501	003	2011/06/27	< .000	2011/09 DUE
-------------	-------	-----	------------	--------	-------------

\*Testing interval is in months;  
 0 = No data for this constituent and is DUE NOW  
 I = Invalid (NOT) valid analyses reported  
 Any analyses not listed as required for testing has been Waive (not required)



**System Number: 1910246**

**System Name: LAND PROJECT MUTUAL WATER CO.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

**PS Code: 1910246-002**

**Source Name: WELL 03**

**Source Number: 002**

**Source Status: ACTIVE RAW**

**Water type: G**

**RADIOLOGICAL**

RADIUM 226	09501	003	2005/01/02	.000	2005/04	DUE
RADIUM 228	11501	003	2009/09/29	.000	2009/12	DUE
URANIUM (PCI/L)	28012	003	2009/06/30	5.500	2009/09	DUE

**REGULATED SOC**

2,4-D	39730	036	2011/06/27	< .000	2014/06	DUE
ALACHLOR	77825	036	2011/06/27	< .000	2014/06	DUE
ATRAZINE	39033	036	2011/06/27	< .000	2014/06	DUE
BENTAZON	38710	036	2011/06/27	< .000	2014/06	DUE
DI(2-ETHYLHEXYL)PHTHALATE	39100	036	2011/06/27	< .000	2014/06	DUE
DINOSEB	81287	036	2011/06/27	< .000	2014/06	DUE
DIQUAT	78885	036	2011/06/27	< .000	2014/06	DUE
ENDOTHALL	38926	036	2011/06/27	< .000	2014/06	DUE
GLYPHOSATE	79743	036	2011/06/27	< .000	2014/06	DUE
LINDANE	39340	036	2011/06/27	< .000	2014/06	DUE
METHOXYCHLOR	39480	036	2011/06/27	< .000	2014/06	DUE
PENTACHLOROPHENOL	39032	036	2011/06/27	< .000	2014/06	DUE
SIMAZINE	39055	036	2011/06/27	< .000	2014/06	DUE
THIOBENCARB	A-001	036	2011/06/27	< .000	2014/06	DUE
TOXAPHENE	39400	036	2011/06/27	< .000	2014/06	DUE

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	012	2013/06/25	< .000	2014/06	DUE
1,1,2,2-TETRACHLOROETHANE	34516	012	2013/06/25	< .000	2014/06	DUE
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2013/06/25	< .000	2014/06	DUE
1,1,2-TRICHLOROETHANE	34511	012	2013/06/25	< .000	2014/06	DUE
1,1-DICHLOROETHANE	34496	012	2013/06/25	< .000	2014/06	DUE
1,1-DICHLOROETHYLENE	34501	012	2013/06/25	< .000	2014/06	DUE
1,2,4-TRICHLOROBENZENE	34551	012	2013/06/25	< .000	2014/06	DUE
1,2-DICHLOROBENZENE	34536	012	2013/06/25	< .000	2014/06	DUE
1,2-DICHLOROETHANE	34531	012	2013/06/25	< .000	2014/06	DUE

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910246**

**System Name: LAND PROJECT MUTUAL WATER CO.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910246-002**

**Source Name: WELL 03**

**Source Number: 002**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED VOC**

1,2-DICHLOROPROPANE	34541	012	2013/06/25	< .000	2014/06	DUE
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2013/06/25	< .000	2014/06	DUE
1,4-DICHLOROBENZENE	34571	012	2013/06/25	< .000	2014/06	DUE
BENZENE	34030	012	2013/06/25	< .000	2014/06	DUE
CARBON TETRACHLORIDE	32102	012	2013/06/25	< .000	2014/06	DUE
CIS-1,2-DICHLOROETHYLENE	77093	012	2013/06/25	< .000	2014/06	DUE
DICHLOROMETHANE	34423	012	2013/06/25	< .000	2014/06	DUE
ETHYLBENZENE	34371	012	2013/06/25	< .000	2014/06	DUE
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2013/06/25	< .000	2014/06	DUE
MONOCHLOROBENZENE	34301	012	2013/06/25	< .000	2014/06	DUE
STYRENE	77128	012	2013/06/25	< .000	2014/06	DUE
TETRACHLOROETHYLENE	34475	012	2013/06/25	< .000	2014/06	DUE
TOLUENE	34010	012	2013/06/25	< .000	2014/06	DUE
TRANS-1,2-DICHLOROETHYLENE	34546	012	2013/06/25	< .000	2014/06	DUE
TRICHLOROETHYLENE	39180	012	2013/06/25	< .000	2014/06	DUE
TRICHLOROFLUOROMETHANE	34488	012	2013/06/25	< .000	2014/06	DUE
VINYL CHLORIDE	39175	012	2013/06/25	< .000	2014/06	DUE
XYLENES (TOTAL)	81551	012	2013/06/25	< .000	2014/06	DUE

**SECONDARY/GP**

BICARBONATE ALKALINITY	00440	036	2011/06/27	. 210.000	2014/06	DUE
CALCIUM	00916	036	2011/06/27	. 57.000	2014/06	DUE
CARBONATE ALKALINITY	00445	036	2011/06/27	< .000	2014/06	DUE
CHLORIDE	00940	036	2011/06/27	. 58.000	2014/06	DUE
COLOR	00081	036	2011/06/27	< .000	2014/06	DUE
COPPER	01042	036	2011/06/27	< .000	2014/06	DUE
FOAMING AGENTS (MBAS)	38260	036	2011/06/27	< .000	2014/06	DUE
HARDNESS (TOTAL) AS CaCO3	00900	036	2011/06/27	. 180.000	2014/06	DUE
HYDROXIDE ALKALINITY	71830	036	2011/06/27	< .000	2014/06	DUE
IRON	01045	036	2014/06/24	< .000	2017/06	

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910246**

**System Name: LAND PROJECT MUTUAL WATER CO.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910246-002**

**Source Name: WELL 03**

**Source Number: 002**

**Source Status: ACTIVE RAW**

**Water type: G**

**SECONDARY/GP**

MAGNESIUM	00927	036	2011/06/27	. 8.400	2014/06	DUE
MANGANESE	01055	036	2011/06/27	< .000	2014/06	DUE
ODOR THRESHOLD @ 60 C	00086	036	2011/06/27	1.000	2014/06	DUE
PH, LABORATORY	00403	036	2011/06/27	. 7.800	2014/06	DUE
SILVER	01077	036	2011/06/27	< .000	2014/06	DUE
SODIUM	00929	036	2011/06/27	58.000	2014/06	DUE
SPECIFIC CONDUCTANCE	00095	036	2011/06/27	. 630.000	2014/06	DUE
SULFATE	00945	036	2011/06/27	42.000	2014/06	DUE
TOTAL DISSOLVED SOLIDS	70300	036	2011/06/27	. 390.000	2014/06	DUE
TURBIDITY, LABORATORY	82079	036	2014/06/24	< .000	2017/06	
ZINC	01092	036	2011/06/27	< .000	2014/06	DUE

**PS Code: 1910246-009**

**Source Name: WELL 08**

**Source Number: 009**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

ALUMINUM	01105	036	2013/01/28	< .000	2016/01	
ANTIMONY	01097	036	2013/01/28	< .000	2016/01	
ARSENIC	01002	036	2014/07/08	. 9.700	2017/07	
BARIUM	01007	036	2013/01/28	< .000	2016/01	
BERYLLIUM	01012	036	2013/01/28	< .000	2016/01	
CADMIUM	01027	036	2013/01/28	< .000	2016/01	
CHROMIUM (TOTAL)	01034	036	2013/01/28	< .000	2016/01	
CHROMIUM, HEXAVALENT	01032	036	2014/06/24	. 3.500	2017/06	
CYANIDE	01291	036	2013/01/28	< .000	2016/01	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/01/28	. .750	2016/01	
MERCURY	71900	036	2013/01/28	< .000	2016/01	

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910246**

**System Name: LAND PROJECT MUTUAL WATER CO.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910246-009**

**Source Name: WELL 08**

**Source Number: 009**

**Source Status: ACTIVE RAW**

**Water type: G**

**INORGANIC**

NICKEL	01067	036	2013/01/28	< .000	2016/01
PERCHLORATE	A-031	036	2014/07/08	< .000	2017/07
SELENIUM	01147	036	2013/01/28	< .000	2016/01
THALLIUM	01059	036	2013/01/28	< .000	2016/01

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	012	2014/06/24	. 18.000	2015/06
NITRITE (AS N)	00620	036	2013/01/28	< .000	2016/01

**RADIOLOGICAL**

<b>GROSS ALPHA</b>	01501	003	<b>2013/01/28</b>	. 9.400	<b>2013/04 DUE</b>
<b>RADIUM 226</b>	09501	000			<b>DUE</b>
<b>RADIUM 228</b>	11501	003	<b>2010/02/23</b>	.000	<b>2010/05 DUE</b>
<b>URANIUM (PCI/L)</b>	28012	003	<b>2011/02/21</b>	. 7.600	<b>2011/05 DUE</b>

**REGULATED SOC**

2,4-D	39730	036	2013/01/28	< .000	2016/01
ALACHLOR	77825	036	2013/01/28	< .000	2016/01
ATRAZINE	39033	036	2013/01/28	< .000	2016/01
BENTAZON	38710	036	2013/01/28	< .000	2016/01
DI(2-ETHYLHEXYL)PHTHALATE	39100	036	2013/01/28	< .000	2016/01
DINOSEB	81287	036	2013/01/28	< .000	2016/01
DIQUAT	78885	036	2013/01/28	< 4.000	2016/01
ENDOTHALL	38926	036	2013/01/28	< .000	2016/01
GLYPHOSATE	79743	036	2013/01/28	< .000	2016/01
LINDANE	39340	036	2013/01/28	< .000	2016/01
METHOXYCHLOR	39480	036	2013/01/28	< .000	2016/01
PENTACHLOROPHENOL	39032	036	2013/01/28	< .000	2016/01
SIMAZINE	39055	036	2013/01/28	< .000	2016/01
THIOBENCARB	A-001	036	2013/01/28	< .000	2016/01
TOXAPHENE	39400	036	2013/01/28	< .000	2016/01

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910246**

**System Name: LAND PROJECT MUTUAL WATER CO.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910246-009**

**Source Name: WELL 08**

**Source Number: 009**

**Source Status: ACTIVE RAW**

**Water type: G**

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	012	2013/06/25	< .000	2014/06	DUE
1,1,2,2-TETRACHLOROETHANE	34516	012	2013/06/25	< .000	2014/06	DUE
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2013/06/25	< .000	2014/06	DUE
1,1,2-TRICHLOROETHANE	34511	012	2013/06/25	< .000	2014/06	DUE
1,1-DICHLOROETHANE	34496	012	2013/06/25	< .000	2014/06	DUE
1,1-DICHLOROETHYLENE	34501	012	2013/06/25	< .000	2014/06	DUE
1,2,4-TRICHLOROBENZENE	34551	012	2013/06/25	< .000	2014/06	DUE
1,2-DICHLOROBENZENE	34536	012	2013/06/25	< .000	2014/06	DUE
1,2-DICHLOROETHANE	34531	012	2013/06/25	< .000	2014/06	DUE
1,2-DICHLOROPROPANE	34541	012	2013/06/25	< .000	2014/06	DUE
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2013/06/25	< .000	2014/06	DUE
1,4-DICHLOROBENZENE	34571	012	2013/06/25	< .000	2014/06	DUE
BENZENE	34030	012	2013/06/25	< .000	2014/06	DUE
CARBON TETRACHLORIDE	32102	012	2013/06/25	< .000	2014/06	DUE
CIS-1,2-DICHLOROETHYLENE	77093	012	2013/06/25	< .000	2014/06	DUE
DICHLOROMETHANE	34423	012	2013/06/25	< .000	2014/06	DUE
ETHYLBENZENE	34371	012	2013/06/25	< .000	2014/06	DUE
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2013/06/25	< .000	2014/06	DUE
MONOCHLOROBENZENE	34301	012	2013/06/25	< .000	2014/06	DUE
STYRENE	77128	012	2013/06/25	< .000	2014/06	DUE
TETRACHLOROETHYLENE	34475	012	2013/06/25	< .000	2014/06	DUE
TOLUENE	34010	012	2013/06/25	< .000	2014/06	DUE
TRANS-1,2-DICHLOROETHYLENE	34546	012	2013/06/25	< .000	2014/06	DUE
TRICHLOROETHYLENE	39180	012	2013/06/25	< .000	2014/06	DUE
TRICHLOROFLUOROMETHANE	34488	012	2013/06/25	< .000	2014/06	DUE
VINYL CHLORIDE	39175	012	2013/06/25	< .000	2014/06	DUE
XYLENES (TOTAL)	81551	012	2013/06/25	< .000	2014/06	DUE

**SECONDARY/GP**

BICARBONATE ALKALINITY	00440	036	2013/01/28	. 160.000	2016/01
------------------------	-------	-----	------------	-----------	---------

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910246**

**System Name: LAND PROJECT MUTUAL WATER CO.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

**PS Code: 1910246-009**

**Source Name: WELL 08**

**Source Number: 009**

**Source Status: ACTIVE RAW**

**Water type: G**

**SECONDARY/GP**

CALCIUM	00916	036	2013/01/28	. 43.000	2016/01
CARBONATE ALKALINITY	00445	036	2013/01/28	< .000	2016/01
CHLORIDE	00940	036	2013/01/28	. 65.000	2016/01
COLOR	00081	036	2013/12/17	< .000	2016/12
COPPER	01042	036	2013/01/28	< .000	2016/01
FOAMING AGENTS (MBAS)	38260	036	2013/01/28	< .000	2016/01
HARDNESS (TOTAL) AS CaCO3	00900	036	2013/01/28	. 130.000	2016/01
HYDROXIDE ALKALINITY	71830	036	2013/01/28	< .000	2016/01
IRON	01045	036	2013/01/28	< .000	2016/01
MAGNESIUM	00927	036	2013/01/28	. 5.500	2016/01
MANGANESE	01055	036	2013/01/28	< .000	2016/01
ODOR THRESHOLD @ 60 C	00086	036	2013/12/17	. 1.000	2016/12
PH, LABORATORY	00403	036	2013/01/28	. 7.800	2016/01
SILVER	01077	036	2013/01/28	< .000	2016/01
SODIUM	00929	036	2013/01/28	66.000	2016/01
SPECIFIC CONDUCTANCE	00095	036	2013/01/28	. 580.000	2016/01
SULFATE	00945	036	2013/01/28	41.000	2016/01
TOTAL DISSOLVED SOLIDS	70300	036	2013/01/28	. 350.000	2016/01
TURBIDITY, LABORATORY	82079	036	2013/12/17	. 4.300	2016/12
ZINC	01092	036	2013/01/28	< .000	2016/01

**PS Code: 1910246-800**

**Source Name: SITE 1 -47207 90TH STREET WEST-STG2 DBP**

**Source Number: 800**

**Source Status: DISTRIBUTION TREATED**

**Water type: G**

**HALOACETIC ACIDS**

<b>DIBROMOACETIC ACID (DBAA)</b>	<b>82721</b>	<b>000</b>			<b>DUE</b>
<b>DICHLOROACETIC ACID (DCAA)</b>	<b>77288</b>	<b>000</b>			<b>DUE</b>

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 1910246**

**System Name: LAND PROJECT MUTUAL WATER CO.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

**PS Code: 1910246-800**

**Source Name: SITE 1 -47207 90TH STREET WEST-STG2 DBP**

**Source Number: 800**

**Source Status: DISTRIBUTION TREATED**

**Water type: G**

**HALOACETIC ACIDS**

<b>HALOACETIC ACIDS (5) (HAA5)</b>	<b>A-049</b>	<b>000</b>		<b>DUE</b>
<b>MONOBROMOACETIC ACID (MBAA)</b>	<b>A-041</b>	<b>000</b>		<b>DUE</b>
<b>MONOCHLOROACETIC ACID (MCAA)</b>	<b>A-042</b>	<b>000</b>		<b>DUE</b>
<b>TRICHLOROACETIC ACID (TCAA)</b>	<b>82723</b>	<b>000</b>		<b>DUE</b>

**STATE UCMR**

<b>BROMODICHLORMETHANE (THM)</b>	<b>32101</b>	<b>000</b>		<b>DUE</b>
<b>BROMOFORM (THM)</b>	<b>32104</b>	<b>000</b>		<b>DUE</b>
<b>CHLOROFORM (THM)</b>	<b>32106</b>	<b>000</b>		<b>DUE</b>
<b>DIBROMOCHLOROMETHANE (THM)</b>	<b>32105</b>	<b>000</b>		<b>DUE</b>

**TRIHALOMETHANES**

<b>TOTAL TRIHALOMETHANES</b>	<b>82080</b>	<b>000</b>		<b>DUE</b>
------------------------------	--------------	------------	--	------------

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)